

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Monday May 08, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPU1	-	-	-	-	KTB-P	-	-	-	-	TPIPL	1.50	0.01	82,638	1.50
SAFARI	-	-	-	-	KTB-Q	-	-	-	-	UMI	1.30	0.01	978	1.28
WORLD	-	-	-	-	KTB01C2307A	0.25	0.03	18,951	0.23	VNG	4.72	0.08	604	4.64
Agribusiness	-	-	-	-	KTB01C2309A	0.50	0.02	34,802	0.48	WIIK	1.75	0.02	4,055	1.75
EE	0.49	(0.01)	17,091	0.49	KTB01P2307X	0.06	(0.01)	5,223	0.07	Petrochemicals & Ch	-	-	-	-
EE-W1	0.07	-	22,811	0.07	KTB06C2305A	-	-	-	-	BCT	57.00	1.00	5	56.20
GPPT	10.70	0.20	9,693	10.71	KTB06C2306A	0.17	0.02	160,805	0.15	CMAN	2.16	0.04	4,808	2.11
LEE	2.32	0.04	1,126	2.27	KTB13C2305A	-	-	-	-	GC	4.98	(0.07)	685	5.01
MAX	-	-	-	-	KTB13C2308A	0.41	0.05	4,068	0.39	GTC	13.00	0.10	17	12.97
NER	4.96	0.12	30,121	4.92	KTB13C2309A	0.35	0.02	132,362	0.33	GIFT	6.55	0.05	976	6.48
PPPM	0.09	-	411,570	0.09	KTB13P2309A	0.26	(0.03)	72,001	0.27	IVL	34.00	0.25	131,321	33.90
PPPM-W4	-	-	-	-	KTB19C2305A	-	-	-	-	IVL01C2305A	-	-	-	-
PPPM-W5	0.01	-	400	0.01	KTB19C2309A	-	-	-	-	IVL01C2308A	0.05	0.01	400	0.05
STA	20.10	0.30	42,319	20.03	KTB19C2310A	0.28	0.02	46,307	0.27	IVL01C2309A	0.14	0.01	25,555	0.13
STA01C2307A	-	-	-	-	KTB19P2309A	0.22	(0.02)	8,042	0.23	IVL01C2310A	0.25	(0.01)	60,108	0.25
STA01C2308A	-	-	-	-	KTB41C2307A	0.26	0.03	36,524	0.24	IVL01P2305A	-	-	-	-
STA01C2309A	0.21	0.02	21,300	0.20	KTB41C2309A	0.35	0.03	735	0.34	IVL01P2309A	0.25	(0.01)	32,481	0.26
STA01P2307A	0.38	(0.03)	15,397	0.39	LHFG	1.10	0.02	66,392	1.09	IVL06C2305A	-	-	-	-
STA06C2305A	-	-	-	-	SCB	105.50	2.00	173,592	104.82	IVL06C2306A	-	-	-	-
STA06C2307A	-	-	-	-	SCB01C2306A	0.14	0.02	7,615	0.13	IVL06C2307A	0.10	-	81,000	0.11
STA06C2308A	0.22	0.02	95,000	0.22	SCB01C2308A	0.72	0.06	1,364	0.69	IVL08C2308A	0.08	0.01	44,377	0.07
STA13C2306A	-	-	-	-	SCB01C2309A	0.33	0.04	14,572	0.31	IVL11C2307X	0.12	-	60,983	0.12
STA13C2307A	-	-	-	-	SCB01P2306X	0.07	(0.03)	4,378	0.08	IVL11P2308A	0.41	(0.03)	11,162	0.41
STA13C2308A	0.22	0.01	98,189	0.22	SCB06C2305A	-	-	-	-	IVL13C2305A	-	-	-	-
STA19C2306A	-	-	-	-	SCB06C2306A	-	-	-	-	IVL13C2306A	-	-	-	-
STA19C2307A	-	-	-	-	SCB06C2307A	0.21	0.02	31,434	0.22	IVL13C2307A	-	-	-	-
STA19C2309A	0.34	0.01	42,928	0.33	SCB06C2307B	-	-	-	-	IVL13C2308A	0.11	-	51,072	0.11
TEGH	3.88	-	28,430	3.87	SCB08C2308A	0.30	0.03	7,771	0.30	IVL13C2309A	0.21	0.01	54,795	0.21
TFM	7.05	0.35	10,491	6.81	SCB13C2306A	0.05	(0.01)	23,350	0.05	IVL13P2307A	0.13	(0.02)	12,346	0.14
TRUBB	1.77	(0.09)	10,800	1.74	SCB13C2306B	-	-	-	-	IVL19C2305A	-	-	-	-
TRUBB-W2	0.12	-	3,105	0.11	SCB13C2307A	0.28	0.03	90,193	0.27	IVL19C2306A	-	-	-	-
TWPC	4.58	-	695	4.57	SCB13P2306A	0.01	(0.02)	300	0.01	IVL19C2307A	0.08	-	8,972	0.08
UPOIC	6.30	(0.05)	140	6.28	SCB19C2305A	-	-	-	-	IVL19C2309A	0.21	0.01	78,915	0.21
UVAN	7.60	0.20	3,610	7.52	SCB19C2306A	-	-	-	-	IVL19P2307A	0.13	(0.02)	17,458	0.14
VPO	0.80	0.01	6,038	0.80	SCB19C2306B	-	-	-	-	IVL28C2306A	-	-	-	-
Banking	-	-	-	-	SCB19C2307A	0.24	0.03	3,068	0.22	IVL41C2306A	-	-	-	-
BAY	29.00	(0.25)	22,485	29.00	SCB19P2306A	0.02	-	500	0.02	IVL41C2307A	-	-	-	-
BBL	162.00	3.50	65,047	160.66	SCB41C2306A	0.04	(0.04)	3,500	0.04	IVL41C2308A	0.16	0.01	26,363	0.15
BBL06C2305A	-	-	-	-	SCB41C2307A	-	-	-	-	IVL41C2309A	0.27	-	37,632	0.26
BBL06C2306A	-	-	-	-	SCB41C2309A	0.30	0.04	17,000	0.29	NFC	4.74	0.06	3,908	4.77
BBL06C2307A	0.38	0.04	81,000	0.37	SCB41P2306A	-	-	-	-	PATO	10.00	-	90	9.95
BBL08C2308A	0.27	0.03	21,140	0.26	TCAP	46.75	1.75	50,230	45.83	PMTA	8.85	(1.00)	778	9.02
BBL11C2311T	0.40	0.05	16,750	0.38	TCAP-P	-	-	-	-	PTTG	42.25	1.00	109,940	41.82
BBL11P2311T	0.25	(0.01)	13,400	0.26	TCAP-Q	-	-	-	-	PTTGC01C2305A	-	-	-	-
BBL13C2305A	-	-	-	-	TCAP13C2309A	0.27	0.06	107,551	0.24	PTTGC01C2307A	0.04	0.01	890	0.04
BBL13C2306A	0.06	0.01	5,123	0.05	TCAP19C2310A	0.28	0.06	47,280	0.26	PTTGC01C2309A	0.13	0.02	19,494	0.12
BBL13C2308A	0.42	0.05	36,155	0.39	TISCO	91.75	0.50	45,782	91.38	PTTGC01P2308A	0.53	(0.07)	5,958	0.56
BBL16C2305A	0.03	(0.02)	128	0.03	TISCO-P	-	-	-	-	PTTGC06C2305A	-	-	-	-
BBL19C2305A	-	-	-	-	TISCO-Q	-	-	-	-	PTTGC06C2307A	-	-	-	-
BBL19C2307A	0.14	0.01	156,874	0.14	TISCO01C2305A	-	-	-	-	PTTGC13C2305A	-	-	-	-
BBL19C2308A	0.42	0.06	52,424	0.40	TISCO006C2306A	-	-	-	-	PTTGC13C2306A	-	-	-	-
BBL41C2306A	-	-	-	-	TISCO01C2306A	-	-	-	-	PTTGC13C2308A	0.08	0.01	7,450	0.08
BBL41C2306B	0.13	0.04	10	0.13	TISCO01C2308A	0.14	-	9,498	0.14	PTTGC13C2309A	0.25	0.02	167,210	0.24
BBL41C2308A	0.44	0.06	32,286	0.41	TISCO019C2305A	-	-	-	-	PTTGC19C2306A	-	-	-	-
BBL41P2306A	-	-	-	-	TISCO19C2306A	-	-	-	-	PTTGC19C2307A	-	-	-	-
CIMBT	0.80	0.01	6,195	0.79	TTB	1.50	0.02	5,016,045	1.49	PTTGC19C2310A	0.27	0.02	108,119	0.25
KBANK	129.50	2.50	159,903	129.15	TTB-W1	0.53	0.02	89,456	0.52	PTTGC28C2307A	-	-	-	-
KBANK01C2305A	0.01	-	8,179	0.01	TTB01C2306A	0.07	-	14,135	0.06	PTTGC41C2306A	-	-	-	-
KBANK01C2307A	0.07	0.02	3,365	0.06	TTB01C2310A	0.36	0.02	46,119	0.35	PTTGC41C2308A	-	-	-	-
KBANK01C2308A	0.16	0.03	62,157	0.15	TTB13C2306A	0.12	-	48,223	0.11	PTTGC41C2309A	0.12	0.02	8,001	0.11
KBANK01C2308T	0.15	0.01	5,534	0.15	TTB19C2306A	0.11	-	9,598	0.11	SUTHA	3.62	0.02	45	3.62
KBANK01C2309A	0.31	0.02	14,140	0.31	Construction Ma	-	-	-	-	TCCC	39.00	(0.25)	632	39.24
KBANK01C2309W	0.31	0.02	12,246	0.31	CCP	0.36	-	21,823	0.35	TPA	5.35	(0.05)	9	5.36
KBANK01P2305A	-	-	-	-	DCON	2.12	0.04	11,222	2.11	UAC	4.02	0.10	1,216	3.95
KBANK06C2306A	-	-	-	-	DCON	2.30	0.02	33,338	2.28	UP	20.70	4.00	1	20.70
KBANK06C2307A	0.13	0.02	60,000	0.13	DRT	7.85	0.05	1,880	7.77	Commerce	-	-	-	-
KBANK06C2308A	0.32	0.04	145,473	0.31	EPG	7.60	-	6,439	7.55	BEAUTY	1.18	0.01	25,148	1.18
KBANK08C2308A	0.17	0.01	11,901	0.17	EGO8C2306A	-	-	-	-	BIG	0.67	0.01	4,513	0.66
KBANK13C2305A	-	-	-	-	EPG13C2305A	-	-	-	-	BJC	39.00	(0.25)	67,382	38.96
KBANK13C2306A	0.02	-	21	0.02	EPG13C2306A	-	-	-	-	COM7	26.50	0.25	110,439	26.48
KBANK13C2307A	0.07	0.01	42,042	0.06	EPG19C2306A	-	-	-	-	COM701C2307A	0.03	-	930	0.03
KBANK13C2308A	0.26	0.02	147,482	0.26	EPG19C2307A	0.03	(0.01)	2	0.04	COM701C2309A	0.18	-	123,098	0.18
KBANK13P2305A	-	-	-	-	GEL	0.25	-	85,286	0.25	COM701P2307A	0.28	(0.02)	52,688	0.30
KBANK13P2307A	0.13	(0.03)	9,181	0.13	GEL-W5	0.05	(0.01)	79,490	0.05	COM706C2306A	-	-	-	-
KBANK16C2306A	0.04	(0.01)	144	0.04	PPP	2.02	0.02	215	2.01	COM706C2308A	0.07	0.02	17,000	0.07
KBANK16C2307A	0.10	0.01	528	0.10	Q-CON	12.90	0.50	10,779	12.81	COM708C2306A	-	-	-	-
KBANK16C2307B	0.16	0.02	42,849	0.16	SCC	335.00	10.00	43,635	332.82	COM71C2306A	-	-	-	-
KBANK19C2305A	-	-	-	-	SCC01C2312T	0.57	0.06	18,279	0.55	COM71C2306A	-	-	-	-
KBANK19C2307A	0.17	0.03	208,187	0.17	SCC06C									

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Monday May 08, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL06C2305A	-	-	-	-	SABUY13C2309/	0.34	(0.01)	64,645	0.35	ITEL	3.00	0.04	5,065	3.00
CPALL06C2306A	-	-	-	-	SABUY13C2309E	-	-	-	-	ITEL-W4	0.13	0.01	259	0.12
CPALL06C2307A	0.23	-	141,082	0.24	SABUY19C2306/	0.06	(0.01)	16,146	0.06	JAS	1.85	0.02	123,608	1.85
CPALL08C2308A	0.30	0.01	37,140	0.30	SABUY19C2308/	0.21	(0.01)	34,010	0.21	JAS06C2305A	-	-	-	-
CPALL11C2310T	0.49	0.02	20,200	0.48	SABUY19C2309/	-	-	-	-	JAS08C2305A	-	-	-	-
CPALL13C2305A	-	-	-	-	SABUY19P2307/	0.27	(0.04)	4,031	0.28	JAS13C2305A	-	-	-	-
CPALL13C2306A	0.03	-	290	0.03	SABUY41C2308/	-	-	-	-	JAS13C2308A	0.11	0.01	3,269	0.11
CPALL13C2307A	0.16	-	730	0.16	SCM	5.05	-	641	5.00	JAS19C2306A	-	-	-	-
CPALL13C2309A	0.37	0.01	56,079	0.36	SCM-W1	0.13	-	44,688	0.15	JAS19C2308A	0.08	-	20,960	0.08
CPALL16C2306A	0.05	-	1,224	0.05	SINGER	12.80	(0.30)	137,946	12.73	JASIF	7.05	0.05	30,241	7.07
CPALL16C2307A	0.24	0.02	13,286	0.24	SINGER01C2305	-	-	-	-	JMART	19.30	0.20	135,061	19.13
CPALL19C2306A	-	-	-	-	SINGER01C2307	-	-	-	-	JMART-W4	8.50	(0.10)	238	8.55
CPALL19C2306B	-	-	-	-	SINGER01C2309	0.10	(0.02)	112,164	0.11	JMART-W5	2.88	0.10	97	2.89
CPALL19C2306C	-	-	-	-	SINGER01P2309	0.89	0.03	44,916	0.91	JMART01C2306A	0.01	(0.01)	250	0.01
CPALL19C2307A	0.17	-	75,891	0.17	SINGER06C2305	-	-	-	-	JMART01C2307A	-	-	-	-
CPALL28C2307A	0.18	0.01	12,219	0.17	SINGER06C2307	-	-	-	-	JMART01C2308A	0.03	0.01	1	0.03
CPALL41C2306A	-	-	-	-	SINGER08C2309	0.03	0.01	5	0.02	JMART01C2309A	0.28	0.01	42,547	0.27
CPALL41C2307A	0.11	-	1,550	0.11	SINGER13C2305	-	-	-	-	JMART01P2307A	1.19	(0.02)	3,535	1.22
CPALL41C2308A	0.39	0.03	24,610	0.37	SINGER13C2306	-	-	-	-	JMART01P2308A	0.49	(0.02)	39,731	0.51
CPALL41P2307A	0.09	(0.06)	8,000	0.10	SINGER13C2306	-	-	-	-	JMART06C2306A	-	-	-	-
CPW	2.96	0.08	1,056	2.94	SINGER13C2307	0.01	-	98	0.01	JMART06C2307A	-	-	-	-
CRC	45.50	(0.50)	135,733	45.41	SINGER13C2308	0.05	-	3,114	0.05	JMART06C2308A	-	-	-	-
CRC01C2307A	0.15	(0.01)	105,660	0.15	SINGER13C2309	0.11	(0.01)	30,523	0.10	JMART08C2306A	-	-	-	-
CRC06C2305A	-	-	-	-	SINGER13C2309	0.21	(0.04)	105,125	0.21	JMART13C2306A	-	-	-	-
CRC06C2306A	0.11	-	113,160	0.11	SINGER13P2306	0.73	-	76	0.79	JMART13C2307A	-	-	-	-
CRC11P2310A	0.37	-	8,692	0.36	SINGER19C2305	-	-	-	-	JMART13C2307B	-	-	-	-
CRC13C2306A	-	-	-	-	SINGER19C2306	0.01	-	8,425	0.01	JMART13C2308A	0.03	-	4,406	0.03
CRC19C2308A	0.17	(0.01)	158,550	0.17	SINGER19C2306	0.02	-	120	0.02	JMART13C2308B	0.14	0.01	27,590	0.14
CRC28C2307A	0.18	-	27,957	0.18	SINGER19C2308	0.05	-	1	0.05	JMART13C2309A	0.34	0.02	10,276	0.32
CSS	1.36	(0.04)	8,239	1.35	SINGER19C2308	0.10	(0.01)	9,654	0.10	JMART13P2306A	0.47	0.01	300,630	0.45
DOHOME	13.90	0.80	244,217	13.95	SINGER19P2307	1.11	0.05	125,560	0.23	JMART13P2309A	0.62	(0.03)	30,600	0.64
DOHOME01C2306X	-	-	-	-	SINGER19P2307	65.00	0.75	8	64.84	JMART16C2308A	0.12	0.01	578	0.10
DOHOME01C2309A	0.17	0.05	114,619	0.18	SPC	-	-	-	-	JMART19C2305A	-	-	-	-
DOHOME01P2308A	0.30	(0.09)	101,192	0.30	SPI	-	-	-	-	JMART19C2306A	-	-	-	-
DOHOME06C2305A	-	-	-	-	SVT	3.14	0.04	4,901	3.13	JMART19C2306B	-	-	-	-
DOHOME06C2308A	0.19	0.05	552,333	0.21	Information & Cr	-	-	-	-	JMART19C2308B	-	-	-	-
DOHOME08C2306A	-	-	-	-	ADVANC	219.00	5.00	100,641	217.10	JMART19C2307A	0.02	-	2,135	0.02
DOHOME11C2309A	0.23	0.06	106,680	0.21	ADVANC01C2301	0.35	0.10	31,259	0.28	JMART19C2307B	0.05	-	12,777	0.05
DOHOME13C2305A	-	-	-	-	ADVANC01C2301	0.16	0.05	116,527	0.14	JMART19C2308A	0.18	0.01	22,157	0.16
DOHOME13C2306A	0.09	0.03	95,241	0.10	ADVANC01C2301	0.31	0.05	111,467	0.30	JMART19C2309A	0.34	0.02	101,927	0.31
DOHOME13C2308A	0.14	0.04	139,057	0.15	ADVANC01P2301	-	-	-	-	JMART19P2307A	0.47	(0.03)	78,701	0.51
DOHOME19C2305A	-	-	-	-	ADVANC01P2301	0.24	(0.04)	51,721	0.26	JMART41C2305A	-	-	-	-
DOHOME19C2306A	0.16	0.04	173,740	0.16	ADVANC06C2301	-	-	-	-	JMART41C2306A	-	-	-	-
DOHOME19C2307A	0.08	0.02	47,144	0.09	ADVANC06C2301	0.24	0.05	278,824	0.22	JMART41C2307A	-	-	-	-
DOHOME41C2306A	-	-	-	-	ADVANC08C2301	-	-	-	-	JMART41C2308A	-	-	-	-
FN	1.63	-	6,265	1.61	ADVANC08C2301	0.11	0.03	19,780	0.10	JMART41C2308B	0.08	(0.01)	3,180	0.08
FTE	1.68	0.03	10,134	1.68	ADVANC11C2311	0.39	0.04	37,724	0.37	JMART41C2309A	0.37	0.03	91,265	0.33
GLOBAL	18.00	0.70	141,925	17.92	ADVANC13C2301	-	-	-	-	JMART41C2310A	0.51	0.01	146,635	0.48
GLOBAL01C2306A	-	-	-	-	ADVANC13C2301	-	-	-	-	JTS	30.25	1.00	8,053	29.73
GLOBAL01C2308A	0.14	0.03	25,997	0.13	ADVANC13C2301	0.25	0.03	253,876	0.23	JTSC	30.25	1.00	8,053	29.73
GLOBAL06C2305A	-	-	-	-	ADVANC13P2301	0.02	(0.01)	475	0.02	MFC	7.40	0.05	1,061	7.43
GLOBAL06C2306A	-	-	-	-	ADVANC16C2301	0.17	0.04	4,544	0.15	MSC	7.70	0.25	48	7.60
GLOBAL06C2307A	0.13	0.03	118,822	0.11	ADVANC19C2301	0.11	0.02	39,196	0.09	PT	6.65	0.05	1,231	6.61
GLOBAL06C2308A	0.32	0.06	155,180	0.29	ADVANC19C2301	0.20	0.02	199,185	0.20	SAMART	4.10	0.16	54,430	4.03
GLOBAL13C2307A	0.08	0.03	54,813	0.07	ADVANC19P2301	0.10	(0.03)	85,728	0.10	SAMART-W3	0.24	(0.01)	6,289	0.24
GLOBAL19C2306A	-	-	-	-	ADVANC28C2301	0.41	0.05	75,341	0.38	SAMTEL	4.16	0.12	3,277	4.10
GLOBAL19C2307A	0.10	0.02	75,490	0.09	ADVANC41C2301	-	-	-	-	SAMTEL-W1	0.39	-	11	0.39
GLOBAL41C2306A	-	-	-	-	ADVANC41C2301	-	-	-	-	SDC	0.11	-	144,451	0.11
GLOBAL41C2307A	0.13	0.03	10,905	0.12	ADVANC41C2301	0.21	0.03	76,735	0.19	SDC-W1	-	-	-	-
GLOBAL41C2309A	0.33	0.05	38,878	0.32	AIT	5.45	0.49	34,108	5.36	SIS	20.70	1.20	1,767	20.18
GLOBAL41C2310A	0.36	0.06	62,673	0.34	AIT-W2	2.92	0.08	4,044	2.92	SKY	26.00	0.75	34,531	26.42
HMPRO	14.50	0.30	282,101	14.38	ALT	2.08	-	923	2.07	SVOA	2.06	0.06	5,767	2.04
HMPRO01C2305A	-	-	-	-	AMR	3.40	(0.02)	2,400	3.39	SYMC	6.00	-	65	5.94
HMPRO01C2307A	0.11	0.02	24,152	0.10	BLISS	-	-	-	-	SYNEX08C2306A	-	-	-	-
HMPRO01C2310A	0.34	0.03	20,746	0.32	DIF	12.80	0.20	103,466	12.77	SYNEX13C2306A	-	-	-	-
HMPRO06C2305A	-	-	-	-	DTCENT	1.70	0.02	11,754	1.69	SYNEIX19C2308A	0.06	0.01	53,458	0.06
HMPRO06C2307A	0.18	0.02	77,372	0.17	FORTH	28.25	0.25	8,317	27.98	THCOM	13.30	0.60	113,832	12.92
HMPRO11C2310T	0.27	0.02	1,850	0.27	FORTH01C2306	-	-	-	-	TKC	19.70	0.20	524	19.72
HMPRO13C2305A	-	-	-	-	FORTH01C2306	-	-	-	-	TRUE	8.30	0.30	895,464	8.21
HMPRO13C2306A	-	-	-	-	FORTH01C2308	-	-	-	-	TRUE01C2308A	0.14	0.04	53,718	0.13
HMPRO13C2309A	0.25	0.02	57,753	0.23	FORTH01C2309	0.13	0.01	16,581	0.12	TRUE01C2310A	0.38	0.06	38,994	0.36
HMPRO19C2305A	-	-	-	-	FORTH01P2306	0.20	(0.03)	54,618	0.22	TRUE01P2308A	0.18	(0.04)	12,102	0.20
HMPRO19C2308A	0.17	0.03	171,881	0.16	FORTH01P2308	0.73	(0.02)	15,968	0.76	TRUE06C2307A	0.13	0.01	125,500	0.13
ICC	35.00	2.00	5	34.35	FORTH06C2306	-	-	-	-	TRUE06C2308A	0.34	0.05	268,846	0.33
ILM	19.70	-	7,879	19.76	FORTH06C2307	0.07	-	17,050	0.07	TRUE08C2310A	0.16	0.02	48,012	0.16
IT	3.54	0.08	984	3.50	FORTH11C2306	-	-	-	-	TRUE13C2307A	0.13	0.02	58,628	0.12
KAMART	8.60	0.15	41,432	8.57	FORTH13C2305	-	-	-	-	TRUE13C2309A	0.31	0.04	85,332	0.29

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
DETA13C2308B	0.06	0.01	32,727	0.06	ACC	1.15	0.02	5,960	1.14	EA01P2310A	0.75	(0.07)	10,071	0.78
DETA13C2308C	0.30	0.04	281,277	0.28	ACE	2.06	0.06	141,000	2.03	EA08C2306A	-	-	-	-
DETA13P2305A	-	-	-	-	ACE13C2305A	-	-	-	-	EA11C2311T	0.33	0.04	20,700	0.31
DETA13P2305B	-	-	-	-	ACE13C2308A	0.05	0.01	2,800	0.05	EA13C2305A	-	-	-	-
DETA16C2306A	0.25	(0.08)	167,083	0.27	ACE19C2305A	-	-	-	-	EA13C2306A	0.01	-	10	0.01
DETA16C2305A	-	-	-	-	ACE19C2308A	0.07	0.01	12,762	0.06	EA13C2307A	0.03	0.01	6,014	0.02
DETA19C2305A	0.01	(0.01)	167	0.01	ACE28C2306A	-	-	-	-	EA13C2307B	0.08	0.01	201,854	0.07
DETA19C2305B	-	-	-	-	AGE	2.60	(0.04)	28,450	2.64	EA13C2309A	0.28	0.04	79,340	0.27
DETA19C2308A	0.07	0.01	558,099	0.07	AI	5.55	0.05	1,058	5.50	EA13P2307A	0.30	(0.10)	65,984	0.32
DETA19C2309A	0.36	0.03	145,735	0.34	AIE	1.84	0.01	2,594	1.83	EA16C2305A	-	-	-	-
DETA19P2305A	0.03	(0.05)	11,921	0.03	AKR	0.99	0.01	35,302	0.99	EA16C2306A	-	-	-	-
DETA19P2305B	0.05	(0.02)	11,794	0.05	BAFS	31.50	0.25	3,262	31.51	EA19C2305A	-	-	-	-
DETA19P2306A	0.51	(0.13)	189,862	0.54	BANPU	8.90	(0.15)	615,486	8.94	EA19C2306A	0.02	(0.02)	1,100	0.02
DETA41C2305A	-	-	-	-	BANPU-W5	1.39	(0.11)	119,885	1.41	EA19C2307A	0.04	(0.01)	6,001	0.04
DETA41C2305B	-	-	-	-	BANPU01C2305/	0.01	-	1,078	0.01	EA19C2308A	0.16	0.02	77,679	0.15
DETA41C2306A	0.10	0.05	342	0.08	BANPU01C2306/	-	-	-	-	EA19C2309A	0.36	0.05	51,486	0.34
DETA41C2308A	0.24	0.04	14,549	0.23	BANPU01C2307/	0.01	-	300	0.01	EA19P2307A	0.37	(0.11)	51,368	0.39
HANA	43.00	1.50	65,587	42.48	BANPU01C2308/	0.04	-	150	0.04	EA41C2305A	-	-	-	-
HANA01C2306A	0.02	-	1	0.02	BANPU01C2310/	0.24	(0.03)	19,432	0.25	EA41C2306A	-	-	-	-
HANA01C2308A	0.09	0.01	17,853	0.07	BANPU01P2307/	0.40	0.02	13,400	0.39	EA41C2307A	-	-	-	-
HANA01C2309W	0.29	0.04	85,209	0.26	BANPU01P2310/	0.62	0.03	6,995	0.60	EA41C2308A	0.13	0.03	7,010	0.12
HANA01P2308A	0.87	(0.09)	3,219	0.90	BANPU06C2306/	-	-	-	-	EA41C2310A	0.41	0.06	46,630	0.38
HANA06C2306A	0.01	-	202	0.01	BANPU06C2306/	-	-	-	-	EASTW	5.00	0.04	7,619	4.98
HANA06C2307A	-	-	-	-	BANPU06C2308/	0.24	(0.01)	166,000	0.25	EGATIF	6.65	-	3,196	6.63
HANA08C2310A	0.13	0.02	12,546	0.12	BANPU06C2309/	0.13	-	10,000	0.13	EGCO	157.50	4.50	9,085	155.42
HANA13C2305A	-	-	-	-	BANPU08C2305/	-	-	-	-	EGCO11C2305A	-	-	-	-
HANA13C2306A	-	-	-	-	BANPU08C2308/	-	-	-	-	EGCO13C2307A	0.11	0.02	26,944	0.10
HANA13C2307A	0.04	-	12,048	0.04	BANPU11C2310/	-	-	-	-	EGCO19C2307A	-	-	-	-
HANA13C2308A	0.15	0.02	49,972	0.15	BANPU11P2309/	0.55	0.01	36,801	0.55	EGCO19C2309A	0.34	0.06	8,552	0.31
HANA13C2309A	0.36	0.05	98,815	0.34	BANPU13C2305/	-	-	-	-	EP	3.12	0.02	5,871	3.09
HANA13P2305A	-	-	-	-	BANPU13C2306/	0.01	-	5	0.01	EP-W4	0.22	(0.02)	529	0.22
HANA13P2307A	0.53	(0.12)	1,505	0.56	BANPU13C2307/	0.01	-	500	0.01	ESSO	8.35	0.05	54,480	8.30
HANA16C2307A	0.06	0.01	1,444	0.06	BANPU13C2308/	-	-	-	-	ESSO001C2305A	0.01	-	1,000	0.01
HANA16C2308A	0.17	0.04	1,377	0.15	BANPU13C2309/	0.17	(0.02)	83,302	0.17	ESSO01C2305B	-	-	-	-
HANA19C2306A	-	-	-	-	BANPU13P2309/	0.48	(0.01)	3,062	0.48	ESSO01P2305A	-	-	-	-
HANA19C2306B	0.01	(0.01)	1,000	0.01	BANPU19C2305/	-	-	-	-	ESSO06C2306A	-	-	-	-
HANA19C2307A	0.05	-	17,162	0.06	BANPU19C2306/	-	-	-	-	ESSO06C2308A	-	-	-	-
HANA19C2308A	0.18	0.03	18,617	0.16	BANPU19C2306/	0.02	(0.02)	2	0.02	ESSO08C2306A	-	-	-	-
HANA19C2309A	0.32	0.04	207,058	0.30	BANPU19C2307/	-	-	-	-	ESSO13C2305A	-	-	-	-
HANA19P2306A	0.44	(0.10)	65	0.46	BANPU19C2309/	0.12	(0.02)	57,186	0.13	ESSO13C2305B	-	-	-	-
HANA41C2305A	-	-	-	-	BANPU19C2309/	0.26	-	6,887	0.26	ESSO13C2308A	0.18	0.01	2,304	0.18
HANA41C2306A	-	-	-	-	BANPU28C2306/	-	-	-	-	ESSO13P2306A	-	-	-	-
HANA41C2307A	0.03	(0.06)	75	0.03	BANPU41C2306/	-	-	-	-	ESSO19C2305A	-	-	-	-
HANA41C2309A	0.15	0.03	11,560	0.14	BANPU41C2308/	-	-	-	-	ESSO19C2309A	0.23	-	122,068	0.23
HANA41C2310A	0.45	0.06	49,210	0.40	BANPU41C2309/	0.14	(0.01)	14,119	0.15	ESSO19P2306A	0.10	(0.03)	43	0.10
KCE	40.50	2.00	87,180	39.54	BANPU41C2310/	0.32	(0.03)	12,000	0.32	ESSO41C2305A	-	-	-	-
KCE01C2305A	0.01	-	4,429	0.01	BANPU41P2307/	0.19	(0.02)	20,000	0.19	ETC	3.54	0.04	6,268	3.55
KCE01C2306A	0.01	-	7,686	0.01	BGGI	5.65	0.10	1,666	5.59	GPSC	66.00	1.50	70,554	65.25
KCE01C2307A	0.06	0.02	21,968	0.05	BCP	30.25	1.00	51,394	30.11	GPSC01C2305A	0.01	-	500	0.01
KCE01C2309W	0.16	0.04	32,158	0.14	BCP01C2306A	0.02	-	5	0.02	GPSC01C2307A	0.09	0.02	9,074	0.08
KCE01C2310A	0.40	0.07	38,972	0.35	BCP01C2308A	0.11	0.01	57,835	0.11	GPSC01C2309A	0.33	0.04	33,054	0.31
KCE01P2306A	0.18	(0.10)	40,802	0.23	BCP01P2306A	0.19	(0.05)	21,074	0.21	GPSC01P2307A	0.34	(0.06)	15,670	0.37
KCE01P2308A	0.46	(0.14)	22,444	0.52	BCP06C2305A	-	-	-	-	GPSC06C2305A	-	-	-	-
KCE06C2306A	-	-	-	-	BCP06C2307A	0.16	0.03	62,990	0.14	GPSC06C2307A	0.18	0.01	46,610	0.18
KCE08C2307A	-	-	-	-	BCP13C2305B	0.01	(0.01)	1,077	0.01	GPSC11C2307X	0.20	0.01	33,500	0.19
KCE13C2305A	-	-	-	-	BCP13C2308A	0.18	0.02	26,858	0.17	GPSC11P2307A	0.47	(0.05)	87,910	0.49
KCE13C2306A	-	-	-	-	BCP16C2305A	-	-	-	-	GPSC13C2305A	-	-	-	-
KCE13C2306B	-	-	-	-	BCP19C2305A	-	-	-	-	GPSC13C2306A	-	-	-	-
KCE13C2307A	0.04	-	15,800	0.04	BCP19C2306A	0.06	0.01	7,760	0.05	GPSC13C2308A	0.20	0.03	68,406	0.18
KCE13C2308A	0.14	0.03	335,730	0.12	BCP19C2309A	0.20	0.03	24,254	0.19	GPSC19C2305A	-	-	-	-
KCE13C2309A	0.31	0.05	102,019	0.28	BCPG	9.35	(0.05)	108,671	9.40	GPSC19C2306A	-	-	-	-
KCE13P2305A	0.03	(0.02)	1	0.03	BCPG-W2	1.64	0.10	1,536	1.48	GPSC19C2308A	0.21	0.02	133,549	0.19
KCE13P2306A	-	-	-	-	BCPG01C2306A	-	-	-	-	GPSC28C2309A	0.11	0.01	1,000	0.11
KCE13P2307A	-	-	-	-	BCPG13C2305A	-	-	-	-	GPSC41C2305A	-	-	-	-
KCE13P2309A	0.32	(0.06)	50,760	0.35	BCPG13C2309A	0.08	(0.01)	17,038	0.09	GPSC41C2306A	-	-	-	-
KCE16C2305A	-	-	-	-	BCPG19C2307A	-	-	-	-	GPSC41C2308A	0.18	0.02	22,000	0.17
KCE16C2306A	0.04	(0.01)	72	0.04	BCPG19C2307A	0.06	(0.01)	23,324	0.06	GREEN	1.09	0.04	345	1.09
KCE19C2305A	-	-	-	-	BCPG19C2310A	-	-	-	-	GULF	53.25	1.75	141,354	52.63
KCE19C2306A	-	-	-	-	BCGRIM	40.25	1.25	93,437	39.79	GULF01C2306A	0.02	0.01	440	0.02
KCE41C2306B	0.01	-	1,000	0.01	BCGRIM13C2307/	0.07	0.02	307,246	0.06	GULF01C2308A	0.19	0.04	23,412	0.18
KCE41C2309A	0.17	0.03	8,102	0.17	BCGRIM13C2309/	0.25	0.03	63,815	0.23	GULF13C2307A	0.15	0.03	60,306	0.13
KCE41C2310A	0.41	0.07	152,667	0.37	BCGRIM19C2306/	0.07	0.01	46,580	0.07	GULF13C2309A	0.34	0.06	505,627	0.31
METCO	244.00	2.00	5	244.20	BCGRIM19C2309/	0.30	0.06	97,855	0.27	GULF13P2305A	-	-	-	-
NEX	10.60	0.10	60,434	10.57	BCGRIM41C2305/	-	-	-	-	GULF13P2309A	0.22	(0.04)	46,342	0.24

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Monday May 08, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GUNKUL13C2306B	-	-	-	-	QTC	4.54	(0.06)	234	4.57	MONO	1.23	0.01	21,123	1.22
GUNKUL13C2307A	0.13	-	16,749	0.13	RATCH	39.00	1.50	43,561	38.45	MPIC	1.74	0.06	52,326	1.74
GUNKUL19C2305A	-	-	-	-	RATCH01C2307	-	-	-	-	NATION	0.10	-	19,998	0.09
GUNKUL19C2306A	-	-	-	-	RATCH19C2305/	-	-	-	-	ONEE	4.98	(0.17)	68,358	5.00
GUNKUL19C2306B	0.04	-	200	0.04	RATCH19C2310/	0.20	0.03	8,524	0.19	ONEE06C2305A	-	-	-	-
GUNKUL19C2307A	0.18	-	10,900	0.18	RPC	0.77	0.01	11,059	0.78	ONEE13C2305A	-	-	-	-
GUNKUL28C2309A	-	-	-	-	SCG	4.18	-	138	4.19	ONEE19C2306A	-	-	-	-
IFEC	-	-	-	-	SCI	1.22	(0.01)	272	1.21	PLANB	8.75	0.35	160,845	8.65
IRPC	2.38	0.04	476,938	2.35	SCN	1.68	0.01	390	1.69	PLANB-W1	2.56	0.08	1,119	2.54
IRPC01C2307A	-	-	-	-	SCN-W2	0.19	(0.01)	14	0.16	PLANB06C2305A	-	-	-	-
IRPC06C2306A	-	-	-	-	SGP	8.80	0.05	509	8.78	PLANB06C2306A	-	-	-	-
IRPC13C2305A	0.01	-	500	0.01	SKE	0.62	0.01	4,288	0.61	PLANB06C2308A	0.29	0.05	98,702	0.27
IRPC13C2308A	0.06	-	4,677	0.06	SKE-W1	0.13	-	175	0.12	PLANB11C2307X	0.21	0.04	22,564	0.19
IRPC19C2307A	0.02	0.01	10	0.02	SOLAR	0.65	(0.01)	3,005	0.65	PLANB11P2309A	0.33	(0.05)	17,372	0.35
IRPC19C2308A	0.05	(0.01)	1,500	0.05	SOLAR-W1	0.01	(0.01)	30,761	0.01	PLANB13C2307A	0.07	0.02	23,658	0.07
IRPC28C2308A	-	-	-	-	SPCG	12.90	0.20	756	12.83	PLANB13C2307B	-	-	-	-
JR	5.80	0.05	128	5.77	SPRC	9.45	(0.30)	202,258	9.52	PLANB13C2308A	0.23	0.04	43,767	0.21
KBSPIF	9.80	(0.05)	798	9.80	SPRC01C2305A	-	-	-	-	PLANB19C2305A	-	-	-	-
LANNA	14.20	(0.20)	4,228	14.27	SPRC01C2310A	0.13	(0.02)	10,838	0.13	PLANB19C2306A	0.06	0.02	122,422	0.06
MDX	3.78	0.08	1,073	3.83	SPRC06C2306A	-	-	-	-	PLANB19C2308A	0.23	0.04	40,251	0.21
NOVA	11.00	0.50	2,909	11.00	SPRC08C2305A	-	-	-	-	POST	-	-	-	-
OR	22.40	0.20	200,489	22.28	SPRC11C2309A	0.11	(0.01)	9,601	0.11	PRAKIT	12.20	0.20	483	12.24
OR01C2308A	0.20	0.01	38,470	0.19	SPRC13C2305A	-	-	-	-	PTECH	18.90	(0.50)	185	18.50
OR01C2310A	0.41	0.02	39,015	0.39	SPRC13C2305B	-	-	-	-	SE-ED	2.22	-	300	2.22
OR06C2306A	-	-	-	-	SPRC13C2306A	-	-	-	-	TKS	10.40	0.55	10,748	10.27
OR06C2306B	0.10	0.01	97,000	0.10	SPRC13C2308A	0.04	(0.01)	30	0.04	VGI	3.16	(0.06)	468,284	3.15
OR08C2305A	-	-	-	-	SPRC13C2309A	0.27	(0.06)	84,811	0.28	VGI-W3	0.14	-	3,238	0.14
OR13C2305A	-	-	-	-	SPRC19C2305A	-	-	-	-	VGI01C2305A	-	-	-	-
OR13C2307A	0.09	-	17,506	0.08	SPRC19C2305B	-	-	-	-	VGI01C2306A	-	-	-	-
OR13C2309A	0.28	0.02	50,457	0.26	SPRC19C2305C	-	-	-	-	VGI01C2308A	-	-	-	-
OR19C2305A	-	-	-	-	SPRC19C2308A	0.07	(0.02)	57,825	0.08	VGI01C2309A	0.02	(0.01)	1,000	0.02
OR19C2307A	0.11	-	112,092	0.11	SPRC28C2308A	-	-	-	-	VGI01C2310A	0.11	(0.01)	26,019	0.11
OR28C2308A	-	-	-	-	SPRC41C2307A	-	-	-	-	VGI01P2308A	1.01	-	54,116	1.01
PCC	2.90	(0.10)	9,681	2.88	SSP	8.75	(0.10)	36,009	8.74	VGI06C2305A	-	-	-	-
PRIME	1.38	-	2,039	1.38	SSP-W2	0.78	0.02	693	0.79	VGI06C2306A	-	-	-	-
PTG	14.00	0.10	104,086	14.04	SUPER	0.60	-	78,938	0.59	VGI06C2308A	0.05	0.01	20,001	0.05
PTG01C2306A	-	-	-	-	SUPER08C2306A	-	-	-	-	VGI08C2306A	-	-	-	-
PTG01C2307A	0.15	0.01	41,514	0.16	SUPER13C2306A	-	-	-	-	VGI13C2306A	-	-	-	-
PTG01C2310A	0.28	0.02	30,738	0.28	SUPER19C2305A	-	-	-	-	VGI13C2307A	-	-	-	-
PTG06C2306A	-	-	-	-	SUPER19C2308A	-	-	-	-	VGI13C2308A	0.04	(0.01)	5,180	0.04
PTG06C2306B	0.11	0.01	142,634	0.11	SUPEREIF	8.40	0.05	517	8.38	VGI13C2309A	0.21	(0.02)	30,317	0.21
PTG08C2305A	-	-	-	-	SUSCO	3.30	0.02	8,585	3.27	VGI19C2306A	-	-	-	-
PTG13C2305A	-	-	-	-	TAE	1.18	0.03	2,800	1.17	VGI19C2307A	-	-	-	-
PTG13C2307A	0.10	(0.01)	56,454	0.11	TCC	0.64	0.01	4,456	0.64	VGI19C2307B	-	-	-	-
PTG13C2309A	0.24	-	32,688	0.24	TCC-W4	-	-	-	-	VGI19C2309A	0.21	(0.03)	143,859	0.22
PTG19C2306A	0.04	-	2	0.04	TCC-W5	0.17	0.01	7,440	0.17	VGI19P2307A	0.57	(0.19)	476	0.58
PTG19C2306B	0.12	0.01	15,982	0.11	TGE	1.80	0.03	23,297	1.79	VGI41C2305A	-	-	-	-
PTG19C2309A	0.25	0.01	91,026	0.25	TOP	47.50	1.25	108,703	47.20	VGI41C2307A	-	-	-	-
PTG41C2306A	-	-	-	-	TOP01C2305A	-	-	-	-	VGI41C2308A	-	-	-	-
PTG41C2307A	0.16	0.01	10,000	0.15	TOP01C2308A	0.07	0.01	509	0.07	WAVE	0.16	0.01	137,784	0.15
PTT	31.00	0.50	675,223	30.90	TOP01C2310W	0.30	0.04	41,189	0.29	WAVE-W2	0.14	-	140	0.14
PTT01C2306A	0.01	-	401	0.02	TOP01P2305A	-	-	-	-	WAVE-W3	0.07	-	25,994	0.07
PTT01C2309A	0.13	0.02	26,047	0.13	TOP01P2309A	0.44	(0.06)	14,895	0.45	WORK	16.00	(0.10)	2,544	16.11
PTT01P2309A	0.20	(0.03)	13,571	0.21	TOP06C2305A	-	-	-	-	Finance & Securities	-	-	-	-
PTT06C2305A	0.02	0.01	1	0.02	TOP06C2308A	0.22	0.03	74,008	0.22	AEONTS	191.50	2.50	2,442	192.93
PTT06C2307A	0.07	-	20,000	0.07	TOP08C2306A	-	-	-	-	AEONTS08C2306A	0.27	0.01	9,200	0.28
PTT06C2308A	0.21	0.02	29,860	0.20	TOP11P2308A	0.58	(0.08)	21,840	0.59	AEONTS13C2306A	0.18	-	26,556	0.19
PTT13C2305A	-	-	-	-	TOP13C2305A	-	-	-	-	AEONTS19C2308A	0.50	0.01	65,747	0.50
PTT13C2306A	0.04	-	600	0.04	TOP13C2307A	0.04	0.01	11,100	0.04	AEONTS28C2309A	0.37	0.02	8,517	0.38
PTT13C2308A	0.11	0.01	49,623	0.11	TOP13C2309A	0.21	0.03	126,396	0.20	AMANAH	3.60	0.08	10,033	3.59
PTT13P2305A	-	-	-	-	TOP13P2306A	0.05	(0.05)	40,244	0.05	ASAP	2.30	-	482	2.32
PTT19C2307A	-	-	-	-	TOP19C2308A	0.07	-	136,542	0.07	ASK	29.25	1.00	6,076	29.02
PTT19C2309A	0.13	0.01	48,346	0.13	TOP19C2310A	0.31	0.03	251,728	0.29	ASP	2.80	0.06	6,575	2.78
PTT28C2307A	0.03	(0.04)	1,000	0.03	TOP41C2306A	-	-	-	-	BAM	12.00	(0.10)	262,550	12.03
PTT41C2306A	-	-	-	-	TOP41C2308A	-	-	-	-	BAM01C2307A	-	-	-	-
PTTEP	149.00	3.50	175,619	147.63	TOP41C2310A	0.27	0.03	15,105	0.27	BAM01C2309A	-	-	-	-
PTTEP01C2305A	0.01	-	445	0.01	TPIPP	3.32	0.04	6,183	3.30	BAM06C2306A	-	-	-	-
PTTEP01C2306A	-	-	-	-	TSE	2.12	0.08	18,082	2.09	BAM06C2307A	-	-	-	-
PTTEP01C2307A	0.09	0.02	9,185	0.09	TTW	8.65	(0.05)	22,599	8.63	BAM06C2308A	0.09	(0.01)	125,516	0.09
PTTEP01C2308A	0.29	0.04	141,030	0.28	UBE	1.19	0.02	18,100	1.18	BAM08C2306A	-	-	-	-
PTTEP01C2308W	0.30	0.05	54,472	0.27	WAHUP	3.86	0.12	21,292	3.83	BAM11P2309A	-	-	-	-
PTTEP01C2309A	0.63	0.07	31,290	0.60	WP	4.48	0.16	3,392	4.42	BAM13C2305A	-	-	-	-
PTTEP01P2306A	0.22	(0.08)	25,484	0.24	Media & Publishing	-	-	-	-	BAM13C2307A	-	-	-	-
PTTEP01P2308A	0.36	(0.06)	41,762	0.38	AMARIN	5.70	0.10	3	5.70	BAM13C2308A	0.10	(0.02)	55,429	0.11
PTTEP01P2309A	0.67	(0.09)	14,523	0.70	AQUA	0.54	-	316,056	0.54	BAM19C2305A	-	-	-	-
PTTEP06C2305A	-	-	-	-	AQUA-W3	0.05	-	12,801	0.05	BAM19C2307A	-	-	-	-
PTTEP06C2306A	-	-	-	-	AS	14.80	-	8,675	14.74	BAM19C2307B	0.10	-	67,398	0.10
PTTEP06C2307A	0.14	0.03	245,000	0.13	AS-W2	11.00	(0.80)	50	11.00	BYD	7.55	0.10	34,219	7.59
PTTEP06C2308A	0.42	0.06	356,256	0.39	BEC	7.70	0.05	16,655	7.63	BYD-W6	4.20			

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Monday May 08, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
JMT01C2306A	0.01	(0.01)	4,000	0.01	SAWAD13C2305	-	-	-	-	CPF13C2308A	0.12	0.01	36,762	0.12
JMT01C2307A	0.03	-	15,294	0.03	SAWAD13C2307	0.29	0.07	267,830	0.24	CPF19C2305A	-	-	-	-
JMT01C2307X	-	-	-	-	SAWAD13C2308	0.53	0.11	359	0.49	CPF19C2307A	-	-	-	-
JMT01C2308A	0.08	0.01	26,415	0.08	SAWAD13P2307	0.04	(0.04)	15,749	0.05	CPF19C2309A	0.14	0.01	160,374	0.14
JMT01P2309A	0.25	0.03	86,394	0.23	SAWAD16C2305	0.04	0.02	72	0.04	CPF28C2308A	-	-	-	-
JMT01P2307A	0.61	(0.10)	18,202	0.67	SAWAD19C2305	0.07	0.02	14,222	0.07	CPI	2.86	0.02	1,740	2.85
JMT01P2308A	0.38	(0.05)	34,743	0.40	SAWAD19C2307	0.14	0.03	30,323	0.12	F&D	31.75	-	3	31.42
JMT06C2306A	-	-	-	-	SAWAD19C2307	0.40	0.10	303,493	0.32	GLOCON	0.42	0.01	18,828	0.42
JMT06C2307A	-	-	-	-	SAWAD19P2307	0.06	(0.04)	90,926	0.08	GLOCON-W5	0.03	(0.01)	11,195	0.04
JMT06C2307B	0.13	0.02	159,001	0.12	SAWAD41C2306	0.16	0.06	80	0.16	HTC	32.75	0.25	3,403	33.29
JMT08C2307A	-	-	-	-	SAWAD41C2308	-	-	-	-	ICHI	12.00	(0.10)	72,193	11.81
JMT11C2306A	-	-	-	-	SAWAD41C2309	0.55	0.08	153,461	0.48	ITC	20.00	0.80	143,642	19.77
JMT13C2305A	0.01	-	1	0.01	SCAP	28.25	0.75	3,368	28.18	JDF	2.40	-	1,953	2.42
JMT13C2306A	-	-	-	-	SGC	2.48	0.08	77,704	2.46	KBS	7.05	0.20	28,770	7.03
JMT13C2307A	0.03	-	1,516	0.04	SM	1.83	0.11	10,692	1.77	KSL	3.38	0.06	15,181	3.37
JMT13C2307B	0.10	0.02	88,769	0.09	TH	1.47	0.02	28,826	1.47	KTIS	4.00	-	236	3.98
JMT13C2309A	0.32	0.03	76,389	0.30	TH-W3	0.54	0.01	7,742	0.54	LST	4.86	0.02	374	4.86
JMT13P2305A	-	-	-	-	THANI	3.60	0.06	75,396	3.58	M	49.50	0.75	10,868	49.29
JMT13P2306A	-	-	-	-	THANI06C2306A	0.04	-	700	0.04	MALEE	6.70	0.10	854	6.64
JMT13P2306B	0.11	(0.05)	5,299	0.12	THANI13C2305A	-	-	-	-	MINT	33.50	0.25	265,371	33.66
JMT16C2305A	-	-	-	-	THANI13C2308A	0.15	-	14,257	0.15	MINT-W7	11.50	0.30	3,085	11.67
JMT16C2306A	-	-	-	-	THANI19C2306A	-	-	-	-	MINT-W9	3.10	0.08	3,038	3.14
JMT16C2306B	0.03	-	72	0.03	THANI19C2307A	0.07	-	4,745	0.07	MINT01C2306A	0.05	0.01	21,830	0.05
JMT19C2305A	-	-	-	-	THIDLOR	23.10	1.30	187,489	22.79	MINT01C2309A	0.30	0.01	33,695	0.30
JMT19C2306A	0.01	-	41	0.01	TIDLOR	-	-	-	-	MINT01P2307X	0.10	(0.01)	11,285	0.10
JMT19C2306B	0.02	0.01	10	0.02	TIDLOR01C2306	-	-	-	-	MINT06C2305A	0.02	-	2,000	0.02
JMT19C2306C	-	-	-	-	TIDLOR01C2308	0.05	0.02	3,000	0.05	MINT11C2310T	0.32	0.03	16,800	0.32
JMT19C2307A	0.08	0.01	110,658	0.07	TIDLOR01C231C	0.61	0.14	54,285	0.58	MINT11P2309A	0.24	-	18,230	0.23
JMT19C2308A	0.19	0.02	74,826	0.18	TIDLOR01C231C	0.16	0.03	13,348	0.15	MINT13C2305A	-	-	-	-
JMT19C2309A	0.31	0.03	152,679	0.29	TIDLOR08C2306	-	-	-	-	MINT13C2307A	0.07	-	30,978	0.07
JMT19P2306A	-	-	-	-	TIDLOR11P2309	0.36	(0.07)	49,220	0.38	MINT13C2308A	0.17	-	117,904	0.18
JMT19P2307A	0.27	(0.06)	73,646	0.29	TIDLOR13C2305	-	-	-	-	MINT19C2306A	-	-	-	-
JMT28C2308A	-	-	-	-	TIDLOR13C2306	-	-	-	-	MINT19C2309A	0.23	0.01	151,188	0.24
JMT41C2305A	-	-	-	-	TIDLOR13C2307	0.08	0.01	51,309	0.07	MINT28C2306A	0.06	0.01	12,168	0.06
JMT41C2306A	0.01	-	1	0.01	TIDLOR13C2308	0.30	0.07	74,613	0.25	MINT41C2305A	-	-	-	-
JMT41C2306B	-	-	-	-	TIDLOR19C2305	-	-	-	-	MINT41C2307A	0.12	0.02	4,000	0.12
JMT41C2307A	0.05	0.02	1	0.05	TIDLOR19C2306	-	-	-	-	MINT41C2309A	0.25	0.01	31,199	0.26
JMT41C2308A	0.13	0.02	3,001	0.13	TIDLOR19C2308	0.15	0.04	65,444	0.14	MINT41C2310A	0.29	0.01	87,192	0.29
JMT41C2309A	0.37	0.03	153,077	0.35	TIDLOR19C230E	0.32	0.08	220,621	0.29	MINT41P2307A	0.14	-	400	0.14
KCAR	8.10	0.05	288	8.10	TIDLOR28C2306	-	-	-	-	NRF	5.45	0.05	44,091	5.45
KGI	4.62	0.08	11,091	4.61	TIDLOR28C2306	-	-	-	-	NRF-W1	-	-	-	-
KTC	54.00	1.00	54,715	53.67	TIDLOR41C2306	-	-	-	-	NSL	21.00	0.30	5,908	20.93
KTC01C2306A	-	-	-	-	TIDLOR41C2306	0.07	(0.03)	4,000	0.07	OISHI	58.00	0.25	1,979	58.00
KTC01C2309A	0.18	0.03	14,802	0.17	TIDLOR41C2308	0.39	0.11	101,808	0.34	OSP	29.75	0.50	66,707	29.63
KTC01P2307A	0.32	(0.05)	17,208	0.34	TIDLOR41C2309	0.20	0.04	17,100	0.17	OSP01C2308A	0.12	0.01	59,228	0.12
KTC06C2306A	-	-	-	-	TK	7.40	0.10	1,053	7.29	OSP06C2306A	-	-	-	-
KTC06C2308A	0.14	0.02	65,000	0.13	TNTTY	5.15	-	2,343	5.15	OSP06C2308A	0.15	0.02	182,014	0.15
KTC08C2306A	-	-	-	-	UOBKH	5.60	0.05	23	5.55	OSP13C2305A	-	-	-	-
KTC11C2306A	0.06	0.01	2,290	0.06	XPG	1.07	0.02	86,507	1.07	OSP13C2308A	0.09	0.01	45,254	0.09
KTC13C2305A	0.01	-	1	0.01	XPG-W4	2.48	(0.08)	821	2.54	OSP19C2305A	-	-	-	-
KTC13C2306A	-	-	-	-	Food & Beverage	-	-	-	-	OSP19C2308A	0.11	0.02	112,792	0.11
KTC13C2308A	0.21	0.02	90,006	0.19	AAI	4.70	0.10	29,225	4.64	OSP28C2307A	0.20	0.02	75,982	0.20
KTC19C2305A	-	-	-	-	APURE	4.82	0.06	2,371	4.79	OSP41C2308A	0.13	0.01	23,150	0.13
KTC19C2306A	-	-	-	-	APURE-W3	0.74	0.01	2,449	0.74	PB	70.25	(0.25)	3	70.08
KTC19C2307A	0.09	-	10,618	0.08	ASIAN	10.10	-	6,119	9.96	PLUS	6.75	0.15	7,253	6.65
KTC19C2310A	0.33	0.02	85,284	0.32	BR	2.84	0.08	5,927	2.82	PM	8.40	(0.05)	603	8.39
KTC28C2307A	-	-	-	-	BR-W1	0.24	-	7,877	0.24	POS	3.74	0.08	20,379	3.75
MFC	22.10	0.30	88	21.97	BRR	6.95	0.15	12,924	6.94	PRG	11.00	0.30	69	10.82
MICRO	3.46	0.06	870	3.43	BRR-W1	0.53	0.09	212,167	0.52	PRG-W1	-	-	-	-
ML	1.00	0.01	929	0.99	BRR-W2	1.10	0.22	67,470	1.12	PRG-W2	-	-	-	-
ML-W3	0.06	0.01	3,667	0.06	BTG	22.90	0.50	28,528	22.81	PRG-W3	6.40	0.65	207	6.36
MST	10.70	-	277	10.74	CBG	76.75	4.25	72,056	75.23	RBF	10.30	0.20	9,742	10.17
MTG	36.75	1.25	82,303	36.76	CBG01C2306A	-	-	-	-	RBF01C2306A	-	-	-	-
MTG01C2306A	-	-	-	-	CBG01C2308A	0.07	0.03	2,423	0.06	RBF01C2309A	0.11	0.01	5,824	0.10
MTG01C2307A	0.14	0.03	13,730	0.13	CBG01C2309A	0.02	0.01	15,004	0.02	RBF06C2305A	-	-	-	-
MTG01C2309A	0.33	0.05	19,389	0.31	CBG01C2309W	0.23	0.07	6,977	0.21	RBF06C2306A	-	-	-	-
MTG01P2306A	0.09	(0.04)	10,562	0.10	CBG01C2310A	0.67	0.16	69,123	0.59	RBF06C2308A	0.08	0.01	113,002	0.08
MTG06C2306A	0.10	0.02	162,002	0.10	CBG01P2306A	0.65	(0.35)	193,510	0.79	RBF08C2309A	-	-	-	-
MTG06C2307A	0.25	0.06	122,074	0.23	CBG06C2305A	-	-	-	-	RBF11C2306A	-	-	-	-
MTG08C2308A	0.21	0.02	37,566	0.22	CBG06C2306A	0.01	-	301	0.01	RBF13C2305A	-	-	-	-
MTG11C2307X	0.37	0.08	22,500	0.31	CBG06C2307A	-	-	-	-	RBF13C2306A	-	-	-	-
MTG11P2309A	0.16	(0.02)	3,890	0.17	CBG08C2306A	-	-	-	-	RBF13C2308A	0.11	0.01	5,472	0.10
MTG13C2306A	0.03	0.01	3,050	0.03	CBG13C2305A	-	-	-	-	RBF19C2306A	-	-	-	-
MTG13C2307A	0.16	0.04	104,194	0.15	CBG13C2305B	-	-	-	-	RBF19C2307A	-	-	-	-
MTG13C2308A	0.36	0.07	45,504	0.32	CBG13C2308A	0.03	-	2,002	0.02	RBF19C2310A	0.20	0.01	12,257	0.20
MTG13P2307A	0.10	(0.04)	18,280	0.12	CBG13C2308B	0.04	0.01	11,342	0.03	RBF28C2306A	-	-	-	-
MTG16C2306A	0.14	0.04	7,973	0.15	CBG13C2309A	0.18	0.05	93,346	0.16	SAPPE	65.2			

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Monday May 08, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU13C2306A	-	-	-	-	MANRIN	-	-	-	-	TPAC	14.80	0.50	890	14.44
TU13C2308A	0.10	0.04	11,701	0.08	OHTL	494.00	(2.00)	1	494.00	TPBI	4.20	0.04	302	4.20
TU19C2305A	-	-	-	-	ROH	3.40	0.04	288	3.37	TPP	18.70	0.20	416	18.70
TU19C2308A	0.10	0.04	3,600	0.09	SHANG	54.25	0.25	1	54.25	Personal Products	-	-	-	-
TU19C2309A	0.28	0.08	91,789	0.23	SHR	3.62	0.14	53,455	3.56	APCO	5.00	-	1,712	4.99
TU28C2307C	-	-	-	-	VRANDA	7.05	(0.05)	3,041	7.04	BIZ	3.34	0.08	1,097	3.30
TVO	26.25	0.50	1,961	26.07	Home & Office P	-	-	-	-	DDD	13.50	0.40	1,106	13.47
W	1.39	(0.01)	11,361	1.38	AJA	0.20	-	59,593	0.20	JCT	-	-	-	-
W-W5	0.03	-	64,836	0.02	AJA-W3	0.07	-	16,992	0.08	KISS	6.15	0.15	11,139	6.13
ZEN	14.10	0.20	3,248	14.08	AJA-W4	0.07	0.01	5,741	0.06	NV	2.52	0.06	4,073	2.50
Health Care Services	-	-	-	-	DTCI	-	-	-	-	OCC	-	-	-	-
AHC	17.00	0.10	118	16.99	FANCY	0.63	0.02	3,927	0.66	S&J	40.25	0.50	4	39.13
BCH	20.50	(0.30)	107,238	20.54	FTI	2.06	(0.02)	1,763	2.07	STGT	9.25	0.05	18,908	9.27
BCH01C2310A	0.43	(0.04)	13,776	0.44	KYE	294.00	(6.00)	5	294.40	STGT01C2307A	0.03	-	30	0.03
BCH06C2305A	-	-	-	-	L&E	1.83	0.03	1,357	1.84	STGT01C2310A	0.13	-	9,134	0.14
BCH06C2308A	0.25	(0.04)	100,076	0.27	MODERN	2.86	(0.06)	385	2.83	STGT01P2308A	0.33	(0.01)	12,457	0.33
BCH13C2305A	-	-	-	-	OGC	24.80	(0.20)	4	24.80	STGT06C2306A	-	-	-	-
BCH13C2307A	0.17	(0.03)	37,963	0.17	ROCK	-	-	-	-	STGT11C2311T	0.14	-	19,010	0.14
BCH19C2305A	-	-	-	-	SIAM	1.59	0.01	916	1.58	STGT13C2305A	-	-	-	-
BCH19C2308A	0.23	(0.04)	17,533	0.23	TCMC	2.08	0.09	19,929	2.07	STGT13C2305B	-	-	-	-
BDMS	29.75	0.25	559,327	29.69	Insurance	-	-	-	-	STGT13C2308A	0.07	-	11,352	0.07
BDMS01C2308A	0.12	-	30	0.12	AYUD	38.50	(1.00)	47	38.48	STGT13C2309A	0.26	0.01	81,447	0.26
BDMS06C2305A	-	-	-	-	BKI	292.00	3.00	26	291.27	STGT19C2305A	-	-	-	-
BDMS06C2308A	0.22	0.01	25,651	0.23	BLA	27.50	0.75	21,939	27.33	STGT19C2305B	-	-	-	-
BDMS11C2310T	0.28	0.02	11,400	0.28	BLA01C2307A	-	-	-	-	STGT19C2306A	-	-	-	-
BDMS13C2306A	-	-	-	-	BLA06C2305A	-	-	-	-	STGT19C2309A	-	-	-	-
BDMS13C2308A	0.15	0.01	51,379	0.15	BLA08C2305A	-	-	-	-	STGT19C2309B	0.29	-	31,047	0.29
BDMS19C2306A	-	-	-	-	BLA13C2305A	-	-	-	-	STGT28C2307A	-	-	-	-
BDMS19C2309A	0.16	-	19,078	0.16	BLA13C2308A	0.13	0.02	80,200	0.12	STHAI	-	-	-	-
BDMS28C2307A	-	-	-	-	BLA19C2308A	-	-	-	-	TNR	9.10	0.05	28	9.02
BDMS41C2306A	0.05	0.02	1	0.05	BUI	14.10	(0.90)	57	14.27	TOG	9.05	0.05	660	9.01
BDMS41C2309A	0.21	-	5,701	0.21	CHARAN	34.00	1.75	69	33.72	Professional Service	-	-	-	-
BH	251.00	8.00	44,103	251.06	INSURE	133.00	(1.00)	1	133.00	BWG	0.80	0.03	123,920	0.78
BH-P	-	-	-	-	KWI	1.32	0.06	38,766	1.36	GENCO	0.62	-	1,004	0.61
BH-Q	-	-	-	-	MTI	117.00	2.50	29	116.47	PRO	-	-	-	-
BH01C2307A	0.45	0.09	24,940	0.46	NKI	-	-	-	-	PRTR	6.90	0.30	15,281	6.78
BH01C2310A	0.51	0.07	28,866	0.53	SMK	0.82	0.19	81,481	0.72	SISB	32.50	0.75	10,410	32.19
BH01P2308A	0.14	(0.03)	40,404	0.14	TGH	19.70	0.90	2	18.90	SO	8.95	(0.05)	662	8.92
BH06C2306A	-	-	-	-	THRE	1.03	0.02	8,552	1.03	Property Developmer	-	-	-	-
BH08C2306A	0.29	0.06	50,603	0.31	THREL	4.54	0.04	22,870	4.58	A	5.00	-	30	4.99
BH13C2306A	0.13	0.02	291,813	0.14	TIPH	40.00	0.25	4,125	40.14	AMATA	23.40	0.90	114,393	23.06
BH13C2309A	0.42	0.06	184,092	0.43	TIPH01C2305A	-	-	-	-	AMATA01C2305A	-	-	-	-
BH19C2305A	0.14	0.03	77,852	0.15	TIPH01P2307A	0.48	(0.03)	587	0.49	AMATA01C2308A	0.50	0.10	22,327	0.45
BH19C2309A	0.41	0.05	246,288	0.41	TIPH06C2305A	-	-	-	-	AMATA06C2305A	-	-	-	-
BH19P2305A	-	-	-	-	TIPH11C2309A	0.16	0.01	10,800	0.16	AMATA06C2307A	0.43	0.11	82,272	0.37
BH41C2305A	-	-	-	-	TIPH13C2305A	-	-	-	-	AMATA13C2305A	-	-	-	-
BH41C2307A	-	-	-	-	TIPH19C2306A	-	-	-	-	AMATA13C2307A	-	-	-	-
BH41C2308A	0.44	0.07	209,608	0.44	TLI	12.70	0.30	117,298	12.60	AMATA13C2309A	0.34	0.08	95,677	0.30
CHG	3.46	0.02	295,696	3.47	TQM	27.50	1.00	15,803	27.25	AMATA19C2305A	-	-	-	-
CHG01C2305A	-	-	-	-	TQM13C2306A	-	-	-	-	AMATA19C2308A	0.40	0.01	500	0.40
CHG01C2310A	0.30	0.01	42,550	0.30	TQM13C2309A	0.07	0.01	10,784	0.07	AMATA28C2309A	0.28	0.03	16,731	0.27
CHG06C2306A	-	-	-	-	TQM19C2307A	-	-	-	-	AMATAV	6.65	0.15	819	6.68
CHG06C2307A	0.08	0.01	60,000	0.08	TSI	0.28	0.01	20	0.27	ANAN	1.17	0.03	56,337	1.17
CHG11C2306X	-	-	-	-	TVI	9.25	(0.25)	2,438	9.34	ANAN-W1	0.08	0.01	26,344	0.08
CHG11P2306A	0.18	(0.01)	44,596	0.17	Mining	-	-	-	-	AP	12.70	0.40	233,374	12.53
CHG13C2306A	-	-	-	-	THL	-	-	-	-	AP01C2308A	0.18	0.02	10,470	0.18
CHG13C2308A	0.13	(0.01)	34,809	0.14	Packaging	-	-	-	-	AP13C2306A	0.16	0.02	20,756	0.15
CHG19C2306A	-	-	-	-	AJ	10.20	0.10	1,250	10.04	AP19C2308A	0.16	0.02	73,980	0.15
CHG19C2309A	0.16	-	8,350	0.16	ALUCON	182.50	-	4	182.50	APEX	-	-	-	-
CMR	2.40	0.02	1,191	2.41	BGC	9.85	(0.05)	3,688	9.85	AQ	0.01	(0.01)	108,689	0.02
EKH	7.85	0.05	6,777	7.79	CSC	46.25	-	14	46.05	AQ-W5	0.01	-	6,056	0.01
EKH-W1	1.71	0.05	902	1.71	CSC-P	-	-	-	-	ASW	8.00	-	9,489	7.96
KDH	99.75	0.25	25	99.95	CSC-Q	-	-	-	-	ASW-W1	0.16	0.01	20,235	0.16
LPH	5.55	0.05	209	5.56	NEP	0.25	-	471	0.25	ASW-W2	0.23	0.01	8,529	0.21
M-CHAI	600.00	54.00	160	580.13	PJW	4.24	0.14	33,468	4.19	AWC	5.65	0.30	642,010	5.61
NEW	-	-	-	-	PJW-W1	1.30	0.03	995	1.30	AWC01C2305A	-	-	-	-
NTV	39.00	-	78	39.33	PTL	16.50	0.40	4,761	16.34	AWC01C2307A	-	-	-	-
PR9	19.20	0.10	29,160	19.10	SCGP	45.75	1.00	62,813	45.29	AWC01C2310A	0.26	0.07	45,103	0.25
PRINC	4.76	0.06	3,475	4.71	SCGP01C2307A	-	-	-	-	AWC06C2305A	-	-	-	-
RAM	53.75	1.25	1,986	53.36	SCGP01C2307X	0.02	0.01	120	0.02	AWC06C2307A	-	-	-	-
RJH	28.50	(0.25)	941	28.49	SCGP01C2309A	0.12	0.01	12,425	0.12	AWC13C2305A	-	-	-	-
RPH	6.05	0.10	2,541	5.96	SCGP01C2310A	0.44	0.03	29,968	0.43	AWC13C2307A	0.05	0.01	250	0.05
SKR	9.05	(0.10)	8,141	9.01	SCGP01P2307X	0.33	(0.05)	4,680	0.34	AWC13C2309A	0.17	0.04	110,117	0.17
THG	68.00	0.25	8,948	67.83	SCGP06C2305A	-	-	-	-	AWC19C2305A	-	-	-	-
THG01C2306A	-	-	-	-	SCGP06C2306A	-	-	-	-	AWC19C2308A	0.18	0.06	83,309	0.18
THG13C2306A	-	-	-	-	SCGP06C2308B	0.15	0.02	117,000	0.14	BLAND	0.93	0.02	93,955	0.92
VIBHA	2.62	(0.02)	10,982	2.62	SCGP11C2311T	0.10	0.01	9,450	0.10	BRI	10.50	0.10	22,369	10.45
VIBHA-W4	0.19	-	439	0.19	SCGP11P2309A	0.36	(0.04)	25,621	0.38	BRICK	1.86	0.02	11	1.84
VIH	8.50	0.05	1,395	8.45	SCGP13C2305A	-	-	-	-	CGD	0.38	(0.01)	87,229	0.38
WPH	3.50	0.08	1,645	3.47	SCGP13C2306A	-	-	-	-	CI	0.69	0.01	1,498	0.69
Tourism & Leisure	-	-	-	-	SCGP13C2308A	0.15	0.02	50,450	0.15	CI-W2	0.10</td			

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Monday May 08, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
J	3.00	0.02	1,546	2.93	WACOAL	35.25	2.25	1	35.25	PSL11C2308X	0.10	(0.03)	29,510	0.11
J-W2	0.71	(0.20)	204	0.84	WFX	3.70	0.08	3,663	3.67	PSL13C2305A	-	-	-	-
J-W3	0.61	(0.06)	289	0.61	Transportation 8	-	-	-	-	PSL13C2306A	0.01	(0.01)	246	0.01
JCK	0.25	-	11,267	0.25	AAV	2.74	0.04	239,831	2.74	PSL13C2309A	0.13	(0.03)	26,603	0.13
KC	0.11	0.01	13,940	0.10	AAV01C2305A	0.01	(0.01)	49	0.01	PSL19C2308A	0.10	(0.02)	24,965	0.10
LALIN	8.75	0.05	830	8.69	AAV01C2308A	0.12	0.01	3,841	0.12	RCL	24.10	(0.20)	33,118	24.18
LH	9.50	(0.10)	354,513	9.44	AAV01P2305A	0.01	-	2	0.02	RCL01C2307A	0.04	-	2,020	0.04
LH19C2310A	0.27	0.02	14,512	0.26	AAV06C2305A	-	-	-	-	RCL01C2309A	0.14	(0.01)	7,550	0.15
LPN	4.62	0.04	13,460	4.59	AAV06C2307A	0.10	0.01	40,000	0.10	RCL01P2308A	0.35	-	7,542	0.35
MBK	15.60	0.40	20,668	15.50	AAV13C2305A	0.01	-	35	0.01	RCL06C2306A	-	-	-	-
MBK-W1	14.50	0.50	170	14.25	AAV13C2307A	0.07	0.01	18,198	0.06	RCL13C2306A	-	-	-	-
MBK-W2	13.80	0.40	92	13.61	AAV19C2306A	-	-	-	-	RCL13C2308A	0.12	-	12,018	0.11
MBK-W3	13.50	0.60	109	13.24	AAV19C2307A	0.08	-	6,341	0.08	RCL13C2309A	0.53	0.04	39,136	0.54
MBK-W4	12.80	0.30	92	12.71	AOT	73.75	0.50	249,084	73.63	RCL19C2306A	-	-	-	-
MJD	1.55	0.01	584	1.53	AOT01C2307A	0.07	-	435	0.07	RCL19C2308A	0.13	(0.01)	41,373	0.14
MK	2.86	(0.04)	1,729	2.85	AOT01C2309A	0.35	0.01	1,320	0.35	RCL19C2309A	0.53	(0.02)	31,001	0.52
NCH	1.37	-	2,387	1.37	AOT01P2306X	-	-	-	-	RCL41C2305A	-	-	-	-
NNCL	1.95	0.02	677	1.95	AOT01P2309A	0.45	(0.01)	1,626	0.46	SJWD	19.10	1.00	27,248	18.86
NOBLE	4.72	0.06	26,962	4.68	AOT06C2305A	-	-	-	-	SJWD06C2308A	0.17	0.07	263,014	0.17
NOBLE-W2	0.22	0.01	4,425	0.21	AOT06C2306A	-	-	-	-	SJWD08C2310A	0.26	0.05	11,942	0.25
NUSA	0.89	-	255,661	0.90	AOT06C2307A	-	-	-	-	SJWD13C2307A	0.12	0.03	34,628	0.11
NUSA-W4	-	-	-	-	AOT08C2306A	-	-	-	-	SJWD19C2307A	0.12	0.02	43,956	0.11
NVD	2.16	(0.04)	6,976	2.17	AOT11C2310T	0.40	0.01	2,830	0.40	TFIF	7.70	0.10	7,348	7.65
NVD-W2	0.06	(0.01)	36,183	0.07	AOT13C2305A	-	-	-	-	THAI	-	-	-	-
NVD-W3	0.17	0.02	2,398	0.16	AOT13C2306A	-	-	-	-	TSTE	7.30	(0.10)	3	7.30
ORI	11.50	(0.10)	81,379	11.35	AOT13C2307A	0.11	(0.01)	4,180	0.11	TTA	6.95	(0.10)	21,738	6.91
ORI06C2305A	-	-	-	-	AOT13C2309A	0.32	(0.01)	8,510	0.32	TTA06C2307A	-	-	-	-
ORI13C2308A	0.21	0.03	13,424	0.20	AOT13P2305A	-	-	-	-	TTA13C2306A	0.02	-	750	0.02
ORI19C2307A	0.16	0.02	4,902	0.16	AOT16C2305A	-	-	-	-	TTA19C2308A	0.05	-	5,640	0.05
PACE	-	-	-	-	AOT19C2305A	-	-	-	-	WICE	8.55	0.15	6,354	8.54
PEACE	4.12	0.02	392	4.11	AOT19C2306A	-	-	-	-	Automotive	-	-	-	-
PF	0.39	-	113,494	0.39	AOT19C2308A	0.21	-	14,567	0.21	3K-BAT	-	-	-	-
PIN	3.52	0.02	953	3.51	AOT19P2309A	0.27	(0.03)	19,624	0.28	ACG	1.50	0.01	313	1.51
PLAT	3.50	0.10	5,592	3.47	AOT28C2306A	-	-	-	-	AH	32.50	0.50	9,396	32.40
POLAR	-	-	-	-	AOT41C2306A	-	-	-	-	CWT	2.22	0.02	2,100	2.22
PRECHA	0.97	0.01	1,290	0.97	AOT41C2308A	0.25	0.02	49	0.24	CWT-W5	0.15	(0.01)	1,473	0.13
PRIN	2.92	0.04	2	2.96	AOT41P2305A	-	-	-	-	CWT-W6	0.15	0.01	1,016	0.14
PSH	12.60	0.20	7,032	12.53	AOT41P2308A	0.29	(0.02)	1	0.29	EASON	1.23	-	12,016	1.23
QH	2.36	0.02	120,881	2.35	ASIMAR	1.66	0.12	664	1.49	GYT	184.00	2.00	1	184.00
QH19C2310A	0.20	0.01	8,513	0.19	B	0.23	0.01	215,157	0.23	HFT	4.78	(0.52)	23,790	4.75
RABBIT	0.74	0.02	153,707	0.74	B-W6	0.02	0.01	272	0.02	IHL	2.74	0.06	331	2.77
RABBIT-P	0.78	0.02	16,455	0.78	B-W7	0.02	-	60,201	0.02	INGRS	0.46	0.01	9,998	0.45
RABBIT-Q	-	-	-	-	BA	14.00	0.20	37,478	13.98	IRC	13.50	(0.20)	121	13.64
RICHY	0.74	0.03	456	0.73	BEM	8.90	0.25	300,863	8.79	MGC	8.90	(0.15)	172,348	9.01
RML	0.67	0.02	3,661	0.65	BEM01C2307X	0.02	(0.01)	1,003	0.02	PCSGH	4.96	(0.09)	94	4.92
ROJNA	6.05	-	45,303	6.07	BEM01C2309A	0.23	0.03	17,850	0.23	POLY	9.95	0.25	465	9.92
S	1.63	0.02	6,250	1.64	BEM01P2309A	0.26	(0.04)	45,810	0.27	SAT	20.00	0.10	2,989	19.99
SA	7.30	-	1,222	7.20	BEM06C2306A	0.07	0.02	83,000	0.07	SPG	15.60	(0.20)	10	15.60
SA-W1	0.29	0.01	1,594	0.30	BEM11P2306A	0.31	(0.01)	4,580	0.31	STANLY	182.50	1.00	85	181.61
SAMCO	1.43	0.02	4,269	1.43	BEM13C2307A	0.04	(0.02)	1,000	0.04	TKT	2.40	0.16	23,602	2.35
SC	4.28	0.10	55,827	4.28	BEM13C2308A	0.15	0.02	66,427	0.15	TNPC	1.72	(0.03)	10,402	1.73
SENA	3.46	0.04	2,627	3.44	BEM19C2306A	-	-	-	-	TRU	5.85	0.30	8,243	5.72
SENA-W1	0.16	-	5,394	0.15	BEM19C2307A	0.06	0.01	97,000	0.06	TSC	13.40	0.30	15	13.31
SIRI	1.91	0.01	931,882	1.90	BEM19C2309A	0.22	0.02	25,449	0.21	Industrial Materials	-	-	-	-
SIRI01C2309A	0.50	0.02	13,447	0.49	BIOTEC	0.72	0.02	35,288	0.71	ALLA	1.42	0.03	1,805	1.41
SIRI13C2308A	0.39	(0.01)	40,554	0.39	BIOTEC-P	-	-	-	-	ASEFA	3.70	0.02	924	3.68
SIRI19C2308A	0.41	-	9,722	0.40	BIOTEC-Q	-	-	-	-	CPT	0.71	-	1,202	0.72
SPALI	20.90	(0.40)	68,394	20.79	BTS	7.75	(0.05)	544,915	7.80	CRANE	1.33	0.06	6,626	1.28
SPALI01C2307A	0.06	-	17,372	0.06	BTS-W7	0.11	(0.01)	20,835	0.11	CTW	5.65	0.20	2	5.65
SPALI06C2307A	-	-	-	-	BTS-W8	0.18	0.01	8,940	0.18	FMT	31.50	-	16	31.50
SPALI11C2306A	0.10	-	13,740	0.10	BTS01C2310A	0.35	(0.02)	13,066	0.37	HTECH	3.18	0.02	817	3.17
SPALI13C2305A	-	-	-	-	BTS01C2310T	0.17	-	4,754	0.18	KKC	0.30	(0.01)	491	0.30
SPALI13C2306A	-	-	-	-	BTS01P2310A	0.23	-	7,656	0.23	PK	1.37	0.01	724	1.35
SPALI13C2309A	0.21	0.01	6,108	0.20	BTS06C2308A	-	-	-	-	SNC	13.10	(0.10)	15,162	13.12
SPALI19C2305A	-	-	-	-	BTS13C2308A	0.11	(0.01)	27,765	0.12	STARK	-	-	-	-
SPALI19C2306A	-	-	-	-	BTS13C2308B	0.29	(0.01)	43,844	0.31	STARK-W1	-	-	-	-
SPALI19C2308A	-	-	-	-	BTS19C2307A	-	-	-	-	TCJ	4.14	-	61	4.04
UV	2.70	0.10	5,682	2.69	BTS19C2308A	-	-	-	-	TPCS	20.00	(0.20)	4,881	19.44
WHA	4.60	0.18	708,691	4.54	BTS19C2308B	0.29	(0.02)	22,942	0.30	VARO	4.84	0.06	454	4.89
WHA01C2306A	0.34	0.10	15,622	0.30	BTSGIF	3.50	0.06	39,790	3.50	Property Fund & REIT	-	-	-	-
WHA01C2308A	0.44	0.08	15,189	0.40	DMT	12.60	0.50	16,424	12.22	AIMCG	5.30	0.05	102	5.25
WHA01P2308A	0.08	(0.02)	4,924	0.08	III	12.10	-	17,740	12.10	AIMIRT	11.90	-	4,615	12.00
WHA06C2306A	-	-	-	-	III-W1	-	-	-	-	ALLY	7.30	-	517	7.34
WHA06C2308A	0.33	0.07	73,686	0.31	KEX	11.70	0.30	15,777	11.71	AMATAR	6.45	0.05	360	6.42
WHA08C2306A	0.25	0.06	22,999	0.23	KEX01C2306A	-	-	-	-	A-BORK	9.65	0.15	203	9.61
WHA11C2307X	0.38	0.08	16,900	0.36	KEX01C2308A	0.02	-	1	0.02	BAREIT	11.00	0.10	17,824	10.91
WHA11P2309A	0.15	(0.04)	430	0.16	KEX01P2306X	1.26	(0.09)	100	1.26	BKKCP	10.50	-	50	10.50
WHA13C2306A	0.19	0.05	124,250	0.17	KEX06C2305A	-	-	-	-	BOFFICE	7.70	0.05	1,257	7.65
WHA19C2305A	0.23	0.07	13,904	0.19										

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Monday May 08, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MIPF	-	-	-	-	1DIV	10.50	0.22	4,479	10.42	HKEX28C2309A	0.16	(0.01)	80,060	0.16
MIT	1.50	-	16	1.49	ABFTH	-	-	-	-	HKEX41C2306A	0.14	-	7,000	0.14
MJLF	3.92	(0.04)	2,343	3.91	BMSCG	10.37	0.03	109	10.35	HSBC28C2305A	0.56	0.03	20,000	0.55
MNIT	1.87	(0.04)	126	1.86	BMSCITH	11.04	0.29	1,814	10.93	HSBC28C2306A	0.20	-	4	0.20
MNIT2	5.00	(0.05)	20	4.96	BSET100	9.99	0.20	205	9.87	HSBC28C2308A	0.27	0.02	170,020	0.26
MNRF	-	-	-	-	CHINA	6.40	0.05	1,247	6.39	HSBC41C2306A	0.03	(0.03)	40,140	0.05
POPF	11.20	(0.10)	5,501	11.21	EBANK	5.04	0.04	8	5.02	HSBC41C2305A	-	-	-	-
PPF	11.30	(0.20)	2	11.30	ENGY	5.67	0.05	171	5.63	HSBC41C2308A	0.29	0.01	2,249	0.29
PROSPECT	9.15	(0.05)	1,493	9.20	ENY	5.25	0.07	78	5.19	HSBC41P2305A	-	-	-	-
QHHR	6.80	0.10	145	6.71	GLD	2.80	0.01	3,157	2.79	HSCE128C2305A	-	-	-	-
QHOP	2.50	(0.04)	99	2.42	TDEX	9.22	0.17	18,302	9.18	HSCE128C2305B	0.54	0.26	20,086	0.52
QHPF	7.25	-	1,291	7.26	UBOT	11.60	0.36	1	11.60	HSCE128C2306A	0.43	0.10	470	0.43
SHREIT	3.54	(0.02)	14	3.52	UHERO	7.70	-	15	7.43	HSCE128C2306B	-	-	-	-
SIRIP	7.75	0.35	2	7.63	Warrant Foreign	-	-	-	-	HSCE128P2305A	-	-	-	-
SPRIME	6.90	0.10	493	6.90	AIA28C2305A	-	-	-	-	HSCE128P2305B	-	-	-	-
SRIPANWA	5.45	0.10	1,438	5.43	AIA28C2306A	-	-	-	-	HSCE128P2306A	0.96	(0.46)	20,000	0.99
SSPF	-	-	-	-	AIA28C2308A	0.12	(0.02)	2,098	0.12	HSCE128P2306B	-	-	-	-
SSTRT	5.60	-	3	5.60	AIA28C2308B	0.25	(0.03)	90,000	0.24	HSI28C2305A	0.01	(0.01)	31,181	0.01
TIF1	8.85	0.05	182	8.85	AIA28P2305A	-	-	-	-	HSI28C2305B	0.01	(0.01)	34,685	0.01
TLHPF	-	-	-	-	AIA28P2308A	0.16	(0.01)	60,420	0.17	HSI28C2305C	0.02	-	10,805	0.01
TNPF	1.73	0.01	300	1.73	AIA41C2306A	0.09	(0.01)	10,000	0.09	HSI28C2305D	0.11	0.03	28,666	0.11
TPRIME	8.10	(0.05)	1,106	8.05	ALIHEA28C2305	-	-	-	-	HSI28C2305E	0.19	0.07	138,409	0.19
TTLPF	22.50	-	90	22.50	ALIHEA28C2308	0.14	(0.03)	22,000	0.14	HSI28C2305F	0.08	0.02	12,000	0.08
TU-PF	0.57	(0.10)	2	0.68	ALIHE41C2308	-	-	-	-	HSI28C2305H	0.49	0.16	1,682,521	0.48
URBNPF	-	-	-	-	BABA28C2305A	-	-	-	-	HSI28C2306A	0.13	0.05	326,419	0.12
WHABT	9.05	0.05	89	9.00	BABA28C2305B	-	-	-	-	HSI28C2306B	0.41	0.12	262,221	0.41
WHAIR	7.40	(0.05)	1,226	7.43	BABA28C2305C	-	-	-	-	HSI28C2306C	0.75	0.21	763,641	0.73
WHART	11.00	0.10	4,880	10.95	BABA28C2306A	0.01	-	175	0.01	HSI28C2306D	0.30	0.09	6,232	0.29
Steel and Metal Prod	-	-	-	-	BABA28C2306B	0.06	(0.01)	30	0.06	HSI28C2306E	0.12	0.05	28,491	0.11
ZS	2.96	(0.04)	910	2.99	BABA28C2306C	0.14	0.01	20,047	0.14	HSI28C2307A	0.30	0.08	98,449	0.30
AMC	2.88	(0.02)	3,563	2.88	BABA28C2308A	0.26	0.02	750	0.26	HSI28C2307B	0.52	0.14	36,580	0.50
BSBM	0.83	0.01	2,952	0.81	BABA28C2309A	0.05	0.01	677	0.05	HSI28C2308A	0.31	0.07	84,755	0.31
CEN	3.12	-	1,377	3.10	BABA28C2309B	0.19	0.01	100,301	0.19	HSI28P2305A	0.11	(0.16)	134,977	0.12
CEN-W5	0.94	0.05	408	0.88	BABA28C2310A	0.16	-	93,336	0.18	HSI28P2305B	-	-	-	-
CITY	2.04	(0.02)	23	1.99	BABA28C2312A	0.44	0.03	311,258	0.44	HSI28P2305C	0.03	(0.07)	22	0.03
CSP	1.07	0.01	678	1.07	BABA28P2305A	0.41	(0.10)	20,000	0.41	HSI28P2305D	0.38	(0.35)	2,284,613	0.40
GJS	0.27	0.01	40,060	0.27	BABA28P2308A	0.66	(0.06)	40,280	0.66	HSI28P2306A	0.12	(0.08)	32,177	0.12
GSTEEL	-	-	-	-	BABA28P2308B	0.45	(0.07)	150,000	0.45	HSI28P2306B	0.25	(0.16)	182,445	0.26
INOX	0.76	0.01	9,909	0.76	BABA41C2305A	-	-	-	-	HSI28P2306C	0.49	(0.27)	125,465	0.51
LHK	5.00	0.02	968	4.99	BABA41C2306A	0.07	(0.02)	2,420	0.07	HSI28P2306D	0.96	(0.39)	260,006	0.98
MCS	8.75	0.10	3,432	8.70	BABA41C2306B	0.19	0.02	2,991	0.20	HSI28P2307A	0.54	(0.24)	9,058	0.55
MILL	0.53	0.01	19,107	0.52	BABA41C2308A	0.48	(0.04)	12,021	0.48	HSI28P2307B	0.40	(0.17)	29,043	0.41
MILL-W6	0.05	-	5,122	0.04	BABA41C2309A	0.21	0.02	1	0.21	HSI28P2308A	1.00	(0.31)	69,851	1.03
PAP	2.98	0.02	1,093	2.98	BABA41C2312A	0.48	0.03	2,003	0.48	HSTECH28C2305A	-	-	-	-
PERM	0.97	0.01	1,624	0.97	BABA41P2305A	-	-	-	-	HSTECH28C2305B	0.32	0.03	2,060	0.32
SAM	0.65	0.01	1,250	0.65	BABA41P2308A	0.53	(0.06)	6,000	0.53	HSTECH28C2305C	-	-	-	-
SMIT	4.62	-	4,106	4.61	BIDU28C2306A	0.05	-	229	0.02	HSTECH28C2306A	0.68	0.07	1,283	0.68
SSSC	2.78	(0.22)	2,224	2.76	BIDU28C2309A	0.16	0.09	40,203	0.16	HSTECH28C2306B	-	-	-	-
TGPRO	0.20	0.01	23,677	0.19	BIDU41C2307A	0.13	0.04	4,255	0.13	HSTECH28C2306C	-	-	-	-
TGPRO-W3	0.01	-	55,575	0.01	BILIB28C2305A	0.01	(0.03)	1,000	0.01	HSTECH28P2305A	-	-	-	-
THE	1.41	-	301	1.41	BOCH41C2309A	0.37	0.20	4,629	0.36	HSTECH28P2305B	-	-	-	-
TMT	7.55	0.05	327	7.52	BYDCOM28C230	-	-	-	-	HSTECH28P2305C	-	-	-	-
TSTH	1.02	(0.02)	3,330	1.03	BYDCOM28C230	-	-	-	-	HSTECH28P2305D	0.62	(0.10)	20,000	0.61
TWP	2.38	0.06	52	2.38	BYDCOM28P230	0.47	0.05	80,000	0.49	HSTECH28P2306A	-	-	-	-
TYCN	2.60	0.04	100	2.59	BYDCOM28P230	0.07	(0.03)	10,140	0.07	HSTECH28P2306B	-	-	-	-
Construction Service	-	-	-	-	BYDCOM28P230	0.25	(0.07)	80,000	0.26	HSTECH28P2306C	1.22	(0.19)	21,000	1.23
APCS	4.34	(0.02)	21	4.34	BYDCOM41C230	-	-	-	-	ICBC28C2306A	0.39	0.29	291,204	0.35
BJCHI	1.42	(0.03)	20,792	1.40	BYDCOM41C230	-	-	-	-	JD28C2305A	0.01	(0.02)	199	0.01
BKD	1.95	0.05	1,567	1.95	BYDCOM41C230	0.40	0.07	2,000	0.40	JD28C2306A	0.05	0.01	1	0.05
CIVIL	2.40	(0.18)	18,663	2.49	BYDCOM41C231	0.89	0.08	12,900	0.88	JD28C2308A	0.06	-	41,721	0.06
CK	21.30	0.10	75,738	21.29	BYDCOM41P230	-	-	-	-	JD28C2309A	0.27	0.04	110,000	0.27
CK06C2307A	0.14	(0.01)	157,000	0.14	BYDCOM41P230	0.25	(0.07)	2,000	0.26	JD28P2305A	-	-	-	-
CK11C2305A	-	-	-	-	CATHAY28C230	0.05	(0.55)	24	0.05	JD28P2305B	0.35	(0.06)	90,000	0.36
CK13C2305A	-	-	-	-	CATHAY28C230	-	-	-	-	KUAISH28C2306A	-	-	-	-
CK13C2308A	0.22	-	127,354	0.22	CATHAY41C230	-	-	-	-	KUAISH28C2308A	-	-	-	-
CK19C2307A	-	-	-	-	CATHAY41C230	-	-	-	-	KUAISH28C2310A	0.36	0.04	70,000	0.36
CK19C2308A	0.27	(0.02)	72,452	0.27	CHMOBI28C230	-	-	-	-	LENOVO28C2306A	-	-	-	-
CNT	1.36	0.03	302	1.35	CHMOBI28C230	0.39	0.09	190,002	0.39	LENOVO41C2306A	0.09	(0.04)	1	0.09
EMC	0.13	0.01	16,810	0.13	CMBANK41C230	0.22	0.10	20,000	0.22	LENOVO41C2306B	-	-	-	-
EMC-W6	0.01	-	20	0.01	CNOOC28C2306	0.27	0.12	111,000	0.27	LENOVO41C2309A	0.15	(0.04)	4,007	0.15
ITD	1.43	0.03	65,222	1.43	DJ128C2306A	-	-	-	-	MCA5041C2306A	0.09	(0.02)	3,000	0.09
NWR	0.66	0.03	23,634	0.64	DJ128C2306B	-	-	-	-	MCA5041C2306B	-	-	-	-
PLE	0.57	-	5,652	0.57	DJ128C2306C	0.31	(0.12)	5	0.31	MCA5041C2309A	-	-	-	-
PREB	7.95	0.20	225	7.91	DJ128C2306D	-	-	-	-	MCA5041P2306A	-	-	-	-
PYLON	3.90	0.06	3,422	3.91	DJ128C2309A	0.82	(0.06)	62	0.83	MCA5041P2309A	-	-	-	-
RT	0.98	0.02	1,159	0.98	DJ128P2306A	0.24	(0.03)	40	0.24	METTU28C2305A	0.01	-	221	0.01
RT-W1	0.25	0.01	1,042	0.24	DJ128P2306B	-	-	-	-	METTU28C2305B	-	-	-	-
SEAFCO	3.52	0.02	1,495	3.53	DJ128P2306C	0.05								

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday May 08, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PINGAN41C2308A	0.50	0.23	24,005	0.49	SET5028P2309B	0.52	(0.15)	410,673	0.55		0	-	-	-
PINGAN41P2306A	-	-	-	-	SET5041C2306A	0.06	0.01	3,501	0.04		0	-	-	-
SET10001C2306T	0.26	0.05	4,024	0.24	SET5041C2306B	-	-	-	-		0	-	-	-
SET10001P2306T	0.43	(0.06)	1,822	0.45	SET5041C2306C	0.09	0.04	7,053	0.08		0	-	-	-
SET5001C2305A	0.02	-	26,167	0.01	SET5041C2306D	0.11	0.06	33,932	0.07		0	-	-	-
SET5001C2306A	0.46	0.12	21,378	0.42	SET5041C2306E	0.16	0.07	15,332	0.14		0	-	-	-
SET5001C2306B	0.18	0.08	11,115	0.16	SET5041C2306F	0.32	0.14	256,516	0.27		0	-	-	-
SET5001C2306F	0.14	0.06	5,439	0.11	SET5041C2309A	0.69	0.18	1,990,440	0.61		0	-	-	-
SET5001C2306T	0.13	0.04	907	0.11	SET5041P2306A	0.53	(0.27)	2,444	0.68		0	-	-	-
SET5001C2307A	0.18	0.07	64,388	0.15	SET5041P2306B	-	-	-	-		0	-	-	-
SET5001C2307W	0.18	0.07	18,298	0.15	SET5041P2306C	0.34	(0.24)	197,892	0.43		0	-	-	-
SET5001C2308A	0.56	0.14	231,351	0.48	SET5041P2306D	0.16	(0.12)	49,377	0.18		0	-	-	-
SET5001P2305A	0.20	(0.37)	10,950	0.36	SET5041P2306E	0.16	(0.12)	1,082	0.17		0	-	-	-
SET5001P2306A	0.19	(0.10)	8,483	0.21	SET5041P2309A	0.62	(0.18)	1,455,844	0.71		0	-	-	-
SET5001P2306B	0.48	(0.21)	1,893	0.53	SPX28C2306A	0.05	(0.03)	11	0.05		0	-	-	-
SET5001P2306F	0.32	(0.20)	121,635	0.42	SPX28C2306B	0.35	(0.05)	1	0.35		0	-	-	-
SET5001P2306T	0.62	(0.12)	4,766	0.69	SPX28C2306C	0.79	(0.03)	7	0.78		0	-	-	-
SET5001P2307A	0.52	(0.19)	109,253	0.57	SPX28C2306L	-	-	-	-		0	-	-	-
SET5001P2307W	0.52	(0.20)	28,534	0.61	SPX28C2309A	0.83	(0.13)	2	0.83		0	-	-	-
SET5006C2306A	0.09	0.06	322	0.07	SPX28P2306A	-	-	-	-		0	-	-	-
SET5006C2306B	0.19	0.08	8,355	0.17	SPX28P2306B	-	-	-	-		0	-	-	-
SET5006C2306C	0.59	0.19	761,050	0.52	SPX28P2306C	-	-	-	-		0	-	-	-
SET5006C2306D	1.17	0.36	219,392	0.98	SPX28P2306D	-	-	-	-		0	-	-	-
SET5006C2306E	0.09	0.02	100	0.09	SPX28P2309A	-	-	-	-		0	-	-	-
SET5006C2306F	2.66	0.70	694	2.41	SPX28P2309B	0.48	(0.05)	50	0.48		0	-	-	-
SET5006C2306G	0.05	0.02	50	0.05	SPX41C2306A	0.36	(0.02)	1	0.36		0	-	-	-
SET5006P2306A	-	-	-	-	SPX41C2306B	-	-	-	-		0	-	-	-
SET5006P2306B	0.53	(0.26)	242,154	0.63	SPX41C2306C	0.30	(0.03)	1	0.30		0	-	-	-
SET5006P2306C	0.17	(0.09)	100,602	0.20	SPX41C2309A	0.85	(0.02)	1	0.85		0	-	-	-
SET5006P2306D	1.65	(0.97)	4,702	1.93	SPX41P2306A	0.12	(0.02)	3,700	0.12		0	-	-	-
SET5006P2306E	0.29	(0.14)	104,002	0.30	SPX41P2306B	0.10	(0.03)	43,000	0.09		0	-	-	-
SET5006P2306F	2.94	(0.96)	103	3.16	SPX41P2309A	0.39	(0.02)	2,062	0.39		0	-	-	-
SET5008C2306A	0.07	0.02	164,328	0.07	SUNNY28C2306	-	-	-	-		0	-	-	-
SET5008C2306B	0.02	0.01	15	0.02	SUNNY28C2306I	-	-	-	-		0	-	-	-
SET5008C2306C	0.33	0.06	381,905	0.30	SUNNY28C2308	0.22	-	14,100	0.22		0	-	-	-
SET5008P2306A	0.13	(0.17)	263,562	0.17	SUNNY41C2305	-	-	-	-		0	-	-	-
SET5008P2306B	0.03	(0.05)	126,373	0.03	SUNNY41C2306	-	-	-	-		0	-	-	-
SET5008P2306C	-	-	-	-	SUNNY41C2309	0.38	0.06	4,000	0.37		0	-	-	-
SET5011C2306A	0.09	0.06	1,104	0.09	TENCEN28C230:	0.11	(0.02)	8,112	0.12		0	-	-	-
SET5011P2306A	0.46	(0.25)	28,582	0.55	TENCEN28C230:	-	-	-	-		0	-	-	-
SET5013C2305A	0.79	0.09	8,604	0.75	TENCEN28C230	0.04	(0.01)	400	0.04		0	-	-	-
SET5013C2306A	0.01	-	292,025	0.01	TENCEN28C230	-	-	-	-		0	-	-	-
SET5013C2306B	0.02	-	60,425	0.02	TENCEN28C230	0.12	(0.01)	5,678	0.13		0	-	-	-
SET5013C2306C	0.04	0.01	386,083	0.04	TENCEN28C230	0.13	0.01	576	0.13		0	-	-	-
SET5013C2306D	0.17	0.08	806,249	0.14	TENCEN28C231	0.30	-	90,000	0.30		0	-	-	-
SET5013C2306E	0.51	0.17	3,119,562	0.43	TENCEN28C231	0.63	-	180,998	0.63		0	-	-	-
SET5013C2306F	0.15	0.06	500,692	0.13	TENCEN28P230:	-	-	-	-		0	-	-	-
SET5013C2306G	0.30	0.12	1,410,738	0.25	TENCEN28P230	0.09	(0.05)	120,020	0.09		0	-	-	-
SET5013C2306H	0.42	0.18	1,702,859	0.34	TENCEN28P230	-	-	-	-		0	-	-	-
SET5013C2306I	0.67	0.26	5,258,947	0.56	TENCEN41C230:	-	-	-	-		0	-	-	-
SET5013C2311A	1.08	0.05	24,264	1.04	TENCEN41C230	0.15	0.01	8,000	0.15		0	-	-	-
SET5013P2305A	1.43	(0.16)	1	1.43	TENCEN41C231	0.69	0.01	18,000	0.68		0	-	-	-
SET5013P2306A	0.30	(0.27)	646,606	0.37	TENCEN41P230:	-	-	-	-		0	-	-	-
SET5013P2306B	0.22	(0.20)	274,201	0.27	TRIPDC41C2309	0.30	(0.03)	6,000	0.30		0	-	-	-
SET5013P2306C	0.13	(0.12)	262,346	0.17	XIAOMI28C2305	-	-	-	-		0	-	-	-
SET5013P2306D	0.13	(0.11)	152,140	0.17	XIAOMI28C2306	-	-	-	-		0	-	-	-
SET5013P2306E	0.28	(0.24)	3,822,347	0.35	XIAOMI28C2308	0.17	0.02	90,030	0.16		0	-	-	-
SET5013P2306F	0.36	(0.34)	1,069,822	0.42	XIAOMI28P2305	-	-	-	-		0	-	-	-
SET5013P2306G	0.13	(0.19)	3,355,469	0.18	XIAOMI28P2308	0.18	(0.05)	50,000	0.18		0	-	-	-
SET5013P2311A	1.42	(0.06)	2,532	1.42	XIAOMI41C2305	-	-	-	-		0	-	-	-
SET5016C2306A	-	-	-	-	XIAOMI41C2308	0.15	0.04	2,000	0.15		0	-	-	-
SET5016C2306B	-	-	-	-	XIAOMI41P2308	0.19	(0.06)	2,000	0.20		0	-	-	-
SET5016C2306C	0.21	0.10	20,689	0.19	XIAOMI41P2308	0.19	(0.06)	2,000	0.20		0	-	-	-
SET5016C2306D	0.06	0.04	2,180	0.06	ZDJIN28C2306A	-	-	-	-		0	-	-	-
SET5016P2306A	0.40	(0.28)	3,066	0.41	ZDJIN28C2308A	0.44	(0.02)	30,000	0.45		0	-	-	-
SET5016P2306B	0.14	(0.11)	16,583	0.17	ZDJIN41C2306A	0.14	-	2,200	0.15		0	-	-	-
SET5019C2306A	-	-	-	-	ZDJIN41C2312A	0.50	(0.04)	2,000	0.50		0	-	-	-
SET5019C2306B	0.01	(0.01)	160	0.01	0	-	-	-	-		0	-	-	-
SET5019C2306C	0.04	0.02	2,041	0.03	0	-	-	-	-		0	-	-	-
SET5019C2306D	0.05	0.02	16,471	0.04	0	-	-	-	-		0	-	-	-
SET5019C2306E	0.13	0.07	57,354	0.11	0	-	-	-	-		0	-	-	-
SET5019C2306F	0.41	0.12	229,847	0.37	0	-	-	-	-		0	-	-	-
SET5019C2306G	0.20	0.08	208,179	0.18	0	-	-	-	-		0	-	-	-
SET5019C2306H	0.11	0.04	24,267	0.09	0	-	-	-	-		0	-	-	-
SET5019C2306I	0.10	0.03	11,941	0.08	0	-	-	-	-		0	-	-	-
SET5019C2306J	0.57	0.25	19,903	0.38	0	-	-	-	-		0	-	-	-
SET5019P2306A	0.52	(0.34)	36,878	0.62	0	-	-	-	-		0	-	-	-
SET5019P2306B	0.26	(0.25)	68,441	0.33	0	-	-	-	-		0	-	-	-
SET5019P2306C	0.07	(0.07)	70,657	0.08	0	-	-	-	-		0	-	-	-
SET5019P2306D	0.17	(0.13)	213,928	0.21	0	-	-	-	-		0	-	-	-
SET5019P2306E	0.13	(0.18)	163,781	0.18	0	-	-	-	-		0	-	-	-
SET5024C2306A	0.26	0.09	47,436	0.21	0	-	-	-	-		0	-	-	-
SET5024C2306B	0.12	0.04	1,099	0.09	0	-	-	-	-		0	-	-	-
SET5024C2306C	0.51	0.18	105,734	0.45	0	-	-	-	-		0	-	-	-
SET5024P2306A	0.10	(0.12)	43,141	0.13	0	-	-	-	-		0	-	-	-
SET5024P2306B	0.39	(0.57)	7,380	0.44										

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Monday May 08, 2023