

Asia Plus Securities Company Limited Daily Quotation Report

Wednesday September 20, 2023

NOTE :

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active

Stock	Last	Value '000	%Change
BDMS	26.50	3,340,176	1.0%
PTT	33.25	2,817,757	-2.2%
CPALL	60.75	2,424,313	-2.4%
AOT	69.75	2,326,568	-0.7%
PTTEP	165.50	2,296,636	-2.1%
SINO	1.93	1,940,874	37.9%
ADVANC	221.00	1,447,239	-1.8%
SCB	110.00	1,420,551	-0.5%
COCOCO	10.20	1,269,791	9.1%
KTB	18.80	1,088,113	1.1%

Sector Ranking

Sector	%Value
.AGRI	0.4444
.AUTO	0.3740
.BANK	8.8731
.COMM	9.1354
.CONMAT	2.1141
.CONS	0.9487
.ENERG	21.9012
.ETRON	2.4792
.FASHION	0.1558
.FIN	3.4573
.FOOD	6.9665
.HELTH	8.0850
.HOME	0.0195
.ICT	6.3077
.IMM	0.7522
.INSUR	0.5295
.MEDIA	0.5991
.MINE	-
.PAPER	0.0030
.PERSON	0.1529
.PETRO	3.5380
.PF&REIT	0.2631
.PKG	0.6884
.PROF	0.4303
.PROP	5.3231
.STEEL	0.0358
.TOURISM	1.6696
.TRANS	6.7313

Top Ten Gainers

Stock	Last	Value '000
TENCEN28C2403A	20.00	41
BWG-W5	0.02	613
SET5001P2309F	0.02	0
W-W5	0.02	61
HSBC41C2401A	0.29	57
BLA13C2310A	0.03	6
KTB01C2311A	0.06	0
STEC13P2312A	0.15	1,197
TIDLOR13C2311A	0.03	0
SET5028P2309D	0.27	675

Top Ten Losers

Stock	Last	Value '000
RATCH13C2402A	0.16	107
PTG13C2402A	0.24	1,230
ACE19C2402A	0.26	2,099
TRUE19C2402A	0.26	526
RBF13C2310A	0.04	34
BCH01C2310A	0.01	0
INTUCH01C2310A	0.01	1
STEC19C2312A	0.23	1,446
INSET-W1	0.02	272
PTTEP01P2311X	0.02	1

Movements in SET and Sectorial Indices

	Open	High	Low	Close	Change	%Change
.SET	1,521.66	1,521.66	1,503.33	1,507.90	(15.06)	(0.99)
.SET50	932.74	932.74	920.84	924.16	(9.37)	(1.00)
.SET100	2,078.56	2,078.56	2,050.97	2,058.55	(21.96)	(1.06)
.SETHD	1,153.02	1,153.02	1,136.54	1,138.57	(16.00)	(1.39)
.SSET	956.75	957.22	943.37	947.05	(9.45)	(0.99)
.MAI	472.08	473.05	464.56	465.95	(6.82)	(1.44)
.AGRI	187.97	188.15	185.61	185.61	(3.34)	(1.77)
.AUTO	504.68	504.68	494.86	498.29	(6.54)	(1.30)
.BANK	393.95	397.22	392.19	395.04	0.81	0.21
.COMM	34,461.15	34,498.37	33,916.72	33,996.52	(547.20)	(1.58)
.CONMAT	7,985.58	7,987.70	7,852.15	7,872.00	(96.03)	(1.21)
.CONS	57.21	57.30	55.33	55.44	(1.84)	(3.21)
.ENERG	21,403.78	21,403.78	20,989.07	21,080.79	(336.77)	(1.57)
.ETRON	12,790.51	12,900.46	12,612.37	12,776.44	(9.12)	(0.07)
.FASHION	699.66	702.62	694.26	699.87	(0.42)	(0.06)
.FIN	3,694.28	3,702.06	3,653.29	3,664.51	(42.65)	(1.15)
.FOOD	11,526.51	11,526.51	11,338.46	11,370.82	(144.90)	(1.26)
.HELTH	6,908.75	6,946.07	6,858.45	6,936.31	(9.00)	(0.13)
.HOME	22.07	22.15	21.79	21.88	(0.11)	(0.50)
.ICT	163.98	164.13	161.19	162.05	(2.05)	(1.25)
.IMM	28.76	29.22	28.47	29.04	0.21	0.73
.INSUR	11,384.43	11,439.48	11,225.37	11,289.06	(39.66)	(0.35)
.MEDIA	35.14	35.18	34.41	34.58	(0.72)	(2.04)
.MINE	-	-	-	4.78	-	-
.PAPER	3,347.63	3,375.76	3,319.49	3,319.49	(28.14)	(0.84)
.PERSON	92.87	92.97	91.04	91.56	(1.27)	(1.37)
.PETRO	721.31	721.48	700.04	703.46	(25.35)	(3.48)
.PF&REIT	193.56	193.56	191.56	131.03	(0.40)	(0.30)
.PKG	3,910.58	3,959.98	3,868.08	3,919.43	6.86	0.18
.PROF	389.95	390.71	383.64	385.02	(5.12)	(1.31)
.PROP	238.32	238.55	236.38	237.32	(1.72)	(0.72)
.STEEL	53.30	54.36	53.30	29.68	(0.34)	(1.13)
.TOURISM	607.30	609.47	598.07	602.89	(3.62)	(0.60)
.TRANS	343.21	343.27	337.89	338.83	(3.27)	(0.96)

Volume by Board (Lot)

Main Board	12,053,954,443
Foreign Board	9,189
Total	12,053,963,632

Value by Board (Mn.Bt.)

Main Board	54,387.64
Foreign Board	103.08
Total	54,490.73

Gainers and Losers

Gainers	91
Losers	395
Unchanged	161

ASP's Daily Quotation Report

Wednesday September 20, 2023



Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
POMPUI	2.16	190966	-	-	-	-	-	-	-	-	-	0
SAFARI	2.40	190966	-	-	-	-	-	-	-	-	-	0
WORLD	2.10	190966	-	-	-	-	-	-	-	-	-	0
Agribusiness												
EE	0.33	190966	0.34	0.34	0.33	0.33	0.33	0.34	-	10,254	339	0.33
EE-W1	0.06	190966	-	0.06	0.05	0.06	0.05	0.06	-	18,215	109	0.059
GFPT	10.50	190966	10.50	10.60	10.40	10.50	10.40	10.50	-	21,506	22,599	10.508
LEE	2.32	190966	2.28	2.34	2.28	2.32	2.30	2.34	-	502	116	2.305
MAX	0.01	190966	-	-	-	-	-	-	-	-	-	0
NER	4.80	190966	4.78	4.78	4.68	4.68	4.68	4.72	(0.12)	73,555	34,673	4.713
PPPM	0.07	190966	0.07	0.08	0.07	0.07	0.07	0.08	-	21,591	153	0.07
PPPM-W4	0.07	190966	-	0.07	0.07	0.07	0.06	0.07	-	225	2	0.07
STA	16.90	190966	16.70	16.90	16.40	16.50	16.40	16.50	(0.40)	101,144	168,300	16.639
STA01C2311A	0.04	190966	-	0.03	0.03	0.03	0.03	0.04	(0.01)	40	-	0.03
STA01C2401A	0.51	190966	-	0.49	0.45	0.45	0.45	0.46	(0.06)	37,888	1,778	0.469
STA01C2402A	0.34	190966	-	0.34	0.31	0.31	0.31	0.32	(0.03)	82,345	2,684	0.325
STA01P2402X	0.42	190966	-	0.45	0.43	0.45	0.45	0.46	0.03	39,698	1,730	0.435
STA11C2402T	0.36	190966	-	0.35	0.32	0.32	0.32	0.33	(0.04)	52,655	1,769	0.336
STA13C2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
STA13C2311A	0.12	190966	-	0.11	0.09	0.09	0.09	0.10	(0.03)	29,417	294	0.099
STA13C2401A	0.46	190966	0.44	0.44	0.41	0.41	0.41	0.42	(0.05)	67,745	2,910	0.429
STA13P2401A	0.23	190966	-	0.25	0.23	0.24	0.24	0.25	0.01	26,134	620	0.237
STA19C2401A	0.21	190966	-	0.21	0.20	0.20	0.19	0.20	(0.01)	40,912	821	0.2
STA19C2401B	0.48	190966	-	0.47	0.44	0.44	0.43	0.44	(0.04)	16,710	766	0.458
TEGH	3.14	190966	3.06	3.14	3.02	3.02	3.02	3.06	(0.12)	18,360	5,592	3.045
TFM	7.75	190966	-	7.65	7.65	7.65	7.60	7.65	(0.10)	58	44	7.65
TRUBB	1.39	190966	1.39	1.39	1.31	1.31	1.31	1.33	(0.08)	40,549	5,425	1.338
TRUBB-W2	0.14	190966	0.15	0.16	0.14	0.15	0.14	0.15	0.01	13,452	194	0.144
UPOIC	6.30	190966	-	6.30	6.25	6.30	6.25	6.30	-	66	41	6.251
UVAN	8.30	190966	8.25	8.25	8.15	8.15	8.15	8.20	(0.15)	4,450	3,646	8.194
VPO	0.88	190966	0.88	0.88	0.82	0.83	0.83	0.84	(0.05)	14,393	1,210	0.84
Banking												
BAY	31.25	190966	31.00	31.50	31.00	31.50	31.50	31.75	0.25	2,468	7,731	31.325
BBL	166.00	190966	166.50	167.00	165.00	166.50	166.00	166.50	0.50	39,501	656,984	166.32
BBL06C2309A	0.05	190966	-	-	-	-	-	0.01	-	-	-	0
BBL06C2311A	0.30	190966	-	0.30	0.28	0.29	0.29	0.30	(0.01)	48,172	1,402	0.291
BBL11C2311T	0.17	190966	-	0.17	0.17	0.17	0.17	0.18	-	4,210	72	0.17
BBL11P2311T	0.03	190966	-	-	-	-	0.02	0.04	-	-	-	0
BBL11P2402A	0.57	190966	0.55	0.57	0.55	0.55	0.55	0.57	(0.02)	73,108	4,065	0.556
BBL13C2311A	0.07	190966	-	-	-	-	0.06	0.07	-	-	-	0
BBL13C2312A	0.31	190966	-	0.32	0.30	0.31	0.31	0.32	-	24,580	742	0.301
BBL13P2312A	0.09	190966	-	0.08	0.08	0.08	0.08	0.09	(0.01)	115	1	0.08
BBL13P2312B	0.24	190966	-	0.24	0.23	0.23	0.23	0.24	(0.01)	30,192	704	0.233
BBL19C2310A	0.02	190966	-	-	-	-	0.02	0.03	-	-	-	0
BBL19C2401A	0.20	190966	-	0.20	0.19	0.20	0.19	0.20	-	72,253	1,438	0.198
BBL41C2310A	0.08	190966	-	-	-	-	0.01	0.03	-	-	-	0
BBL41C2311A	0.19	190966	-	0.19	0.18	0.19	0.19	0.20	-	9,100	173	0.189
BBL41C2312A	0.18	190966	-	0.18	0.17	0.18	0.17	0.19	-	11,205	200	0.178
BBL41C2402A	0.34	190966	-	0.35	0.33	0.34	0.34	0.35	-	34,130	1,160	0.339
CIMBT	0.71	190966	0.71	0.72	0.71	0.71	0.71	0.72	-	6,420	456	0.71
KBANK	127.00	190966	127.00	128.50	126.50	128.00	127.50	128.00	1.00	67,293	858,644	127.597
KBANK01C2311X	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
KBANK01C2312A	0.16	190966	-	0.16	0.16	0.16	0.16	0.17	-	34,749	556	0.16
KBANK01C2401A	0.27	190966	-	0.28	0.26	0.27	0.27	0.28	-	77,138	2,113	0.273
KBANK01P2311A	0.15	190966	0.15	0.15	0.13	0.14	0.14	0.15	(0.01)	29,646	415	0.14
KBANK01P2402X	0.47	190966	0.46	0.46	0.45	0.45	0.45	0.46	(0.02)	17,970	814	0.453
KBANK06C2311A	0.08	190966	-	0.04	0.04	0.04	0.05	0.06	(0.04)	6,500	26	0.04
KBANK06C2312A	0.24	190966	0.24	0.24	0.23	0.23	0.23	0.24	(0.01)	36,096	857	0.237
KBANK13C2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
KBANK13C2311A	0.06	190966	-	0.06	0.06	0.06	0.06	0.07	-	7,098	43	0.06
KBANK13C2312A	0.15	190966	0.15	0.16	0.15	0.15	0.15	0.16	-	54,108	857	0.158
KBANK13P2311A	0.11	190966	-	0.10	0.10	0.10	0.09	0.11	(0.01)	50	1	0.1
KBANK13P2401A	0.36	190966	0.36	0.36	0.34	0.34	0.34	0.36	(0.02)	42,015	1,454	0.346
KBANK16C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
KBANK16C2312A	0.19	190966	-	0.20	0.19	0.19	0.20	0.21	-	1,980	39	0.196
KBANK19C2310A	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
KBANK19C2311A	0.04	190966	-	-	-	-	0.04	0.05	-	-	-	0
KBANK19C2312A	0.16	190966	0.17	0.17	0.16	0.16	0.16	0.18	-	137,805	2,280	0.165
KBANK19P2309A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
KBANK41C2310A	0.02	190966	-	-	-	-	0.01	0.03	-	-	-	0
KBANK41C2311A	0.12	190966	-	0.12	0.12	0.12	0.12	0.13	-	2,900	35	0.12
KBANK41C2401A	0.24	190966	0.25	0.25	0.23	0.24	0.25	0.26	-	37,000	907	0.245
KKP	55.50	190966	55.50	55.75	55.00	55.50	55.50	55.75	-	26,897	148,690	55.281
KKP-W5	0.62	190966	0.63	0.64	0.58	0.61	0.60	0.61	(0.01)	22,507	1,369	0.608
KKP-W6	2.88	190966	-	2.92	2.82	2.90	2.90	2.92	0.02	550	157	2.859
KKP01C2310A	0.07	190966	-	-	-	-	0.01	0.02	-	-	-	0
KKP01C2401A	0.23	190966	-	0.23	0.22	0.23	0.23	0.24	-	42,317	947	0.223
KKP11C2312T	0.13	190966	-	-	-	-	0.08	0.09	-	-	-	0
KKP13C2311A	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
KKP13C2312A	0.14	190966	-	0.13	0.13	0.13	0.13	0.14	(0.01)	14,652	190	0.13
KKP13P2312A	0.15	190966	-	0.14	0.14	0.14	0.15	0.16	(0.01)	4	-	0.14
KKP19C2312A	0.23	190966	-	0.22	0.22	0.22	0.22	0.23	(0.01)	6,768	149	0.22
KKP19C2401A	0.10	190966	-	-	-	-	0.09	0.10	-	-	-	0
KTB	18.60	190966	18.60	19.00	18.50	18.80	18.80	18.90	0.20	578,659	1,088,113	18.804
KTB-P	153.00	190966	-	-	-	-	-	-	-	-	-	0
KTB-Q	-	101743	-	-	-	-	-	-	-	-	-	0
KTB01C2311A	0.04	190966	-	0.06	0.05	0.06	0.05	0.06	0.02	2	-	0.055
KTB01C2402A	0.21	190966	-	0.23	0.19	0.22	0.21	0.22	0.01	75,464	1,599	0.211
KTB01P2311A	0.12	190966	-	0.11	0.10	0.10	0.10	0.11	(0.02)	6,430	64	

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SCB06C2310A	0.09	190966	-	-	-	-	0.06	0.07	-	-	-	0
SCB13C2310A	0.06	190966	-	0.06	0.05	0.05	0.05	0.06	(0.01)	14,069	74	0.052
SCB13C2312A	0.17	190966	-	0.17	0.15	0.15	0.15	0.16	(0.02)	40,086	629	0.156
SCB13C2401A	0.14	190966	-	0.13	0.12	0.12	0.12	0.13	(0.02)	87,864	1,104	0.125
SCB13P2311A	0.03	190966	-	-	-	-	0.02	0.03	-	-	-	0
SCB13P2312A	0.12	190966	-	0.12	0.12	0.12	0.12	0.13	-	8,744	105	0.12
SCB13P2402A	0.36	190966	-	0.37	0.35	0.36	0.35	0.36	-	125,054	4,486	0.358
SCB16C2311A	0.18	190966	-	0.17	0.15	0.16	0.16	0.17	(0.02)	8,304	135	0.162
SCB19C2309A	0.07	190966	-	-	-	-	0.01	0.02	-	-	-	0
SCB19C2312A	0.18	190966	-	0.18	0.16	0.17	0.17	0.18	(0.01)	60,787	1,067	0.175
SCB19C2401A	0.16	190966	-	0.16	0.15	0.15	0.15	0.16	(0.01)	7,267	114	0.157
SCB19P2309A	0.04	190966	-	-	-	-	0.01	0.02	-	-	-	0
SCB19P2402A	0.34	190966	-	0.35	0.33	0.34	0.34	0.35	-	28,772	967	0.336
SCB41C2311A	0.13	190966	-	0.12	0.11	0.11	0.11	0.12	(0.02)	6,250	72	0.114
SCB41C2401A	0.15	190966	-	0.14	0.13	0.14	0.13	0.14	(0.01)	30,000	417	0.139
TCAP	49.00	190966	49.00	49.25	48.50	48.75	48.75	49.00	(0.25)	10,711	52,320	48.847
TCAP-P	560.00	190966	-	-	-	-	-	-	-	-	-	0
TCAP-Q	-	101743	-	-	-	-	-	-	-	-	-	0
TCAP11C2402T	0.20	190966	0.20	0.20	0.19	0.19	0.19	0.20	(0.01)	20,988	416	0.197
TCAP13C2310A	0.06	190966	-	-	-	-	0.01	0.02	-	-	-	0
TCAP13C2312A	0.08	190966	-	0.08	0.08	0.08	0.07	0.08	-	15,647	125	0.08
TCAP19C2310A	0.03	190966	-	-	-	-	0.02	0.03	-	-	-	0
TCAP19C2311A	0.10	190966	-	-	-	-	0.03	0.04	-	-	-	0
TISCO	99.75	190966	99.50	99.75	99.25	99.75	99.50	99.75	-	26,195	260,736	99.536
TISCO-P	1,346.00	190966	-	-	-	-	-	-	-	-	-	0
TISCO-Q	8.00	190966	-	-	-	-	-	-	-	-	-	0
TISCO13C2312A	0.15	190966	-	-	-	-	0.14	0.15	-	-	-	0
TISCO19C2311A	0.17	190966	-	-	-	-	0.17	0.18	-	-	-	0
TISCO19C2402A	0.23	190966	-	0.22	0.22	0.22	0.22	0.23	(0.01)	5,616	124	0.22
TTB	1.72	190966	1.72	1.73	1.70	1.70	1.70	1.71	(0.02)	1,914,597	326,764	1.706
TTB-W1	0.72	190966	0.72	0.73	0.71	0.72	0.72	0.73	-	48,119	3,466	0.72
TTB01C2310A	0.14	190966	-	0.12	0.11	0.11	0.11	0.12	(0.03)	27,850	330	0.118
TTB01C2311X	0.08	190966	-	-	-	-	0.06	0.07	-	-	-	0
TTB01C2402A	0.29	190966	-	0.29	0.27	0.27	0.27	0.28	(0.02)	28,519	798	0.279
TTB01P2312A	0.10	190966	-	0.10	0.09	0.09	0.10	0.11	(0.01)	16	-	0.095
TTB06C2401A	0.21	190966	-	0.21	0.20	0.20	0.20	0.21	(0.01)	1,000	21	0.205
TTB13C2310A	0.06	190966	-	-	-	-	0.05	0.06	-	-	-	0
TTB13C2401A	0.21	190966	-	0.21	0.20	0.20	0.19	0.20	(0.01)	23,854	478	0.2
TTB13P2401A	0.25	190966	-	0.25	0.24	0.25	0.25	0.26	-	9,857	237	0.24
TTB19C2310A	0.07	190966	-	0.06	0.05	0.06	0.05	0.06	(0.01)	1,081	6	0.059
TTB19C2402A	0.25	190966	-	0.25	0.24	0.24	0.23	0.24	(0.01)	21,067	511	0.242
Construction Material												
CCP	0.35	190966	0.35	0.36	0.34	0.34	0.34	0.35	(0.01)	45,204	1,541	0.34
COTTO	2.10	190966	2.10	2.12	2.06	2.10	2.10	2.12	-	9,176	1,923	2.095
DCC	1.79	190966	1.79	1.79	1.74	1.75	1.75	1.76	(0.04)	154,195	27,094	1.757
DCON	0.50	190966	0.50	0.50	0.48	0.48	0.48	0.49	(0.02)	164,419	8,079	0.491
DCON-W3	0.13	190966	0.13	0.13	0.12	0.13	0.12	0.13	-	52,716	662	0.125
DRT	8.20	190966	8.15	8.15	8.10	8.15	8.10	8.15	(0.05)	2,680	2,177	8.123
EPG	6.75	190966	6.75	6.75	6.60	6.65	6.65	6.70	(0.10)	16,829	11,189	6.648
EPG13C2312A	0.13	190966	-	0.11	0.11	0.11	0.11	0.12	(0.02)	10,126	111	0.11
EPG19C2401A	0.12	190966	-	-	-	-	0.10	0.11	-	-	-	0
GEL	0.22	190966	0.21	0.22	0.21	0.22	0.21	0.22	-	6,089	128	0.21
GEL-W5	0.06	190966	0.06	0.06	0.05	0.05	0.05	0.06	(0.01)	52,952	305	0.057
PPP	1.86	190966	1.85	1.88	1.83	1.88	1.85	1.89	0.02	326	60	1.84
Q-CON	13.90	190966	13.90	13.90	13.40	13.70	13.50	13.70	(0.20)	7,870	10,709	13.607
SCC	306.00	190966	307.00	307.00	301.00	303.00	303.00	304.00	(3.00)	31,979	969,557	303.185
SCC01C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
SCC01C2312T	0.15	190966	-	0.15	0.13	0.14	0.13	0.14	(0.01)	986	13	0.131
SCC01C2402A	0.22	190966	0.20	0.22	0.19	0.19	0.19	0.20	(0.03)	72,366	1,429	0.197
SCC06C2309A	0.12	190966	-	-	-	-	-	-	-	-	-	0
SCC06C2310A	0.06	190966	-	-	-	-	-	0.01	-	-	-	0
SCC11C2310T	0.11	190966	-	-	-	-	0.05	0.06	-	-	-	0
SCC13C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
SCC13C2401A	0.19	190966	0.15	0.16	0.15	0.15	0.15	0.16	(0.04)	19,375	291	0.15
SCC19C2312A	0.06	190966	-	0.04	0.04	0.04	0.03	0.04	(0.02)	1,000	4	0.04
SCC19C2401A	0.20	190966	-	0.19	0.18	0.18	0.18	0.19	(0.02)	62,742	1,150	0.183
SCCC	135.00	190966	135.00	135.50	134.50	134.50	134.50	135.00	(0.50)	215	2,897	134.758
SCP	5.10	190966	-	5.15	5.10	5.10	5.10	5.15	-	190	97	5.126
SKN	4.36	190966	4.38	4.40	4.36	4.38	4.36	4.38	0.02	854	374	4.377
STECH	1.95	190966	1.97	1.98	1.95	1.96	1.95	1.96	0.01	1,858	364	1.956
TASCO	16.40	190966	16.40	16.50	16.20	16.20	16.20	16.30	(0.20)	38,198	62,200	16.283
TASCO06C2312A	0.08	190966	-	0.08	0.07	0.08	0.07	0.08	-	11	-	0.074
TASCO19C2311A	0.03	190966	-	-	-	-	0.02	0.03	-	-	-	0
TASCO19C2401A	0.18	190966	-	0.16	0.15	0.15	0.15	0.16	(0.03)	3,236	52	0.159
TASCO28C2309A	0.14	190966	-	-	-	-	0.07	0.11	-	-	-	0
TOA	24.10	190966	24.20	24.20	23.40	23.40	23.40	23.50	(0.70)	19,849	46,921	23.638
TPIPL	1.51	190966	1.51	1.51	1.47	1.47	1.47	1.49	(0.04)	42,563	6,325	1.485
UMI	1.20	190966	-	1.19	1.17	1.19	1.18	1.19	(0.01)	166	20	1.177
VNG	3.82	190966	3.76	3.82	3.76	3.82	3.78	3.80	-	478	181	3.783
WIJK	1.58	190966	1.57	1.58	1.56	1.56	1.56	1.58	(0.02)	862	135	1.568
Petrochemicals & Chemicals												
BCT	60.00	190966	-	60.00	59.25	60.00	60.00	60.50	-	34	204	59.852
CMAN	2.14	190966	2.12	2.14	2.10	2.14	2.12	2.14	-	2,621	556	2.12
GC	5.40	190966	5.40	5.45	5.35	5.35	5.35	5.40	(0.05)	3,635	1,947	5.356
GGC	11.00	190966	11.00	11.00	10.80	10.80	10.80	11.00	(0.20)	165	179	10.862
GIFT	3.56	190966	3.54	3.58	3.52	3.56	3.54	3.56	-	10,132	3,593	3.546
IVL	27.25	190966	27.00	27.00	26.00	26.25	26.25	26.50	(1.00)	327,842	864,235	26.361
IVL01C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
IVL01C2312A	0.02											

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
IVL19C2402A	0.18	190966	-	0.16	0.15	0.15	0.15	0.16	(0.03)	118,448	1,793	0.151
IVL41C2311A	0.05	190966	-	-	-	-	0.01	0.03	-	-	-	0
IVL41C2312A	0.05	190966	-	-	-	-	0.02	0.04	-	-	-	0
IVL41C2401A	0.08	190966	-	-	-	-	0.06	0.08	-	-	-	0
IVL41C2402A	0.17	190966	0.14	0.16	0.13	0.14	0.13	0.14	(0.03)	13,547	190	0.139
NFC	4.32	190966	4.30	4.42	4.24	4.38	4.38	4.40	0.06	522	225	4.304
PATO	9.15	190966	-	9.30	9.05	9.20	9.10	9.20	0.05	160	147	9.213
PMTA	8.60	190966	-	8.80	8.65	8.80	8.65	9.15	0.20	8	7	8.725
PTTGC	35.00	190966	34.50	34.50	33.50	33.50	33.50	33.75	(1.50)	304,795	1,031,954	33.858
PTTGC01C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2311A	0.04	190966	-	0.02	0.02	0.02	0.02	0.03	(0.02)	115	-	0.02
PTTGC01C2401A	0.14	190966	0.13	0.13	0.10	0.10	0.09	0.10	(0.04)	49,021	527	0.107
PTTGC01C2402T	0.11	190966	-	-	-	-	0.08	0.09	-	-	-	0
PTTGC01C2403A	0.22	190966	-	0.20	0.19	0.19	0.18	0.19	(0.03)	81,500	1,595	0.195
PTTGC01P2311A	0.09	190966	-	0.12	0.10	0.12	0.12	0.13	0.03	52,478	567	0.107
PTTGC01P2401A	0.40	190966	0.43	0.48	0.43	0.47	0.47	0.48	0.07	50,833	2,306	0.453
PTTGC06C2310A	0.05	190966	-	-	-	-	-	0.01	-	-	-	0
PTTGC06C2401A	0.11	190966	-	0.10	0.09	0.09	0.08	0.09	(0.02)	65,455	641	0.097
PTTGC11C2312T	0.06	190966	-	-	-	-	0.03	0.04	-	-	-	0
PTTGC11P2402A	0.58	190966	0.60	0.67	0.60	0.67	0.66	0.68	0.09	9,960	606	0.608
PTTGC13C2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
PTTGC13C2312A	0.06	190966	-	0.06	0.05	0.05	0.04	0.05	(0.01)	3,530	18	0.052
PTTGC13C2402A	0.16	190966	-	0.15	0.12	0.12	0.12	0.13	(0.04)	42,041	566	0.134
PTTGC13P2312A	0.26	190966	0.28	0.33	0.28	0.33	0.33	0.34	0.07	34,066	1,003	0.294
PTTGC19C2310A	0.09	190966	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC19C2310B	0.04	190966	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC19C2310C	0.05	190966	-	-	-	-	0.02	0.03	-	-	-	0
PTTGC19C2402A	0.22	190966	-	0.19	0.18	0.18	0.17	0.18	(0.04)	35,078	657	0.187
PTTGC41C2310A	0.08	190966	-	-	-	-	0.01	0.03	-	-	-	0
PTTGC41C2311A	0.08	190966	-	-	-	-	0.02	0.04	-	-	-	0
PTTGC41C2401A	0.17	190966	-	0.15	0.13	0.13	0.12	0.13	(0.04)	38,523	541	0.14
PTTGC41C2402A	0.15	190966	-	0.13	0.12	0.12	0.11	0.12	(0.03)	10,701	132	0.123
SUTHA	3.06	190966	-	3.08	3.04	3.04	3.02	3.08	(0.02)	351	107	3.048
TPA	5.00	190966	-	5.00	4.86	4.86	4.86	4.98	(0.14)	48	23	4.875
UAC	4.04	190966	4.06	4.08	4.04	4.04	4.04	4.06	-	397	161	4.048
UP	18.00	190966	-	17.30	17.30	17.30	17.30	17.80	(0.70)	9	16	17.3
Commerce												
B52	1.50	190966	1.52	1.52	1.42	1.50	1.41	1.50	-	25	4	1.457
BEAUTY	0.60	190966	0.60	0.61	0.57	0.58	0.58	0.59	(0.02)	165,238	9,654	0.584
BIG	0.60	190966	0.58	0.60	0.58	0.58	0.58	0.59	(0.02)	15,580	906	0.581
BJC	32.25	190966	32.25	32.50	31.75	31.75	31.75	32.00	(0.50)	21,035	67,402	32.042
COM7	32.00	190966	32.25	32.75	31.50	31.75	31.50	31.75	(0.25)	118,899	380,630	32.012
COM701C2311A	0.23	190966	-	0.25	0.22	0.22	0.22	0.23	(0.01)	66,558	1,576	0.236
COM701C2401A	0.24	190966	0.23	0.25	0.22	0.22	0.22	0.23	(0.02)	59,681	1,434	0.24
COM701P2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
COM701P2401A	0.13	190966	-	0.11	0.09	0.11	0.10	0.11	(0.02)	77	1	0.094
COM701P2402X	0.38	190966	-	0.38	0.35	0.38	0.38	0.39	-	38,796	1,434	0.369
COM706C2309A	0.12	190966	-	-	-	-	-	-	-	-	-	0
COM706C2312A	0.28	190966	-	0.27	0.25	0.25	0.25	0.26	(0.03)	7,800	206	0.264
COM711C2312A	0.28	190966	-	-	-	-	0.26	0.29	-	-	-	0
COM713C2311A	0.29	190966	-	-	-	-	0.27	0.34	-	-	-	0
COM713C2401A	0.24	190966	0.25	0.26	0.22	0.23	0.23	0.24	(0.01)	126,989	3,121	0.245
COM713P2312A	0.08	190966	-	0.06	0.06	0.06	0.06	0.07	(0.02)	21	-	0.06
COM713P2402A	0.33	190966	-	0.33	0.31	0.33	0.33	0.34	-	40,048	1,299	0.324
COM719C2311A	0.31	190966	-	-	-	-	0.28	0.29	-	-	-	0
COM719C2401A	0.27	190966	-	0.29	0.26	0.26	0.26	0.27	(0.01)	36,990	1,002	0.271
COM719P2312A	0.09	190966	-	0.07	0.07	0.07	0.06	0.07	(0.02)	9	-	0.07
COM719P2402A	0.24	190966	-	0.24	0.23	0.24	0.24	0.25	-	29,955	710	0.237
COM741C2311A	0.33	190966	-	0.34	0.31	0.31	0.31	0.33	(0.02)	2,100	70	0.333
COM741C2312A	0.22	190966	0.21	0.24	0.21	0.21	0.21	0.22	(0.01)	49,105	1,096	0.223
COM741C2401A	0.16	190966	-	0.17	0.16	0.16	0.15	0.16	-	22,002	364	0.165
CPALL	62.25	190966	62.00	62.00	60.75	60.75	60.75	61.00	(1.50)	396,057	2,424,313	61.211
CPALL01C2312A	0.10	190966	-	0.10	0.08	0.08	0.08	0.09	(0.02)	2,915	27	0.092
CPALL01C2401A	0.24	190966	0.24	0.24	0.19	0.19	0.19	0.20	(0.05)	32,914	683	0.207
CPALL01P2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
CPALL01P2401A	0.23	190966	-	0.27	0.24	0.27	0.27	0.28	0.04	87,160	2,333	0.267
CPALL06C2310A	0.07	190966	-	-	-	-	-	0.01	-	-	-	0
CPALL06C2312A	0.18	190966	0.16	0.16	0.12	0.12	0.12	0.13	(0.06)	30,620	405	0.132
CPALL11C2310T	0.10	190966	-	0.10	0.08	0.08	0.07	0.09	(0.02)	3,335	30	0.09
CPALL11P2402A	0.44	190966	0.45	0.48	0.45	0.48	0.48	0.49	0.04	38,790	1,838	0.473
CPALL13C2311A	0.04	190966	-	0.03	0.03	0.03	0.02	0.03	(0.01)	660	2	0.03
CPALL13C2312A	0.22	190966	-	0.20	0.17	0.17	0.17	0.19	(0.05)	10,207	187	0.182
CPALL13C2401A	0.11	190966	-	0.10	0.08	0.08	0.08	0.09	(0.03)	11,072	99	0.089
CPALL13P2401A	0.40	190966	-	0.46	0.41	0.45	0.44	0.45	0.05	25,976	1,147	0.441
CPALL16C2310A	0.03	190966	0.02	0.02	0.02	0.02	0.01	0.02	(0.01)	100	-	0.02
CPALL19C2309A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2311A	0.05	190966	-	-	-	-	0.02	0.04	-	-	-	0
CPALL19C2312A	0.14	190966	-	0.12	0.12	0.12	0.11	0.12	(0.02)	3,323	40	0.12
CPALL19C2401A	0.14	190966	0.14	0.14	0.11	0.11	0.11	0.12	(0.03)	2,042	25	0.124
CPALL41C2310A	0.07	190966	-	-	-	-	0.01	0.03	-	-	-	0
CPALL41C2311A	0.07	190966	-	0.05	0.05	0.05	0.04	0.06	(0.02)	500	3	0.05
CPALL41C2312A	0.26	190966	-	0.22	0.19	0.19	0.18	0.19	(0.07)	2,650	54	0.202
CPALL41C2401A	0.19	190966	-	0.18	0.15	0.15	0.15	0.16	(0.04)	23,600	376	0.159
CPAXT	33.50	190966	33.50	33.50	32.75	33.00	33.00	33.25	(0.50)	60,644	201,019	33.147
CPW	3.02	190966	3.02	3.04	2.94	2.94	2.94	2.96	(0.08)	16,982	5,054	2.976
CRC	39.50	190966	39.25	39.25	38.75	39.25	39.25	39.50	(0.25)	105,003	409,930	39.039
CRC01C2312A	0.06	190966	-	0.04	0.04	0.04	0.05	0.06	(0.02)	2,000	8	0.04
CRC01C2401A	0.18	190966	0.18	0.18	0.16	0.17	0.17	0.18	(0.01)	54,591	879	0.161
CRC01P2312A	0.14	190966	-	0.14	0.14	0.14	0.14	0.15	-	10,168	142	0.14
CRC06C2312A	0.11	190966	-	0.11	0.10	0.11	0.11	0.12	-	78,831	795	0.1
CRC11P2310A	0.16	190966	0.16	0.17	0.16	0.16	0.16	0.17	-	12,707	203	0.16
CRC13C2310A	0.04	190966	-	-	-	-	0.01	0.02	-	-	-	0
CRC13C2310B	0.05	190966	-	-	-	-	-	0.01	-	-	-	0
CRC13C2312A	0.11	190966	0.11	0.11	0.10	0.11	0.11	0.12	-	37,490	381	0.101
CRC13C2402A	0.21	190966	-	0.20	0.19	0.20	0.20	0.21	(0.01)	55,314	1,064	0.192
CRC13P2312A	0.13	190966	-	0.13	0.13	0.13	0.12	0.13	-	32,526	423	0.13
CRC19C2311A	0.06	190966	-	-	-	-	0.03	0.04	-	-	-	0
CRC19C2401A	0.20	190966	-	0.19	0.18	0.19	0.19	0.20	(0.01)	61,100	1,106	0.18
CSS	1.09	190966	-	1.11	1.09	1.09	1.08	1.09	-	3,543	389	1.097

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
DOHOME06C2401A	0.18	190966	-	0.17	0.15	0.17	0.17	0.17	0.18	(0.01)	78,314	1,253	0.16
DOHOME11C2309A	0.06	190966	-	-	-	-	-	0.01	0.03	-	-	-	0
DOHOME11C2403T	0.22	190966	0.21	0.22	0.19	0.22	0.22	0.22	0.23	-	97,040	1,989	0.204
DOHOME13C2310A	0.02	190966	-	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME13C2311A	0.06	190966	-	-	-	-	-	0.04	0.05	-	-	-	0
DOHOME13C2311B	0.57	190966	-	-	-	-	-	0.43	0.48	-	-	-	0
DOHOME13C2312A	0.19	190966	-	0.18	0.15	0.18	0.18	0.19	(0.01)	95,522	1,595	0.166	
DOHOME13P2312A	0.13	190966	-	0.15	0.13	0.13	0.12	0.13	-	28,764	406	0.141	
DOHOME19C2311A	0.04	190966	-	-	-	-	-	0.02	0.03	-	-	-	0
DOHOME19C2311B	0.12	190966	-	0.11	0.09	0.11	0.11	0.12	(0.01)	12,084	123	0.101	
DOHOME19C2312A	0.63	190966	-	-	-	-	-	0.54	0.59	-	-	-	0
DOHOME19C2401A	0.17	190966	-	0.16	0.14	0.16	0.16	0.17	(0.01)	35,188	528	0.15	
FN	1.99	190966	2.02	2.02	1.99	1.99	1.98	2.00	-	3,975	791	1.99	
FTE	1.62	190966	1.62	1.65	1.62	1.65	1.64	1.65	0.03	2,985	487	1.631	
GLOBAL	17.40	190966	17.00	17.40	16.80	16.90	16.90	17.00	(0.50)	121,288	207,097	17.074	
GLOBAL01C2312A	0.09	190966	-	0.07	0.07	0.07	0.06	0.07	(0.02)	3,580	25	0.07	
GLOBAL01C2401A	0.35	190966	-	0.34	0.30	0.30	0.30	0.31	(0.05)	31,393	1,022	0.325	
GLOBAL06C2312A	0.24	190966	-	0.22	0.21	0.21	0.19	0.20	(0.03)	17,200	369	0.214	
GLOBAL13C2310A	0.03	190966	-	-	-	-	-	0.01	-	-	-	-	0
GLOBAL13C2311A	0.07	190966	-	0.05	0.05	0.05	0.04	0.05	(0.02)	4,890	24	0.05	
GLOBAL13C2311B	0.20	190966	-	0.19	0.16	0.16	0.16	0.17	(0.04)	34,338	600	0.174	
GLOBAL19C2311A	0.04	190966	-	-	-	-	-	0.02	0.03	-	-	-	0
GLOBAL19C2311B	0.19	190966	-	0.17	0.15	0.15	0.14	0.15	(0.04)	12,010	198	0.164	
GLOBAL19C2401A	0.18	190966	-	0.17	0.15	0.15	0.15	0.16	(0.03)	52,830	883	0.167	
GLOBAL41C2310A	0.08	190966	-	-	-	-	-	0.01	0.03	-	-	-	0
HMPRO	13.10	190966	13.20	13.20	13.00	13.00	13.00	13.10	(0.10)	343,795	449,344	13.07	
HMPRO01C2310A	0.02	190966	-	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO01C2402A	0.15	190966	-	0.15	0.13	0.13	0.13	0.14	(0.02)	22,246	314	0.141	
HMPRO11C2310T	0.08	190966	-	-	-	-	-	0.02	0.03	-	-	-	0
HMPRO13C2312A	0.06	190966	-	-	-	-	-	0.05	0.06	-	-	-	0
HMPRO19C2401A	0.13	190966	-	0.12	0.12	0.12	0.11	0.12	(0.01)	3,500	42	0.12	
HMPRO41C2311A	0.08	190966	-	0.05	0.05	0.05	0.04	0.06	(0.03)	1	-	-	0.05
HMPRO41C2402A	0.17	190966	0.18	0.18	0.16	0.17	0.16	0.17	-	25,050	427	0.17	
ICC	43.00	190966	42.75	43.75	42.75	43.25	43.00	43.50	0.25	35	150	42.807	
ILM	24.70	190966	24.70	24.80	24.30	24.40	24.40	24.60	(0.30)	6,864	16,846	24.542	
IT	4.10	190966	4.06	4.10	4.04	4.10	4.06	4.10	-	1,364	555	4.065	
KAMART	13.10	190966	13.20	13.20	12.70	12.80	12.80	12.90	(0.30)	37,331	48,121	12.89	
LOXLEY	1.85	190966	1.86	1.87	1.84	1.84	1.84	1.86	(0.01)	1,387	256	1.844	
MC	13.60	190966	13.70	13.80	13.60	13.80	13.70	13.80	0.20	16,351	22,409	13.704	
MEGA	44.75	190966	44.25	44.50	43.50	44.00	43.75	44.00	(0.75)	17,010	74,643	43.881	
MEGA01C2312A	0.45	190966	0.44	0.44	0.40	0.42	0.42	0.43	(0.03)	11,801	482	0.408	
MEGA01C2402A	0.43	190966	0.42	0.42	0.39	0.40	0.40	0.41	(0.03)	13,926	552	0.396	
MEGA11C2401T	0.53	190966	-	0.53	0.50	0.51	0.51	0.52	(0.02)	29,062	1,476	0.508	
MEGA13C2310A	0.04	190966	-	-	-	-	-	0.03	0.04	-	-	-	0
MEGA13C2311A	0.41	190966	-	0.40	0.33	0.35	0.36	0.43	(0.06)	160	6	0.368	
MEGA13C2401A	0.37	190966	0.36	0.36	0.34	0.35	0.35	0.36	(0.02)	22,548	781	0.346	
MEGA19C2311A	0.16	190966	-	0.14	0.14	0.14	0.14	0.15	(0.02)	7,487	105	0.14	
MEGA19C2401A	0.32	190966	-	0.30	0.29	0.30	0.30	0.31	(0.02)	30,216	887	0.293	
MIDA	0.48	190966	0.48	0.48	0.46	0.47	0.46	0.47	(0.01)	11,512	541	0.47	
MIDA-W3	0.01	190966	0.01	0.01	0.01	0.01	-	0.01	-	4,286	4	0.01	
MOSHI	56.00	190966	55.75	56.25	54.75	55.00	55.00	55.25	(1.00)	6,087	33,675	55.323	
RS	15.00	190966	15.00	15.10	14.90	15.00	14.90	15.00	-	4,298	6,433	14.968	
RS-W4	0.61	190966	0.64	0.64	0.58	0.59	0.59	0.60	(0.02)	5,562	332	0.597	
RSP	2.40	190966	-	2.42	2.38	2.40	2.38	2.40	-	475	114	2.405	
SABUY	8.05	190966	7.90	7.95	7.70	7.75	7.70	7.75	(0.30)	276,925	216,098	7.803	
SABUY-W1	7.45	190966	-	7.25	6.75	7.25	6.80	7.25	(0.20)	396	271	6.853	
SABUY-W2	2.82	190966	2.80	2.80	2.72	2.72	2.72	2.74	(0.10)	35,168	9,750	2.772	
SABUY01C2311A	0.09	190966	-	0.07	0.07	0.07	0.06	0.07	(0.02)	31,882	223	0.07	
SABUY01C2312A	0.37	190966	0.34	0.34	0.31	0.31	0.31	0.32	(0.06)	94,274	3,020	0.32	
SABUY06C2311A	0.18	190966	-	0.16	0.14	0.14	0.14	0.15	(0.04)	38,045	567	0.149	
SABUY06C2312A	0.03	190966	-	-	-	-	-	0.02	0.03	-	-	-	0
SABUY13C2311A	0.08	190966	0.07	0.07	0.06	0.06	0.06	0.07	(0.02)	23,751	147	0.061	
SABUY13C2312A	0.27	190966	0.24	0.24	0.22	0.22	0.22	0.23	(0.05)	130,167	2,924	0.224	
SABUY19C2311A	0.02	190966	-	-	-	-	-	0.01	0.02	-	-	-	0
SABUY19C2311B	0.12	190966	-	0.09	0.08	0.08	0.08	0.09	(0.04)	77,337	685	0.088	
SABUY19C2312A	0.29	190966	0.27	0.27	0.23	0.23	0.23	0.25	(0.06)	86,321	2,120	0.245	
SCM	4.70	190966	4.70	4.70	4.50	4.58	4.54	4.58	(0.12)	2,535	1,160	4.577	
SCM-W1	0.03	190966	0.03	0.03	0.02	0.03	0.02	0.03	-	11,310	23	0.02	
SCM-W2	1.71	190966	1.71	1.71	1.67	1.67	1.68	1.71	(0.04)	624	105	1.684	
SINGER	14.20	190966	14.10	14.10	13.70	13.80	13.80	13.90	(0.40)	139,745	194,240	13.899	
SINGER01C2310A	0.01	190966	-	-	-	-	-	0.01	0.02	-	-	-	0
SINGER01C2311A	0.17	190966	-	0.15	0.13	0.13	0.13	0.14	(0.04)	30,019	420	0.14	
SINGER06C2309A	0.01	190966	-	-	-	-	-	-	-	-	-	-	0
SINGER06C2310A	0.13	190966	-	0.12	0.10	0.10	0.10	0.11	(0.03)	14,857	164	0.11	
SINGER08C2309A	0.01	190966	-	-	-	-	-	0.01	-	-	-	-	0
SINGER13C2310A	0.12	190966	-	0.11	0.08	0.08	0.08	0.09	(0.04)	148,307	1,325	0.089	
SINGER13C2310B	0.51	190966	-	-	-	-	-	0.30	0.35	-	-	-	0
SINGER13C2311A	1.35	190966	-	-	-	-	-	1.10	1.16	-	-	-	0
SINGER13C2312A	0.58	190966	0.58	0.58	0.51	0.51	0.51	0.52	(0.07)	9,700	519	0.535	
SINGER19C2310A	0.12	190966	0.11	0.11	0.08	0.09	0.08	0.09	(0.03)	13,803	125	0.09	
SINGER19C2311A	0.61	190966	-	-	-	-	-	0.53	0.56	-	-	-	0
SINGER19C2401A	1.27	190966	-	1.18	1.12	1.12	1.12	1.17	(0.15)	258	29	1.134	
SPC	62.25	190966	-	62.25	61.50	61.75	61.50	61.75	(0.50)	211	1,305	61.84	

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AIT-W2	2.60	190966	-	2.62	2.58	2.62	2.62	2.64	0.02	3,301	862	2.612
ALT	1.92	190966	1.93	1.93	1.90	1.91	1.90	1.91	(0.01)	696	133	1.906
AMR	2.28	190966	-	2.30	2.22	2.26	2.24	2.26	(0.02)	3,209	724	2.256
BLISS	0.14	190966	-	-	-	-	-	-	-	-	-	0
DIF	9.40	190966	9.45	9.45	9.30	9.30	9.30	9.35	(0.10)	122,563	114,538	9.345
DTCENT	1.60	190966	1.60	1.60	1.57	1.59	1.58	1.59	(0.01)	6,201	983	1.585
FORTH	31.25	190966	31.25	31.50	30.75	31.50	31.25	31.50	0.25	7,265	22,565	31.06
FORTH01C2310A	0.05	190966	-	-	-	-	0.02	0.03	-	-	-	0
FORTH01C2311A	0.24	190966	-	0.24	0.22	0.24	0.24	0.25	-	18,433	415	0.225
FORTH01C2401A	0.21	190966	-	0.22	0.20	0.22	0.22	0.23	0.01	12,854	265	0.206
FORTH01P2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
FORTH01P2312A	0.20	190966	-	0.21	0.20	0.20	0.19	0.20	-	5,944	122	0.205
FORTH01P2401A	0.45	190966	-	0.46	0.43	0.43	0.43	0.44	(0.02)	9,286	420	0.452
FORTH06C2309A	0.03	190966	-	-	-	-	-	-	-	-	-	0
FORTH06C2312A	0.18	190966	-	0.17	0.17	0.17	0.17	0.18	(0.01)	5,369	91	0.17
FORTH13C2311A	0.19	190966	0.19	0.20	0.17	0.20	0.20	0.22	0.01	8,189	151	0.184
FORTH13C2401A	0.21	190966	-	0.22	0.20	0.22	0.22	0.23	0.01	12,907	267	0.206
FORTH13P2401A	0.38	190966	-	0.40	0.37	0.37	0.37	0.38	(0.01)	12,200	468	0.384
FORTH19C2310A	0.07	190966	-	0.07	0.06	0.07	0.07	0.08	-	716	5	0.068
FORTH19C2402A	0.24	190966	-	0.24	0.22	0.24	0.24	0.25	-	3,342	77	0.23
GABLE	5.25	190966	5.30	5.50	5.10	5.40	5.40	5.45	0.15	285,565	151,659	5.31
HUMAN	10.50	190966	10.40	10.50	10.30	10.40	10.30	10.40	(0.10)	8,269	8,565	10.357
ILINK	7.75	190966	7.75	7.75	7.45	7.50	7.45	7.50	(0.25)	20,134	15,184	7.541
INET	4.62	190966	4.64	4.68	4.54	4.56	4.56	4.66	(0.06)	4,147	1,912	4.61
INET-W2	0.34	190966	0.31	0.33	0.30	0.31	0.30	0.31	(0.03)	5,347	166	0.309
INSET	2.10	190966	2.10	2.12	2.04	2.06	2.06	2.08	(0.04)	32,595	6,737	2.066
INSET-W1	0.05	190966	0.05	0.06	0.02	0.02	0.02	0.03	(0.03)	82,280	272	0.033
INTUCH	74.00	190966	74.00	74.00	73.00	73.50	73.50	73.75	(0.50)	42,667	313,795	73.545
INTUCH01C2310A	0.03	190966	-	0.01	0.01	0.01	0.01	0.02	(0.02)	1,000	1	0.01
INTUCH01C2403A	0.50	190966	-	0.49	0.46	0.47	0.47	0.49	(0.03)	77,653	3,646	0.469
INTUCH11C2311A	0.18	190966	-	0.18	0.16	0.17	0.17	0.18	(0.01)	52,937	902	0.17
INTUCH13C2310A	0.03	190966	-	0.02	0.02	0.02	0.02	0.03	(0.01)	6,330	13	0.02
INTUCH13C2401A	0.30	190966	-	0.30	0.28	0.29	0.28	0.29	(0.01)	50,585	1,471	0.29
INTUCH13P2310A	0.04	190966	-	-	-	-	0.01	0.02	-	-	-	0
INTUCH19C2401A	0.29	190966	-	0.28	0.27	0.27	0.27	0.28	(0.02)	21,686	599	0.276
ITEL	2.72	190966	2.72	2.72	2.60	2.64	2.64	2.66	(0.08)	52,786	13,938	2.64
ITEL-W4	0.09	190966	-	0.10	0.08	0.10	0.09	0.10	0.01	4,040	36	0.088
JAS	2.14	190966	2.16	2.16	2.10	2.16	2.14	2.16	0.02	243,312	51,910	2.133
JAS13C2312A	1.06	190966	-	-	-	-	1.11	1.19	-	-	-	0
JAS19C2310A	0.61	190966	-	0.63	0.49	0.63	0.57	0.63	0.02	587	36	0.616
JAS19C2401A	1.02	190966	-	1.02	0.96	1.02	1.02	1.07	-	52	5	0.999
JASIF	6.90	190966	6.85	6.90	6.80	6.90	6.85	6.90	-	36,950	25,335	6.856
JMART	23.20	190966	23.30	23.30	22.70	22.90	22.90	23.00	(0.30)	125,447	288,780	23.02
JMART-W4	11.50	190966	10.60	11.30	10.50	11.10	11.00	11.20	(0.40)	220	239	10.884
JMART-W5	2.84	190966	2.84	2.88	2.76	2.86	2.84	2.86	0.02	109	31	2.836
JMART01C2310A	0.11	190966	-	0.10	0.09	0.09	0.09	0.10	(0.02)	50,441	480	0.095
JMART01C2311A	0.93	190966	-	0.92	0.84	0.86	0.86	0.88	(0.07)	14,497	1,284	0.886
JMART01C2311B	0.74	190966	-	0.74	0.68	0.69	0.69	0.70	(0.05)	22,697	1,605	0.707
JMART01C2401A	0.69	190966	-	0.68	0.63	0.64	0.64	0.65	(0.05)	71,743	4,704	0.655
JMART01C2402A	0.17	190966	-	0.17	0.15	0.15	0.15	0.16	(0.02)	73,726	1,179	0.159
JMART01P2311A	0.03	190966	0.02	0.04	0.02	0.04	0.02	0.03	0.01	60	-	0.023
JMART01P2401A	0.29	190966	-	0.30	0.29	0.30	0.30	0.31	0.01	63,201	1,851	0.292
JMART01P2401B	0.54	190966	-	0.56	0.54	0.56	0.56	0.57	0.02	64,857	3,556	0.548
JMART06C2312A	0.85	190966	-	0.82	0.77	0.78	0.78	0.80	(0.07)	57,998	4,724	0.814
JMART06C2312B	0.44	190966	-	0.44	0.41	0.41	0.41	0.42	(0.03)	70,544	3,017	0.427
JMART13C2311A	0.72	190966	-	0.68	0.65	0.65	0.62	0.64	(0.07)	15	1	0.67
JMART13C2311B	1.24	190966	-	-	-	-	1.16	1.20	-	-	-	0
JMART13C2401A	0.58	190966	0.57	0.57	0.53	0.54	0.54	0.55	(0.04)	139,678	7,689	0.55
JMART13C2402A	0.15	190966	-	0.16	0.13	0.14	0.14	0.15	(0.01)	120,412	1,786	0.148
JMART13P2401A	0.12	190966	-	0.13	0.13	0.13	0.13	0.14	0.01	24,072	313	0.13
JMART13P2401B	0.37	190966	-	0.39	0.37	0.38	0.38	0.39	0.01	38,769	1,454	0.375
JMART16C2310A	0.21	190966	-	0.20	0.17	0.18	0.17	0.18	(0.03)	2,208	41	0.185
JMART19C2310A	0.24	190966	0.24	0.24	0.20	0.20	0.20	0.21	(0.04)	82,262	1,756	0.213
JMART19C2311A	0.72	190966	-	-	-	-	0.66	0.67	-	-	-	0
JMART19C2311B	1.49	190966	-	-	-	-	1.17	1.22	-	-	-	0
JMART19C2401A	0.59	190966	-	0.59	0.55	0.56	0.56	0.57	(0.03)	144,091	8,234	0.571
JMART19P2312A	0.07	190966	-	0.08	0.07	0.07	0.07	0.08	-	31,917	223	0.07
JMART19P2401A	0.48	190966	0.48	0.51	0.48	0.49	0.49	0.50	0.01	83,756	4,123	0.492
JMART41C2310A	0.24	190966	-	0.21	0.18	0.19	0.19	0.20	(0.05)	11,834	227	0.191
JMART41C2311A	0.86	190966	-	0.83	0.79	0.79	0.78	0.80	(0.07)	5,000	412	0.824
JMART41C2401A	0.50	190966	0.49	0.49	0.46	0.46	0.46	0.47	(0.04)	45,930	2,188	0.476
JMART41C2401C	0.44	190966	-	0.43	0.38	0.40	0.40	0.41	(0.04)	60,902	2,507	0.411
JTS	30.50	190966	30.75	30.75	30.25	30.25	30.25	30.50	(0.25)	2,643	8,040	30.42
MFEC	7.00	190966	7.05	7.05	6.95	6.95	6.95	7.00	(0.05)	864	602	6.972
MSC	9.00	190966	-	9.05	8.85	9.00	8.90	9.00	-	177	158	8.952
PT	7.70	190966	7.60	7.65	7.55	7.65	7.60	7.65	(0.05)	5,034	3,826	7.601
SAMART	5.80	190966	5.75	5.75	5.60	5.65	5.65	5.70	(0.15)	24,485	13,840	5.652
SAMART-W3	0.32	190966	0.32	0.33	0.30	0.31	0.31	0.32	(0.01)	4,101	130	0.317
SAMTEL	3.98	190966	3.98	4.08	3.98	4.00	3.98	4.00	0.02	5,941	2,393	4.027
SAMTEL-W1	0.30	190966	0.30	0.33	0.30	0.31	0.31	0.33	0.01	3,186	100	0.314
SDC	0.06	190966	0.07	0.07	0.06	0.07	0.06	0.07	0.01	25,174	168	0.066</

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TRUE19C2402A	1.00	190966	-	0.27	0.25	0.26	0.26	0.27	(0.74)	20,262	526	0.259
TRUE19P2312A	0.07	190966	-	0.07	0.07	0.07	0.07	0.08	-	716	5	0.07
TRUE19P2402A	0.20	190966	-	0.22	0.21	0.21	0.21	0.22	0.01	31,344	668	0.213
TRUE41C2310A	0.07	190966	-	-	-	-	0.01	0.03	-	-	-	0
TRUE41C2311A	0.14	190966	-	0.12	0.11	0.12	0.12	0.13	(0.02)	12,000	137	0.114
TRUE41C2311B	0.30	190966	-	0.27	0.26	0.26	0.27	0.29	(0.04)	5,000	132	0.264
TRUE41C2402A	0.32	190966	-	0.30	0.28	0.30	0.30	0.31	(0.02)	38,013	1,104	0.29
TWZ	0.05	190966	0.05	0.05	0.04	0.05	0.04	0.05	-	17,827	83	0.046
TWZ-W6	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
TWZ-W7	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
Electronic Component												
CCET	1.81	190966	1.82	1.83	1.78	1.78	1.78	1.79	(0.03)	12,739	2,292	1.798
DELTA	106.00	190966	106.00	107.00	104.50	106.00	105.50	106.00	-	51,078	539,491	105.621
DELTA01C2311A	0.33	190966	0.32	0.32	0.30	0.31	0.31	0.32	(0.02)	88,727	2,732	0.307
DELTA01C2312A	0.19	190966	-	0.20	0.17	0.19	0.19	0.20	-	73,753	1,355	0.183
DELTA01C2401A	0.34	190966	-	0.34	0.33	0.34	0.34	0.35	-	43,269	1,452	0.335
DELTA01P2311A	0.07	190966	0.07	0.07	0.06	0.07	0.06	0.07	-	692	4	0.064
DELTA01P2312A	0.48	190966	-	0.50	0.47	0.47	0.47	0.48	(0.01)	52,074	2,514	0.482
DELTA06C2310A	0.11	190966	-	0.10	0.10	0.10	0.09	0.10	(0.01)	28,130	281	0.1
DELTA06C2401A	0.30	190966	-	0.30	0.29	0.29	0.29	0.30	(0.01)	22,500	675	0.299
DELTA08C2310A	0.81	190966	-	-	-	-	0.55	0.57	-	-	-	0
DELTA13C2310A	0.01	190966	0.01	0.01	0.01	0.01	0.01	0.02	-	13,010	13	0.01
DELTA13C2312A	0.13	190966	-	0.13	0.12	0.13	0.12	0.13	-	12,463	158	0.126
DELTA13C2401A	0.25	190966	-	0.25	0.23	0.24	0.24	0.25	(0.01)	63,727	1,540	0.241
DELTA13C2401B	0.71	190966	-	0.70	0.69	0.69	0.70	0.72	(0.02)	80	6	0.69
DELTA13C2402A	0.39	190966	-	0.39	0.37	0.38	0.38	0.39	(0.01)	77,892	2,946	0.378
DELTA13P2311A	0.03	190966	-	0.02	0.02	0.02	0.01	0.02	(0.01)	460	1	0.02
DELTA13P2311B	0.05	190966	-	0.06	0.05	0.06	0.05	0.06	0.01	13	-	0.052
DELTA13P2312A	0.26	190966	-	0.26	0.25	0.26	0.25	0.26	-	9,264	236	0.254
DELTA13P2401A	0.69	190966	0.68	0.70	0.67	0.68	0.68	0.69	(0.01)	57,793	3,996	0.691
DELTA16C2309A	0.05	190966	-	-	-	-	0.01	0.07	-	-	-	0
DELTA19C2310A	0.08	190966	-	-	-	-	0.07	0.08	-	-	-	0
DELTA19C2312A	0.16	190966	-	0.16	0.15	0.15	0.15	0.16	(0.01)	4,808	72	0.15
DELTA19C2402A	0.33	190966	-	0.33	0.31	0.32	0.32	0.33	(0.01)	85,574	2,798	0.326
DELTA19P2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
DELTA19P2311A	0.04	190966	-	0.04	0.02	0.04	0.02	0.03	-	6,004	18	0.03
DELTA19P2312A	0.20	190966	-	0.20	0.19	0.19	0.19	0.20	(0.01)	4,686	91	0.193
DELTA19P2402A	0.66	190966	-	0.67	0.65	0.65	0.65	0.66	(0.01)	17,935	1,192	0.664
DELTA41C2310A	0.15	190966	-	0.15	0.14	0.14	0.14	0.15	(0.01)	2,839	41	0.144
DELTA41C2311A	0.14	190966	-	0.13	0.13	0.13	0.13	0.14	(0.01)	3,008	39	0.13
DELTA41C2401A	0.39	190966	-	0.39	0.37	0.38	0.38	0.39	(0.01)	30,766	1,157	0.376
HANA	59.25	190966	59.50	59.75	58.50	58.75	58.75	59.00	(0.50)	58,940	347,832	59.014
HANA01C2311A	0.70	190966	-	0.72	0.67	0.67	0.67	0.69	(0.03)	13,715	943	0.687
HANA01C2312A	0.67	190966	-	0.67	0.63	0.63	0.63	0.66	(0.04)	30,430	1,960	0.644
HANA01C2401A	0.38	190966	-	0.38	0.36	0.36	0.35	0.36	(0.02)	94,343	3,476	0.368
HANA01P2311A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
HANA01P2312A	0.09	190966	-	0.09	0.08	0.09	0.09	0.10	-	39,808	356	0.089
HANA01P2401X	0.49	190966	-	0.50	0.46	0.49	0.49	0.50	-	27,352	1,322	0.483
HANA06C2309A	1.43	190966	-	-	-	-	-	-	-	-	-	0
HANA06C2312A	0.59	190966	-	0.60	0.57	0.57	0.57	0.58	(0.02)	76,842	4,518	0.587
HANA06C2401A	0.36	190966	-	0.37	0.35	0.35	0.35	0.36	(0.01)	54,000	1,955	0.362
HANA08C2310A	0.06	190966	-	0.06	0.05	0.05	0.05	0.06	(0.01)	120,394	602	0.05
HANA13C2310A	1.23	190966	-	-	-	-	0.89	0.97	-	-	-	0
HANA13C2310B	0.31	190966	-	0.30	0.27	0.27	0.27	0.29	(0.04)	29,764	842	0.282
HANA13C2312A	0.65	190966	-	-	-	-	0.63	0.68	-	-	-	0
HANA13C2401A	0.41	190966	0.41	0.42	0.38	0.39	0.39	0.40	(0.02)	64,145	2,536	0.395
HANA13P2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
HANA13P2312A	0.07	190966	-	0.06	0.06	0.06	0.06	0.07	(0.01)	3,500	21	0.06
HANA13P2401A	0.39	190966	-	0.40	0.38	0.39	0.38	0.39	-	81,405	3,148	0.386
HANA16C2309A	1.14	190966	-	-	-	-	0.79	0.88	-	-	-	0
HANA16C2312A	0.37	190966	0.37	0.37	0.35	0.35	0.35	0.36	(0.02)	5,383	197	0.365
HANA19C2310A	0.80	190966	-	-	-	-	0.79	0.84	-	-	-	0
HANA19C2312A	0.62	190966	-	0.64	0.60	0.60	0.60	0.62	(0.02)	7,100	443	0.623
HANA19C2401A	0.41	190966	-	0.41	0.39	0.39	0.39	0.40	(0.02)	81,999	3,280	0.4
HANA19P2309A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
HANA19P2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
HANA19P2401A	0.40	190966	-	0.41	0.39	0.40	0.40	0.41	-	34,826	1,405	0.403
HANA41C2310A	0.54	190966	-	0.49	0.47	0.47	0.47	0.49	(0.07)	2,000	96	0.48
HANA41C2311A	0.47	190966	-	0.47	0.44	0.45	0.44	0.46	(0.02)	6,000	265	0.442
HANA41C2401A	0.35	190966	-	0.35	0.33	0.33	0.33	0.34	(0.02)	132,472	4,492	0.339
KCE	51.75	190966	52.00	52.25	51.00	51.50	51.50	51.75	(0.25)	82,245	424,778	51.647
KCE01C2310A	0.40	190966	-	0.40	0.36	0.37	0.37	0.39	(0.03)	49,946	1,921	0.384
KCE01C2312A	0.77	190966	0.76	0.78	0.71	0.73	0.73	0.74	(0.04)	20,945	1,542	0.736
KCE01C2401A	0.62	190966	-	0.63	0.59	0.60	0.60	0.61	(0.02)	42,841	2,597	0.606
KCE01C2401W	0.51	190966	-	0.49	0.46	0.47	0.47	0.48	(0.04)	32,484	1,546	0.475
KCE01C2402A	0.37	190966	0.38	0.39	0.35	0.36	0.36	0.37	(0.01)	69,896	2,561	0.366
KCE01P2311A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
KCE01P2312A	0.11	190966	-	0.11	0.11	0.11	0.11	0.12	-	100	1	0.11
KCE01P2401X	0.36	190966	-	0.38	0.35	0.37	0.37	0.38	0.01	57,147	2,114	0.369
KCE06C2311A	0.38	190966	-	0.38	0.35	0.36	0.36	0.37	(0.02)	82,562	3,063	0.37
KCE06C2312A	0.79	190966	-	0.82	0.79	0.79	0.79	0.81	-	17,100	1,379	0.806
KCE13C2310A	0.09	190966	0.08	0.08	0.07	0.07	0.07	0.08	(0.02)	42,366	330	0.077
KCE13C2311A	0.58	190966	-	0.63	0.61	0.63	0.63	0.66	0.05	400	25	0.62
KCE13C2401A	0.58	190966	0.58	0.59	0.55	0.56	0.56	0.57	(0.02)	57,933	3,282	0.566
KCE13C2401B	0.35	190966	0.36	0.36	0.34	0.34	0.34	0.35	(0.01)	112,500	3,894	0.346
KCE13P2312A	0.05	190966	-	-	-	-	0.04	0.05	-	-	-	0
KCE13P2401A	0.15	190966	-	0.16	0.14	0.14	0.14	0.15	(0.01)	5,367	80	0.148
KCE13P2402A	0.38	190966	-	0.38	0.37	0.37	0.37	0.38	(0.01)	962	36	0.375
KCE16C2309A	0.46	190966	-	-	-	-	0.41	0.49	-	-	-	0
KCE16C2401A	0.42	190966	-	0.43	0.40	0.41	0.41	0.42	(0.01)	10,658	442	0.414
KCE19C2311A	0.60	190966	-	-	-	-	0.56	0.61	-	-	-	0
KCE19C2401A	0.47	190966	-	0.47	0.44	0.45	0.45	0.46	(0.02)	51,155	2,322	0.453
KCE19P2312A	0.05	190966	-	-	-	-	0.04	0.05	-	-	-	0
KCE19P2401A	0.32	190966	-	0.34	0.32	0.34	0.34	0.35	0.02	12,090	409	0.338
KCE41C2310A	0.45	190966	-	-	-	-	0.43	0.46	-	-	-	0
KCE41C2311A	0.73	190966	-	-	-	-	0.88	0.91	-	-	-	0
KCE41C2312A	0.64	190966	-	-	-	-	0.61	0.63	-	-	-	0
KCE41C2401A	0.26	190966	0.27	0.27	0.25	0.26	0.25	0.26	-	9,649	252	0.261
KCE41C2401B	0.31	190966	0.32	0.32	0.30	0.30	0.30	0.31	(0.01)	25,400	788	0.

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
Energy & Utilities												
7UP	0.48	190966	0.48	0.50	0.47	0.49	0.49	0.50	0.01	311,948	15,250	0.488
ACC	0.81	190966	0.80	0.80	0.78	0.79	0.78	0.79	(0.02)	13,392	1,061	0.792
ACE	1.65	190966	1.66	1.68	1.61	1.61	1.61	1.62	(0.04)	93,370	15,297	1.638
ACE13C2311A	0.02	190966	-	0.01	0.01	0.01	-	0.01	(0.01)	646	1	0.01
ACE19C2401A	0.07	190966	-	0.07	0.07	0.07	0.06	0.07	-	1,326	9	0.07
ACE19C2402A	1.00	190966	-	0.31	0.26	0.26	0.26	0.27	(0.74)	70,697	2,099	0.296
AGE	2.20	190966	2.20	2.20	2.16	2.20	2.18	2.20	-	3,323	725	2.181
AI	4.88	190966	4.84	4.88	4.76	4.76	4.76	4.84	(0.12)	2,887	1,389	4.811
AIE	1.69	190966	1.70	1.70	1.62	1.63	1.63	1.64	(0.06)	21,646	3,562	1.645
AKR	0.88	190966	0.88	0.88	0.87	0.87	0.87	0.88	(0.01)	2,807	245	0.874
AKR-W2	0.11	190966	-	0.12	0.10	0.11	0.11	0.12	-	2,842	30	0.106
BAFS	28.00	190966	28.00	28.25	27.75	28.00	27.75	28.00	-	5,698	15,925	27.948
BANPU	7.70	190966	7.70	7.75	7.60	7.65	7.65	7.70	(0.05)	774,696	594,170	7.669
BANPU-W5	0.20	190966	-	-	-	-	-	-	-	-	-	0
BANPU01C2310A	0.02	190966	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	5,050	5	0.01
BANPU01C2311A	0.04	190966	-	0.03	0.03	0.03	0.03	0.04	(0.01)	1,152	3	0.03
BANPU01C2311X	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
BANPU01C2401A	0.05	190966	-	0.06	0.05	0.05	0.05	0.06	-	3,106	17	0.053
BANPU01C2401T	0.10	190966	-	-	-	-	0.09	0.10	-	-	-	0
BANPU01C2402A	0.15	190966	-	0.15	0.14	0.14	0.14	0.15	(0.01)	14,456	202	0.14
BANPU01C2402B	0.21	190966	-	0.21	0.20	0.20	0.20	0.21	(0.01)	37,032	764	0.206
BANPU01P2310A	0.16	190966	-	0.14	0.13	0.14	0.14	0.15	(0.02)	30,084	407	0.135
BANPU01P2311A	0.08	190966	-	-	-	-	0.08	0.09	-	-	-	0
BANPU01P2401A	0.63	190966	-	0.65	0.62	0.64	0.64	0.65	0.01	17,188	1,084	0.63
BANPU01P2402X	0.49	190966	-	0.50	0.48	0.48	0.48	0.51	(0.01)	22,860	1,108	0.484
BANPU06C2309B	0.03	190966	-	-	-	-	-	-	-	-	-	0
BANPU06C2401A	0.11	190966	-	0.10	0.10	0.10	0.10	0.11	(0.01)	3,180	32	0.1
BANPU06C2402A	0.18	190966	-	0.17	0.16	0.16	0.16	0.17	(0.02)	53,122	894	0.168
BANPU11C2310T	0.07	190966	-	-	-	-	0.01	0.03	-	-	-	0
BANPU11C2312T	0.18	190966	-	0.18	0.17	0.17	0.17	0.18	(0.01)	33,860	591	0.174
BANPU11P2309A	0.38	190966	-	-	-	-	0.38	0.41	-	-	-	0
BANPU13C2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
BANPU13C2312A	0.06	190966	-	0.06	0.05	0.06	0.05	0.06	-	13,143	79	0.059
BANPU13C2402A	0.16	190966	0.16	0.17	0.16	0.16	0.16	0.17	-	67,100	1,074	0.16
BANPU13P2312A	0.43	190966	-	0.43	0.42	0.42	0.42	0.43	(0.01)	41,765	1,770	0.423
BANPU19C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
BANPU19C2312A	0.06	190966	-	-	-	-	0.04	0.05	-	-	-	0
BANPU19C2401A	0.12	190966	-	0.12	0.11	0.11	0.11	0.12	(0.01)	8,314	99	0.119
BANPU19C2401B	0.21	190966	-	0.20	0.19	0.19	0.19	0.20	(0.02)	31,399	627	0.199
BANPU19P2401A	0.38	190966	-	0.38	0.37	0.38	0.38	0.39	-	6,854	256	0.373
BANPU41C2310A	0.01	190966	-	-	-	-	0.01	0.03	-	-	-	0
BANPU41C2311A	0.05	190966	-	-	-	-	0.03	0.05	-	-	-	0
BANPU41C2312A	0.07	190966	-	0.07	0.07	0.07	0.05	0.07	-	3	-	0.07
BANPU41C2401A	0.18	190966	-	0.18	0.17	0.17	0.17	0.18	(0.01)	34,388	606	0.176
BANPU41P2311A	0.11	190966	-	0.11	0.11	0.11	0.11	0.12	-	4,000	44	0.11
BBGI	4.64	190966	4.62	4.64	4.60	4.60	4.60	4.62	(0.04)	1,153	532	4.617
BCP	41.00	190966	41.00	41.00	39.50	40.00	40.00	40.25	(1.00)	85,317	342,512	40.145
BCP01C2312A	0.40	190966	0.41	0.41	0.34	0.35	0.35	0.36	(0.05)	21,011	749	0.356
BCP01P2312A	0.03	190966	-	0.03	0.03	0.03	0.03	0.04	-	61	-	0.03
BCP01P2402X	0.27	190966	-	0.30	0.27	0.29	0.30	0.31	0.02	26,521	775	0.292
BCP13C2312A	0.27	190966	-	0.26	0.22	0.23	0.23	0.24	(0.04)	33,681	790	0.234
BCP13P2401A	0.16	190966	-	0.18	0.16	0.18	0.18	0.19	0.02	10,730	190	0.176
BCP19C2312A	0.27	190966	-	0.27	0.23	0.24	0.24	0.25	(0.03)	39,560	966	0.244
BCPG	10.20	190966	10.10	10.20	9.95	9.95	9.95	10.00	(0.25)	40,731	40,692	9.992
BCPG-W2	1.87	190966	-	1.84	1.40	1.77	1.77	1.78	(0.10)	2,010	354	1.759
BCPG01C2402A	0.14	190966	-	-	-	-	0.12	0.13	-	-	-	0
BCPG13C2311A	0.16	190966	-	0.18	0.18	0.18	0.13	0.14	0.02	3	-	0.18
BCPG13C2401A	0.15	190966	-	-	-	-	0.12	0.13	-	-	-	0
BCPG19C2310A	0.06	190966	-	-	-	-	0.01	0.02	-	-	-	0
BCPG19C2401A	0.26	190966	-	0.26	0.26	0.26	0.24	0.25	-	1,708	44	0.26
BCPG19C2401B	0.17	190966	-	0.16	0.16	0.16	0.15	0.16	(0.01)	3,986	64	0.16
BGRIM	30.75	190966	31.00	31.25	30.25	31.00	31.00	31.25	0.25	103,428	317,989	30.744
BGRIM01C2311A	0.07	190966	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2312A	0.07	190966	0.07	0.07	0.07	0.07	0.07	0.08	-	7,430	52	0.07
BGRIM01C2402A	0.16	190966	0.17	0.18	0.15	0.17	0.17	0.18	0.01	56,074	915	0.163
BGRIM01P2402X	0.43	190966	-	0.44	0.43	0.43	0.42	0.43	-	18,392	801	0.435
BGRIM06C2312A	0.08	190966	-	-	-	-	0.04	0.05	-	-	-	0
BGRIM06C2402A	0.14	190966	-	0.14	0.12	0.14	0.13	0.14	-	55,698	704	0.126
BGRIM11C2310T	0.11	190966	-	-	-	-	0.01	0.03	-	-	-	0
BGRIM11P2312A	0.39	190966	-	0.41	0.39	0.39	0.38	0.39	-	37,675	1,501	0.398
BGRIM13C2310A	0.02	190966	-	-	-	-	-	0.01	-	-	-	0
BGRIM13C2311A	0.03	190966	-	0.02	0.01	0.02	0.01	0.02	(0.01)	23	-	0.019
BGRIM13C2401A	0.09	190966	-	0.09	0.07	0.08	0.08	0.09	(0.01)	9,851	81	0.082
BGRIM13C2402A	0.16	190966	-	0.16	0.14	0.16	0.16	0.17	-	74,406	1,095	0.147
BGRIM13P2401A	0.34	190966	-	0.35	0.33	0.33	0.33	0.34	(0.01)	15,130	519	0.343
BGRIM19C2311A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2402A	0.14	190966	0.14	0.14	0.13	0.14	0.14	0.15	-	18,538	244	0.131
BGRIM41C2311A	0.02	190966	-	-	-	-	0.01	0.03	-	-	-	0
BGRIM41C2312A	0.08	190966	-	-	-	-	0.04	0.06	-	-	-	0
BGRIM41C2401A	0.10	190966	-	0.09	0.09	0.09	0.09	0.10	(0.01)	6,000	54	0.09
BGRIM41C2402A	0.15	190966	0.15	0.15	0.14	0.15	0.15	0.16	-	26,801	381	0.141
BIOTEC	0.63	190966	0.63	0.67	0.63	0.64	0.63	0.64	0.01	152,256	9,912	0.65
BIOTEC-P	10.00	190966	-	-	-	-	-	-	-	-	-	0
BIOTEC-Q	10.00	190966	-	-	-	-	-	-	-	-	-	0
BIOTEC-W2	0.19	190966	0.20	0.22	0.20	0.20	0.20	0.21	0.01	204,445	4,258	0.208
BPP	14.00	190966	14.00	14.10	13.90	14.00	13.90	14.00	-	7,352	10,290	13.996
BRRGIF	3.10	190966	-	3.14	3.06	3.12	3.06	3.12	0.02	1,635	506	3.096
CKP	3.48	190966	3.44	3.46	3.40	3.44	3.42	3.44	(0.04)	49,138	16,822	3.423
CKP01C2401A	0.25	190966	0.24	0.24	0.23	0.23	0.23	0.24	(0.02)	18,778	437	0.232
CKP13C2312A	0.15	190966	-	0.13	0.13	0.13	0.13	0.14	(0.02)	9,914	129	0.13
CKP19C2401A	0.22	190966	-	0.20	0.20	0.20	0.20	0.21	(0.02)	2,310	46	0.2
CV	1.10	190966	1.10	1.10	1.08	1.08	1.07	1.08	(0.02)	41,519	4,503	1.084

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
DEMCO	3.00	190966	3.00	3.00	2.96	2.98	2.98	3.00	(0.02)	1,737	518	2.983
DEMCO-W7	0.33	190966	0.33	0.33	0.30	0.30	0.30	0.31	(0.03)	8,274	260	0.314
EA	57.00	190966	57.00	57.00	55.75	56.00	56.00	56.25	(1.00)	134,014	754,718	56.316
EA01C2310A	0.02	190966	0.02	0.02	0.01	0.02	0.01	0.02	-	5,606	6	0.01
EA01C2311A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
EA01C2311B	0.08	190966	-	0.06	0.06	0.06	0.05	0.06	(0.02)	2,500	15	0.06
EA01C2312A	0.22	190966	0.22	0.22	0.19	0.19	0.19	0.20	(0.03)	45,408	895	0.197
EA01C2401A	0.17	190966	-	0.16	0.14	0.14	0.14	0.15	(0.03)	17,575	268	0.152
EA01C2402A	0.36	190966	-	0.33	0.32	0.32	0.31	0.32	(0.04)	47,479	1,548	0.326
EA01P2310A	0.20	190966	-	0.22	0.19	0.22	0.22	0.23	0.02	49,046	1,008	0.205
EA01P2311A	0.15	190966	-	0.16	0.14	0.16	0.15	0.16	0.01	49,128	735	0.149
EA01P2401X	0.72	190966	-	0.76	0.71	0.75	0.75	0.77	0.03	50,001	3,662	0.732
EA06C2309B	0.04	190966	-	-	-	-	-	0.01	-	-	-	0
EA06C2311A	0.19	190966	-	0.17	0.17	0.17	0.16	0.17	(0.02)	21,000	357	0.17
EA11C2311T	0.02	190966	-	-	-	-	0.02	0.03	-	-	-	0
EA11C2401T	0.27	190966	-	0.26	0.24	0.24	0.24	0.25	(0.03)	53,278	1,330	0.249
EA13C2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
EA13C2310B	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
EA13C2311A	0.09	190966	-	0.09	0.07	0.07	0.07	0.08	(0.02)	32,906	262	0.079
EA13C2401A	0.14	190966	-	0.14	0.12	0.12	0.12	0.13	(0.02)	45,293	577	0.127
EA13C2402A	0.34	190966	0.34	0.34	0.30	0.30	0.30	0.31	(0.04)	70,470	2,224	0.315
EA13P2310A	0.01	190966	-	-	-	-	0.01	0.03	-	-	-	0
EA13P2401A	0.63	190966	0.64	0.68	0.64	0.67	0.67	0.68	0.04	25,648	1,699	0.662
EA16C2309A	0.03	190966	-	-	-	-	-	0.06	-	-	-	0
EA16C2311A	0.15	190966	0.13	0.13	0.13	0.13	0.12	0.13	(0.02)	3,056	40	0.13
EA19C2310A	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2311A	0.05	190966	-	0.04	0.04	0.04	0.03	0.04	(0.01)	20	-	0.04
EA19C2311B	0.15	190966	-	0.14	0.13	0.13	0.12	0.13	(0.02)	9,278	121	0.13
EA19C2401A	0.18	190966	-	0.16	0.16	0.16	0.15	0.16	(0.02)	4,606	74	0.16
EA19C2402A	0.34	190966	-	0.33	0.30	0.30	0.30	0.31	(0.04)	7,578	235	0.309
EA19P2312A	0.19	190966	-	0.21	0.19	0.21	0.21	0.22	0.02	29,652	598	0.201
EA19P2402A	0.56	190966	-	0.59	0.55	0.59	0.59	0.60	0.03	25,654	1,473	0.574
EA41C2310A	0.05	190966	-	-	-	-	0.01	0.02	-	-	-	0
EA41C2310B	0.07	190966	-	-	-	-	0.01	0.03	-	-	-	0
EA41C2311A	0.07	190966	-	0.07	0.07	0.07	0.06	0.07	-	1,000	7	0.07
EA41C2312A	0.23	190966	-	0.22	0.19	0.19	0.19	0.20	(0.04)	56,782	1,128	0.198
EA41C2401A	0.09	190966	-	0.08	0.08	0.08	0.07	0.08	(0.01)	1	-	0.08
EASTW	4.44	190966	4.42	4.42	4.34	4.40	4.38	4.40	(0.04)	2,744	1,205	4.39
EGATIF	6.05	190966	6.05	6.05	5.95	5.95	5.95	6.00	(0.10)	2,876	1,722	5.988
EGCO	126.50	190966	126.50	127.00	124.50	125.50	125.50	126.00	(1.00)	12,381	155,295	125.43
EGCO01C2401A	0.26	190966	0.26	0.26	0.23	0.24	0.24	0.25	(0.02)	55,638	1,331	0.239
EGCO01P2401A	0.35	190966	-	0.36	0.34	0.35	0.35	0.36	-	27,908	987	0.353
EGCO13C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
EGCO13C2312A	0.18	190966	-	0.17	0.14	0.16	0.16	0.17	(0.02)	83,830	1,326	0.158
EGCO13P2312A	0.27	190966	-	0.28	0.27	0.28	0.28	0.29	0.01	12,397	347	0.279
EGCO19C2401A	0.18	190966	-	0.17	0.15	0.16	0.16	0.17	(0.02)	17,043	273	0.16
EP	3.04	190966	3.02	3.02	2.98	3.02	3.00	3.02	(0.02)	828	249	3.004
EP-W4	0.25	190966	-	0.25	0.22	0.25	0.23	0.25	-	353	8	0.226
ESSO	9.80	190966	9.80	9.85	9.80	9.80	9.80	9.85	-	96,610	94,749	9.807
ESSO13C2312A	0.22	190966	-	-	-	-	0.20	0.21	-	-	-	0
ESSO19C2312A	0.26	190966	-	-	-	-	0.24	0.25	-	-	-	0
ETC	2.84	190966	2.84	2.92	2.84	2.92	2.90	2.92	0.08	26,386	7,584	2.874
GPSC	48.00	190966	48.00	48.00	46.50	47.25	47.25	47.50	(0.75)	108,254	512,089	47.306
GPSC01C2311A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01C2312A	0.08	190966	-	0.05	0.05	0.05	0.06	0.07	(0.03)	60	-	0.05
GPSC01C2402A	0.17	190966	-	0.17	0.14	0.16	0.15	0.16	(0.01)	58,103	923	0.158
GPSC01C2402B	0.26	190966	-	0.26	0.22	0.24	0.23	0.24	(0.02)	33,084	803	0.242
GPSC01P2311A	0.41	190966	0.41	0.49	0.41	0.46	0.46	0.48	0.05	16,238	718	0.442
GPSC01P2312A	0.39	190966	0.38	0.44	0.38	0.41	0.41	0.43	0.02	37,338	1,495	0.4
GPSC06C2310A	0.12	190966	-	-	-	-	-	0.01	-	-	-	0
GPSC06C2401A	0.12	190966	-	0.12	0.10	0.11	0.10	0.11	(0.01)	61,030	684	0.112
GPSC11C2311A	0.07	190966	-	-	-	-	0.02	0.03	-	-	-	0
GPSC11P2309A	0.61	190966	-	-	-	-	0.80	0.85	-	-	-	0
GPSC13C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
GPSC13C2311A	0.03	190966	-	0.03	0.03	0.03	0.02	0.03	-	5,300	16	0.03
GPSC13C2401A	0.14	190966	-	0.13	0.11	0.11	0.11	0.12	(0.03)	50,126	601	0.119
GPSC13C2402A	0.25	190966	-	0.25	0.21	0.22	0.22	0.23	(0.03)	75,665	1,743	0.23
GPSC13P2310A	0.12	190966	-	0.16	0.11	0.14	0.14	0.16	0.02	44,424	575	0.129
GPSC13P2311A	0.13	190966	0.13	0.16	0.13	0.14	0.14	0.15	0.01	63,243	900	0.142
GPSC19C2310A	0.04	190966	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19C2311A	0.03	190966	-	-	-	-	0.02	0.03	-	-	-	0
GPSC19C2401A	0.15	190966	-	0.15	0.13	0.14	0.13	0.14	(0.01)	11,329	148	0.13
GPSC19C2402A	0.23	190966	0.23	0.23	0.20	0.21	0.21	0.22	(0.02)	25,418	564	0.221
GPSC19P2310A	0.09	190966	-	0.11	0.08	0.10	0.10	0.11	0.01	4,976	49	0.099
GPSC41C2310A	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
GPSC41C2311A	0.08	190966	-	-	-	-	0.01	0.03	-	-	-	0
GPSC41C2311B	0.07	190966	-	-	-	-	0.01	0.03	-	-	-	0
GPSC41C2312A	0.09	190966	-	0.09	0.08	0.08	0.08	0.09	(0.01)	2,000	17	0.085
GPSC41C2401A	0.12	190966	-	0.10	0.10	0.10	0.10	0.11	(0.02)	1,000	10	0.1
GPSC41C2402A	0.23	190966	0.21	0.22	0.19	0.20	0.20	0.21	(0.03)	42,401	860	0.202
GREEN	0.92	190966	-	0.92	0.90	0.91	0.91	0.92	(0.01)	22	2	0.905
GULF	45.75	190966	46.00	46.00	45.00	45.75	45.50	45.75	-	192,422	874,573	45.449
GULF01C2311A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
GULF01C2312A	0.10	190966	-	0.10	0.08	0.09	0.09	0.10	(0.01)	85,851	776	0.09
GULF01C2312W	0.13	190966	-	0.13	0.11	0.12	0.12	0.13	(0.01)	60,360	704	0.116
GULF01C2312X	0.10	190966	-	0.10	0.09	0.10	0.10	0.11	-	20,428	187	0.091
GULF01C2402A	0.21	190966	-	0.22	0.20	0.20	0.20	0.21	(0.01)	163,398	3,276	0.2
GULF01C2402T	0.17	190966	-	0.17	0.16	0.17	0.17	0.18	-	30,451	492	0.161
GULF01P2311A	0.04	190966	-	-	-	-	0.04	0.05	-	-	-	0
GULF01P2312A	0.20	190966	-	0.22	0.19	0.20	0.20	0.21	-	47,355	982	0.207
GULF01P2402X	0.53	190966	-	0.57	0.53	0.55	0.54	0.55	0.02	21,326	1,183	0.554
GULF06C2309A	0.05	190966	-	-	-	-	-	0.01	-	-	-	0
GULF06C2311A	0.13	190966	-	0.14	0.12	0.12	0.12	0.13	(0.01)	56,000	713	0.127

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
GULF11C2401T	0.31	190966	-	0.31	0.29	0.31	0.31	0.32	-	56,954	1,699	0.298
GULF11P2312A	0.17	190966	-	0.17	0.16	0.16	0.16	0.17	(0.01)	46,220	785	0.169
GULF13C2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
GULF13C2311A	0.10	190966	0.11	0.11	0.08	0.09	0.09	0.10	(0.01)	13,446	109	0.08
GULF13C2312A	0.07	190966	-	0.07	0.07	0.07	0.07	0.08	-	30,465	213	0.07
GULF13C2402A	0.20	190966	0.21	0.21	0.19	0.20	0.20	0.21	-	161,436	3,147	0.194
GULF13P2310A	0.02	190966	-	-	-	-	-	0.02	-	-	-	0
GULF13P2312A	0.13	190966	0.13	0.14	0.13	0.14	0.13	0.14	0.01	20,226	279	0.137
GULF13P2401A	0.38	190966	-	0.40	0.36	0.38	0.37	0.38	-	104,902	4,081	0.389
GULF16C2309A	0.05	190966	-	-	-	-	-	0.06	-	-	-	0
GULF16C2311A	0.08	190966	-	-	-	-	0.06	0.07	-	-	-	0
GULF19C2310A	0.06	190966	-	-	-	-	0.01	0.02	-	-	-	0
GULF19C2311A	0.06	190966	-	0.06	0.06	0.06	0.06	0.07	-	103,454	621	0.06
GULF19C2401A	0.18	190966	-	0.18	0.16	0.18	0.18	0.19	-	27,766	474	0.17
GULF19P2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
GULF19P2312A	0.14	190966	-	0.15	0.14	0.14	0.13	0.14	-	52,218	766	0.146
GULF41C2310A	0.07	190966	-	-	-	-	0.01	0.03	-	-	-	0
GULF41C2310B	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
GULF41C2311A	0.08	190966	0.08	0.08	0.07	0.07	0.07	0.08	(0.01)	17,500	127	0.072
GULF41C2311B	0.07	190966	-	-	-	-	0.03	0.05	-	-	-	0
GULF41C2401A	0.15	190966	0.14	0.15	0.14	0.14	0.14	0.15	(0.01)	35,074	493	0.14
GULF41P2310A	0.07	190966	-	0.07	0.07	0.07	0.06	0.08	-	3,800	27	0.07
GULF41P2311A	0.24	190966	-	0.27	0.23	0.27	0.23	0.24	0.03	7,804	184	0.235
GUNKUL	3.46	190966	3.46	3.48	3.40	3.44	3.44	3.46	(0.02)	267,722	92,063	3.438
GUNKUL01C2311A	0.09	190966	-	0.09	0.08	0.09	0.08	0.09	-	20,991	183	0.087
GUNKUL01C2401A	0.32	190966	-	0.31	0.30	0.31	0.30	0.31	(0.01)	8,571	264	0.307
GUNKUL06C2312A	0.14	190966	-	0.14	0.13	0.14	0.14	0.15	-	24,675	345	0.139
GUNKUL08C2309A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
GUNKUL11C2401T	0.30	190966	-	0.30	0.28	0.29	0.29	0.30	(0.01)	48,553	1,416	0.291
GUNKUL13C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL13C2311A	0.06	190966	-	-	-	-	0.05	0.07	-	-	-	0
GUNKUL13C2312A	0.31	190966	-	0.30	0.29	0.29	0.29	0.30	(0.02)	24,758	726	0.293
GUNKUL13C2401A	0.23	190966	-	0.23	0.21	0.22	0.22	0.23	(0.01)	21,731	477	0.219
GUNKUL19C2310A	0.04	190966	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL19C2310B	0.06	190966	-	0.03	0.03	0.03	0.03	0.04	(0.03)	1,760	5	0.03
GUNKUL19C2403A	0.34	190966	-	0.33	0.32	0.33	0.33	0.34	(0.01)	11,026	364	0.33
IFEC	0.35	190966	-	-	-	-	-	-	-	-	-	0
IRPC	2.12	190966	2.12	2.14	2.06	2.08	2.08	2.10	(0.04)	694,771	145,130	2.088
IRPC01C2310A	0.01	190966	-	0.01	0.01	0.01	0.01	0.02	-	5,000	5	0.01
IRPC01C2312A	0.07	190966	-	0.04	0.04	0.04	0.03	0.05	(0.03)	300	1	0.04
IRPC01C2402A	0.13	190966	-	0.12	0.12	0.12	0.12	0.13	(0.01)	43,557	523	0.12
IRPC06C2309A	0.05	190966	-	-	-	-	-	0.01	-	-	-	0
IRPC06C2401A	0.11	190966	0.08	0.08	0.08	0.08	0.07	0.08	(0.03)	2,000	16	0.08
IRPC11C2402T	0.15	190966	-	-	-	-	0.13	0.14	-	-	-	0
IRPC13C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
IRPC13C2312A	0.04	190966	-	-	-	-	0.03	0.04	-	-	-	0
IRPC13C2402A	0.15	190966	-	0.14	0.12	0.13	0.13	0.14	(0.02)	9,058	118	0.13
IRPC19C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
IRPC19C2401A	0.10	190966	-	0.08	0.08	0.08	0.08	0.09	(0.02)	4,000	32	0.08
JR	5.55	190966	5.55	5.55	5.50	5.55	5.50	5.55	-	931	513	5.515
KBSPIF	8.85	190966	8.80	8.90	8.75	8.80	8.75	8.80	(0.05)	933	819	8.782
LANNA	15.90	190966	15.90	15.90	15.60	15.70	15.60	15.70	(0.20)	10,037	15,781	15.722
MDX	3.20	190966	3.20	3.24	3.16	3.16	3.14	3.16	(0.04)	55	17	3.179
NOVA	11.30	190966	-	11.50	11.40	11.40	11.40	11.50	0.10	8	9	11.412
OR	19.40	190966	19.40	19.40	18.70	18.80	18.80	18.90	(0.60)	458,892	869,970	18.958
OR01C2310A	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
OR01C2312A	0.07	190966	-	-	-	-	0.04	0.05	-	-	-	0
OR01C2402A	0.19	190966	-	0.18	0.15	0.15	0.14	0.15	(0.04)	163,769	2,693	0.164
OR01P2312A	0.25	190966	0.25	0.30	0.25	0.30	0.29	0.30	0.05	181,511	5,017	0.276
OR06C2310A	0.08	190966	-	-	-	-	-	0.01	-	-	-	0
OR06C2402A	0.20	190966	-	0.19	0.16	0.16	0.15	0.16	(0.04)	49,122	872	0.177
OR13C2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
OR13C2312A	0.05	190966	-	0.05	0.03	0.04	0.03	0.04	(0.01)	7,831	34	0.043
OR13C2402A	0.17	190966	0.17	0.17	0.12	0.12	0.12	0.13	(0.05)	75,625	1,043	0.137
OR13P2402A	0.28	190966	0.28	0.34	0.28	0.34	0.34	0.35	0.06	130,786	4,118	0.314
OR19C2311A	0.06	190966	-	-	-	-	0.01	0.02	-	-	-	0
OR19C2401A	0.16	190966	0.16	0.16	0.12	0.12	0.12	0.13	(0.04)	38,215	513	0.134
PCC	3.26	190966	3.26	3.28	3.22	3.24	3.22	3.24	(0.02)	9,408	3,052	3.243
PRIME	1.35	190966	1.35	1.38	1.31	1.32	1.32	1.33	(0.03)	162,595	21,715	1.335
PTG	9.70	190966	9.75	9.75	9.25	9.35	9.35	9.40	(0.35)	177,849	167,981	9.445
PTG01C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
PTG01C2311A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
PTG01C2401A	0.08	190966	0.07	0.07	0.06	0.06	0.05	0.06	(0.02)	11,286	69	0.061
PTG01P2311A	0.26	190966	-	0.32	0.25	0.31	0.30	0.31	0.05	59,424	1,682	0.283
PTG06C2310A	0.05	190966	-	-	-	-	-	0.01	-	-	-	0
PTG06C2401A	0.12	190966	-	0.09	0.09	0.09	0.09	0.10	(0.03)	500	5	0.09
PTG11C2311A	0.04	190966	-	-	-	-	0.01	0.04	-	-	-	0
PTG13C2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
PTG13C2311A	0.02	190966	-	0.02	0.01	0.01	0.01	0.02	(0.01)	3,100	3	0.01
PTG13C2312A	0.08	190966	-	0.06	0.05	0.05	0.05	0.06	(0.03)	4,209	23	0.055
PTG13C2402A	1.00	190966	-	0.29	0.23	0.24	0.24	0.25	(0.76)	46,870	1,230	0.262
PTG13P2401A	0.27	190966	-	0.32	0.27	0.31	0.31	0.32	0.04	32,248	975	0.302
PTG19C2310A	0.05	190966	-	-	-	-	0.01	0.02	-	-	-	0
PTG19C2312A	0.09	190966	-	0.08	0.08	0.08	0.07	0.08	(0.01)	900	7	0.08
PTG19C2402A	0.30	190966	0.26	0.29	0.24	0.25	0.24	0.25	(0.05)	25,761	724	0.281
PTG41C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
PTG41C2311A	0.07	190966	-	-	-	-	0.01	0.03	-	-	-	0
PTG41C2312A	0.08	190966	-	0.07	0.07	0.07	0.05	0.07	(0.01)	972	7	0.07
PTG41C2402A	0.15	190966	-	0.13	0.12	0.12	0.11	0.12	(0.03)	2,051	27	0.129
PTT	34.00	190966	34.00	34.00	32.75	33.25	33.00	33.25	(0.75)	847,902	2,817,757	33.232
PTT01C2311X	0.12	190966	-	0.10	0.08	0.09	0.09	0.10	(0.03)	18,824	160	0.084
PTT01C2401A	0.11	190966	0.09	0.11	0.09	0.10	0.10	0.11	(0.01)	38,512	385	0.099
PTT01P2312A	0.11	190966	-	0.14	0.12	0.13	0.13	0.14	0.02	20,351	255	0.125

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PTT06C2312A	0.18	190966	-	0.18	0.15	0.15	0.15	0.16	(0.03)	37,127	598	0.161
PTT13C2310A	0.08	190966	-	0.06	0.05	0.05	0.05	0.06	(0.03)	5,270	27	0.052
PTT13C2311A	0.05	190966	0.05	0.05	0.03	0.03	0.04	0.05	(0.02)	12,399	50	0.04
PTT13C2402A	0.13	190966	0.13	0.13	0.10	0.10	0.10	0.11	(0.03)	22,558	246	0.109
PTT13P2311A	0.08	190966	-	0.09	0.08	0.09	0.09	0.10	0.01	30,748	271	0.088
PTT13P2402A	0.24	190966	0.27	0.27	0.24	0.26	0.26	0.27	0.02	143,409	3,713	0.258
PTT19C2401A	0.14	190966	-	0.10	0.10	0.10	0.10	0.11	(0.04)	20	-	0.1
PTTEP	169.00	190966	168.00	168.00	165.00	165.50	165.00	165.50	(3.50)	138,353	2,296,636	165.999
PTTEP01C2311X	0.32	190966	-	0.27	0.25	0.25	0.25	0.26	(0.07)	45,833	1,172	0.255
PTTEP01C2312T	0.56	190966	0.52	0.54	0.50	0.50	0.50	0.51	(0.06)	64,107	3,281	0.511
PTTEP01C2401A	0.54	190966	0.48	0.49	0.45	0.46	0.46	0.47	(0.08)	66,551	3,128	0.469
PTTEP01P2311X	0.05	190966	-	0.02	0.02	0.02	0.02	0.03	(0.03)	500	1	0.02
PTTEP01P2401A	0.24	190966	-	0.28	0.25	0.27	0.27	0.28	0.03	62,510	1,651	0.264
PTTEP01P2402X	0.58	190966	-	0.64	0.60	0.64	0.64	0.65	0.06	48,134	3,019	0.627
PTTEP06C2311A	0.45	190966	-	0.41	0.36	0.36	0.36	0.37	(0.09)	148,806	5,664	0.38
PTTEP11C2310T	0.15	190966	-	-	-	-	0.10	0.11	-	-	-	0
PTTEP11C2403T	0.73	190966	0.70	0.70	0.64	0.65	0.65	0.66	(0.08)	120,651	7,979	0.661
PTTEP11P2402A	0.36	190966	0.39	0.39	0.38	0.39	0.39	0.40	0.03	50,125	1,939	0.386
PTTEP13C2310A	0.34	190966	-	0.26	0.23	0.23	0.23	0.24	(0.11)	55,859	1,349	0.241
PTTEP13C2401A	0.40	190966	0.39	0.39	0.34	0.34	0.34	0.35	(0.06)	63,159	2,190	0.346
PTTEP13P2311A	0.03	190966	-	-	-	-	0.02	0.03	-	-	-	0
PTTEP13P2312A	0.16	190966	-	0.19	0.18	0.18	0.18	0.19	0.02	21,503	390	0.181
PTTEP13P2402A	0.49	190966	-	0.53	0.50	0.53	0.53	0.54	0.04	40,308	2,095	0.519
PTTEP16C2311A	0.50	190966	-	0.43	0.40	0.40	0.40	0.41	(0.10)	6,518	265	0.406
PTTEP19C2309A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2312A	0.42	190966	-	0.38	0.35	0.35	0.35	0.36	(0.07)	63,956	2,319	0.362
PTTEP19P2311A	0.06	190966	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19P2402A	0.44	190966	-	0.49	0.45	0.49	0.49	0.50	0.05	83,684	3,983	0.475
PTTEP41C2310A	0.66	190966	-	-	-	-	0.51	0.55	-	-	-	0
PTTEP41C2311A	0.53	190966	-	-	-	-	0.42	0.44	-	-	-	0
PTTEP41C2312A	0.48	190966	-	0.45	0.39	0.39	0.39	0.41	(0.09)	5,302	219	0.413
PTTEP41C2401A	0.45	190966	-	0.42	0.38	0.38	0.38	0.39	(0.07)	89,441	3,493	0.39
PTTEP41P2310A	0.08	190966	-	-	-	-	0.01	0.03	-	-	-	0
PTTEP41P2311A	0.16	190966	-	-	-	-	0.04	0.06	-	-	-	0
PTTEP41P2312A	0.24	190966	-	0.27	0.25	0.26	0.27	0.28	0.02	3,800	101	0.265
PTTEP41P2402A	1.00	190966	-	0.71	0.67	0.71	0.70	0.71	(0.29)	51,200	3,580	0.699
QTC	4.08	190966	4.00	4.10	4.00	4.10	4.08	4.10	0.02	305	124	4.049
RATCH	32.25	190966	32.25	32.50	32.00	32.00	32.00	32.25	(0.25)	28,675	92,034	32.095
RATCH01C2403A	0.19	190966	-	0.18	0.18	0.18	0.17	0.18	(0.01)	3,296	59	0.18
RATCH11C2311A	0.04	190966	-	-	-	-	0.02	0.03	-	-	-	0
RATCH11P2402A	0.49	190966	-	0.49	0.48	0.49	0.49	0.50	-	11,605	561	0.483
RATCH13C2310A	0.05	190966	-	-	-	-	0.01	0.02	-	-	-	0
RATCH13C2312A	0.08	190966	0.08	0.08	0.07	0.07	0.07	0.08	(0.01)	1,671	13	0.075
RATCH13C2402A	1.00	190966	-	0.16	0.16	0.16	0.15	0.17	(0.84)	6,657	107	0.16
RATCH19C2310A	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
RATCH19C2311A	0.05	190966	-	-	-	-	0.02	0.03	-	-	-	0
RATCH19C2402A	0.18	190966	-	0.17	0.17	0.17	0.16	0.17	(0.01)	462	8	0.17
RPC	0.73	190966	0.72	0.73	0.71	0.71	0.71	0.72	(0.02)	8,756	629	0.718
SCG	3.84	190966	3.76	3.92	3.76	3.82	3.82	3.88	(0.02)	77	30	3.865
SCI	0.84	190966	0.84	0.97	0.82	0.82	0.82	0.84	(0.02)	51,906	4,571	0.88
SCN	1.52	190966	1.53	1.53	1.47	1.48	1.48	1.49	(0.04)	15,881	2,375	1.495
SCN-W2	0.20	190966	-	0.19	0.19	0.19	0.18	0.19	(0.01)	1	-	0.19
SEAOIL	3.44	190966	3.46	3.50	3.34	3.34	3.34	3.40	(0.10)	21,521	7,368	3.423
SGP	8.15	190966	8.15	8.20	8.05	8.10	8.10	8.15	(0.05)	6,326	5,143	8.129
SKE	0.55	190966	-	0.55	0.54	0.55	0.54	0.55	-	6,769	366	0.54
SKE-W1	0.11	190966	-	0.11	0.10	0.11	0.10	0.11	-	190	2	0.102
SOLAR	0.78	190966	0.78	0.78	0.72	0.73	0.73	0.75	(0.05)	35,679	2,679	0.75
SOLAR-W1	0.06	190966	-	0.06	0.04	0.06	0.05	0.06	-	3,086	15	0.049
SPCG	12.40	190966	12.40	12.40	12.20	12.30	12.30	12.40	(0.10)	2,748	3,380	12.299
SPRC	9.15	190966	9.00	9.00	8.70	8.75	8.70	8.75	(0.40)	478,112	421,441	8.814
SPRC01C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
SPRC01C2311A	0.12	190966	-	0.11	0.08	0.08	0.08	0.09	(0.04)	36,609	349	0.095
SPRC01C2401A	0.34	190966	0.32	0.32	0.26	0.27	0.27	0.28	(0.07)	49,183	1,410	0.286
SPRC01C2402A	0.28	190966	-	0.26	0.22	0.23	0.22	0.23	(0.05)	25,608	614	0.239
SPRC01P2401A	0.38	190966	0.40	0.45	0.40	0.44	0.44	0.45	0.06	38,416	1,647	0.428
SPRC06C2310A	0.07	190966	-	0.03	0.03	0.03	0.02	0.03	(0.04)	2,660	8	0.03
SPRC06C2401A	0.28	190966	-	0.26	0.22	0.22	0.22	0.23	(0.06)	74,800	1,820	0.243
SPRC11C2309A	0.06	190966	-	-	-	-	0.01	0.04	-	-	-	0
SPRC11C2401T	0.32	190966	-	0.30	0.26	0.26	0.26	0.27	(0.06)	81,584	2,227	0.272
SPRC13C2310A	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
SPRC13C2312A	0.35	190966	-	0.32	0.26	0.27	0.27	0.28	(0.08)	60,847	1,725	0.283
SPRC13C2401A	0.23	190966	-	0.21	0.17	0.18	0.18	0.19	(0.05)	80,928	1,527	0.188
SPRC13P2312A	0.18	190966	0.20	0.24	0.20	0.23	0.23	0.24	0.05	52,995	1,165	0.219
SPRC19C2310A	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
SPRC19C2310B	0.05	190966	-	-	-	-	0.01	0.02	-	-	-	0
SPRC19C2312A	0.35	190966	0.33	0.33	0.27	0.28	0.28	0.29	(0.07)	79,749	2,310	0.289
SPRC19C2401A	0.23	190966	-	0.21	0.17	0.18	0.18	0.19	(0.05)	20,515	388	0.189
SSP	6.75	190966	6.75	6.80	6.55	6.70	6.60	6.70	(0.05)	7,300	4,859	6.656
SSP-W2	0.40	190966	-	0.41	0.39	0.40	0.39	0.40	-	1,381	55	0.399
SUPER	0.48	190966	0.48	0.49	0.47	0.49	0.48	0.49	0.01	223,200	10,724	0.48
SUPEREIF	7.10	190966	7.10	7.10	6.70	6.85	6.80	6.85	(0.25)	5,139	3,505	6.82
SUSCO	3.78	190966	3.76	3.80	3.72	3.74	3.74	3.76	(0.04)	28,252	10,616	3.757
TAE	1.31	190966	1.32	1.32	1.30	1.31	1.30	1.31	-	2,404	313	1.303
TCC	0.66	190966	0.65	0.66	0.64	0.65	0.64	0.65	(0.01)	4,291	279	0.649
TCC-W5	0.28	190966	-	0.28	0.28	0.28	0.27	0.28	-	2,834	79	0.28
TGE	1.42	190966	1.44	1.44	1.37	1.42	1.42	1.43	-	16,972	2,402	1.415
TOP	49.25	190966	49.00	49.00	48.00	48.25	48.25	48.50	(1.00)	161,581	781,902	48.39
TOP01C2310W	0.03	190966	-	-	-	-	0.01	0.03	-	-	-	0
TOP01C2312A	0.29	190966	-	0.28	0.24	0.25	0.25	0.26	(0.04)	89,646	2,299	0.256
TOP01C2401A	0.18	190966	-	0.17	0.15	0.16	0.15	0.16	(0.02)	69,154	1,107	0.16
TOP01P2401A	0.37	190966	-	0.40	0.38	0.39	0.40	0.41	0.02	85,183	3,338	0.391
TOP06C2309A	0.02	190966	-	-	-	-	-	-	-	-	-	0
TOP06C2401A	0.24	190966	-	0.21	0.20	0.20	0.20	0.21	(0.04)	69,661	1,458	0.209

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TOP11C2311A	0.19	190966	-	0.17	0.16	0.16	0.16	0.17	(0.03)	51,843	873	0.168
TOP11P2401A	0.51	190966	0.55	0.55	0.52	0.54	0.55	0.56	0.03	85,774	4,655	0.542
TOP13C2310A	0.02	190966	-	0.01	0.01	0.01	0.01	0.02	(0.01)	727	1	0.01
TOP13C2311A	0.19	190966	-	0.16	0.16	0.16	0.16	0.17	(0.03)	31,863	510	0.16
TOP13C2401A	0.16	190966	-	0.14	0.13	0.13	0.13	0.14	(0.03)	32,662	426	0.13
TOP13P2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
TOP13P2401A	0.24	190966	-	0.28	0.25	0.26	0.26	0.28	0.02	32,435	866	0.267
TOP19C2310A	0.08	190966	-	-	-	-	0.01	0.02	-	-	-	0
TOP19C2310B	0.08	190966	-	0.07	0.07	0.07	0.06	0.07	(0.01)	3,624	25	0.07
TOP19C2401A	0.27	190966	-	0.24	0.22	0.23	0.23	0.24	(0.04)	71,886	1,691	0.235
TOP19P2309A	0.12	190966	-	-	-	-	0.01	0.02	-	-	-	0
TOP41C2310A	0.01	190966	-	-	-	-	0.01	0.03	-	-	-	0
TOP41C2311A	0.17	190966	-	0.13	0.13	0.13	0.13	0.14	(0.04)	88,402	1,149	0.13
TOP41C2312A	0.10	190966	-	0.10	0.09	0.09	0.08	0.09	(0.01)	10,401	95	0.09
TPIPP	3.34	190966	3.34	3.34	3.30	3.32	3.32	3.34	(0.02)	22,845	7,592	3.323
TSE	2.10	190966	2.10	2.10	2.06	2.06	2.06	2.08	(0.04)	13,852	2,877	2.076
TTW	9.00	190966	8.95	9.00	8.80	9.00	8.95	9.00	-	33,281	29,669	8.914
UBE	0.98	190966	0.99	0.99	0.97	0.97	0.97	0.98	(0.01)	18,445	1,795	0.973
WHAUP	3.98	190966	3.96	3.98	3.92	3.94	3.92	3.94	(0.04)	19,545	7,718	3.949
WP	3.74	190966	3.70	3.72	3.68	3.68	3.68	3.70	(0.06)	1,981	731	3.689
Media & Publishing												
AMARIN	4.60	190966	4.62	4.68	4.52	4.60	4.50	4.60	-	897	411	4.578
AQUA	0.40	190966	0.40	0.40	0.38	0.39	0.39	0.40	(0.01)	63,419	2,474	0.39
AQUA-W3	0.02	190966	-	0.02	0.01	0.02	0.01	0.02	-	847	1	0.013
AS	10.70	190966	10.80	10.80	10.40	10.50	10.50	10.60	(0.20)	6,746	7,104	10.529
AS-W2	7.35	190966	-	7.65	7.60	7.65	7.20	7.55	0.30	5	4	7.63
BEC	8.35	190966	8.30	8.30	7.70	7.80	7.75	7.80	(0.55)	69,604	54,543	7.836
BEC01C2312A	0.31	190966	-	0.30	0.22	0.22	0.22	0.23	(0.09)	37,251	842	0.226
BEC01P2312A	0.17	190966	-	0.24	0.18	0.23	0.23	0.24	0.06	26,789	608	0.226
BEC06C2312A	0.15	190966	-	0.12	0.09	0.09	0.09	0.10	(0.06)	10,038	99	0.098
BEC19C2401A	0.25	190966	-	0.23	0.17	0.18	0.17	0.18	(0.07)	30,514	568	0.186
FE	179.00	190966	-	-	-	-	178.00	222.00	-	-	-	0
GPI	1.61	190966	1.62	1.62	1.60	1.61	1.60	1.61	-	855	137	1.6
GRAMMY	9.25	190966	-	9.20	9.15	9.20	9.20	9.25	(0.05)	11	10	9.195
JKN	1.22	190966	1.24	1.24	1.19	1.19	1.19	1.20	(0.03)	147,608	17,860	1.209
MACO	0.56	190966	0.56	0.57	0.54	0.54	0.54	0.55	(0.02)	107,512	5,913	0.549
MACO-W3	0.06	190966	-	0.06	0.06	0.06	0.05	0.06	-	16,144	97	0.06
MAJOR	13.40	190966	13.40	13.40	13.10	13.30	13.30	13.40	(0.10)	31,305	41,591	13.285
MATCH	1.59	190966	-	1.60	1.58	1.58	1.58	1.60	(0.01)	144	23	1.59
MATI	8.05	190966	-	-	-	-	7.65	8.10	-	-	-	0
MCOT	3.16	190966	3.16	3.20	3.14	3.18	3.16	3.18	0.02	250	79	3.159
MONO	1.03	190966	1.04	1.06	1.02	1.02	1.02	1.03	(0.01)	86,565	9,011	1.04
MPIC	1.52	190966	1.47	1.61	1.44	1.50	1.49	1.50	(0.02)	30,872	4,717	1.528
NATION	0.09	190966	0.08	0.09	0.08	0.08	0.08	0.09	(0.01)	10,419	90	0.086
ONEE	4.46	190966	4.50	4.50	4.20	4.32	4.30	4.32	(0.14)	150,000	64,910	4.327
ONEE13C2311A	0.01	190966	-	-	-	-	-	0.02	-	-	-	0
ONEE19C2401A	0.08	190966	-	-	-	-	0.06	0.07	-	-	-	0
PLANB	8.95	190966	8.85	8.95	8.75	8.85	8.85	8.90	(0.10)	82,194	72,700	8.844
PLANB-W1	2.28	190966	2.18	2.18	1.97	1.98	1.97	1.98	(0.30)	7,317	1,518	2.074
PLANB06C2401A	0.29	190966	-	0.29	0.28	0.28	0.28	0.29	(0.01)	14,993	424	0.282
PLANB11P2309A	0.07	190966	-	-	-	-	0.01	0.04	-	-	-	0
PLANB11P2402A	0.55	190966	0.57	0.58	0.56	0.57	0.57	0.58	0.02	57,513	3,270	0.568
PLANB13C2310A	0.05	190966	-	-	-	-	0.04	0.05	-	-	-	0
PLANB13C2311A	0.24	190966	0.23	0.23	0.21	0.21	0.21	0.22	(0.03)	39,904	862	0.216
PLANB13C2401A	0.23	190966	-	0.22	0.20	0.21	0.21	0.22	(0.02)	28,413	603	0.212
PLANB19C2401A	0.30	190966	-	0.29	0.28	0.29	0.28	0.29	(0.01)	19,087	546	0.286
POST	1.10	190966	-	-	-	-	-	-	-	-	-	0
PRAKIT	11.30	190966	11.30	11.30	11.30	11.30	11.20	11.30	-	17	19	11.3
PTECH	12.00	190966	-	12.00	11.40	11.40	11.50	11.70	(0.60)	18	21	11.611
SE-ED	2.22	190966	2.24	2.26	2.24	2.26	2.24	2.26	0.04	2,001	448	2.24
TKS	8.65	190966	8.65	8.65	8.45	8.50	8.50	8.55	(0.15)	6,508	5,546	8.521
VGI	2.60	190966	2.58	2.60	2.54	2.56	2.56	2.58	(0.04)	145,263	37,354	2.571
VGI-W3	0.14	190966	-	0.15	0.14	0.14	0.14	0.15	-	886	12	0.14
VGI01C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2311A	0.02	190966	-	0.01	0.01	0.01	0.01	0.02	(0.01)	810	1	0.01
VGI01C2311X	0.01	190966	-	0.01	0.01	0.01	0.01	0.02	-	173	-	0.01
VGI01C2401A	0.12	190966	-	0.11	0.10	0.10	0.10	0.11	(0.02)	31,539	345	0.109
VGI01C2402A	0.23	190966	-	0.22	0.21	0.21	0.21	0.22	(0.02)	20,783	455	0.218
VGI01P2311A	0.27	190966	-	0.28	0.27	0.28	0.28	0.30	0.01	25,520	697	0.272
VGI01P2401X	0.22	190966	-	0.24	0.23	0.24	0.24	0.25	0.02	36,854	857	0.232
VGI06C2309A	0.10	190966	-	-	-	-	-	0.01	-	-	-	0
VGI06C2401A	0.10	190966	-	0.10	0.09	0.09	0.09	0.10	(0.01)	1,055	10	0.094
VGI13C2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
VGI13C2312A	0.09	190966	-	0.08	0.08	0.08	0.07	0.08	(0.01)	37,106	297	0.08
VGI13C2401A	0.19	190966	-	0.18	0.17	0.18	0.17	0.18	(0.01)	47,056	834	0.177
VGI13P2312A	0.25	190966	-	0.26	0.26	0.26	0.26	0.27	0.01	16,332	425	0.26
VGI19C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
VGI19C2312A	0.10	190966	-	0.09	0.09	0.09	0.09	0.10	(0.01)	14,152	127	0.09
VGI19C2402A	0.22	190966	0.22	0.22	0.21	0.21	0.21	0.22	(0.01)	17,194	361	0.21
WORK	14.30	190966	14.20	14.40	14.10	14.10	14.10	14.30	(0.20)	1,047	1,480	14.139
Finance & Securities												
AEONTS	162.50	190966	162.50	163.00	161.00	162.00	162.00	163.00	(0.50)	1,202	19,450	161.815
AEONTS28C2309A	0.04	190966	-	-	-	-	0.03	0.04	-	-	-	0
AMANAH	2.48	190966	2.46	2.48	2.46	2.46	2.46	2.48	(0.02)	6,874	1,692	2.461
ASAP	2.28	190966	2.24	2.26	2.22	2.26	2.24	2.26	(0.02)	1,644	369	2.244
ASK	24.40	190966	24.40	24.40	24.00	24.10	24.10	24.20	(0.30)	2,403	5,795	24.116
ASP	2.86	190966	2.84	2.86	2.84	2.86	2.84	2.86	-	9,053	2,585	2.855
BAM	10.90	190966	10.80	10.90	10.60	10.60	10.60	10.70	(0.30)	124,398	132,998	10.691
BAM01C2310A	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
BAM01C2312A	0.08	190966	0.08	0.08	0.07	0.07	0.07	0.08	(0.01)	12,704	90	0.07
BAM01C2403A	0.23	190966	-	0.21	0.21	0.21	0.20	0.21	(0.02)	15,816	332	0.21
BAM06C2312A	0.12	190966	-	-	-	-	0.09	0.10	-	-	-	0
BAM11C2401T	0.16	190966	-	0.15	0.15	0.15	0.14	0.15	(0.01)	12,666	190	0.15

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BAM11P2309A	0.64	190966	-	-	-	-	0.58	0.64	-	-	-	0
BAM13C2310A	0.04	190966	-	-	-	-	0.01	0.02	-	-	-	0
BAM13C2401A	0.16	190966	-	0.14	0.13	0.13	0.13	0.14	(0.03)	10,889	152	0.139
BAM19C2310A	0.06	190966	-	-	-	-	0.01	0.02	-	-	-	0
BAM19C2401A	0.22	190966	-	0.20	0.20	0.20	0.19	0.20	(0.02)	12,714	254	0.2
BYD	7.30	190966	7.30	7.40	7.05	7.15	7.10	7.15	(0.15)	94,359	67,861	7.191
BYD06C2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
BYD06C2402A	0.24	190966	-	0.23	0.21	0.22	0.21	0.22	(0.02)	13,600	302	0.222
BYD13C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
BYD13C2311A	0.09	190966	-	0.09	0.07	0.07	0.07	0.09	(0.02)	20,426	162	0.079
BYD13C2311B	0.30	190966	-	0.31	0.23	0.25	0.25	0.26	(0.05)	21,907	554	0.252
BYD13C2401A	0.12	190966	-	0.13	0.10	0.11	0.10	0.11	(0.01)	39,326	452	0.114
BYD13C2402A	0.30	190966	-	0.32	0.27	0.27	0.28	0.29	(0.03)	36,714	1,079	0.293
BYD19C2311A	0.06	190966	-	0.06	0.05	0.05	0.05	0.06	(0.01)	9,688	54	0.055
BYD19C2401A	0.43	190966	-	0.45	0.38	0.40	0.40	0.41	(0.03)	38,039	1,576	0.414
BYD19C2402A	0.21	190966	-	0.21	0.19	0.19	0.19	0.20	(0.02)	4,229	82	0.193
CGH	0.76	190966	0.76	0.76	0.74	0.74	0.74	0.75	(0.02)	11,923	894	0.75
CGH-W4	0.04	190966	0.04	0.05	0.04	0.05	0.04	0.05	0.01	842	3	0.041
CHASE	2.52	190966	2.48	2.52	2.40	2.44	2.42	2.44	(0.08)	108,934	26,651	2.446
CHAYO	7.50	190966	7.45	7.50	7.30	7.40	7.35	7.40	(0.10)	14,551	10,727	7.372
ECL	1.64	190966	1.64	1.67	1.61	1.64	1.64	1.65	-	50,761	8,347	1.644
ECL-W4	0.15	190966	0.15	0.18	0.14	0.15	0.15	0.16	-	457,483	7,479	0.163
FNS	3.22	190966	-	3.22	3.18	3.18	3.20	3.22	(0.04)	684	219	3.204
FSX	2.98	190966	2.96	2.98	2.94	2.94	2.92	2.94	(0.04)	4,261	1,260	2.957
GBX	0.85	190966	0.85	0.87	0.83	0.83	0.83	0.84	(0.02)	12,762	1,081	0.846
GL	0.65	190966	-	-	-	-	-	-	-	-	-	0
HENG	2.46	190966	2.48	2.48	2.42	2.42	2.42	2.44	(0.04)	11,749	2,871	2.443
IFS	2.88	190966	2.88	2.90	2.86	2.88	2.88	2.90	-	450	130	2.879
JMT	46.75	190966	47.25	47.25	46.00	46.25	46.25	46.50	(0.50)	80,726	376,934	46.693
JMT-W4	3.06	190966	-	3.08	2.92	2.92	2.92	3.00	(0.14)	384	115	3.003
JMT01C2311A	0.19	190966	-	0.19	0.17	0.17	0.17	0.18	(0.02)	58,643	1,068	0.182
JMT01C2312A	0.46	190966	-	0.46	0.43	0.44	0.42	0.43	(0.02)	14,143	623	0.44
JMT01C2312B	0.65	190966	-	0.65	0.61	0.61	0.60	0.61	(0.04)	8,904	556	0.624
JMT01C2401A	0.35	190966	-	0.36	0.32	0.32	0.32	0.33	(0.03)	45,664	1,547	0.338
JMT01P2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
JMT01P2401A	0.34	190966	-	0.35	0.33	0.35	0.35	0.36	0.01	60,847	2,055	0.337
JMT06C2312A	0.47	190966	-	0.49	0.46	0.46	0.45	0.46	(0.01)	48,600	2,351	0.483
JMT11C2402T	0.40	190966	-	0.40	0.37	0.37	0.37	0.38	(0.03)	75,130	2,894	0.385
JMT13C2311A	0.27	190966	-	0.28	0.24	0.24	0.24	0.25	(0.03)	36,411	941	0.258
JMT13C2311B	0.54	190966	-	-	-	-	0.48	0.50	-	-	-	0
JMT13C2401A	0.32	190966	-	0.32	0.29	0.29	0.29	0.30	(0.03)	154,597	4,807	0.31
JMT13P2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
JMT13P2312A	0.04	190966	-	-	-	-	0.03	0.04	-	-	-	0
JMT13P2401A	0.23	190966	-	0.23	0.22	0.23	0.23	0.24	-	23,595	537	0.227
JMT16C2311A	0.51	190966	-	0.48	0.48	0.48	0.47	0.48	(0.03)	1,056	51	0.48
JMT19C2311A	0.31	190966	-	0.32	0.28	0.28	0.28	0.29	(0.03)	14,808	447	0.301
JMT19C2312A	0.52	190966	-	-	-	-	0.54	0.56	-	-	-	0
JMT19C2401A	0.33	190966	-	0.33	0.30	0.30	0.30	0.31	(0.03)	161,153	5,200	0.322
JMT19P2312A	0.05	190966	-	-	-	-	0.04	0.05	-	-	-	0
JMT41C2311A	0.33	190966	-	0.36	0.31	0.31	0.31	0.33	(0.02)	5,100	179	0.35
JMT41C2311B	0.66	190966	-	0.62	0.62	0.62	0.59	0.62	(0.04)	30	2	0.62
JMT41C2401A	0.27	190966	-	0.30	0.27	0.27	0.27	0.28	-	56,599	1,617	0.285
KCAR	8.35	190966	8.35	8.35	8.30	8.30	8.30	8.35	(0.05)	420	349	8.303
KGI	4.56	190966	4.56	4.58	4.54	4.56	4.56	4.58	-	13,321	6,064	4.552
KTC	47.00	190966	46.50	46.75	45.75	45.75	45.75	46.00	(1.25)	32,571	150,043	46.07
KTC01C2311A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
KTC01C2312A	0.19	190966	-	0.18	0.16	0.16	0.16	0.17	(0.03)	10,660	184	0.172
KTC01P2311A	0.18	190966	0.19	0.22	0.19	0.22	0.22	0.24	0.04	25,124	517	0.205
KTC01P2402X	0.47	190966	-	0.50	0.48	0.50	0.51	0.52	0.03	19,651	975	0.496
KTC06C2310A	0.04	190966	-	-	-	-	-	0.01	-	-	-	0
KTC06C2401A	0.21	190966	-	0.20	0.18	0.18	0.18	0.19	(0.03)	10,200	194	0.19
KTC11C2311A	0.09	190966	-	-	-	-	0.07	0.08	-	-	-	0
KTC13C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
KTC13C2311A	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
KTC13C2312A	0.14	190966	-	-	-	-	0.11	0.12	-	-	-	0
KTC13P2312A	0.14	190966	-	0.16	0.15	0.16	0.16	0.17	0.02	2,510	39	0.155
KTC19C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
KTC19C2310B	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
KTC19C2312A	0.15	190966	-	0.14	0.13	0.13	0.12	0.13	(0.02)	5,001	66	0.132
KTC19C2402A	0.33	190966	0.30	0.30	0.27	0.27	0.27	0.28	(0.06)	21,974	619	0.281
KTC41C2311A	0.09	190966	-	0.08	0.06	0.06	0.06	0.07	(0.03)	6,900	47	0.068
KTC41C2401A	0.24	190966	0.23	0.23	0.19	0.19	0.19	0.20	(0.05)	26,500	540	0.203
MFC	20.40	190966	-	20.40	20.10	20.30	20.20	20.40	(0.10)	41	83	20.256
MICRO	3.04	190966	3.02	3.04	2.94	3.04	2.96	3.04	-	1,492	444	2.973
ML	0.97	190966	0.96	1.00	0.96	0.98	0.96	0.98	0.01	516	50	0.961
ML-W3	0.02	190966	-	0.02	0.01	0.02	0.01	0.02	-	1,232	2	0.019
MST	11.00	190966	10.90	10.90	10.80	10.90	10.90	11.00	(0.10)	390	425	10.898
MTG	38.25	190966	38.00	38.50	37.75	38.25	38.00	38.25	-	62,893	239,825	38.132
MTG01C2311A	0.06	190966	-	-	-	-	0.05	0.06	-	-	-	0
MTG01C2312A	0.16	190966	-	0.16	0.16	0.16	0.15	0.16	-	61,378	982	0.16
MTG01P2311A	0.14	190966	-	0.15	0.14	0.14	0.14	0.15	-	24,819	370	0.149
MTG01P2402X	0.54	190966	-	0.55	0.54	0.54	0.54	0.55	-	20,884	1,140	0.545
MTG06C2401A	0.34	190966	-	0.34	0.33	0.33	0.33	0.34	(0.01)	31,200	1,043	0.334
MTG11C2310A	0.08	190966	-	-	-	-	0.06	0.07	-	-	-	0
MTG11P2309A	0.02	190966	-	-	-	-	0.01	0.04	-	-	-	0
MTG11P2401A	0.44	190966	-	0.44	0.43	0.44	0.44	0.45	-	21,110	927	0.439
MTG13C2310A	0.06	190966	-	-	-	-	0.01	0.02	-	-	-	0
MTG13C2311A	0.10	190966	-	0.10	0.09	0.09	0.09	0.10	(0.01)	18,060	163	0.09
MTG13C2312A	0.24	190966	-	0.25	0.23	0.24	0.24	0.25	-	61,582	1,464	0.237
MTG13P2312A	0.14	190966	-	0.14	0.14	0.14	0.14	0.15	-	7,181	101	0.14
MTG19C2309A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
MTG19C2312A	0.16	190966	-	0.15	0.15	0.15	0.15	0.16	(0.01)	4,842	73	0.15
MTG19C2312B	0.32	190966	-	0.30	0.29	0.30	0.30	0.31	(0.02)	41,445	1,230	0.296

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
MTC41C2310A	0.07	190966	-	-	-	-	0.06	0.08	-	-	-	0
MTC41C2311A	0.18	190966	-	-	-	-	0.17	0.19	-	-	-	0
MTC41C2311B	0.07	190966	-	-	-	-	0.03	0.05	-	-	-	0
MTC41C2401A	0.12	190966	-	0.12	0.12	0.12	0.12	0.13	-	13,400	161	0.12
MTC41C2402A	0.24	190966	-	0.22	0.22	0.22	0.22	0.23	(0.02)	12,410	273	0.22
NCAP	3.40	190966	3.34	3.38	3.28	3.32	3.32	3.34	(0.08)	64,374	21,444	3.331
NCAP-W1	0.03	190966	0.02	0.03	0.02	0.03	0.03	0.04	-	45,511	132	0.029
PL	2.44	190966	-	2.44	2.38	2.40	2.38	2.40	(0.04)	63	15	2.41
S11	3.96	190966	-	4.00	3.92	3.94	3.90	3.94	(0.02)	1,017	402	3.951
SAK	5.00	190966	4.98	4.98	4.90	4.90	4.90	4.92	(0.10)	4,251	2,098	4.935
SAWAD	45.00	190966	44.75	45.25	44.50	45.00	44.75	45.00	-	56,418	253,314	44.899
SAWAD-W2	2.30	190966	-	2.32	1.80	2.00	1.98	2.00	(0.30)	11,839	2,423	2.046
SAWAD01C2311A	0.02	190966	0.02	0.02	0.02	0.02	0.01	0.02	-	500	1	0.02
SAWAD01C2312W	0.06	190966	-	0.05	0.05	0.05	0.05	0.06	(0.01)	50	-	0.05
SAWAD01C2401A	0.19	190966	-	0.19	0.18	0.18	0.18	0.19	(0.01)	26,257	473	0.18
SAWAD01P2310A	0.23	190966	-	0.22	0.21	0.21	0.21	0.22	(0.02)	50,306	1,079	0.214
SAWAD01P2312A	0.27	190966	-	0.29	0.26	0.28	0.27	0.28	0.01	33,272	913	0.274
SAWAD01P2401X	0.57	190966	-	0.59	0.56	0.57	0.57	0.58	-	16,466	948	0.575
SAWAD06C2309A	0.01	190966	-	-	-	-	-	-	-	-	-	0
SAWAD06C2312A	0.15	190966	-	0.14	0.14	0.14	0.14	0.15	(0.01)	10,000	140	0.14
SAWAD13C2311A	0.02	190966	-	0.01	0.01	0.01	0.01	0.02	(0.01)	2,690	3	0.01
SAWAD13C2311B	0.04	190966	-	0.03	0.03	0.03	0.03	0.04	(0.01)	20	-	0.03
SAWAD13C2312A	0.14	190966	-	0.13	0.13	0.13	0.13	0.14	(0.01)	14,858	193	0.13
SAWAD13C2402A	0.26	190966	0.26	0.26	0.25	0.25	0.25	0.26	(0.01)	30,145	764	0.253
SAWAD13P2311A	0.26	190966	-	0.26	0.25	0.25	0.25	0.26	(0.01)	48,530	1,243	0.256
SAWAD16C2309A	0.02	190966	-	-	-	-	-	0.06	-	-	-	0
SAWAD16C2312A	0.17	190966	-	0.16	0.16	0.16	0.16	0.17	(0.01)	1,092	17	0.16
SAWAD19C2309A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD19C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD19C2311A	0.03	190966	-	-	-	-	0.02	0.03	-	-	-	0
SAWAD19C2312A	0.16	190966	-	0.15	0.15	0.15	0.15	0.16	(0.01)	12,741	191	0.15
SAWAD19C2402A	0.29	190966	-	0.29	0.28	0.29	0.29	0.30	-	41,873	1,204	0.287
SAWAD19P2309A	0.12	190966	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD19P2312A	0.19	190966	-	0.19	0.19	0.19	0.19	0.20	-	11,899	226	0.19
SAWAD41C2311A	0.06	190966	-	-	-	-	0.04	0.06	-	-	-	0
SAWAD41C2311B	0.05	190966	-	-	-	-	0.01	0.03	-	-	-	0
SAWAD41C2312A	0.20	190966	0.19	0.20	0.19	0.20	0.20	0.21	-	48,045	941	0.195
SAWAD41C2401A	0.11	190966	-	0.10	0.10	0.10	0.10	0.11	(0.01)	2,720	27	0.1
SAWAD41C2402A	0.23	190966	0.23	0.23	0.22	0.23	0.23	0.24	-	112,105	2,555	0.227
SCAP	4.20	190966	4.18	4.20	4.14	4.18	4.16	4.18	(0.02)	1,673	697	4.167
SGC	1.99	190966	1.99	1.99	1.91	1.93	1.92	1.93	(0.06)	267,941	51,904	1.937
SM	1.42	190966	1.40	1.41	1.39	1.39	1.39	1.40	(0.03)	1,664	233	1.397
TH	1.40	190966	1.40	1.40	1.32	1.34	1.33	1.34	(0.06)	162,883	21,983	1.349
TH-W3	0.61	190966	-	0.61	0.54	0.57	0.55	0.57	(0.04)	3,956	219	0.554
THANI	3.16	190966	3.14	3.18	3.12	3.18	3.16	3.18	0.02	59,774	18,737	3.134
THANI13C2311A	0.06	190966	-	0.05	0.05	0.05	0.05	0.06	(0.01)	100	1	0.05
THANI13C2401A	0.19	190966	-	0.19	0.17	0.19	0.18	0.19	-	21,619	382	0.176
THANI19C2401A	0.15	190966	-	0.15	0.13	0.14	0.15	0.16	(0.01)	2,822	40	0.142
TIDLOR	21.40	190966	21.40	21.70	21.30	21.40	21.40	21.50	-	126,653	272,192	21.491
TIDLOR01C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
TIDLOR01C2310X	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
TIDLOR01C2401A	0.27	190966	-	0.28	0.27	0.27	0.27	0.28	-	69,459	1,911	0.275
TIDLOR01P2310A	0.19	190966	-	0.18	0.17	0.18	0.18	0.19	(0.01)	65,418	1,127	0.172
TIDLOR01P2401A	0.41	190966	-	0.40	0.39	0.40	0.40	0.41	(0.01)	60,289	2,405	0.398
TIDLOR01P2402X	0.85	190966	-	0.85	0.82	0.85	0.85	0.86	-	23,178	1,934	0.834
TIDLOR06C2309B	0.07	190966	-	-	-	-	-	0.01	-	-	-	0
TIDLOR06C2312A	0.24	190966	-	0.25	0.24	0.24	0.24	0.25	-	100,830	2,472	0.245
TIDLOR11P2309A	0.10	190966	-	0.10	0.09	0.10	0.09	0.11	-	27,332	267	0.097
TIDLOR13C2311A	0.02	190966	-	0.03	0.03	0.03	0.02	0.03	0.01	30	-	0.03
TIDLOR13C2311B	0.06	190966	-	0.06	0.06	0.06	0.05	0.06	-	1,000	6	0.06
TIDLOR13C2312A	0.24	190966	-	0.26	0.24	0.24	0.24	0.25	-	93,579	2,311	0.246
TIDLOR13P2312A	0.30	190966	-	0.30	0.29	0.29	0.30	0.31	(0.01)	20,668	609	0.294
TIDLOR16C2311A	0.27	190966	-	0.28	0.26	0.28	0.26	0.27	0.01	12,195	334	0.273
TIDLOR19C2309A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
TIDLOR19C2311A	0.04	190966	-	-	-	-	0.04	0.05	-	-	-	0
TIDLOR19C2312A	0.18	190966	-	0.19	0.18	0.18	0.18	0.19	-	12,413	226	0.181
TIDLOR19C2401A	0.36	190966	0.36	0.37	0.35	0.35	0.35	0.36	(0.01)	135,088	4,884	0.361
TIDLOR19P2401A	0.58	190966	-	0.58	0.57	0.57	0.58	0.59	(0.01)	4,952	285	0.575
TIDLOR41C2311A	0.07	190966	-	-	-	-	0.04	0.06	-	-	-	0
TIDLOR41C2311B	0.12	190966	-	0.12	0.12	0.12	0.11	0.12	-	22,700	272	0.12
TIDLOR41C2401A	0.13	190966	-	0.13	0.13	0.13	0.12	0.13	-	5,000	65	0.13
TIDLOR41C2402A	0.36	190966	-	0.36	0.34	0.34	0.34	0.35	(0.02)	64,070	2,266	0.353
TK	6.55	190966	-	6.60	6.50	6.55	6.50	6.55	-	579	379	6.552
TNITY	5.60	190966	5.50	5.60	5.45	5.50	5.45	5.50	(0.10)	1,853	1,021	5.508
UOBKH	5.05	190966	-	5.05	5.05	5.05	5.00	5.10	-	6	3	5.05
XPG	1.54	190966	1.54	1.55	1.47	1.48	1.48	1.49	(0.06)	852,227	127,267	1.493
XPG-W4	4.70	190966	4.70	4.70	4.40	4.40	4.40	4.42	(0.30)	13,816	6,186	4.477
Food & Beverage												
AAI	3.60	190966	3.60	3.62	3.56	3.60	3.58	3.60	-	58,480	20,932	3.579
APURE	4.74	190966	4.72	4.74	4.70	4.70	4.70	4.72	(0.04)	7,129	3,364	4.719
APURE-W3	0.78	190966	-	0.78	0.76	0.78	0.76	0.77	-	30	2	0.77
ASIAN	7.50	190966	7.50	7.50	7.30	7.35	7.35	7.40	(0.15)	10,476	7,720	7.369
BR	2.62	190966	2.62	2.62	2.58	2.58	2.58	2.60	(0.04)	14,250	3,699	2.596
BR-W1	0.16	190966	-	0.15	0.14	0.14	0.13	0.14	(0.02)	32,464	455	0.14
BRR	5.85	190966	5.85	5.90	5.60	5.70	5.70	5.75	(0.15)	9,146	5,242	5.731
BRR-W2	0.84	190966	0.86	0.87	0.81	0.83	0.83	0.84	(0.01)	12,594	1,059	0.84
BTG	23.50	190966	23.50	23.60	22.70	22.90	22.80	22.90	(0.60)	17,260	39,688	22.994
CBG	81.50	190966	81.50	81.50	80.25	80.25	80.25	80.50	(1.25)	39,991	322,938	80.754
CBG01C2310A	0.08	190966	-	0.07	0.05	0.05	0.05	0.06	(0.03)	58,413	349	0.059
CBG01C2311A	0.66	190966	-	0.64	0.58	0.58	0.57	0.58	(0.08)	18,450	1,105	0.598
CBG01C2401A	0.60	190966	-	0.59	0.55	0.55	0.54	0.55	(0.05)	24,712	1,395	0.564
CBG01C2401X	0.31	190966	-	0.30	0.27	0.27	0.27	0.28	(0.04)	32,634	938	0.287
CBG01C2402A	0.50	190966	-	0.49	0.47	0.47	0.45	0.46	(0.03)	55,272	2,623	0.474

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CBG01P2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
CBG01P2311A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
CBG01P2401A	0.26	190966	-	0.28	0.26	0.28	0.28	0.29	0.02	53,038	1,428	0.269
CBG01P2401X	0.66	190966	0.66	0.69	0.65	0.69	0.69	0.70	0.03	41,031	2,768	0.674
CBG06C2309A	0.01	190966	-	-	-	-	-	-	-	-	-	0
CBG06C2310A	0.29	190966	-	0.28	0.23	0.23	0.23	0.24	(0.06)	22,766	577	0.253
CBG06C2401A	0.34	190966	-	0.32	0.30	0.30	0.30	0.31	(0.04)	13,218	421	0.318
CBG13C2310A	0.08	190966	-	0.07	0.05	0.05	0.05	0.07	(0.03)	511	3	0.05
CBG13C2310B	0.51	190966	-	0.40	0.39	0.39	0.37	0.43	(0.12)	21	1	0.395
CBG13C2401A	0.51	190966	0.51	0.51	0.46	0.46	0.46	0.47	(0.05)	82,306	3,981	0.483
CBG13C2401B	0.36	190966	-	0.36	0.33	0.33	0.33	0.34	(0.03)	40,442	1,381	0.341
CBG13P2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
CBG13P2312A	0.10	190966	-	0.11	0.10	0.11	0.11	0.12	0.01	8,253	85	0.103
CBG13P2401A	0.53	190966	-	0.56	0.52	0.56	0.56	0.57	0.03	38,713	2,083	0.538
CBG16C2312A	0.38	190966	-	0.37	0.35	0.36	0.34	0.35	(0.02)	2,236	80	0.36
CBG19C2310A	0.17	190966	-	0.16	0.14	0.14	0.12	0.13	(0.03)	4,948	73	0.147
CBG19C2310B	0.55	190966	-	-	-	-	0.40	0.44	-	-	-	0
CBG19C2401A	0.61	190966	-	0.60	0.55	0.55	0.55	0.56	(0.06)	69,895	4,022	0.575
CBG19C2401B	0.30	190966	-	0.30	0.27	0.27	0.27	0.28	(0.03)	19,926	560	0.281
CBG19C2402A	0.52	190966	-	0.52	0.48	0.48	0.48	0.49	(0.04)	34,560	1,743	0.504
CBG19P2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
CBG19P2312A	0.10	190966	-	0.11	0.11	0.11	0.11	0.12	0.01	10,218	112	0.11
CBG19P2401A	0.56	190966	-	0.59	0.56	0.59	0.59	0.60	0.03	44,826	2,582	0.575
CBG41C2310A	0.10	190966	-	0.07	0.06	0.06	0.05	0.07	(0.04)	400	3	0.065
CBG41C2311A	0.87	190966	-	0.80	0.80	0.80	0.76	0.79	(0.07)	50	4	0.8
CBG41C2312A	0.65	190966	-	0.61	0.61	0.61	0.57	0.58	(0.04)	50	3	0.61
CBG41C2401A	0.16	190966	-	0.16	0.16	0.16	0.14	0.15	-	2,600	42	0.16
CBG41C2402A	0.41	190966	-	0.40	0.37	0.37	0.37	0.38	(0.04)	89,296	3,432	0.384
CFRESH	2.12	190966	2.18	2.30	2.14	2.22	2.22	2.24	0.10	116,279	25,930	2.229
CH	2.66	190966	-	2.68	2.58	2.58	2.58	2.62	(0.08)	1,666	434	2.606
CHOTI	128.00	190966	-	126.50	126.50	126.50	125.00	129.50	(1.50)	1	13	126.5
CM	2.18	190966	-	2.26	2.20	2.20	2.18	2.20	0.02	743	165	2.217
COCOCO	9.35	190966	9.35	10.20	9.15	10.20	10.10	10.20	0.85	1,311,926	1,269,791	9.678
CPF	21.00	190966	21.00	21.00	20.10	20.20	20.20	20.30	(0.80)	402,010	820,650	20.413
CPF01C2312A	0.13	190966	-	0.11	0.09	0.09	0.09	0.10	(0.04)	18,758	187	0.099
CPF01C2402A	0.29	190966	-	0.29	0.21	0.21	0.21	0.22	(0.08)	33,082	814	0.246
CPF06C2309A	0.02	190966	-	-	-	-	-	0.01	-	-	-	0
CPF11P2402A	0.36	190966	-	0.42	0.36	0.42	0.42	0.43	0.06	84,808	3,364	0.396
CPF13C2310A	0.02	190966	-	-	-	-	-	0.01	-	-	-	0
CPF13C2312A	0.21	190966	-	0.21	0.15	0.15	0.15	0.16	(0.06)	88,922	1,460	0.164
CPF19C2311A	0.15	190966	0.15	0.15	0.10	0.10	0.10	0.11	(0.05)	6,004	76	0.127
CPF19C2402A	0.23	190966	-	0.23	0.18	0.18	0.17	0.18	(0.05)	43,545	846	0.194
CPI	2.80	190966	2.80	2.80	2.76	2.80	2.78	2.80	-	1,739	484	2.782
F&D	29.00	190966	-	-	-	-	28.75	29.50	-	-	-	0
GLOCON	0.43	190966	0.43	0.44	0.43	0.44	0.43	0.44	0.01	86,844	3,750	0.431
GLOCON-W5	0.06	190966	-	0.05	0.04	0.05	0.04	0.06	(0.01)	11,649	58	0.049
HTC	17.60	190966	17.60	17.60	17.20	17.20	17.20	17.30	(0.40)	6,811	11,790	17.31
ICHI	15.70	190966	15.90	16.00	15.50	15.90	15.80	15.90	0.20	100,898	159,332	15.791
ITC	21.40	190966	21.30	21.50	21.10	21.30	21.30	21.40	(0.10)	71,583	152,835	21.35
JDF	2.40	190966	2.38	2.38	2.36	2.36	2.36	2.38	(0.04)	1,197	284	2.371
KBS	6.10	190966	6.10	6.30	6.00	6.15	6.10	6.15	0.05	15,710	9,671	6.155
KCG	10.60	190966	10.50	10.70	10.30	10.60	10.60	10.70	-	49,494	51,953	10.496
KSL	2.96	190966	2.98	3.04	2.94	2.96	2.96	2.98	-	70,504	20,958	2.972
KTIS	3.98	190966	3.94	3.94	3.84	3.86	3.86	3.92	(0.12)	849	331	3.9
LST	4.94	190966	4.92	4.94	4.92	4.94	4.92	4.94	-	174	86	4.921
M	46.25	190966	46.25	46.50	45.75	46.25	46.00	46.25	-	6,303	29,117	46.195
MALEE	7.65	190966	7.70	7.75	7.40	7.50	7.45	7.50	(0.15)	26,046	19,600	7.525
NRF	5.20	190966	5.20	5.20	5.05	5.05	5.05	5.10	(0.15)	34,879	17,756	5.09
NSL	23.70	190966	23.80	23.80	23.30	23.60	23.50	23.70	(0.10)	6,165	14,478	23.484
OSP	27.75	190966	27.75	27.75	27.00	27.25	27.00	27.25	(0.50)	55,744	151,535	27.184
OSP01C2312A	0.11	190966	-	0.09	0.09	0.09	0.09	0.10	(0.02)	4,000	36	0.09
OSP06C2401A	0.15	190966	-	-	-	-	0.12	0.13	-	-	-	0
OSP11C2312T	0.11	190966	-	-	-	-	0.08	0.09	-	-	-	0
OSP13C2312A	0.07	190966	-	-	-	-	0.06	0.07	-	-	-	0
OSP19C2312A	0.13	190966	-	-	-	-	0.11	0.12	-	-	-	0
OSP41C2311A	0.07	190966	-	-	-	-	0.02	0.04	-	-	-	0
OSP41C2312A	0.13	190966	-	0.12	0.11	0.11	0.10	0.11	(0.02)	25,090	278	0.11
OSP41C2401A	0.11	190966	-	0.10	0.09	0.09	0.09	0.10	(0.02)	7,300	72	0.097
PB	69.25	190966	69.75	69.75	69.25	69.25	69.00	69.75	-	15	104	69.416
PLUS	7.65	190966	7.65	7.90	7.55	7.90	7.90	7.95	0.25	34,254	26,582	7.76
PM	8.75	190966	8.75	8.75	8.65	8.65	8.65	8.70	(0.10)	1,035	899	8.681
PQS	3.02	190966	3.00	3.02	3.00	3.02	3.00	3.02	-	1,908	576	3.016
PRG	12.20	190966	12.20	12.20	12.00	12.00	12.00	12.10	(0.20)	735	889	12.097
PRG-W1	8.70	190966	-	8.60	6.70	8.60	7.00	8.50	(0.10)	47	37	7.889
PRG-W2	6.65	190966	-	-	-	-	6.65	7.35	-	-	-	0
PRG-W3	6.35	190966	-	6.40	6.40	6.40	6.40	6.65	0.05	3	2	6.4
RBF	11.30	190966	11.20	11.30	11.10	11.10	11.10	11.20	(0.20)	16,607	18,563	11.178
RBF01C2401A	0.16	190966	0.16	0.16	0.15	0.15	0.15	0.16	(0.01)	7,109	107	0.15
RBF06C2310A	0.09	190966	-	0.08	0.08	0.08	0.08	0.09	(0.01)	12,500	100	0.08
RBF08C2309A	0.05	190966	-	-	-	-	-	0.01	-	-	-	0
RBF13C2310A	0.14	190966	-	0.05	0.04	0.04	0.04	0.05	(0.10)	7,041	34	0.048
RBF13C2312A	0.14	190966	-	0.14	0.13	0.13	0.12	0.13	(0.01)	16,545	219	0.132
RBF19C2310A	0.05	190966	-	-	-	-	0.03	0.04	-	-	-	0
RBF19C2401A	0.16	190966	-	0.15	0.15	0.15	0.15	0.16	(0.01)	1,217	18	0.15
SAPPE	82.75	190966	83.00	83.25	80.00	80.00	80.00	80.25	(2.75)	14,793	119,599	80.848
SAUCE	38.75	190966	38.25	39.00	38.25	39.00	38.50	39.00	0.25	159	613	38.555
SNNP	21.20	190966	21.10	21.20	20.70	20.70	20.70	20.80	(0.50)	32,769	68,399	20.873
SNNP01C2312A	0.07	190966	-	0.07	0.07	0.07	0.05	0.06	-	1	-	0.07
SNNP01C2401A	0.27	190966	-	0.26	0.23	0.23	0.23	0.25	(0.04)	23,765	573	0.241
SNNP06C2401A	0.25	190966	-	0.25	0.22	0.22	0.22	0.23	(0.03)	14,279	337	0.236
SNNP13C2311A	0.07	190966	-	-	-	-	0.05	0.06	-	-	-	0
SNNP13C2312A	0.20	190966	-	0.19	0.16	0.16	0.16	0.17	(0.04)	37,574	660	0.175
SNNP19C2311A	0.04	190966	-	-	-	-	0.02	0.03	-	-	-	0

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SNNP19C2312A	0.22	190966	0.21	0.21	0.20	0.20	0.19	0.20	(0.02)	5,886	119	0.201
SNNP19C2402A	0.34	190966	-	0.33	0.31	0.31	0.30	0.31	(0.03)	13,402	420	0.313
SNP	17.30	190966	-	17.70	17.30	17.30	17.20	17.30	-	28	49	17.346
SORKON	4.70	190966	4.70	4.88	4.66	4.70	4.70	4.78	-	1,742	817	4.689
SSC	34.75	190966	38.25	38.25	36.75	36.75	34.75	36.50	2.00	5	19	37.7
SSF	8.10	190966	-	-	-	-	8.00	8.10	-	-	-	0
SST	5.80	190966	-	5.80	5.75	5.80	5.75	5.80	-	11	6	5.768
SUN	5.25	190966	5.25	5.25	5.05	5.05	5.00	5.05	(0.20)	31,885	16,251	5.096
TC	6.55	190966	6.40	6.65	6.40	6.55	6.45	6.55	-	662	430	6.499
TFG	3.80	190966	3.82	3.82	3.74	3.76	3.74	3.76	(0.04)	32,936	12,371	3.755
TFG-W3	0.29	190966	0.29	0.29	0.28	0.29	0.28	0.29	-	526	15	0.283
TFMAMA	195.50	190966	-	196.00	195.50	196.00	193.50	196.00	0.50	8	157	195.812
TIPCO	9.10	190966	9.15	9.15	9.10	9.10	9.10	9.15	-	7,415	6,760	9.117
TKN	12.90	190966	12.90	13.00	12.70	12.90	12.80	12.90	-	55,641	71,565	12.861
TU	14.20	190966	14.30	14.30	14.00	14.10	14.10	14.20	(0.10)	190,590	269,047	14.116
TU01C2311X	0.15	190966	0.16	0.16	0.13	0.13	0.13	0.14	(0.02)	23,506	307	0.13
TU01C2401A	0.32	190966	-	0.31	0.28	0.29	0.29	0.30	(0.03)	23,936	699	0.291
TU01P2311X	0.04	190966	-	-	-	-	0.04	0.05	-	-	-	0
TU06C2310A	0.02	190966	-	-	-	-	-	0.01	-	-	-	0
TU06C2312A	0.19	190966	-	0.19	0.19	0.19	0.18	0.19	-	20,805	395	0.19
TU11C2311T	0.03	190966	-	-	-	-	0.02	0.04	-	-	-	0
TU11C2402T	0.26	190966	-	0.26	0.25	0.25	0.24	0.25	(0.01)	48,037	1,218	0.253
TU13C2310A	0.01	190966	-	-	-	-	-	0.02	-	-	-	0
TU13C2311A	0.08	190966	-	0.08	0.07	0.07	0.07	0.08	(0.01)	17,282	123	0.071
TU13C2312A	0.24	190966	-	0.23	0.22	0.22	0.22	0.23	(0.02)	20,126	449	0.223
TU13P2312A	0.07	190966	-	-	-	-	0.08	0.09	-	-	-	0
TU19C2309B	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
TU19C2311A	0.16	190966	0.17	0.17	0.15	0.15	0.15	0.16	(0.01)	17,214	272	0.158
TU41C2312A	0.31	190966	-	-	-	-	0.27	0.29	-	-	-	0
TU41C2401A	0.14	190966	-	-	-	-	0.12	0.13	-	-	-	0
TU41C2402A	0.21	190966	-	0.21	0.20	0.20	0.20	0.21	(0.01)	43,256	887	0.204
TVO	22.90	190966	22.90	22.90	22.70	22.90	22.80	22.90	-	4,219	9,620	22.8
TWPC	4.18	190966	4.18	4.18	4.16	4.18	4.18	4.22	-	2,042	852	4.174
W	0.87	190966	0.85	0.86	0.84	0.86	0.84	0.86	(0.01)	17,913	1,519	0.848
W-W5	0.01	190966	0.01	0.02	0.01	0.02	0.01	0.02	0.01	61,349	61	0.01
ZEN	12.00	190966	11.90	12.00	11.90	11.90	11.90	12.10	(0.10)	825	984	11.931
Health Care Services												
AHC	18.70	190966	18.70	18.70	18.40	18.60	18.60	18.70	(0.10)	909	1,690	18.592
BCH	19.30	190966	19.20	19.20	18.90	19.10	19.00	19.10	(0.20)	113,811	216,445	19.017
BCH01C2310A	0.03	190966	-	0.01	0.01	0.01	0.01	0.02	(0.02)	439	-	0.01
BCH01C2401A	0.33	190966	-	0.30	0.29	0.30	0.29	0.30	(0.03)	90,900	2,649	0.291
BCH01P2311A	0.09	190966	-	-	-	-	0.06	0.07	-	-	-	0
BCH01P2402X	0.32	190966	-	0.34	0.32	0.33	0.33	0.34	0.01	17,770	585	0.329
BCH06C2309A	0.06	190966	-	-	-	-	-	-	-	-	-	0
BCH06C2401A	0.32	190966	-	0.28	0.27	0.27	0.27	0.28	(0.05)	69,001	1,877	0.271
BCH11C2402T	0.41	190966	-	0.37	0.36	0.36	0.37	0.38	(0.05)	33,776	1,220	0.361
BCH13C2310A	0.04	190966	-	-	-	-	0.02	0.03	-	-	-	0
BCH13C2312A	0.27	190966	-	0.25	0.24	0.25	0.25	0.26	(0.02)	54,613	1,319	0.241
BCH13P2312A	0.11	190966	-	0.11	0.11	0.11	0.11	0.12	-	1	-	0.11
BCH19C2310A	0.04	190966	-	-	-	-	0.02	0.03	-	-	-	0
BCH19C2402A	0.33	190966	-	0.29	0.28	0.29	0.28	0.29	(0.04)	27,957	802	0.286
BDMS	26.25	190966	26.00	26.50	25.75	26.50	26.25	26.50	0.25	1,278,169	3,340,176	26.132
BDMS01C2311A	0.03	190966	-	0.02	0.02	0.02	0.02	0.03	(0.01)	2,500	5	0.02
BDMS01C2402A	0.11	190966	0.11	0.11	0.11	0.11	0.11	0.12	-	13,880	153	0.11
BDMS01P2311A	0.09	190966	-	0.10	0.09	0.09	0.09	0.10	-	14,000	130	0.092
BDMS06C2402A	0.15	190966	-	-	-	-	0.15	0.16	-	-	-	0
BDMS11C2310T	0.06	190966	-	-	-	-	0.03	0.04	-	-	-	0
BDMS13C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
BDMS13C2312A	0.08	190966	-	0.09	0.07	0.08	0.08	0.09	-	6,325	50	0.079
BDMS13P2402A	0.26	190966	-	0.28	0.25	0.25	0.25	0.26	(0.01)	19,100	518	0.271
BDMS19C2310A	0.09	190966	-	-	-	-	0.01	0.02	-	-	-	0
BDMS19C2312A	0.08	190966	-	-	-	-	0.08	0.09	-	-	-	0
BDMS41C2312A	0.11	190966	-	0.08	0.08	0.08	0.09	0.10	(0.03)	1,000	8	0.08
BDMS41C2402A	0.15	190966	-	0.14	0.13	0.14	0.14	0.15	(0.01)	2,200	30	0.135
BH	261.00	190966	260.00	262.00	254.00	257.00	257.00	258.00	(4.00)	23,033	593,877	257.837
BH-P	22.80	190966	-	-	-	-	27.75	-	-	-	-	0
BH-Q	23.40	190966	-	-	-	-	34.25	-	-	-	-	0
BH01C2310A	0.04	190966	-	0.02	0.02	0.02	0.02	0.03	(0.02)	2	-	0.02
BH01C2312X	0.30	190966	-	0.29	0.24	0.26	0.25	0.26	(0.04)	106,277	2,803	0.263
BH01C2401A	0.64	190966	-	0.64	0.57	0.60	0.58	0.61	(0.04)	57,956	3,432	0.592
BH01C2402A	0.43	190966	0.43	0.43	0.38	0.39	0.39	0.40	(0.04)	67,545	2,705	0.4
BH01P2312X	0.07	190966	-	0.08	0.08	0.08	0.07	0.08	0.01	500	4	0.08
BH01P2401A	0.23	190966	-	0.25	0.23	0.24	0.24	0.25	0.01	65,734	1,557	0.236
BH01P2402X	0.59	190966	-	0.63	0.58	0.60	0.60	0.61	0.01	45,203	2,724	0.602
BH06C2312A	0.41	190966	-	0.42	0.35	0.39	0.37	0.39	(0.02)	39,532	1,615	0.408
BH06C2401A	0.79	190966	0.77	0.79	0.71	0.74	0.74	0.76	(0.05)	40,910	3,197	0.781
BH13C2310A	0.08	190966	-	0.06	0.05	0.05	0.05	0.06	(0.03)	10,122	54	0.053
BH13C2312A	0.57	190966	-	0.54	0.48	0.48	0.49	0.54	(0.09)	121,964	5,953	0.488
BH13C2401A	0.37	190966	0.36	0.36	0.31	0.33	0.33	0.35	(0.04)	151,592	5,151	0.339
BH13P2401A	0.13	190966	-	0.14	0.13	0.13	0.13	0.15	-	14,466	196	0.135
BH13P2402A	0.38	190966	0.39	0.42	0.38	0.40	0.40	0.42	0.02	41,100	1,648	0.4
BH19C2310A	0.09	190966	-	0.08	0.07	0.07	0.07	0.08	(0.02)	8,942	66	0.073
BH19C2312A	0.56	190966	0.56	0.56	0.54	0.54	0.52	0.53	(0.02)	750	41	0.555
BH19C2401A	0.40	190966	0.38	0.39	0.34	0.36	0.35	0.36	(0.04)	47,106	1,746	0.37
BH41C2311A	0.29	190966	-	0.28	0.22	0.25	0.24	0.25	(0.04)	16,343	416	0.254
BH41C2312A	0.75	190966	-	0.76	0.74	0.74	0.69	0.71	(0.01)	1,000	75	0.75
BH41C2312B	0.28	190966	-	0.27	0.23	0.25	0.24	0.25	(0.03)	46,800	1,210	0.258
CHG	3.26	190966	3.24	3.26	3.18	3.22	3.20	3.22	(0.04)	248,146	79,464	3.202
CHG01C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
CHG01C2311A	0.11	190966	-	0.10	0.09	0.09	0.09	0.10	(0.02)	11,803	106	0.09
CHG01C2401A	0.33	190966	-	0.31	0.28	0.29	0.29	0.30	(0.04)	97,209	2,876	0.295
CHG01P2311A	0.06	190966	-	0.06	0.05	0.06	0.05	0.06	-	71	-	0.059
CHG01P2402X	0.27	190966	-	0.30	0.28	0.28	0.28	0.29	0.01	62,808	1,770	0.281

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CHG06C2310A	0.05	190966	-	-	-	-	0.03	0.04	-	-	-	0
CHG06C2401A	0.24	190966	-	0.24	0.22	0.22	0.22	0.23	(0.02)	45,874	1,048	0.228
CHG11C2310A	0.03	190966	-	-	-	-	0.03	0.04	-	-	-	0
CHG13C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
CHG13C2311A	0.10	190966	-	0.09	0.08	0.09	0.09	0.10	(0.01)	35,606	314	0.088
CHG13C2312A	0.50	190966	-	0.36	0.36	0.36	0.36	0.40	(0.14)	1	-	0.36
CHG13P2401A	0.10	190966	-	0.11	0.10	0.10	0.09	0.11	-	4,000	42	0.105
CHG19C2311A	0.15	190966	-	0.14	0.12	0.13	0.13	0.14	(0.02)	11,296	147	0.13
CMR	2.36	190966	2.34	2.36	2.32	2.32	2.32	2.34	(0.04)	448	105	2.335
EKH	8.00	190966	8.00	8.00	7.85	7.85	7.85	7.90	(0.15)	25,418	20,136	7.921
EKH-W1	1.94	190966	-	1.93	1.85	1.85	1.85	1.88	(0.09)	12,995	2,428	1.868
KDH	96.25	190966	-	97.25	97.00	97.25	96.50	97.75	1.00	3	29	97.083
LPH	5.00	190966	5.00	5.00	4.96	5.00	4.96	5.00	-	992	494	4.983
M-CHAI	72.00	190966	72.00	74.00	71.50	72.50	72.50	72.75	0.50	394	2,863	72.657
NEW	100.00	190966	-	-	-	-	85.25	100.00	-	-	-	0
NTV	39.75	190966	-	39.75	39.25	39.50	39.50	39.75	(0.25)	448	1,764	39.371
PHG	13.00	190966	13.10	13.10	12.50	12.60	12.60	12.70	(0.40)	10,237	12,957	12.656
PR9	17.10	190966	17.10	17.20	17.00	17.10	17.10	17.20	-	5,649	9,654	17.089
PRINC	5.00	190966	5.00	5.05	4.88	4.98	4.94	4.98	(0.02)	28,830	14,236	4.937
RAM	43.00	190966	43.00	43.25	42.50	43.25	42.50	43.25	0.25	102	439	43.053
RJH	28.50	190966	28.50	28.50	28.25	28.50	28.50	28.75	-	1,260	3,590	28.489
RPH	6.60	190966	6.55	6.60	6.55	6.55	6.55	6.60	(0.05)	6,402	4,194	6.55
SKR	11.50	190966	11.40	11.50	11.20	11.50	11.40	11.50	-	4,481	5,081	11.339
THG	67.25	190966	67.50	67.50	66.25	66.75	66.50	66.75	(0.50)	5,004	33,448	66.843
THG19C2401A	0.17	190966	-	-	-	-	0.16	0.17	-	-	-	0
VIBHA	2.28	190966	2.28	2.30	2.24	2.24	2.24	2.26	(0.04)	52,345	11,826	2.259
VIBHA-W4	0.15	190966	0.16	0.16	0.14	0.15	0.14	0.15	-	16,156	229	0.141
VIH	7.85	190966	7.80	7.85	7.75	7.85	7.80	7.85	-	1,154	900	7.801
WPH	6.00	190966	5.90	6.15	5.90	6.00	5.95	6.00	-	4,224	2,543	6.019
Tourism & Leisure												
ASIA	6.85	190966	-	6.95	6.85	6.90	6.85	6.95	0.05	164	113	6.902
BEYOND	13.40	190966	13.00	13.30	12.80	13.00	12.90	13.00	(0.40)	5,192	6,714	12.931
BEYOND-W2	3.88	190966	-	3.84	3.70	3.84	3.70	3.84	(0.04)	978	363	3.71
CENTEL	47.75	190966	48.00	48.00	47.00	47.75	47.75	48.00	-	41,843	198,850	47.522
CENTEL01C2311A	0.05	190966	-	-	-	-	0.04	0.05	-	-	-	0
CENTEL01C2401A	0.30	190966	-	0.29	0.27	0.29	0.29	0.30	(0.01)	55,784	1,561	0.279
CENTEL01P2401A	0.39	190966	0.39	0.40	0.38	0.38	0.38	0.39	(0.01)	37,084	1,444	0.389
CENTEL06C2310A	0.02	190966	-	-	-	-	-	0.01	-	-	-	0
CENTEL06C2401A	0.42	190966	-	0.43	0.40	0.41	0.43	0.44	(0.01)	4,245	176	0.415
CENTEL11C2311T	0.09	190966	-	-	-	-	0.02	0.03	-	-	-	0
CENTEL11C2402T	0.37	190966	-	0.37	0.35	0.36	0.37	0.38	(0.01)	50,442	1,824	0.361
CENTEL11P2311A	0.41	190966	0.40	0.42	0.40	0.40	0.40	0.41	(0.01)	48,325	1,975	0.408
CENTEL13C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL13C2312A	0.23	190966	-	0.24	0.22	0.23	0.23	0.24	-	16,384	369	0.225
CENTEL13C2401A	0.35	190966	-	0.36	0.33	0.35	0.35	0.36	-	34,283	1,181	0.344
CENTEL13P2401A	0.16	190966	-	0.16	0.16	0.16	0.16	0.17	-	10,502	168	0.16
CENTEL19C2310A	0.05	190966	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL19C2312A	0.22	190966	0.22	0.23	0.21	0.22	0.22	0.23	-	16,656	365	0.219
CENTEL41C2311A	0.07	190966	-	-	-	-	0.06	0.07	-	-	-	0
CENTEL41C2312A	0.35	190966	-	0.34	0.32	0.34	0.34	0.35	(0.01)	21,326	709	0.332
CENTEL41C2401A	0.30	190966	-	0.30	0.28	0.30	0.30	0.31	-	36,800	1,077	0.292
CSR	71.00	190966	-	72.50	69.75	69.75	68.50	69.75	(1.25)	24	168	69.885
DUSIT	10.60	190966	10.40	10.60	10.20	10.30	10.20	10.30	(0.30)	10,346	10,717	10.358
ERW	5.60	190966	5.60	5.70	5.55	5.65	5.65	5.70	0.05	121,952	68,637	5.628
ERW-W3	2.50	190966	-	2.54	2.46	2.54	2.50	2.54	0.04	631	157	2.485
ERW01C2312A	0.67	190966	-	0.69	0.66	0.69	0.69	0.73	0.02	5,214	358	0.686
ERW01C2402A	0.27	190966	-	0.28	0.27	0.28	0.28	0.29	0.01	29,994	828	0.276
ERW01P2402X	0.29	190966	-	0.28	0.28	0.28	0.28	0.29	(0.01)	25,640	718	0.28
ERW06C2401A	0.56	190966	-	-	-	-	0.59	0.62	-	-	-	0
ERW06C2402A	0.26	190966	-	0.26	0.25	0.25	0.26	0.27	(0.01)	9,753	249	0.254
ERW13C2311A	0.41	190966	-	-	-	-	0.53	0.59	-	-	-	0
ERW13C2401A	0.26	190966	-	0.27	0.26	0.27	0.27	0.28	0.01	43,193	1,156	0.267
ERW19C2311A	0.39	190966	-	-	-	-	0.41	0.47	-	-	-	0
ERW19C2401A	0.30	190966	-	0.29	0.28	0.29	0.29	0.30	(0.01)	18,518	529	0.285
ERW19C2401B	0.19	190966	-	0.19	0.19	0.19	0.19	0.20	-	5,184	98	0.19
GRAND	0.21	190966	0.21	0.21	0.20	0.21	0.20	0.21	-	5,537	111	0.2
LRH	38.50	190966	38.50	38.50	38.00	38.00	38.00	38.25	(0.50)	25	95	38.03
MANRIN	28.75	190966	-	28.75	28.75	28.75	27.25	29.00	-	3	9	28.75
MINT	31.00	190966	31.00	31.25	30.50	30.75	30.50	30.75	(0.25)	191,575	591,814	30.892
MINT-W9	2.12	190966	-	2.10	1.96	1.96	1.96	2.02	(0.16)	5,562	1,109	1.993
MINT01C2312A	0.08	190966	-	0.07	0.06	0.07	0.06	0.07	(0.01)	3,375	23	0.069
MINT01C2403A	0.20	190966	-	0.19	0.18	0.18	0.18	0.19	(0.02)	7,557	143	0.189
MINT01P2311A	0.14	190966	-	0.15	0.14	0.15	0.15	0.16	0.01	49,296	705	0.142
MINT06C2309A	0.04	190966	-	-	-	-	-	-	-	-	-	0
MINT06C2402A	0.16	190966	-	-	-	-	0.12	0.13	-	-	-	0
MINT11C2310T	0.08	190966	-	-	-	-	0.05	0.06	-	-	-	0
MINT11P2309A	0.01	190966	-	-	-	-	0.01	0.04	-	-	-	0
MINT13C2311A	0.03	190966	-	-	-	-	0.02	0.03	-	-	-	0
MINT13C2312A	0.09	190966	-	0.10	0.08	0.08	0.08	0.09	(0.01)	41,996	374	0.089
MINT13P2312A	0.13	190966	-	0.13	0.13	0.13	0.13	0.15	-	1,600	21	0.13
MINT19C2312A	0.10	190966	-	-	-	-	0.07	0.08	-	-	-	0
MINT41C2310A	0.03	190966	-	-	-	-	0.01	0.03	-	-	-	0
MINT41C2311A	0.06	190966	-	-	-	-	0.03	0.05	-	-	-	0
MINT41C2401A	0.11	190966	-	0.11	0.10	0.10	0.10	0.11	(0.01)	36,828	402	0.109
MINT41P2310A	0.08	190966	-	-	-	-	0.05	0.07	-	-	-	0
OHTL	500.00	190966	-	492.00	480.00	480.00	478.00	492.00	(20.00)	18	873	485.111
ROH	3.00	190966	-	3.04	2.98	3.04	3.00	3.04	0.04	106	32	3.022
SHANG	51.75	190966	51.75	52.00	51.50	51.75	51.25	52.00	-	26	134	51.653
SHR	2.74	190966	2.76	2.76	2.68	2.74	2.72	2.74	-	44,366	12,027	2.711
VRANDA	6.65	190966	-	6.75	6.55	6.65	6.60	6.65	-	280	185	6.608
Home & Office Produc												
AJA	0.20	190966	0.20	0.21	0.19	0.20	0.19	0.20	-	35,574	705	0.198
AJA-W3	0.07	190966	-	0.07	0.06	0.07	0.06	0.07	-	436	3	0.06

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AJA-W4	0.05	190966	0.05	0.05	0.04	0.05	0.04	0.05	-	524	2	0.047
DTCI	31.25	190966	30.00	30.00	29.75	29.75	29.75	32.00	(1.50)	31	93	29.991
FANCY	0.57	190966	-	0.58	0.55	0.56	0.54	0.56	(0.01)	1,190	67	0.559
FTI	2.10	190966	2.08	2.08	2.06	2.08	2.08	2.10	(0.02)	7,454	1,545	2.072
KYE	295.00	190966	297.00	297.00	293.00	297.00	295.00	297.00	2.00	13	384	295.23
L&E	1.54	190966	1.62	1.62	1.48	1.48	1.48	1.54	(0.06)	658	99	1.504
MODERN	2.88	190966	2.88	2.90	2.86	2.90	2.82	2.88	0.02	92	27	2.891
OGC	24.90	190966	-	24.50	24.50	24.50	24.20	24.90	(0.40)	3	7	24.5
ROCK	8.20	190966	-	8.40	8.40	8.40	8.15	8.35	0.20	42	35	8.4
SBNEXT	2.16	190966	2.14	2.14	2.06	2.08	2.08	2.10	(0.08)	32,596	6,837	2.097
SBNEXT-W2	0.38	190966	0.38	0.38	0.36	0.37	0.37	0.38	(0.01)	12,451	462	0.371
SIAM	1.45	190966	-	1.45	1.43	1.43	1.43	1.44	(0.02)	98	14	1.438
TCMC	1.68	190966	-	1.67	1.65	1.67	1.67	1.68	(0.01)	4,917	818	1.663
Insurance												
AYUD	38.00	190966	38.25	38.25	37.75	37.75	37.75	38.25	(0.25)	150	570	37.983
BKI	315.00	190966	315.00	316.00	314.00	315.00	314.00	316.00	-	158	4,976	314.936
BLA	27.25	190966	27.25	27.75	27.00	27.50	27.25	27.50	0.25	47,819	130,712	27.332
BLA01C2403A	0.26	190966	-	0.27	0.25	0.27	0.27	0.28	0.01	55,575	1,472	0.264
BLA13C2310A	0.02	190966	-	0.03	0.03	0.03	0.02	0.03	0.01	2,000	6	0.03
BLA13C2312A	0.35	190966	-	-	-	-	0.45	0.50	-	-	-	0
BLA13C2402A	0.24	190966	-	0.25	0.23	0.25	0.24	0.25	0.01	64,736	1,582	0.244
BLA13P2402A	0.21	190966	-	0.21	0.20	0.20	0.20	0.21	(0.01)	5,090	103	0.202
BLA19C2311A	0.08	190966	-	0.08	0.07	0.08	0.08	0.09	-	5,020	38	0.075
BLA19C2401A	0.55	190966	-	-	-	-	0.69	0.75	-	-	-	0
BLA19C2402A	0.25	190966	-	0.26	0.24	0.26	0.25	0.26	0.01	43,255	1,110	0.256
BUI	19.30	190966	19.30	19.60	19.30	19.50	19.40	19.60	0.20	8	16	19.425
CHARAN	26.75	190966	-	26.75	26.75	26.75	26.50	26.75	-	1	3	26.75
INSURE	125.00	190966	-	-	-	-	123.00	131.50	-	-	-	0
KWI	0.64	190966	-	0.65	0.59	0.61	0.61	0.62	(0.03)	5,570	341	0.612
MTI	117.00	190966	-	119.00	119.00	119.00	119.00	120.00	2.00	8	95	119
NKI	29.50	190966	-	29.50	29.50	29.50	29.50	30.00	-	4	12	29.5
SMK	0.80	190966	-	-	-	-	-	-	-	-	-	0
TGH	18.00	190966	-	-	-	-	17.90	18.10	-	-	-	0
THRE	0.92	190966	0.93	0.93	0.91	0.91	0.91	0.92	(0.01)	26,611	2,454	0.922
THREL	3.50	190966	3.44	3.50	3.42	3.46	3.46	3.48	(0.04)	3,031	1,044	3.443
TIPH	39.75	190966	40.25	40.25	39.50	39.75	39.50	39.75	-	2,320	9,195	39.633
TIPH11C2309A	0.06	190966	-	-	-	-	0.01	0.04	-	-	-	0
TIPH13C2310A	0.05	190966	-	-	-	-	0.01	0.02	-	-	-	0
TIPH19C2311A	0.05	190966	-	-	-	-	0.03	0.04	-	-	-	0
TLI	13.20	190966	13.30	13.40	13.00	13.10	13.10	13.20	(0.10)	88,017	116,056	13.185
TLI01C2312A	0.19	190966	0.20	0.20	0.18	0.18	0.18	0.19	(0.01)	30,679	584	0.19
TLI01C2401A	0.38	190966	-	0.39	0.36	0.36	0.36	0.38	(0.02)	7,581	286	0.377
TLI01P2312A	0.06	190966	-	-	-	-	0.05	0.06	-	-	-	0
TLI01P2403X	0.33	190966	-	0.33	0.32	0.33	0.33	0.34	-	6,898	223	0.323
TLI06C2312A	0.16	190966	-	0.16	0.14	0.15	0.14	0.15	(0.01)	29,894	456	0.152
TLI06C2402A	0.39	190966	-	0.39	0.38	0.38	0.37	0.38	(0.01)	29,060	1,115	0.383
TLI13C2311A	0.15	190966	-	0.14	0.14	0.14	0.13	0.14	(0.01)	300	4	0.14
TLI13C2312A	0.32	190966	-	-	-	-	0.30	0.32	-	-	-	0
TLI13C2402A	0.25	190966	0.26	0.26	0.24	0.24	0.24	0.25	(0.01)	31,052	780	0.251
TLI13P2401A	0.11	190966	-	0.11	0.11	0.11	0.11	0.12	-	8,706	96	0.11
TLI19C2311A	0.18	190966	-	0.17	0.16	0.16	0.16	0.17	(0.02)	32,040	539	0.168
TLI19C2401A	0.38	190966	-	-	-	-	0.36	0.37	-	-	-	0
TLI41C2312A	0.18	190966	-	0.18	0.16	0.17	0.16	0.17	(0.01)	30,040	507	0.168
TLI41C2312B	0.29	190966	-	-	-	-	0.28	0.30	-	-	-	0
TLI41C2401A	0.36	190966	-	0.36	0.36	0.36	0.36	0.38	-	500	18	0.36
TQM	33.00	190966	33.25	33.50	32.25	32.50	32.25	32.50	(0.50)	6,877	22,582	32.836
TQM01C2310A	0.14	190966	-	0.15	0.12	0.12	0.12	0.13	(0.02)	45,481	612	0.134
TQM13C2310A	0.11	190966	-	0.12	0.09	0.09	0.09	0.10	(0.02)	27,917	280	0.1
TQM19C2310A	0.10	190966	-	0.10	0.08	0.08	0.07	0.08	(0.02)	22,454	214	0.095
TSI	0.21	190966	0.21	0.21	0.20	0.21	0.20	0.21	-	1,965	39	0.2
TVH	9.65	190966	-	9.65	9.60	9.60	9.60	9.65	(0.05)	455	438	9.618
Mining												
THL	0.46	190966	-	-	-	-	-	-	-	-	-	0
Packaging												
AJ	8.45	190966	8.45	8.45	8.25	8.30	8.30	8.35	(0.15)	1,529	1,276	8.344
ALUCON	182.00	190966	182.00	182.00	182.00	182.00	180.00	182.00	-	5	91	182
BGC	9.20	190966	9.05	9.10	8.90	9.10	9.05	9.10	(0.10)	8,669	7,822	9.022
CSC	46.25	190966	-	46.00	46.00	46.00	46.00	46.50	(0.25)	7	32	46
CSC-P	150.00	190966	-	-	-	-	150.00	-	-	-	-	0
CSC-Q	76.00	190966	-	-	-	-	-	-	-	-	-	0
NEP	0.21	190966	0.19	0.21	0.19	0.20	0.19	0.20	(0.01)	28,285	566	0.2
PJW	4.14	190966	4.18	4.20	4.02	4.04	4.04	4.10	(0.10)	39,450	16,229	4.113
PJW-W1	1.31	190966	-	1.26	1.20	1.21	1.20	1.29	(0.10)	1,201	145	1.204
PTL	14.10	190966	14.10	14.10	13.60	13.70	13.70	13.80	(0.40)	6,561	9,055	13.801
SCGP	38.75	190966	38.75	39.50	38.25	39.00	38.75	39.00	0.25	80,858	314,674	38.915
SCGP01C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2312A	0.22	190966	-	0.23	0.20	0.22	0.22	0.23	-	69,866	1,501	0.214
SCGP01C2312X	0.08	190966	-	0.09	0.08	0.08	0.08	0.09	-	51,932	427	0.082
SCGP01C2402A	0.21	190966	0.20	0.22	0.19	0.21	0.21	0.22	-	137,329	2,746	0.199
SCGP01P2312A	0.17	190966	-	0.18	0.16	0.16	0.16	0.17	(0.01)	81,013	1,385	0.171
SCGP01P2402X	0.40	190966	-	0.41	0.38	0.38	0.39	0.40	(0.02)	30,566	1,210	0.395
SCGP06C2309A	0.02	190966	-	-	-	-	-	-	-	-	-	0
SCGP06C2311A	0.04	190966	-	-	-	-	0.03	0.04	-	-	-	0
SCGP06C2401A	0.22	190966	-	0.22	0.20	0.21	0.21	0.22	(0.01)	56,596	1,184	0.209
SCGP11C2311T	0.02	190966	-	-	-	-	0.01	0.05	-	-	-	0
SCGP11C2312T	0.17	190966	-	0.18	0.16	0.17	0.17	0.18	-	66,251	1,123	0.169
SCGP11P2309A	0.16	190966	-	-	-	-	0.05	0.06	-	-	-	0
SCGP11P2312A	0.24	190966	-	0.25	0.23	0.23	0.23	0.24	(0.01)	37,887	914	0.241
SCGP13C2310A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SCGP13C2311A	0.09	190966	-	0.10	0.09	0.10	0.10	0.11	0.01	53,061	507	0.095
SCGP13C2402A	0.17	190966	-	0.18	0.16	0.17	0.17	0.18	-	46,629	808	0.173
SCGP13P2312A	0.13	190966	-	0.13	0.12	0.12	0.12	0.13	(0.01)	10,584	131	0.123
SCGP19C2310A	0.06	190966	-	-	-	-	0.01	0.02	-	-	-	0

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SCGP19C2311A	0.10	190966	0.09	0.10	0.09	0.09	0.08	0.09	(0.01)	52,859	505	0.095
SCGP19C2401A	0.17	190966	-	0.17	0.16	0.17	0.17	0.18	-	7,350	122	0.166
SCGP19C2402A	0.27	190966	-	0.28	0.25	0.27	0.27	0.28	-	41,348	1,074	0.259
SCGP41C2310A	0.02	190966	-	-	-	-	0.01	0.03	-	-	-	0
SCGP41C2311A	0.06	190966	-	-	-	-	0.05	0.07	-	-	-	0
SCGP41C2312A	0.23	190966	0.23	0.26	0.22	0.24	0.24	0.25	0.01	71,600	1,703	0.237
SCGP41C2401A	0.15	190966	-	0.15	0.14	0.15	0.15	0.16	-	29,911	429	0.143
SFLEX	3.32	190966	3.30	3.42	3.30	3.42	3.40	3.42	0.10	36,349	12,251	3.37
SFLEX-W2	0.25	190966	-	0.27	0.25	0.25	0.25	0.26	-	29,225	760	0.259
SITHAI	1.20	190966	1.20	1.20	1.19	1.19	1.19	1.20	(0.01)	8,873	1,062	1.196
SLP	0.45	190966	-	0.45	0.43	0.45	0.44	0.45	-	91	4	0.43
SMPC	11.30	190966	11.30	11.30	11.10	11.30	11.20	11.30	-	1,749	1,964	11.227
SPACK	2.18	190966	-	2.26	2.18	2.20	2.18	2.20	0.02	2,087	462	2.211
TCOAT	26.50	190966	-	-	-	-	25.50	27.00	-	-	-	0
TFI	0.11	190966	0.10	0.11	0.10	0.11	0.10	0.11	-	493	5	0.102
TFI-W1	0.04	190966	-	0.05	0.04	0.05	0.04	0.05	0.01	115	-	0.041
THIP	26.25	190966	26.00	26.25	25.75	26.00	25.75	26.00	(0.25)	450	1,169	25.969
TMD	24.70	190966	-	24.50	24.40	24.50	24.30	24.60	(0.20)	2	5	24.45
TOPP	154.00	190966	-	-	-	-	153.50	160.00	-	-	-	0
TPAC	16.00	190966	16.00	16.10	15.60	15.70	15.60	15.70	(0.30)	1,313	2,073	15.788
TPBI	3.12	190966	3.16	3.18	3.10	3.16	3.10	3.16	0.04	1,326	415	3.128
TPP	17.30	190966	-	17.30	17.30	17.30	14.60	17.30	-	10	17	17.3
Personal Products												
APCO	5.80	190966	5.65	5.85	5.65	5.85	5.70	5.85	0.05	2,736	1,554	5.681
BIZ	3.58	190966	3.62	3.68	3.58	3.62	3.58	3.62	0.04	1,239	445	3.591
BLC	5.55	190966	5.60	5.60	5.30	5.35	5.35	5.40	(0.20)	16,180	8,769	5.419
DDD	11.50	190966	11.50	11.50	11.40	11.40	11.40	11.60	(0.10)	144	165	11.438
JCT	81.75	190966	-	81.75	81.25	81.75	81.00	82.00	-	3	24	81.5
KISS	5.80	190966	5.70	5.80	5.60	5.60	5.55	5.65	(0.20)	5,589	3,144	5.624
NV	2.54	190966	-	2.60	2.54	2.54	2.54	2.56	-	1,636	419	2.559
OCC	10.00	190966	-	-	-	-	9.75	10.30	-	-	-	0
S&J	53.50	190966	-	53.75	53.75	53.75	53.50	53.75	0.25	15	81	53.75
STGT	6.95	190966	7.00	7.00	6.65	6.70	6.70	6.75	(0.25)	97,452	65,919	6.764
STGT01C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
STGT01C2401A	0.21	190966	-	0.20	0.17	0.17	0.17	0.18	(0.04)	8,306	146	0.175
STGT01P2402X	0.45	190966	-	0.51	0.44	0.51	0.51	0.52	0.06	23,849	1,155	0.484
STGT06C2401A	0.19	190966	-	0.19	0.15	0.15	0.15	0.16	(0.04)	4,300	69	0.159
STGT11C2311T	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
STGT13C2311A	0.06	190966	-	0.05	0.04	0.04	0.03	0.04	(0.02)	10,005	40	0.04
STGT13C2312A	0.15	190966	-	0.14	0.10	0.11	0.11	0.12	(0.04)	10,710	123	0.114
STGT13P2312A	0.25	190966	0.25	0.29	0.25	0.29	0.29	0.30	0.04	11,043	309	0.279
STGT19C2401A	0.15	190966	-	0.15	0.12	0.12	0.12	0.13	(0.03)	7,064	88	0.124
STHAI	0.01	190966	-	-	-	-	-	-	-	-	-	0
TNR	8.40	190966	-	8.60	8.45	8.55	8.55	8.60	0.15	63	53	8.456
TOG	11.70	190966	11.70	11.90	11.60	11.90	11.80	11.90	0.20	2,339	2,751	11.76
Professional Service												
BWG	0.67	190966	0.67	0.72	0.66	0.71	0.71	0.72	0.04	742,825	51,739	0.696
BWG-W5	0.01	190966	0.01	0.02	0.01	0.02	0.01	0.02	0.01	612,938	613	0.01
GENCO	0.58	190966	0.58	0.60	0.58	0.58	0.57	0.58	-	6,513	381	0.585
PRO	0.35	190966	-	-	-	-	-	-	-	-	-	0
PRTR	7.80	190966	7.80	8.20	7.65	7.70	7.65	7.70	(0.10)	72,525	57,558	7.936
SISB	34.75	190966	34.75	34.75	34.00	34.00	34.00	34.25	(0.75)	33,434	114,608	34.278
SO	8.40	190966	8.35	8.40	8.30	8.30	8.30	8.35	(0.10)	475	395	8.324
WAVE	0.18	190966	0.18	0.19	0.17	0.18	0.17	0.18	-	543,146	9,777	0.18
WAVE-W2	0.07	190966	0.07	0.08	0.06	0.06	0.06	0.07	(0.01)	3,384	24	0.069
WAVE-W3	0.08	190966	-	0.08	0.07	0.08	0.07	0.08	-	13,554	107	0.078
Property Development												
A	5.00	190966	-	4.98	4.96	4.98	4.96	4.98	(0.02)	24	12	4.975
AKS	0.01	190966	0.01	0.02	0.01	0.01	0.01	0.02	-	140,205	140	0.01
AKS-W5	0.01	190966	-	0.01	0.01	0.01	-	0.01	-	11	-	0.01
AMATA	25.75	190966	25.50	25.75	25.25	25.50	25.25	25.50	(0.25)	79,185	201,138	25.4
AMATA01C2311A	0.45	190966	-	0.34	0.31	0.34	0.34	0.37	(0.11)	15,846	528	0.332
AMATA01C2402A	0.14	190966	-	0.13	0.12	0.13	0.12	0.13	(0.01)	63,951	814	0.127
AMATA01P2311A	0.02	190966	-	-	-	-	0.02	0.03	-	-	-	0
AMATA01P2402A	0.27	190966	0.29	0.31	0.29	0.29	0.29	0.30	0.02	30,282	885	0.292
AMATA06C2311A	0.35	190966	-	-	-	-	0.27	0.31	-	-	-	0
AMATA11P2310A	0.03	190966	-	-	-	-	0.03	0.04	-	-	-	0
AMATA13C2310A	0.39	190966	-	-	-	-	0.15	0.17	-	-	-	0
AMATA13C2312A	0.53	190966	-	-	-	-	0.48	0.56	-	-	-	0
AMATA13C2401A	0.15	190966	-	0.14	0.13	0.13	0.13	0.14	(0.02)	22,670	295	0.13
AMATA13P2402A	0.22	190966	0.23	0.24	0.22	0.23	0.23	0.24	0.01	41,430	960	0.231
AMATA19C2311A	0.21	190966	-	-	-	-	0.15	0.20	-	-	-	0
AMATA19C2311B	0.40	190966	-	-	-	-	0.30	0.36	-	-	-	0
AMATA19C2402A	0.17	190966	-	0.16	0.15	0.16	0.16	0.17	(0.01)	50,947	804	0.157
AMATAV	6.25	190966	6.20	6.25	6.20	6.25	6.15	6.20	-	225	140	6.205
ANAN	0.82	190966	0.82	0.82	0.80	0.80	0.80	0.81	(0.02)	49,042	3,950	0.805
ANAN-W1	0.01	190966	-	0.01	0.01	0.01	-	0.01	-	11,230	11	0.01
AP	12.10	190966	12.10	12.20	12.00	12.00	12.00	12.10	(0.10)	104,603	125,793	12.025
AP19C2401A	0.18	190966	-	0.14	0.14	0.14	0.14	0.15	(0.04)	3,652	51	0.14
APEX	0.04	190966	-	-	-	-	-	-	-	-	-	0
ASW	8.70	190966	8.60	8.75	8.60	8.70	8.70	8.75	-	4,663	4,054	8.693
ASW-W1	0.10	190966	-	0.10	0.09	0.10	0.09	0.10	-	12,377	112	0.09
ASW-W2	0.25	190966	-	0.25	0.24	0.25	0.25	0.26	-	290	7	0.241
AWC	4.00	190966	4.00	4.00	3.90	3.94	3.92	3.94	(0.06)	858,072	338,223	3.941
AWC01C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
AWC01C2312A	0.06	190966	-	0.06	0.05	0.05	0.04	0.05	(0.01)	2,704	14	0.05
AWC01C2401A	0.23	190966	0.23	0.23	0.20	0.21	0.21	0.22	(0.02)	40,295	852	0.211
AWC01P2402X	0.50	190966	-	0.53	0.48	0.53	0.52	0.53	0.03	21,504	1,106	0.514
AWC06C2312A	0.11	190966	-	0.10	0.10	0.10	0.09	0.10	(0.01)	20,250	203	0.1
AWC13C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
AWC13C2311A	0.02	190966	-	0.01	0.01	0.01	0.01	0.02	(0.01)	2,438	2	0.01
AWC13C2312A	0.04	190966	-	0.04	0.04	0.04	0.04	0.05	-	11,058	44	0.04
AWC13C2401A	0.20	190966	-	0.20	0.17	0.18	0.18	0.19	(0.02)	33,367	621	0.186

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AWC13P2401A	0.47	190966	-	0.51	0.45	0.51	0.50	0.51	0.04	31,684	1,570	0.495
AWC19C2312A	0.04	190966	-	-	-	-	0.03	0.04	-	-	-	0
AWC19C2312B	0.08	190966	-	0.07	0.07	0.07	0.07	0.08	(0.01)	1,000	7	0.07
AWC19C2401A	0.24	190966	0.23	0.23	0.21	0.22	0.21	0.22	(0.02)	28,412	623	0.219
BLAND	0.79	190966	0.79	0.79	0.78	0.79	0.78	0.79	-	33,086	2,590	0.782
BRI	8.55	190966	8.60	8.60	8.30	8.45	8.40	8.45	(0.10)	29,750	24,983	8.397
BROCK	1.81	190966	1.80	1.84	1.80	1.80	1.78	1.79	(0.01)	46	8	1.809
CGD	0.35	190966	0.35	0.35	0.34	0.34	0.34	0.35	(0.01)	5,221	181	0.347
CI	0.61	190966	0.60	0.61	0.59	0.60	0.59	0.60	(0.01)	1,923	115	0.597
CI-W2	0.05	190966	0.06	0.06	0.04	0.05	0.05	0.06	-	25,544	128	0.05
CMC	1.31	190966	-	1.31	1.27	1.31	1.30	1.31	-	724	93	1.28
CPN	65.00	190966	64.75	65.25	64.00	65.25	65.00	65.25	0.25	52,230	338,886	64.883
CPN01C2312X	0.12	190966	0.11	0.12	0.10	0.11	0.11	0.12	(0.01)	20,745	220	0.105
CPN01C2403A	0.39	190966	0.38	0.39	0.36	0.39	0.39	0.40	-	47,546	1,776	0.373
CPN01P2312A	0.18	190966	-	0.18	0.17	0.17	0.17	0.18	(0.01)	9,600	171	0.177
CPN06C2311A	0.06	190966	-	-	-	-	0.06	0.07	-	-	-	0
CPN11C2311T	0.11	190966	-	-	-	-	0.09	0.10	-	-	-	0
CPN11P2312A	0.31	190966	0.31	0.33	0.30	0.30	0.30	0.31	(0.01)	62,210	1,951	0.313
CPN13C2310A	0.07	190966	-	-	-	-	-	0.01	-	-	-	0
CPN13C2311A	0.07	190966	-	0.07	0.05	0.06	0.06	0.07	(0.01)	3,821	22	0.057
CPN13C2402A	0.27	190966	-	0.27	0.25	0.27	0.27	0.28	-	53,535	1,425	0.266
CPN13P2312A	0.21	190966	-	0.22	0.20	0.20	0.20	0.21	(0.01)	5,507	118	0.213
CPN19C2311A	0.08	190966	0.07	0.07	0.07	0.07	0.07	0.08	(0.01)	1,424	10	0.07
CPN19C2401A	0.23	190966	-	0.22	0.20	0.22	0.22	0.23	(0.01)	33,334	716	0.214
CPN41C2311A	0.06	190966	-	-	-	-	0.04	0.06	-	-	-	0
CPN41C2312A	0.21	190966	-	0.20	0.18	0.20	0.20	0.21	(0.01)	55,154	1,086	0.196
ESTAR	0.30	190966	0.30	0.30	0.29	0.30	0.29	0.30	-	9,221	277	0.299
EVER	0.19	190966	0.18	0.19	0.17	0.18	0.18	0.19	(0.01)	118,457	2,134	0.18
EVER-W4	0.01	190966	-	-	-	-	-	-	-	-	-	0
FPT	15.00	190966	-	15.20	15.00	15.10	15.00	15.10	0.10	34	51	15.029
GLAND	2.02	190966	-	1.99	1.97	1.97	1.97	1.99	(0.05)	19	4	1.98
J	3.12	190966	3.12	3.14	3.10	3.10	3.10	3.12	(0.02)	4,316	1,346	3.118
J-W2	0.72	190966	-	-	-	-	0.62	0.72	-	-	-	0
J-W3	0.61	190966	-	0.58	0.58	0.58	0.58	0.72	(0.03)	2	-	0.58
JCK	0.29	190966	0.28	0.29	0.28	0.29	0.28	0.29	-	17,630	504	0.286
KC	0.10	190966	0.10	0.11	0.10	0.10	0.10	0.11	-	31,195	312	0.1
LALIN	8.65	190966	8.65	8.65	8.60	8.60	8.60	8.65	(0.05)	1,289	1,109	8.604
LH	8.05	190966	8.05	8.10	8.00	8.05	8.00	8.05	-	449,456	362,034	8.054
LH13C2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
LH13C2402A	0.19	190966	-	0.18	0.18	0.18	0.18	0.19	(0.01)	23,823	429	0.18
LH19C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
LH19C2401A	0.14	190966	-	0.13	0.12	0.12	0.12	0.13	(0.02)	3,465	42	0.122
LPN	4.18	190966	4.18	4.18	4.12	4.14	4.14	4.16	(0.04)	5,437	2,254	4.145
MBK	19.00	190966	18.50	18.60	18.10	18.20	18.20	18.30	(0.80)	25,055	45,920	18.327
MBK-W1	17.80	190966	17.80	17.80	17.60	17.60	17.50	17.70	(0.20)	167	296	17.705
MBK-W2	17.10	190966	17.20	17.40	16.50	17.00	16.80	17.00	(0.10)	165	279	16.91
MBK-W3	16.70	190966	-	16.90	16.40	16.50	16.50	16.90	(0.20)	159	262	16.501
MBK-W4	15.70	190966	15.70	15.70	15.60	15.70	15.60	16.10	-	128	200	15.655
MBK13C2401A	0.26	190966	-	0.25	0.23	0.24	0.24	0.25	(0.02)	13,946	342	0.245
MBK19C2403A	0.36	190966	-	0.33	0.33	0.33	0.33	0.34	(0.03)	2,572	85	0.33
MJD	1.35	190966	-	1.36	1.33	1.35	1.34	1.35	-	497	67	1.342
MK	2.60	190966	-	2.58	2.54	2.56	2.56	2.58	(0.04)	460	117	2.55
NCH	1.19	190966	1.18	1.19	1.16	1.16	1.16	1.17	(0.03)	4,352	509	1.17
NNCL	2.10	190966	2.10	2.12	2.10	2.12	2.10	2.12	0.02	3,853	811	2.103
NOBLE	4.12	190966	4.12	4.12	4.06	4.08	4.08	4.10	(0.04)	16,843	6,888	4.089
NOBLE-W2	0.06	190966	-	0.07	0.06	0.06	0.06	0.07	-	4,430	27	0.06
NUSA	0.49	190966	0.49	0.50	0.48	0.49	0.48	0.49	-	10,527	508	0.482
NUSA-W5	0.11	190966	0.11	0.12	0.10	0.10	0.10	0.11	(0.01)	18,607	199	0.107
NVD	1.97	190966	-	1.97	1.95	1.95	1.95	1.96	(0.02)	3,970	777	1.957
NVD-W3	0.12	190966	-	0.12	0.10	0.12	0.10	0.12	-	16	-	0.118
ORI	10.30	190966	10.20	10.30	9.95	10.00	10.00	10.10	(0.30)	79,208	79,687	10.06
ORI13C2312A	0.10	190966	-	-	-	-	0.08	0.09	-	-	-	0
ORI19C2401A	0.15	190966	-	-	-	-	0.13	0.14	-	-	-	0
PACE	0.03	190966	-	-	-	-	-	-	-	-	-	0
PEACE	4.06	190966	3.98	4.06	3.98	4.00	3.96	4.00	(0.06)	193	77	3.996
PF	0.35	190966	0.34	0.34	0.32	0.33	0.33	0.34	(0.02)	119,149	3,988	0.334
PIN	4.04	190966	4.02	4.06	3.96	4.06	4.04	4.06	0.02	21,043	8,454	4.017
PLAT	3.24	190966	3.20	3.22	3.12	3.14	3.14	3.16	(0.10)	8,970	2,828	3.153
POLAR	0.68	190966	-	-	-	-	-	-	-	-	-	0
PRECHA	1.11	190966	1.07	1.11	1.05	1.06	1.06	1.07	(0.05)	2,485	266	1.069
PRIN	2.88	190966	-	3.04	2.82	2.96	2.90	2.98	0.08	1,003	295	2.941
PSH	13.00	190966	12.90	13.00	12.60	12.70	12.70	12.80	(0.30)	15,914	20,258	12.729
QH	2.26	190966	2.26	2.28	2.24	2.26	2.24	2.26	-	184,991	41,778	2.258
QH19C2310A	0.04	190966	-	-	-	-	0.01	0.02	-	-	-	0
QH19C2401A	0.14	190966	-	0.14	0.13	0.13	0.13	0.14	(0.01)	1,041	14	0.133
RABBIT	0.72	190966	0.72	0.72	0.68	0.68	0.68	0.69	(0.04)	802,103	55,954	0.697
RABBIT-P	0.71	190966	0.71	0.71	0.69	0.69	0.68	0.69	(0.02)	25,292	1,764	0.697
RABBIT-Q	4.00	190966	-	-	-	-	-	-	-	-	-	0
RICHY	0.70	190966	0.70	0.70	0.67	0.67	0.67	0.68	(0.03)	834	57	0.68
RML	0.51	190966	0.51	0.51	0.48	0.48	0.48	0.49	(0.03)	19,689	957	0.486
ROJNA	6.85	190966	6.85	6.95	6.75	6.90	6.85	6.90	0.05	63,258	43,270	6.84
S	1.12	190966	1.12	1.12	1.10	1.11	1.11	1.12	(0.01)	38,766	4,293	1.107
SA	6.75	190966	-	6.75	6.65	6.75	6.70	6.75	-	821	549	6.688
SA-W1	0.13	190966	0.13	0.13	0.12	0.12	0.12	0.13	(0.01)	1,285	16	0.12
SAMCO	1.30	190966	1.31	1.31	1.28	1.28	1.28	1.30	(0.02)	1,292	167	1.291
SC	4.24	190966	4.24	4.26	4.12	4.14	4.14	4.16	(0.10)	102,123	42,600	4.171
SENA	2.78	190966	2.78	2.78	2.76	2.76	2.76	2.78	(0.02)	4,968	1,372	2.762
SENA-W1	0.07	190966	-	-	-	-	0.06	0.07	-	-	-	0
SIRI	1.84	190966	1.85	1.85	1.79	1.80	1.79	1.80	(0.04)	4,371,731	791,444	1.81
SIRI01C2312A	0.08	190966	0.07	0.07	0.06	0.06	0.06	0.07	(0.02)	172	1	0.06
SIRI01C2401A	0.30	190966	-	0.29	0.25	0.26	0.26	0.27	(0.04)	43,785	1,185	0.27
SIRI01P2401A	0.26	190966	-	0.29	0.26	0.28	0.28	0.29	0.02	79,241	2,145	0.27
SIRI06C2312B	0.38	190966	-	0.36	0.32	0.32	0.32	0.33	(0.06)	11,000	382	0.347

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SIRI06C2401A	0.15	190966	-	0.13	0.11	0.11	0.11	0.12	(0.04)	27,392	347	0.126
SIRI13C2311A	0.21	190966	-	0.19	0.16	0.16	0.16	0.17	(0.05)	11,170	194	0.174
SIRI13C2312A	0.10	190966	-	0.08	0.08	0.08	0.07	0.08	(0.02)	12,291	98	0.08
SIRI13C2401A	0.29	190966	-	0.29	0.24	0.25	0.25	0.26	(0.04)	99,962	2,603	0.26
SIRI13P2311A	0.17	190966	-	0.20	0.17	0.18	0.18	0.19	0.01	42,038	765	0.181
SIRI13P2401A	0.23	190966	-	0.26	0.23	0.25	0.25	0.26	0.02	20,145	482	0.239
SIRI19C2312A	0.25	190966	-	0.24	0.20	0.21	0.21	0.22	(0.04)	44,131	981	0.222
SIRI19C2312B	0.11	190966	-	-	-	-	0.09	0.10	-	-	-	0
SIRI19P2401A	0.24	190966	-	0.27	0.24	0.26	0.25	0.26	0.02	107,335	2,753	0.256
SIRI41C2312A	0.31	190966	-	0.30	0.28	0.29	0.26	0.28	(0.02)	6,916	203	0.294
SIRI41C2401A	0.21	190966	-	0.20	0.18	0.18	0.18	0.19	(0.03)	38,000	710	0.186
SPALI	20.90	190966	20.80	20.90	20.70	20.90	20.80	20.90	-	41,091	85,535	20.816
SPALI11C2311A	0.12	190966	-	-	-	-	0.10	0.11	-	-	-	0
SPALI13C2310A	0.05	190966	-	-	-	-	0.01	0.02	-	-	-	0
SPALI13C2401A	0.27	190966	-	0.27	0.26	0.27	0.27	0.28	-	16,745	438	0.261
SPALI19C2311A	0.08	190966	-	-	-	-	0.07	0.08	-	-	-	0
UV	2.38	190966	2.40	2.40	2.34	2.36	2.34	2.36	(0.02)	4,425	1,045	2.361
WHA	5.25	190966	5.25	5.25	5.15	5.20	5.20	5.25	(0.05)	479,239	249,365	5.203
WHA01C2312A	0.41	190966	-	0.37	0.37	0.37	0.37	0.40	(0.04)	16,573	613	0.37
WHA01C2401A	0.14	190966	-	0.13	0.13	0.13	0.12	0.13	(0.01)	2,290	30	0.13
WHA06C2312A	0.49	190966	-	-	-	-	0.41	0.46	-	-	-	0
WHA06C2402A	0.19	190966	-	0.18	0.18	0.18	0.18	0.19	(0.01)	33,964	611	0.18
WHA11P2309A	0.01	190966	-	-	-	-	0.01	0.04	-	-	-	0
WHA13C2310A	0.38	190966	-	-	-	-	0.21	0.24	-	-	-	0
WHA13C2401A	0.14	190966	-	0.14	0.13	0.13	0.13	0.14	(0.01)	40,792	530	0.13
WHA13P2402A	0.25	190966	-	0.26	0.25	0.26	0.26	0.27	0.01	29,867	776	0.259
WHA19C2310A	0.48	190966	-	-	-	-	0.26	0.32	-	-	-	0
WHA19C2311A	0.38	190966	-	-	-	-	0.22	0.27	-	-	-	0
WHA19C2401A	0.17	190966	-	0.16	0.16	0.16	0.16	0.17	(0.01)	16,734	268	0.16
WHA41C2311A	0.31	190966	-	-	-	-	0.29	0.33	-	-	-	0
WHA41C2312A	0.13	190966	-	0.12	0.12	0.12	0.12	0.13	(0.01)	25,632	308	0.12
WIN	0.76	190966	0.75	0.75	0.71	0.71	0.71	0.72	(0.05)	6,229	454	0.728
Paper & Printing Mat												
UTP	11.90	190966	11.90	12.00	11.80	11.80	11.80	11.90	(0.10)	1,360	1,618	11.899
Fashion												
AFC	6.60	190966	6.50	6.65	6.50	6.55	6.55	6.75	(0.05)	69	45	6.554
AURA	18.10	190966	18.10	18.20	17.70	17.90	17.90	18.00	(0.20)	25,434	45,476	17.879
BTNC	32.75	190966	31.00	33.00	31.00	31.25	31.00	31.25	(1.50)	95	300	31.615
CPH	19.20	190966	19.70	19.70	19.10	19.20	19.20	19.30	-	187	361	19.31
CPL	2.12	190966	2.10	2.14	2.08	2.12	2.10	2.12	-	1,765	372	2.105
NC	6.75	190966	6.80	6.80	6.35	6.45	6.45	6.50	(0.30)	6,751	4,379	6.486
PAF	1.35	190966	1.35	1.35	1.28	1.29	1.28	1.29	(0.06)	8,053	1,049	1.302
PDJ	2.18	190966	2.18	2.20	2.16	2.18	2.16	2.18	-	1,227	267	2.173
PG	8.35	190966	8.35	8.60	8.35	8.55	8.40	8.55	0.20	77	66	8.54
SABINA	26.50	190966	26.50	27.00	26.25	26.50	26.50	26.75	-	8,617	22,809	26.47
SAWANG	14.00	190966	-	-	-	-	13.90	14.10	-	-	-	0
SUC	32.25	190966	32.00	32.50	31.75	32.00	31.75	32.00	(0.25)	596	1,910	32.048
TNL	35.25	190966	35.25	37.25	35.00	36.50	35.75	36.50	1.25	1,783	6,512	36.538
TR	44.00	190966	-	44.00	44.00	44.00	44.00	44.50	-	117	515	44
TTI	25.25	190966	-	25.50	25.50	25.50	24.40	25.50	0.25	5	13	25.5
TTT	49.00	190966	-	-	-	-	47.75	49.00	-	-	-	0
UPF	44.00	190966	-	44.25	43.00	43.75	43.25	44.00	(0.25)	50	216	43.185
WACOAL	33.25	190966	-	-	-	-	33.00	33.75	-	-	-	0
WFX	2.60	190966	2.58	2.60	2.52	2.56	2.54	2.56	(0.04)	2,432	621	2.554
Transportation & Log												
AAV	2.72	190966	2.72	2.72	2.68	2.68	2.68	2.70	(0.04)	456,955	122,966	2.69
AAV01C2402A	0.17	190966	-	0.15	0.14	0.14	0.14	0.15	(0.03)	17,894	268	0.149
AAV06C2309A	0.03	190966	-	-	-	-	-	-	-	-	-	0
AAV13C2310A	0.04	190966	-	-	-	-	-	0.01	-	-	-	0
AAV13C2312A	0.13	190966	-	0.13	0.12	0.12	0.11	0.12	(0.01)	21,560	264	0.122
AAV13C2401A	0.12	190966	-	0.12	0.12	0.12	0.11	0.12	-	23,679	284	0.12
AAV19C2312A	0.10	190966	-	-	-	-	0.06	0.07	-	-	-	0
AOT	70.25	190966	70.50	70.50	69.50	69.75	69.75	70.00	(0.50)	333,215	2,326,568	69.821
AOT01C2311A	0.07	190966	-	-	-	-	0.04	0.05	-	-	-	0
AOT01C2401A	0.23	190966	0.23	0.23	0.20	0.21	0.21	0.22	(0.02)	74,465	1,569	0.21
AOT01P2401A	0.35	190966	-	0.36	0.35	0.36	0.36	0.37	0.01	79,113	2,843	0.359
AOT06C2309A	0.08	190966	-	-	-	-	-	-	-	-	-	0
AOT06C2312A	0.20	190966	-	0.18	0.18	0.18	0.17	0.18	(0.02)	20,193	363	0.18
AOT11C2310T	0.07	190966	-	-	-	-	0.06	0.07	-	-	-	0
AOT11P2312A	0.32	190966	-	0.33	0.32	0.33	0.33	0.34	0.01	81,341	2,670	0.328
AOT13C2310A	0.01	190966	-	0.01	0.01	0.01	-	0.01	-	8	-	0.01
AOT13C2312A	0.12	190966	-	0.11	0.10	0.10	0.10	0.11	(0.02)	14,648	147	0.1
AOT13C2402A	0.30	190966	-	0.29	0.29	0.29	0.28	0.29	(0.01)	10,474	304	0.29
AOT13P2401A	0.32	190966	-	0.34	0.33	0.34	0.34	0.35	0.02	17,945	606	0.337
AOT19C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
AOT19C2312A	0.14	190966	-	0.09	0.09	0.09	0.09	0.10	(0.05)	500	5	0.09
AOT19C2401A	0.20	190966	-	0.18	0.18	0.18	0.17	0.18	(0.02)	131	2	0.18
AOT41C2310A	0.05	190966	-	-	-	-	0.01	0.03	-	-	-	0
AOT41C2312A	0.15	190966	-	0.13	0.13	0.13	0.13	0.14	(0.02)	18,400	239	0.13
AOT41C2402A	0.29	190966	0.29	0.29	0.27	0.27	0.27	0.28	(0.02)	41,896	1,134	0.27
ASIMAR	1.74	190966	1.74	1.77	1.70	1.70	1.70	1.73	(0.04)	4,347	750	1.724
B	0.05	190966	0.05	0.06	0.05	0.06	0.05	0.06	0.01	2,130,102	12,751	0.059
B-W7	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
BA	16.40	190966	16.30	16.40	15.40	15.60	15.50	15.60	(0.80)	105,758	166,471	15.74
BEM	8.70	190966	8.70	8.70	8.55	8.60	8.55	8.60	(0.10)	194,708	167,634	8.609
BEM01C2312A	0.17	190966	-	0.16	0.14	0.14	0.14	0.16	(0.03)	24,678	369	0.149
BEM06C2312A	0.18	190966	-	0.17	0.16	0.16	0.16	0.17	(0.02)	16,500	278	0.168
BEM11P2311A	0.15	190966	-	-	-	-	0.13	0.14	-	-	-	0
BEM13C2310A	0.04	190966	-	-	-	-	0.01	0.02	-	-	-	0
BEM13C2401A	0.17	190966	-	0.16	0.16	0.16	0.15	0.17	(0.01)	14,986	240	0.16
BEM19C2310A	0.07	190966	-	-	-	-	0.01	0.03	-	-	-	0
BEM19C2402A	0.26	190966	0.26	0.26	0.23	0.23	0.23	0.24	(0.03)	36,750	896	0.243
BTS	7.30	190966	7.30	7.30	7.10	7.15	7.15	7.20	(0.15)	229,965	164,554	7.155

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BTS-W7	0.13	190966	0.13	0.13	0.11	0.12	0.12	0.13	(0.01)	29,835	358	0.12
BTS-W8	0.16	190966	0.15	0.15	0.14	0.15	0.15	0.16	(0.01)	62,024	930	0.15
BTS01C2310A	0.05	190966	-	-	-	-	0.01	0.02	-	-	-	0
BTS01C2310T	0.04	190966	-	-	-	-	0.01	0.02	-	-	-	0
BTS01C2402A	0.22	190966	0.22	0.22	0.19	0.19	0.19	0.20	(0.03)	44,273	842	0.19
BTS01P2310A	0.02	190966	-	-	-	-	0.01	0.02	-	-	-	0
BTS01P2401A	0.23	190966	-	0.24	0.23	0.24	0.24	0.25	0.01	31,213	747	0.239
BTS13C2311A	0.06	190966	-	-	-	-	0.04	0.05	-	-	-	0
BTS13C2402A	0.19	190966	-	0.17	0.17	0.17	0.17	0.18	(0.02)	52,917	900	0.17
BTS13P2312A	0.13	190966	-	0.14	0.13	0.14	0.14	0.15	0.01	1,260	18	0.139
BTS19C2401A	0.16	190966	-	0.14	0.14	0.14	0.14	0.15	(0.02)	13,988	196	0.14
BTS19C2401B	0.23	190966	0.23	0.23	0.20	0.20	0.20	0.21	(0.03)	21,777	436	0.2
BTSGIF	3.44	190966	3.44	3.48	3.42	3.46	3.46	3.48	0.02	68,492	23,660	3.454
DMT	12.30	190966	12.30	12.40	12.20	12.30	12.30	12.40	-	10,821	13,326	12.315
III	13.00	190966	13.10	13.10	12.50	12.80	12.70	12.80	(0.20)	60,543	76,990	12.716
KEX	7.75	190966	7.85	7.85	7.60	7.60	7.60	7.65	(0.15)	9,265	7,132	7.698
KEX01C2311A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
KEX01P2311A	0.43	190966	-	0.46	0.41	0.46	0.46	0.47	0.03	3,500	153	0.438
KEX06C2310A	0.05	190966	-	-	-	-	-	0.01	-	-	-	0
KEX06C2312A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
KEX08C2309A	0.02	190966	-	-	-	-	-	0.01	-	-	-	0
KEX13C2310A	0.10	190966	-	-	-	-	0.01	0.02	-	-	-	0
KEX13C2311A	0.01	190966	-	0.01	0.01	0.01	0.01	0.02	-	1,020	1	0.01
KEX19C2310A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
KEX19C2401A	0.06	190966	-	-	-	-	0.04	0.05	-	-	-	0
KIAT	0.44	190966	0.44	0.45	0.44	0.44	0.44	0.45	-	18,649	821	0.44
KWC	250.00	190966	-	-	-	-	248.00	260.00	-	-	-	0
MENA	2.06	190966	2.08	2.14	1.96	2.00	2.00	2.02	(0.06)	352,782	72,524	2.055
NOK	1.04	190966	-	-	-	-	-	-	-	-	-	0
NYT	4.72	190966	4.68	4.76	4.52	4.60	4.60	4.62	(0.12)	123,801	57,225	4.622
PORT	1.35	190966	1.32	1.38	1.30	1.31	1.31	1.32	(0.04)	2,345	308	1.314
PORT-W3	0.02	190966	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
PRM	6.90	190966	6.95	7.00	6.80	6.80	6.80	6.85	(0.10)	56,730	39,072	6.887
PSL	10.00	190966	10.20	10.20	10.00	10.00	10.00	10.10	-	117,892	118,938	10.088
PSL01C2312A	0.07	190966	0.08	0.08	0.08	0.08	0.07	0.08	0.01	19,898	159	0.08
PSL01C2401A	0.50	190966	-	0.51	0.49	0.49	0.49	0.51	(0.01)	9,577	488	0.509
PSL06C2309A	0.06	190966	-	-	-	-	-	-	-	-	-	0
PSL06C2311A	0.08	190966	0.09	0.09	0.08	0.08	0.08	0.09	-	2,900	24	0.081
PSL06C2312A	0.45	190966	-	-	-	-	0.40	0.43	-	-	-	0
PSL13C2310A	0.02	190966	-	-	-	-	-	0.01	-	-	-	0
PSL13C2310B	0.07	190966	-	0.07	0.06	0.06	0.05	0.09	(0.01)	6,461	41	0.063
PSL13C2312A	0.34	190966	-	0.37	0.36	0.37	0.34	0.36	0.03	147	5	0.368
PSL13C2402A	0.19	190966	0.20	0.20	0.19	0.19	0.19	0.20	-	21,339	415	0.194
PSL13P2402A	0.30	190966	-	0.29	0.28	0.29	0.29	0.30	(0.01)	17,014	478	0.281
PSL19C2310A	0.07	190966	-	-	-	-	0.01	0.02	-	-	-	0
PSL19C2311A	0.21	190966	-	0.20	0.19	0.19	0.18	0.19	(0.02)	1,379	27	0.192
PSL19C2402A	0.21	190966	-	0.22	0.20	0.20	0.20	0.21	(0.01)	29,817	622	0.208
RCL	22.60	190966	22.70	22.80	22.10	22.10	22.10	22.20	(0.50)	33,581	75,070	22.354
RCL01C2311A	0.03	190966	-	-	-	-	0.01	0.02	-	-	-	0
RCL01C2402A	0.44	190966	0.45	0.45	0.39	0.39	0.39	0.40	(0.05)	27,153	1,124	0.414
RCL01P2402X	0.59	190966	-	0.62	0.58	0.61	0.63	0.64	0.02	14,090	852	0.604
RCL06C2309A	0.02	190966	-	-	-	-	-	0.01	-	-	-	0
RCL13C2312A	0.19	190966	-	0.17	0.17	0.17	0.16	0.17	(0.02)	14,775	251	0.17
RCL13C2402A	0.44	190966	-	0.43	0.39	0.39	0.39	0.40	(0.05)	35,662	1,443	0.404
RCL19C2402A	0.32	190966	-	0.32	0.29	0.29	0.29	0.30	(0.03)	9,391	286	0.304
SINO	1.40	190966	1.60	1.97	1.58	1.93	1.92	1.93	0.53	10,486,510	1,940,874	1.85
SJWD	15.80	190966	15.90	15.90	15.40	15.50	15.50	15.60	(0.30)	50,367	78,521	15.589
SJWD08C2310A	0.04	190966	-	-	-	-	-	0.01	-	-	-	0
SJWD13C2312A	0.13	190966	0.14	0.14	0.12	0.12	0.12	0.13	(0.01)	8,989	116	0.128
SJWD13C2402A	0.30	190966	-	0.30	0.27	0.27	0.27	0.28	(0.03)	27,613	763	0.276
SJWD19C2401A	0.26	190966	0.26	0.26	0.23	0.23	0.23	0.24	(0.03)	23,757	573	0.241
TFFIF	7.20	190966	7.25	7.25	7.15	7.20	7.15	7.20	-	10,237	7,368	7.197
THAI	3.32	190966	-	-	-	-	-	-	-	-	-	0
TSTE	9.85	190966	-	9.95	9.85	9.95	9.35	9.95	0.10	72	71	9.906
TTA	6.60	190966	6.75	6.80	6.50	6.50	6.50	6.55	(0.10)	165,201	109,585	6.633
WICE	8.30	190966	8.50	8.50	8.35	8.40	8.40	8.45	0.10	12,202	10,263	8.411
Automotive												
3K-BAT	51.00	190966	-	50.00	50.00	50.00	48.25	51.75	(1.00)	1	5	50
ACG	1.50	190966	1.49	1.49	1.48	1.49	1.48	1.49	(0.01)	292	43	1.485
AH	36.00	190966	35.75	36.00	35.00	35.00	35.00	35.25	(1.00)	11,952	42,209	35.315
CWT	1.90	190966	1.90	1.91	1.88	1.90	1.89	1.90	-	2,983	566	1.896
CWT-W5	0.01	190966	-	-	-	-	-	-	-	-	-	0
CWT-W6	0.06	190966	-	0.06	0.05	0.05	0.05	0.06	(0.01)	3,021	18	0.059
EASON	1.34	190966	1.34	1.34	1.28	1.29	1.29	1.30	(0.05)	41,949	5,482	1.306
GYT	199.50	190966	-	-	-	-	196.00	199.00	-	-	-	0
HFT	4.52	190966	4.52	4.52	4.42	4.46	4.42	4.46	(0.06)	663	296	4.462
IHL	2.24	190966	-	2.24	2.22	2.24	2.22	2.24	-	324	72	2.221
INGRS	0.67	190966	0.67	0.68	0.65	0.67	0.66	0.67	-	41,082	2,737	0.666
IRC	13.60	190966	13.50	13.50	13.50	13.50	13.50	13.60	(0.10)	17	23	13.5
MGC	7.75	190966	7.80	8.00	7.50	7.60	7.55	7.60	(0.15)	16,529	12,591	7.617
NEX	12.90	190966	12.90	12.90	12.40	12.70	12.60	12.70	(0.20)	80,637	101,776	12.621
NEX06C2309A	0.03	190966	-	-	-	-	-	0.01	-	-	-	0
NEX06C2310A	0.06	190966	-	0.06	0.05	0.05	0.04	0.05	(0.01)	1,200	7	0.057
NEX06C2402A	0.34	190966	-	0.34	0.30	0.31	0.31	0.32	(0.03)	19,248	607	0.315
NEX13C2311A	0.89	190966	-	0.64	0.61	0.64	0.66	0.72	(0.25)	31,954	1,961	0.613
NEX13C2311B	0.24	190966	-	0.24	0.20	0.22	0.22	0.23	(0.02)	43,813	956	0.218
NEX13C2401A	0.22	190966	-	0.23	0.19	0.21	0.21	0.22	(0.01)	20,198	418	0.207
NEX19C2311A	0.33	190966	-	0.31	0.27	0.29	0.30	0.31	(0.04)	16,009	473	0.295
NEX19C2401A	0.25	190966	-	0.24	0.21	0.23	0.23	0.24	(0.02)	22,798	525	0.23
PCSGH	4.80	190966	4.80	4.82	4.78	4.82	4.80	4.82	0.02	1,555	746	4.795
POLY	9.90	190966	-	9.85	9.70	9.70	9.65	9.75	(0.20)	841	821	9.763
SAT	18.70	190966	18.80	18.80	18.60	18.70	18.70	18.80	-	9,322	17,432	18.7
SPG	15.90	190966	-	-	-	-	15.70	15.90	-	-	-	0

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
STANLY	188.50	190966	188.00	188.50	184.00	185.50	185.00	185.50	(3.00)	953	17,718	185.916
TKT	2.14	190966	2.12	2.16	2.12	2.12	2.12	2.14	(0.02)	1,571	334	2.126
TNPC	1.64	190966	1.53	1.62	1.50	1.52	1.52	1.53	(0.12)	5,092	781	1.533
TRU	3.78	190966	-	3.78	3.72	3.74	3.72	3.74	(0.04)	213	80	3.738
TSC	13.80	190966	-	13.90	13.70	13.90	13.90	14.00	0.10	69	95	13.8
Industrial Materials												
ALLA	1.43	190966	1.41	1.44	1.41	1.43	1.42	1.43	-	2,561	364	1.421
ASEFA	3.90	190966	3.82	3.88	3.82	3.86	3.84	3.86	(0.04)	1,330	509	3.83
CPT	0.73	190966	0.72	0.73	0.70	0.72	0.71	0.72	(0.01)	5,687	408	0.716
CRANE	1.13	190966	1.12	1.13	1.09	1.09	1.09	1.10	(0.04)	18,027	1,981	1.099
CTW	4.60	190966	-	-	-	-	4.58	4.64	-	-	-	0
FMT	33.75	190966	33.00	34.25	33.00	33.75	33.25	34.00	-	20	67	33.55
HTECH	2.44	190966	2.40	2.46	2.38	2.38	2.38	2.40	(0.06)	1,515	365	2.408
KKC	0.22	190966	0.22	0.23	0.21	0.22	0.21	0.22	-	135	3	0.215
PK	1.47	190966	-	1.43	1.35	1.43	1.39	1.43	(0.04)	827	115	1.396
PSP	9.25	190966	9.25	9.60	9.10	9.50	9.50	9.55	0.25	433,790	405,197	9.34
SNC	10.30	190966	10.30	10.30	10.20	10.20	10.20	10.30	(0.10)	485	495	10.205
STARK	0.02	190966	-	-	-	-	-	-	-	-	-	0
STARK-W1	0.01	190966	-	-	-	-	-	-	-	-	-	0
TCJ	3.76	190966	-	3.76	3.60	3.76	3.62	3.76	-	25	9	3.696
TPCS	17.00	190966	-	17.10	16.80	17.00	16.90	17.10	-	80	136	16.951
VARO	5.85	190966	5.95	5.95	5.80	5.85	5.85	5.90	-	415	244	5.867
Property Fund & REIT												
AIMCG	4.88	190966	4.86	4.92	4.60	4.78	4.78	4.80	(0.10)	3,917	1,846	4.713
AIMRT	10.50	190966	10.40	10.60	10.20	10.30	10.30	10.40	(0.20)	3,676	3,819	10.388
ALLY	6.40	190966	6.40	6.40	6.30	6.35	6.30	6.40	(0.05)	6,076	3,865	6.361
AMATAR	6.70	190966	-	6.70	6.65	6.65	6.65	6.70	(0.05)	76	51	6.686
B-WORK	5.40	190966	5.40	5.40	5.35	5.40	5.35	5.40	-	2,765	1,486	5.375
BAREIT	9.85	190966	9.85	9.85	9.70	9.70	9.70	9.75	(0.15)	8,064	7,894	9.789
BKKCP	10.20	190966	-	10.30	10.20	10.30	10.20	10.30	0.10	188	193	10.281
BOFFICE	5.45	190966	-	5.45	5.35	5.45	5.35	5.45	-	2,624	1,423	5.422
CPNCG	6.70	190966	6.70	6.75	6.60	6.70	6.65	6.70	-	4,503	3,002	6.665
CPNREIT	10.70	190966	10.70	10.80	10.70	10.70	10.70	10.80	-	6,652	7,121	10.704
CPTGF	5.50	190966	5.45	5.50	5.40	5.50	5.40	5.50	-	1,294	705	5.448
CTARAF	4.76	190966	4.72	4.74	4.62	4.72	4.66	4.72	(0.04)	3,138	1,458	4.646
DREIT	5.80	190966	5.75	5.85	5.75	5.75	5.75	5.80	(0.05)	1,533	888	5.794
ERWPF	6.85	190966	-	6.85	6.80	6.80	6.80	6.85	(0.05)	522	357	6.838
FTREIT	10.50	190966	10.50	10.50	10.30	10.40	10.40	10.50	(0.10)	8,018	8,340	10.401
FUTUREPF	11.40	190966	-	11.50	11.40	11.50	11.40	11.50	0.10	880	1,012	11.494
GAHREIT	8.50	190966	-	8.55	8.35	8.40	8.40	8.45	(0.10)	1,389	1,167	8.403
GRORREIT	9.25	190966	9.20	9.25	9.20	9.20	9.15	9.20	(0.05)	506	466	9.2
GVREIT	6.15	190966	6.15	6.25	6.15	6.20	6.15	6.20	0.05	836	518	6.197
HPF	4.68	190966	4.68	4.68	4.66	4.68	4.68	4.70	-	532	248	4.665
HYDROGEN	9.90	190966	-	9.90	9.80	9.90	9.80	9.85	-	158	155	9.829
IMPACT	13.00	190966	12.90	13.10	12.70	13.00	13.00	13.10	-	6,820	8,828	12.944
INETREIT	8.85	190966	8.85	8.85	8.60	8.75	8.70	8.80	(0.10)	4,938	4,325	8.758
KPNPF	3.84	190966	-	-	-	-	3.84	3.88	-	-	-	0
KTBSTMR	6.90	190966	-	6.85	6.75	6.80	6.75	6.80	(0.10)	235	159	6.787
LHHOTEL	10.20	190966	10.30	10.40	10.20	10.30	10.20	10.30	0.10	3,570	3,677	10.3
LHPF	6.45	190966	6.40	6.50	6.30	6.30	6.30	6.35	(0.15)	5,919	3,766	6.362
LHSC	9.80	190966	-	9.90	9.80	9.80	9.75	9.80	-	138	136	9.862
LPF	12.90	190966	12.90	13.00	12.80	13.00	12.80	13.00	0.10	7,660	9,873	12.888
LUXF	6.85	190966	-	6.85	6.80	6.80	6.75	6.80	(0.05)	1,501	1,021	6.802
M-II	7.40	190966	7.40	7.40	7.40	7.40	7.30	7.40	-	10	7	7.4
M-PAT	3.60	190966	-	3.48	3.48	3.48	3.46	3.76	(0.12)	1	-	3.48
M-STOR	7.30	190966	-	6.65	6.50	6.50	6.55	6.95	(0.80)	50	33	6.548
MIPF	13.80	190966	-	13.90	13.90	13.90	13.00	14.00	0.10	1	1	13.9
MIT	1.26	190966	-	1.24	1.22	1.22	1.22	1.26	(0.04)	6	1	1.236
MJLF	3.72	190966	-	3.72	3.68	3.68	3.68	3.70	(0.04)	1,002	371	3.703
MNIT	1.80	190966	-	1.80	1.80	1.80	1.74	1.85	-	200	36	1.8
MNIT2	4.88	190966	-	5.10	5.10	5.10	4.92	5.10	0.22	13	7	5.1
MNRF	2.86	190966	-	2.86	2.86	2.86	2.86	2.88	-	65	19	2.86
POPF	6.90	190966	6.90	6.90	6.65	6.70	6.65	6.70	(0.20)	3,384	2,294	6.778
PPF	10.60	190966	10.20	10.30	10.20	10.30	10.20	10.30	(0.30)	323	332	10.268
PROSPECT	8.80	190966	8.75	8.75	8.75	8.75	8.70	8.75	(0.05)	284	249	8.75
QHHR	6.55	190966	-	6.55	6.45	6.50	6.45	6.50	(0.05)	779	506	6.5
QHOP	2.76	190966	-	2.76	2.72	2.74	2.72	2.74	(0.02)	46	13	2.721
QHPF	5.80	190966	5.80	5.85	5.75	5.80	5.75	5.80	-	1,888	1,093	5.787
SIRIP	7.40	190966	-	-	-	-	7.05	7.35	-	-	-	0
SPRIME	4.96	190966	4.94	4.96	4.90	4.90	4.90	4.94	(0.06)	2,262	1,116	4.933
SRIPANWA	6.05	190966	5.95	5.95	5.70	5.80	5.75	5.80	(0.25)	496	288	5.813
SSPF	6.05	190966	-	6.00	6.00	6.00	6.00	6.10	(0.05)	5	3	6
SSTRT	5.35	190966	-	5.40	5.35	5.35	5.35	5.40	-	7	4	5.357
TIF1	8.75	190966	-	8.80	8.60	8.70	8.70	8.75	(0.05)	682	590	8.647
TLHPF	7.15	190966	-	7.15	7.15	7.15	7.05	7.15	-	1	1	7.15
TNPF	1.80	190966	-	1.80	1.78	1.80	1.70	1.80	-	30	5	1.789
TPRIME	7.75	190966	-	7.75	7.75	7.75	7.70	7.75	-	812	629	7.75
TTLPF	21.90	190966	-	-	-	-	21.80	22.00	-	-	-	0
TU-PF	0.68	190966	-	-	-	-	0.58	0.68	-	-	-	0
URBNPF	1.80	190966	-	1.80	1.80	1.80	1.59	1.80	-	1	-	1.8
WHABT	8.85	190966	-	8.80	8.75	8.80	8.75	8.80	(0.05)	155	136	8.769
WHAIR	6.50	190966	6.55	6.55	6.35	6.50	6.40	6.50	-	8,095	5,213	6.439
WHART	10.10	190966	10.10	10.20	10.00	10.10	10.00	10.10	-	19,249	19,443	10.1
Steel and Metal Prod												
2S	3.02	190966	3.04	3.04	3.02	3.04	3.02	3.04	0.02	136	41	3.023
AMC	3.16	190966	-	3.16	3.14	3.16	3.16	3.18	-	4,837	1,526	3.155
BSBM	0.73	190966	0.73	0.73	0.72	0.72	0.72	0.73	(0.01)	23,706	1,708	0.72
CEN	2.66	190966	2.64	2.66	2.64	2.64	2.60	2.62	(0.02)	417	111	2.651
CEN-W5	0.56	190966	0.56	0.56	0.53	0.55	0.53	0.55	(0.01)	496	27	0.554
CITY	2.32	190966	-	-	-	-	2.28	2.32	-	-	-	0
CSP	1.09	190966	1.10	1.10	1.07	1.07	1.07	1.08	(0.02)	939	101	1.078
GJS	0.26	190966	0.26	0.26	0.25	0.26	0.25	0.26	-	22,728	590	0.259
GSTEEL	0.09	190966	-	-	-	-	-	-	-	-	-	0

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
INOX	0.70	190966	0.70	0.70	0.68	0.69	0.69	0.70	(0.01)	6,836	472	0.69
LHK	4.60	190966	4.56	4.62	4.56	4.58	4.56	4.58	(0.02)	835	382	4.577
MCS	6.60	190966	6.60	6.80	6.60	6.65	6.65	6.70	0.05	7,671	5,125	6.68
MILL	0.51	190966	0.51	0.52	0.50	0.50	0.50	0.51	(0.01)	97,732	4,963	0.507
MILL-W6	0.02	190966	-	0.03	0.01	0.02	0.01	0.02	-	65,563	131	0.02
MILL-W7	0.11	190966	0.10	0.11	0.09	0.10	0.09	0.10	(0.01)	176,730	1,760	0.099
PAP	2.90	190966	2.80	2.88	2.80	2.84	2.82	2.86	(0.06)	1,474	417	2.828
PERM	0.94	190966	0.93	0.96	0.93	0.93	0.93	0.94	(0.01)	5,657	528	0.933
SAM	0.51	190966	-	0.51	0.49	0.50	0.49	0.50	(0.01)	2,554	128	0.5
SMIT	4.62	190966	4.62	4.62	4.58	4.60	4.58	4.60	(0.02)	1,584	729	4.6
SSSC	3.00	190966	-	3.00	2.94	2.98	2.96	2.98	(0.02)	293	87	2.961
TGPRO	0.18	190966	0.18	0.19	0.17	0.17	0.17	0.18	(0.01)	13,207	237	0.179
TGPRO-W3	0.01	190966	-	-	-	-	-	-	-	-	-	0
THE	1.40	190966	1.36	1.39	1.36	1.37	1.37	1.40	(0.03)	109	15	1.376
TMT	6.75	190966	6.65	6.75	6.65	6.70	6.70	6.75	(0.05)	716	479	6.696
TSTH	0.90	190966	0.90	0.90	0.86	0.87	0.87	0.88	(0.03)	18,578	1,632	0.878
TWP	2.50	190966	-	2.52	2.44	2.52	2.44	2.52	0.02	25	6	2.462
TYCN	2.82	190966	2.80	2.86	2.78	2.82	2.80	2.82	-	897	251	2.803
Construction Service												
APCS	4.04	190966	-	4.06	3.92	4.04	3.98	4.04	-	20	8	4.005
BJCHI	1.41	190966	1.41	1.42	1.39	1.41	1.40	1.41	-	1,641	230	1.402
BKD	1.79	190966	-	1.79	1.76	1.77	1.77	1.79	(0.02)	376	67	1.769
CIVIL	2.56	190966	2.56	2.56	2.48	2.56	2.52	2.56	-	3,508	886	2.526
CK	21.90	190966	21.80	21.90	20.70	20.90	20.90	21.00	(1.00)	51,103	107,780	21.09
CK01C2312A	0.33	190966	-	0.31	0.23	0.24	0.24	0.25	(0.09)	36,323	941	0.259
CK06C2310A	0.11	190966	-	0.09	0.05	0.05	0.05	0.06	(0.06)	21,549	144	0.066
CK11C2311A	0.16	190966	0.12	0.14	0.11	0.11	0.11	0.12	(0.05)	33,601	401	0.119
CK13C2310A	0.04	190966	-	0.03	0.03	0.03	0.01	0.03	(0.01)	78	-	0.03
CK13C2401A	0.21	190966	0.20	0.20	0.14	0.15	0.15	0.16	(0.06)	41,819	715	0.171
CK19C2311A	0.19	190966	-	0.17	0.11	0.12	0.12	0.13	(0.07)	13,180	177	0.134
CNT	1.29	190966	-	1.29	1.27	1.28	1.27	1.28	(0.01)	818	104	1.276
EMC	0.10	190966	0.10	0.11	0.10	0.10	0.10	0.11	-	2,230	22	0.1
EMC-W6	0.01	190966	-	-	-	-	-	-	-	-	-	0
ITD	1.41	190966	1.41	1.41	1.38	1.39	1.39	1.40	(0.02)	52,827	7,347	1.39
NWR	0.55	190966	0.55	0.55	0.53	0.53	0.53	0.54	(0.02)	22,702	1,222	0.538
PLE	0.53	190966	0.53	0.53	0.52	0.53	0.52	0.53	-	2,128	111	0.52
PREB	6.85	190966	6.85	6.95	6.55	6.55	6.55	6.80	(0.30)	3,603	2,383	6.613
PYLON	2.82	190966	2.86	2.86	2.80	2.82	2.82	2.84	-	3,568	1,005	2.816
RT	0.93	190966	0.93	0.93	0.90	0.90	0.90	0.92	(0.03)	7,693	702	0.912
RT-W1	0.23	190966	0.22	0.23	0.22	0.23	0.22	0.23	-	1,536	34	0.22
SEAFCO	3.30	190966	3.30	3.32	3.24	3.26	3.24	3.26	(0.04)	5,324	1,741	3.27
SQ	1.16	190966	1.16	1.17	1.15	1.15	1.15	1.16	(0.01)	5,066	586	1.156
SRICHA	6.45	190966	6.40	6.45	6.40	6.40	6.35	6.40	(0.05)	149	95	6.401
STEC	10.30	190966	10.30	10.30	9.70	9.75	9.75	9.80	(0.55)	347,987	344,221	9.891
STEC01C2401A	0.13	190966	-	0.11	0.09	0.09	0.08	0.09	(0.04)	76,723	747	0.097
STEC01C2401X	0.09	190966	-	0.08	0.06	0.06	0.06	0.07	(0.03)	81,612	544	0.066
STEC01P2401A	0.19	190966	0.19	0.24	0.19	0.24	0.24	0.25	0.05	131,824	2,915	0.221
STEC06C2312A	0.13	190966	-	0.11	0.08	0.08	0.08	0.09	(0.05)	25,872	256	0.098
STEC13C2312A	0.75	190966	-	0.37	0.37	0.37	0.26	0.32	(0.38)	1	-	0.37
STEC13C2312B	0.12	190966	-	0.10	0.09	0.09	0.08	0.09	(0.03)	17,156	159	0.092
STEC13C2401A	0.11	190966	-	0.09	0.07	0.07	0.07	0.08	(0.04)	26,423	216	0.081
STEC13P2312A	0.10	190966	-	0.15	0.12	0.15	0.15	0.16	0.05	83,854	1,197	0.142
STEC19C2312A	0.62	190966	-	0.28	0.23	0.23	0.23	0.24	(0.39)	58,524	1,446	0.247
STEC19C2401A	0.16	190966	0.14	0.14	0.12	0.12	0.11	0.12	(0.04)	18,418	236	0.128
STEC28C2309A	0.02	190966	-	-	-	-	0.01	0.04	-	-	-	0
STI	4.16	190966	4.16	4.16	4.00	4.12	4.10	4.12	(0.04)	828	337	4.075
STPI	3.64	190966	3.64	3.64	3.54	3.54	3.54	3.56	(0.10)	15,360	5,519	3.593
SYNTEC	1.71	190966	1.72	1.72	1.64	1.65	1.65	1.66	(0.06)	24,413	4,096	1.677
TEAMG	6.65	190966	6.65	6.65	6.25	6.30	6.25	6.30	(0.35)	48,507	31,018	6.394
TEAMG-W1	0.57	190966	0.58	0.58	0.54	0.55	0.55	0.56	(0.02)	5,402	299	0.554
TEKA	2.78	190966	2.76	2.78	2.74	2.78	2.76	2.78	-	1,198	331	2.76
TPOLY	1.08	190966	1.09	1.09	1.05	1.07	1.06	1.07	(0.01)	2,789	296	1.062
TRC	0.48	190966	0.48	0.48	0.46	0.47	0.46	0.47	(0.01)	30,498	1,428	0.468
TRITN	0.15	190966	0.15	0.15	0.14	0.15	0.14	0.15	-	18,076	262	0.145
TRITN-W5	0.01	190966	-	0.02	0.01	0.01	-	0.01	-	51,382	51	0.01
TRITN-W6	0.02	190966	-	0.02	0.01	0.02	0.01	0.02	-	10,006	20	0.02
TTCL	4.18	190966	4.16	4.18	4.12	4.18	4.12	4.18	-	3,360	1,393	4.146
UNIQ	3.16	190966	3.16	3.16	3.06	3.06	3.06	3.08	(0.10)	12,070	3,732	3.092
WGE	0.94	190966	-	0.93	0.92	0.93	0.92	0.93	(0.01)	63	6	0.921
Unit Trust												
SCBSET	7.54	190966	-	-	-	-	5.40	-	-	-	-	0
ETF												
1DIV	10.36	190966	10.27	10.36	10.23	10.24	10.23	10.24	(0.12)	1,392	1,427	10.254
ABFTH	1,260.00	190966	-	-	-	-	1,215.00	1,245.00	-	-	-	0
BMSCG	10.22	190966	-	10.21	10.21	10.21	10.10	10.15	(0.01)	1	1	10.21
BMSCITH	10.51	190966	10.46	10.46	10.37	10.39	10.38	10.39	(0.12)	1,630	1,697	10.408
BSET100	9.92	190966	9.90	9.90	9.79	9.82	9.81	9.82	(0.10)	526	517	9.833
CHINA	5.88	190966	-	5.90	5.84	5.86	5.85	5.86	(0.02)	1,679	986	5.873
EBANK	5.32	190966	5.30	5.30	5.30	5.30	5.25	5.30	(0.02)	9	5	5.3
ENGY	5.43	190966	5.43	5.43	5.34	5.34	5.33	5.34	(0.09)	210	113	5.374
ENY	5.17	190966	-	5.16	5.12	5.13	5.10	5.15	(0.04)	82	42	5.149
GLD	2.80	190966	2.80	2.83	2.80	2.82	2.81	2.82	0.02	11,935	3,364	2.818
TDEX	9.18	190966	9.24	9.24	9.05	9.07	9.07	9.09	(0.11)	13,677	12,433	9.09
UBOT	11.61	190966	11.50	11.54	11.50	11.53	10.00	-	(0.08)	5	6	11.528
UHERO	6.99	190966	6.96	6.96	6.95	6.95	6.95	7.03	(0.04)	3	2	6.956
Warrant Foreign												
AIA28C2309A	0.05	190966	-	-	-	-	-	-	-	-	-	0
AIA28C2312A	0.05	190966	-	-	-	-	-	1.00	-	-	-	0
AIA28C2401A	0.14	190966	-	0.15	0.14	0.15	-	-	0.01	8,722	130	0.148
AIA28P2312A	0.45	190966	-	0.45	0.42	0.43	-	-	(0.02)	3,549	156	0.44
AIA41C2309A	0.09	190966	-	-	-	-	-	-	-	-	-	0
AIA41C2311A	0.04	190966	-	-	-	-	-	-	-	-	-	0
AIA41C2401A	0.17	190966	-	0.19	0.17	0.18	0.08	-	0.01	4,250	77	0.18

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ALIHEA28C2310A	0.05	190966	-	0.05	0.05	0.05	-	-	-	2	-	0.05
ALIHEA28C2402A	0.24	190966	-	0.24	0.24	0.24	-	-	-	10,140	243	0.24
ALIHEA41C2310A	0.12	190966	-	-	-	-	-	-	-	-	-	0
BABA28C2309A	0.01	190966	-	-	-	-	-	0.02	-	-	-	0
BABA28C2309B	0.03	190966	-	-	-	-	0.01	-	-	-	-	0
BABA28C2310A	0.05	190966	-	-	-	-	0.01	0.07	-	-	-	0
BABA28C2310B	0.25	190966	-	0.25	0.24	0.24	0.08	-	(0.01)	70,000	1,705	0.243
BABA28C2311A	0.21	190966	-	0.22	0.21	0.21	-	-	-	75,000	1,583	0.211
BABA28C2312A	0.40	190966	-	-	-	-	-	-	-	-	-	0
BABA28C2312B	0.14	190966	-	0.14	0.13	0.13	0.04	0.16	(0.01)	61,500	860	0.139
BABA28C2312C	0.24	190966	-	0.24	0.23	0.23	-	-	(0.01)	110,000	2,610	0.237
BABA28C2403A	0.25	190966	0.26	0.26	0.25	0.25	0.24	0.26	-	32,077	833	0.259
BABA28P2311A	0.20	190966	-	0.20	0.20	0.20	-	-	-	30,000	600	0.2
BABA28P2312A	0.64	190966	-	0.61	0.61	0.61	-	-	(0.03)	10,000	610	0.61
BABA41C2309A	0.03	190966	-	0.03	0.03	0.03	0.01	0.05	-	7,101	21	0.03
BABA41C2311A	0.23	190966	-	0.23	0.22	0.23	0.02	-	-	6,014	133	0.221
BABA41C2312A	0.44	190966	-	0.44	0.44	0.44	0.41	0.53	-	1	-	0.44
BABA41C2312B	0.26	190966	-	0.26	0.25	0.25	0.15	-	(0.01)	6,400	161	0.251
BABA41C2403A	0.28	190966	-	0.28	0.28	0.28	0.08	-	-	21,120	591	0.28
BABA41P2310A	0.20	190966	-	0.20	0.19	0.20	-	-	-	10,000	199	0.199
BABA41P2312A	0.72	190966	-	0.73	0.71	0.72	-	-	-	8,000	576	0.72
BIDU28C2309A	0.09	190966	-	-	-	-	-	-	-	-	-	0
BIDU28C2310A	0.18	190966	-	-	-	-	-	-	-	-	-	0
BIDU28C2312A	0.19	190966	-	0.17	0.16	0.16	0.10	0.20	(0.03)	13,042	221	0.169
BIDU28P2310A	0.12	190966	-	-	-	-	-	-	-	-	-	0
BIDU28P2401A	0.30	190966	-	0.34	0.32	0.33	-	-	0.03	24,057	798	0.331
BIDU41C2309A	0.25	190966	-	-	-	-	-	-	-	-	-	0
BIDU41C2310A	0.10	190966	-	-	-	-	-	-	-	-	-	0
BIDU41C2312A	0.21	190966	-	0.19	0.18	0.19	-	-	(0.02)	4,000	75	0.187
BIDU41P2310A	0.22	190966	-	0.25	0.23	0.24	-	-	0.02	9,000	216	0.24
BOCH41C2309A	0.01	190966	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2310A	0.05	190966	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2311A	0.17	190966	-	0.14	0.14	0.14	-	-	(0.03)	1,014	14	0.14
BYDCOM28C2401A	0.45	190966	-	0.33	0.32	0.32	0.31	0.42	(0.13)	10,061	322	0.32
BYDCOM28P2311A	0.19	190966	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2310A	0.16	190966	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41C2312A	0.93	190966	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2312B	0.20	190966	0.19	0.19	0.19	0.19	0.09	-	(0.01)	2,300	44	0.19
BYDCOM41C2401A	0.55	190966	-	0.53	0.53	0.53	0.08	-	(0.02)	1	-	0.53
BYDCOM41P2310A	0.10	190966	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41P2401A	0.35	190966	-	0.36	0.36	0.36	-	-	0.01	2,000	72	0.36
CATHAY28C2309A	0.10	190966	-	-	-	-	-	-	-	-	-	0
CATHAY28C2311A	0.25	190966	-	-	-	-	-	-	-	-	-	0
CATHAY41C2310A	0.42	190966	-	-	-	-	-	-	-	-	-	0
CATHAY41C2311A	0.07	190966	-	-	-	-	0.01	1.40	-	-	-	0
CATHAY41C2403A	1.00	190966	-	-	-	-	-	-	-	-	-	0
CHMOBI28C2401A	0.48	190966	-	0.49	0.49	0.49	0.08	0.70	0.01	103	5	0.49
CMBANK41C2309A	0.02	190966	-	-	-	-	-	-	-	-	-	0
CMBANK41C2310A	0.13	190966	-	-	-	-	0.01	-	-	-	-	0
CMBANK41C2311A	0.09	190966	-	-	-	-	-	-	-	-	-	0
CMBANK41C2401A	0.24	190966	-	-	-	-	-	-	-	-	-	0
CNOOC28C2312A	0.30	190966	-	0.30	0.29	0.29	-	-	(0.01)	8,112	242	0.298
DJI28C2309A	0.04	190966	-	-	-	-	-	-	-	-	-	0
DJI28C2309B	0.04	190966	-	-	-	-	-	-	-	-	-	0
DJI28C2312A	0.31	190966	0.28	0.28	0.27	0.28	0.28	0.29	(0.03)	673	19	0.278
DJI28C2312B	0.17	190966	-	0.17	0.15	0.17	0.16	0.17	-	22,791	354	0.155
DJI28C2312C	0.54	190966	-	0.52	0.52	0.52	0.51	0.52	(0.02)	38	2	0.52
DJI28P2309A	0.01	190966	-	-	-	-	-	-	-	-	-	0
DJI28P2309B	0.07	190966	-	-	-	-	-	-	-	-	-	0
DJI28P2312A	0.52	190966	-	0.56	0.54	0.54	0.53	0.54	0.02	977	53	0.542
DJI28P2312B	0.36	190966	-	0.37	0.36	0.37	0.35	0.36	0.01	100	4	0.365
DJI41C2309A	0.01	190966	-	-	-	-	-	-	-	-	-	0
DJI41C2312A	0.19	190966	-	0.17	0.16	0.17	0.17	0.18	(0.02)	16	-	0.165
DJI41C2312B	1.00	190966	-	0.61	0.61	0.61	0.61	0.62	(0.39)	1	-	0.61
DJI41C2312C	0.32	190966	-	-	-	-	0.29	0.30	-	-	-	0
DJI41P2309A	0.02	190966	-	-	-	-	-	-	-	-	-	0
DJI41P2309B	0.04	190966	-	-	-	-	-	-	-	-	-	0
DJI41P2312A	0.31	190966	-	0.31	0.30	0.30	0.30	0.31	(0.01)	2	-	0.305
DJI41P2312B	0.47	190966	-	-	-	-	0.44	0.45	-	-	-	0
GEELY28C2309A	0.09	190966	-	-	-	-	-	-	-	-	-	0
GEELY28C2401A	0.21	190966	-	0.19	0.19	0.19	-	-	(0.02)	7,098	135	0.19
GEELY28P2312A	0.19	190966	-	0.20	0.20	0.20	-	-	0.01	2,030	41	0.2
GEELY41C2310A	0.07	190966	-	-	-	-	-	0.04	-	-	-	0
GEELY41C2401A	0.28	190966	-	0.27	0.26	0.26	-	-	(0.02)	7,000	185	0.264
HAIDIL28C2310A	0.12	190966	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2310B	0.23	190966	-	-	-	-	-	0.23	-	-	-	0
HAIDIL28C2402A	0.13	190966	-	-	-	-	0.02	2.60	-	-	-	0
HAIDIL41C2309A	0.24	190966	-	-	-	-	-	-	-	-	-	0
HAIDIL41C2312A	0.11	190966	-	-	-	-	-	-	-	-	-	0
HAIDIL41C2403A	0.23	190966	-	0.19	0.19	0.19	-	-	(0.04)	2,000	38	0.19
HKEX28C2309A	0.01	190966	-	-	-	-	-	-	-	-	-	0
HKEX28C2309B	0.07	190966	-	-	-	-	-	-	-	-	-	0
HKEX28C2311A	0.13	190966	-	-	-	-	-	-	-	-	-	0
HKEX28C2401A	0.32	190966	-	0.25	0.24	0.25	-	-	(0.07)	5,070	126	0.248
HKEX41C2309A	0.17	190966	-	-	-	-	-	-	-	-	-	0
HKEX41C2311A	0.34	190966	-	-	-	-	-	-	-	-	-	0
HKEX41C2401A	0.40	190966	-	0.37	0.34	0.37	-	-	(0.03)	14,000	499	0.356
HSBC28C2312A	0.10	190966	-	-	-	-	-	0.11	-	-	-	0
HSBC28C2401A	0.24	190966	-	0.27	0.25	0.27	-	-	0.03	4,086	107	0.262
HSBC28P2312A	0.07	190966	-	-	-	-	-	-	-	-	-	0
HSBC28P2312B	0.26	190966	-	0.25	0.24	0.24	-	-	(0.02)	2,028	49	0.242
HSBC41C2311A	0.10	190966	-	-	-	-	-	-	-	-	-	0
HSBC41C2401A	0.17	190966	-	0.29	0.28	0.29	-	-	0.12	2,000	57	0.285

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSCEI28C2309A	0.03	190966	-	-	-	-	0.01	0.04	-	-	-	0
HSCEI28C2309B	0.39	190966	-	0.35	0.29	0.32	0.32	0.33	(0.07)	10,014	320	0.32
HSCEI28C2310A	0.14	190966	-	-	-	-	0.14	0.15	-	-	-	0
HSCEI28C2311A	0.44	190966	-	0.41	0.39	0.41	0.40	0.41	(0.03)	4	-	0.402
HSCEI28P2309A	1.00	190966	-	1.00	1.00	1.00	0.97	1.01	-	2	-	1
HSCEI28P2309B	0.04	190966	-	-	-	-	0.02	0.04	-	-	-	0
HSCEI28P2310A	0.59	190966	-	0.64	0.59	0.63	0.61	0.62	0.04	41,081	2,575	0.626
HSCEI28P2311A	0.47	190966	-	0.47	0.47	0.47	0.45	0.46	-	2	-	0.47
HSI28C2309A	0.01	190966	-	0.01	0.01	0.01	-	0.01	-	150	-	0.01
HSI28C2309B	0.01	190966	0.01	0.02	0.01	0.01	0.01	0.02	-	110,788	115	0.01
HSI28C2309C	0.01	190966	-	0.01	0.01	0.01	-	0.01	-	44,329	44	0.01
HSI28C2309D	0.07	190966	0.05	0.06	0.04	0.05	0.05	0.06	(0.02)	632,356	2,905	0.045
HSI28C2310A	0.05	190966	0.04	0.04	0.03	0.04	0.03	0.04	(0.01)	8,616	33	0.038
HSI28C2310B	0.10	190966	-	0.09	0.07	0.08	0.08	0.09	(0.02)	101,406	837	0.082
HSI28C2310C	0.02	190966	-	0.02	0.01	0.02	0.01	0.02	-	1,049	2	0.016
HSI28C2310D	0.26	190966	0.22	0.23	0.20	0.22	0.22	0.23	(0.04)	432,437	9,268	0.214
HSI28C2310E	0.56	190966	0.50	0.54	0.47	0.50	0.50	0.51	(0.06)	1,798,461	89,878	0.499
HSI28C2311A	0.09	190966	0.08	0.09	0.07	0.08	0.08	0.09	(0.01)	120,010	939	0.078
HSI28C2311B	0.33	190966	0.31	0.32	0.29	0.30	0.30	0.31	(0.03)	27,860	839	0.301
HSI28C2311D	0.55	190966	0.51	0.54	0.48	0.51	0.51	0.52	(0.04)	113,744	5,722	0.503
HSI28C2311E	0.19	190966	-	0.18	0.17	0.18	0.17	0.18	(0.01)	26,055	457	0.175
HSI28C2312A	0.37	190966	0.35	0.36	0.33	0.34	0.34	0.35	(0.03)	57,723	1,994	0.345
HSI28C2312B	0.89	190966	0.83	0.87	0.80	0.83	0.83	0.84	(0.06)	569,027	47,741	0.839
HSI28P2309A	0.04	190966	-	0.03	0.02	0.02	0.02	0.03	(0.02)	774	2	0.028
HSI28P2309B	0.02	190966	-	0.01	0.01	0.01	0.01	0.02	(0.01)	220	-	0.01
HSI28P2309C	0.21	190966	0.24	0.27	0.21	0.22	0.22	0.23	0.01	703,766	16,601	0.235
HSI28P2309D	1.04	190966	1.16	1.23	1.10	1.12	1.12	1.16	0.08	106,926	12,364	1.156
HSI28P2310A	0.25	190966	0.26	0.27	0.25	0.25	0.25	0.26	-	65,729	1,692	0.257
HSI28P2310B	0.50	190966	0.54	0.57	0.50	0.53	0.53	0.54	0.03	672,761	36,489	0.542
HSI28P2310C	1.12	190966	1.20	1.26	1.14	1.18	1.17	1.18	0.06	173,457	20,951	1.207
HSI28P2310D	0.11	190966	-	0.12	0.11	0.11	0.11	0.12	-	2,045	24	0.116
HSI28P2311A	0.32	190966	0.32	0.34	0.31	0.32	0.31	0.32	-	8,831	287	0.324
HSI28P2311B	0.62	190966	-	0.65	0.61	0.61	0.61	0.62	(0.01)	2,944	185	0.629
HSI28P2311C	1.08	190966	1.15	1.19	1.10	1.13	1.12	1.13	0.05	263,400	30,227	1.147
HSI28P2312A	0.41	190966	-	0.44	0.41	0.41	0.41	0.42	-	18,645	792	0.424
HSTECH28C2309A	0.80	190966	-	-	-	-	0.60	0.65	-	-	-	0
HSTECH28C2309B	0.04	190966	-	-	-	-	0.03	0.04	-	-	-	0
HSTECH28C2309C	0.01	190966	-	-	-	-	0.01	0.04	-	-	-	0
HSTECH28C2311A	0.56	190966	-	0.49	0.49	0.49	0.48	0.49	(0.07)	1	-	0.49
HSTECH28C2311B	0.20	190966	-	0.17	0.17	0.17	0.16	0.17	(0.03)	1,050	18	0.17
HSTECH28C2311C	0.06	190966	-	0.06	0.05	0.05	0.05	0.06	(0.01)	31	-	0.053
HSTECH28P2309A	0.05	190966	-	-	-	-	0.01	0.04	-	-	-	0
HSTECH28P2309B	0.15	190966	-	0.16	0.16	0.16	0.15	0.16	0.01	1	-	0.16
HSTECH28P2309C	1.00	190966	-	-	-	-	0.99	1.03	-	-	-	0
HSTECH28P2311A	0.28	190966	-	0.31	0.31	0.31	0.30	0.31	0.03	5	-	0.31
HSTECH28P2311B	0.79	190966	-	0.86	0.83	0.86	0.85	0.86	0.07	4,182	359	0.859
HSTECH28P2311C	1.71	190966	-	1.75	1.71	1.75	1.71	1.75	0.04	31	5	1.748
ICBC28C2312A	0.07	190966	-	0.04	0.04	0.04	0.03	-	(0.03)	1,535	6	0.04
ICBC28C2401A	0.18	190966	-	-	-	-	0.17	0.30	-	-	-	0
JD28C2309A	0.04	190966	-	-	-	-	-	-	-	-	-	0
JD28C2312A	0.10	190966	-	0.09	0.09	0.09	0.03	0.10	(0.01)	280	3	0.09
JD28C2402A	0.27	190966	-	0.26	0.25	0.25	0.01	5.40	(0.02)	43,112	1,120	0.259
KUAIISH28C2310A	0.42	190966	-	0.36	0.32	0.34	0.01	-	(0.08)	13,935	472	0.338
KUAIISH28C2401A	0.15	190966	-	0.14	0.13	0.13	-	-	(0.02)	23,182	306	0.131
LENOVO28C2310A	0.04	190966	-	-	-	-	-	-	-	-	-	0
LENOVO28C2310B	0.14	190966	-	-	-	-	-	-	-	-	-	0
LENOVO28C2402A	0.32	190966	-	0.32	0.31	0.31	0.08	-	(0.01)	12,028	378	0.314
LENOVO41C2309A	0.06	190966	-	-	-	-	-	-	-	-	-	0
MCA5041C2309A	0.08	190966	-	-	-	-	-	-	-	-	-	0
MCA5041C2309B	0.01	190966	-	-	-	-	-	-	-	-	-	0
MCA5041C2312A	0.30	190966	-	-	-	-	0.27	0.28	-	-	-	0
MCA5041P2309A	0.52	190966	-	-	-	-	-	-	-	-	-	0
MCA5041P2309B	0.25	190966	-	-	-	-	-	-	-	-	-	0
MCA5041P2312A	0.90	190966	-	-	-	-	0.84	0.85	-	-	-	0
MEITUA28C2311A	0.18	190966	-	0.16	0.16	0.16	-	-	(0.02)	202	3	0.16
MEITUA28C2401A	0.25	190966	-	0.23	0.21	0.21	0.08	0.31	(0.04)	24,682	540	0.218
MEITUA28P2401A	0.24	190966	-	0.26	0.26	0.26	-	-	0.02	2,028	53	0.26
MEITUA41C2309A	0.11	190966	-	-	-	-	-	-	-	-	-	0
MEITUA41C2401A	0.26	190966	-	0.23	0.22	0.22	-	-	(0.04)	24,000	529	0.22
NDX28C2309A	3.46	190966	-	-	-	-	-	-	-	-	-	0
NDX28C2309B	0.17	190966	-	-	-	-	-	-	-	-	-	0
NDX28C2309C	0.22	190966	-	-	-	-	-	-	-	-	-	0
NDX28C2312A	0.31	190966	-	0.29	0.27	0.29	0.28	0.29	(0.02)	9,568	267	0.279
NDX28C2403A	0.34	190966	-	0.33	0.32	0.33	0.32	0.33	(0.01)	101	3	0.32
NDX28P2309A	0.01	190966	-	-	-	-	-	-	-	-	-	0
NDX28P2309B	0.05	190966	-	-	-	-	-	-	-	-	-	0
NDX28P2312A	0.17	190966	-	0.19	0.18	0.18	0.17	0.18	0.01	625	11	0.181
NDX28P2312B	0.43	190966	-	0.44	0.43	0.43	0.43	0.44	-	1,580	68	0.43
NDX41C2309A	3.24	190966	-	-	-	-	-	-	-	-	-	0
NDX41C2309B	0.50	190966	-	-	-	-	-	-	-	-	-	0
NDX41C2309C	0.01	190966	-	-	-	-	-	-	-	-	-	0
NDX41C2312A	0.22	190966	-	0.21	0.20	0.21	0.21	0.22	(0.01)	876	18	0.2
NDX41C2312B	0.44	190966	-	0.41	0.41	0.41	0.42	0.43	(0.03)	25	1	0.41
NDX41P2309A	0.01	190966	-	-	-	-	-	-	-	-	-	0
NDX41P2309B	0.01	190966	-	-	-	-	-	-	-	-	-	0
NDX41P2309C	0.01	190966	-	-	-	-	-	-	-	-	-	0
NDX41P2312A	0.41	190966	0.43	0.43	0.42	0.42	0.41	0.42	0.01	4,706	200	0.425
NDX41P2312B	0.39	190966	-	0.39	0.37	0.37	0.37	0.38	(0.02)	497	19	0.374
NTES41C2310A	0.45	190966	-	-	-	-	-	-	-	-	-	0
NTES41C2312A	0.31	190966	-	0.27	0.25	0.26	-	-	(0.05)	6,000	158	0.263
PINGAN28C2312A	0.10	190966	-	0.10	0.10	0.10	-	-	-	500	5	0.1
PINGAN28C2401A	0.32	190966	-	0.33	0.31	0.33	-	0.34	0.01	17,098	547	0.319
PINGAN28P2311A	0.21	190966	-	0.22	0.21	0.21	-	-	-	7,098	151	0.212

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PINGAN41C2310A	0.09	190966	-	-	-	-	0.01	-	-	-	-	0
PINGAN41C2312A	0.12	190966	-	0.12	0.11	0.11	-	-	(0.01)	10,000	111	0.111
SET5001C2309F	0.01	190966	0.02	0.02	0.01	0.01	0.01	0.02	-	809	1	0.015
SET5001C2310A	0.10	190966	0.09	0.09	0.05	0.05	0.05	0.06	(0.05)	29,400	190	0.064
SET5001C2310X	0.04	190966	-	0.02	0.02	0.02	0.01	0.02	(0.02)	3,054	6	0.02
SET5001C2312A	0.25	190966	0.25	0.25	0.20	0.20	0.20	0.21	(0.05)	72,368	1,571	0.217
SET5001C2312B	0.23	190966	0.18	0.21	0.17	0.17	0.17	0.18	(0.06)	15,196	284	0.187
SET5001C2312F	0.26	190966	0.22	0.24	0.20	0.20	0.20	0.21	(0.06)	193,878	4,108	0.211
SET5001C2312X	0.09	190966	0.06	0.08	0.06	0.07	0.06	0.07	(0.02)	36,210	244	0.067
SET5001P2309F	0.01	190966	-	0.02	0.02	0.02	0.01	0.02	0.01	5	-	0.02
SET5001P2310A	0.02	190966	-	0.01	0.01	0.01	0.01	0.02	(0.01)	110	-	0.01
SET5001P2310X	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
SET5001P2312A	0.52	190966	0.53	0.62	0.53	0.60	0.59	0.60	0.08	119,153	7,026	0.589
SET5001P2312F	0.47	190966	0.48	0.55	0.48	0.53	0.53	0.54	0.06	280,267	14,842	0.529
SET5001P2312X	0.18	190966	0.22	0.22	0.19	0.22	0.21	0.22	0.04	15,381	321	0.208
SET5006C2309A	0.05	190966	-	-	-	-	-	0.01	-	-	-	0
SET5006C2310A	0.23	190966	0.18	0.20	0.17	0.17	0.17	0.18	(0.06)	360,956	6,853	0.189
SET5006P2309A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5006P2310A	0.27	190966	-	0.30	0.27	0.30	0.30	0.31	0.03	259,800	7,364	0.283
SET5008C2309A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5008C2309B	0.02	190966	-	-	-	-	-	0.01	-	-	-	0
SET5008P2309A	0.01	190966	-	0.01	0.01	0.01	-	0.01	-	50	-	0.01
SET5008P2309B	0.01	190966	-	-	-	-	-	0.09	-	-	-	0
SET5011C2309A	0.02	190966	-	-	-	-	0.01	0.03	-	-	-	0
SET5011C2312A	0.36	190966	-	0.33	0.29	0.29	0.29	0.30	(0.07)	27,789	834	0.3
SET5011P2309A	0.01	190966	-	-	-	-	0.01	0.03	-	-	-	0
SET5011P2312A	0.61	190966	-	0.71	0.63	0.69	0.69	0.70	0.08	102,314	6,899	0.674
SET5013C2309A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5013C2309B	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5013C2309C	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5013C2309D	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5013C2309E	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5013C2309F	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5013C2311A	0.93	190966	-	0.93	0.90	0.91	0.90	0.91	(0.02)	824	75	0.913
SET5013C2312A	0.17	190966	0.16	0.17	0.12	0.12	0.12	0.13	(0.05)	2,051,600	27,461	0.133
SET5013C2312B	0.09	190966	0.09	0.09	0.06	0.07	0.06	0.07	(0.02)	577,872	4,253	0.073
SET5013C2312C	0.24	190966	0.23	0.23	0.17	0.17	0.17	0.18	(0.07)	2,485,488	47,069	0.189
SET5013C2312D	0.35	190966	0.33	0.34	0.25	0.26	0.25	0.26	(0.09)	5,917,242	164,869	0.278
SET5013P2309A	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5013P2309B	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5013P2309C	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5013P2309D	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5013P2309E	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5013P2311A	1.21	190966	-	1.25	1.23	1.24	1.24	1.25	0.03	842	104	1.234
SET5013P2312A	0.35	190966	0.36	0.45	0.36	0.43	0.43	0.44	0.08	696,300	29,004	0.416
SET5013P2312B	0.48	190966	0.50	0.62	0.50	0.59	0.59	0.60	0.11	3,173,036	185,547	0.584
SET5013P2312C	0.71	190966	0.73	0.87	0.73	0.84	0.84	0.85	0.13	2,662,177	219,402	0.824
SET5016C2309A	0.08	190966	-	-	-	-	-	0.04	-	-	-	0
SET5016C2309B	0.25	190966	-	-	-	-	-	0.04	-	-	-	0
SET5016C2312A	0.19	190966	-	0.16	0.13	0.13	0.13	0.14	(0.06)	6,087	82	0.134
SET5016P2309A	0.03	190966	-	-	-	-	0.01	0.05	-	-	-	0
SET5016P2312A	0.36	190966	-	0.45	0.38	0.44	0.44	0.45	0.08	16,170	687	0.424
SET5019C2309A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2309B	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2309C	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2309D	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2312A	0.15	190966	-	0.14	0.11	0.11	0.11	0.12	(0.04)	827,382	10,053	0.121
SET5019C2312B	0.10	190966	0.10	0.10	0.07	0.07	0.07	0.08	(0.03)	35,594	265	0.074
SET5019C2312C	0.26	190966	0.20	0.24	0.19	0.19	0.19	0.20	(0.07)	662,023	13,301	0.2
SET5019P2309A	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
SET5019P2309B	0.01	190966	-	-	-	-	0.01	0.02	-	-	-	0
SET5019P2309C	0.01	190966	-	0.01	0.01	0.01	0.01	0.02	-	99	-	0.01
SET5019P2309D	0.01	190966	-	0.01	0.01	0.01	0.01	0.02	-	28	-	0.01
SET5019P2312A	0.33	190966	0.40	0.42	0.36	0.41	0.40	0.41	0.08	855,615	34,169	0.399
SET5019P2312B	0.56	190966	-	0.67	0.57	0.65	0.65	0.66	0.09	251,539	15,947	0.633
SET5019P2312C	0.82	190966	-	0.98	0.87	0.95	0.95	0.97	0.13	96,940	9,006	0.929
SET5024C2309A	0.01	190966	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
SET5024C2309B	0.05	190966	-	-	-	-	0.01	0.02	-	-	-	0
SET5024C2309C	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5024P2309A	0.01	190966	-	0.01	0.01	0.01	-	0.01	-	5	-	0.01
SET5024P2309B	0.01	190966	-	0.01	0.01	0.01	-	0.01	-	2	-	0.01
SET5024P2309C	0.06	190966	-	-	-	-	0.03	0.04	-	-	-	0
SET5027C2309A	0.06	190966	-	-	-	-	-	0.01	-	-	-	0
SET5027C2309B	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5027C2309C	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5027C2309D	0.02	190966	-	-	-	-	-	0.01	-	-	-	0
SET5027C2309T	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5027C2312A	0.14	190966	-	0.11	0.09	0.09	0.09	0.10	(0.05)	388	4	0.097
SET5027C2312B	0.24	190966	0.23	0.23	0.16	0.17	0.17	0.18	(0.07)	109,061	1,955	0.179
SET5027C2403T	0.11	190966	-	0.10	0.09	0.09	0.09	0.10	(0.02)	10,553	100	0.094
SET5027P2309A	0.06	190966	-	-	-	-	-	0.01	-	-	-	0
SET5027P2309B	0.02	190966	-	-	-	-	-	0.01	-	-	-	0
SET5027P2309C	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5027P2309T	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5027P2312A	0.30	190966	-	0.42	0.32	0.39	0.39	0.40	0.09	257,212	9,846	0.382
SET5027P2312B	0.57	190966	-	0.74	0.59	0.71	0.71	0.72	0.14	114,221	7,739	0.677
SET5027P2403T	0.27	190966	-	0.32	0.28	0.31	0.31	0.32	0.04	166,728	5,144	0.308
SET5028C2309A	0.02	190966	-	-	-	-	-	0.04	-	-	-	0
SET5028C2309B	0.06	190966	-	-	-	-	-	0.04	-	-	-	0
SET5028C2309C	0.01	190966	-	-	-	-	-	0.04	-	-	-	0
SET5028C2309D	0.06	190966	-	-	-	-	0.01	0.04	-	-	-	0
SET5028C2309L	0.01	190966	-	-	-	-	-	0.01	-	-	-	0
SET5028C2312A	0.30	190966	-	0.28	0.23	0.23	0.23	0.24	(0.07)	535,038	13,604	0.254

Main Board Quotation

Issue Date

Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET5028C2312B	0.12	190966	-	0.12	0.09	0.10	0.09	0.10	(0.02)	44,001	461	0.104
SET5028C2403A	0.32	190966	0.31	0.31	0.26	0.26	0.26	0.27	(0.06)	388,669	10,684	0.274
SET5028P2309A	0.06	190966	-	-	-	-	-	0.04	-	-	-	0
SET5028P2309B	0.01	190966	-	-	-	-	-	0.04	-	-	-	0
SET5028P2309C	0.02	190966	-	-	-	-	-	0.04	-	-	-	0
SET5028P2309D	0.19	190966	-	0.30	0.20	0.27	0.27	0.30	0.08	28,346	675	0.238
SET5028P2312A	0.25	190966	-	0.30	0.26	0.29	0.29	0.30	0.04	145,280	4,014	0.276
SET5028P2312B	0.65	190966	-	0.77	0.67	0.75	0.75	0.76	0.10	119,608	8,749	0.731
SET5028P2403A	0.77	190966	-	0.87	0.79	0.85	0.85	0.86	0.08	74,373	6,174	0.83
SET5041C2309A	0.03	190966	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2309B	0.01	190966	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2309C	0.01	190966	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2309D	0.03	190966	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2309E	0.01	190966	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2309F	0.01	190966	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2312A	0.13	190966	-	0.11	0.10	0.10	0.09	0.10	(0.03)	52,279	529	0.101
SET5041C2312B	0.10	190966	-	0.09	0.09	0.09	0.09	0.10	(0.01)	39	-	0.09
SET5041C2312C	0.19	190966	0.17	0.17	0.12	0.12	0.12	0.13	(0.07)	478,355	6,874	0.143
SET5041C2312D	0.27	190966	-	0.25	0.20	0.20	0.19	0.20	(0.07)	1,613,281	36,017	0.223
SET5041P2309A	0.06	190966	-	-	-	-	0.02	0.06	-	-	-	0
SET5041P2309B	0.01	190966	-	-	-	-	0.01	0.04	-	-	-	0
SET5041P2309C	0.01	190966	-	-	-	-	0.01	0.04	-	-	-	0
SET5041P2309D	0.01	190966	-	-	-	-	0.01	0.04	-	-	-	0
SET5041P2309E	0.03	190966	-	-	-	-	0.01	0.04	-	-	-	0
SET5041P2309F	0.10	190966	-	-	-	-	0.04	0.08	-	-	-	0
SET5041P2312A	0.32	190966	-	0.40	0.34	0.40	0.39	0.40	0.08	1,428,710	53,463	0.374
SET5041P2312B	0.55	190966	-	0.66	0.58	0.66	0.66	0.67	0.11	304,745	19,113	0.627
SPX28C2309A	0.05	190966	-	-	-	-	-	-	-	-	-	0
SPX28C2309B	0.42	190966	-	-	-	-	-	-	-	-	-	0
SPX28C2309C	0.10	190966	-	-	-	-	-	-	-	-	-	0
SPX28C2312A	0.24	190966	0.22	0.23	0.22	0.23	0.23	0.24	(0.01)	11,008	242	0.22
SPX28C2312B	0.10	190966	-	0.09	0.09	0.09	0.09	0.10	(0.01)	10	-	0.09
SPX28P2309A	0.01	190966	-	-	-	-	-	-	-	-	-	0
SPX28P2309B	0.07	190966	-	-	-	-	-	-	-	-	-	0
SPX28P2309C	0.01	190966	-	-	-	-	-	-	-	-	-	0
SPX28P2309D	0.20	190966	-	-	-	-	-	-	-	-	-	0
SPX28P2312A	0.44	190966	-	0.45	0.44	0.44	0.43	0.44	-	3	-	0.443
SPX28P2312B	0.28	190966	-	0.30	0.29	0.29	0.28	0.29	0.01	52	2	0.29
SPX41C2309A	0.30	190966	-	-	-	-	-	-	-	-	-	0
SPX41C2309C	0.01	190966	-	-	-	-	-	-	-	-	-	0
SPX41C2312A	0.17	190966	-	0.15	0.15	0.15	0.15	0.16	(0.02)	13	-	0.15
SPX41C2312B	0.64	190966	-	0.61	0.59	0.61	0.60	0.61	(0.03)	2	-	0.6
SPX41P2309A	0.01	190966	-	-	-	-	-	-	-	-	-	0
SPX41P2309B	0.01	190966	-	-	-	-	-	-	-	-	-	0
SPX41P2312A	0.31	190966	-	0.32	0.31	0.31	0.30	0.31	-	14,938	463	0.31
SUNNY28C2311A	0.02	190966	-	-	-	-	-	-	-	-	-	0
SUNNY28C2401A	0.12	190966	-	0.10	0.09	0.09	0.06	0.10	(0.03)	3,586	33	0.091
SUNNY28C2402A	0.34	190966	-	0.29	0.24	0.27	-	-	(0.07)	80,280	2,170	0.27
SUNNY41C2309A	0.11	190966	-	-	-	-	-	-	-	-	-	0
SUNNY41C2312A	0.16	190966	-	0.11	0.10	0.10	-	-	(0.06)	8,000	83	0.103
SUNNY41C2403A	0.56	190966	-	0.48	0.43	0.46	0.45	-	(0.10)	26,060	1,178	0.451
TENCEN28C2309A	0.01	190966	-	-	-	-	-	-	-	-	-	0
TENCEN28C2310A	0.08	190966	-	-	-	-	-	-	-	-	-	0
TENCEN28C2311A	0.07	190966	-	-	-	-	0.03	0.07	-	-	-	0
TENCEN28C2312A	0.29	190966	-	0.28	0.28	0.28	0.08	-	(0.01)	300	8	0.28
TENCEN28C2401A	0.29	190966	-	0.28	0.27	0.27	0.20	0.31	(0.02)	13,043	359	0.275
TENCEN28C2403A	1.00	190966	-	20.00	0.20	20.00	0.18	20.00	19.00	1,519	41	0.271
TENCEN28P2310A	0.14	190966	-	-	-	-	-	-	-	-	-	0
TENCEN28P2311A	0.19	190966	-	0.21	0.20	0.21	-	-	0.02	2,029	41	0.2
TENCEN28P2401A	0.35	190966	-	0.37	0.36	0.37	-	-	0.02	19,129	707	0.369
TENCEN41C2309A	0.01	190966	-	0.01	0.01	0.01	-	-	-	1,500	2	0.01
TENCEN41C2312A	0.37	190966	-	0.36	0.35	0.36	0.08	0.57	(0.01)	3,000	107	0.356
TENCEN41C2401A	0.36	190966	-	0.33	0.33	0.33	0.08	-	(0.03)	6,000	198	0.33
TENCEN41P2310A	0.22	190966	-	0.24	0.24	0.24	-	-	0.02	1	-	0.24
TENCEN41P2401A	0.35	190966	-	0.37	0.36	0.36	-	-	0.01	16,000	591	0.369
TRIPDC41C2309A	0.29	190966	-	-	-	-	-	-	-	-	-	0
TRIPDC41C2312A	0.26	190966	-	0.25	0.24	0.24	-	-	(0.02)	6,000	148	0.246
XIAOMI28C2310A	0.10	190966	-	0.09	0.08	0.08	-	-	(0.02)	20	-	0.085
XIAOMI28C2311A	0.24	190966	-	0.23	0.22	0.23	-	-	(0.01)	20,000	455	0.227
XIAOMI41C2310A	0.25	190966	-	-	-	-	-	-	-	-	-	0
XIAOMI41C2312A	0.16	190966	-	0.15	0.14	0.15	0.04	0.17	(0.01)	10,161	146	0.143
ZIJIN28C2312A	0.34	190966	-	0.35	0.35	0.35	-	-	0.01	8,042	281	0.35
ZIJIN41C2312A	0.33	190966	-	0.44	0.44	0.44	-	-	0.11	2,000	88	0.44

Page 29

Main Board Quotation

Issue Date Wednesday September 20, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Foreign Board Quotation

Issue Date :

Wednesday September 20, 2023

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
Warrant (MAI)	-	0	-	-	-	-	-	-	-	-	-	-	-
A5-W2	0.29	190966	0.29	0.29	0.27	0.28	0.28	0.29	(0.01)	30,117.00	855.00	00 0.2	
A5-W3	0.13	190966	0.13	0.13	0.12	0.12	0.12	0.13	(0.01)	8,116.00	105.00	00 0.1	
ABM-W1	0.37	190966	0.36	0.39	0.33	0.35	0.35	0.36	(0.02)	14,527.00	513.00	00 0.3	
BE8-W1	6.20	190966	6.40	6.40	6.10	6.10	6.10	6.15	(0.10)	72.00	45.00	00 6.1	
BM-W3	1.77	190966	1.75	1.85	1.75	1.77	1.77	1.82	-	704.00	128.00	00 1.8	
BROOK-W6	0.06	190966	-	0.06	0.06	0.06	0.05	0.06	-	1.00	-	00 0.0	
BROOK-W7	0.11	190966	-	0.12	0.11	0.12	0.11	0.12	0.01	1,477.00	16.00	00 0.1	
CHEWA-W2	0.02	190966	0.02	0.03	0.01	0.02	0.01	0.02	-	11,216.00	22.00	00 0.0	
CHO-W3	0.05	190966	0.04	0.05	0.04	0.05	0.04	0.05	-	1,571.00	6.00	00 0.0	
CIG-W10	0.15	190966	-	-	-	-	0.13	0.21	-	-	-	00 0.0	
CIG-W9	0.10	190966	0.10	0.10	0.09	0.09	0.09	0.10	(0.01)	27,699.00	276.00	00 0.0	
COLOR-W2	0.09	190966	-	0.09	0.08	0.09	0.08	0.09	-	385.00	3.00	00 0.0	
CPANEL-W1	3.18	190966	-	3.04	3.02	3.04	3.04	3.18	(0.14)	25.00	8.00	00 3.0	
DIMET-W4	0.01	190966	-	-	-	-	-	-	-	-	-	00 0.0	
DITTO-W1	7.15	190966	-	7.20	7.10	7.10	6.80	7.10	(0.05)	36.00	26.00	00 7.1	
DOD-W2	0.02	190966	0.02	0.03	0.02	0.02	0.02	0.03	-	18,136.00	36.00	00 0.0	
DV8-W2	0.15	190966	-	0.18	0.16	0.18	0.14	0.17	0.03	14.00	-	00 0.1	
ECF-W4	0.12	190966	0.12	0.14	0.12	0.12	0.12	0.13	-	11,665.00	145.00	00 0.1	
EFORL-W6	0.07	190966	0.07	0.08	0.07	0.07	0.06	0.07	-	1,696.00	12.00	00 0.0	
FLOYD-W1	0.10	190966	-	0.09	0.08	0.09	0.08	0.09	(0.01)	789.00	7.00	00 0.0	
GLORY-W1	1.28	190966	-	1.28	1.27	1.28	1.27	1.28	-	434.00	55.00	00 1.2	
HEALTH-W2	0.03	190966	0.02	0.02	0.01	0.02	0.01	0.02	(0.01)	5,563.00	11.00	00 0.0	
ICN-W1	1.78	190966	-	1.78	1.73	1.73	1.73	1.77	(0.05)	162.00	28.00	00 1.7	
IIG-W1	6.45	190966	5.70	6.40	5.70	6.15	5.95	6.20	(0.30)	46.00	28.00	00 6.1	
IP-W1	0.03	190966	-	-	-	-	-	-	-	-	-	00 0.0	
IP-W2	0.74	190966	-	0.77	0.72	0.73	0.73	0.74	(0.01)	24,028.00	1,772.00	00 0.7	
JCKH-W1	0.02	190966	-	0.02	0.02	0.02	0.01	0.02	-	10.00	-	00 0.0	
JSP-W1	0.32	190966	-	0.31	0.29	0.29	0.29	0.30	(0.03)	8,684.00	258.00	00 0.2	
K-W2	0.40	190966	0.40	0.40	0.36	0.36	0.36	0.37	(0.04)	5,330.00	201.00	00 0.3	
KGEN-W2	0.54	190966	0.56	0.56	0.50	0.50	0.50	0.51	(0.04)	70,690.00	3,654.00	00 0.5	
KUN-W1	0.04	190966	-	0.04	0.03	0.03	0.03	0.04	(0.01)	16,614.00	52.00	00 0.0	
KUN-W2	0.16	190966	-	0.17	0.15	0.15	0.15	0.16	(0.01)	30,678.00	478.00	00 0.1	
LEO-W1	0.85	190966	0.84	0.86	0.82	0.83	0.82	0.83	(0.02)	5,014.00	419.00	00 0.8	
LIT-W2	0.39	190966	-	0.38	0.35	0.35	0.34	0.36	(0.04)	455.00	16.00	00 0.3	
MBAX-W2	0.54	190966	-	0.53	0.51	0.53	0.53	0.55	(0.01)	3.00	-	00 0.5	
META-W5	0.01	190966	-	-	-	-	-	0.01	-	-	-	00 0.0	
NDR-W2	0.16	190966	-	0.18	0.16	0.17	0.16	0.17	0.01	6,056.00	99.00	00 0.1	
NEWS-W7	0.01	190966	-	0.01	0.01	0.01	-	0.01	-	1.00	-	00 0.0	
OTO-W1	0.58	190966	-	0.59	0.55	0.59	0.55	0.59	0.01	863.00	49.00	00 0.5	
PACO-W1	0.24	190966	0.22	0.23	0.22	0.23	0.22	0.23	(0.01)	1,812.00	41.00	00 0.2	
PLANET-W1	0.03	190966	-	0.03	0.02	0.02	0.02	0.03	(0.01)	4,462.00	10.00	00 0.0	
PPM-W2	0.07	190966	-	0.07	0.07	0.07	0.06	0.07	-	4.00	-	00 0.0	
PROEN-W1	0.59	190966	0.60	0.60	0.58	0.59	0.58	0.59	-	2,179.00	129.00	00 0.5	
PROS-W1	0.21	190966	0.21	0.21	0.20	0.21	0.20	0.21	-	1,644.00	33.00	00 0.2	
PSTC-W2	0.14	190966	0.13	0.13	0.12	0.13	0.12	0.13	(0.01)	31,681.00	412.00	00 0.1	
RWI-W3	0.05	190966	0.05	0.06	0.04	0.06	0.04	0.05	0.01	14,358.00	72.00	00 0.0	
SAAM-W2	0.27	190966	0.27	0.28	0.26	0.26	0.26	0.28	(0.01)	304.00	8.00	00 0.2	
SENX-W1	0.05	190966	0.04	0.04	0.04	0.04	0.04	0.05	(0.01)	902.00	4.00	00 0.0	
SIMAT-W3	0.37	190966	-	0.37	0.37	0.37	0.34	0.37	-	20.00	1.00	00 0.3	
SIMAT-W5	0.27	190966	0.28	0.29	0.27	0.27	0.27	0.28	-	8,169.00	227.00	00 0.2	
STOWER-W4	0.01	190966	-	-	-	-	-	0.01	-	-	-	00 0.0	
TM-W1	0.32	190966	0.32	0.34	0.31	0.34	0.31	0.34	0.02	1,062.00	34.00	00 0.3	
TMC-W2	0.84	190966	-	0.84	0.82	0.84	0.82	0.84	-	470.00	39.00	00 0.8	
TMI-W2	0.45	190966	0.44	0.45	0.43	0.44	0.44	0.45	(0.01)	3,679.00	162.00	00 0.4	
TNDT-W1	0.13	190966	-	0.14	0.12	0.14	0.12	0.14	0.01	3,850.00	47.00	00 0.1	
TPS-W1	2.12	190966	-	2.12	2.00	2.04	2.00	2.04	(0.08)	1,326.00	267.00	00 2.0	
TVDH-W3	0.13	190966	-	0.14	0.13	0.14	0.13	0.14	0.01	2,494.00	33.00	00 0.1	
UBIS-W1	0.05	190966	-	0.06	0.05	0.05	0.05	0.06	-	112.00	1.00	00 0.0	
Preferred Shares													
SGF-P1	-	101743	-	-	-	-	-	-	-	-	-	-	00 0.0
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-	-
-	-	0	-</										