

Asia Plus Securities Company Limited Daily Quotation Report

Sunday December 03, 2023

NOTE :

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
AOT	58.50	3,224,534	-1.7%
PTT	35.25	2,183,198	1.4%
PTTEP	148.50	1,821,896	-2.0%
CPALL	53.25	1,454,291	2.4%
HANA	46.75	1,168,187	4.5%
BDMS	25.75	1,048,016	-1.9%
SCB	99.75	965,391	0.5%
HSI06P2401A	0.62	821,313	3.3%
DELTA	77.50	792,339	-0.3%
KBANK	129.50	773,686	1.2%

Gainers and Losers	
Gainers	235
Losers	214
Unchanged	198

Volume by Board (Lot)	
Main Board	12,832,669,257
Foreign Board	7,693
Total	12,832,676,950

Value by Board (Mn.Bt.)	
Main Board	37,544.90
Foreign Board	70.26
Total	37,615.16

Top Ten Gainers		
Stock	Last	Value '000
SET5041C2312A	0.06	0
SET5041C2312D	0.06	0
JD28C2312A	0.04	0
VGI19C2402A	0.03	0
BYDCOM28P2401A	0.56	6
AAV01C2402A	0.02	0
AQUA-W3	0.02	105
CPALL13C2401A	0.02	0
DELTA01C2312A	0.02	5
EA01C2401A	0.02	0

Top Ten Losers		
Stock	Last	Value '000
NDX41P2312B	0.01	1
TASCO06C2312A	0.01	0
TASCO19C2404A	0.21	1,482
MINT41C2405A	0.22	352
CHG01C2401A	0.02	6
DELTA19P2312A	0.01	0
LENOVO28C2404A	0.25	1
MEGA19C2404A	0.25	478
GULF41C2405A	0.26	52
KKP13C2405A	0.26	378

Movements in SET and Sectorial Indices						
	Open	High	Low	Close	Change	%Change
.SET	1,382.25	1,384.13	1,374.06	1,380.31	0.13	0.01
.SET50	853.57	854.87	847.86	852.94	-	-
.SET100	1,891.07	1,895.05	1,879.12	1,890.08	1.14	0.06
.SETHD	1,089.99	1,096.92	1,087.15	1,093.03	1.84	0.17
.MAI	847.34	851.01	844.46	397.61	3.40	0.86
.AGRI	176.66	177.53	174.91	175.46	(0.57)	(0.32)
.BANK	369.01	370.61	367.82	368.22	0.98	0.27
.CONMAT	7,488.14	7,555.54	7,484.19	7,514.18	11.37	0.15
.PETRO	715.37	728.02	711.97	722.09	5.68	0.79
.COMM	29,966.55	30,094.56	29,639.75	29,993.48	174.23	0.58
.ICT	149.52	150.25	148.40	149.65	0.67	0.45
.ETRON	9,758.45	9,758.45	9,516.39	9,594.99	10.35	0.11
.ENERG	20,516.61	20,679.89	20,452.03	20,618.74	14.43	0.07
.MEDIA	29.89	30.30	29.85	30.00	0.13	0.44
.FIN	3,343.23	3,354.54	3,318.67	3,329.04	(10.18)	(0.30)
.FOOD	10,915.08	10,939.75	10,819.65	10,840.43	(83.98)	(0.77)
.HELTH	6,449.19	6,452.36	6,375.23	6,418.11	(50.52)	(0.78)
.TOURISM	542.32	542.32	533.46	535.41	(1.69)	(0.31)
.HOME	19.39	19.53	19.28	19.50	0.11	0.57
.INSUR	8,951.60	9,018.19	8,925.73	8,944.22	(1.40)	(0.02)
.MINE	-	-	-	-	-	-
.PKG	3,779.70	3,859.38	3,758.35	3,822.48	40.98	1.08
.PERSON	82.37	83.46	81.89	82.87	0.53	0.64
.PROF	340.89	344.18	336.97	341.49	1.27	0.37
.PROP	227.23	228.20	226.07	228.05	1.22	0.54
.PAPER	3,122.58	3,206.97	3,122.58	3,122.58	-	-
.FASHION	632.20	635.12	627.56	629.76	(0.04)	(0.01)
.TRANS	293.34	294.11	288.85	290.45	(3.36)	(1.14)
.AUTO	445.45	447.61	443.50	443.87	(0.72)	(0.16)
.IMM	19.96	19.97	19.77	19.84	(0.09)	(0.45)
.PFUND	148.43	148.53	147.70	126.70	(1.33)	(1.04)
.STEEL	26.87	27.15	26.80	27.02	0.17	0.63

ASP's Daily Quotation Report

Sunday December 03, 2023



Main Board Quotation

Issue Date

Sunday December 03, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SQ	1.09	301166	-	1.11	1.08	1.11	1.11	1.12	0.02	11,589	1,277	1.101
SRICHA	5.20	301166	5.25	5.25	5.00	5.00	5.00	5.05	(0.20)	1,400	706	5.04
STEC	8.95	301166	8.95	9.05	8.85	8.85	8.80	8.85	(0.10)	32,266	28,721	8.901
STEC01C2401A	0.01	301166	-	-	-	-	0.01	0.02	-	-	-	0
STEC01C2401X	0.01	301166	-	-	-	-	0.01	0.02	-	-	-	0
STEC01C2402A	0.05	301166	-	-	-	-	0.02	0.03	-	-	-	0
STEC01C2403A	0.21	301166	-	0.20	0.19	0.19	0.19	0.20	(0.02)	15,842	316	0.199
STEC01P2401A	0.09	301166	-	-	-	-	0.06	0.07	-	-	-	0
STEC06C2312A	0.01	301166	-	-	-	-	-	0.01	-	-	-	0
STEC13C2312A	0.06	301166	-	-	-	-	0.01	0.02	-	-	-	0
STEC13C2312B	0.02	301166	-	-	-	-	0.01	0.02	-	-	-	0
STEC13C2401A	0.01	301166	-	-	-	-	0.01	0.02	-	-	-	0
STEC13C2402A	0.05	301166	-	-	-	-	0.03	0.04	-	-	-	0
STEC13C2403A	0.16	301166	-	0.16	0.14	0.14	0.14	0.15	(0.02)	34,056	500	0.146
STEC13P2312A	0.10	301166	-	-	-	-	0.01	0.02	-	-	-	0
STEC19C2312A	0.09	301166	-	-	-	-	0.01	0.02	-	-	-	0
STEC19C2401A	0.03	301166	-	-	-	-	0.02	0.03	-	-	-	0
STEC19C2403A	0.18	301166	-	0.18	0.16	0.16	0.16	0.17	(0.02)	20,381	347	0.17
STI	3.58	301166	-	3.66	3.56	3.60	3.56	3.60	0.02	880	317	3.596
STPI	2.90	301166	-	2.98	2.90	2.94	2.92	2.94	0.04	2,342	688	2.938
SYNTEC	1.55	301166	-	1.58	1.56	1.56	1.56	1.57	0.01	2,130	332	1.561
TEAMG	4.72	301166	4.76	4.88	4.76	4.82	4.80	4.82	0.10	11,209	5,405	4.821
TEAMG-W1	0.41	301166	-	0.42	0.39	0.41	0.39	0.40	-	264	11	0.402
TEKA	2.70	301166	-	2.70	2.66	2.68	2.66	2.68	(0.02)	570	153	2.679
TPOLY	0.67	301166	0.67	0.71	0.67	0.68	0.67	0.68	0.01	728	50	0.681
TRC	0.43	301166	0.42	0.44	0.40	0.43	0.42	0.43	-	242,153	10,245	0.423
TRITN	0.13	301166	0.13	0.14	0.13	0.14	0.13	0.14	0.01	61,462	804	0.13
TRITN-W5	0.01	301166	-	0.01	0.01	0.01	-	0.01	-	101	-	0.01
TRITN-W6	0.02	301166	0.01	0.02	0.01	0.01	0.01	0.02	(0.01)	30	-	0.011
TTCL	3.72	301166	-	3.72	3.64	3.72	3.70	3.72	-	8,412	3,103	3.688
UNIQ	2.90	301166	2.88	2.96	2.86	2.90	2.86	2.90	-	2,405	699	2.906
WGE	0.78	301166	-	0.79	0.77	0.78	0.77	0.78	-	45	4	0.784
Unit Trust SCBSET	7.54	301166	-	-	-	-	5.40	-	-	-	-	0
ETF												
1DIV	9.83	301166	9.85	9.92	9.81	9.85	9.83	9.86	0.02	368	362	9.839
ABFTH	1,237.00	301166	-	-	-	-	1,226.00	1,255.00	-	-	-	0
BMSCG	9.19	301166	-	9.30	9.20	9.24	9.20	9.22	0.05	12	11	9.241
BMSCITH	9.64	301166	-	9.66	9.60	9.65	9.64	9.66	0.01	600	578	9.633
BSET100	8.97	301166	-	9.04	8.98	9.01	8.98	9.02	0.04	357	321	8.99
CHINA	5.56	301166	5.57	5.57	5.52	5.56	5.56	5.57	-	617	341	5.525
EBANK	5.00	301166	-	5.05	5.00	5.05	5.00	5.06	0.05	15	8	5.042
ENGY	5.20	301166	5.18	5.20	5.14	5.18	5.18	5.20	(0.02)	43	22	5.179
ENY	5.00	301166	-	5.06	5.00	5.00	5.00	5.10	-	14	7	5.011
GLD	2.88	301166	2.88	2.89	2.88	2.88	2.88	2.89	-	11,390	3,281	2.88
TDEX	8.41	301166	8.42	8.43	8.37	8.40	8.40	8.41	(0.01)	2,912	2,446	8.4
UBOT	11.93	301166	-	11.93	11.87	11.90	11.88	-	(0.03)	9	11	11.9
UHERO	7.11	301166	-	7.11	7.11	7.11	7.05	7.11	-	1	1	7.11
Warrant Foreign												
AIA28C2312A	0.04	301166	-	-	-	-	-	-	-	-	-	0
AIA28C2401A	0.20	301166	-	-	-	-	-	-	-	-	-	0
AIA28C2403A	0.31	301166	-	0.29	0.29	0.29	0.08	6.20	(0.02)	10	-	0.29
AIA28P2312A	0.11	301166	-	-	-	-	-	-	-	-	-	0
AIA41C2311A	0.04	301166	-	-	-	-	-	-	-	-	-	0
AIA41C2401A	0.15	301166	-	-	-	-	-	-	-	-	-	0
AIA41C2403A	0.31	301166	-	-	-	-	-	-	-	-	-	0
ALIHEA28C2402A	0.23	301166	-	-	-	-	-	-	-	-	-	0
BABA28C2311A	0.02	301166	-	-	-	-	-	-	-	-	-	0
BABA28C2312A	0.10	301166	-	-	-	-	0.07	-	-	-	-	0
BABA28C2312B	0.03	301166	-	-	-	-	-	0.02	-	-	-	0
BABA28C2312C	0.05	301166	-	-	-	-	-	-	-	-	-	0
BABA28C2401A	0.06	301166	-	-	-	-	-	-	-	-	-	0
BABA28C2403A	0.06	301166	-	-	-	-	0.05	0.07	-	-	-	0
BABA28C2403B	0.09	301166	-	-	-	-	-	0.09	-	-	-	0
BABA28C2404A	0.28	301166	-	0.27	0.27	0.27	0.18	-	(0.01)	40	1	0.27
BABA28C2406A	0.25	301166	-	0.26	0.24	0.25	0.23	-	-	3,194	78	0.242
BABA28P2311A	0.04	301166	-	-	-	-	-	-	-	-	-	0
BABA28P2312A	0.65	301166	-	-	-	-	-	-	-	-	-	0
BABA28P2403A	0.39	301166	-	-	-	-	-	-	-	-	-	0
BABA41C2311A	0.01	301166	-	-	-	-	-	-	-	-	-	0
BABA41C2312A	0.21	301166	-	-	-	-	0.08	0.21	-	-	-	0
BABA41C2312B	0.01	301166	-	-	-	-	-	-	-	-	-	0
BABA41C2403A	0.08	301166	-	-	-	-	0.07	-	-	-	-	0
BABA41C2403B	0.08	301166	-	-	-	-	-	-	-	-	-	0
BABA41C2404A	0.36	301166	-	0.35	0.33	0.33	0.20	-	(0.03)	646	22	0.347
BABA41C2406A	0.28	301166	-	-	-	-	0.02	-	-	-	-	0
BABA41P2312A	0.81	301166	-	-	-	-	0.02	-	-	-	-	0
BABA41P2403A	0.55	301166	-	0.57	0.56	0.57	0.27	0.61	0.02	2	-	0.565
BIDU28C2312A	0.01	301166	-	-	-	-	-	0.04	-	-	-	0
BIDU28C2403A	0.15	301166	-	-	-	-	-	-	-	-	-	0
BIDU28C2403B	0.44	301166	0.47	0.48	0.45	0.48	-	-	0.04	22	1	0.467
BIDU28P2401A	0.30	301166	-	-	-	-	-	-	-	-	-	0
BIDU41C2312A	0.16	301166	-	-	-	-	-	-	-	-	-	0
BIDU41C2403A	0.16	301166	-	-	-	-	-	-	-	-	-	0
BIDU41C2403B	0.48	301166	0.52	0.53	0.49	0.50	-	-	0.02	22	1	0.51
BIDU41P2403A	0.60	301166	-	0.63	0.61	0.63	-	0.76	0.03	2	-	0.62
BYDCOM28C2311A	0.01	301166	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2401A	0.03	301166	0.03	0.03	0.03	0.03	-	-	-	1	-	0.03
BYDCOM28C2404A	0.12	301166	-	-	-	-	0.08	2.40	-	-	-	0
BYDCOM28P2311A	0.13	301166	-	-	-	-	-	-	-	-	-	0
BYDCOM28P2401A	0.22	301166	0.57	0.57	0.56	0.56	-	-	0.34	105	6	0.56
BYDCOM41C2312A	0.82	301166	-	-	-	-	0.02	-	-	-	-	0
BYDCOM41C2312B	0.06	301166	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2401A	0.11	301166	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2404A	0.35	301166	-	-	-	-	-	-	-	-	-	0
BYDCOM41P2401A	0.21	301166	-	-	-	-	-	-	-	-	-	0
BYDCOM41P2404A	1.00	301166	-	-	-	-	-	-	-	-	-	0
CATHAY28C2311A	0.01	301166	-	-	-	-	-	-	-	-	-	0
CATHAY28C2403A	0.12	301166	-	-	-	-	-	-	-	-	-	0
CATHAY28C2404A	0.29	301166	-	-	-	-	-	-	-	-	-	0
CATHAY41C2311A	0.02	301166	-	-	-	-	-	-	-	-	-	0
CATHAY41C2403A	0.09	301166	-	-	-	-	-	-	-	-	-	0
CATHAY41C2404A	0.23	301166	-	-	-	-	-	-	-	-	-	0

Main Board Quotation

Issue Date

Sunday December 03, 2023

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET5013C2312K	0.01	301166	-	0.01	0.01	0.01	-	0.01	-	160	-	0.01
SET5013C2312L	0.01	301166	0.01	0.02	0.01	0.02	0.01	0.02	0.01	16,376	16	0.01
SET5013C2312M	0.02	301166	0.02	0.02	0.01	0.01	-	0.01	(0.01)	125,411	127	0.01
SET5013C2312N	0.04	301166	0.04	0.04	0.03	0.03	0.02	0.03	(0.01)	406,886	1,244	0.03
SET5013C2403A	0.20	301166	0.21	0.22	0.18	0.20	0.20	0.21	-	1,796,044	36,142	0.201
SET5013C2403B	0.30	301166	0.31	0.32	0.28	0.30	0.30	0.31	-	2,482,236	74,836	0.301
SET5013C2403C	0.36	301166	0.37	0.39	0.34	0.36	0.36	0.37	-	4,257,724	154,667	0.363
SET5013C2405A	0.89	301166	0.89	0.89	0.88	0.88	0.88	0.89	(0.01)	11,114	978	0.88
SET5013P2311A	1.41	301166	-	-	-	-	-	-	-	-	-	0
SET5013P2312A	0.52	301166	0.50	0.55	0.46	0.48	0.48	0.51	(0.04)	18,420	955	0.518
SET5013P2312B	0.74	301166	-	0.77	0.73	0.73	0.67	0.72	(0.01)	1,241	95	0.763
SET5013P2312C	1.32	301166	-	1.35	1.19	1.19	1.19	1.29	(0.13)	521	65	1.24
SET5013P2312D	0.26	301166	0.24	0.28	0.23	0.24	0.24	0.25	(0.02)	200,670	4,998	0.249
SET5013P2312E	0.10	301166	-	0.11	0.09	0.09	0.09	0.10	(0.01)	183,446	1,761	0.095
SET5013P2312F	0.05	301166	-	0.04	0.04	0.04	0.03	0.04	(0.01)	880	4	0.04
SET5013P2312G	0.07	301166	0.06	0.07	0.06	0.06	0.06	0.07	(0.01)	12,655	79	0.062
SET5013P2403A	0.38	301166	0.37	0.40	0.36	0.37	0.37	0.38	(0.01)	1,810,612	68,006	0.375
SET5013P2403B	0.57	301166	0.56	0.59	0.53	0.55	0.55	0.56	(0.02)	3,580,573	200,628	0.56
SET5013P2403C	0.77	301166	0.74	0.80	0.73	0.75	0.75	0.76	(0.02)	2,308,135	176,301	0.763
SET5013P2405A	1.25	301166	-	1.25	1.24	1.25	1.24	1.25	-	20,068	2,498	1.244
SET5016C2312A	0.01	301166	-	-	-	-	-	0.01	-	-	-	0
SET5016C2312B	0.01	301166	-	-	-	-	-	0.01	-	-	-	0
SET5016C2312C	0.02	301166	-	-	-	-	-	0.01	-	-	-	0
SET5016P2312A	0.44	301166	-	-	-	-	0.46	0.50	-	-	-	0
SET5016P2312B	0.08	301166	-	0.09	0.07	0.07	0.07	0.08	(0.01)	793	6	0.075
SET5019C2312A	0.01	301166	-	0.01	0.01	0.01	0.01	0.02	-	1,000	1	0.01
SET5019C2312B	0.01	301166	-	0.01	0.01	0.01	0.01	0.02	-	371	-	0.01
SET5019C2312C	0.01	301166	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2312D	0.01	301166	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2312E	0.01	301166	-	0.02	0.01	0.01	0.01	0.02	-	2	-	0.015
SET5019C2312F	0.01	301166	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2312G	0.03	301166	0.03	0.03	0.02	0.03	0.02	0.03	-	14,590	43	0.029
SET5019C2403A	0.20	301166	0.20	0.21	0.19	0.20	0.20	0.21	-	99,817	1,968	0.197
SET5019C2403B	0.34	301166	0.36	0.36	0.32	0.34	0.34	0.35	-	356,286	12,200	0.342
SET5019P2312A	0.70	301166	-	-	-	-	0.67	0.70	-	-	-	0
SET5019P2312B	0.69	301166	-	-	-	-	0.94	0.97	-	-	-	0
SET5019P2312C	1.62	301166	-	1.70	1.61	1.65	1.60	1.64	0.03	351	59	1.677
SET5019P2312D	0.24	301166	0.22	0.25	0.21	0.22	0.22	0.23	(0.02)	483,383	10,895	0.225
SET5019P2312E	0.16	301166	0.16	0.17	0.15	0.15	0.15	0.16	(0.01)	375,803	5,893	0.156
SET5019P2403A	0.29	301166	-	0.29	0.27	0.27	0.27	0.28	(0.02)	361,806	10,231	0.282
SET5019P2403B	0.71	301166	0.68	0.73	0.67	0.69	0.69	0.70	(0.02)	254,083	17,675	0.695
SET5019P2403C	0.52	301166	-	0.52	0.48	0.49	0.49	0.50	(0.03)	566,263	28,628	0.505
SET5027C2312A	0.01	301166	-	-	-	-	-	0.01	-	-	-	0
SET5027C2312B	0.01	301166	-	-	-	-	-	0.01	-	-	-	0
SET5027C2312C	0.01	301166	-	-	-	-	-	0.01	-	-	-	0
SET5027C2312D	0.01	301166	-	-	-	-	-	0.01	-	-	-	0
SET5027C2312E	0.01	301166	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403A	0.15	301166	0.15	0.16	0.13	0.14	0.14	0.15	(0.01)	258,719	3,704	0.143
SET5027C2403B	0.27	301166	-	0.30	0.26	0.27	0.27	0.28	-	356,943	9,872	0.276
SET5027C2403T	0.01	301166	-	0.01	0.01	0.01	-	0.01	-	255	-	0.01
SET5027C2406T	0.15	301166	-	-	-	-	0.15	0.16	-	-	-	0
SET5027P2312A	0.43	301166	0.39	0.47	0.37	0.39	0.39	0.40	(0.04)	334,632	13,963	0.417
SET5027P2312B	1.12	301166	1.04	1.20	1.04	1.10	1.08	1.12	(0.02)	8,038	898	1.117
SET5027P2312C	0.10	301166	0.09	0.11	0.08	0.09	0.09	0.10	(0.01)	197,716	1,974	0.099
SET5027P2403T	0.63	301166	-	0.66	0.60	0.62	0.62	0.63	(0.01)	226,465	14,289	0.63
SET5027P2406T	0.25	301166	-	0.25	0.23	0.23	0.23	0.24	(0.02)	279,467	6,674	0.238
SET5028C2312A	0.01	301166	-	-	-	-	0.01	0.02	-	-	-	0
SET5028C2312B	0.01	301166	-	-	-	-	0.01	0.05	-	-	-	0
SET5028C2312C	0.02	301166	-	-	-	-	0.01	0.04	-	-	-	0
SET5028C2312D	0.04	301166	-	0.02	0.02	0.02	0.02	0.03	(0.02)	14,100	28	0.02
SET5028C2312E	0.22	301166	0.23	0.24	0.20	0.23	0.22	0.23	0.01	131,897	2,907	0.22
SET5028C2403A	0.04	301166	-	0.04	0.03	0.03	0.02	0.03	(0.01)	1,886	6	0.032
SET5028C2403B	0.09	301166	0.09	0.09	0.08	0.09	0.08	0.09	-	17,081	144	0.084
SET5028C2403C	0.26	301166	0.27	0.27	0.25	0.26	0.26	0.27	-	505,928	13,150	0.259
SET5028P2312A	0.32	301166	-	0.33	0.30	0.30	0.30	0.31	(0.02)	196,345	6,203	0.315
SET5028P2312B	1.33	301166	-	-	-	-	1.34	1.39	-	-	-	0
SET5028P2312C	0.11	301166	-	0.09	0.09	0.09	0.09	0.10	(0.02)	20,280	183	0.09
SET5028P2403A	1.37	301166	-	1.36	1.31	1.32	1.33	1.37	(0.05)	8	1	1.326
SET5028P2403B	0.75	301166	-	0.78	0.73	0.75	0.74	0.75	-	77,120	5,843	0.757
SET5041C2312A	0.01	301166	-	0.06	0.06	0.06	0.01	0.06	0.05	1	-	0.06
SET5041C2312B	0.01	301166	0.01	0.01	0.01	0.01	0.01	0.06	-	2	-	0.01
SET5041C2312C	0.06	301166	-	-	-	-	0.01	0.06	-	-	-	0
SET5041C2312D	0.01	301166	-	0.06	0.01	0.06	0.01	0.06	0.05	359	-	0.01
SET5041C2312E	0.02	301166	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2312F	0.08	301166	-	-	-	-	0.01	0.06	-	-	-	0
SET5041C2312G	0.01	301166	-	-	-	-	0.01	0.06	-	-	-	0
SET5041C2312H	0.06	301166	-	0.05	0.04	0.05	0.02	0.05	(0.01)	200	1	0.045
SET5041C2312I	0.06	301166	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2403A	0.06	301166	-	0.06	0.05	0.06	0.05	0.06	-	343	2	0.051
SET5041C2403B	0.11	301166	0.11	0.12	0.09	0.11	0.10	0.11	-	745	8	0.105
SET5041C2403C	0.20	301166	0.21	0.21	0.19	0.19	0.19	0.20	(0.01)	148,953	2,918	0.195
SET5041C2403D	0.20	301166	0.20	0.21	0.19	0.20	0.20	0.21	-	72,967	1,461	0.2
SET5041C2403E	0.32	301166	0.31	0.33	0.29	0.31	0.31	0.32	(0.01)	132,131	4,051	0.306
SET5041P2312A	0.47	301166	-	0.46	0.40	0.42	0.41	0.43	(0.05)	504	22	0.432
SET5041P2312B	1.09	301166	-	1.03	0.99	0.99	0.96	1.01	(0.10)	280	28	0.996

