

Asia Plus Securities Company Limited Daily Quotation Report

Wednesday January 17, 2024

NOTE :

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active

Stock	Last	Value '000	%Change
PTT	33.50	2,787,914	-0.7%
PTTEP	148.00	2,351,709	-1.3%
AOT	61.25	2,006,804	-2.8%
TU	15.00	1,915,134	2.7%
BBL	148.00	1,834,310	-1.0%
SCC	273.00	1,739,448	-3.9%
KBANK	131.00	1,580,959	0.4%
DELTA	82.75	1,393,731	-0.3%
WHA	4.56	1,389,710	-5.4%
BDMS	27.25	1,293,592	-2.7%

Gainers and Losers

Gainers	72
Losers	457
Unchanged	127

Volume by Board (Lot)

Main Board	17,569,618,881
Foreign Board	77,963
Total	17,569,696,844

Value by Board (Mn.Bt.)

Main Board	56,431.99
Foreign Board	275.54
Total	56,707.53

Top Ten Gainers

Stock	Last	Value '000
HSI28P2401B	0.13	697
HSI06P2401C	0.72	297,446
AMATA01P2402A	0.06	8
B-W8	0.02	20
BANPU01C2402B	0.02	15
PPPM-W4	0.02	0
HSI28P2401A	0.79	604,324
BYDCOM28P2401A	0.49	4,186
HSI06P2401A	1.36	74
HSCEI28P2401B	0.75	12,512

Top Ten Losers

Stock	Last	Value '000
SET5019C2403D	0.11	1,132
EA41C2403B	0.01	1
PTT13C2406A	0.15	303
ERW41C2406A	0.16	612
DELTA41C2402A	0.01	0
EA13C2403B	0.01	1
EA19C2406A	0.22	1,033
KTB41C2406A	0.25	200
NEX19C2402A	0.01	2
AOT11C2407A	0.28	149

Movements in SET and Sectorial Indices

	Open	High	Low	Close	Change	%Change
.SET	1,397.64	1,397.97	1,378.85	1,380.65	(21.07)	(1.50)
.SET50	853.82	854.04	841.67	839.72	(12.85)	(1.51)
.SET100	1,892.46	1,892.90	1,866.28	1,863.00	(28.44)	(1.50)
.SETHD	1,114.11	1,114.38	1,097.32	1,098.64	(18.15)	(1.63)
.MAI	904.43	904.47	890.11	410.57	(5.15)	(1.24)
.AGRI	193.98	193.98	188.45	189.96	(3.58)	(1.85)
.BANK	373.20	374.18	370.02	370.10	(2.71)	(0.73)
.CONMAT	7,512.49	7,512.49	7,292.31	7,305.72	(212.67)	(2.83)
.PETRO	708.54	708.54	690.93	693.99	(17.41)	(2.45)
.COMM	30,694.02	30,710.83	30,235.19	30,309.92	(474.74)	(1.54)
.ICT	150.58	150.58	147.90	148.16	(2.62)	(1.74)
.ETRON	10,164.89	10,350.57	10,138.05	10,225.59	(26.04)	(0.25)
.ENERG	20,322.50	20,336.99	20,024.19	20,102.98	(284.07)	(1.39)
.MEDIA	30.05	30.17	29.67	29.97	(0.08)	(0.27)
.FIN	3,251.28	3,274.95	3,215.22	3,218.10	(59.84)	(1.83)
.FOOD	10,789.47	10,867.21	10,749.82	10,766.14	(98.79)	(0.91)
.HEALTH	6,771.86	6,773.99	6,643.98	6,683.11	(120.02)	(1.76)
.TOURISM	538.99	544.83	534.24	538.73	(0.16)	(0.03)
.HOME	20.16	20.24	19.82	19.82	(0.37)	(1.83)
.INSUR	8,655.81	8,669.16	8,522.14	8,532.60	(159.68)	(1.84)
.MINE	-	-	-	-	-	-
.PKG	3,421.36	3,421.82	3,288.71	3,345.18	(94.12)	(2.74)
.PERSON	90.55	90.75	89.21	89.25	(1.64)	(1.80)
.PROF	373.49	375.84	368.58	369.83	(6.39)	(1.70)
.PROP	228.70	229.08	223.86	224.26	(5.15)	(2.24)
.PAPER	3,375.76	3,375.76	3,319.49	3,375.76	-	-
.FASHION	650.01	651.50	639.55	641.54	(8.31)	(1.28)
.TRANS	310.66	310.70	302.98	302.98	(7.57)	(2.44)
.AUTO	467.96	468.44	459.99	459.99	(9.31)	(1.98)
.IMM	21.48	21.51	21.26	21.31	(0.17)	(0.79)
.PFUND	148.43	148.53	147.70	130.00	(1.45)	(1.10)
.STEEL	28.09	28.24	27.61	27.61	(0.49)	(1.74)

ASP's Daily Quotation Report

Wednesday January 17, 2024



Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HANA06C2401A	0.01	160167	-	-	-	-	-	-	-	-	-	0
HANA06C2404A	0.60	160167	-	0.52	0.46	0.47	-	-	(0.13)	30,186	1,511	0.5
HANA06C2405A	0.32	160167	-	0.34	0.30	0.31	-	-	(0.01)	52,466	1,695	0.323
HANA13C2403A	0.05	160167	-	0.05	0.04	0.04	0.04	0.05	(0.01)	5,504	27	0.048
HANA13C2404A	0.19	160167	-	0.20	0.18	0.18	0.18	0.19	(0.01)	138,208	2,699	0.195
HANA13C2404B	0.40	160167	-	0.42	0.37	0.39	0.38	0.39	(0.01)	151,128	6,041	0.399
HANA13P2403A	0.24	160167	-	0.25	0.21	0.24	0.23	0.24	-	132,852	3,048	0.229
HANA13P2404A	0.10	160167	-	0.10	0.10	0.10	0.10	0.11	-	29,835	298	0.1
HANA19C2403A	0.07	160167	-	0.05	0.05	0.05	0.04	0.05	(0.02)	4,602	23	0.05
HANA19C2404A	0.21	160167	-	0.22	0.19	0.19	0.19	0.20	(0.02)	37,175	749	0.201
HANA19C2404B	0.42	160167	-	0.44	0.40	0.40	0.40	0.41	(0.02)	47,898	2,036	0.424
HANA19P2405A	0.53	160167	-	0.53	0.50	0.52	0.52	0.54	(0.01)	84,566	4,349	0.514
HANA41C2403A	0.10	160167	-	-	-	-	0.03	0.05	-	-	-	0
HANA41C2404A	0.17	160167	-	0.18	0.16	0.16	0.16	0.17	(0.01)	45,100	783	0.173
HANA41C2405A	0.65	160167	-	0.64	0.62	0.62	0.60	0.62	(0.03)	11,060	694	0.627
HANA41C2405B	0.46	160167	-	0.48	0.44	0.45	0.44	0.45	(0.01)	21,000	974	0.463
HANA41C2406A	0.40	160167	0.42	0.42	0.38	0.39	0.39	0.40	(0.01)	74,070	3,002	0.405
HANA41P2405A	0.29	160167	-	0.29	0.28	0.29	0.29	0.30	-	16,000	450	0.281
HANA41P2406A	1.00	160167	-	0.56	0.53	0.56	0.55	0.56	(0.44)	17,200	933	0.542
KCE	50.00	160167	49.50	50.50	49.25	49.50	49.25	49.50	(0.50)	74,615	371,463	49.784
KCE01C2402A	0.01	160167	-	0.01	0.01	0.01	0.01	0.02	-	1,400	1	0.01
KCE01C2403A	0.16	160167	-	0.17	0.15	0.15	0.15	0.16	(0.01)	28,304	448	0.158
KCE01C2405A	0.23	160167	-	0.24	0.21	0.21	0.21	0.22	(0.02)	33,357	750	0.224
KCE01P2403X	0.18	160167	-	0.18	0.16	0.18	0.18	0.19	-	28,369	491	0.173
KCE01P2405X	0.66	160167	-	0.68	0.63	0.67	0.67	0.68	0.01	16,109	1,057	0.656
KCE06C2402A	0.10	160167	-	-	-	-	-	-	-	-	-	0
KCE06C2406A	0.38	160167	-	0.40	0.36	0.36	-	-	(0.02)	58,991	2,278	0.386
KCE11C2405A	0.28	160167	-	0.29	0.27	0.27	0.26	0.27	(0.01)	11,001	305	0.276
KCE13C2404A	0.18	160167	-	0.19	0.16	0.17	0.17	0.18	(0.01)	38,258	683	0.178
KCE13C2406A	1.00	160167	-	0.41	0.37	0.37	0.37	0.38	(0.63)	57,869	2,281	0.394
KCE13P2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
KCE13P2403A	0.16	160167	-	0.16	0.14	0.15	0.15	0.17	(0.01)	15,430	224	0.145
KCE16C2401A	0.12	160167	-	-	-	-	0.01	0.09	-	-	-	0
KCE19C2402A	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2404A	0.17	160167	-	0.17	0.15	0.15	0.15	0.16	(0.02)	17,182	288	0.167
KCE19C2406A	0.34	160167	-	0.35	0.32	0.32	0.32	0.33	(0.02)	79,988	2,749	0.343
KCE19P2404A	0.46	160167	-	0.50	0.45	0.49	0.49	0.50	0.03	57,553	2,739	0.475
KCE41C2402A	0.06	160167	-	-	-	-	0.01	0.03	-	-	-	0
KCE41C2404A	0.19	160167	-	0.19	0.17	0.17	0.17	0.18	(0.02)	39,107	712	0.182
KCE41C2405A	0.20	160167	-	0.21	0.19	0.19	0.19	0.20	(0.01)	42,400	870	0.205
KCE41C2406A	1.00	160167	-	0.36	0.34	0.34	0.33	0.34	(0.66)	40,000	1,416	0.354
METCO	246.00	160167	245.00	247.00	244.00	244.00	244.00	245.00	(2.00)	45	1,104	245.355
SMT	3.88	160167	3.86	3.88	3.72	3.72	3.72	3.74	(0.16)	69,742	26,489	3.798
SMT-W3	0.48	160167	0.48	0.50	0.43	0.43	0.43	0.44	(0.05)	31,303	1,438	0.459
SVI	6.85	160167	6.90	6.90	6.70	6.80	6.70	6.80	(0.05)	5,801	3,924	6.764
TEAM	5.25	160167	-	5.25	5.15	5.15	5.15	5.20	(0.10)	3,982	2,063	5.18
Energy & Utilities												
7UP	0.40	160167	0.40	0.41	0.40	0.40	0.40	0.41	-	132,959	5,325	0.4
ACC	0.43	160167	0.44	0.46	0.43	0.44	0.43	0.44	0.01	81,141	3,572	0.44
ACE	1.60	160167	1.61	1.61	1.56	1.56	1.56	1.57	(0.04)	66,609	10,516	1.578
ACE13C2402A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
ACE13C2407A	0.34	160167	-	0.34	0.32	0.33	0.31	0.32	(0.01)	10,472	343	0.327
ACE19C2402A	0.02	160167	-	0.01	0.01	0.01	0.01	0.02	(0.01)	200	-	0.01
ACE19C2407A	0.39	160167	0.40	0.40	0.36	0.36	0.35	0.36	(0.03)	25,374	950	0.374
AGE	2.12	160167	2.12	2.12	2.06	2.06	2.06	2.08	(0.06)	5,338	1,110	2.079
AI	4.46	160167	4.44	4.44	4.38	4.38	4.38	4.40	(0.08)	1,882	829	4.407
AIE	1.42	160167	1.43	1.43	1.38	1.38	1.38	1.40	(0.04)	13,960	1,951	1.397
AKR	0.92	160167	0.92	0.92	0.90	0.92	0.91	0.92	-	17,293	1,573	0.909
AKR-W2	0.10	160167	0.09	0.09	0.08	0.08	0.08	0.10	(0.02)	14,405	128	0.089
BAFS	24.70	160167	24.60	24.60	24.00	24.20	24.00	24.20	(0.50)	3,164	7,652	24.185
BANPU	6.55	160167	6.50	6.55	6.30	6.35	6.30	6.35	(0.20)	911,009	582,522	6.394
BANPU01C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
BANPU01C2402B	0.01	160167	0.02	0.02	0.01	0.02	0.01	0.02	0.01	7,851	15	0.019
BANPU01C2404A	0.05	160167	0.04	0.04	0.03	0.03	0.03	0.04	(0.02)	6,209	21	0.034
BANPU01C2405A	0.14	160167	-	0.12	0.11	0.11	0.11	0.12	(0.03)	29,401	328	0.111
BANPU01P2402X	0.19	160167	-	0.25	0.22	0.25	0.25	0.27	0.06	2,130	51	0.24
BANPU01P2404X	0.62	160167	-	0.70	0.65	0.70	0.70	0.72	0.08	2,317	160	0.688
BANPU01P2405X	0.28	160167	-	0.32	0.30	0.32	0.32	0.33	0.04	13,359	422	0.315
BANPU06C2401A	0.02	160167	-	-	-	-	-	-	-	-	-	0
BANPU06C2402A	0.06	160167	-	-	-	-	-	-	-	-	-	0
BANPU06C2403A	0.03	160167	0.03	0.03	0.03	0.03	0.02	0.06	-	400	1	0.03
BANPU11C2404A	0.06	160167	-	0.04	0.04	0.04	0.03	0.04	(0.02)	167	1	0.04
BANPU11C2406A	0.23	160167	-	0.21	0.18	0.19	0.19	0.20	(0.04)	8,082	155	0.192
BANPU11P2403A	0.64	160167	-	-	-	-	0.61	0.63	-	-	-	0
BANPU13C2402A	0.02	160167	-	-	-	-	-	0.01	-	-	-	0
BANPU13C2403A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
BANPU13C2404A	0.04	160167	-	0.03	0.03	0.03	0.02	0.03	(0.01)	4,833	14	0.03
BANPU13C2405A	0.13	160167	-	0.13	0.11	0.11	0.10	0.11	(0.02)	6,330	74	0.117
BANPU13P2404A	0.52	160167	-	-	-	-	0.53	0.57	-	-	-	0
BANPU13P2405A	0.19	160167	-	0.23	0.20	0.23	0.22	0.23	0.04	14,951	330	0.22
BANPU19C2403A	0.04	160167	-	-	-	-	0.01	0.02	-	-	-	0
BANPU19C2404A	0.05	160167	-	0.04	0.04	0.04	0.03	0.04	(0.01)	250	1	0.04
BANPU19C2405A	0.12	160167	-	0.09	0.09	0.09	0.09	0.10	(0.03)	68	1	0.09
BANPU19C2405B	0.20	160167	-	0.17	0.15	0.15	0.15	0.16	(0.05)	18,946	304	0.16
BANPU19P2404A	0.48	160167	-	-	-	-	0.49	0.54	-	-	-	0
BANPU41C4												

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BGRIM01C2406A	0.22	160167	0.21	0.21	0.17	0.19	0.19	0.20	(0.03)	66,684	1,206	0.18
BGRIM01P2402X	0.19	160167	-	0.25	0.21	0.23	0.21	0.23	0.04	6,735	154	0.228
BGRIM01P2404X	0.15	160167	0.16	0.19	0.16	0.17	0.17	0.18	0.02	31,159	556	0.178
BGRIM06C2402A	0.01	160167	-	-	-	-	-	-	-	-	-	0
BGRIM06C2402B	0.27	160167	-	-	-	-	-	-	-	-	-	0
BGRIM06C2403A	0.06	160167	-	-	-	-	-	-	-	-	-	0
BGRIM06C2404A	0.13	160167	-	0.12	0.09	0.11	-	-	(0.02)	54,020	553	0.102
BGRIM11C2403A	0.08	160167	-	-	-	-	0.03	0.04	-	-	-	0
BGRIM11C2405A	0.17	160167	-	0.16	0.13	0.13	0.14	0.15	(0.04)	13,463	187	0.139
BGRIM13C2402A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
BGRIM13C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM13C2403B	0.04	160167	-	0.04	0.02	0.03	0.03	0.04	(0.01)	1,758	5	0.029
BGRIM13C2403C	0.22	160167	-	0.16	0.16	0.16	0.16	0.20	(0.06)	350	6	0.16
BGRIM13C2404A	0.14	160167	0.13	0.13	0.10	0.11	0.10	0.11	(0.03)	172,280	1,801	0.104
BGRIM13P2404A	0.08	160167	-	0.10	0.09	0.10	0.09	0.10	0.02	18,778	186	0.099
BGRIM13P2406A	0.25	160167	-	0.29	0.26	0.27	0.27	0.28	0.02	30,362	855	0.281
BGRIM19C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2402B	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2403A	0.07	160167	-	0.05	0.05	0.05	0.05	0.06	(0.02)	12,296	61	0.05
BGRIM19C2403B	0.19	160167	-	-	-	-	0.17	0.21	-	-	-	0
BGRIM19C2404A	0.16	160167	-	0.14	0.12	0.13	0.13	0.14	(0.03)	31,360	408	0.129
BGRIM19P2406A	0.27	160167	-	0.32	0.29	0.32	0.30	0.31	0.05	15,184	469	0.308
BGRIM41C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM41C2403A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM41C2403B	0.07	160167	-	-	-	-	0.04	0.06	-	-	-	0
BGRIM41C2404A	0.32	160167	-	-	-	-	0.25	0.28	-	-	-	0
BGRIM41C2404B	0.79	160167	-	-	-	-	0.48	0.53	-	-	-	0
BGRIM41C2405A	0.20	160167	-	0.19	0.15	0.17	0.17	0.18	(0.03)	134,301	2,140	0.159
BGRIM41C2405B	0.13	160167	-	0.10	0.09	0.10	0.10	0.11	(0.03)	74,500	726	0.097
BIOTEC	0.49	160167	0.49	0.50	0.48	0.48	0.48	0.49	(0.01)	14,239	695	0.488
BIOTEC-P	10.00	160167	-	-	-	-	-	-	-	-	-	0
BIOTEC-Q	10.00	160167	-	-	-	-	-	-	-	-	-	0
BIOTEC-W2	0.16	160167	-	0.16	0.14	0.15	0.14	0.15	(0.01)	13,025	185	0.142
BPP	14.60	160167	14.60	14.60	14.20	14.40	14.30	14.40	(0.20)	6,371	9,178	14.405
BRRGIF	3.08	160167	-	3.10	3.10	3.10	3.08	3.10	0.02	251	78	3.1
BSRC	8.75	160167	8.75	9.00	8.65	9.00	8.95	9.00	0.25	49,647	44,016	8.865
BSRC01C2403A	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
BSRC13C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
BSRC19C2403A	0.02	160167	-	-	-	-	0.02	0.03	-	-	-	0
CKP	3.84	160167	3.84	3.92	3.84	3.84	3.84	3.86	-	151,999	59,057	3.885
CKP01C2407A	0.61	160167	-	0.65	0.60	0.60	0.60	0.61	(0.01)	12,030	750	0.623
CKP13C2407A	0.55	160167	-	0.60	0.55	0.55	0.55	0.56	-	7,924	461	0.582
CKP19C2407A	0.55	160167	-	0.59	0.54	0.54	0.54	0.56	(0.01)	16,436	935	0.569
CV	0.50	160167	0.50	0.51	0.48	0.49	0.48	0.49	(0.01)	132,104	6,496	0.491
DEMCO	2.54	160167	2.50	2.56	2.48	2.50	2.48	2.50	(0.04)	2,016	503	2.492
DEMCO-W7	0.20	160167	0.20	0.21	0.19	0.20	0.19	0.20	-	3,291	64	0.195
EA	41.75	160167	41.25	41.25	39.75	39.75	39.75	40.00	(2.00)	209,760	843,494	40.212
EA01C2402A	0.01	160167	-	0.01	0.01	0.01	0.01	0.02	-	200	-	0.01
EA01C2403A	0.02	160167	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1,546	2	0.01
EA01C2403B	0.06	160167	-	-	-	-	0.02	0.03	-	-	-	0
EA01C2405A	0.15	160167	0.15	0.15	0.11	0.11	0.11	0.12	(0.04)	28,073	349	0.124
EA01C2406A	0.24	160167	0.23	0.23	0.19	0.19	0.18	0.19	(0.05)	38,660	781	0.202
EA01P2403X	0.40	160167	-	0.51	0.43	0.51	0.51	0.53	0.11	4,042	191	0.473
EA01P2404X	0.50	160167	-	0.60	0.51	0.60	0.58	0.60	0.10	15,537	838	0.539
EA06C2401A	0.04	160167	-	-	-	-	-	-	-	-	-	0
EA06C2402A	0.05	160167	-	-	-	-	-	-	-	-	-	0
EA06C2404A	0.10	160167	-	0.09	0.07	0.07	0.06	-	(0.03)	13,637	118	0.086
EA11C2401T	0.01	160167	-	-	-	-	0.01	0.03	-	-	-	0
EA11C2403A	0.09	160167	-	-	-	-	0.03	0.04	-	-	-	0
EA11C2405A	0.14	160167	-	0.13	0.11	0.11	0.10	0.11	(0.03)	8,105	92	0.113
EA13C2402A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
EA13C2403A	0.02	160167	-	-	-	-	-	0.01	-	-	-	0
EA13C2403B	0.05	160167	-	0.01	0.01	0.01	0.01	0.02	(0.04)	1,273	1	0.01
EA13C2403C	0.02	160167	-	0.01	0.01	0.01	0.01	0.02	(0.01)	2,505	3	0.01
EA13C2405A	0.12	160167	-	0.10	0.08	0.08	0.08	0.09	(0.04)	40,544	380	0.093
EA13C2406A	0.24	160167	0.20	0.22	0.18	0.18	0.18	0.19	(0.06)	44,042	868	0.197
EA13P2402A	0.16	160167	0.16	0.23	0.16	0.22	0.23	0.27	0.06	19,760	381	0.192
EA13P2403A	0.14	160167	-	0.17	0.14	0.17	0.17	0.18	0.03	16,772	265	0.158
EA19C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2402B	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2403A	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2403B	0.05	160167	-	-	-	-	0.02	0.03	-	-	-	0
EA19C2405A	0.15	160167	0.12	0.14	0.11	0.12	0.11	0.12	(0.03)	7,017	89	0.127
EA19C2406A	1.00	160167	-	0.26	0.22	0.22	0.22	0.23	(0.78)	41,868	1,033	0.246
EA19P2402A	0.31	160167	-	-	-	-	0.66	0.72	-	-	-	0
EA19P2403A	0.11	160167	-	0.16	0.13	0.16	0.16	0.17	0.05	27,138	378	0.139
EA41C2402A	0.05	160167	-	-	-	-	0.01	0.02	-	-	-	0
EA41C2403A	0.02	160167	-	-	-	-	0.01	0.03	-	-	-	0
EA41C2403B	0.09	160167	-	0.01	0.01	0.01	0.01	0.03	(0.08)	500	1	0.01
EA41C2404A	0.22	160167	-	0.20	0.16	0.16	0.16	0.17	(0.06)	42,835	755	0.176
EA41C2405A	0.15	160167	-	0.14	0.11	0.11	0.11	0.12	(0.04)	36,958	445	0.12
EA41P2405A	0.46	160167	-	0.52	0.49	0.51	0.51	0.52	0.05	19,900	990	0.497
EASTW	4.14	160167	4.14	4.16	4.12	4.16	4.14	4.16	0.02	2,284	947	4.146
EGATIF	5.95	160167	5.95	5.95	5.90	5.90	5.90	5.95	(0.05)	5,283	3,138	5.939
EGCO	129.50	160167	129.00	130.50	127.50	128.00	127.50	128.00	(1.50)	16,313	209,475	128.409
EGCO01C2404A	0.29	160167	-	0.29	0.26	0.26	0.26	0.27	(0.03)	4,093	111	0.27
EGCO13C2403A	0.10	160167	-	-	-	-	0.07	0.08	-	-	-	0
EGCO13C2405A	0.35	160167	0.34	0.35	0.31	0.31	0.31	0.32	(0.04)	16,522	543	0.328
EGCO19C2403A	0.15	160167	-	0.14	0.12	0.12	0.12	0.13	(0.03)	14,381	190	0.132
EP	2.62	160167	-	2.64	2.60	2.64	2.60	2.64	0.02	1,237	322	2.605
EP-W4	0.17	160167	-	0.17	0.16	0.17	0.16	0.17	-	1,234	20	0.16
ETC	2.58	160167	2.58	2.60	2.56	2.60	2.58	2.60	0.02	6,894	1,780	2.582
GPSC	48.00	160167	47.50	47.75	46.00	46.00	46.00	46.25	(2.00)	86,865	404,579	46.583

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
GPSC01C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01C2402B	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01C2403A	0.12	160167	-	0.10	0.08	0.08	0.07	0.08	(0.04)	26,124	235	0.09
GPSC01C2403B	0.52	160167	-	0.47	0.44	0.44	0.40	0.42	(0.08)	586	27	0.455
GPSC01C2404A	0.33	160167	-	0.30	0.25	0.25	0.25	0.26	(0.08)	13,645	382	0.279
GPSC01C2405A	0.23	160167	0.18	0.21	0.18	0.18	0.17	0.18	(0.05)	25,065	481	0.191
GPSC01P2403X	0.07	160167	-	-	-	-	0.06	0.07	-	-	-	0
GPSC01P2404X	0.14	160167	-	0.18	0.15	0.18	0.18	0.19	0.04	25,418	426	0.167
GPSC01P2405X	0.40	160167	0.46	0.47	0.42	0.47	0.47	0.48	0.07	23,764	1,052	0.442
GPSC06C2401A	0.06	160167	-	-	-	-	-	-	-	-	-	0
GPSC06C2402A	0.07	160167	-	-	-	-	-	-	-	-	-	0
GPSC06C2403A	0.55	160167	-	-	-	-	-	-	-	-	-	0
GPSC06C2404A	0.22	160167	-	0.19	0.18	0.18	-	-	(0.04)	39,754	740	0.186
GPSC11C2403A	0.24	160167	-	0.21	0.19	0.20	0.18	0.19	(0.04)	18,747	388	0.207
GPSC11P2405A	0.34	160167	0.39	0.40	0.35	0.40	0.40	0.41	0.06	32,225	1,213	0.376
GPSC13C2402A	0.04	160167	-	-	-	-	0.01	0.02	-	-	-	0
GPSC13C2403A	0.10	160167	-	0.08	0.06	0.06	0.06	0.07	(0.04)	6,112	44	0.072
GPSC13C2403B	0.20	160167	-	0.17	0.14	0.14	0.13	0.14	(0.06)	1,451	21	0.145
GPSC13C2406A	0.27	160167	0.25	0.25	0.21	0.21	0.21	0.22	(0.06)	81,066	1,882	0.232
GPSC13P2403A	0.02	160167	-	0.02	0.02	0.02	0.02	0.03	-	50	-	0.02
GPSC13P2404A	0.15	160167	-	0.20	0.16	0.20	0.20	0.21	0.05	66,066	1,223	0.185
GPSC19C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19C2402B	0.05	160167	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19C2403A	0.20	160167	-	0.17	0.13	0.13	0.13	0.14	(0.07)	15,976	247	0.154
GPSC19C2405A	0.22	160167	-	0.20	0.16	0.16	0.16	0.17	(0.06)	26,838	481	0.179
GPSC19P2404A	0.05	160167	-	-	-	-	0.07	0.08	-	-	-	0
GPSC41C2402A	0.07	160167	-	-	-	-	0.01	0.03	-	-	-	0
GPSC41C2403A	0.28	160167	-	0.25	0.21	0.21	0.20	0.21	(0.07)	16,070	377	0.234
GPSC41C2404A	0.56	160167	0.51	0.51	0.41	0.42	0.40	0.42	(0.14)	5,123	232	0.453
GPSC41C2405A	0.25	160167	-	0.23	0.19	0.19	0.18	0.19	(0.06)	51,423	1,061	0.206
GREEN	0.93	160167	0.95	1.00	0.92	0.95	0.95	0.98	0.02	8,179	778	0.951
GULF	45.75	160167	45.75	45.75	45.00	45.25	45.00	45.25	(0.50)	135,423	614,987	45.412
GULF01C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
GULF01C2402T	0.04	160167	-	-	-	-	0.04	0.05	-	-	-	0
GULF01C2403A	0.07	160167	-	-	-	-	0.05	0.06	-	-	-	0
GULF01C2405A	0.22	160167	-	0.22	0.20	0.20	0.20	0.21	(0.02)	21,808	449	0.206
GULF01P2402X	0.06	160167	-	0.02	0.02	0.02	0.03	0.04	(0.04)	5	-	0.02
GULF01P2403X	0.07	160167	-	-	-	-	0.06	0.07	-	-	-	0
GULF01P2405X	0.23	160167	-	0.24	0.22	0.24	0.24	0.25	0.01	4,404	102	0.231
GULF06C2402A	0.06	160167	-	-	-	-	-	-	-	-	-	0
GULF11C2401T	0.04	160167	-	-	-	-	0.03	0.04	-	-	-	0
GULF11C2407T	0.37	160167	-	0.36	0.35	0.35	0.35	0.36	(0.02)	3,250	115	0.352
GULF13C2402A	0.02	160167	-	-	-	-	-	0.01	-	-	-	0
GULF13C2403A	0.06	160167	0.07	0.07	0.05	0.05	0.05	0.06	(0.01)	2,010	12	0.059
GULF13C2405A	0.19	160167	0.19	0.19	0.18	0.18	0.17	0.19	(0.01)	42,534	773	0.181
GULF13P2405A	0.19	160167	-	0.20	0.19	0.20	0.20	0.21	0.01	15,321	298	0.194
GULF19C2402A	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
GULF19C2404A	0.19	160167	-	0.18	0.17	0.18	0.17	0.18	(0.01)	10,761	190	0.176
GULF19P2404A	0.14	160167	-	-	-	-	0.12	0.13	-	-	-	0
GULF41C2402A	0.07	160167	-	-	-	-	0.01	0.03	-	-	-	0
GULF41C2403A	0.13	160167	-	0.12	0.12	0.12	0.11	0.12	(0.01)	19,794	238	0.12
GULF41C2405A	0.18	160167	0.17	0.18	0.16	0.16	0.16	0.17	(0.02)	63,233	1,067	0.168
GULF41C2405B	0.24	160167	-	0.23	0.22	0.22	0.22	0.23	(0.02)	11,212	248	0.221
GULF41P2402A	0.08	160167	-	-	-	-	0.01	0.03	-	-	-	0
GULF41P2405A	0.32	160167	-	-	-	-	0.31	0.32	-	-	-	0
GUNKUL	2.98	160167	2.96	2.98	2.90	2.92	2.92	2.94	(0.06)	748,796	219,289	2.928
GUNKUL01C2404A	0.39	160167	0.38	0.38	0.33	0.34	0.34	0.35	(0.05)	21,360	756	0.353
GUNKUL01P2404X	0.08	160167	-	-	-	-	0.07	0.08	-	-	-	0
GUNKUL11C2401T	0.05	160167	-	0.03	0.03	0.03	0.01	0.03	(0.02)	3	-	0.03
GUNKUL11C2404A	0.38	160167	-	0.37	0.34	0.35	0.35	0.36	(0.03)	29,765	1,065	0.357
GUNKUL13C2403A	0.12	160167	-	0.11	0.10	0.10	0.10	0.11	(0.02)	16,030	167	0.103
GUNKUL13C2404A	0.36	160167	-	0.35	0.31	0.32	0.32	0.33	(0.04)	43,580	1,426	0.327
GUNKUL13P2404A	0.05	160167	-	0.06	0.06	0.06	0.06	0.07	0.01	2,790	17	0.06
GUNKUL19C2403A	0.03	160167	-	0.03	0.03	0.03	0.03	0.04	-	400	1	0.03
GUNKUL19C2403B	0.20	160167	0.20	0.20	0.17	0.17	0.17	0.18	(0.03)	107,254	1,901	0.177
GUNKUL19C2405A	0.42	160167	0.41	0.41	0.37	0.39	0.38	0.39	(0.03)	31,350	1,212	0.386
IFEC	0.35	160167	-	-	-	-	-	-	-	-	-	0
IRPC	1.97	160167	1.95	1.97	1.93	1.94	1.93	1.94	(0.03)	526,160	102,007	1.938
IRPC01C2402A	0.01	160167	-	0.01	0.01	0.01	0.01	0.02	-	200	-	0.01
IRPC01C2406A	0.15	160167	-	-	-	-	0.12	0.13	-	-	-	0
IRPC06C2401A	0.02	160167	-	-	-	-	-	-	-	-	-	0
IRPC11C2402T	0.01	160167	-	-	-	-	0.01	0.03	-	-	-	0
IRPC13C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
IRPC13C2405A	0.11	160167	-	0.09	0.09	0.09	0.09	0.10	(0.02)	200	2	0.09
IRPC19C2404A	0.10	160167	-	-	-	-	0.09	0.10	-	-	-	0
JR	5.15	160167	-	5.15	5.10	5.15	5.10	5.15	-	910	469	5.149
KBSPIF	9.05	160167	9.05	9.05	9.00	9.05	9.00	9.05	-	186	168	9.042
LANNA	15.20	160167	15.30	15.30	15.00	15.00	15.00	15.10	(0.20)	5,463	8,244	15.091
MDX	3.00	160167	-	3.04	2.94	2.98	2.94	2.98	(0.02)	252	75	2.957
NOVA	11.10	160167	-	11.10	11.00	11.00	11.00	11.20	(0.10)	15	17	11.08
OR	18.90	160167	18.80	18.90	18.50	18.50	18.50	18.60	(0.40)	118,540	220,293	18.583
OR01C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
OR01C2403A	0.08	160167	-	0.06	0.06	0.06	0.06	0.07	(0.02)	1,200	7	0.06
OR01C2405A	0.21	160167	-	0.20	0.18	0.18	0.18	0.19	(0.03)	3,668	70	0.19
OR01P2405X	0.48	160167	-	0.52	0.49	0.52	0.52	0.53	0.04	4,217	214	0.508
OR06C2402A	0.01	160167	-	-	-	-	-	-	-	-	-	0
OR06C2403A	0.12	160167	-	-	-	-	-	-	-	-	-	0
OR11C2404A	0.19	160167	-	0.16	0.16	0.16	0.15	0.16	(0.03)	110	2	0.16
OR13C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
OR13C2403A	0.06	160167	-	-	-	-	0.03	0.04	-	-	-	0
OR13C2404A	0.15	160167	-	0.13	0.12	0.12	0.11	0.12	(0.03)	6,590	81	0.123
OR13P2402A	0.01	160167	0.01	0.01	0.01	0.01	0.01	0.02	-	3,850	4	0.01
OR19C2403A	0.12	160167	-	0.07	0.07	0.07	0.07	0.08	(0.05)	43	-	0.07

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
OR19C2404A	0.11	160167	-	0.09	0.09	0.09	0.08	0.09	(0.02)	5	-	0.09
PCC	3.12	160167	3.16	3.16	3.00	3.02	3.02	3.04	(0.10)	8,331	2,543	3.052
PRIME	0.63	160167	0.62	0.63	0.60	0.60	0.60	0.61	(0.03)	114,583	7,011	0.611
PTG	8.90	160167	8.90	8.90	8.60	8.70	8.65	8.70	(0.20)	86,992	75,840	8.718
PTG01C2403A	0.06	160167	-	-	-	-	0.02	0.03	-	-	-	0
PTG01C2404A	0.26	160167	0.26	0.26	0.22	0.23	0.23	0.24	(0.03)	23,292	538	0.231
PTG01C2407A	0.39	160167	-	0.39	0.34	0.35	0.35	0.36	(0.04)	31,667	1,106	0.349
PTG01P2403X	0.10	160167	-	0.12	0.11	0.12	0.11	0.12	0.02	7,812	86	0.11
PTG06C2401A	0.02	160167	-	-	-	-	-	-	-	-	-	0
PTG06C2402A	0.05	160167	-	-	-	-	-	-	-	-	-	0
PTG11C2405A	0.46	160167	-	-	-	-	0.38	0.41	-	-	-	0
PTG13C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
PTG13C2403A	0.06	160167	-	-	-	-	0.03	0.04	-	-	-	0
PTG13C2403B	0.23	160167	-	0.22	0.18	0.19	0.19	0.20	(0.04)	140,501	2,717	0.193
PTG13C2407A	0.36	160167	-	0.34	0.31	0.32	0.32	0.33	(0.04)	135,201	4,367	0.322
PTG19C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
PTG19C2404A	0.28	160167	-	0.25	0.23	0.24	0.24	0.25	(0.04)	56,467	1,362	0.241
PTG19C2407A	0.40	160167	-	0.37	0.35	0.37	0.36	0.37	(0.03)	40,374	1,460	0.361
PTG41C2402A	0.01	160167	-	0.01	0.01	0.01	0.01	0.02	-	19	-	0.01
PTT	33.75	160167	33.75	33.75	33.00	33.50	33.25	33.50	(0.25)	833,449	2,787,914	33.45
PTT01C2403A	0.06	160167	-	0.05	0.05	0.05	0.05	0.06	(0.01)	5,000	25	0.05
PTT01C2405A	0.12	160167	-	0.12	0.11	0.11	0.11	0.12	(0.01)	19,045	212	0.111
PTT01P2403X	0.02	160167	-	-	-	-	0.02	0.03	-	-	-	0
PTT01P2405X	0.20	160167	0.21	0.23	0.21	0.22	0.22	0.23	0.02	9,132	202	0.221
PTT11C2404A	0.09	160167	-	0.08	0.08	0.08	0.08	0.09	(0.01)	2,220	18	0.08
PTT13C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
PTT13C2403A	0.05	160167	-	0.04	0.04	0.04	0.04	0.05	(0.01)	9,020	36	0.04
PTT13C2406A	1.00	160167	-	0.15	0.15	0.15	0.15	0.16	(0.85)	20,228	303	0.15
PTT13P2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
PTT13P2405A	0.17	160167	-	0.19	0.18	0.18	0.18	0.19	0.01	27,988	512	0.183
PTT19C2402A	0.07	160167	-	-	-	-	0.02	0.03	-	-	-	0
PTT19C2404A	0.07	160167	-	0.07	0.07	0.07	0.07	0.08	-	20,593	144	0.07
PTTEP	150.00	160167	149.00	149.50	147.00	148.00	148.00	148.50	(2.00)	158,654	2,351,709	148.228
PTTEP01C2403A	0.06	160167	-	-	-	-	0.04	0.05	-	-	-	0
PTTEP01C2404A	0.19	160167	-	0.18	0.16	0.17	0.17	0.18	(0.02)	54,926	960	0.174
PTTEP01C2404T	0.16	160167	-	0.14	0.14	0.14	0.14	0.15	(0.02)	25,312	354	0.14
PTTEP01C2405A	0.50	160167	-	0.46	0.43	0.44	0.44	0.45	(0.06)	44,177	1,968	0.445
PTTEP01P2402X	0.12	160167	-	0.13	0.12	0.13	0.13	0.14	0.01	40,559	506	0.124
PTTEP01P2403X	0.60	160167	-	0.67	0.62	0.64	0.65	0.67	0.04	28,165	1,820	0.646
PTTEP01P2405X	0.27	160167	-	0.30	0.28	0.29	0.29	0.30	0.02	37,153	1,076	0.289
PTTEP06C2401A	0.10	160167	-	-	-	-	-	-	-	-	-	0
PTTEP06C2403A	0.09	160167	-	-	-	-	-	-	-	-	-	0
PTTEP06C2405A	0.47	160167	-	0.45	0.42	0.43	-	-	(0.04)	144,475	6,382	0.441
PTTEP11C2403T	0.11	160167	-	-	-	-	0.10	0.11	-	-	-	0
PTTEP11C2406A	0.44	160167	-	0.42	0.40	0.42	0.41	0.42	(0.02)	27,270	1,128	0.413
PTTEP11P2402A	0.10	160167	-	0.09	0.09	0.09	0.09	0.10	(0.01)	6,120	55	0.09
PTTEP11P2406A	0.59	160167	-	0.62	0.60	0.61	0.61	0.62	0.02	41,770	2,551	0.61
PTTEP13C2403A	0.05	160167	-	0.04	0.04	0.04	0.04	0.05	(0.01)	1,500	6	0.04
PTTEP13C2404A	0.19	160167	-	0.17	0.16	0.17	0.16	0.17	(0.02)	66,847	1,127	0.168
PTTEP13C2405A	0.40	160167	-	0.38	0.36	0.37	0.36	0.37	(0.03)	105,101	3,919	0.372
PTTEP13P2402A	0.05	160167	0.05	0.05	0.05	0.05	0.05	0.06	-	3,068	15	0.05
PTTEP13P2405A	0.18	160167	-	0.19	0.18	0.18	0.18	0.19	-	24,402	446	0.182
PTTEP19C2403A	0.03	160167	-	-	-	-	0.02	0.03	-	-	-	0
PTTEP19C2403B	0.04	160167	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2404A	0.11	160167	-	0.10	0.09	0.09	0.08	0.09	(0.02)	49,017	469	0.095
PTTEP19C2404B	0.26	160167	-	0.24	0.22	0.22	0.22	0.23	(0.04)	92,626	2,128	0.229
PTTEP19P2402A	0.03	160167	-	-	-	-	0.02	0.03	-	-	-	0
PTTEP41C2403A	0.04	160167	-	-	-	-	0.02	0.03	-	-	-	0
PTTEP41C2404A	0.13	160167	-	0.12	0.11	0.11	0.11	0.12	(0.02)	20,000	228	0.114
PTTEP41C2405A	0.39	160167	-	0.37	0.34	0.36	0.35	0.36	(0.03)	72,600	2,585	0.356
PTTEP41C2405B	0.38	160167	-	0.35	0.33	0.34	0.34	0.35	(0.04)	106,400	3,595	0.337
PTTEP41P2402A	0.24	160167	-	0.25	0.22	0.25	0.22	0.23	0.01	11,200	274	0.244
PTTEP41P2403A	0.83	160167	-	-	-	-	0.80	0.82	-	-	-	0
PTTEP41P2405A	0.28	160167	-	0.30	0.28	0.30	0.28	0.29	0.02	24,000	684	0.285
PTTEP41P2406A	0.53	160167	-	0.56	0.54	0.55	0.54	0.55	0.02	76,741	4,198	0.547
QTC	4.14	160167	4.12	4.14	4.08	4.14	4.10	4.14	-	1,782	732	4.106
RATCH	31.00	160167	31.00	31.00	30.25	30.25	30.25	30.50	(0.75)	39,579	120,509	30.447
RATCH01C2403A	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
RATCH01C2405A	0.14	160167	-	-	-	-	0.12	0.13	-	-	-	0
RATCH11P2402A	0.25	160167	-	0.27	0.26	0.27	0.27	0.30	0.02	1,600	43	0.268
RATCH13C2402A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
RATCH13C2405A	0.09	160167	-	-	-	-	0.07	0.08	-	-	-	0
RATCH13P2404A	0.17	160167	-	0.20	0.18	0.19	0.19	0.20	0.02	25,232	478	0.189
RATCH19C2402A	0.04	160167	-	-	-	-	0.01	0.02	-	-	-	0
RATCH19C2405A	0.16	160167	-	0.14	0.14	0.14	0.13	0.14	(0.02)	11,039	155	0.14
RPC	0.66	160167	-	0.67	0.64	0.66	0.65	0.66	-	6,475	423	0.652
SCG	3.50	160167	3.50	3.60	3.44	3.50	3.50	3.52	-	21	7	3.497
SCI	0.81	160167	-	0.82	0.78	0.78	0.78	0.81	(0.03)	2,115	169	0.797
SCN	1.72	160167	1.72	1.73	1.69	1.70	1.70	1.71	(0.02)	12,265	2,092	1.705
SCN-W2	0.14	160167	0.14	0.14	0.13	0.14	0.13	0.14	-	6,003	84	0.139
SEAOIL	2.98	160167	2.96	2.98	2.96	2.96	2.96	2.98	(0.02)	1,359	403	2.963
SGP	8.15	160167	8.05	8.15	8.00	8.10	8.10	8.15	(0.05)	2,494	2,018	8.09
SKE	0.48	160167	0.48	0.48	0.47	0.47	0.47	0.48	(0.01)	3,757	177	0.471
SKE-W1	0.08	160167	-	0.08	0.07	0.07	0.06	0.07	(0.01)	1,635	11	0.07
SOLAR	0.77	160167	0.78	0.79	0.75	0.76	0.75	0.76	(0.01)	90,249	6,950	0.77
SPCG	12.50	160167	12.50	12.50	12.30	12.50	12.40	12.50	-	2,593	3,223	12.431
SPRC	7.95	160167	7.95	8.00	7.85	7.95	7.95	8.00	-	100,314	79,634	7.938
SPRC01C2402A	0.01	160167	0.01	0.01	0.01	0.01	0.01	0.02	-	90	-	0.01
SPRC01C2403A	0.08	160167	-	0.08	0.06	0.07	0.07	0.08	(0.01)	3,748	26	0.069
SPRC01C2405A	0.18	160167	-	0.19	0.17	0.18	0.18	0.19	-	40,426	725	0.179
SPRC06C2401A	0.01	160167	-	-	-	-	-	-	-	-	-	0
SPRC06C2402A	0.08	160167	-	-	-	-	-	-	-	-	-	0
SPRC11C2401T	0.10	160167	-	-	-	-	0.01	0.03	-	-	-	0

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SPRC13C2403A	0.06	160167	-	0.05	0.05	0.05	0.05	0.06	(0.01)	876	4	0.05
SPRC13C2404A	0.18	160167	-	0.18	0.17	0.18	0.18	0.19	-	39,740	711	0.178
SPRC13P2405A	0.21	160167	-	0.22	0.21	0.21	0.21	0.22	-	30,462	648	0.212
SPRC19C2403A	0.04	160167	-	-	-	-	0.03	0.04	-	-	-	0
SPRC19C2404A	0.19	160167	-	0.19	0.17	0.18	0.18	0.19	(0.01)	25,238	449	0.177
SSP	8.20	160167	8.15	8.15	8.00	8.05	8.05	8.10	(0.15)	17,997	14,529	8.072
SSP-W2	0.30	160167	0.30	0.30	0.28	0.28	0.28	0.30	(0.02)	2,863	84	0.293
SUPER	0.43	160167	0.43	0.43	0.41	0.42	0.41	0.42	(0.01)	245,579	10,269	0.418
SUPEREIF	6.45	160167	6.45	6.50	6.35	6.35	6.35	6.45	(0.10)	620	398	6.415
SUSCO	5.20	160167	5.20	5.25	5.10	5.20	5.15	5.20	-	86,734	44,736	5.157
TAE	1.11	160167	1.11	1.11	1.07	1.07	1.07	1.08	(0.04)	5,968	648	1.085
TCC	0.60	160167	-	0.61	0.58	0.60	0.58	0.60	-	5,930	347	0.584
TCC-W5	0.26	160167	-	0.26	0.25	0.26	0.25	0.26	-	1,404	35	0.251
TGE	4.84	160167	4.84	5.05	4.76	4.92	4.92	4.94	0.08	213,757	105,752	4.947
TOP	52.00	160167	52.00	52.50	51.50	52.00	52.00	52.25	-	83,494	434,598	52.051
TOP01C2402A	0.06	160167	-	-	-	-	0.05	0.06	-	-	-	0
TOP01C2404A	0.26	160167	-	0.26	0.25	0.25	0.25	0.26	(0.01)	22,755	584	0.256
TOP01C2405A	0.24	160167	-	0.24	0.23	0.24	0.24	0.25	-	14,474	343	0.237
TOP01P2404X	0.24	160167	-	0.25	0.23	0.23	0.23	0.24	(0.01)	39,471	979	0.248
TOP06C2401A	0.07	160167	-	-	-	-	-	-	-	-	-	0
TOP06C2402A	0.14	160167	-	0.14	0.13	0.13	-	-	(0.01)	32,672	445	0.136
TOP11C2405A	0.39	160167	-	0.40	0.38	0.39	0.39	0.41	-	26,400	1,041	0.394
TOP11P2401A	0.08	160167	-	-	-	-	0.02	0.04	-	-	-	0
TOP11P2406A	0.60	160167	-	0.61	0.59	0.59	0.60	0.61	(0.01)	14,140	846	0.598
TOP13C2402A	0.08	160167	-	-	-	-	0.03	0.04	-	-	-	0
TOP13C2404A	0.32	160167	0.32	0.33	0.31	0.32	0.32	0.33	-	27,170	880	0.323
TOP13P2404A	0.11	160167	-	-	-	-	0.10	0.11	-	-	-	0
TOP19C2403A	0.16	160167	-	0.16	0.15	0.15	0.14	0.15	(0.01)	25,010	388	0.155
TOP19C2405A	0.21	160167	-	0.22	0.21	0.21	0.21	0.22	-	24,314	519	0.213
TOP41C2404A	0.29	160167	-	0.29	0.28	0.29	0.28	0.29	-	11,800	338	0.286
TOP41C2405A	0.22	160167	-	0.23	0.22	0.22	0.22	0.23	-	54,000	1,214	0.224
TPIPP	3.42	160167	3.42	3.42	3.38	3.42	3.40	3.42	-	30,145	10,258	3.402
TSE	2.34	160167	2.32	2.36	2.12	2.12	2.12	2.14	(0.22)	149,845	33,516	2.236
TTW	9.40	160167	9.40	9.55	9.35	9.40	9.40	9.45	-	50,550	47,712	9.438
UBE	0.88	160167	0.88	0.89	0.85	0.86	0.85	0.86	(0.02)	38,622	3,349	0.867
WHAUP	4.26	160167	4.24	4.24	4.08	4.12	4.10	4.12	(0.14)	64,957	26,868	4.136
WP	3.94	160167	-	3.96	3.92	3.96	3.92	3.96	0.02	25	10	3.928
Media & Publishing												
AMARIN	4.18	160167	4.18	4.26	4.12	4.14	4.12	4.14	(0.04)	98	41	4.184
AQUA	0.34	160167	0.34	0.35	0.33	0.35	0.34	0.35	0.01	70,900	2,408	0.339
AQUA-W3	0.01	160167	-	0.01	0.01	0.01	-	0.01	-	201	-	0.01
AS	8.20	160167	8.25	8.35	8.00	8.05	8.00	8.05	(0.15)	13,332	10,839	8.129
AS-W2	3.80	160167	-	-	-	-	-	-	-	-	-	0
BEC	4.96	160167	4.94	4.96	4.80	4.82	4.82	4.84	(0.14)	32,159	15,602	4.851
FE	191.00	160167	-	-	-	-	175.50	197.00	-	-	-	0
GPI	1.75	160167	1.75	1.77	1.74	1.74	1.74	1.77	(0.01)	1,486	260	1.749
GRAMMY	6.20	160167	-	7.15	6.25	7.15	7.10	7.15	0.95	166	107	6.466
JKN	0.52	160167	0.49	0.58	0.49	0.52	0.51	0.52	-	818,886	43,944	0.536
MAJOR	14.30	160167	14.30	14.70	14.30	14.50	14.40	14.50	0.20	25,992	37,647	14.483
MATCH	1.53	160167	-	1.52	1.48	1.48	1.48	1.52	(0.05)	105	16	1.5
MATI	8.00	160167	-	7.60	7.15	7.55	7.25	7.60	(0.45)	54	39	7.28
MCOT	3.16	160167	3.12	3.16	3.12	3.16	3.12	3.16	-	54	17	3.12
MONO	1.05	160167	1.05	1.05	1.00	1.01	1.01	1.02	(0.04)	59,390	6,057	1.019
NATION	0.04	160167	0.04	0.05	0.04	0.05	0.04	0.05	0.01	15,391	64	0.041
NATION-W4	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
ONEE	4.04	160167	4.12	4.14	4.02	4.04	4.04	4.06	-	56,285	22,822	4.054
PLANB	8.70	160167	8.70	8.70	8.60	8.70	8.65	8.70	-	74,112	64,194	8.661
PLANB-W1	1.86	160167	-	1.87	1.85	1.86	1.86	1.88	-	1,321	246	1.86
PLANB06C2401A	0.03	160167	-	-	-	-	-	-	-	-	-	0
PLANB11C2403A	0.20	160167	-	0.19	0.19	0.19	0.19	0.20	(0.01)	13,363	254	0.19
PLANB11P2402A	0.16	160167	0.16	0.16	0.15	0.16	0.15	0.16	-	6,400	102	0.158
PLANB13C2403A	0.12	160167	-	0.12	0.12	0.12	0.12	0.13	-	6,495	78	0.12
PLANB19C2403A	0.10	160167	-	-	-	-	0.09	0.10	-	-	-	0
POST	1.10	160167	-	-	-	-	-	-	-	-	-	0
PRAKIT	11.20	160167	-	11.20	10.80	10.90	10.90	11.10	(0.30)	522	566	10.842
PTECH	12.80	160167	-	-	-	-	11.90	13.10	-	-	-	0
ROCTEC	0.61	160167	0.60	0.61	0.60	0.60	0.60	0.61	(0.01)	88,826	5,330	0.6
ROCTEC-W3	0.05	160167	0.05	0.05	0.04	0.05	0.04	0.05	-	3,494	15	0.041
SE-ED	2.22	160167	-	2.22	2.22	2.22	2.22	2.26	-	16	4	2.22
TKS	7.15	160167	7.10	7.10	6.50	6.80	6.75	6.80	(0.35)	6,769	4,593	6.785
VGI	1.82	160167	1.82	1.84	1.78	1.79	1.79	1.80	(0.03)	353,013	63,698	1.804
VGI-W3	0.08	160167	0.08	0.09	0.08	0.08	0.08	0.09	-	8,978	72	0.08
VGI01C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2403B	0.04	160167	-	0.03	0.03	0.03	0.02	0.03	(0.01)	1,080	3	0.03
VGI01C2404A	0.18	160167	0.18	0.19	0.16	0.16	0.16	0.17	(0.02)	35,008	622	0.177
VGI01C2405A	0.07	160167	-	0.07	0.07	0.07	0.06	0.07	-	3,200	22	0.07
VGI01P2405X	0.52	160167	-	0.55	0.51	0.54	0.54	0.55	0.02	9,774	514	0.525
VGI06C2401A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
VGI06C2403A	0.01	160167	-	-	-	-	-	-	-	-	-	0
VGI06C2405A	0.06	160167	-	-	-	-	-	-	-	-	-	0
VGI13C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
VGI13C2403B	0.03	160167	-	0.02	0.02	0.02	0.02	0.03	(0.01)	2,350	5	0.02
VGI13C2403C	0.10	160167	-	0.10	0.07	0.07	0.07	0.08	(0.03)	20,771	176	0.084
VGI13C2405A	0.07	160167	-	0.08	0.06	0.06	0.06	0.07	(0.01)	14,471	97	0.067
VGI13P2405A	0.39	160167	-	0.40	0.38	0.40	0.40	0.41	0.01	16,608	658	0.396
VGI19C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
VGI19C2402B	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
VGI19C2403A	0.05	160167	-	0.05	0.03	0.03	0.03	0.04	(0.02)	576	2	0.042
VGI19C2405A	0.24	160167	-	0.24	0.21	0.22	0.22	0.23	(0.02)	31,719	723	0.227
VGI19C2405B	0.08	160167	-	0.08	0.06	0.06	0.06	0.07	(0.02)	6,040	40	0.066
VGI41C2405A	0.10	160167	-	-	-	-	0.09	0.10	-	-	-	0
WORK	10.90	160167	10.90	11.00	10.70	10.70	10.70	10.90	(0.20)	1,814	1,951	10.754

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ZAA	1.58	160167	1.57	1.58	1.47	1.50	1.49	1.50	(0.08)	31,312	4,800	1.533
Finance & Securities												
AEONTS	155.50	160167	155.00	156.00	152.50	152.50	152.50	153.00	(3.00)	971	14,932	153.776
AMANAHA	2.18	160167	2.18	2.18	2.10	2.12	2.10	2.12	(0.06)	8,569	1,818	2.121
ASAP	3.36	160167	3.32	3.34	3.24	3.26	3.26	3.28	(0.10)	21,723	7,136	3.284
ASK	20.10	160167	20.10	20.10	19.90	19.90	19.90	20.00	(0.20)	9,194	18,405	20.018
ASP	2.86	160167	2.86	2.86	2.82	2.84	2.82	2.84	(0.02)	9,685	2,743	2.832
BAM	8.20	160167	8.15	8.20	8.05	8.05	8.05	8.10	(0.15)	76,594	62,198	8.12
BAM01C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
BAM01C2404A	0.09	160167	-	-	-	-	0.07	0.08	-	-	-	0
BAM01C2406A	0.32	160167	-	0.30	0.29	0.29	0.29	0.30	(0.03)	9,470	281	0.297
BAM11C2401T	0.01	160167	-	-	-	-	0.01	0.03	-	-	-	0
BAM11C2405A	0.25	160167	0.24	0.24	0.23	0.23	0.22	0.24	(0.02)	12,760	305	0.238
BAM13C2403A	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
BAM13C2405A	0.19	160167	0.18	0.18	0.17	0.17	0.17	0.18	(0.02)	25,841	462	0.178
BAM19C2404A	0.12	160167	-	-	-	-	0.09	0.10	-	-	-	0
BAM19C2405A	0.20	160167	-	0.19	0.18	0.18	0.18	0.19	(0.02)	8,242	156	0.188
BYD	4.56	160167	4.56	4.56	4.44	4.44	4.44	4.46	(0.12)	80,239	36,018	4.488
BYD06C2402A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
BYD06C2404A	0.11	160167	-	0.10	0.10	0.10	0.09	-	(0.01)	500	5	0.1
BYD13C2402A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
BYD13C2403A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
BYD13C2403B	0.04	160167	-	-	-	-	0.03	0.04	-	-	-	0
BYD13C2403C	0.19	160167	-	0.18	0.17	0.17	0.16	0.17	(0.02)	4,592	81	0.177
BYD13C2405A	0.15	160167	-	0.14	0.13	0.13	0.13	0.14	(0.02)	1,309	18	0.139
BYD19C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
BYD19C2403A	0.03	160167	-	-	-	-	0.02	0.03	-	-	-	0
BYD19C2404A	0.38	160167	-	0.37	0.33	0.33	0.33	0.34	(0.05)	9,816	347	0.353
CGH	0.74	160167	0.72	0.73	0.71	0.71	0.71	0.72	(0.03)	27,419	1,983	0.723
CGH-W4	0.01	160167	0.01	0.01	0.01	0.01	-	0.01	-	7,797	8	0.01
CHASE	1.76	160167	1.75	1.78	1.74	1.74	1.74	1.75	(0.02)	33,098	5,806	1.754
CHAYO	5.50	160167	5.50	5.50	5.35	5.35	5.35	5.40	(0.15)	19,227	10,400	5.409
CHAYO-W3	0.67	160167	0.65	0.67	0.62	0.63	0.63	0.64	(0.04)	14,321	919	0.641
ECL	1.44	160167	1.43	1.44	1.40	1.41	1.41	1.42	(0.03)	12,930	1,823	1.409
ECL-W4	0.03	160167	-	0.03	0.02	0.03	0.03	0.04	-	1,314	4	0.029
FNS	3.96	160167	3.98	3.98	3.92	3.96	3.94	3.96	-	929	367	3.947
FSX	2.60	160167	2.60	2.60	2.56	2.56	2.56	2.58	(0.04)	2,642	678	2.567
GBX	0.81	160167	0.81	0.82	0.79	0.80	0.80	0.81	(0.01)	13,538	1,089	0.804
GL	0.65	160167	-	-	-	-	-	-	-	-	-	0
HENG	1.96	160167	1.96	1.96	1.92	1.93	1.93	1.94	(0.03)	23,996	4,664	1.943
IFS	2.72	160167	-	2.72	2.70	2.72	2.68	2.72	-	1,464	395	2.7
JMT	25.50	160167	25.25	26.00	24.90	24.90	24.90	25.00	(0.60)	94,932	240,020	25.283
JMT-W4	2.08	160167	2.02	2.42	2.00	2.06	2.06	2.08	(0.02)	23,491	5,252	2.235
JMT01C2403A	0.02	160167	0.02	0.02	0.02	0.02	0.01	0.02	-	17	-	0.02
JMT01C2404A	0.15	160167	-	0.14	0.13	0.13	0.12	0.13	(0.02)	23,687	326	0.137
JMT01C2405A	0.22	160167	-	0.23	0.20	0.20	0.19	0.20	(0.02)	43,270	936	0.216
JMT01P2403A	0.27	160167	-	0.29	0.27	0.29	0.29	0.30	0.02	6,852	192	0.279
JMT01P2404X	0.32	160167	-	0.33	0.29	0.33	0.33	0.34	0.01	15,958	494	0.309
JMT06C2402A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
JMT06C2403A	0.05	160167	-	-	-	-	-	-	-	-	-	0
JMT06C2404A	0.14	160167	-	0.14	0.13	0.13	-	0.13	(0.01)	25,424	350	0.137
JMT11C2402T	0.01	160167	-	-	-	-	0.01	0.03	-	-	-	0
JMT11C2405A	0.18	160167	-	0.18	0.17	0.17	0.16	0.17	(0.01)	22,105	393	0.177
JMT13C2403A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
JMT13C2403B	0.02	160167	-	-	-	-	-	0.01	-	-	-	0
JMT13C2404A	0.06	160167	0.06	0.07	0.06	0.06	0.05	0.06	-	14,320	87	0.06
JMT13C2404B	0.46	160167	-	0.43	0.39	0.43	0.37	0.39	(0.03)	729	30	0.406
JMT13C2405A	0.17	160167	0.17	0.18	0.15	0.15	0.15	0.16	(0.02)	71,268	1,149	0.161
JMT13P2403A	0.22	160167	-	0.24	0.20	0.24	0.24	0.25	0.02	12,308	259	0.21
JMT19C2403A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2403B	0.05	160167	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2404A	0.08	160167	-	0.06	0.05	0.05	0.05	0.06	(0.03)	300	2	0.056
JMT19C2404B	0.48	160167	-	-	-	-	0.36	0.40	-	-	-	0
JMT19C2404C	0.15	160167	-	0.15	0.14	0.14	0.13	0.14	(0.01)	23,420	351	0.149
JMT19P2403A	0.74	160167	-	-	-	-	0.96	1.00	-	-	-	0
JMT19P2403B	0.26	160167	-	0.27	0.24	0.27	0.28	0.29	0.01	11,877	291	0.244
JMT41C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
JMT41C2403A	0.13	160167	-	-	-	-	0.01	0.03	-	-	-	0
JMT41C2403B	0.03	160167	-	-	-	-	0.01	0.03	-	-	-	0
JMT41C2404A	0.14	160167	-	0.14	0.12	0.12	0.12	0.13	(0.02)	20,600	277	0.134
JMT41C2405A	0.20	160167	-	0.20	0.18	0.18	0.17	0.18	(0.02)	45,600	893	0.195
KCAR	7.75	160167	-	7.80	7.70	7.75	7.75	7.80	-	354	275	7.766
KGI	4.76	160167	4.76	4.76	4.68	4.70	4.68	4.70	(0.06)	16,033	7,543	4.704
KTC	43.75	160167	42.75	43.50	42.50	42.50	42.50	43.00	(1.25)	54,126	232,298	42.917
KTC01C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
KTC01C2405A	0.17	160167	-	0.15	0.14	0.14	0.13	0.14	(0.03)	55,080	812	0.147
KTC01P2402X	0.06	160167	-	0.07	0.07	0.07	0.08	0.09	0.01	13,212	92	0.07
KTC06C2401A	0.09	160167	-	-	-	-	-	-	-	-	-	0
KTC11C2405A	0.17	160167	-	0.16	0.15	0.15	0.14	0.15	(0.02)	18,150	280	0.154
KTC11P2405A	0.52	160167	-	0.56	0.53	0.56	0.56	0.57	0.04	30,970	1,679	0.542
KTC13C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
KTC13C2405A	0.16	160167	0.14	0.14	0.13	0.13	0.12	0.13	(0.03)	50,992	669	0.131
KTC19C2402A	0.04	160167	-	-	-	-	0.01	0.02	-	-	-	0
KTC19C2405A	0.20	160167	-	0.18	0.16	0.16	0.16	0.17	(0.04)	25,906	455	0.175
KTC41C2403A	0.09	160167	-	-	-	-	0.02	0.04	-	-	-	0
KTC41C2405A	0.21	160167	-	0.20	0.18	0.18	0.17	0.18	(0.03)	70,625	1,338	0.189
MFC	20.80	160167	20.80	20.80	20.70	20.70	20.60	20.80	(0.10)	81	168	20.709
MICRO	2.70	160167	2.68	2.78	2.58	2.60	2.60	2.66	(0.10)	1,402	369	2.632
ML	0.79	160167	-	0.79	0.76	0.76	0.76	0.78	(0.03)	6,470	496	0.766
ML-W3	0.01	160167	-	0.01	0.01	0.01	-	0.01	-	12	-	0.01
MST	11.10	160167	-	11.20	11.00	11.00	11.00	11.10	(0.10)	131	144	11.012
MTC	43.50	160167	43.00	44.25	42.75	43.00	43.00	43.25	(0.50)	68,715	297,496	43.294
MTC01C2402A	0.08	160167	-	0.08	0.06	0.07	0.06	0.07	(0.01)	29,697	215	0.072

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
MTC01C2403A	0.41	160167	-	0.41	0.39	0.39	0.36	0.38	(0.02)	2,234	88	0.393
MTC01C2404A	0.21	160167	-	0.22	0.19	0.19	0.19	0.20	(0.02)	47,265	952	0.201
MTC01P2402X	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
MTC01P2404X	0.29	160167	0.27	0.30	0.27	0.30	0.30	0.31	0.01	21,196	622	0.293
MTC06C2401A	0.34	160167	-	-	-	-	-	-	-	-	-	0
MTC06C2404A	0.21	160167	-	0.22	0.19	0.19	-	0.20	(0.02)	52,662	1,053	0.199
MTC11C2403A	0.57	160167	-	-	-	-	0.38	0.40	-	-	-	0
MTC11C2406A	0.31	160167	-	0.33	0.29	0.29	0.29	0.30	(0.02)	20,564	643	0.312
MTC11P2401A	0.10	160167	-	-	-	-	0.01	0.03	-	-	-	0
MTC13C2403A	0.29	160167	-	0.30	0.25	0.27	0.26	0.27	(0.02)	46,547	1,261	0.271
MTC13C2404A	0.19	160167	-	0.21	0.17	0.17	0.17	0.18	(0.02)	53,418	990	0.185
MTC13P2404A	0.10	160167	-	0.11	0.10	0.10	0.10	0.12	-	11,995	128	0.106
MTC19C2403A	0.52	160167	-	-	-	-	0.38	0.39	-	-	-	0
MTC19C2403B	0.18	160167	-	0.19	0.15	0.16	0.16	0.17	(0.02)	22,773	384	0.168
MTC19C2404A	0.17	160167	-	0.18	0.15	0.15	0.15	0.16	(0.02)	37,764	641	0.169
MTC19P2404A	0.21	160167	0.21	0.21	0.19	0.21	0.21	0.22	-	24,291	497	0.204
MTC41C2402A	0.10	160167	-	-	-	-	0.03	0.05	-	-	-	0
MTC41C2403A	0.30	160167	-	0.32	0.27	0.32	0.27	0.29	0.02	6,000	185	0.308
MTC41C2404A	0.26	160167	-	0.27	0.23	0.23	0.23	0.24	(0.03)	53,130	1,346	0.253
MTC41C2405A	0.22	160167	-	0.23	0.20	0.23	0.20	0.21	0.01	90,970	1,935	0.212
NCAP	2.68	160167	2.66	2.70	2.64	2.64	2.64	2.66	(0.04)	42,031	11,179	2.659
PL	2.12	160167	-	2.12	2.08	2.12	2.10	2.12	-	1,256	264	2.1
S11	3.92	160167	3.90	3.92	3.90	3.90	3.88	3.92	(0.02)	613	239	3.906
SAK	4.20	160167	4.18	4.20	4.10	4.12	4.12	4.14	(0.08)	24,160	9,981	4.131
SAWAD	40.50	160167	40.25	40.50	40.00	40.25	40.00	40.25	(0.25)	68,303	275,028	40.266
SAWAD-W2	1.40	160167	1.38	1.42	1.33	1.33	1.33	1.38	(0.07)	474	64	1.357
SAWAD01C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD01C2403W	0.06	160167	-	0.05	0.05	0.05	0.04	0.05	(0.01)	500	3	0.05
SAWAD01C2405A	0.16	160167	-	0.16	0.15	0.15	0.15	0.16	(0.01)	6,892	109	0.158
SAWAD01P2403X	0.17	160167	-	0.17	0.16	0.17	0.17	0.18	-	87,112	1,466	0.168
SAWAD01P2404X	0.46	160167	-	0.47	0.45	0.46	0.46	0.47	-	29,505	1,358	0.46
SAWAD06C2402A	0.10	160167	-	-	-	-	-	-	-	-	-	0
SAWAD11C2401X	0.03	160167	-	-	-	-	0.01	0.03	-	-	-	0
SAWAD11P2406A	0.50	160167	0.51	0.51	0.50	0.51	0.51	0.52	0.01	20,245	1,030	0.508
SAWAD13C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD13C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD13C2405A	0.13	160167	0.13	0.14	0.13	0.13	0.13	0.14	-	37,595	489	0.13
SAWAD13C2406A	0.24	160167	-	0.24	0.23	0.23	0.23	0.24	(0.01)	31,890	738	0.231
SAWAD13P2403A	0.13	160167	-	0.13	0.13	0.13	0.13	0.14	-	22,844	297	0.13
SAWAD19C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD19C2403A	0.05	160167	-	0.04	0.04	0.04	0.04	0.05	(0.01)	100	-	0.04
SAWAD19C2405A	0.20	160167	-	0.21	0.19	0.20	0.20	0.21	-	45,596	910	0.199
SAWAD19P2404A	0.33	160167	-	0.33	0.32	0.33	0.33	0.34	-	15,721	516	0.328
SAWAD41C2402A	0.10	160167	-	-	-	-	0.01	0.03	-	-	-	0
SAWAD41C2403A	0.05	160167	-	-	-	-	0.04	0.06	-	-	-	0
SAWAD41C2405A	0.21	160167	-	0.21	0.20	0.20	0.20	0.21	(0.01)	22,452	468	0.208
SAWAD41C2405B	0.17	160167	0.17	0.17	0.16	0.16	0.16	0.17	(0.01)	34,604	563	0.162
SAWAD41P2405A	0.40	160167	-	0.41	0.40	0.41	0.40	0.41	0.01	12,000	490	0.408
SCAP	3.46	160167	3.42	3.46	3.36	3.44	3.38	3.44	(0.02)	2,970	1,012	3.406
SGC	1.47	160167	1.46	1.49	1.43	1.43	1.43	1.45	(0.04)	62,129	9,027	1.452
SM	1.29	160167	1.29	1.29	1.25	1.25	1.25	1.28	(0.04)	8,180	1,034	1.263
TH	1.24	160167	1.24	1.24	1.19	1.19	1.19	1.20	(0.05)	73,374	8,881	1.21
TH-W3	0.54	160167	0.56	0.56	0.50	0.50	0.50	0.52	(0.04)	4,674	243	0.52
THANI	2.66	160167	2.66	2.66	2.56	2.60	2.58	2.60	(0.06)	95,061	24,777	2.606
THANI13C2403A	0.02	160167	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
THANI13C2407A	0.23	160167	-	0.23	0.20	0.21	0.21	0.22	(0.02)	60,034	1,340	0.223
THANI19C2403A	0.03	160167	-	0.02	0.02	0.02	0.02	0.03	(0.01)	100	-	0.02
THANI19C2407A	0.26	160167	-	0.26	0.23	0.24	0.24	0.25	(0.02)	25,689	661	0.257
TIDLOR	22.60	160167	22.60	22.90	22.40	22.60	22.60	22.70	-	139,048	314,400	22.61
TIDLOR01C2403A	0.19	160167	-	0.20	0.18	0.18	0.18	0.19	(0.01)	35,830	658	0.183
TIDLOR01C2405A	0.38	160167	0.38	0.39	0.36	0.37	0.37	0.38	(0.01)	33,102	1,229	0.371
TIDLOR01P2402X	0.05	160167	-	0.04	0.04	0.04	0.04	0.05	(0.01)	3	-	0.04
TIDLOR01P2404X	0.46	160167	0.45	0.47	0.44	0.46	0.46	0.47	-	19,447	891	0.458
TIDLOR06C2403A	0.50	160167	-	0.38	0.35	0.36	-	-	(0.14)	67,912	2,472	0.363
TIDLOR11C2403A	0.42	160167	-	0.40	0.38	0.40	0.38	0.39	(0.02)	4,204	165	0.391
TIDLOR13C2403A	0.16	160167	-	0.17	0.15	0.16	0.16	0.17	-	23,259	378	0.162
TIDLOR13P2404A	0.15	160167	-	0.16	0.15	0.15	0.15	0.16	-	15,211	229	0.15
TIDLOR16C2402A	0.35	160167	-	-	-	-	0.19	0.28	-	-	-	0
TIDLOR19C2403A	0.22	160167	-	0.22	0.20	0.21	0.21	0.22	(0.01)	19,754	421	0.213
TIDLOR19C2404A	0.21	160167	-	0.22	0.20	0.20	0.20	0.21	(0.01)	31,962	666	0.208
TIDLOR41C2402A	0.07	160167	-	-	-	-	0.02	0.04	-	-	-	0
TIDLOR41C2403A	0.29	160167	-	0.30	0.28	0.28	0.28	0.29	(0.01)	47,100	1,371	0.291
TK	5.65	160167	5.60	5.60	5.50	5.55	5.45	5.55	(0.10)	2,430	1,352	5.564
TNITY	3.98	160167	3.98	4.00	3.96	3.96	3.96	4.00	(0.02)	1,099	436	3.969
UOBKH	5.00	160167	-	4.94	4.76	4.76	4.76	4.90	(0.24)	3,051	1,468	4.81
XPG	1.27	160167	1.26	1.26	1.08	1.12	1.12	1.13	(0.15)	1,594,829	184,022	1.153
XPG-W4	2.98	160167	-	3.10	2.50	2.68	2.68	2.98	(0.30)	1,120	315	2.814
Food & Beverage												
AAI	4.14	160167	4.14	4.20	4.10	4.10	4.10	4.12	(0.04)	127,795	52,836	4.134
APURE	4.54	160167	4.56	4.58	4.52	4.54	4.54	4.56	-	6,290	2,860	4.547
APURE-W3	0.75	160167	0.76	0.78	0.73	0.73	0.72	0.73	(0.02)	6,359	476	0.748
ASIAN	6.75	160167	6.75	6.95	6.75	6.75	6.70	6.75	-	15,757	10,760	6.828
BR	2.66	160167	2.64	2.64	2.60	2.62	2.60	2.62	(0.04)	16,838	4,407	2.617
BR-W1	0.17	160167	0.18	0.18	0.15	0.15	0.15	0.17	(0.02)	2,956	48	0.163
BRR	4.48	160167	4.50	4.50	4.42	4.42	4.42	4.46	(0.06)	697	310	4.445
BRR-W2	0.59	160167	-	0.61	0.57	0.57	0.57	0.59	(0.02)	777	46	0.592
BTG	23.80	160167	23.80	23.90	23.50	23.50	23.50	23.60	(0.30)	7,758	18,345	23.645
BTG01C2403A	0.14	160167	-	0.13	0.12	0.12	0.12	0.13	(0.02)	5,003	63	0.125
BTG06C2402A	0.14	160167	-	0.14	0.12	0.12	-	-	(0.02)	2,952	38	0.128
BTG13C2403A	0.11	160167	-	0.10	0.10	0.10	0.09	0.10	(0.01)	1,604	16	0.1
CBG	76.25	160167	75.00	77.25	75.00	77.00	76.75	77.00	0.75	32,886	251,355	76.432
CBG01C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
CBG01C2403A	0.36	160167	-	0.38	0.31	0.38	0.38	0.39	0.02	17,833	624	0.349

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CBG01C2403W	0.13	160167	-	0.12	0.10	0.12	0.12	0.13	(0.01)	32,662	355	0.108
CBG01C2404A	0.25	160167	0.23	0.27	0.23	0.27	0.27	0.28	0.02	47,066	1,175	0.249
CBG01C2404T	0.31	160167	0.29	0.32	0.29	0.32	0.32	0.33	0.01	31,655	964	0.304
CBG01P2404X	0.39	160167	0.38	0.41	0.36	0.36	0.36	0.37	(0.03)	25,171	945	0.375
CBG01P2405X	0.85	160167	0.89	0.89	0.81	0.81	0.81	0.82	(0.04)	16,926	1,425	0.841
CBG06C2401A	0.07	160167	-	-	-	-	-	-	-	-	-	0
CBG06C2402A	0.05	160167	-	-	-	-	-	0.07	-	-	-	0
CBG06C2405A	0.39	160167	-	0.41	0.36	0.41	-	-	0.02	41,422	1,616	0.39
CBG11C2404A	0.60	160167	-	0.63	0.57	0.62	0.63	0.64	0.02	10,000	607	0.606
CBG11P2404A	0.43	160167	-	0.44	0.40	0.40	0.40	0.41	(0.03)	30,890	1,285	0.416
CBG13C2403A	0.12	160167	-	0.11	0.09	0.11	0.11	0.12	(0.01)	20,858	227	0.108

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SNNP13C2403B	0.09	160167	-	-	-	-	0.06	0.07	-	-	-	0
SNNP19C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
SNNP19C2403A	0.10	160167	-	-	-	-	0.07	0.08	-	-	-	0
SNP	16.10	160167	16.00	16.20	16.00	16.20	16.00	16.20	0.10	198	318	16.085
SORKON	4.34	160167	4.24	4.34	4.22	4.24	4.24	4.28	(0.10)	3,144	1,341	4.265
SSC	33.25	160167	-	33.25	33.00	33.00	33.00	33.75	(0.25)	2	7	33.125
SSF	7.95	160167	-	8.00	7.95	7.95	7.80	8.00	-	35	28	7.952
SST	4.66	160167	-	4.86	4.84	4.84	4.68	4.84	0.18	2	1	4.85
SUN	5.35	160167	5.35	5.50	5.30	5.40	5.40	5.45	0.05	35,603	19,309	5.423
TC	6.50	160167	6.50	6.50	6.15	6.20	6.20	6.25	(0.30)	2,537	1,599	6.301
TFG	3.76	160167	3.76	3.78	3.68	3.68	3.66	3.68	(0.08)	31,959	11,878	3.716
TFG-W3	0.16	160167	0.16	0.18	0.15	0.15	0.15	0.16	(0.01)	14,216	226	0.159
TFMAMA	221.00	160167	-	222.00	219.00	222.00	213.00	222.00	1.00	27	596	220.888
TIPCO	9.40	160167	9.35	9.40	9.30	9.40	9.30	9.40	-	9,258	8,645	9.337
TKN	10.10	160167	10.00	10.50	10.00	10.30	10.30	10.40	0.20	299,036	307,358	10.278
TKN01C2405A	0.47	160167	-	0.55	0.48	0.55	0.53	0.55	0.08	9,867	512	0.518
TKN01C2405B	0.20	160167	0.19	0.23	0.19	0.21	0.21	0.22	0.01	43,097	897	0.208
TKN01P2405X	0.32	160167	-	0.31	0.26	0.28	0.28	0.29	(0.04)	32,786	917	0.279
TKN13C2405A	0.44	160167	0.44	0.53	0.44	0.48	0.48	0.51	0.04	68,861	3,264	0.473
TU	14.60	160167	14.40	15.20	14.20	15.00	14.90	15.00	0.40	1,296,893	1,915,134	14.767
TU01C2404A	0.22	160167	0.21	0.28	0.19	0.26	0.26	0.27	0.04	127,279	2,942	0.231
TU11C2402T	0.07	160167	-	-	-	-	0.09	0.10	-	-	-	0
TU13C2404A	0.18	160167	0.16	0.24	0.16	0.22	0.22	0.23	0.04	231,986	4,774	0.205
TU19C2403A	0.11	160167	-	0.15	0.09	0.14	0.14	0.15	0.03	183,240	2,304	0.125
TU41C2402A	0.07	160167	-	-	-	-	0.02	0.04	-	-	-	0
TU41C2403A	0.11	160167	-	0.15	0.09	0.14	0.14	0.15	0.03	136,784	1,483	0.108
TVO	21.70	160167	21.60	21.70	21.40	21.50	21.50	21.60	(0.20)	3,702	7,961	21.503
TWPC	4.00	160167	3.96	4.02	3.94	3.94	3.94	3.98	(0.06)	2,109	841	3.987
W	0.77	160167	0.75	0.76	0.75	0.76	0.75	0.76	(0.01)	31,648	2,377	0.75
W-W5	0.01	160167	-	0.01	0.01	0.01	-	0.01	-	3	-	0.01
ZEN	9.00	160167	9.00	9.00	8.85	8.90	8.85	8.90	(0.10)	1,637	1,455	8.887
Health Care Services												
AHC	18.20	160167	18.20	18.20	18.00	18.10	18.00	18.10	(0.10)	136	245	18.02
BCH	22.50	160167	22.50	22.90	22.40	22.40	22.40	22.50	(0.10)	132,240	299,143	22.621
BCH01C2404A	0.37	160167	-	0.39	0.36	0.36	0.35	0.36	(0.01)	11,736	439	0.373
BCH01P2402X	0.02	160167	-	0.01	0.01	0.01	0.01	0.02	(0.01)	130	-	0.01
BCH11C2402T	0.38	160167	-	-	-	-	0.32	0.34	-	-	-	0
BCH13C2404A	0.29	160167	-	0.31	0.27	0.27	0.27	0.28	(0.02)	31,660	938	0.296
BCH19C2402A	0.15	160167	-	0.17	0.15	0.16	0.14	0.15	0.01	11,680	188	0.16
BDMS	28.00	160167	27.75	27.75	27.00	27.25	27.00	27.25	(0.75)	472,638	1,293,592	27.369
BDMS01C2402A	0.01	160167	-	0.01	0.01	0.01	0.01	0.02	-	7,411	7	0.01
BDMS01C2403A	0.07	160167	-	0.06	0.06	0.06	0.05	0.06	(0.01)	3,800	23	0.06
BDMS01C2405A	0.23	160167	-	0.21	0.19	0.19	0.19	0.20	(0.04)	6,353	123	0.193
BDMS01P2403X	0.05	160167	-	-	-	-	0.04	0.05	-	-	-	0
BDMS06C2402A	0.06	160167	-	-	-	-	-	-	-	-	-	0
BDMS13C2402A	0.04	160167	-	-	-	-	0.01	0.02	-	-	-	0
BDMS13C2404A	0.15	160167	-	0.13	0.12	0.12	0.12	0.13	(0.03)	7,504	92	0.123
BDMS13P2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
BDMS19C2403A	0.07	160167	-	-	-	-	0.06	0.07	-	-	-	0
BDMS19C2405A	0.21	160167	-	0.20	0.19	0.19	0.18	0.19	(0.02)	1,284	26	0.199
BDMS41C2402A	0.08	160167	-	-	-	-	0.01	0.03	-	-	-	0
BDMS41C2404A	0.16	160167	-	0.14	0.14	0.14	0.13	0.14	(0.02)	2,400	34	0.14
BDMS41C2405A	0.23	160167	-	0.22	0.22	0.22	0.19	0.21	(0.01)	1,000	22	0.22
BH	237.00	160167	237.00	237.00	230.00	235.00	234.00	235.00	(2.00)	47,715	1,114,696	233.615
BH-P	22.80	160167	-	-	-	-	27.75	-	-	-	-	0
BH-Q	23.40	160167	-	-	-	-	34.25	-	-	-	-	0
BH01C2402A	0.01	160167	-	0.01	0.01	0.01	0.01	0.02	-	5,500	6	0.01
BH01C2404A	0.29	160167	-	0.28	0.24	0.27	0.27	0.28	(0.02)	31,910	823	0.257
BH01C2405A	0.48	160167	-	0.45	0.41	0.45	0.45	0.46	(0.03)	28,914	1,263	0.436
BH01P2402X	0.15	160167	-	0.18	0.14	0.15	0.15	0.16	-	37,632	595	0.158
BH01P2405X	0.23	160167	-	0.26	0.23	0.24	0.23	0.24	0.01	23,582	574	0.243
BH06C2404A	0.35	160167	-	0.34	0.29	0.32	-	-	(0.03)	63,636	1,948	0.306
BH11C2404A	0.12	160167	-	-	-	-	0.11	0.12	-	-	-	0
BH11C2406A	0.44	160167	-	0.42	0.38	0.42	0.42	0.43	(0.02)	20,382	828	0.406
BH13C2404A	0.07	160167	-	0.06	0.05	0.06	0.06	0.07	(0.01)	9,870	53	0.054
BH13C2404B	0.19	160167	-	0.17	0.15	0.17	0.17	0.18	(0.02)	46,171	763	0.165
BH13C2405A	0.38	160167	-	0.37	0.32	0.36	0.36	0.37	(0.02)	59,175	2,072	0.35
BH13P2402A	0.03	160167	-	0.02	0.02	0.02	0.01	0.02	(0.01)	10,000	20	0.02
BH13P2406A	0.36	160167	-	0.40	0.36	0.37	0.37	0.38	0.01	27,394	1,041	0.38
BH19C2404A	0.08	160167	-	-	-	-	0.06	0.07	-	-	-	0
BH19C2404B	0.21	160167	-	0.19	0.17	0.18	0.18	0.20	(0.03)	59,555	1,088	0.182
BH19C2404C	0.32	160167	-	0.31	0.25	0.29	0.29	0.30	(0.03)	45,697	1,268	0.277
BH41C2403A	0.06	160167	-	-	-	-	0.02	0.04	-	-	-	0
BH41C2404A	0.18	160167	-	0.16	0.14	0.16	0.16	0.17	(0.02)	102,126	1,580	0.154
BH41C2405A	0.37	160167	-	0.35	0.32	0.35	0.35	0.36	(0.02)	31,502	1,067	0.338
BH41P2405A	0.26	160167	-	0.27	0.26	0.26	0.25	0.26	-	4,400	119	0.269
BH41P2406A	0.36	160167	-	0.41	0.37	0.37	0.37	0.38	0.01	41,680	1,629	0.39
CHG	3.18	160167	3.18	3.18	3.10	3.12	3.10	3.12	(0.06)	137,588	43,015	3.126
CHG01C2404A	0.15	160167	-	0.13	0.13	0.13	0.13	0.14	(0.02)	4,542	59	0.13
CHG01C2405A	0.36	160167	0.35	0.35	0.31	0.31	0.31	0.32	(0.05)	5,225	164	0.313
CHG01P2402X	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
CHG06C2401A	0.03	160167	-	-	-	-	-	-	-	-	-	0
CHG11C2404A	0.17	160167	-	-	-	-	0.14	0.15	-	-	-	0
CHG13C2403A	0.05	160167	-	-	-	-	0.03	0.04	-	-	-	0
CHG13C2404A	0.32	160167	-	0.28	0.26	0.26	0.26	0.28	(0.06)	3,252	85	0.262
CHG13C2406A	0.23	160167	-	0.22	0.20	0.20	0.20	0.21	(0.03)	16,071	322	0.2
CHG19C2403A	0.09	160167	-	0.08	0.07	0.07	0.07	0.08	(0.02)	8	-	0.071
CHG19C2404A	0.25	160167	-	0.21	0.20	0.20	0.20	0.21	(0.05)	4,430	92	0.207
CMR	2.08	160167	2.06	2.08	2.04	2.04	2.02	2.04	(0.04)	3,643	752	2.064
EKH	7.55	160167	7.60	7.60	7.45	7.45	7.45	7.50	(0.10)	12,422	9,315	7.499
EKH-W1	1.50	160167	-	1.52	1.45	1.45	1.45	1.49	(0.05)	2,885	432	1.496
KDH	92.00	160167	-	92.25	92.00	92.00	92.00	93.00	-	13	120	92.096
LPH	5.00	160167	5.00	5.00	4.94	5.00	4.96	5.00	-	660	329	4.979

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
M-CHAI	63.00	160167	-	63.50	62.75	63.50	63.50	63.75	0.50	130	818	62.948
NEW	102.00	160167	-	-	-	-	99.00	102.00	-	-	-	0
NTV	37.75	160167	-	37.75	37.25	37.50	37.25	37.50	(0.25)	125	466	37.266
PHG	13.10	160167	13.10	13.10	12.90	12.90	12.90	13.00	(0.20)	2,279	2,959	12.982
PR9	17.00	160167	17.10	17.20	16.90	17.10	17.00	17.10	0.10	20,123	34,346	17.067
PRINC	4.52	160167	4.56	4.56	4.46	4.46	4.44	4.46	(0.06)	6,413	2,889	4.505
RAM	33.25	160167	32.75	33.75	32.75	32.75	32.75	33.00	(0.50)	2,511	8,279	32.97
RJH	27.50	160167	-	27.50	27.00	27.00	27.00	27.50	(0.50)	843	2,296	27.236
RPH	6.45	160167	6.45	6.50	6.40	6.50	6.45	6.50	0.05	2,079	1,339	6.441
SAFE	20.40	160167	20.40	20.70	20.20	20.30	20.30	20.40	(0.10)	13,260	27,012	20.37
SKR	10.10	160167	10.00	10.10	10.00	10.10	10.00	10.10	-	1,042	1,046	10.042
THG	54.00	160167	53.50	54.00	52.50	53.00	52.75	53.00	(1.00)	4,328	23,164	53.52
VIBHA	1.89	160167	1.89	1.89	1.84	1.86	1.86	1.87	(0.03)	46,969	8,742	1.861
VIBHA-W4	0.12	160167	0.11	0.12	0.11	0.11	0.11	0.12	(0.01)	19,858	219	0.11
VIH	7.85	160167	7.90	7.90	7.80	7.85	7.80	7.85	-	2,381	1,869	7.851
WPH	6.35	160167	6.25	6.35	6.15	6.30	6.30	6.35	(0.05)	13,086	8,191	6.259
Tourism & Leisure												
ASIA	6.55	160167	-	6.55	6.40	6.40	6.35	6.45	(0.15)	70	45	6.455
BEYOND	12.60	160167	12.60	12.60	12.40	12.50	12.30	12.50	(0.10)	1,809	2,255	12.465
BEYOND-W2	2.54	160167	-	2.60	2.56	2.56	2.56	2.78	0.02	161	41	2.576
CENTEL	42.50	160167	42.50	42.50	42.00	42.50	42.50	42.75	-	15,117	63,917	42.281
CENTEL01C2403W	0.05	160167	-	-	-	-	0.04	0.05	-	-	-	0
CENTEL01C2405A	0.24	160167	-	0.24	0.23	0.24	0.24	0.25	-	23,051	541	0.234
CENTEL01P2404X	0.32	160167	-	0.33	0.32	0.32	0.32	0.33	-	5,518	181	0.327
CENTEL06C2401A	0.01	160167	-	-	-	-	-	-	-	-	-	0
CENTEL11C2402T	0.09	160167	-	-	-	-	0.03	0.04	-	-	-	0
CENTEL13C2403A	0.07	160167	-	-	-	-	0.04	0.05	-	-	-	0
CENTEL13C2405A	0.21	160167	-	0.21	0.20	0.21	0.21	0.22	-	8,342	170	0.203
CENTEL13P2404A	0.18	160167	-	-	-	-	0.18	0.19	-	-	-	0
CENTEL19C2403A	0.10	160167	-	-	-	-	0.06	0.07	-	-	-	0
CENTEL19C2405A	0.20	160167	0.19	0.19	0.19	0.19	0.19	0.20	(0.01)	4,042	77	0.19
CENTEL41C2403A	0.10	160167	-	-	-	-	0.06	0.08	-	-	-	0
CENTEL41C2405A	0.21	160167	-	0.20	0.19	0.20	0.20	0.21	(0.01)	9,850	192	0.194
CSR	70.00	160167	-	-	-	-	70.00	73.75	-	-	-	0
DUSIT	8.65	160167	8.60	8.65	8.45	8.45	8.45	8.50	(0.20)	4,568	3,898	8.533
ERW	4.70	160167	4.74	4.86	4.64	4.84	4.84	4.86	0.14	222,790	106,678	4.788
ERW-W3	1.70	160167	1.72	1.81	1.65	1.77	1.77	1.80	0.07	7,690	1,344	1.747
ERW01C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
ERW01C2405A	0.10	160167	-	-	-	-	0.11	0.12	-	-	-	0
ERW01P2402X	0.08	160167	-	0.09	0.08	0.08	0.06	0.07	-	640	6	0.086
ERW06C2401A	0.03	160167	-	-	-	-	-	-	-	-	-	0
ERW06C2402A	0.01	160167	-	-	-	-	-	-	-	-	-	0
ERW13C2404A	0.07	160167	-	-	-	-	0.07	0.08	-	-	-	0
ERW13C2406A	0.13	160167	-	0.15	0.14	0.15	0.15	0.16	0.02	10,915	154	0.141
ERW19C2405A	0.10	160167	-	0.10	0.09	0.10	0.10	0.11	-	541	5	0.095
ERW41C2406A	1.00	160167	-	0.16	0.14	0.16	0.16	0.17	(0.84)	40,000	612	0.153
GRAND	0.15	160167	0.14	0.15	0.14	0.14	0.14	0.15	(0.01)	6,039	85	0.14
LRH	38.50	160167	38.50	39.00	37.50	38.00	37.50	38.00	(0.50)	174	657	37.751
MANRIN	29.25	160167	-	28.50	28.25	28.25	27.25	28.75	(1.00)	53	151	28.495
MINT	27.75	160167	27.75	28.25	27.50	27.75	27.75	28.00	-	206,853	575,492	27.821
MINT-W9	0.07	160167	0.07	0.12	0.05	0.06	0.06	0.07	(0.01)	346,407	2,790	0.08
MINT01C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
MINT01C2404A	0.08	160167	-	0.09	0.08	0.08	0.08	0.09	-	13,360	107	0.08
MINT01C2406A	0.19	160167	-	0.19	0.18	0.18	0.18	0.19	(0.01)	20,654	380	0.183
MINT01P2404X	0.12	160167	-	0.13	0.12	0.13	0.13	0.14	0.01	10,647	134	0.126
MINT06C2402A	0.10	160167	-	-	-	-	-	-	-	-	-	0
MINT11C2403A	0.08	160167	-	-	-	-	0.04	0.05	-	-	-	0
MINT11C2406A	0.18	160167	-	0.18	0.17	0.17	0.17	0.18	(0.01)	3,680	63	0.17
MINT13C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
MINT13C2403B	0.06	160167	-	-	-	-	0.02	0.03	-	-	-	0
MINT13C2404A	0.09	160167	-	0.09	0.09	0.09	0.09	0.10	-	24,575	221	0.09
MINT13P2404A	0.10	160167	-	0.10	0.10	0.10	0.10	0.11	-	3,620	36	0.1
MINT19C2403A	0.07	160167	-	-	-	-	0.04	0.05	-	-	-	0
MINT19C2404A	0.11	160167	-	0.11	0.11	0.11	0.10	0.11	-	782	9	0.11
MINT41C2402A	0.08	160167	-	-	-	-	0.01	0.03	-	-	-	0
MINT41C2403A	0.07	160167	-	-	-	-	0.02	0.04	-	-	-	0
MINT41C2404A	0.08	160167	-	0.09	0.08	0.08	0.07	0.08	-	73,389	616	0.083
MINT41C2405A	0.20	160167	0.19	0.20	0.18	0.18	0.18	0.19	(0.02)	63,902	1,209	0.189
OHTL	440.00	160167	-	-	-	-	430.00	446.00	-	-	-	0
ROH	2.60	160167	-	2.68	2.58	2.62	2.58	2.62	0.02	79	21	2.604
SHANG	50.00	160167	-	49.00	48.50	49.00	48.25	49.25	(1.00)	3	15	48.75
SHR	2.32	160167	2.32	2.34	2.28	2.28	2.28	2.32	(0.04)	47,626	10,968	2.302
VRANDA	4.96	160167	4.98	4.98	4.88	4.92	4.88	4.92	(0.04)	878	431	4.909
Home & Office Produc												
AJA	0.19	160167	0.19	0.20	0.18	0.18	0.18	0.19	(0.01)	89,508	1,688	0.188
AJA-W3	0.07	160167	0.06	0.07	0.06	0.06	0.06	0.07	(0.01)	14,387	86	0.06
AJA-W4	0.04	160167	0.04	0.05	0.04	0.05	0.04	0.05	0.01	41,112	164	0.04
DTCI	30.00	160167	-	-	-	-	28.00	34.00	-	-	-	0
FANCY	0.45	160167	-	0.45	0.43	0.44	0.44	0.47	(0.01)	864	38	0.441
FTI	2.10	160167	2.10	2.14	2.08	2.10	2.10	2.12	-	6,354	1,341	2.109
KYE	291.00	160167	290.00	291.00	288.00	288.00	287.00	290.00	(3.00)	21	609	290.19
L&E	1.39	160167	-	1.39	1.31	1.39	1.35	1.38	-	2	-	1.35
MODERN	2.54	160167	-	2.46	2.44	2.44	2.44	2.46	(0.10)	529	130	2.454
OGC	24.50	160167	-	24.10	24.00	24.00	23.70	24.40	(0.50)	2	5	24.05
ROCK	8.65	160167	-	-	-	-	8.20	8.60	-	-	-	0
SBNEXT	1.10	160167	1.10	1.10	1.06	1.08	1.08	1.09	(0.02)	18,116	1,952	1.077
SBNEXT-W2	0.17	160167	0.17	0.18	0.16	0.16	0.16	0.17	(0.01)	13,268	217	0.163
SIAM	1.41	160167	-	1.41	1.40	1.41	1.40	1.41	-	1,530	214	1.4
TCMC	1.60	160167	1.57	1.66	1.54	1.54	1.54	1.55	(0.06)	32,584	5,175	1.588
Insurance												
AYUD	33.50	160167	-	33.75	33.50	33.75	33.25	33.75	0.25	4	13	33.562
BKI	308.00	160167	308.00	308.00	305.00	306.00	306.00	307.00	(2.00)	312	9,552	306.141
BLA	20.20	160167	20.00	20.00	19.50	19.50	19.50	19.60	(0.70)	16,712	32,930	19.704

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BLA01C2403A	0.01	160167	-	0.01	0.01	0.01	0.01	0.02	-	2,740	3	0.01
BLA01C2404A	0.11	160167	-	-	-	-	0.06	0.07	-	-	-	0
BLA01P2404X	0.57	160167	-	0.63	0.57	0.63	0.63	0.65	0.06	4,331	259	0.597
BLA13C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
BLA13C2403A	0.04	160167	-	-	-	-	0.01	0.02	-	-	-	0
BLA13C2404A	0.17	160167	-	0.16	0.16	0.16	0.13	0.14	(0.01)	2,212	35	0.16
BLA13P2402A	0.11	160167	-	0.15	0.12	0.15	0.15	0.16	0.04	17,132	236	0.137
BLA19C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
BLA19C2403A	0.08	160167	-	-	-	-	0.02	0.03	-	-	-	0
BUI	20.20	160167	-	20.50	20.20	20.50	20.10	20.30	0.30	125	254	20.286
CHARAN	23.70	160167	-	23.80	23.40	23.60	23.40	23.70	(0.10)	21	49	23.485
INSURE	125.00	160167	-	-	-	-	110.00	127.50	-	-	-	0
KWI	0.71	160167	0.72	0.72	0.66	0.68	0.66	0.68	(0.03)	9,900	670	0.677
MTI	113.50	160167	-	114.00	112.00	112.00	112.00	113.50	(1.50)	55	626	113.745
NKI	27.50	160167	-	27.50	27.50	27.50	27.25	27.50	-	54	149	27.5
SMK	0.80	160167	-	-	-	-	-	-	-	-	-	0
TGH	16.50	160167	-	16.50	16.50	16.50	16.30	16.50	-	1	2	16.5
THRE	0.75	160167	0.75	0.75	0.73	0.74	0.73	0.74	(0.01)	18,335	1,355	0.739
THREL	2.26	160167	2.26	2.30	2.18	2.22	2.22	2.24	(0.04)	10,425	2,306	2.211
TIPH	29.75	160167	29.50	29.75	29.25	29.50	29.50	29.75	(0.25)	2,941	8,702	29.589
TIPH13C2404A	0.10	160167	-	-	-	-	0.09	0.10	-	-	-	0
TIPH13C2407A	0.22	160167	-	0.22	0.21	0.21	0.21	0.22	(0.01)	66,525	1,446	0.217
TIPH19C2404A	0.12	160167	-	-	-	-	0.06	0.07	-	-	-	0
TIPH19C2407A	0.26	160167	-	0.27	0.26	0.26	0.26	0.27	-	5,976	160	0.268
TLI	8.90	160167	8.85	8.90	8.65	8.65	8.65	8.70	(0.25)	173,437	151,150	8.714
TLI01C2404A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
TLI01C2406A	0.09	160167	-	-	-	-	0.04	0.05	-	-	-	0
TLI01C2406B	0.24	160167	-	0.23	0.20	0.20	0.20	0.21	(0.04)	11,656	257	0.22
TLI01P2403X	0.65	160167	-	0.73	0.65	0.71	0.72	0.73	0.06	4,827	323	0.668
TLI06C2402A	0.02	160167	-	-	-	-	-	-	-	-	-	0
TLI13C2402A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
TLI13C2403A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
TLI13C2404A	0.04	160167	-	0.02	0.02	0.02	0.01	0.02	(0.02)	26,020	52	0.02
TLI13C2405A	0.16	160167	0.13	0.16	0.13	0.13	0.13	0.14	(0.03)	5,225	78	0.148
TLI19C2404A	0.07	160167	-	-	-	-	0.03	0.04	-	-	-	0
TLI41C2404A	0.09	160167	-	-	-	-	0.01	0.03	-	-	-	0
TLI41C2404B	0.10	160167	-	-	-	-	0.03	0.05	-	-	-	0
TLI41C2405A	0.22	160167	-	0.21	0.18	0.18	0.18	0.19	(0.04)	28,473	572	0.2
TLI41C2405B	0.11	160167	-	-	-	-	0.05	0.07	-	-	-	0
TQM	29.00	160167	29.25	29.25	28.25	29.00	28.75	29.00	-	5,503	15,861	28.822
TQM13C2403A	0.03	160167	-	-	-	-	0.02	0.03	-	-	-	0
TQM13C2407A	0.27	160167	-	0.26	0.24	0.26	0.26	0.27	(0.01)	7,732	199	0.257
TQM19C2404A	0.10	160167	-	-	-	-	0.07	0.08	-	-	-	0
TQM19C2407A	0.29	160167	-	0.28	0.26	0.28	0.28	0.29	(0.01)	7,348	202	0.275
TSI	0.18	160167	0.18	0.18	0.17	0.17	0.17	0.18	(0.01)	566	10	0.17
TVH	8.20	160167	-	8.20	8.00	8.15	8.00	8.15	(0.05)	362	290	8.018
Packaging												
AJ	6.55	160167	-	6.55	6.35	6.35	6.35	6.50	(0.20)	1,244	796	6.398
ALUCON	183.00	160167	-	-	-	-	180.00	183.50	-	-	-	0
BGC	7.70	160167	7.75	7.80	7.65	7.70	7.65	7.70	-	791	606	7.664
CSC	45.00	160167	-	45.00	44.25	44.25	44.25	45.00	(0.75)	16	71	44.515
CSC-P	150.00	160167	-	-	-	-	-	-	-	-	-	0
CSC-Q	76.00	160167	-	-	-	-	-	-	-	-	-	0
NEP	0.21	160167	-	0.21	0.19	0.20	0.20	0.21	(0.01)	2,812	56	0.198
PJW	3.74	160167	3.76	3.76	3.74	3.74	3.72	3.74	-	1,275	477	3.741
PJW-W1	0.87	160167	0.86	0.88	0.85	0.88	0.85	0.88	0.01	2,213	190	0.859
PTL	10.70	160167	10.70	10.70	10.50	10.50	10.50	10.60	(0.20)	3,110	3,287	10.57
SCGP	33.50	160167	33.25	33.25	31.50	32.25	32.00	32.25	(1.25)	297,270	951,958	32.022
SCGP01C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2403A	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2405A	0.14	160167	0.13	0.13	0.08	0.10	0.09	0.10	(0.04)	31,475	288	0.091
SCGP01P2402X	0.17	160167	-	0.29	0.17	0.25	0.23	0.25	0.08	13,471	325	0.241
SCGP01P2405A	0.33	160167	-	0.42	0.34	0.39	0.39	0.40	0.06	22,452	865	0.385
SCGP06C2403A	0.11	160167	-	-	-	-	-	-	-	-	-	0
SCGP11C2405A	0.12	160167	-	0.10	0.08	0.08	0.08	0.09	(0.04)	17,772	148	0.083
SCGP13C2402A	0.02	160167	-	-	-	-	-	0.01	-	-	-	0
SCGP13C2403A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2403B	0.05	160167	-	0.02	0.02	0.02	0.02	0.03	(0.03)	2,010	4	0.02
SCGP13C2405A	0.10	160167	0.10	0.10	0.07	0.08	0.07	0.08	(0.02)	89,160	668	0.074
SCGP13P2405A	0.27	160167	-	0.36	0.27	0.35	0.32	0.34	0.08	23,598	750	0.317
SCGP19C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2403A	0.05	160167	-	-	-	-	0.02	0.03	-	-	-	0
SCGP19C2405A	0.12	160167	-	0.11	0.08	0.09	0.09	0.10	(0.03)	30,121	267	0.088
SCGP41C2402A	0.06	160167	-	-	-	-	0.01	0.02	-	-	-	0
SCGP41C2403A	0.07	160167	-	-	-	-	0.01	0.03	-	-	-	0
SCGP41C2404A	0.07	160167	-	0.05	0.05	0.05	0.04	0.05	(0.02)	20	-	0.05
SCGP41C2405A	0.12	160167	-	0.11	0.07	0.09	0.09	0.10	(0.03)	28,198	252	0.089
SFLEX	3.56	160167	3.54	3.58	3.44	3.52	3.50	3.52	(0.04)	20,486	7,177	3.503
SFLEX-W2	0.24	160167	-	0.23	0.22	0.23	0.22	0.23	(0.01)	292	7	0.228
SITHAI	1.21	160167	1.20	1.21	1.19	1.19	1.19	1.20	(0.02)	8,286	992	1.197
SLP	0.41	160167	0.41	0.42	0.39	0.39	0.39	0.41	(0.02)	3,292	132	0.4
SMPC	9.75	160167	9.75	9.80	9.65	9.65	9.65	9.75	(0.10)	2,304	2,243	9.735
SPACK	2.18	160167	2.20	2.20	2.12	2.14	2.12	2.14	(0.04)	3,847	830	2.157
TCOAT	24.60	160167	-	-	-	-	23.60	27.00	-	-	-	0
TFI	0.10	160167	0.10	0.10	0.09	0.09	0.09	0.10	(0.01)	16,786	151	0.09
TFI-W1	0.04	160167	-	0.04	0.04	0.04	0.03	0.04	-	70	-	0.04
THIP	29.25	160167	29.00	29.50	28.75	29.00	28.75	29.25	(0.25)	393	1,144	29.115
TMD	24.30	160167	-	24.30	24.10	24.10	24.10	24.30	(0.20)	50	121	24.116
TOPP	158.00	160167	-	-	-	-	153.00	179.50	-	-	-	0
TPAC	17.00	160167	17.00	18.90	17.00	18.50	18.20	18.50	1.50	10,249	18,593	18.141
TPBI	3.28	160167	3.28	3.30	3.24	3.30	3.26	3.28	0.02	355	116	3.262
TPP	14.60	160167	-	15.70	15.00	15.00	14.20	15.00	0.40	5	8	15.18
Personal Products												

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
APCO	5.45	160167	5.50	5.50	5.20	5.20	5.20	5.40	(0.25)	1,942	1,031	5.307
BIZ	3.40	160167	-	3.44	3.34	3.34	3.32	3.34	(0.06)	259	87	3.355
BLC	5.00	160167	5.00	5.05	4.90	4.94	4.94	4.96	(0.06)	56,264	27,842	4.948
DDD	10.10	160167	-	10.10	9.90	9.90	9.90	10.00	(0.20)	165	164	9.939
JCT	80.75	160167	80.75	81.50	80.75	81.50	80.75	81.50	0.75	7	57	81.178
KISS	4.88	160167	4.88	4.90	4.76	4.78	4.78	4.80	(0.10)	4,677	2,260	4.831
NAM	6.50	160167	6.55	6.55	6.30	6.35	6.35	6.40	(0.15)	36,922	23,587	6.388
NV	1.60	160167	1.59	1.60	1.53	1.53	1.53	1.57	(0.07)	2,220	350	1.576
OCC	9.85	160167	-	-	-	-	9.40	10.20	-	-	-	0
S&J	54.50	160167	-	54.75	53.75	54.50	54.00	54.50	-	28	152	54.41
STGT	7.35	160167	7.25	7.30	7.15	7.15	7.15	7.20	(0.20)	56,291	40,560	7.205
STGT01C2403W	0.22	160167	-	0.19	0.17	0.17	0.17	0.18	(0.05)	12,558	233	0.185
STGT01P2402X	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
STGT06C2401A	0.01	160167	-	-	-	-	-	-	-	-	-	0
STGT13C2403A	0.17	160167	-	0.16	0.14	0.14	0.14	0.15	(0.03)	20,398	304	0.149
STGT19C2404A	0.38	160167	-	0.36	0.34	0.34	0.34	0.35	(0.04)	16,286	579	0.355
STHAI	0.01	160167	-	-	-	-	-	-	-	-	-	0
TNR	9.55	160167	-	9.65	9.50	9.65	9.50	9.70	0.10	286	273	9.555
TOG	11.90	160167	11.90	12.00	11.70	11.80	11.70	11.80	(0.10)	1,637	1,936	11.828
Professional Service												
BWG	0.57	160167	0.57	0.57	0.54	0.55	0.55	0.56	(0.02)	165,481	9,162	0.553
GENCO	0.55	160167	-	0.56	0.52	0.53	0.52	0.53	(0.02)	8,256	444	0.538
PRO	0.35	160167	-	-	-	-	-	-	-	-	-	0
PRTR	5.10	160167	5.10	5.10	5.00	5.00	5.00	5.05	(0.10)	15,363	7,720	5.024
SISB	35.50	160167	35.25	35.50	34.75	35.00	35.00	35.25	(0.50)	10,661	37,366	35.048
SISB13C2405A	0.19	160167	-	0.17	0.16	0.17	0.16	0.17	(0.02)	10,579	178	0.168
SO	7.70	160167	7.65	7.80	7.65	7.65	7.65	7.70	(0.05)	241	185	7.66
WAVE	0.19	160167	0.18	0.19	0.17	0.18	0.17	0.18	(0.01)	240,997	4,328	0.179
WAVE-W3	0.09	160167	0.08	0.09	0.07	0.08	0.07	0.08	(0.01)	134,380	1,074	0.079
Property Development												
A	4.90	160167	-	4.92	4.90	4.90	4.88	4.90	-	24	12	4.9
AKS	0.01	160167	0.01	0.01	0.01	0.01	-	0.01	-	6,943	7	0.01
AKS-W5	0.01	160167	-	0.01	0.01	0.01	-	0.01	-	1,002	1	0.01
AMATA	24.10	160167	24.00	24.10	22.10	22.30	22.30	22.40	(1.80)	330,907	751,371	22.706
AMATA01C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
AMATA01C2404A	0.05	160167	-	-	-	-	0.02	0.03	-	-	-	0
AMATA01C2404B	0.25	160167	0.16	0.24	0.13	0.13	0.13	0.14	(0.12)	89,332	1,471	0.164
AMATA01P2402A	0.03	160167	-	0.07	0.05	0.06	0.06	0.07	0.03	1,274	8	0.06
AMATA13C2403A	0.02	160167	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
AMATA13C2404A	0.18	160167	0.12	0.18	0.09	0.09	0.09	0.10	(0.09)	70,803	885	0.125
AMATA13C2405A	0.11	160167	-	0.09	0.06	0.06	0.06	0.07	(0.05)	9,646	76	0.078
AMATA13P2402A	0.02	160167	-	-	-	-	0.02	0.03	-	-	-	0
AMATA19C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
AMATA19C2404A	0.15	160167	0.14	0.14	0.07	0.07	0.07	0.08	(0.08)	4,882	45	0.093
AMATA19C2405A	0.11	160167	-	0.10	0.08	0.08	0.07	0.08	(0.03)	46,212	414	0.089
AMATAV	5.60	160167	5.60	5.60	5.45	5.45	5.40	5.60	(0.15)	619	341	5.509
ANAN	0.85	160167	0.86	0.86	0.82	0.84	0.84	0.85	(0.01)	70,081	5,859	0.836
AP	11.50	160167	11.50	11.50	11.20	11.30	11.20	11.30	(0.20)	103,436	117,034	11.314
AP11C2404A	0.17	160167	-	0.16	0.16	0.16	0.15	0.16	(0.01)	1,510	24	0.16
APEX	0.04	160167	-	-	-	-	-	-	-	-	-	0
ASW	8.35	160167	8.30	8.30	8.20	8.30	8.25	8.30	(0.05)	1,064	878	8.25
ASW-W1	0.05	160167	0.04	0.04	0.03	0.04	0.03	0.04	(0.01)	32,703	110	0.033
ASW-W2	0.08	160167	-	0.08	0.05	0.06	0.05	0.06	(0.02)	11,680	65	0.055
AWC	4.18	160167	4.14	4.16	4.02	4.02	4.02	4.04	(0.16)	553,396	224,906	4.064
AWC01C2403A	0.18	160167	-	0.16	0.13	0.13	0.12	0.14	(0.05)	8,589	116	0.135
AWC01C2404A	0.44	160167	0.41	0.41	0.34	0.34	0.34	0.36	(0.10)	19,990	726	0.363
AWC01P2402X	0.01	160167	-	0.01	0.01	0.01	0.01	0.02	-	40	-	0.01
AWC01P2405X	0.38	160167	-	0.43	0.39	0.43	0.43	0.44	0.05	19,040	781	0.41
AWC06C2403A	0.17	160167	-	0.14	0.12	0.12	-	-	(0.05)	27,248	364	0.133
AWC06C2404A	0.42	160167	-	0.40	0.33	0.33	-	-	(0.09)	23,648	859	0.363
AWC11C2403A	0.36	160167	-	0.31	0.28	0.28	0.28	0.29	(0.08)	13,000	386	0.296
AWC13C2403A	0.14	160167	0.11	0.12	0.10	0.10	0.09	0.10	(0.04)	34,674	381	0.109
AWC13C2404A	0.35	160167	-	0.33	0.27	0.27	0.27	0.28	(0.08)	109,045	3,181	0.291
AWC13C2405A	0.61	160167	-	0.54	0.50	0.51	0.49	0.50	(0.10)	85	5	0.537
AWC19C2403A	0.32	160167	-	0.27	0.23	0.23	0.23	0.24	(0.09)	14,833	379	0.255
AWC19C2405A	0.62	160167	0.63	0.63	0.56	0.56	0.50	0.55	(0.06)	13	1	0.613
AWC19C2406A	0.35	160167	-	0.31	0.28	0.28	0.28	0.29	(0.07)	30,742	914	0.297
AWC41C2405A	0.28	160167	-	0.26	0.21	0.21	0.21	0.22	(0.07)	80,700	1,842	0.228
BLAND	0.81	160167	0.81	0.81	0.78	0.80	0.79	0.80	(0.01)	199,470	15,898	0.797
BRI	8.60	160167	8.70	8.70	8.50	8.50	8.50	8.55	(0.10)	8,869	7,577	8.543
BROCK	1.63	160167	-	1.69	1.55	1.60	1.55	1.60	(0.03)	1,175	184	1.561
CGD	0.36	160167	0.36	0.36	0.34	0.34	0.34	0.35	(0.02)	44,682	1,562	0.349
CI	0.59	160167	0.59	0.59	0.58	0.58	0.58	0.59	(0.01)	1,984	116	0.583
CI-W2	0.03	160167	-	0.03	0.02	0.03	0.02	0.03	-	1,316	4	0.029
CMC	1.27	160167	-	1.31	1.24	1.26	1.26	1.28	(0.01)	843	105	1.249
CPN	64.00	160167	63.75	64.00	62.50	63.25	63.25	63.50	(0.75)	133,079	841,865	63.26
CPN01C2403A	0.13	160167	-	-	-	-	0.03	0.04	-	-	-	0
CPN01C2404A	0.21	160167	0.20	0.20	0.17	0.18	0.18	0.19	(0.03)	19,147	348	0.181
CPN11C2404A	0.29	160167	-	0.28	0.25	0.26	0.26	0.27	(0.03)	17,299	455	0.263
CPN13C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
CPN13C2403A	0.09	160167	-	0.05	0.05	0.05	0.05	0.06	(0.04)	9,000	45	0.05
CPN13C2405A	0.22	160167	-	0.21	0.19	0.20	0.20	0.21	(0.02)	60,988	1,238	0.202
CPN19C2403A	0.12	160167	-	0.11	0.10	0.10	0.10	0.11	(0.02)	8,703	87	0.1
CPN41C2402A	0.09	160167	-	-	-	-	0.01	0.03	-	-	-	0
CPN41C2404A	0.22	160167	-	0.21	0.19	0.20	0.20	0.21	(0.02)	90,637	1,812	0.199
CPN41C2405A	0.21	160167	-	0.19	0.18	0.19	0.19	0.20	(0.02)	57,720	1,090	0.188
ESTAR	0.26	160167	0.26	0.26	0.25	0.25	0.25	0.26	(0.01)	327	8	0.255
EVER	0.16	160167	0.17	0.17	0.16	0.17	0.16	0.17	0.01	1,079	18	0.165
FPT	15.30	160167	-	15.20	15.00	15.20	14.80	15.20	(0.10)	417	632	15.144
GLAND	1.76	160167	-	1.75	1.75	1.75	1.74	1.75	(0.01)	20	4	1.75
J	2.08	160167	2.06	2.08	2.00	2.02	2.02	2.06	(0.06)	14,045	2,871	2.044
J-W2	0.30	160167	0.36	0.40	0.29	0.29	0.29	0.36	(0.01)	666	21	0.315
J-W3	0.45	160167	-	0.60	0.60	0.60	0.59	0.60	0.15	1	-	0.6

Main Board Quotation

Issue Date Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
JCK	0.27	160167	0.27	0.27	0.25	0.26	0.26	0.27	(0.01)	66,973	1,742	0.26
KC	0.12	160167	0.11	0.12	0.11	0.11	0.11	0.12	(0.01)	33,690	371	0.11
LALIN	8.05	160167	8.05	8.05	8.00	8.05	8.00	8.05	-	622	498	8.007
LH	7.95	160167	7.90	7.90	7.60	7.65	7.65	7.70	(0.30)	568,092	437,938	7.708
LH13C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
LH19C2406A	0.25	160167	0.25	0.25	0.19	0.19	0.19	0.20	(0.06)	21,304	437	0.205
LPN	3.96	160167	3.92	3.96	3.90	3.90	3.88	3.90	(0.06)	4,369	1,709	3.911
MBK	16.00	160167	16.00	16.00	15.70	15.70	15.70	15.90	(0.30)	13,285	21,167	15.933
MBK-W2	14.50	160167	-	14.50	14.50	14.50	14.20	14.50	-	40	58	14.5
MBK-W3	14.00	160167	-	-	-	-	13.60	18.40	-	-	-	0
MBK-W4	13.50	160167	-	-	-	-	13.20	15.90	-	-	-	0
MBK19C2403A	0.03	160167	-	-	-	-	0.02	0.03	-	-	-	0
MJD	1.35	160167	-	1.36	1.34	1.36	1.33	1.36	0.01	255	35	1.357
MK	2.28	160167	2.26	2.28	2.26	2.26	2.26	2.28	(0.02)	208	47	2.26
NCH	1.11	160167	1.13	1.13	1.09	1.09	1.09	1.10	(0.02)	2,778	305	1.099
NNCL	1.98	160167	1.95	1.98	1.95	1.97	1.96	1.97	(0.01)	2,086	409	1.961
NOBLE	3.88	160167	4.00	4.22	3.88	3.90	3.90	3.92	0.02	73,838	29,474	3.991
NUSA	0.34	160167	0.34	0.35	0.33	0.34	0.33	0.34	-	33,934	1,158	0.341
NUSA-W5	0.06	160167	0.06	0.07	0.05	0.06	0.06	0.07	-	64,587	368	0.056
NVD	1.92	160167	-	1.93	1.91	1.91	1.90	1.92	(0.01)	452	86	1.91
NVD-W3	0.07	160167	-	0.07	0.07	0.07	0.07	0.09	-	46	-	0.07
ORI	8.60	160167	8.60	8.65	8.40	8.45	8.45	8.50	(0.15)	64,082	54,546	8.511
ORI19C2404A	0.19	160167	-	0.18	0.17	0.17	0.16	0.17	(0.02)	13,637	240	0.175
ORN	1.11	160167	1.10	1.12	1.07	1.08	1.07	1.08	(0.03)	154,927	16,935	1.093
PACE	0.03	160167	-	-	-	-	-	-	-	-	-	0
PEACE	3.16	160167	3.16	3.22	3.16	3.22	3.16	3.22	0.06	313	99	3.162
PF	0.29	160167	0.29	0.29	0.28	0.29	0.28	0.29	-	4,138	119	0.287
PIN	5.10	160167	5.05	5.10	4.92	4.96	4.94	4.96	(0.14)	73,724	36,687	4.976
PLAT	2.98	160167	2.98	2.98	2.94	2.96	2.94	2.96	(0.02)	6,098	1,802	2.955
POLAR	0.68	160167	-	-	-	-	-	-	-	-	-	0
PRECHA	1.06	160167	1.06	1.16	1.04	1.07	1.07	1.08	0.01	118,923	13,230	1.112
PRIN	2.90	160167	2.92	2.92	2.88	2.90	2.90	2.92	-	1,077	312	2.898
PSH	12.20	160167	12.20	12.30	12.10	12.20	12.10	12.20	-	5,087	6,197	12.181
QH	2.20	160167	2.22	2.22	2.20	2.20	2.20	2.22	-	96,788	21,324	2.203
RABBIT	0.49	160167	0.49	0.52	0.48	0.49	0.48	0.49	-	790,032	39,201	0.496
RABBIT-P	0.47	160167	0.47	0.49	0.47	0.48	0.47	0.48	0.01	32,092	1,528	0.476
RABBIT-Q	4.00	160167	-	-	-	-	-	-	-	-	-	0
RICHY	0.63	160167	0.64	0.64	0.62	0.63	0.62	0.63	-	2,617	163	0.622
RML	0.42	160167	0.41	0.42	0.40	0.41	0.40	0.41	(0.01)	3,701	151	0.406
ROJNA	6.30	160167	6.25	6.25	6.00	6.05	6.05	6.10	(0.25)	49,981	30,365	6.075
S	0.88	160167	0.88	0.88	0.84	0.85	0.85	0.86	(0.03)	137,152	11,759	0.857
SA	7.05	160167	-	7.05	7.00	7.05	6.95	7.05	-	68	48	7.013
SA-W1	0.12	160167	-	0.11	0.10	0.11	0.10	0.11	(0.01)	4,111	44	0.107
SAMCO	1.23	160167	1.23	1.24	1.21	1.21	1.21	1.22	(0.02)	2,454	300	1.222
SC	3.30	160167	3.30	3.32	3.26	3.26	3.26	3.28	(0.04)	57,888	19,062	3.292
SENA	2.46	160167	2.48	2.48	2.34	2.34	2.34	2.40	(0.12)	7,967	1,914	2.402
SENA-W1	0.01	160167	-	0.01	0.01	0.01	-	0.01	-	5	-	0.01
SIRI	1.78	160167	1.79	1.79	1.73	1.73	1.73	1.74	(0.05)	1,052,529	183,979	1.747
SIRI01C2403A	0.17	160167	-	0.13	0.13	0.13	0.12	0.13	(0.04)	16,844	219	0.13
SIRI01C2406A	0.30	160167	-	0.28	0.25	0.25	0.25	0.26	(0.05)	42,307	1,101	0.26
SIRI06C2401A	0.01	160167	-	-	-	-	-	-	-	-	-	0
SIRI13C2403A	0.12	160167	-	0.10	0.09	0.09	0.08	0.09	(0.03)	43,254	394	0.091
SIRI19C2403A	0.17	160167	-	0.17	0.14	0.14	0.14	0.15	(0.03)	8,823	133	0.151
SIRI41C2402A	0.04	160167	-	-	-	-	0.02	0.04	-	-	-	0
SIRI41C2403A	0.36	160167	-	-	-	-	0.28	0.30	-	-	-	0
SIRI41C2405A	0.32	160167	0.29	0.30	0.27	0.28	0.27	0.28	(0.04)	24,619	695	0.282
SPALI	19.40	160167	19.40	19.50	19.10	19.30	19.20	19.30	(0.10)	84,681	162,755	19.219
SPALI11C2404A	0.26	160167	-	0.26	0.25	0.25	0.25	0.26	(0.01)	4,865	122	0.25
SPALI13C2405A	0.33	160167	-	0.32	0.30	0.32	0.32	0.33	(0.01)	62,531	1,980	0.316
SPALI19C2403A	0.03	160167	-	-	-	-	0.03	0.04	-	-	-	0
UV	2.18	160167	2.18	2.20	2.14	2.14	2.14	2.16	(0.04)	4,269	924	2.164
WHA	4.82	160167	4.78	4.78	4.54	4.56	4.56	4.58	(0.26)	3,000,473	1,389,710	4.631
WHA01C2403A	0.03	160167	-	0.02	0.01	0.01	0.01	0.02	(0.02)	300	1	0.018
WHA01C2404A	0.25	160167	-	0.24	0.16	0.17	0.17	0.18	(0.08)	56,668	1,154	0.203
WHA01C2405A	0.10	160167	-	0.08	0.06	0.07	0.06	0.07	(0.03)	10,202	72	0.071
WHA01P2403X	0.07	160167	0.09	0.12	0.09	0.12	0.12	0.13	0.05	19,538	227	0.116
WHA06C2402A	0.05	160167	-	-	-	-	-	-	-	-	-	0
WHA13C2403A	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
WHA13C2404A	0.23	160167	-	0.21	0.15	0.15	0.15	0.16	(0.08)	56,043	969	0.172
WHA13C2404B	0.07	160167	-	0.06	0.05	0.05	0.04	0.05	(0.02)	9,339	47	0.05
WHA13P2402A	0.03	160167	-	0.03	0.03	0.03	0.04	0.05	-	55	-	0.03
WHA19C2402A	0.06	160167	-	-	-	-	0.01	0.02	-	-	-	0
WHA19C2404A	0.08	160167	-	0.06	0.06	0.06	0.05	0.06	(0.02)	1,300	8	0.06
WHA19C2404B	0.19	160167	0.14	0.17	0.12	0.12	0.12	0.13	(0.07)	32,459	460	0.141
WHA41C2402A	0.08	160167	-	-	-	-	0.01	0.03	-	-	-	0
WHA41C2404A	0.15	160167	-	0.13	0.10	0.10	0.10	0.11	(0.05)	28,010	300	0.107
WHA41C2404B	0.08	160167	-	-	-	-	0.04	0.06	-	-	-	0
WIN	0.72	160167	0.72	0.73	0.68	0.68	0.68	0.70	(0.04)	20,362	1,427	0.7
Paper & Printing Mat												
UTP	12.00	160167	12.00	12.00	11.80	12.00	11.90	12.00	-	1,187	1,413	11.904
Fashion												
AFC	4.88	160167	-	4.98	4.84	4.88	4.84	4.88	-	16	8	4.89
AURA	14.90	160167	14.90	14.90	14.60	14.60	14.60	14.70	(0.30)	10,017	14,668	14.643
AURA01C2403A	0.04	160167	-	-	-	-	0.01	0.02	-	-	-	0
AURA13C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
BTNC	21.80	160167	-	21.80	21.30	21.70	21.30	21.80	(0.10)	4	9	21.625
CPH	14.10	160167	14.30	14.30	13.70	13.80	13.80	13.90	(0.30)	1,279	1,790	13.996
CPL	1.59	160167	1.60	1.63	1.55	1.55	1.55	1.59	(0.04)	10,927	1,727	1.58
NC	4.78	160167	4.80	4.84	4.60	4.66	4.64	4.66	(0.12)	1,912	895	4.683
PAF	1.52	160167	1.53	1.53	1.45	1.45	1.45	1.48	(0.07)	22,941	3,413	1.487
PDJ	1.95	160167	-	1.95	1.93	1.93	1.93	1.95	(0.02)	1,098	213	1.94
PG	9.10	160167	-	9.15	9.05	9.15	9.05	9.10	0.05	11	10	9.081
SABINA	27.25	160167	27.25	27.25	26.50	26.50	26.50	26.75	(0.75)	4,524	12,137	26.829

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SAWANG	13.90	160167	-	-	-	-	13.10	13.90	-	-	-	0
SUC	32.50	160167	32.25	32.50	31.75	32.25	32.25	32.50	(0.25)	448	1,441	32.174
TNL	35.25	160167	-	35.50	35.00	35.25	34.75	35.25	-	52	183	35.144
TR	42.25	160167	-	42.25	42.25	42.25	42.25	43.00	-	71	300	42.25
TTI	28.00	160167	-	-	-	-	25.50	28.00	-	-	-	0
TTT	47.00	160167	-	47.00	46.00	46.00	45.75	46.00	(1.00)	33	154	46.666
UPF	35.50	160167	-	35.50	35.50	35.50	35.00	35.50	-	3	11	35.5
WACOAL	31.50	160167	-	34.75	31.25	31.25	31.00	31.50	(0.25)	2	7	33
WFX	2.12	160167	2.12	2.12	2.06	2.08	2.06	2.08	(0.04)	684	143	2.086
Transportation & Log												
AAV	2.06	160167	2.06	2.06	2.00	2.00	2.00	2.02	(0.06)	253,737	51,232	2.019
AAV01C2402A	0.01	160167	-	0.01	0.01	0.01	0.01	0.02	-	15	-	0.01
AAV01C2403A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
AAV01C2405A	0.15	160167	-	0.14	0.12	0.12	0.12	0.13	(0.03)	31,970	415	0.129
AAV06C2401A	0.01	160167	-	-	-	-	-	-	-	-	-	0
AAV11C2406A	0.17	160167	-	0.16	0.15	0.15	0.15	0.16	(0.02)	1,020	16	0.155
AAV13C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
AAV13C2403B	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
AAV13C2404A	0.28	160167	-	-	-	-	0.19	0.23	-	-	-	0
AAV13C2404B	0.10	160167	-	0.09	0.08	0.08	0.08	0.09	(0.02)	2,066	18	0.085
AAV19C2402A	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
AAV19C2403A	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
AAV19C2405A	0.21	160167	-	0.21	0.18	0.18	0.18	0.19	(0.03)	20,486	390	0.19
ANI	6.20	160167	6.30	6.65	6.20	6.30	6.30	6.35	0.10	254,816	165,083	6.478
AOT	63.00	160167	63.00	63.00	61.25	61.25	61.00	61.25	(1.75)	324,347	2,006,804	61.872
AOT01C2403A	0.02	160167	-	0.01	0.01	0.01	0.01	0.02	(0.01)	3,747	4	0.01
AOT01C2404A	0.11	160167	0.10	0.11	0.08	0.09	0.08	0.09	(0.02)	16,331	147	0.089
AOT01C2405A	0.39	160167	-	0.39	0.32	0.32	0.32	0.33	(0.07)	25,515	897	0.351
AOT01P2404X	0.34	160167	-	0.40	0.33	0.40	0.40	0.41	0.06	15,770	591	0.374
AOT01P2405X	0.23	160167	-	0.27	0.23	0.27	0.27	0.28	0.04	29,712	775	0.26
AOT06C2402A	0.01	160167	-	-	-	-	-	0.02	-	-	-	0
AOT06C2404A	0.22	160167	-	0.21	0.20	0.20	-	-	(0.02)	9,446	194	0.205
AOT11C2403A	0.09	160167	-	-	-	-	0.04	0.05	-	-	-	0
AOT11C2407A	1.00	160167	-	0.32	0.28	0.28	0.27	0.28	(0.72)	5,100	149	0.291
AOT13C2402A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
AOT13C2403A	0.01	160167	-	0.01	0.01	0.01	0.01	0.02	-	2,967	3	0.01
AOT13C2404A	0.08	160167	-	0.07	0.06	0.06	0.05	0.06	(0.02)	5,959	37	0.062
AOT13C2404B	0.19	160167	-	0.18	0.15	0.15	0.14	0.15	(0.04)	22,642	379	0.167
AOT13C2405A	0.32	160167	-	0.31	0.25	0.25	0.25	0.26	(0.07)	40,588	1,131	0.278
AOT13P2404A	0.24	160167	-	0.29	0.24	0.29	0.29	0.31	0.05	20,351	544	0.267
AOT13P2404B	0.08	160167	-	0.08	0.08	0.08	0.08	0.09	-	2,000	16	0.08
AOT19C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
AOT19C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
AOT19C2404A	0.06	160167	-	0.05	0.04	0.04	0.04	0.05	(0.02)	29,450	144	0.048
AOT19C2404B	0.12	160167	-	0.11	0.09	0.09	0.08	0.09	(0.03)	10,412	102	0.098
AOT19C2404C	0.27	160167	-	0.25	0.20	0.20	0.20	0.21	(0.07)	13,039	291	0.222
AOT19C2406A	0.29	160167	-	0.28	0.25	0.25	0.23	0.24	(0.04)	3,637	98	0.269
AOT19P2404A	0.12	160167	-	0.15	0.13	0.15	0.15	0.16	0.03	14,128	186	0.131
AOT41C2402A	0.04	160167	-	-	-	-	0.01	0.03	-	-	-	0
AOT41C2403A	0.07	160167	-	-	-	-	0.01	0.03	-	-	-	0
AOT41C2404A	0.07	160167	-	-	-	-	0.05	0.07	-	-	-	0
AOT41C2405A	0.24	160167	-	0.23	0.19	0.19	0.19	0.20	(0.05)	68,910	1,447	0.21
AOT41C2405B	0.30	160167	-	0.27	0.23	0.23	0.23	0.24	(0.07)	27,450	696	0.253
AOT41P2405A	0.42	160167	-	0.47	0.43	0.47	0.47	0.48	0.05	13,838	611	0.441
ASIMAR	1.37	160167	-	1.38	1.33	1.37	1.33	1.35	-	1,102	150	1.36
B	0.13	160167	0.12	0.13	0.11	0.12	0.12	0.13	(0.01)	139,839	1,672	0.119
B-W7	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
B-W8	0.01	160167	0.02	0.02	0.01	0.02	0.01	0.02	0.01	12,354	20	0.016
BA	15.10	160167	15.10	15.20	14.80	14.90	14.90	15.00	(0.20)	17,419	26,086	14.975
BEM	7.90	160167	7.90	7.90	7.65	7.65	7.65	7.70	(0.25)	696,043	538,178	7.731
BEM01C2403A	0.04	160167	-	-	-	-	0.01	0.02	-	-	-	0
BEM01C2405A	0.19	160167	-	0.18	0.15	0.16	0.15	0.16	(0.03)	86,076	1,380	0.16
BEM13C2403A	0.05	160167	-	-	-	-	0.02	0.03	-	-	-	0
BEM19C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
BEM19C2402B	0.03	160167	-	-	-	-	0.01	0.02	-	-	-	0
BEM19C2405A	0.18	160167	0.18	0.18	0.14	0.14	0.14	0.15	(0.04)	1,134	18	0.16
BTS	7.15	160167	7.15	7.20	7.00	7.10	7.10	7.15	(0.05)	465,840	329,732	7.078
BTS-W7	0.04	160167	0.04	0.05	0.03	0.04	0.03	0.04	-	31,001	123	0.039
BTS-W8	0.13	160167	0.13	0.14	0.13	0.14	0.13	0.14	0.01	31,711	435	0.137
BTS01C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
BTS01C2405A	0.18	160167	0.18	0.18	0.17	0.18	0.17	0.18	-	44,434	770	0.173
BTS01P2405X	0.27	160167	-	0.29	0.27	0.28	0.28	0.29	0.01	16,705	475	0.284
BTS06C2401A	0.05	160167	-	-	-	-	-	-	-	-	-	0
BTS13C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
BTS13C2405A	0.14	160167	-	0.14	0.13	0.13	0.13	0.14	(0.01)	44,283	582	0.131
BTS13P2405A	0.22	160167	-	0.24	0.22	0.23	0.23	0.24	0.01	76,460	1,782	0.233
BTS19C2406A	0.21	160167	-	0.21	0.20	0.21	0.20	0.21	-	4,811	98	0.202
BTSIGIF	3.46	160167	3.46	3.48	3.44	3.44	3.44	3.46	(0.02)	91,953	31,799	3.458
DMT	13.20	160167	13.20	13.20	12.90	12.90	12.90	13.00	(0.30)	24,500	31,879	13.011
ETL	1.49	160167	1.49	1.49	1.43	1.43	1.43	1.45	(0.06)	123,436	17,946	1.453
III	9.50	160167	9.45	9.65	9.35	9.60	9.55	9.60	0.10	29,033	27,761	9.561
KEX	5.60	160167	5.70	5.75	5.55	5.55	5.55	5.60	(0.05)	52,398	29,453	5.621
KIAT	0.39	160167	0.39	0.40	0.38	0.39	0.39	0.40	-	11,048	431	0.39
KWC	247.00	160167	-	-	-	-	246.00	259.00	-	-	-	0
MENA	2.26	160167	2.26	2.26	2.18	2.18	2.18	2.20	(0.08)	49,346	10,911	2.211
NOK	1.04	160167	-	-	-	-	-	-	-	-	-	0
NYT	4.36	160167	4.36	4.40	4.22	4.22	4.22	4.24	(0.14)	42,054	18,070	4.296
PORT	1.10	160167	1.08	1.08	1.06	1.06	1.05	1.06	(0.04)	3,457	370	1.069
PRM	5.65	160167	5.70	5.95	5.60	5.90	5.90	5.95	0.25	369,417	214,431	5.804
PSL	8.25	160167	8.25	8.30	7.85	7.85	7.85	7.90	(0.40)	169,503	135,404	7.988
PSL01C2403A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
PSL01C2405A	0.24	160167	-	0.23	0.19	0.19	0.18	0.19	(0.05)	8,258	177	0.213
PSL01C2407A	0.35	160167	-	0.34	0.28	0.28	0.28	0.29	(0.07)	41,177	1,256	0.305

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PSL01P2403X	0.27	160167	-	0.34	0.26	0.34	0.34	0.35	0.07	31,467	963	0.306
PSL06C2404A	0.20	160167	-	0.20	0.16	0.16	-	-	(0.04)	18,191	330	0.181
PSL13C2402A	0.01	160167	-	-	-	-	0.01	0.02	-	-	-	0
PSL13C2403A	0.03	160167	-	-	-	-	0.02	0.03	-	-	-	0
PSL13C2404A	0.26	160167	-	0.26	0.20	0.20	0.20	0.22	(0.06)	62,889	1,527	0.242
PSL13C2407A	0.30	160167	-	0.30	0.24	0.24	0.24	0.25	(0.06)	95,495	2,559	0.267
PSL13P2402A	0.06	160167	-	0.08	0.06	0.08	0.08	0.09	0.02	11,240	84	0.075
PSL19C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
PSL19C2403A	0.06	160167	-	0.05	0.04	0.05	0.04	0.05	(0.01)	590	3	0.043
PSL19C2404A	0.30	160167	0.30	0.30	0.24	0.25	0.24	0.25	(0.05)	72,057	2,070	0.287
PSL19C2407A	0.35	160167	-	0.34	0.29	0.29	0.28	0.29	(0.06)	28,105	888	0.315
PSL41C2405A	0.22	160167	-	0.22	0.19	0.19	0.17	0.18	(0.03)	123,400	2,544	0.206
RCL	26.00	160167	26.50	27.00	25.50	25.75	25.75	26.00	(0.25)	46,732	121,963	26.098
RCL01C2402A	0.13	160167	0.14	0.15	0.10	0.10	0.10	0.11	(0.03)	12,592	140	0.111
RCL01C2405A	0.99	160167	1.02	1.05	0.91	0.94	0.91	0.94	(0.05)	2,495	245	0.981
RCL01C2405B	0.19	160167	0.21	0.22	0.18	0.18	0.18	0.19	(0.01)	44,810	855	0.19
RCL01P2402X	0.01	160167	0.01	0.02	0.01	0.01	0.01	0.02	-	1,021	1	0.01
RCL01P2405X	0.30	160167	-	0.32	0.28	0.32	0.31	0.32	0.02	83,673	2,574	0.307
RCL06C2405A	0.18	160167	-	0.21	0.17	0.17	-	-	(0.01)	18,712	348	0.186
RCL13C2402A	0.15	160167	-	-	-	-	0.13	0.14	-	-	-	0
RCL13C2404A	0.91	160167	-	0.90	0.89	0.90	0.87	0.90	(0.01)	516	46	0.89
RCL13C2405A	0.20	160167	-	0.22	0.18	0.18	0.18	0.19	(0.02)	41,807	831	0.198
RCL13P2405A	0.26	160167	-	0.27	0.23	0.27	0.27	0.28	0.01	41,020	1,037	0.252
RCL19C2402A	0.09	160167	0.11	0.11	0.08	0.08	0.08	0.09	(0.01)	9,428	84	0.088
RCL19C2405A	0.71	160167	-	-	-	-	0.70	0.75	-	-	-	0
RCL19C2405B	0.22	160167	-	0.24	0.21	0.21	0.21	0.22	(0.01)	20,523	451	0.219
RCL19C2406A	0.18	160167	0.19	0.20	0.17	0.17	0.17	0.18	(0.01)	24,999	451	0.18
RCL41C2406A	0.17	160167	0.19	0.20	0.17	0.17	0.16	0.17	-	65,253	1,165	0.178
SAV	16.30	160167	16.30	16.30	15.90	16.30	16.20	16.30	-	13,844	22,366	16.155
SINO	1.71	160167	1.70	1.76	1.63	1.63	1.63	1.65	(0.08)	208,711	35,342	1.693
SJWD	13.80	160167	13.70	13.70	13.10	13.20	13.20	13.30	(0.60)	52,267	69,719	13.338
SJWD13C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
TFFIF	7.10	160167	7.10	7.10	7.05	7.05	7.05	7.10	(0.05)	9,544	6,747	7.069
THAI	3.32	160167	-	-	-	-	-	-	-	-	-	0
TSTE	10.80	160167	-	10.00	9.75	9.75	9.05	10.00	(1.05)	20	20	9.937
TTA	6.35	160167	6.30	6.40	6.15	6.15	6.15	6.20	(0.20)	91,170	56,915	6.242
WICE	6.25	160167	6.25	6.25	6.05	6.05	6.05	6.15	(0.20)	8,075	4,934	6.109
Automotive												
3K-BAT	42.00	160167	-	-	-	-	40.00	44.00	-	-	-	0
ACG	1.28	160167	1.27	1.29	1.25	1.28	1.27	1.30	-	386	49	1.273
AH	29.50	160167	29.25	29.75	28.25	29.00	29.00	29.25	(0.50)	37,384	109,044	29.168
CWT	1.69	160167	1.68	1.68	1.60	1.62	1.61	1.62	(0.07)	3,103	510	1.643
CWT-W6	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
EASON	1.49	160167	1.48	1.49	1.43	1.44	1.44	1.45	(0.05)	64,654	9,407	1.454
GYT	196.00	160167	-	196.50	195.00	196.00	191.00	196.00	-	17	333	195.911
HFT	4.50	160167	4.50	4.50	4.44	4.46	4.44	4.46	(0.04)	1,036	461	4.452
IHL	2.60	160167	2.60	2.62	2.54	2.54	2.54	2.60	(0.06)	1,240	320	2.58
INGRS	0.55	160167	0.54	0.55	0.53	0.53	0.53	0.54	(0.02)	80,965	4,351	0.537
IRC	14.00	160167	14.00	14.00	13.90	13.90	13.90	14.00	(0.10)	347	485	13.964
MGC	5.50	160167	5.70	5.70	5.30	5.30	5.30	5.35	(0.20)	8,524	4,656	5.462
NEX	9.75	160167	9.65	9.70	9.35	9.40	9.40	9.45	(0.35)	62,925	59,892	9.518
NEX06C2402A	0.08	160167	-	-	-	-	-	-	-	-	-	0
NEX13C2403A	0.03	160167	-	0.02	0.02	0.02	0.02	0.03	(0.01)	1,700	3	0.02
NEX13C2403B	0.21	160167	-	0.18	0.15	0.15	0.15	0.16	(0.06)	12,840	213	0.165
NEX13C2405A	0.14	160167	-	0.13	0.11	0.11	0.11	0.12	(0.03)	11,526	140	0.121
NEX19C2402A	0.04	160167	-	0.01	0.01	0.01	0.01	0.02	(0.03)	2,070	2	0.01
NEX19C2404A	0.12	160167	-	0.09	0.09	0.09	0.08	0.09	(0.03)	5	-	0.09
PCSGH	5.45	160167	5.45	5.45	5.30	5.40	5.30	5.40	(0.05)	947	510	5.381
POLY	8.50	160167	-	8.60	8.25	8.55	8.30	8.50	0.05	4	3	8.412
SAT	18.60	160167	18.50	18.50	18.30	18.30	18.30	18.40	(0.30)	7,707	14,145	18.353
SPG	16.40	160167	-	16.20	15.40	15.40	15.40	16.20	(1.00)	13	20	15.646
STANLY	232.00	160167	230.00	232.00	227.00	230.00	230.00	231.00	(2.00)	1,978	45,352	229.281
TKT	1.94	160167	1.94	1.95	1.83	1.83	1.83	1.91	(0.11)	7,562	1,431	1.892
TNPC	1.44	160167	1.44	1.49	1.44	1.45	1.45	1.46	0.01	12,944	1,882	1.453
TRU	3.62	160167	3.58	3.62	3.54	3.60	3.58	3.60	(0.02)	1,077	384	3.563
TSC	16.20	160167	16.20	16.20	16.10	16.10	16.10	16.20	(0.10)	1,497	2,424	16.19
Industrial Materials												
ALLA	1.59	160167	1.59	1.61	1.57	1.58	1.58	1.59	(0.01)	9,358	1,485	1.587
ASEFA	3.82	160167	-	3.82	3.76	3.82	3.76	3.82	-	711	269	3.781
CPT	0.68	160167	0.67	0.68	0.65	0.67	0.65	0.67	(0.01)	1,712	114	0.663
CRANE	1.16	160167	1.17	1.17	1.09	1.09	1.09	1.10	(0.07)	111,734	12,396	1.109
CTW	4.62	160167	-	4.74	4.60	4.60	4.56	4.60	(0.02)	32	15	4.645
FMT	35.25	160167	-	35.25	34.75	35.25	34.75	35.00	-	11	38	34.886
HTECH	2.48	160167	2.48	2.50	2.46	2.50	2.48	2.50	0.02	1,410	351	2.487
KKC	0.18	160167	-	0.18	0.18	0.18	0.18	0.19	-	3,263	59	0.18
PK	1.10	160167	1.10	1.13	1.08	1.11	1.10	1.11	0.01	11,200	1,234	1.101
PSP	4.56	160167	4.54	4.58	4.46	4.50	4.50	4.52	(0.06)	72,161	32,482	4.501
SNC	8.95	160167	9.00	9.00	8.85	8.90	8.85	8.90	(0.05)	825	737	8.931
STARK	0.02	160167	-	-	-	-	-	-	-	-	-	0
STARK-W1	0.01	160167	-	-	-	-	-	-	-	-	-	0
TCJ	3.30	160167	-	-	-	-	3.14	3.30	-	-	-	0
TPCS	16.60	160167	-	-	-	-	16.60	17.00	-	-	-	0
VARO	3.96	160167	3.96	3.98	3.82	3.82	3.80	3.82	(0.14)	224	86	3.844
Property Fund & REIT												
AIMCG	3.84	160167	-	3.86	3.78	3.80	3.78	3.80	(0.04)	1,262	482	3.817
AIMIRT	10.80	160167	10.70	10.80	10.60	10.70	10.60	10.70	(0.10)	4,528	4,845	10.7
ALLY	6.20	160167	6.25	6.25	6.15</							

Main Board Quotation

Issue Date Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CPNREIT	11.30	160167	11.40	11.50	11.30	11.30	11.30	11.40	-	14,667	16,698	11.384
CPTGF	5.40	160167	-	5.50	5.40	5.40	5.40	5.45	-	5,754	3,126	5.433
CTARAF	4.38	160167	4.36	4.38	4.34	4.34	4.34	4.36	(0.04)	502	219	4.356
DREIT	5.35	160167	5.30	5.30	5.15	5.15	5.15	5.20	(0.20)	563	293	5.199
ERWPF	8.40	160167	-	8.35	8.30	8.35	8.30	8.40	(0.05)	5,733	4,778	8.333
FTREIT	10.40	160167	10.30	10.30	10.10	10.10	10.10	10.20	(0.30)	23,398	23,944	10.233
FUTUREPF	11.90	160167	-	11.90	11.80	11.80	11.70	11.80	(0.10)	720	852	11.83
GAHREIT	7.35	160167	7.35	7.35	7.20	7.25	7.20	7.25	(0.10)	1,361	993	7.293
GROREIT	8.65	160167	-	8.70	8.65	8.65	8.65	8.80	-	330	286	8.666
GVREIT	6.15	160167	6.15	6.20	6.05	6.10	6.10	6.15	(0.05)	6,018	3,690	6.132
HPF	4.68	160167	-	4.66	4.66	4.66	4.66	4.68	(0.02)	35	16	4.66
HYDROGEN	9.40	160167	9.40	9.55	9.40	9.55	9.35	9.55	0.15	40	38	9.422
IMPACT	12.30	160167	12.20	12.30	12.00	12.10	12.10	12.20	(0.20)	5,007	6,072	12.127
INETREIT	9.70	160167	-	9.70	9.65	9.65	9.60	9.65	(0.05)	301	290	9.65
KPNPF	3.68	160167	-	-	-	-	3.56	3.78	-	-	-	0
KTBSTMR	6.45	160167	-	6.50	6.45	6.45	6.45	6.50	-	18	12	6.475
LHHOTEL	12.20	160167	12.30	12.30	12.00	12.20	12.10	12.20	-	12,696	15,369	12.105
LHPF	6.05	160167	-	6.05	6.05	6.05	6.00	6.05	-	2	1	6.05
LHSC	9.90	160167	9.90	9.95	9.60	9.85	9.85	9.95	(0.05)	1,660	1,642	9.893
LPF	13.40	160167	13.30	13.30	13.20	13.20	13.20	13.30	(0.20)	7,719	10,240	13.265
LUXF	7.00	160167	-	7.10	7.00	7.00	7.00	7.10	-	152	107	7.017
M-II	7.40	160167	-	7.40	7.35	7.35	7.30	7.40	(0.05)	13	10	7.357
M-PAT	3.36	160167	-	-	-	-	3.14	3.60	-	-	-	0
M-STOR	6.95	160167	7.00	7.00	7.00	7.00	6.70	7.00	0.05	1	1	7
MIPF	14.50	160167	-	-	-	-	11.40	18.80	-	-	-	0
MIT	1.12	160167	-	1.12	1.07	1.10	1.07	1.10	(0.02)	1,053	115	1.091
MJLF	3.72	160167	-	3.72	3.68	3.70	3.68	3.70	(0.02)	138	51	3.697
MNIT	2.08	160167	-	2.10	2.08	2.10	2.02	2.10	0.02	2,150	450	2.094
MNIT2	5.00	160167	-	-	-	-	4.86	5.00	-	-	-	0
MNRF	2.78	160167	-	2.78	2.74	2.74	2.74	2.76	(0.04)	38	10	2.758
POPF	6.60	160167	6.55	6.55	6.50	6.55	6.50	6.55	(0.05)	1,921	1,252	6.518
PPF	10.20	160167	-	10.20	10.20	10.20	10.10	10.20	-	20	20	10.2
PROSPECT	8.65	160167	8.60	8.65	8.60	8.65	8.60	8.65	-	157	135	8.602
QHHR	6.55	160167	-	6.55	6.40	6.50	6.40	6.50	(0.05)	724	466	6.437
QHOP	2.82	160167	-	2.78	2.76	2.78	2.70	2.78	(0.04)	20	6	2.775
QHFP	5.80	160167	5.85	5.85	5.75	5.75	5.75	5.80	(0.05)	2,186	1,267	5.796
SIRIP	7.10	160167	-	7.10	7.10	7.10	6.60	7.10	-	2	1	7.1
SPRIME	4.88	160167	4.84	4.88	4.80	4.82	4.82	4.84	(0.06)	1,513	732	4.84
SRIPANWA	4.68	160167	-	4.68	4.54	4.60	4.56	4.60	(0.08)	977	447	4.575
SSPF	5.20	160167	-	5.15	5.05	5.10	5.10	5.15	(0.10)	8	4	5.106
SSTRT	5.45	160167	-	5.40	5.40	5.40	5.35	5.40	(0.05)	185	100	5.4
TIF1	8.65	160167	-	8.60	8.60	8.60	8.60	8.65	(0.05)	48	41	8.6
TLHPF	6.95	160167	-	6.85	6.60	6.85	6.65	6.85	(0.10)	151	101	6.716
TNPF	1.67	160167	-	1.81	1.80	1.81	1.71	1.80	0.14	14	3	1.807
TPRIME	7.20	160167	-	7.00	7.00	7.00	7.00	7.15	(0.20)	2	1	7
TTLPF	18.00	160167	-	18.00	17.90	17.90	17.90	18.00	(0.10)	156	281	17.987
TU-PF	0.61	160167	-	0.61	0.61	0.61	0.61	0.64	-	4	-	0.61
URBNPF	1.89	160167	1.61	1.86	1.61	1.66	1.63	1.66	(0.23)	47	8	1.637
WHABT	8.45	160167	-	8.50	8.45	8.45	8.45	8.50	-	58	49	8.451
WHAIR	5.65	160167	5.65	5.65	5.50	5.55	5.50	5.55	(0.10)	7,013	3,909	5.573
WHART	10.10	160167	10.10	10.10	9.95	9.95	9.95	10.00	(0.15)	34,525	34,450	9.978
Steel and Metal Prod												
2S	3.08	160167	3.08	3.08	3.04	3.04	3.02	3.04	(0.04)	1,050	321	3.052
AMC	3.42	160167	3.42	3.42	3.38	3.38	3.38	3.40	(0.04)	3,117	1,054	3.381
BSBM	0.71	160167	-	0.71	0.70	0.70	0.69	0.70	(0.01)	1,579	111	0.7
CEN	2.54	160167	2.54	2.56	2.50	2.56	2.52	2.54	0.02	7,800	1,972	2.527
CEN-W5	0.47	160167	0.47	0.47	0.44	0.46	0.44	0.46	(0.01)	27	1	0.445
CITY	2.22	160167	-	2.22	2.20	2.20	2.20	2.28	(0.02)	698	154	2.209
CSP	1.07	160167	1.04	1.07	1.02	1.03	1.02	1.03	(0.04)	405	42	1.028
GJS	0.26	160167	0.26	0.27	0.25	0.25	0.25	0.26	(0.01)	18,490	475	0.256
GSTEEL	0.09	160167	-	-	-	-	-	-	-	-	-	0
INOX	0.60	160167	0.59	0.61	0.59	0.59	0.58	0.59	(0.01)	2,655	157	0.591
LHK	4.38	160167	4.36	4.40	4.34	4.36	4.34	4.36	(0.02)	525	229	4.365
MCS	6.40	160167	6.40	6.45	6.35	6.35	6.35	6.40	(0.05)	2,868	1,835	6.398
MILL	0.37	160167	-	0.37	0.36	0.37	0.36	0.37	-	29,545	1,088	0.368
MILL-W6	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
MILL-W7	0.06	160167	-	0.06	0.05	0.06	0.05	0.06	-	105,134	526	0.05
PAP	2.66	160167	-	2.68	2.64	2.64	2.62	2.64	(0.02)	162	43	2.641
PERM	0.96	160167	0.95	0.96	0.91	0.93	0.92	0.93	(0.03)	9,903	924	0.932
SAM	0.41	160167	0.41	0.41	0.39	0.40	0.39	0.40	(0.01)	2,685	107	0.398
SMIT	4.56	160167	4.60	4.60	4.56	4.56	4.54	4.56	-	152	69	4.57
SSSC	2.96	160167	2.92	2.96	2.90	2.96	2.94	2.96	-	809	236	2.913
TGPRO	0.16	160167	0.16	0.17	0.15	0.15	0.15	0.16	(0.01)	4,360	69	0.157
THE	1.27	160167	1.21	1.25	1.19	1.21	1.20	1.21	(0.06)	863	104	1.206
TMT	6.15	160167	6.15	6.15	6.05	6.05	6.05	6.15	(0.10)	1,178	715	6.068
TSTH	0.86	160167	-	0.86	0.84	0.84	0.84	0.85	(0.02)	9,656	817	0.845
TWP	2.12	160167	-	2.10	2.04	2.04	2.04	2.08	(0.08)	112	23	2.058
TYCN	2.60	160167	2.58	2.60	2.54	2.60	2.58	2.60	-	70	18	2.574
Construction Service												
APCS	3.62	160167	-	3.64	3.62	3.62	3.56	3.62	-	244	89	3.628
BJCHI	1.19	160167	1.18	1.18	1.16	1.16	1.16	1.17	(0.03)	4,477	522	1.165
BKD	1.68	160167	-	1.69	1.60	1.68	1.62	1.67	-	1,197	194	1.616
CIVIL	2.14	160167	-	2.12	2.08	2.12	2.08	2.12	(0.02)	1,604	336	2.096
CK	22.40	160167	22.20	22.40	21.70	21.70	21.70	21.80	(0.70)	24,017	52,707	21.945
CK01C2403A	0.16	160167	-	0.15	0.12	0.12	0.11	0.12	(0.04)	22,990	289	0.125
CK11C2407A	1.00	160167	-	0.44	0.4							

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PLE	0.54	160167	0.54	0.54	0.52	0.53	0.52	0.53	(0.01)	6,225	325	0.522
PREB	6.60	160167	-	6.60	6.50	6.55	6.50	6.55	(0.05)	286	187	6.542
PYLON	2.62	160167	-	2.62	2.54	2.60	2.58	2.60	(0.02)	3,509	909	2.589
RT	0.88	160167	0.88	0.90	0.85	0.85	0.85	0.86	(0.03)	37,381	3,272	0.875
RT-W1	0.15	160167	0.15	0.16	0.14	0.14	0.14	0.15	(0.01)	28,775	424	0.147
SEAFCO	2.62	160167	2.62	2.62	2.56	2.56	2.56	2.60	(0.06)	2,785	718	2.578
SQ	1.32	160167	1.27	1.29	1.24	1.24	1.23	1.24	(0.08)	62,554	7,896	1.262
SRICHA	5.35	160167	-	5.50	5.30	5.45	5.30	5.45	0.10	2,081	1,114	5.352
STEC	9.40	160167	9.35	9.40	8.90	8.90	8.90	8.95	(0.50)	82,394	74,906	9.091
STEC01C2402A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
STEC01C2403A	0.13	160167	-	0.12	0.09	0.09	0.08	0.09	(0.04)	33,274	365	0.109
STEC13C2402A	0.02	160167	-	-	-	-	-	0.01	-	-	-	0
STEC13C2403A	0.08	160167	-	0.06	0.04	0.04	0.04	0.05	(0.04)	1,500	8	0.053
STEC13C2405A	0.40	160167	-	0.39	0.31	0.31	0.31	0.32	(0.09)	55,617	1,973	0.354
STEC19C2403A	0.09	160167	-	0.08	0.07	0.07	0.05	0.06	(0.02)	3,042	24	0.079
STEC19C2407A	0.52	160167	-	0.51	0.43	0.43	0.43	0.44	(0.09)	49,922	2,416	0.484
STI	3.80	160167	3.80	3.80	3.74	3.76	3.74	3.76	(0.04)	2,042	769	3.767
STPI	3.34	160167	3.32	3.38	3.30	3.36	3.32	3.36	0.02	6,142	2,050	3.337
SYNTEC	1.74	160167	1.74	1.77	1.73	1.76	1.75	1.76	0.02	17,742	3,106	1.75
TEAMG	5.80	160167	5.85	5.85	5.70	5.70	5.70	5.75	(0.10)	11,301	6,508	5.758
TEAMG-W1	0.75	160167	0.76	0.76	0.72	0.72	0.71	0.72	(0.03)	12,224	902	0.737
TEKA	2.62	160167	2.62	2.66	2.56	2.56	2.56	2.60	(0.06)	2,685	694	2.585
TPOLY	0.67	160167	0.67	0.67	0.65	0.67	0.66	0.67	-	306	20	0.66
TRC	0.29	160167	0.30	0.30	0.26	0.27	0.27	0.28	(0.02)	352,726	9,734	0.275
TRITN	0.13	160167	0.13	0.14	0.13	0.13	0.13	0.14	-	407,238	5,294	0.13
TRITN-W5	0.01	160167	-	0.01	0.01	0.01	-	0.01	-	2	-	0.01
TRITN-W6	0.01	160167	-	0.01	0.01	0.01	-	0.01	-	2	-	0.01
TTCL	3.62	160167	3.66	3.66	3.42	3.48	3.48	3.50	(0.14)	8,881	3,120	3.512
UNIQ	3.04	160167	3.02	3.04	2.92	2.96	2.96	2.98	(0.08)	5,704	1,703	2.985
WGE	0.78	160167	0.78	0.79	0.76	0.76	0.76	0.78	(0.02)	2,366	182	0.768
Unit Trust												
SCBSET	7.54	160167	-	-	-	-	6.40	-	-	-	-	0
ETF												
1DIV	10.00	160167	9.95	9.99	9.88	9.88	9.88	9.91	(0.12)	1,564	1,550	9.911
ABFTH	1,245.00	160167	-	-	-	-	1,240.00	1,270.00	-	-	-	0
BMSCG	9.50	160167	9.45	9.45	9.35	9.35	9.27	9.35	(0.15)	70	66	9.361
BMSCITH	9.70	160167	9.70	9.70	9.56	9.58	9.56	9.58	(0.12)	1,019	982	9.635
BSET100	9.01	160167	8.97	9.00	8.92	8.93	8.90	8.93	(0.08)	782	700	8.948
CHINA	5.24	160167	5.20	5.24	5.15	5.18	5.17	5.18	(0.06)	1,816	941	5.179
EBANK	5.09	160167	5.00	5.09	5.00	5.00	4.99	5.00	(0.09)	111	56	5.082
ENGY	5.21	160167	5.12	5.12	5.06	5.06	5.05	5.06	(0.15)	58	29	5.081
ENY	5.00	160167	5.01	5.01	4.92	4.95	4.93	4.95	(0.05)	71	35	4.957
GLD	2.89	160167	2.89	2.90	2.88	2.89	2.88	2.89	-	7,383	2,133	2.888
TDEX	8.45	160167	8.45	8.45	8.31	8.34	8.32	8.34	(0.11)	33,384	27,903	8.358
UBOT	12.85	160167	-	12.83	12.67	12.67	12.67	12.85	(0.18)	10	13	12.707
UHERO	7.18	160167	-	7.16	6.97	6.97	6.96	7.10	(0.21)	17	12	7.017
Warrant Foreign												
AIA28C2401A	0.20	160167	-	-	-	-	-	-	-	-	-	0
AIA28C2403A	0.12	160167	-	-	-	-	0.01	0.08	-	-	-	0
AIA28C2406A	0.34	160167	-	0.27	0.25	0.26	0.22	-	(0.08)	45,406	1,180	0.259
AIA28P2405A	0.30	160167	-	0.41	0.38	0.40	-	-	0.10	48,224	1,917	0.397
AIA41C2401A	0.15	160167	-	-	-	-	-	-	-	-	-	0
AIA41C2403A	0.10	160167	-	-	-	-	-	-	-	-	-	0
ALIHEA28C2402A	0.09	160167	-	-	-	-	-	-	-	-	-	0
ALIHEA28C2406A	0.09	160167	-	-	-	-	-	-	-	-	-	0
BABA28C2401A	0.05	160167	-	-	-	-	-	-	-	-	-	0
BABA28C2403A	0.03	160167	-	-	-	-	0.02	0.03	-	-	-	0
BABA28C2403B	0.05	160167	-	0.02	0.02	0.02	0.01	0.02	(0.03)	50	-	0.02
BABA28C2404A	0.14	160167	0.11	0.12	0.09	0.10	-	0.14	(0.04)	21,209	229	0.108
BABA28C2404B	0.15	160167	0.12	0.12	0.10	0.10	-	-	(0.05)	56,043	584	0.104
BABA28C2406A	0.16	160167	0.15	0.15	0.14	0.14	0.14	0.15	(0.02)	29,301	410	0.14
BABA28C2406B	0.33	160167	0.28	0.28	0.25	0.26	-	-	(0.07)	80,092	2,098	0.262
BABA28P2403A	0.43	160167	-	0.57	0.52	0.56	-	-	0.13	272,000	14,824	0.545
BABA28P2404A	0.33	160167	-	0.41	0.39	0.40	-	-	0.07	256,000	10,120	0.395
BABA41C2403A	0.05	160167	-	0.02	0.02	0.02	-	0.03	(0.03)	9	-	0.02
BABA41C2403B	0.04	160167	-	-	-	-	-	-	-	-	-	0
BABA41C2404A	0.18	160167	0.13	0.16	0.12	0.16	0.09	-	(0.02)	11,559	149	0.128
BABA41C2406A	0.21	160167	0.20	0.20	0.17	0.17	0.17	0.38	(0.04)	46	1	0.188
BABA41P2403A	0.55	160167	-	0.70	0.67	0.70	-	-	0.15	6	-	0.676
BABA41P2404A	0.29	160167	-	0.39	0.36	0.39	-	-	0.10	28	1	0.363
BIDU28C2403A	0.07	160167	-	-	-	-	-	-	-	-	-	0
BIDU28C2403B	0.12	160167	-	-	-	-	0.01	0.13	-	-	-	0
BIDU28P2401A	0.40	160167	-	0.65	0.57	0.62	0.08	8.00	0.22	107,703	6,513	0.604
BIDU28P2406A	0.47	160167	-	0.57	0.54	0.56	-	-	0.09	56,336	3,111	0.552
BIDU41C2403A	0.09	160167	-	-	-	-	-	-	-	-	-	0
BIDU41C2403B	0.15	160167	-	0.11	0.10	0.10	-	-	(0.05)	8	-	0.102
BIDU41P2403A	0.50	160167	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2401A	0.03	160167	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2404A	0.05	160167	0.04	0.04	0.03	0.03	-	-	(0.02)	9	-	0.036
BYDCOM28C2405A	0.24	160167	-	0.18	0.16	0.17	-	-	(0.07)	34,029	570	0.167
BYDCOM28P2401A	0.25	160167	-	0.56	0.46	0.49	-	-	0.24	83,266	4,186	0.502
BYDCOM28P2405A	0.27	160167	-	0.38	0.35	0.36	-	-	0.09	13,182	480	0.363
BYDCOM41C2401A	0.11	160167	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2404A	0.07	160167	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2405A	0.21	160167	-	0.14	0.13	0.14	-	-	(0.07)	4	-	0.137
BYDCOM41P2401A	0.32	160167	-	0.63	0.56	0.56	-	-	0.24	10	1	0.579
BYDCOM41P2404A	1.00	160167	-	-	-	-	-	-	-	-	-	0
BYDCOM41P2405A	0.27	160167	-	0.39	0.35	0.39	-	0.39	0.12	9	-	0.371
CATHAY28C2403A	0.05	160167	-	-	-	-	0.02	-	-	-	-	0

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CHMOBI28C2404A	0.28	160167	-	0.26	0.21	0.22	-	-	(0.06)	19,266	436	0.226
CMBANK41C2401A	0.10	160167	-	-	-	-	-	-	-	-	-	0
CMBANK41C2404A	0.12	160167	-	-	-	-	-	0.12	-	-	-	0
CMBANK41C2406A	0.21	160167	-	0.19	0.18	0.18	-	-	(0.03)	10	-	0.186
CNOOC28C2404A	0.19	160167	-	0.17	0.16	0.16	-	-	(0.03)	44,392	744	0.167
DJI28C2403A	2.78	160167	-	-	-	-	2.28	2.32	-	-	-	0
DJI28C2403B	0.76	160167	-	-	-	-	0.56	0.57	-	-	-	0
DJI28C2403C	0.24	160167	-	-	-	-	0.20	0.21	-	-	-	0
DJI28C2406B	0.62	160167	-	-	-	-	0.57	0.58	-	-	-	0
DJI28P2403A	0.04	160167	-	0.05	0.05	0.05	0.04	0.05	0.01	3,720	19	0.05
DJI28P2403B	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
DJI28P2403C	0.20	160167	-	0.21	0.21	0.21	0.21	0.22	0.01	11,532	242	0.21
DJI28P2403D	0.38	160167	-	0.44	0.41	0.43	0.43	0.44	0.05	6,440	276	0.428
DJI28P2406A	1.00	160167	-	0.75	0.75	0.75	0.76	0.77	(0.25)	20	2	0.75
DJI41C2403A	2.04	160167	-	-	-	-	1.88	1.89	-	-	-	0
DJI41C2403B	0.70	160167	-	-	-	-	0.49	0.50	-	-	-	0
DJI41C2406A	0.70	160167	-	-	-	-	0.60	0.61	-	-	-	0
DJI41P2403A	0.03	160167	-	0.04	0.04	0.04	0.04	0.07	0.01	1,501	6	0.04
DJI41P2403B	0.13	160167	-	0.14	0.13	0.13	0.13	0.14	-	15	-	0.133
DJI41P2403C	0.30	160167	0.31	0.33	0.31	0.33	0.32	0.33	0.03	2,236	71	0.318
DJI41P2406A	0.65	160167	0.68	0.69	0.67	0.69	0.68	0.69	0.04	3,270	224	0.685
GEELY28C2401A	0.01	160167	-	-	-	-	-	-	-	-	-	0
GEELY28C2403A	0.07	160167	-	-	-	-	-	-	-	-	-	0
GEELY28C2406A	0.27	160167	-	0.24	0.23	0.23	0.22	-	(0.04)	96,000	2,256	0.235
GEELY28P2404A	0.46	160167	-	0.57	0.54	0.55	-	-	0.09	67,042	3,728	0.556
GEELY41C2401A	0.01	160167	-	-	-	-	-	-	-	-	-	0
GEELY41C2404A	0.06	160167	-	-	-	-	-	-	-	-	-	0
GEELY41C2406A	0.25	160167	-	0.22	0.21	0.21	0.20	-	(0.04)	6	-	0.213
HAIDIL28C2402A	0.05	160167	-	-	-	-	-	0.02	-	-	-	0
HAIDIL28C2403A	0.01	160167	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2404A	0.10	160167	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2406A	0.20	160167	-	0.18	0.16	0.16	0.08	-	(0.04)	8,112	135	0.166
HAIDIL41C2403A	0.05	160167	-	-	-	-	0.01	-	-	-	-	0
HAIDIL41C2404A	0.09	160167	-	-	-	-	0.01	-	-	-	-	0
HAIDIL41C2405A	0.23	160167	-	0.21	0.18	0.18	-	-	(0.05)	8	-	0.193
HKEX28C2401A	0.01	160167	-	-	-	-	-	-	-	-	-	0
HKEX28C2404A	0.05	160167	-	-	-	-	-	-	-	-	-	0
HKEX28C2406A	0.20	160167	0.17	0.17	0.16	0.16	0.15	-	(0.04)	40,262	661	0.164
HKEX41C2401A	0.18	160167	-	-	-	-	-	-	-	-	-	0
HKEX41C2404A	0.12	160167	-	-	-	-	-	-	-	-	-	0
HKEX41C2405A	0.15	160167	-	0.11	0.11	0.11	-	-	(0.04)	2	-	0.11
HSBC28C2401A	0.06	160167	-	-	-	-	-	-	-	-	-	0
HSBC28C2403A	0.14	160167	0.11	0.11	0.09	0.09	0.01	-	(0.05)	1,214	12	0.096
HSBC28P2404A	0.16	160167	-	0.19	0.19	0.19	-	-	0.03	48,000	912	0.19
HSBC41C2401A	0.11	160167	-	-	-	-	-	-	-	-	-	0
HSBC41C2403A	0.38	160167	-	-	-	-	-	-	-	-	-	0
HSBC41C2405A	0.18	160167	-	-	-	-	-	0.25	-	-	-	0
HSCEI28C2401A	0.05	160167	-	-	-	-	0.01	0.04	-	-	-	0
HSCEI28C2401B	0.12	160167	-	-	-	-	0.01	0.04	-	-	-	0
HSCEI28C2402A	0.28	160167	-	-	-	-	0.07	0.08	-	-	-	0
HSCEI28C2403A	0.39	160167	-	0.27	0.23	0.23	0.23	0.24	(0.16)	60,100	1,436	0.239
HSCEI28P2401A	1.16	160167	-	-	-	-	1.74	1.77	-	-	-	0
HSCEI28P2401B	0.40	160167	-	0.76	0.69	0.75	0.71	0.72	0.35	172,000	12,512	0.727
HSCEI28P2402A	0.18	160167	-	-	-	-	0.30	0.31	-	-	-	0
HSCEI28P2403A	0.83	160167	-	1.16	1.04	1.13	1.12	1.13	0.30	148,005	16,617	1.122
HSIO6C2401A	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
HSIO6C2401B	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
HSIO6C2401C	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
HSIO6C2402A	0.04	160167	0.02	0.02	0.01	0.02	0.01	0.02	(0.02)	83,209	103	0.012
HSIO6C2402B	0.13	160167	0.07	0.08	0.04	0.05	0.04	0.05	(0.08)	91,455	502	0.054
HSIO6C2402C	0.26	160167	0.15	0.16	0.11	0.11	0.11	0.12	(0.15)	43,460	575	0.132
HSIO6C2402D	0.60	160167	0.39	0.39	0.29	0.31	0.29	0.33	(0.29)	14,193,529	514,291	0.362
HSIO6C2403A	0.28	160167	0.18	0.19	0.14	0.15	0.14	0.16	(0.13)	26,958	424	0.157
HSIO6C2403B	0.21	160167	0.14	0.14	0.10	0.11	0.09	0.12	(0.10)	13,442	148	0.11
HSIO6C2404A	0.31	160167	0.22	0.22	0.18	0.18	0.17	0.19	(0.13)	59,914	1,151	0.192
HSIO6P2401A	0.70	160167	1.14	1.36	1.10	1.36	1.25	-	0.66	655	74	1.128
HSIO6P2401B	1.15	160167	1.82	1.85	1.82	1.85	0.82	-	0.70	2	-	1.835
HSIO6P2401C	0.33	160167	0.56	0.76	0.56	0.72	0.70	0.79	0.39	4,913,853	297,446	0.605
HSIO6P2402A	1.37	160167	1.70	1.88	1.69	1.88	1.69	-	0.51	124	22	1.778
HSIO6P2402B	0.33	160167	0.49	0.60	0.49	0.57	0.56	0.59	0.24	10,502,346	535,727	0.51
HSIO6P2402C	0.66	160167	0.90	1.07	0.90	1.07	1.01	-	0.41	9,166	906	0.988
HSIO6P2403A	1.03	160167	-	-	-	-	0.08	-	-	-	-	0
HSIO6P2403B	0.69	160167	-	0.99	0.88	0.99	0.08	-	0.30	33	3	0.915
HSIO6P2404A	0.81	160167	-	-	-	-	0.08	-	-	-	-	0
HSI28C2401A	0.01	160167	-	0.01	0.01	0.01	-	0.01	-	10	-	0.01
HSI28C2401B	0.01	160167	0.01	0.01	0.01	0.01	0.01	0.02	-	34,488	34	0.01
HSI28C2401C	0.01	160167	0.01	0.01	0.01	0.01	0.01	0.02	-	1,841	2	0.01
HSI28C2401D	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
HSI28C2401E	0.02	160167	0.01	0.02	0.01	0.01	0.01	0.02	(0.01)	141,384	141	0.01
HSI28C2402A	0.02	160167	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	119,864	120	0.01
HSI28C2402B	0.02	160167	-	0.02	0.01	0.02	0.01	0.02	-	2,305	2	0.01
HSI28C2402C	0.04	160167	0.02	0.02	0.01	0.02	0.01	0.02	(0.02)	12,035	20	0.016
HSI28C2402D	0.23	160167	0.15	0.15	0.10	0.11	0.11	0.12	(0.12)	1,524,921	18,600	0.121
HSI28C2402E	0.08	160167	0.05	0.05	0.03	0.04	0.03	0.04	(0.04)	319,754	1,281	0.04
HSI28C2402F	0.54	160167	0.37	0.37	0.28	0.29	0.29	0.30	(0.25)	8,498,174	277,177	0.326
HSI28C2403A	0.04	160167	0.03	0.03	0.02	0.02	0.02	0.04	(0.02)	31,742	92	0.029
HSI28C2403B	0.50	160167	0.39	0.39	0.31	0.32	0.32	0.33	(0.18)	8,723,788	298,200	0.341
HSI28C2403C	0.27	160167	0.22	0.22	0.18	0.18	0.18	0.19	(0.09)	76,710	1,427	0.186
HSI28C2403D	0.15	160167	0.10	0.10	0.08	0.08	0.08	0.09	(0.07)	8,496	75	0.088
HSI28C2404A	0.16	1										

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSI28P2401B	0.05	160167	0.09	0.14	0.09	0.13	0.12	0.13	0.08	56,362	697	0.123
HSI28P2401C	0.02	160167	-	0.02	0.02	0.02	0.02	0.03	-	3,040	6	0.02
HSI28P2401D	1.38	160167	1.85	2.16	1.10	2.06	2.06	2.08	0.68	117,608	24,162	2.054
HSI28P2402A	0.27	160167	0.39	0.49	0.39	0.46	0.46	0.47	0.19	289,893	12,035	0.415
HSI28P2402B	2.12	160167	2.58	2.80	2.56	2.76	2.74	2.78	0.64	60	16	2.696
HSI28P2402C	0.82	160167	1.09	1.28	1.09	1.23	1.23	1.24	0.41	3,363,912	385,248	1.145
HSI28P2402D	1.22	160167	1.56	1.78	1.56	1.72	1.72	1.76	0.50	2,269,091	361,941	1.595
HSI28P2403A	0.87	160167	1.09	1.25	1.09	1.22	1.21	1.22	0.35	2,627,534	297,786	1.133
HSI28P2403B	0.29	160167	0.38	0.45	0.38	0.43	0.43	0.44	0.14	15,303	635	0.415
HSI28P2403C	0.48	160167	0.63	0.74	0.63	0.72	0.71	0.72	0.24	4,112,967	288,279	0.7
HSI28P2403D	1.33	160167	1.63	1.84	1.63	1.78	1.78	1.79	0.45	2,960,300	504,709	1.704
HSI28P2404A	0.46	160167	0.58	0.66	0.57	0.64	0.63	0.64	0.18	10,673	661	0.619
HSI28P2405A	0.42	160167	-	0.58	0.51	0.58	0.56	0.57	0.16	32,628	1,817	0.556
HSTECH28C2401A	0.36	160167	-	-	-	-	0.02	0.04	-	-	-	0
HSTECH28C2401B	0.07	160167	-	-	-	-	0.01	0.04	-	-	-	0
HSTECH28C2401C	0.01	160167	-	-	-	-	0.01	0.04	-	-	-	0
HSTECH28C2403A	0.67	160167	-	-	-	-	0.38	0.42	-	-	-	0
HSTECH28C2403B	0.17	160167	-	0.12	0.09	0.10	0.09	0.10	(0.07)	2,124	22	0.104
HSTECH28P2401A	0.07	160167	-	-	-	-	0.23	0.24	-	-	-	0
HSTECH28P2401B	0.67	160167	-	-	-	-	1.11	1.13	-	-	-	0
HSTECH28P2401C	1.58	160167	-	-	-	-	2.14	2.18	-	-	-	0
HSTECH28P2403A	1.00	160167	-	-	-	-	0.52	0.53	-	-	-	0
HSTECH28P2403B	0.91	160167	-	-	-	-	1.30	1.33	-	-	-	0
ICBC28C2401A	0.03	160167	-	-	-	-	-	0.60	-	-	-	0
ICBC28C2404A	0.10	160167	-	-	-	-	-	-	-	-	-	0
JD28C2402A	0.04	160167	-	-	-	-	-	0.80	-	-	-	0
JD28C2403A	0.13	160167	-	-	-	-	-	-	-	-	-	0
JD28C2403B	0.15	160167	-	0.11	0.10	0.10	-	-	(0.05)	9,128	91	0.1
KUAIISH28C2401A	0.14	160167	-	-	-	-	-	-	-	-	-	0
KUAIISH28C2403A	0.06	160167	-	-	-	-	-	0.03	-	-	-	0
KUAIISH28C2404A	0.10	160167	-	-	-	-	-	2.00	-	-	-	0
KUAIISH28C2406A	0.19	160167	-	0.16	0.13	0.13	-	-	(0.06)	36,056	526	0.145
LENOVO28C2402A	0.90	160167	-	0.47	0.40	0.42	-	-	(0.48)	256,000	11,016	0.43
LENOVO28C2404A	0.21	160167	-	0.17	0.16	0.16	-	-	(0.05)	88,000	1,424	0.161
MCA5041C2403A	0.07	160167	-	-	-	-	0.02	0.05	-	-	-	0
MCA5041C2406A	0.49	160167	-	-	-	-	0.43	0.44	-	-	-	0
MCA5041P2403A	1.29	160167	-	-	-	-	1.81	1.82	-	-	-	0
MCA5041P2406A	0.87	160167	-	-	-	-	1.15	1.16	-	-	-	0
MEITUA28C2401A	0.01	160167	-	-	-	-	-	-	-	-	-	0
MEITUA28C2403A	0.02	160167	-	-	-	-	-	-	-	-	-	0
MEITUA28C2404A	0.08	160167	-	-	-	-	-	-	-	-	-	0
MEITUA28C2406A	0.32	160167	-	0.24	0.22	0.22	-	0.24	(0.10)	47,916	1,108	0.231
MEITUA28P2401A	0.90	160167	-	-	-	-	-	-	-	-	-	0
MEITUA28P2405A	0.86	160167	-	1.08	1.00	1.08	0.02	-	0.22	80,676	8,518	1.055
MEITUA28P2406A	0.43	160167	-	0.56	0.52	0.56	0.12	0.57	0.13	92,504	4,986	0.538
MEITUA41C2401A	0.05	160167	-	-	-	-	-	-	-	-	-	0
MEITUA41C2403A	0.10	160167	-	-	-	-	0.01	-	-	-	-	0
MEITUA41C2405A	0.11	160167	-	0.07	0.07	0.07	0.01	2.20	(0.04)	236	2	0.07
MEITUA41C2405B	0.30	160167	-	0.21	0.18	0.18	0.08	-	(0.12)	108	2	0.19
MEITUA41P2404A	0.77	160167	-	1.00	0.96	1.00	-	-	0.23	14	1	0.982
NDX28C2403A	0.13	160167	-	0.14	0.13	0.13	0.13	0.14	-	12,103	157	0.13
NDX28C2403B	0.70	160167	-	0.70	0.65	0.66	0.67	0.68	(0.04)	165	12	0.697
NDX28C2406A	1.30	160167	1.34	1.34	1.27	1.28	1.28	1.29	(0.02)	2,105	278	1.319
NDX28C2406B	0.40	160167	0.41	0.41	0.41	0.41	0.39	0.40	0.01	5	-	0.41
NDX28C2406C	1.00	160167	-	0.52	0.52	0.52	0.50	0.51	(0.48)	1	-	0.52
NDX28P2403A	0.03	160167	-	-	-	-	0.03	0.04	-	-	-	0
NDX28P2403B	0.04	160167	-	-	-	-	0.01	0.04	-	-	-	0
NDX28P2403C	0.20	160167	-	0.20	0.20	0.20	0.19	0.20	-	850	17	0.2
NDX28P2403D	0.40	160167	0.37	0.40	0.37	0.40	0.38	0.39	-	2,755	107	0.388
NDX28P2406A	1.00	160167	-	0.56	0.56	0.56	0.57	0.58	(0.44)	30	2	0.56
NDX41C2403A	0.94	160167	-	0.99	0.93	0.95	0.95	0.96	0.01	1,356	132	0.97
NDX41C2403B	0.86	160167	-	0.92	0.85	0.85	0.86	0.87	(0.01)	680	60	0.889
NDX41C2403C	0.30	160167	-	0.32	0.29	0.29	0.30	0.31	(0.01)	389	12	0.307
NDX41C2406A	0.79	160167	-	0.72	0.69	0.69	0.70	0.71	(0.10)	600	42	0.695
NDX41P2403A	0.04	160167	-	-	-	-	0.04	0.07	-	-	-	0
NDX41P2403B	0.17	160167	-	-	-	-	0.02	0.05	-	-	-	0
NDX41P2403C	0.14	160167	-	-	-	-	0.13	0.14	-	-	-	0
NDX41P2403D	0.31	160167	-	0.32	0.29	0.31	0.30	0.31	-	1,693	49	0.292
NDX41P2406A	0.56	160167	-	0.56	0.53	0.56	0.55	0.56	-	3,250	179	0.549
NTES41C2404A	0.08	160167	-	-	-	-	-	-	-	-	-	0
NTES41C2405A	0.26	160167	-	0.22	0.20	0.20	-	-	(0.06)	10	-	0.202
PINGAN28C2401A	0.02	160167	-	-	-	-	-	-	-	-	-	0
PINGAN28C2403A	0.03	160167	-	-	-	-	-	-	-	-	-	0
PINGAN28C2404A	0.05	160167	-	-	-	-	-	1.00	-	-	-	0
PINGAN28C2406A	0.14	160167	-	0.12	0.10	0.10	0.05	-	(0.04)	5,688	59	0.103
PINGAN28P2403A	0.49	160167	-	0.63	0.56	0.63	-	-	0.14	25,350	1,543	0.608
PINGAN28P2406A	0.24	160167	-	0.32	0.29	0.32	-	-	0.08	37,294	1,155	0.309
PINGAN41C2403A	0.11	160167	-	-	-	-	0.01	-	-	-	-	0
PINGAN41C2404A	0.07	160167	-	-	-	-	-	-	-	-	-	0
PINGAN41C2404B	0.10	160167	-	-	-	-	-	-	-	-	-	0
PINGAN41P2404A	0.24	160167	-	0.31	0.30	0.31	-	-	0.07	2	-	0.305
SET5001C2403A	0.10	160167	0.09	0.09	0.06	0.07	0.06	0.07	(0.03)	23,907	180	0.075
SET5001C2403B	0.03	160167	0.01	0.02	0.01	0.02	0.01	0.02	(0.01)	14,406	27	0.018
SET5001C2403F	0.26	160167	0.24	0.24	0.17	0.18	0.18	0.19	(0.08)	96,562	2,012	0.208
SET5001C2403G	0.09	160167	0.06	0.07	0.05	0.05	0.05	0.06	(0.04)	2,008	12	0.058
SET5001C2404A	0.17	160167	0.14	0.14	0.10	0.11	0.11	0.12	(0.06)	53,005	648	0.122
SET5001C2404T	0.36	160167	0.34	0.34	0.27	0.28	0.27	0.28	(0.08)	90,995	2,741	0.301
SET5001P2403A	0.14	160167	0.18	0.21	0.16	0.21	0.20	0.21	0.07	21,074	385	0.182
SET5001P2403B	0.07	160167	0.09	0.11	0.08	0.11	0.10	0.11	0.04	4		

Main Board Quotation

Issue Date

Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET5001P2404T	0.33	160167	0.35	0.40	0.35	0.40	0.40	0.41	0.07	22,121	843	0.381
SET5006C2401A	0.02	160167	-	-	-	-	-	0.01	-	-	-	0
SET5006C2402A	0.21	160167	-	0.17	0.12	0.12	-	0.14	(0.09)	335,993	5,498	0.163
SET5006C2403A	0.14	160167	-	0.11	0.07	0.07	0.07	0.08	(0.07)	65,807	628	0.095
SET5006P2401A	0.02	160167	-	-	-	-	-	0.02	-	-	-	0
SET5006P2402A	0.37	160167	-	0.50	0.40	0.50	-	-	0.13	531,396	22,665	0.426
SET5006P2403A	0.41	160167	-	0.57	0.44	0.56	0.51	-	0.15	835,377	40,256	0.481
SET5013C2403A	0.06	160167	0.05	0.05	0.03	0.03	0.03	0.04	(0.03)	933,109	3,662	0.039
SET5013C2403B	0.11	160167	0.10	0.10	0.06	0.06	0.06	0.07	(0.05)	347,404	2,709	0.077
SET5013C2403C	0.13	160167	0.11	0.12	0.07	0.08	0.07	0.08	(0.05)	489,657	4,600	0.093
SET5013C2403D	0.21	160167	0.19	0.19	0.12	0.13	0.13	0.14	(0.08)	931,592	14,382	0.154
SET5013C2403E	0.25	160167	0.22	0.22	0.14	0.15	0.14	0.15	(0.10)	2,603,985	46,693	0.179
SET5013C2403F	0.19	160167	0.16	0.16	0.10	0.11	0.11	0.12	(0.08)	682,031	9,315	0.136
SET5013C2403G	0.30	160167	0.25	0.25	0.14	0.15	0.14	0.15	(0.15)	6,924,160	127,457	0.184
SET5013C2405A	0.86	160167	0.84	0.84	0.80	0.82	0.81	0.82	(0.04)	4,326	356	0.823
SET5013P2403A	0.12	160167	0.13	0.18	0.13	0.18	0.17	0.18	0.06	273,129	4,203	0.153
SET5013P2403B	0.18	160167	0.18	0.27	0.18	0.25	0.25	0.26	0.07	370,232	8,482	0.229
SET5013P2403C	0.30	160167	0.32	0.45	0.32	0.43	0.42	0.43	0.13	308,350	11,726	0.38
SET5013P2403D	0.39	160167	0.44	0.62	0.44	0.57	0.57	0.58	0.18	1,115,629	56,897	0.51
SET5013P2403E	0.58	160167	0.63	0.86	0.63	0.81	0.80	0.81	0.23	3,249,652	237,712	0.731
SET5013P2405A	1.18	160167	1.21	1.22	1.19	1.22	1.21	1.22	0.04	524	63	1.21
SET5019C2403A	0.08	160167	-	0.07	0.05	0.06	0.05	0.06	(0.02)	16,992	92	0.054
SET5019C2403B	0.16	160167	0.14	0.14	0.09	0.10	0.10	0.11	(0.06)	227,074	2,659	0.117
SET5019C2403C	0.21	160167	0.18	0.18	0.13	0.13	0.13	0.14	(0.08)	121,317	1,886	0.155
SET5019C2403D	1.00	160167	-	0.17	0.11	0.11	0.11	0.12	(0.89)	79,956	1,132	0.141
SET5019C2406A	0.36	160167	0.34	0.34	0.26	0.26	0.26	0.27	(0.10)	285,766	8,491	0.297
SET5019C2406B	0.28	160167	0.27	0.27	0.21	0.22	0.21	0.22	(0.06)	163,603	3,770	0.23
SET5019P2403A	0.11	160167	-	0.17	0.12	0.15	0.15	0.16	0.04	212,018	2,834	0.133
SET5019P2403B	0.33	160167	0.36	0.48	0.36	0.47	0.45	0.46	0.14	666,629	27,589	0.413
SET5019P2403C	0.24	160167	0.31	0.34	0.26	0.34	0.33	0.34	0.10	491,808	14,695	0.298
SET5019P2403D	0.39	160167	0.42	0.58	0.42	0.55	0.55	0.56	0.16	790,865	39,344	0.497
SET5019P2403E	0.50	160167	0.55	0.73	0.55	0.70	0.69	0.70	0.20	71,759	4,523	0.63
SET5019P2406A	0.50	160167	0.53	0.65	0.53	0.64	0.63	0.64	0.14	882,135	52,716	0.597
SET5027C2403A	0.03	160167	0.02	0.02	0.02	0.02	0.01	0.02	(0.01)	600	1	0.02
SET5027C2403B	0.06	160167	-	0.04	0.03	0.03	0.03	0.04	(0.03)	2	-	0.035
SET5027C2403C	0.13	160167	0.11	0.11	0.07	0.07	0.07	0.08	(0.06)	32,618	309	0.094
SET5027C2403D	0.19	160167	0.12	0.15	0.09	0.10	0.10	0.11	(0.09)	205,785	2,429	0.118
SET5027C2403T	0.01	160167	-	-	-	-	-	0.01	-	-	-	0
SET5027C2406T	0.10	160167	-	0.07	0.07	0.07	0.06	0.07	(0.03)	2,001	14	0.07
SET5027P2403A	0.18	160167	0.25	0.29	0.21	0.29	0.28	0.29	0.11	272,356	6,630	0.243
SET5027P2403B	0.46	160167	-	0.73	0.52	0.70	0.69	0.70	0.24	551,372	32,812	0.595
SET5027P2403T	0.39	160167	-	0.57	0.44	0.57	0.55	0.56	0.18	354,424	17,587	0.496
SET5027P2406T	0.15	160167	0.18	0.21	0.17	0.21	0.20	0.21	0.06	145,099	2,573	0.177
SET5028C2403A	0.02	160167	-	0.02	0.02	0.02	0.01	0.02	-	12	-	0.02
SET5028C2403B	0.02	160167	-	0.02	0.01	0.01	0.01	0.04	(0.01)	251	1	0.019
SET5028C2403C	0.13	160167	0.11	0.11	0.08	0.08	0.08	0.09	(0.05)	236	2	0.081
SET5028C2406A	0.46	160167	-	0.42	0.34	0.36	0.36	0.37	(0.10)	1,218,094	47,005	0.385
SET5028P2403A	0.90	160167	-	1.16	0.96	1.13	1.13	1.14	0.23	136,639	14,217	1.04
SET5028P2403B	0.46	160167	0.54	0.60	0.49	0.59	0.57	0.59	0.13	479,562	25,314	0.527
SET5028P2406A	0.50	160167	0.52	0.60	0.52	0.59	0.58	0.59	0.09	534,380	29,299	0.548
SET5041C2403A	0.02	160167	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403B	0.03	160167	-	0.03	0.03	0.03	0.02	0.04	-	199	1	0.03
SET5041C2403C	0.06	160167	-	0.04	0.04	0.04	0.03	0.06	(0.02)	1	-	0.04
SET5041C2403D	0.05	160167	-	0.05	0.02	0.02	0.02	0.05	(0.03)	2	-	0.035
SET5041C2403E	0.10	160167	-	0.10	0.05	0.05	0.06	0.08	(0.05)	2,036	18	0.089
SET5041C2403F	0.14	160167	-	0.12	0.08	0.08	0.09	0.10	(0.06)	176,420	1,751	0.099
SET5041C2403G	0.27	160167	0.23	0.24	0.16	0.17	0.17	0.18	(0.10)	360,502	7,544	0.209
SET5041C2406A	0.28	160167	0.25	0.26	0.19	0.20	0.20	0.21	(0.08)	207,656	4,749	0.228
SET5041P2403A	0.47	160167	0.52	0.64	0.52	0.64	0.62	0.63	0.17	958,554	51,389	0.536
SET5041P2403B	0.22	160167	0.23	0.31	0.23	0.30	0.29	0.30	0.08	128,972	3,529	0.273
SET5041P2406A	0.66	160167	0.78	0.84	0.72	0.82	0.82	0.83	0.16	245,042	18,204	0.742
SPX28C2403A	1.16	160167	-	-	-	-	1.01	1.02	-	-	-	0
SPX28C2403B	0.33	160167	-	0.31	0.31	0.31	0.29	0.30	(0.02)	100	3	0.31
SPX28C2406A	0.60	160167	-	-	-	-	0.55	0.56	-	-	-	0
SPX28P2403A	0.05	160167	-	0.05	0.05	0.05	0.04	0.05	-	3	-	0.05
SPX28P2403B	0.16	160167	-	-	-	-	0.16	0.17	-	-	-	0
SPX28P2403C	0.40	160167	-	0.43	0.40	0.43	0.41	0.42	0.03	928	37	0.4
SPX28P2406A	1.00	160167	-	-	-	-	0.61	0.62	-	-	-	0
SPX41C2403A	1.08	160167	-	1.05	0.97	0.97	0.99	1.00	(0.11)	5,281	530	1.004
SPX41C2403B	0.54	160167	-	-	-	-	0.44	0.45	-	-	-	0
SPX41C2406A	0.60	160167	-	0.56	0.56	0.56	0.55	0.56	(0.04)	200	11	0.56
SPX41P2403A	0.05	160167	-	-	-	-	0.05	0.08	-	-	-	0
SPX41P2403B	0.13	160167	-	0.12	0.12	0.12	0.11	0.12	(0.01)	206	2	0.12
SPX41P2403C	0.28	160167	-	0.28	0.28	0.28	0.29	0.30	-	4	-	0.28
SPX41P2406A	0.59	160167	0.61	0.64	0.61	0.63	0.62	0.63	0.04	2,264	142	0.626
SUNNY28C2401A	0.01	160167	-	-	-	-	-	-	-	-	-	0
SUNNY28C2402A	0.09	160167	-	-	-	-	0.01	0.06	-	-	-	0
SUNNY28C2406A	0.15	160167	-	0.13	0.11	0.11	-	-	(0.04)	7,107	86	0.121
SUNNY41C2403A	0.29	160167	-	0.16	0.13	0.13	-	-	(0.16)	12	-	0.134
SUNNY41C2405A	0.14	160167	-	-	-	-	0.01	-	-	-	-	0
TENCEN28C2401A	0.10	160167	-	-	-	-						

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TRIPDC41C2403A	0.39	160167	0.32	0.32	0.28	0.29	-	-	(0.10)	43	1	0.312
XIAOMI28C2403A	0.26	160167	-	0.19	0.19	0.19	0.09	-	(0.07)	50	1	0.19
XIAOMI28C2404A	0.07	160167	0.05	0.05	0.04	0.04	0.01	0.05	(0.03)	23	-	0.044
XIAOMI41C2403A	0.13	160167	-	-	-	-	-	-	-	-	-	0
XIAOMI41C2404A	0.06	160167	0.05	0.05	0.04	0.04	0.04	0.05	(0.02)	17	-	0.045
XIAOMI41P2404A	0.39	160167	0.46	0.49	0.46	0.47	0.08	-	0.08	217	10	0.474
ZIJIN28C2403A	0.12	160167	-	0.09	0.08	0.08	0.01	0.09	(0.04)	12	-	0.089
ZIJIN41C2403A	0.15	160167	-	0.12	0.10	0.10	0.03	0.13	(0.05)	16	-	0.109

Page 28

Page 29

Main Board Quotation

Issue Date Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Foreign Board Quotation

Issue Date : Wednesday January 17, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
Agro & Food Indt	-	0	-	-	-	-	-	-	-	-	-	-
AU	9.50	160167	9.55	9.60	9.25	9.25	9.25	9.30	(0.25)	6,381.00	5,977.00	00 9.3
JCKH	0.04	160167	0.04	0.04	0.03	0.04	0.03	0.04	-	5,706.00	18.00	00 0.0
JCKH-W1	0.01	160167	-	-	-	-	-	0.01	-	-	-	00 0.0
JCKH-W2	0.01	160167	-	0.02	0.02	0.02	0.01	0.02	0.01	1.00	-	00 0.0
KASET	1.40	160167	-	1.42	1.38	1.38	1.38	1.40	(0.02)	247.00	35.00	00 1.3
MUD	2.00	160167	1.95	2.00	1.95	2.00	1.95	2.00	-	21.00	4.00	00 1.9
NTSC	16.30	160167	16.40	16.40	16.00	16.40	16.10	16.30	0.10	33.00	54.00	00 16.2
TACC	4.44	160167	4.44	4.44	4.40	4.40	4.40	4.42	(0.04)	4,949.00	2,188.00	00 4.4
TMILL	3.86	160167	3.86	3.90	3.86	3.86	3.86	3.88	-	797.00	308.00	00 3.8
WINNER	2.18	160167	2.18	2.20	2.16	2.18	2.18	2.20	-	301.00	66.00	00 2.1
XO	24.20	160167	24.20	24.30	23.70	24.00	24.00	24.10	(0.20)	16,554.00	39,640.00	00 23.9
Consumer Produ	-	0	-	-	-	-	-	-	-	-	-	-
ALPHAX	0.62	160167	0.62	0.64	0.61	0.61	0.61	0.62	(0.01)	133,394.00	8,276.00	00 0.6
BGT	0.90	160167	0.87	0.90	0.84	0.85	0.85	0.86	(0.05)	8,269.00	715.00	00 0.8
DDO	3.72	160167	3.72	3.72	3.64	3.68	3.68	3.70	(0.04)	5,564.00	2,044.00	00 3.6
ECF	1.02	160167	1.02	1.02	1.01	1.01	1.01	1.02	(0.01)	9,598.00	976.00	00 1.0
ECF-W4	0.04	160167	-	0.04	0.03	0.04	0.03	0.04	-	3,653.00	15.00	00 0.0
EFORL	0.26	160167	0.25	0.26	0.24	0.25	0.24	0.25	(0.01)	67,976.00	1,692.00	00 0.2
EFORL-W6	0.06	160167	-	0.06	0.06	0.06	0.05	0.06	-	3,735.00	22.00	00 0.0
HPT	0.60	160167	0.60	0.61	0.59	0.59	0.59	0.60	(0.01)	17,787.00	1,057.00	00 0.5
IP	9.30	160167	9.30	9.30	8.95	8.95	8.95	9.10	(0.35)	4,809.00	4,364.00	00 9.0
IP-W2	0.55	160167	0.56	0.56	0.51	0.52	0.51	0.52	(0.03)	9,966.00	529.00	00 0.5
ITTHI	2.24	160167	2.22	2.24	2.04	2.08	2.06	2.08	(0.16)	67,970.00	14,447.00	00 2.1
JSP	2.44	160167	2.50	2.50	2.38	2.40	2.40	2.42	(0.04)	5,182.00	1,277.00	00 2.4
JSP-W1	0.29	160167	0.30	0.32	0.26	0.27	0.26	0.27	(0.02)	30,026.00	842.00	00 0.2
JUBILE	17.50	160167	-	17.40	17.10	17.10	17.10	17.20	(0.40)	621.00	1,070.00	00 17.2
MGI	20.80	160167	21.00	22.70	20.60	22.50	22.50	22.60	1.70	112,519.00	243,509.00	00 21.6
MOONG	2.08	160167	2.12	2.12	2.06	2.08	2.08	2.10	-	1,066.00	223.00	00 2.0
NPK	14.50	160167	-	14.00	14.00	14.00	13.50	14.90	(0.50)	1.00	1.00	00 14.0
SMD	6.60	160167	6.50	6.65	6.50	6.65	6.60	6.65	0.05	1,949.00	1,280.00	00 6.5
TM	2.00	160167	-	2.00	1.98	2.00	1.99	2.00	-	363.00	72.00	00 1.9
TM-W1	0.28	160167	0.27	0.28	0.26	0.26	0.25	0.27	(0.02)	1,222.00	33.00	00 0.2
WARRIX	6.20	160167	6.20	6.25	5.65	5.70	5.70	5.75	(0.50)	83,549.00	49,406.00	00 5.9
WINMED	3.10	160167	3.10	3.14	3.06	3.06	3.04	3.06	(0.04)	3,039.00	941.00	00 3.0
Financials	-	0	-	-	-	-	-	-	-	-	-	-
ACAP	0.33	160167	-	-	-	-	-	-	-	-	-	00 0.0
AF	0.83	160167	-	0.84	0.80	0.81	0.80	0.81	(0.02)	126.00	10.00	00 0.8
AIRA	1.73	160167	1.68	1.75	1.68	1.75	1.59	1.75	0.02	119.00	20.00	00 1.6
ASN	1.79	160167	1.79	1.81	1.78	1.78	1.78	1.79	(0.01)	649.00	116.00	00 1.7
BROOK	0.55	160167	0.56	0.56	0.53	0.54	0.54	0.55	(0.01)	248,618.00	13,528.00	00 0.5
BROOK-W6	0.20	160167	0.20	0.20	0.17	0.19	0.18	0.19	(0.01)	30,599.00	569.00	00 0.1
BROOK-W7	0.32	160167	-	0.32	0.29	0.29	0.29	0.31	(0.03)	7,229.00	219.00	00 0.3
GCAP	0.57	160167	0.56	0.57	0.54	0.55	0.54	0.55	(0.02)	10,565.00	583.00	00 0.5
KCC	4.40	160167	4.36	4.40	4.30	4.30	4.28	4.30	(0.10)	1,277.00	555.00	00 4.3
LIT	1.15	160167	1.13	1.17	1.13	1.14	1.12	1.14	(0.01)	554.00	63.00	00 1.1
LIT-W2	0.28	160167	-	0.30	0.28	0.28	0.26	0.29	-	25.00	1.00	00 0.2
MITSIB	1.00	160167	1.01	1.01	0.99	1.00	0.99	1.00	-	5,123.00	510.00	00 0.9
SGF	0.46	160167	0.45	0.46	0.45	0.45	0.45	0.46	(0.01)	3,132.00	142.00	00 0.4
SGF-P1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
SGF-Q1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
TQR	7.25	160167	-	7.25	7.05	7.25	7.05	7.25	-	96.00	69.00	00 7.1
Industrials	-	0	-	-	-	-	-	-	-	-	-	-
ADB	1.05	160167	-	1.07	1.01	1.04	1.03	1.04	(0.01)	1,575.00	164.00	00 1.0
BM	2.94	160167	2.96	2.96	2.94	2.96	2.94	2.96	0.02	380.00	112.00	00 2.9
BM-W3	1.70	160167	-	1.70	1.70	1.70	1.68	1.70	-	1.00	-	00 1.7
CHO	0.40	160167	0.41	0.41	0.38	0.38	0.38	0.39	(0.02)	15,251.00	601.00	00 0.3
CHO-W3	0.01	160167	-	0.02	0.01	0.01	-	0.01	-	11,730.00	12.00	00 0.0
CHOW	1.69	160167	1.69	1.73	1.63	1.66	1.64	1.66	(0.03)	16,489.00	2,769.00	00 1.6
CIG	0.12	160167	0.12	0.12	0.10	0.11	0.10	0.11	(0.01)	182,488.00	2,011.00	00 0.1
CIG-W10	0.06	160167	-	-	-	-	0.05	0.09	-	-	-	00 0.0
CIG-W9	0.07	160167	-	0.07	0.06	0.06	0.06	0.07	(0.01)	1,701.00	10.00	00 0.0
COLOR	1.41	160167	-	1.43	1.39	1.40	1.39	1.40	(0.01)	1,157.00	162.00	00 1.4
COLOR-W2	0.08	160167	-	0.08	0.07	0.07	0.06	0.07	(0.01)	16,084.00	125.00	00 0.0
CPR	4.24	160167	4.24	4.24	4.14	4.16	4.16	4.18	(0.08)	909.00	381.00	00 4.1
FPI	2.66	160167	2.64	2.64	2.56	2.58	2.56	2.58	(0.08)	3,887.00	1,009.00	00 2.5
GTB	0.68	160167	-	0.70	0.67	0.69	0.67	0.69	0.01	45.00	3.00	00 0.6
KCM	0.37	160167	-	0.38	0.37	0.37	0.36	0.37	-	3,541.00	131.00	00 0.3
KJL	8.05	160167	8.05	8.15	7.95	8.00	8.00	8.05	(0.05)	9,060.00	7,288.00	00 8.0
KUMWEL	1.82	160167	-	1.84	1.78	1.78	1.78	1.79	(0.04)	515.00	93.00	00 1.7
KWM	1.55	160167	1.56	1.64	1.53	1.56	1.56	1.57	0.01	161,789.00	25,822.00	00 1.5
MBAX	3.50	160167	-	3.50	3.46	3.46	3.46	3.48	(0.04)	177.00	61.00	00 3.4
MBAX-W2	0.28	160167	-	0.28	0.27	0.27	0.27	0.29	(0.01)	584.00	16.00	00 0.2
MGT	2.48	160167	2.48	2.60	2.44	2.50	2.48	2.50	0.02	2,240.00	567.00	00 2.5
MTW	2.14	160167	2.14	2.16	2.10	2.14	2.14	2.16	-	59,899.00	12,750.00	00 2.1
NDR	1.32	160167	1.36	1.37	1.28	1.29	1.29	1.30	(0.03)	578.00	77.00	00 1.3
NDR-W2	0.04	160167	0.04	0.04	0.03	0.04	0.03	0.04	-	1,572.00	5.00	00 0.0
PACO	1.79	160167	1.77	1.80	1.76	1.79	1.77	1.79	-	7,920.00	1,412.00	00 1.7
PACO-W1	0.25	160167	-	0.26	0.23	0.24	0.23	0.24	(0.01)	4,246.00	103.00	00 0.2
PDG	2.60	160167	2.60	2.60	2.50	2.52	2.52	2.58	(0.08)	691.00	173.00	00 2.5
PIMO	1.58	160167	1.57	1.64	1.52	1.52	1.52	1.55	(0.06)	22,589.00	3,544.00	00 1.5
PPM	2.44	160167	2.44	2.50	2.36	2.42	2.40	2.42	(0.02)	22,226.00	5,409.00	00 2.4
PPM-W2	0.13	160167	0.13	0.15	0.12	0.13	0.12	0.13	-	47,696.00	626.00	00 0.1
PRAPAT	1.71	160167	1.74	1.74	1.62	1.64	1.64	1.65	(0.07)	12,481.00	2,074.00	00 1.6
RWI	0.73	160167	-	0.74	0.70	0.72	0.70	0.72	(0.01)	709.00	50.00	00 0.7
RWI-W3	0.02	160167	0.01	0.02	0.01	0.02	0.01	0.02	-	10,003.00	10.00	00 0.0
SAF	1.11	160167	1.12	1.12	1.05	1.05	1.05	1.06	(0.06)	8,831.00	959.00	00 1.0
SALEE	0.81	160167	0.81	0.82	0.81	0.81	0.81	0.82	-	2,405.00	195.00	00 0.8
SANKO	1.62	160167	1.62	1.70	1.59	1.59	1.59	1.60	(0.03)	118,642.00	19,511.00	00 1.6
SCL	2.00	160167	2.08	2.20	2.00	2.02	2.02	2.04	0.02	421,928.00	88,745.00	00 2.1
SELIC	2.54	160167	2.54	2.54	2.48	2.48	2.48	2.52	(0.06)	1,329.00	334.00	00 2.5
SFT	4.00	160167	-	4.04	3.88	4.04	3.94	4.04	0.04	14.00	5.00	00 3.9
STP	9.45	160167	-	9.40	9.20	9.35	9.25	9.35	(0.10)	519.00	480.00	00 9.2
SWC	5.20	160167	4.90	5.00	4.90	4.92	4.92	5.05	(0.28)	226.00	111.00	00 4.9
TMC	2.00	160167	1.98	2.00	1.93	2.00	1.94	2.00	-	6,053.00	1,193.00	00 1.9