

Asia Plus Securities Company Limited Daily Quotation Report

Monday February 05, 2024

NOTE :

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active

Stock	Last	Value '000	%Change
BDMS	28.50	2,375,899	1.8%
AOT	63.75	2,316,978	1.6%
TTB	1.87	1,116,355	4.5%
CPALL	54.50	1,093,675	0.5%
PTTEP	152.00	999,952	0.3%
CPN	62.50	878,554	-2.7%
PTT	34.00	791,886	0.0%
BBL	140.50	677,799	0.4%
HSI28P2405A	0.51	670,901	0.0%
ADVANC	219.00	644,977	-0.9%

Gainers and Losers

Gainers	246
Losers	227
Unchanged	186

Volume by Board (Lot)

Main Board	26,823,550,706
Foreign Board	27,887
Total	26,823,578,593

Value by Board (Mn.Bt.)

Main Board	41,009.34
Foreign Board	208.87
Total	41,218.21

Top Ten Gainers

Stock	Last	Value '000
B-W8	0.02	12
EA13C2403B	0.02	0
HSI28C2402B	0.02	1
KTB01C2404A	0.02	0
SABUY13C2403A	0.02	0
SET5001C2403B	0.02	0
ITEL-W4	0.03	5
NTES41C2404A	0.12	0
PPPM-W4	0.03	2
SET5001C2403A	0.03	26

Top Ten Losers

Stock	Last	Value '000
CRC01C2407A	0.17	581
BTS01C2407A	0.21	807
PTTGC41C2407B	0.24	194
GULF01C2406A	0.25	455
PSL19C2403A	0.01	0
SUNNY41C2406A	0.26	44
BTS01P2407X	0.27	328
OR19C2407A	0.27	31
TLI41C2406A	0.28	1,999
MINT01P2406X	0.29	50

Movements in SET and Sectorial Indices

	Open	High	Low	Close	Change	%Change
.SET	1,383.38	1,389.67	1,379.86	1,383.93	(0.15)	(0.01)
.SET50	846.28	851.02	843.82	839.72	(1.17)	(0.14)
.SET100	1,875.52	1,885.89	1,870.16	1,863.95	(1.76)	(0.09)
.SETHD	1,110.85	1,117.22	1,107.73	1,113.08	1.98	0.18
.MAI	877.47	881.34	875.27	410.56	1.55	0.38
.AGRI	194.67	195.10	192.57	193.05	(0.14)	(0.07)
.BANK	363.15	366.33	361.99	364.16	1.70	0.47
.CONMAT	7,315.22	7,338.99	7,270.09	7,277.34	(42.42)	(0.58)
.PETRO	688.89	689.57	678.83	682.04	(6.31)	(0.92)
.COMM	29,898.13	29,976.03	29,641.20	29,703.86	(131.87)	(0.44)
.ICT	154.28	154.70	153.59	153.98	(0.60)	(0.39)
.ETRON	9,898.06	10,009.95	9,811.14	9,951.96	0.32	0.00
.ENERG	20,305.96	20,431.13	20,256.00	20,319.04	8.54	0.04
.MEDIA	29.12	29.29	28.95	28.98	(0.09)	(0.31)
.FIN	3,189.86	3,224.03	3,187.18	3,196.12	(15.19)	(0.47)
.FOOD	10,808.19	10,820.31	10,734.33	10,803.34	0.14	0.00
.HEALTH	6,785.06	6,878.73	6,772.20	6,828.28	37.74	0.56
.TOURISM	577.27	579.23	573.28	573.28	(3.89)	(0.67)
.HOME	19.80	20.05	19.77	19.95	0.08	0.40
.INSUR	8,435.53	8,485.64	8,407.19	8,443.58	14.90	0.18
.MINE	-	-	-	-	-	-
.PKG	3,297.33	3,318.29	3,242.25	3,302.98	6.99	0.21
.PERSON	88.49	89.80	88.47	88.57	(0.42)	(0.47)
.PROF	386.21	391.03	382.76	384.08	(2.05)	(0.53)
.PROP	224.75	225.34	222.62	223.49	(1.74)	(0.77)
.PAPER	3,319.49	3,347.63	3,319.49	3,319.49	-	-
.FASHION	637.22	643.18	634.28	641.95	5.17	0.81
.TRANS	304.59	309.39	302.15	308.22	3.76	1.23
.AUTO	452.26	453.16	450.23	450.74	(1.64)	(0.36)
.IMM	21.97	22.15	21.91	21.98	0.05	0.23
.PFUND	148.43	148.53	147.70	130.44	(0.45)	(0.34)
.STEEL	26.92	26.94	26.62	26.72	(0.14)	(0.52)

ASP's Daily Quotation Report

Monday February 05, 2024



Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
POMPUI	2.16	202247	-	-	-	-	-	-	-	-	-	0
SAFARI	2.40	202247	-	-	-	-	-	-	-	-	-	0
WORLD	2.10	202247	-	-	-	-	-	-	-	-	-	0
Agribusiness												
EE	0.30	202247	0.30	0.32	0.29	0.32	0.31	0.32	0.02	24,728	762	0.308
EE-W1	0.03	202247	-	0.03	0.02	0.03	0.02	0.03	-	13,746	40	0.029
GFPT	11.50	202247	11.50	11.50	11.20	11.30	11.20	11.30	(0.20)	12,855	14,539	11.309
LEE	2.34	202247	2.34	2.34	2.28	2.34	2.30	2.34	-	230	53	2.284
NER	5.40	202247	5.45	5.45	5.35	5.40	5.35	5.40	-	58,013	31,366	5.406
PPPM	0.04	202247	0.05	0.05	0.04	0.05	0.04	0.05	0.01	103,733	518	0.049
PPPM-W4	0.02	202247	-	0.03	0.01	0.03	0.02	0.03	0.01	1,541	2	0.01
STA	16.90	202247	17.10	17.30	16.90	16.90	16.90	17.00	-	22,487	38,451	17.099
STA01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
STA01C2404A	0.31	202247	-	0.34	0.31	0.31	0.31	0.32	-	9,393	314	0.334
STA01P2402X	0.05	202247	-	-	-	-	0.01	0.02	-	-	-	0
STA11C2402T	0.05	202247	-	-	-	-	0.02	0.03	-	-	-	0
STA11C2407T	0.41	202247	-	0.41	0.40	0.40	0.38	0.39	(0.01)	13,089	529	0.404
STA13C2405A	0.36	202247	0.36	0.38	0.35	0.35	0.34	0.35	(0.01)	101,892	3,722	0.365
STA19C2406A	0.33	202247	0.34	0.35	0.33	0.33	0.33	0.34	-	100,461	3,473	0.345
TEGH	3.02	202247	3.04	3.14	3.04	3.06	3.06	3.08	0.04	10,922	3,365	3.08
TFM	6.75	202247	-	6.90	6.50	6.70	6.65	6.75	(0.05)	105	70	6.658
TRUBB	1.33	202247	1.33	1.35	1.30	1.31	1.31	1.32	(0.02)	81,045	10,733	1.324
TRUBB-W2	0.12	202247	-	0.14	0.12	0.12	0.12	0.13	-	8,138	102	0.124
UPOIC	6.30	202247	6.30	6.35	6.30	6.30	6.30	6.35	-	291	183	6.301
UVAN	8.70	202247	8.70	8.75	8.50	8.65	8.60	8.65	(0.05)	13,333	11,443	8.582
VPO	0.95	202247	0.97	1.01	0.94	0.96	0.96	0.97	0.01	240,286	23,541	0.979
Banking												
BAY	26.75	202247	27.00	27.00	26.75	26.75	26.75	27.00	-	2,300	6,161	26.787
BBL	140.00	202247	140.50	142.50	140.00	140.50	140.50	141.00	0.50	47,954	677,799	141.343
BBL06C2403A	0.02	202247	-	-	-	-	-	-	-	-	-	0
BBL11C2404A	0.03	202247	-	-	-	-	0.03	0.04	-	-	-	0
BBL11C2406A	0.17	202247	0.17	0.18	0.17	0.17	0.16	0.17	-	14,640	256	0.174
BBL11P2402A	0.21	202247	-	0.18	0.16	0.18	0.18	0.19	(0.03)	10,601	185	0.174
BBL13C2403A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
BBL13C2404A	0.05	202247	-	0.02	0.02	0.02	0.02	0.03	(0.03)	500	1	0.02
BBL13C2405A	0.09	202247	-	0.10	0.10	0.10	0.09	0.10	0.01	239	2	0.1
BBL13C2406A	0.24	202247	-	0.26	0.24	0.25	0.24	0.25	0.01	42,347	1,083	0.255
BBL13P2404A	0.44	202247	-	0.41	0.38	0.41	0.41	0.42	(0.03)	14,122	560	0.396
BBL19C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
BBL19C2404A	0.04	202247	-	-	-	-	0.03	0.04	-	-	-	0
BBL19C2405A	0.10	202247	-	0.11	0.10	0.10	0.10	0.11	-	36,495	387	0.105
BBL19C2406A	0.24	202247	-	0.26	0.25	0.25	0.24	0.25	0.01	58,488	1,493	0.255
BBL19P2406A	0.46	202247	-	0.44	0.41	0.44	0.44	0.45	(0.02)	17,208	735	0.427
BBL41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
BBL41C2403A	0.09	202247	-	-	-	-	-	-	-	-	-	0
BBL41C2404A	0.04	202247	-	-	-	-	-	0.07	-	-	-	0
BBL41C2405A	0.07	202247	-	0.08	0.08	0.08	-	0.09	0.01	501	4	0.08
BBL41C2406A	0.17	202247	0.17	0.19	0.17	0.17	0.15	0.18	-	20,881	368	0.176
BBL41C2406B	1.00	202247	-	0.37	0.35	0.35	-	-	(0.65)	14,000	506	0.361
CIMBT	0.60	202247	0.60	0.61	0.59	0.60	0.60	0.61	-	6,158	369	0.6
KBANK	121.50	202247	122.00	122.50	121.00	121.50	121.50	122.00	-	52,826	643,680	121.849
KBANK01C2403A	0.03	202247	-	0.01	0.01	0.01	0.01	0.02	(0.02)	1,550	2	0.01
KBANK01C2405A	0.11	202247	0.12	0.12	0.12	0.12	0.11	0.12	0.01	16,308	196	0.12
KBANK01C2406A	0.25	202247	-	0.27	0.25	0.26	0.25	0.27	0.01	8,026	207	0.257
KBANK01P2402X	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
KBANK01P2404X	0.41	202247	-	0.39	0.38	0.38	0.38	0.40	(0.03)	5,032	193	0.383
KBANK01P2406X	1.00	202247	-	0.41	0.40	0.40	0.40	0.42	(0.60)	7,530	302	0.401
KBANK06C2404A	0.04	202247	-	-	-	-	-	-	-	-	-	0
KBANK06C2406A	0.20	202247	-	0.21	0.20	0.21	-	0.21	0.01	5,773	116	0.201
KBANK13C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	700	1	0.01
KBANK13C2405A	0.08	202247	-	0.08	0.08	0.08	0.08	0.09	-	1,020	8	0.08
KBANK13C2406A	0.17	202247	-	0.18	0.17	0.18	0.17	0.18	0.01	4,125	70	0.17
KBANK13C2407A	0.32	202247	-	0.34	0.30	0.32	0.32	0.34	-	33,204	1,087	0.327
KBANK13P2404A	0.19	202247	-	0.17	0.17	0.17	0.17	0.18	(0.02)	18,133	308	0.17
KBANK13P2406A	0.49	202247	-	0.48	0.46	0.48	0.48	0.49	(0.01)	19,679	932	0.473
KBANK19C2402A	0.02	202247	-	-	-	-	-	-	-	-	-	0
KBANK19C2404A	0.02	202247	-	-	-	-	0.02	0.03	-	-	-	0
KBANK19C2405A	0.08	202247	-	0.09	0.09	0.09	0.08	0.09	0.01	5,795	52	0.09
KBANK19C2406A	0.25	202247	0.25	0.25	0.24	0.24	0.24	0.25	(0.01)	34,764	868	0.249
KBANK19P2404A	0.18	202247	-	0.18	0.17	0.18	0.18	0.19	-	4,144	72	0.173
KBANK41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
KBANK41C2405A	0.08	202247	-	0.08	0.08	0.08	-	-	-	231	2	0.08
KBANK41C2405B	0.11	202247	-	-	-	-	0.10	0.12	-	-	-	0
KBANK41C2406A	0.28	202247	-	-	-	-	-	0.35	-	-	-	0
KKP	49.50	202247	49.50	50.00	49.25	49.75	49.75	50.00	0.25	25,285	125,479	49.626
KKP-W5	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
KKP-W6	1.67	202247	1.67	1.69	1.66	1.68	1.68	1.69	0.01	2,210	368	1.666
KKP01C2405A	0.21	202247	-	0.21	0.20	0.21	0.21	0.22	-	50,047	1,050	0.209
KKP11C2403A	0.09	202247	-	-	-	-	0.03	0.05	-	-	-	0
KKP11C2406A	0.25	202247	0.26	0.26	0.24	0.25	0.25	0.26	-	5,240	132	0.252
KKP11P2405A	0.32	202247	-	0.32	0.30	0.30	0.30	0.31	(0.02)	5,180	161	0.31
KKP13C2403A	0.03	202247	-	-	-	-	-	0.01	-	-	-	0
KKP13C2405A	0.16	202247	-	0.16	0.15	0.16	0.16	0.17	-	18,724	298	0.159
KKP19C2403A	0.02	202247	-	-	-	-	0.02	0.03	-	-	-	0
KKP19C2406A	0.28	202247	0.28	0.28	0.27	0.28	0.28	0.29	-	26,092	720	0.275
KTB	16.10	202247	16.10	16.20	15.90	16.10	16.10	16.20	-	307,278	495,209	16.116
KTB-P	153.00	202247	-	-	-	-	-	-	-	-	-	0
KTB-Q	-	101743	-	-	-	-	-	-	-	-	-	0
KTB01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
KTB01C2404A	0.01	202247	-	0.02	0.02	0.02	0.01	0.02	0.01	1	-	0.02
KTB01C2406A	0.08	202247	-	0.08	0.08	0.08	0.08	0.09	-			

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
KT841C2407A	0.25	202247	0.26	0.27	0.24	0.25	-	-	-	18,716	465	0.248
LHFG	1.00	202247	1.00	1.01	0.99	1.00	0.99	1.00	-	45,382	4,538	1
SCB	105.00	202247	104.50	105.50	104.50	105.00	104.50	105.00	-	49,673	521,462	104.978
SCB01C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	901	1	0.01
SCB01C2403A	0.02	202247	-	-	-	-	0.02	0.03	-	-	-	0
SCB01C2404A	0.37	202247	0.38	0.38	0.36	0.38	0.38	0.40	0.01	12,577	478	0.38
SCB01C2405A	0.18	202247	-	0.18	0.18	0.18	0.18	0.19	-	1	-	0.18
SCB01P2402X	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
SCB01P2405X	0.32	202247	-	0.31	0.31	0.31	0.31	0.32	(0.01)	16,382	508	0.31
SCB06C2402A	0.07	202247	-	-	-	-	-	-	-	-	-	0
SCB06C2403A	0.19	202247	-	-	-	-	-	-	-	-	-	0
SCB11C2403A	0.10	202247	-	-	-	-	0.08	0.09	-	-	-	0
SCB13C2402A	0.02	202247	-	-	-	-	-	0.01	-	-	-	0
SCB13C2403A	0.05	202247	-	-	-	-	0.03	0.04	-	-	-	0
SCB13C2404A	0.09	202247	0.08	0.09	0.08	0.08	0.09	0.10	(0.01)	53,881	485	0.089
SCB13C2406A	0.25	202247	-	0.25	0.25	0.25	0.25	0.26	-	275,032	6,876	0.25
SCB13P2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
SCB13P2406A	0.24	202247	-	-	-	-	0.22	0.23	-	-	-	0
SCB19C2402A	0.05	202247	-	-	-	-	-	-	-	-	-	0
SCB19C2403A	0.10	202247	-	-	-	-	0.05	0.06	-	-	-	0
SCB19C2404A	0.11	202247	-	-	-	-	0.11	0.12	-	-	-	0
SCB19C2406A	0.23	202247	-	0.24	0.24	0.24	0.24	0.25	0.01	147,806	3,547	0.24
SCB19P2402A	0.11	202247	-	-	-	-	-	-	-	-	-	0
SCB41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
SCB41C2403A	0.07	202247	-	-	-	-	-	-	-	-	-	0
SCB41C2404A	0.34	202247	-	-	-	-	-	-	-	-	-	0
SCB41C2405A	0.22	202247	-	0.21	0.21	0.21	-	-	(0.01)	27,000	567	0.21
SCB41C2405B	0.21	202247	-	0.21	0.21	0.21	-	-	-	22,400	470	0.21
TCAP	50.50	202247	50.50	50.75	50.25	50.25	50.25	50.50	(0.25)	16,113	81,290	50.449
TCAP-P	560.00	202247	-	-	-	-	-	-	-	-	-	0
TCAP-Q	-	101743	-	-	-	-	-	-	-	-	-	0
TCAP11C2402T	0.06	202247	-	-	-	-	0.03	0.04	-	-	-	0
TCAP13C2403A	0.04	202247	-	-	-	-	0.02	0.03	-	-	-	0
TCAP19C2403A	0.08	202247	-	-	-	-	0.04	0.05	-	-	-	0
TISCO	99.75	202247	99.75	99.75	99.00	99.00	99.00	99.25	(0.75)	26,952	268,008	99.438
TISCO-P	1,346.00	202247	-	-	-	-	-	-	-	-	-	0
TISCO-Q	8.00	202247	-	-	-	-	-	-	-	-	-	0
TISCO13C2405A	0.18	202247	-	0.18	0.18	0.18	0.17	0.18	-	6,737	121	0.18
TISCO19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
TISCO19C2408A	1.00	202247	-	0.32	0.32	0.32	0.31	0.32	(0.68)	2,688	86	0.32
TTB	1.79	202247	1.80	1.87	1.79	1.87	1.86	1.87	0.08	6,056,791	1,116,355	1.843
TTB-W1	0.82	202247	0.82	0.90	0.82	0.88	0.88	0.89	0.06	92,880	8,089	0.87
TTB01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
TTB01C2404A	0.21	202247	0.22	0.29	0.21	0.29	0.29	0.30	0.08	34,973	893	0.255
TTB01C2406A	0.42	202247	0.48	0.52	0.43	0.52	0.52	0.53	0.10	23,661	1,139	0.481
TTB13C2404A	0.19	202247	-	0.25	0.19	0.25	0.25	0.26	0.06	76,949	1,668	0.216
TTB19C2402A	0.02	202247	-	-	-	-	-	-	-	-	-	0
TTB19C2404A	0.19	202247	-	0.27	0.20	0.26	0.26	0.27	0.07	39,026	921	0.236
Construction Material												
CCP	0.40	202247	0.41	0.41	0.40	0.40	0.40	0.41	-	9,766	391	0.4
DCC	1.81	202247	1.86	1.94	1.82	1.94	1.93	1.94	0.13	1,173,167	220,390	1.878
DCON	0.47	202247	0.47	0.48	0.46	0.48	0.48	0.49	0.01	33,945	1,615	0.475
DCON-W3	0.10	202247	-	0.10	0.09	0.10	0.10	0.11	-	42,441	424	0.099
DRT	8.15	202247	8.20	8.30	8.15	8.25	8.25	8.30	0.10	5,722	4,702	8.216
EPG	7.40	202247	7.40	7.70	7.40	7.50	7.45	7.50	0.10	27,164	20,415	7.515
GEL	0.20	202247	0.20	0.22	0.19	0.21	0.20	0.21	0.01	114,804	2,327	0.202
GEL-W5	0.04	202247	-	0.04	0.04	0.04	0.03	0.04	-	12,005	48	0.04
PPP	1.94	202247	-	2.00	1.94	1.99	1.94	1.97	0.05	284	56	1.975
Q-CON	16.10	202247	16.00	16.50	15.90	16.10	16.10	16.20	-	28,627	46,390	16.204
SCC	276.00	202247	275.00	276.00	272.00	272.00	272.00	273.00	(4.00)	13,923	380,778	273.496
SCC01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
SCC01C2403A	0.02	202247	-	0.02	0.01	0.02	0.01	0.02	-	301	-	0.01
SCC01C2405A	0.17	202247	0.17	0.17	0.15	0.15	0.15	0.16	(0.02)	35,098	561	0.159
SCC01C2407A	0.38	202247	-	0.37	0.35	0.35	0.34	0.35	(0.03)	29,025	1,047	0.36
SCC01P2403X	0.14	202247	-	0.16	0.14	0.16	0.16	0.17	0.02	17,908	258	0.144
SCC13C2403A	0.02	202247	-	-	-	-	-	0.01	-	-	-	0
SCC13C2405A	0.08	202247	-	0.07	0.07	0.07	0.06	0.07	(0.01)	40	-	0.07
SCC13C2407A	0.36	202247	0.35	0.35	0.31	0.32	0.31	0.32	(0.04)	39,933	1,322	0.331
SCC13P2403A	0.08	202247	-	-	-	-	0.04	0.05	-	-	-	0
SCC19C2403A	0.10	202247	-	-	-	-	0.01	0.02	-	-	-	0
SCC19C2405A	0.12	202247	-	0.11	0.10	0.10	0.10	0.11	(0.02)	7,022	77	0.109
SCC19C2406A	0.32	202247	-	0.30	0.27	0.27	0.27	0.28	(0.05)	49,395	1,415	0.286
SCCC	135.50	202247	136.00	138.50	136.00	137.00	137.00	138.00	1.50	942	12,911	137.059
SCGD	9.30	202247	9.30	9.30	9.15	9.20	9.15	9.20	(0.10)	5,959	5,485	9.205
SCP	5.50	202247	5.50	5.55	5.45	5.50	5.45	5.50	-	335	184	5.489
SKN	4.68	202247	4.70	4.70	4.64	4.70	4.68	4.70	0.02	1,069	501	4.686
STECH	1.72	202247	1.74	1.74	1.72	1.74	1.73	1.74	0.02	438	76	1.727
TASCO	16.20	202247	16.20	16.30	16.20	16.30	16.20	16.30	0.10	7,687	12,508	16.271
TASCO01C2403A	0.05	202247	-	-	-	-	0.03	0.04	-	-	-	0
TASCO01C2405A	0.19	202247	-	0.19	0.19	0.19	0.19	0.20	-	2,000	38	0.19
TASCO01P2405X	0.23	202247	-	-	-	-	0.21	0.22	-	-	-	0
TASCO06C2403A	0.08	202247	-	-	-	-	-	-	-	-	-	0
TASCO13C2403A	0.02	202247	-	0.02	0.02	0.02	0.02	0.03	-	7,790	16	0.02
TASCO19C2404A	0.08	202247	-	-	-	-	0.08	0.09	-	-	-	0
TASCO41C2406A	0.18	202247	-	-	-	-	-	-	-	-	-	0
TOA	21.50	202247	21.50	21.50	21.10	21.30	21.20	21.30	(0.20)	11,093	23,567	21.245
TPIPL	1.40	202247	1.41	1.42	1.39	1.39	1.39	1.40	(0.01)	17,585	2,463	1.4
UMI	1.06	202247	1.08	1.09	1.05	1.06	1.06	1.07	-	29,362	3,149	1.072
VNG	3.60	202247	3.60	3.60	3.54	3.60	3.58	3.60	-	461	165	3.582
WIJK	1.56	202247	1.54	1.57	1.53	1.56	1.55	1.56	-	5,075	784	1.544
WINDOW	1.19	202247	1.19	1.20	1.19	1.19	1.19					

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
IVL06C2402B	0.06	202247	-	-	-	-	-	-	-	-	-	0
IVL06C2403A	0.11	202247	-	0.11	0.10	0.10	-	0.10	(0.01)	27,320	294	0.107
IVL06C2404A	0.06	202247	-	-	-	-	-	0.08	-	-	-	0
IVL11C2403T	0.07	202247	-	-	-	-	0.02	0.03	-	-	-	0
IVL13C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
IVL13C2403A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
IVL13C2403B	0.02	202247	-	0.02	0.02	0.02	0.01	0.02	-	50	-	0.02
IVL13C2403C	0.08	202247	-	-	-	-	0.05	0.07	-	-	-	0
IVL13C2406A	0.10	202247	-	-	-	-	0.09	0.10	-	-	-	0
IVL13C2406B	0.40	202247	0.41	0.41	0.38	0.38	0.38	0.39	(0.02)	71,820	2,815	0.392
IVL13P2405A	0.22	202247	-	0.22	0.22	0.22	0.22	0.23	-	19,374	426	0.22
IVL19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
IVL19C2403A	0.03	202247	-	-	-	-	0.02	0.03	-	-	-	0
IVL19C2403B	0.06	202247	-	-	-	-	0.04	0.05	-	-	-	0
IVL19C2405A	0.08	202247	-	-	-	-	0.07	0.08	-	-	-	0
IVL19C2406A	0.45	202247	-	0.44	0.42	0.42	0.42	0.43	(0.03)	54,276	2,349	0.432
IVL41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
IVL41C2403A	0.03	202247	-	-	-	-	0.01	-	-	-	-	0
IVL41C2404A	0.23	202247	0.23	0.23	0.21	0.21	-	0.21	(0.02)	115,832	2,516	0.217
IVL41C2406A	0.12	202247	-	0.11	0.11	0.11	0.10	-	(0.01)	10,001	110	0.11
IVL41C2406B	0.47	202247	0.47	0.47	0.43	0.43	0.44	0.45	(0.04)	16,094	745	0.462
NFC	3.06	202247	3.06	3.06	3.06	3.06	3.04	3.06	-	68	21	3.06
PATO	9.50	202247	-	9.60	9.50	9.50	9.50	9.60	-	27	26	9.577
PMTA	8.90	202247	-	-	-	-	8.60	9.00	-	-	-	0
PTTGC	34.75	202247	34.75	34.75	33.75	34.25	34.00	34.25	(0.50)	85,039	290,884	34.204
PTTGC01C2402T	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2403B	0.07	202247	-	0.04	0.04	0.04	0.04	0.05	(0.03)	1,500	6	0.04
PTTGC01C2405A	0.07	202247	-	-	-	-	0.06	0.07	-	-	-	0
PTTGC01C2406A	0.22	202247	0.23	0.23	0.19	0.19	0.19	0.20	(0.03)	42,157	863	0.204
PTTGC01P2404X	0.12	202247	-	0.13	0.12	0.13	0.13	0.14	0.01	28,862	351	0.121
PTTGC01P2405X	0.40	202247	0.43	0.43	0.40	0.41	0.41	0.44	0.01	10,298	417	0.405
PTTGC06C2402A	0.08	202247	-	-	-	-	-	-	-	-	-	0
PTTGC11C2404A	0.12	202247	-	-	-	-	0.10	0.12	-	-	-	0
PTTGC11P2402A	0.19	202247	-	-	-	-	0.18	0.21	-	-	-	0
PTTGC13C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
PTTGC13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC13C2406A	0.14	202247	0.15	0.15	0.12	0.13	0.13	0.14	(0.01)	13,710	173	0.126
PTTGC13P2404A	0.11	202247	-	0.12	0.11	0.11	0.11	0.13	-	5,044	59	0.117
PTTGC19C2402A	0.09	202247	-	-	-	-	-	-	-	-	-	0
PTTGC19C2406A	0.16	202247	0.16	0.16	0.15	0.15	0.14	0.15	(0.01)	50,885	805	0.158
PTTGC41C2402A	0.06	202247	-	-	-	-	-	-	-	-	-	0
PTTGC41C2403A	0.07	202247	-	-	-	-	-	-	-	-	-	0
PTTGC41C2404A	0.08	202247	-	-	-	-	-	-	-	-	-	0
PTTGC41C2405A	0.05	202247	-	-	-	-	-	-	-	-	-	0
PTTGC41C2406A	0.14	202247	-	0.13	0.11	0.12	0.11	0.13	(0.02)	75,901	946	0.124
PTTGC41C2407B	1.00	202247	-	0.25	0.23	0.24	-	-	(0.76)	8,020	194	0.242
SUTHA	2.40	202247	-	2.50	2.40	2.42	2.40	2.48	0.02	110	26	2.406
TPA	4.14	202247	3.70	4.10	3.70	4.10	3.88	4.12	(0.04)	15	6	4.02
UAC	3.76	202247	3.88	3.94	3.78	3.84	3.84	3.86	0.08	10,205	3,951	3.871
UP	16.30	202247	-	-	-	-	15.60	16.70	-	-	-	0
Commerce												
ADVICE	4.34	202247	4.44	4.66	4.40	4.54	4.54	4.56	0.20	913,133	416,315	4.559
B52	1.14	202247	1.14	1.14	1.10	1.14	1.10	1.14	-	58	7	1.124
BEAUTY	0.61	202247	0.62	0.64	0.61	0.61	0.61	0.62	-	456,383	28,313	0.62
BIG	0.52	202247	0.52	0.52	0.51	0.51	0.50	0.51	(0.01)	6,786	348	0.512
BJC	24.10	202247	24.10	24.60	24.00	24.50	24.40	24.50	0.40	96,777	236,331	24.42
COM7	21.40	202247	21.50	21.60	21.30	21.40	21.40	21.50	-	52,747	112,830	21.39
COM701C2403W	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	500	1	0.01
COM701C2404A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
COM701C2404B	0.18	202247	-	0.18	0.18	0.18	0.18	0.19	-	48,310	870	0.18
COM701C2405A	0.05	202247	-	0.04	0.04	0.04	0.04	0.05	(0.01)	301	1	0.04
COM701C2406A	0.35	202247	0.36	0.36	0.34	0.35	0.35	0.36	-	40,060	1,408	0.351
COM701P2402X	0.57	202247	-	-	-	-	0.49	0.52	-	-	-	0
COM701P2404X	0.34	202247	0.34	0.34	0.33	0.34	0.34	0.35	-	20,738	702	0.338
COM701P2406X	1.00	202247	0.55	0.56	0.55	0.55	0.55	0.56	(0.45)	10,902	603	0.552
COM706C2403A	0.10	202247	-	-	-	-	-	-	-	-	-	0
COM711C2404A	0.10	202247	-	-	-	-	0.03	0.04	-	-	-	0
COM711C2406A	0.32	202247	-	0.31	0.30	0.31	0.31	0.32	(0.01)	16,900	521	0.308
COM711P2406A	0.59	202247	-	0.59	0.57	0.58	0.58	0.59	(0.01)	32,500	1,890	0.581
COM713C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
COM713C2404A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
COM713C2404B	0.06	202247	-	0.06	0.06	0.06	0.05	0.07	-	40	-	0.06
COM713C2405A	0.19	202247	-	0.18	0.18	0.18	0.18	0.19	(0.01)	35,418	638	0.18
COM713C2405B	0.05	202247	-	0.05	0.05	0.05	0.05	0.06	-	149	1	0.05
COM713C2406A	0.37	202247	-	0.37	0.35	0.36	0.36	0.37	(0.01)	69,917	2,521	0.36
COM713P2402A	0.37	202247	-	-	-	-	0.28	0.30	-	-	-	0
COM713P2404A	0.28	202247	-	0.28	0.27	0.28	0.28	0.29	-	51,446	1,440	0.279
COM719C2404A	0.02	202247	-	-	-	-	0.02	0.03	-	-	-	0
COM719C2404B	0.11	202247	-	0.10	0.10	0.10	0.10	0.11	(0.01)	32,488	325	0.1
COM719C2406A	0.27	202247	-	0.27	0.26	0.27	0.26	0.27	-	13,348	355	0.265
COM719C2407A	1.00	202247	-	0.44	0.42	0.43	0.43	0.44	(0.57)	53,990	2,355	0.432
COM719P2402A	0.14	202247	-	-	-	-	-	-	-	-	-	0
COM719P2406A	0.52	202247	-	0.53	0.51	0.52	0.52	0.53	-	29,577	1,536	0.519
COM741C2403A	0.03	202247	-	0.01	0.01	0.01	0.01	-	(0.02)	4	-	0.01
COM741C2404A	0.02	202247	-	-	-	-	0.01	-	-	-	-	0
COM741C2404B	0.13	202247	-	0.13	0.12	0.13	-	0.13	-	20,000	244	0.122
COM741C2405A	0.06	202247	-	-	-	-	-	-	-	-	-	0
COM741C2406A	0.33	202247	-	0.33	0.31	0.32	-	-	(0.01)	148,000	4,730	0.319
CPALL	54.25	202247	54.50	55.00	54.00	54.50	54.50	54.75	0.25	199,991	1,093,675	54.69
CPALL01C2403A	0.02	202247	-	0.01	0.01	0.01	0.01	0.02	(0.01)	151	-	0.01
CPALL01C2404A	0.09	202247	-	0.11	0.10	0.10	0.09	0.10	0.01	14,226	144	0.101
CPALL01C2405A	0.27	202247	-	0.30	0.27	0.28	0.28	0.29	0.01	46,635	1,308	0.28
CPALL01P2404X	0.27	202247	-	0.26	0.23	0.25	0.25	0.26	(0.02)	14,645	370	0.252
CPALL01P2405X	0.16	202247	-	0.15	0.14	0.15	0.15	0.16	(0.01)	21,070	312	0.148
CPALL06C2402A	0.03	202247	-	-	-	-	-	-	-	-	-	0
CPALL06C2405A	0.17	202247	-	0.19	0.17	0.18	0.18	-	0.01	85,076	1,525	0.179
CPALL11C2403A	0.07	202247	-	-	-	-	0.02	0.03	-	-	-	0
CPALL11C2405A	0.22	202247	0.23	0.25	0.22	0.25	0.23	0.24	0.03	18,472	431	0.233
CPALL11P2402A	0.19	202247	-	0.18	0.16	0.16	0.17	0.18	(0.03)	8,000	136	0.17
CPALL13C2403A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
CPALL13C2404A	0.05	202247	-	-	-	-	0.04	0.05	-	-	-	0
CPALL13C2405A	0.15	202247	-	0.16	0.14	0.16	0.15	0.16	0.01	30,016	452	0.15
CPALL13C2407A	0.30	202247	0.33	0.33	0.30	0.31	0.31	0.32	0.01	45,616	1,431	0.313
CPALL13P2404A	0.17	202247	-	0.16	0.15	0.16	0.16	0.17	(0.01)	10,169	161	0.158

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
CPALL19C2404A	0.05	202247	-	-	-	-	-	0.04	0.05	-	-	-	0
CPALL19C2404B	0.07	202247	-	0.10	0.10	0.10	0.10	0.09	0.10	0.03	3,000	30	0.1
CPALL19C2406A	0.27	202247	0.27	0.29	0.26	0.27	0.27	0.26	0.27	-	99,167	2,745	0.276
CPALL19P2404A	0.07	202247	-	0.06	0.06	0.06	0.06	0.06	0.07	(0.01)	3,000	18	0.06
CPALL41C2403A	0.04	202247	-	-	-	-	-	0.01	-	-	-	-	0
CPALL41C2403B	0.08	202247	-	-	-	-	-	0.01	-	-	-	-	0
CPALL41C2404A	0.05	202247	-	-	-	-	-	-	-	-	-	-	0
CPALL41C2405A	0.15	202247	0.17	0.17	0.15	0.17	0.17	-	0.16	0.02	42,700	673	0.157
CPALL41C2406A	0.35	202247	-	0.38	0.35	0.38	0.38	0.29	-	0.03	3,421	124	0.362
CPALL41C2407A	0.33	202247	0.36	0.36	0.33	0.36	0.36	-	-	0.03	3,600	129	0.357
CPAXT	30.50	202247	30.50	30.75	30.00	30.25	30.00	30.25	30.25	(0.25)	46,595	140,849	30.228
CPW	2.32	202247	2.26	2.32	2.26	2.30	2.28	2.30	2.30	(0.02)	1,204	276	2.291
CRC	33.00	202247	33.00	33.00	32.00	32.25	32.25	32.50	32.50	(0.75)	144,088	467,977	32.479
CRC01C2403A	0.06	202247	-	-	-	-	-	0.01	0.02	-	-	-	0
CRC01C2404A	0.04	202247	-	-	-	-	-	0.03	0.04	-	-	-	0
CRC01C2407A	1.00	202247	-	0.19	0.17	0.17	0.17	0.17	0.18	(0.83)	31,283	581	0.185
CRC01P2404X	0.34	202247	-	0.38	0.35	0.38	0.38	0.39	0.04	0.04	5,610	203	0.362
CRC06C2402A	0.05	202247	-	-	-	-	-	-	-	-	-	-	0
CRC11C2404A	0.04	202247	-	-	-	-	-	0.03	0.04	-	-	-	0
CRC13C2402A	0.01	202247	-	-	-	-	-	0.01	0.02	-	-	-	0
CRC13C2403A	0.01	202247	-	-	-	-	-	0.01	0.02	-	-	-	0
CRC13C2405A	0.04	202247	-	-	-	-	-	0.03	0.04	-	-	-	0
CRC13C2407A	0.14	202247	-	0.14	0.12	0.12	0.12	0.12	0.13	(0.02)	24,452	313	0.127
CRC13P2404A	0.27	202247	-	0.29	0.27	0.29	0.29	0.30	0.02	0.02	4	-	0.277
CRC19C2404A	0.03	202247	-	-	-	-	-	0.02	0.03	-	-	-	0
CRC19C2406A	0.18	202247	-	0.17	0.15	0.15	0.15	0.15	0.16	(0.03)	3,468	54	0.157
CSS	1.08	202247	1.09	1.12	1.09	1.10	1.10	1.10	1.11	0.02	53,768	5,931	1.103
DOHOME	10.90	202247	11.00	11.20	10.80	11.10	11.10	11.20	11.20	0.20	43,719	48,290	11.045
DOHOME01C2404A	0.05	202247	-	-	-	-	-	0.06	0.07	-	-	-	0
DOHOME01C2406A	0.18	202247	-	0.19	0.18	0.19	0.19	0.19	0.20	0.01	24,541	453	0.184
DOHOME11C2403T	0.06	202247	-	-	-	-	-	0.05	0.06	-	-	-	0
DOHOME13C2404A	0.07	202247	-	0.07	0.07	0.07	0.07	0.07	0.08	-	3	-	0.07
DOHOME13C2406A	0.25	202247	0.26	0.27	0.25	0.27	0.27	0.27	0.28	0.02	21,052	552	0.262
DOHOME19C2404A	0.11	202247	0.12	0.12	0.11	0.12	0.12	0.12	0.13	0.01	11,195	132	0.117
DOHOME19C2406A	0.23	202247	0.24	0.25	0.23	0.25	0.25	0.25	0.26	0.02	13,547	329	0.242
DOHOME41C2406A	0.15	202247	0.15	0.16	0.15	0.16	0.16	-	0.17	0.01	43,456	669	0.154
DOHOME41C2406B	0.22	202247	-	0.23	0.22	0.23	0.23	-	-	0.01	3,610	82	0.226
FN	1.55	202247	1.55	1.55	1.54	1.55	1.55	1.55	1.56	-	39	6	1.549
FTE	1.60	202247	1.60	1.61	1.59	1.61	1.60	1.60	1.61	0.01	429	68	1.596
GLOBAL	16.00	202247	16.00	16.10	15.80	15.80	15.80	15.80	15.90	(0.20)	39,467	62,921	15.942
GLOBAL01C2404A	0.12	202247	-	-	-	-	-	0.10	0.11	-	-	-	0
GLOBAL01C2407A	1.00	202247	-	0.33	0.31	0.31	0.31	0.31	0.32	(0.69)	10,235	333	0.325
GLOBAL06C2403A	0.09	202247	-	-	-	-	-	-	-	-	-	-	0
GLOBAL13C2403A	0.02	202247	-	-	-	-	-	0.01	0.02	-	-	-	0
GLOBAL13C2406A	0.19	202247	-	0.19	0.18	0.18	0.18	0.18	0.19	(0.01)	28,761	542	0.188
GLOBAL19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	-	0
GLOBAL19C2403A	0.07	202247	-	-	-	-	-	0.06	0.07	-	-	-	0
GLOBAL19C2407A	0.35	202247	-	0.34	0.33	0.33	0.33	0.32	0.33	(0.02)	13,037	443	0.339
GLOBAL41C2406A	0.20	202247	-	0.19	0.19	0.19	0.19	-	-	(0.01)	1,200	23	0.19
HMPRO	10.70	202247	10.70	10.70	10.30	10.30	10.30	10.30	10.40	(0.40)	545,388	568,405	10.422
HMPRO01C2402A	0.01	202247	-	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO01C2404A	0.02	202247	-	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO01C2406A	0.06	202247	-	-	-	-	-	0.05	0.06	-	-	-	0
HMPRO11C2407T	0.14	202247	-	0.12	0.12	0.12	0.12	0.11	0.12	(0.02)	1,200	14	0.12
HMPRO13C2403A	0.01	202247	-	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO13C2405A	0.04	202247	-	0.04	0.04	0.04	0.04	0.03	0.04	-	8,001	32	0.04
HMPRO19C2404A	0.04	202247	-	-	-	-	-	0.02	0.03	-	-	-	0
HMPRO41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	-	0
HMPRO41C2404A	0.04	202247	-	-	-	-	-	-	-	-	-	-	0
HMPRO41C2406A	0.09	202247	-	0.08	0.07	0.07	0.07	0.06	0.11	(0.02)	2,556	18	0.072
HMPRO41C2407A	0.14	202247	0.13	0.14	0.11	0.11	0.11	0.11	0.12	(0.03)	45,370	566	0.124
ICC	43.00	202247	43.25	44.75	43.00	43.00	43.00	43.00	44.25	-	14	61	43.535
ILM	22.30	202247	22.40	22.40	21.70	21.80	21.80	21.80	21.90	(0.50)	6,722	14,674	21.829
IT	3.22	202247	3.22	3.30	3.14	3.14	3.14	3.12	3.14	(0.08)	2,474	783	3.166
KAMART	15.10	202247	15.20	15.40	15.10	15.30	15.20	15.30	15.30	0.20	16,854	25,702	15.249
LOXLEY	1.41	202247	1.40	1.41	1.39	1.39	1.39	1.39	1.40	(0.02)	4,258	596	1.398
MC	13.00	202247	13.00	13.90	13.00	13.90	13.80	13.90	13.90	0.90	77,859	106,185	13.638
MEGA	42.00	202247	42.25	42.50	41.75	41.75	41.75	41.75	42.00	(0.25)	8,265	34,706	41.991
MEGA01C2402A	0.07	202247	-	-	-	-	-	0.01	0.02	-	-	-	0
MEGA01C2404A	0.27	202247	-	0.26	0.25	0.25	0.25	0.25	0.26	(0.02)	5,096	131	0.257
MEGA13C2405A	0.25	202247	-	0.26	0.23	0.23	0.23	0.23	0.24	(0.02)	18,108	443	0.244
MEGA19C2404A	0.19	202247	-	0.19	0.19	0.19	0.19	0.18	0.19	-	1,600	30	0.19
MIDA	0.57	202247	0.58	0.58	0.55	0.55	0.55	0.55	0.56	(0.02)	14,951	841	0.562
MIDA-W3	0.01	202247	-	-	-	-	-	-	0.01	-	-	-	0
MOSHI	52.50	202247	52.75	53.25	52.50	53.25	53.00	53.00	53.25	0.75	4,309	22,821	52.962
RS	13.80	202247	13.80	13.80	13.60	13.60	13.60	13.60	13.70	(0.20)	11,709	16,018	13.68
RS-W4	0.06	202247	0.06	0.07	0.05	0.06	0.06	0.05	0.06	-	20,511	121	0.058
RS-W5	5.90	202247	5.90	6.00	5.80	6.00	5.95	6.00	6.00	0.10	9,122	5,411	5.931
RSP	2.44	202247	-	2.44	2.38	2.40	2.40	2.40	2.42	(0.04)	1,727	415	2.403
SABUY	5.00	202247	5.00	5.10	4.96	5.00	5.00	5.00	5.05	-	64,434	32,345	5.019
SABUY-W1	2.70	202247	-	2.86	2.64	2.86	2						

Daily Quotation

Issue Date

Monday February 05, 2024

Page 6

Daily Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous						Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date	Open	High	Low								
TRUE13P2404A	0.05	202247	-	0.05	0.05	0.05	0.05	0.05	0.06	-	402	2	0.05
TRUE13P2407A	1.00	202247	-	0.29	0.28	0.29	0.29	0.31	(0.71)	11,738	338	0.288	
TRUE19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0	
TRUE19C2402B	0.01	202247	-	-	-	-	-	-	-	-	-	0	
TRUE19C2404A	0.11	202247	-	0.10	0.10	0.10	0.10	0.11	(0.01)	17,162	172	0.1	
TRUE19C2405A	0.35	202247	-	0.35	0.35	0.35	0.35	0.36	-	3,553	124	0.35	
TRUE19P2402A	0.22	202247	-	-	-	-	-	-	-	-	-	0	
TRUE41C2402A	0.08	202247	-	-	-	-	-	-	-	-	-	0	
TRUE41C2403A	0.01	202247	-	-	-	-	-	0.01	0.02	-	-	0	
TRUE41C2404A	0.02	202247	-	-	-	-	-	-	-	-	-	0	
TRUE41C2404B	0.15	202247	-	0.15	0.14	0.14	0.13	-	(0.01)	36,000	509	0.141	
TRUE41C2406A	0.39	202247	-	0.39	0.39	0.39	-	-	-	6,500	254	0.39	
TRUE41C2406B	0.31	202247	-	-	-	-	-	-	-	-	-	0	
TWZ	0.04	202247	0.05	0.05	0.04	0.04	0.04	0.05	-	51,626	212	0.041	
Electronic Component													
CCET	2.68	202247	2.66	2.74	2.62	2.72	2.72	2.74	0.04	147,702	39,846	2.697	
DELTA	80.75	202247	80.25	81.00	79.50	80.50	80.50	80.75	(0.25)	66,487	535,195	80.496	
DELTA01C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	6,574	7	0.01	
DELTA01C2403A	0.04	202247	0.03	0.03	0.02	0.03	0.02	0.03	(0.01)	1,403	4	0.029	
DELTA01C2403B	0.33	202247	0.30	0.32	0.30	0.31	0.31	0.32	(0.02)	23,270	714	0.307	
DELTA01C2404A	0.31	202247	0.30	0.31	0.29	0.30	0.30	0.31	(0.01)	27,343	812	0.296	
DELTA01C2404B	0.18	202247	0.18	0.18	0.17	0.17	0.17	0.18	(0.01)	35,702	608	0.17	
DELTA01C2406A	0.51	202247	0.50	0.51	0.48	0.50	0.50	0.51	(0.01)	63,196	3,167	0.501	
DELTA01P2402A	0.05	202247	0.04	0.04	0.02	0.02	0.02	0.03	(0.03)	16,397	33	0.02	
DELTA01P2404A	0.60	202247	-	0.62	0.59	0.59	0.59	0.61	(0.01)	53,589	3,200	0.597	
DELTA01P2406X	1.00	202247	0.60	0.61	0.58	0.59	0.59	0.60	(0.41)	32,163	1,914	0.595	
DELTA06C2402A	0.06	202247	-	-	-	-	0.04	0.08	-	-	-	0	
DELTA06C2405A	0.33	202247	-	0.33	0.31	0.33	-	0.34	-	32,695	1,038	0.317	
DELTA11C2406A	0.64	202247	-	0.63	0.60	0.63	0.62	0.63	(0.01)	12,300	765	0.622	
DELTA13C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0	
DELTA13C2403A	0.02	202247	0.01	0.02	0.01	0.01	0.01	0.02	(0.01)	20,492	20	0.01	
DELTA13C2403B	0.04	202247	-	0.03	0.03	0.03	0.03	0.04	(0.01)	730	2	0.03	
DELTA13C2404A	0.24	202247	0.22	0.23	0.22	0.22	0.22	0.23	(0.02)	101,672	2,321	0.228	
DELTA13C2405A	0.41	202247	0.39	0.40	0.36	0.39	0.39	0.40	(0.02)	128,354	4,918	0.383	
DELTA13P2403A	0.03	202247	-	0.02	0.02	0.02	0.02	0.03	(0.01)	30	-	0.02	
DELTA13P2403B	0.08	202247	0.07	0.07	0.07	0.07	0.06	0.07	(0.01)	38	-	0.07	
DELTA13P2404A	0.56	202247	-	0.56	0.52	0.53	0.53	0.54	(0.03)	90,958	4,877	0.536	
DELTA13P2405A	0.49	202247	0.49	0.50	0.47	0.48	0.48	0.49	(0.01)	72,724	3,546	0.487	
DELTA19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0	
DELTA19C2402B	0.01	202247	-	-	-	-	-	-	-	-	-	0	
DELTA19C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0	
DELTA19C2404A	0.15	202247	-	0.15	0.14	0.15	0.14	0.15	-	28,842	428	0.148	
DELTA19C2406A	0.46	202247	-	0.46	0.44	0.46	0.45	0.46	-	33,364	1,516	0.454	
DELTA19P2402A	0.07	202247	-	-	-	-	-	-	-	-	-	0	
DELTA19P2404A	0.45	202247	-	0.47	0.45	0.45	0.45	0.46	-	12,588	573	0.455	
DELTA41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0	
DELTA41C2403A	0.12	202247	-	-	-	-	-	0.12	-	-	-	0	
DELTA41C2404B	0.25	202247	-	0.24	0.24	0.24	0.20	-	(0.01)	9,000	216	0.24	
DELTA41C2405A	0.19	202247	-	0.18	0.18	0.18	-	0.19	(0.01)	18,404	331	0.18	
DELTA41C2406A	0.57	202247	-	0.56	0.53	0.56	-	0.58	(0.01)	98,200	5,414	0.551	
DELTA41P2406A	1.03	202247	-	-	-	-	-	-	-	-	-	0	
HANA	48.50	202247	48.75	50.50	48.50	50.25	50.00	50.25	1.75	68,962	343,168	49.761	
HANA01C2403A	0.01	202247	-	0.02	0.01	0.01	0.01	0.02	-	417	-	0.01	
HANA01C2403B	0.05	202247	-	0.06	0.04	0.06	0.05	0.06	0.01	72	-	0.047	
HANA01C2404A	0.24	202247	-	0.29	0.24	0.28	0.28	0.29	0.04	30,419	796	0.261	
HANA01C2405A	0.21	202247	-	0.25	0.21	0.24	0.24	0.25	0.03	30,031	678	0.225	
HANA01C2406A	0.42	202247	0.43	0.49	0.42	0.48	0.48	0.49	0.06	43,100	1,959	0.454	
HANA01P2403X	0.16	202247	-	0.15	0.11	0.11	0.11	0.12	(0.05)	37,858	529	0.139	
HANA01P2404X	0.12	202247	-	-	-	-	0.07	0.08	-	-	-	0	
HANA01P2405X	0.57	202247	-	0.55	0.48	0.49	0.49	0.50	(0.08)	6,234	325	0.52	
HANA06C2404A	0.34	202247	-	0.42	0.35	0.41	-	-	0.07	30,699	1,131	0.368	
HANA06C2405A	0.21	202247	-	0.26	0.22	0.25	0.22	-	0.04	22,847	520	0.227	
HANA11C2407A	0.36	202247	-	0.42	0.37	0.41	0.41	0.42	0.05	12,250	470	0.383	
HANA13C2403A	0.02	202247	-	0.02	0.01	0.02	0.01	0.02	-	1,200	2	0.017	
HANA13C2404A	0.09	202247	-	0.12	0.10	0.12	0.12	0.13	0.03	60,548	665	0.109	
HANA13C2404B	0.25	202247	0.26	0.31	0.25	0.29	0.29	0.30	0.04	139,467	3,791	0.271	
HANA13P2403A	0.13	202247	-	0.10	0.08	0.08	0.07	0.08	(0.05)	19,194	182	0.094	
HANA13P2404A	0.10	202247	-	-	-	-	0.05	0.06	-	-	-	0	
HANA19C2403A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0	
HANA19C2404A	0.11	202247	-	0.15	0.12	0.14	0.14	0.15	0.03	15,114	202	0.133	
HANA19C2404B	0.27	202247	-	0.33	0.26	0.33	0.33	0.34	0.06	55,554	1,613	0.29	
HANA19P2405A	0.50	202247	-	0.48	0.42	0.43	0.43	0.44	(0.07)	19,970	898	0.449	
HANA41C2403A	0.10	202247	-	-	-	-	0.01	-	-	-	-	0	
HANA41C2404A	0.08	202247	-	0.11	0.09	0.10	0.10	0.11	0.02	4,000	41	0.101	
HANA41C2405A	0.45	202247	-	0.53	0.47	0.53	0.47	-	0.08	6,128	302	0.492	
HANA41C2405B	0.31	202247	0.35	0.37	0.32	0.37	0.35	-	0.06	38,800	1,315	0.338	
HANA41C2406A	0.28	202247	0.31	0.33	0.28	0.32	0.30	-	0.04	43,800	1,317	0.3	
HANA41P2405A	0.27	202247	-	0.27	0.25	0.25	-	0.26	(0.02)	12,010	324	0.269	
HANA41P2406A	0.54	202247	0.50	0.53	0.49	0.49	-	0.49	(0.05)	24,017	1,251	0.52	
KCE	44.25	202247	44.25	45.25	43.50	45.25	45.00	45.25	1.00	121,304	542,707	44.739	
KCE01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0	
KCE01C2403A	0.04	202247	-	-	-	-	-	0.02	0.03	-	-	0	
KCE01C2405A	0.09	202247	-	0.09	0.08	0.09	0.09	0.10	-	3,496	28	0.08	
KCE01C2406A	0.25	202247	0.25	0.28	0.24	0.28	0.27	0.28	0.03	109,734	2,860	0.26	
KCE01P2403X	0.19	202247	-	0.20	0.15	0.15	0.15	0.16	(0.04)	81,551	1,396	0.171	
KCE01P2405X	0.83	202247	-	0.85	0.77	0.77	0.76	0.77	(0.06)	10,493	840	0.8	
KCE01P2406X	0.60	202247	-	0.61	0.55	0.55	0.55	0.56	(0.05)	35,345	2,067	0.584	
KCE06C2402A	0.10	202247	-	-	-	-	-	-	-	-	-	0	
KCE06C2406A	0.18	202247	0.18	0.20	0.17	0.20	0.16	0.23	0.02	41,966	741	0.176	
KCE11C2405A	0.14	202247	-	0.14	0.12	0.14	0.14	0.15	-	5,700	76	0.133	
KCE13C2404A	0.05	202247	-	0.05	0.04	0.05	0.05	0.06	-	14,401	72	0.049	
KCE13C2406A	0.18	202247	-	0.20	0.17	0.20	0.20	0.21	0.02	60,679	1,106	0.182	
KCE13C2407A	0.31	202247	0.31	0.34	0.29	0.34	0.34	0.35	0.03	129,990	4,140	0.318	
KCE13P2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0	
KCE13P2403A	0.16	202247	-	0.16	0.12	0.12	0.12	0.13	(0.04)	21,200	299	0.14	
KCE19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0	
KCE19C2404A	0.06	202247	-	0.05	0.05	0.05	0.05	0.06	(0.01)	10	-	0.05	
KCE19C2406A	0.16	202247	-	0.18	0.16	0.17	0.18	0.19	0.01	29,391	486	0.165	
KCE19C2406B	0.22	202247	-	0.24	0.19	0.24	0.24	0.25	0.02	75,818	1,684	0.222	
KCE19P2404A	0.59	202247	-	-	-	-	0.56	0.60	-	-	-	0	
KCE41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0	
KCE41C2404A	0.06	202247	-	-	-	-	-	-	-	-	-	0	
KCE41C2405A	0.08	202247	-	-	-	-	-	0.15	-	-	-	0	
KCE41C2406A	0.15	202247	-	0.17	0.15	0.17	0.12	-	0.02	34,400	552	0.16	
KCE41C2406B	0.25	202247	0.24	0.27	0.23	0.27	-	0.28	0.02	206,653	5,314	0.257	

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
METCO	244.00	202247	244.00	245.00	243.00	243.00	243.00	245.00	(1.00)	215	5,238	243.646
SMT	3.32	202247	3.32	3.32	3.26	3.30	3.30	3.32	(0.02)	11,432	3,767	3.295
SMT-W3	0.23	202247	0.23	0.23	0.22	0.23	0.22	0.23	-	4,273	97	0.227
SVI	6.70	202247	6.70	6.75	6.60	6.75	6.65	6.75	0.05	4,154	2,782	6.697
TEAM	5.10	202247	5.05	5.10	4.98	5.00	5.00	5.05	(0.10)	9,022	4,531	5.021
Energy & Utilities												
7UP	0.40	202247	0.40	0.41	0.39	0.40	0.39	0.40	-	64,066	2,563	0.4
ACC	0.46	202247	0.47	0.47	0.44	0.45	0.45	0.46	(0.01)	104,245	4,744	0.455
ACE	1.55	202247	1.55	1.55	1.49	1.51	1.51	1.52	(0.04)	85,966	13,016	1.514
ACE13C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
ACE13C2407A	0.28	202247	-	0.27	0.25	0.25	0.24	0.25	(0.03)	71	2	0.25
ACE19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
ACE19C2407A	0.31	202247	-	0.31	0.27	0.28	0.28	0.29	(0.03)	15,149	431	0.284
AGE	2.02	202247	2.04	2.04	2.00	2.02	2.00	2.02	-	3,986	806	2.022
AI	4.40	202247	4.40	4.46	4.40	4.44	4.42	4.44	0.04	1,927	854	4.432
AIE	1.37	202247	1.40	1.40	1.35	1.38	1.38	1.39	0.01	3,251	446	1.37
AKR	0.90	202247	0.90	0.91	0.89	0.91	0.89	0.91	0.01	5,009	451	0.9
AKR-W2	0.07	202247	0.06	0.06	0.05	0.06	0.05	0.06	(0.01)	4,562	27	0.059
BAFS	23.80	202247	23.90	24.10	23.60	24.10	24.00	24.10	0.30	3,227	7,714	23.904
BANPU	6.35	202247	6.35	6.35	6.20	6.25	6.20	6.25	(0.10)	433,696	271,725	6.265
BANPU01C2402A	0.02	202247	-	0.01	0.01	0.01	0.01	0.02	(0.01)	102	-	0.01
BANPU01C2402B	0.02	202247	-	0.02	0.01	0.02	0.01	0.02	-	3,846	4	0.01
BANPU01C2404A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BANPU01C2405A	0.08	202247	-	-	-	-	0.07	0.08	-	-	-	0
BANPU01C2406A	0.16	202247	-	0.16	0.15	0.15	0.14	0.15	(0.01)	10,107	156	0.154
BANPU01P2402X	0.12	202247	-	-	-	-	0.06	0.08	-	-	-	0
BANPU01P2404X	0.63	202247	-	0.66	0.64	0.66	0.66	0.68	0.03	5,080	328	0.645
BANPU01P2405X	0.28	202247	-	0.29	0.28	0.29	0.29	0.31	0.01	20,269	575	0.283
BANPU06C2402A	0.06	202247	-	-	-	-	-	-	-	-	-	0
BANPU06C2403A	0.01	202247	-	-	-	-	-	0.02	-	-	-	0
BANPU11C2404A	0.04	202247	-	-	-	-	0.02	0.03	-	-	-	0
BANPU11C2406A	0.16	202247	-	0.16	0.15	0.15	0.15	0.16	(0.01)	22,490	349	0.155
BANPU11P2403A	0.64	202247	-	-	-	-	0.57	0.61	-	-	-	0
BANPU13C2402A	0.02	202247	-	-	-	-	-	-	-	-	-	0
BANPU13C2403A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
BANPU13C2404A	0.02	202247	-	0.02	0.02	0.02	0.01	0.02	-	201	-	0.02
BANPU13C2405A	0.09	202247	-	0.07	0.06	0.06	0.06	0.07	(0.03)	3,742	26	0.07
BANPU13C2406A	0.16	202247	-	0.15	0.14	0.14	0.14	0.15	(0.02)	7,694	112	0.145
BANPU13P2404A	0.50	202247	-	-	-	-	0.46	0.51	-	-	-	0
BANPU13P2405A	0.18	202247	-	0.19	0.18	0.19	0.19	0.20	0.01	28,138	529	0.187
BANPU19C2403A	0.04	202247	-	-	-	-	0.01	0.02	-	-	-	0
BANPU19C2404A	0.03	202247	-	0.02	0.02	0.02	0.02	0.03	(0.01)	160	-	0.02
BANPU19C2405A	0.08	202247	-	-	-	-	0.06	0.07	-	-	-	0
BANPU19C2405B	0.12	202247	-	-	-	-	0.11	0.12	-	-	-	0
BANPU19P2404A	0.48	202247	-	-	-	-	0.43	0.48	-	-	-	0
BANPU19P2406A	0.24	202247	-	0.25	0.24	0.25	0.25	0.26	0.01	10,894	268	0.246
BANPU41C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
BANPU41C2405A	0.08	202247	-	0.07	0.07	0.07	-	-	(0.01)	80	1	0.07
BANPU41C2406A	0.24	202247	0.23	0.24	0.22	0.22	-	-	(0.02)	5,005	112	0.224
BANPU41C2407A	0.25	202247	-	0.24	0.23	0.23	0.22	-	(0.02)	18,400	432	0.235
BBGI	4.00	202247	4.00	4.02	3.98	4.02	4.00	4.02	0.02	2,803	1,122	4.002
BCP	42.00	202247	42.00	42.50	41.75	42.25	42.00	42.25	0.25	28,109	118,378	42.113
BCP01C2403A	0.05	202247	-	-	-	-	0.04	0.05	-	-	-	0
BCP01C2405A	0.27	202247	-	0.27	0.26	0.27	0.27	0.28	-	12,096	324	0.267
BCP01P2402X	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BCP01P2404X	0.25	202247	-	0.26	0.24	0.24	0.24	0.25	(0.01)	6,272	155	0.247
BCP13C2403A	0.04	202247	-	0.03	0.03	0.03	0.02	0.03	(0.01)	250	1	0.03
BCP13C2405A	0.24	202247	-	0.24	0.23	0.24	0.24	0.25	-	22,023	521	0.236
BCP13P2404A	0.08	202247	-	-	-	-	0.08	0.09	-	-	-	0
BCP19C2404A	0.19	202247	-	0.19	0.18	0.19	0.18	0.19	-	15,015	284	0.189
BCPG	8.20	202247	8.20	8.35	8.15	8.25	8.25	8.30	0.05	11,677	9,619	8.237
BCPG01C2402A	0.02	202247	-	0.01	0.01	0.01	0.01	0.02	(0.01)	946	1	0.01
BCPG19C2406A	0.22	202247	-	0.23	0.21	0.23	0.22	0.23	0.01	5,308	113	0.213
BGRIM	28.00	202247	28.00	28.50	27.75	28.25	28.25	28.50	0.25	70,126	197,835	28.211
BGRIM01C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	843	1	0.01
BGRIM01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2403B	0.46	202247	-	0.49	0.45	0.49	0.49	0.51	0.03	1,797	86	0.48
BGRIM01C2404A	0.14	202247	-	0.14	0.13	0.14	0.14	0.15	-	31,390	425	0.135
BGRIM01C2406A	0.23	202247	0.22	0.25	0.22	0.24	0.24	0.25	0.01	93,126	2,187	0.234
BGRIM01P2402X	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01P2404X	0.08	202247	-	0.09	0.07	0.08	0.07	0.08	-	4,802	37	0.077
BGRIM01P2406X	0.20	202247	-	0.19	0.18	0.19	0.18	0.19	(0.01)	64,543	1,196	0.185
BGRIM06C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
BGRIM06C2402B	0.27	202247	-	-	-	-	-	-	-	-	-	0
BGRIM06C2403A	0.06	202247	-	-	-	-	-	-	-	-	-	0
BGRIM06C2404A	0.14	202247	-	0.14	0.13	0.14	-	0.15	-	65,197	897	0.137
BGRIM11C2403A	0.08	202247	-	-	-	-	0.03	0.04	-	-	-	0
BGRIM11C2405A	0.18	202247	0.17	0.19	0.17	0.18	0.18	0.19	-	15,590	275	0.176
BGRIM13C2402A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
BGRIM13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM13C2403B	0.04	202247	-	0.04	0.02	0.04	0.03	0.04	-	20,088	60	0.03
BGRIM13C2403C	0.20	202247	-	-	-	-	0.17	0.21	-	-	-	0
BGRIM13C2404A	0.14	202247	-	0.14	0.13	0.14	0.14	0.15	-	24,709	339	0.137
BGRIM13P2404A	0.06	202247	-	-	-	-	0.02	0.03	-	-	-	0
BGRIM13P2406A	0.18	202247	-	0.18	0.17	0.17	0.16	0.17	(0.01)	21,749	374	0.171
BGRIM19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
BGRIM19C2402B	0.03	202247	-	-	-	-	-	-	-	-	-	0
BGRIM19C2403A	0.06	202247	0.06	0.06	0.06	0.06	0.06	0.07	-	46,000	276	0.06
BGRIM19C2403B	0.27	202247	-	-	-	-	0.19	0.24	-	-	-	0
BGRIM19C2404A	0.17	202247	-	0.18	0.16	0.17	0.17	0.18	-	211,462	3,585	0.169
BGRIM19P2406A	0.19	202247	-	0.19	0.19	0.19	0.19	0.20	-	4,106	78	0.19
BGRIM41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
BGRIM41C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BGRIM41C2403B	0.07	202247	-	-	-	-	0.01	-	-	-	-	0
BGRIM41C2404A	0.31	202247	-	-	-	-	-	-	-	-	-	0
BGRIM41C2404B	0.54	202247	-	-	-	-	-	-	-	-	-	0
BGRIM41C2405A	0.21	202247	0.23	0.23	0.21	0.22	-	0.23	0.01	26,605	583	0.219
BGRIM41C2405B	0.13	202247	0.13	0.13	0.13	0.13	-	0.14	-	9,000	117	0.13
BIOTEC	0.47	202247	0.47	0.48	0.46	0.47	0.46	0.47	-	34,233	1,601	0.467
BIOTEC-P	10.00	202247	-	-	-	-	-	-	-	-	-	0
BIOTEC-Q	10.00	202247	-	-	-	-	-	-	-	-	-	0
BIOTEC-W2	0.13	202247	-	0.14	0.13	0.14	0.13	0.14	0.01	10,263	133	0.13
BPP	14.50	202247	14.40	14.70	14.40	14.50	14.50	14.70	-	5,360	7,799	14.553
BRRGIF	3.28	202247	-	3.30	3.28	3.30	3.24	3.28	0.02	50	16	3.298
BSRC	8.90	202247	8.95	9.10	8.85	9.05	9.05	9.10	0.15	20,447	18,455	9.025
BSRC01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
BSRC13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BSRC19C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
CKP	3.78	202247	3.78	3.86	3.76	3.76	3.76	3.78	(0.02)	50,867	19,252	3.784
CKP01C2407A	0.51	202247	0.52	0.54	0.50	0.50	0.49	0.50	(0.01)	19,267	995	0.516
CKP13C2407A	0.48	202247	-	0.50	0.46	0.46	0.46	0.47	(0.02)	5,298	258	0.486
CKP19C2407A	0.47	202247	0.48	0.50	0.47	0.48	0.46	0.47	0.01	47,135	2,324	0.492
CV	0.62	202247	0.65	0.70	0.63	0.67	0.66	0.67	0.05	1,773,098	116,893	0.659
DEMCO	2.42	202247	-	2.44	2.40	2.42	2.42	2.44	-	954	231	2.421
DEMCO-W7	0.18	202247	0.19	0.19	0.18	0.19	0.18	0.19	0.01	808	15	0.188
EA	40.25	202247	40.25	41.50	39.75	40.75	40.75	41.00	0.50	116,359	473,439	40.687
EA01C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	2	-	0.01
EA01C2403A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	1,250	1	0.01
EA01C2403B	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
EA01C2405A	0.09	202247	-	0.11	0.09	0.10	0.09	0.10	0.01	21,078	209	0.099
EA01C2406A	0.16	202247	-	0.18	0.15	0.17	0.17	0.18	0.01	51,555	847	0.164
EA01C2406B	0.27	202247	-	0.31	0.25	0.30	0.29	0.30	0.03	57,162	1,613	0.282
EA01P2403X	0.32	202247	-	0.32	0.27	0.27	0.27	0.29	(0.05)	2,560	79	0.309
EA01P2404X	0.47	202247	-	0.44	0.44	0.44	0.44	0.46	(0.03)	422	19	0.44
EA01P2406X	0.26	202247	-	0.26	0.24	0.24	0.24	0.25	(0.02)	35,158	878	0.249
EA06C2402A	0.05	202247	-	-	-	-	-	-	-	-	-	0
EA06C2404A	0.06	202247	-	-	-	-	-	-	-	-	-	0
EA06C2406A	0.27	202247	-	0.30	0.25	0.28	-	0.29	0.01	31,516	848	0.269
EA11C2403A	0.09	202247	-	-	-	-	0.02	0.03	-	-	-	0
EA11C2405A	0.07	202247	-	-	-	-	0.08	0.09	-	-	-	0
EA13C2402A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
EA13C2403A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
EA13C2403B	0.01	202247	-	0.02	0.02	0.02	0.01	0.02	0.01	1	-	0.02
EA13C2403C	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
EA13C2405A	0.06	202247	-	0.08	0.06	0.07	0.06	0.07	0.01	75,363	527	0.069
EA13C2406A	0.15	202247	-	0.18	0.15	0.17	0.16	0.17	0.02	36,500	586	0.16
EA13C2406B	0.24	202247	0.24	0.28	0.23	0.27	0.26	0.27	0.03	86,136	2,193	0.254
EA13P2402A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
EA13P2403A	0.11	202247	-	-	-	-	0.06	0.07	-	-	-	0
EA13P2406A	0.31	202247	0.31	0.31	0.27	0.29	0.29	0.30	(0.02)	25,458	748	0.293
EA19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
EA19C2402B	0.01	202247	-	-	-	-	-	-	-	-	-	0
EA19C2403A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2403B	0.05	202247	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2405A	0.09	202247	-	0.11	0.09	0.11	0.10	0.11	0.02	13,296	140	0.105
EA19C2406A	0.21	202247	-	0.23	0.20	0.22	0.21	0.22	0.01	25,200	533	0.211
EA19C2406B	0.33	202247	0.33	0.37	0.32	0.36	0.35	0.36	0.03	57,399	1,901	0.331
EA19P2402A	0.31	202247	-	-	-	-	-	-	-	-	-	0
EA19P2403A	0.07	202247	-	-	-	-	0.05	0.06	-	-	-	0
EA41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
EA41C2403A	0.02	202247	-	-	-	-	0.01	-	-	-	-	0
EA41C2403B	0.01	202247	-	-	-	-	0.01	0.22	-	-	-	0
EA41C2404A	0.13	202247	0.14	0.15	0.13	0.14	-	0.15	0.01	37,000	528	0.142
EA41C2405A	0.09	202247	-	0.10	0.10	0.10	0.09	0.10	0.01	14,000	140	0.1
EA41C2406A	0.26	202247	-	0.29	0.25	0.27	0.20	0.30	0.01	20,020	525	0.262
EA41P2405A	0.46	202247	-	-	-	-	-	-	-	-	-	0
EASTW	4.04	202247	4.04	4.06	4.02	4.02	4.02	4.04	(0.02)	2,373	955	4.025
EGATIF	6.00	202247	6.00	6.05	6.00	6.00	6.00	6.05	-	726	436	6.011
EGCO	133.50	202247	132.50	135.00	132.50	133.50	133.50	134.00	-	12,867	172,289	133.899
EGCO01C2404A	0.27	202247	-	0.29	0.25	0.28	0.28	0.29	0.01	15,262	418	0.273
EGCO13C2403A	0.06	202247	-	-	-	-	0.05	0.06	-	-	-	0
EGCO13C2405A	0.36	202247	-	0.36	0.32	0.33	0.33	0.36	(0.03)	70,264	2,379	0.338
EGCO19C2403A	0.10	202247	-	0.11	0.10	0.10	0.10	0.11	-	12,580	133	0.105
EP	2.60	202247	2.60	2.60	2.58	2.60	2.58	2.60	-	245	64	2.599
EP-W4	0.14	202247	-	0.14	0.14	0.14	0.14	0.16	-	14	-	0.14
ETC	2.44	202247	2.46	2.46	2.42	2.44	2.42	2.44	-	2,252	547	2.428
GPSC	50.75	202247	50.50	51.50	50.50	51.00	50.75	51.00	0.25	85,467	436,704	51.096
GPSC01C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	6,700	7	0.01
GPSC01C2402B	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01C2403A	0.12	202247	-	0.12	0.11	0.12	0.12	0.13	-	30,202	359	0.118
GPSC01C2403B	0.63	202247	-	0.67	0.63	0.65	0.65	0.67	0.02	11,452	750	0.654
GPSC01C2404A	0.39	202247	-	0.41	0.38	0.39	0.38	0.39	-	28,264	1,121	0.396
GPSC01C2405A	0.26	202247	-	0.27	0.25	0.25	0.25	0.26	(0.01)	151,483	4,001	0.264
GPSC01P2403X	0.07	202247	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01P2404X	0.08	202247	-	0.06	0.06	0.06	0.05	0.06	(0.02)	1	-	0.06
GPSC01P2405X	0.25	202247	-	0.26	0.24	0.24	0.23	0.24	(0.01)	82,179	1,973	0.24
GPSC06C2402A	0.07	202247	-	-	-	-	-	-	-	-	-	0
GPSC06C2403A	0.34	202247	-	-	-	-	-	-	-	-	-	0
GPSC06C2404A	0.26	202247	-	0.27	0.25	0.26	-	0.26	-	104,629	2,749	0.262
GPSC11C2403A	0.29	202247	-	0.30	0.28	0.29	0.29	0.30	-	23,256	686	0.294
GPSC11P2405A	0.22	202247	-	0.21	0.21	0.21	0.21	0.22	(0.01)	7,420	156	0.21
GPSC13C2402A	0.04	202247	-	-	-	-	0.01	0.02	-	-	-	0
GPSC13C2403A	0.09	202247	-	0.09	0.09	0.09	0.09	0.10	-	19,402	175	0.09
GPSC13C2403B	0.22	202247	0.21	0.24	0.21	0.22	0.22	0.23	-	5,434	125	0.23
GPSC13C2406A	0.32	202247	0.31	0.34	0.31	0.32	0.32	0.33	-	93,689	3,050	0.325
GPSC13P2403A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
GPSC13P2404A	0.07	202247	-	-	-	-	0.05	0.06	-	-	-	0
GPSC13P2407A	1.00	202247	-	0.35	0.34	0.34	0.34	0.35	(0.66)	34,884	1,188	0.34
GPSC19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
GPSC19C2402B	0.05	202247	-	-	-	-	-	-	-	-	-	0
GPSC19C2403A	0.22	202247	-	0.23	0.21	0.22	0.22	0.23	-	24,308	547	0.225
GPSC19C2405A	0.25	202247	0.24	0.27	0.24	0.26	0.26	0.27	0.01	56,678	1,466	0.258
GPSC19P2404A	0.05	202247	-	-	-	-	0.02	0.03	-	-	-	0
GPSC19P2406A	0.24	202247	-	0.24	0.23	0.23	0.23	0.24	(0.01)	14,035	323	0.23
GPSC41C2402A	0.07	202247	-	-	-	-	-	-	-	-	-	0
GPSC41C2403A	0.34	202247	-	0.36	0.35	0.35	-	-	0.01	5,000	176	0.351
GPSC41C2404A	0.63	202247	-	-	-	-	-	-	-	-	-	0
GPSC41C2405A	0.29	202247	0.30	0.30	0.28	0.29	0.25	-	-	70,630	2,078	0.294
GPSC41P2406A	0.35	202247	-	0.34	0.33	0.33	0.31	-	(0.02)	44,360	1,492	0.336
GREEN	1.23	202247	1.22	1.26	1.20	1.23	1.23	1.24	-	23,233	2,855	1.228
GULF	43.75	202247	43.50	44.00	43.50	43.50	43.50	43.75	(0.25)	58,836	256,821	43.652
GULF01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
GULF01C2402T	0.04	202247	-	-	-	-	0.01	0.02	-	-	-	0
GULF01C2403A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
GULF01C2405A	0.13	202247	-	0.13	0.12	0.12	0.12	0.13	(0.01)	1,801	23	0.125
GULF01C2406A	1.00	202247	-	0.26	0.25	0.25	0.24	0.25	(0.75)	18,142	455	0.251
GULF01P2402X	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
GULF01P2403X	0.07	202247	-	-	-	-	0.03	0.04	-	-	-	0
GULF01P2405X	0.23	202247	-	0.23	0.22	0.22	0.22	0.23	(0.01)	53,491	1,182	0.22
GULF06C2402A	0.06	202247	-	-	-	-	-	-	-	-	-	0
GULF11C2407T	0.28	202247	-	0.28	0.27	0.28	0.27	0.28	-	1,005	28	0.275
GULF13C2402A	0.02	202247	-	-	-	-	-	-	-	-	-	0
GULF13C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
GULF13C2405A	0.11	202247	-	0.10	0.09	0.09	0.09	0.10	(0.02)	35,444	352	0.099
GULF13C2406A	0.22	202247	0.21	0.22	0.20	0.20	0.20	0.21	(0.02)	101,936	2,137	0.209
GULF13P2405A	0.19	202247	-	0.19	0.17	0.19	0.19	0.20	-	49,816	905	0.181
GULF19C2402A	0.03	202247	-	-	-	-	-	-	-	-	-	0
GULF19C2404A	0.10	202247	-	0.10	0.09	0.09	0.08	0.09	(0.01)	1,898	17	0.09
GULF19C2406A	0.21	202247	-	0.22	0.20	0.20	0.20	0.21	(0.01)	48,856	1,030	0.21
GULF19P2404A	0.12	202247	-	-	-	-	0.10	0.11	-	-	-	0
GULF41C2402A	0.07	202247	-	-	-	-	-	-	-	-	-	0
GULF41C2403A	0.06	202247	-	-	-	-	-	-	-	-	-	0
GULF41C2405A	0.10	202247	-	-	-	-	-	-	-	-	-	0
GULF41C2405B	0.13	202247	-	-	-	-	-	-	-	-	-	0
GULF41C2406A	0.24	202247	-	0.24	0.23	0.24	-	0.24	-	28,400	682	0.239
GULF41P2402A	0.08	202247	-	-	-	-	-	-	-	-	-	0
GULF41P2405A	0.33	202247	-	-	-	-	-	-	-	-	-	0
GUNKUL	3.16	202247	3.14	3.16	3.10	3.12	3.12	3.14	(0.04)	280,954	87,629	3.118
GUNKUL01C2404A	0.44	202247	-	0.42	0.40	0.40	0.40	0.42	(0.04)	3,846	157	0.406
GUNKUL01P2404X	0.08	202247	-	-	-	-	0.02	0.03	-	-	-	0
GUNKUL11C2404A	0.43	202247	-	-	-	-	0.41	0.43	-	-	-	0
GUNKUL13C2403A	0.10	202247	-	-	-	-	0.08	0.09	-	-	-	0
GUNKUL13C2404A	0.39	202247	-	0.38	0.36	0.37	0.37	0.38	(0.02)	18,958	701	0.369
GUNKUL13P2404A	0.03	202247	-	-	-	-	0.02	0.03	-	-	-	0
GUNKUL19C2403A	0.03	202247	-	-	-	-	0.02	0.03	-	-	-	0
GUNKUL19C2403B	0.21	202247	-	0.20	0.18	0.19	0.19	0.20	(0.02)	10,409	200	0.192
GUNKUL19C2405A	0.49	202247	0.47	0.47	0.45	0.45	0.45	0.46	(0.04)	120	5	0.453
IFEC	0.35	202247	-	-	-	-	-	-	-	-	-	0
IRPC	1.97	202247	1.98	1.99	1.96	1.96	1.96	1.97	(0.01)	157,907	31,125	1.971
IRPC01C2402A	0.01	202247	0.01	0.01	0.01	0.01	0.01	0.02	-	8,300	8	0.01
IRPC01C2406A	0.12	202247	-	-	-	-	0.10	0.11	-	-	-	0
IRPC11C2402T	0.01	202247	-	-	-	-	0.01	0.03	-	-	-	0
IRPC13C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	500	1	0.01
IRPC13C2405A	0.08	202247	-	0.08	0.08	0.08	0.07	0.08	-	112	1	0.08
IRPC13C2407A	0.38	202247	-	0.38	0.37	0.37	0.36	0.37	(0.01)	17,038	633	0.371
IRPC19C2404A	0.06	202247	-	-	-	-	0.07	0.08	-	-	-	0
JR	5.15	202247	-	5.15	5.10	5.15	5.10	5.15	-	1,156	592	5.121
KBSPIF	9.00	202247	9.00	9.00	8.90	8.95	8.90	8.95	(0.05)	643	574	8.932
LANNA	15.20	202247	15.10	15.10	14.80	14.80	14.80	15.00	(0.40)	6,816	10,185	14.942
MDX	2.84	202247	-	2.90	2.84	2.84	2.84	2.88	-	204	59	2.883
NOVA	11.30	202247	-	-	-	-	11.00	11.30	-	-	-	0
OR	18.10	202247	18.10	18.10	18.00	18.00	18.00	18.10	(0.10)	45,413	81,946	18.044
OR01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
OR01C2403A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
OR01C2405A	0.12	202247	0.11	0.11	0.11	0.11	0.11	0.12	(0.01)	801	9	0.11
OR01P2405X	0.50	202247	-	-	-	-	0.51	0.52	-	-	-	0
OR06C2402A	0.01	202247	-	-	-	-	-	0.10	-	-	-	0
OR06C2403A	0.12	202247	-	-	-	-	-	-	-	-	-	0
OR11C2404A	0.10	202247	-	-	-	-	0.09	0.10	-	-	-	0
OR13C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
OR13C2403A	0.02	202247	-	-	-	-	-	0.01	-	-	-	0
OR13C2404A	0.07	202247	-	0.05	0.05	0.05	0.05	0.07	(0.02)	2	-	0.05
OR13P2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
OR19C2403A	0.06	202247	-	-	-	-	0.02	0.03	-	-	-	0
OR19C2404A	0.05	202247	-	0.05	0.05	0.05	0.04	0.05	-	1	-	0.05
OR19C2407A	1.00	202247	-	0.27	0.27	0.27	0.26	0.27	(0.73)	1,140	31	0.27
PCC	3.04	202247	3.08	3.08	3.02	3.06	3.04	3.06	0.02	814	247	3.037
PRIME	0.81	202247	0.82	0.86	0.80	0.83	0.83	0.84	0.02	608,950	50,759	0.833
PTG	8.70	202247	8.80	8.85	8.70	8.75	8.70	8.75	0.05	23,356	20,490	8.772
PTG01C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
PTG01C2404A	0.18	202247	-	0.19	0.18	0.18	0.18	0.19	-	2,362	44	0.184
PTG01C2407A	0.33	202247	-	0.34	0.32	0.32	0.32	0.33	(0.01)	7,222	237	0.327
PTG01P2403X	0.07	202247	-	-	-	-	0.04	0.05	-	-	-	0
PTG06C2402A	0.05	202247	-	-	-	-	-	-	-	-	-	0
PTG11C2405A	0.39	202247	-	-	-	-	0.36	0.39	-	-	-	0
PTG13C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
PTG13C2403A	0.06	202247	-	-	-	-	0.01	0.02	-	-	-	0
PTG13C2403B	0.13	202247	-	0.13	0.13	0.13	0.13	0.14	-	10,160	132	0.13
PTG13C2407A	0.29	202247	0.30	0.30	0.29	0.29	0.29	0.30	-	19,781	578	0.292

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PTG19C2402A	0.02	202247	-	-	-	-	-	-	-	-	-	0
PTG19C2404A	0.20	202247	-	0.20	0.20	0.20	0.20	0.21	-	7,248	145	0.2
PTG19C2407A	0.33	202247	-	0.34	0.33	0.33	0.33	0.34	-	9,334	310	0.331
PTG41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
PTT	34.00	202247	34.00	34.25	33.75	34.00	34.00	34.25	-	232,453	791,886	34.066
PTT01C2403A	0.03	202247	-	0.03	0.03	0.03	0.03	0.04	-	1	-	0.03
PTT01C2405A	0.11	202247	-	0.10	0.10	0.10	0.10	0.11	(0.01)	1	-	0.1
PTT01P2403X	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
PTT01P2405X	0.16	202247	-	0.16	0.16	0.16	0.16	0.17	-	1,690	27	0.16
PTT11C2404A	0.07	202247	-	0.07	0.07	0.07	0.07	0.08	-	1,000	7	0.07
PTT13C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
PTT13C2403A	0.03	202247	-	-	-	-	0.02	0.03	-	-	-	0
PTT13C2406A	0.15	202247	0.15	0.15	0.15	0.15	0.14	0.15	-	3,010	45	0.15
PTT13P2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
PTT13P2405A	0.12	202247	-	-	-	-	0.11	0.12	-	-	-	0
PTT19C2402A	0.07	202247	-	-	-	-	-	-	-	-	-	0
PTT19C2404A	0.08	202247	-	-	-	-	0.05	0.06	-	-	-	0
PTT19C2406A	0.17	202247	0.17	0.17	0.17	0.17	0.16	0.17	-	6	-	0.17
PTTEP	151.50	202247	152.00	152.00	151.00	152.00	151.50	152.00	0.50	65,936	999,952	151.654
PTTEP01C2403A	0.02	202247	-	0.02	0.02	0.02	0.02	0.03	-	900	2	0.02
PTTEP01C2404A	0.15	202247	-	-	-	-	0.15	0.16	-	-	-	0
PTTEP01C2404T	0.13	202247	-	0.13	0.13	0.13	0.13	0.14	-	10,000	130	0.13
PTTEP01C2405A	0.44	202247	0.45	0.45	0.42	0.43	0.43	0.44	(0.01)	25,202	1,084	0.429
PTTEP01P2402X	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	100	-	0.01
PTTEP01P2403X	0.41	202247	-	0.39	0.39	0.39	0.37	0.39	(0.02)	2,722	106	0.39
PTTEP01P2405X	0.19	202247	0.19	0.20	0.18	0.18	0.18	0.19	(0.01)	20,678	392	0.189
PTTEP06C2403A	0.09	202247	-	-	-	-	-	-	-	-	-	0
PTTEP06C2405A	0.43	202247	-	0.44	0.43	0.44	0.41	0.45	0.01	24,904	1,071	0.43
PTTEP11C2403T	0.11	202247	-	-	-	-	0.07	0.08	-	-	-	0
PTTEP11C2406A	0.42	202247	-	0.42	0.42	0.42	0.42	0.43	-	20	1	0.42
PTTEP11P2402A	0.09	202247	-	-	-	-	0.02	0.03	-	-	-	0
PTTEP11P2406A	0.50	202247	0.48	0.49	0.47	0.47	0.47	0.48	(0.03)	10,230	492	0.48
PTTEP13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP13C2404A	0.13	202247	-	0.14	0.14	0.14	0.14	0.15	0.01	400	6	0.14
PTTEP13C2405A	0.36	202247	-	0.35	0.34	0.35	0.35	0.36	(0.01)	7,350	255	0.347
PTTEP13P2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP13P2405A	0.12	202247	-	0.11	0.11	0.11	0.10	0.11	(0.01)	500	6	0.11
PTTEP13P2406A	0.36	202247	0.35	0.36	0.35	0.35	0.34	0.35	(0.01)	18,061	632	0.35
PTTEP19C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2403B	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2404A	0.07	202247	-	-	-	-	0.07	0.08	-	-	-	0
PTTEP19C2404B	0.19	202247	-	-	-	-	0.19	0.20	-	-	-	0
PTTEP19C2406A	0.40	202247	-	0.41	0.40	0.41	0.41	0.42	0.01	42,412	1,706	0.402
PTTEP19P2402A	0.03	202247	-	-	-	-	-	-	-	-	-	0
PTTEP41C2403A	0.04	202247	-	-	-	-	0.01	-	-	-	-	0
PTTEP41C2404A	0.09	202247	-	-	-	-	-	-	-	-	-	0
PTTEP41C2405A	0.34	202247	-	0.34	0.33	0.34	-	-	-	40,400	1,336	0.33
PTTEP41C2405B	0.33	202247	-	0.33	0.32	0.33	-	0.34	-	25,623	822	0.32
PTTEP41P2402A	0.14	202247	-	-	-	-	-	-	-	-	-	0
PTTEP41P2403A	0.75	202247	-	0.59	0.58	0.59	-	-	(0.16)	2,400	140	0.585
PTTEP41P2405A	0.20	202247	-	0.18	0.18	0.18	-	-	(0.02)	12,000	216	0.18
PTTEP41P2406A	0.52	202247	-	0.44	0.43	0.43	-	0.47	(0.09)	30,810	1,340	0.435
QTC	4.06	202247	4.04	4.18	4.04	4.18	4.08	4.16	0.12	3	1	4.086
RATCH	30.50	202247	30.50	30.75	30.25	30.50	30.50	30.75	-	13,524	41,270	30.515
RATCH01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
RATCH01C2405A	0.10	202247	-	0.10	0.10	0.10	0.10	0.11	-	4,800	48	0.1
RATCH11P2402A	0.28	202247	-	-	-	-	0.19	0.21	-	-	-	0
RATCH13C2402A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
RATCH13C2405A	0.06	202247	-	-	-	-	0.05	0.06	-	-	-	0
RATCH13P2404A	0.14	202247	-	0.13	0.12	0.13	0.13	0.14	(0.01)	17,736	228	0.128
RATCH19C2402A	0.04	202247	-	-	-	-	-	-	-	-	-	0
RATCH19C2405A	0.12	202247	-	0.12	0.12	0.12	0.12	0.13	-	4,000	48	0.12
RPC	0.62	202247	0.63	0.65	0.62	0.62	0.62	0.64	-	9,529	600	0.629
SCG	3.62	202247	3.42	3.56	3.42	3.54	3.54	3.56	(0.08)	118	42	3.523
SCI	0.77	202247	0.80	0.80	0.77	0.78	0.78	0.79	0.01	2,229	173	0.773
SCN	1.54	202247	1.54	1.57	1.53	1.55	1.55	1.56	0.01	1,706	263	1.539
SCN-W2	0.12	202247	-	0.13	0.12	0.13	0.12	0.13	0.01	1,056	13	0.12
SEAOIL	2.94	202247	2.96	2.98	2.90	2.90	2.90	2.94	(0.04)	294	86	2.916
SGP	8.05	202247	8.20	8.20	8.00	8.00	8.00	8.15	(0.05)	1,166	940	8.064
SKE	0.47	202247	0.47	0.48	0.47	0.48	0.47	0.48	0.01	1,179	56	0.476
SKE-W1	0.07	202247	-	0.08	0.07	0.07	0.06	0.07	-	643	5	0.07
SOLAR	0.75	202247	0.75	0.77	0.73	0.74	0.74	0.75	(0.01)	25,073	1,872	0.746
SPCG	12.30	202247	12.20	12.40	12.10	12.10	12.10	12.20	(0.20)	4,840	5,883	12.154
SPRC	8.50	202247	8.55	8.65	8.40	8.60	8.60	8.65	0.10	177,601	152,279	8.574
SPRC01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
SPRC01C2403A	0.08	202247	-	-	-	-	0.07	0.08	-	-	-	0
SPRC01C2405A	0.22	202247	0.23	0.24	0.21	0.23	0.23	0.24	0.01	30,499	685	0.224
SPRC06C2402A	0.08	202247	-	-	-	-	-	-	-	-	-	0
SPRC06C2405A	0.26	202247	-	0.28	0.25	0.28	-	0.29	0.02	46,032	1,212	0.263
SPRC13C2403A	0.08	202247	-	-	-	-	0.05	0.06	-	-	-	0
SPRC13C2404A	0.22	202247	-	0.24	0.20	0.23	0.23	0.24	0.01	43,447	955	0.219
SPRC13P2405A	0.11	202247	-	0.11	0.11	0.11	0.10	0.11	-	4,000	44	0.11
SPRC19C2403A	0.05	202247	-	-	-	-	0.03	0.04	-	-	-	0
SPRC19C2404A	0.22	202247	-	0.24	0.21	0.23	0.23	0.24	0.01	44,530	997	0.223
SSP	8.30	202247	8.30	8.35	8.20	8.20	8.20	8.25	(0.10)	53,356	43,945	8.236
SSP-W2	0.27	202247	0.28	0.29	0.27	0.27	0.27	0.28	-	711	20	0.276
SUPER	0.41	202247	0.41	0.42	0.41	0.41	0.41	0.42	-	121,686	4,994	0.41
SUPEREIF	6.55	202247	6.55	6.65	6.50	6.60	6.60	6.65	0.05	641	420	6.559
SUSCO	4.58	202247	4.58	4.60	4.48	4.52	4.52	4.54	(0.06)	124,692	56,398	4.523
TAE	1.07	202247	1.07	1.12	1.07	1.11	1.11	1.12	0.04	10,411	1,144	1.099
TCC	0.58	202247	-	0.58	0.56	0.57	0.56	0.57	(0.01)	1,198	67	0.56
TCC-W5	0.23	202247	-	0.24	0.24	0.24	0.23	0.24	0.01	12	-	0.24
TGE	2.98	202247	3.00	3.12	2.94	3.08	3.06	3.08	0.10	109,065	33,190	3.043

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TOP	54.50	202247	54.75	55.00	54.50	54.75	54.75	55.00	0.25	50,155	274,554	54.741
TOP01C2402A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
TOP01C2404A	0.27	202247	-	0.28	0.27	0.28	0.28	0.29	0.01	36,746	1,027	0.279
TOP01C2405A	0.27	202247	-	-	-	-	0.26	0.27	-	-	-	0
TOP01P2404X	0.13	202247	-	-	-	-	0.11	0.12	-	-	-	0
TOP01P2406X	0.41	202247	-	0.40	0.40	0.40	0.40	0.41	(0.01)	8,650	346	0.4
TOP06C2402A	0.11	202247	-	0.10	0.09	0.10	-	-	(0.01)	19,527	186	0.095
TOP11C2405A	0.45	202247	-	0.45	0.45	0.45	0.45	0.46	-	4,390	198	0.45
TOP11P2406A	0.45	202247	-	0.45	0.44	0.44	0.44	0.45	(0.01)	4,620	204	0.44
TOP13C2402A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
TOP13C2404A	0.36	202247	-	0.36	0.35	0.36	0.36	0.37	-	35,204	1,265	0.359
TOP13P2404A	0.05	202247	-	0.04	0.04	0.04	0.04	0.05	(0.01)	4,016	16	0.04
TOP19C2403A	0.15	202247	-	-	-	-	0.14	0.15	-	-	-	0
TOP19C2405A	0.24	202247	-	0.23	0.23	0.23	0.23	0.24	(0.01)	43,302	996	0.23
TOP41C2404A	0.34	202247	-	-	-	-	-	-	-	-	-	0
TOP41C2405A	0.24	202247	0.25	0.25	0.24	0.25	0.23	-	0.01	74,710	1,865	0.249
TPIPP	3.36	202247	3.36	3.38	3.34	3.34	3.34	3.38	(0.02)	30,147	10,107	3.352
TSE	2.00	202247	2.00	2.06	2.00	2.04	2.02	2.04	0.04	11,845	2,408	2.032
TTW	9.50	202247	9.55	9.80	9.55	9.70	9.65	9.70	0.20	65,298	63,425	9.713
UBE	0.93	202247	0.93	0.98	0.93	0.96	0.95	0.96	0.03	311,636	29,868	0.958
WHAUP	4.00	202247	4.00	4.00	3.92	3.92	3.92	3.94	(0.08)	30,165	11,906	3.947
WP	3.88	202247	3.84	3.88	3.70	3.74	3.72	3.84	(0.14)	687	257	3.737
Media & Publishing												
AMARIN	4.14	202247	-	4.20	4.14	4.14	4.14	4.16	-	133	55	4.153
AQUA	0.34	202247	0.34	0.35	0.34	0.35	0.34	0.35	0.01	21,903	758	0.345
AQUA-W3	0.01	202247	-	0.01	0.01	0.01	-	0.01	-	2	-	0.01
AS	7.85	202247	7.85	7.90	7.75	7.85	7.80	7.85	-	1,118	870	7.782
BEC	4.64	202247	4.68	4.68	4.60	4.62	4.62	4.66	(0.02)	3,674	1,702	4.631
FE	165.00	202247	-	-	-	-	123.00	165.00	-	-	-	0
GPI	1.79	202247	1.81	1.83	1.78	1.82	1.77	1.82	0.03	2,680	481	1.793
GRAMMY	6.10	202247	-	6.25	6.10	6.10	6.05	6.15	-	112	68	6.108
JKN	1.07	202247	1.04	1.10	1.02	1.04	1.04	1.05	(0.03)	553,545	58,676	1.06
MAJOR	14.30	202247	14.30	14.40	13.90	14.00	13.90	14.00	(0.30)	27,868	39,248	14.083
MATCH	1.53	202247	1.50	1.53	1.49	1.49	1.49	1.52	(0.04)	43	6	1.494
MATI	8.00	202247	8.00	8.00	8.00	8.00	7.65	8.00	-	2	2	8
MCOT	3.06	202247	-	3.16	3.00	3.10	3.02	3.10	0.04	66	20	3.015
MONO	0.93	202247	0.92	0.93	0.89	0.91	0.90	0.91	(0.02)	68,187	6,225	0.912
NATION	0.04	202247	0.04	0.05	0.04	0.04	0.04	0.05	-	6,426	26	0.04
NATION-W4	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
ONEE	4.06	202247	4.10	4.12	4.04	4.04	4.04	4.06	(0.02)	17,051	6,941	4.07
PLANB	8.75	202247	8.75	8.90	8.70	8.70	8.70	8.75	(0.05)	73,538	64,457	8.765
PLANB-W1	1.85	202247	-	1.84	1.79	1.81	1.78	1.81	(0.04)	21	4	1.799
PLANB11C2403A	0.15	202247	0.15	0.17	0.15	0.15	0.14	0.15	-	4,254	66	0.155
PLANB11P2402A	0.09	202247	-	0.06	0.06	0.06	0.07	0.08	(0.03)	1,000	6	0.06
PLANB13C2403A	0.07	202247	-	0.07	0.07	0.07	0.05	0.06	-	20	-	0.07
PLANB19C2403A	0.06	202247	-	-	-	-	0.04	0.05	-	-	-	0
POST	1.10	202247	-	-	-	-	-	-	-	-	-	0
PRAKIT	11.30	202247	11.40	11.40	11.20	11.20	11.10	11.20	(0.10)	242	274	11.334
PTECH	12.20	202247	-	12.40	12.20	12.40	10.80	12.40	0.20	10	12	12.29
ROCTEC	0.58	202247	0.59	0.59	0.57	0.57	0.57	0.58	(0.01)	14,354	819	0.57
ROCTEC-W3	0.04	202247	0.05	0.05	0.03	0.05	0.04	0.05	0.01	19,514	78	0.04
SE-ED	2.22	202247	2.28	2.28	2.22	2.28	2.22	2.26	0.06	207	46	2.222
TKS	6.90	202247	6.95	6.95	6.80	6.85	6.85	6.90	(0.05)	235	161	6.867
VGI	1.57	202247	1.57	1.60	1.55	1.59	1.58	1.59	0.02	368,404	58,014	1.574
VGI-W3	0.07	202247	0.07	0.08	0.07	0.08	0.07	0.08	0.01	1,088	8	0.07
VGI01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2403B	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2404A	0.04	202247	-	-	-	-	0.04	0.05	-	-	-	0
VGI01C2405A	0.02	202247	-	0.02	0.02	0.02	0.01	0.02	-	97	-	0.02
VGI01C2406A	0.16	202247	0.16	0.17	0.16	0.17	0.17	0.18	0.01	48,656	796	0.163
VGI01P2405X	0.70	202247	0.69	0.71	0.68	0.68	0.68	0.69	(0.02)	8,816	616	0.698
VGI06C2403A	0.01	202247	-	-	-	-	-	-	-	-	-	0
VGI06C2405A	0.02	202247	-	-	-	-	-	-	-	-	-	0
VGI13C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
VGI13C2403B	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
VGI13C2403C	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	999	1	0.01
VGI13C2405A	0.02	202247	-	-	-	-	0.02	0.03	-	-	-	0
VGI13C2406A	0.16	202247	-	0.16	0.15	0.16	0.16	0.17	-	49,492	777	0.156
VGI13P2405A	0.53	202247	-	0.53	0.51	0.51	0.50	0.51	(0.02)	60,065	3,125	0.52
VGI19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
VGI19C2402B	0.01	202247	-	-	-	-	-	-	-	-	-	0
VGI19C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
VGI19C2405A	0.09	202247	0.10	0.10	0.08	0.09	0.09	0.10	-	3,759	33	0.087
VGI19C2405B	0.03	202247	-	-	-	-	0.02	0.03	-	-	-	0
VGI41C2405A	0.10	202247	-	-	-	-	0.01	-	-	-	-	0
WORK	10.40	202247	10.40	10.50	10.30	10.40	10.40	10.50	-	242	252	10.397
ZAA	1.46	202247	1.46	1.46	1.44	1.46	1.45	1.46	-	10,932	1,581	1.445
Finance & Securities												
AEONTS	153.00	202247	153.00	154.50	153.00	154.50	153.50	154.50	1.50	1,432	22,048	153.963
AMANAH	2.22	202247	2.20	2.26	2.20	2.22	2.20	2.22	-	6,817	1,518	2.226
ASAP	3.42	202247	3.46	3.46	3.34	3.42	3.40	3.42	-	22,966	7,766	3.381
ASK	19.90	202247	19.90	20.10	19.90	20.00	19.90	20.00	0.10	5,354	10,691	19.969
ASP	2.82	202247	2.80	2.84	2.80	2.82	2.80	2.82	-	4,970	1,402	2.82
BAM	8.15	202247	8.15	8.20	8.05	8.15	8.10	8.15	-	58,055	47,160	8.123
BAM01C2403A	0.02	202247	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
BAM01C2404A	0.05	202247	-	-	-	-	0.04	0.05	-	-	-	0
BAM01C2406A	0.26	202247	0.26	0.26	0.25	0.26	0.26	0.27	-	8,799	221	0.251
BAM11C2405A	0.21	202247	0.21	0.21	0.20	0.20	0.20	0.21	(0.01)	2,270	45	0.20
BAM13C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
BAM13C2405A	0.14	202247	-	0.14	0.13	0.13	0.13	0.14	(0.01)	15,138	197	0.13
BAM19C2404A	0.08	202247	-	-	-	-	0.07	0.08	-	-	-	0
BAM19C2405A	0.15	202247	-	-	-	-	0.15	0.16	-	-	-	0

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BYD	4.26	202247	4.28	4.30	4.18	4.28	4.26	4.28	0.02	27,624	11,780	4.264
BYD06C2402A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
BYD06C2404A	0.05	202247	-	-	-	-	-	-	-	-	-	0
BYD13C2402A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
BYD13C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
BYD13C2403B	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BYD13C2403C	0.09	202247	-	-	-	-	0.06	0.07	-	-	-	0
BYD13C2405A	0.09	202247	-	-	-	-	0.08	0.09	-	-	-	0
BYD13C2406A	0.42	202247	0.43	0.43	0.38	0.41	0.41	0.42	(0.01)	13,662	544	0.398
BYD19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
BYD19C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
BYD19C2404A	0.23	202247	0.22	0.23	0.21	0.22	0.22	0.23	(0.01)	15,862	348	0.219
CGH	0.72	202247	0.72	0.74	0.71	0.72	0.72	0.73	-	1,991	144	0.722
CGH-W4	0.01	202247	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
CHASE	1.70	202247	1.70	1.70	1.67	1.70	1.70	1.71	-	52,673	8,875	1.684
CHAYO	5.25	202247	5.25	5.25	5.10	5.20	5.20	5.25	(0.05)	6,557	3,400	5.185
CHAYO-W3	0.56	202247	0.56	0.58	0.56	0.58	0.57	0.58	0.02	11,354	653	0.575
ECL	1.43	202247	1.43	1.43	1.41	1.41	1.41	1.42	(0.02)	1,954	277	1.418
ECL-W4	0.03	202247	0.02	0.03	0.02	0.03	0.02	0.03	-	5,126	10	0.02
FNS	3.90	202247	3.92	3.92	3.88	3.90	3.90	3.92	-	648	252	3.894
FSX	2.48	202247	-	2.52	2.48	2.48	2.48	2.50	-	201	50	2.484
GBX	0.71	202247	0.71	0.72	0.71	0.72	0.71	0.72	0.01	4,183	299	0.715
GL	0.65	202247	-	-	-	-	-	-	-	-	-	0
HENG	1.87	202247	1.85	1.87	1.83	1.85	1.85	1.86	(0.02)	22,458	4,139	1.843
IFS	2.74	202247	2.76	2.76	2.72	2.76	2.74	2.76	0.02	53	15	2.74
JMT	21.20	202247	21.30	21.80	21.10	21.40	21.40	21.50	0.20	196,797	422,240	21.455
JMT-W4	1.95	202247	1.96	2.10	1.94	2.00	1.99	2.00	0.05	14,420	2,896	2.008
JMT01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
JMT01C2404A	0.04	202247	-	-	-	-	0.03	0.04	-	-	-	0
JMT01C2405A	0.07	202247	-	0.08	0.08	0.08	0.07	0.08	0.01	1,100	9	0.08
JMT01C2406A	0.44	202247	0.44	0.47	0.43	0.44	0.44	0.45	-	109,693	4,930	0.449
JMT01P2403A	0.43	202247	-	0.40	0.38	0.40	0.40	0.42	(0.03)	71	3	0.394
JMT01P2404X	0.47	202247	-	0.43	0.43	0.43	0.43	0.45	(0.04)	290	12	0.43
JMT06C2402A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
JMT06C2403A	0.01	202247	-	-	-	-	-	-	-	-	-	0
JMT06C2404A	0.05	202247	-	-	-	-	-	-	-	-	-	0
JMT11C2402T	0.01	202247	-	-	-	-	0.01	0.03	-	-	-	0
JMT11C2405A	0.06	202247	-	0.07	0.07	0.07	0.07	0.08	0.01	1,000	7	0.07
JMT11C2407A	0.55	202247	0.56	0.59	0.54	0.57	0.56	0.57	0.02	63,790	3,601	0.564
JMT13C2403A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
JMT13C2403B	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
JMT13C2404A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
JMT13C2404B	0.10	202247	0.11	0.11	0.10	0.11	0.10	0.11	0.01	44,033	474	0.107
JMT13C2405A	0.05	202247	-	0.07	0.05	0.06	0.05	0.06	0.01	15,410	91	0.059
JMT13C2406A	0.36	202247	-	0.39	0.36	0.37	0.37	0.38	0.01	121,042	4,563	0.376
JMT13P2403A	0.34	202247	0.32	0.32	0.28	0.30	0.30	0.31	(0.04)	123,057	3,719	0.302
JMT19C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2403B	0.05	202247	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2404A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2404B	0.11	202247	-	0.13	0.12	0.12	0.12	0.13	0.01	18,532	229	0.123
JMT19C2404C	0.05	202247	-	0.05	0.05	0.05	0.04	0.05	-	251	1	0.05
JMT19C2406A	0.43	202247	-	0.46	0.42	0.43	0.43	0.44	-	236,146	10,307	0.436
JMT19P2403A	1.46	202247	-	-	-	-	1.33	1.38	-	-	-	0
JMT19P2403B	0.42	202247	-	0.42	0.38	0.40	0.40	0.41	(0.02)	98,806	3,978	0.402
JMT41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
JMT41C2403A	0.13	202247	-	-	-	-	0.01	-	-	-	-	0
JMT41C2403B	0.03	202247	-	-	-	-	0.01	-	-	-	-	0
JMT41C2404A	0.06	202247	-	-	-	-	-	-	-	-	-	0
JMT41C2405A	0.05	202247	-	-	-	-	-	0.07	-	-	-	0
JMT41C2406A	0.24	202247	-	0.28	0.24	0.25	0.23	0.27	0.01	82,018	2,098	0.255
JMT41C2406B	0.42	202247	0.43	0.46	0.42	0.43	0.42	0.54	0.01	138,208	6,018	0.435
KCAR	7.75	202247	7.75	7.90	7.75	7.75	7.75	7.80	-	314	244	7.763
KGI	4.64	202247	4.62	4.66	4.62	4.66	4.64	4.66	0.02	7,557	3,507	4.641
KTC	44.25	202247	43.50	44.25	43.25	43.75	43.75	44.00	(0.50)	48,717	213,330	43.789
KTC01C2402A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
KTC01C2405A	0.14	202247	-	0.13	0.13	0.13	0.13	0.14	(0.01)	22,902	298	0.13
KTC01P2402X	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
KTC01P2406X	1.00	202247	-	0.44	0.42	0.43	0.43	0.44	(0.57)	11,926	515	0.431
KTC11C2405A	0.15	202247	-	0.14	0.14	0.14	0.14	0.15	(0.01)	4,180	59	0.14
KTC11P2405A	0.43	202247	-	0.46	0.44	0.45	0.44	0.45	0.02	10,678	476	0.445
KTC13C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
KTC13C2405A	0.13	202247	-	0.12	0.11	0.11	0.11	0.12	(0.02)	44,143	503	0.113
KTC19C2402A	0.04	202247	-	-	-	-	-	-	-	-	-	0
KTC19C2405A	0.17	202247	0.16	0.16	0.15	0.16	0.15	0.16	(0.01)	96,374	1,486	0.154
KTC41C2403A	0.09	202247	-	-	-	-	0.01	-	-	-	-	0
KTC41C2405A	0.19	202247	-	0.17	0.16	0.17	-	-	(0.02)	82,600	1,366	0.165
MFC	20.40	202247	-	20.40	20.20	20.40	20.20	20.40	-	334	677	20.273
MICRO	2.18	202247	2.20	2.28	2.16	2.16	2.16	2.18	(0.02)	1,316	289	2.196
ML	0.77	202247	0.75	0.78	0.73	0.75	0.73	0.75	(0.02)	9,654	724	0.749
ML-W3	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
MST	10.80	202247	-	11.00	10.80	10.80	10.70	10.80	-	163	176	10.814
MTC	44.75	202247	44.25	45.25	44.25	44.25	44.25	44.50	(0.50)	59,398	265,006	44.615
MTC01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
MTC01C2403A	0.37	202247	-	0.38	0.35	0.36	0.33	0.35	(0.01)	8,128	288	0.353
MTC01C2404A	0.19	202247	-	0.19	0.17	0.17	0.17	0.18	(0.02)	36,337	640	0.176
MTC01C2406A	0.39	202247	-	0.41	0.37	0.37	0.37	0.38	(0.02)	97,807	3,753	0.383
MTC01P2402X	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
MTC01P2404X	0.18	202247	-	0.19	0.17	0.19	0.19	0.20	0.01	96,578	1,727	0.178
MTC06C2404A	0.19	202247	-	0.20	0.18	0.18	-	0.18	(0.01)	66,416	1,220	0.183
MTC11C2403A	0.30	202247	-	-	-	-	0.38	0.40	-	-	-	0
MTC11C2406A	0.31	202247	-	0.31	0.29	0.30	0.29	0.30	(0.01)	15,810	476	0.301
MTC13C2403A	0.25	202247	-	0.25	0.21	0.23	0.21	0.22	(0.02)	16,172	384	0.237
MTC13C2404A	0.17	202247	-	0.17	0.15	0.15	0.15	0.16	(0.02)	34,806	557	0.16

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
MTC13C2406A	0.38	202247	0.37	0.38	0.35	0.35	0.35	0.36	(0.03)	56,393	2,053	0.364
MTC13P2404A	0.06	202247	-	0.05	0.05	0.05	0.05	0.06	(0.01)	6	-	0.05
MTC13P2406A	0.32	202247	-	0.32	0.31	0.32	0.32	0.33	-	37,466	1,192	0.318
MTC19C2403A	0.33	202247	-	-	-	-	0.37	0.41	-	-	-	0
MTC19C2403B	0.13	202247	-	0.13	0.11	0.11	0.11	0.12	(0.02)	18,081	217	0.119
MTC19C2404A	0.15	202247	-	0.15	0.14	0.15	0.13	0.14	-	10,370	147	0.142
MTC19C2406A	0.38	202247	-	0.39	0.36	0.36	0.36	0.37	(0.02)	83,695	3,116	0.372
MTC19P2404A	0.11	202247	-	0.12	0.11	0.12	0.12	0.13	0.01	4,785	55	0.115
MTC41C2402A	0.10	202247	-	-	-	-	-	-	-	-	-	0
MTC41C2403A	0.27	202247	-	0.27	0.24	0.24	-	-	(0.03)	8,000	203	0.253
MTC41C2404A	0.24	202247	0.22	0.24	0.21	0.21	-	-	(0.03)	18,222	415	0.227
MTC41C2405A	0.21	202247	-	0.21	0.20	0.20	-	0.20	(0.01)	26,400	530	0.2
NCAP	2.64	202247	2.62	2.64	2.60	2.60	2.60	2.62	(0.04)	30,682	8,026	2.615
PL	2.04	202247	2.04	2.04	2.04	2.04	2.02	2.04	-	23	5	2.04
S11	3.74	202247	-	3.76	3.72	3.72	3.70	3.72	(0.02)	170	63	3.723
SAK	4.22	202247	4.20	4.24	4.12	4.18	4.16	4.18	(0.04)	10,100	4,227	4.185
SAWAD	39.50	202247	39.25	40.00	39.25	39.50	39.50	39.75	-	25,051	99,027	39.53
SAWAD-W2	1.21	202247	1.29	1.29	1.20	1.20	1.20	1.25	(0.01)	1,375	167	1.216
SAWAD01C2402A	0.02	202247	-	0.01	0.01	0.01	0.01	0.02	(0.01)	4,263	4	0.01
SAWAD01C2403W	0.02	202247	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	500	1	0.01
SAWAD01C2405A	0.10	202247	0.10	0.10	0.10	0.10	0.10	0.11	-	22,109	221	0.1
SAWAD01C2406A	0.24	202247	0.23	0.25	0.23	0.24	0.24	0.25	-	44,030	1,054	0.239
SAWAD01P2403X	0.11	202247	-	0.11	0.10	0.10	0.10	0.11	(0.01)	12,294	127	0.103
SAWAD01P2404X	0.41	202247	-	0.42	0.39	0.39	0.39	0.42	(0.02)	4,831	193	0.399
SAWAD06C2402A	0.10	202247	-	-	-	-	-	-	-	-	-	0
SAWAD11P2406A	0.46	202247	-	0.49	0.47	0.48	0.48	0.49	0.02	8,950	431	0.481
SAWAD13C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	1,189	1	0.01
SAWAD13C2403A	0.02	202247	-	-	-	-	-	0.01	-	-	-	0
SAWAD13C2405A	0.09	202247	0.08	0.08	0.08	0.08	0.08	0.09	(0.01)	150	1	0.08
SAWAD13C2406A	0.17	202247	-	0.17	0.16	0.16	0.16	0.17	(0.01)	26,683	440	0.164
SAWAD13P2403A	0.07	202247	-	-	-	-	0.07	0.08	-	-	-	0
SAWAD19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
SAWAD19C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD19C2405A	0.14	202247	-	0.14	0.14	0.14	0.14	0.15	-	12,114	170	0.14
SAWAD19C2406A	0.27	202247	-	0.28	0.26	0.28	0.27	0.28	0.01	39,702	1,083	0.272
SAWAD19P2404A	0.28	202247	-	0.28	0.26	0.27	0.27	0.28	(0.01)	11,368	308	0.271
SAWAD41C2402A	0.10	202247	-	-	-	-	-	-	-	-	-	0
SAWAD41C2403A	0.03	202247	-	-	-	-	-	0.03	-	-	-	0
SAWAD41C2405A	0.14	202247	-	0.14	0.14	0.14	-	-	-	12,000	168	0.14
SAWAD41C2405B	0.11	202247	-	0.11	0.11	0.11	-	-	-	20,000	220	0.11
SAWAD41C2406A	0.30	202247	-	0.31	0.29	0.30	0.30	-	-	23,600	712	0.301
SAWAD41P2405A	0.38	202247	-	0.39	0.38	0.38	-	-	-	16,001	616	0.385
SCAP	3.36	202247	3.36	3.36	3.30	3.32	3.30	3.32	(0.04)	2,710	901	3.325
SGC	1.40	202247	1.40	1.43	1.39	1.40	1.40	1.41	-	56,349	7,932	1.407
SM	1.32	202247	-	1.34	1.30	1.30	1.30	1.32	(0.02)	7,317	958	1.309
TH	1.19	202247	1.18	1.20	1.15	1.15	1.15	1.16	(0.04)	95,020	11,022	1.159
TH-W3	0.49	202247	0.50	0.51	0.48	0.48	0.48	0.49	(0.01)	5,219	257	0.491
THANI	2.58	202247	2.58	2.60	2.52	2.52	2.52	2.54	(0.06)	93,306	23,614	2.53
THANI13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
THANI13C2407A	0.17	202247	-	0.17	0.16	0.16	0.15	0.16	(0.01)	12,450	207	0.166
THANI19C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
THANI19C2407A	0.20	202247	-	0.20	0.18	0.18	0.18	0.19	(0.02)	2,138	40	0.187
TIDLOR	22.30	202247	22.10	22.40	22.00	22.10	22.00	22.10	(0.20)	119,068	263,790	22.154
TIDLOR01C2403A	0.08	202247	-	0.08	0.08	0.08	0.07	0.08	-	5	-	0.08
TIDLOR01C2405A	0.29	202247	0.28	0.28	0.26	0.27	0.27	0.28	(0.02)	40,498	1,098	0.271
TIDLOR01P2402X	0.02	202247	-	0.01	0.01	0.01	0.01	0.02	(0.01)	115	-	0.01
TIDLOR01P2404X	0.39	202247	0.39	0.40	0.38	0.40	0.40	0.41	0.01	21,837	859	0.393
TIDLOR06C2403A	0.24	202247	-	0.24	0.22	0.22	-	-	(0.02)	44,780	1,008	0.225
TIDLOR11C2403A	0.28	202247	-	0.28	0.27	0.27	0.27	0.28	(0.01)	25,153	689	0.273
TIDLOR11P2406A	0.41	202247	-	0.43	0.41	0.42	0.42	0.43	0.01	21,780	903	0.414
TIDLOR13C2403A	0.08	202247	-	0.07	0.06	0.06	0.06	0.07	(0.02)	130	1	0.062
TIDLOR13C2406A	0.35	202247	0.35	0.36	0.33	0.34	0.34	0.35	(0.01)	47,668	1,649	0.345
TIDLOR13P2404A	0.10	202247	-	0.11	0.10	0.11	0.10	0.11	0.01	3,060	32	0.103
TIDLOR16C2402A	0.35	202247	-	-	-	-	0.09	0.16	-	-	-	0
TIDLOR19C2403A	0.10	202247	-	0.10	0.09	0.09	0.09	0.10	(0.01)	4,416	42	0.095
TIDLOR19C2404A	0.13	202247	-	0.13	0.12	0.12	0.12	0.13	(0.01)	16,426	200	0.121
TIDLOR19C2406A	0.35	202247	0.33	0.35	0.32	0.32	0.32	0.34	(0.03)	85,611	2,853	0.333
TIDLOR41C2402A	0.07	202247	-	-	-	-	-	-	-	-	-	0
TIDLOR41C2403A	0.18	202247	0.17	0.17	0.15	0.16	-	-	(0.02)	18,500	304	0.164
TIDLOR41C2406A	0.42	202247	0.40	0.41	0.38	0.39	0.38	0.42	(0.03)	71,303	2,861	0.401
TK	5.50	202247	-	5.55	5.45	5.55	5.45	5.60	0.05	842	465	5.517
TNITY	4.60	202247	4.60	4.80	4.58	4.80	4.76	4.80	0.20	14,468	6,800	4.699
UOBKH	4.82	202247	-	4.84	4.80	4.80	4.80	4.84	(0.02)	54	26	4.823
XPG	1.09	202247	1.08	1.13	1.08	1.11	1.11	1.12	0.02	407,708	45,321	1.111
XPG-W4	1.97	202247	1.97	1.99	1.94	1.95	1.93	1.95	(0.02)	2,343	460	1.965
Food & Beverage												
AAI	4.14	202247	4.12	4.16	4.06	4.14	4.12	4.14	-	91,791	37,790	4.116
APURE	4.48	202247	4.48	4.52	4.46	4.50	4.48	4.50	0.02	1,094	492	4.493
APURE-W3	0.65	202247	-	0.67	0.66	0.67	0.66	0.67	0.02	166	11	0.663
ASIAN	6.75	202247	6.75	6.90	6.70	6.85	6.85	6.90	0.10	5,707	3,892	6.82
BR	2.60	202247	2.62	2.64	2.58	2.60	2.60	2.62	-	2,636	689	2.615
BR-W1	0.15	202247	-	0.15	0.15	0.15	0.15	0.16	-	2,970	45	0.15
BRR	4.52	202247	4.50	4.52	4.48	4.50	4.48	4.50	(0.02)	834	376	4.505
BRR-W2	0.57	202247	0.57	0.57	0.56	0.56	0.54	0.58	(0.01)	116	7	0.568
BTG	21.60	202247	21.60	21.60	21.20	21.30	21.30	21.40	(0.30)	14,250	30,479	21.388
BTG01C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BTG06C2402A	0.09	202247	-	-	-	-	-	-	-	-	-	0
BTG13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
CBG	76.00	202247	76.00	76.25	74.75	75.50	75.25	75.50	(0.50)	15,870	119,728	75.442
CBG01C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	10	-	0.01
CBG01C2403A	0.20	202247	-	0.19	0.17	0.18	0.18	0.19	(0.02)	35,196	634	0.18
CBG01C2403W	0.06	202247	-	-	-	-	0.03	0.04	-	-	-	0
CBG01C2404A	0.17	202247	-	0.16	0.15	0.15	0.15	0.16	(0.02)	11,112	169	0.152

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CBG01C2404T	0.26	202247	-	0.25	0.24	0.24	0.24	0.25	(0.02)	6,670	163	0.243
CBG01C2406A	0.45	202247	-	0.44	0.42	0.43	0.43	0.44	(0.02)	23,247	1,001	0.43
CBG01P2404X	0.28	202247	-	0.30	0.28	0.29	0.29	0.30	0.01	40,942	1,191	0.29
CBG01P2405X	0.72	202247	-	0.74	0.71	0.72	0.72	0.73	-	7,127	515	0.722
CBG06C2402A	0.05	202247	-	-	-	-	-	0.01	-	-	-	0
CBG06C2405A	0.33	202247	-	0.31	0.29	0.30	-	-	(0.03)	33,368	998	0.299
CBG11C2404A	0.53	202247	-	0.52	0.49	0.50	0.50	0.51	(0.03)	10,700	532	0.496
CBG11P2404A	0.32	202247	-	0.34	0.32	0.32	0.32	0.33	-	5,630	188	0.333
CBG13C2403A	0.05	202247	-	-	-	-	0.03	0.04	-	-	-	0
CBG13C2403B	0.21	202247	-	0.19	0.17	0.17	0.17	0.18	(0.04)	8,118	147	0.18
CBG13C2406A	0.46	202247	0.45	0.45	0.41	0.43	0.43	0.44	(0.03)	51,425	2,205	0.428
CBG13P2404A	0.21	202247	0.21	0.21	0.20	0.20	0.20	0.21	(0.01)	9,077	185	0.204
CBG19C2402A	0.02	202247	-	-	-	-	-	-	-	-	-	0
CBG19C2403A	0.08	202247	-	-	-	-	0.06	0.07	-	-	-	0
CBG19C2403B	0.17	202247	-	0.16	0.14	0.14	0.14	0.16	(0.03)	26,642	393	0.147
CBG19C2405A	0.22	202247	-	0.21	0.19	0.20	0.19	0.20	(0.02)	41,293	815	0.197
CBG19C2406A	0.47	202247	-	0.45	0.41	0.42	0.42	0.44	(0.05)	54,522	2,370	0.434
CBG19P2404A	0.30	202247	-	0.31	0.29	0.30	0.30	0.31	-	23,518	713	0.303
CBG41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
CBG41C2403A	0.07	202247	-	-	-	-	-	-	-	-	-	0
CBG41C2403B	0.33	202247	-	0.34	0.33	0.33	-	-	-	1,000	34	0.335
CBG41C2404A	0.26	202247	-	0.25	0.23	0.23	-	0.28	(0.03)	22,400	530	0.236
CBG41C2406A	0.52	202247	0.47	0.49	0.47	0.47	-	-	(0.05)	18,000	850	0.472
CFRESH	1.77	202247	1.78	1.78	1.74	1.75	1.74	1.75	(0.02)	4,802	844	1.757
CH	2.56	202247	2.56	2.62	2.56	2.62	2.60	2.62	0.06	3,561	923	2.593
CHOTI	131.50	202247	-	-	-	-	127.00	131.00	-	-	-	0
CM	2.26	202247	2.34	2.34	2.26	2.26	2.26	2.30	-	401	92	2.294
COCOCO	8.10	202247	8.10	8.10	8.00	8.05	8.05	8.10	(0.05)	52,179	42,027	8.054
CPF	18.90	202247	18.90	18.90	18.60	18.90	18.80	18.90	-	99,185	186,577	18.811
CPF01C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	3	-	0.01
CPF01C2404A	0.09	202247	-	-	-	-	0.08	0.09	-	-	-	0
CPF01C2407A	0.37	202247	-	0.36	0.34	0.36	0.36	0.38	(0.01)	49,493	1,719	0.347
CPF01P2404X	0.17	202247	-	0.17	0.15	0.15	0.15	0.16	(0.02)	25,823	421	0.163
CPF06C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
CPF11P2402A	0.10	202247	-	0.09	0.08	0.08	0.08	0.09	(0.02)	5,180	46	0.089
CPF13C2403A	0.03	202247	-	-	-	-	-	0.01	-	-	-	0
CPF13C2404A	0.06	202247	-	-	-	-	0.07	0.08	-	-	-	0
CPF13C2406A	0.36	202247	-	0.35	0.33	0.35	0.35	0.37	(0.01)	23,543	791	0.335
CPF13P2405A	0.21	202247	-	0.21	0.19	0.19	0.19	0.20	(0.02)	16,699	334	0.199
CPF19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
CPF19C2404A	0.14	202247	-	0.14	0.13	0.14	0.14	0.15	-	4,662	62	0.132
CPI	2.68	202247	2.70	2.72	2.66	2.66	2.66	2.68	(0.02)	4,446	1,194	2.685
F&D	28.50	202247	29.00	29.25	28.75	28.75	28.50	29.00	0.25	17	49	28.911
GLOCON	0.30	202247	0.29	0.30	0.28	0.30	0.29	0.30	-	61,315	1,798	0.293
GLOCON-W5	0.01	202247	0.01	0.01	0.01	0.01	-	0.01	-	1	-	0.01
HTC	16.00	202247	16.20	16.80	16.10	16.80	16.70	16.80	0.80	10,312	17,056	16.54
ICHI	16.90	202247	17.00	17.10	16.70	16.90	16.90	17.00	-	41,774	70,353	16.841
ICHI01C2405A	0.32	202247	-	0.33	0.31	0.32	0.32	0.33	-	9,608	301	0.313
ICHI13C2405A	0.27	202247	-	0.27	0.24	0.26	0.26	0.27	(0.01)	18,349	469	0.255
ICHI19C2405A	0.29	202247	-	0.29	0.27	0.28	0.28	0.29	(0.01)	20,488	565	0.275
ITC	19.60	202247	19.70	19.80	19.20	19.60	19.50	19.60	-	35,995	70,247	19.515
ITC01C2405A	0.19	202247	-	0.19	0.17	0.18	0.18	0.19	(0.01)	19,967	356	0.178
ITC13C2406A	0.26	202247	-	0.26	0.23	0.25	0.25	0.26	(0.01)	24,274	590	0.242
JDF	2.20	202247	2.22	2.22	2.18	2.18	2.18	2.20	(0.02)	272	60	2.205
KBS	5.70	202247	5.65	5.70	5.60	5.65	5.65	5.70	(0.05)	4,367	2,461	5.634
KCG	8.40	202247	8.45	8.60	8.40	8.55	8.50	8.55	0.15	4,833	4,105	8.494
KSL	2.56	202247	2.54	2.56	2.50	2.56	2.54	2.56	-	7,444	1,885	2.532
KTIS	3.80	202247	3.72	3.78	3.72	3.76	3.76	3.78	(0.04)	194	73	3.74
LST	5.15	202247	5.15	5.20	5.05	5.10	5.05	5.15	(0.05)	864	442	5.114
M	36.50	202247	36.50	36.50	36.25	36.25	36.25	36.50	(0.25)	3,816	13,842	36.273
MALEE	9.10	202247	9.15	9.25	9.05	9.10	9.10	9.15	-	14,719	13,420	9.117
NRF	5.15	202247	5.05	5.15	5.05	5.15	5.10	5.15	-	37,028	18,858	5.092
NSL	18.60	202247	19.20	19.90	19.10	19.80	19.80	19.90	1.20	33,402	65,426	19.587
OSP	21.10	202247	21.20	21.20	20.80	20.90	20.80	20.90	(0.20)	39,850	83,372	20.921
OSP01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
OSP01C2404A	0.07	202247	-	0.06	0.06	0.06	0.06	0.07	(0.01)	500	3	0.06
OSP01C2406A	0.27	202247	-	0.25	0.25	0.25	0.25	0.26	(0.02)	11,400	285	0.25
OSP13C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
OSP13C2403B	0.01	202247	0.01	0.01	0.01	0.01	0.01	0.02	-	1,350	1	0.01
OSP13C2405A	0.19	202247	-	-	-	-	0.18	0.19	-	-	-	0
OSP19C2404A	0.09	202247	-	-	-	-	0.06	0.07	-	-	-	0
OSP41C2402A	0.06	202247	-	-	-	-	-	-	-	-	-	0
PB	68.50	202247	-	69.00	68.25	68.50	68.25	69.00	-	19	130	68.5
PLUS	6.55	202247	6.50	6.65	6.45	6.60	6.60	6.65	0.05	1,633	1,067	6.533
PM	7.45	202247	7.45	7.60	7.45	7.50	7.45	7.50	0.05	4,295	3,224	7.505
PQS	2.80	202247	2.82	2.88	2.80	2.88	2.82	2.88	0.08	1,014	287	2.829
PRG	10.50	202247	-	11.00	11.00	11.00	10.60	11.00	0.50	12	13	11
PRG-W1	9.20	202247	-	-	-	-	6.05	9.10	-	-	-	0
PRG-W2	5.95	202247	-	-	-	-	5.85	6.25	-	-	-	0
PRG-W3	5.90	202247	-	6.25	6.25	6.25	5.60	6.30	0.35	1	1	6.25
RBF	12.60	202247	12.60	13.30	12.40	13.00	13.00	13.10	0.40	95,686	123,671	12.924
RBF01C2405A	0.07	202247	-	-	-	-	0.09	0.10	-	-	-	0
RBF01C2406A	0.20	202247	-	0.26	0.20	0.24	0.24	0.25	0.04	147,582	3,524	0.238
RBF01P2405X	0.46	202247	-	0.39	0.37	0.38	0.39	0.41	(0.08)	680	26	0.38
RBF13C2405A	0.07	202247	-	0.10	0.09	0.09	0.08	0.09	0.02	2,600	24	0.091
RBF13C2406A	0.18	202247	-	0.23	0.17	0.21	0.21	0.22	0.03	43,521	872	0.2
RBF13P2405A	0.34	202247	-	0.34	0.27	0.29	0.29	0.30	(0.05)	43,331	1,234	0.284
RBF19C2405A	0.11	202247	-	0.14	0.14	0.14	0.12	0.13	0.03	1	-	0.14
RBF19P2406A	0.34	202247	-	0.34	0.28	0.30	0.30	0.31	(0.04)	31,576	951	0.301
SAPPE	85.25	202247	85.00	86.50	85.00	86.00	86.00	86.50	0.75	4,328	37,259	86.088
SAPPE01C2405A	0.42	202247	-	-	-	-	0.42	0.44	-	-	-	0
SAPPE13C2406A	0.34	202247	-	0.36	0.33	0.34	0.34	0.36	-	16,334	568	0.347
SAUCE	39.00	202247	-	39.25	38.75	39.25	39.25	39.50	0.25	19	74	39.144

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SNNP	19.40	202247	19.40	19.50	19.20	19.30	19.30	19.40	(0.10)	33,251	64,416	19.372
SNNP01C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
SNNP01C2403B	0.19	202247	0.19	0.20	0.18	0.18	0.18	0.19	(0.01)	22,828	437	0.191
SNNP01C2407A	1.00	202247	-	0.38	0.36	0.36	0.36	0.37	(0.64)	17,273	637	0.368
SNNP13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
SNNP13C2403B	0.11	202247	-	0.10	0.09	0.09	0.09	0.10	(0.02)	8,148	79	0.097
SNNP13C2406A	0.37	202247	-	0.38	0.36	0.36	0.36	0.37	(0.01)	40,384	1,489	0.368
SNNP19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
SNNP19C2403A	0.13	202247	0.13	0.14	0.12	0.13	0.12	0.13	-	12,312	157	0.127
SNP	15.70	202247	15.60	15.70	15.60	15.70	15.60	15.70	-	178	278	15.606
SORKON	4.24	202247	4.24	4.26	4.22	4.22	4.20	4.22	(0.02)	1,014	429	4.235
SSC	34.00	202247	-	-	-	-	33.25	34.25	-	-	-	0
SSF	7.85	202247	-	7.95	7.90	7.90	7.80	7.90	0.05	4	3	7.912
SST	5.05	202247	-	5.20	5.15	5.15	4.90	5.20	0.10	3	2	5.166
SUN	5.50	202247	5.50	5.50	5.35	5.35	5.35	5.40	(0.15)	18,401	9,934	5.398
TC	6.45	202247	6.50	6.50	6.35	6.50	6.45	6.50	0.05	1,207	776	6.427
TFG	3.70	202247	3.66	3.70	3.62	3.68	3.64	3.68	(0.02)	13,392	4,910	3.666
TFG-W3	0.03	202247	0.04	0.04	0.02	0.03	0.02	0.03	-	21,871	70	0.032
TFMAMA	227.00	202247	-	227.00	223.00	227.00	226.00	227.00	-	13	293	225.538
TIPCO	9.50	202247	9.55	9.60	9.50	9.55	9.55	9.60	0.05	1,483	1,416	9.55
TKN	10.80	202247	10.80	11.10	10.80	11.00	11.00	11.10	0.20	30,365	33,294	10.964
TKN01C2405A	0.57	202247	-	0.61	0.61	0.61	0.61	0.64	0.04	1,870	114	0.61
TKN01C2405B	0.22	202247	-	0.24	0.22	0.24	0.24	0.25	0.02	6,668	158	0.236
TKN01P2405X	0.18	202247	-	0.16	0.16	0.16	0.16	0.17	(0.02)	839	13	0.16
TKN13C2405A	0.46	202247	-	-	-	-	0.56	0.62	-	-	-	0
TKN13C2406A	0.24	202247	-	0.26	0.23	0.26	0.25	0.26	0.02	10,718	264	0.246
TKN13P2406A	0.19	202247	-	0.18	0.18	0.18	0.17	0.18	(0.01)	1	-	0.18
TKN19C2406A	0.22	202247	-	0.23	0.23	0.23	0.23	0.24	0.01	1,490	34	0.23
TU	15.40	202247	15.40	15.40	15.10	15.30	15.30	15.40	(0.10)	78,981	120,691	15.28
TU01C2404A	0.26	202247	-	0.26	0.23	0.25	0.25	0.26	(0.01)	16,702	401	0.24
TU01P2407X	0.35	202247	-	0.35	0.35	0.35	0.35	0.36	-	1,428	50	0.35
TU11C2402T	0.06	202247	-	0.06	0.06	0.06	0.06	0.07	-	1,000	6	0.06
TU13C2404A	0.21	202247	-	0.20	0.19	0.20	0.20	0.21	(0.01)	13,489	266	0.197
TU13P2406A	0.28	202247	-	0.28	0.28	0.28	0.28	0.29	-	2,167	61	0.28
TU19C2403A	0.11	202247	-	0.11	0.10	0.11	0.11	0.12	-	8,442	92	0.108
TU41C2402A	0.07	202247	-	-	-	-	-	-	-	-	-	0
TU41C2403A	0.12	202247	0.11	0.11	0.11	0.11	-	-	(0.01)	8,000	88	0.11
TVO	21.10	202247	21.20	21.30	21.10	21.30	21.20	21.30	0.20	1,834	3,889	21.205
TWPC	3.90	202247	3.90	3.94	3.90	3.92	3.90	3.92	0.02	1,084	423	3.904
W	0.70	202247	0.70	0.71	0.68	0.70	0.69	0.70	-	15,596	1,084	0.694
W-W5	0.01	202247	0.01	0.01	0.01	0.01	-	0.01	-	15	-	0.01
W-W6	0.40	202247	0.40	0.40	0.26	0.28	0.28	0.36	(0.12)	4,385	127	0.289
ZEN	8.65	202247	8.60	8.65	8.60	8.60	8.55	8.60	(0.05)	1,459	1,256	8.611
Health Care Services												
AHC	18.20	202247	-	18.20	18.10	18.10	18.00	18.10	(0.10)	4	7	18.15
BCH	23.00	202247	23.10	23.30	22.90	22.90	22.90	23.00	(0.10)	247,335	569,047	23.007
BCH01C2404A	0.35	202247	-	0.37	0.33	0.33	0.33	0.34	(0.02)	27,921	954	0.341
BCH01P2402X	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BCH11C2402T	0.29	202247	0.28	0.31	0.27	0.27	0.26	0.27	(0.02)	18,110	512	0.282
BCH13C2404A	0.26	202247	-	0.27	0.24	0.24	0.24	0.25	(0.02)	49,683	1,245	0.25
BCH13P2406A	0.29	202247	-	0.29	0.27	0.29	0.28	0.29	-	30,999	884	0.285
BCH19C2402A	0.04	202247	-	-	-	-	-	-	-	-	-	0
BCH19C2406A	0.37	202247	-	0.39	0.35	0.36	0.35	0.36	(0.01)	31,298	1,132	0.361
BDMS	28.00	202247	28.00	28.75	28.00	28.50	28.50	28.75	0.50	835,500	2,375,899	28.436
BDMS01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
BDMS01C2403A	0.04	202247	-	0.04	0.04	0.04	0.05	0.06	-	300	1	0.04
BDMS01C2405A	0.20	202247	-	0.23	0.21	0.23	0.22	0.23	0.03	19,705	428	0.217
BDMS01P2403X	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BDMS06C2402A	0.06	202247	-	-	-	-	-	-	-	-	-	0
BDMS13C2402A	0.04	202247	-	-	-	-	0.01	0.02	-	-	-	0
BDMS13C2404A	0.11	202247	-	0.13	0.11	0.12	0.12	0.14	0.01	35,539	454	0.127
BDMS13P2402A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BDMS19C2403A	0.07	202247	-	0.05	0.05	0.05	0.05	0.06	(0.02)	3,000	15	0.05
BDMS19C2405A	0.18	202247	-	0.20	0.19	0.20	0.20	0.21	0.02	59,585	1,154	0.193
BDMS41C2402A	0.08	202247	-	-	-	-	-	-	-	-	-	0
BDMS41C2404A	0.13	202247	-	0.15	0.14	0.15	-	-	0.02	4,000	59	0.147
BDMS41C2405A	0.20	202247	-	0.22	0.21	0.22	-	0.23	0.02	10,809	235	0.217
BH	242.00	202247	241.00	242.00	239.00	239.00	239.00	240.00	(3.00)	12,849	309,444	240.831
BH-P	22.80	202247	-	-	-	-	27.75	-	-	-	-	0
BH-Q	23.40	202247	-	-	-	-	34.25	-	-	-	-	0
BH01C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	4,200	4	0.01
BH01C2404A	0.26	202247	0.25	0.25	0.23	0.23	0.23	0.24	(0.03)	13,472	329	0.244
BH01C2405A	0.47	202247	-	0.46	0.43	0.43	0.43	0.44	(0.04)	18,795	842	0.448
BH01P2402X	0.08	202247	-	-	-	-	0.01	0.02	-	-	-	0
BH01P2405X	0.15	202247	-	0.15	0.15	0.15	0.15	0.16	-	1	-	0.15
BH01P2406X	0.40	202247	-	0.41	0.39	0.41	0.41	0.42	0.01	7,256	291	0.4
BH06C2404A	0.32	202247	-	0.32	0.31	0.31	-	-	(0.01)	21,100	655	0.31
BH11C2404A	0.11	202247	-	-	-	-	0.09	0.10	-	-	-	0
BH11C2406A	0.44	202247	-	0.43	0.41	0.41	0.40	0.41	(0.03)	10,040	426	0.424
BH13C2404A	0.04	202247	-	-	-	-	0.03	0.04	-	-	-	0
BH13C2404B	0.15	202247	-	0.15	0.13	0.13	0.13	0.14	(0.02)	40,142	582	0.144
BH13C2405A	0.36	202247	0.35	0.35	0.32	0.32	0.32	0.33	(0.04)	34,898	1,200	0.343
BH13P2402A	0.02	202247	-	-	-	-	-	0.01	-	-	-	0
BH13P2406A	0.26	202247	-	0.27	0.25	0.27	0.27	0.28	0.01	14,432	372	0.257
BH19C2404A	0.05	202247	-	-	-	-	0.04	0.05	-	-	-	0
BH19C2404B	0.17	202247	-	0.17	0.15	0.15	0.15	0.16	(0.02)	4,592	75	0.164
BH19C2404C	0.27	202247	-	0.27	0.26	0.26	0.24	0.25	(0.01)	16,808	441	0.262
BH41C2403A	0.05	202247	-	-	-	-	-	-	-	-	-	0
BH41C2404A	0.15	202247	-	0.14	0.14	0.14	-	0.23	(0.01)	18,000	252	0.14
BH41C2405A	0.36	202247	-	-	-	-	-	0.38	-	-	-	0
BH41P2405A	0.21	202247	-	-	-	-	-	-	-	-	-	0
BH41P2406A	0.29	202247	-	-	-	-	-	-	-	-	-	0
CHG	3.04	202247	3.02	3.10	3.02	3.06	3.06	3.08	0.02	190,636	58,339	3.06

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CHG01C2404A	0.07	202247	-	-	-	-	0.07	0.08	-	-	-	0
CHG01C2405A	0.23	202247	-	0.24	0.23	0.23	0.23	0.24	-	6,104	143	0.234
CHG01P2402X	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
CHG11C2404A	0.09	202247	-	0.10	0.10	0.10	0.09	0.10	0.01	1,060	11	0.1
CHG13C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
CHG13C2404A	0.16	202247	-	0.17	0.16	0.16	0.16	0.18	-	17,550	288	0.164
CHG13C2406A	0.14	202247	-	0.15	0.14	0.14	0.14	0.15	-	21,550	310	0.144
CHG13P2406A	0.33	202247	-	0.32	0.31	0.31	0.31	0.33	(0.02)	32,744	1,032	0.315
CHG19C2403A	0.04	202247	-	-	-	-	0.03	0.04	-	-	-	0
CHG19C2404A	0.13	202247	-	0.14	0.13	0.14	0.13	0.14	0.01	9,387	127	0.134
CMR	2.08	202247	2.10	2.10	2.08	2.08	2.08	2.10	-	186	39	2.088
EKH	7.45	202247	7.45	7.55	7.40	7.55	7.50	7.55	0.10	7,230	5,394	7.46
EKH-W1	1.37	202247	1.40	1.40	1.36	1.36	1.37	1.40	(0.01)	1,492	205	1.372
KDH	94.00	202247	-	98.00	94.00	94.25	94.00	95.00	0.25	32	305	95.398
LPH	4.92	202247	-	4.98	4.90	4.98	4.90	4.98	0.06	295	146	4.957
M-CHAI	58.50	202247	57.75	58.75	57.00	58.00	57.75	58.00	(0.50)	317	1,820	57.413
NEW	102.00	202247	-	105.00	105.00	105.00	104.00	110.00	3.00	2	21	105
NTV	37.50	202247	-	37.50	37.25	37.50	37.25	37.50	-	480	1,799	37.486
PHG	13.20	202247	13.10	13.50	13.10	13.50	13.40	13.50	0.30	2,945	3,916	13.296
PR9	17.50	202247	17.50	17.80	17.50	17.80	17.80	17.90	0.30	8,008	14,211	17.745
PRINC	4.66	202247	4.68	4.68	4.52	4.52	4.52	4.54	(0.14)	8,491	3,891	4.582
RAM	33.00	202247	33.00	33.00	32.50	32.75	32.75	33.00	(0.25)	440	1,443	32.803
RJH	26.00	202247	26.00	26.50	26.00	26.25	26.00	26.25	0.25	2,435	6,388	26.233
RPH	6.45	202247	6.45	6.45	6.40	6.45	6.40	6.45	-	994	641	6.449
SAFE	20.60	202247	20.70	21.10	20.50	20.50	20.50	20.60	(0.10)	25,234	52,602	20.845
SKR	10.10	202247	10.10	10.20	10.00	10.20	10.10	10.20	0.10	1,786	1,807	10.119
THG	48.00	202247	47.75	48.50	47.75	48.25	48.00	48.25	0.25	2,211	10,647	48.152
VIBHA	1.90	202247	1.90	1.91	1.87	1.88	1.88	1.89	(0.02)	24,506	4,637	1.892
VIBHA-W4	0.09	202247	0.09	0.09	0.08	0.09	0.08	0.09	-	19,353	174	0.089
VIH	7.90	202247	-	7.85	7.70	7.85	7.80	7.85	(0.05)	2,074	1,614	7.782
WPH	6.45	202247	6.60	6.60	6.50	6.55	6.55	6.60	0.10	3,708	2,431	6.554
Tourism & Leisure												
ASIA	6.50	202247	6.65	6.70	6.50	6.65	6.60	6.70	0.15	575	380	6.6
BEYOND	13.20	202247	13.30	13.30	13.00	13.30	13.20	13.30	0.10	1,131	1,483	13.11
BEYOND-W2	3.10	202247	-	3.20	3.10	3.14	3.14	3.30	0.04	69	22	3.135
CENTEL	43.25	202247	43.25	43.50	43.00	43.00	43.00	43.25	(0.25)	8,659	37,342	43.125
CENTEL01C2403W	0.04	202247	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL01C2405A	0.22	202247	-	0.21	0.21	0.21	0.21	0.22	(0.01)	10,169	214	0.21
CENTEL01P2404X	0.22	202247	-	0.22	0.22	0.22	0.22	0.23	-	1,339	29	0.22
CENTEL11C2402T	0.09	202247	-	-	-	-	0.01	0.03	-	-	-	0
CENTEL13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL13C2405A	0.19	202247	0.19	0.19	0.17	0.17	0.17	0.18	(0.02)	5,185	93	0.179
CENTEL13P2404A	0.11	202247	-	-	-	-	0.10	0.11	-	-	-	0
CENTEL19C2403A	0.10	202247	-	-	-	-	0.03	0.04	-	-	-	0
CENTEL19C2405A	0.18	202247	-	0.17	0.17	0.17	0.16	0.17	(0.01)	2,900	49	0.17
CENTEL41C2403A	0.10	202247	-	-	-	-	-	-	-	-	-	0
CENTEL41C2405A	0.18	202247	0.18	0.18	0.17	0.17	-	-	(0.01)	12,000	205	0.17
CENTEL41C2406A	0.28	202247	0.28	0.28	0.26	0.28	0.24	0.28	-	23,606	626	0.265
CSR	70.00	202247	-	70.00	70.00	70.00	69.25	70.00	-	1	7	70
DUSIT	8.20	202247	8.25	8.35	8.25	8.25	8.25	8.35	0.05	3,164	2,620	8.282
ERW	5.15	202247	5.15	5.15	5.05	5.05	5.05	5.10	(0.10)	60,778	30,996	5.099
ERW-W3	2.10	202247	2.10	2.10	2.08	2.08	2.08	2.10	(0.02)	1,771	372	2.098
ERW01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
ERW01C2405A	0.12	202247	-	0.12	0.12	0.12	0.11	0.12	-	27,071	325	0.12
ERW01P2402X	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
ERW06C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
ERW13C2404A	0.07	202247	-	-	-	-	0.06	0.07	-	-	-	0
ERW13C2406A	0.18	202247	0.18	0.18	0.16	0.16	0.16	0.17	(0.02)	7,234	123	0.169
ERW19C2405A	0.12	202247	-	-	-	-	0.10	0.11	-	-	-	0
ERW41C2406A	0.18	202247	-	0.19	0.17	0.17	-	0.18	(0.01)	22,800	412	0.18
GRAND	0.14	202247	0.13	0.14	0.13	0.13	0.13	0.14	(0.01)	24,270	317	0.13
LRH	39.25	202247	-	39.25	39.25	39.25	39.00	39.75	-	10	39	39.25
MANRIN	29.75	202247	-	-	-	-	28.50	30.00	-	-	-	0
MINT	30.75	202247	30.75	31.00	30.50	30.50	30.25	30.50	(0.25)	125,832	385,208	30.612
MINT-W9	0.01	202247	-	-	-	-	-	-	-	-	-	0
MINT01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
MINT01C2404A	0.13	202247	-	0.12	0.12	0.12	0.11	0.12	(0.01)	1,166	14	0.12
MINT01C2406A	0.27	202247	-	0.27	0.26	0.27	0.26	0.27	-	3,619	97	0.266
MINT01P2404X	0.06	202247	-	-	-	-	0.04	0.05	-	-	-	0
MINT01P2406X	1.00	202247	-	0.29	0.29	0.29	0.29	0.30	(0.71)	1,724	50	0.29
MINT06C2402A	0.10	202247	-	-	-	-	-	-	-	-	-	0
MINT06C2405A	0.16	202247	-	0.16	0.15	0.16	-	-	-	10,236	162	0.158
MINT11C2403A	0.06	202247	-	-	-	-	0.06	0.07	-	-	-	0
MINT11C2406A	0.25	202247	-	0.25	0.24	0.24	0.24	0.25	(0.01)	2,900	71	0.245
MINT13C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
MINT13C2403B	0.04	202247	-	0.03	0.03	0.03	0.03	0.04	(0.01)	3	-	0.03
MINT13C2404A	0.15	202247	-	0.14	0.13	0.13	0.13	0.15	(0.02)	4,684	63	0.135
MINT13C2406A	0.26	202247	-	0.25	0.24	0.24	0.24	0.25	(0.02)	9,227	226	0.245
MINT13P2404A	0.04	202247	-	-	-	-	0.03	0.04	-	-	-	0
MINT19C2403A	0.08	202247	-	-	-	-	0.07	0.08	-	-	-	0
MINT19C2404A	0.17	202247	-	0.17	0.16	0.17	0.16	0.17	-	7,202	120	0.166
MINT19C2406A	0.19	202247	-	0.19	0.18	0.18	0.18	0.19	(0.01)	4,560	84	0.183
MINT41C2402A	0.08	202247	-	-	-	-	-	-	-	-	-	0
MINT41C2403A	0.07	202247	-	-	-	-	0.01	-	-	-	-	0
MINT41C2404A	0.14	202247	-	-	-	-	-	-	-	-	-	0
MINT41C2405A	0.28	202247	-	0.29	0.28	0.29	-	0.31	0.01	1,500	43	0.286
MINT41C2406A	0.23	202247	-	0.23	0.22	0.22	-	0.23	(0.01)	160	4	0.223
OHTL	430.00	202247	-	458.00	438.00	438.00	430.00	458.00	8.00	15	676	450.8
ROH	2.66	202247	2.70	2.70	2.66	2.70	2.66	2.68	0.04	8	2	2.69
SHANG	49.50	202247	-	50.75	49.50	49.75	49.75	50.50	0.25	18	90	50.208
SHR	2.48	202247	2.50	2.50	2.46	2.46	2.46	2.48	(0.02)	30,576	7,570	2.475
VRANDA	4.96	202247	5.00	5.05	4.98	4.98	4.98	5.00	0.02	336	168	5
Home & Office Produc										-	-	

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AJA	0.20	202247	0.19	0.20	0.19	0.19	0.19	0.20	(0.01)	40,024	762	0.19
AJA-W3	0.05	202247	-	0.05	0.05	0.05	0.04	0.05	-	4,500	23	0.05
AJA-W4	0.04	202247	0.05	0.05	0.04	0.05	0.04	0.05	0.01	2,000	10	0.047
DTCI	28.25	202247	-	34.00	33.50	33.50	32.50	33.75	5.25	8	27	33.656
FANCY	0.44	202247	0.43	0.45	0.42	0.45	0.42	0.45	0.01	843	36	0.431
FTI	2.12	202247	2.14	2.14	2.10	2.14	2.12	2.14	0.02	3,622	769	2.124
KYE	298.00	202247	-	299.00	299.00	299.00	298.00	300.00	1.00	10	299	299
L&E	1.18	202247	-	1.24	1.21	1.22	1.22	1.23	0.04	48	6	1.223
MODERN	2.38	202247	-	2.40	2.34	2.38	2.38	2.40	-	574	136	2.375
OGC	24.00	202247	-	-	-	-	23.80	24.30	-	-	-	0
ROCK	9.00	202247	-	9.15	9.10	9.10	8.30	8.95	0.10	2	2	9.125
SBNEXT	1.00	202247	1.00	1.04	0.99	1.02	1.02	1.03	0.02	21,535	2,201	1.022
SBNEXT-W2	0.17	202247	-	0.17	0.16	0.16	0.16	0.17	(0.01)	3,071	49	0.16
SIAM	1.37	202247	-	1.37	1.32	1.37	1.35	1.37	-	945	127	1.341
TCMC	1.47	202247	1.47	1.50	1.45	1.46	1.46	1.48	(0.01)	1,361	201	1.474
Insurance												
AYUD	33.25	202247	-	33.50	32.75	33.50	33.00	33.50	0.25	37	122	33.013
BKI	309.00	202247	-	310.00	309.00	309.00	309.00	310.00	-	110	3,406	309.663
BLA	19.00	202247	19.10	19.20	19.00	19.00	19.00	19.10	-	3,414	6,515	19.082
BLA01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
BLA01C2404A	0.05	202247	-	-	-	-	0.02	0.03	-	-	-	0
BLA01P2404X	0.60	202247	-	0.59	0.56	0.59	0.59	0.60	(0.01)	1,352	77	0.57
BLA13C2402A	0.02	202247	-	-	-	-	-	0.02	-	-	-	0
BLA13C2403A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
BLA13C2404A	0.07	202247	-	-	-	-	0.07	0.08	-	-	-	0
BLA13P2402A	0.13	202247	-	-	-	-	-	0.01	-	-	-	0
BLA19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
BLA19C2403A	0.08	202247	-	-	-	-	0.01	0.02	-	-	-	0
BUI	19.60	202247	-	19.90	19.70	19.90	19.70	19.90	0.30	13	26	19.807
CHARAN	23.90	202247	-	24.30	23.90	24.30	23.60	24.20	0.40	2	5	24.1
INSURE	110.00	202247	-	-	-	-	110.00	124.00	-	-	-	0
KWI	0.69	202247	0.70	0.70	0.66	0.69	0.68	0.69	-	13,759	929	0.675
MTI	112.00	202247	-	113.50	111.50	111.50	111.00	113.50	(0.50)	57	637	111.892
NKI	27.75	202247	27.25	27.75	27.25	27.25	27.00	27.50	(0.50)	319	870	27.261
SMK	0.80	202247	-	-	-	-	-	-	-	-	-	0
TGH	16.60	202247	-	-	-	-	16.40	16.70	-	-	-	0
THRE	0.76	202247	0.77	0.80	0.77	0.80	0.80	0.81	0.04	75,532	5,919	0.783
THREL	2.00	202247	2.00	2.08	1.99	2.08	2.06	2.08	0.08	18,967	3,834	2.021
TIPH	29.75	202247	30.00	30.25	29.75	30.00	29.75	30.00	0.25	2,579	7,738	30.003
TIPH13C2404A	0.07	202247	-	-	-	-	0.06	0.07	-	-	-	0
TIPH13C2407A	0.20	202247	-	0.20	0.20	0.20	0.20	0.21	-	2,192	44	0.2
TIPH19C2404A	0.05	202247	-	0.05	0.05	0.05	0.04	0.05	-	1	-	0.05
TIPH19C2407A	0.24	202247	-	0.25	0.25	0.25	0.25	0.26	0.01	3,350	84	0.25
TLI	8.50	202247	8.50	8.60	8.40	8.50	8.50	8.55	-	72,954	62,013	8.5
TLI01C2404A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
TLI01C2406A	0.03	202247	-	-	-	-	0.02	0.03	-	-	-	0
TLI01C2406B	0.16	202247	0.15	0.15	0.14	0.14	0.14	0.15	(0.02)	16,407	237	0.144
TLI01P2403X	0.69	202247	-	0.72	0.69	0.69	0.70	0.72	-	1,322	94	0.707
TLI06C2402A	0.02	202247	-	-	-	-	-	-	-	-	-	0
TLI13C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
TLI13C2403A	0.02	202247	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
TLI13C2404A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
TLI13C2405A	0.09	202247	-	0.09	0.08	0.09	0.08	0.09	-	64	1	0.089
TLI19C2404A	0.07	202247	-	-	-	-	0.02	0.03	-	-	-	0
TLI41C2404A	0.09	202247	-	-	-	-	0.01	-	-	-	-	0
TLI41C2404B	0.10	202247	-	-	-	-	0.01	-	-	-	-	0
TLI41C2405A	0.14	202247	0.13	0.13	0.12	0.12	-	0.13	(0.02)	5,500	69	0.124
TLI41C2405B	0.06	202247	-	-	-	-	-	-	-	-	-	0
TLI41C2406A	1.00	202247	0.28	0.28	0.26	0.28	-	0.28	(0.72)	74,000	1,999	0.27
TQM	28.00	202247	28.00	28.25	27.75	28.00	28.00	28.25	-	1,301	3,649	28.045
TQM13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
TQM13C2407A	0.22	202247	-	0.21	0.21	0.21	0.21	0.22	(0.01)	1,074	23	0.21
TQM19C2404A	0.07	202247	-	-	-	-	0.04	0.05	-	-	-	0
TQM19C2407A	0.24	202247	-	0.23	0.23	0.23	0.23	0.24	(0.01)	2,922	67	0.23
TSI	0.18	202247	0.17	0.18	0.17	0.17	0.16	0.17	(0.01)	504	9	0.17
TVH	8.25	202247	-	8.30	8.15	8.30	8.15	8.30	0.05	96	79	8.249
Packaging												
AJ	6.45	202247	-	6.65	6.50	6.60	6.50	6.60	0.15	158	104	6.557
ALUCON	180.00	202247	180.00	181.00	179.00	179.00	179.00	180.00	(1.00)	10	180	179.95
BGC	7.65	202247	7.75	7.75	7.65	7.65	7.65	7.70	-	205	158	7.699
CSC	45.25	202247	-	45.50	45.50	45.50	44.75	45.25	0.25	1	5	45.5
CSC-P	150.00	202247	-	-	-	-	-	-	-	-	-	0
CSC-Q	76.00	202247	-	-	-	-	-	-	-	-	-	0
NEP	0.22	202247	0.21	0.22	0.21	0.22	0.21	0.22	-	770	16	0.211
PJW	3.38	202247	3.38	3.40	3.36	3.38	3.38	3.40	-	585	198	3.378
PJW-W1	0.36	202247	-	0.37	0.34	0.37	0.35	0.37	0.01	950	33	0.351
PTL	10.40	202247	10.40	10.90	10.40	10.80	10.70	10.80	0.40	4,042	4,325	10.701
SCGP	31.75	202247	31.75	32.00	31.00	31.75	31.50	31.75	-	61,255	192,949	31.496
SCGP01C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	370	-	0.01
SCGP01C2403A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2405A	0.07	202247	-	0.07	0.06	0.07	0.06	0.07	-	15,684	94	0.06
SCGP01C2406A	0.19	202247	0.18	0.18	0.16	0.17	0.17	0.18	(0.02)	22,898	385	0.168
SCGP01P2402X	0.12	202247	-	-	-	-	0.06	0.08	-	-	-	0
SCGP01P2405A	0.35	202247	-	0.39	0.36	0.37	0.36	0.37	0.02	9,090	336	0.369
SCGP06C2403A	0.11	202247	-	-	-	-	-	-	-	-	-	0
SCGP06C2406A	0.20	202247	-	0.20	0.18	0.20	-	-	-	29,446	565	0.191
SCGP11C2405A	0.07	202247	-	-	-	-	0.06	0.07	-	-	-	0
SCGP13C2402A	0.02	202247	-	-	-	-	-	0.01	-	-	-	0
SCGP13C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2403B	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2405A	0.05	202247	-	0.04	0.04	0.04	0.04	0.05	(0.01)	2,470	10	0.04
SCGP13C2406A	0.16	202247	-	0.16	0.14	0.15	0.14	0.15	(0.01)	78,035	1,157	0.148
SCGP13P2405A	0.27	202247	-	0.30	0.27	0.29	0.28	0.29	0.02	9,178	267	0.29

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SCGP19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
SCGP19C2403A	0.05	202247	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2405A	0.05	202247	-	-	-	-	0.06	0.07	-	-	-	0
SCGP19C2406A	0.18	202247	-	0.17	0.16	0.17	0.16	0.17	(0.01)	94,432	1,544	0.163
SCGP41C2402A	0.06	202247	-	-	-	-	-	-	-	-	-	0
SCGP41C2403A	0.07	202247	-	-	-	-	0.01	-	-	-	-	0
SCGP41C2404A	0.02	202247	-	-	-	-	-	-	-	-	-	0
SCGP41C2405A	0.07	202247	-	-	-	-	-	-	-	-	-	0
SCGP41C2406A	0.18	202247	-	0.17	0.16	0.17	0.16	-	(0.01)	47,400	785	0.165
SFLEX	3.46	202247	3.46	3.48	3.44	3.48	3.46	3.48	0.02	6,032	2,089	3.463
SFLEX-W2	0.20	202247	-	0.21	0.20	0.20	0.19	0.21	-	2,548	51	0.2
SITHAI	1.20	202247	1.21	1.21	1.18	1.21	1.19	1.21	0.01	6,547	781	1.192
SLP	0.39	202247	-	0.41	0.39	0.39	0.39	0.41	-	80	3	0.406
SMPC	9.45	202247	9.50	9.50	9.40	9.40	9.40	9.45	(0.05)	1,051	990	9.423
SPACK	2.14	202247	2.14	2.14	2.10	2.10	2.10	2.12	(0.04)	2,225	470	2.111
TCOAT	25.00	202247	-	-	-	-	22.80	26.00	-	-	-	0
TFI	0.09	202247	0.09	0.10	0.08	0.09	0.08	0.09	-	14,172	128	0.09
TFI-W1	0.03	202247	-	0.04	0.03	0.04	0.03	0.04	0.01	8,034	24	0.03
THIP	28.75	202247	28.75	29.00	28.50	29.00	28.75	29.00	0.25	53	153	28.792
TMD	24.50	202247	-	24.50	24.50	24.50	24.30	24.60	-	24	59	24.5
TOPP	152.50	202247	-	-	-	-	152.50	189.00	-	-	-	0
TPAC	17.50	202247	-	17.60	17.40	17.50	17.50	17.60	-	315	552	17.526
TPBI	3.32	202247	3.28	3.36	3.28	3.30	3.30	3.34	(0.02)	1,037	343	3.309
TPP	15.10	202247	-	-	-	-	13.60	14.70	-	-	-	0
Personal Products												
APCO	5.30	202247	5.25	5.30	5.20	5.25	5.25	5.30	(0.05)	363	191	5.249
BIZ	3.34	202247	3.30	3.34	3.28	3.30	3.30	3.32	(0.04)	1,194	393	3.291
BLC	4.74	202247	4.78	4.78	4.72	4.76	4.76	4.78	0.02	10,500	4,993	4.755
DDD	9.95	202247	10.00	10.10	9.55	9.70	9.70	9.75	(0.25)	968	943	9.744
JCT	81.00	202247	-	81.25	81.00	81.00	81.00	81.50	-	2	16	81.125
KISS	4.68	202247	4.66	5.10	4.66	4.98	4.96	4.98	0.30	37,315	18,466	4.948
NAM	5.90	202247	5.90	6.00	5.85	5.85	5.85	5.90	(0.05)	4,106	2,439	5.94
NV	1.85	202247	1.85	1.98	1.81	1.98	1.98	1.99	0.13	256,550	49,380	1.924
OCC	10.20	202247	-	10.00	9.55	9.55	9.60	10.10	(0.65)	3	3	9.85
S&J	52.00	202247	-	52.75	52.25	52.50	52.00	52.75	0.50	23	120	52.369
STGT	7.25	202247	7.15	7.35	7.10	7.10	7.10	7.15	(0.15)	55,809	40,293	7.219
STGT01C2403W	0.13	202247	0.12	0.13	0.10	0.10	0.10	0.11	(0.03)	18,430	230	0.124
STGT01C2407A	0.36	202247	-	0.37	0.35	0.35	0.33	0.34	(0.01)	19,260	690	0.358
STGT01P2402X	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
STGT13C2403A	0.10	202247	-	0.09	0.09	0.09	0.07	0.09	(0.01)	14,280	129	0.09
STGT13C2407A	0.33	202247	0.33	0.34	0.32	0.32	0.31	0.32	(0.01)	64,150	2,107	0.328
STGT19C2404A	0.33	202247	0.31	0.33	0.29	0.29	0.29	0.30	(0.04)	49,277	1,551	0.314
STHAI	0.01	202247	-	-	-	-	-	-	-	-	-	0
TNR	9.30	202247	9.15	9.30	9.15	9.20	9.20	9.30	(0.10)	80	74	9.244
TOG	12.30	202247	12.40	12.40	12.10	12.40	12.30	12.40	0.10	4,169	5,097	12.224
Professional Service												
BWG	0.52	202247	0.51	0.53	0.51	0.52	0.51	0.52	-	75,489	3,895	0.515
GENCO	0.52	202247	0.51	0.53	0.51	0.53	0.52	0.53	0.01	2,448	127	0.517
PRO	0.35	202247	-	-	-	-	-	-	-	-	-	0
PRTR	4.52	202247	4.52	4.58	4.52	4.52	4.52	4.54	-	2,957	1,339	4.527
SISB	37.75	202247	37.75	38.25	37.25	37.50	37.25	37.50	(0.25)	16,118	60,763	37.698
SISB13C2405A	0.21	202247	-	0.23	0.20	0.20	0.20	0.21	(0.01)	42,940	898	0.209
SO	7.65	202247	7.60	7.65	7.50	7.60	7.55	7.65	(0.05)	175	132	7.546
WAVE	0.16	202247	0.17	0.17	0.16	0.16	0.16	0.17	-	129,473	2,078	0.16
WAVE-W3	0.08	202247	0.08	0.08	0.07	0.07	0.06	0.07	(0.01)	5,955	42	0.07
Property Development												
A	4.92	202247	-	4.92	4.90	4.92	4.88	4.92	-	14	7	4.905
AKS	0.01	202247	0.01	0.02	0.01	0.01	0.01	0.02	-	207,634	209	0.01
AKS-W5	0.01	202247	-	0.01	0.01	0.01	-	0.01	-	5	-	0.01
AMATA	21.60	202247	21.40	21.40	21.10	21.20	21.20	21.30	(0.40)	66,290	141,064	21.279
AMATA01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
AMATA01C2404A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
AMATA01C2404B	0.07	202247	-	-	-	-	0.05	0.06	-	-	-	0
AMATA01C2407A	1.00	202247	0.37	0.38	0.36	0.36	0.36	0.37	(0.64)	21,186	777	0.366
AMATA01P2402A	0.04	202247	-	-	-	-	0.01	0.02	-	-	-	0
AMATA11C2407A	0.38	202247	-	0.36	0.34	0.34	0.34	0.35	(0.04)	13,170	461	0.349
AMATA13C2403A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
AMATA13C2404A	0.05	202247	-	-	-	-	0.03	0.04	-	-	-	0
AMATA13C2405A	0.04	202247	-	-	-	-	0.03	0.04	-	-	-	0
AMATA13C2406A	0.26	202247	-	0.24	0.23	0.23	0.23	0.24	(0.03)	20,301	477	0.234
AMATA13P2402A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
AMATA19C2402A	0.02	202247	-	-	-	-	-	-	-	-	-	0
AMATA19C2404A	0.03	202247	-	-	-	-	0.02	0.03	-	-	-	0
AMATA19C2405A	0.06	202247	-	-	-	-	0.04	0.05	-	-	-	0
AMATA19C2407A	0.37	202247	0.36	0.36	0.33	0.34	0.33	0.34	(0.03)	20,192	686	0.339
AMATAV	5.20	202247	5.20	5.20	5.15	5.15	5.15	5.20	(0.05)	352	181	5.152
ANAN	0.84	202247	0.83	0.87	0.83	0.85	0.84	0.85	0.01	39,036	3,324	0.851
AP	10.90	202247	10.90	11.00	10.70	11.00	10.90	11.00	0.10	80,106	87,316	10.9
AP11C2404A	0.10	202247	-	0.11	0.10	0.11	0.11	0.12	0.01	2,000	21	0.102
APEX	0.04	202247	-	-	-	-	-	-	-	-	-	0
ASW	8.35	202247	8.40	8.40	8.30	8.35	8.35	8.40	-	1,575	1,315	8.349
ASW-W1	0.03	202247	-	0.04	0.01	0.02	0.01	0.02	(0.01)	55,676	121	0.021
ASW-W2	0.06	202247	-	0.06	0.04	0.04	0.04	0.05	(0.02)	789	4	0.049
AWC	4.06	202247	4.02	4.06	3.94	4.06	4.04	4.06	-	461,844	185,189	4.009
AWC01C2403A	0.07	202247	-	-	-	-	0.06	0.07	-	-	-	0
AWC01C2404A	0.29	202247	-	0.28	0.24	0.28	0.28	0.30	(0.01)	41,689	1,084	0.259
AWC01C2406A	1.00	202247	-	0.36	0.32	0.36	0.36	0.38	(0.64)	45,700	1,560	0.341
AWC01P2402X	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
AWC01P2405X	0.35	202247	-	0.39	0.35	0.35	0.35	0.36	-	84,118	3,139	0.373
AWC06C2403A	0.08	202247	-	-	-	-	-	-	-	-	-	0
AWC06C2404A	0.29	202247	-	0.28	0.24	0.28	-	-	(0.01)	52,194	1,336	0.255
AWC11C2403A	0.23	202247	-	0.22	0.19	0.22	0.22	0.24	(0.01)	28,810	591	0.205
AWC13C2403A	0.05	202247	-	0.04	0.04	0.04	0.04	0.05	(0.01)	2,491	10	0.04

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AWC13C2404A	0.22	202247	-	0.21	0.18	0.21	0.21	0.22	(0.01)	89,024	1,690	0.189
AWC13C2405A	0.45	202247	-	0.44	0.38	0.44	0.44	0.46	(0.01)	33,963	1,373	0.404
AWC19C2403A	0.17	202247	-	0.16	0.12	0.16	0.16	0.17	(0.01)	52,719	712	0.134
AWC19C2405A	0.48	202247	-	0.43	0.41	0.43	0.47	0.48	(0.05)	14,230	597	0.419
AWC19C2406A	0.25	202247	-	0.25	0.21	0.25	0.25	0.26	-	36,447	830	0.227
AWC41C2405A	0.18	202247	-	0.17	0.15	0.17	-	-	(0.01)	73,280	1,149	0.156
AWC41C2406A	0.34	202247	-	0.34	0.29	0.34	-	-	-	64,924	2,017	0.31
BLAND	0.72	202247	0.72	0.73	0.71	0.71	0.71	0.72	(0.01)	56,095	3,998	0.712
BRI	8.05	202247	8.10	8.25	8.10	8.25	8.25	8.30	0.20	9,777	8,022	8.204
BROCK	1.62	202247	1.71	1.71	1.69	1.69	1.62	1.70	0.07	8	1	1.695
CGD	0.35	202247	0.35	0.36	0.34	0.35	0.34	0.35	-	28,427	995	0.349
CI	0.58	202247	0.59	0.60	0.58	0.58	0.59	0.60	-	457	27	0.586
CI-W2	0.02	202247	-	0.02	0.02	0.02	0.01	0.02	-	4,343	9	0.02
CMC	1.25	202247	1.24	1.27	1.22	1.22	1.22	1.24	(0.03)	1,859	227	1.222
CPN	64.25	202247	64.00	64.25	62.00	62.50	62.50	62.75	(1.75)	139,564	878,554	62.95
CPN01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
CPN01C2404A	0.15	202247	0.15	0.15	0.11	0.11	0.11	0.12	(0.04)	71,251	871	0.122
CPN11C2404A	0.25	202247	-	0.24	0.19	0.19	0.19	0.20	(0.06)	20,610	443	0.214
CPN13C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
CPN13C2403A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
CPN13C2405A	0.17	202247	-	0.16	0.13	0.13	0.12	0.13	(0.04)	99,906	1,419	0.142
CPN19C2403A	0.10	202247	-	-	-	-	0.03	0.04	-	-	-	0
CPN19C2407A	0.37	202247	0.36	0.36	0.29	0.30	0.30	0.31	(0.07)	59,986	1,936	0.322
CPN41C2402A	0.09	202247	-	-	-	-	-	-	-	-	-	0
CPN41C2404A	0.17	202247	-	0.16	0.11	0.12	-	-	(0.05)	102,488	1,368	0.133
CPN41C2405A	0.16	202247	-	0.16	0.12	0.12	-	0.13	(0.04)	20,800	283	0.136
ESTAR	0.26	202247	0.25	0.26	0.25	0.25	0.25	0.26	(0.01)	4,186	105	0.25
EVER	0.16	202247	0.16	0.16	0.15	0.16	0.15	0.16	-	9,052	142	0.156
FPT	15.20	202247	15.20	15.20	15.00	15.20	15.00	15.20	-	75	114	15.185
GLAND	1.69	202247	-	1.69	1.69	1.69	1.68	1.69	-	42	7	1.69
J	1.98	202247	-	2.06	2.00	2.02	2.02	2.04	0.04	3,413	694	2.032
J-W2	0.15	202247	-	0.15	0.14	0.14	0.14	0.16	(0.01)	372	5	0.147
J-W3	0.37	202247	0.34	0.37	0.34	0.34	0.34	0.37	(0.03)	85	3	0.34
JCK	0.25	202247	0.25	0.26	0.25	0.26	0.25	0.26	0.01	4,909	123	0.25
KC	0.10	202247	0.11	0.11	0.10	0.11	0.10	0.11	0.01	16,058	166	0.103
LALIN	7.90	202247	7.90	8.00	7.90	7.95	7.90	7.95	0.05	1,352	1,072	7.926
LH	7.65	202247	7.65	7.70	7.55	7.60	7.55	7.60	(0.05)	291,660	221,978	7.61
LH13C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
LH19C2406A	0.17	202247	0.17	0.17	0.16	0.16	0.16	0.17	(0.01)	1,230	20	0.16
LPN	3.74	202247	3.74	3.80	3.74	3.80	3.78	3.80	0.06	3,965	1,499	3.781
MBK	16.00	202247	16.10	16.30	16.10	16.30	16.20	16.30	0.30	6,449	10,457	16.214
MBK-W2	14.60	202247	-	14.80	14.60	14.80	14.70	15.20	0.20	153	225	14.723
MBK-W3	14.00	202247	-	14.10	14.10	14.10	14.10	15.10	0.10	1	1	14.1
MBK-W4	13.60	202247	-	13.70	13.50	13.70	13.70	14.60	0.10	7	9	13.557
MBK19C2403A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
MJD	1.30	202247	-	1.30	1.30	1.30	1.28	1.30	-	9	1	1.3
MK	2.22	202247	2.24	2.26	2.24	2.26	2.24	2.26	0.04	56	13	2.241
NCH	1.04	202247	1.04	1.08	1.04	1.05	1.05	1.06	0.01	3,838	409	1.065
NNCL	1.95	202247	1.96	1.98	1.94	1.97	1.95	1.97	0.02	866	169	1.951
NOBLE	3.86	202247	3.86	3.88	3.84	3.84	3.84	3.86	(0.02)	15,495	5,955	3.842
NUSA	0.33	202247	0.32	0.33	0.32	0.32	0.32	0.33	(0.01)	28,347	915	0.322
NUSA-W5	0.05	202247	0.05	0.06	0.05	0.05	0.05	0.06	-	8,165	42	0.051
NVD	1.89	202247	-	1.92	1.89	1.92	1.89	1.92	0.03	63	12	1.906
NVD-W3	0.05	202247	0.05	0.05	0.05	0.05	0.05	0.06	-	1,654	8	0.05
ORI	8.15	202247	8.15	8.35	8.10	8.35	8.30	8.35	0.20	44,351	36,651	8.263
ORI19C2404A	0.09	202247	-	0.11	0.11	0.11	0.11	0.12	0.02	1,000	11	0.11
ORN	1.03	202247	1.07	1.10	1.06	1.07	1.06	1.07	0.04	309,429	33,360	1.078
PACE	0.03	202247	-	-	-	-	-	-	-	-	-	0
PEACE	3.28	202247	-	3.28	3.20	3.20	3.22	3.24	(0.08)	151	49	3.222
PF	0.28	202247	0.28	0.28	0.27	0.28	0.27	0.28	-	7,241	200	0.276
PIN	4.76	202247	4.74	4.82	4.68	4.82	4.82	4.84	0.06	28,845	13,670	4.739
PLAT	3.00	202247	3.00	3.04	2.98	3.00	2.98	3.00	-	7,900	2,377	3.008
POLAR	0.68	202247	-	-	-	-	-	-	-	-	-	0
PRECHA	1.10	202247	1.11	1.14	1.09	1.09	1.09	1.10	(0.01)	4,525	501	1.106
PRIN	2.88	202247	2.98	2.98	2.96	2.96	2.82	2.94	0.08	5	1	2.964
PSH	12.20	202247	12.20	12.30	12.10	12.20	12.20	12.30	-	3,446	4,200	12.188
QH	2.22	202247	2.22	2.22	2.20	2.20	2.20	2.22	(0.02)	107,885	23,773	2.203
RABBIT	0.47	202247	0.47	0.48	0.46	0.46	0.46	0.47	(0.01)	115,117	5,396	0.468
RABBIT-P	0.47	202247	-	0.47	0.47	0.47	0.46	0.47	-	3,734	175	0.47
RABBIT-Q	4.00	202247	-	-	-	-	-	-	-	-	-	0
RICHY	0.65	202247	0.65	0.65	0.63	0.63	0.63	0.64	(0.02)	169	11	0.639
RML	0.42	202247	0.42	0.42	0.41	0.42	0.41	0.42	-	1,415	58	0.41
ROJNA	5.75	202247	5.80	5.95	5.70	5.90	5.85	5.90	0.15	17,193	10,038	5.838
S	0.81	202247	0.82	0.83	0.81	0.82	0.82	0.83	0.01	20,532	1,686	0.821
SA	7.00	202247	-	7.05	6.90	6.90	6.90	6.95	(0.10)	190	132	6.956
SA-W1	0.09	202247	-	0.09	0.08	0.08	0.08	0.09	(0.01)	1,004	8	0.08
SAMCO	1.18	202247	1.17	1.20	1.17	1.19	1.19	1.20	0.01	6,459	765	1.184
SC	3.28	202247	3.30	3.32	3.28	3.32	3.28	3.32	0.04	34,304	11,296	3.292
SENA	2.36	202247	2.36	2.40	2.36	2.36	2.36	2.38	-	6,318	1,505	2.381
SENA-W1	0.01	202247	-	0.01	0.01	0.01	-	0.01	-	1,400	1	0.01
SIRI	1.79	202247	1.79	1.82	1.78	1.80	1.80	1.81	0.01	648,600	116,958	1.803
SIRI01C2403A	0.09	202247	-	-	-	-	0.09	0.10	-	-	-	0
SIRI01C2406A	0.25	202247	-	0.26	0.25	0.25	0.25	0.26	-	22,222	571	0.256
SIRI13C2403A	0.06	202247	-	-	-	-	0.05	0.06	-	-	-	0
SIRI19C2403A	0.11	202247	-	0.13	0.11	0.11	0.11	0.12	-	13,439	148	0.11
SIRI41C2402A	0.04	202247	-	-	-	-	-	-	-	-	-	0
SIRI41C2403A	0.28	202247	-	-	-	-	0.28	-	-	-	-	0
SIRI41C2405A	0.29	202247	-	0.32	0.28	0.29	0.26	0.30	-	18,178	526	0.289
SPALI	19.70	202247	19.80	19.80	19.50	19.60	19.50	19.60	(0.10)	30,728	60,175	19.583
SPALI11C2404A	0.24	202247	-	-	-	-	0.23	0.24	-	-	-	0
SPALI13C2405A	0.30	202247	-	0.29	0.28	0.28	0.28	0.29	(0.02)	8,107	231	0.285
SPALI19C2403A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
UV	2.10	202247	2.08	2.12	2.08	2.10	2.08	2.10	-	2,570	538	2.095

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
WHA	4.78	202247	4.76	4.78	4.72	4.72	4.72	4.74	(0.06)	399,041	189,011	4.736
WHA01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
WHA01C2404A	0.18	202247	-	0.17	0.16	0.16	0.16	0.17	(0.02)	6,080	100	0.165
WHA01C2405A	0.06	202247	-	0.07	0.07	0.07	0.05	0.06	0.01	20	-	0.07
WHA01C2406A	0.35	202247	-	0.34	0.32	0.32	0.32	0.33	(0.03)	24,792	818	0.33
WHA01P2403X	0.04	202247	-	-	-	-	0.04	0.05	-	-	-	0
WHA06C2402A	0.02	202247	-	-	-	-	-	-	-	-	-	0
WHA11C2407A	0.47	202247	-	0.46	0.45	0.45	0.44	0.45	(0.02)	18,400	831	0.451
WHA13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
WHA13C2404A	0.15	202247	0.14	0.14	0.14	0.14	0.13	0.14	(0.01)	2,268	32	0.14
WHA13C2404B	0.04	202247	-	0.04	0.04	0.04	0.03	0.04	-	3	-	0.04
WHA13C2406A	0.34	202247	-	0.32	0.30	0.30	0.30	0.31	(0.04)	41,799	1,301	0.311
WHA13P2402A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
WHA19C2402A	0.06	202247	-	-	-	-	-	-	-	-	-	0
WHA19C2404A	0.06	202247	-	0.05	0.05	0.05	0.05	0.06	(0.01)	5,450	27	0.05
WHA19C2404B	0.12	202247	-	0.11	0.10	0.10	0.10	0.11	(0.02)	1,878	20	0.108
WHA19C2406A	0.37	202247	-	0.36	0.34	0.34	0.34	0.35	(0.03)	24,468	847	0.346
WHA41C2402A	0.08	202247	-	-	-	-	-	-	-	-	-	0
WHA41C2404A	0.11	202247	-	0.10	0.10	0.10	-	-	(0.01)	6,025	60	0.1
WHA41C2404B	0.08	202247	-	-	-	-	-	-	-	-	-	0
WHA41C2406A	0.39	202247	-	0.40	0.38	0.38	-	-	(0.01)	8,000	311	0.388
WHA41C2406B	0.38	202247	0.37	0.37	0.34	0.34	-	-	(0.04)	38,426	1,352	0.351
WIN	0.71	202247	0.70	0.72	0.70	0.72	0.71	0.72	0.01	6,380	449	0.703
Paper & Printing Mat												
UTP	11.80	202247	11.80	11.90	11.80	11.80	11.80	11.90	-	456	540	11.848
Fashion												
AFC	4.90	202247	-	4.94	4.82	4.86	4.84	4.92	(0.04)	7	3	4.897
AURA	14.40	202247	14.30	14.50	14.30	14.50	14.40	14.50	0.10	3,312	4,774	14.415
AURA01C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
AURA13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BTNC	21.40	202247	-	21.80	21.40	21.40	21.50	21.80	-	11	24	21.581
CPH	13.40	202247	-	13.60	13.30	13.40	13.40	13.50	-	44	59	13.418
CPL	1.45	202247	-	1.47	1.42	1.45	1.43	1.45	-	132	19	1.449
NC	4.40	202247	4.38	4.46	4.34	4.34	4.34	4.38	(0.06)	459	200	4.354
PAF	1.46	202247	-	1.58	1.47	1.53	1.53	1.55	0.07	33,276	5,096	1.531
PDJ	1.89	202247	-	1.90	1.88	1.88	1.88	1.90	(0.01)	3,716	700	1.884
PG	9.20	202247	-	9.30	9.15	9.15	9.10	9.30	(0.05)	3	3	9.2
SABINA	27.25	202247	27.75	28.25	26.50	28.00	28.00	28.25	0.75	29,401	80,324	27.32
SAWANG	14.90	202247	-	-	-	-	13.30	14.70	-	-	-	0
SUC	32.00	202247	32.00	32.00	31.75	32.00	31.75	32.00	-	3	10	31.916
TNL	34.75	202247	35.00	35.00	34.25	35.00	34.50	35.00	0.25	65	224	34.48
TR	42.00	202247	-	42.00	41.75	42.00	41.00	42.00	-	111	464	41.774
TTI	25.50	202247	-	26.00	25.00	25.00	24.90	26.00	(0.50)	7	18	25.571
TTT	45.00	202247	-	-	-	-	45.25	46.25	-	-	-	0
UPF	37.00	202247	-	-	-	-	36.00	37.00	-	-	-	0
WACOAL	31.50	202247	-	32.75	32.50	32.50	32.25	32.75	1.00	2	7	32.625
WFX	2.04	202247	2.06	2.06	2.02	2.04	2.04	2.06	-	386	78	2.031
Transportation & Log												
AAV	2.30	202247	2.30	2.34	2.28	2.32	2.30	2.32	0.02	382,772	88,636	2.315
AAV01C2402A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
AAV01C2403A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	500	1	0.01
AAV01C2405A	0.25	202247	0.24	0.25	0.22	0.24	0.24	0.25	(0.01)	19,306	458	0.237
AAV11C2406A	0.26	202247	0.26	0.27	0.25	0.26	0.26	0.27	-	12,692	327	0.257
AAV13C2403A	0.02	202247	-	0.02	0.02	0.02	0.01	0.02	-	36	-	0.02
AAV13C2403B	0.02	202247	-	0.02	0.02	0.02	0.01	0.02	-	190	-	0.02
AAV13C2404A	0.45	202247	-	0.41	0.40	0.41	0.40	0.41	(0.04)	2	-	0.405
AAV13C2404B	0.16	202247	-	0.18	0.15	0.17	0.17	0.18	0.01	30,951	514	0.166
AAV19C2402A	0.03	202247	-	-	-	-	-	-	-	-	-	0
AAV19C2403A	0.02	202247	-	-	-	-	0.02	0.03	-	-	-	0
AAV19C2405A	0.34	202247	0.33	0.33	0.33	0.33	0.33	0.35	(0.01)	3,090	102	0.33
ANI	6.35	202247	6.25	6.30	5.85	5.95	5.90	5.95	(0.40)	166,631	100,154	6.01
AOT	62.75	202247	62.75	64.00	62.25	63.75	63.75	64.00	1.00	365,872	2,316,978	63.327
AOT01C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
AOT01C2404A	0.07	202247	-	0.09	0.06	0.08	0.08	0.09	0.01	16,064	124	0.077
AOT01C2405A	0.33	202247	0.33	0.36	0.31	0.36	0.36	0.37	0.03	44,588	1,501	0.336
AOT01P2404X	0.26	202247	-	0.26	0.22	0.22	0.22	0.23	(0.04)	14,891	363	0.243
AOT01P2405X	0.18	202247	-	0.18	0.16	0.16	0.16	0.17	(0.02)	11,190	193	0.172
AOT06C2402A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
AOT06C2404A	0.16	202247	-	0.19	0.15	0.18	-	-	0.02	17,758	282	0.158
AOT11C2403A	0.09	202247	-	-	-	-	0.04	0.05	-	-	-	0
AOT11C2407A	0.28	202247	-	0.32	0.27	0.31	0.31	0.32	0.03	25,852	750	0.289
AOT13C2402A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
AOT13C2403A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
AOT13C2404A	0.05	202247	0.04	0.06	0.04	0.05	0.05	0.06	-	15,529	72	0.046
AOT13C2404B	0.12	202247	-	0.15	0.12	0.14	0.14	0.15	0.02	70,031	928	0.132
AOT13C2405A	0.25	202247	0.25	0.28	0.22	0.28	0.28	0.29	0.03	128,161	3,368	0.262
AOT13P2404A	0.16	202247	-	0.16	0.14	0.14	0.13	0.15	(0.02)	4,780	74	0.154
AOT13P2404B	0.03	202247	-	-	-	-	0.02	0.03	-	-	-	0
AOT19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
AOT19C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
AOT19C2404A	0.03	202247	-	-	-	-	0.04	0.05	-	-	-	0
AOT19C2404B	0.04	202247	-	-	-	-	0.08	0.09	-	-	-	0
AOT19C2404C	0.18	202247	-	0.22	0.18	0.22	0.22	0.23	0.04	75,846	1,460	0.192
AOT19C2406A	0.23	202247	-	0.27	0.22	0.26	0.26	0.27	0.03	135,305	3,257	0.24
AOT19C2406B	0.40	202247	-	0.47	0.39	0.45	0.45	0.46	0.05	21,541	884	0.41
AOT19P2404A	0.07	202247	-	0.06	0.05	0.05	0.05	0.06	(0.02)	177	1	0.059
AOT41C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
AOT41C2403A	0.07	202247	-	-	-	-	0.01	-	-	-	-	0
AOT41C2404A	0.03	202247	-	-	-	-	0.01	0.07	-	-	-	0
AOT41C2405A	0.19	202247	0.19	0.22	0.18	0.22	0.16	-	0.03	23,630	479	0.202
AOT41C2405B	0.23	202247	0.23	0.26	0.22	0.26	-	-	0.03	38,100	921	0.241
AOT41C2406A	0.38	202247	-	0.43	0.37	0.43	-	-	0.05	18,600	738	0.396
AOT41P2405A	0.37	202247	0.36	0.37	0.32	0.33	0.32	0.33	(0.04)	15,669	564	0.359

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ASIMAR	1.34	202247	1.35	1.36	1.34	1.34	1.34	1.35	-	202	27	1.345
B	0.12	202247	0.11	0.12	0.11	0.12	0.11	0.12	-	77,576	927	0.119
B-W7	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
B-W8	0.01	202247	0.01	0.02	0.01	0.02	0.01	0.02	0.01	9,716	12	0.011
BA	15.20	202247	15.30	15.60	15.10	15.40	15.40	15.50	0.20	39,963	61,659	15.429
BEM	7.30	202247	7.30	7.30	7.15	7.25	7.25	7.30	(0.05)	331,714	239,427	7.217
BEM01C2403A	0.04	202247	-	-	-	-	0.01	0.02	-	-	-	0
BEM01C2405A	0.10	202247	-	0.08	0.08	0.08	0.07	0.08	(0.02)	1,050	8	0.08
BEM13C2403A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
BEM19C2402A	0.02	202247	-	-	-	-	-	-	-	-	-	0
BEM19C2402B	0.03	202247	-	-	-	-	-	-	-	-	-	0
BEM19C2405A	0.10	202247	-	-	-	-	0.07	0.08	-	-	-	0
BTS	5.85	202247	5.90	6.00	5.75	6.00	5.95	6.00	0.15	605,995	356,218	5.878
BTS-W7	0.03	202247	0.02	0.03	0.02	0.03	0.02	0.03	-	4,655	11	0.024
BTS-W8	0.11	202247	0.11	0.12	0.11	0.12	0.11	0.12	0.01	31,608	360	0.113
BTS01C2402A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BTS01C2405A	0.03	202247	0.03	0.03	0.03	0.03	0.03	0.04	-	288	1	0.03
BTS01C2407A	1.00	202247	-	0.21	0.19	0.21	0.21	0.22	(0.79)	40,432	807	0.199
BTS01P2405X	0.58	202247	-	0.62	0.53	0.53	0.51	0.53	(0.05)	7,430	422	0.568
BTS01P2407X	1.00	202247	-	0.30	0.27	0.27	0.26	0.27	(0.73)	11,440	328	0.286
BTS13C2402A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
BTS13C2405A	0.02	202247	-	0.02	0.02	0.02	0.02	0.03	-	500	1	0.02
BTS13C2407A	0.16	202247	0.16	0.18	0.15	0.18	0.17	0.18	0.02	76,825	1,243	0.161
BTS13P2405A	0.44	202247	-	-	-	-	0.44	0.47	-	-	-	0
BTS19C2406A	0.05	202247	0.05	0.05	0.05	0.05	0.05	0.06	-	1,151	6	0.05
BTSIGIF	3.56	202247	3.54	3.58	3.54	3.56	3.56	3.58	-	51,066	18,148	3.553
DMT	13.10	202247	13.10	13.10	12.90	13.00	13.00	13.10	(0.10)	24,574	31,967	13.008
ETL	1.44	202247	1.44	1.46	1.40	1.42	1.41	1.42	(0.02)	99,064	14,088	1.422
III	9.65	202247	9.70	9.90	9.65	9.90	9.85	9.90	0.25	18,886	18,527	9.809
KEX	5.35	202247	5.40	5.40	5.30	5.35	5.30	5.35	-	19,166	10,256	5.351
KIAT	0.39	202247	0.38	0.39	0.38	0.39	0.38	0.39	-	1,125	44	0.389
KWC	247.00	202247	-	-	-	-	245.00	277.00	-	-	-	0
MENA	2.12	202247	2.12	2.14	2.08	2.12	2.12	2.14	-	16,799	3,557	2.117
NOK	1.04	202247	-	-	-	-	-	-	-	-	-	0
NYT	4.20	202247	4.20	4.20	4.06	4.08	4.08	4.10	(0.12)	49,242	20,273	4.116
PORT	1.08	202247	1.08	1.10	1.07	1.10	1.10	1.11	0.02	887	96	1.082
PRM	6.00	202247	6.00	6.20	5.95	6.05	6.05	6.10	0.05	166,442	101,743	6.112
PSL	7.65	202247	7.65	7.90	7.60	7.85	7.85	7.90	0.20	80,201	62,463	7.788
PSL01C2403A	0.01	202247	0.01	0.01	0.01	0.01	0.01	0.02	-	2,000	2	0.01
PSL01C2405A	0.12	202247	-	0.13	0.12	0.13	0.13	0.14	0.01	9,647	122	0.126
PSL01C2407A	0.22	202247	0.23	0.25	0.21	0.24	0.24	0.25	0.02	22,530	508	0.225
PSL01P2403X	0.30	202247	-	0.29	0.23	0.23	0.24	0.25	(0.07)	15,247	403	0.264
PSL06C2404A	0.10	202247	-	0.11	0.11	0.11	-	-	0.01	3,608	40	0.11
PSL13C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
PSL13C2403A	0.01	202247	-	-	-	-	-	0.02	-	-	-	0
PSL13C2404A	0.13	202247	-	0.14	0.12	0.14	0.14	0.16	0.01	14,798	192	0.129
PSL13C2407A	0.18	202247	-	0.21	0.18	0.20	0.19	0.21	0.02	34,012	665	0.195
PSL13P2402A	0.05	202247	-	-	-	-	0.01	0.02	-	-	-	0
PSL19C2402A	0.02	202247	-	-	-	-	-	-	-	-	-	0
PSL19C2403A	0.04	202247	-	0.01	0.01	0.01	0.01	0.02	(0.03)	308	-	0.01
PSL19C2404A	0.16	202247	-	0.19	0.16	0.19	0.19	0.20	0.03	17,507	306	0.175
PSL19C2407A	0.23	202247	-	0.25	0.22	0.25	0.25	0.26	0.02	46,128	1,114	0.241
PSL41C2405A	0.11	202247	-	0.13	0.11	0.13	-	-	0.02	54,000	666	0.123
RCL	24.30	202247	24.20	25.25	24.20	25.00	24.90	25.00	0.70	36,978	91,323	24.696
RCL01C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	201	-	0.01
RCL01C2405A	0.66	202247	-	0.71	0.68	0.71	0.71	0.75	0.05	723	51	0.703
RCL01C2405B	0.11	202247	-	0.13	0.11	0.13	0.13	0.14	0.02	26,581	321	0.12
RCL01P2402X	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
RCL01P2405X	0.33	202247	-	0.33	0.29	0.29	0.29	0.30	(0.04)	16,322	504	0.308
RCL06C2405A	0.10	202247	-	0.12	0.11	0.12	-	0.13	0.02	17,356	191	0.11
RCL11C2407A	0.15	202247	0.16	0.17	0.16	0.17	0.17	0.18	0.02	9,912	164	0.165
RCL13C2402A	0.04	202247	-	-	-	-	0.01	0.02	-	-	-	0
RCL13C2404A	0.59	202247	-	0.65	0.56	0.65	0.65	0.69	0.06	5,620	320	0.569
RCL13C2405A	0.11	202247	0.11	0.13	0.11	0.13	0.13	0.14	0.02	29,868	365	0.122
RCL13C2407A	1.00	202247	0.54	0.62	0.54	0.61	0.61	0.63	(0.39)	42,466	2,344	0.551
RCL13P2405A	0.27	202247	-	0.26	0.24	0.24	0.24	0.25	(0.03)	28,257	705	0.249
RCL19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
RCL19C2405A	0.47	202247	-	0.53	0.46	0.53	0.53	0.56	0.06	49,294	2,340	0.474
RCL19C2405B	0.14	202247	-	0.15	0.14	0.15	0.15	0.16	0.01	14,530	208	0.143
RCL19C2406A	0.12	202247	-	0.13	0.12	0.13	0.13	0.14	0.01	9,012	111	0.123
RCL19P2406A	0.30	202247	0.31	0.31	0.25	0.26	0.26	0.27	(0.04)	19,241	526	0.273
RCL41C2406A	0.11	202247	-	0.12	0.12	0.12	-	0.13	0.01	1,500	18	0.12
RCL41C2407A	0.16	202247	0.18	0.18	0.17	0.18	0.18	0.19	0.02	37,446	645	0.172
SAV	16.70	202247	16.70	16.80	16.40	16.60	16.60	16.70	(0.10)	14,908	24,739	16.594
SINO	1.75	202247	1.76	1.80	1.75	1.75	1.75	1.76	-	116,337	20,578	1.768
SJWD	14.60	202247	14.70	14.90	14.40	14.90	14.80	14.90	0.30	66,492	98,222	14.772
SJWD13C2402A	0.02	202247	-	0.01	0.01	0.01	0.01	0.02	(0.01)	445	-	0.01
TFFIF	7.05	202247	7.05	7.05	6.95	7.00	6.95	7.00	(0.05)	26,225	18,380	7.008
THAI	3.32	202247	-	-	-	-	-	-	-	-	-	0
TSTE	9.85	202247	-	9.85	9.80	9.80	9.30	9.80	(0.05)	2	2	9.825
TTA	6.30	202247	6.25	6.45	6.25	6.40	6.35	6.40	0.10	51,477	32,737	6.359
WICE	5.90	202247	5.85	5.90	5.80	5.90	5.85	5.90	-	2,809	1,639	5.834
Automotive												
3K-BAT	45.00	202247	-	43.75	43.75	43.75	43.00	44.00	(1.25)	1	4	43.75
ACG	1.29	202247	1.29	1.29	1.28	1.29	1.28	1.29	-	7	1	1.284
AH	28.50	202247	28.75	29.00	28.00	28.00	28.00	28.50	(0.50)	12,473	35,314	28.312
CWT	1.53	202247	1.56	1.57	1.55	1.56	1.55	1.56	0.03	1,058	165	1.561
CWT-W6	0.01	202247	-	-	-	-	-	-	-	-	-	0
EASON	1.44	202247	1.45	1.46	1.42	1.43	1.42	1.43	(0.01)	15,542	2,230	1.435
GYT	193.00	202247	-	193.00	193.00	193.00	188.00	193.50	-	1	19	193
HFT	4.46	202247	4.46	4.48	4.38	4.38	4.38	4.40	(0.08)	1,446	637	4.407
IHL	2.50	202247	2.54	2.54	2.46	2.52	2.48	2.52	0.02	198	49	2.471
INGRS	0.55	202247	0.56	0.57	0.55	0.56	0.55	0.56	0.01	16,188	896	0.553

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
IRC	14.30	202247	14.30	14.30	14.20	14.20	14.20	14.30	(0.10)	408	581	14.244
MGC	5.05	202247	5.10	5.20	5.05	5.10	5.10	5.20	0.05	3,269	1,675	5.122
NEX	10.10	202247	10.10	10.20	10.00	10.10	10.10	10.20	-	13,195	13,331	10.103
NEX06C2402A	0.08	202247	-	-	-	-	-	-	-	-	-	0
NEX13C2403A	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
NEX13C2403B	0.14	202247	-	0.13	0.13	0.13	0.13	0.14	(0.01)	4,094	53	0.13
NEX13C2405A	0.13	202247	-	0.13	0.13	0.13	0.12	0.13	-	2,006	26	0.13
NEX19C2402A	0.01	202247	-	-	-	-	-	-	-	-	-	0
NEX19C2404A	0.09	202247	-	-	-	-	0.08	0.09	-	-	-	0
PCSGH	5.10	202247	5.05	5.15	5.05	5.10	5.10	5.15	-	161	83	5.139
POLY	8.45	202247	8.60	8.70	8.40	8.40	8.40	8.45	(0.05)	2,498	2,133	8.54
SAT	17.80	202247	17.90	18.00	17.70	18.00	17.80	18.00	0.20	19,870	35,425	17.828
SPG	16.00	202247	16.00	16.00	16.00	16.00	15.80	16.00	-	20	32	16
STANLY	203.00	202247	202.00	203.00	198.50	201.00	201.00	202.00	(2.00)	641	12,827	200.114
TKT	1.77	202247	-	1.79	1.77	1.79	1.77	1.79	0.02	822	146	1.775
TNPC	1.44	202247	1.42	1.44	1.36	1.41	1.41	1.42	(0.03)	7,581	1,060	1.398
TRU	3.66	202247	3.66	3.66	3.62	3.64	3.62	3.64	(0.02)	322	117	3.64
TSC	14.90	202247	14.50	15.20	14.50	14.90	14.90	15.00	-	575	852	14.821
Industrial Materials												
ALLA	1.52	202247	1.52	1.55	1.51	1.54	1.53	1.54	0.02	2,567	393	1.529
ASEFA	3.76	202247	-	3.84	3.66	3.70	3.70	3.74	(0.06)	615	228	3.71
CPT	0.65	202247	0.66	0.67	0.64	0.66	0.65	0.66	0.01	9,848	648	0.658
CRANE	1.06	202247	1.07	1.07	1.05	1.05	1.04	1.05	(0.01)	8,160	862	1.056
CTW	4.64	202247	-	4.64	4.64	4.64	4.64	4.68	-	3	1	4.64
FMT	35.00	202247	35.25	35.50	35.00	35.00	35.00	35.25	-	57	200	35.118
HTECH	2.46	202247	2.48	2.48	2.40	2.42	2.42	2.44	(0.04)	637	154	2.41
KKC	0.18	202247	0.18	0.19	0.18	0.19	0.18	0.19	0.01	501	9	0.18
PK	1.04	202247	1.05	1.05	1.03	1.04	1.02	1.04	-	1,068	111	1.038
PSP	5.20	202247	5.20	5.30	5.10	5.20	5.15	5.20	-	25,059	13,034	5.201
SNC	8.45	202247	8.45	8.60	8.40	8.60	8.55	8.60	0.15	1,548	1,312	8.476
STARK	0.02	202247	-	-	-	-	-	-	-	-	-	0
STARK-W1	0.01	202247	-	-	-	-	-	-	-	-	-	0
TCJ	3.18	202247	3.26	3.28	3.26	3.28	3.18	3.22	0.10	11	4	3.261
TPCS	16.60	202247	-	-	-	-	16.60	17.10	-	-	-	0
VARO	3.66	202247	-	3.70	3.64	3.68	3.68	3.70	0.02	85	31	3.667
Property Fund & REIT												
AIMCG	3.74	202247	3.76	3.76	3.74	3.74	3.74	3.76	-	1,854	696	3.752
AIMIRT	10.70	202247	10.70	10.80	10.60	10.70	10.70	10.80	-	691	740	10.705
ALLY	5.80	202247	5.65	5.85	5.60	5.60	5.60	5.65	(0.20)	14,654	8,282	5.651
AMATAR	6.40	202247	-	6.45	6.40	6.45	6.40	6.45	0.05	1,004	643	6.4
B-WORK	4.50	202247	4.52	4.52	4.50	4.50	4.48	4.50	-	4,615	2,077	4.501
BAREIT	10.30	202247	10.10	10.20	10.00	10.20	10.20	10.30	(0.10)	4,617	4,676	10.127
BKKCP	9.40	202247	-	9.40	9.40	9.40	9.35	9.40	-	200	188	9.4
BOFFICE	5.20	202247	5.20	5.20	5.05	5.15	5.10	5.15	(0.05)	1,382	708	5.122
CPNCG	6.90	202247	7.10	7.15	7.05	7.10	7.05	7.10	0.20	4,463	3,159	7.077
CPNREIT	11.20	202247	11.20	11.40	11.20	11.30	11.20	11.30	0.10	14,069	15,864	11.275
CPTGF	5.95	202247	6.00	6.00	5.80	5.85	5.85	5.90	(0.10)	2,402	1,405	5.849
CTARAF	4.58	202247	4.40	4.54	4.40	4.44	4.44	4.52	(0.14)	1,960	866	4.418
DREIT	5.10	202247	5.05	5.10	5.05	5.05	5.00	5.05	(0.05)	1,798	908	5.05
ERWPF	8.55	202247	-	8.55	8.50	8.55	8.50	8.55	-	1,118	953	8.527
FTREIT	10.30	202247	10.30	10.30	10.10	10.20	10.20	10.30	(0.10)	2,007	2,048	10.204
FUTUREPF	11.60	202247	11.60	11.60	11.50	11.60	11.50	11.60	-	283	326	11.512
GAHREIT	7.15	202247	-	7.20	7.15	7.20	7.15	7.20	0.05	668	478	7.16
GRORREIT	9.00	202247	8.95	8.95	8.95	8.95	8.95	9.00	(0.05)	150	134	8.95
GVREIT	6.00	202247	6.00	6.05	5.95	5.95	5.95	6.05	(0.05)	13,671	8,202	5.999
HPF	4.68	202247	4.64	4.68	4.64	4.66	4.64	4.68	(0.02)	2,053	957	4.659
HYDROGEN	9.40	202247	-	9.40	9.40	9.40	9.40	9.45	-	15	14	9.4
IMPACT	12.30	202247	-	12.40	12.20	12.30	12.20	12.30	-	4,650	5,710	12.278
INETREIT	9.65	202247	9.50	9.65	9.45	9.50	9.50	9.60	(0.15)	572	544	9.514
KPNPF	3.78	202247	3.70	3.70	3.70	3.70	3.62	3.70	(0.08)	1	-	3.7
KTBSTMR	6.20	202247	6.20	6.30	6.20	6.20	6.20	6.25	-	158	99	6.236
LHHOTEL	12.00	202247	11.90	12.10	11.90	12.10	12.00	12.10	0.10	5,563	6,676	11.999
LHPF	6.10	202247	-	6.10	6.00	6.00	6.00	6.10	(0.10)	501	306	6.099
LHSC	10.00	202247	9.75	10.00	9.65	10.00	9.95	10.00	-	2,899	2,892	9.976
LPF	13.50	202247	-	13.50	13.30	13.50	13.40	13.50	-	7,246	9,698	13.383
LUXF	7.20	202247	7.00	7.15	6.95	7.15	7.00	7.15	(0.05)	773	537	6.951
M-II	7.25	202247	-	7.35	7.35	7.35	7.20	7.35	0.10	1	1	7.35
M-PAT	3.50	202247	-	-	-	-	3.08	3.60	-	-	-	0
M-STOR	6.95	202247	-	7.00	7.00	7.00	6.70	7.00	0.05	1	1	7
MIPF	13.70	202247	-	13.10	13.10	13.10	13.00	17.80	(0.60)	5	7	13.1
MIT	0.90	202247	0.89	0.98	0.87	0.93	0.93	0.94	0.03	1,516	140	0.923
MJLF	3.68	202247	-	3.70	3.64	3.68	3.66	3.70	-	19	7	3.65
MNIT	2.08	202247	2.08	2.08	2.08	2.08	2.08	2.20	-	809	168	2.08
MNIT2	5.00	202247	-	4.60	4.50	4.54	4.52	5.00	(0.46)	61	27	4.504
MNRF	2.76	202247	-	2.76	2.74	2.74	2.74	2.80	(0.02)	15	4	2.753
POPF	6.60	202247	6.60	6.70	6.60	6.65	6.65	6.70	0.05	1,867	1,243	6.66
PPF	10.30	202247	10.30	10.40	10.30	10.30	10.20	10.30	-	326	337	10.333
PROSPECT	8.70	202247	8.65	8.65	8.65	8.65	8.60	8.65	(0.05)	6	5	8.65
QHHR	6.60	202247	-	6.65	6.60	6.65	6.60	6.65	0.05	1,743	1,150	6.6
QHOP	2.98	202247	3.00	3.08	2.96	3.08	3.00	3.08	0.10	255	77	3.024
QHPF	5.75	202247	5.75	5.75	5.65	5.70	5.70	5.75	(0.05)	1,800	1,022	5.676
SIRIP	6.55	202247	-	7.40	7.15	7.40	7.15	7.40	0.85	62	44	7.17
SPRIME	4.80	202247	4.80	4.80	4.78	4.78	4.78	4.80	(0.02)	1,179	566	4.799
SRIPANWA	4.68	202247	4.66	4.80	4.54	4.60	4.52	4.60	(0.08)	827	382	4.621
SSPF	5.10	202247	-	5.40	5.10	5.10	5.10	5.40	-	10	5	5.205
SSTRT	5.40	202247	5.35	5.40	5.35	5.35	5.35	5.40	(0.05)	64	34	5.36
TIF1	8.70	202247	-	8.75	8.60	8.60	8.65	8.75	(0.10)	41	36	8.676
TLHPF	6.95	202247	6.65	6.85	6.65	6.65	6.65	6.85	(0.30)	99	66	6.699
TNPF	1.71	202247	-	1.81	1.72	1.72	1.72	1.80	0.01	35	6	1.804
TPRIME	6.80	202247	-	6.80	6.75	6.80	6.75	6.80	-	142	96	6.761
TTLPF	18.00	202247	18.00	18.00	17.90	17.90	17.90	18.00	(0.10)	75	134	17.914
TU-PF	0.76	202247	-	-	-	-	0.76	0.90	-	-	-	0
URBNPF	1.70	202247	-	-	-	-	1.51	1.67	-	-	-	0

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
WHABT	8.45	202247	8.40	8.50	8.40	8.45	8.45	8.50	-	117	99	8.447
WHAIR	5.30	202247	5.30	5.35	5.25	5.30	5.25	5.30	-	3,688	1,952	5.294
WHART	10.20	202247	10.10	10.10	9.90	10.10	10.00	10.10	(0.10)	12,474	12,466	9.993
Steel and Metal Prod												
2S	3.08	202247	3.06	3.12	3.06	3.06	3.06	3.08	(0.02)	1,606	493	3.071
AMC	3.26	202247	3.26	3.26	3.22	3.26	3.24	3.26	-	1,527	495	3.24
BSBM	0.70	202247	0.70	0.71	0.68	0.69	0.68	0.69	(0.01)	4,001	277	0.693
CEN	2.28	202247	2.32	2.32	2.10	2.26	2.24	2.26	(0.02)	1,077	236	2.195
CEN-W5	0.37	202247	-	0.40	0.35	0.38	0.36	0.38	0.01	2,515	90	0.357
CITY	2.16	202247	2.16	2.22	2.14	2.22	2.14	2.22	0.06	485	104	2.144
CSP	0.98	202247	0.97	1.00	0.92	0.93	0.93	0.97	(0.05)	1,268	122	0.965
GJS	0.25	202247	0.25	0.25	0.24	0.25	0.24	0.25	-	13,057	326	0.249
GSTEEL	0.09	202247	-	-	-	-	-	-	-	-	-	0
INOX	0.56	202247	0.56	0.57	0.55	0.56	0.56	0.57	-	919	52	0.561
LHK	4.30	202247	4.32	4.34	4.20	4.26	4.24	4.26	(0.04)	2,824	1,205	4.268
MCS	6.25	202247	6.25	6.30	6.15	6.25	6.20	6.25	-	1,423	885	6.222
MILL	0.35	202247	0.36	0.36	0.35	0.35	0.35	0.36	-	46,550	1,629	0.35
MILL-W6	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
MILL-W7	0.05	202247	0.05	0.06	0.04	0.05	0.04	0.05	-	57,203	287	0.05
PAP	2.48	202247	2.50	2.52	2.50	2.52	2.50	2.52	0.04	229	58	2.517
PERM	0.91	202247	0.91	0.91	0.90	0.91	0.90	0.91	-	878	79	0.901
SAM	0.38	202247	0.39	0.39	0.38	0.38	0.38	0.39	-	1,637	62	0.38
SMIT	4.52	202247	4.50	4.52	4.48	4.48	4.50	4.52	(0.04)	761	342	4.494
SSSC	2.96	202247	2.96	2.96	2.94	2.96	2.94	2.96	-	329	97	2.952
TGPRO	0.15	202247	0.15	0.15	0.14	0.14	0.14	0.15	(0.01)	9,658	136	0.14
THE	1.24	202247	1.24	1.28	1.20	1.25	1.22	1.25	0.01	420	50	1.202
TMT	5.80	202247	5.85	5.85	5.70	5.75	5.75	5.80	(0.05)	1,065	614	5.767
TSTH	0.81	202247	0.81	0.81	0.80	0.80	0.80	0.81	(0.01)	2,390	191	0.8
TWP	1.98	202247	2.04	2.04	1.90	1.98	1.97	1.98	-	96	19	1.976
TYCN	2.60	202247	-	2.60	2.56	2.56	2.56	2.60	(0.04)	15	4	2.584
Construction Service												
APCS	3.54	202247	-	3.56	3.50	3.52	3.52	3.56	(0.02)	301	106	3.53
BJCHI	1.16	202247	1.15	1.16	1.14	1.16	1.14	1.16	-	2,195	252	1.145
BKD	1.64	202247	-	1.67	1.67	1.67	1.63	1.66	0.03	9	2	1.67
CIVIL	2.02	202247	2.02	2.04	2.02	2.04	2.02	2.04	0.02	267	54	2.035
CK	21.20	202247	21.30	21.50	21.00	21.00	21.00	21.10	(0.20)	8,076	17,115	21.192
CK01C2403A	0.09	202247	-	-	-	-	0.03	0.04	-	-	-	0
CK01C2407A	0.37	202247	-	0.38	0.36	0.36	0.35	0.36	(0.01)	1,102	41	0.375
CK11C2407A	0.31	202247	-	0.32	0.32	0.32	0.30	0.31	0.01	420	13	0.32
CK13C2403A	0.05	202247	-	-	-	-	0.01	0.02	-	-	-	0
CK13C2405A	0.18	202247	-	0.19	0.16	0.16	0.16	0.17	(0.02)	38,306	695	0.181
CK19C2404A	0.14	202247	-	0.14	0.14	0.14	0.13	0.14	-	474	7	0.14
CNT	1.08	202247	1.06	1.09	1.06	1.07	1.06	1.07	(0.01)	1,142	122	1.067
EMC	0.08	202247	0.08	0.09	0.08	0.08	0.08	0.09	-	1,546	13	0.081
ITD	0.73	202247	0.73	0.75	0.72	0.72	0.72	0.73	(0.01)	115,771	8,476	0.732
NWR	0.37	202247	0.37	0.37	0.34	0.36	0.35	0.36	(0.01)	111,049	3,917	0.352
PLE	0.53	202247	0.53	0.59	0.53	0.55	0.55	0.56	0.02	28,991	1,641	0.565
PREB	6.50	202247	6.50	6.55	6.50	6.50	6.50	6.55	-	114	74	6.503
PYLON	2.56	202247	2.56	2.56	2.54	2.56	2.54	2.56	-	298	76	2.546
RT	0.87	202247	0.87	0.89	0.87	0.88	0.88	0.89	0.01	36,669	3,222	0.878
RT-W1	0.10	202247	0.10	0.11	0.09	0.09	0.09	0.10	(0.01)	17,798	177	0.099
SEAFCO	2.56	202247	2.58	2.58	2.54	2.58	2.54	2.58	0.02	368	94	2.558
SQ	1.19	202247	1.17	1.21	1.17	1.19	1.19	1.20	-	8,944	1,062	1.187
SRICHA	8.20	202247	8.10	8.80	8.10	8.60	8.60	8.70	0.40	14,927	12,778	8.56
STEC	8.50	202247	8.45	8.65	8.45	8.50	8.50	8.55	-	25,715	21,984	8.549
STEC01C2402A	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
STEC01C2403A	0.05	202247	-	-	-	-	0.02	0.03	-	-	-	0
STEC13C2402A	0.02	202247	-	-	-	-	-	0.01	-	-	-	0
STEC13C2403A	0.03	202247	-	-	-	-	0.01	0.02	-	-	-	0
STEC13C2405A	0.20	202247	0.21	0.21	0.20	0.20	0.19	0.20	-	6,092	124	0.203
STEC19C2403A	0.07	202247	-	-	-	-	0.01	0.02	-	-	-	0
STEC19C2407A	0.33	202247	0.33	0.34	0.33	0.33	0.32	0.33	-	9,583	317	0.33
STI	3.62	202247	3.58	3.64	3.56	3.60	3.58	3.60	(0.02)	739	265	3.584
STPI	3.26	202247	-	3.26	3.20	3.22	3.20	3.22	(0.04)	1,482	475	3.207
SYNTEC	1.74	202247	1.75	1.77	1.74	1.74	1.74	1.75	-	9,434	1,659	1.758
TEAMG	5.30	202247	5.35	5.50	5.30	5.40	5.40	5.45	0.10	11,293	6,103	5.403
TEAMG-W1	0.63	202247	0.64	0.65	0.63	0.64	0.63	0.64	0.01	6,610	422	0.637
TEKA	2.56	202247	2.54	2.58	2.50	2.58	2.54	2.58	0.02	1,004	253	2.517
TPOLY	0.63	202247	0.64	0.67	0.62	0.63	0.63	0.64	-	7,494	483	0.644
TRC	0.32	202247	0.31	0.32	0.30	0.30	0.30	0.31	(0.02)	152,823	4,732	0.309
TRITN	0.13	202247	0.13	0.14	0.13	0.13	0.13	0.14	-	14,581	190	0.13
TRITN-W5	0.01	202247	0.01	0.01	0.01	0.01	-	0.01	-	2	-	0.01
TRITN-W6	0.01	202247	-	0.01	0.01	0.01	-	0.01	-	240	-	0.01
TTCL	3.46	202247	3.46	3.48	3.46	3.46	3.46	3.48	-	1,111	386	3.471
UNIQ	3.10	202247	3.14	3.14	3.06	3.06	3.06	3.08	(0.04)	258	79	3.07
WGE	0.71	202247	0.76	0.79	0.71	0.73	0.73	0.74	0.02	12,773	957	0.748
Unit Trust												
SCBSET	7.54	202247	-	-	-	-	6.40	-	-	-	-	0
ETF												
1DIV	9.81	202247	9.85	9.87	9.81	9.86	9.85	9.86	0.05	414	407	9.841
ABFTH	1,245.00	202247	-	-	-	-	1,253.00	1,283.00	-	-	-	0
BMSCG	9.39	202247	-	9.43	9.40	9.43	9.36	9.43	0.04	19	18	9.404
BMSCITH	9.61	202247	9.59	9.63	9.59	9.61	9.60	9.61	-	253	244	9.625
BSET100	8.90	202247	8.90	8.93	8.90	8.92	8.92	8.93	0.02	785	699	8.901
CHINA	5.17	202247	5.06	5.17	5.06	5.14	5.13	5.15	(0.03)	2,848	1,451	5.093
EBANK	4.93	202247	-	4.99	4.93	4.96	4.96	5.01	0.03	11	5	4.976
ENGY	5.13	202247	5.11	5.15	5.10	5.15	5.13	5.14	0.02	6	3	5.113
ENY	4.97	202247	4.97	5.00	4.97	4.99	4.99	5.00	0.02	101	50	4.99
GLD	2.92	202247	2.93	2.93	2.91	2.93	2.91	2.93	0.01	8,226	2,408	2.927
TDEX	8.12	202247	8.12	8.15	8.11	8.13	8.13	8.14	0.01	1,441	1,171	8.127
UBOT	12.90	202247	-	13.08	12.99	13.08	13.06	13.08	0.18	37	48	13.044
UHERO	7.05	202247	7.17	7.25	7.17	7.18	7.18	7.23	0.13	41	29	7.181
Warrant Foreign												

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AIA28C2403A	0.05	202247	-	-	-	-	-	1.00	-	-	-	0
AIA28C2406A	0.24	202247	-	0.25	0.23	0.25	0.08	0.30	0.01	27,126	673	0.247
AIA28P2405A	0.36	202247	-	0.33	0.32	0.33	-	-	(0.03)	17,154	561	0.327
AIA41C2403A	0.10	202247	-	-	-	-	-	-	-	-	-	0
AIA41C2406A	0.24	202247	-	0.28	0.26	0.27	-	-	0.03	1,600	44	0.271
ALIHEA28C2402A	0.09	202247	-	-	-	-	-	-	-	-	-	0
ALIHEA28C2406A	0.04	202247	-	-	-	-	0.01	-	-	-	-	0
ALIHEA28C2407A	0.13	202247	-	0.14	0.13	0.14	0.05	0.14	0.01	2,028	28	0.137
ALIHEA41C2406A	0.12	202247	-	-	-	-	-	-	-	-	-	0
BABA28C2403A	0.03	202247	-	-	-	-	0.02	0.03	-	-	-	0
BABA28C2403B	0.04	202247	-	-	-	-	0.01	0.05	-	-	-	0
BABA28C2404A	0.16	202247	-	0.17	0.16	0.16	-	-	-	29,386	491	0.167
BABA28C2404B	0.17	202247	-	0.18	0.16	0.17	0.16	0.18	-	36,968	643	0.173
BABA28C2406A	0.19	202247	0.19	0.21	0.18	0.19	0.18	0.21	-	32,531	631	0.194
BABA28C2406B	0.38	202247	-	0.39	0.36	0.38	-	-	-	32,419	1,230	0.379
BABA28P2403A	0.30	202247	-	0.30	0.28	0.29	-	-	(0.01)	30,000	876	0.292
BABA28P2404A	0.25	202247	-	0.26	0.23	0.25	-	-	-	16,140	392	0.243
BABA41C2403A	0.03	202247	-	-	-	-	0.01	-	-	-	-	0
BABA41C2403B	0.02	202247	-	-	-	-	0.01	-	-	-	-	0
BABA41C2404A	0.18	202247	0.16	0.18	0.16	0.17	0.17	0.21	(0.01)	2,887	52	0.179
BABA41C2404B	0.36	202247	-	0.38	0.33	0.35	-	-	(0.01)	4,800	173	0.36
BABA41C2406A	0.23	202247	-	0.24	0.22	0.22	0.02	-	(0.01)	47	1	0.23
BABA41C2406B	0.57	202247	-	0.60	0.54	0.57	-	-	-	2,200	125	0.57
BABA41P2403A	0.42	202247	-	0.42	0.40	0.42	-	-	-	600	25	0.41
BABA41P2404A	0.21	202247	-	0.22	0.20	0.21	-	-	-	1,400	29	0.207
BIDU28C2403A	0.07	202247	-	-	-	-	-	-	-	-	-	0
BIDU28C2403B	0.10	202247	-	0.08	0.08	0.08	0.01	-	(0.02)	3,000	24	0.08
BIDU28C2407A	0.32	202247	-	0.34	0.31	0.32	-	-	-	14,132	461	0.326
BIDU28P2406A	0.43	202247	-	0.44	0.41	0.44	-	-	0.01	31,434	1,351	0.429
BIDU41C2403A	0.09	202247	-	-	-	-	0.01	-	-	-	-	0
BIDU41C2403B	0.15	202247	-	-	-	-	-	-	-	-	-	0
BIDU41C2407A	0.34	202247	-	0.35	0.33	0.33	-	-	(0.01)	1,600	55	0.342
BIDU41P2403A	0.76	202247	-	0.78	0.73	0.78	0.08	-	0.02	2,871	216	0.75
BYDCOM28C2404A	0.04	202247	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2405A	0.11	202247	-	-	-	-	-	-	-	-	-	0
BYDCOM28P2405A	0.58	202247	-	0.63	0.55	0.58	0.10	-	-	47,740	2,812	0.589
BYDCOM41C2404A	0.07	202247	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41C2405A	0.15	202247	-	-	-	-	-	0.09	-	-	-	0
BYDCOM41C2406A	0.13	202247	0.12	0.14	0.12	0.12	0.11	0.15	(0.01)	8,844	118	0.133
BYDCOM41P2404A	1.31	202247	-	1.39	1.27	1.34	-	-	0.03	2,200	294	1.337
BYDCOM41P2405A	0.59	202247	-	0.62	0.57	0.60	-	-	0.01	3,400	204	0.599
CATHAY28C2403A	0.04	202247	-	-	-	-	-	-	-	-	-	0
CATHAY28C2404A	0.14	202247	-	-	-	-	0.05	0.18	-	-	-	0
CATHAY28C2407A	0.28	202247	-	0.28	0.27	0.27	-	-	(0.01)	6,507	179	0.274
CATHAY41C2403A	0.02	202247	-	-	-	-	0.01	-	-	-	-	0
CATHAY41C2404A	0.19	202247	-	0.18	0.17	0.17	-	-	(0.02)	400	7	0.172
CHMOBI28C2404A	0.24	202247	-	0.22	0.21	0.22	-	0.50	(0.02)	19,266	422	0.219
CMBANK41C2404A	0.12	202247	-	-	-	-	0.05	-	-	-	-	0
CMBANK41C2406A	0.27	202247	-	0.28	0.27	0.28	-	-	0.01	1,800	50	0.276
CNOOC28C2404A	0.28	202247	-	0.28	0.27	0.28	-	-	-	14,196	391	0.275
DJI28C2403A	2.76	202247	-	3.16	3.16	3.16	3.10	3.14	0.40	30	9	3.16
DJI28C2403B	0.71	202247	-	-	-	-	0.80	0.81	-	-	-	0
DJI28C2403C	0.32	202247	-	-	-	-	0.30	0.31	-	-	-	0
DJI28C2406B	0.78	202247	-	0.79	0.79	0.79	0.77	0.78	0.01	1	-	0.79
DJI28P2403A	0.03	202247	-	-	-	-	0.01	0.04	-	-	-	0
DJI28P2403B	0.01	202247	-	-	-	-	0.01	0.03	-	-	-	0
DJI28P2403C	0.08	202247	-	-	-	-	0.07	0.08	-	-	-	0
DJI28P2403D	0.14	202247	-	0.13	0.12	0.13	0.12	0.13	(0.01)	900	12	0.128
DJI28P2406A	0.48	202247	0.46	0.47	0.46	0.47	0.46	0.47	(0.01)	1,516	70	0.466
DJI41C2403A	2.36	202247	-	-	-	-	0.02	-	-	-	-	0
DJI41C2403B	0.68	202247	-	0.65	0.65	0.65	-	0.66	(0.03)	1	-	0.65
DJI41C2406A	0.85	202247	-	0.83	0.83	0.83	-	0.85	(0.02)	4	-	0.83
DJI41P2403A	0.04	202247	-	-	-	-	0.01	-	-	-	-	0
DJI41P2403B	0.06	202247	-	-	-	-	-	-	-	-	-	0
DJI41P2403C	0.08	202247	-	0.08	0.08	0.08	0.06	-	-	894	7	0.08
DJI41P2406A	0.43	202247	-	0.43	0.42	0.43	0.43	0.44	-	329	14	0.429
GEELY28C2403A	0.07	202247	-	-	-	-	-	-	-	-	-	0
GEELY28C2406A	0.21	202247	-	0.21	0.18	0.19	-	4.20	(0.02)	19,798	388	0.196
GEELY28P2404A	0.53	202247	-	0.59	0.51	0.53	-	-	-	51,462	2,824	0.548
GEELY41C2404A	0.06	202247	-	-	-	-	0.01	-	-	-	-	0
GEELY41C2406A	0.17	202247	-	0.18	0.15	0.17	-	-	-	3,600	60	0.165
HAIDIL28C2402A	0.03	202247	-	-	-	-	-	0.10	-	-	-	0
HAIDIL28C2403A	0.01	202247	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2404A	0.10	202247	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2406A	0.12	202247	-	0.11	0.11	0.11	0.10	-	(0.01)	2,030	22	0.11
HAIDIL41C2403A	0.05	202247	-	-	-	-	0.01	-	-	-	-	0
HAIDIL41C2404A	0.09	202247	-	-	-	-	-	-	-	-	-	0
HAIDIL41C2405A	0.13	202247	-	0.13	0.11	0.12	0.05	-	(0.01)	3,950	48	0.122
HKEX28C2404A	0.06	202247	-	-	-	-	-	-	-	-	-	0
HKEX28C2406A	0.16	202247	-	0.15	0.14	0.15	0.05	0.20	(0.01)	23,108	340	0.146
HKEX28C2407A	0.30	202247	-	0.29	0.27	0.27	0.26	0.29	(0.03)	8,068	223	0.276
HKEX41C2404A	0.12	202247	-	-	-	-	-	-	-	-	-	0
HKEX41C2405A	0.15	202247	-	-	-	-	-	-	-	-	-	0
HKEX41C2406A	0.20	202247	-	0.19	0.18	0.18	-	-	(0.02)	1,830	34	0.183
HSBC28C2403A	0.15	202247	-	0.14	0.14	0.14	-	-	(0.01)	10,140	142	0.14
HSBC28C2406A	0.56	202247	-	0.55	0.52	0.54	-	-	(0.02)	17,112	925	0.54
HSBC28P2404A	0.09	202247	-	-	-	-	-	-	-	-	-	0
HSBC28P2407A	0.19	202247	-	0.19	0.19	0.19	-	0.20	-	18,000	342	0.19
HSBC41C2403A	0.24	202247	-	0.22	0.21	0.22	-	-	(0.02)	200	4	0.215
HSBC41C2405A	0.21	202247	-	0.20	0.19	0.19	0.05	0.21	(0.02)	200	4	0.195
HSBC41P2406A	0.18	202247	-	-	-	-	-	-	-	-	-	0
HSCEI28C2402A	0.07	202247	-	-	-	-	0.05	0.06	-	-	-	0
HSCEI28C2403A	0.24	202247	-	0.24	0.24	0.24	0.23	0.24	-	502	12	0.24

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSCEI28P2402A	0.18	202247	-	-	-	-	0.16	0.17	-	-	-	0
HSCEI28P2403A	0.96	202247	-	0.99	0.89	0.99	0.99	1.00	0.03	240,225	22,587	0.94
HSI06C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	1,805	2	0.01
HSI06C2402B	0.02	202247	0.02	0.03	0.01	0.02	0.01	0.02	-	3,744	7	0.017
HSI06C2402C	0.05	202247	0.04	0.07	0.04	0.05	0.04	0.06	-	128,157	722	0.056
HSI06C2402D	0.22	202247	-	0.26	0.18	0.19	0.18	0.20	(0.03)	19,475,302	441,609	0.226
HSI06C2403A	0.11	202247	0.10	0.14	0.10	0.11	0.10	0.12	-	34,305	402	0.117
HSI06C2403B	0.08	202247	-	0.09	0.07	0.07	0.07	0.11	(0.01)	6,905	54	0.077
HSI06C2403C	0.25	202247	0.22	0.29	0.22	0.23	0.22	0.24	(0.02)	16,345,991	429,545	0.262
HSI06C2403D	0.76	202247	-	0.75	0.65	0.65	-	-	(0.11)	209	15	0.728
HSI06C2404A	0.15	202247	-	0.18	0.14	0.15	0.14	0.15	-	14,259	225	0.157
HSI06C2404B	0.80	202247	-	-	-	-	0.08	-	-	-	-	0
HSI06C2404C	0.42	202247	0.39	0.47	0.39	0.41	0.40	0.42	(0.01)	9,606,353	410,517	0.427
HSI06C2405A	0.43	202247	-	0.48	0.40	0.43	-	0.43	-	6,732,442	296,319	0.44
HSI06P2402A	1.44	202247	-	-	-	-	1.12	-	-	-	-	0
HSI06P2402B	0.30	202247	0.33	0.33	0.24	0.29	0.25	0.30	(0.01)	14,292,473	399,188	0.279
HSI06P2402C	0.66	202247	-	0.67	0.58	0.67	0.08	-	0.01	106	7	0.651
HSI06P2403A	1.03	202247	-	-	-	-	0.08	-	-	-	-	0
HSI06P2403B	0.70	202247	-	0.75	0.63	0.70	0.67	-	-	18,686	1,317	0.705
HSI06P2403C	0.40	202247	0.42	0.43	0.34	0.39	0.39	0.40	(0.01)	8,869,623	332,208	0.374
HSI06P2403D	0.25	202247	-	0.24	0.20	0.23	-	-	(0.02)	13,221,199	292,431	0.221
HSI06P2404A	0.98	202247	-	1.05	1.05	1.05	0.98	-	0.07	10	1	1.05
HSI06P2404B	0.40	202247	-	0.42	0.36	0.39	-	0.43	(0.01)	6,804,451	265,026	0.389
HSI06P2404C	1.58	202247	-	-	-	-	0.08	-	-	-	-	0
HSI06P2405A	1.15	202247	-	1.14	1.12	1.14	-	-	(0.01)	24	3	1.125
HSI28C2402A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	763	1	0.01
HSI28C2402B	0.01	202247	-	0.02	0.01	0.02	0.01	0.02	0.01	601	1	0.01
HSI28C2402C	0.02	202247	-	0.02	0.01	0.02	0.01	0.02	-	52	-	0.01
HSI28C2402D	0.06	202247	0.05	0.08	0.04	0.06	0.05	0.06	-	327,755	2,024	0.061
HSI28C2402E	0.03	202247	-	0.03	0.03	0.03	0.02	0.03	-	595	2	0.03
HSI28C2402F	0.23	202247	0.18	0.27	0.18	0.20	0.20	0.21	(0.03)	12,805,909	294,745	0.23
HSI28C2403A	0.03	202247	-	0.03	0.02	0.03	0.03	0.04	-	2,280	7	0.03
HSI28C2403B	0.30	202247	0.26	0.34	0.26	0.28	0.28	0.29	(0.02)	12,013,499	375,009	0.312
HSI28C2403C	0.16	202247	0.14	0.18	0.14	0.14	0.14	0.15	(0.02)	63,825	968	0.151
HSI28C2403D	0.09	202247	-	0.09	0.08	0.08	0.07	0.08	(0.01)	6,071	51	0.083
HSI28C2403E	0.57	202247	0.51	0.63	0.51	0.54	0.54	0.55	(0.03)	8,184,115	473,284	0.578
HSI28C2403F	0.97	202247	0.90	1.07	0.90	0.95	0.95	0.97	(0.02)	282,052	27,230	0.965
HSI28C2404A	0.09	202247	0.08	0.10	0.07	0.09	0.08	0.09	-	82,118	750	0.091
HSI28C2404B	0.19	202247	0.17	0.22	0.17	0.18	0.18	0.19	(0.01)	12,925	236	0.182
HSI28C2404C	0.36	202247	0.32	0.40	0.32	0.34	0.34	0.35	(0.02)	10,622,092	393,131	0.37
HSI28C2404D	0.66	202247	-	0.73	0.62	0.65	0.65	0.66	(0.01)	5,431,667	371,123	0.683
HSI28C2405A	0.13	202247	0.12	0.15	0.12	0.13	0.12	0.13	-	44,656	590	0.132
HSI28C2406A	0.37	202247	0.34	0.40	0.34	0.35	0.35	0.36	(0.02)	81,266	3,006	0.369
HSI28P2402A	0.23	202247	0.23	0.23	0.15	0.21	0.20	0.21	(0.02)	8,419,047	156,219	0.185
HSI28P2402B	2.48	202247	-	2.58	2.36	2.40	2.48	2.54	(0.08)	154	37	2.412
HSI28P2402C	0.92	202247	0.97	0.98	0.77	0.90	0.90	0.91	(0.02)	399,551	34,206	0.856
HSI28P2402D	1.31	202247	-	1.50	0.42	1.41	1.41	1.46	0.10	513	73	1.413
HSI28P2403A	0.96	202247	1.02	1.02	0.86	0.95	0.95	0.96	(0.01)	41,010	3,775	0.92
HSI28P2403B	0.30	202247	0.32	0.32	0.25	0.29	0.29	0.30	(0.01)	61,402	1,652	0.268
HSI28P2403C	0.52	202247	0.55	0.55	0.44	0.51	0.51	0.52	(0.01)	10,617,172	519,685	0.489
HSI28P2403D	1.55	202247	-	1.63	1.44	1.55	1.55	1.58	-	13,064	2,035	1.557
HSI28P2404A	0.53	202247	0.56	0.56	0.47	0.52	0.52	0.53	(0.01)	8,437,150	420,198	0.498
HSI28P2405A	0.51	202247	0.53	0.53	0.46	0.51	0.51	0.52	-	13,712,712	670,901	0.489
HSI28P2406A	0.44	202247	-	0.45	0.40	0.43	0.43	0.44	(0.01)	27,576	1,196	0.433
HSTECH28C2403A	0.26	202247	-	0.30	0.26	0.26	0.25	0.26	-	9,340	258	0.276
HSTECH28C2403B	0.08	202247	-	0.08	0.07	0.07	0.07	0.08	(0.01)	701	5	0.074
HSTECH28P2403A	0.61	202247	-	0.65	0.56	0.61	0.62	0.63	-	4,040	240	0.595
HSTECH28P2403B	1.53	202247	-	-	-	-	1.51	1.55	-	-	-	0
ICBC28C2404A	0.13	202247	-	-	-	-	-	-	-	-	-	0
ICBC28C2407A	0.32	202247	-	-	-	-	-	-	-	-	-	0
JD28C2402A	0.04	202247	-	-	-	-	-	0.80	-	-	-	0
JD28C2403A	0.13	202247	-	-	-	-	-	-	-	-	-	0
JD28C2403B	0.09	202247	-	0.08	0.07	0.08	0.03	0.12	(0.01)	1,904	15	0.076
JD28C2406A	0.36	202247	-	0.37	0.33	0.35	-	-	(0.01)	15,126	544	0.359
JD41C2406A	0.51	202247	-	0.49	0.45	0.48	-	-	(0.03)	800	38	0.473
KUAISH28C2403A	0.01	202247	-	-	-	-	-	-	-	-	-	0
KUAISH28C2404A	0.10	202247	-	-	-	-	-	2.00	-	-	-	0
KUAISH28C2406A	0.10	202247	-	0.10	0.09	0.09	0.01	0.10	(0.01)	17,544	175	0.099
KUAISH41C2406A	0.22	202247	-	0.22	0.19	0.22	-	-	-	400	8	0.21
LENOVO28C2402A	0.46	202247	-	-	-	-	-	-	-	-	-	0
LENOVO28C2404A	0.08	202247	-	-	-	-	0.01	0.04	-	-	-	0
LENOVO41C2406A	0.16	202247	-	-	-	-	-	-	-	-	-	0
MCA5041C2403A	0.01	202247	-	-	-	-	0.01	-	-	-	-	0
MCA5041C2406A	0.37	202247	-	0.42	0.35	0.42	-	-	0.05	65	3	0.401
MCA5041P2403A	1.29	202247	-	-	-	-	-	-	-	-	-	0
MCA5041P2406A	1.22	202247	1.12	1.12	0.95	1.01	-	-	(0.21)	285	29	1.002
MEITUA28C2403A	0.01	202247	-	-	-	-	-	-	-	-	-	0
MEITUA28C2404A	0.04	202247	-	-	-	-	-	-	-	-	-	0
MEITUA28C2406A	0.14	202247	-	0.18	0.15	0.16	-	-	0.02	48,302	780	0.161
MEITUA28P2405A	1.28	202247	-	1.29	1.17	1.24	0.02	-	(0.04)	30,252	3,689	1.219
MEITUA28P2406A	0.70	202247	-	0.68	0.61	0.61	-	-	(0.09)	18,168	1,179	0.648
MEITUA41C2403A	0.10	202247	-	-	-	-	0.01	-	-	-	-	0
MEITUA41C2405A	0.04	202247	-	0.04	0.04	0.04	0.02	0.22	-	50	-	0.04
MEITUA41C2405B	0.14	202247	-	-	-	-	-	-	-	-	-	0
MEITUA41C2406A	0.20	202247	-	0.24	0.24	0.24	0.08	-	0.04	300	7	0.24
MEITUA41C2406B	1.00	202247	-	0.43	0.35	0.37	-	-	(0.63)	8,000	308	0.385
MEITUA41P2404A	1.30	202247	-	1.24	1.10	1.18	0.02	-	(0.12)	3,584	423	1.181
MEITUA41P2406A	0.62	202247	-	0.61	0.53	0.57	0.08	-	(0.05)	5,200	292	0.561
NDX28C2403A	0.23	202247	-	-	-	-	0.18	0.19	-	-	-	0
NDX28C2403B	1.01	202247	-	-	-	-	1.07	1.08	-	-	-	0
NDX28C2406A	1.78	202247	-	1.89	1.83	1.86	1.86	1.87	0.08	151	28	1.866
NDX28C2406B	0.56	202247	-	0.60	0.57	0.59	0.58	0.59	0.03	132	8	0.586
NDX28C2406C	0.76	202247	-	0.81	0.78	0.81	0.79	0.80	0.05	6,064	483	0.797

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
NDX28P2403A	0.01	202247	-	-	-	-	0.01	0.04	-	-	-	0
NDX28P2403B	0.04	202247	-	-	-	-	0.01	0.04	-	-	-	0
NDX28P2403C	0.09	202247	-	0.07	0.06	0.07	0.06	0.07	(0.02)	2	-	0.065
NDX28P2403D	0.15	202247	-	-	-	-	0.12	0.13	-	-	-	0
NDX28P2406A	0.28	202247	-	0.27	0.26	0.26	0.26	0.27	(0.02)	150	4	0.266
NDX41C2403A	1.39	202247	-	1.49	1.45	1.49	0.02	-	0.10	410	60	1.469
NDX41C2403B	1.40	202247	-	1.48	1.44	1.48	-	-	0.08	300	44	1.466
NDX41C2403C	0.47	202247	-	0.52	0.49	0.51	-	-	0.04	636	31	0.492
NDX41C2406A	1.03	202247	1.06	1.09	1.06	1.07	1.00	-	0.04	862	91	1.061
NDX41P2403A	0.04	202247	-	-	-	-	0.01	-	-	-	-	0
NDX41P2403B	0.17	202247	-	-	-	-	0.01	-	-	-	-	0
NDX41P2403C	0.09	202247	-	-	-	-	-	-	-	-	-	0
NDX41P2403D	0.08	202247	-	-	-	-	-	0.10	-	-	-	0
NDX41P2406A	0.35	202247	0.33	0.33	0.32	0.33	0.32	0.39	(0.02)	38,813	1,253	0.322
NTES41C2404A	0.08	202247	-	0.12	0.12	0.12	-	-	0.04	27	-	0.12
NTES41C2405A	0.41	202247	-	0.46	0.41	0.44	-	-	0.03	4,000	174	0.434
PINGAN28C2403A	0.03	202247	-	-	-	-	-	-	-	-	-	0
PINGAN28C2404A	0.06	202247	-	-	-	-	-	1.00	-	-	-	0
PINGAN28C2406A	0.14	202247	-	0.14	0.13	0.14	0.08	0.15	-	54,322	752	0.138
PINGAN28C2407A	0.32	202247	0.33	0.36	0.32	0.34	-	-	0.02	3,030	106	0.349
PINGAN28P2403A	0.61	202247	-	-	-	-	-	-	-	-	-	0
PINGAN28P2406A	0.25	202247	-	0.25	0.23	0.25	-	-	-	23,322	568	0.243
PINGAN41C2403A	0.11	202247	-	-	-	-	0.01	-	-	-	-	0
PINGAN41C2404A	0.07	202247	-	-	-	-	0.01	-	-	-	-	0
PINGAN41C2404B	0.14	202247	-	-	-	-	-	-	-	-	-	0
PINGAN41C2406A	0.22	202247	-	0.23	0.21	0.21	-	-	(0.01)	1,482	32	0.216
PINGAN41C2406B	0.21	202247	-	-	-	-	-	-	-	-	-	0
PINGAN41P2404A	0.21	202247	-	0.22	0.20	0.21	-	-	-	2,200	46	0.208
SET5001C2403A	0.02	202247	0.03	0.03	0.02	0.03	0.02	0.03	0.01	11,863	26	0.021
SET5001C2403B	0.01	202247	0.02	0.02	0.01	0.02	0.01	0.02	0.01	210	-	0.019
SET5001C2403F	0.12	202247	0.11	0.12	0.10	0.10	0.10	0.11	(0.02)	5,701	63	0.109
SET5001C2403G	0.03	202247	-	0.02	0.02	0.02	0.01	0.02	(0.01)	100	-	0.02
SET5001C2404A	0.07	202247	-	0.08	0.06	0.08	0.06	0.07	0.01	6,683	47	0.07
SET5001C2404T	0.25	202247	-	0.24	0.23	0.24	0.23	0.24	(0.01)	13,000	307	0.236
SET5001C2405A	0.34	202247	0.31	0.34	0.31	0.33	0.32	0.33	(0.01)	237,824	7,958	0.334
SET5001C2406T	0.46	202247	0.45	0.46	0.43	0.45	0.44	0.45	(0.01)	8,777	394	0.449
SET5001P2403A	0.09	202247	-	0.09	0.07	0.08	0.08	0.09	(0.01)	13,095	108	0.082
SET5001P2403B	0.03	202247	-	0.02	0.02	0.02	0.02	0.03	(0.01)	1,176	2	0.02
SET5001P2403F	0.11	202247	-	0.12	0.12	0.12	0.12	0.13	0.01	4,330	52	0.12
SET5001P2403G	0.11	202247	-	0.12	0.11	0.12	0.11	0.12	0.01	540	6	0.118
SET5001P2403H	0.41	202247	0.44	0.46	0.41	0.43	0.43	0.44	0.02	69,248	3,021	0.436
SET5001P2404A	0.36	202247	-	0.38	0.34	0.35	0.35	0.36	(0.01)	11,332	407	0.359
SET5001P2404T	0.32	202247	0.33	0.34	0.32	0.32	0.32	0.33	-	8,847	291	0.328
SET5001P2405A	0.27	202247	-	0.29	0.26	0.27	0.26	0.27	-	13,816	386	0.279
SET5001P2406T	0.38	202247	-	0.40	0.37	0.38	0.38	0.39	-	20,602	786	0.381
SET5006C2402A	0.04	202247	-	-	-	-	-	0.04	-	-	-	0
SET5006C2403A	0.04	202247	-	-	-	-	-	-	-	-	-	0
SET5006C2403B	0.14	202247	-	0.13	0.12	0.13	0.12	-	(0.01)	149,877	1,799	0.12
SET5006C2403C	0.31	202247	-	0.30	0.27	0.29	0.28	0.30	(0.02)	67,784	1,923	0.283
SET5006P2402A	0.23	202247	-	0.25	0.23	0.24	-	-	0.01	189,678	4,425	0.233
SET5006P2403A	0.34	202247	0.35	0.35	0.35	0.35	0.32	-	0.01	35	1	0.35
SET5006P2403C	0.12	202247	-	0.15	0.13	0.13	-	0.14	0.01	60,275	797	0.132
SET5013C2403A	0.02	202247	0.02	0.02	0.01	0.01	0.01	0.02	(0.01)	145,167	147	0.01
SET5013C2403B	0.03	202247	0.03	0.03	0.02	0.02	0.02	0.03	(0.01)	10,804	32	0.029
SET5013C2403C	0.04	202247	-	0.04	0.03	0.04	0.03	0.04	-	33,713	102	0.03
SET5013C2403D	0.07	202247	0.06	0.07	0.05	0.06	0.06	0.07	(0.01)	28,090	169	0.059
SET5013C2403E	0.08	202247	0.07	0.07	0.06	0.06	0.06	0.07	(0.02)	42,825	299	0.069
SET5013C2403F	0.08	202247	-	0.07	0.05	0.06	0.05	0.06	(0.02)	4,495	27	0.06
SET5013C2403G	0.08	202247	0.07	0.07	0.05	0.06	0.06	0.07	(0.02)	335,626	2,064	0.061
SET5013C2403H	0.20	202247	0.16	0.18	0.14	0.15	0.15	0.16	(0.05)	2,844,880	44,929	0.157
SET5013C2403I	0.31	202247	0.25	0.27	0.23	0.24	0.24	0.25	(0.07)	3,007,377	74,325	0.247
SET5013C2403J	0.42	202247	0.36	0.38	0.32	0.34	0.34	0.35	(0.08)	1,744,351	60,386	0.346
SET5013C2405A	0.81	202247	-	0.81	0.80	0.80	0.80	0.81	(0.01)	17,633	1,414	0.802
SET5013C2406A	0.54	202247	0.50	0.52	0.47	0.48	0.48	0.49	(0.06)	1,064,987	52,642	0.494
SET5013P2403A	0.08	202247	0.09	0.09	0.07	0.08	0.08	0.09	-	125,990	1,009	0.08
SET5013P2403B	0.12	202247	-	0.13	0.11	0.11	0.11	0.12	(0.01)	69,300	813	0.117
SET5013P2403C	0.23	202247	0.24	0.26	0.22	0.25	0.24	0.25	0.02	409,281	9,858	0.24
SET5013P2403D	0.29	202247	0.30	0.32	0.27	0.29	0.29	0.30	-	1,247,588	37,164	0.297
SET5013P2403E	0.48	202247	0.51	0.53	0.46	0.49	0.49	0.50	0.01	1,503,078	74,778	0.497
SET5013P2403F	0.20	202247	0.21	0.22	0.18	0.20	0.20	0.21	-	170,290	3,464	0.203
SET5013P2405A	1.18	202247	-	1.20	1.18	1.18	1.18	1.19	-	66	8	1.191
SET5013P2406A	0.45	202247	0.48	0.49	0.44	0.46	0.46	0.47	0.01	1,016,017	47,554	0.468
SET5019C2403A	0.04	202247	0.02	0.03	0.02	0.02	0.02	0.03	(0.02)	2,257	6	0.028
SET5019C2403B	0.06	202247	-	-	-	-	0.05	0.06	-	-	-	0
SET5019C2403C	0.08	202247	-	0.08	0.07	0.08	0.06	0.07	-	1,601	11	0.07
SET5019C2403D	0.06	202247	-	0.05	0.05	0.05	0.04	0.05	(0.01)	2	-	0.05
SET5019C2403E	0.16	202247	-	0.14	0.12	0.12	0.12	0.13	(0.04)	365,106	4,701	0.128
SET5019C2403F	0.29	202247	0.24	0.26	0.23	0.24	0.24	0.25	(0.05)	77,848	1,890	0.242
SET5019C2406A	0.24	202247	-	0.23	0.21	0.22	0.22	0.23	(0.02)	48,243	1,079	0.223
SET5019C2406B	0.20	202247	-	0.19	0.18	0.18	0.18	0.19	(0.02)	123,986	2,345	0.189
SET5019P2403A	0.09	202247	-	0.09	0.08	0.08	0.08	0.09	(0.01)	223,072	2,008	0.09
SET5019P2403B	0.28	202247	0.30	0.31	0.28	0.29	0.29	0.30	0.01	427,374	12,623	0.295
SET5019P2403C	0.20	202247	0.21	0.23	0.20	0.21	0.21	0.22	0.01	354,692	7,568	0.213
SET5019P2403D	0.33	202247	-	0.37	0.33	0.35	0.34	0.35	0.02	639,875	22,181	0.346
SET5019P2403E	0.47	202247	0.50	0.52	0.47	0.50	0.49	0.50	0.03	75,826	3,735	0.492
SET5019P2406A	0.52	202247	0.55	0.56	0.53	0.55	0.55	0.56	0.03	739,237	40,516	0.548
SET5027C2403A	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403B	0.02	202247	-	-	-	-	0.01	0.02	-	-	-	0
SET5027C2403C	0.03	202247	-	-	-	-	0.02	0.03	-	-	-	0
SET5027C2403D	0.05	202247	-	-	-	-	0.03	0.04	-	-	-	0
SET5027C2403E	0.19	202247	-	0.15	0.13	0.14	0.13	0.14	(0.05)	284,622	3,913	0.137
SET5027C2403T	0.01	202247	-	-	-	-	-	0.01	-	-	-	0
SET5027C2406A	0.57	202247	-	0.55	0.50	0.51	0.51	0.52	(0.06)	167,866	8,745	0.52

Main Board Quotation

Issue Date

Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET5027C2406T	0.06	202247	-	0.05	0.05	0.05	0.04	0.05	(0.01)	10	-	0.05
SET5027C2409T	0.24	202247	-	0.23	0.21	0.23	0.22	0.23	(0.01)	142,344	3,133	0.22
SET5027P2403A	0.13	202247	-	0.14	0.13	0.13	0.13	0.14	-	186,232	2,498	0.134
SET5027P2403B	0.39	202247	0.41	0.43	0.37	0.39	0.39	0.41	-	149,011	5,951	0.399
SET5027P2403T	0.37	202247	-	0.40	0.36	0.38	0.38	0.39	0.01	76,692	2,936	0.382
SET5027P2406A	0.37	202247	-	0.40	0.36	0.38	0.38	0.39	0.01	216,837	8,328	0.384
SET5027P2406T	0.14	202247	0.15	0.16	0.14	0.14	0.14	0.15	-	103,290	1,546	0.149
SET5028C2403A	0.02	202247	-	0.01	0.01	0.01	-	0.01	(0.01)	422	-	0.01
SET5028C2403B	0.01	202247	-	0.01	0.01	0.01	0.02	0.03	-	1	-	0.01
SET5028C2403C	0.05	202247	-	0.05	0.05	0.05	0.04	0.05	-	2,000	10	0.05
SET5028C2403D	0.55	202247	-	0.51	0.45	0.47	0.47	0.48	(0.08)	139,021	6,568	0.472
SET5028C2406A	0.33	202247	0.31	0.32	0.30	0.31	0.30	0.31	(0.02)	604,749	18,502	0.305
SET5028P2403A	0.96	202247	-	1.01	0.93	0.97	0.97	0.98	0.01	135,031	13,160	0.974
SET5028P2403B	0.43	202247	0.44	0.45	0.41	0.43	0.42	0.43	-	818,618	35,606	0.434
SET5028P2406A	0.49	202247	0.51	0.51	0.49	0.50	0.49	0.50	0.01	508,166	25,590	0.503
SET5041C2403A	0.01	202247	-	0.01	0.01	0.01	0.01	0.02	-	29	-	0.01
SET5041C2403B	0.03	202247	-	-	-	-	-	0.02	-	-	-	0
SET5041C2403C	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403D	0.01	202247	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403E	0.02	202247	-	0.02	0.02	0.02	0.01	0.03	-	311	1	0.02
SET5041C2403F	0.06	202247	-	0.03	0.03	0.03	0.02	0.05	(0.03)	2	-	0.03
SET5041C2403G	0.11	202247	-	0.10	0.09	0.09	0.09	-	(0.02)	54	1	0.099
SET5041C2403H	0.21	202247	-	0.19	0.17	0.19	0.18	0.21	(0.02)	506,887	9,093	0.179
SET5041C2403I	0.28	202247	-	0.25	0.21	0.22	0.21	0.25	(0.06)	408,998	9,464	0.231
SET5041C2406A	0.18	202247	-	0.18	0.16	0.16	0.16	0.18	(0.02)	78,837	1,340	0.17
SET5041C2406B	0.67	202247	-	0.67	0.61	0.65	0.61	0.67	(0.02)	3,766	238	0.632
SET5041P2403A	0.43	202247	0.46	0.47	0.44	0.46	0.45	0.49	0.03	870,420	40,753	0.468
SET5041P2403B	0.16	202247	-	0.19	0.17	0.18	0.16	0.18	0.02	90,037	1,621	0.179
SET5041P2403C	0.21	202247	0.23	0.24	0.22	0.23	0.21	0.25	0.02	20,589	474	0.23
SET5041P2406A	0.67	202247	0.70	0.72	0.69	0.69	0.69	0.70	0.02	35,487	2,529	0.712
SPX28C2403A	1.52	202247	-	-	-	-	1.60	1.61	-	-	-	0
SPX28C2403B	0.60	202247	-	0.60	0.60	0.60	0.59	0.60	-	1	-	0.6
SPX28C2406A	0.86	202247	-	0.89	0.86	0.89	0.86	0.87	0.03	137	12	0.887
SPX28P2403A	0.04	202247	-	-	-	-	0.01	0.04	-	-	-	0
SPX28P2403B	0.12	202247	-	-	-	-	0.06	0.07	-	-	-	0
SPX28P2403C	0.20	202247	-	0.12	0.11	0.12	0.11	0.12	(0.08)	63,111	720	0.114
SPX28P2406A	0.38	202247	0.36	0.36	0.35	0.35	0.35	0.36	(0.03)	53	2	0.359
SPX41C2403A	1.59	202247	-	-	-	-	0.02	-	-	-	-	0
SPX41C2403B	0.67	202247	-	-	-	-	-	-	-	-	-	0
SPX41C2406A	0.88	202247	-	0.92	0.91	0.91	0.89	-	0.03	2	-	0.915
SPX41P2403A	0.05	202247	-	-	-	-	-	-	-	-	-	0
SPX41P2403B	0.08	202247	-	-	-	-	-	0.06	-	-	-	0
SPX41P2403C	0.14	202247	-	-	-	-	-	-	-	-	-	0
SPX41P2406A	0.38	202247	-	0.38	0.36	0.38	0.36	0.39	-	36,701	1,363	0.371
SUNNY28C2402A	0.05	202247	-	-	-	-	-	-	-	-	-	0
SUNNY28C2406A	0.09	202247	-	-	-	-	-	-	-	-	-	0
SUNNY28C2407A	0.12	202247	-	0.11	0.10	0.10	0.02	0.11	(0.02)	12,000	120	0.1
SUNNY41C2403A	0.09	202247	-	-	-	-	-	-	-	-	-	0
SUNNY41C2405A	0.09	202247	-	-	-	-	-	1.80	-	-	-	0
SUNNY41C2406A	1.00	202247	-	0.28	0.25	0.26	0.07	-	(0.74)	1,640	44	0.266
TENCEN28C2403A	0.03	202247	-	-	-	-	-	-	-	-	-	0
TENCEN28C2403B	0.08	202247	-	-	-	-	-	-	-	-	-	0
TENCEN28C2403C	0.09	202247	-	0.10	0.09	0.09	0.05	0.10	-	6,000	57	0.095
TENCEN28C2405A	0.12	202247	-	0.13	0.12	0.12	-	-	-	20,605	266	0.129
TENCEN28C2405B	0.34	202247	-	0.36	0.32	0.33	-	-	(0.01)	19,014	637	0.334
TENCEN28P2404A	0.22	202247	-	0.24	0.20	0.21	-	0.22	(0.01)	55,004	1,151	0.209
TENCEN41C2403A	0.10	202247	-	-	-	-	-	-	-	-	-	0
TENCEN41C2405A	0.09	202247	-	0.08	0.08	0.08	0.08	-	(0.01)	1	-	0.08
TENCEN41C2406A	0.32	202247	-	0.35	0.28	0.32	-	-	-	2,000	65	0.323
TENCEN41P2405A	0.69	202247	-	0.74	0.64	0.67	-	-	(0.02)	1,850	121	0.656
TRIPDC41C2403A	0.33	202247	-	0.36	0.32	0.33	-	-	-	3,400	114	0.333
XIAOMI28C2403A	0.08	202247	-	-	-	-	0.01	-	-	-	-	0
XIAOMI28C2404A	0.02	202247	0.02	0.02	0.02	0.02	0.01	0.02	-	101	-	0.02
XIAOMI28C2407A	0.15	202247	0.15	0.16	0.14	0.14	-	0.15	(0.01)	6,020	89	0.147
XIAOMI41C2403A	0.11	202247	-	-	-	-	-	-	-	-	-	0
XIAOMI41C2404A	0.03	202247	-	-	-	-	-	0.04	-	-	-	0
XIAOMI41C2406A	0.13	202247	-	0.13	0.12	0.12	-	-	(0.01)	800	10	0.126
XIAOMI41P2404A	0.44	202247	-	-	-	-	-	-	-	-	-	0
ZIJIN28C2403A	0.09	202247	-	-	-	-	0.01	-	-	-	-	0
ZIJIN28C2407A	0.41	202247	-	0.37	0.35	0.36	-	-	(0.05)	15,126	548	0.362
ZIJIN41C2403A	0.15	202247	-	-	-	-	-	-	-	-	-	0

Page 29

Main Board Quotation

Issue Date Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Foreign Board Quotation

Issue Date : Monday February 05, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
Agro & Food Indt	-	0	-	-	-	-	-	-	-	-	-	-
AU	8.70	202247	8.70	8.75	8.40	8.55	8.55	8.60	(0.15)	27,452.00	23,466.00	00 8.5
JCKH	0.03	202247	0.04	0.04	0.03	0.03	0.03	0.04	-	17,376.00	62.00	00 0.0
JCKH-W1	0.01	202247	-	-	-	-	-	0.01	-	-	-	00 0.0
JCKH-W2	0.02	202247	0.01	0.02	0.01	0.02	0.01	0.02	-	230.00	-	00 0.0
KASET	1.41	202247	1.39	1.42	1.39	1.40	1.40	1.41	(0.01)	994.00	139.00	00 1.3
MUD	2.00	202247	2.00	2.00	2.00	2.00	1.93	2.00	-	6.00	1.00	00 2.0
NTSC	15.60	202247	15.90	16.10	15.10	15.60	15.40	15.60	-	125.00	194.00	00 15.5
TACC	4.26	202247	4.24	4.30	4.22	4.26	4.26	4.28	-	5,613.00	2,389.00	00 4.2
TMILL	3.86	202247	-	3.92	3.86	3.88	3.88	3.90	0.02	219.00	85.00	00 3.8
WINNER	2.18	202247	2.18	2.18	2.16	2.16	2.16	2.18	(0.02)	1,538.00	332.00	00 2.1
XO	22.10	202247	22.10	22.30	21.90	22.10	22.10	22.20	-	10,359.00	22,951.00	00 22.1
Consumer Produ	-	0	-	-	-	-	-	-	-	-	-	-
ALPHAX	0.55	202247	0.56	0.56	0.54	0.55	0.55	0.56	-	221,588.00	12,138.00	00 0.5
BGT	0.86	202247	-	0.86	0.84	0.85	0.84	0.85	(0.01)	1,197.00	101.00	00 0.8
DOD	3.58	202247	3.60	3.60	3.52	3.56	3.54	3.56	(0.02)	2,301.00	818.00	00 3.5
ECF	0.99	202247	1.00	1.00	0.99	1.00	0.99	1.00	0.01	189.00	19.00	00 0.9
ECF-W4	0.03	202247	0.02	0.03	0.02	0.03	0.02	0.03	-	563.00	1.00	00 0.0
EFORL	0.24	202247	0.25	0.25	0.24	0.25	0.24	0.25	0.01	19,879.00	484.00	00 0.2
EFORL-W6	0.05	202247	-	0.06	0.05	0.06	0.05	0.06	0.01	2,441.00	12.00	00 0.0
HPT	0.59	202247	0.59	0.60	0.57	0.59	0.58	0.59	-	76,109.00	4,456.00	00 0.5
IP	8.85	202247	8.90	9.00	8.85	8.90	8.90	9.00	0.05	483.00	431.00	00 8.9
IP-W2	0.50	202247	0.51	0.51	0.50	0.50	0.50	0.51	-	1,891.00	95.00	00 0.5
ITTHI	2.26	202247	2.26	2.34	2.24	2.34	2.32	2.34	0.08	51,257.00	11,819.00	00 2.3
JSP	2.30	202247	2.38	2.38	2.32	2.34	2.34	2.36	0.04	579.00	136.00	00 2.3
JSP-W1	0.23	202247	0.23	0.24	0.21	0.24	0.23	0.24	0.01	9,559.00	218.00	00 0.2
JUBILE	17.00	202247	17.00	17.00	16.80	17.00	16.90	17.00	-	326.00	553.00	00 16.9
MGI	24.90	202247	24.90	25.00	24.70	24.90	24.90	25.00	-	6,445.00	16,036.00	00 24.8
MOONG	2.06	202247	2.06	2.06	2.04	2.06	2.04	2.06	-	1,095.00	224.00	00 2.0
NPK	15.50	202247	-	-	-	-	15.00	15.70	-	-	-	00 0.0
SMD	7.30	202247	7.30	7.30	7.10	7.15	7.15	7.20	(0.15)	1,339.00	962.00	00 7.1
TM	1.98	202247	2.00	2.00	1.95	1.95	1.94	1.95	(0.03)	242.00	47.00	00 1.9
TM-W1	0.22	202247	-	-	-	-	0.21	0.22	-	-	-	00 0.0
WARRIX	5.30	202247	5.35	5.35	5.20	5.25	5.25	5.30	(0.05)	15,496.00	8,180.00	00 5.2
WINMED	3.06	202247	-	3.06	3.02	3.02	3.02	3.06	(0.04)	484.00	147.00	00 3.0
Financials	-	0	-	-	-	-	-	-	-	-	-	-
ACAP	0.33	202247	-	-	-	-	-	-	-	-	-	00 0.0
AF	0.84	202247	-	0.82	0.82	0.82	0.81	0.82	(0.02)	99.00	8.00	00 0.8
AIRA	1.80	202247	-	1.94	1.73	1.73	1.73	1.90	(0.07)	32.00	6.00	00 1.8
ASN	1.83	202247	-	1.95	1.81	1.82	1.81	1.87	(0.01)	35.00	7.00	00 1.8
BROOK	0.50	202247	0.50	0.51	0.49	0.50	0.50	0.51	-	182,726.00	9,139.00	00 0.5
BROOK-W6	0.15	202247	-	0.16	0.13	0.14	0.14	0.15	(0.01)	23,346.00	333.00	00 0.1
BROOK-W7	0.27	202247	-	0.27	0.26	0.26	0.26	0.28	(0.01)	2,588.00	69.00	00 0.2
GCAP	0.56	202247	0.56	0.57	0.53	0.54	0.54	0.55	(0.02)	46,324.00	2,525.00	00 0.5
KCC	4.12	202247	4.14	4.14	4.10	4.12	4.12	4.14	-	1,067.00	438.00	00 4.1
LIT	1.09	202247	1.10	1.11	1.08	1.10	1.09	1.10	0.01	278.00	31.00	00 1.1
LIT-W2	0.28	202247	-	0.28	0.28	0.28	0.27	0.28	-	216.00	6.00	00 0.2
MITSIBI	1.01	202247	1.00	1.02	1.00	1.00	1.00	1.01	(0.01)	1,089.00	110.00	00 1.0
SGF	0.46	202247	0.46	0.46	0.45	0.45	0.45	0.46	(0.01)	5,701.00	259.00	00 0.4
SGF-P1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
SGF-Q1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
TQR	7.40	202247	-	7.60	7.40	7.40	7.35	7.40	-	90.00	67.00	00 7.4
Industrials	-	0	-	-	-	-	-	-	-	-	-	-
ADB	1.01	202247	1.02	1.05	1.01	1.05	1.04	1.05	0.04	2,705.00	281.00	00 1.0
BM	2.94	202247	2.96	2.96	2.92	2.96	2.92	2.96	0.02	1,137.00	335.00	00 2.9
BM-W3	1.71	202247	-	1.75	1.75	1.75	1.58	1.75	0.04	22.00	4.00	00 1.7
CHO	0.20	202247	0.20	0.22	0.20	0.21	0.21	0.22	0.01	386,486.00	8,220.00	00 0.2
CHO-W3	0.01	202247	0.01	0.01	0.01	0.01	-	0.01	-	1,190.00	1.00	00 0.0
CHOW	1.52	202247	1.53	1.53	1.46	1.46	1.46	1.49	(0.06)	711.00	105.00	00 1.4
CIG	0.09	202247	0.09	0.10	0.09	0.09	0.09	0.10	-	22,816.00	222.00	00 0.0
CIG-W10	0.05	202247	-	-	-	-	0.06	0.07	-	-	-	00 0.0
CIG-W9	0.06	202247	-	0.06	0.05	0.06	0.05	0.06	-	1,361.00	8.00	00 0.0
COLOR	1.42	202247	-	1.45	1.39	1.39	1.39	1.43	(0.03)	105.00	15.00	00 1.4
COLOR-W2	0.05	202247	-	0.04	0.04	0.04	0.03	0.04	(0.01)	1,415.00	6.00	00 0.0
CPR	4.12	202247	-	4.16	4.14	4.16	4.12	4.16	0.04	126.00	52.00	00 4.1
FPI	2.60	202247	2.60	2.62	2.56	2.60	2.58	2.60	-	1,370.00	356.00	00 2.6
GTB	0.71	202247	0.72	0.73	0.68	0.70	0.70	0.71	(0.01)	6,546.00	456.00	00 0.6
KCM	0.40	202247	0.42	0.42	0.40	0.40	0.40	0.41	-	3,478.00	141.00	00 0.4
KJL	8.05	202247	7.95	8.10	7.95	8.00	8.00	8.05	(0.05)	547.00	437.00	00 7.9
KUMWEL	1.74	202247	1.75	1.80	1.74	1.76	1.75	1.76	0.02	1,267.00	223.00	00 1.7
KWM	1.55	202247	1.56	1.61	1.55	1.60	1.59	1.60	0.05	37,619.00	5,987.00	00 1.5
MBAX	3.38	202247	3.38	3.38	3.34	3.36	3.36	3.38	(0.02)	436.00	146.00	00 3.3
MBAX-W2	0.29	202247	-	0.29	0.27	0.29	0.27	0.29	-	22.00	1.00	00 0.2
MGT	2.64	202247	2.64	2.64	2.58	2.62	2.62	2.64	(0.02)	2,083.00	544.00	00 2.6
MTW	2.56	202247	2.54	2.60	2.52	2.54	2.54	2.58	(0.02)	66,552.00	16,992.00	00 2.5
NDR	1.33	202247	1.35	1.36	1.30	1.31	1.30	1.34	(0.02)	1,511.00	200.00	00 1.3
NDR-W2	0.03	202247	-	0.02	0.02	0.02	0.02	0.03	(0.01)	5,606.00	11.00	00 0.0
PACO	1.72	202247	1.72	1.75	1.72	1.74	1.73	1.74	0.02	466.00	81.00	00 1.7
PACO-W1	0.23	202247	0.23	0.23	0.22	0.22	0.22	0.23	(0.01)	3,385.00	75.00	00 0.2
PDG	2.52	202247	2.58	2.58	2.52	2.52	2.52	2.56	-	244.00	62.00	00 2.5
PIMO	1.61	202247	1.61	1.63	1.61	1.62	1.62	1.63	0.01	4,599.00	745.00	00 1.6
PPM	2.40	202247	2.40	2.40	2.40	2.58	2.58	2.60	0.18	33,866.00	8,682.00	00 2.5
PPM-W2	0.09	202247	0.11	0.14	0.11	0.13	0.12	0.13	0.04	24,636.00	312.00	00 0.1
PRAPAT	1.64	202247	-	1.67	1.64	1.66	1.65	1.66	0.02	3,160.00	522.00	00 1.6
RWI	0.71	202247	-	0.74	0.71	0.73	0.71	0.73	0.02	2,703.00	194.00	00 0.7
RWI-W3	0.01	202247	-	-	-	-	-	0.01	-	-	-	00 0.0
SAF	1.03	202247	1.03	1.05	1.02	1.02	1.02	1.04	(0.01)	714.00	73.00	00 1.0
SALEE	0.73	202247	-	0.74	0.72	0.73	0.73	0.74	-	748.00	55.00	00 0.7
SANKO	1.67	202247	1.66	1.68	1.63	1.64	1.64	1.65	(0.03)	39,615.00	6,510.00	00 1.6
SCL	1.86	202247	1.87	1.93	1.85	1.88	1.88	1.89	0.02	80,326.00	15,171.00	00 1.8
SELIC	2.60	202247	2.62	2.62	2.52	2.58	2.54	2.58	(0.02)	463.00	118.00	00 2.5
SFT	3.94	202247	-	4.00	3.96	3.98	3.94	3.98	0.04	205.00	81.00	00 3.9
STP	9.35	202247	9.40	9.65	9.35	9.40	9.40	9.45	0.05	114.00	108.00	00 9.5
SWC	5.05	202247	-	5.15	4.82	4.82	4.80	4.82	(0.23)	227.00	110.00	00 4.8
TMC	2.16	202247	2.16	2.16	2.02	2.12	2.08	2.12	(0.04)	7,626.00	1,625.00	00 2.0