

Asia Plus Securities Company Limited Daily Quotation Report

Monday February 19, 2024

NOTE :

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active

Stock	Last	Value '000	%Change
PTT	35.75	1,284,870	0.0%
PTTEP	150.50	1,247,557	-2.9%
DELTA	78.00	740,479	0.6%
KBANK	119.50	728,852	-0.4%
STA	18.40	707,833	10.8%
ADVANC	209.00	625,255	-1.9%
TOP	58.75	597,451	0.4%
CBG	72.50	582,809	-1.0%
TRUE	6.65	505,331	3.1%
JMT	23.00	492,323	-0.4%

Gainers and Losers

Gainers	278
Losers	191
Unchanged	185

Volume by Board (Lot)

Main Board	14,542,766,791
Foreign Board	27,904
Total	14,542,794,695

Value by Board (Mn.Bt.)

Main Board	31,594.12
Foreign Board	182.85
Total	31,776.98

Top Ten Gainers

Stock	Last	Value '000
STGT01C2403W	0.14	1,180
MEITUA28C2403A	0.03	0
STGT13C2403A	0.09	91
CHG13C2403A	0.02	0
CPALL01C2403A	0.02	0
SCB01C2403A	0.02	1
SET5001C2403B	0.02	0
WHA13C2403A	0.02	0
STA01C2404A	0.40	3,260
STGT19C2404A	0.40	1,344

Top Ten Losers

Stock	Last	Value '000
HANA41C2403A	0.01	0
IVL19C2407A	0.13	1,454
EA06C2404A	0.01	0
PLANB19C2403A	0.01	17
PTTEP06C2403A	0.02	0
ADVANC13C2407A	0.25	324
BBL41C2404A	0.01	0
KCE13C2407B	0.27	875
SET5019C2406E	0.28	7,708
BABA28P2407A	0.33	435

Movements in SET and Sectorial Indices

	Open	High	Low	Close	Change	%Change
.SET	1,383.97	1,390.92	1,382.88	1,387.33	1.06	0.08
.SET50	843.27	848.38	842.38	840.57	0.30	0.04
.SET100	1,870.24	1,881.03	1,868.26	1,866.30	1.84	0.10
.SETHD	1,102.56	1,113.17	1,101.53	1,109.38	2.95	0.27
.MAI	890.40	893.91	888.96	419.13	0.94	0.22
.AGRI	194.37	203.81	193.85	201.36	9.65	5.03
.BANK	360.76	362.28	359.65	361.21	0.33	0.09
.CONMAT	7,184.19	7,248.52	7,149.49	7,217.33	37.08	0.52
.PETRO	702.03	708.08	696.74	701.43	2.48	0.35
.COMM	30,861.83	30,928.14	30,629.84	30,698.59	(134.08)	(0.43)
.ICT	151.57	153.18	151.34	152.68	0.04	0.03
.ETRON	9,547.57	9,728.39	9,547.57	9,620.12	71.67	0.75
.ENERG	20,568.30	20,733.79	20,503.41	20,643.24	(35.50)	(0.17)
.MEDIA	29.14	29.20	28.93	28.96	(0.17)	(0.58)
.FIN	3,196.93	3,206.51	3,181.99	3,188.68	(10.28)	(0.32)
.FOOD	10,695.05	10,719.72	10,637.14	10,683.16	(38.88)	(0.36)
.HEALTH	6,714.10	6,747.78	6,693.56	6,735.05	18.10	0.27
.TOURISM	571.20	573.17	567.37	572.39	(1.50)	(0.26)
.HOME	20.89	21.02	20.79	20.87	(0.07)	(0.33)
.INSUR	8,431.67	8,547.75	8,427.58	8,514.92	46.22	0.55
.MINE	-	-	-	-	-	-
.PKG	3,211.20	3,253.69	3,210.54	3,230.53	1.55	0.05
.PERSON	87.54	91.54	87.27	90.82	4.05	4.67
.PROF	391.88	396.29	390.24	390.72	0.23	0.06
.PROP	224.77	226.78	224.63	225.90	1.58	0.70
.PAPER	3,347.63	3,347.63	3,291.36	3,319.49	-	-
.FASHION	636.10	638.12	634.08	637.07	1.15	0.18
.TRANS	308.46	308.78	306.99	308.25	0.10	0.03
.AUTO	447.19	450.09	445.40	449.95	2.42	0.54
.IMM	22.34	22.44	22.20	22.24	(0.05)	(0.22)
.PFUND	148.43	148.53	147.70	128.05	0.09	0.07
.STEEL	26.40	26.65	26.36	26.47	(0.04)	(0.15)

ASP's Daily Quotation Report

Monday February 19, 2024



Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SAFARI	2.40	160267	-	-	-	-	-	-	-	-	-	0
WORLD	2.10	160267	-	-	-	-	-	-	-	-	-	0
Agribusiness												
EE	0.28	160267	0.28	0.29	0.27	0.29	0.28	0.29	0.01	21,359	603	0.282
EE-W1	0.03	160267	0.02	0.03	0.02	0.03	0.02	0.03	-	5,529	11	0.02
GFPT	11.30	160267	11.20	11.60	11.20	11.40	11.30	11.40	0.10	18,646	21,271	11.407
LEE	2.38	160267	-	2.38	2.32	2.38	2.32	2.38	-	98	23	2.339
NER	5.45	160267	5.50	5.70	5.50	5.60	5.55	5.60	0.15	247,427	139,051	5.619
PPPM	0.06	160267	0.06	0.06	0.05	0.06	0.05	0.06	-	10,200	59	0.057
PPPM-W4	0.01	160267	-	-	-	-	-	0.02	-	-	-	0
STA	16.60	160267	17.10	18.90	17.00	18.40	18.30	18.40	1.80	385,962	707,833	18.339
STA01C2404A	0.22	160267	0.26	0.47	0.26	0.40	0.40	0.42	0.18	86,428	3,260	0.377
STA11C2402T	0.05	160267	0.03	0.03	0.03	0.03	0.02	0.03	(0.02)	301	1	0.03
STA11C2407T	0.34	160267	-	0.53	0.37	0.48	0.48	0.49	0.14	81,992	3,865	0.471
STA13C2405A	0.27	160267	0.33	0.52	0.31	0.46	0.46	0.47	0.19	201,041	8,803	0.437
STA19C2406A	0.27	160267	0.44	0.47	0.32	0.42	0.42	0.43	0.15	150,005	6,264	0.417
TEGH	3.18	160267	3.24	3.40	3.24	3.28	3.28	3.30	0.10	167,535	55,425	3.308
TFM	6.65	160267	6.95	6.95	6.55	6.90	6.85	6.90	0.25	623	428	6.863
TRUBB	1.27	160267	1.28	1.54	1.28	1.43	1.43	1.44	0.16	1,179,344	170,848	1.448
TRUBB-W2	0.09	160267	0.17	0.23	0.09	0.14	0.14	0.15	0.05	1,155,689	20,755	0.179
UPOIC	6.35	160267	6.25	6.40	6.25	6.35	6.30	6.35	-	460	290	6.307
UVAN	8.55	160267	8.60	8.70	8.60	8.70	8.65	8.70	0.15	2,633	2,280	8.659
VPO	0.88	160267	0.89	0.89	0.79	0.82	0.82	0.83	(0.06)	58,170	4,797	0.824
Banking												
BAY	26.75	160267	26.75	27.00	26.50	26.50	26.50	26.75	(0.25)	5,371	14,260	26.55
BBL	140.00	160267	140.00	141.00	140.00	140.50	140.50	141.00	0.50	26,953	378,311	140.359
BBL06C2403A	0.02	160267	-	-	-	-	-	-	-	-	-	0
BBL11C2404A	0.04	160267	-	-	-	-	0.02	0.04	-	-	-	0
BBL11C2405A	0.21	160267	-	0.21	0.21	0.21	0.21	0.22	-	1,060	22	0.21
BBL11C2406A	0.14	160267	-	0.14	0.14	0.14	0.13	0.14	-	160	2	0.14
BBL11P2402A	0.07	160267	-	-	-	-	0.04	0.05	-	-	-	0
BBL13C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
BBL13C2404A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
BBL13C2405A	0.07	160267	-	-	-	-	0.06	0.07	-	-	-	0
BBL13C2406A	0.20	160267	-	0.20	0.20	0.20	0.20	0.21	-	6,290	126	0.2
BBL13P2404A	0.33	160267	-	0.32	0.31	0.32	0.31	0.32	(0.01)	4,464	142	0.318
BBL19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BBL19C2404A	0.04	160267	-	-	-	-	0.01	0.02	-	-	-	0
BBL19C2405A	0.08	160267	-	-	-	-	0.07	0.08	-	-	-	0
BBL19C2406A	0.19	160267	-	0.19	0.18	0.19	0.19	0.20	-	12,826	238	0.185
BBL19P2406A	0.38	160267	-	0.38	0.36	0.36	0.37	0.38	(0.02)	2,744	104	0.377
BBL41C2403A	0.09	160267	-	-	-	-	0.01	0.02	-	-	-	0
BBL41C2404A	0.04	160267	-	0.01	0.01	0.01	0.01	0.03	(0.03)	276	-	0.01
BBL41C2405A	0.05	160267	-	-	-	-	0.05	0.07	-	-	-	0
BBL41C2406A	0.13	160267	-	0.13	0.13	0.13	0.13	0.14	-	240	3	0.13
BBL41C2406B	0.28	160267	-	0.28	0.27	0.28	0.28	0.29	-	4,002	109	0.272
BBL41C2407A	0.30	160267	-	0.30	0.29	0.30	0.30	0.31	-	22,500	664	0.295
CIMBT	0.59	160267	0.60	0.61	0.59	0.59	0.59	0.60	-	3,387	203	0.597
CREDIT	28.75	160267	29.00	29.25	28.50	29.25	29.25	29.50	0.50	27,049	78,482	29.014
KBANK	120.00	160267	120.00	120.50	119.00	119.50	119.00	119.50	(0.50)	60,962	728,852	119.558
KBANK01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
KBANK01C2405A	0.08	160267	-	0.08	0.07	0.08	0.07	0.08	-	1,101	8	0.07
KBANK01C2406A	0.19	160267	-	0.19	0.18	0.18	0.18	0.19	(0.01)	6,451	122	0.188
KBANK01P2404X	0.33	160267	-	0.35	0.32	0.34	0.34	0.35	0.01	7,461	249	0.333
KBANK01P2406X	0.39	160267	-	0.40	0.38	0.39	0.39	0.40	-	12,125	469	0.387
KBANK06C2404A	0.02	160267	-	-	-	-	0.01	-	-	-	-	0
KBANK06C2406A	0.15	160267	-	0.15	0.14	0.14	-	-	(0.01)	13,504	199	0.147
KBANK13C2405A	0.05	160267	-	-	-	-	0.04	0.05	-	-	-	0
KBANK13C2406A	0.12	160267	-	0.12	0.11	0.12	0.11	0.12	-	3,881	47	0.119
KBANK13C2407A	0.26	160267	-	0.25	0.24	0.24	0.24	0.25	(0.02)	5,080	127	0.249
KBANK13P2404A	0.13	160267	-	0.13	0.12	0.13	0.13	0.14	-	18,140	233	0.128
KBANK13P2406A	0.45	160267	-	0.46	0.44	0.45	0.45	0.46	-	27,062	1,211	0.447
KBANK19C2404A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
KBANK19C2405A	0.07	160267	-	-	-	-	0.05	0.06	-	-	-	0
KBANK19C2406A	0.18	160267	-	0.18	0.17	0.17	0.16	0.17	(0.01)	64,965	1,105	0.17
KBANK19P2404A	0.14	160267	-	0.14	0.14	0.14	0.14	0.15	-	2,922	41	0.14
KBANK41C2405A	0.04	160267	-	-	-	-	0.04	0.06	-	-	-	0
KBANK41C2405B	0.08	160267	-	-	-	-	0.06	0.08	-	-	-	0
KBANK41C2406A	0.20	160267	-	0.20	0.19	0.19	0.19	0.20	(0.01)	33,500	642	0.191
KKP	48.75	160267	48.75	49.00	48.50	48.75	48.75	49.00	-	3,109	15,157	48.75
KKP-W5	0.01	160267	-	-	-	-	-	-	-	-	-	0
KKP-W6	1.66	160267	1.64	1.66	1.62	1.66	1.66	1.67	-	753	124	1.644
KKP01C2405A	0.15	160267	-	0.15	0.15	0.15	0.15	0.16	-	11,976	180	0.15
KKP11C2403A	0.09	160267	-	-	-	-	0.01	0.03	-	-	-	0
KKP11C2406A	0.20	160267	0.21	0.21	0.20	0.21	0.20	0.21	0.01	2,130	44	0.204
KKP11P2405A	0.30	160267	-	-	-	-	0.29	0.30	-	-	-	0
KKP13C2403A	0.03	160267	-	-	-	-	-	0.01	-	-	-	0
KKP13C2405A	0.11	160267	-	-	-	-	0.10	0.11	-	-	-	0
KKP19C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
KKP19C2406A	0.21	160267	-	-	-	-	0.20	0.21	-	-	-	0
KTB	15.70	160267	15.70	15.90	15.60	15.80	15.70	15.80	0.10	267,551	421,709	15.761
KTB-P	153.00	160267	-	-	-	-	-	-	-	-	-	0
KTB-Q	-	101743	-	-	-	-	-	-	-	-	-	0
KTB01C2404A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
KTB01C2406A	0.05	160267	-	0.05	0.05	0.05	0.05	0.06	-	200	1	0.05
KTB01C2407A	0.24	160267	-	0.24	0.23	0.23	0.23	0.25	(0.01)	23,965	560	0.233
KTB01P2404X	0.38	160267	-	-	-	-	0.37	0.39	-	-	-	0
KTB01P2407X	0.41	160267	-	0.41	0.40	0.41	0.41	0.42	-	2,957	121	0.407
KTB06C2406A	0.12	160267	-	-	-	-	-	-	-	-	-	0
KTB13C2404A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
KTB13C2406A	0.04	160267	-	0.05	0.05	0.05	0.04	0.05	0.01	15	-	0.05
KTB13C2406B	0.14	160267	-	0.14	0.13	0.14	0.14	0.15	-	5,210	73	0.139
KTB13P2404A	0.29	160267	-	0.23	0.23	0.23	0.23	0.26	(0.06)	1,000	23	0.23
KTB13P2406A	0.23	160267	-	0.22	0.22	0.22	0.21	0.23	(0.01)	3,332	73	0.22
KTB19C2404A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
KTB19C2406A	0.14	160267	-	0.14	0.14	0.14	0.13	0.14	-	21,492	301	0.14
KTB19P2406A	0.23	160267	-	0.22	0.21	0.21	0.21	0.22	(0.02)	4,328	93	0.215
KTB41C2404A	0.02	160267	-	0.01	0.01	0.01	0.01	0.02	(0.01)	200	-	0.01
KTB41C2406A	0.08	160267	-	-	-	-	0.04	0.06	-	-	-	0
KTB41C2406B	0.15	160267	0.16	0.16	0.15	0.16	0.16	0.17	0.01	8,200	127	0.155
KTB41C2407A	0.18	160267	0.19	0.19	0.18	0.19	0.19	0.20	0.01	4,000	74	0.185
LHFG	0.99	160267	0.99	1.00	0.98	1.00	0.99	1.00	0.01	23,486	2,328	0.991
SCB	103.50	160267	103.00	103.50	102.50	103.50	103.00	103.50	-	30,474	314,183	103.098
SCB01C2403A	0.01	160267	0.02	0.02	0.01	0.02	0.01	0.02	0.01	601	1	0

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SCB01P2405X	0.29	160267	0.29	0.29	0.28	0.28	0.28	0.29	(0.01)	22,447	647	0.288
SCB06C2402A	0.07	160267	-	-	-	-	-	-	-	-	-	0
SCB06C2403A	0.19	160267	-	-	-	-	-	-	-	-	-	0
SCB11C2403A	0.10	160267	-	-	-	-	0.04	0.05	-	-	-	0
SCB13C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
SCB13C2404A	0.05	160267	-	-	-	-	0.04	0.05	-	-	-	0
SCB13C2406A	0.19	160267	-	0.19	0.18	0.18	0.18	0.19	(0.01)	117,213	2,140	0.182
SCB13P2406A	0.21	160267	-	-	-	-	0.20	0.21	-	-	-	0
SCB19C2403A	0.10	160267	-	-	-	-	0.01	0.02	-	-	-	0
SCB19C2404A	0.08	160267	-	-	-	-	0.06	0.07	-	-	-	0
SCB19C2406A	0.18	160267	-	0.18	0.17	0.18	0.18	0.19	-	32,036	555	0.173
SCB41C2403A	0.07	160267	-	-	-	-	0.01	0.03	-	-	-	0
SCB41C2404A	0.20	160267	-	-	-	-	0.19	0.21	-	-	-	0
SCB41C2405A	0.14	160267	-	0.15	0.14	0.15	0.15	0.16	0.01	55,800	792	0.141
SCB41C2405B	0.15	160267	-	0.14	0.14	0.14	0.14	0.15	(0.01)	18,070	253	0.14
TCAP	49.75	160267	50.00	50.00	49.75	50.00	49.75	50.00	0.25	12,621	62,939	49.868
TCAP-P	560.00	160267	-	-	-	-	-	-	-	-	-	0
TCAP-Q	-	101743	-	-	-	-	-	-	-	-	-	0
TCAP11C2402T	0.06	160267	-	-	-	-	0.01	0.03	-	-	-	0
TCAP13C2403A	0.04	160267	-	-	-	-	0.01	0.02	-	-	-	0
TCAP19C2403A	0.02	160267	0.02	0.02	0.01	0.01	0.01	0.02	(0.01)	2	-	0.015
TISCO	99.00	160267	99.25	99.50	99.00	99.25	99.25	99.50	0.25	18,104	179,585	99.196
TISCO-P	1,346.00	160267	-	-	-	-	-	-	-	-	-	0
TISCO-Q	8.00	160267	-	-	-	-	-	-	-	-	-	0
TISCO13C2405A	0.14	160267	-	-	-	-	0.13	0.14	-	-	-	0
TISCO19C2408A	0.29	160267	-	-	-	-	0.28	0.29	-	-	-	0
TTB	1.87	160267	1.87	1.89	1.85	1.88	1.88	1.89	0.01	1,478,429	277,207	1.875
TTB-W1	0.90	160267	0.90	0.93	0.89	0.93	0.92	0.93	0.03	27,550	2,529	0.917
TTB01C2404A	0.23	160267	-	0.25	0.21	0.24	0.24	0.25	0.01	12,183	288	0.236
TTB01C2406A	0.48	160267	-	0.50	0.46	0.49	0.49	0.50	0.01	5,522	269	0.486
TTB13C2404A	0.21	160267	0.21	0.22	0.19	0.21	0.21	0.22	-	15,229	319	0.209
TTB19C2404A	0.22	160267	-	0.23	0.21	0.23	0.22	0.23	0.01	22,055	486	0.22
Construction Materia												
CCP	0.38	160267	0.38	0.39	0.37	0.38	0.38	0.39	-	37,406	1,422	0.38
DCC	1.94	160267	1.96	2.02	1.92	1.95	1.95	1.96	0.01	318,277	62,789	1.972
DCON	0.51	160267	0.51	0.52	0.51	0.51	0.51	0.52	-	56,811	2,910	0.512
DCON-W3	0.12	160267	-	0.12	0.11	0.12	0.11	0.12	-	44,527	534	0.119
DRT	8.20	160267	8.15	8.30	8.15	8.25	8.20	8.25	0.05	1,475	1,214	8.228
EPG	7.40	160267	7.50	7.85	7.45	7.80	7.80	7.85	0.40	30,740	23,706	7.711
GEL	0.21	160267	0.21	0.22	0.20	0.20	0.20	0.21	(0.01)	22,846	478	0.209
GEL-W5	0.04	160267	-	0.04	0.03	0.04	0.04	0.05	-	1,863	7	0.035
PPP	1.85	160267	-	-	-	-	1.81	1.84	-	-	-	0
Q-CON	15.80	160267	15.80	16.00	15.70	15.90	15.80	15.90	0.10	5,926	9,407	15.874
SCC	265.00	160267	264.00	266.00	262.00	264.00	263.00	264.00	(1.00)	7,553	199,423	264.031
SCC01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
SCC01C2405A	0.09	160267	-	0.08	0.08	0.08	0.08	0.09	(0.01)	500	4	0.08
SCC01C2407A	0.24	160267	-	0.24	0.22	0.23	0.23	0.24	(0.01)	32,148	733	0.227
SCC01P2403X	0.11	160267	-	0.11	0.10	0.11	0.11	0.12	-	65,738	697	0.106
SCC13C2403A	0.02	160267	-	-	-	-	-	0.01	-	-	-	0
SCC13C2405A	0.04	160267	-	-	-	-	0.02	0.03	-	-	-	0
SCC13C2407A	0.22	160267	-	0.21	0.20	0.21	0.20	0.21	(0.01)	13,775	287	0.208
SCC13P2403A	0.05	160267	-	-	-	-	0.02	0.03	-	-	-	0
SCC19C2403A	0.10	160267	-	-	-	-	0.01	0.02	-	-	-	0
SCC19C2405A	0.08	160267	-	-	-	-	0.05	0.06	-	-	-	0
SCC19C2406A	0.17	160267	-	0.17	0.16	0.16	0.16	0.17	(0.01)	29,852	499	0.167
SCCC	141.50	160267	142.00	144.50	141.50	144.00	144.00	144.50	2.50	3,920	56,119	143.16
SCGD	8.80	160267	8.80	8.90	8.80	8.85	8.85	8.90	0.05	5,050	4,466	8.844
SCP	5.40	160267	5.40	5.45	5.35	5.35	5.35	5.40	(0.05)	43	23	5.389
SKN	4.72	160267	-	4.72	4.70	4.72	4.70	4.72	-	283	133	4.701
STECH	1.73	160267	1.73	1.75	1.72	1.73	1.72	1.73	-	378	66	1.733
TASCO	16.30	160267	16.90	17.30	16.70	17.10	17.00	17.10	0.80	256,652	438,094	17.069
TASCO01C2403A	0.02	160267	-	-	-	-	0.02	0.03	-	-	-	0
TASCO01C2405A	0.16	160267	-	0.24	0.20	0.22	0.22	0.23	0.06	82,225	1,820	0.221
TASCO01P2405X	0.17	160267	-	0.13	0.11	0.12	0.12	0.13	(0.05)	30,502	379	0.124
TASCO06C2403A	0.08	160267	-	-	-	-	-	-	-	-	-	0
TASCO13C2403A	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	12,636	13	0.01
TASCO19C2404A	0.06	160267	-	0.10	0.07	0.09	0.08	0.09	0.03	6,038	53	0.088
TASCO41C2406A	0.16	160267	-	0.23	0.19	0.22	0.22	0.23	0.06	81,220	1,694	0.208
TOA	21.60	160267	21.60	21.90	21.60	21.90	21.80	21.90	0.30	1,126	2,451	21.767
TPIPL	1.39	160267	1.39	1.41	1.39	1.40	1.40	1.41	0.01	10,229	1,432	1.399
UMI	1.03	160267	1.02	1.06	1.02	1.03	1.02	1.03	-	9,290	964	1.037
VNG	3.66	160267	3.64	3.66	3.62	3.62	3.62	3.66	(0.04)	238	86	3.628
WIIK	1.52	160267	1.52	1.56	1.51	1.51	1.51	1.54	(0.01)	5,039	773	1.533
WINDOW	1.30	160267	1.29	1.35	1.29	1.31	1.31	1.32	0.01	138,114	18,267	1.322
Petrochemicals & Che												
BCT	59.00	160267	-	59.25	57.75	58.00	57.75	58.00	(1.00)	6	35	58.166
CMAN	1.97	160267	-	1.97	1.96	1.96	1.95	1.96	(0.01)	1,559	306	1.962
GC	5.40	160267	5.45	5.45	5.40	5.40	5.40	5.45	-	945	511	5.404
GGC	8.65	160267	9.00	9.00	8.60	8.60	8.60	8.75	(0.05)	36	31	8.666
GIFT	4.24	160267	4.26	4.32	4.16	4.20	4.18	4.20	(0.04)	31,992	13,570	4.241
GIFT-W2	1.44	160267	1.45	1.53	1.44	1.47	1.47	1.48	0.03	28,413	4,241	1.492
IVL	23.50	160267	23.50	23.90	23.50	23.60	23.60	23.70	0.10	176,952	418,990	23.678
IVL01C2403A	0.02	160267	-	0.01	0.01	0.01	0.01	0.02	(0.01)	356	-	0.01
IVL01C2403B	0.03	160267	-	0.03	0.03	0.03	0.02	0.03	-	10,000	30	0.03
IVL01C2405A	0.05	160267	-	0.04	0.04	0.04	0.03	0.04	(0.01)	501	2	0.04
IVL01C2406A	0.25	160267	0.25	0.28	0.25	0.26	0.26	0.27	0.01	88,661	2,383	0.268
IVL01C2406B	0.10	160267	-	0.11	0.10	0.10	0.10	0.11	-	21,197	233	0.109
IVL01P2405X	0.25	160267	0.25	0.25	0.23	0.24	0.24	0.25	(0.01)	75,190	1,790	0.238
IVL06C2402B	0.06	160267	-	-	-	-	-	-	-	-	-	0
IVL06C2403A	0.08	160267	-	-	-	-	-	-	-	-	-	0
IVL06C2404A	0.03	160267	-	-	-	-	-	0.23	-	-	-	0
IVL11C2403T	0.07	160267	-	-	-	-	0.01	0.03	-	-	-	0
IVL13C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
IVL13C2403B	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
IVL13C2403C	0.03	160267	-	-	-	-	-	0.02	-	-	-	0
IVL13C2406A	0.06	160267	-	0.06	0.06	0.06	0.05	0.06	-	4,020	24	0.06
IVL13C2406B	0.25	160267	-	0.27	0.25	0.25	0.25	0.26	-	112,319	2,938	0.261
IVL13P2405A	0.24	160267	-	0.23	0.21	0.22	0.22	0.23	(0.02)	51,860	1,154	0.222
IVL19C2403A	0.03	160267	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2403B	0.03	160267	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2405A	0.04	160267	-	-	-	-	0.04	0.05	-	-	-	0
IVL19C2406A	0.28	160267	0.31	0.31	0.28	0.28	0.28	0.29	-	38,432	1,130	0.294
IVL19C2407A	1.00	160267	-	0.14	0.13	0.13	0.13	0.14	(0.87)	108,154	1,454	0.134

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous					Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date	Open	High	Low							
IVL41C2407A	0.34	160267	-	0.35	0.32	0.33	0.33	0.34	(0.01)	96,000	3,243	0.337
NFC	2.98	160267	-	2.98	2.96	2.96	2.96	2.98	(0.02)	316	94	2.97
PATO	9.55	160267	9.50	9.55	9.50	9.50	9.30	9.55	(0.05)	61	58	9.501
PMTA	8.70	160267	-	-	-	-	8.40	8.70	-	-	-	0
PTTGC	37.25	160267	37.50	38.00	37.00	37.50	37.25	37.50	0.25	78,791	294,868	37.424
PTTGC01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2403B	0.05	160267	-	0.06	0.06	0.06	0.05	0.06	0.01	5,310	32	0.06
PTTGC01C2405A	0.09	160267	-	0.10	0.10	0.10	0.10	0.11	0.01	33,918	339	0.1
PTTGC01C2406A	0.29	160267	-	0.31	0.29	0.30	0.30	0.31	0.01	25,404	766	0.301
PTTGC01P2404X	0.10	160267	-	-	-	-	0.03	0.04	-	-	-	0
PTTGC01P2405X	0.24	160267	-	0.24	0.22	0.22	0.22	0.23	(0.02)	11,822	268	0.226
PTTGC06C2402A	0.08	160267	-	-	-	-	-	-	-	-	-	0
PTTGC11C2404A	0.16	160267	0.17	0.17	0.17	0.17	0.17	0.18	0.01	7,360	125	0.17
PTTGC11P2402A	0.04	160267	-	-	-	-	0.02	0.03	-	-	-	0
PTTGC13C2403A	0.02	160267	0.03	0.03	0.03	0.03	0.01	0.02	0.01	10	-	0.03
PTTGC13C2406A	0.19	160267	-	0.20	0.18	0.19	0.19	0.20	-	33,380	641	0.192
PTTGC13P2404A	0.07	160267	-	-	-	-	0.03	0.04	-	-	-	0
PTTGC19C2406A	0.21	160267	-	0.23	0.21	0.21	0.22	0.23	-	34,567	748	0.216
PTTGC41C2403A	0.11	160267	-	-	-	-	0.11	0.12	-	-	-	0
PTTGC41C2404A	0.08	160267	-	-	-	-	0.08	0.09	-	-	-	0
PTTGC41C2405A	0.08	160267	-	-	-	-	0.07	0.08	-	-	-	0
PTTGC41C2406A	0.19	160267	-	0.20	0.19	0.19	0.20	0.21	-	20,000	395	0.197
PTTGC41C2407B	0.37	160267	-	-	-	-	0.36	0.38	-	-	-	0
SUTHA	2.46	160267	-	2.54	2.40	2.54	2.40	2.54	0.08	15	4	2.504
TPA	4.08	160267	-	3.84	3.82	3.82	3.80	3.84	(0.26)	32	12	3.833
UAC	3.82	160267	-	3.84	3.80	3.80	3.78	3.80	(0.02)	443	169	3.805
UP	16.30	160267	-	-	-	-	15.90	16.60	-	-	-	0
Commerce												
ADVICE	4.56	160267	4.58	4.68	4.58	4.60	4.60	4.62	0.04	96,163	44,445	4.621
B52	1.09	160267	-	1.10	1.07	1.07	1.07	1.10	(0.02)	5	1	1.08
BEAUTY	0.70	160267	0.70	0.73	0.70	0.70	0.70	0.71	-	405,124	28,893	0.713
BIG	0.54	160267	0.54	0.54	0.52	0.54	0.53	0.54	-	10,872	575	0.528
BJC	25.00	160267	25.25	25.50	25.00	25.00	25.00	25.25	-	30,612	77,055	25.171
COM7	21.70	160267	21.70	22.20	21.60	21.90	21.90	22.00	0.20	61,360	134,394	21.902
COM701C2403W	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
COM701C2404A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
COM701C2404B	0.14	160267	-	0.14	0.13	0.14	0.14	0.15	-	32,572	449	0.137
COM701C2405A	0.05	160267	-	0.03	0.03	0.03	0.03	0.04	(0.02)	114	-	0.03
COM701C2406A	0.32	160267	-	0.35	0.31	0.33	0.33	0.34	0.01	36,130	1,204	0.333
COM701P2404X	0.25	160267	-	0.25	0.22	0.23	0.23	0.24	(0.02)	29,028	679	0.234
COM701P2406X	0.47	160267	-	0.47	0.44	0.45	0.45	0.46	(0.02)	12,644	574	0.454
COM706C2403A	0.10	160267	-	-	-	-	-	-	-	-	-	0
COM711C2404A	0.10	160267	-	-	-	-	0.02	0.04	-	-	-	0
COM711C2406A	0.29	160267	-	0.31	0.28	0.30	0.30	0.31	0.01	43,455	1,310	0.301
COM711P2406A	0.49	160267	-	0.49	0.46	0.47	0.47	0.48	(0.02)	23,872	1,122	0.47
COM713C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
COM713C2404A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
COM713C2404B	0.04	160267	-	-	-	-	0.03	0.05	-	-	-	0
COM713C2405A	0.15	160267	-	0.17	0.15	0.16	0.16	0.17	0.01	26,711	427	0.159
COM713C2405B	0.05	160267	-	-	-	-	0.04	0.05	-	-	-	0
COM713C2406A	0.33	160267	-	0.36	0.32	0.34	0.34	0.35	0.01	72,601	2,488	0.342
COM713P2404A	0.22	160267	-	0.21	0.19	0.20	0.20	0.21	(0.02)	38,144	758	0.198
COM719C2404A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
COM719C2404B	0.09	160267	-	-	-	-	0.07	0.08	-	-	-	0
COM719C2406A	0.24	160267	-	0.26	0.24	0.26	0.25	0.26	0.02	12,664	317	0.25
COM719C2407A	0.42	160267	-	0.44	0.40	0.43	0.43	0.44	0.01	35,198	1,498	0.425
COM719P2406A	0.43	160267	-	0.43	0.40	0.41	0.41	0.42	(0.02)	20,160	831	0.412
COM741C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
COM741C2404A	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	2,500	3	0.01
COM741C2404B	0.09	160267	-	0.10	0.10	0.10	0.09	0.10	0.01	12,000	120	0.1
COM741C2405A	0.06	160267	-	-	-	-	0.04	0.06	-	-	-	0
COM741C2406A	0.30	160267	-	0.32	0.29	0.31	0.31	0.32	0.01	92,000	2,853	0.31
CPALL	55.00	160267	55.00	55.00	54.50	55.00	54.75	55.00	-	78,176	429,211	54.901
CPALL01C2403A	0.01	160267	0.02	0.02	0.02	0.02	0.01	0.02	0.01	121	-	0.02
CPALL01C2404A	0.08	160267	-	-	-	-	0.07	0.08	-	-	-	0
CPALL01C2405A	0.27	160267	0.27	0.27	0.25	0.26	0.26	0.27	(0.01)	39,102	996	0.254
CPALL01P2404X	0.18	160267	-	0.18	0.18	0.18	0.17	0.18	-	12,858	231	0.18
CPALL01P2405X	0.12	160267	-	-	-	-	0.10	0.11	-	-	-	0
CPALL06C2402A	0.03	160267	-	-	-	-	-	-	-	-	-	0
CPALL06C2405A	0.16	160267	-	0.15	0.15	0.15	-	-	(0.01)	35,822	537	0.15
CPALL11C2403A	0.07	160267	-	-	-	-	0.01	0.03	-	-	-	0
CPALL11C2405A	0.21	160267	-	0.21	0.21	0.21	0.21	0.22	-	1,060	22	0.21
CPALL11P2402A	0.06	160267	-	-	-	-	0.05	0.06	-	-	-	0
CPALL13C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
CPALL13C2404A	0.05	160267	-	-	-	-	0.03	0.04	-	-	-	0
CPALL13C2405A	0.12	160267	-	0.12	0.12	0.12	0.12	0.13	-	8,374	100	0.12
CPALL13C2407A	0.30	160267	0.31	0.31	0.27	0.29	0.29	0.30	(0.01)	36,652	1,042	0.284
CPALL13P2404A	0.10	160267	-	0.10	0.10	0.10	0.09	0.10	-	5,024	50	0.1
CPALL19C2403A	0.06	160267	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2404A	0.05	160267	-	-	-	-	0.02	0.03	-	-	-	0
CPALL19C2404B	0.10	160267	-	-	-	-	0.06	0.07	-	-	-	0
CPALL19C2406A	0.26	160267	0.26	0.26	0.24	0.24	0.24	0.26	(0.02)	49,245	1,202	0.244
CPALL19P2404A	0.06	160267	-	-	-	-	0.03	0.04	-	-	-	0
CPALL41C2403A	0.03	160267	-	-	-	-	0.01	0.03	-	-	-	0
CPALL41C2403B	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	2,500	3	0.01
CPALL41C2404A	0.05	160267	-	-	-	-	0.04	0.06	-	-	-	0
CPALL41C2405A	0.13	160267	-	0.13	0.13	0.13	0.13	0.14	-	22,000	286	0.13
CPALL41C2406A	0.33	160267	0.32	0.32	0.31	0.32	0.32	0.34	(0.01)	4,008	127	0.317

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
DOHOME01C2404A	0.05	160267	-	-	-	-	0.04	0.05	-	-	-	0
DOHOME01C2406A	0.17	160267	-	0.17	0.16	0.16	0.16	0.17	(0.01)	4,842	81	0.167
DOHOME11C2403T	0.06	160267	-	-	-	-	0.03	0.04	-	-	-	0
DOHOME11C2406A	0.19	160267	-	0.18	0.18	0.18	0.17	0.18	(0.01)	2,120	38	0.18
DOHOME13C2404A	0.05	160267	-	0.05	0.04	0.04	0.04	0.05	(0.01)	11,210	46	0.041
DOHOME13C2406A	0.26	160267	-	0.25	0.23	0.23	0.23	0.24	(0.03)	5,211	129	0.247
DOHOME19C2404A	0.10	160267	-	0.10	0.10	0.10	0.09	0.10	-	1,501	15	0.1
DOHOME19C2406A	0.24	160267	-	0.24	0.23	0.23	0.22	0.23	(0.01)	3,252	77	0.235
DOHOME41C2406A	0.13	160267	-	0.14	0.13	0.13	0.13	0.14	-	10,000	139	0.139
DOHOME41C2406B	0.22	160267	0.21	0.21	0.21	0.21	0.19	0.20	(0.01)	7,500	158	0.21
FN	1.52	160267	-	1.50	1.50	1.50	1.49	1.50	(0.02)	57	9	1.5
FTE	1.61	160267	1.63	1.63	1.62	1.63	1.62	1.63	0.02	358	58	1.629
GLOBAL	16.30	160267	16.30	16.40	16.10	16.20	16.20	16.30	(0.10)	34,137	55,496	16.256
GLOBAL01C2404A	0.09	160267	-	0.09	0.09	0.09	0.08	0.09	-	6,676	60	0.09
GLOBAL01C2407A	0.32	160267	0.32	0.32	0.31	0.31	0.31	0.32	(0.01)	32,572	1,025	0.314
GLOBAL06C2403A	0.09	160267	-	-	-	-	-	-	-	-	-	0
GLOBAL13C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
GLOBAL13C2406A	0.18	160267	-	0.19	0.17	0.17	0.17	0.18	(0.01)	21,231	385	0.181
GLOBAL19C2403A	0.07	160267	-	-	-	-	0.03	0.04	-	-	-	0
GLOBAL19C2407A	0.35	160267	-	0.35	0.32	0.33	0.33	0.34	(0.02)	14,004	470	0.335
GLOBAL41C2406A	0.19	160267	-	0.19	0.18	0.18	0.18	0.19	(0.01)	44,775	806	0.18
HMPRO	10.90	160267	10.90	11.00	10.80	10.90	10.90	11.00	-	59,323	64,661	10.899
HMPRO01C2404A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO01C2406A	0.07	160267	-	-	-	-	0.06	0.07	-	-	-	0
HMPRO11C2407T	0.14	160267	-	-	-	-	0.13	0.14	-	-	-	0
HMPRO13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO13C2405A	0.04	160267	-	-	-	-	0.03	0.04	-	-	-	0
HMPRO13C2407A	0.15	160267	0.15	0.15	0.15	0.15	0.15	0.16	-	3,178	48	0.15
HMPRO19C2404A	0.04	160267	-	-	-	-	0.03	0.04	-	-	-	0
HMPRO19C2407A	1.00	160267	-	-	-	-	0.18	0.19	-	-	-	0
HMPRO41C2404A	0.04	160267	-	-	-	-	0.02	0.04	-	-	-	0
HMPRO41C2406A	0.10	160267	-	-	-	-	0.08	0.09	-	-	-	0
HMPRO41C2407A	0.14	160267	0.14	0.15	0.14	0.14	0.14	0.15	-	13,000	186	0.143
ICC	45.00	160267	45.00	45.00	43.00	43.00	42.75	43.25	(2.00)	89	391	43.921
ILM	21.60	160267	21.70	21.70	21.00	21.10	21.10	21.20	(0.50)	10,484	22,219	21.192
IT	3.06	160267	3.08	3.14	3.06	3.08	3.06	3.08	0.02	445	138	3.089
KAMART	14.40	160267	14.40	14.80	14.40	14.80	14.70	14.80	0.40	24,726	36,172	14.629
LOXLEY	1.41	160267	-	1.41	1.39	1.39	1.39	1.41	(0.02)	442	62	1.395
MC	14.50	160267	14.60	14.80	14.40	14.70	14.50	14.70	0.20	47,062	68,743	14.606
MEGA	40.00	160267	40.00	40.50	40.00	40.50	40.25	40.50	0.50	3,796	15,256	40.19
MEGA01C2404A	0.15	160267	-	0.16	0.15	0.16	0.16	0.17	0.01	7,295	111	0.152
MEGA13C2405A	0.15	160267	-	0.16	0.15	0.16	0.16	0.17	0.01	4,776	73	0.152
MEGA19C2404A	0.11	160267	-	0.11	0.11	0.11	0.11	0.12	-	183	2	0.11
MIDA	0.52	160267	0.52	0.54	0.52	0.52	0.52	0.54	-	3,186	168	0.528
MIDA-W3	0.01	160267	0.01	0.01	0.01	0.01	-	0.01	-	89,095	89	0.01
MOSHI	56.00	160267	56.25	56.25	55.50	55.75	55.75	56.00	(0.25)	956	5,337	55.823
RS	13.60	160267	13.60	13.70	13.50	13.60	13.50	13.60	-	6,420	8,719	13.58
RS-W4	0.03	160267	0.04	0.04	0.03	0.04	0.03	0.04	0.01	840	3	0.032
RS-W5	5.75	160267	5.75	5.85	5.75	5.75	5.75	5.80	-	1,754	1,021	5.819
RSP	2.42	160267	2.42	2.42	2.40	2.40	2.40	2.42	(0.02)	281	68	2.419
SABUY	4.96	160267	4.98	5.00	4.96	4.98	4.96	4.98	0.02	24,480	12,189	4.979
SABUY-W1	2.82	160267	-	2.98	2.80	2.80	2.70	2.80	(0.02)	10	3	2.866
SABUY-W2	0.77	160267	0.78	0.78	0.73	0.73	0.72	0.73	(0.04)	10,915	814	0.745
SABUY01C2403A	0.04	160267	-	0.05	0.05	0.05	0.04	0.05	0.01	1	-	0.05
SABUY01C2404A	0.06	160267	-	0.05	0.05	0.05	0.05	0.06	(0.01)	3	-	0.05
SABUY06C2404A	0.09	160267	-	-	-	-	-	-	-	-	-	0
SABUY13C2403A	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
SABUY13C2404A	0.07	160267	-	-	-	-	0.06	0.08	-	-	-	0
SABUY13C2407A	0.11	160267	-	-	-	-	0.10	0.12	-	-	-	0
SABUY13C2407B	0.18	160267	-	0.19	0.18	0.19	0.18	0.19	0.01	320	6	0.186
SABUY19C2403A	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	16,000	16	0.01
SABUY19C2404A	0.08	160267	-	0.07	0.07	0.07	0.06	0.07	(0.01)	85	1	0.07
SABUY19C2405A	0.23	160267	-	-	-	-	0.23	0.24	-	-	-	0
SABUY19C2407A	0.21	160267	-	0.22	0.22	0.22	0.22	0.23	0.01	13,986	308	0.22
SCM	4.06	160267	4.06	4.14	4.06	4.10	4.10	4.12	0.04	7,310	3,003	4.108
SCM-W2	1.91	160267	-	1.95	1.90	1.90	1.90	1.93	(0.01)	1,233	238	1.929
SINGER	10.00	160267	10.00	10.10	9.90	9.95	9.90	9.95	(0.05)	35,164	35,067	9.972
SPC	62.00	160267	-	62.00	62.00	62.00	61.50	62.00	-	2	12	62
SPI	70.75	160267	-	71.50	70.50	70.50	70.50	71.50	(0.25)	37	263	70.993
SVT	2.04	160267	2.06	2.06	2.02	2.02	2.02	2.04	(0.02)	2,047	417	2.034
TAN	14.20	160267	-	14.10	13.70	13.70	13.70	13.90	(0.50)	3,896	5,367	13.775
Information & Commun												
ADVANC	213.00	160267	209.00	210.00	208.00	209.00	209.00	210.00	(4.00)	29,901	625,255	209.108
ADVANC01C2404A	0.06	160267	0.07	0.07	0.06	0.06	0.06	0.07	-	30	-	0.063
ADVANC01C2407A	0.20	160267	0.21	0.21	0.21	0.21	0.21	0.22	0.01	23,665	497	0.21
ADVANC01P2404X	0.12	160267	0.12	0.12	0.12	0.12	0.11	0.12	-	100	1	0.12
ADVANC06C2405A	0.11	160267	-	-	-	-	-	-	-	-	-	0
ADVANC11C2407A	0.20	160267	0.21	0.21	0.20	0.20	0.20	0.21	-	25,500	512	0.2
ADVANC11P2402A	0.07	160267	-	-	-	-	0.01	0.03	-	-	-	0
ADVANC13C2404A	0.03	160267	-	-	-	-	0.03	0.04	-	-	-	0
ADVANC13C2405A	0.09	160267	-	0.09	0.09	0.09	0.09	0.10	-	13,926	125	0.09
ADVANC13C2407A	1.00	160267	-	0.26	0.25	0.25	0.25	0.26	(0.75)	12,969	324	0.25
ADVANC13P2404A	0.10	160267	-	0.09	0.09	0.09	0.09	0.10	(0.01)	5	-	0.09
ADVANC19C2404A	0.03	160267	-	-	-	-	0.03	0.04	-	-	-	0
ADVANC19C2405A	0.09	160267	-	-	-	-	0.10	0.11	-	-	-	0
ADVANC19C2407A	0.27	160267	0.27	0.27	0.26	0.26	0.27	0.28	(0.01)	66,740	1,798	0.269
ADVANC41C2404A	0.07	160267	-	-	-	-	0.04	0.06	-	-	-	0
ADVANC41C2405A	0.11	160267	-	0.12	0.12	0.12	0.12	0.13	0.01	2,000	24	0.12
ADVANC41C2407A	0.23	160267	0.24	0.24	0.23	0.24	0.23	0.24	0.01	24,000	556	0.231
AIT	3.88	160267	3.90	4.10	3.90	4.10	4.08	4.10	0.22	74,601	28,853	4.001
ALT	1.58	160267	1.61	1.63	1.60	1.60	1.60	1.62	0.02	3,098	498	1.607
AMR	1.56	160267	1.62	1.67	1.57	1.58	1.58	1.59	0.02	78,702	12,735	1.618
BLISS	0.14	160267	-	-	-	-	-	-	-	-	-	0
DIF	7.95	160267	7.95	8.00	7.90	7.95	7.95	8.00	-	69,211	55,001	7.946
DITTO	26.25	160267	26.25	26.25	25.25	26.00	25.75	26.00	(0.25)	14,624	37,752	25.815
DITTO-W1	4.86	160267	-	4.88	4.70	4.88	4.80	4.88	0.02	224	108	4.813
DTCENT	1.71	160267	1.70	1.74	1.70	1.73	1.73	1.74	0.02	8,673	1,492	1.72
FORTH	17.40	160267	17.50	17.60	17.40	17.50	17.40	17.50	0.10	2,710	4,735	17.47
FORTH01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
FORTH01C2404A	0.09	160267	-	-	-	-	0.05	0.06	-	-	-	0
FORTH01C2407A	0.38	160267	-	0.38	0.38	0.38	0.38	0.39	-	956	36	0.38

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
GABLE	4.16	160267	4.18	4.20	4.16	4.18	4.18	4.16	4.18	0.02	1,595	665	4.17
HUMAN	12.10	160267	12.20	12.30	12.00	12.30	12.30	12.30	12.40	0.20	14,428	17,553	12.165
ICN	2.82	160267	2.84	2.92	2.84	2.86	2.86	2.86	2.88	0.04	5,693	1,636	2.872
ILINK	7.65	160267	7.65	7.80	7.60	7.65	7.60	7.60	7.65	-	10,622	8,186	7.706
INET	4.60	160267	4.64	4.64	4.56	4.58	4.58	4.60	(0.02)	449	206	4.577	
INSET	2.56	160267	2.56	2.64	2.56	2.64	2.60	2.64	0.08	25,756	6,705	2.603	
INTUCH	72.75	160267	73.00	73.75	72.75	73.75	73.50	73.75	1.00	44,299	324,904	73.343	
INTUCH01C2403A	0.07	160267	-	-	-	-	0.01	0.02	-	-	-	0	
INTUCH01C2405A	0.24	160267	0.24	0.26	0.24	0.26	0.26	0.27	0.02	44,363	1,088	0.245	
INTUCH13C2404A	0.11	160267	-	0.12	0.12	0.12	0.12	0.13	0.01	1	-	0.12	
INTUCH19C2404A	0.13	160267	-	-	-	-	0.13	0.14	-	-	-	0	
ITEL	2.38	160267	2.38	2.44	2.38	2.40	2.40	2.42	0.02	34,669	8,344	2.406	
ITEL-W4	0.02	160267	0.02	0.03	0.02	0.02	0.02	0.03	-	484	1	0.021	
JAS	2.14	160267	2.14	2.16	2.12	2.16	2.14	2.16	0.02	227,681	48,719	2.139	
JASIF	6.15	160267	6.15	6.20	6.15	6.20	6.20	6.25	0.05	34,990	21,635	6.183	
JMART	15.00	160267	15.00	15.30	15.00	15.00	15.00	15.10	-	55,839	84,264	15.09	
JMART-W4	2.52	160267	-	2.60	2.52	2.56	2.50	2.56	0.04	60	15	2.542	
JMART-W5	1.80	160267	-	1.85	1.77	1.81	1.77	1.82	0.01	188	34	1.79	
JMART01C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0	
JMART01C2404A	0.09	160267	-	-	-	-	0.08	0.09	-	-	-	0	
JMART01C2405A	0.08	160267	-	-	-	-	0.06	0.07	-	-	-	0	
JMART01C2406A	0.31	160267	-	0.32	0.30	0.30	0.29	0.30	(0.01)	104,022	3,223	0.309	
JMART01P2404X	0.30	160267	-	0.29	0.28	0.29	0.29	0.30	(0.01)	35,478	1,013	0.285	
JMART06C2402A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0	
JMART06C2405A	0.15	160267	-	0.15	0.14	0.14	-	0.20	(0.01)	63,004	934	0.148	
JMART13C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0	
JMART13C2404A	0.05	160267	-	0.05	0.04	0.04	0.04	0.05	(0.01)	3,000	12	0.04	
JMART13C2404B	0.15	160267	-	0.16	0.15	0.15	0.15	0.16	-	42,379	655	0.154	
JMART13C2407A	0.27	160267	-	0.28	0.27	0.27	0.27	0.28	-	53,571	1,469	0.274	
JMART13P2404A	0.26	160267	-	0.25	0.23	0.25	0.25	0.26	(0.01)	26,460	637	0.24	
JMART19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0	
JMART19C2404A	0.07	160267	-	-	-	-	0.06	0.07	-	-	-	0	
JMART19C2406A	0.20	160267	-	0.20	0.19	0.19	0.19	0.20	(0.01)	28,209	550	0.195	
JMART19C2406B	0.28	160267	-	0.29	0.28	0.28	0.28	0.29	-	101,460	2,889	0.284	
JMART19P2404A	0.27	160267	-	0.26	0.24	0.25	0.25	0.27	(0.02)	79,416	2,023	0.254	
JMART41C2403A	0.02	160267	-	0.01	0.01	0.01	0.01	0.03	(0.01)	5,580	6	0.01	
JMART41C2403B	0.05	160267	-	-	-	-	0.01	0.02	-	-	-	0	
JMART41C2404A	0.16	160267	0.17	0.17	0.16	0.16	0.16	0.17	-	75,218	1,249	0.166	
JMART41C2404B	0.10	160267	-	-	-	-	0.08	0.09	-	-	-	0	
JMART41C2405A	0.10	160267	0.09	0.09	0.09	0.09	0.08	0.09	(0.01)	200	2	0.09	
JMART41P2405A	0.53	160267	-	-	-	-	0.50	0.51	-	-	-	0	
JTS	82.75	160267	81.25	86.75	81.25	84.75	84.75	85.00	2.00	33,057	280,559	84.871	
MFEC	6.95	160267	7.00	7.05	7.00	7.05	7.00	7.05	0.10	1,440	1,009	7.005	
MSC	8.30	160267	8.30	8.40	8.25	8.25	8.25	8.40	(0.05)	160	133	8.291	
PT	8.85	160267	8.85	9.05	8.85	8.95	8.90	8.95	0.10	4,135	3,693	8.93	
SAMART	6.05	160267	6.05	6.05	5.75	5.85	5.85	5.90	(0.20)	28,658	16,827	5.871	
SAMART-W3	0.03	160267	-	0.04	0.03	0.04	0.03	0.04	0.01	26,972	106	0.039	
SAMTEL	2.66	160267	-	2.70	2.66	2.68	2.68	2.70	0.02	1,187	318	2.68	
SAMTEL-W1	0.07	160267	-	0.06	0.04	0.06	0.04	0.06	(0.01)	731	4	0.054	
SDC	0.04	160267	0.04	0.05	0.04	0.04	0.04	0.05	-	415,251	1,721	0.041	
SIS	21.40	160267	21.60	22.50	21.60	22.30	22.30	22.50	0.90	6,390	14,162	22.163	
SKY	29.75	160267	29.50	29.75	28.25	28.50	28.50	28.75	(1.25)	51,587	149,126	28.907	
SVOA	1.85	160267	1.84	1.88	1.84	1.86	1.85	1.86	0.01	1,957	362	1.851	
SYMC	7.45	160267	7.35	7.50	7.25	7.50	7.45	7.50	0.05	6,197	4,570	7.375	
SYNEX	10.50	160267	10.50	10.60	10.40	10.40	10.40	10.50	(0.10)	1,476	1,549	10.492	
THCOM	12.40	160267	12.50	12.80	12.40	12.60	12.60	12.70	0.20	68,537	86,500	12.62	
TKC	14.10	160267	14.20	14.40	14.20	14.30	14.20	14.30	0.20	2,393	3,424	14.307	
TRUE	6.45	160267	6.50	6.75	6.45	6.65	6.60	6.65	0.20	762,958	505,331	6.623	
TRUE01C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0	
TRUE01C2404A	0.16	160267	-	0.18	0.14	0.16	0.16	0.18	-	76,744	1,236	0.161	
TRUE01C2405A	0.30	160267	-	0.37	0.31	0.34	0.34	0.36	0.04	43,551	1,454	0.333	
TRUE01P2404X	0.03	160267	-	-	-	-	0.01	0.02	-	-	-	0	
TRUE01P2406X	0.21	160267	-	0.20	0.18	0.19	0.18	0.19	(0.02)	38,747	728	0.187	
TRUE06C2403A	0.06	160267	-	-	-	-	-	-	-	-	-	0	
TRUE11C2405A	0.22	160267	-	0.26	0.22	0.24	0.25	0.26	0.02	15,900	383	0.241	
TRUE11C2406A	0.38	160267	-	-	-	-	0.47	0.49	-	-	-	0	
TRUE13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0	
TRUE13C2403B	0.05	160267	-	-	-	-	0.03	0.04	-	-	-	0	
TRUE13C2405A	0.27	160267	-	0.33	0.28	0.31	0.31	0.33	0.04	39,863	1,210	0.303	
TRUE13P2404A	0.03	160267	-	-	-	-	0.01	0.02	-	-	-	0	
TRUE13P2407A	0.21	160267	-	0.21	0.19	0.19	0.19	0.20	(0.02)	20,678	404	0.195	
TRUE19C2404A	0.11	160267	-	0.14	0.13	0.13	0.12	0.13	0.02	21,691	292	0.134	
TRUE19C2405A	0.41	160267	-	-	-	-	0.45	0.47	-	-	-	0	
TRUE19C2407A	0.28	160267	-	0.32	0.30	0.31	0.30	0.31	0.03	170,998	5,216	0.305	
TRUE41C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0	
TRUE41C2404A	0.07	160267	-	-	-	-	0.07	0.08	-	-	-	0	
TRUE41C2404B	0.17	160267	-	0.20	0.17	0.19	0.19	0.20	0.02	90,000	1,666	0.185	
TRUE41C2406A	0.44	160267	-	0.47	0.47	0.47	0.50	0.52	0.03	40	2	0.47	
TRUE41C2406B	0.35	160267	-	0.38	0.36	0.38	0.38	0.40	0.03	14,000	523	0.373	
TWZ	0.05	160267	0.04	0.05	0.04	0.05	0.04	0.05	-	31,488	129	0.04	
Electronic Component													
CCET	2.94	160267	2.92	3.06	2.92	3.00	3.00	3.02	0.06	126,778	38,188	3.012	
DELTA	77.50	160267	77.50	79.00	77.50	78.00	77.75	78.00	0.50	94,682	740,479	78.206	
DELTA01C2403A	0.02	160267	-	0.02	0.02	0.02	0.01	0.02	-	150	-	0.02	
DELTA01C2403B	0.12	160267	0.11	0.12	0.11	0.11	0.11	0.12	(0.01)	70,745	835	0.118	
DELTA01C2404A	0.17	160260											

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
DELTA41C2404B	0.13	160267	0.12	0.12	0.11	0.11	0.11	0.12	(0.02)	4,030	48	0.119
DELTA41C2405A	0.11	160267	-	0.12	0.11	0.11	0.11	0.12	-	28,557	343	0.119
DELTA41C2406A	0.39	160267	-	0.43	0.39	0.40	0.40	0.41	0.01	56,678	2,322	0.409
DELTA41C2407A	0.60	160267	-	0.63	0.60	0.60	0.61	0.62	-	112,013	6,886	0.614
DELTA41P2406A	0.93	160267	-	0.92	0.88	0.91	0.90	0.91	(0.02)	70,446	6,311	0.895
HANA	44.75	160267	44.75	45.75	44.75	45.25	45.00	45.25	0.50	46,910	212,450	45.288
HANA01C2403A	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	938	1	0.01
HANA01C2403B	0.02	160267	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
HANA01C2404A	0.10	160267	-	0.10	0.10	0.10	0.10	0.11	-	31,945	319	0.1
HANA01C2405A	0.11	160267	0.10	0.10	0.10	0.10	0.10	0.11	(0.01)	17,889	179	0.1
HANA01C2406A	0.26	160267	0.25	0.27	0.25	0.26	0.26	0.27	-	119,390	3,126	0.261
HANA01P2403X	0.12	160267	-	0.10	0.09	0.09	0.09	0.10	(0.03)	38,844	365	0.093
HANA01P2404X	0.07	160267	-	-	-	-	0.08	0.09	-	-	0	0
HANA01P2405X	0.64	160267	-	-	-	-	0.60	0.62	-	-	-	0
HANA06C2404A	0.18	160267	-	0.19	0.18	0.19	0.14	-	0.01	11,187	209	0.186
HANA06C2405A	0.12	160267	-	0.11	0.11	0.11	-	0.30	(0.01)	4,178	46	0.11
HANA11C2407A	0.24	160267	-	0.24	0.23	0.24	0.24	0.25	-	8,990	212	0.236
HANA13C2403A	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	2	-	0.01
HANA13C2404A	0.03	160267	-	0.04	0.03	0.03	0.02	0.03	-	1,951	6	0.03
HANA13C2404B	0.10	160267	0.10	0.12	0.10	0.11	0.11	0.12	0.01	23,456	261	0.111
HANA13C2407A	0.23	160267	-	0.25	0.23	0.24	0.24	0.25	0.01	72,801	1,740	0.239
HANA13P2403A	0.06	160267	-	-	-	-	0.04	0.06	-	-	-	0
HANA13P2404A	0.05	160267	-	-	-	-	0.06	0.07	-	-	-	0
HANA13P2406A	0.55	160267	0.55	0.55	0.52	0.53	0.53	0.54	(0.02)	67,448	3,576	0.53
HANA19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	0	0
HANA19C2404A	0.05	160267	-	0.05	0.05	0.05	0.04	0.05	-	2	-	0.05
HANA19C2404B	0.14	160267	-	0.13	0.12	0.13	0.12	0.13	(0.01)	22,255	286	0.128
HANA19C2407A	0.24	160267	-	0.25	0.24	0.25	0.25	0.26	0.01	65,919	1,620	0.245
HANA19P2405A	0.57	160267	-	0.55	0.53	0.54	0.54	0.55	(0.03)	20,106	1,082	0.538
HANA41C2403A	0.10	160267	-	0.01	0.01	0.01	0.01	0.02	(0.09)	1	-	0.01
HANA41C2404A	0.05	160267	-	-	-	-	0.02	0.03	-	-	-	0
HANA41C2405A	0.26	160267	-	0.27	0.26	0.27	0.27	0.28	0.01	54,550	1,445	0.264
HANA41C2405B	0.15	160267	-	0.17	0.16	0.16	0.16	0.17	0.01	32,510	542	0.166
HANA41C2406A	0.17	160267	-	0.17	0.16	0.16	0.16	0.17	(0.01)	28,400	471	0.165
HANA41C2407A	0.31	160267	-	0.32	0.31	0.31	0.31	0.33	-	14,000	437	0.312
HANA41P2405A	0.28	160267	-	-	-	-	0.28	0.29	-	-	-	0
HANA41P2406A	0.53	160267	-	-	-	-	0.58	0.59	-	-	-	0
KCE	39.75	160267	39.75	40.75	39.75	40.25	40.25	40.50	0.50	55,973	225,194	40.232
KCE01C2403A	0.02	160267	-	0.02	0.01	0.02	0.01	0.02	-	11	-	0.01
KCE01C2405A	0.02	160267	-	0.02	0.02	0.02	0.02	0.03	-	3,204	6	0.02
KCE01C2406A	0.12	160267	-	0.13	0.11	0.12	0.12	0.13	-	53,991	648	0.12
KCE01P2403X	0.21	160267	-	0.19	0.16	0.16	0.16	0.17	(0.05)	50,817	861	0.169
KCE01P2405X	1.04	160267	-	1.03	0.96	0.98	0.98	1.00	(0.06)	5,668	556	0.98
KCE01P2406X	0.74	160267	-	0.73	0.69	0.69	0.69	0.70	(0.05)	19,168	1,345	0.701
KCE06C2402A	0.10	160267	-	-	-	-	-	-	-	-	-	0
KCE06C2406A	0.08	160267	-	0.09	0.08	0.09	0.08	0.10	0.01	894	7	0.08
KCE11C2405A	0.14	160267	-	-	-	-	0.06	0.07	-	-	-	0
KCE13C2404A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
KCE13C2406A	0.09	160267	-	0.09	0.08	0.09	0.08	0.09	-	611	5	0.088
KCE13C2407A	0.15	160267	-	0.17	0.15	0.16	0.16	0.17	0.01	47,594	761	0.159
KCE13C2407B	1.00	160267	-	0.28	0.26	0.27	0.27	0.28	(0.73)	32,404	875	0.269
KCE13P2403A	0.17	160267	-	0.14	0.11	0.12	0.12	0.13	(0.05)	46,344	572	0.123
KCE13P2407A	0.67	160267	-	0.66	0.62	0.63	0.62	0.63	(0.04)	40,426	2,563	0.634
KCE19C2404A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2406A	0.09	160267	-	-	-	-	0.08	0.09	-	-	-	0
KCE19C2406B	0.10	160267	-	0.10	0.10	0.10	0.10	0.11	-	6,937	69	0.1
KCE19C2407A	0.23	160267	-	0.26	0.23	0.24	0.24	0.25	0.01	43,074	1,032	0.239
KCE19P2404A	0.79	160267	-	-	-	-	0.78	0.83	-	-	-	0
KCE41C2404A	0.01	160267	-	-	-	-	0.01	0.03	-	-	-	0
KCE41C2405A	0.04	160267	-	-	-	-	0.02	0.04	-	-	-	0
KCE41C2406A	0.08	160267	-	-	-	-	0.06	0.07	-	-	-	0
KCE41C2406B	0.12	160267	-	-	-	-	0.11	0.12	-	-	-	0
KCE41C2407A	0.25	160267	-	0.26	0.25	0.25	0.25	0.26	-	41,080	1,035	0.251
KCE41P2407A	0.61	160267	0.61	0.61	0.57	0.58	0.58	0.59	(0.03)	63,580	3,740	0.588
METCO	225.00	160267	225.00	226.00	225.00	225.00	224.00	226.00	-	27	608	225.074
SMT	3.32	160267	3.32	3.32	3.28	3.28	3.28	3.30	(0.04)	5,985	1,973	3.296
SMT-W3	0.21	160267	0.19	0.21	0.18	0.19	0.18	0.19	(0.02)	16,044	309	0.192
SVI	6.65	160267	6.70	7.00	6.70	6.85	6.75	6.85	0.20	7,776	5,282	6.792
TEAM	5.30	160267	5.25	5.40	5.25	5.35	5.30	5.35	0.05	2,985	1,585	5.311
Energy & Utilities												
ZUP	0.41	160267	0.41	0.42	0.40	0.41	0.40	0.41	-	135,560	5,561	0.41
ACC	0.49	160267	0.50	0.51	0.49	0.50	0.50	0.51	0.01	151,999	7,607	0.5
ACE	1.46	160267	1.47	1.48	1.46	1.47	1.46	1.47	0.01	14,715	2,160	1.467
ACE13C2407A	0.20	160267	-	-	-	-	0.19	0.20	-	-	-	0
ACE19C2407A	0.22	160267	-	-	-	-	0.22	0.23	-	-	-	0
AGE	1.99	160267	2.00	2.02	1.99	1.99	1.99	2.02	-	2,146	429	1.997
AI	4.42	160267	4.44	4.44	4.42	4.44	4.42	4.44	0.02	837	371	4.433
AIE	1.34	160267	1.34	1.38	1.34	1.35	1.35	1.36	0.01	6,434	875	1.36
AKR	0.93	160267	0.94	0.95	0.93	0.93	0.93	0.94	-	33,140	3,101	0.935
AKR-W2	0.06	160267	0.08	0.08	0.07	0.07	0.07	0.08	0.01	13,121	100	0.076
BAFS	24.10	160267	24.10	24.10	23.90	24.00	24.00	24.20	(0.10)	1,128	2,710	24.022
BANPU	5.95	160267	5.90	6.00	5.85	5.95	5.90	5.95	-	548,642	325,848	5.938
BANPU01C2404A	0.01	160267	0.01	0.02	0.01	0.01	0.01	0.02	-	268	-	0.015
BANPU01C2405A	0.03	160267	-	-	-	-	0.03	0.04	-	-	-	0
BANPU01C2406A	0.09	160267	0.10	0.10	0.08	0.09	0.09	0.10	-	24,818	223	0.089
BANPU01P2404X	0.73	160267	-	0.75	0.72	0.72	0.72	0.75	(0.01)	4,281	311	0.727
BANPU01P2405X	0.32	160267	-	0.33								

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BANPU19P2406A	0.28	160267	-	0.28	0.26	0.27	0.27	0.28	(0.01)	13,704	376	0.274
BANPU41C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BANPU41C2405A	0.07	160267	-	-	-	-	0.03	0.05	-	-	-	0
BANPU41C2406A	0.13	160267	-	0.13	0.12	0.13	0.13	0.14	-	18,280	234	0.127
BANPU41C2407A	0.15	160267	0.16	0.16	0.15	0.15	0.15	0.16	-	1,408	21	0.151
BBGI	4.14	160267	4.14	4.20	4.14	4.18	4.16	4.18	0.04	1,691	705	4.171
BCP	45.00	160267	44.75	45.00	43.75	44.75	44.50	44.75	(0.25)	70,393	312,099	44.336
BCP01C2403A	0.04	160267	-	-	-	-	0.03	0.04	-	-	-	0
BCP01C2405A	0.34	160267	-	0.32	0.29	0.32	0.32	0.33	(0.02)	51,802	1,547	0.298
BCP01P2404X	0.13	160267	-	0.13	0.12	0.12	0.12	0.13	(0.01)	14,137	177	0.125
BCP13C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
BCP13C2405A	0.30	160267	-	0.28	0.25	0.28	0.28	0.29	(0.02)	84,775	2,222	0.262
BCP13P2404A	0.06	160267	-	-	-	-	0.03	0.04	-	-	-	0
BCP19C2404A	0.24	160267	-	0.23	0.20	0.22	0.22	0.23	(0.02)	65,444	1,358	0.207
BCPG	8.25	160267	8.25	8.30	8.20	8.20	8.20	8.25	(0.05)	9,748	8,017	8.223
BCPG19C2406A	0.19	160267	-	-	-	-	0.18	0.19	-	-	-	0
BGRIM	28.75	160267	29.00	29.25	28.50	29.00	28.75	29.00	0.25	61,991	179,332	28.928
BGRIM01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2403B	0.43	160267	-	0.45	0.41	0.45	0.45	0.50	0.02	3,870	173	0.447
BGRIM01C2404A	0.13	160267	-	0.13	0.13	0.13	0.13	0.14	-	8,595	112	0.13
BGRIM01C2406A	0.23	160267	-	0.24	0.23	0.24	0.24	0.25	0.01	38,824	930	0.239
BGRIM01P2404X	0.04	160267	-	0.04	0.04	0.04	0.03	0.04	-	1	-	0.04
BGRIM01P2406X	0.14	160267	-	0.14	0.14	0.14	0.13	0.14	-	2,800	39	0.14
BGRIM06C2402B	0.17	160267	-	-	-	-	-	0.05	-	-	-	0
BGRIM06C2403A	0.06	160267	-	-	-	-	-	-	-	-	-	0
BGRIM06C2404A	0.14	160267	-	0.14	0.13	0.14	-	-	-	25,411	348	0.136
BGRIM11C2403A	0.08	160267	-	-	-	-	0.03	0.05	-	-	-	0
BGRIM11C2405A	0.18	160267	-	0.18	0.17	0.18	0.18	0.19	-	14,600	262	0.179
BGRIM13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM13C2403B	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	290	-	0.01
BGRIM13C2403C	0.17	160267	-	-	-	-	0.10	0.14	-	-	-	0
BGRIM13C2404A	0.13	160267	0.13	0.13	0.12	0.13	0.13	0.14	-	41,907	539	0.128
BGRIM13C2407A	0.17	160267	-	0.16	0.16	0.16	0.16	0.17	(0.01)	2,580	41	0.16
BGRIM13P2404A	0.06	160267	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM13P2406A	0.13	160267	-	0.13	0.13	0.13	0.12	0.14	-	1,112	14	0.13
BGRIM19C2403A	0.04	160267	-	-	-	-	0.04	0.05	-	-	-	0
BGRIM19C2403B	0.27	160267	-	-	-	-	0.12	0.17	-	-	-	0
BGRIM19C2404A	0.17	160267	-	0.18	0.17	0.18	0.18	0.19	0.01	15,907	285	0.179
BGRIM19C2407A	0.21	160267	-	0.22	0.21	0.22	0.21	0.22	0.01	51,683	1,125	0.217
BGRIM19P2406A	0.15	160267	-	0.15	0.14	0.14	0.14	0.15	(0.01)	18,258	260	0.142
BGRIM41C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM41C2403B	0.02	160267	-	-	-	-	0.03	0.05	-	-	-	0
BGRIM41C2404A	0.36	160267	-	-	-	-	0.31	0.34	-	-	-	0
BGRIM41C2404B	0.54	160267	-	-	-	-	0.67	0.73	-	-	-	0
BGRIM41C2405A	0.22	160267	-	0.23	0.22	0.23	0.23	0.24	0.01	12,000	275	0.229
BGRIM41C2405B	0.13	160267	0.14	0.14	0.14	0.14	0.14	0.15	0.01	21,000	294	0.14
BGRIM41C2407A	0.19	160267	0.20	0.20	0.19	0.20	0.20	0.21	0.01	85,179	1,693	0.198
BIOTEC	0.45	160267	0.45	0.46	0.44	0.45	0.45	0.46	-	19,432	873	0.449
BIOTEC-P	10.00	160267	-	-	-	-	-	-	-	-	-	0
BIOTEC-Q	10.00	160267	-	-	-	-	-	-	-	-	-	0
BIOTEC-W2	0.13	160267	0.13	0.13	0.12	0.13	0.13	0.14	-	9,507	123	0.129
BPP	14.40	160267	14.30	14.40	14.20	14.20	14.20	14.30	(0.20)	1,554	2,211	14.229
BRRGIF	3.38	160267	-	3.40	3.38	3.40	3.38	3.40	0.02	1,054	356	3.38
BSRC	9.45	160267	9.50	9.50	9.40	9.40	9.40	9.45	(0.05)	10,133	9,582	9.456
BSRC01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BSRC13C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
BSRC19C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
CKP	3.98	160267	3.94	4.04	3.94	4.04	4.02	4.04	0.06	42,277	16,943	4.007
CKP01C2407A	0.58	160267	-	0.62	0.57	0.62	0.62	0.63	0.04	16,979	1,003	0.59
CKP13C2407A	0.68	160267	-	-	-	-	0.58	0.59	-	-	-	0
CKP19C2407A	0.54	160267	-	0.58	0.53	0.58	0.58	0.59	0.04	19,746	1,084	0.549
CV	0.56	160267	0.58	0.61	0.57	0.59	0.59	0.60	0.03	587,177	34,566	0.588
DEMCO	2.38	160267	2.34	2.38	2.32	2.32	2.32	2.34	(0.06)	1,735	406	2.341
DEMCO-W7	0.18	160267	0.19	0.20	0.18	0.18	0.18	0.19	-	5,570	106	0.19
EA	38.25	160267	38.25	38.25	37.50	37.75	37.75	38.00	(0.50)	118,562	448,219	37.805
EA01C2403A	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	200	-	0.01
EA01C2403B	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
EA01C2405A	0.05	160267	-	0.04	0.04	0.04	0.03	0.04	(0.01)	1,535	6	0.04
EA01C2406A	0.09	160267	-	0.09	0.08	0.08	0.08	0.09	(0.01)	1,420	12	0.087
EA01C2406B	0.19	160267	-	0.17	0.15	0.15	0.15	0.16	(0.04)	121,594	1,930	0.158
EA01P2403X	0.24	160267	-	0.31	0.27	0.31	0.29	0.31	0.07	7,177	200	0.278
EA01P2404X	0.50	160267	-	0.54	0.49	0.53	0.53	0.54	0.03	8,787	453	0.515
EA01P2406X	0.27	160267	0.28	0.29	0.27	0.29	0.29	0.30	0.02	34,325	963	0.28
EA06C2402A	0.05	160267	-	-	-	-	-	-	-	-	-	0
EA06C2404A	0.06	160267	-	0.01	0.01	0.01	-	-	(0.05)	100	-	0.01
EA06C2406A	0.17	160267	-	0.17	0.16	0.16	0.15	-	(0.01)	16,820	273	0.162
EA11C2403A	0.09	160267	-	-	-	-	0.01	0.03	-	-	-	0
EA11C2405A	0.04	160267	-	-	-	-	0.03	0.04	-	-	-	0
EA13C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
EA13C2403B	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
EA13C2403C	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
EA13C2405A	0.03	160267	-	-	-	-	0.02	0.03	-	-	-	0
EA13C2406A	0.09	160267	-	0.08	0.08	0.08	0.08	0.09	(0.01)	217	2	0.08
EA13C2406B	0.14	160267	-	0.13	0.12	0.12	0.12	0.13	(0.02)	69,893	891	0.127
EA13P2403A	0.06	160267	-	-	-	-	0.04	0.05	-	-	-	0
EA13P2406A	0.32	160267	-	0.34	0.32	0.33	0.33	0.34	0.01	30,378	986	0.324
EA19C2403A	0.03	160267	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2403B	0.05	160267	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2405A	0.05	160267	-	-	-	-	0.04	0.05	-	-	-	0
EA19C2406A	0.13	160267	-	0.12	0.12	0.12	0.11	0.12	(0.01)	17,226	207	0.12
EA19C2406B	0.23	160267	-	0.22	0.21	0.21	0.21	0.22	(0.02)	518	11	0.219
EA19P2403A	0.07	160267	-	-	-	-	0.03	0.04	-	-	-	0
EA41C2403A	0.02	160267	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
EA41C2403B	0.01	160267	-	-	-	-	0.01	0.03	-	-	-	0
EA41C2404A	0.07	160267	-	-	-	-	0.05	0.07	-	-	-	0
EA41C2405A	0.05	160267	-	-	-	-	0.03	0.05	-	-	-	0
EA41C2406A	0.17	160267	0.15	0.16	0.13	0.14	0.14	0.15	(0.03)	96,119	1,431	0.148
EA41P2405A	0.49	160267	-	0.52	0.50	0.50	0.50	0.52	0.01	23,000	1,174	0.51
EASTW	4.00	160267	4.02	4.04	4.00	4.02	4.02	4.04	0.02	4,203	1,689	4.019
EGATIF	6.05	160267	6.05	6.10	6.00	6.05	6.05	6.10	-	3,696	2,236	6.05
EGCO	129.50	160267	129.00	129.50	128.50	128.50	128.50	129.00	(1.00)	5,343	68,810	128.785
EGCO01C2404A	0.15	160267	-	0.14	0.13	0.13	0.13	0.14	(0.02)	8,871	124	0.139
EGCO13C2403A	0.02	160267	-	-	-	-	-	0.01	-	-	-	0
EGCO13C2405A	0.22	160267	-	0.20	0.20	0.20	0.20	0.21	(0.02)	6,456	129	0.2
EGCO19C2403A	0.02	160267	-	-	-	-	0.02	0.03	-	-	-	0
EP	2.70	160267	2.64	2.70	2.64	2.70	2.70	2.72	-	840	224	2.667
EP-W4	0.15	160267	-	0.15	0.14	0.15	0.14	0.15	-	53	1	0.14
ETC	2.68	160267	-	2.66	2.58	2.64	2.62	2.64	(0.04)	9,865	2,589	2.624
GPSC	51.25	160267	51.50	52.25	51.25	52.25	52.00	52.25	1.00	46,078	238,998	51.868
GPSC01C2403A	0.06	160267	-	0.07	0.06	0.07	0.07	0.08	0.01	5,779	40	0.069
GPSC01C2403B	0.65	160267	-	-	-	-	0.68	0.71	-	-	-	0
GPSC01C2404A	0.34	160267	-	0.38	0.34	0.36	0.39	0.41	0.02	3,094	112	0.36
GPSC01C2405A	0.22	160267	0.23	0.25	0.22	0.24	0.24	0.25	0.02	40,234	943	0.234
GPSC01P2403X	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01P2404X	0.03	160267	-	-	-	-	0.02	0.03	-	-	-	0
GPSC01P2405X	0.19	160267	-	0.18	0.17	0.17	0.16	0.18	(0.02)	12,898	230	0.178
GPSC06C2402A	0.07	160267	-	-	-	-	-	-	-	-	-	0
GPSC06C2403A	0.34	160267	-	-	-	-	-	-	-	-	-	0
GPSC06C2404A	0.23	160267	-	0.26	0.22	0.26	-	-	0.03	33,450	793	0.237
GPSC11C2403A	0.25	160267	-	0.29	0.25	0.29	0.29	0.30	0.04	10,650	288	0.27
GPSC11P2405A	0.17	160267	-	0.17	0.16	0.16	0.15	0.16	(0.01)	5,300	89	0.167
GPSC13C2403A	0.06	160267	-	-	-	-	0.04	0.05	-	-	-	0
GPSC13C2403B	0.17	160267	-	0.18	0.16	0.18	0.18	0.19	0.01	700	12	0.165
GPSC13C2406A	0.29	160267	-	0.32	0.29	0.32	0.32	0.33	0.03	67,053	2,059	0.307
GPSC13P2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
GPSC13P2404A	0.05	160267	-	-	-	-	0.02	0.03	-	-	-	0
GPSC13P2407A	0.30	160267	-	0.29	0.27	0.27	0.26	0.27	(0.03)	16,833	462	0.274
GPSC19C2403A	0.15	160267	-	0.18	0.14	0.18	0.18	0.19	0.03	7,546	118	0.156
GPSC19C2405A	0.23	160267	-	0.24	0.22	0.24	0.24	0.26	0.01	64,277	1,501	0.233
GPSC19P2404A	0.05	160267	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19P2406A	0.19	160267	-	0.18	0.17	0.17	0.17	0.18	(0.02)	2,310	41	0.177
GPSC19P2407A	0.41	160267	-	0.39	0.37	0.37	0.36	0.37	(0.04)	8,019	306	0.381
GPSC41C2403A	0.36	160267	-	-	-	-	0.34	0.36	-	-	-	0
GPSC41C2404A	0.63	160267	-	0.66	0.65	0.66	0.68	0.71	0.03	1,000	66	0.655
GPSC41C2405A	0.26	160267	-	0.29	0.26	0.29	0.29	0.30	0.03	12,220	332	0.271
GPSC41C2406A	0.28	160267	-	0.30	0.27	0.30	0.30	0.31	0.02	24,000	692	0.288
GPSC41P2406A	0.27	160267	-	0.27	0.26	0.26	0.24	0.25	(0.01)	20,000	534	0.267
GREEN	1.03	160267	1.03	1.08	0.96	0.97	0.97	0.98	(0.06)	49,697	5,016	1.009
GULF	43.25	160267	43.25	44.00	43.00	43.75	43.75	44.00	0.50	68,620	298,971	43.568
GULF01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
GULF01C2405A	0.09	160267	-	0.09	0.09	0.09	0.09	0.10	-	1,707	15	0.09
GULF01C2406A	0.20	160267	0.21	0.21	0.19	0.20	0.20	0.22	-	27,843	560	0.201
GULF01P2403X	0.07	160267	-	-	-	-	0.01	0.02	-	-	-	0
GULF01P2405X	0.19	160267	-	0.20	0.17	0.17	0.17	0.18	(0.02)	11,073	200	0.18
GULF06C2402A	0.06	160267	-	-	-	-	-	-	-	-	-	0
GULF11C2407T	0.24	160267	-	0.26	0.24	0.26	0.26	0.27	0.02	8,804	226	0.256
GULF13C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
GULF13C2405A	0.07	160267	-	0.07	0.06	0.07	0.07	0.08	-	7,000	44	0.062
GULF13C2406A	0.17	160267	-	0.19	0.16	0.18	0.18	0.19	0.01	66,727	1,166	0.174
GULF13P2405A	0.15	160267	-	0.15	0.13	0.13	0.13	0.14	(0.02)	12,440	173	0.138
GULF19C2404A	0.06	160267	-	0.07	0.07	0.07	0.06	0.07	0.01	10	-	0.07
GULF19C2406A	0.17	160267	0.17	0.18	0.16	0.18	0.18	0.19	0.01	36,195	647	0.178
GULF19P2404A	0.12	160267	-	-	-	-	0.06	0.07	-	-	-	0
GULF41C2403A	0.06	160267	-	-	-	-	0.01	0.03	-	-	-	0
GULF41C2405A	0.09	160267	-	-	-	-	0.07	0.08	-	-	-	0
GULF41C2405B	0.10	160267	-	-	-	-	0.09	0.10	-	-	-	0
GULF41C2406A	0.18	160267	0.19	0.20	0.17	0.20	0.20	0.21	0.02	36,150	704	0.194
GULF41P2405A	0.32	160267	-	-	-	-	0.29	0.30	-	-	-	0
GUNKUL	3.06	160267	3.06	3.10	3.06	3.10	3.08	3.10	0.04	163,860	50,448	3.078
GUNKUL01C2404A	0.31	160267	-	0.33	0.31	0.33	0.33	0.35	0.02	5,346	169	0.315
GUNKUL01C2407A	0.30	160267	-	0.31	0.29	0.31	0.31	0.32	0.01	12,232	363	0.296
GUNKUL01P2404X	0.08	160267	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL11C2404A	0.43	160267	-	-	-	-	0.36	0.38	-	-	-	0
GUNKUL13C2403A	0.04	160267	-	-	-	-	0.02	0.03	-	-	-	0
GUNKUL13C2404A	0.32	160267	-	-	-	-	0.30	0.31	-	-	-	0
GUNKUL13C2407A	0.26	160267	-	0.27	0.25	0.27	0.27	0.28	0.01	13,546	346	0.255
GUNKUL13P2404A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL13P2407A	0.36	160267	-	0.36	0.35	0.36	0.34	0.35	-	15,199	541	0.355
GUNKUL19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL19C2403B	0.10	160267	-	-	-	-	0.10	0.11	-	-	-	0
GUNKUL19C2405A	0.38	160267	-	0.39	0.39	0.39	0.40	0.41	0.01	1,600	62	0.39
IFEC	0.35	160267	-	-	-	-	-	-	-	-	-	0
IRPC	1.98	160267	1.99	2.00	1.97	1.99	1.98	1.99	0.01	146,142	28,972	1.982
IRPC01C2406A	0.10	160267	-	-	-	-	0.09	0.10	-	-	-	0
IRPC11C2402T	0.01	160267	-	-	-	-	0.01	0.03	-	-	-	0
IRPC13C2405A	0.07	160267	-	0.06	0.06	0.06	0.06	0.07	(0.01)	3	-	0.06
IRPC13C2407A	0.37	160267	-	0.35	0.33	0.35	0.35	0.36	(0.02)	25,909	873	0.337
IRPC19C2404A	0.07	160267	-	-	-	-	0.06	0.07	-	-	-	0
JR	4.50	160267	4.50	4.56	4.50	4.52	4.50	4.52	0.02	846	383	4.523
KBSPIF	8.90	160267	-	8.95	8.85	8.90	8.85	8.90	-	233	206	8.853
LANNA	14.80	160267	14.90	15.10	14.80	15.10	15.00	15.10	0.30	2,869	4,298	14.981
MDX	2.84	160267	-	2.86	2.80	2.86	2.80	2.86	0.02	317	90	2.827
NOVA	10.60	160267	-	10.90	10.60	10.70	10.70	10.80	0.10	56	60	10.7
OR	18.40	160267	18.30	18.80	18.30	18.60	18.60	18.70	0.20	119,638	222,707	18.615
OR01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
OR01C2405A	0.10	160267	-	0.12	0.10	0.11	0.10	0.11	0.01	43,653	488	0.111

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
OR01P2405X	0.41	160267	-	0.38	0.37	0.38	0.38	0.40	(0.03)	7,506	284	0.377
OR06C2402A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
OR06C2403A	0.12	160267	-	-	-	-	-	-	-	-	-	0
OR11C2404A	0.08	160267	-	-	-	-	0.09	0.10	-	-	-	0
OR13C2403A	0.02	160267	-	-	-	-	-	0.01	-	-	-	0
OR13C2404A	0.06	160267	-	0.05	0.05	0.05	0.04	0.05	(0.01)	3,040	15	0.05
OR13C2407A	0.24	160267	-	0.26	0.24	0.26	0.26	0.27	0.02	41,912	1,085	0.258
OR19C2403A	0.06	160267	-	-	-	-	0.01	0.02	-	-	-	0
OR19C2404A	0.04	160267	-	0.04	0.04	0.04	0.03	0.04	-	1	-	0.04
OR19C2407A	0.27	160267	0.27	0.30	0.27	0.29	0.28	0.29	0.02	48,126	1,405	0.292
PCC	3.00	160267	-	3.04	3.00	3.04	3.02	3.04	0.04	318	96	3.024
PRIME	0.73	160267	0.73	0.76	0.71	0.72	0.71	0.72	(0.01)	150,712	10,980	0.728
PTG	8.70	160267	8.70	8.80	8.65	8.70	8.65	8.70	-	42,114	36,724	8.72
PTG01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
PTG01C2404A	0.13	160267	-	0.13	0.13	0.13	0.13	0.14	-	7,386	96	0.13
PTG01C2407A	0.29	160267	-	0.29	0.28	0.29	0.29	0.30	-	10,961	317	0.289
PTG01P2403X	0.07	160267	-	-	-	-	0.01	0.02	-	-	-	0
PTG06C2402A	0.05	160267	-	-	-	-	-	-	-	-	-	0
PTG11C2405A	0.38	160267	-	-	-	-	0.33	0.36	-	-	-	0
PTG13C2403A	0.06	160267	-	-	-	-	0.01	0.02	-	-	-	0
PTG13C2403B	0.09	160267	-	-	-	-	0.06	0.07	-	-	-	0
PTG13C2407A	0.25	160267	-	0.26	0.24	0.24	0.24	0.26	(0.01)	62,232	1,575	0.253
PTG19C2404A	0.15	160267	-	0.15	0.15	0.15	0.15	0.16	-	3,366	50	0.15
PTG19C2407A	0.29	160267	0.30	0.30	0.29	0.29	0.28	0.29	-	97,250	2,853	0.293
PTT	35.75	160267	35.75	36.00	35.50	35.75	35.75	36.00	-	359,200	1,284,870	35.77
PTT01C2403A	0.03	160267	-	-	-	-	0.02	0.04	-	-	-	0
PTT01C2405A	0.13	160267	-	0.14	0.13	0.13	0.13	0.14	-	20,155	262	0.13
PTT01P2403X	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
PTT01P2405X	0.09	160267	-	0.09	0.08	0.08	0.08	0.10	(0.01)	29,016	260	0.089
PTT11C2404A	0.07	160267	-	0.09	0.09	0.09	0.09	0.10	0.02	100	1	0.09
PTT13C2403A	0.02	160267	-	-	-	-	0.01	0.03	-	-	-	0
PTT13C2406A	0.19	160267	-	0.19	0.19	0.19	0.19	0.20	-	126,073	2,395	0.19
PTT13P2405A	0.06	160267	-	-	-	-	0.05	0.06	-	-	-	0
PTT19C2404A	0.06	160267	-	-	-	-	0.07	0.08	-	-	-	0
PTT19C2406A	0.20	160267	0.20	0.21	0.20	0.20	0.20	0.21	-	11,641	234	0.2
PTT41C2407A	0.26	160267	-	0.26	0.26	0.26	0.26	0.28	-	7,061	184	0.26
PTT41C2407B	0.23	160267	0.23	0.23	0.23	0.23	0.22	0.24	-	34,008	782	0.23
PTTEP	155.00	160267	150.00	151.00	150.00	150.50	150.00	150.50	(4.50)	82,886	1,247,557	150.514
PTTEP01C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP01C2404A	0.13	160267	-	-	-	-	0.13	0.14	-	-	-	0
PTTEP01C2404T	0.11	160267	-	0.13	0.12	0.12	0.12	0.13	0.01	1,150	15	0.129
PTTEP01C2405A	0.44	160267	-	0.46	0.43	0.43	0.43	0.44	(0.01)	85,592	3,778	0.441
PTTEP01P2403X	0.27	160267	-	-	-	-	0.15	0.17	-	-	-	0
PTTEP01P2405X	0.12	160267	-	-	-	-	0.11	0.12	-	-	-	0
PTTEP01P2406X	0.50	160267	-	0.49	0.48	0.48	0.48	0.49	(0.02)	28,224	1,368	0.484
PTTEP06C2403A	0.09	160267	-	0.02	0.02	0.02	-	-	(0.07)	2	-	0.02
PTTEP06C2405A	0.45	160267	-	0.47	0.46	0.46	-	-	0.01	2	-	0.465
PTTEP11C2403T	0.11	160267	-	-	-	-	0.05	0.06	-	-	-	0
PTTEP11C2406A	0.43	160267	-	0.44	0.44	0.44	0.44	0.45	0.01	22,608	995	0.44
PTTEP11P2402A	0.09	160267	-	-	-	-	0.01	0.03	-	-	-	0
PTTEP11P2406A	0.38	160267	-	0.38	0.36	0.36	0.36	0.37	(0.02)	5,215	194	0.372
PTTEP13C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
PTTEP13C2404A	0.12	160267	-	0.12	0.12	0.12	0.12	0.13	-	68,232	819	0.12
PTTEP13C2405A	0.35	160267	0.35	0.36	0.34	0.35	0.35	0.36	-	285,268	9,987	0.35
PTTEP13P2405A	0.07	160267	-	-	-	-	0.05	0.06	-	-	-	0
PTTEP13P2406A	0.26	160267	0.26	0.26	0.23	0.24	0.24	0.25	(0.02)	36,593	879	0.24
PTTEP19C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2403B	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2404A	0.07	160267	-	-	-	-	0.05	0.06	-	-	-	0
PTTEP19C2404B	0.16	160267	-	0.16	0.16	0.16	0.16	0.17	-	27	-	0.16
PTTEP19C2406A	0.41	160267	-	0.43	0.42	0.42	0.42	0.43	0.01	46,785	1,967	0.42
PTTEP41C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP41C2404A	0.09	160267	-	0.07	0.07	0.07	0.07	0.08	(0.02)	6,000	42	0.07
PTTEP41C2405A	0.33	160267	-	0.34	0.33	0.33	0.33	0.34	-	10,008	331	0.331
PTTEP41C2405B	0.32	160267	-	0.33	0.33	0.33	0.33	0.34	0.01	72,000	2,376	0.33
PTTEP41P2403A	0.59	160267	-	-	-	-	0.34	0.35	-	-	-	0
PTTEP41P2405A	0.13	160267	-	0.11	0.11	0.11	0.10	0.11	(0.02)	10	-	0.11
PTTEP41P2406A	0.35	160267	-	0.34	0.34	0.34	0.33	0.34	(0.01)	1	-	0.34
QTC	4.22	160267	4.20	4.26	4.20	4.26	4.24	4.26	0.04	356	151	4.232
RATCH	29.25	160267	29.25	29.75	29.00	29.75	29.50	29.75	0.50	19,219	56,785	29.546
RATCH01C2403A	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	300	-	0.01
RATCH01C2405A	0.06	160267	-	-	-	-	0.06	0.07	-	-	-	0
RATCH11P2402A	0.28	160267	-	-	-	-	0.14	0.17	-	-	-	0
RATCH13C2405A	0.04	160267	-	0.03	0.03	0.03	0.02	0.03	(0.01)	7	-	0.03
RATCH13P2404A	0.13	160267	-	0.11	0.10	0.10	0.10	0.11	(0.03)	3,200	35	0.109
RATCH19C2405A	0.08	160267	-	-	-	-	0.08	0.09	-	-	-	0
RPC	0.67	160267	0.67	0.68	0.66	0.66	0.66	0.67	(0.01)	10,473	699	0.667
SCG	3.60	160267	3.64	3.64	3.58	3.58	3.56	3.58	(0.02)	26	9	3.615
SCI	1.03	160267	1.08	1.19	1.08	1.10	1.10	1.11	0.07	309,391	35,027	1.132
SCN	1.42	160267	1.39	1.44	1.39	1.44	1.41	1.44	0.02	4,131	586	1.417
SCN-W2	0.12	160267	-	0.11	0.11	0.11	0.10	0.11	(0.01)	1,112	12	0.11
SEA OIL	2.92	160267	-	2.94	2.92	2.92	2.92	2.94	-	113	33	2.931
SGP	7.95	160267	7.95	8.05	7.95	8.00	7.95	8.00	0.05	1,945	1,556	7.999
SKE	0.53	160267	0.55	0.56	0.52	0.54	0.53	0.54	0.01	37,405	2,020	0.539
SKE-W1	0.11	160267	0.12	0.13	0.11	0.12	0.11	0.12	0.01	63,649	756	0.118
SOLAR	0.72	160267	0.72	0.74	0.71	0.72	0.72	0.73	-	18,478	1,336	0.722
SPCG	12.20	160267	12.20	12.30	12.20	12.30	12.20	12.30	0.10	2,041	2,496	12.231
SPRC	8.60	160267	8.65	8.80	8.60	8.70	8.70	8.75	0.10	221,333	192,424	8.693
SPRC01C2403A	0.03	160267	-	0.02	0.02	0.02	0.02	0.03	(0.01)	70	-	0.02
SPRC01C2405A	0.19	160267	0.20	0.22	0.18	0.20	0.20	0.21	0.01	59,961	1,156	0.192
SPRC06C2402A	0.08	160267	-	-	-	-	-	-	-	-	-	0
SPRC06C2405A	0.25	160267	-	0.27	0.24	0.26	-	-	0.01	56,423	1,395	0.247
SPRC11C2406A	0.27	160267	0.30	0.30	0.28	0.30	0.30	0.31	0.03	12,690	367	0.289

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SPRC13C2403A	0.02	160267	-	-	-	-	0.02	0.03	-	-	-	0
SPRC13C2404A	0.17	160267	-	0.21	0.18	0.19	0.18	0.19	0.02	35,236	662	0.187
SPRC13P2405A	0.07	160267	-	-	-	-	0.06	0.07	-	-	-	0
SPRC19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
SPRC19C2404A	0.19	160267	-	0.21	0.18	0.20	0.19	0.20	0.01	107,043	2,047	0.191
SSP	7.95	160267	8.10	8.10	7.85	7.95	7.95	8.00	-	10,674	8,481	7.945
SSP-W2	0.26	160267	0.27	0.27	0.26	0.27	0.26	0.27	0.01	2,067	54	0.262
SUPER	0.40	160267	0.41	0.41	0.40	0.41	0.40	0.41	0.01	31,601	1,281	0.405
SUPEREIF	6.80	160267	6.85	6.90	6.80	6.85	6.85	6.90	0.05	663	454	6.851
SUSCO	4.98	160267	5.05	5.15	5.00	5.05	5.05	5.10	0.07	56,933	28,855	5.068
TAE	1.08	160267	1.07	1.09	1.07	1.08	1.07	1.08	-	622	67	1.083
TCC	0.56	160267	0.56	0.57	0.56	0.57	0.56	0.57	0.01	2,589	145	0.561
TCC-W5	0.24	160267	-	0.24	0.23	0.24	0.23	0.24	-	1,317	31	0.232
TGE	3.20	160267	3.20	3.20	2.96	3.02	3.02	3.06	(0.18)	82,599	25,166	3.046
TOP	58.50	160267	58.75	59.00	58.25	58.75	58.50	58.75	0.25	101,862	597,451	58.653
TOP01C2404A	0.37	160267	-	0.37	0.36	0.37	0.37	0.39	-	16,656	616	0.369
TOP01C2405A	0.35	160267	-	0.36	0.34	0.34	0.35	0.36	(0.01)	17,534	614	0.35
TOP01P2404X	0.08	160267	-	-	-	-	0.03	0.04	-	-	-	0
TOP01P2406X	0.26	160267	-	0.26	0.24	0.25	0.25	0.26	(0.01)	37,796	947	0.25
TOP06C2402A	0.10	160267	-	-	-	-	-	-	-	-	-	0
TOP11C2405A	0.51	160267	-	-	-	-	0.58	0.61	-	-	-	0
TOP11P2406A	0.35	160267	-	0.30	0.30	0.30	0.28	0.30	(0.05)	6	-	0.3
TOP13C2404A	0.50	160267	-	-	-	-	0.48	0.50	-	-	-	0
TOP13C2407A	0.43	160267	-	0.43	0.42	0.42	0.43	0.44	(0.01)	26,084	1,119	0.429
TOP13P2404A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
TOP19C2403A	0.18	160267	-	-	-	-	0.17	0.19	-	-	-	0
TOP19C2405A	0.31	160267	-	0.31	0.29	0.30	0.31	0.32	(0.01)	82,423	2,546	0.308
TOP41C2404A	0.49	160267	-	-	-	-	0.48	0.49	-	-	-	0
TOP41C2405A	0.33	160267	-	0.33	0.33	0.33	0.33	0.34	-	6,000	198	0.33
TPIPP	3.42	160267	3.42	3.42	3.38	3.42	3.40	3.42	-	10,325	3,512	3.401
TSE	1.93	160267	1.93	1.95	1.87	1.88	1.88	1.89	(0.05)	22,119	4,197	1.897
TTW	9.80	160267	9.80	9.90	9.75	9.85	9.80	9.85	0.05	15,170	14,926	9.839
UBE	0.88	160267	0.88	0.89	0.87	0.87	0.86	0.87	(0.01)	16,568	1,452	0.876
WHAUP	4.00	160267	4.00	4.00	3.96	3.96	3.96	3.98	(0.04)	42,049	16,694	3.97
WP	3.72	160267	3.72	3.76	3.72	3.76	3.72	3.76	0.04	36	13	3.741
Media & Publishing												
AMARIN	4.18	160267	-	-	-	-	4.18	4.20	-	-	-	0
AQUA	0.35	160267	0.34	0.35	0.34	0.34	0.34	0.35	(0.01)	25,371	887	0.349
AQUA-W3	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
AS	7.40	160267	7.35	7.50	7.30	7.45	7.40	7.45	0.05	1,150	852	7.411
BEC	4.68	160267	4.68	4.70	4.66	4.66	4.66	4.68	(0.02)	4,072	1,904	4.675
FE	165.50	160267	-	-	-	-	155.00	175.00	-	-	-	0
GPI	1.83	160267	1.86	1.98	1.84	1.88	1.88	1.89	0.05	47,050	8,910	1.893
GRAMMY	6.10	160267	-	6.10	6.10	6.10	6.05	6.15	-	10	6	6.1
JKN	0.91	160267	0.82	0.91	0.80	0.83	0.83	0.84	(0.08)	708,896	59,941	0.845
MAJOR	14.10	160267	14.10	14.10	13.90	14.10	14.00	14.10	-	12,046	16,931	14.055
MATCH	1.46	160267	1.46	1.51	1.46	1.49	1.45	1.48	0.03	22	3	1.479
MATI	7.95	160267	-	7.75	7.70	7.75	7.75	7.90	(0.20)	15	12	7.716
MCOT	3.00	160267	3.00	3.02	2.98	3.02	2.98	3.02	0.02	296	89	3.003
MONO	0.84	160267	0.85	0.86	0.82	0.83	0.83	0.84	(0.01)	48,589	4,082	0.84
NATION	0.04	160267	0.04	0.05	0.04	0.04	0.04	0.05	-	5,846	25	0.042
NATION-W4	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
ONEE	4.32	160267	4.34	4.38	4.26	4.36	4.34	4.36	0.04	64,843	28,125	4.337
PLANB	8.85	160267	8.85	8.85	8.75	8.75	8.75	8.80	(0.10)	88,772	78,101	8.797
PLANB-W1	1.72	160267	-	1.73	1.66	1.73	1.67	1.73	0.01	598	102	1.697
PLANB11C2403A	0.12	160267	-	0.11	0.10	0.11	0.10	0.11	(0.01)	2,349	26	0.109
PLANB11P2402A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
PLANB13C2403A	0.04	160267	-	0.02	0.02	0.02	0.02	0.03	(0.02)	5,560	11	0.02
PLANB19C2403A	0.06	160267	-	0.01	0.01	0.01	0.01	0.02	(0.05)	17,101	17	0.01
POST	1.10	160267	-	-	-	-	-	-	-	-	-	0
PRAKIT	11.20	160267	-	11.40	11.40	11.40	11.20	11.40	0.20	2	2	11.4
PTECH	11.10	160267	-	11.00	11.00	11.00	10.30	10.90	(0.10)	50	55	11
ROCTEC	0.59	160267	0.59	0.60	0.58	0.59	0.59	0.60	-	17,456	1,029	0.589
ROCTEC-W3	0.03	160267	0.02	0.03	0.02	0.02	0.02	0.03	(0.01)	100,686	204	0.02
ROCTEC-W5	0.02	160267	0.02	0.04	0.02	0.03	0.03	0.04	0.01	625,422	1,872	0.029
SE-ED	2.26	160267	2.28	2.36	2.28	2.30	2.28	2.32	0.04	118	27	2.302
TKS	6.85	160267	6.85	6.85	6.75	6.85	6.80	6.85	-	1,123	764	6.803
VGI	1.61	160267	1.62	1.63	1.58	1.58	1.57	1.58	(0.03)	582,122	92,888	1.595
VGI-W3	0.07	160267	0.07	0.08	0.07	0.07	0.07	0.08	-	28,302	199	0.07
VGI01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2403B	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2404A	0.03	160267	-	0.03	0.02	0.03	0.02	0.03	-	4,356	13	0.03
VGI01C2405A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2406A	0.16	160267	-	0.16	0.13	0.13	0.13	0.14	(0.03)	59,444	850	0.143
VGI01P2405X	0.62	160267	-	0.64	0.60	0.64	0.64	0.66	0.02	25,687	1,598	0.622
VGI06C2403A	0.01	160267	-	-	-	-	-	-	-	-	-	0
VGI06C2405A	0.02	160267	-	-	-	-	-	-	-	-	-	0
VGI13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
VGI13C2403B	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
VGI13C2403C	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
VGI13C2405A	0.02	160267	-	0.02	0.02	0.02	0.01	0.02	-	14	-	0.02
VGI13C2406A	0.15	160267	-	0.15	0.13	0.13	0.13	0.14	(0.02)	21,846	308	0.141
VGI13C2407A	0.24	160267	-	0.24	0.21	0.22	0.21	0.22	(0.02)	49,521	1,156	0.233
VGI13P2405A	0.45	160267	0.45	0.47	0.43	0.47	0.47	0.48	0.02	73,614	3,336	0.453
VGI19C2403A	0.02	160267	-	0.01	0.01	0.01	0.01	0.02	(0.01)	10,000	10	0.01
VGI19C2405A	0.08	160267	-	0.07	0.07	0.07	0.06	0.07	(0.01)	1	-	0.07
VGI19C2405B	0.04	160267	-	-	-	-	0.02	0.03	-	-	-	0
VGI19C2407A	0.22	160267	-	0.23	0.20	0.20	0.20	0.21	(0.02)	35,434	755	0.212
VGI41C2405A	0.06	160267	-	-	-	-	0.02	0.04	-	-	-	0
VGI41C2407A	0.24	160267	-	0.24	0.22	0.22	0.21	0.22	(0.02)	97,851	2,265	0.231
WORK	10.10	160267	10.10	10.30	10.10	10.30	10.10	10.30	0.20	608	621	10.216
ZAA	1.37	160267	1.37	1.38	1.34	1.35	1.34	1.35	(0.02)	16,811	2,278	1.355
Finance & Securities												

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AEONTS	151.50	160267	151.50	151.50	149.00	149.00	149.00	150.00	(2.50)	568	8,489	149.462
AMANAH	2.18	160267	2.16	2.20	2.16	2.16	2.16	2.18	(0.02)	8,405	1,826	2.173
ASAP	3.16	160267	3.16	3.24	3.16	3.22	3.18	3.22	0.06	6,615	2,115	3.197
ASK	18.30	160267	18.40	18.40	18.00	18.20	18.10	18.20	(0.10)	26,071	47,359	18.165
ASP	2.82	160267	2.82	2.84	2.82	2.84	2.82	2.84	0.02	9,166	2,598	2.834
BAM	8.10	160267	8.10	8.20	8.05	8.10	8.05	8.10	-	72,513	58,864	8.117
BAM01C2403A	0.02	160267	-	0.02	0.02	0.02	0.01	0.02	-	2	-	0.02
BAM01C2404A	0.05	160267	-	-	-	-	0.02	0.03	-	-	-	0
BAM01C2406A	0.22	160267	-	0.22	0.22	0.22	0.21	0.22	-	12,512	275	0.22
BAM11C2405A	0.17	160267	0.17	0.17	0.17	0.17	0.17	0.18	-	12,070	205	0.17
BAM13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BAM13C2405A	0.10	160267	0.11	0.11	0.11	0.11	0.10	0.11	0.01	1	-	0.11
BAM19C2404A	0.08	160267	-	-	-	-	0.04	0.05	-	-	-	0
BAM19C2405A	0.12	160267	-	0.12	0.12	0.12	0.11	0.12	-	11,316	136	0.12
BYD	4.14	160267	4.14	4.14	4.00	4.00	4.00	4.02	(0.14)	71,526	29,000	4.054
BYD06C2402A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
BYD06C2404A	0.04	160267	-	-	-	-	-	-	-	-	-	0
BYD13C2403A	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	4,350	4	0.01
BYD13C2403B	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BYD13C2403C	0.04	160267	-	-	-	-	0.01	0.02	-	-	-	0
BYD13C2405A	0.09	160267	-	-	-	-	0.05	0.06	-	-	-	0
BYD13C2406A	0.32	160267	-	0.30	0.28	0.28	0.27	0.28	(0.04)	14,882	435	0.292
BYD19C2403A	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	7,000	7	0.01
BYD19C2404A	0.16	160267	-	-	-	-	0.12	0.13	-	-	-	0
BYD19C2407A	0.43	160267	-	0.39	0.36	0.36	0.36	0.37	(0.07)	7,180	276	0.384
CGH	0.67	160267	0.68	0.68	0.66	0.68	0.67	0.68	0.01	42,356	2,858	0.674
CGH-W4	0.01	160267	0.01	0.01	0.01	0.01	-	0.01	-	26,728	27	0.01
CHASE	1.86	160267	1.86	1.91	1.85	1.88	1.88	1.89	0.02	57,140	10,792	1.888
CHAYO	5.25	160267	5.30	5.30	5.20	5.30	5.20	5.30	0.05	5,737	3,021	5.265
CHAYO-W3	0.64	160267	0.62	0.65	0.59	0.63	0.62	0.63	(0.01)	6,211	388	0.623
ECL	1.43	160267	1.43	1.46	1.42	1.46	1.44	1.46	0.03	15,647	2,258	1.443
ECL-W4	0.03	160267	-	0.03	0.02	0.03	0.02	0.03	-	25,618	57	0.022
FNS	3.98	160267	3.98	3.98	3.94	3.94	3.94	3.96	(0.04)	2,104	831	3.951
FSX	2.48	160267	2.48	2.62	2.46	2.48	2.48	2.54	-	6,811	1,748	2.567
GBX	0.74	160267	0.75	0.75	0.73	0.73	0.73	0.74	(0.01)	3,248	239	0.735
GL	0.65	160267	-	-	-	-	-	-	-	-	-	0
HENG	1.85	160267	1.85	1.88	1.84	1.85	1.85	1.86	-	11,868	2,204	1.857
IFS	2.74	160267	-	2.76	2.72	2.76	2.72	2.76	0.02	180	49	2.731
JMT	23.10	160267	23.20	23.70	22.80	23.00	23.00	23.10	(0.10)	212,050	492,323	23.217
JMT-W4	1.89	160267	1.91	1.98	1.89	1.91	1.91	1.92	0.02	4,738	911	1.923
JMT01C2403A	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	514	1	0.01
JMT01C2404A	0.04	160267	-	0.03	0.03	0.03	0.03	0.04	(0.01)	2,000	6	0.03
JMT01C2405A	0.09	160267	-	0.09	0.09	0.09	0.08	0.09	-	26	-	0.09
JMT01C2406A	0.52	160267	-	0.56	0.49	0.50	0.50	0.51	(0.02)	109,093	5,742	0.526
JMT01P2403A	0.17	160267	-	0.16	0.13	0.16	0.16	0.17	(0.01)	132,472	1,961	0.148
JMT01P2404X	0.27	160267	0.26	0.27	0.25	0.27	0.27	0.28	-	69,079	1,812	0.262
JMT06C2402A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
JMT06C2403A	0.01	160267	-	-	-	-	-	-	-	-	-	0
JMT06C2404A	0.05	160267	-	-	-	-	-	-	-	-	-	0
JMT06C2406A	0.57	160267	-	0.61	0.55	0.56	-	-	(0.01)	172,008	10,141	0.589
JMT11C2402T	0.01	160267	-	-	-	-	0.01	0.03	-	-	-	0
JMT11C2405A	0.11	160267	-	-	-	-	0.07	0.08	-	-	-	0
JMT11C2407A	0.67	160267	-	0.71	0.64	0.64	0.64	0.65	(0.03)	54,373	3,686	0.677
JMT11P2406A	0.62	160267	0.61	0.63	0.58	0.62	0.62	0.63	-	33,474	2,021	0.603
JMT13C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
JMT13C2403B	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
JMT13C2404A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
JMT13C2404B	0.12	160267	-	0.14	0.10	0.10	0.10	0.11	(0.02)	89,120	1,076	0.12
JMT13C2405A	0.07	160267	-	0.08	0.06	0.07	0.06	0.07	-	2,002	12	0.06
JMT13C2406A	0.45	160267	0.46	0.48	0.42	0.43	0.43	0.44	(0.02)	180,321	8,180	0.453
JMT13C2407A	0.18	160267	-	0.20	0.18	0.18	0.18	0.19	-	102,651	1,909	0.185
JMT13P2403A	0.10	160267	-	0.08	0.06	0.07	0.07	0.08	(0.03)	17,796	125	0.069
JMT13P2406A	0.59	160267	0.57	0.60	0.55	0.59	0.59	0.60	-	108,971	6,246	0.573
JMT19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2403B	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2404A	0.03	160267	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2404B	0.13	160267	-	0.15	0.13	0.13	0.12	0.13	-	33,854	478	0.141
JMT19C2404C	0.06	160267	-	-	-	-	0.05	0.06	-	-	-	0
JMT19C2406A	0.53	160267	0.52	0.56	0.50	0.51	0.51	0.52	(0.02)	181,789	9,726	0.535
JMT19P2403A	1.03	160267	-	1.02	1.02	1.02	1.00	1.04	(0.01)	5	1	1.02
JMT19P2403B	0.17	160267	-	0.17	0.14	0.17	0.17	0.18	-	29,732	469	0.157
JMT19P2407A	0.38	160267	0.38	0.38	0.36	0.37	0.37	0.38	(0.01)	43,729	1,608	0.367
JMT41C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
JMT41C2403B	0.03	160267	-	-	-	-	0.01	0.03	-	-	-	0
JMT41C2404A	0.06	160267	-	-	-	-	0.03	0.05	-	-	-	0
JMT41C2405A	0.08	160267	-	0.08	0.08	0.08	0.07	0.08	-	888	7	0.08
JMT41C2406A	0.30	160267	0.30	0.33	0.29	0.29	0.29	0.30	(0.01)	206,601	6,300	0.304
JMT41C2406B	0.52	160267	-	0.56	0.50	0.50	0.50	0.52	(0.02)	34,950	1,881	0.538
JMT41C2407A	0.18	160267	-	0.18	0.16	0.16	0.16	0.17	(0.02)	36,000	616	0.171
KCAR	7.85	160267	7.85	7.90	7.80	7.85	7.85	7.90	-	297	233	7.849
KGI	4.74	160267	4.74	4.76	4.72	4.76	4.74	4.76	0.02	9,376	4,447	4.743
KTC	42.75	160267	42.75	43.25	42.25	43.00	42.75	43.00	0.25	32,514	139,004	42.752
KTC01C2405A	0.09	160267	-	0.08	0.08	0.08	0.08	0.09	(0.01)	701	6	0.08
KTC01C2407A	0.23	160267	-	0.24	0.22	0.24	0.24	0.25	0.01	47,522	1,102	0.231
KTC01P2406X	0.42	160267	-	0.42	0.41	0.41	0.41	0.42	(0.01)	9,126	377	0.412
KTC11C2405A	0.13	160267	-	-	-	-	0.10	0.11	-	-	-	0
KTC11P2405A	0.43	160267	0.43	0.44	0.42	0.42	0.42	0.43	(0.01)	11,660	502	0.43
KTC13C2405A	0.08	160267	-	0.07	0.07	0.07	0.07	0.08	(0.01)	936	7	0.07
KTC13C2407A	0.22	160267	-	0.22	0.21	0.22	0.22	0.23	-	10,865	236	0.216
KTC13P2407A	0.34	160267	-	0.35	0.33	0.33	0.33	0.34	(0.01)	21,922	743	0.338
KTC19C2405A	0.11	160267	0.11	0.12	0.10	0.11	0.11	0.12	-	630	7	0.109
KTC19C2407A	0.22	160267	0.23	0.23	0.21	0.22	0.22	0.23	-	16,520	362	0.218
KTC41C2403A	0.09	160267	-	-	-	-	0.01	0.03	-	-	-	0

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
KTC41C2405A	0.11	160267	-	0.11	0.11	0.11	0.11	0.12	-	45,332	499	0.11
MFC	20.40	160267	-	20.40	20.30	20.40	20.30	20.40	-	14	28	20.328
MICRO	2.26	160267	2.20	2.28	2.18	2.20	2.18	2.20	(0.06)	846	187	2.206
ML	0.71	160267	0.72	0.72	0.70	0.70	0.70	0.71	(0.01)	3,533	250	0.706
ML-W3	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
MST	10.60	160267	-	10.70	10.60	10.70	10.60	10.70	0.10	412	438	10.62
MTC	44.75	160267	44.50	44.75	44.25	44.25	44.25	44.50	(0.50)	20,714	91,851	44.342
MTC01C2403A	0.27	160267	-	0.26	0.24	0.24	0.24	0.26	(0.03)	2,828	72	0.254
MTC01C2404A	0.14	160267	-	0.13	0.12	0.12	0.12	0.13	(0.02)	39,570	490	0.123
MTC01C2406A	0.35	160267	-	0.33	0.32	0.32	0.32	0.33	(0.03)	38,079	1,238	0.325
MTC01P2404X	0.13	160267	-	0.13	0.12	0.13	0.13	0.14	-	23,384	304	0.129
MTC01P2406X	0.48	160267	-	0.49	0.48	0.49	0.49	0.50	0.01	18,137	884	0.487
MTC06C2404A	0.15	160267	-	0.14	0.13	0.13	-	0.14	(0.02)	21,789	303	0.139
MTC11C2403A	0.30	160267	-	-	-	-	0.32	0.34	-	-	-	0
MTC11C2406A	0.27	160267	-	0.26	0.25	0.25	0.25	0.26	(0.02)	4,411	114	0.259
MTC13C2403A	0.16	160267	-	0.13	0.12	0.12	0.12	0.13	(0.04)	9,640	122	0.126
MTC13C2404A	0.12	160267	-	0.11	0.11	0.11	0.10	0.11	(0.01)	14,842	163	0.11
MTC13C2406A	0.33	160267	-	0.31	0.30	0.30	0.30	0.31	(0.03)	29,842	924	0.309
MTC13P2404A	0.04	160267	-	-	-	-	0.03	0.04	-	-	-	0
MTC13P2406A	0.27	160267	-	0.27	0.27	0.27	0.27	0.28	-	10,322	279	0.27
MTC19C2403A	0.33	160267	-	-	-	-	0.28	0.33	-	-	-	0
MTC19C2403B	0.09	160267	-	-	-	-	0.04	0.05	-	-	-	0
MTC19C2404A	0.10	160267	-	-	-	-	0.09	0.10	-	-	-	0
MTC19C2406A	0.33	160267	-	0.33	0.32	0.32	0.32	0.33	(0.01)	22,963	749	0.325
MTC19P2404A	0.09	160267	-	-	-	-	0.07	0.08	-	-	-	0
MTC41C2403A	0.17	160267	-	-	-	-	0.14	0.16	-	-	-	0
MTC41C2404A	0.17	160267	-	0.17	0.16	0.16	0.16	0.17	(0.01)	42,000	688	0.163
MTC41C2405A	0.17	160267	-	0.16	0.15	0.15	0.15	0.16	(0.02)	12,800	203	0.158
NCAP	2.60	160267	2.60	2.62	2.58	2.60	2.60	2.62	-	12,092	3,155	2.609
PL	2.02	160267	-	-	-	-	2.02	2.04	-	-	-	0
S11	3.58	160267	-	3.64	3.56	3.56	3.56	3.58	(0.02)	333	119	3.573
SAK	4.60	160267	4.62	4.62	4.46	4.48	4.48	4.50	(0.12)	16,352	7,367	4.505
SAWAD	40.25	160267	40.00	40.75	39.75	40.25	40.25	40.50	-	28,737	115,715	40.267
SAWAD-W2	1.17	160267	1.18	1.20	1.15	1.15	1.15	1.18	(0.02)	451	53	1.177
SAWAD01C2403W	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD01C2405A	0.09	160267	-	-	-	-	0.08	0.10	-	-	-	0
SAWAD01C2406A	0.23	160267	-	0.23	0.22	0.23	0.23	0.24	-	38,208	869	0.227
SAWAD01P2403X	0.04	160267	-	-	-	-	0.02	0.04	-	-	-	0
SAWAD01P2404X	0.30	160267	-	0.31	0.28	0.28	0.28	0.29	(0.02)	15,883	458	0.288
SAWAD06C2402A	0.10	160267	-	-	-	-	-	-	-	-	-	0
SAWAD11P2406A	0.41	160267	-	0.41	0.39	0.40	0.40	0.41	(0.01)	5,301	214	0.403
SAWAD13C2403A	0.02	160267	-	-	-	-	-	0.01	-	-	-	0
SAWAD13C2405A	0.07	160267	-	0.07	0.07	0.07	0.06	0.08	-	50	-	0.07
SAWAD13C2406A	0.16	160267	-	0.16	0.15	0.16	0.15	0.16	-	14,458	220	0.152
SAWAD13C2407A	0.27	160267	0.27	0.28	0.26	0.28	0.27	0.28	0.01	26,827	719	0.267
SAWAD13P2403A	0.05	160267	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD13P2407A	0.34	160267	-	0.34	0.33	0.33	0.33	0.34	(0.01)	5,398	181	0.336
SAWAD19C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD19C2405A	0.13	160267	-	0.13	0.12	0.13	0.12	0.13	-	3,550	44	0.123
SAWAD19C2406A	0.27	160267	-	0.27	0.25	0.26	0.26	0.27	(0.01)	29,776	769	0.258
SAWAD19P2404A	0.18	160267	-	0.18	0.17	0.18	0.18	0.19	-	9,686	173	0.178
SAWAD41C2403A	0.01	160267	-	-	-	-	0.01	0.03	-	-	-	0
SAWAD41C2405A	0.13	160267	0.13	0.13	0.12	0.12	0.12	0.13	(0.01)	12,001	148	0.123
SAWAD41C2405B	0.09	160267	-	-	-	-	0.09	0.10	-	-	-	0
SAWAD41C2406A	0.28	160267	0.30	0.30	0.28	0.29	0.29	0.30	0.01	14,000	404	0.288
SAWAD41C2406B	0.27	160267	0.27	0.27	0.25	0.26	0.26	0.27	(0.01)	56,020	1,437	0.256
SAWAD41P2405A	0.33	160267	-	0.34	0.33	0.33	0.32	0.33	-	410	14	0.33
SCAP	3.26	160267	3.26	3.28	3.20	3.28	3.26	3.28	0.02	1,516	493	3.251
SGC	1.35	160267	1.35	1.37	1.34	1.35	1.35	1.36	-	27,805	3,763	1.353
SM	1.31	160267	1.31	1.32	1.31	1.31	1.31	1.32	-	363	48	1.31
TH	1.15	160267	1.16	1.17	1.14	1.15	1.15	1.16	-	13,405	1,548	1.154
TH-W3	0.45	160267	-	0.47	0.44	0.44	0.43	0.44	(0.01)	4,202	189	0.45
THANI	2.38	160267	2.40	2.40	2.32	2.32	2.32	2.34	(0.06)	118,637	27,751	2.339
THANI13C2403A	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	300	-	0.01
THANI13C2407A	0.11	160267	-	0.09	0.08	0.08	0.07	0.09	(0.03)	4,000	34	0.085
THANI19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
THANI19C2407A	0.13	160267	-	0.12	0.11	0.11	0.11	0.12	(0.02)	2,068	25	0.12
TIDLOR	22.50	160267	22.50	22.70	22.40	22.50	22.50	22.60	-	18,772	42,317	22.543
TIDLOR01C2403A	0.03	160267	-	0.03	0.03	0.03	0.02	0.03	-	50	-	0.03
TIDLOR01C2405A	0.25	160267	-	0.25	0.24	0.24	0.24	0.25	(0.01)	55,790	1,364	0.244
TIDLOR01P2404X	0.29	160267	-	0.28	0.27	0.28	0.28	0.29	(0.01)	11,660	322	0.275
TIDLOR06C2403A	0.18	160267	-	0.18	0.17	0.17	-	-	(0.01)	13,406	237	0.176
TIDLOR11C2403A	0.25	160267	0.24	0.24	0.23	0.23	0.23	0.24	(0.02)	30,180	706	0.233
TIDLOR11P2406A	0.34	160267	-	0.33	0.33	0.33	0.33	0.34	(0.01)	3,180	105	0.33
TIDLOR13C2403A	0.05	160267	-	-	-	-	0.02	0.03	-	-	-	0
TIDLOR13C2406A	0.33	160267	0.32	0.33	0.32	0.32	0.32	0.33	(0.01)	59,718	1,924	0.322
TIDLOR13P2404A	0.06	160267	-	-	-	-	0.05	0.06	-	-	-	0
TIDLOR16C2402A	0.03	160267	-	-	-	-	0.02	0.10	-	-	-	0
TIDLOR19C2403A	0.06	160267	-	-	-	-	0.04	0.05	-	-	-	0
TIDLOR19C2404A	0.09	160267	-	-	-	-	0.09	0.10	-	-	-	0
TIDLOR19C2406A	0.32	160267	-	0.33	0.32	0.32	0.32	0.33	-	7,960	255	0.32
TIDLOR41C2403A	0.11	160267	-	0.11	0.11	0.11	0.10	0.11	-	1,000	11	0.11
TIDLOR41C2406A	0.38	160267	-	-	-	-	0.37	0.38	-	-	-	0
TK	5.60	160267	5.65	5.70	5.50	5.65	5.55	5.65	0.05	1,900	1,071	5.634
UNITY	5.40	160267	5.40	5.90	5.40	5.70	5.70	5.80	0.30	17,512	9,693	5.534
UOBKH	4.78	160267	4.78	4.80	4.78	4.80	4.78	4.80	0.02	13	6	4.79
XPG	1.13	160267	1.14	1.16	1.13	1.15	1.15	1.16	0.02	234,787	26,935	1.147
XPG-W4	1.96	160267	-	2.02	1.91	1.95	1.95	1.96	(0.01)	1,650	324	1.962
Food & Beverage												
AAI	4.14	160267	4.12	4.16	4.06	4.08	4.08	4.10	(0.06)	107,920	44,254	4.1
APURE	4.50	160267	4.50	4.54	4.50	4.50	4.50	4.52	-	258	116	4.5
APURE-W3	0.60	160267	0.61	0.63	0.61	0.62	0.61	0.62	0.02	883	54	0.616
ASIAN	6.85	160267	6.95	7.05	6.80	6.85	6.85	6.90	-	9,250	6,400	6.919

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BR	2.60	160267	2.58	2.62	2.58	2.62	2.60	2.62	0.02	2,011	524	2.603
BR-W1	0.14	160267	-	0.14	0.14	0.14	0.13	0.14	-	6,056	85	0.14
BRR	4.30	160267	4.32	4.36	4.30	4.36	4.32	4.36	0.06	383	165	4.315
BRR-W2	0.52	160267	-	0.54	0.51	0.54	0.53	0.54	0.02	262	14	0.529
BTG	21.10	160267	21.20	21.40	21.10	21.20	21.10	21.20	0.10	3,204	6,800	21.222
BTG01C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
BTG06C2402A	0.09	160267	-	-	-	-	-	-	-	-	-	0
BTG13C2403A	0.02	160267	-	-	-	-	-	0.01	-	-	-	0
CBG	73.25	160267	72.00	72.75	71.25	72.50	72.25	72.50	(0.75)	80,880	582,809	72.058
CBG01C2403A	0.06	160267	-	-	-	-	0.03	0.04	-	-	-	0
CBG01C2403W	0.06	160267	-	-	-	-	0.01	0.02	-	-	-	0
CBG01C2404A	0.08	160267	0.06	0.07	0.06	0.06	0.06	0.07	(0.02)	4,620	28	0.06
CBG01C2404T	0.17	160267	0.15	0.15	0.15	0.15	0.15	0.16	(0.02)	18,986	285	0.15
CBG01C2406A	0.30	160267	0.28	0.28	0.25	0.27	0.27	0.28	(0.03)	83,647	2,301	0.275
CBG01P2404X	0.25	160267	-	0.29	0.26	0.26	0.26	0.27	0.01	119,258	3,274	0.274
CBG01P2405X	0.71	160267	0.76	0.78	0.73	0.73	0.73	0.74	0.02	64,140	4,833	0.753
CBG06C2405A	0.21	160267	-	0.19	0.17	0.19	0.17	-	(0.02)	70,868	1,301	0.183
CBG11C2404A	0.39	160267	0.35	0.35	0.33	0.35	0.35	0.36	(0.04)	34,215	1,174	0.343
CBG11P2404A	0.30	160267	-	0.33	0.31	0.31	0.30	0.31	0.01	11,880	379	0.318
CBG13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
CBG13C2403B	0.07	160267	-	0.04	0.03	0.03	0.04	0.05	(0.04)	2,685	8	0.03
CBG13C2406A	0.30	160267	0.27	0.27	0.24	0.27	0.27	0.28	(0.03)	170,031	4,367	0.256
CBG13P2404A	0.17	160267	0.19	0.19	0.17	0.17	0.17	0.18	-	44,009	779	0.177
CBG19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
CBG19C2403B	0.06	160267	-	-	-	-	0.02	0.03	-	-	-	0
CBG19C2405A	0.12	160267	0.10	0.11	0.10	0.11	0.10	0.11	(0.01)	72,061	735	0.102
CBG19C2406A	0.31	160267	0.28	0.28	0.26	0.28	0.27	0.28	(0.03)	126,855	3,399	0.267
CBG19P2404A	0.26	160267	0.28	0.30	0.26	0.26	0.26	0.27	-	58,420	1,641	0.28
CBG41C2403A	0.07	160267	-	-	-	-	0.01	0.03	-	-	-	0
CBG41C2403B	0.14	160267	-	0.11	0.10	0.11	0.11	0.13	(0.03)	18,802	199	0.105
CBG41C2404A	0.13	160267	0.11	0.11	0.10	0.11	0.11	0.12	(0.02)	36,013	368	0.102
CBG41C2406A	0.33	160267	0.29	0.30	0.27	0.30	0.29	0.30	(0.03)	231,208	6,608	0.285
CFRESH	1.78	160267	1.77	1.83	1.77	1.78	1.78	1.79	-	14,595	2,621	1.795
CH	2.50	160267	-	2.54	2.50	2.54	2.52	2.54	0.04	896	225	2.512
CHOTI	127.00	160267	-	-	-	-	124.50	126.00	-	-	-	0
CM	2.34	160267	2.40	2.40	2.34	2.36	2.36	2.40	0.02	512	121	2.363
COCOCO	8.15	160267	8.20	8.25	8.15	8.15	8.15	8.20	-	17,903	14,648	8.182
CPF	18.20	160267	18.10	18.10	17.70	17.80	17.70	17.80	(0.40)	125,847	224,387	17.83
CPF01C2404A	0.04	160267	-	-	-	-	0.02	0.03	-	-	-	0
CPF01C2407A	0.26	160267	-	0.24	0.22	0.22	0.22	0.23	(0.04)	18,668	426	0.228
CPF01P2404X	0.16	160267	-	0.18	0.16	0.18	0.18	0.19	0.02	30,037	514	0.171
CPF06C2402A	0.01	160267	-	-	-	-	-	-	-	-	-	0
CPF11P2402A	0.05	160267	-	-	-	-	0.06	0.07	-	-	-	0
CPF11P2407T	0.40	160267	0.42	0.42	0.40	0.42	0.42	0.43	0.02	15,150	623	0.411
CPF13C2403A	0.03	160267	-	-	-	-	-	0.01	-	-	-	0
CPF13C2404A	0.06	160267	-	-	-	-	0.01	0.02	-	-	-	0
CPF13C2406A	0.24	160267	-	0.22	0.20	0.20	0.20	0.21	(0.04)	23,077	489	0.211
CPF13P2405A	0.20	160267	0.20	0.22	0.20	0.22	0.21	0.22	0.02	30,754	654	0.212
CPF19C2404A	0.11	160267	-	-	-	-	0.06	0.07	-	-	-	0
CPI	2.66	160267	2.68	2.70	2.68	2.70	2.68	2.70	0.04	458	123	2.685
F&D	30.00	160267	-	29.75	28.75	29.75	29.50	30.00	(0.25)	3	9	29.416
GLOCON	0.30	160267	0.29	0.30	0.29	0.29	0.29	0.30	(0.01)	25,442	739	0.29
GLOCON-W5	0.01	160267	0.01	0.01	0.01	0.01	-	0.01	-	5,001	5	0.01
HTC	17.10	160267	17.00	17.30	17.00	17.30	17.20	17.30	0.20	2,522	4,335	17.187
ICHI	17.10	160267	17.10	17.10	16.90	16.90	16.90	17.00	(0.20)	39,630	67,263	16.972
ICHI01C2405A	0.29	160267	0.29	0.29	0.26	0.26	0.26	0.27	(0.03)	14,724	396	0.269
ICHI13C2405A	0.24	160267	0.26	0.26	0.21	0.21	0.21	0.22	(0.03)	13,733	303	0.22
ICHI19C2405A	0.26	160267	0.26	0.26	0.24	0.24	0.24	0.25	(0.02)	2,429	61	0.25
ITC	19.60	160267	19.50	19.60	18.80	19.20	19.10	19.20	(0.40)	103,457	197,214	19.062
ITC01C2405A	0.14	160267	-	0.13	0.11	0.12	0.12	0.13	(0.02)	44,942	540	0.12
ITC13C2406A	0.22	160267	-	0.20	0.17	0.19	0.19	0.20	(0.03)	27,123	504	0.185
JDF	2.16	160267	2.16	2.18	2.16	2.16	2.16	2.18	-	879	190	2.161
KBS	5.65	160267	5.65	5.70	5.60	5.65	5.60	5.65	-	1,825	1,029	5.639
KCG	8.45	160267	8.50	8.50	8.35	8.35	8.35	8.40	(0.10)	8,430	7,091	8.411
KSL	2.58	160267	2.58	2.62	2.56	2.62	2.60	2.62	0.04	16,845	4,386	2.603
KTIS	3.72	160267	-	3.80	3.72	3.76	3.72	3.76	0.04	28	10	3.735
LST	5.25	160267	-	5.30	5.25	5.30	5.25	5.30	0.05	144	76	5.261
M	37.00	160267	37.00	37.50	37.00	37.25	37.00	37.25	0.25	1,887	7,020	37.202
MALEE	8.90	160267	8.85	9.10	8.85	9.05	9.05	9.10	0.15	13,110	11,832	9.024
NRF	5.05	160267	5.05	5.25	5.05	5.05	5.05	5.10	-	53,711	27,495	5.119
NSL	20.80	160267	20.80	20.90	20.70	20.90	20.80	20.90	0.10	4,305	9,989	20.88
OSP	21.00	160267	20.90	21.20	20.90	21.10	21.00	21.10	0.10	39,793	83,883	21.074
OSP01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
OSP01C2404A	0.04	160267	-	-	-	-	0.04	0.05	-	-	-	0
OSP01C2406A	0.22	160267	0.22	0.22	0.22	0.22	0.22	0.23	-	2,302	51	0.22
OSP13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
OSP13C2403B	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	10	-	0.01
OSP13C2405A	0.15	160267	-	0.15	0.15	0.15	0.15	0.16	-	10,265	154	0.15
OSP19C2404A	0.09	160267	-	-	-	-	0.04	0.05	-	-	-	0
PB	68.25	160267	-	69.00	68.50	68.50	68.25	68.75	0.25	9	62	68.694
PLUS	6.45	160267	6.50	6.50	6.30	6.35	6.35	6.40	(0.10)	2,775	1,755	6.324
PM	7.90	160267	8.05	8.05	7.75	7.90	7.90	7.95	-	27,912	21,990	7.878
POMPUI	0.30	160267	0.26	0.30	0.25	0.26	0.26	0.27	(0.04)	121,730	3,249	0.266
PQS	2.90	160267	-	2.92	2.86	2.92	2.88	2.92	0.02	475	137	2.886
PRG	10.00	160267	10.20	10.30	10.00	10.10	10.10	10.30	0.10	77	78	10.136
PRG-W1	9.15	160267	-	9.10	9.10	9.10	6.40	9.10	(0.05)	67	61	9.1
PRG-W2	6.15	160267	-	5.55	5.55	5.55	5.45	6.20	(0.60)	1	1	5.55
PRG-W3	5.80	160267	-	-	-	-	5.25	6.20	-	-	-	0
RBF	12.30	160267	12.30	12.40	11.90	12.30	12.20	12.30	-	71,183	86,589	12.164
RBF01C2405A	0.05	160267	-	-	-	-	0.04	0.05	-	-	-	0
RBF01C2406A	0.15	160267	-	0.16	0.13	0.15	0.15	0.16	-	51,731	744	0.143
RBF01P2405X	0.41	160267	-	0.46	0.42	0.44	0.41	0.44	0.03	5,206	229	0.44
RBF13C2405A	0.05	160267	-	0.04	0.04	0.04	0.04	0.05	(0.01)	10	-	0.04

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
RBF13C2406A	0.13	160267	-	0.13	0.11	0.13	0.13	0.14	-	35,323	431	0.122
RBF13P2405A	0.30	160267	-	0.34	0.29	0.30	0.30	0.32	-	45,625	1,426	0.312
RBF19C2405A	0.10	160267	-	-	-	-	0.07	0.08	-	-	-	0
RBF19P2406A	0.32	160267	-	0.35	0.31	0.32	0.32	0.33	-	22,912	758	0.33
SAPPE	85.25	160267	85.75	86.50	85.25	85.50	85.50	85.75	0.25	2,470	21,196	85.815
SAPPE01C2405A	0.32	160267	-	0.33	0.31	0.31	0.31	0.32	(0.01)	4,278	139	0.326
SAPPE13C2406A	0.28	160267	-	0.29	0.28	0.28	0.28	0.30	-	13,068	373	0.285
SAUCE	39.50	160267	39.75	39.75	39.50	39.75	39.50	39.75	0.25	45	179	39.688
SNNP	19.10	160267	19.20	19.30	19.00	19.10	19.10	19.20	-	12,283	23,523	19.15
SNNP01C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
SNNP01C2403B	0.10	160267	-	0.10	0.09	0.09	0.09	0.10	(0.01)	4,472	42	0.093
SNNP01C2407A	0.31	160267	-	0.32	0.30	0.30	0.30	0.31	(0.01)	15,400	473	0.307
SNNP13C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
SNNP13C2403B	0.10	160267	-	-	-	-	0.03	0.04	-	-	-	0
SNNP13C2406A	0.31	160267	-	0.32	0.29	0.30	0.29	0.30	(0.01)	39,181	1,209	0.308
SNNP19C2403A	0.09	160267	-	0.05	0.05	0.05	0.04	0.05	(0.04)	1	-	0.05
SNNP19C2407A	0.30	160267	-	0.31	0.30	0.30	0.30	0.31	-	4,446	136	0.305
SNP	15.80	160267	15.80	15.80	15.70	15.80	15.70	15.80	-	181	285	15.738
SORKON	4.12	160267	-	4.42	4.10	4.32	4.30	4.32	0.20	1,614	680	4.215
SSC	34.00	160267	-	-	-	-	33.50	35.75	-	-	-	0
SSF	7.80	160267	-	7.80	7.80	7.80	7.75	7.80	-	2	2	7.8
SST	5.20	160267	5.25	5.25	5.25	5.25	5.20	5.25	0.05	2	1	5.25
SUN	5.60	160267	5.55	5.75	5.55	5.60	5.60	5.65	-	46,063	25,953	5.634
TC	6.00	160267	6.00	6.10	5.75	5.85	5.85	5.90	(0.15)	5,058	2,975	5.881
TFG	3.56	160267	3.54	3.58	3.52	3.58	3.54	3.58	0.02	7,401	2,631	3.555
TFG-W3	0.01	160267	0.02	0.02	0.01	0.01	0.01	0.02	-	844	1	0.017
TFMAMA	231.00	160267	231.00	232.00	231.00	232.00	230.00	232.00	1.00	76	1,763	231.947
TIPCO	9.45	160267	9.50	9.80	9.45	9.75	9.70	9.75	0.30	11,813	11,418	9.665
TKN	10.60	160267	10.60	10.80	10.50	10.80	10.70	10.80	0.20	26,901	28,738	10.682
TKN01C2405A	0.46	160267	-	-	-	-	0.49	0.52	-	-	-	0
TKN01C2405B	0.17	160267	-	0.19	0.17	0.19	0.19	0.20	0.02	21,418	383	0.178
TKN01P2405X	0.15	160267	-	-	-	-	0.13	0.14	-	-	-	0
TKN13C2405A	0.46	160267	-	-	-	-	0.45	0.50	-	-	-	0
TKN13C2406A	0.19	160267	-	0.20	0.19	0.20	0.20	0.21	0.01	17,178	333	0.193
TKN13P2406A	0.17	160267	-	0.17	0.17	0.17	0.15	0.16	-	2,428	41	0.17
TKN19C2406A	0.18	160267	-	0.19	0.16	0.19	0.18	0.19	0.01	11,251	198	0.175
TU	15.90	160267	15.80	16.00	15.60	15.80	15.70	15.80	(0.10)	280,738	444,249	15.824
TU01C2404A	0.28	160267	-	0.26	0.26	0.26	0.26	0.27	(0.02)	2,282	59	0.26
TU01P2407X	0.27	160267	0.27	0.28	0.26	0.27	0.27	0.28	-	20,336	540	0.265
TU11C2402T	0.06	160267	-	-	-	-	0.03	0.05	-	-	-	0
TU11C2407T	0.29	160267	-	0.29	0.27	0.28	0.28	0.29	(0.01)	24,480	698	0.285
TU13C2404A	0.22	160267	-	0.22	0.19	0.20	0.20	0.21	(0.02)	90,873	1,848	0.203
TU13P2406A	0.21	160267	0.22	0.22	0.21	0.21	0.21	0.22	-	6,473	136	0.21
TU19C2403A	0.11	160267	0.10	0.10	0.08	0.09	0.09	0.10	(0.02)	20,801	191	0.091
TU41C2403A	0.11	160267	-	0.10	0.09	0.10	0.10	0.11	(0.01)	4,000	40	0.098
TU41C2407A	0.26	160267	0.26	0.26	0.24	0.25	0.25	0.26	(0.01)	18,220	463	0.254
TVO	20.90	160267	21.00	21.20	20.90	21.20	21.10	21.20	0.30	1,032	2,175	21.073
TWPC	3.86	160267	3.80	3.82	3.78	3.78	3.78	3.80	(0.08)	755	287	3.795
W	0.80	160267	0.79	0.84	0.79	0.83	0.82	0.83	0.03	165,089	13,517	0.818
W-W5	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	8,035	8	0.01
W-W6	0.77	160267	0.72	0.78	0.69	0.75	0.75	0.77	(0.02)	3,981	291	0.731
ZEN	8.60	160267	8.75	8.75	8.65	8.70	8.65	8.75	0.10	332	290	8.733
Health Care Services												
AHC	18.00	160267	18.00	18.00	17.80	17.90	17.80	17.90	(0.10)	919	1,645	17.894
BCH	21.80	160267	21.90	22.00	21.70	21.80	21.80	21.90	-	82,297	179,442	21.804
BCH01C2404A	0.18	160267	-	0.18	0.17	0.18	0.18	0.19	-	25,096	451	0.179
BCH11C2402T	0.22	160267	-	-	-	-	0.07	0.09	-	-	-	0
BCH11C2407A	0.42	160267	0.42	0.42	0.41	0.42	0.41	0.42	-	6,060	253	0.416
BCH13C2404A	0.12	160267	-	0.11	0.11	0.11	0.11	0.12	(0.01)	12,379	136	0.11
BCH13C2407A	0.29	160267	-	0.29	0.28	0.29	0.29	0.30	-	25,895	750	0.289
BCH13P2406A	0.32	160267	-	0.32	0.30	0.31	0.31	0.32	(0.01)	18,412	572	0.31
BCH19C2406A	0.22	160267	-	0.21	0.21	0.21	0.21	0.22	(0.01)	9,745	205	0.21
BCH41C2407A	0.31	160267	-	0.31	0.30	0.31	0.31	0.32	-	32,000	990	0.309
BDMS	27.75	160267	27.75	28.00	27.75	28.00	27.75	28.00	0.25	109,811	305,795	27.847
BDMS01C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
BDMS01C2405A	0.16	160267	-	0.17	0.17	0.17	0.17	0.18	0.01	1,252	21	0.17
BDMS01P2403X	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BDMS06C2402A	0.06	160267	-	-	-	-	-	-	-	-	-	0
BDMS13C2404A	0.07	160267	-	0.08	0.07	0.08	0.07	0.08	0.01	3,113	23	0.073
BDMS13P2407A	0.28	160267	-	0.27	0.27	0.27	0.26	0.27	(0.01)	2,006	54	0.27
BDMS19C2403A	0.04	160267	-	-	-	-	0.02	0.03	-	-	-	0
BDMS19C2405A	0.14	160267	-	0.15	0.15	0.15	0.15	0.16	0.01	1	-	0.15
BDMS41C2404A	0.11	160267	-	-	-	-	0.10	0.11	-	-	-	0
BDMS41C2405A	0.16	160267	-	-	-	-	0.17	0.18	-	-	-	0
BH	243.00	160267	242.00	244.00	240.00	243.00	243.00	244.00	-	6,432	155,880	242.351
BH-P	22.80	160267	-	-	-	-	27.75	-	-	-	-	0
BH-Q	23.40	160267	-	-	-	-	34.25	-	-	-	-	0
BH01C2404A	0.21	160267	-	0.20	0.19	0.20	0.20	0.21	(0.01)	43,734	861	0.196
BH01C2405A	0.42	160267	-	0.42	0.39	0.42	0.42	0.43	-	16,343	664	0.406
BH01P2405X	0.11	160267	-	-	-	-	0.10	0.11	-	-	-	0
BH01P2406X	0.32	160267	0.32	0.34	0.32	0.32	0.32	0.33	-	7,534	251	0.333
BH06C2404A	0.27	160267	-	0.27	0.25	0.27	-	-	-	37,620	973	0.258
BH11C2404A	0.08	160267	-	-	-	-	0.07	0.08	-	-	-	0
BH11C2406A	0.40	160267	-	0.40	0.38	0.39	0.40	0.41	(0.01)	11,660	458	0.392
BH13C2404A	0.02	160267	-	0.03	0.03	0.03	0.02	0.03	0.01	1	-	0.03
BH13C2404B	0.10	160267	-	0.10	0.10	0.10	0.10	0.11	-	20,156	202	0.1
BH13C2405A	0.30	160267	-	0.29	0.27	0.29	0.29	0.30	(0.01)	44,196	1,258	0.284
BH13P2406A	0.20	160267	-	0.21	0.20	0.20	0.19	0.20	-	6,480	133	0.204
BH19C2404A	0.04	160267	-	-	-	-	0.03	0.04	-	-	-	0
BH19C2404B	0.12	160267	-	0.12	0.11	0.12	0.12	0.13	-	7,174	82	0.114
BH19C2404C	0.21	160267	-	0.20	0.18	0.20	0.20	0.21	(0.01)	38,187	727	0.19
BH41C2403A	0.01	160267	-	-	-	-	0.01	0.03	-	-	-	0
BH41C2404A	0.11	160267	-	0.10	0.09	0.10	0.10	0.11	(0.01)	14,000	134	0.095

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BH41C2405A	0.32	160267	0.30	0.31	0.29	0.31	0.31	0.32	(0.01)	8,950	270	0.301
BH41C2406B	0.32	160267	-	0.31	0.30	0.31	0.31	0.32	(0.01)	20,620	634	0.307
BH41P2405A	0.15	160267	-	0.14	0.14	0.14	0.13	0.14	(0.01)	5,000	70	0.14
BH41P2406A	0.21	160267	-	-	-	-	0.20	0.21	-	-	-	0
CHG	2.94	160267	2.94	2.96	2.92	2.94	2.92	2.94	-	110,316	32,425	2.939
CHG01C2404A	0.05	160267	-	-	-	-	0.03	0.04	-	-	-	0
CHG01C2405A	0.15	160267	-	0.15	0.15	0.15	0.14	0.15	-	24,496	367	0.15
CHG11C2404A	0.07	160267	-	-	-	-	0.05	0.06	-	-	-	0
CHG13C2403A	0.01	160267	-	0.02	0.02	0.02	0.01	0.02	0.01	1	-	0.02
CHG13C2404A	0.09	160267	-	0.08	0.08	0.08	0.07	0.08	(0.01)	15,923	127	0.08
CHG13C2406A	0.09	160267	-	0.09	0.09	0.09	0.09	0.10	-	2,284	21	0.09
CHG13P2406A	0.33	160267	-	0.32	0.32	0.32	0.32	0.33	(0.01)	18,471	591	0.32
CHG19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
CHG19C2404A	0.07	160267	-	-	-	-	0.07	0.08	-	-	-	0
CMR	2.08	160267	2.10	2.10	2.08	2.10	2.08	2.10	0.02	1,008	210	2.082
EKH	7.55	160267	7.55	7.55	7.50	7.50	7.50	7.55	(0.05)	2,612	1,961	7.508
EKH-W1	1.31	160267	1.30	1.37	1.29	1.32	1.30	1.32	0.01	3,445	452	1.311
KDH	94.50	160267	96.00	96.00	94.00	94.00	94.00	94.25	(0.50)	34	321	94.382
LPH	4.90	160267	4.90	4.92	4.88	4.92	4.90	4.92	0.02	538	263	4.888
M-CHAI	68.75	160267	68.75	68.75	67.25	67.75	67.25	67.75	(1.00)	99	670	67.717
NEW	110.00	160267	-	110.00	110.00	110.00	110.00	142.50	-	3	33	110
NTV	37.50	160267	37.50	38.00	37.50	37.50	37.50	37.75	-	298	1,120	37.592
PHG	13.10	160267	13.20	13.20	13.10	13.10	13.10	13.20	-	351	462	13.163
PR9	17.80	160267	18.00	18.00	17.80	17.80	17.80	17.90	-	4,496	8,041	17.885
PRINC	4.42	160267	4.44	4.44	4.38	4.38	4.38	4.40	(0.04)	3,003	1,319	4.393
RAM	31.75	160267	31.25	31.50	30.75	31.00	31.00	31.50	(0.75)	865	2,692	31.126
RJH	26.25	160267	26.00	26.25	26.00	26.25	26.00	26.25	-	71	186	26.133
RPH	6.45	160267	6.50	6.50	6.40	6.50	6.45	6.50	0.05	7,360	4,749	6.452
SAFE	19.70	160267	19.80	19.80	19.60	19.70	19.70	19.80	-	3,490	6,862	19.662
SKR	10.10	160267	10.10	10.10	10.10	10.10	10.00	10.10	-	323	326	10.1
THG	46.75	160267	46.50	46.75	46.50	46.50	46.50	46.75	(0.25)	786	3,665	46.626
VIBHA	1.79	160267	1.79	1.80	1.78	1.79	1.79	1.80	-	11,724	2,098	1.789
VIBHA-W4	0.06	160267	0.06	0.06	0.05	0.06	0.05	0.06	-	65,866	390	0.059
VIH	8.00	160267	8.00	8.00	7.95	8.00	7.95	8.00	-	854	681	7.972
WPH	6.55	160267	6.55	6.55	6.40	6.45	6.45	6.55	(0.10)	9,077	5,869	6.465
Tourism & Leisure												
ASIA	6.50	160267	-	6.60	6.55	6.55	6.55	6.60	0.05	15	10	6.566
BEYOND	12.90	160267	12.90	13.00	12.90	13.00	12.90	13.00	0.10	407	527	12.959
BEYOND-W2	3.00	160267	-	3.06	3.00	3.06	3.06	3.08	0.06	107	32	3.021
CENTEL	42.00	160267	42.00	42.50	41.50	42.25	42.25	42.50	0.25	29,229	122,433	41.88
CENTEL01C2403W	0.04	160267	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL01C2405A	0.15	160267	-	0.15	0.14	0.15	0.15	0.16	-	10,400	147	0.141
CENTEL01P2404X	0.21	160267	-	0.20	0.18	0.18	0.18	0.19	(0.03)	13,264	252	0.19
CENTEL11C2402T	0.09	160267	-	-	-	-	0.01	0.03	-	-	-	0
CENTEL13C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL13C2405A	0.11	160267	-	0.11	0.11	0.11	0.12	0.13	-	17,156	189	0.11
CENTEL13P2404A	0.08	160267	-	-	-	-	0.07	0.08	-	-	-	0
CENTEL19C2403A	0.10	160267	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL19C2405A	0.13	160267	-	0.11	0.11	0.11	0.11	0.12	(0.02)	20	-	0.11
CENTEL41C2403A	0.10	160267	-	-	-	-	0.01	0.03	-	-	-	0
CENTEL41C2405A	0.13	160267	-	-	-	-	0.12	0.13	-	-	-	0
CENTEL41C2406A	0.20	160267	-	0.20	0.18	0.20	0.20	0.21	-	22,600	430	0.19
CSR	69.00	160267	-	-	-	-	68.00	69.00	-	-	-	0
DUSIT	8.60	160267	8.65	9.00	8.65	9.00	8.95	9.00	0.40	4,421	3,939	8.908
ERW	4.70	160267	4.70	4.74	4.68	4.70	4.70	4.72	-	75,553	35,587	4.71
ERW-W3	1.66	160267	-	1.64	1.64	1.64	1.64	1.66	(0.02)	4	1	1.64
ERW01C2405A	0.06	160267	-	-	-	-	0.05	0.06	-	-	-	0
ERW13C2404A	0.04	160267	-	-	-	-	0.02	0.03	-	-	-	0
ERW13C2406A	0.09	160267	-	0.09	0.09	0.09	0.09	0.10	-	2,186	20	0.09
ERW13C2407A	0.40	160267	-	0.41	0.39	0.40	0.39	0.40	-	22,548	900	0.398
ERW19C2405A	0.06	160267	-	-	-	-	0.05	0.06	-	-	-	0
ERW41C2406A	0.10	160267	-	-	-	-	0.10	0.11	-	-	-	0
GRAND	0.14	160267	0.14	0.15	0.14	0.15	0.14	0.15	0.01	22,080	319	0.144
LRH	40.50	160267	-	42.50	39.50	40.25	39.25	40.50	(0.25)	32	130	40.468
MANRIN	29.50	160267	-	-	-	-	29.25	31.00	-	-	-	0
MINT	31.00	160267	30.75	30.75	30.50	30.75	30.50	30.75	(0.25)	39,058	119,713	30.65
MINT01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
MINT01C2404A	0.10	160267	-	0.09	0.08	0.08	0.08	0.09	(0.02)	22,568	201	0.088
MINT01C2406A	0.25	160267	-	0.24	0.23	0.24	0.23	0.24	(0.01)	13,390	317	0.236
MINT01P2404X	0.04	160267	-	-	-	-	0.02	0.03	-	-	-	0
MINT01P2406X	0.24	160267	-	0.25	0.24	0.24	0.24	0.26	-	2,000	49	0.245
MINT06C2402A	0.10	160267	-	-	-	-	-	-	-	-	-	0
MINT06C2405A	0.13	160267	-	0.12	0.11	0.11	-	0.12	(0.02)	5,740	66	0.115
MINT11C2403A	0.06	160267	-	-	-	-	0.04	0.05	-	-	-	0
MINT11C2406A	0.24	160267	0.23	0.23	0.22	0.23	0.22	0.24	(0.01)	2,630	60	0.229
MINT13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
MINT13C2403B	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
MINT13C2404A	0.12	160267	0.10	0.10	0.09	0.10	0.09	0.10	(0.02)	37,138	371	0.099
MINT13C2406A	0.24	160267	-	0.22	0.21	0.22	0.22	0.24	(0.02)	27,202	591	0.217
MINT13P2404A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
MINT13P2407A	0.22	160267	-	0.23	0.23	0.23	0.22	0.23	0.01	2,194	50	0.23
MINT19C2403A	0.08	160267	-	-	-	-	0.04	0.05	-	-	-	0
MINT19C2404A	0.15	160267	-	0.13	0.13	0.13	0.13	0.14	(0.02)	4,710	61	0.13
MINT19C2406A	0.18	160267	-	0.17	0.16	0.17	0.16	0.17	(0.01)	26,662	443	0.166
MINT41C2403A	0.07	160267	-	-	-	-	0.01	0.03	-	-	-	0
MINT41C2404A	0.12	160267	0.11	0.11	0.11	0.11	0.11	0.12	(0.01)	8,000	88	0.11
MINT41C2405A	0.30	160267	-	-	-	-	0.27	0.28	-	-	-	0
MINT41C2406A	0.21	160267	0.20	0.20	0.19	0.20	0.20	0.21	(0.01)	7,975	158	0.197
OHTL	486.00	160267	-	-	-	-	440.00	460.00	-	-	-	0
ROH	2.64	160267	2.58	2.64	2.58	2.64	2.58	2.64	-	13	3	2.584
SHANG	49.50	160267	49.25	49.25	49.25	49.25	49.25	49.50	(0.25)	10	49	49.25
SHR	2.30	160267	2.30	2.32	2.26	2.26	2.26	2.28	(0.04)	58,328	13,362	2.29
VRANDA	4.94	160267	5.05	5.05	4.96	4.98	4.98	5.00	0.04	437	217	4.976

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
Home & Office Product													
AJA	0.25	160267	0.25	0.27	0.25	0.25	0.25	0.25	0.26	-	163,511	4,170	0.255
AJA-W3	0.08	160267	0.08	0.08	0.07	0.08	0.07	0.08	-	-	23,221	185	0.079
AJA-W4	0.08	160267	0.08	0.09	0.07	0.08	0.07	0.08	-	-	34,790	278	0.079
DTCI	31.00	160267	-	-	-	-	-	30.25	33.00	-	-	-	0
FANCY	0.41	160267	0.41	0.44	0.41	0.44	0.43	0.44	0.03	-	4,872	209	0.429
FTI	2.14	160267	2.16	2.16	2.12	2.16	2.14	2.16	0.02	-	4,719	1,010	2.14
KYE	330.00	160267	328.00	328.00	326.00	328.00	325.00	329.00	(2.00)	-	8	262	327.625
L&E	1.22	160267	1.22	1.22	1.21	1.21	1.21	1.23	(0.01)	-	200	24	1.21
MODERN	2.34	160267	-	2.36	2.28	2.32	2.30	2.32	(0.02)	-	1,020	235	2.304
OGC	24.20	160267	-	23.80	23.70	23.80	23.80	24.20	(0.40)	-	4	10	23.775
ROCK	9.05	160267	-	-	-	-	-	9.00	9.50	-	-	-	0
SBNEXT	0.94	160267	0.94	0.96	0.93	0.94	0.94	0.95	-	-	30,641	2,887	0.942
SBNEXT-W2	0.16	160267	-	0.17	0.15	0.15	0.15	0.16	(0.01)	-	22,035	349	0.158
SIAM	1.28	160267	1.30	1.32	1.27	1.29	1.27	1.29	0.01	-	1,519	196	1.292
TCMC	1.39	160267	1.36	1.40	1.36	1.37	1.37	1.38	(0.02)	-	499	69	1.38
Insurance													
AYUD	33.25	160267	-	34.00	33.00	34.00	33.25	34.00	0.75	-	9	30	33.277
BKI	311.00	160267	-	312.00	311.00	311.00	311.00	312.00	-	-	20	623	311.7
BLA	19.00	160267	18.90	19.10	18.90	18.90	18.80	18.90	(0.10)	-	4,639	8,791	18.949
BLA01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	-	0
BLA01C2404A	0.05	160267	-	-	-	-	0.01	0.02	-	-	-	-	0
BLA01P2404X	0.49	160267	-	0.51	0.48	0.50	0.50	0.51	0.01	-	2,506	121	0.483
BLA13C2403A	0.01	160267	0.01	0.01	0.01	0.01	-	0.01	-	-	1	-	0.01
BLA13C2404A	0.04	160267	-	-	-	-	0.04	0.05	-	-	-	-	0
BLA19C2403A	0.08	160267	-	-	-	-	0.01	0.02	-	-	-	-	0
BUI	20.60	160267	20.50	20.60	20.30	20.60	20.20	20.60	-	-	40	82	20.382
CHARAN	23.50	160267	23.30	24.00	23.30	24.00	23.30	24.00	0.50	-	14	33	23.807
INSURE	120.00	160267	-	122.00	120.00	122.00	112.00	122.00	2.00	-	11	133	120.818
KWI	0.60	160267	0.60	0.60	0.56	0.58	0.58	0.59	(0.02)	-	9,328	538	0.576
MTI	111.00	160267	-	-	-	-	111.50	112.50	-	-	-	-	0
NKI	27.00	160267	26.75	28.25	26.75	27.75	27.25	28.00	0.75	-	41	113	27.554
SMK	0.80	160267	-	-	-	-	-	-	-	-	-	-	0
TGH	16.60	160267	-	-	-	-	16.40	16.80	-	-	-	-	0
THRE	0.82	160267	0.82	0.84	0.82	0.83	0.83	0.84	0.01	-	15,583	1,297	0.832
THREL	2.04	160267	2.06	2.12	2.02	2.04	2.02	2.04	-	-	23,840	4,899	2.054
TIPH	29.75	160267	29.75	30.00	29.75	29.75	29.50	29.75	-	-	1,415	4,218	29.806
TIPH13C2404A	0.06	160267	-	-	-	-	0.04	0.05	-	-	-	-	0
TIPH13C2407A	0.17	160267	-	0.17	0.17	0.17	0.17	0.18	-	-	880	15	0.17
TIPH19C2404A	0.04	160267	-	0.04	0.04	0.04	0.03	0.04	-	-	1	-	0.04
TIPH19C2407A	0.23	160267	-	-	-	-	0.22	0.23	-	-	-	-	0
TLI	8.60	160267	8.55	8.80	8.55	8.70	8.65	8.70	0.10	-	104,378	90,819	8.701
TLI01C2404A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	-	0
TLI01C2406A	0.04	160267	-	0.03	0.03	0.03	0.02	0.03	(0.01)	-	1,000	3	0.03
TLI01C2406B	0.13	160267	-	0.14	0.13	0.14	0.14	0.15	0.01	-	49,260	688	0.139
TLI01P2403X	0.62	160267	-	0.63	0.56	0.58	0.58	0.60	(0.04)	-	6,110	360	0.588
TLI06C2402A	0.02	160267	-	-	-	-	-	-	-	-	-	-	0
TLI13C2403A	0.02	160267	-	0.02	0.02	0.02	0.01	0.02	-	-	1	-	0.02
TLI13C2404A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	-	0
TLI13C2405A	0.07	160267	-	-	-	-	0.07	0.08	-	-	-	-	0
TLI13C2407A	0.28	160267	-	0.30	0.26	0.29	0.29	0.30	0.01	-	29,792	860	0.288
TLI19C2404A	0.07	160267	-	-	-	-	0.01	0.02	-	-	-	-	0
TLI41C2404A	0.09	160267	-	-	-	-	0.01	0.03	-	-	-	-	0
TLI41C2404B	0.10	160267	-	-	-	-	0.01	0.03	-	-	-	-	0
TLI41C2405A	0.10	160267	0.12	0.12	0.10	0.12	0.11	0.12	0.02	-	10,000	114	0.114
TLI41C2405B	0.06	160267	-	-	-	-	0.03	0.05	-	-	-	-	0
TLI41C2406A	0.25	160267	0.28	0.28	0.25	0.28	0.27	0.28	0.03	-	96,377	2,614	0.271
TQM	27.50	160267	27.00	27.50	26.75	27.50	27.25	27.50	-	-	4,797	13,037	27.177
TQM13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	-	0
TQM13C2407A	0.17	160267	-	0.17	0.16	0.17	0.17	0.18	-	-	3,358	56	0.166
TQM19C2404A	0.03	160267	-	-	-	-	0.02	0.03	-	-	-	-	0
TQM19C2407A	0.20	160267	-	0.19	0.18	0.19	0.19	0.20	(0.01)	-	3,738	70	0.187
TSI	0.17	160267	0.17	0.17	0.17	0.17	0.16	0.17	-	-	16	-	0.17
TVH	8.15	160267	-	8.15	8.10	8.15	8.10	8.15	-	-	165	134	8.148
Packaging													
AJ	6.55	160267	-	6.55	6.55	6.55	6.50	6.55	-	-	25	16	6.55
ALUCON	184.50	160267	-	184.50	183.00	184.50	182.00	189.00	-	-	9	165	183.666
BGC	7.55	160267	7.50	7.60	7.50	7.50	7.50	7.55	(0.05)	-	1,227	921	7.509
CSC	45.75	160267	-	45.25	45.00	45.25	45.00	45.25	(0.50)	-	7	32	45.214
CSC-P	150.00	160267	-	-	-	-	-	-	-	-	-	-	0
CSC-Q	76.00	160267	-	-	-	-	-	-	-	-	-	-	0
NEP	0.22	160267	0.21	0.21	0.20	0.21	0.20	0.21	(0.01)	-	319	6	0.2
PJW	3.34	160267	3.30	3.36	3.30	3.34	3.32	3.34	-	-	3,505	1,167	3.33
PJW-W1	0.29	160267	-	0.31	0.29	0.30	0.29	0.30	0.01	-	1,961	59	0.3
PTL	10.90	160267	10.90	11.00	10.80	10.90	10.90	11.00	-	-	2,044	2,225	10.883
SCGP	30.75	160267	30.50	31.00	30.50	30.75	30.50	30.75	-	-	13,207	40,598	30.739
SCGP01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	-	0
SCGP01C2405A	0.04	160267	-	0.04	0.03	0.04	0.03	0.04	-	-	4,535	14	0.03
SCGP01C2406A	0.12	160267	-	0.13	0.12	0.12	0.12	0.13	-	-	3,661	44	0.12
SCGP01P2405A	0.37	160267	-	0.37	0.37	0.37	0.37	0.38	-	-	4,499	166	0.37
SCGP06C2403A	0.11	160267	-	-	-	-	-	-	-	-	-	-	0
SCGP06C2406A	0.15	160267	-	-	-	-	0.13	0.25	-	-	-	-	0
SCGP11C2405A	0.07	160267	-	-	-	-	0.04	0.05	-	-	-	-	0
SCGP11C2407T	0.20	160267	-	0.20	0.20	0.20	0.20	0.21	-	-	2,120	42	0.2
SCGP13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	-	0
SCGP13C2403B	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	-	0
SCGP13C2405A	0.03	160267	-	0.02	0.02	0.02	0.02	0.03	(0.01)	-	936	2	0.02
SCGP13C2406A	0.11	160267	-	-	-	-	0.10	0.11	-	-	-	-	0
SCGP13P2405A	0.28	160267	-	-	-	-	0.27	0.29	-	-	-	-	0
SCGP19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	-	0
SCGP19C2405A	0.06	160267	0.03	0.03	0.03	0.03	0.03	0.04	(0.03)	-	2	-	0.03
SCGP19C2406A	0.12	160267	0.12	0.12	0.12	0.12	0.12	0.13	-	-	1,000	12	0.12
SCGP41C2403A	0.07	160267	-	-	-	-	0.01	0.03	-	-	-	-	0

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SCGP41C2404A	0.01	160267	-	-	-	-	0.01	0.03	-	-	-	0
SCGP41C2405A	0.03	160267	-	-	-	-	0.02	0.04	-	-	-	0
SCGP41C2406A	0.12	160267	-	-	-	-	0.11	0.12	-	-	-	0
SFLEX	3.28	160267	3.28	3.42	3.28	3.36	3.34	3.36	0.08	34,412	11,598	3.37
SFLEX-W2	0.18	160267	-	0.20	0.19	0.19	0.19	0.20	0.01	4,704	90	0.192
SITHAI	1.17	160267	1.17	1.19	1.17	1.18	1.18	1.19	0.01	1,787	211	1.183
SLP	0.43	160267	-	0.43	0.41	0.43	0.42	0.43	-	336	14	0.417
SMPC	9.10	160267	9.20	9.20	9.05	9.05	9.05	9.10	(0.05)	1,981	1,806	9.117
SPACK	2.10	160267	-	2.14	2.10	2.10	2.10	2.12	-	1,459	309	2.119
TCOAT	25.00	160267	-	25.00	25.00	25.00	24.00	25.00	-	2	5	25
TFI	0.09	160267	0.09	0.10	0.08	0.09	0.08	0.09	-	5,683	50	0.088
TFI-W1	0.03	160267	-	0.04	0.04	0.04	0.03	0.04	0.01	9	-	0.04
THIP	29.00	160267	30.00	30.25	29.00	29.50	29.25	29.75	0.50	218	648	29.738
TMD	24.50	160267	24.50	24.70	24.30	24.70	24.30	24.60	0.20	16	39	24.575
TOPP	153.00	160267	-	152.00	151.50	151.50	151.50	153.00	(1.50)	4	61	151.625
TPAC	17.60	160267	17.40	17.50	17.30	17.50	17.40	17.50	(0.10)	1,482	2,572	17.357
TPBI	3.40	160267	-	3.44	3.40	3.44	3.42	3.44	0.04	1,278	437	3.417
TPP	14.80	160267	-	16.40	16.40	16.40	13.70	14.90	1.60	1	2	16.4
Personal Products												
APCO	5.35	160267	-	5.40	5.10	5.35	5.30	5.35	-	2,136	1,117	5.229
BIZ	3.28	160267	3.28	3.34	3.28	3.34	3.34	3.36	0.06	704	233	3.314
BLC	4.62	160267	4.62	4.72	4.62	4.70	4.66	4.70	0.08	9,223	4,314	4.677
DDD	9.95	160267	9.80	9.90	9.00	9.40	9.30	9.40	(0.55)	6,796	6,362	9.361
JCT	81.25	160267	-	-	-	-	81.25	82.25	-	-	-	0
KISS	4.88	160267	4.88	4.96	4.88	4.92	4.92	4.94	0.04	2,031	1,004	4.942
NAM	5.65	160267	5.65	5.90	5.60	5.85	5.80	5.85	0.20	7,129	4,128	5.79
NV	1.63	160267	1.64	1.93	1.64	1.69	1.69	1.70	0.06	171,504	31,226	1.82
OCC	10.10	160267	-	10.70	9.75	10.70	10.00	10.60	0.60	13	13	9.861
S&J	53.75	160267	-	54.00	52.00	53.75	53.00	54.00	-	13	69	52.692
STGT	6.90	160267	7.10	7.90	7.05	7.75	7.70	7.75	0.85	337,956	259,995	7.693
STGT01C2403W	0.04	160267	0.14	0.17	0.05	0.14	0.14	0.15	0.10	79,684	1,180	0.148
STGT01C2407A	0.27	160267	0.30	0.46	0.28	0.43	0.43	0.44	0.16	88,593	3,309	0.373
STGT13C2403A	0.03	160267	-	0.11	0.08	0.09	0.09	0.12	0.06	9,156	91	0.099
STGT13C2407A	0.24	160267	-	0.43	0.27	0.40	0.40	0.43	0.16	182,118	7,154	0.392
STGT19C2404A	0.23	160267	-	0.44	0.25	0.40	0.40	0.41	0.17	39,355	1,344	0.341
STHAI	0.01	160267	-	-	-	-	-	-	-	-	-	0
TNR	9.10	160267	9.00	9.15	9.00	9.15	9.10	9.15	0.05	46	42	9.064
TOG	11.50	160267	11.40	11.70	11.40	11.60	11.60	11.70	0.10	4,663	5,403	11.586
Professional Service												
BWG	0.57	160267	0.57	0.57	0.53	0.54	0.53	0.54	(0.03)	581,168	31,861	0.548
GENCO	0.55	160267	0.55	0.56	0.53	0.53	0.53	0.54	(0.02)	6,851	366	0.534
PRO	0.35	160267	-	-	-	-	-	-	-	-	-	0
PRTR	4.64	160267	4.64	4.66	4.58	4.64	4.62	4.64	-	7,015	3,245	4.626
SISB	38.00	160267	38.25	38.75	38.25	38.25	38.25	38.50	0.25	4,760	18,327	38.501
SISB13C2405A	0.19	160267	-	0.21	0.19	0.20	0.19	0.20	0.01	16,988	344	0.202
SO	7.50	160267	7.35	7.45	7.30	7.45	7.35	7.45	(0.05)	106	78	7.363
WAVE	0.16	160267	0.16	0.17	0.16	0.16	0.16	0.17	-	74,027	1,185	0.16
WAVE-W3	0.06	160267	-	0.07	0.07	0.07	0.06	0.07	0.01	1	-	0.07
Property Development												
A	4.90	160267	-	5.00	4.68	5.00	4.82	5.00	0.10	218	103	4.708
AKS	0.01	160267	0.01	0.01	0.01	0.01	-	0.01	-	1,435,602	1,436	0.01
AKS-W5	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	102	-	0.01
AMATA	22.60	160267	22.70	23.10	22.60	23.00	22.90	23.00	0.40	44,885	102,948	22.935
AMATA01C2404A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
AMATA01C2404B	0.08	160267	-	-	-	-	0.08	0.09	-	-	-	0
AMATA01C2407A	0.45	160267	-	0.49	0.46	0.49	0.49	0.50	0.04	19,582	940	0.479
AMATA11C2407A	0.43	160267	-	0.47	0.44	0.46	0.47	0.48	0.03	23,520	1,072	0.455
AMATA13C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
AMATA13C2404A	0.06	160267	-	-	-	-	0.04	0.06	-	-	-	0
AMATA13C2405A	0.04	160267	-	-	-	-	0.04	0.05	-	-	-	0
AMATA13C2406A	0.30	160267	-	0.32	0.30	0.31	0.31	0.33	0.01	38,923	1,228	0.315
AMATA19C2404A	0.03	160267	-	-	-	-	0.03	0.04	-	-	-	0
AMATA19C2405A	0.06	160267	-	-	-	-	0.05	0.06	-	-	-	0
AMATA19C2407A	0.42	160267	-	0.46	0.42	0.46	0.46	0.47	0.04	75,324	3,277	0.435
AMATA41C2407A	0.46	160267	-	0.50	0.47	0.50	0.50	0.51	0.04	41,152	2,005	0.487
AMATAV	5.40	160267	5.45	5.45	5.35	5.40	5.40	5.45	-	275	149	5.401
ANAN	0.88	160267	0.88	0.89	0.88	0.88	0.88	0.89	-	16,790	1,485	0.884
AP	10.70	160267	10.80	11.00	10.80	10.90	10.80	10.90	0.20	62,652	68,304	10.902
AP11C2404A	0.08	160267	0.09	0.09	0.09	0.09	0.08	0.09	0.01	5	-	0.09
APEX	0.04	160267	-	-	-	-	-	-	-	-	-	0
ASW	8.35	160267	8.35	8.40	8.30	8.35	8.35	8.40	-	6,073	5,096	8.391
ASW-W1	0.02	160267	0.02	0.02	0.01	0.01	-	0.01	(0.01)	102,285	104	0.01
ASW-W2	0.05	160267	0.04	0.05	0.04	0.05	0.04	0.05	-	11,726	50	0.042
AWC	3.94	160267	3.94	3.96	3.86	3.90	3.88	3.90	(0.04)	546,146	213,076	3.901
AWC01C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
AWC01C2404A	0.18	160267	-	0.17	0.15	0.16	0.16	0.17	(0.02)	63,769	1,005	0.157
AWC01C2406A	0.28	160267	0.27	0.28	0.25	0.26	0.26	0.27	(0.02)	61,326	1,630	0.265
AWC01P2405X	0.34	160267	-	0.37	0.34	0.36	0.36	0.37	0.02	14,886	530	0.355
AWC06C2403A	0.07	160267	-	-	-	-	-	-	-	-	-	0
AWC06C2404A	0.19	160267	-	0.18	0.16	0.17	-	-	(0.02)	11,111	192	0.172
AWC11C2403A	0.14	160267	-	0.13	0.12	0.12	0.12	0.13	(0.02)	6,180	76	0.123
AWC13C2403A	0.02	160267	-	-	-	-	-	0.01	-	-	-	0
AWC13C2404A	0.12	160267	-	0.12	0.10	0.10	0.10	0.11	(0.02)	13,992	153	0.109
AWC13C2405A	0.32	160267	-	0.31	0.28	0.29	0.29	0.30	(0.03)	27,966	826	0.295
AWC19C2403A	0.11	160267	-	-	-	-	0.04	0.05	-	-	-	0
AWC19C2405A	0.35	160267	-	0.34	0.31	0.32	0.32	0.33	(0.03)	14,003	456	0.325
AWC19C2406A	0.18	160267	-	0.17	0.16	0.16	0.16	0.17	(0.02)	2,366	39	0.163
AWC41C2405A	0.10	160267	0.10	0.10	0.10	0.10	0.09	0.10	-	5,000	50	0.1
AWC41C2406A	0.24	160267	-	0.24	0.22	0.22	0.22	0.23	(0.02)	28,310	651	0.229
BLAND	0.72	160267	0.72	0.73	0.70	0.70	0.70	0.72	(0.02)	132,316	9,345	0.706
BRI	8.30	160267	8.30	8.40	8.10	8.10	8.05	8.10	(0.20)	16,817	13,831	8.224
BROCK	1.76	160267	1.74	1.75	1.74	1.74	1.68	1.72	(0.02)	24	4	1.744
CGD	0.34	160267	0.34	0.35	0.34	0.35	0.34	0.35	0.01	5,503	188	0.341

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CI	0.67	160267	0.69	0.69	0.63	0.64	0.64	0.65	(0.03)	10,062	648	0.644
CI-W2	0.03	160267	0.03	0.03	0.02	0.03	0.02	0.03	-	35,275	72	0.02
CMC	1.23	160267	-	1.23	1.21	1.23	1.22	1.23	-	850	103	1.212
CPN	63.50	160267	63.75	65.00	63.75	64.75	64.75	65.00	1.25	63,506	410,239	64.598
CPN01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
CPN01C2404A	0.09	160267	-	0.10	0.10	0.10	0.10	0.11	0.01	23,365	234	0.1
CPN01C2407A	0.37	160267	0.42	0.42	0.38	0.41	0.41	0.42	0.04	32,249	1,281	0.397
CPN11C2404A	0.19	160267	-	0.20	0.19	0.20	0.20	0.21	0.01	7,420	143	0.192
CPN13C2403A	0.03	160267	-	-	-	-	-	0.01	-	-	-	0
CPN13C2405A	0.12	160267	-	0.13	0.12	0.13	0.12	0.13	0.01	2,539	30	0.12
CPN13C2407A	0.34	160267	-	0.38	0.36	0.38	0.38	0.39	0.04	28,702	1,075	0.374
CPN19C2403A	0.04	160267	-	-	-	-	0.01	0.02	-	-	-	0
CPN19C2407A	0.29	160267	-	0.32	0.30	0.32	0.32	0.33	0.03	15,466	474	0.306
CPN41C2404A	0.09	160267	-	0.12	0.11	0.12	0.12	0.13	0.03	12,000	142	0.118
CPN41C2405A	0.11	160267	-	0.13	0.13	0.13	0.13	0.14	0.02	8,000	104	0.13
CPN41C2406A	0.32	160267	-	0.36	0.33	0.36	0.36	0.37	0.04	62,000	2,154	0.347
ESTAR	0.26	160267	0.26	0.26	0.25	0.26	0.25	0.26	-	2,707	69	0.254
EVER	0.16	160267	0.16	0.17	0.16	0.16	0.15	0.16	-	48,424	775	0.16
FPT	15.30	160267	15.30	15.40	15.30	15.30	15.30	15.40	-	207	318	15.343
GLAND	1.66	160267	-	1.67	1.65	1.67	1.66	1.67	0.01	65	11	1.663
J	2.06	160267	2.06	2.08	2.02	2.04	2.02	2.04	(0.02)	5,414	1,109	2.049
J-W2	0.16	160267	-	0.15	0.10	0.11	0.10	0.11	(0.05)	1,983	24	0.122
J-W3	0.36	160267	-	-	-	-	0.32	0.38	-	-	-	0
J-W4	0.65	160267	-	0.67	0.56	0.56	0.56	0.59	(0.09)	3,434	210	0.612
JCK	0.27	160267	0.27	0.27	0.26	0.27	0.26	0.27	-	7,306	190	0.26
KC	0.11	160267	0.11	0.11	0.10	0.10	0.10	0.11	(0.01)	8,637	86	0.1
LALIN	8.00	160267	7.95	8.00	7.95	8.00	7.95	8.00	-	420	335	7.985
LH	7.45	160267	7.45	7.50	7.40	7.45	7.40	7.45	-	218,552	162,654	7.442
LH19C2406A	0.12	160267	-	-	-	-	0.12	0.13	-	-	-	0
LPN	3.72	160267	3.72	3.74	3.70	3.72	3.70	3.72	-	5,741	2,131	3.711
MBK	16.40	160267	16.30	16.40	16.20	16.40	16.30	16.40	-	2,701	4,402	16.298
MBK-W2	14.90	160267	-	14.80	14.80	14.80	14.80	15.70	(0.10)	130	192	14.8
MBK-W3	14.30	160267	14.30	14.30	14.30	14.30	14.30	16.50	-	128	183	14.3
MBK-W4	13.80	160267	-	13.80	13.80	13.80	13.80	14.00	-	151	208	13.8
MBK19C2403A	0.03	160267	-	0.02	0.02	0.02	0.01	0.02	(0.01)	2	-	0.02
MJD	1.29	160267	1.28	1.29	1.28	1.28	1.28	1.30	(0.01)	318	41	1.288
MK	2.20	160267	2.18	2.20	2.12	2.14	2.14	2.16	(0.06)	242	52	2.149
NCH	1.06	160267	1.06	1.07	1.05	1.05	1.05	1.06	(0.01)	3,884	410	1.054
NNCL	1.92	160267	1.93	1.95	1.91	1.95	1.93	1.95	0.03	3,548	686	1.932
NOBLE	3.78	160267	3.78	3.80	3.78	3.78	3.78	3.80	-	1,529	579	3.786
NUSA	0.42	160267	0.43	0.47	0.43	0.47	0.47	0.48	0.05	1,030,167	46,505	0.451
NUSA-W5	0.09	160267	0.09	0.14	0.09	0.14	0.13	0.14	0.05	1,021,692	11,965	0.117
NVD	1.85	160267	1.84	1.90	1.83	1.83	1.82	1.83	(0.02)	2,206	404	1.833
NVD-W3	0.05	160267	0.06	0.06	0.05	0.06	0.05	0.06	0.01	197	1	0.05
ORI	8.25	160267	8.25	8.40	8.10	8.15	8.10	8.15	(0.10)	141,182	115,995	8.215
ORI19C2404A	0.11	160267	-	-	-	-	0.07	0.08	-	-	-	0
ORN	1.37	160267	1.40	1.42	1.34	1.37	1.36	1.37	-	775,834	107,306	1.383
PACE	0.03	160267	-	-	-	-	-	-	-	-	-	0
PEACE	3.16	160267	3.20	3.22	3.18	3.20	3.18	3.20	0.04	51	16	3.187
PF	0.28	160267	0.28	0.29	0.28	0.29	0.28	0.29	0.01	14,648	423	0.288
PIN	4.72	160267	4.74	4.78	4.74	4.74	4.74	4.76	0.02	11,428	5,433	4.754
PLAT	3.02	160267	3.02	3.02	2.98	2.98	2.98	3.00	(0.04)	3,227	969	3.001
POLAR	0.68	160267	-	-	-	-	-	-	-	-	-	0
PRECHA	1.09	160267	1.10	1.11	1.08	1.08	1.08	1.10	(0.01)	2,781	303	1.089
PRIN	2.94	160267	2.98	2.98	2.60	2.98	2.74	2.96	0.04	173	52	2.977
PSH	12.30	160267	12.30	12.50	12.20	12.30	12.20	12.30	-	26,054	32,056	12.303
QH	2.18	160267	2.20	2.20	2.16	2.18	2.16	2.18	-	277,288	60,413	2.178
RABBIT	0.45	160267	0.45	0.45	0.44	0.44	0.44	0.45	(0.01)	90,721	4,037	0.445
RABBIT-P	0.45	160267	0.45	0.45	0.44	0.44	0.44	0.45	(0.01)	8,531	378	0.443
RABBIT-Q	4.00	160267	-	-	-	-	-	-	-	-	-	0
RICHY	0.67	160267	0.68	0.68	0.66	0.66	0.65	0.66	(0.01)	1,797	119	0.662
RML	0.49	160267	0.49	0.51	0.48	0.50	0.50	0.51	0.01	25,426	1,249	0.491
ROJNA	6.00	160267	6.05	6.15	6.00	6.05	6.05	6.10	0.05	14,493	8,822	6.087
S	0.81	160267	0.81	0.83	0.81	0.82	0.81	0.82	0.01	14,801	1,221	0.824
SA	7.10	160267	-	7.10	6.70	7.05	7.00	7.05	(0.05)	885	615	6.949
SA-W1	0.08	160267	-	0.09	0.08	0.09	0.07	0.09	0.01	435	4	0.08
SAMCO	1.19	160267	1.18	1.19	1.18	1.19	1.18	1.19	-	2,476	295	1.189
SC	3.32	160267	3.32	3.46	3.32	3.46	3.46	3.48	0.14	146,924	50,196	3.416
SENA	2.42	160267	2.38	2.40	2.38	2.40	2.38	2.40	(0.02)	2,795	666	2.382
SENA-W1	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	29	-	0.01
SIRI	1.78	160267	1.79	1.82	1.78	1.81	1.81	1.82	0.03	792,674	143,171	1.806
SIRI01C2403A	0.08	160267	-	-	-	-	0.04	0.05	-	-	-	0
SIRI01C2406A	0.21	160267	-	0.22	0.21	0.22	0.22	0.23	0.01	10,720	234	0.218
SIRI13C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
SIRI13C2407A	0.31	160267	-	0.33	0.31	0.33	0.33	0.34	0.02	12,310	401	0.325
SIRI19C2403A	0.06	160267	-	0.06	0.05	0.06	0.05	0.06	-	302	2	0.05
SIRI19C2407A	0.33	160267	-	0.35	0.34	0.35	0.35	0.36	0.02	22,401	783	0.349
SIRI41C2403A	0.21	160267	0.22	0.22	0.20	0.22	0.22	0.24	0.01	3,400	73	0.215
SIRI41C2405A	0.24	160267	0.26	0.26	0.25	0.26	0.26	0.27	0.02	24,000	620	0.258
SPALI	19.50	160267	19.60	19.70	19.50	19.70	19.60	19.70	0.20	24,925	48,988	19.654
SPALI11C2404A	0.18	160267	-	0.19	0.19	0.19	0.19	0.20	0.01	1,060	20	0.19
SPALI13C2405A	0.23	160267	-	0.24	0.23	0.24	0.24	0.25	0.01	8,374	199	0.237
SPALI19C2403A	0.03	160267	-	-	-	-	0.01	0.02	-	-	-	0
UV	2.20	160267	2.18	2.20	2.16	2.16	2.16	2.18	(0.04)	1,806	391	2.166
WHA	4.84	160267	4.82	4.92	4.82	4.86	4.84	4.86	0.02	287,969	140,376	4.874
WHA01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
WHA01C2404A	0.15	160267	-	0.16	0.15	0.15	0.15	0.16	-	16,610	258	0.155
WHA01C2405A	0.07	160267	0.06	0.06	0.06	0.06	0.05	0.06	(0.01)	110	1	0.06
WHA01C2406A	0.33	160267	0.32	0.35	0.32	0.33	0.33	0.34	-	17,142	574	0.334
WHA01P2403X	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
WHA06C2402A	0.02	160267	-	-	-	-	-	0.01	-	-	-	0
WHA11C2407A	0.45	160267	-	0.48	0.45	0.47	0.46	0.47	0.02	7,042	331	0.47
WHA13C2403A	0.01	160267	-	0.02	0.02	0.02	0.01	0.02	0.01	50	-	0.02

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
WHA13C2404A	0.12	160267	-	0.12	0.11	0.12	0.11	0.12	-	6,774	78	0.115
WHA13C2404B	0.04	160267	-	-	-	-	0.02	0.03	-	-	-	0
WHA13C2406A	0.31	160267	-	0.33	0.30	0.31	0.31	0.32	-	33,885	1,076	0.317
WHA13P2407A	0.54	160267	-	0.53	0.50	0.52	0.52	0.53	(0.02)	15,015	776	0.516
WHA19C2404A	0.05	160267	-	-	-	-	0.04	0.05	-	-	-	0
WHA19C2404B	0.09	160267	-	0.10	0.09	0.09	0.08	0.09	-	2	-	0.095
WHA19C2406A	0.35	160267	-	0.37	0.34	0.35	0.35	0.36	-	27,712	993	0.358
WHA41C2404A	0.10	160267	-	-	-	-	0.09	0.10	-	-	-	0
WHA41C2404B	0.04	160267	-	-	-	-	0.03	0.05	-	-	-	0
WHA41C2406A	0.39	160267	-	-	-	-	0.39	0.41	-	-	-	0
WHA41C2406B	0.35	160267	-	0.37	0.35	0.37	0.35	0.36	0.02	8,600	302	0.351
WIN	0.73	160267	0.72	0.73	0.71	0.71	0.71	0.73	(0.02)	8,266	590	0.713
Paper & Printing Mat												
UTP	11.80	160267	11.90	11.90	11.70	11.80	11.70	11.80	-	1,297	1,529	11.787
Fashion												
AFC	4.90	160267	4.78	4.96	4.78	4.90	4.82	4.90	-	60	29	4.856
AURA	14.30	160267	14.30	14.30	14.20	14.30	14.20	14.30	-	5,928	8,470	14.288
AURA01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
AURA13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BTNC	23.00	160267	-	23.50	22.90	23.40	22.90	23.50	0.40	63	145	23.088
CPH	13.30	160267	-	13.60	13.20	13.30	13.20	13.30	-	251	333	13.277
CPL	1.54	160267	1.58	1.61	1.56	1.56	1.56	1.57	0.02	8,037	1,265	1.574
NC	4.76	160267	4.82	4.96	4.68	4.68	4.68	4.70	(0.08)	39,420	18,876	4.788
PAF	1.48	160267	1.50	1.52	1.47	1.50	1.48	1.50	0.02	3,841	573	1.491
PDJ	1.86	160267	1.86	1.88	1.86	1.86	1.87	1.88	-	31	6	1.864
PG	9.15	160267	-	-	-	-	9.10	9.15	-	-	-	0
SABINA	27.25	160267	27.25	27.25	26.25	26.50	26.50	26.75	(0.75)	19,469	51,761	26.586
SAWANG	14.90	160267	-	-	-	-	13.50	14.80	-	-	-	0
SUC	31.75	160267	-	32.00	31.75	32.00	31.75	32.00	0.25	19	60	31.789
TNL	35.00	160267	-	35.50	35.00	35.50	34.75	35.25	0.50	5	18	35.2
TR	41.00	160267	-	-	-	-	41.00	41.50	-	-	-	0
TTI	26.25	160267	-	27.75	27.75	27.75	25.00	27.50	1.50	1	3	27.75
TTT	46.25	160267	-	47.75	47.75	47.75	45.50	46.50	1.50	1	5	47.75
UPF	37.00	160267	36.75	36.75	36.75	36.75	36.50	37.00	(0.25)	4	15	36.75
WACOAL	31.75	160267	-	-	-	-	31.50	32.25	-	-	-	0
WFX	2.04	160267	2.02	2.26	2.00	2.02	2.02	2.04	(0.02)	18,167	3,857	2.123
Transportation & Log												
AAV	2.30	160267	2.28	2.30	2.26	2.30	2.28	2.30	-	163,810	37,433	2.285
AAV01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
AAV01C2405A	0.20	160267	0.20	0.20	0.19	0.20	0.20	0.21	-	11,454	222	0.193
AAV11C2406A	0.22	160267	-	0.23	0.22	0.23	0.23	0.24	0.01	4,242	94	0.221
AAV13C2403A	0.02	160267	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
AAV13C2403B	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
AAV13C2404A	0.28	160267	-	-	-	-	0.29	0.34	-	-	-	0
AAV13C2404B	0.13	160267	-	0.12	0.11	0.12	0.11	0.12	(0.01)	26,572	296	0.111
AAV19C2403A	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
AAV19C2405A	0.32	160267	-	0.28	0.28	0.28	0.28	0.30	(0.04)	10	-	0.28
ANI	5.50	160267	5.45	5.60	5.40	5.40	5.40	5.45	(0.10)	32,365	17,713	5.472
AOT	63.25	160267	63.25	63.25	63.00	63.25	63.00	63.25	-	67,535	426,424	63.141
AOT01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
AOT01C2404A	0.05	160267	-	-	-	-	0.04	0.05	-	-	-	0
AOT01C2405A	0.30	160267	-	0.30	0.29	0.30	0.30	0.31	-	12,008	358	0.298
AOT01P2404X	0.17	160267	-	0.17	0.17	0.17	0.17	0.18	-	4,442	76	0.17
AOT01P2405X	0.13	160267	-	0.13	0.13	0.13	0.13	0.14	-	7,190	93	0.13
AOT06C2402A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
AOT06C2404A	0.12	160267	-	0.12	0.12	0.12	-	-	-	9,000	108	0.12
AOT11C2403A	0.09	160267	-	-	-	-	0.02	0.04	-	-	-	0
AOT11C2407A	0.26	160267	0.26	0.26	0.26	0.26	0.26	0.27	-	3,382	88	0.26
AOT13C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
AOT13C2404A	0.03	160267	-	-	-	-	0.02	0.03	-	-	-	0
AOT13C2404B	0.09	160267	-	0.08	0.08	0.08	0.08	0.09	(0.01)	4,200	34	0.08
AOT13C2405A	0.21	160267	0.21	0.21	0.20	0.21	0.21	0.22	-	16,629	346	0.208
AOT13P2404A	0.09	160267	-	0.09	0.08	0.08	0.08	0.10	(0.01)	11	-	0.089
AOT13P2404B	0.03	160267	-	-	-	-	0.01	0.02	-	-	-	0
AOT13P2407A	0.33	160267	-	0.33	0.32	0.33	0.32	0.33	-	4,488	147	0.326
AOT19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
AOT19C2404A	0.02	160267	-	-	-	-	0.02	0.03	-	-	-	0
AOT19C2404B	0.05	160267	-	-	-	-	0.04	0.05	-	-	-	0
AOT19C2404C	0.15	160267	-	0.14	0.14	0.14	0.14	0.15	(0.01)	4,504	63	0.14
AOT19C2406A	0.20	160267	0.20	0.20	0.19	0.20	0.20	0.21	-	21,254	413	0.194
AOT19C2406B	0.38	160267	-	0.37	0.36	0.37	0.37	0.38	(0.01)	9,718	357	0.366
AOT19P2404A	0.04	160267	-	-	-	-	0.03	0.04	-	-	-	0
AOT19P2407A	0.39	160267	-	0.39	0.38	0.38	0.38	0.39	(0.01)	14,140	545	0.385
AOT41C2403A	0.07	160267	-	-	-	-	0.01	0.03	-	-	-	0
AOT41C2404A	0.02	160267	-	-	-	-	0.02	0.04	-	-	-	0
AOT41C2405A	0.17	160267	-	0.17	0.16	0.17	0.16	0.17	-	9,102	146	0.16
AOT41C2405B	0.21	160267	-	0.20	0.20	0.20	0.20	0.21	(0.01)	16,000	320	0.2
AOT41C2406A	0.35	160267	-	0.35	0.35	0.35	0.35	0.36	-	4,000	140	0.35
AOT41P2405A	0.30	160267	-	-	-	-	0.29	0.30	-	-	-	0
ASIMAR	1.54	160267	1.54	1.70	1.54	1.59	1.58	1.59	0.05	23,842	3,874	1.624
B	0.12	160267	0.12	0.12	0.11	0.12	0.11	0.12	-	20,911	249	0.119
B-W7	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
B-W8	0.02	160267	0.01	0.02	0.01	0.02	0.01	0.02	-	16,539	17	0.01
BA	15.90	160267	15.90	15.90	15.30	15.40	15.40	15.50	(0.50)	51,169	79,313	15.5
BEM	7.65	160267	7.70	7.80	7.65	7.75	7.70	7.75	0.10	564,671	437,234	7.743
BEM01C2403A	0.04	160267	-	-	-	-	0.01	0.02	-	-	-	0
BEM01C2405A	0.10	160267	-	0.11	0.10	0.10	0.10	0.11	-	21,887	219	0.1
BEM13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BEM19C2405A	0.09	160267	-	-	-	-	0.09	0.10	-	-	-	0
BTS	5.70	160267	5.70	5.70	5.50	5.60	5.55	5.60	(0.10)	456,474	255,169	5.59
BTS-W7	0.02	160267	0.02	0.03	0.02	0.03	0.02	0.03	0.01	42,694	86	0.02
BTS-W8	0.10	160267	0.10	0.11	0.10	0.10	0.10	0.11	-	14,285	151	0.105
BTS01C2405A	0.02	160267	-	0.02	0.02	0.02	0.01	0.02	-	7,000	14	0.02

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BTS01C2407A	0.15	160267	0.16	0.16	0.13	0.13	0.13	0.14	(0.02)	29,471	399	0.135
BTS01P2405X	0.58	160267	-	0.65	0.60	0.62	0.62	0.65	0.04	3,212	201	0.624
BTS01P2407X	0.29	160267	0.29	0.31	0.29	0.30	0.30	0.31	0.01	17,212	515	0.299
BTS13C2405A	0.02	160267	-	0.01	0.01	0.01	0.01	0.02	(0.01)	8,785	9	0.01
BTS13C2407A	0.12	160267	-	0.11	0.10	0.10	0.10	0.11	(0.02)	29,590	308	0.103
BTS13P2405A	0.50	160267	-	-	-	-	0.53	0.58	-	-	-	0
BTS13P2407A	0.26	160267	-	0.29	0.27	0.27	0.27	0.28	0.01	64,787	1,782	0.275
BTS19C2406A	0.04	160267	-	0.03	0.03	0.03	0.03	0.04	(0.01)	1,127	3	0.03
BTS19C2407A	0.15	160267	0.16	0.16	0.14	0.14	0.13	0.14	(0.01)	47,361	689	0.145
BTS41C2407A	0.15	160267	-	0.13	0.12	0.13	0.13	0.14	(0.02)	24,612	318	0.129
BTSIGIF	3.66	160267	3.66	3.70	3.66	3.66	3.66	3.68	-	140,162	51,520	3.675
DMT	13.00	160267	13.00	13.10	12.90	13.00	13.00	13.10	-	6,116	7,982	13.05
ETL	1.46	160267	1.43	1.65	1.40	1.59	1.59	1.60	0.13	409,472	63,823	1.558
III	9.80	160267	9.85	9.85	9.65	9.80	9.80	9.85	-	21,568	21,027	9.749
KEX	5.45	160267	5.45	5.50	5.45	5.45	5.45	5.50	-	25,702	14,093	5.483
KIAT	0.40	160267	0.40	0.41	0.39	0.41	0.39	0.41	0.01	12,277	490	0.398
KWC	270.00	160267	319.00	319.00	319.00	319.00	272.00	298.00	49.00	10	319	319
MENA	2.10	160267	2.06	2.14	2.06	2.12	2.12	2.14	0.02	31,791	6,669	2.097
NOK	1.04	160267	-	-	-	-	-	-	-	-	-	0
NYT	4.44	160267	4.46	4.52	4.44	4.50	4.48	4.50	0.06	18,430	8,246	4.474
PORT	1.31	160267	1.31	1.35	1.30	1.31	1.31	1.32	-	2,873	379	1.32
PRM	6.30	160267	6.30	6.40	6.30	6.40	6.35	6.40	0.10	39,104	24,761	6.332
PSL	8.35	160267	8.45	8.55	8.35	8.40	8.40	8.45	0.05	63,706	53,936	8.466
PSL01C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
PSL01C2405A	0.17	160267	-	0.17	0.16	0.16	0.16	0.17	(0.01)	16,104	266	0.165
PSL01C2407A	0.29	160267	0.30	0.31	0.29	0.29	0.29	0.30	-	30,201	902	0.298
PSL01P2403X	0.08	160267	-	0.07	0.07	0.07	0.07	0.08	(0.01)	22,972	161	0.07
PSL06C2404A	0.13	160267	-	0.14	0.13	0.13	-	-	-	13,694	181	0.132
PSL13C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
PSL13C2404A	0.17	160267	-	0.18	0.17	0.18	0.17	0.19	0.01	8,704	153	0.175
PSL13C2407A	0.25	160267	-	0.26	0.25	0.26	0.25	0.26	0.01	10,561	271	0.256
PSL19C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
PSL19C2404A	0.23	160267	0.24	0.24	0.22	0.22	0.22	0.23	(0.01)	28,078	649	0.231
PSL19C2407A	0.30	160267	0.32	0.32	0.30	0.30	0.30	0.31	-	12,200	383	0.314
PSL41C2405A	0.16	160267	0.17	0.17	0.15	0.15	0.15	0.16	(0.01)	77,230	1,225	0.158
RCL	25.25	160267	25.25	26.00	25.25	25.75	25.75	26.00	0.50	17,298	44,497	25.723
RCL01C2405A	0.71	160267	-	0.74	0.70	0.74	0.74	0.77	0.03	406	29	0.713
RCL01C2405B	0.11	160267	-	0.12	0.12	0.12	0.12	0.13	0.01	4,400	53	0.12
RCL01P2405X	0.24	160267	-	0.23	0.22	0.22	0.22	0.23	(0.02)	2,493	57	0.226
RCL06C2405A	0.11	160267	-	-	-	-	-	-	-	-	-	0
RCL11C2407A	0.17	160267	-	0.17	0.17	0.17	0.17	0.18	-	2,560	44	0.17
RCL13C2404A	0.70	160267	-	0.67	0.67	0.67	0.67	0.70	(0.03)	30	2	0.67
RCL13C2405A	0.11	160267	-	0.13	0.12	0.13	0.12	0.13	0.02	21,130	263	0.124
RCL13C2407A	0.62	160267	-	-	-	-	0.63	0.65	-	-	-	0
RCL13P2405A	0.18	160267	-	0.17	0.17	0.17	0.16	0.17	(0.01)	2,200	37	0.17
RCL19C2405A	0.54	160267	-	-	-	-	0.55	0.61	-	-	-	0
RCL19C2405B	0.14	160267	0.14	0.16	0.14	0.16	0.16	0.17	0.02	17,734	270	0.152
RCL19C2406A	0.12	160267	-	-	-	-	0.13	0.14	-	-	-	0
RCL19P2406A	0.22	160267	-	0.21	0.20	0.20	0.20	0.21	(0.02)	3,732	78	0.209
RCL41C2406A	0.11	160267	0.13	0.13	0.12	0.13	0.12	0.13	0.02	4,000	50	0.125
RCL41C2407A	0.18	160267	0.17	0.20	0.17	0.20	0.19	0.20	0.02	9,250	179	0.193
SAV	16.60	160267	16.70	16.70	16.20	16.30	16.20	16.30	(0.30)	15,891	26,100	16.424
SINO	1.62	160267	1.62	1.67	1.62	1.64	1.63	1.64	0.02	56,991	9,392	1.648
SJWD	15.90	160267	16.00	16.00	15.60	15.80	15.70	15.80	(0.10)	15,368	24,228	15.765
SJWD13C2407A	0.36	160267	0.36	0.36	0.33	0.34	0.34	0.35	(0.02)	22,800	767	0.336
TFFIF	6.95	160267	7.00	7.00	6.90	7.00	6.95	7.00	0.05	16,997	11,849	6.971
THAI	3.32	160267	-	-	-	-	-	-	-	-	-	0
TSST	9.35	160267	-	9.70	9.70	9.70	9.15	9.70	0.35	1	1	9.7
TTA	6.60	160267	6.65	6.80	6.65	6.70	6.70	6.75	0.10	61,609	41,351	6.711
WICE	5.85	160267	5.80	5.90	5.75	5.90	5.85	5.90	0.05	2,469	1,440	5.832
Automotive												
3K-BAT	43.00	160267	-	-	-	-	40.00	44.75	-	-	-	0
ACG	1.28	160267	-	1.30	1.22	1.30	1.25	1.29	0.02	10	1	1.247
AH	24.90	160267	24.90	25.75	24.90	25.75	25.50	25.75	0.85	8,286	21,142	25.514
CWT	1.51	160267	1.51	1.52	1.50	1.50	1.50	1.51	(0.01)	4,030	606	1.504
CWT-W6	0.01	160267	-	-	-	-	-	-	-	-	-	0
EASON	1.39	160267	1.39	1.41	1.39	1.40	1.39	1.40	0.01	7,273	1,015	1.395
GYT	191.00	160267	-	192.00	189.00	189.00	188.50	197.50	(2.00)	5	95	190.1
HFT	4.38	160267	4.38	4.50	4.36	4.38	4.38	4.44	-	2,274	1,009	4.437
IHL	2.46	160267	2.46	2.52	2.40	2.46	2.44	2.46	-	502	124	2.475
INGRS	0.53	160267	0.53	0.54	0.53	0.53	0.53	0.54	-	18,127	962	0.53
IRC	13.60	160267	13.70	13.70	13.50	13.50	13.50	13.60	(0.10)	24	32	13.516
MGC	5.10	160267	5.15	5.15	5.05	5.15	5.10	5.15	0.05	586	299	5.1
NEX	9.85	160267	9.75	9.80	9.65	9.75	9.75	9.80	(0.10)	26,746	25,976	9.712
NEX13C2403A	0.02	160267	-	-	-	-	-	0.01	-	-	-	0
NEX13C2403B	0.08	160267	-	-	-	-	0.03	0.04	-	-	-	0
NEX13C2405A	0.09	160267	-	0.08	0.08	0.08	0.08	0.09	(0.01)	100	1	0.08
NEX19C2404A	0.09	160267	-	-	-	-	0.05	0.06	-	-	-	0
PCSGH	5.30	160267	5.30	5.30	5.20	5.30	5.25	5.30	-	244	128	5.25
POLY	8.25	160267	8.25	8.30	8.25	8.30	8.30	8.35	0.05	5	4	8.28
SAT	18.00	160267	18.10	18.30	18.00	18.30	18.20	18.30	0.30	8,887	16,180	18.206
SPG	15.90	160267	-	15.90	15.90	15.90	15.80	16.20	-	4	6	15.9
STANLY	215.00	160267	215.00	219.00	214.00	218.00	217.00	218.00	3.00	217	4,698	216.506
TKT	1.75	160267	1.77	1.79	1.75	1.76	1.75	1.76	0.01	634	111	1.755
TNPC	1.35	160267	1.36	1.38	1.36	1.36	1.36	1.37	0.01	1,581	216	1.365
TRU	3.66	160267	3.62	3.64	3.60	3.64	3.62	3.64	(0.02)	281	102	3.612
TSC	14.80	160267	14.90	14.90	14.80	14.90	14.80	14.90	0.10	227	338	14.89
Industrial Materials												
ALLA	1.57	160267	1.60	1.60	1.57	1.59	1.58	1.59	0.02	5,205	823	1.582
ASEFA	3.88	160267	3.96	3.98	3.82	3.84	3.84	3.88	(0.04)	1,298	502	3.868
CPT	0.70	160267	0.70	0.72	0.69	0.72	0.70	0.72	0.02	10,633	753	0.708
CRANE	1.01	160267	1.02	1.03	1.00	1.00	1.00	1.02	(0.01)	18,992	1,922	1.012
CTW	4.54	160267	-	4.56	4.56	4.56	4.52	4.56	0.02	1	-	4.56

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
FMT	35.50	160267	36.00	36.50	35.25	35.50	35.25	36.00	-	41	148	36.018
HTECH	2.32	160267	-	2.36	2.28	2.36	2.32	2.36	0.04	1,009	234	2.323
KKC	0.19	160267	-	0.20	0.19	0.19	0.19	0.20	-	431	8	0.192
PK	1.06	160267	1.06	1.08	1.04	1.04	1.03	1.04	(0.02)	1,056	111	1.048
PSP	5.40	160267	5.45	5.55	5.40	5.45	5.45	5.50	0.05	27,734	15,141	5.459
SNC	8.50	160267	8.25	8.30	8.00	8.05	8.05	8.15	(0.45)	10,632	8,667	8.152
STARK	0.02	160267	-	-	-	-	-	-	-	-	-	0
STARK-W1	0.01	160267	-	-	-	-	-	-	-	-	-	0
TCJ	3.08	160267	-	3.16	3.02	3.16	3.02	3.18	0.08	11	3	3.032
TPCS	16.60	160267	-	16.80	16.80	16.80	16.60	16.80	0.20	1	2	16.8
VARO	3.76	160267	-	3.82	3.74	3.74	3.74	3.80	(0.02)	154	58	3.79
Property Fund & REIT												
AIMCG	3.74	160267	-	3.74	3.70	3.70	3.70	3.72	(0.04)	854	317	3.709
AIMIRT	10.50	160267	10.60	10.60	10.50	10.50	10.50	10.60	-	2,806	2,958	10.54
ALLY	5.40	160267	5.40	5.45	5.30	5.35	5.30	5.35	(0.05)	19,064	10,172	5.335
AMATAR	6.40	160267	6.45	6.60	6.45	6.45	6.45	6.55	0.05	177	114	6.451
B-WORK	4.48	160267	4.50	4.50	4.46	4.48	4.46	4.48	-	2,970	1,330	4.479
BAREIT	10.10	160267	10.10	10.20	10.10	10.10	10.10	10.20	-	8,385	8,531	10.173
BKKCP	9.35	160267	9.40	9.40	9.30	9.30	9.25	9.30	(0.05)	231	216	9.356
BOFFICE	5.10	160267	5.10	5.15	5.10	5.10	5.10	5.15	-	4,947	2,523	5.1
CPNCG	6.45	160267	6.50	6.55	6.35	6.40	6.35	6.40	(0.05)	5,041	3,228	6.403
CPNREIT	11.30	160267	11.30	11.40	11.30	11.30	11.30	11.40	-	24,293	27,519	11.327
CPTGF	5.50	160267	5.50	5.80	5.45	5.50	5.45	5.50	-	1,616	891	5.515
CTARAF	4.50	160267	-	4.54	4.50	4.54	4.50	4.54	0.04	26	12	4.526
DREIT	5.10	160267	5.25	5.25	5.10	5.10	5.05	5.10	-	1,180	606	5.138
ERWPF	8.50	160267	8.50	8.50	8.50	8.50	8.45	8.50	-	3,266	2,776	8.5
FTREIT	10.00	160267	10.10	10.10	10.00	10.00	10.00	10.10	-	17,554	17,612	10.033
FUTUREPF	11.70	160267	11.60	11.60	11.40	11.60	11.50	11.60	(0.10)	637	729	11.438
GAHREIT	7.15	160267	7.20	7.20	7.15	7.15	7.10	7.15	-	2,286	1,635	7.15
GROREIT	9.05	160267	-	9.00	8.95	8.95	8.95	9.05	(0.10)	76	68	8.961
GVREIT	6.00	160267	6.00	6.00	5.75	5.95	5.90	5.95	(0.05)	18,757	11,031	5.881
HPF	4.66	160267	-	4.68	4.66	4.66	4.66	4.68	-	45	21	4.662
HYDROGEN	9.50	160267	-	9.75	9.65	9.65	9.20	9.65	0.15	174	169	9.697
IMPACT	11.90	160267	11.90	12.10	11.90	12.00	11.90	12.00	0.10	12,683	15,196	11.981
INETREIT	9.40	160267	9.40	9.40	9.30	9.40	9.35	9.40	-	2,763	2,589	9.368
KPNPF	3.52	160267	-	-	-	-	3.48	3.60	-	-	-	0
KTBSTMR	6.35	160267	-	6.35	6.30	6.35	6.30	6.35	-	61	39	6.32
LHHOTEL	12.10	160267	12.10	12.20	12.00	12.20	12.10	12.20	0.10	3,674	4,449	12.108
LHPF	6.10	160267	-	6.10	6.05	6.10	6.05	6.15	-	57	35	6.095
LHSC	9.65	160267	9.80	9.80	9.65	9.65	9.60	9.65	-	2,888	2,789	9.657
LPF	13.00	160267	13.00	13.00	12.90	13.00	12.90	13.00	-	9,837	12,788	12.999
LUXF	7.10	160267	6.80	7.00	6.80	6.95	6.90	6.95	(0.15)	554	382	6.887
M-II	7.35	160267	-	-	-	-	7.20	7.35	-	-	-	0
M-PAT	3.50	160267	-	-	-	-	3.12	3.50	-	-	-	0
M-STOR	6.70	160267	-	6.65	6.60	6.60	6.60	6.65	(0.10)	34	23	6.647
MIPF	12.50	160267	-	-	-	-	11.00	16.20	-	-	-	0
MIT	0.88	160267	-	0.91	0.83	0.86	0.86	0.88	(0.02)	186	16	0.856
MJLF	3.76	160267	-	3.80	3.74	3.80	3.76	3.80	0.04	492	186	3.775
MNIT	2.14	160267	-	2.12	2.10	2.10	2.10	2.12	(0.04)	1,004	211	2.1
MNIT2	5.10	160267	-	5.00	5.00	5.00	5.00	5.15	(0.10)	1,000	500	5
MNRF	2.74	160267	-	2.74	2.70	2.74	2.70	2.74	-	187	51	2.706
POPF	6.00	160267	6.00	6.05	6.00	6.05	6.00	6.05	0.05	1,521	913	6.001
PPF	10.10	160267	-	10.30	10.30	10.30	10.10	10.30	0.20	1	1	10.3
PROSPECT	8.50	160267	-	8.65	8.55	8.60	8.55	8.60	0.10	5,233	4,504	8.606
QHHR	6.40	160267	6.50	6.60	6.40	6.55	6.40	6.55	0.15	3,269	2,105	6.44
QHOP	3.00	160267	-	-	-	-	2.96	3.00	-	-	-	0
QHPF	5.60	160267	5.55	5.65	5.55	5.55	5.55	5.60	(0.05)	2,077	1,162	5.595
SIRIP	7.05	160267	7.45	7.50	7.45	7.45	6.80	7.40	0.40	501	373	7.45
SPRIME	4.76	160267	4.76	4.76	4.74	4.74	4.72	4.74	(0.02)	5,647	2,678	4.742
SRIPANWA	4.46	160267	4.58	4.58	4.50	4.50	4.50	4.52	0.04	94	42	4.517
SSPF	5.40	160267	-	5.40	5.40	5.40	5.20	5.40	-	25	14	5.4
SSTRT	5.30	160267	-	5.30	5.30	5.30	5.25	5.30	-	38	20	5.3
TIF1	8.70	160267	-	8.70	8.70	8.70	8.70	8.75	-	52	45	8.7
TLHPF	6.95	160267	-	-	-	-	6.65	6.85	-	-	-	0
TNPF	1.66	160267	-	-	-	-	1.65	1.82	-	-	-	0
TPRIME	6.25	160267	6.20	6.30	6.20	6.20	6.15	6.20	(0.05)	1,012	628	6.204
TTLPF	17.90	160267	-	18.00	18.00	18.00	17.90	18.00	0.10	2	4	18
TU-PF	0.79	160267	-	0.81	0.79	0.79	0.67	0.78	-	7	1	0.8
URBNPF	1.69	160267	-	1.69	1.68	1.69	1.61	1.71	-	35	6	1.687
WHABT	8.35	160267	8.40	8.40	8.35	8.40	8.40	8.45	0.05	1,155	970	8.399
WHAIR	5.30	160267	5.35	5.35	5.25	5.25	5.25	5.35	(0.05)	4,031	2,132	5.288
WHART	9.80	160267	9.80	9.85	9.80	9.80	9.80	9.85	-	12,543	12,309	9.813
Steel and Metal Prod												
2S	3.10	160267	3.08	3.08	3.06	3.08	3.04	3.06	(0.02)	575	177	3.072
AMC	3.36	160267	3.36	3.40	3.36	3.38	3.38	3.40	0.02	1,688	569	3.373
BSBM	0.70	160267	-	0.70	0.69	0.70	0.70	0.71	-	139	10	0.696
CEN	2.24	160267	-	2.26	2.24	2.24	2.24	2.26	-	151	34	2.255
CEN-W5	0.42	160267	-	-	-	-	0.39	0.42	-	-	-	0
CITY	2.16	160267	-	2.16	2.14	2.16	2.14	2.22	-	11	2	2.141
CSP	1.09	160267	1.07	1.08	1.06	1.07	1.07	1.09	(0.02)	368	39	1.068
GJS	0.22	160267	0.22	0.23	0.22	0.22	0.22	0.23	-	4,563	103	0.224
GSTEEL	0.09	160267	-	-	-	-	-	-	-	-	-	0
INOX	0.57	160267	0.57	0.57	0.55	0.57	0.56	0.57	-	1,557	88	0.562
LHK	4.22	160267	4.20	4.22	4.18	4.20	4.18	4.20	(0.02)	1,268	533	4.201
MCS	6.40	160267	6.35	6.40	6.35	6.40	6.35	6.40	-	4,244	2,695	6.35
MILL	0.35	160267	-	0.36	0.34	0.34	0.34	0.35	(0.01)	18,472	643	0.348
MILL-W6	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
MILL-W7	0.05	160267	-	0.05	0.04	0.04	0.04	0.05	(0.01)	18,095	88	0.048
PAP	2.48	160267	-	2.50	2.44	2.50	2.50	2.52	0.02	522	128	2.461
PERM	0.93	160267	0.93	0.93	0.91	0.93	0.91	0.93	-	546	50	0.916
SAM	0.43	160267	0.44	0.44	0.41	0.42	0.42	0.43	(0.01)	8,262	349	0.422
SMIT	4.50	160267	4.50	4.52	4.48	4.50	4.48	4.50	-	415	186	4.49
SSSC	2.98	160267	2.96	2.96	2.94	2.96	2.94	2.96	(0.02)	546	161	2.944

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TGPRO	0.14	160267	0.14	0.14	0.14	0.14	0.13	0.14	-	13,437	188	0.14
THE	1.22	160267	1.17	1.24	1.17	1.22	1.17	1.22	-	409	49	1.193
TMT	5.80	160267	5.90	6.00	5.85	6.00	5.95	6.00	0.20	353	210	5.936
TSTH	0.81	160267	0.80	0.81	0.79	0.79	0.79	0.80	(0.02)	9,924	794	0.799
TWP	2.06	160267	-	2.06	1.94	2.06	2.02	2.06	-	27	6	2.037
TYCN	2.46	160267	-	2.50	2.48	2.50	2.44	2.50	0.04	205	51	2.499
Construction Service												
APCS	3.62	160267	-	3.60	3.54	3.54	3.52	3.58	(0.08)	40	14	3.541
BJCHI	1.16	160267	-	1.17	1.15	1.15	1.15	1.17	(0.01)	431	50	1.158
BKD	1.60	160267	-	1.60	1.60	1.60	1.59	1.60	-	120	19	1.6
CIVIL	2.02	160267	2.00	2.02	2.00	2.02	2.00	2.02	-	393	79	2
CK	23.40	160267	23.30	23.50	23.20	23.50	23.40	23.50	0.10	45,691	106,861	23.387
CK01C2403A	0.03	160267	-	-	-	-	0.04	0.05	-	-	-	0
CK01C2407A	0.55	160267	-	-	-	-	0.55	0.57	-	-	-	0
CK11C2407A	0.44	160267	-	0.45	0.43	0.45	0.45	0.46	0.01	4,000	176	0.44
CK13C2403A	0.05	160267	-	-	-	-	0.01	0.02	-	-	-	0
CK13C2405A	0.28	160267	0.28	0.28	0.27	0.28	0.28	0.29	-	22,364	609	0.272
CK19C2404A	0.20	160267	-	0.21	0.20	0.21	0.21	0.22	0.01	23,567	475	0.201
CNT	1.13	160267	1.15	1.21	1.12	1.14	1.14	1.15	0.01	9,886	1,146	1.159
EMC	0.08	160267	0.08	0.09	0.07	0.09	0.08	0.09	0.01	46,600	368	0.078
ITD	0.70	160267	0.71	0.73	0.70	0.71	0.70	0.71	0.01	129,530	9,230	0.712
NWR	0.34	160267	0.35	0.36	0.34	0.35	0.35	0.36	0.01	31,482	1,103	0.35
PLE	0.57	160267	0.57	0.59	0.57	0.57	0.57	0.58	-	7,487	434	0.579
PREB	6.25	160267	-	6.40	6.25	6.35	6.30	6.35	0.10	655	412	6.297
PYLON	2.66	160267	2.62	2.66	2.60	2.60	2.60	2.66	(0.06)	1,773	465	2.623
RT	0.86	160267	0.87	0.89	0.86	0.86	0.86	0.87	-	23,157	2,014	0.869
RT-W1	0.05	160267	-	0.07	0.05	0.05	0.05	0.06	-	11,762	71	0.059
SEAFCO	2.64	160267	2.64	2.70	2.54	2.58	2.58	2.60	(0.06)	12,320	3,206	2.602
SQ	1.17	160267	1.17	1.19	1.17	1.19	1.18	1.19	0.02	4,197	496	1.181
SRICHA	8.15	160267	8.30	8.35	8.15	8.20	8.10	8.20	0.05	1,621	1,330	8.203
STEC	10.10	160267	10.00	10.20	9.90	10.10	10.00	10.10	-	61,342	61,435	10.015
STEC01C2403A	0.05	160267	-	0.06	0.05	0.06	0.06	0.07	0.01	20,982	108	0.051
STEC13C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
STEC13C2405A	0.43	160267	-	0.42	0.39	0.42	0.42	0.44	(0.01)	26,416	1,059	0.4
STEC19C2403A	0.02	160267	-	-	-	-	0.03	0.04	-	-	-	0
STEC19C2407A	0.59	160267	-	0.58	0.55	0.58	0.58	0.63	(0.01)	27,886	1,549	0.555
STI	3.52	160267	3.54	3.54	3.50	3.52	3.50	3.52	-	385	135	3.505
STPI	3.32	160267	3.44	3.46	3.30	3.38	3.38	3.40	0.06	30,268	10,324	3.41
SYNTEC	1.77	160267	1.77	1.79	1.77	1.78	1.78	1.79	0.01	3,330	592	1.777
TEAMG	5.00	160267	5.00	5.10	4.92	4.94	4.94	4.96	(0.06)	21,877	10,895	4.98
TEAMG-W1	0.58	160267	-	0.60	0.58	0.58	0.57	0.58	-	961	57	0.588
TEKA	2.42	160267	2.40	2.46	2.38	2.40	2.40	2.42	(0.02)	1,587	381	2.398
TPOLY	0.85	160267	0.87	1.04	0.84	0.91	0.91	0.92	0.06	385,814	37,477	0.971
TRC	0.30	160267	0.30	0.31	0.29	0.31	0.30	0.31	0.01	74,697	2,260	0.302
TRITN	0.13	160267	0.13	0.14	0.13	0.13	0.13	0.14	-	35,723	464	0.13
TRITN-W5	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
TRITN-W6	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
TTCL	3.56	160267	3.60	3.62	3.58	3.62	3.60	3.62	0.06	4,593	1,658	3.61
UNIQ	3.20	160267	3.18	3.28	3.16	3.24	3.22	3.24	0.04	1,898	610	3.216
WGE	0.72	160267	0.72	0.73	0.71	0.71	0.71	0.72	(0.01)	311	22	0.716
Unit Trust												
SCBSET	7.54	160267	-	-	-	-	6.40	-	-	-	-	0
ETF												
1DIV	9.77	160267	9.80	9.86	9.77	9.84	9.84	9.85	0.07	533	523	9.819
ABFTH	1,245.00	160267	-	-	-	-	1,260.00	1,290.00	-	-	-	0
BMSCG	9.40	160267	-	9.42	9.41	9.41	9.39	9.41	0.01	70	66	9.417
BMSCITH	9.62	160267	9.62	9.69	9.62	9.63	9.63	9.66	0.01	281	271	9.647
BSET100	8.89	160267	8.89	8.98	8.89	8.95	8.91	8.95	0.06	262	234	8.945
CHINA	5.47	160267	5.46	5.48	5.43	5.47	5.45	5.47	-	1,712	934	5.456
EBANK	4.83	160267	-	4.92	4.92	4.92	4.86	4.92	0.09	3	1	4.92
ENGY	5.18	160267	5.19	5.23	5.19	5.19	5.19	5.20	0.01	9	5	5.194
ENY	5.06	160267	5.02	5.05	5.00	5.00	5.00	5.04	(0.06)	18	9	5.012
GLD	2.91	160267	2.91	2.93	2.91	2.92	2.91	2.92	0.01	1,671	487	2.917
TDEX	8.15	160267	8.14	8.16	8.11	8.14	8.14	8.15	(0.01)	2,196	1,789	8.145
UBOT	13.40	160267	13.47	13.47	13.28	13.28	13.28	13.38	(0.12)	17	23	13.384
UHERO	7.49	160267	-	7.54	7.51	7.51	7.51	7.54	0.02	20	15	7.511
Warrant Foreign												
AIA28C2403A	0.04	160267	-	-	-	-	-	0.80	-	-	-	0
AIA28C2406A	0.35	160267	-	0.36	0.34	0.34	0.09	0.40	(0.01)	19,098	672	0.351
AIA28P2405A	0.20	160267	-	0.20	0.20	0.20	-	-	-	507	10	0.2
AIA41C2403A	0.10	160267	-	-	-	-	-	-	-	-	-	0
AIA41C2406A	0.40	160267	-	0.41	0.39	0.39	-	-	(0.01)	4	-	0.397
ALIHEA28C2402A	0.09	160267	-	-	-	-	-	-	-	-	-	0
ALIHEA28C2406A	0.05	160267	-	-	-	-	0.02	0.06	-	-	-	0
ALIHEA28C2407A	0.27	160267	-	0.23	0.22	0.23	-	-	(0.04)	5,070	113	0.223
ALIHEA41C2406A	0.26	160267	-	0.22	0.21	0.22	-	-	(0.04)	4	-	0.215
BABA28C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
BABA28C2403B	0.04	160267	-	-	-	-	-	0.09	-	-	-	0
BABA28C2404A	0.17	160267	-	0.15	0.15	0.15	-	-	(0.02)	1,014	15	0.15
BABA28C2404B	0.18	160267	-	0.15	0.15	0.15	-	-	(0.03)	10,140	152	0.15
BABA28C2406A	0.22	160267	-	0.20	0.20	0.20	0.19	0.29	(0.02)	3	-	0.2
BABA28C2406B	0.43	160267	-	0.38	0.38	0.38	0.15	0.53	(0.05)	2,028	77	0.38
BABA28P2403A	0.35	160267	-	0.21	0.21	0.21	-	-	(0.14)	3,000	63	0.21
BABA28P2404A	0.20	160267	-	-	-	-	-	-	-	-	-	0
BABA28P2407A	1.00	160267	-	0.33	0.33	0.33	-	-	(0.67)	13,182	435	0.33
BABA41C2403A	0.02	160267	-	-	-	-	0.01	-	-	-	-	0
BABA41C2403B	0.02	160267	-	-	-	-	0.01	-	-	-	-	0
BABA41C2404A	0.22	160267	-	0.22	0.17	0.22	0.09	0.22	-	142	2	0.17
BABA41C2404B	0.41	160267	-	0.33	0.32	0.33	-	-	(0.08)	4	-	0.325
BABA41C2406A	0.26	160267	0.25	0.25	0.24	0.24	0.23	0.31	(0.02)	819	20	0.244
BABA41C2406B	0.64	160267	-	0.58	0.56	0.57	0.11	0.81	(0.07)	611	35	0.579
BABA41P2403A	0.30	160267	-	0.34	0.33	0.34	-	-	0.04	6	-	0.338
BABA41P2404A	0.14	160267	-	0.16	0.16	0.16	-	-	0.02	10	-	0.16

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BIDU28C2403A	0.07	160267	-	-	-	-	-	-	-	-	-	0
BIDU28C2403B	0.10	160267	-	-	-	-	-	-	-	-	-	0
BIDU28C2407A	0.39	160267	-	0.34	0.33	0.34	-	-	(0.05)	4,563	152	0.333
BIDU28P2406A	0.33	160267	0.36	0.37	0.36	0.37	-	-	0.04	4,068	151	0.369
BIDU41C2403A	0.09	160267	-	-	-	-	0.01	-	-	-	-	0
BIDU41C2403B	0.14	160267	-	0.10	0.10	0.10	-	-	(0.04)	2	-	0.1
BIDU41C2407A	0.42	160267	-	0.36	0.36	0.36	-	-	(0.06)	6	-	0.36
BIDU41P2403A	0.51	160267	-	0.64	0.61	0.63	-	-	0.12	16	1	0.63
BYDCOM28C2404A	0.04	160267	-	-	-	-	-	0.06	-	-	-	0
BYDCOM28C2405A	0.13	160267	-	0.10	0.09	0.10	0.03	0.12	(0.03)	4,021	36	0.09
BYDCOM28C2407A	0.36	160267	-	0.32	0.31	0.32	-	-	(0.04)	11,070	348	0.314
BYDCOM28P2405A	0.35	160267	-	0.39	0.38	0.38	0.01	-	0.03	12,126	466	0.384
BYDCOM41C2404A	0.07	160267	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41C2405A	0.09	160267	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2406A	0.27	160267	-	0.21	0.20	0.20	-	-	(0.07)	8	-	0.206
BYDCOM41P2404A	0.89	160267	-	1.00	0.97	0.97	0.02	-	0.08	26	3	0.981
BYDCOM41P2405A	0.35	160267	-	0.40	0.39	0.39	-	-	0.04	22	1	0.394
CATHAY28C2403A	0.02	160267	-	-	-	-	0.01	-	-	-	-	0
CATHAY28C2404A	0.13	160267	-	-	-	-	-	-	-	-	-	0
CATHAY28C2407A	0.32	160267	-	0.29	0.29	0.29	0.19	0.30	(0.03)	2,114	61	0.29
CATHAY41C2403A	0.02	160267	-	-	-	-	0.01	-	-	-	-	0
CATHAY41C2404A	0.20	160267	-	-	-	-	-	-	-	-	-	0
CHMOBI28C2404A	0.21	160267	-	0.23	0.22	0.23	-	0.29	0.02	20,098	455	0.226
CMBANK41C2404A	0.14	160267	-	0.12	0.11	0.11	-	-	(0.03)	2	-	0.115
CMBANK41C2406A	0.42	160267	-	0.38	0.38	0.38	-	-	(0.04)	2	-	0.38
CNOOC28C2404A	0.30	160267	-	0.38	0.35	0.37	-	-	0.07	40,546	1,511	0.372
DJI28C2403A	3.22	160267	-	3.08	3.08	3.08	3.04	3.10	(0.14)	1	-	3.08
DJI28C2403B	0.57	160267	-	-	-	-	0.65	0.66	-	-	-	0
DJI28C2403C	0.24	160267	-	0.19	0.19	0.19	0.18	0.19	(0.05)	550	10	0.19
DJI28C2406B	0.78	160267	-	0.74	0.73	0.74	0.72	0.73	(0.04)	30	2	0.73
DJI28P2403A	0.03	160267	-	-	-	-	0.01	0.03	-	-	-	0
DJI28P2403B	0.01	160267	-	-	-	-	0.01	0.03	-	-	-	0
DJI28P2403C	0.07	160267	-	-	-	-	0.02	0.04	-	-	-	0
DJI28P2403D	0.11	160267	-	-	-	-	0.06	0.07	-	-	-	0
DJI28P2406A	0.36	160267	-	0.36	0.36	0.36	0.36	0.37	-	540	19	0.36
DJI41C2403A	2.36	160267	-	-	-	-	2.58	2.60	-	-	-	0
DJI41C2403B	0.56	160267	-	-	-	-	0.46	0.47	-	-	-	0
DJI41C2406A	0.81	160267	-	0.76	0.75	0.75	0.75	0.76	(0.06)	4	-	0.755
DJI41P2403A	0.04	160267	-	-	-	-	0.01	0.04	-	-	-	0
DJI41P2403B	0.04	160267	-	-	-	-	0.01	0.04	-	-	-	0
DJI41P2403C	0.05	160267	-	-	-	-	0.03	0.05	-	-	-	0
DJI41P2406A	0.38	160267	-	0.38	0.38	0.38	0.37	0.38	-	10,000	380	0.38
DJI41P2406B	0.61	160267	-	-	-	-	0.62	0.63	-	-	-	0
GEELY28C2403A	0.07	160267	-	-	-	-	-	-	-	-	-	0
GEELY28C2406A	0.30	160267	-	0.25	0.25	0.25	-	-	(0.05)	3,042	76	0.25
GEELY28P2404A	0.32	160267	-	0.39	0.37	0.37	-	-	0.05	16,140	616	0.381
GEELY41C2404A	0.06	160267	-	-	-	-	0.01	-	-	-	-	0
GEELY41C2406A	0.27	160267	-	0.22	0.22	0.22	0.22	-	(0.05)	6	-	0.22
HAIDIL28C2402A	0.01	160267	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2403A	0.05	160267	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2404A	0.10	160267	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2406A	0.19	160267	-	0.16	0.15	0.16	0.05	-	(0.03)	8,612	133	0.154
HAIDIL41C2403A	0.05	160267	-	-	-	-	0.01	-	-	-	-	0
HAIDIL41C2404A	0.09	160267	-	-	-	-	-	-	-	-	-	0
HAIDIL41C2405A	0.23	160267	-	0.19	0.17	0.19	-	-	(0.04)	14	-	0.186
HKEX28C2404A	0.06	160267	-	-	-	-	-	-	-	-	-	0
HKEX28C2406A	0.25	160267	-	0.22	0.21	0.21	0.20	-	(0.04)	5,070	108	0.214
HKEX28C2407A	0.41	160267	-	0.38	0.37	0.37	-	-	(0.04)	1,014	38	0.375
HKEX41C2404A	0.12	160267	-	-	-	-	-	-	-	-	-	0
HKEX41C2405A	0.18	160267	-	0.14	0.14	0.14	-	-	(0.04)	8	-	0.14
HKEX41C2406A	0.35	160267	-	0.30	0.28	0.28	0.09	-	(0.07)	1,008	30	0.299
HSBC28C2403A	0.13	160267	0.15	0.15	0.15	0.15	-	-	0.02	3,452	52	0.15
HSBC28C2406A	0.56	160267	-	0.62	0.60	0.60	-	-	0.04	12,169	748	0.615
HSBC28P2404A	0.06	160267	-	-	-	-	-	-	-	-	-	0
HSBC28P2407A	0.17	160267	-	-	-	-	-	-	-	-	-	0
HSBC41C2403A	0.19	160267	-	0.22	0.21	0.21	-	-	0.02	6	-	0.216
HSBC41C2405A	0.17	160267	-	0.16	0.16	0.16	-	-	(0.01)	2	-	0.16
HSBC41P2406A	0.14	160267	-	-	-	-	-	-	-	-	-	0
HSCEI28C2402A	0.04	160267	-	-	-	-	0.04	0.05	-	-	-	0
HSCEI28C2403A	0.43	160267	-	-	-	-	0.32	0.33	-	-	-	0
HSCEI28C2404A	0.83	160267	-	0.74	0.72	0.72	0.71	0.73	(0.11)	50,010	3,631	0.726
HSCEI28P2402A	0.09	160267	-	-	-	-	0.01	0.04	-	-	-	0
HSCEI28P2403A	0.50	160267	-	0.57	0.54	0.57	0.57	0.58	0.07	60,000	3,330	0.555
HSCEI28P2404A	0.28	160267	-	-	-	-	0.31	0.32	-	-	-	0
HSI06C2402A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
HSI06C2402B	0.05	160267	-	0.03	0.02	0.03	-	0.03	(0.02)	5	-	0.028
HSI06C2402C	0.10	160267	0.06	0.07	0.05	0.05	0.04	0.06	(0.05)	7,694	42	0.055
HSI06C2402D	0.41	160267	0.29	0.33	0.28	0.28	0.27	0.29	(0.13)	4,304,656	128,816	0.299
HSI06C2403A	0.21	160267	-	0.19	0.17	0.17	0.17	0.19	(0.04)	6,419,110	117,901	0.183
HSI06C2403B	0.16	160267	-	0.14	0.13	0.14	0.11	0.15	(0.02)	899	12	0.135
HSI06C2403C	0.44	160267	0.36	0.39	0.34	0.35	0.35	0.37	(0.09)	5,449,786	200,280	0.367
HSI06C2403D	1.15	160267	-	-	-	-	-	-	-	-	-	0
HSI06C2404A	0.27	160267	0.22	0.23	0.21	0.21	0.21	0.22	(0.06)	5,554,885	125,016	0.225
HSI06C2404B	1.09	160267	-	-	-	-	0.09	-	-	-	-	0
HSI06C2404C	0.67	160267	-	0.62	0.58	0.58	0.57	0.59	(0.09)	666	41	0.608
HSI06C2404D	1.62	160267	-	-	-	-	0.09	-	-	-	-	0
HSI06C2405A	0.69	160267	-	0.60	0.58	0.58	0.09	-	(0.11)	380	22	0.59
HSI06C2405B	1.00	160267	-	-	-	-	0.09	-	-	-	-	0
HSI06C2406A	0.96	160267	-	0.86	0.86	0.86	0.83	-	(0.10)	1	-	0.86
HSI06P2402A	0.48	160267	0.57	0.57	0.57	0.57	0.01	-	0.09	100	6	0.57
HSI06P2402B	0.03	160267	-	0.04	0.03	0.03	0.03	0.04	-	2,603	8	0.031
HSI06P2402C	0.13	160267	0.15	0.17	0.14	0.17	0.15	0.17	0.04	5,953,700	92,860	0.155
HSI06P2403A	0.57	160267	0.62	0.64	0.61	0.62	0.09	-	0.05	13,044	806	0.617

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSI06P2403B	0.28	160267	0.31	0.32	0.30	0.32	0.25	0.33	0.04	5,472,565	168,122	0.307
HSI06P2403C	0.12	160267	0.14	0.14	0.12	0.14	0.12	0.15	0.02	60,568	825	0.136
HSI06P2403D	0.07	160267	0.07	0.08	0.07	0.08	0.06	0.08	0.01	11,409	80	0.07
HSI06P2404A	0.82	160267	-	-	-	-	0.08	-	-	-	-	0
HSI06P2404B	0.18	160267	0.20	0.21	0.19	0.21	0.19	0.23	0.03	2,097	42	0.199
HSI06P2404C	1.28	160267	-	-	-	-	-	-	-	-	-	0
HSI06P2404D	0.32	160267	-	0.37	0.34	0.36	0.36	0.37	0.04	5,854,949	209,291	0.357
HSI06P2405A	0.91	160267	-	-	-	-	-	-	-	-	-	0
HSI06P2405B	0.35	160267	-	0.39	0.37	0.39	0.01	-	0.04	284,106	10,911	0.384
HSI06P2406A	1.00	160267	-	-	-	-	-	-	-	-	-	0
HSI28C2402A	0.02	160267	-	0.01	0.01	0.01	0.01	0.02	(0.01)	866	1	0.01
HSI28C2402B	0.02	160267	-	0.02	0.01	0.02	0.01	0.02	-	860	1	0.01
HSI28C2402C	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	34,344	34	0.01
HSI28C2402D	0.08	160267	0.04	0.04	0.03	0.03	0.03	0.04	(0.05)	142,919	483	0.033
HSI28C2402E	0.02	160267	-	0.02	0.02	0.02	0.01	0.02	-	10	-	0.02
HSI28C2402F	0.40	160267	0.26	0.30	0.24	0.25	0.25	0.26	(0.15)	5,644,833	150,163	0.266
HSI28C2403A	0.02	160267	-	0.02	0.01	0.02	0.01	0.02	-	2,274	2	0.01
HSI28C2403B	0.49	160267	0.40	0.42	0.38	0.38	0.38	0.39	(0.11)	3,295,457	131,496	0.399
HSI28C2403C	0.24	160267	-	0.20	0.18	0.18	0.17	0.18	(0.06)	25,599	475	0.185
HSI28C2403D	0.12	160267	-	0.10	0.09	0.09	0.08	0.09	(0.03)	30,964	279	0.09
HSI28C2403E	0.90	160267	0.77	0.81	0.74	0.75	0.75	0.76	(0.15)	1,102,818	85,235	0.772
HSI28C2403F	1.51	160267	-	1.40	1.25	1.33	1.30	1.34	(0.18)	527	70	1.328
HSI28C2404A	0.14	160267	0.12	0.12	0.10	0.11	0.10	0.11	(0.03)	45,167	507	0.112
HSI28C2404B	0.29	160267	0.25	0.26	0.24	0.24	0.24	0.25	(0.05)	2,521,231	62,486	0.247
HSI28C2404C	0.55	160267	0.48	0.50	0.45	0.46	0.46	0.47	(0.09)	3,262,485	156,540	0.479
HSI28C2404D	0.99	160267	-	0.94	0.87	0.87	0.87	0.91	(0.12)	6,095	548	0.898
HSI28C2405A	0.19	160267	0.17	0.18	0.16	0.17	0.16	0.17	(0.02)	109,170	1,856	0.17
HSI28C2405B	0.58	160267	0.51	0.53	0.50	0.50	0.50	0.51	(0.08)	1,799,404	91,635	0.509
HSI28C2406A	0.55	160267	0.49	0.51	0.47	0.48	0.48	0.49	(0.07)	1,735,621	85,401	0.492
HSI28P2402A	0.02	160267	0.02	0.03	0.02	0.03	0.02	0.03	0.01	20,974	42	0.02
HSI28P2402B	1.56	160267	-	1.75	1.67	1.74	1.72	1.78	0.18	194	33	1.716
HSI28P2402C	0.26	160267	0.29	0.30	0.25	0.28	0.28	0.29	0.02	5,000,471	136,961	0.273
HSI28P2402D	0.59	160267	0.67	0.67	0.65	0.67	0.68	0.72	0.08	54	4	0.669
HSI28P2403A	0.45	160267	0.50	0.52	0.47	0.50	0.50	0.51	0.05	2,881,340	140,788	0.488
HSI28P2403B	0.10	160267	-	0.11	0.09	0.10	0.10	0.11	-	17,313	171	0.098
HSI28P2403C	0.20	160267	0.22	0.23	0.20	0.21	0.21	0.22	0.01	1,265,278	26,750	0.211
HSI28P2403D	0.91	160267	1.01	1.01	0.92	1.00	0.97	1.00	0.09	1,036	95	0.92
HSI28P2404A	0.26	160267	0.27	0.28	0.26	0.28	0.28	0.29	0.02	456,183	12,684	0.278
HSI28P2404B	0.55	160267	-	0.61	0.57	0.60	0.60	0.61	0.05	2,134,813	125,464	0.587
HSI28P2405A	0.28	160267	-	0.31	0.29	0.31	0.30	0.31	0.03	14,266	434	0.304
HSI28P2405B	0.56	160267	-	0.61	0.57	0.61	0.60	0.61	0.05	1,785,124	105,630	0.591
HSI28P2406A	0.26	160267	0.27	0.28	0.26	0.27	0.27	0.28	0.01	19,574	538	0.275
HSTECH28C2403A	0.51	160267	-	-	-	-	0.39	0.40	-	-	-	0
HSTECH28C2403B	0.15	160267	-	0.10	0.09	0.09	0.09	0.10	(0.06)	638	6	0.098
HSTECH28C2404A	0.95	160267	-	0.83	0.81	0.82	0.81	0.82	(0.13)	22	2	0.82
HSTECH28P2403A	0.30	160267	-	0.36	0.36	0.36	0.37	0.38	0.06	900	32	0.36
HSTECH28P2403B	1.53	160267	-	-	-	-	1.18	1.21	-	-	-	0
HSTECH28P2404A	0.20	160267	-	-	-	-	0.14	0.15	-	-	-	0
ICBC28C2404A	0.13	160267	-	-	-	-	-	-	-	-	-	0
ICBC28C2407A	0.32	160267	-	-	-	-	-	-	-	-	-	0
JD28C2402A	0.04	160267	-	-	-	-	-	0.80	-	-	-	0
JD28C2403A	0.13	160267	-	-	-	-	-	-	-	-	-	0
JD28C2403B	0.13	160267	-	-	-	-	0.03	0.13	-	-	-	0
JD28C2406A	0.55	160267	-	0.43	0.43	0.43	0.09	-	(0.12)	300	13	0.43
JD41C2406A	0.73	160267	-	0.60	0.56	0.59	-	-	(0.14)	18	1	0.574
KUAISH28C2403A	0.01	160267	-	-	-	-	-	-	-	-	-	0
KUAISH28C2404A	0.10	160267	-	-	-	-	-	1.00	-	-	-	0
KUAISH28C2406A	0.15	160267	-	0.13	0.13	0.13	-	-	(0.02)	1,014	13	0.13
KUAISH28C2407A	0.47	160267	-	0.42	0.41	0.42	-	-	(0.05)	19,452	810	0.416
KUAISH41C2406A	0.32	160267	-	0.28	0.26	0.27	0.09	0.28	(0.05)	325	9	0.271
LENOVO28C2402A	0.46	160267	-	-	-	-	-	-	-	-	-	0
LENOVO28C2404A	0.04	160267	-	-	-	-	0.03	-	-	-	-	0
LENOVO28C2407A	0.31	160267	-	0.32	0.30	0.32	-	-	0.01	10,140	313	0.309
LENOVO41C2406A	0.17	160267	-	0.18	0.16	0.18	-	-	0.01	805	13	0.165
MCA5041C2403A	0.01	160267	-	-	-	-	0.01	0.04	-	-	-	0
MCA5041C2406A	0.69	160267	-	0.62	0.60	0.62	0.61	0.62	(0.07)	30	2	0.616
MCA5041P2403A	1.29	160267	-	-	-	-	0.81	0.82	-	-	-	0
MCA5041P2406A	1.01	160267	-	-	-	-	0.68	0.69	-	-	-	0
MEITUA28C2403A	0.01	160267	-	0.03	0.01	0.03	-	0.03	0.02	126	-	0.01
MEITUA28C2404A	0.04	160267	-	-	-	-	-	-	-	-	-	0
MEITUA28C2406A	0.30	160267	-	0.27	0.22	0.26	0.09	-	(0.04)	38,854	983	0.253
MEITUA28C2407A	1.00	160267	-	0.62	0.54	0.59	-	-	(0.41)	75,084	4,449	0.592
MEITUA28P2405A	0.81	160267	-	0.96	0.85	0.87	0.02	-	0.06	23,070	2,077	0.9
MEITUA28P2406A	0.39	160267	-	0.47	0.42	0.44	-	-	0.05	7,098	314	0.442
MEITUA41C2403A	0.10	160267	-	-	-	-	0.01	-	-	-	-	0
MEITUA41C2405A	0.04	160267	-	-	-	-	0.04	-	-	-	-	0
MEITUA41C2405B	0.23	160267	-	0.21	0.16	0.21	0.09	-	(0.02)	441	9	0.197
MEITUA41C2406A	0.45	160267	-	0.40	0.33	0.39	-	-	(0.06)	52	2	0.378
MEITUA41C2406B	0.70	160267	-	0.64	0.56	0.63	-	-	(0.07)	44	3	0.605
MEITUA41P2404A	0.68	160267	-	0.85	0.72	0.76	0.02	-	0.08	78	6	0.759
MEITUA41P2406A	0.33	160267	-	0.39	0.35	0.36	-	-	0.03	22	1	0.366
NDX28C2403A	0.15	160267	-	-	-	-	0.10	0.11	-	-	-	0
NDX28C2403B	1.25	160267	-	1.01	0.96	1.01	0.96	1.00	(0.24)	17	2	1.004
NDX28C2406A	2.12	160267	-	1.91	1.87	1.87	1.87	1.91	(0.25)	105	20	1.899
NDX28C2406B	0.67	160267	0.55	0.56	0.54	0.55	0.55	0.56	(0.12)	55	3	0.549
NDX28C2406C	0.93	160267	0.77	0.78	0.75	0.77	0.77	0.78	(0.16)	366	28	0.765
NDX28C2406D	0.43	160267	-	0.35	0.34	0.34	0.34	0.35	(0.09)	15	1	0.347
NDX28P2403A	0.01	160267	-	-	-	-	0.01	0.04	-	-	-	0
NDX28P2403B	0.04	160267	-	-	-	-	0.01	0.04	-	-	-	0
NDX28P2403C	0.04	160267	-	-	-	-	0.02	0.04	-	-	-	0
NDX28P2403D	0.04	160267	-	-	-	-	0.04	0.05	-	-	-	0
NDX28P2406A	0.19	160267	-	-	-	-	0.20	0.21	-	-	-	0
NDX28P2406B	0.36	160267	-	0.40	0.40	0.40	0.39	0.40	0.04	25	1	0.4

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
NDX41C2403A	1.69	160267	-	-	-	-	1.49	1.50	-	-	-	0
NDX41C2403B	1.29	160267	-	-	-	-	1.34	1.35	-	-	-	0
NDX41C2403C	0.51	160267	-	0.36	0.36	0.36	0.36	0.37	(0.15)	930	33	0.36
NDX41C2406A	1.25	160267	-	1.07	1.03	1.06	1.05	1.06	(0.19)	627	66	1.056
NDX41P2403A	0.04	160267	-	-	-	-	0.01	0.04	-	-	-	0
NDX41P2403B	0.04	160267	-	-	-	-	0.01	0.04	-	-	-	0
NDX41P2403C	0.09	160267	-	-	-	-	0.01	0.04	-	-	-	0
NDX41P2403D	0.05	160267	-	-	-	-	0.02	0.05	-	-	-	0
NDX41P2406A	0.26	160267	-	0.30	0.29	0.29	0.29	0.30	0.03	5,835	169	0.29
NDX41P2406B	0.39	160267	-	-	-	-	0.43	0.44	-	-	-	0
NTES41C2404A	0.19	160267	-	-	-	-	-	-	-	-	-	0
NTES41C2405A	0.64	160267	-	0.59	0.58	0.59	0.09	-	(0.05)	67	4	0.589
PINGAN28C2403A	0.04	160267	-	-	-	-	-	0.11	-	-	-	0
PINGAN28C2404A	1.20	160267	-	-	-	-	-	24.00	-	-	-	0
PINGAN28C2406A	0.23	160267	-	0.19	0.18	0.19	-	-	(0.04)	8,112	154	0.189
PINGAN28C2407A	0.48	160267	-	0.43	0.43	0.43	-	-	(0.05)	102	4	0.43
PINGAN28P2403A	0.61	160267	-	-	-	-	-	-	-	-	-	0
PINGAN28P2406A	0.14	160267	-	0.17	0.17	0.17	-	-	0.03	6,084	103	0.17
PINGAN41C2403A	0.11	160267	-	-	-	-	0.01	-	-	-	-	0
PINGAN41C2404A	0.07	160267	-	-	-	-	0.01	-	-	-	-	0
PINGAN41C2404B	0.15	160267	-	0.12	0.11	0.12	-	-	(0.03)	6	-	0.118
PINGAN41C2406A	0.35	160267	-	0.29	0.28	0.29	-	-	(0.06)	4	-	0.287
PINGAN41C2406B	0.32	160267	-	0.26	0.25	0.26	-	-	(0.06)	4	-	0.257
PINGAN41P2404A	0.10	160267	-	0.13	0.13	0.13	-	-	0.03	2	-	0.13
SET5001C2403A	0.02	160267	0.02	0.02	0.01	0.02	0.01	0.02	-	338	1	0.017
SET5001C2403B	0.01	160267	0.01	0.02	0.01	0.02	0.01	0.02	0.01	130	-	0.01
SET5001C2403F	0.06	160267	0.05	0.05	0.05	0.05	0.05	0.06	(0.01)	126	1	0.05
SET5001C2403G	0.02	160267	0.02	0.02	0.01	0.02	0.01	0.02	-	321	-	0.01
SET5001C2404A	0.04	160267	0.02	0.04	0.02	0.04	0.03	0.04	-	529	2	0.03
SET5001C2404T	0.20	160267	0.18	0.19	0.18	0.19	0.18	0.19	(0.01)	7,870	149	0.188
SET5001C2405A	0.26	160267	0.24	0.27	0.24	0.26	0.25	0.26	-	52,921	1,325	0.25
SET5001C2406A	0.39	160267	0.36	0.40	0.35	0.38	0.38	0.39	(0.01)	47,849	1,828	0.382
SET5001C2406F	0.37	160267	-	0.40	0.36	0.38	0.38	0.39	0.01	132,579	5,094	0.384
SET5001C2406T	0.42	160267	0.41	0.43	0.40	0.41	0.42	0.43	(0.01)	4,066	169	0.415
SET5001P2403A	0.03	160267	-	0.03	0.02	0.02	0.02	0.03	(0.01)	1,013	3	0.029
SET5001P2403B	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	400	-	0.01
SET5001P2403F	0.06	160267	0.05	0.05	0.05	0.05	0.05	0.06	(0.01)	7	-	0.05
SET5001P2403G	0.05	160267	-	-	-	-	0.03	0.04	-	-	-	0
SET5001P2403H	0.31	160267	0.31	0.31	0.27	0.28	0.27	0.28	(0.03)	52,934	1,487	0.28
SET5001P2404A	0.26	160267	-	0.28	0.24	0.24	0.24	0.25	(0.02)	12,719	324	0.255
SET5001P2404T	0.29	160267	-	0.28	0.28	0.28	0.27	0.28	(0.01)	14,330	401	0.28
SET5001P2405A	0.22	160267	-	0.24	0.20	0.21	0.21	0.22	(0.01)	11,779	252	0.214
SET5001P2406A	0.47	160267	0.48	0.48	0.44	0.45	0.44	0.45	(0.02)	115,588	5,268	0.455
SET5001P2406F	0.49	160267	-	0.50	0.45	0.47	0.47	0.48	(0.02)	153,494	7,144	0.465
SET5001P2406T	0.36	160267	0.38	0.38	0.36	0.36	0.35	0.36	-	11,074	404	0.365
SET5006C2402A	0.01	160267	-	-	-	-	-	-	-	-	-	0
SET5006C2403A	0.03	160267	-	0.02	0.02	0.02	-	-	(0.01)	16	-	0.02
SET5006C2403B	0.06	160267	-	0.06	0.05	0.06	0.05	0.07	-	350	2	0.055
SET5006C2403C	0.16	160267	-	0.18	0.16	0.17	0.16	0.19	0.01	34,807	580	0.166
SET5006P2402A	0.10	160267	-	-	-	-	-	-	-	-	-	0
SET5006P2403A	0.24	160267	-	0.24	0.21	0.21	0.19	-	(0.03)	63,849	1,470	0.23
SET5006P2403C	0.09	160267	-	0.06	0.06	0.06	-	0.07	(0.03)	100	1	0.06
SET5013C2403A	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	14	-	0.01
SET5013C2403B	0.02	160267	-	0.02	0.01	0.01	0.01	0.02	(0.01)	16,870	17	0.01
SET5013C2403C	0.01	160267	-	0.01	0.01	0.01	0.01	0.02	-	21,601	22	0.01
SET5013C2403D	0.02	160267	0.02	0.03	0.02	0.02	0.02	0.03	-	7,364	15	0.02
SET5013C2403E	0.02	160267	0.02	0.03	0.02	0.02	0.02	0.03	-	19,907	40	0.02
SET5013C2403F	0.03	160267	-	0.03	0.02	0.03	0.02	0.03	-	3,008	6	0.02
SET5013C2403G	0.02	160267	0.02	0.02	0.01	0.01	0.01	0.02	(0.01)	44,551	88	0.019
SET5013C2403H	0.06	160267	0.05	0.07	0.05	0.06	0.05	0.06	-	368,670	1,992	0.054
SET5013C2403I	0.11	160267	0.10	0.13	0.10	0.11	0.11	0.12	-	265,788	2,979	0.112
SET5013C2403J	0.16	160267	0.15	0.18	0.14	0.15	0.15	0.16	(0.01)	1,801,857	28,248	0.156
SET5013C2405A	0.79	160267	-	0.79	0.79	0.79	0.78	0.80	-	541	43	0.79
SET5013C2406A	0.37	160267	0.36	0.41	0.35	0.38	0.38	0.39	0.01	1,751,729	67,206	0.383
SET5013C2406B	0.45	160267	0.44	0.49	0.42	0.45	0.45	0.47	-	606,507	28,168	0.464
SET5013C2410A	0.23	160267	0.22	0.24	0.22	0.23	0.23	0.24	-	244,131	5,827	0.238
SET5013P2403A	0.05	160267	0.04	0.04	0.03	0.04	0.03	0.04	(0.01)	13,430	42	0.031
SET5013P2403B	0.06	160267	0.06	0.06	0.05	0.05	0.04	0.05	(0.01)	44,084	222	0.05
SET5013P2403C	0.15	160267	-	0.14	0.11	0.12	0.12	0.13	(0.03)	110,147	1,350	0.122
SET5013P2403D	0.18	160267	0.16	0.17	0.13	0.14	0.14	0.15	(0.04)	312,367	4,587	0.146
SET5013P2403E	0.35	160267	0.35	0.36	0.28	0.30	0.30	0.31	(0.05)	4,202,471	126,103	0.3
SET5013P2403F	0.10	160267	0.09	0.09	0.06	0.08	0.07	0.08	(0.02)	94,836	694	0.073
SET5013P2405A	1.17	160267	-	1.18	1.17	1.17	1.16	1.17	-	2	-	1.175
SET5013P2406A	0.42	160267	0.42	0.42	0.37	0.38	0.38	0.39	(0.04)	637,141	24,705	0.387
SET5013P2406B	0.54	160267	0.54	0.55	0.47	0.49	0.49	0.50	(0.05)	693,519	34,647	0.499
SET5019C2403A	0.02	160267	0.02	0.02	0.02	0.02	0.01	0.02	-	5	-	0.02
SET5019C2403B	0.02	160267	-	-	-	-	0.02	0.03	-	-	-	0
SET5019C2403C	0.03	160267	-	-	-	-	0.03	0.04	-	-	-	0
SET5019C2403D	0.03	160267	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2403E	0.06	160267	-	-	-	-	0.05	0.06	-	-	-	0
SET5019C2403F	0.13	160267	-	0.15	0.12	0.14	0.13	0.14	0.01	276,632	3,722	0.134
SET5019C2406A	0.17	160267	-	0.19	0.17	0.18	0.17	0.18	0.01	107,235	1,955	0.182
SET5019C2406B	0.16	160267	-	0.16	0.15	0.16	0.15	0.16	-	103,778	1,576	0.151
SET5019C2406C	0.24	160267	-	0.25	0.23	0.24	0.24	0.25	-	395,571	9,735	0.246
SET5019C2406D	1.00	160267	-	-	-	-	-	-	-	-	-	0
SET5019C2406E	1.00	160267	0.30	0.30	0.27	0.28	0.28	0.29	(0.72)	272,033	7,708	0.283
SET5019P2403A	0.07	160267	-	0.04	0.04	0.04	0.05	0.06	(0.03)	1	-	0.04
SET5019P2403B	0.21	160267	-	0.21	0.18	0.19	0.19	0.20	(0.02)	214,020	4,035	0.188
SET5019P2403C	0.16	160267	-	0.15	0.13	0.14	0.13	0.15	(0.02)	54,451	780	0.143
SET5019P2403D	0.25	160267	0.24	0.25	0.21	0.22	0.22	0.23	(0.03)	574,454	12,394	0.215
SET5019P2403E	0.40	160267	0.40	0.40	0.34	0.36	0.36	0.37	(0.04)	175,973	6,349	0.36
SET5019P2406A	0.52	160267	0.53	0.53	0.49	0.50	0.50	0.51	(0.02)	585,440	29,394	0.502
SET5027C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0

Main Board Quotation

Issue Date

Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET5027C2403B	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403C	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403D	0.05	160267	-	-	-	-	0.01	0.02	-	-	-	0
SET5027C2403E	0.07	160267	-	0.04	0.04	0.04	0.04	0.05	(0.03)	3	-	0.04
SET5027C2403T	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
SET5027C2406A	0.39	160267	0.38	0.43	0.37	0.40	0.40	0.41	0.01	452,490	18,403	0.406
SET5027C2406T	0.04	160267	-	0.04	0.04	0.04	0.03	0.04	-	212	1	0.04
SET5027C2409T	0.20	160267	-	-	-	-	0.19	0.20	-	-	-	0
SET5027P2403A	0.08	160267	-	-	-	-	0.06	0.07	-	-	-	0
SET5027P2403B	0.28	160267	0.22	0.26	0.21	0.22	0.22	0.23	(0.06)	275,263	6,273	0.227
SET5027P2403T	0.31	160267	-	0.30	0.26	0.27	0.27	0.28	(0.04)	15,095	415	0.274
SET5027P2406A	0.35	160267	-	0.34	0.30	0.31	0.31	0.32	(0.04)	123,230	3,862	0.313
SET5027P2406T	0.13	160267	0.13	0.13	0.11	0.11	0.11	0.12	(0.02)	2,531	30	0.12
SET5028C2403A	0.01	160267	-	-	-	-	-	0.01	-	-	-	0
SET5028C2403B	0.03	160267	0.02	0.02	0.02	0.02	-	0.02	(0.01)	7	-	0.02
SET5028C2403C	0.04	160267	-	-	-	-	0.01	0.04	-	-	-	0
SET5028C2403D	0.28	160267	-	0.31	0.25	0.28	0.28	0.29	-	116,476	3,365	0.288
SET5028C2406A	0.26	160267	0.25	0.26	0.24	0.25	0.25	0.26	(0.01)	159,861	4,148	0.259
SET5028P2403A	0.95	160267	0.86	0.95	0.85	0.88	0.88	0.89	(0.07)	140,447	12,438	0.885
SET5028P2403B	0.36	160267	-	0.35	0.31	0.32	0.32	0.33	(0.04)	195,648	6,324	0.323
SET5028P2406A	0.47	160267	0.47	0.47	0.44	0.45	0.44	0.45	(0.02)	835,608	37,042	0.443
SET5041C2403A	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403B	0.02	160267	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403C	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403D	0.01	160267	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403E	0.01	160267	0.01	0.01	0.01	0.01	0.01	0.02	-	1	-	0.01
SET5041C2403F	0.01	160267	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2403G	0.06	160267	-	0.04	0.04	0.04	0.03	0.06	(0.02)	150	1	0.04
SET5041C2403H	0.09	160267	-	0.10	0.10	0.10	0.09	0.10	0.01	3	-	0.1
SET5041C2403I	0.11	160267	-	0.12	0.10	0.11	0.10	0.11	-	19,287	212	0.109
SET5041C2406A	0.14	160267	0.13	0.14	0.12	0.14	0.13	0.14	-	31,526	411	0.13
SET5041C2406B	0.48	160267	0.46	0.52	0.46	0.49	0.49	0.50	0.01	444,037	21,377	0.481
SET5041C2406C	0.25	160267	-	0.25	0.23	0.25	0.24	0.25	-	338,542	8,181	0.241
SET5041P2403A	0.37	160267	0.37	0.37	0.33	0.34	0.34	0.35	(0.03)	185,108	6,546	0.353
SET5041P2403B	0.11	160267	-	-	-	-	0.09	0.12	-	-	-	0
SET5041P2403C	0.16	160267	-	0.16	0.14	0.14	0.14	0.15	(0.02)	65,920	931	0.141
SET5041P2406A	0.65	160267	0.61	0.66	0.61	0.62	0.62	0.63	(0.03)	444,465	28,513	0.641
SPX28C2403A	1.52	160267	-	-	-	-	1.75	1.79	-	-	-	0
SPX28C2403B	0.70	160267	-	0.58	0.57	0.58	0.57	0.58	(0.12)	7	-	0.572
SPX28C2406A	1.05	160267	0.94	0.95	0.93	0.94	0.94	0.95	(0.11)	120	11	0.939
SPX28P2403A	0.04	160267	-	-	-	-	0.01	0.04	-	-	-	0
SPX28P2403B	0.04	160267	-	-	-	-	0.01	0.04	-	-	-	0
SPX28P2403C	0.03	160267	-	0.02	0.02	0.02	0.02	0.03	(0.01)	1	-	0.02
SPX28P2406A	0.26	160267	-	0.26	0.25	0.26	0.25	0.26	-	23	1	0.255
SPX41C2403A	1.83	160267	-	-	-	-	1.82	1.83	-	-	-	0
SPX41C2403B	0.71	160267	-	-	-	-	0.73	0.74	-	-	-	0
SPX41C2406A	1.10	160267	-	1.00	0.99	1.00	0.99	1.00	(0.10)	1,617	161	0.997
SPX41P2403A	0.05	160267	-	-	-	-	0.01	0.04	-	-	-	0
SPX41P2403B	0.08	160267	-	-	-	-	0.01	0.04	-	-	-	0
SPX41P2403C	0.11	160267	-	-	-	-	0.04	0.07	-	-	-	0
SPX41P2406A	0.28	160267	-	0.29	0.28	0.29	0.28	0.29	0.01	104	3	0.289
SPX41P2406B	0.45	160267	-	0.47	0.47	0.47	0.46	0.48	0.02	36,000	1,692	0.47
SUNNY28C2402A	0.05	160267	-	-	-	-	-	-	-	-	-	0
SUNNY28C2406A	0.05	160267	-	0.04	0.04	0.04	-	-	(0.01)	63	-	0.04
SUNNY28C2407A	0.16	160267	-	0.15	0.14	0.14	0.04	0.15	(0.02)	6,502	91	0.14
SUNNY41C2403A	0.09	160267	-	-	-	-	-	-	-	-	-	0
SUNNY41C2405A	0.09	160267	-	-	-	-	-	1.00	-	-	-	0
SUNNY41C2406A	0.37	160267	-	0.34	0.30	0.34	-	-	(0.03)	12	-	0.325
TENCEN28C2403A	0.02	160267	-	-	-	-	-	-	-	-	-	0
TENCEN28C2403B	0.04	160267	-	-	-	-	-	-	-	-	-	0
TENCEN28C2403C	0.08	160267	-	0.06	0.06	0.06	0.01	0.10	(0.02)	2	-	0.06
TENCEN28C2405A	0.15	160267	-	0.13	0.12	0.12	-	-	(0.03)	19,240	231	0.12
TENCEN28C2405B	0.40	160267	-	0.35	0.35	0.35	0.09	-	(0.05)	600	21	0.35
TENCEN28P2404A	0.14	160267	-	0.16	0.16	0.16	-	-	0.02	12,084	193	0.16
TENCEN41C2403A	0.10	160267	-	-	-	-	-	-	-	-	-	0
TENCEN41C2405A	0.12	160267	-	0.11	0.09	0.09	-	-	(0.03)	3	-	0.1
TENCEN41C2406A	0.38	160267	-	0.33	0.31	0.31	-	-	(0.07)	12	-	0.319
TENCEN41P2405A	0.52	160267	-	0.59	0.57	0.58	-	-	0.06	20	1	0.578
TRIPDC41C2403A	0.61	160267	-	0.65	0.61	0.61	0.40	0.66	-	3,176	196	0.616
XIAOMI28C2403A	0.15	160267	-	0.07	0.07	0.07	-	-	(0.08)	1	-	0.07
XIAOMI28C2404A	0.03	160267	0.04	0.04	0.04	0.04	0.01	0.04	0.01	150	1	0.04
XIAOMI28C2407A	0.25	160267	0.19	0.20	0.19	0.20	0.12	-	(0.05)	380	7	0.191
XIAOMI41C2403A	0.11	160267	-	-	-	-	-	-	-	-	-	0
XIAOMI41C2404A	0.03	160267	-	-	-	-	-	0.04	-	-	-	0
XIAOMI41C2406A	0.21	160267	0.16	0.17	0.16	0.16	0.15	-	(0.05)	631	10	0.16
XIAOMI41P2404A	0.37	160267	-	0.45	0.44	0.44	-	-	0.07	18	1	0.446
ZIJIN28C2403A	0.09	160267	-	-	-	-	-	-	-	-	-	0
ZIJIN28C2407A	0.36	160267	-	0.45	0.43	0.45	-	-	0.09	18,168	809	0.445
ZIJIN41C2403A	0.15	160267	-	0.10	0.09	0.09	-	-	(0.06)	4	-	0.097

Page 28

Page 29

Main Board Quotation

Issue Date Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Foreign Board Quotation

Issue Date : Monday February 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
Agro & Food Indt	-	0	-	-	-	-	-	-	-	-	-	-
AU	8.55	160267	8.55	8.70	8.55	8.65	8.60	8.70	0.10	1,492.00	1,288.00	00 8.6
JCKH	0.04	160267	0.04	0.04	0.03	0.03	0.03	0.04	(0.01)	5,214.00	17.00	00 0.0
JCKH-W1	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	30.00	-	00 0.0
JCKH-W2	0.02	160267	-	0.01	0.01	0.01	0.01	0.02	(0.01)	10,091.00	10.00	00 0.0
KASET	1.38	160267	-	1.40	1.38	1.40	1.39	1.40	0.02	79.00	11.00	00 1.3
MUD	1.97	160267	1.97	1.97	1.90	1.90	1.89	1.91	(0.07)	265.00	50.00	00 1.9
NTSC	15.60	160267	-	16.00	15.70	16.00	15.70	15.90	0.40	119.00	190.00	00 15.9
TACC	4.56	160267	4.62	4.62	4.56	4.60	4.58	4.60	0.04	7,468.00	3,425.00	00 4.5
TMILL	3.84	160267	3.84	3.88	3.80	3.80	3.80	3.84	(0.04)	1,100.00	421.00	00 3.8
WINNER	2.16	160267	2.16	2.16	2.12	2.14	2.14	2.18	(0.02)	1,060.00	228.00	00 2.1
XO	24.40	160267	24.10	24.50	23.50	23.50	23.50	23.60	(0.90)	23,824.00	57,135.00	00 23.9
Consumer Produ	-	0	-	-	-	-	-	-	-	-	-	-
ALPHAX	0.55	160267	0.56	0.63	0.56	0.59	0.58	0.59	0.04	361,857.00	21,637.00	00 0.5
BGT	0.84	160267	0.80	0.83	0.79	0.81	0.81	0.82	(0.03)	4,630.00	373.00	00 0.8
DOD	3.50	160267	3.50	3.50	3.44	3.50	3.48	3.50	-	1,567.00	545.00	00 3.4
ECF	0.99	160267	1.00	1.00	0.99	1.00	0.98	1.00	0.01	3,869.00	384.00	00 0.9
ECF-W4	0.01	160267	0.02	0.02	0.01	0.01	0.01	0.02	-	3,245.00	3.00	00 0.0
EFORL	0.23	160267	0.23	0.24	0.22	0.24	0.23	0.24	0.01	101,282.00	2,321.00	00 0.2
EFORL-W6	0.05	160267	0.05	0.06	0.05	0.06	0.05	0.06	0.01	551.00	3.00	00 0.0
EURO	8.20	160267	8.20	8.30	7.80	8.10	8.10	8.15	(0.10)	74,936.00	60,474.00	00 8.0
HPT	0.60	160267	0.59	0.61	0.58	0.59	0.58	0.59	(0.01)	22,336.00	1,325.00	00 0.5
IP	8.60	160267	8.65	8.70	8.55	8.55	8.55	8.60	(0.05)	1,175.00	1,011.00	00 8.6
IP-W2	0.50	160267	0.51	0.51	0.49	0.49	0.49	0.50	(0.01)	3,956.00	196.00	00 0.4
ITTHI	2.22	160267	2.24	2.30	2.24	2.24	2.24	2.26	0.02	23,080.00	5,234.00	00 2.2
JSP	2.28	160267	2.24	2.28	2.22	2.24	2.22	2.24	(0.04)	1,946.00	436.00	00 2.2
JSP-W1	0.22	160267	0.23	0.23	0.22	0.23	0.22	0.23	0.01	337.00	8.00	00 0.2
JUBILE	17.10	160267	17.10	17.10	16.90	17.10	17.00	17.10	-	1,515.00	2,576.00	00 17.0
MGI	29.00	160267	29.25	35.00	29.25	34.50	34.25	34.50	5.50	60,950.00	198,773.00	00 32.6
MOONG	2.32	160267	2.34	2.48	2.24	2.34	2.34	2.36	0.02	51,418.00	12,270.00	00 2.3
NPK	15.50	160267	-	15.90	15.90	15.90	15.20	16.00	0.40	82.00	130.00	00 15.9
SMD	7.00	160267	7.00	7.10	6.95	7.05	7.00	7.05	0.05	746.00	523.00	00 7.0
TM	1.97	160267	1.97	1.98	1.95	1.95	1.95	1.98	(0.02)	630.00	124.00	00 1.9
TM-W1	0.20	160267	0.20	0.21	0.20	0.20	0.20	0.21	-	458.00	9.00	00 0.2
WARRIX	5.20	160267	5.25	5.25	5.20	5.20	5.20	5.25	-	5,525.00	2,875.00	00 5.2
WINMED	3.06	160267	3.00	3.04	3.00	3.02	3.00	3.04	(0.04)	759.00	229.00	00 3.0
Financials	-	0	-	-	-	-	-	-	-	-	-	-
ACAP	0.33	160267	-	-	-	-	-	-	-	-	-	00 0.0
AF	0.77	160267	0.77	0.80	0.77	0.78	0.78	0.79	0.01	217.00	17.00	00 0.7
AIRA	1.99	160267	-	-	-	-	1.77	1.98	-	-	-	00 0.0
ASN	1.90	160267	-	1.91	1.82	1.91	1.78	1.91	0.01	45.00	8.00	00 1.8
BROOK	0.56	160267	0.56	0.58	0.56	0.57	0.56	0.57	0.01	313,081.00	17,763.00	00 0.5
BROOK-W6	0.11	160267	0.10	0.12	0.08	0.08	0.08	0.10	(0.03)	174,603.00	1,743.00	00 0.0
BROOK-W7	0.28	160267	0.29	0.31	0.29	0.30	0.30	0.31	0.02	14,403.00	433.00	00 0.3
GCAP	0.55	160267	0.55	0.56	0.55	0.55	0.55	0.56	-	7,986.00	441.00	00 0.5
KCC	4.04	160267	4.04	4.06	4.02	4.04	4.04	4.06	-	2,025.00	816.00	00 4.0
LIT	1.07	160267	-	1.09	1.06	1.06	1.06	1.07	(0.01)	731.00	78.00	00 1.0
LIT-W2	0.27	160267	-	0.28	0.27	0.27	0.27	0.28	-	414.00	11.00	00 0.2
MITSIIB	1.01	160267	-	1.02	1.00	1.00	1.00	1.01	(0.01)	496.00	50.00	00 1.0
SGF	0.44	160267	0.45	0.45	0.44	0.44	0.44	0.45	-	13,109.00	582.00	00 0.4
SGF-P1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
SGF-Q1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
TQR	7.20	160267	7.15	7.50	7.15	7.35	7.35	7.40	0.15	56.00	41.00	00 7.2
Industrials	-	0	-	-	-	-	-	-	-	-	-	-
ADB	1.02	160267	1.02	1.04	1.02	1.02	1.02	1.03	-	28.00	3.00	00 1.0
BM	2.90	160267	-	3.02	2.88	2.98	2.96	2.98	0.08	18,974.00	5,591.00	00 2.9
BM-W3	1.70	160267	-	1.69	1.69	1.69	1.67	1.69	(0.01)	60.00	10.00	00 1.6
CHO	0.20	160267	0.20	0.21	0.18	0.19	0.19	0.20	(0.01)	420,491.00	8,200.00	00 0.1
CHO-W3	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	12,669.00	13.00	00 0.0
CHOW	1.59	160267	1.61	1.65	1.61	1.64	1.62	1.64	0.05	1,453.00	237.00	00 1.6
CIG	0.07	160267	0.07	0.08	0.06	0.07	0.07	0.08	-	667,632.00	4,679.00	00 0.0
CIG-W10	0.06	160267	-	-	-	-	0.05	0.08	-	-	-	00 0.0
CIG-W9	0.04	160267	0.04	0.06	0.04	0.06	0.05	0.06	0.02	33,621.00	168.00	00 0.0
COLOR	1.41	160267	-	1.41	1.41	1.41	1.38	1.41	-	31.00	4.00	00 1.4
COLOR-W2	0.03	160267	0.03	0.04	0.03	0.03	0.03	0.04	-	610.00	2.00	00 0.0
CPR	4.14	160267	4.14	4.18	4.08	4.08	4.08	4.14	(0.06)	1,438.00	590.00	00 4.1
FPI	2.62	160267	2.68	2.68	2.58	2.64	2.62	2.64	0.02	3,716.00	973.00	00 2.6
GTB	0.65	160267	0.65	0.69	0.65	0.66	0.66	0.68	0.01	172.00	11.00	00 0.6
KCM	0.39	160267	-	0.41	0.38	0.40	0.40	0.41	0.01	3,892.00	153.00	00 0.3
KJL	8.00	160267	-	8.00	7.85	7.95	7.95	8.05	(0.05)	1,003.00	796.00	00 7.9
KUMWEL	1.77	160267	1.81	1.81	1.76	1.76	1.76	1.77	(0.01)	322.00	57.00	00 1.7
KWM	1.48	160267	1.48	1.63	1.48	1.50	1.50	1.52	0.02	44,359.00	6,933.00	00 1.5
MBAX	3.14	160267	-	3.16	3.10	3.16	3.12	3.16	0.02	662.00	207.00	00 3.1
MBAX-W2	0.26	160267	-	0.26	0.25	0.26	0.26	0.27	-	305.00	8.00	00 0.2
MGT	2.74	160267	2.74	2.80	2.74	2.78	2.76	2.78	0.04	5,177.00	1,436.00	00 2.7
MTW	2.50	160267	2.48	2.56	2.48	2.52	2.50	2.52	0.02	26,462.00	6,631.00	00 2.5
NDR	1.31	160267	1.30	1.51	1.30	1.33	1.33	1.37	0.02	11,205.00	1,589.00	00 1.4
NDR-W2	0.01	160267	0.02	0.02	0.01	0.01	0.01	0.02	-	102,397.00	108.00	00 0.0
PACO	1.73	160267	1.73	1.76	1.70	1.75	1.74	1.75	0.02	23,262.00	3,982.00	00 1.7
PACO-W1	0.24	160267	-	0.24	0.22	0.24	0.22	0.24	-	2,639.00	63.00	00 0.2
PDG	2.56	160267	2.50	2.56	2.50	2.52	2.50	2.56	(0.04)	45.00	11.00	00 2.5
PIMO	1.60	160267	1.61	1.63	1.58	1.58	1.58	1.60	(0.02)	6,140.00	979.00	00 1.5
PPM	2.46	160267	2.48	2.48	2.40	2.48	2.46	2.48	0.02	4,566.00	1,118.00	00 2.4
PPM-W2	0.11	160267	-	0.12	0.09	0.10	0.09	0.10	(0.01)	233.00	2.00	00 0.1
PRAPAT	1.65	160267	1.90	2.12	1.83	1.95	1.95	1.96	0.30	557,508.00	108,844.00	00 1.9
RWI	0.68	160267	0.68	0.69	0.67	0.68	0.68	0.69	-	2,190.00	149.00	00 0.6
RWI-W3	0.01	160267	-	0.01	0.01	0.01	-	0.01	-	55.00	-	00 0.0
SAF	0.94	160267	0.88	0.93	0.88	0.90	0.89	0.90	(0.04)	6,969.00	619.00	00 0.8
SALEE	0.79	160267	-	0.80	0.79	0.79	0.78	0.79	-	1,204.00	95.00	00 0.7
SANKO	1.68	160267	1.69	1.77	1.67	1.72	1.72	1.74	0.04	149,165.00	25,758.00	00 1.7
SCL	1.98	160267	1.99	2.08	1.97	2.04	2.04	2.06	0.06	63,804.00	12,926.00	00 2.0
SELIC	2.52	160267	2.52	2.56	2.52	2.56	2.56	2.58	0.04	318.00	81.00	00 2.5
SFT	4.00	160267	-	-	-	-	3.90	4.00	-	-	-	00 0.0
STP	9.60	160267	9.60	9.60	9.50	9.60	9.45	9.60	-	199.00	190.00	00 9.5
SWC	4.42	160267	4.44	4.46	4.44	4.46	4.46	4.48	0.04	140.00	62.00	00 4.4