

Asia Plus Securities Company Limited Daily Quotation Report

Tuesday February 20, 2024

NOTE :

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
CPALL	56.50	2,020,021	2.7%
NL	3.10	1,836,709	19.2%
DELTA	74.75	1,760,532	-4.2%
TU	15.20	1,237,696	-3.8%
KTB	16.00	1,085,948	1.3%
PTTEP	150.50	1,063,952	0.0%
BBL	142.00	1,057,491	1.1%
KBANK	121.50	938,972	1.7%
ADVANC	207.00	905,743	-1.0%
CPAXT	34.25	784,497	4.6%

Gainers and Losers	
Gainers	127
Losers	404
Unchanged	129

Volume by Board (Lot)	
Main Board	14,366,005,682
Foreign Board	31,928
Total	14,366,037,610

Value by Board (Mn.Bt.)	
Main Board	40,337.93
Foreign Board	119.18
Total	40,457.10

Top Ten Gainers		
Stock	Last	Value '000
SET5041C2403A	0.02	0
SPX28P2403C	0.04	0
TFG-W3	0.02	6
HANA01P2404X	0.11	276
SET5001P2403A	0.03	8
SET5019P2403A	0.06	0
HANA01P2403X	0.13	1,287
CPALL13C2405A	0.16	339
HSI28C2402D	0.04	52
SCGP01P2405A	0.49	1,311

Top Ten Losers		
Stock	Last	Value '000
BGRIM06C2402B	0.01	0
TU01C2407A	0.18	2,859
BGRIM19C2403B	0.05	0
JMT01C2407A	0.19	423
RCL01C2407A	0.23	360
TRUE13C2407A	0.23	323
VGI01C2407A	0.24	833
BANPU01P2407X	0.25	50
GUNKUL13C2403A	0.01	0
HMPRO41C2404A	0.01	0

Movements in SET and Sectorial Indices						
	Open	High	Low	Close	Change	%Change
.SET	1,388.41	1,389.06	1,376.65	1,381.07	(6.26)	(0.45)
.SET50	847.04	847.66	838.50	839.71	(0.86)	(0.10)
.SET100	1,877.94	1,879.14	1,859.40	1,861.92	(4.38)	(0.23)
.SETHD	1,108.03	1,108.90	1,097.11	1,099.55	(9.83)	(0.89)
.MAI	892.22	892.84	884.69	412.78	(6.35)	(1.52)
.AGRI	201.18	202.08	197.42	198.84	(2.52)	(1.25)
.BANK	361.77	364.66	361.12	363.48	2.27	0.63
.CONMAT	7,217.55	7,233.09	7,164.54	7,194.61	(22.72)	(0.31)
.PETRO	702.97	704.49	693.88	697.59	(3.84)	(0.55)
.COMM	30,757.57	31,226.22	30,615.56	31,197.59	499.00	1.63
.ICT	152.37	152.37	149.87	150.01	(2.67)	(1.75)
.ETRON	9,647.52	9,647.52	9,163.86	9,226.90	(393.22)	(4.09)
.ENERG	20,671.58	20,749.84	20,583.17	20,658.29	15.05	0.07
.MEDIA	29.09	29.14	28.60	28.69	(0.27)	(0.93)
.FIN	3,187.41	3,189.45	3,143.78	3,155.63	(33.05)	(1.04)
.FOOD	10,677.39	10,677.39	10,549.66	10,572.22	(110.94)	(1.04)
.HELTH	6,741.09	6,752.46	6,696.59	6,704.06	(30.99)	(0.46)
.TOURISM	570.22	576.44	563.39	575.62	3.23	0.56
.HOME	20.87	20.87	20.53	20.70	(0.17)	(0.81)
.INSUR	8,516.62	8,526.27	8,319.20	8,377.35	(137.57)	(1.62)
.MINE	-	-	-	-	-	-
.PKG	3,231.01	3,231.01	3,059.71	3,079.99	(150.54)	(4.66)
.PERSON	91.17	91.30	89.73	90.18	(0.64)	(0.70)
.PROF	389.72	395.84	387.76	393.34	2.62	0.67
.PROP	226.19	226.19	223.66	225.22	(0.68)	(0.30)
.PAPER	3,319.49	3,319.49	3,291.36	3,291.36	(28.13)	(0.85)
.FASHION	637.29	637.40	628.01	630.74	(6.33)	(0.99)
.TRANS	308.25	308.35	304.77	307.71	(0.54)	(0.18)
.AUTO	450.57	451.25	447.51	447.60	(2.35)	(0.52)
.IMM	22.20	22.27	21.94	21.96	(0.28)	(1.26)
.PFUND	148.43	148.53	147.70	127.85	(0.20)	(0.16)
.STEEL	26.61	26.69	26.13	26.23	(0.24)	(0.91)

ASP's Daily Quotation Report

Tuesday February 20, 2024



Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SAFARI	2.40	190267	-	-	-	-	-	-	-	-	-	0
WORLD	2.10	190267	-	-	-	-	-	-	-	-	-	0
Agribusiness												
EE	0.29	190267	0.28	0.29	0.28	0.29	0.28	0.29	-	18,084	508	0.28
EE-W1	0.03	190267	0.02	0.03	0.02	0.02	0.02	0.03	(0.01)	60,203	120	0.02
GFPT	11.40	190267	11.50	11.90	11.30	11.70	11.70	11.80	0.30	63,115	73,860	11.702
LEE	2.38	190267	2.38	2.38	2.32	2.36	2.32	2.36	(0.02)	348	82	2.35
NER	5.60	190267	5.60	5.60	5.40	5.45	5.40	5.45	(0.15)	127,955	70,522	5.511
PPPM	0.06	190267	0.06	0.06	0.05	0.06	0.05	0.06	-	12,251	63	0.051
PPPM-W4	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
STA	18.40	190267	18.30	18.50	17.80	17.90	17.90	18.00	(0.50)	126,695	228,153	18.008
STA01C2404A	0.40	190267	0.38	0.38	0.34	0.34	0.34	0.35	(0.06)	1,723	61	0.353
STA11C2402T	0.03	190267	-	-	-	-	0.01	0.03	-	-	-	0
STA11C2407T	0.48	190267	0.48	0.48	0.43	0.43	0.43	0.44	(0.05)	6,574	296	0.45
STA13C2405A	0.46	190267	0.44	0.46	0.38	0.39	0.39	0.42	(0.07)	37,459	1,496	0.399
STA13C2407A	1.00	190267	-	0.35	0.31	0.31	0.31	0.32	(0.69)	114,641	3,592	0.313
STA13P2407A	1.00	190267	0.40	0.43	0.38	0.42	0.42	0.43	(0.58)	123,214	5,121	0.415
STA19C2406A	0.42	190267	0.41	0.43	0.36	0.37	0.37	0.38	(0.05)	41,275	1,549	0.375
TEGH	3.28	190267	3.30	3.32	3.20	3.20	3.20	3.22	(0.08)	41,649	13,577	3.259
TFM	6.90	190267	-	6.90	6.85	6.85	6.90	6.95	(0.05)	199	137	6.877
TRUBB	1.43	190267	1.41	1.45	1.36	1.38	1.38	1.39	(0.05)	174,506	24,593	1.409
TRUBB-W2	0.14	190267	0.14	0.14	0.11	0.12	0.11	0.12	(0.02)	113,276	1,408	0.124
UPOIC	6.35	190267	-	6.35	6.25	6.25	6.25	6.30	(0.10)	325	205	6.32
UVAN	8.70	190267	8.70	8.70	8.65	8.65	8.65	8.70	(0.05)	3,653	3,172	8.684
VPO	0.82	190267	0.83	0.84	0.78	0.78	0.78	0.79	(0.04)	25,011	1,993	0.796
Banking												
BAY	26.50	190267	26.50	27.00	26.50	26.50	26.50	26.75	-	5,305	14,118	26.612
BBL	140.50	190267	141.00	142.50	141.00	142.00	141.50	142.00	1.50	74,602	1,057,491	141.751
BBL06C2403A	0.02	190267	-	-	-	-	-	-	-	-	-	0
BBL11C2404A	0.04	190267	-	-	-	-	0.02	0.04	-	-	-	0
BBL11C2405A	0.21	190267	-	0.23	0.22	0.23	0.23	0.24	0.02	16,240	365	0.225
BBL11C2406A	0.14	190267	-	-	-	-	0.14	0.15	-	-	-	0
BBL11P2402A	0.07	190267	-	-	-	-	0.02	0.03	-	-	-	0
BBL11P2407A	1.00	190267	-	0.44	0.43	0.43	0.43	0.44	(0.57)	8,480	366	0.431
BBL13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
BBL13C2404A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
BBL13C2405A	0.07	190267	-	0.07	0.07	0.07	0.07	0.08	-	5,663	40	0.07
BBL13C2406A	0.20	190267	-	0.22	0.21	0.22	0.22	0.23	0.02	42,693	923	0.216
BBL13P2404A	0.32	190267	-	0.29	0.27	0.27	0.27	0.28	(0.05)	17,954	495	0.275
BBL19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
BBL19C2404A	0.04	190267	-	-	-	-	0.01	0.02	-	-	-	0
BBL19C2405A	0.08	190267	-	-	-	-	0.08	0.09	-	-	-	0
BBL19C2406A	0.19	190267	-	0.20	0.19	0.20	0.20	0.21	0.01	26,046	516	0.198
BBL19P2406A	0.36	190267	-	0.34	0.33	0.33	0.33	0.34	(0.03)	14,318	484	0.338
BBL41C2403A	0.09	190267	-	-	-	-	0.01	0.02	-	-	-	0
BBL41C2404A	0.01	190267	-	-	-	-	0.01	0.03	-	-	-	0
BBL41C2405A	0.05	190267	-	-	-	-	0.05	0.07	-	-	-	0
BBL41C2406A	0.13	190267	-	0.14	0.14	0.14	0.14	0.15	0.01	7,014	98	0.14
BBL41C2406B	0.28	190267	-	0.30	0.28	0.30	0.30	0.31	0.02	18,000	532	0.295
BBL41C2407A	0.30	190267	-	0.32	0.30	0.32	0.32	0.33	0.02	75,135	2,369	0.315
BBL41P2406A	1.00	190267	-	0.30	0.30	0.30	0.29	0.30	(0.70)	10,000	300	0.3
CIMBT	0.59	190267	0.61	0.61	0.59	0.59	0.59	0.60	-	5,828	349	0.599
CREDIT	29.25	190267	29.00	29.50	28.75	28.75	28.50	28.75	(0.50)	15,089	43,764	29.003
KBANK	119.50	190267	120.00	121.50	119.50	121.50	121.00	121.50	2.00	77,808	938,972	120.677
KBANK01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
KBANK01C2405A	0.08	190267	-	0.08	0.07	0.08	0.08	0.09	-	3,000	23	0.076
KBANK01C2406A	0.18	190267	-	0.21	0.19	0.21	0.21	0.22	0.03	5,961	113	0.19
KBANK01C2407A	1.00	190267	-	0.35	0.33	0.35	0.35	0.36	(0.65)	5,034	168	0.333
KBANK01P2404X	0.34	190267	-	0.33	0.29	0.29	0.28	0.29	(0.05)	6,426	194	0.302
KBANK01P2406X	0.39	190267	-	0.38	0.35	0.35	0.35	0.36	(0.04)	9,433	348	0.369
KBANK06C2404A	0.02	190267	-	-	-	-	0.01	-	-	-	-	0
KBANK06C2406A	0.14	190267	-	0.15	0.15	0.15	-	-	0.01	18,336	275	0.15
KBANK13C2405A	0.05	190267	-	0.05	0.05	0.05	0.05	0.06	-	2,775	14	0.05
KBANK13C2406A	0.12	190267	-	0.13	0.12	0.13	0.13	0.14	0.01	40,472	492	0.121
KBANK13C2407A	0.24	190267	0.25	0.27	0.25	0.27	0.27	0.28	0.03	62,728	1,626	0.259
KBANK13P2404A	0.13	190267	-	0.12	0.11	0.11	0.10	0.11	(0.02)	18,112	202	0.111
KBANK13P2406A	0.45	190267	0.42	0.44	0.41	0.41	0.40	0.41	(0.04)	26,136	1,106	0.423
KBANK19C2404A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
KBANK19C2405A	0.07	190267	-	-	-	-	0.05	0.06	-	-	-	0
KBANK19C2406A	0.17	190267	-	0.18	0.17	0.18	0.19	0.20	0.01	4,760	83	0.173
KBANK19P2404A	0.14	190267	-	0.13	0.11	0.11	0.11	0.12	(0.03)	7,930	96	0.12
KBANK41C2405A	0.04	190267	-	0.04	0.04	0.04	0.05	0.07	-	3,000	12	0.04
KBANK41C2405B	0.08	190267	-	-	-	-	0.07	0.08	-	-	-	0
KBANK41C2406A	0.19	190267	-	0.22	0.20	0.22	0.22	0.23	0.03	16,300	332	0.203
KBANK41P2406A	1.00	190267	-	-	-	-	0.30	0.31	-	-	-	0
KKP	48.75	190267	49.25	49.25	48.50	48.75	48.75	49.00	-	8,744	42,706	48.84
KKP-W5	0.01	190267	-	-	-	-	-	-	-	-	-	0
KKP-W6	1.66	190267	1.63	1.66	1.62	1.66	1.65	1.66	-	822	135	1.64
KKP01C2405A	0.15	190267	-	0.15	0.15	0.15	0.14	0.15	-	11,245	169	0.15
KKP11C2403A	0.09	190267	-	-	-	-	0.01	0.03	-	-	-	0
KKP11C2406A	0.21	190267	-	0.20	0.20	0.20	0.20	0.21	(0.01)	2,750	55	0.2
KKP11P2405A	0.30	190267	0.29	0.29	0.28	0.28	0.29	0.30	(0.02)	5,300	152	0.287
KKP13C2403A	0.03	190267	-	-	-	-	-	0.01	-	-	-	0
KKP13C2405A	0.11	190267	-	0.10	0.10	0.10	0.10	0.11	(0.01)	6,458	65	0.1
KKP19C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
KKP19C2406A	0.21	190267	-	0.21	0.20	0.20	0.19	0.20	(0.01)	35,367	718	0.202
KTB	15.80	190267	15.80	16.20	15.80	16.00	16.00	16.10	0.20			

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SCB	103.50	190267	103.50	104.50	103.50	104.00	104.00	104.50	0.50	43,332	450,007	103.85
SCB01C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
SCB01C2404A	0.23	190267	-	0.22	0.22	0.22	0.23	0.25	(0.01)	37	1	0.22
SCB01C2405A	0.13	190267	-	0.13	0.13	0.13	0.13	0.14	-	28,756	374	0.13
SCB01C2407A	1.00	190267	-	0.30	0.29	0.30	0.30	0.31	(0.70)	20,470	599	0.292
SCB01P2405X	0.28	190267	-	0.28	0.27	0.27	0.27	0.28	(0.01)	16,096	445	0.276
SCB06C2402A	0.07	190267	-	-	-	-	-	-	-	-	-	0
SCB06C2403A	0.19	190267	-	-	-	-	-	-	-	-	-	0
SCB11C2403A	0.10	190267	-	-	-	-	0.04	0.05	-	-	-	0
SCB13C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
SCB13C2404A	0.05	190267	-	-	-	-	0.04	0.05	-	-	-	0
SCB13C2406A	0.18	190267	0.19	0.19	0.19	0.19	0.19	0.20	0.01	181,014	3,439	0.19
SCB13P2406A	0.21	190267	-	0.19	0.19	0.19	0.19	0.20	(0.02)	19,284	366	0.19
SCB19C2403A	0.10	190267	-	-	-	-	0.01	0.02	-	-	-	0
SCB19C2404A	0.08	190267	-	-	-	-	0.06	0.07	-	-	-	0
SCB19C2406A	0.18	190267	-	0.19	0.19	0.19	0.18	0.19	0.01	5,200	99	0.19
SCB41C2403A	0.07	190267	-	-	-	-	0.01	0.03	-	-	-	0
SCB41C2404A	0.20	190267	-	0.20	0.20	0.20	0.20	0.21	-	2,000	40	0.2
SCB41C2405A	0.15	190267	0.15	0.15	0.14	0.15	0.15	0.16	-	30,042	436	0.145
SCB41C2405B	0.14	190267	0.15	0.15	0.14	0.15	0.15	0.16	0.01	28,003	399	0.142
SCB41P2406A	1.00	190267	-	-	-	-	0.19	0.20	-	-	-	0
TCAP	50.00	190267	50.00	50.25	49.75	49.75	49.75	50.00	(0.25)	12,574	62,813	49.955
TCAP-P	560.00	190267	-	-	-	-	-	-	-	-	-	0
TCAP-Q	-	101743	-	-	-	-	-	-	-	-	-	0
TCAP11C2402T	0.06	190267	-	-	-	-	0.01	0.03	-	-	-	0
TCAP13C2403A	0.04	190267	-	-	-	-	0.01	0.02	-	-	-	0
TCAP19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
TISCO	99.25	190267	99.25	99.50	99.00	99.00	99.00	99.25	(0.25)	24,028	238,320	99.184
TISCO-P	1,346.00	190267	-	-	-	-	-	-	-	-	-	0
TISCO-Q	8.00	190267	-	-	-	-	-	-	-	-	-	0
TISCO13C2405A	0.14	190267	-	-	-	-	0.13	0.14	-	-	-	0
TISCO19C2408A	0.29	190267	-	0.28	0.28	0.28	0.27	0.28	(0.01)	3,200	90	0.28
TTB	1.88	190267	1.88	1.89	1.87	1.88	1.87	1.88	-	964,914	181,414	1.88
TTB-W1	0.93	190267	0.94	0.94	0.90	0.92	0.92	0.93	(0.01)	12,525	1,145	0.914
TTB01C2404A	0.24	190267	-	0.23	0.23	0.23	0.23	0.24	(0.01)	12,346	284	0.23
TTB01C2406A	0.49	190267	0.50	0.50	0.49	0.49	0.49	0.50	-	1,814	89	0.49
TTB13C2404A	0.21	190267	-	0.20	0.20	0.20	0.20	0.21	(0.01)	9,888	198	0.2
TTB19C2404A	0.23	190267	0.22	0.22	0.22	0.22	0.22	0.23	(0.01)	7,619	168	0.22
Construction Materia												
CCP	0.38	190267	0.37	0.38	0.37	0.37	0.37	0.38	(0.01)	18,554	691	0.372
DCC	1.95	190267	1.94	1.94	1.87	1.90	1.90	1.91	(0.05)	173,232	32,908	1.899
DCON	0.51	190267	0.51	0.53	0.51	0.51	0.51	0.52	-	155,072	8,056	0.519
DCON-W3	0.12	190267	0.12	0.13	0.11	0.11	0.11	0.12	(0.01)	216,562	2,640	0.121
DRT	8.25	190267	8.30	8.30	8.20	8.25	8.20	8.25	-	3,074	2,544	8.276
EPG	7.80	190267	7.85	7.85	7.65	7.65	7.65	7.75	(0.15)	27,621	21,336	7.724
GEL	0.20	190267	0.21	0.21	0.20	0.21	0.20	0.21	0.01	8,948	187	0.209
GEL-W5	0.04	190267	-	0.04	0.04	0.04	0.03	0.04	-	7,044	28	0.04
PPP	1.85	190267	-	1.84	1.84	1.84	1.81	1.84	(0.01)	40	7	1.84
Q-CON	15.90	190267	15.90	16.00	15.70	15.80	15.80	15.90	(0.10)	6,792	10,741	15.814
SCC	264.00	190267	264.00	265.00	262.00	264.00	264.00	265.00	-	10,703	282,132	263.599
SCC01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
SCC01C2405A	0.08	190267	-	0.09	0.08	0.09	0.08	0.09	0.01	56	-	0.081
SCC01C2407A	0.23	190267	-	0.22	0.22	0.22	0.22	0.23	(0.01)	12,770	281	0.22
SCC01P2403X	0.11	190267	-	0.10	0.10	0.10	0.10	0.11	(0.01)	39,994	400	0.1
SCC13C2403A	0.02	190267	-	-	-	-	-	0.01	-	-	-	0
SCC13C2405A	0.04	190267	-	-	-	-	0.02	0.03	-	-	-	0
SCC13C2407A	0.21	190267	-	0.20	0.20	0.20	0.20	0.21	(0.01)	12,384	248	0.2
SCC13P2403A	0.05	190267	-	-	-	-	0.01	0.02	-	-	-	0
SCC19C2403A	0.10	190267	-	-	-	-	0.01	0.02	-	-	-	0
SCC19C2405A	0.08	190267	-	0.05	0.05	0.05	0.05	0.06	(0.03)	5	-	0.05
SCC19C2406A	0.16	190267	-	0.16	0.16	0.16	0.16	0.17	-	48,886	782	0.16
SCCC	144.00	190267	144.00	145.00	143.50	144.00	143.50	144.00	-	3,331	48,072	144.316
SCGD	8.85	190267	8.85	8.85	8.55	8.60	8.55	8.60	(0.25)	18,156	15,752	8.676
SCP	5.35	190267	-	5.45	5.40	5.40	5.30	5.45	0.05	51	28	5.4
SKN	4.72	190267	-	4.70	4.60	4.68	4.64	4.70	(0.04)	425	197	4.642
STECH	1.73	190267	1.74	1.74	1.72	1.73	1.72	1.73	-	756	131	1.728
TASCO	17.10	190267	17.00	17.30	17.00	17.10	17.10	17.20	-	56,325	96,389	17.113
TASCO01C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
TASCO01C2405A	0.22	190267	0.23	0.23	0.22	0.22	0.22	0.23	-	33,584	741	0.22
TASCO01P2405X	0.12	190267	-	0.12	0.12	0.12	0.12	0.13	-	1,000	12	0.12
TASCO06C2403A	0.08	190267	-	-	-	-	-	-	-	-	-	0
TASCO13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
TASCO13C2407A	1.00	190267	-	0.28	0.27	0.27	0.27	0.28	(0.73)	41,127	1,114	0.27
TASCO19C2404A	0.09	190267	-	-	-	-	0.08	0.09	-	-	-	0
TASCO41C2406A	0.22	190267	0.21	0.22	0.20	0.21	0.21	0.22	(0.01)	40,520	854	0.21
TOA	21.90	190267	21.90	21.90	21.60	21.70	21.70	21.80	(0.20)	2,095	4,547	21.704
TIPL	1.40	190267	1.40	1.40	1.39	1.40	1.39	1.40	-	22,639	3,165	1.397
UMI	1.03	190267	1.03	1.04	1.01	1.03	1.02	1.03	-	4,566	468	1.025
VNG	3.62	190267	3.62	3.64	3.62	3.64	3.62	3.64	0.02	53	19	3.621
WIJK	1.51	190267	1.52	1.53	1.48	1.49	1.49	1.51	(0.02)	10,516	1,576	1.498
WINDOW	1.31	190267	1.32	1.32	1.23	1.26	1.26	1.27	(0.05)	88,269	11,276	1.277
Petrochemicals & Che												
BCT	58.00	190267	58.75	59.00	57.75	58.25	57.75	58.25	0.25	55	319	58.018
CMAN	1.96	190267	1.96	1.96	1.94	1.95	1.94	1.95	(0.01)	2,532	493	1.948
GC	5.40	190267	5.40	5.45	5.40	5.40	5.40	5.45	-	460	249	5.412
GGC	8.60	190267	-	8.70	8.40	8.40	8.45	8.70	(0.20)	268	230	8.571
GIFT	4.20	190267	4.18	4.26	4.16	4.24	4.18	4.24	0.04	16,586	6,978	4.20

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
IVL19C2406A	0.28	190267	0.29	0.29	0.26	0.27	0.27	0.28	(0.01)	110,372	3,067	0.277
IVL19C2407A	0.13	190267	-	0.13	0.12	0.13	0.12	0.13	-	64,333	830	0.129
IVL41C2403A	0.03	190267	-	-	-	-	0.01	0.03	-	-	-	0
IVL41C2404A	0.11	190267	-	-	-	-	0.09	0.10	-	-	-	0
IVL41C2406A	0.08	190267	-	-	-	-	0.07	0.08	-	-	-	0
IVL41C2406B	0.29	190267	0.28	0.30	0.27	0.28	0.28	0.29	(0.01)	81,030	2,328	0.287
IVL41C2407A	0.33	190267	-	0.33	0.31	0.32	0.32	0.33	(0.01)	20,002	644	0.322
NFC	2.96	190267	-	2.96	2.92	2.92	2.92	2.94	(0.04)	126	37	2.927
PATO	9.50	190267	9.45	9.50	9.45	9.50	9.45	9.50	-	6	6	9.483
PMTA	8.70	190267	-	9.50	8.80	8.80	8.40	9.40	0.10	6	5	8.916
PTTGC	37.50	190267	37.50	37.50	37.00	37.25	37.00	37.25	(0.25)	73,706	274,207	37.202
PTTGC01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2403B	0.06	190267	-	-	-	-	0.04	0.05	-	-	-	0
PTTGC01C2405A	0.10	190267	-	0.09	0.09	0.09	0.09	0.10	(0.01)	21,600	194	0.09
PTTGC01C2406A	0.30	190267	-	0.30	0.27	0.28	0.28	0.29	(0.02)	38,259	1,071	0.279
PTTGC01P2404X	0.10	190267	-	-	-	-	0.03	0.04	-	-	-	0
PTTGC01P2405X	0.22	190267	-	0.24	0.22	0.23	0.23	0.24	0.01	14,570	337	0.231
PTTGC06C2402A	0.08	190267	-	-	-	-	-	-	-	-	-	0
PTTGC11C2404A	0.17	190267	-	0.16	0.15	0.15	0.15	0.16	(0.02)	1,590	25	0.159
PTTGC11P2402A	0.04	190267	-	-	-	-	0.02	0.03	-	-	-	0
PTTGC13C2403A	0.03	190267	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC13C2406A	0.19	190267	-	0.19	0.17	0.18	0.18	0.19	(0.01)	35,216	633	0.179
PTTGC13P2404A	0.07	190267	-	-	-	-	0.03	0.04	-	-	-	0
PTTGC19C2406A	0.21	190267	-	0.22	0.20	0.20	0.21	0.22	(0.01)	25,730	531	0.206
PTTGC41C2403A	0.11	190267	-	0.09	0.09	0.09	0.09	0.11	(0.02)	1,000	9	0.09
PTTGC41C2404A	0.08	190267	-	-	-	-	0.07	0.08	-	-	-	0
PTTGC41C2405A	0.08	190267	-	-	-	-	0.06	0.07	-	-	-	0
PTTGC41C2406A	0.19	190267	-	0.18	0.18	0.18	0.18	0.19	(0.01)	2,000	36	0.18
PTTGC41C2407B	0.37	190267	-	-	-	-	0.34	0.36	-	-	-	0
SUTHA	2.54	190267	-	2.42	2.40	2.40	2.40	2.50	(0.14)	212	51	2.412
TPA	3.82	190267	-	3.94	3.80	3.94	3.80	3.94	0.12	114	43	3.802
UAC	3.80	190267	-	3.84	3.70	3.70	3.68	3.70	(0.10)	1,216	453	3.723
UP	16.30	190267	-	16.70	16.70	16.70	16.70	16.80	0.40	22	37	16.7
Commerce												
ADVICE	4.60	190267	4.60	4.86	4.58	4.64	4.64	4.66	0.04	477,889	226,713	4.744
B52	1.07	190267	1.12	1.12	1.05	1.06	1.05	1.06	(0.01)	68	7	1.071
BEAUTY	0.70	190267	0.70	0.71	0.67	0.67	0.67	0.68	(0.03)	277,155	18,853	0.68
BIG	0.54	190267	0.53	0.54	0.51	0.51	0.51	0.53	(0.03)	19,199	998	0.52
BJC	25.00	190267	25.00	25.25	24.50	25.25	25.00	25.25	0.25	72,807	181,432	24.919
COM7	21.90	190267	22.00	22.00	21.60	21.90	21.80	21.90	-	69,765	152,172	21.812
COM701C2403W	0.01	190267	-	0.01	0.01	0.01	0.01	0.02	-	2,929	3	0.01
COM701C2404A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
COM701C2404B	0.14	190267	-	0.13	0.12	0.13	0.12	0.13	(0.01)	15,309	199	0.129
COM701C2405A	0.03	190267	-	-	-	-	0.03	0.04	-	-	-	0
COM701C2406A	0.33	190267	-	0.34	0.31	0.32	0.32	0.33	(0.01)	32,734	1,047	0.319
COM701P2404X	0.23	190267	-	0.24	0.23	0.23	0.23	0.24	-	24,395	566	0.231
COM701P2406X	0.45	190267	-	0.46	0.44	0.45	0.45	0.46	-	27,161	1,226	0.451
COM706C2403A	0.10	190267	-	-	-	-	-	-	-	-	-	0
COM711C2404A	0.10	190267	-	-	-	-	0.02	0.04	-	-	-	0
COM711C2406A	0.30	190267	0.29	0.30	0.29	0.30	0.29	0.31	-	25,430	745	0.292
COM711P2406A	0.47	190267	-	0.49	0.45	0.46	0.46	0.48	(0.01)	25,210	1,184	0.469
COM713C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
COM713C2404A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
COM713C2404B	0.04	190267	-	-	-	-	0.03	0.05	-	-	-	0
COM713C2405A	0.16	190267	-	0.16	0.15	0.15	0.15	0.16	(0.01)	32,090	485	0.151
COM713C2405B	0.05	190267	-	-	-	-	0.04	0.05	-	-	-	0
COM713C2406A	0.34	190267	0.35	0.35	0.32	0.34	0.34	0.35	-	67,152	2,213	0.329
COM713P2404A	0.20	190267	-	0.20	0.19	0.19	0.19	0.20	(0.01)	28,584	571	0.199
COM719C2404A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
COM719C2404B	0.09	190267	-	-	-	-	0.07	0.08	-	-	-	0
COM719C2406A	0.26	190267	-	0.25	0.24	0.25	0.24	0.25	(0.01)	15,712	388	0.247
COM719C2407A	0.43	190267	-	0.42	0.41	0.42	0.41	0.42	(0.01)	29,942	1,256	0.419
COM719P2406A	0.41	190267	-	0.42	0.40	0.41	0.41	0.42	-	45,034	1,856	0.412
COM741C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
COM741C2404A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
COM741C2404B	0.10	190267	-	-	-	-	0.09	0.10	-	-	-	0
COM741C2405A	0.06	190267	-	-	-	-	0.04	0.06	-	-	-	0
COM741C2406A	0.31	190267	0.30	0.30	0.29	0.30	0.30	0.31	(0.01)	80,000	2,372	0.296
CPALL	55.00	190267	55.25	56.50	54.50	56.50	56.25	56.50	1.50	362,628	2,020,021	55.705
CPALL01C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
CPALL01C2404A	0.08	190267	-	0.09	0.08	0.09	0.09	0.10	0.01	271	2	0.087
CPALL01C2405A	0.26	190267	-	0.31	0.25	0.31	0.31	0.32	0.05	69,852	2,001	0.286
CPALL01P2404X	0.18	190267	0.16	0.18	0.13	0.13	0.13	0.14	(0.05)	19,896	315	0.158
CPALL01P2405X	0.12	190267	-	-	-	-	0.08	0.09	-	-	-	0
CPALL06C2402A	0.03	190267	-	-	-	-	-	-	-	-	-	0
CPALL06C2405A	0.15	190267	-	0.19	0.14	0.19	0.14	-	0.04	61,774	1,016	0.164
CPALL11C2403A	0.07	190267	-	-	-	-	0.01	0.04	-	-	-	0
CPALL11C2405A	0.21	190267	-	0.26	0.20	0.25	0.25	0.27	0.04	17,602	403	0.229
CPALL11P2402A	0.06	190267	-	-	-	-	0.02	0.03	-	-	-	0
CPALL13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
CPALL13C2404A	0.05	190267	-	-	-	-	0.04	0.05	-	-	-	0
CPALL13C2405A	0.12	190267	-	0.16	0.11	0.16	0.16	0.17	0.04	25,274	339	0.133
CPALL13C2407A	0.29	190267	-	0.35	0.28	0.35	0.35	0.36	0.06	56,244	1,767	0.314
CPALL13P2404A	0.10	190267	-	0.09	0.07	0.07	0.06	0.07	(0.03)	3,932	34	0.085
CPALL19C2403A	0.06	190267	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2404A	0.05	190267	-	-	-	-	0.03	0.04	-	-	-	0
CPALL19C2404B	0.10	190267	-	-	-	-	0.09	0.10	-	-	-	0
CPALL19C2406A	0.24	190267	0.26	0.30	0.240							

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CRC19C2406A	0.19	190267	-	0.19	0.18	0.18	0.18	0.19	(0.01)	5,404	100	0.185
CRC41C2407A	0.18	190267	-	0.19	0.18	0.18	0.18	0.19	-	29,752	536	0.18
CSS	1.03	190267	1.04	1.06	1.00	1.00	1.00	1.02	(0.03)	89,793	9,164	1.02
DOHOME	11.00	190267	11.00	11.10	10.90	11.10	11.00	11.10	0.10	20,200	22,210	10.995
DOHOME01C2404A	0.05	190267	-	-	-	-	0.04	0.05	-	-	-	0
DOHOME01C2406A	0.16	190267	0.15	0.16	0.15	0.15	0.15	0.16	(0.01)	40,705	614	0.15
DOHOME11C2403T	0.06	190267	-	-	-	-	0.03	0.04	-	-	-	0
DOHOME11C2406A	0.18	190267	-	0.17	0.16	0.17	0.17	0.18	(0.01)	16,441	278	0.169
DOHOME13C2404A	0.04	190267	-	0.04	0.04	0.04	0.04	0.05	-	1,000	4	0.04
DOHOME13C2406A	0.23	190267	-	0.24	0.22	0.24	0.24	0.25	0.01	37,611	872	0.231
DOHOME19C2404A	0.10	190267	-	-	-	-	0.09	0.10	-	-	-	0
DOHOME19C2406A	0.23	190267	-	0.22	0.21	0.22	0.21	0.22	(0.01)	109,613	2,327	0.212
DOHOME41C2406A	0.13	190267	-	0.13	0.12	0.13	0.13	0.14	-	16,000	200	0.125
DOHOME41C2406E	0.21	190267	-	0.20	0.18	0.20	0.20	0.21	(0.01)	49,000	933	0.19
FN	1.50	190267	-	1.50	1.49	1.50	1.49	1.50	-	33	5	1.498
FTE	1.63	190267	1.62	1.62	1.59	1.62	1.61	1.62	(0.01)	1,806	290	1.605
GLOBAL	16.20	190267	16.30	16.50	16.10	16.30	16.30	16.40	0.10	55,909	91,391	16.346
GLOBAL01C2404A	0.09	190267	-	0.09	0.09	0.09	0.08	0.10	-	459	4	0.09
GLOBAL01C2407A	0.31	190267	-	0.33	0.31	0.32	0.32	0.33	0.01	45,886	1,485	0.323
GLOBAL06C2403A	0.09	190267	-	-	-	-	-	-	-	-	-	0
GLOBAL13C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
GLOBAL13C2406A	0.17	190267	-	0.18	0.17	0.18	0.18	0.19	0.01	17,904	320	0.178
GLOBAL19C2403A	0.07	190267	-	-	-	-	0.03	0.04	-	-	-	0
GLOBAL19C2407A	0.33	190267	-	0.35	0.34	0.35	0.35	0.36	0.02	11,420	398	0.348
GLOBAL41C2406A	0.18	190267	0.18	0.19	0.18	0.18	0.18	0.19	-	88,472	1,636	0.184
HMPRO	10.90	190267	10.90	10.90	10.80	10.80	10.80	10.90	(0.10)	80,292	87,230	10.864
HMPRO01C2404A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO01C2406A	0.07	190267	-	-	-	-	0.05	0.06	-	-	-	0
HMPRO01C2407A	1.00	190267	-	-	-	-	0.18	0.20	-	-	-	0
HMPRO11C2407T	0.14	190267	-	-	-	-	0.13	0.14	-	-	-	0
HMPRO13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO13C2405A	0.04	190267	-	-	-	-	0.03	0.04	-	-	-	0
HMPRO13C2407A	0.15	190267	0.15	0.15	0.14	0.14	0.14	0.15	(0.01)	5,172	78	0.149
HMPRO19C2404A	0.04	190267	-	-	-	-	0.02	0.03	-	-	-	0
HMPRO19C2407A	1.00	190267	-	-	-	-	0.17	0.18	-	-	-	0
HMPRO41C2404A	0.04	190267	-	0.01	0.01	0.01	0.01	0.03	(0.03)	84	-	0.01
HMPRO41C2406A	0.10	190267	-	-	-	-	0.07	0.08	-	-	-	0
HMPRO41C2407A	0.14	190267	0.14	0.14	0.13	0.13	0.13	0.14	(0.01)	14,000	195	0.139
ICC	43.00	190267	-	45.00	43.50	45.00	43.00	44.50	2.00	9	40	44.583
ILM	21.10	190267	21.20	21.30	20.90	21.20	21.20	21.30	0.10	3,086	6,506	21.083
IT	3.08	190267	-	3.12	3.04	3.04	3.04	3.10	(0.04)	1,099	337	3.063
KAMART	14.80	190267	14.70	14.90	14.40	14.50	14.50	14.60	(0.30)	33,954	49,681	14.631
LOXLEY	1.39	190267	1.43	1.43	1.39	1.39	1.39	1.41	-	1,376	192	1.396
MC	14.70	190267	14.70	14.70	14.30	14.40	14.40	14.50	(0.30)	33,079	47,731	14.429
MEGA	40.50	190267	40.50	40.50	39.75	40.00	40.00	40.25	(0.50)	6,445	25,822	40.064
MEGA01C2404A	0.16	190267	-	-	-	-	0.14	0.15	-	-	-	0
MEGA13C2405A	0.16	190267	-	-	-	-	0.14	0.15	-	-	-	0
MEGA19C2404A	0.11	190267	-	-	-	-	0.09	0.10	-	-	-	0
MIDA	0.52	190267	0.52	0.53	0.50	0.51	0.51	0.52	(0.01)	12,064	619	0.513
MIDA-W3	0.01	190267	0.01	0.01	0.01	0.01	-	0.01	-	10	-	0.01
MOSHI	55.75	190267	55.75	55.75	55.00	55.00	55.00	55.25	(0.75)	1,345	7,439	55.309
RS	13.60	190267	13.60	13.60	13.40	13.50	13.50	13.60	(0.10)	27,376	36,900	13.479
RS-W4	0.04	190267	-	0.04	0.03	0.04	0.03	0.04	-	14,861	45	0.03
RS-W5	5.75	190267	5.75	5.75	5.55	5.60	5.60	5.65	(0.15)	3,253	1,838	5.651
RSP	2.40	190267	2.40	2.44	2.38	2.38	2.38	2.40	(0.02)	2,517	603	2.395
SABUY	4.98	190267	4.98	4.98	4.92	4.96	4.94	4.96	(0.02)	51,304	25,397	4.95
SABUY-W1	2.80	190267	-	2.80	2.80	2.80	2.78	2.82	-	1	-	2.8
SABUY-W2	0.73	190267	0.69	0.74	0.64	0.64	0.64	0.66	(0.09)	49,197	3,311	0.673
SABUY01C2403A	0.05	190267	-	0.03	0.03	0.03	0.03	0.04	(0.02)	140	-	0.03
SABUY01C2404A	0.05	190267	-	-	-	-	0.04	0.05	-	-	-	0
SABUY06C2404A	0.09	190267	-	-	-	-	-	-	-	-	-	0
SABUY13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
SABUY13C2404A	0.07	190267	-	-	-	-	0.06	0.07	-	-	-	0
SABUY13C2407A	0.11	190267	-	0.10	0.10	0.10	0.10	0.12	(0.01)	36,472	365	0.1
SABUY13C2407B	0.19	190267	-	0.18	0.18	0.18	0.18	0.19	(0.01)	9,024	162	0.18
SABUY19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
SABUY19C2404A	0.07	190267	-	-	-	-	0.06	0.07	-	-	-	0
SABUY19C2405A	0.23	190267	0.23	0.23	0.22	0.22	0.22	0.23	(0.01)	13,353	300	0.224
SABUY19C2407A	0.22	190267	-	0.22	0.22	0.22	0.21	0.22	-	50	1	0.22
SCM	4.10	190267	4.12	4.14	4.10	4.10	4.10	4.12	-	4,555	1,875	4.115
SCM-W2	1.90	190267	-	1.95	1.88	1.88	1.88	1.90	(0.02)	1,270	241	1.898
SINGER	9.95	190267	10.00	10.00	9.70	9.70	9.70	9.75	(0.25)	31,916	31,300	9.807
SPC	62.00	190267	61.25	62.00	61.25	62.00	61.25	62.00	-	10	61	61.375
SPI	70.50	190267	-	69.00	68.50	68.50	68.50	69.00	(2.00)	14	96	68.785
SVT	2.02	190267	2.06	2.06	1.99	1.99	1.99	2.00	(0.03)	6,033	1,213	2.01
TAN	13.70	190267	13.70	13.80	13.20	13.20	13.20	13.50	(0.50)	9,118	12,292	13.481
Information & Commun												
ADVANC	209.00	190267	210.00	210.00	207.00	207.00	207.00	208.00	(2.00)	43,525	905,743	208.097
ADVANC01C2404A	0.06	190267	-	0.06	0.06	0.06	0.05	0.06	-	510	3	0.06
ADVANC01C2407A	0.21	190267	-	0.21	0.19	0.19	0.19	0.20	(0.02)	72,885	1,418	0.194
ADVANC01P2404X	0.12	190267	-	0.12	0.10	0.12	0.12	0.13	-	4,835	56	0.114
ADVANC06C2405A	0.11	190267	-	-	-	-	-	-	-	-	-	0
ADVANC11C2407A	0.20	190267	0.20	0.20	0.18	0.18	0.18	0.19	(0.02)	11,354	220	0.193
ADVANC11P2402A	0.07	190267	-	-	-	-	0.01	0.03	-	-	-	0
ADVANC13C2404A	0.03	190267	-	-	-	-	0.02	0.03	-	-	-	0
ADVANC13C2405A	0.09	190267	-	0.09	0.08	0.09	0.08	0.09	-	6,000	51	0.085
ADVANC13C2407A	0.25	190267	-	0.24	0.24	0.24	0.23	0.24	(0.01)	1,408	34	0.24
ADVANC13P2404A	0.09	190267	-	0.10	0.09	0.10						

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
FORTH13C2406A	0.27	190267	-	0.27	0.26	0.26	0.25	0.26	(0.01)	11	-	0.26
FORTH19C2404A	0.06	190267	-	-	-	-	0.05	0.06	-	-	-	0
FORTH19C2407A	0.39	190267	-	0.38	0.38	0.38	0.36	0.37	(0.01)	9,710	369	0.38
GABLE	4.18	190267	4.18	4.18	4.14	4.14	4.14	4.18	(0.04)	2,303	956	4.15
HUMAN	12.30	190267	12.40	12.40	12.20	12.20	12.10	12.20	(0.10)	7,292	8,956	12.281
ICN	2.86	190267	2.90	2.90	2.82	2.82	2.82	2.88	(0.04)	7,129	2,036	2.855
ILINK	7.65	190267	7.65	7.80	7.60	7.75	7.70	7.80	0.10	10,487	8,083	7.708
INET	4.58	190267	4.56	4.58	4.52	4.52	4.52	4.56	(0.06)	508	231	4.545
INSET	2.64	190267	2.64	2.66	2.56	2.56	2.56	2.58	(0.08)	32,838	8,532	2.598
INTUCH	73.75	190267	72.00	72.00	70.00	70.50	70.50	70.75	(3.25)	68,412	484,854	70.872
INTUCH01C2403A	0.07	190267	-	-	-	-	0.01	0.02	-	-	-	0
INTUCH01C2405A	0.26	190267	-	0.24	0.21	0.21	0.21	0.22	(0.05)	14,213	323	0.227
INTUCH13C2404A	0.12	190267	-	-	-	-	0.08	0.09	-	-	-	0
INTUCH19C2404A	0.13	190267	-	0.12	0.10	0.10	0.10	0.11	(0.03)	7,914	84	0.105
ITEL	2.40	190267	2.40	2.46	2.36	2.44	2.44	2.46	0.04	75,599	18,225	2.41
ITEL-W4	0.02	190267	0.02	0.03	0.02	0.02	0.02	0.03	-	309	1	0.02
JAS	2.16	190267	2.00	2.06	1.82	1.84	1.84	1.85	(0.32)	2,498,206	479,513	1.919
JASIF	6.20	190267	6.20	6.30	6.20	6.25	6.25	6.30	0.05	126,731	79,415	6.266
JMART	15.00	190267	15.10	15.20	14.40	14.50	14.40	14.50	(0.50)	70,437	103,351	14.672
JMART-W4	2.56	190267	-	2.54	2.08	2.08	2.10	2.44	(0.48)	255	61	2.407
JMART-W5	1.81	190267	1.82	1.84	1.76	1.76	1.76	1.77	(0.05)	107	19	1.804
JMART01C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
JMART01C2404A	0.09	190267	-	0.07	0.07	0.07	0.06	0.07	(0.02)	800	6	0.07
JMART01C2405A	0.08	190267	-	0.06	0.05	0.05	0.05	0.06	(0.03)	304	2	0.056
JMART01C2406A	0.30	190267	0.31	0.31	0.26	0.26	0.26	0.27	(0.04)	54,879	1,513	0.275
JMART01P2404X	0.29	190267	0.30	0.32	0.28	0.32	0.32	0.33	0.03	45,073	1,374	0.304
JMART06C2402A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
JMART06C2405A	0.14	190267	-	0.14	0.12	0.12	-	-	(0.02)	10,746	147	0.136
JMART13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
JMART13C2404A	0.04	190267	-	0.04	0.04	0.04	0.03	0.04	-	7,800	31	0.04
JMART13C2404B	0.15	190267	-	0.15	0.11	0.11	0.11	0.12	(0.04)	30,744	391	0.127
JMART13C2407A	0.27	190267	-	0.27	0.23	0.23	0.23	0.24	(0.04)	29,877	739	0.247
JMART13P2404A	0.25	190267	-	0.28	0.23	0.28	0.28	0.29	0.03	28,624	763	0.266
JMART19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
JMART19C2404A	0.07	190267	-	0.06	0.06	0.06	0.05	0.06	(0.01)	500	3	0.06
JMART19C2406A	0.19	190267	-	0.18	0.17	0.17	0.16	0.17	(0.02)	16,416	288	0.175
JMART19C2406B	0.28	190267	-	0.28	0.24	0.24	0.23	0.24	(0.04)	46,826	1,252	0.267
JMART19P2404A	0.25	190267	-	0.30	0.25	0.30	0.30	0.31	0.05	73,897	2,028	0.274
JMART41C2403A	0.01	190267	-	-	-	-	0.01	0.03	-	-	-	0
JMART41C2403B	0.05	190267	-	-	-	-	0.01	0.02	-	-	-	0
JMART41C2404A	0.16	190267	-	0.14	0.12	0.12	0.12	0.13	(0.04)	46,900	652	0.138
JMART41C2404B	0.10	190267	-	-	-	-	0.05	0.07	-	-	-	0
JMART41C2405A	0.09	190267	-	-	-	-	0.06	0.08	-	-	-	0
JMART41P2405A	0.53	190267	-	-	-	-	0.53	0.54	-	-	-	0
JTS	84.75	190267	84.75	85.00	81.00	81.75	81.75	82.00	(3.00)	27,159	224,660	82.72
MFEC	7.05	190267	7.05	7.25	7.05	7.10	7.10	7.15	0.05	4,162	2,970	7.135
MSC	8.25	190267	8.35	8.40	8.25	8.35	8.25	8.35	0.10	172	142	8.266
PT	8.95	190267	9.05	9.05	8.85	8.95	8.90	8.95	-	4,156	3,703	8.91
SAMART	5.85	190267	5.85	6.00	5.80	5.95	5.95	6.00	0.10	14,661	8,662	5.907
SAMART-W3	0.04	190267	-	0.04	0.03	0.03	0.03	0.04	(0.01)	15,694	53	0.033
SAMTEL	2.68	190267	-	2.68	2.64	2.64	2.64	2.66	(0.04)	5,696	1,508	2.647
SAMTEL-W1	0.06	190267	-	0.04	0.03	0.03	0.03	0.04	(0.03)	7,371	24	0.032
SDC	0.04	190267	0.05	0.05	0.04	0.04	0.04	0.05	-	398,530	1,599	0.04
SIS	22.30	190267	23.30	23.50	22.40	23.20	23.20	23.30	0.90	5,977	13,813	23.11
SKY	28.50	190267	28.75	28.75	28.00	28.00	28.00	28.25	(0.50)	30,386	86,098	28.334
SVOA	1.86	190267	1.86	1.89	1.84	1.85	1.84	1.85	(0.01)	2,291	425	1.853
SYMC	7.50	190267	7.50	7.65	7.45	7.60	7.60	7.65	0.10	13,850	10,512	7.589
SYNEX	10.40	190267	10.40	10.50	10.30	10.30	10.30	10.40	(0.10)	2,084	2,161	10.371
THCOM	12.60	190267	12.60	13.10	12.50	13.00	13.00	13.10	0.40	168,414	216,633	12.863
TKC	14.30	190267	14.30	14.30	14.00	14.10	14.00	14.10	(0.20)	2,443	3,449	14.119
TRUE	6.65	190267	6.65	6.70	6.50	6.55	6.55	6.60	(0.10)	767,696	504,946	6.577
TRUE01C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
TRUE01C2404A	0.16	190267	-	0.16	0.14	0.14	0.14	0.15	(0.02)	43,534	642	0.147
TRUE01C2405A	0.34	190267	0.32	0.34	0.31	0.31	0.31	0.33	(0.03)	9,118	299	0.328
TRUE01C2407A	1.00	190267	-	0.29	0.27	0.27	0.27	0.28	(0.73)	11,935	336	0.281
TRUE01P2404X	0.03	190267	-	-	-	-	0.01	0.02	-	-	-	0
TRUE01P2406X	0.19	190267	-	0.20	0.18	0.19	0.19	0.20	-	39,169	731	0.186
TRUE06C2403A	0.06	190267	-	-	-	-	-	-	-	-	-	0
TRUE11C2405A	0.24	190267	-	0.24	0.22	0.23	0.23	0.24	(0.01)	5,770	136	0.236
TRUE11C2406A	0.38	190267	-	-	-	-	0.44	0.46	-	-	-	0
TRUE13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
TRUE13C2403B	0.05	190267	-	-	-	-	0.02	0.03	-	-	-	0
TRUE13C2405A	0.31	190267	-	0.31	0.27	0.28	0.28	0.30	(0.03)	11,112	330	0.296
TRUE13C2407A	1.00	190267	-	0.25	0.22	0.23	0.23	0.24	(0.77)	13,581	323	0.237
TRUE13P2404A	0.03	190267	-	0.02	0.02	0.02	0.01	0.02	(0.01)	60	-	0.02
TRUE13P2407A	0.19	190267	-	0.20	0.19	0.19	0.19	0.21	-	18,051	350	0.193
TRUE19C2404A	0.13	190267	-	0.12	0.11	0.11	0.11	0.12	(0.02)	8,423	100	0.118
TRUE19C2405A	0.41	190267	-	-	-	-	0.42	0.44	-	-	-	0
TRUE19C2407A	0.31	190267	-	0.31	0.28	0.29	0.29	0.30	(0.02)	39,349	1,202	0.305
TRUE41C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
TRUE41C2404A	0.07	190267	-	-	-	-	0.06	0.08	-	-	-	0
TRUE41C2404B	0.19	190267	-	0.19	0.17	0.17	0.17	0.18	(0.02)	16,000	288	0.18
TRUE41C2406A	0.47	190267	-	-	-	-	0.47	0.49	-	-	-	0
TRUE41C2406B	0.38	190267	-	0.38	0.37	0.37	0.35	0.37	(0.01)	4,000	150	0.375
TWZ	0.05	190267	0.04	0.05	0.04	0.04	0.04	0.05	(0.01)	98,687	395	0.04
Electronic Component												
CCET	3.00	190267	3.00	3.00	2.78	2.84	2.84	2.86	(0.16)	259,633	74,604	2.873
DELTA	78.00	190267	78.25	78.25	74.00	74.75	74.50	74.75	(3.25)	234,451	1,760,532	75.091
DELTA01C2403A	0.02	190267	0.02	0.02	0.01	0.02	0.01	0.02	-	13,509	14	0.01
DELTA01C2403B	0.11	190267	-	0.10	0.06	0.06	0.06	0.07	(0.05)	597	4	0.071
DELTA01C2404A	0.17	190267	0.18	0.18	0.12	0.12	0.12	0.13	(0.05)	33,795	446	0.132
DELTA01C2404B	0.09	190267	-	0.07	0.06	0.06	0.06	0.07	(0.03)	12,708	78	0.061
DELTA01C2406A	0.36	190267	-	0.36	0.28	0.29	0.29	0.30	(0.07)	186,343	5,565	0.298
DELTA01C2407A	1.00	190267	-	0.78	0.66	0.68	0.68	0.69	(0.32)	72,960	5,037	0.69
DELTA01P2404A	0.48	190267	-	0.59	0.48	0.56	0.56	0.58	0.08	388,343	21,862	0.562
DELTA01P2406X	0.56	190267	-	0.64	0.55	0.62	0.61	0.62	0.06	136,954	8,406	0.613
DELTA06C2402A	0.01	190267	-	-	-	-	-	-	-	-	-	0
DELTA06C2405A	0.22	190267	-	0.22	0.16	0.17	-	0.27	(0.05)	24,757	470	0.189
DELTA11C2406A	0.48	190267	-	0.45	0.38	0.40	0.39	0.40	(0.08)	8,585	349	0.40

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous					Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date	Open	High	Low							
DELTA19C2404A	0.07	190267	-	0.06	0.05	0.05	0.05	0.06	(0.02)	6,696	33	0.05
DELTA19C2406A	0.34	190267	-	0.32	0.27	0.28	0.28	0.29	(0.06)	71,212	2,029	0.284
DELTA19C2407A	1.00	190267	0.49	0.57	0.47	0.48	0.48	0.49	(0.52)	53,016	2,620	0.494
DELTA19P2404A	0.37	190267	-	0.45	0.36	0.43	0.43	0.44	0.06	53,819	2,257	0.419
DELTA41C2403A	0.03	190267	-	-	-	-	0.01	0.03	-	-	-	0
DELTA41C2404B	0.11	190267	-	-	-	-	0.07	0.08	-	-	-	0
DELTA41C2405A	0.11	190267	-	0.11	0.08	0.09	0.08	0.09	(0.02)	5,838	60	0.103
DELTA41C2406A	0.40	190267	-	0.38	0.30	0.31	0.31	0.32	(0.09)	33,221	1,080	0.325
DELTA41C2407A	0.60	190267	0.51	0.58	0.49	0.50	0.50	0.51	(0.10)	171,945	8,805	0.512
DELTA41P2406A	0.91	190267	-	1.01	0.98	1.00	0.99	1.00	0.09	37,878	3,732	0.985
HANA	45.25	190267	45.25	45.25	43.00	43.25	43.00	43.25	(2.00)	128,552	559,536	43.526
HANA01C2403A	0.01	190267	-	0.01	0.01	0.01	0.01	0.02	-	10,483	10	0.01
HANA01C2403B	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
HANA01C2404A	0.10	190267	-	-	-	-	0.06	0.07	-	-	-	0
HANA01C2405A	0.10	190267	-	0.08	0.07	0.07	0.07	0.08	(0.03)	420	3	0.072
HANA01C2406A	0.26	190267	0.22	0.25	0.20	0.20	0.20	0.21	(0.06)	78,764	1,679	0.213
HANA01P2403X	0.09	190267	-	0.14	0.08	0.13	0.13	0.14	0.04	104,312	1,287	0.123
HANA01P2404X	0.07	190267	-	0.11	0.10	0.11	0.11	0.12	0.04	25,960	276	0.106
HANA01P2405X	0.64	190267	0.59	0.71	0.59	0.69	0.69	0.71	0.05	8,728	576	0.66
HANA06C2404A	0.19	190267	-	0.16	0.13	0.13	-	0.15	(0.06)	21,742	335	0.154
HANA06C2405A	0.11	190267	-	0.10	0.08	0.08	-	0.32	(0.03)	29,922	266	0.089
HANA11C2407A	0.24	190267	-	0.21	0.19	0.19	0.19	0.20	(0.05)	10,000	198	0.197
HANA13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
HANA13C2404A	0.03	190267	0.02	0.02	0.02	0.02	0.01	0.02	(0.01)	1,187	2	0.02
HANA13C2404B	0.11	190267	-	0.10	0.07	0.07	0.07	0.08	(0.04)	5,647	42	0.075
HANA13C2407A	0.24	190267	-	0.23	0.18	0.18	0.18	0.19	(0.06)	89,225	1,696	0.19
HANA13P2403A	0.06	190267	-	0.06	0.06	0.06	0.06	0.08	-	1,000	6	0.06
HANA13P2404A	0.05	190267	-	-	-	-	0.08	0.09	-	-	-	0
HANA13P2406A	0.53	190267	-	0.62	0.52	0.62	0.61	0.62	0.09	115,400	6,811	0.59
HANA19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
HANA19C2404A	0.05	190267	-	-	-	-	0.03	0.04	-	-	-	0
HANA19C2404B	0.13	190267	-	0.12	0.09	0.09	0.09	0.10	(0.04)	12,128	128	0.105
HANA19C2407A	0.25	190267	0.22	0.24	0.20	0.20	0.20	0.21	(0.05)	41,896	888	0.211
HANA19P2405A	0.54	190267	-	0.62	0.54	0.62	0.63	0.64	0.08	4,936	275	0.558
HANA41C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
HANA41C2404A	0.05	190267	-	-	-	-	0.01	0.03	-	-	-	0
HANA41C2405A	0.27	190267	-	0.24	0.19	0.20	0.20	0.21	(0.07)	52,660	1,128	0.214
HANA41C2405B	0.16	190267	-	0.12	0.11	0.11	0.11	0.12	(0.05)	8,027	96	0.119
HANA41C2406A	0.16	190267	0.14	0.14	0.13	0.13	0.12	0.13	(0.03)	20,000	266	0.133
HANA41C2407A	0.31	190267	0.27	0.30	0.24	0.25	0.25	0.26	(0.06)	34,706	914	0.263
HANA41P2405A	0.28	190267	-	-	-	-	0.32	0.33	-	-	-	0
HANA41P2406A	0.53	190267	-	0.68	0.62	0.68	0.65	0.66	0.15	37,700	2,420	0.641
KCE	40.25	190267	40.25	40.25	38.75	39.00	39.00	39.25	(1.25)	168,247	660,371	39.25
KCE01C2403A	0.02	190267	-	0.01	0.01	0.01	0.01	0.02	(0.01)	74	-	0.01
KCE01C2405A	0.02	190267	-	0.02	0.02	0.02	0.01	0.02	-	4,404	9	0.02
KCE01C2406A	0.12	190267	0.13	0.13	0.09	0.09	0.09	0.10	(0.03)	46,288	503	0.108
KCE01C2407A	1.00	190267	-	0.27	0.25	0.25	0.25	0.26	(0.75)	72,820	1,885	0.258
KCE01P2403X	0.16	190267	-	0.21	0.17	0.21	0.21	0.23	0.05	4,320	83	0.193
KCE01P2405X	0.98	190267	-	1.08	0.97	1.08	1.08	1.10	0.10	18,250	1,911	1.046
KCE01P2406X	0.69	190267	0.70	0.74	0.70	0.74	0.76	0.78	0.05	9,942	711	0.715
KCE01P2407X	1.00	190267	-	0.49	0.46	0.48	0.48	0.49	(0.52)	44,663	2,112	0.472
KCE06C2402A	0.10	190267	-	-	-	-	-	-	-	-	-	0
KCE06C2406A	0.09	190267	-	0.08	0.07	0.07	0.06	0.09	(0.02)	2,491	18	0.07
KCE11C2405A	0.14	190267	-	-	-	-	0.05	0.06	-	-	-	0
KCE13C2404A	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	1,950	2	0.01
KCE13C2406A	0.09	190267	-	0.08	0.07	0.07	0.06	0.07	(0.02)	6,307	45	0.071
KCE13C2407A	0.16	190267	-	0.15	0.13	0.13	0.13	0.14	(0.03)	87,841	1,177	0.134
KCE13C2407B	0.27	190267	-	0.26	0.23	0.23	0.23	0.24	(0.04)	107,088	2,551	0.238
KCE13P2403A	0.12	190267	-	0.15	0.11	0.15	0.14	0.15	0.03	75,597	1,100	0.145
KCE13P2407A	0.63	190267	-	0.69	0.63	0.69	0.69	0.70	0.06	86,764	5,808	0.669
KCE19C2404A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2406A	0.09	190267	-	0.06	0.06	0.06	0.06	0.07	(0.03)	50	-	0.06
KCE19C2406B	0.10	190267	-	0.10	0.09	0.09	0.08	0.09	(0.01)	4,626	44	0.094
KCE19C2407A	0.24	190267	-	0.23	0.21	0.21	0.20	0.21	(0.03)	18,817	408	0.216
KCE19P2404A	0.79	190267	-	-	-	-	0.87	0.92	-	-	-	0
KCE41C2404A	0.01	190267	-	-	-	-	0.01	0.03	-	-	-	0
KCE41C2405A	0.04	190267	-	0.03	0.03	0.03	0.01	0.03	(0.01)	30	-	0.03
KCE41C2406A	0.08	190267	-	-	-	-	0.05	0.07	-	-	-	0
KCE41C2406B	0.12	190267	-	0.10	0.09	0.09	0.09	0.10	(0.03)	8,103	81	0.099
KCE41C2407A	0.25	190267	-	0.22	0.21	0.21	0.21	0.22	(0.04)	30,000	633	0.211
KCE41P2407A	0.58	190267	-	0.64	0.60	0.62	0.62	0.63	0.04	80,944	4,995	0.617
METCO	225.00	190267	226.00	226.00	225.00	225.00	225.00	226.00	-	25	564	225.44
SMT	3.28	190267	3.28	3.30	3.24	3.26	3.24	3.26	(0.02)	5,921	1,929	3.258
SMT-W3	0.19	190267	0.19	0.19	0.13	0.14	0.13	0.14	(0.05)	37,004	534	0.144
SVI	6.85	190267	6.90	6.95	6.70	6.80	6.75	6.80	(0.05)	4,035	2,733	6.772
TEAM	5.35	190267	5.25	5.35	5.20	5.20	5.20	5.25	(0.15)	3,189	1,676	5.254
Energy & Utilities												
7UP	0.41	190267	0.41	0.41	0.40	0.40	0.40	0.41	(0.01)	95,197	3,883	0.407
ACC	0.50	190267	0.51	0.51	0.49	0.50	0.50	0.51	-	138,731	6,929	0.499
ACE	1.47	190267	1.46	1.47	1.43	1.44	1.44	1.45	(0.03)	60,507	8,765	1.448
ACE13C2407A	0.20	190267	-	0.18	0.17	0.17	0.17	0.18	(0.03)	6,936	122	0.176
ACE19C2407A	0.22	190267	-	0.22	0.21	0.21	0.20	0.21	(0.01)	17,522	369	0.21
AGE	1.99	190267	2.12	2.26	2.10	2.16	2.16	2.18	0.17	127,146	27,727	2.18
AI	4.44	190267	4.46	4.58	4.42	4.48</						

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BANPU19C2405A	0.04	190267	-	-	-	-	0.02	0.03	-	-	-	0
BANPU19C2405B	0.07	190267	-	-	-	-	0.05	0.06	-	-	-	0
BANPU19C2407A	0.16	190267	-	0.13	0.13	0.13	0.14	0.15	(0.03)	500	7	0.13
BANPU19P2404A	0.35	190267	-	-	-	-	0.53	0.58	-	-	-	0
BANPU19P2406A	0.27	190267	-	0.31	0.29	0.30	0.30	0.31	0.03	7,857	234	0.298
BANPU41C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
BANPU41C2405A	0.07	190267	-	-	-	-	0.02	0.04	-	-	-	0
BANPU41C2406A	0.13	190267	-	-	-	-	0.10	0.11	-	-	-	0
BANPU41C2407A	0.15	190267	-	-	-	-	0.13	0.14	-	-	-	0
BBGI	4.18	190267	4.26	4.28	4.10	4.12	4.12	4.16	(0.06)	9,182	3,858	4.201
BCP	44.75	190267	44.50	44.50	43.50	43.50	43.50	43.75	(1.25)	34,670	152,009	43.844
BCP01C2403A	0.04	190267	-	-	-	-	0.01	0.02	-	-	-	0
BCP01C2405A	0.32	190267	-	0.30	0.26	0.26	0.26	0.27	(0.06)	9,971	281	0.281
BCP01P2404X	0.12	190267	-	0.14	0.12	0.14	0.14	0.15	0.02	5,200	69	0.132
BCP13C2403A	0.02	190267	-	0.01	0.01	0.01	-	0.01	(0.01)	511	1	0.01
BCP13C2405A	0.28	190267	-	0.26	0.23	0.23	0.23	0.24	(0.05)	7,115	174	0.244
BCP13P2404A	0.06	190267	-	0.03	0.03	0.03	0.03	0.04	(0.03)	10	-	0.03
BCP19C2404A	0.22	190267	-	0.20	0.19	0.19	0.18	0.19	(0.03)	5,218	100	0.191
BCPG	8.20	190267	8.25	8.25	8.10	8.10	8.10	8.15	(0.10)	32,990	26,868	8.144
BCPG19C2406A	0.19	190267	-	-	-	-	0.17	0.18	-	-	-	0
BGRIM	29.00	190267	29.00	29.25	27.75	28.00	28.00	28.25	(1.00)	210,462	594,297	28.237
BGRIM01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2403B	0.45	190267	-	0.44	0.28	0.28	0.28	0.32	(0.17)	7,321	228	0.311
BGRIM01C2404A	0.13	190267	-	0.13	0.09	0.10	0.10	0.11	(0.03)	119,744	1,250	0.104
BGRIM01C2406A	0.24	190267	-	0.24	0.18	0.19	0.19	0.20	(0.05)	106,300	2,148	0.202
BGRIM01P2404X	0.04	190267	-	0.05	0.05	0.05	0.04	0.05	0.01	1	-	0.05
BGRIM01P2406X	0.14	190267	-	0.16	0.13	0.16	0.16	0.17	0.02	116,845	1,732	0.148
BGRIM06C2402B	0.17	190267	0.01	0.01	0.01	0.01	-	-	(0.16)	340	-	0.01
BGRIM06C2403A	0.06	190267	-	-	-	-	-	-	-	-	-	0
BGRIM06C2404A	0.14	190267	-	0.15	0.10	0.12	-	0.13	(0.02)	51,016	596	0.116
BGRIM11C2403A	0.08	190267	-	-	-	-	0.02	0.04	-	-	-	0
BGRIM11C2405A	0.18	190267	-	0.18	0.14	0.15	0.15	0.16	(0.03)	53,065	817	0.153
BGRIM13C2403A	0.01	190267	-	0.01	0.01	0.01	0.01	0.02	-	2,150	2	0.01
BGRIM13C2403B	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
BGRIM13C2403C	0.17	190267	0.06	0.06	0.06	0.06	0.05	0.07	(0.11)	70	-	0.06
BGRIM13C2404A	0.13	190267	-	0.13	0.09	0.10	0.10	0.11	(0.03)	109,927	1,157	0.105
BGRIM13C2407A	0.16	190267	-	0.17	0.13	0.13	0.13	0.14	(0.03)	45,900	682	0.148
BGRIM13P2404A	0.06	190267	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM13P2406A	0.13	190267	-	0.15	0.12	0.15	0.15	0.16	0.02	16,950	245	0.144
BGRIM19C2403A	0.04	190267	-	-	-	-	0.02	0.03	-	-	-	0
BGRIM19C2403B	0.27	190267	-	0.07	0.05	0.05	0.05	0.09	(0.22)	44	-	0.053
BGRIM19C2404A	0.18	190267	0.14	0.17	0.13	0.13	0.13	0.14	(0.05)	48,404	696	0.143
BGRIM19C2407A	0.22	190267	0.22	0.22	0.18	0.18	0.18	0.19	(0.04)	160,571	3,121	0.194
BGRIM19P2406A	0.14	190267	-	0.17	0.14	0.17	0.16	0.17	0.03	31,797	492	0.154
BGRIM41C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM41C2403B	0.02	190267	-	-	-	-	0.01	0.03	-	-	-	0
BGRIM41C2404A	0.36	190267	-	-	-	-	0.21	0.25	-	-	-	0
BGRIM41C2404B	0.54	190267	-	-	-	-	0.51	0.57	-	-	-	0
BGRIM41C2405A	0.23	190267	-	0.22	0.18	0.18	0.18	0.19	(0.05)	15,050	310	0.205
BGRIM41C2405B	0.14	190267	-	0.13	0.10	0.10	0.10	0.11	(0.04)	61,368	664	0.108
BGRIM41C2407A	0.20	190267	-	0.20	0.15	0.16	0.16	0.17	(0.04)	81,046	1,445	0.178
BIOTEC	0.45	190267	0.45	0.46	0.44	0.44	0.44	0.45	(0.01)	17,616	783	0.444
BIOTEC-P	10.00	190267	-	-	-	-	-	-	-	-	-	0
BIOTEC-Q	10.00	190267	-	-	-	-	-	-	-	-	-	0
BIOTEC-W2	0.13	190267	0.12	0.13	0.12	0.12	0.12	0.13	(0.01)	13,905	180	0.129
BPP	14.20	190267	14.20	14.20	14.00	14.10	14.10	14.20	(0.10)	6,677	9,412	14.095
BRRGIF	3.40	190267	-	3.40	3.40	3.40	3.38	3.40	-	1,247	424	3.4
BSRC	9.40	190267	9.40	9.40	9.25	9.40	9.40	9.45	-	11,611	10,865	9.357
BSRC01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
BSRC13C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
BSRC19C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
CKP	4.04	190267	4.04	4.04	3.96	4.02	4.00	4.02	(0.02)	27,060	10,824	4
CKP01C2407A	0.62	190267	-	0.60	0.57	0.59	0.60	0.62	(0.03)	4,265	249	0.583
CKP13C2407A	0.68	190267	-	-	-	-	0.57	0.58	-	-	-	0
CKP19C2407A	0.58	190267	-	0.56	0.54	0.56	0.56	0.57	(0.02)	30,041	1,656	0.551
CV	0.59	190267	0.60	0.60	0.55	0.55	0.55	0.56	(0.04)	327,316	18,655	0.569
DEMCO	2.32	190267	2.32	2.34	2.30	2.30	2.30	2.32	(0.02)	1,189	274	2.304
DEMCO-W7	0.18	190267	-	0.18	0.15	0.15	0.14	0.15	(0.03)	9,692	159	0.164
EA	37.75	190267	37.75	38.25	37.50	38.00	37.75	38.00	0.25	60,955	231,231	37.934
EA01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
EA01C2403B	0.01	190267	-	0.01	0.01	0.01	0.01	0.02	-	28	-	0.01
EA01C2405A	0.04	190267	-	0.04	0.04	0.04	0.03	0.04	-	50	-	0.04
EA01C2406A	0.08	190267	-	0.08	0.08	0.08	0.08	0.09	-	5,000	40	0.08
EA01C2406B	0.15	190267	-	0.16	0.15	0.15	0.16	0.17	-	66,167	1,047	0.158
EA01P2403X	0.31	190267	-	0.27	0.22	0.25	0.25	0.27	(0.06)	9,897	251	0.253
EA01P2404X	0.53	190267	-	0.52	0.50	0.50	0.50	0.51	(0.03)	3,771	190	0.503
EA01P2406X	0.29	190267	-	0.28	0.27	0.27	0.27	0.28	(0.02)	26,507	724	0.272
EA06C2402A	0.05	190267	-	-	-	-	-	-	-	-	-	0
EA06C2404A	0.01	190267	-	-	-	-	-	-	-	-	-	0
EA06C2406A	0.16	190267	-	0.16	0.16	0.16	0.12	-	-	21,309	341	0.16
EA11C2403A	0.09	190267	-	-	-	-	0.01	0.03	-	-	-	0
EA11C2405A	0.04	190267	-	-	-	-	0.03	0.04	-	-	-	0
EA13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
EA13C2403B	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
EA13C2403C	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
EA13C2405A	0.03	190267	-	-	-	-	0.02	0.03	-	-	-	0
EA13C2406A	0.08	190267	-	0.07	0.07	0.07	0.08	0.09	(0.01)	32	-	0.07
EA13C2406B	0.12	190267	-	0.12	0.12	0.12	0.12	0.13	-	15,564	187	0.12
EA13C2407A	1.00	190267	0.26	0.26	0.25	0.26	0.26	0.27	(0.74)	36,616	946	0.258
EA13P2403A	0.06	190267	-	-	-	-	0.04	0.05	-	-	-	0
EA13P2406A	0.33	190267	0.33	0.33	0.32	0.32	0.32	0.33	(0.01)	18,638	602	0.322
EA19C2403A	0.03	190267	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2403B	0.05	190267	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2405A	0.05	190267	-	-	-	-	0.04	0.05	-	-	-	0
EA19C2406A	0.12	190267	-	0.12	0.12	0.12	0.12	0.13	-	19,904	239	0.12
EA19C2406B	0.21	190267	-	0.21	0.20	0.21	0.21	0.22	-	27,326	574	0.209
EA19P2403A	0.07	190267	-	-	-	-	0.03	0.04	-	-	-	0
EA41C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
EA41C2403B	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
EA41C2404A	0.07	190267	-	-	-	-	0.05	0.07	-	-	-	0
EA41C2405A	0.05	190267	-	-	-	-	0.03	0.05	-	-	-	0
EA41C2406A	0.14	190267	0.15	0.15	0.14	0.14	0.14	0.15	-	25,890	366	0.141
EA41P2405A	0.50	190267	-	0.50	0.50	0.50	0.49	0.50	-	8,000	400	0.5

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
EASTW	4.02	190267	4.00	4.02	3.98	4.00	3.98	4.00	(0.02)	4,418	1,767	3.999
EGATIF	6.05	190267	6.05	6.10	6.05	6.05	6.05	6.10	-	4,008	2,425	6.05
EGCO	128.50	190267	128.50	131.00	128.50	130.00	130.00	130.50	1.50	5,732	74,597	130.141
EGCO01C2404A	0.13	190267	-	0.15	0.14	0.14	0.14	0.15	0.01	8,092	118	0.145
EGCO13C2403A	0.02	190267	-	-	-	-	-	0.01	-	-	-	0
EGCO13C2405A	0.20	190267	-	0.22	0.20	0.22	0.21	0.22	0.02	18,274	395	0.216
EGCO19C2403A	0.02	190267	-	-	-	-	0.02	0.03	-	-	-	0
EP	2.70	190267	2.70	2.72	2.68	2.70	2.70	2.72	-	780	211	2.702
EP-W4	0.15	190267	-	0.14	0.14	0.14	0.14	0.15	(0.01)	1,614	23	0.14
ETC	2.64	190267	2.64	2.66	2.56	2.62	2.58	2.62	(0.02)	6,499	1,686	2.594
GPSC	52.25	190267	52.25	53.25	52.00	52.50	52.50	52.75	0.25	68,201	358,837	52.614
GPSC01C2403A	0.07	190267	-	0.08	0.07	0.07	0.07	0.08	-	14,222	102	0.071
GPSC01C2403B	0.65	190267	-	-	-	-	0.69	0.72	-	-	-	0
GPSC01C2404A	0.36	190267	-	0.41	0.39	0.39	0.39	0.41	0.03	2,814	114	0.406
GPSC01C2405A	0.24	190267	-	0.27	0.25	0.26	0.26	0.27	0.02	49,386	1,292	0.261
GPSC01C2407A	1.00	190267	-	0.41	0.39	0.39	0.39	0.40	(0.61)	16,259	645	0.396
GPSC01P2403X	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01P2404X	0.03	190267	-	0.02	0.02	0.02	0.01	0.02	(0.01)	1	-	0.02
GPSC01P2405X	0.17	190267	-	0.16	0.15	0.15	0.15	0.16	(0.02)	4,694	73	0.155
GPSC01P2407X	1.00	190267	0.35	0.35	0.34	0.35	0.35	0.36	(0.65)	14,371	495	0.344
GPSC06C2402A	0.07	190267	-	-	-	-	-	-	-	-	-	0
GPSC06C2403A	0.34	190267	-	-	-	-	-	-	-	-	-	0
GPSC06C2404A	0.26	190267	-	0.28	0.25	0.26	-	-	-	41,984	1,128	0.268
GPSC11C2403A	0.29	190267	0.29	0.32	0.28	0.29	0.29	0.31	-	12,740	383	0.3
GPSC11P2405A	0.16	190267	-	0.15	0.15	0.15	0.15	0.16	(0.01)	2,120	32	0.15
GPSC13C2403A	0.06	190267	-	0.05	0.05	0.05	0.04	0.05	(0.01)	100	1	0.05
GPSC13C2403B	0.18	190267	-	0.20	0.18	0.18	0.18	0.19	-	610	12	0.196
GPSC13C2406A	0.32	190267	-	0.35	0.32	0.33	0.32	0.33	0.01	93,910	3,163	0.336
GPSC13P2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
GPSC13P2404A	0.05	190267	-	-	-	-	0.02	0.03	-	-	-	0
GPSC13P2407A	0.27	190267	-	0.26	0.24	0.25	0.25	0.26	(0.02)	4,804	120	0.25
GPSC19C2403A	0.18	190267	-	0.21	0.17	0.19	0.18	0.19	0.01	2,786	53	0.189
GPSC19C2405A	0.24	190267	-	0.27	0.24	0.25	0.25	0.26	0.01	60,408	1,531	0.253
GPSC19P2404A	0.05	190267	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19P2406A	0.17	190267	-	0.17	0.16	0.16	0.16	0.17	(0.01)	19,682	316	0.16
GPSC19P2407A	0.37	190267	-	0.36	0.35	0.35	0.34	0.35	(0.02)	28,471	996	0.35
GPSC41C2403A	0.36	190267	-	-	-	-	0.34	0.37	-	-	-	0
GPSC41C2404A	0.66	190267	-	0.72	0.72	0.72	0.70	0.72	0.06	3,500	252	0.72
GPSC41C2405A	0.29	190267	0.29	0.31	0.29	0.29	0.29	0.30	-	16,305	483	0.296
GPSC41C2406A	0.30	190267	-	0.31	0.30	0.30	0.30	0.31	-	4,001	122	0.305
GPSC41P2406A	0.26	190267	-	0.24	0.23	0.23	0.23	0.24	(0.03)	8,000	188	0.235
GREEN	0.97	190267	0.98	1.11	0.98	0.99	0.99	1.00	0.02	169,932	17,879	1.052
GULF	43.75	190267	44.00	44.50	43.75	44.50	44.25	44.50	0.75	95,401	422,415	44.277
GULF01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
GULF01C2405A	0.09	190267	0.10	0.11	0.10	0.11	0.11	0.12	0.02	17,510	186	0.106
GULF01C2406A	0.20	190267	0.22	0.23	0.22	0.23	0.24	0.25	0.03	44,686	1,021	0.228
GULF01P2403X	0.07	190267	-	-	-	-	0.01	0.02	-	-	-	0
GULF01P2405X	0.17	190267	-	-	-	-	0.15	0.16	-	-	-	0
GULF06C2402A	0.06	190267	-	-	-	-	-	-	-	-	-	0
GULF11C2407T	0.26	190267	0.27	0.27	0.26	0.27	0.28	0.29	0.01	6,243	168	0.269
GULF13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
GULF13C2405A	0.07	190267	-	0.08	0.08	0.08	0.08	0.09	0.01	65	1	0.08
GULF13C2406A	0.18	190267	-	0.20	0.19	0.20	0.20	0.21	0.02	48,228	925	0.191
GULF13P2405A	0.13	190267	-	-	-	-	0.11	0.12	-	-	-	0
GULF19C2404A	0.07	190267	0.07	0.07	0.07	0.07	0.06	0.07	-	10	-	0.07
GULF19C2406A	0.18	190267	0.19	0.20	0.18	0.20	0.20	0.21	0.02	26,847	505	0.187
GULF19P2404A	0.12	190267	-	-	-	-	0.05	0.06	-	-	-	0
GULF41C2403A	0.06	190267	-	-	-	-	0.01	0.03	-	-	-	0
GULF41C2405A	0.09	190267	-	-	-	-	0.08	0.09	-	-	-	0
GULF41C2405B	0.10	190267	-	0.10	0.10	0.10	0.10	0.11	-	2,000	20	0.1
GULF41C2406A	0.20	190267	-	0.22	0.21	0.22	0.22	0.23	0.02	15,200	320	0.21
GULF41P2405A	0.32	190267	-	-	-	-	0.26	0.27	-	-	-	0
GUNKUL	3.10	190267	3.08	3.10	3.06	3.06	3.06	3.08	(0.04)	121,942	37,484	3.073
GUNKUL01C2404A	0.33	190267	-	0.31	0.30	0.30	0.30	0.31	(0.03)	9,092	279	0.307
GUNKUL01C2407A	0.31	190267	-	0.30	0.29	0.29	0.29	0.30	(0.02)	9,680	290	0.299
GUNKUL01P2404X	0.08	190267	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL11C2404A	0.43	190267	-	-	-	-	0.33	0.35	-	-	-	0
GUNKUL13C2403A	0.04	190267	-	0.01	0.01	0.01	0.01	0.02	(0.03)	3	-	0.01
GUNKUL13C2404A	0.32	190267	-	-	-	-	0.27	0.28	-	-	-	0
GUNKUL13C2407A	0.27	190267	-	0.26	0.26	0.26	0.25	0.26	(0.01)	22,908	596	0.26
GUNKUL13P2404A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL13P2407A	0.36	190267	-	0.35	0.35	0.35	0.35	0.36	(0.01)	30	1	0.35
GUNKUL19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL19C2403B	0.10	190267	-	-	-	-	0.08	0.09	-	-	-	0
GUNKUL19C2405A	0.39	190267	-	0.38	0.38	0.38	0.37	0.38	(0.01)	10,639	404	0.38
IFEC	0.35	190267	-	-	-	-	-	-	-	-	-	0
IRPC	1.99	190267	2.00	2.02	1.97	1.97	1.97	1.98	(0.02)	170,283	33,828	1.986
IRPC01C2406A	0.10	190267	-	-	-	-	0.08	0.09	-	-	-	0
IRPC11C2402T	0.01	190267	-	-	-	-	0.01	0.03	-	-	-	0
IRPC13C2405A	0.06	190267	-	-	-	-	0.05	0.06	-	-	-	0
IRPC13C2407A	0.35	190267	-	0.36	0.33	0.33	0.33	0.34	(0.02)	14,796	518	0.35
IRPC19C2404A	0.07	190267	-	-	-	-	0.05	0.06	-	-	-	0
JR	4.52	190267	4.54	4.56	4.48	4.48	4.48	4.50	(0.04)	726	326	4.49
KBSPIF	8.90	190267	8.80	8.85	8.70	8.75	8.70	8.80	(0.15)	3,561	3,125	8.774
LANNA	15.10	190267	15.10	15.10	14.80	14.90	14.90	15.00	(0.20)	5,874	8,752	14.899
MDX	2.86	190267	-	2.86	2.80	2.80	2.80	2.82	(0.06)	85	24	2.817
NOVA	10.70	190267	-	11.00	10.70	11.00	10.70	11.10	0.30	554	608	10.972

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PTG	8.70	190267	8.70	8.75	8.55	8.70	8.65	8.70	-	73,236	63,242	8.635
PTG01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
PTG01C2404A	0.13	190267	-	0.13	0.11	0.12	0.12	0.13	(0.01)	39,106	448	0.114
PTG01C2407A	0.29	190267	-	0.29	0.27	0.28	0.28	0.29	(0.01)	35,772	980	0.273
PTG01P2403X	0.07	190267	-	-	-	-	0.01	0.02	-	-	-	0
PTG06C2402A	0.05	190267	-	-	-	-	-	-	-	-	-	0
PTG11C2405A	0.38	190267	-	-	-	-	0.33	0.36	-	-	-	0
PTG13C2403A	0.06	190267	-	-	-	-	0.01	0.02	-	-	-	0
PTG13C2403B	0.09	190267	-	-	-	-	0.05	0.06	-	-	-	0
PTG13C2407A	0.24	190267	-	0.25	0.23	0.24	0.23	0.24	-	30,530	719	0.235
PTG19C2404A	0.15	190267	-	0.14	0.13	0.13	0.14	0.15	(0.02)	4,496	61	0.136
PTG19C2407A	0.29	190267	-	0.30	0.27	0.29	0.28	0.29	-	31,509	883	0.28
PTT	35.75	190267	35.75	36.00	35.50	35.75	35.50	35.75	-	213,714	763,692	35.734
PTT01C2403A	0.03	190267	-	-	-	-	0.02	0.03	-	-	-	0
PTT01C2405A	0.13	190267	-	0.13	0.13	0.13	0.13	0.14	-	12,987	169	0.13
PTT01C2407A	1.00	190267	-	-	-	-	0.23	0.24	-	-	-	0
PTT01P2403X	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
PTT01P2405X	0.08	190267	-	-	-	-	0.08	0.09	-	-	-	0
PTT11C2404A	0.09	190267	-	-	-	-	0.08	0.09	-	-	-	0
PTT13C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
PTT13C2406A	0.19	190267	-	0.18	0.17	0.18	0.18	0.19	(0.01)	21,849	393	0.179
PTT13P2405A	0.06	190267	-	-	-	-	0.04	0.05	-	-	-	0
PTT19C2404A	0.06	190267	-	-	-	-	0.06	0.07	-	-	-	0
PTT19C2406A	0.20	190267	-	0.20	0.20	0.20	0.19	0.20	-	13,091	262	0.2
PTT41C2407A	0.26	190267	0.26	0.26	0.26	0.26	0.26	0.27	-	4,000	104	0.26
PTT41C2407B	0.23	190267	-	-	-	-	0.23	0.24	-	-	-	0
PTT41C2408C	1.00	190267	-	-	-	-	0.21	0.22	-	-	-	0
PTTEP	150.50	190267	151.00	151.50	149.50	150.50	150.00	150.50	-	70,773	1,063,952	150.332
PTTEP01C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP01C2404A	0.13	190267	-	-	-	-	0.13	0.14	-	-	-	0
PTTEP01C2404T	0.12	190267	-	0.12	0.11	0.11	0.11	0.12	(0.01)	4,466	53	0.119
PTTEP01C2405A	0.43	190267	0.45	0.45	0.43	0.43	0.44	0.45	-	24,743	1,099	0.444
PTTEP01P2403X	0.27	190267	-	-	-	-	0.14	0.16	-	-	-	0
PTTEP01P2405X	0.12	190267	-	0.11	0.10	0.11	0.10	0.11	(0.01)	1,005	10	0.1
PTTEP01P2406X	0.48	190267	0.48	0.50	0.47	0.48	0.48	0.49	-	16,748	808	0.482
PTTEP06C2403A	0.02	190267	-	-	-	-	-	-	-	-	-	0
PTTEP06C2405A	0.46	190267	-	0.46	0.43	0.45	-	-	(0.01)	31,756	1,426	0.448
PTTEP11C2403T	0.11	190267	-	-	-	-	0.05	0.06	-	-	-	0
PTTEP11C2406A	0.44	190267	-	0.45	0.43	0.43	0.44	0.45	(0.01)	6,159	268	0.434
PTTEP11P2402A	0.09	190267	-	-	-	-	0.01	0.03	-	-	-	0
PTTEP11P2406A	0.36	190267	0.37	0.37	0.36	0.37	0.36	0.37	0.01	10,408	384	0.368
PTTEP13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
PTTEP13C2404A	0.12	190267	-	0.12	0.11	0.11	0.10	0.11	(0.01)	20,758	239	0.115
PTTEP13C2405A	0.35	190267	0.36	0.36	0.33	0.35	0.35	0.36	-	30,035	1,054	0.35
PTTEP13P2405A	0.07	190267	-	-	-	-	0.05	0.06	-	-	-	0
PTTEP13P2406A	0.24	190267	-	0.25	0.24	0.25	0.24	0.25	0.01	6,540	160	0.244
PTTEP19C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2403B	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2404A	0.07	190267	-	-	-	-	0.05	0.06	-	-	-	0
PTTEP19C2404B	0.16	190267	-	0.16	0.15	0.15	0.15	0.16	(0.01)	9,844	152	0.153
PTTEP19C2406A	0.42	190267	-	0.42	0.40	0.41	0.41	0.42	(0.01)	7,104	285	0.401
PTTEP41C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP41C2404A	0.07	190267	-	-	-	-	0.07	0.08	-	-	-	0
PTTEP41C2405A	0.33	190267	-	0.32	0.32	0.32	0.32	0.33	(0.01)	8	-	0.32
PTTEP41C2405B	0.33	190267	-	0.33	0.33	0.33	0.32	0.33	-	9,000	297	0.33
PTTEP41P2403A	0.59	190267	-	-	-	-	0.32	0.34	-	-	-	0
PTTEP41P2405A	0.11	190267	-	-	-	-	0.09	0.10	-	-	-	0
PTTEP41P2406A	0.34	190267	-	0.34	0.34	0.34	0.32	0.33	-	10	-	0.34
QTC	4.26	190267	-	4.26	4.14	4.18	4.16	4.18	(0.08)	312	130	4.169
RATCH	29.75	190267	29.50	29.75	29.25	29.50	29.50	29.75	(0.25)	23,301	68,764	29.511
RATCH01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
RATCH01C2405A	0.06	190267	-	-	-	-	0.05	0.06	-	-	-	0
RATCH11P2402A	0.28	190267	-	-	-	-	0.14	0.17	-	-	-	0
RATCH13C2405A	0.03	190267	-	-	-	-	0.02	0.03	-	-	-	0
RATCH13P2404A	0.10	190267	0.11	0.11	0.11	0.11	0.11	0.12	0.01	11,121	122	0.11
RATCH19C2405A	0.08	190267	-	-	-	-	0.07	0.08	-	-	-	0
RPC	0.66	190267	0.66	0.66	0.64	0.65	0.65	0.66	(0.01)	24,638	1,614	0.655
SCG	3.58	190267	3.60	3.60	3.52	3.54	3.54	3.58	(0.04)	153	55	3.587
SCI	1.10	190267	1.13	1.23	1.09	1.11	1.11	1.12	0.01	488,871	56,758	1.161
SCN	1.44	190267	1.46	1.46	1.37	1.44	1.42	1.44	-	25,129	3,543	1.409
SCN-W2	0.11	190267	-	0.12	0.12	0.12	0.11	0.12	0.01	17	-	0.12
SEAQIL	2.92	190267	2.92	2.94	2.90	2.90	2.88	2.90	(0.02)	986	287	2.91
SGP	8.00	190267	-	8.00	7.95	7.95	7.95	8.00	(0.05)	333	265	7.966
SKE	0.54	190267	0.54	0.55	0.52	0.52	0.52	0.53	(0.02)	27,365	1,454	0.531
SKE-W1	0.12	190267	0.11	0.13	0.10	0.11	0.10	0.11	(0.01)	36,828	412	0.111
SOLAR	0.72	190267	0.73	0.73	0.71	0.71	0.71	0.72	(0.01)	21,234	1,522	0.716
SPCG	12.30	190267	12.30	12.30	12.20	12.20	12.20	12.30	(0.10)	1,378	1,686	12.236
SPRC	8.70	190267	8.70	8.80	8.60	8.65	8.65	8.70	(0.05)	100,228	86,953	8.675
SPRC01C2403A	0.02	190267	-	-	-	-	0.02	0.03	-	-	-	0
SPRC01C2405A	0.20	190267	-	0.20	0.19	0.19	0.19	0.20	(0.01)	21,733	418	0.192
SPRC06C2402A	0.08	190267	-	-	-	-	-	-	-	-	-	0
SPRC06C2405A	0.26	190267	-	0.26	0.25	0.25	-	-	(0.01)	7,236	185	0.256
SPRC11C2406A	0.30	190267	0.29	0.30	0.28	0.28	0.28	0.29	(0.02)	16,570	471	0.284
SPRC13C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
SPRC13C2404A	0.19	190267	-	0.19	0.17	0.18	0.18	0.19	(0.01)	28,390	523	0.184
SPRC13P2405A	0.07	190267	-	-	-	-	0.06	0.07	-	-	-	0
SPRC19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
SPRC19C2404A	0.20	190267	-	0.20	0.18	0.18	0.18	0.19	(0.02)	21,800	406	0.186
SSP	7.95	190267	7.85	7.95	7.80	7.80	7.80	7.90	(0.15)	10,249	8,073	7.876
SSP-W2	0.27	190267	0.26	0.27	0.25	0.27	0.25	0.27	-	2,462	64	0.259
SUPER	0.41	190267	0.41	0.41	0.39	0.39	0.39	0.40	(0.02)	260,820	10,406	0.398
SUPEREIF	6.85	190267	6.85	6.90	6.80	6.80	6.80	6.85	(0.05)	1,013	691	6.824
SUSCO	5.05	190267	5.10	5.10	4.92	4.94	4.94	4.96	(0.11)	85,502	42,585	4.98
TAE	1.08	190267	-	1.09	1.06	1.08	1.07	1.08	-	2,777	299	1.077
TCC	0.57	190267	0.57	0.58	0.56	0.56	0.56	0.57	(0.01)	2,104	120	0.568
TCC-W5	0.24	190267	0.24	0.24	0.22	0.23	0.22	0.24	(0.01)	3,750	85	0.227
TGE	3.02	190267	3.00	3.12	3.00	3.04	3.04	3.06	0.02	53,546	16,425	3.067
TOP	58.75	190267	58.75	59.00	58.25	58.75	58.50	58.75	-	95,793	561,169	58.581
TOP01C2404A	0.37	190267	-	0.36	0.35	0.36	0.36	0.38	(0.01)	12,356	434	0.35
TOP01C2405A	0.34	190267	-	0.35	0.34	0.35	0.35	0.36	0.01	19,390	662	0.341
TOP01C2407A	1.00	190267	-	0.52	0.51	0.52	0.52	0.53	(0.48)	11,170	571	0.51
TOP01P2404X	0.08	190267	-	-	-	-	0.03	0.04	-	-	-	0
TOP01P2406X	0.25	190267	0.25	0.25	0.24	0.25	0.24	0.25	-	32,560	813	0.249

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TOP06C2402A	0.10	190267	-	-	-	-	-	-	-	-	-	0
TOP11C2405A	0.51	190267	-	-	-	-	0.58	0.60	-	-	-	0
TOP11C2407A	1.00	190267	-	0.41	0.40	0.41	0.41	0.42	(0.59)	6,360	255	0.4
TOP11P2406A	0.30	190267	-	-	-	-	0.29	0.30	-	-	-	0
TOP13C2404A	0.50	190267	-	-	-	-	0.48	0.50	-	-	-	0
TOP13C2407A	0.42	190267	-	0.43	0.42	0.43	0.43	0.44	0.01	26,900	1,133	0.421
TOP13P2404A	0.02	190267	-	0.02	0.02	0.02	0.01	0.02	-	1,000	2	0.02
TOP19C2403A	0.18	190267	-	0.16	0.15	0.16	0.16	0.17	(0.02)	16,228	245	0.15
TOP19C2405A	0.30	190267	-	0.31	0.30	0.30	0.31	0.32	-	11,166	336	0.3
TOP41C2404A	0.49	190267	-	-	-	-	0.47	0.49	-	-	-	0
TOP41C2405A	0.33	190267	0.33	0.33	0.32	0.33	0.33	0.34	-	24,010	772	0.321
TPIPP	3.42	190267	3.42	3.42	3.40	3.42	3.40	3.42	-	11,946	4,079	3.414
TSE	1.88	190267	1.87	1.88	1.80	1.81	1.81	1.82	(0.07)	23,661	4,314	1.823
TTW	9.85	190267	9.80	9.85	9.70	9.70	9.70	9.75	(0.15)	16,884	16,469	9.754
UBE	0.87	190267	0.86	0.88	0.85	0.85	0.85	0.86	(0.02)	24,744	2,129	0.86
WHAUP	3.96	190267	3.94	3.98	3.94	3.98	3.96	3.98	0.02	8,669	3,438	3.966
WP	3.76	190267	-	3.74	3.72	3.72	3.72	3.76	(0.04)	476	178	3.735
Media & Publishing												
AMARIN	4.18	190267	-	4.24	4.16	4.18	4.16	4.18	-	156	65	4.183
AQUA	0.34	190267	0.35	0.35	0.34	0.35	0.34	0.35	0.01	3,797	132	0.346
AQUA-W3	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
AS	7.45	190267	7.45	7.45	7.20	7.30	7.30	7.35	(0.15)	7,079	5,171	7.304
BEC	4.66	190267	4.66	4.68	4.64	4.66	4.66	4.68	-	15,941	7,429	4.66
FE	165.50	190267	-	160.00	160.00	160.00	155.00	162.50	(5.50)	2	32	160
GPI	1.88	190267	1.90	1.90	1.85	1.87	1.87	1.88	(0.01)	5,115	958	1.873
GRAMMY	6.10	190267	-	6.10	6.00	6.10	5.95	6.10	-	154	93	6.018
JKN	0.83	190267	0.82	0.82	0.71	0.72	0.71	0.72	(0.11)	524,996	39,334	0.749
MAJOR	14.10	190267	14.10	14.10	13.70	13.80	13.80	13.90	(0.30)	19,231	26,608	13.835
MATCH	1.49	190267	-	1.48	1.45	1.45	1.44	1.47	(0.04)	63	9	1.47
MATI	7.75	190267	-	8.00	7.75	8.00	7.75	7.95	0.25	8	6	7.806
MCOT	3.02	190267	3.88	3.90	3.20	3.24	3.24	3.30	0.22	9,591	3,383	3.527
MONO	0.83	190267	0.84	0.84	0.81	0.81	0.81	0.82	(0.02)	31,658	2,597	0.82
NATION	0.04	190267	0.04	0.05	0.04	0.05	0.04	0.05	0.01	6,365	28	0.044
NATION-W4	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
ONEE	4.36	190267	4.38	4.38	4.32	4.32	4.32	4.34	(0.04)	41,182	17,931	4.354
PLANB	8.75	190267	8.70	8.80	8.60	8.75	8.75	8.80	-	88,400	76,988	8.709
PLANB-W1	1.73	190267	-	1.73	1.61	1.61	1.61	1.66	(0.12)	1,204	204	1.691
PLANB11C2403A	0.11	190267	-	0.10	0.09	0.10	0.10	0.11	(0.01)	200	2	0.095
PLANB11P2402A	0.02	190267	0.01	0.01	0.01	0.01	0.01	0.03	(0.01)	3,300	3	0.01
PLANB11P2408A	1.00	190267	-	0.60	0.57	0.58	0.58	0.59	(0.42)	6,360	374	0.587
PLANB13C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
PLANB19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
POST	1.10	190267	-	-	-	-	-	-	-	-	-	0
PRAKIT	11.40	190267	-	11.40	11.10	11.40	11.20	11.40	-	120	134	11.165
PTECH	11.00	190267	-	10.70	10.70	10.70	10.40	11.00	(0.30)	1	1	10.7
ROCTEC	0.59	190267	0.60	0.61	0.59	0.60	0.60	0.61	0.01	87,755	5,218	0.594
ROCTEC-W3	0.02	190267	0.03	0.03	0.02	0.02	0.02	0.03	-	12,067	26	0.021
ROCTEC-W5	0.03	190267	0.04	0.04	0.03	0.03	0.03	0.04	-	288,820	880	0.03
SE-ED	2.30	190267	2.22	2.38	2.22	2.24	2.22	2.30	(0.06)	223	50	2.221
TKS	6.85	190267	6.85	6.85	6.65	6.75	6.70	6.75	(0.10)	2,349	1,589	6.763
VGI	1.58	190267	1.58	1.59	1.52	1.53	1.52	1.53	(0.05)	606,274	93,572	1.543
VGI-W3	0.07	190267	0.07	0.08	0.07	0.08	0.07	0.08	0.01	46,918	328	0.07
VGI01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2403B	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2404A	0.03	190267	-	0.02	0.02	0.02	0.01	0.02	(0.01)	1,600	3	0.02
VGI01C2405A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2406A	0.13	190267	0.13	0.14	0.11	0.11	0.11	0.12	(0.02)	60,810	704	0.115
VGI01C2407A	1.00	190267	-	0.28	0.23	0.24	0.24	0.25	(0.76)	33,714	833	0.247
VGI01P2405X	0.64	190267	0.64	0.70	0.64	0.70	0.70	0.71	0.06	20,527	1,380	0.672
VGI06C2403A	0.01	190267	-	-	-	-	-	-	-	-	-	0
VGI06C2405A	0.02	190267	-	-	-	-	-	-	-	-	-	0
VGI13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
VGI13C2403B	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
VGI13C2403C	0.02	190267	-	0.01	0.01	0.01	0.01	0.02	(0.01)	200	-	0.01
VGI13C2405A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
VGI13C2406A	0.13	190267	-	0.13	0.10	0.11	0.11	0.12	(0.02)	49,749	576	0.115
VGI13C2407A	0.22	190267	-	0.21	0.18	0.18	0.17	0.18	(0.04)	92,915	1,750	0.188
VGI13P2405A	0.47	190267	0.46	0.52	0.45	0.51	0.51	0.52	0.04	57,003	2,804	0.491
VGI19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
VGI19C2405A	0.07	190267	-	0.06	0.05	0.05	0.05	0.06	(0.02)	6,500	36	0.055
VGI19C2405B	0.04	190267	-	-	-	-	0.01	0.02	-	-	-	0
VGI19C2407A	0.20	190267	-	0.20	0.16	0.17	0.16	0.17	(0.03)	76,550	1,419	0.185
VGI41C2405A	0.06	190267	-	-	-	-	0.01	0.03	-	-	-	0
VGI41C2407A	0.22	190267	-	0.21	0.18	0.18	0.18	0.19	(0.04)	182,692	3,488	0.19
WORK	10.30	190267	10.20	10.20	9.90	9.90	9.90	9.95	(0.40)	5,698	5,685	9.976
ZAA	1.35	190267	1.36	1.36	1.22	1.25	1.24	1.25	(0.10)	33,896	4,338	1.279
Finance & Securities												
AEONTS	149.00	190267	150.50	150.50	149.00	149.50	149.50	150.50	0.50	648	9,711	149.861
AMANAH	2.16	190267	-	-	-	-	2.10	2.20	-	-	-	0
ASAP	3.22	190267	-	3.18	3.08	3.10	3.10	3.14	(0.12)	15,710	4,920	3.131
ASK	18.20	190267	18.20	18.20	18.10	18.10	18.10	18.20	(0.10)	7,882	14,302	18.144
ASP	2.84	190267	2.82	2.84	2.80	2.82	2.82	2.84	(0.02)	12,016	3,386	2.817
BAM	8.10	190267	8.10	8.10	7.85	7.95	7.95	8.00	(0.15)	239,105	189,875	7.941
BAM01C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
BAM01C2404A	0.05	190267	-	-	-	-	0.01	0.02	-	-	-	0
BAM01C2406A	0.22	190267	-	0.20	0.19	0.19	0.19	0.20	(0.03)	19,679	380	0.193
BAM11C2405A	0.17	190267	-	0.15	0.15	0.15	0.15	0.16	(0.02)	3,180	48	0.15
BAM13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-		

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CGH-W4	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
CHASE	1.88	190267	1.88	1.92	1.86	1.89	1.88	1.89	0.01	74,048	13,984	1.888
CHAYO	5.30	190267	5.30	5.30	5.15	5.25	5.20	5.25	(0.05)	9,944	5,179	5.208
CHAYO-W3	0.63	190267	-	0.64	0.58	0.60	0.60	0.61	(0.03)	8,289	494	0.596
ECL	1.46	190267	1.46	1.46	1.43	1.44	1.44	1.45	(0.02)	48,728	7,094	1.455
ECL-W4	0.03	190267	-	0.02	0.02	0.02	0.02	0.03	(0.01)	153,122	306	0.02
FNS	3.94	190267	3.96	3.96	3.90	3.90	3.90	3.94	(0.04)	2,041	803	3.932
FSX	2.48	190267	2.48	2.50	2.44	2.44	2.44	2.46	(0.04)	1,239	307	2.473
GBX	0.73	190267	0.74	0.74	0.72	0.72	0.72	0.73	(0.01)	4,948	360	0.727
GL	0.65	190267	-	-	-	-	-	-	-	-	-	0
HENG	1.85	190267	1.85	1.85	1.81	1.82	1.82	1.83	(0.03)	17,312	3,156	1.822
IFS	2.76	190267	-	2.76	2.74	2.76	2.74	2.76	-	296	81	2.74
JMT	23.00	190267	23.00	23.00	22.00	22.30	22.20	22.30	(0.70)	275,869	618,944	22.436
JMT-W4	1.91	190267	-	1.95	1.83	1.84	1.84	1.91	(0.07)	4,058	761	1.874
JMT01C2403A	0.01	190267	-	0.01	0.01	0.01	0.01	0.02	-	150	-	0.01
JMT01C2404A	0.03	190267	-	-	-	-	0.02	0.03	-	-	-	0
JMT01C2405A	0.09	190267	-	0.07	0.07	0.07	0.06	0.07	(0.02)	999	7	0.07
JMT01C2406A	0.50	190267	-	0.49	0.42	0.44	0.44	0.45	(0.06)	97,151	4,430	0.456
JMT01C2407A	1.00	190267	-	0.21	0.19	0.19	0.19	0.20	(0.81)	20,418	423	0.207
JMT01P2403A	0.16	190267	-	0.20	0.16	0.19	0.19	0.20	0.03	68,850	1,220	0.177
JMT01P2404X	0.27	190267	-	0.31	0.27	0.30	0.30	0.31	0.03	56,958	1,619	0.284
JMT01P2406X	1.00	190267	-	0.60	0.55	0.58	0.57	0.58	(0.42)	116,210	6,778	0.583
JMT06C2402A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
JMT06C2403A	0.01	190267	-	-	-	-	-	-	-	-	-	0
JMT06C2404A	0.05	190267	-	-	-	-	-	-	-	-	-	0
JMT06C2406A	0.56	190267	-	0.54	0.47	0.49	0.48	-	(0.07)	54,246	2,862	0.527
JMT11C2402T	0.01	190267	-	-	-	-	0.01	0.03	-	-	-	0
JMT11C2405A	0.11	190267	-	-	-	-	0.06	0.07	-	-	-	0
JMT11C2407A	0.64	190267	0.65	0.65	0.56	0.58	0.58	0.59	(0.06)	40,753	2,445	0.599
JMT11P2406A	0.62	190267	-	0.69	0.62	0.67	0.67	0.68	0.05	25,571	1,677	0.655
JMT13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
JMT13C2403B	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
JMT13C2404A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
JMT13C2404B	0.10	190267	-	0.10	0.08	0.08	0.08	0.09	(0.02)	41,530	393	0.094
JMT13C2405A	0.07	190267	-	0.06	0.05	0.05	0.05	0.06	(0.02)	5,846	31	0.053
JMT13C2406A	0.43	190267	0.39	0.43	0.36	0.37	0.37	0.38	(0.06)	159,106	6,288	0.395
JMT13C2407A	0.18	190267	-	0.18	0.15	0.15	0.15	0.16	(0.03)	39,698	649	0.163
JMT13P2403A	0.07	190267	-	0.10	0.07	0.09	0.09	0.10	0.02	12,502	119	0.095
JMT13P2406A	0.59	190267	-	0.65	0.59	0.63	0.63	0.64	0.04	89,888	5,569	0.619
JMT19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2403B	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2404A	0.03	190267	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2404B	0.13	190267	0.12	0.12	0.09	0.10	0.10	0.11	(0.03)	13,847	152	0.109
JMT19C2404C	0.06	190267	-	0.05	0.04	0.05	0.04	0.05	(0.01)	330	2	0.046
JMT19C2406A	0.51	190267	0.52	0.52	0.43	0.45	0.44	0.45	(0.06)	212,214	10,219	0.481
JMT19P2403A	1.02	190267	-	1.08	1.08	1.08	1.11	1.16	0.06	47	5	1.08
JMT19P2403B	0.17	190267	-	0.22	0.15	0.20	0.20	0.21	0.03	53,194	1,004	0.188
JMT19P2407A	0.37	190267	0.37	0.41	0.37	0.40	0.40	0.41	0.03	37,603	1,478	0.392
JMT41C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
JMT41C2403B	0.03	190267	-	-	-	-	0.01	0.02	-	-	-	0
JMT41C2404A	0.06	190267	-	-	-	-	0.02	0.04	-	-	-	0
JMT41C2405A	0.08	190267	-	-	-	-	0.06	0.08	-	-	-	0
JMT41C2406A	0.29	190267	-	0.28	0.24	0.24	0.24	0.25	(0.05)	173,381	4,476	0.258
JMT41C2406B	0.50	190267	-	0.49	0.42	0.43	0.42	0.43	(0.07)	54,242	2,473	0.455
JMT41C2407A	0.16	190267	-	0.14	0.14	0.14	0.14	0.15	(0.02)	16,000	224	0.14
KCAR	7.85	190267	-	7.85	7.80	7.85	7.85	7.90	-	301	235	7.816
KGI	4.76	190267	4.76	4.76	4.72	4.74	4.74	4.76	(0.02)	9,882	4,690	4.745
KTC	43.00	190267	42.75	43.25	42.75	43.00	43.00	43.25	-	13,301	57,204	43.006
KTC01C2405A	0.08	190267	-	0.08	0.08	0.08	0.08	0.09	-	1,000	8	0.08
KTC01C2407A	0.24	190267	-	0.24	0.24	0.24	0.24	0.25	-	19,090	458	0.24
KTC01P2406X	0.41	190267	-	0.40	0.39	0.40	0.40	0.41	(0.01)	5,098	203	0.399
KTC11C2405A	0.13	190267	-	-	-	-	0.10	0.11	-	-	-	0
KTC11P2405A	0.42	190267	-	0.41	0.41	0.41	0.41	0.42	(0.01)	3,180	130	0.41
KTC13C2405A	0.07	190267	-	-	-	-	0.07	0.08	-	-	-	0
KTC13C2407A	0.22	190267	-	0.22	0.22	0.22	0.22	0.23	-	9,008	198	0.22
KTC13P2407A	0.33	190267	-	-	-	-	0.32	0.33	-	-	-	0
KTC19C2405A	0.11	190267	-	0.12	0.11	0.12	0.11	0.12	0.01	360	4	0.11
KTC19C2407A	0.22	190267	-	0.22	0.22	0.22	0.22	0.23	-	10,282	226	0.22
KTC41C2403A	0.09	190267	-	-	-	-	0.01	0.03	-	-	-	0
KTC41C2405A	0.11	190267	-	-	-	-	0.11	0.12	-	-	-	0
MFC	20.40	190267	-	20.40	20.30	20.40	20.30	20.40	-	12	24	20.391
MICRO	2.20	190267	-	2.20	2.10	2.10	2.10	2.14	(0.10)	1,150	246	2.138
ML	0.70	190267	-	0.71	0.66	0.67	0.66	0.67	(0.03)	11,593	785	0.676
ML-W3	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	12	-	0.01
MST	10.70	190267	-	10.70	10.50	10.60	10.60	10.70	(0.10)	831	881	10.606
MTC	44.25	190267	44.00	44.25	43.25	43.50	43.50	43.75	(0.75)	66,927	290,922	43.468
MTC01C2403A	0.24	190267	-	-	-	-	0.19	0.21	-	-	-	0
MTC01C2404A	0.12	190267	-	0.10	0.10	0.10	0.10	0.11	(0.02)	55,166	552	0.1
MTC01C2406A	0.32	190267	-	0.31	0.28	0.29	0.29	0.30	(0.03)	75,678	2,194	0.289
MTC01P2404X	0.13	190267	-	0.14	0.14	0.14	0.14	0.15	0.01	44,126	618	0.14
MTC01P2406X	0.49	190267	-	0.52	0.50	0.51	0.51	0.52	0.02	22,420	1,148	0.512
MTC06C2404A	0.13	190267	-	0.11	0.11	0.11	-	-	(0.02)	44,548	490	0.11
MTC11C2403A	0.30	190267	-	-	-	-	0.28	0.30	-	-	-	0
MTC11C2406A	0.25	190267	0.25	0.25	0.22	0.23	0.23	0.24	(0.02)	30,906	712	0.23
MTC13C2403A	0.12	190267	-	0.10	0.09	0.09	0.09	0.10	(0.03)	4,762	46	0.096
MTC13C2404A	0.11	190267	-	-	-	-	0.09	0.10	-	-	-	0
MTC13C2406A	0.30	190267	0.30	0.30	0.26	0.27						

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SAWAD01C2403W	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD01C2405A	0.09	190267	-	0.08	0.08	0.08	0.08	0.09	(0.01)	1,500	12	0.08
SAWAD01C2406A	0.23	190267	-	0.22	0.21	0.22	0.22	0.23	(0.01)	37,623	806	0.214
SAWAD01P2403X	0.04	190267	-	-	-	-	0.02	0.03	-	-	-	0
SAWAD01P2404X	0.28	190267	-	0.30	0.27	0.28	0.28	0.29	-	13,126	378	0.288
SAWAD06C2402A	0.10	190267	-	-	-	-	-	-	-	-	-	0
SAWAD11P2406A	0.40	190267	-	0.41	0.39	0.40	0.40	0.41	-	5,350	217	0.405
SAWAD13C2403A	0.02	190267	-	-	-	-	-	0.01	-	-	-	0
SAWAD13C2405A	0.07	190267	-	0.06	0.06	0.06	0.06	0.07	(0.01)	11	-	0.06
SAWAD13C2406A	0.16	190267	-	0.15	0.14	0.15	0.15	0.16	(0.01)	8,430	122	0.145
SAWAD13C2407A	0.28	190267	-	0.28	0.25	0.27	0.27	0.28	(0.01)	17,312	456	0.263
SAWAD13P2403A	0.05	190267	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD13P2407A	0.33	190267	-	0.35	0.33	0.33	0.33	0.34	-	6,524	223	0.341
SAWAD19C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD19C2405A	0.13	190267	-	0.12	0.11	0.12	0.12	0.13	(0.01)	9,926	116	0.116
SAWAD19C2406A	0.26	190267	0.28	0.28	0.24	0.26	0.26	0.27	-	27,948	705	0.252
SAWAD19P2404A	0.18	190267	-	0.18	0.17	0.17	0.17	0.18	(0.01)	7,152	126	0.176
SAWAD41C2403A	0.01	190267	-	-	-	-	0.01	0.03	-	-	-	0
SAWAD41C2405A	0.12	190267	-	0.12	0.11	0.12	0.12	0.13	-	30,601	355	0.116
SAWAD41C2405B	0.09	190267	-	-	-	-	0.09	0.10	-	-	-	0
SAWAD41C2406A	0.29	190267	0.28	0.28	0.26	0.28	0.28	0.29	(0.01)	16,000	434	0.271
SAWAD41C2406B	0.26	190267	0.26	0.26	0.24	0.26	0.26	0.27	-	16,000	402	0.251
SAWAD41P2405A	0.33	190267	-	-	-	-	0.32	0.33	-	-	-	0
SCAP	3.28	190267	3.22	3.28	3.20	3.24	3.22	3.24	(0.04)	3,952	1,279	3.236
SGC	1.35	190267	1.36	1.36	1.32	1.32	1.32	1.33	(0.03)	26,704	3,571	1.337
SM	1.31	190267	1.31	1.31	1.30	1.30	1.30	1.31	(0.01)	2,838	371	1.308
TH	1.15	190267	1.15	1.16	1.12	1.12	1.12	1.13	(0.03)	26,664	3,024	1.134
TH-W3	0.44	190267	-	0.45	0.40	0.40	0.40	0.42	(0.04)	5,372	225	0.418
THANI	2.32	190267	2.32	2.34	2.24	2.26	2.24	2.26	(0.06)	141,709	32,275	2.277
THANI13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
THANI13C2407A	0.08	190267	-	-	-	-	0.07	0.08	-	-	-	0
THANI19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
THANI19C2407A	0.11	190267	-	-	-	-	0.09	0.10	-	-	-	0
TIDLOR	22.50	190267	22.50	22.50	22.10	22.40	22.40	22.50	(0.10)	67,271	149,941	22.289
TIDLOR01C2403A	0.03	190267	-	0.02	0.02	0.02	0.02	0.03	(0.01)	580	1	0.02
TIDLOR01C2405A	0.24	190267	-	0.24	0.22	0.23	0.23	0.24	(0.01)	46,377	1,050	0.226
TIDLOR01P2404X	0.28	190267	0.27	0.29	0.27	0.28	0.28	0.29	-	45,541	1,289	0.283
TIDLOR06C2403A	0.17	190267	0.17	0.17	0.14	0.16	0.14	-	(0.01)	63,936	1,014	0.158
TIDLOR11C2403A	0.23	190267	0.23	0.23	0.20	0.22	0.22	0.23	(0.01)	63,475	1,350	0.212
TIDLOR11P2406A	0.33	190267	-	0.34	0.33	0.33	0.33	0.34	-	8,420	281	0.333
TIDLOR13C2403A	0.05	190267	-	-	-	-	0.01	0.02	-	-	-	0
TIDLOR13C2406A	0.32	190267	-	0.31	0.30	0.31	0.31	0.32	(0.01)	45,372	1,381	0.304
TIDLOR13P2404A	0.06	190267	-	-	-	-	0.05	0.06	-	-	-	0
TIDLOR16C2402A	0.03	190267	-	-	-	-	0.01	0.09	-	-	-	0
TIDLOR19C2403A	0.06	190267	-	-	-	-	0.03	0.04	-	-	-	0
TIDLOR19C2404A	0.09	190267	-	0.07	0.07	0.07	0.08	0.09	(0.02)	35	-	0.07
TIDLOR19C2406A	0.32	190267	0.32	0.32	0.28	0.30	0.30	0.31	(0.02)	114,994	3,492	0.303
TIDLOR41C2403A	0.11	190267	-	0.09	0.08	0.09	0.09	0.10	(0.02)	1,050	9	0.089
TIDLOR41C2406A	0.38	190267	0.38	0.38	0.34	0.36	0.36	0.37	(0.02)	45,694	1,609	0.352
TK	5.65	190267	-	5.55	5.50	5.55	5.55	5.60	(0.10)	433	240	5.537
TNITY	5.70	190267	5.80	5.80	5.55	5.70	5.60	5.70	-	4,004	2,266	5.658
UOBKH	4.80	190267	4.76	4.78	4.76	4.76	4.78	4.80	(0.04)	22	10	4.769
XPG	1.15	190267	1.15	1.15	1.10	1.12	1.12	1.13	(0.03)	356,596	39,960	1.12
XPG-W4	1.95	190267	1.96	1.96	1.60	1.95	1.95	1.96	-	12,234	2,245	1.835
Food & Beverage												
AAI	4.08	190267	4.10	4.10	3.98	4.02	4.02	4.04	(0.06)	111,977	45,066	4.024
APURE	4.50	190267	-	4.50	4.44	4.48	4.46	4.48	(0.02)	2,508	1,120	4.464
APURE-W3	0.62	190267	-	0.63	0.59	0.59	0.58	0.59	(0.03)	621	37	0.601
ASIAN	6.85	190267	6.95	6.95	6.75	6.80	6.80	6.85	(0.05)	11,628	7,935	6.823
BR	2.62	190267	2.58	2.60	2.58	2.58	2.58	2.60	(0.04)	1,780	459	2.58
BR-W1	0.14	190267	-	0.15	0.13	0.13	0.13	0.14	(0.01)	7,030	92	0.13
BRR	4.36	190267	4.32	4.34	4.30	4.32	4.32	4.34	(0.04)	462	199	4.31
BRR-W2	0.54	190267	0.52	0.53	0.52	0.52	0.51	0.52	(0.02)	118	6	0.52
BTG	21.20	190267	21.20	21.20	20.70	21.00	20.90	21.00	(0.20)	12,201	25,444	20.854
BTG01C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
BTG06C2402A	0.09	190267	-	-	-	-	-	-	-	-	-	0
BTG13C2403A	0.02	190267	-	-	-	-	-	0.01	-	-	-	0
CBG	72.50	190267	72.50	72.75	71.75	72.00	72.00	72.25	(0.50)	33,806	243,739	72.099
CBG01C2403A	0.06	190267	-	-	-	-	0.02	0.03	-	-	-	0
CBG01C2403W	0.06	190267	-	-	-	-	0.01	0.02	-	-	-	0
CBG01C2404A	0.06	190267	-	0.06	0.06	0.06	0.05	0.06	-	3	-	0.06
CBG01C2404T	0.15	190267	-	0.15	0.15	0.15	0.14	0.15	-	30,280	454	0.15
CBG01C2406A	0.27	190267	-	0.28	0.26	0.26	0.26	0.27	(0.01)	109,456	2,961	0.27
CBG01C2407A	1.00	190267	-	0.51	0.47	0.48	0.48	0.49	(0.52)	34,622	1,682	0.485
CBG01P2404X	0.26	190267	0.26	0.27	0.25	0.26	0.26	0.27	-	31,692	826	0.26
CBG01P2405X	0.73	190267	0.73	0.75	0.72	0.74	0.74	0.75	0.01	27,815	2,045	0.735
CBG06C2405A	0.19	190267	-	0.19	0.17	0.17	0.16	0.18	(0.02)	31,038	553	0.178
CBG11C2404A	0.35	190267	-	0.36	0.33	0.33	0.33	0.34	(0.02)	17,975	615	0.341
CBG11P2404A	0.31	190267	-	0.31	0.30	0.30	0.31	0.33	(0.01)	11,880	363	0.305
CBG13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
CBG13C2403B	0.03	190267	-	0.03	0.03	0.03	0.03	0.04	-	100	-	0.03
CBG13C2406A	0.27	190267	-	0.27	0.24	0.25	0.25	0.26	(0.02)	67,084	1,696	0.252
CBG13P2404A	0.17	190267	-	0.17	0.16	0.17	0.17	0.18	-	32,280	548	0.169
CBG19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
CBG19C2403B	0.06	190267	-	-	-	-	0.02	0.03	-	-	-	0
CBG19C2405A	0.11	190267	-	0.10	0.10	0.10	0.10	0.11	(0.01)	49,649	496	0.1
CBG19C												

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CPF11P2407T	0.42	190267	-	0.42	0.41	0.41	0.41	0.43	(0.01)	21,590	906	0.419
CPF13C2403A	0.03	190267	-	-	-	-	-	0.01	-	-	-	0
CPF13C2404A	0.06	190267	-	-	-	-	0.01	0.02	-	-	-	0
CPF13C2406A	0.20	190267	0.20	0.20	0.19	0.19	0.19	0.20	(0.01)	2,600	50	0.19
CPF13P2405A	0.22	190267	-	0.22	0.21	0.22	0.21	0.22	-	2,624	55	0.21
CPF19C2404A	0.11	190267	-	-	-	-	0.06	0.07	-	-	-	0
CPI	2.70	190267	2.66	2.70	2.66	2.66	2.66	2.68	(0.04)	1,691	454	2.686
F&D	29.75	190267	-	30.00	28.00	28.25	28.25	29.00	(1.50)	59	168	28.453
GLOCON	0.29	190267	0.30	0.30	0.29	0.30	0.29	0.30	0.01	34,524	1,008	0.292
GLOCON-W5	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	130	-	0.01
HTC	17.30	190267	17.40	17.40	17.10	17.10	17.10	17.30	(0.20)	3,139	5,397	17.193
ICHI	16.90	190267	17.00	17.10	16.90	17.00	17.00	17.10	0.10	32,123	54,743	17.041
ICHI01C2405A	0.26	190267	-	0.28	0.27	0.27	0.27	0.28	0.01	17,398	475	0.272
ICHI13C2405A	0.21	190267	-	0.23	0.22	0.22	0.22	0.23	0.01	14,181	318	0.224
ICHI19C2405A	0.24	190267	-	0.25	0.24	0.24	0.24	0.25	-	9,276	228	0.246
ITC	19.20	190267	19.00	19.30	18.80	19.00	18.90	19.00	(0.20)	46,391	88,108	18.992
ITC01C2405A	0.12	190267	-	0.12	0.11	0.11	0.11	0.12	(0.01)	16,302	181	0.111
ITC13C2406A	0.19	190267	-	0.19	0.17	0.17	0.17	0.18	(0.02)	31,292	546	0.174
JDF	2.16	190267	2.12	2.18	2.10	2.12	2.10	2.12	(0.04)	2,132	451	2.116
KBS	5.65	190267	5.60	5.65	5.60	5.60	5.60	5.65	(0.05)	2,239	1,255	5.605
KCG	8.35	190267	8.35	8.35	8.30	8.35	8.30	8.35	-	6,405	5,338	8.333
KSL	2.62	190267	2.62	2.62	2.58	2.58	2.58	2.60	(0.04)	6,780	1,760	2.595
KTIS	3.76	190267	-	3.74	3.70	3.74	3.70	3.74	(0.02)	730	271	3.717
LST	5.30	190267	5.30	5.30	5.25	5.25	5.25	5.30	(0.05)	405	214	5.292
M	37.25	190267	37.25	37.25	36.75	37.00	37.00	37.25	(0.25)	3,328	12,312	36.995
MALEE	9.05	190267	9.05	9.25	8.90	8.95	8.90	8.95	(0.10)	20,772	18,871	9.084
NRF	5.05	190267	5.10	5.15	5.05	5.05	5.00	5.05	-	38,333	19,494	5.085
NSL	20.90	190267	20.80	20.90	20.50	20.70	20.60	20.70	(0.20)	3,266	6,742	20.641
OSP	21.10	190267	21.10	21.10	20.70	20.70	20.70	20.80	(0.40)	45,581	94,900	20.819
OSP01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
OSP01C2404A	0.04	190267	-	-	-	-	0.03	0.04	-	-	-	0
OSP01C2406A	0.22	190267	0.23	0.23	0.20	0.20	0.19	0.20	(0.02)	8,663	175	0.202
OSP13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
OSP13C2403B	0.01	190267	-	0.01	0.01	0.01	0.01	0.02	-	4	-	0.01
OSP13C2405A	0.15	190267	-	0.13	0.13	0.13	0.12	0.13	(0.02)	2,084	27	0.13
OSP19C2404A	0.09	190267	-	-	-	-	0.03	0.04	-	-	-	0
PB	68.50	190267	68.50	68.50	68.25	68.25	68.00	68.75	(0.25)	17	116	68.294
PLUS	6.35	190267	-	6.35	6.25	6.35	6.30	6.35	-	2,058	1,297	6.3
PM	7.90	190267	7.80	7.85	7.70	7.80	7.75	7.80	(0.10)	7,448	5,787	7.77
PQS	2.92	190267	-	2.90	2.86	2.86	2.86	2.88	(0.06)	1,155	331	2.865
PRG	10.10	190267	10.20	10.20	10.20	10.20	10.20	10.30	0.10	7	7	10.2
PRG-W1	9.10	190267	-	-	-	-	6.55	8.00	-	-	-	0
PRG-W2	5.55	190267	-	5.55	5.55	5.55	5.50	5.55	-	6	3	5.55
PRG-W3	5.80	190267	-	-	-	-	5.35	6.00	-	-	-	0
RBF	12.30	190267	12.30	12.40	12.20	12.20	12.20	12.30	(0.10)	18,842	23,125	12.273
RBF01C2405A	0.05	190267	-	-	-	-	0.04	0.05	-	-	-	0
RBF01C2406A	0.15	190267	-	0.15	0.14	0.14	0.14	0.15	(0.01)	24,305	356	0.146
RBF01P2405X	0.44	190267	-	-	-	-	0.42	0.44	-	-	-	0
RBF13C2405A	0.04	190267	-	0.04	0.04	0.04	0.04	0.05	-	5,000	20	0.04
RBF13C2406A	0.13	190267	-	0.13	0.12	0.13	0.12	0.13	-	36,290	463	0.127
RBF13P2405A	0.30	190267	-	-	-	-	0.31	0.33	-	-	-	0
RBF19C2405A	0.10	190267	-	-	-	-	0.06	0.07	-	-	-	0
RBF19P2406A	0.32	190267	-	0.32	0.31	0.32	0.32	0.33	-	13,009	413	0.317
SAPPE	85.50	190267	85.25	86.25	84.00	84.50	84.50	84.75	(1.00)	3,359	28,574	85.067
SAPPE01C2405A	0.31	190267	-	0.32	0.27	0.28	0.28	0.29	(0.03)	8,950	270	0.301
SAPPE13C2406A	0.28	190267	-	0.28	0.26	0.26	0.26	0.28	(0.02)	12,124	332	0.273
SAUCE	39.75	190267	39.25	39.50	39.25	39.50	39.25	39.75	(0.25)	41	162	39.414
SNNP	19.10	190267	19.30	19.50	18.00	18.00	18.00	18.10	(1.10)	96,325	177,926	18.471
SNNP01C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
SNNP01C2403B	0.09	190267	-	0.10	0.04	0.04	0.03	0.04	(0.05)	21,262	194	0.091
SNNP01C2407A	0.30	190267	0.32	0.32	0.22	0.22	0.22	0.23	(0.08)	64,583	1,624	0.251
SNNP13C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
SNNP13C2403B	0.10	190267	-	-	-	-	0.01	0.02	-	-	-	0
SNNP13C2406A	0.30	190267	0.32	0.33	0.21	0.21	0.21	0.22	(0.09)	106,245	2,647	0.249
SNNP19C2403A	0.05	190267	-	-	-	-	0.01	0.02	-	-	-	0
SNNP19C2407A	0.30	190267	0.31	0.32	0.21	0.21	0.21	0.22	(0.09)	73,790	1,901	0.257
SNP	15.80	190267	15.60	15.70	15.60	15.70	15.60	15.70	(0.10)	451	705	15.624
SORKON	4.32	190267	4.32	4.32	4.22	4.26	4.22	4.26	(0.06)	842	363	4.306
SSC	34.00	190267	-	33.75	33.75	33.75	33.75	35.75	(0.25)	2	7	33.75
SSF	7.80	190267	7.70	7.85	7.70	7.85	7.70	7.85	0.05	5	4	7.76
SST	5.25	190267	-	5.10	5.10	5.10	5.15	5.25	(0.15)	458	234	5.1
SUN	5.60	190267	5.60	5.70	5.50	5.50	5.50	5.55	(0.10)	17,762	9,931	5.591
TC	5.85	190267	5.90	5.95	5.75	5.95	5.90	5.95	0.10	708	413	5.835
TFG	3.58	190267	3.56	3.58	3.52	3.52	3.52	3.54	(0.06)	8,565	3,031	3.539
TFG-W3	0.01	190267	0.02	0.02	0.02	0.02	0.01	0.02	0.01	3,110	6	0.02
TFMAMA	232.00	190267	-	232.00	230.00	232.00	229.00	233.00	-	62	1,437	231.838
TIPCO	9.75	190267	9.80	9.85	9.50	9.55	9.55	9.60	(0.20)	24,286	23,468	9.663
TKN	10.80	190267	10.80	10.80	10.50	10.60	10.50	10.60	(0.20)	51,192	54,630	10.671
TKN01C2405A	0.46	190267	-	-	-	-	0.44	0.47	-	-	-	0
TKN01C2405B	0.19	190267	-	0.18	0.17	0.17	0.17	0.18	(0.02)	15,655	272	0.173
TKN01P2405X	0.15	190267	-	0.14	0.13	0.14	0.14	0.15	(0.01)	33,212	440	0.132
TKN13C2405A	0.46	190267	-	-	-	-	0.40	0.45	-	-	-	0
TKN13C2406A	0.20	190267	-	0.20	0.18	0.19	0.19	0.20	(0.01)	10,659	204	0.191
TKN13P2406A	0.17	190267	-	0.16	0.16	0.16	0.16	0.17	(0.01			

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AHC	17.90	190267	18.00	18.00	18.00	18.00	17.90	18.00	0.10	3	5	18
BCH	21.80	190267	21.80	22.00	21.70	21.90	21.80	21.90	0.10	57,322	125,130	21.829
BCH01C2404A	0.18	190267	-	0.18	0.17	0.18	0.18	0.19	-	50,584	872	0.172
BCH01C2407A	1.00	190267	-	0.33	0.33	0.33	0.33	0.34	(0.67)	10,402	343	0.33
BCH01P2407X	1.00	190267	-	0.45	0.44	0.44	0.44	0.45	(0.56)	5,888	263	0.446
BCH11C2402T	0.22	190267	-	-	-	-	0.07	0.09	-	-	-	0
BCH11C2407A	0.42	190267	0.42	0.42	0.41	0.42	0.42	0.43	-	11,610	483	0.415
BCH13C2404A	0.11	190267	-	0.11	0.11	0.11	0.11	0.12	-	1,574	17	0.11
BCH13C2407A	0.29	190267	-	0.29	0.29	0.29	0.29	0.30	-	4,147	120	0.29
BCH13P2406A	0.31	190267	-	0.30	0.30	0.30	0.30	0.31	(0.01)	6,110	183	0.3
BCH19C2406A	0.21	190267	-	0.21	0.21	0.21	0.21	0.22	-	4,895	103	0.21
BCH41C2407A	0.31	190267	-	0.31	0.31	0.31	0.31	0.32	-	4,000	124	0.31
BDMS	28.00	190267	28.00	28.00	27.75	27.75	27.75	28.00	(0.25)	196,421	546,701	27.833
BDMS01C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
BDMS01C2405A	0.17	190267	-	-	-	-	0.16	0.17	-	-	-	0
BDMS01P2403X	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
BDMS01P2407X	1.00	190267	-	-	-	-	0.24	0.25	-	-	-	0
BDMS06C2402A	0.06	190267	-	-	-	-	-	-	-	-	-	0
BDMS13C2404A	0.08	190267	-	0.07	0.07	0.07	0.07	0.08	(0.01)	1,113	8	0.07
BDMS13P2407A	0.27	190267	-	0.27	0.27	0.27	0.27	0.28	-	150	4	0.27
BDMS19C2403A	0.04	190267	-	-	-	-	0.01	0.02	-	-	-	0
BDMS19C2405A	0.15	190267	-	0.15	0.15	0.15	0.14	0.15	-	8	-	0.15
BDMS41C2404A	0.11	190267	-	-	-	-	0.09	0.10	-	-	-	0
BDMS41C2405A	0.16	190267	-	-	-	-	0.15	0.17	-	-	-	0
BH	243.00	190267	243.00	246.00	242.00	244.00	243.00	244.00	1.00	19,611	478,427	243.958
BH-P	22.80	190267	-	-	-	-	27.75	-	-	-	-	0
BH-Q	23.40	190267	-	-	-	-	34.25	-	-	-	-	0
BH01C2404A	0.20	190267	-	0.21	0.19	0.20	0.20	0.21	-	40,724	819	0.201
BH01C2405A	0.42	190267	0.42	0.43	0.41	0.42	0.42	0.43	-	21,320	893	0.418
BH01P2405X	0.11	190267	-	-	-	-	0.09	0.10	-	-	-	0
BH01P2406X	0.32	190267	-	0.32	0.31	0.31	0.31	0.32	(0.01)	35,962	1,130	0.314
BH06C2404A	0.27	190267	-	0.28	0.26	0.27	-	-	-	65,592	1,762	0.268
BH11C2404A	0.08	190267	-	-	-	-	0.07	0.08	-	-	-	0
BH11C2406A	0.39	190267	-	0.41	0.39	0.40	0.40	0.41	0.01	16,920	673	0.397
BH13C2404A	0.03	190267	-	-	-	-	0.02	0.03	-	-	-	0
BH13C2404B	0.10	190267	-	0.10	0.10	0.10	0.10	0.11	-	23,199	232	0.1
BH13C2405A	0.29	190267	-	0.30	0.28	0.29	0.29	0.30	-	49,086	1,424	0.29
BH13P2406A	0.20	190267	-	0.19	0.19	0.19	0.19	0.20	(0.01)	7,740	147	0.19
BH19C2404A	0.04	190267	-	-	-	-	0.03	0.04	-	-	-	0
BH19C2404B	0.12	190267	-	0.12	0.12	0.12	0.12	0.13	-	14,310	172	0.12
BH19C2404C	0.20	190267	-	0.21	0.19	0.20	0.20	0.21	-	30,756	611	0.198
BH41C2403A	0.01	190267	-	0.01	0.01	0.01	0.01	0.03	-	1,010	1	0.01
BH41C2404A	0.10	190267	-	0.10	0.10	0.10	0.10	0.11	-	12,000	120	0.1
BH41C2405A	0.31	190267	-	-	-	-	0.31	0.33	-	-	-	0
BH41C2406B	0.31	190267	0.31	0.32	0.31	0.32	0.32	0.33	0.01	74,000	2,350	0.317
BH41P2405A	0.14	190267	-	-	-	-	0.13	0.14	-	-	-	0
BH41P2406A	0.21	190267	-	-	-	-	0.19	0.20	-	-	-	0
CHG	2.94	190267	2.94	2.98	2.92	2.94	2.94	2.96	-	258,283	76,280	2.953
CHG01C2404A	0.05	190267	-	-	-	-	0.03	0.04	-	-	-	0
CHG01C2405A	0.15	190267	-	0.15	0.15	0.15	0.14	0.15	-	37,041	556	0.15
CHG11C2404A	0.07	190267	-	-	-	-	0.05	0.06	-	-	-	0
CHG13C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
CHG13C2404A	0.08	190267	-	0.08	0.08	0.08	0.08	0.10	-	5,582	45	0.08
CHG13C2406A	0.09	190267	-	0.09	0.09	0.09	0.09	0.10	-	4,374	39	0.09
CHG13P2406A	0.32	190267	-	0.32	0.31	0.32	0.32	0.34	-	26,618	834	0.313
CHG19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
CHG19C2404A	0.07	190267	-	-	-	-	0.07	0.08	-	-	-	0
CMR	2.10	190267	2.10	2.10	2.08	2.08	2.06	2.08	(0.02)	1,215	253	2.08
EKH	7.50	190267	7.50	7.60	7.50	7.55	7.55	7.60	0.05	5,074	3,834	7.557
EKH-W1	1.32	190267	1.31	1.33	1.26	1.29	1.29	1.30	(0.03)	3,937	513	1.303
KDH	94.00	190267	-	95.25	94.00	94.00	93.25	94.00	-	21	198	94.452
LPH	4.92	190267	4.86	4.90	4.78	4.82	4.82	4.84	(0.10)	4,543	2,182	4.803
M-CHAI	67.75	190267	-	67.75	66.00	66.25	66.00	66.25	(1.50)	206	1,376	66.786
NEW	110.00	190267	-	110.00	110.00	110.00	111.00	120.00	-	10	110	110
NTV	37.50	190267	37.50	37.75	37.50	37.50	37.25	37.50	-	390	1,463	37.509
PHG	13.10	190267	-	13.20	13.00	13.00	13.00	13.10	(0.10)	1,306	1,708	13.08
PR9	17.80	190267	18.30	18.60	17.90	18.00	17.90	18.00	0.20	34,802	63,793	18.33
PRINC	4.38	190267	4.32	4.38	4.32	4.36	4.36	4.38	(0.02)	3,495	1,523	4.356
RAM	31.00	190267	31.25	31.25	30.50	30.75	30.75	31.25	(0.25)	1,194	3,681	30.827
RJH	26.25	190267	26.00	26.25	26.00	26.25	26.00	26.25	-	367	958	26.099
RPH	6.50	190267	6.45	6.50	6.40	6.45	6.45	6.50	(0.05)	3,715	2,396	6.449
SAFE	19.70	190267	19.70	20.00	19.20	19.60	19.60	19.80	(0.10)	12,423	24,434	19.668
SKR	10.10	190267	10.00	10.10	10.00	10.00	10.00	10.10	(0.10)	809	809	10.003
THG	46.50	190267	46.75	47.00	46.25	46.25	46.25	46.50	(0.25)	1,613	7,525	46.649
VIBHA	1.79	190267	1.80	1.80	1.72	1.75	1.75	1.76	(0.04)	99,982	17,543	1.754
VIBHA-W4	0.06	190267	0.06	0.06	0.05	0.05	0.05	0.06	(0.01)	50,925	258	0.05
VIH	8.00	190267	8.40	8.50	8.20	8.20	8.20	8.25	0.20	14,216	11,905	8.374
WPH	6.45	190267	6.50	6.55	6.40	6.55	6.45	6.55	0.10	2,770	1,792	6.47
Tourism & Leisure										-	-	
ASIA	6.55	190267	6.60	6.65	6.60	6.65	6.55	6.60	0.10	15	10	6.613
BEYOND	13.00	190267	-	13.20	12.90	13.20	12.90	13.20	0.20	125	163	13.019
BEYOND-W2	3.06	190267	-	3.10	3.00	3.10	3.02	3.12	0.04	126	38	3.039
CENTEL	42.25	190267	42.50	43.00	41.75	42.75	42.75	43.00	0.50	27,751	118,052	42.539
CENTEL01C2403W	0.04	190267	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL01C2405A	0.15	190267	-	0.16	0.14	0.16	0.16	0.17	0.01	10,046	152	0.151
CENTEL01P2404X	0.18	190267	-	0.18	0.16	0.16	0.16	0.17	(0.02)	4,		

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ERW19C2405A	0.08	190267	-	-	-	-	0.05	0.06	-	-	-	0
ERW41C2406A	0.10	190267	-	-	-	-	0.09	0.10	-	-	-	0
GRAND	0.15	190267	0.15	0.15	0.14	0.14	0.14	0.15	(0.01)	16,931	242	0.143
LRH	40.25	190267	41.50	41.50	39.75	41.50	40.50	41.25	1.25	14	57	40.785
MANRIN	29.50	190267	-	-	-	-	29.25	31.00	-	-	-	0
MINT	30.75	190267	30.50	31.00	30.00	31.00	30.75	31.00	0.25	191,868	586,244	30.554
MINT01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
MINT01C2404A	0.08	190267	0.08	0.09	0.07	0.09	0.09	0.10	0.01	46,434	392	0.084
MINT01C2406A	0.24	190267	-	0.25	0.20	0.25	0.25	0.26	0.01	27,633	628	0.227
MINT01P2404X	0.04	190267	-	-	-	-	0.02	0.03	-	-	-	0
MINT01P2406X	0.24	190267	-	0.27	0.23	0.23	0.23	0.24	(0.01)	25,764	639	0.248
MINT06C2402A	0.10	190267	-	-	-	-	-	-	-	-	-	0
MINT06C2405A	0.11	190267	0.11	0.13	0.10	0.13	-	-	0.02	49,764	540	0.108
MINT11C2403A	0.06	190267	-	-	-	-	0.04	0.05	-	-	-	0
MINT11C2406A	0.23	190267	-	0.23	0.20	0.23	0.23	0.24	-	11,890	254	0.214
MINT13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
MINT13C2403B	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
MINT13C2404A	0.10	190267	-	0.11	0.08	0.11	0.11	0.13	0.01	76,799	741	0.096
MINT13C2406A	0.22	190267	-	0.23	0.18	0.23	0.23	0.25	0.01	42,079	891	0.211
MINT13P2404A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
MINT13P2407A	0.23	190267	0.23	0.25	0.21	0.21	0.21	0.22	(0.02)	38,180	896	0.234
MINT19C2403A	0.08	190267	-	-	-	-	0.04	0.05	-	-	-	0
MINT19C2404A	0.13	190267	-	0.14	0.11	0.14	0.13	0.14	0.01	27,697	341	0.123
MINT19C2406A	0.17	190267	-	0.18	0.15	0.18	0.17	0.18	0.01	104,798	1,778	0.169
MINT41C2403A	0.07	190267	-	-	-	-	0.01	0.03	-	-	-	0
MINT41C2404A	0.11	190267	-	0.11	0.10	0.11	0.11	0.12	-	27,042	285	0.105
MINT41C2405A	0.30	190267	-	0.28	0.24	0.28	0.28	0.29	(0.02)	4,000	105	0.262
MINT41C2406A	0.20	190267	-	0.21	0.16	0.21	0.21	0.22	0.01	30,834	593	0.192
OHTL	486.00	190267	-	-	-	-	432.00	458.00	-	-	-	0
ROH	2.64	190267	2.62	2.62	2.54	2.60	2.56	2.60	(0.04)	152	39	2.551
SHANG	49.25	190267	49.25	49.25	48.75	48.75	48.75	49.25	(0.50)	45	220	48.988
SHR	2.26	190267	2.28	2.28	2.22	2.26	2.26	2.28	-	33,714	7,588	2.25
VRANDA	4.98	190267	5.00	5.00	4.98	4.98	4.98	5.00	-	499	249	4.992
Home & Office Produc												
AJA	0.25	190267	0.25	0.26	0.24	0.25	0.24	0.25	-	147,438	3,704	0.251
AJA-W3	0.08	190267	-	0.08	0.07	0.07	0.07	0.08	(0.01)	4,931	35	0.07
AJA-W4	0.08	190267	-	0.07	0.07	0.07	0.07	0.08	(0.01)	3,883	27	0.07
DTCI	31.00	190267	-	-	-	-	30.00	33.00	-	-	-	0
FANCY	0.44	190267	0.44	0.44	0.41	0.42	0.41	0.42	(0.02)	4,731	199	0.42
FTI	2.16	190267	2.16	2.16	2.12	2.14	2.12	2.14	(0.02)	4,427	941	2.125
KYE	328.00	190267	328.00	328.00	325.00	328.00	325.00	328.00	-	19	620	326.21
L&E	1.21	190267	-	1.21	1.18	1.20	1.18	1.20	(0.01)	58	7	1.202
MODERN	2.32	190267	-	2.32	2.28	2.28	2.28	2.30	(0.04)	430	99	2.299
OGC	23.80	190267	-	-	-	-	23.60	24.20	-	-	-	0
ROCK	9.05	190267	-	8.25	8.25	8.25	8.30	9.60	(0.80)	4	3	8.25
SBNEXT	0.94	190267	0.94	0.95	0.86	0.87	0.87	0.88	(0.07)	116,710	10,274	0.88
SBNEXT-W2	0.15	190267	-	0.16	0.14	0.15	0.14	0.15	-	47,012	689	0.146
SIAM	1.29	190267	-	1.30	1.24	1.27	1.26	1.27	(0.02)	2,124	267	1.256
TCMC	1.37	190267	-	1.40	1.37	1.37	1.37	1.39	-	261	36	1.378
Insurance												
AYUD	34.00	190267	-	34.00	33.25	33.50	33.25	33.50	(0.50)	22	74	33.409
BKI	311.00	190267	-	312.00	311.00	312.00	311.00	312.00	1.00	65	2,024	311.43
BLA	18.90	190267	18.90	19.00	18.70	18.70	18.70	18.80	(0.20)	5,240	9,837	18.773
BLA01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
BLA01C2404A	0.05	190267	-	-	-	-	0.01	0.02	-	-	-	0
BLA01P2404X	0.50	190267	-	0.53	0.48	0.53	0.51	0.53	0.03	945	47	0.495
BLA13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
BLA13C2404A	0.04	190267	-	-	-	-	0.03	0.04	-	-	-	0
BLA19C2403A	0.08	190267	-	-	-	-	0.01	0.02	-	-	-	0
BUI	20.60	190267	-	20.60	20.20	20.20	20.20	20.50	(0.40)	62	126	20.35
CHARAN	24.00	190267	23.60	23.70	23.50	23.60	23.50	23.60	(0.40)	26	61	23.6
INSURE	122.00	190267	108.00	108.00	102.00	103.50	103.00	112.00	(18.50)	17	180	106.058
KWI	0.58	190267	0.60	0.62	0.60	0.60	0.60	0.61	0.02	6,561	399	0.607
MTI	111.00	190267	-	112.50	111.00	112.00	111.00	112.00	1.00	25	279	111.7
NKI	27.75	190267	28.25	28.25	27.75	27.75	27.75	28.00	-	209	586	28.029
SMK	0.80	190267	-	-	-	-	-	-	-	-	-	0
TGH	16.60	190267	-	16.40	16.40	16.40	16.20	16.60	(0.20)	3	5	16.4
THRE	0.83	190267	0.83	0.84	0.81	0.82	0.82	0.83	(0.01)	13,502	1,111	0.822
THREL	2.04	190267	2.04	2.04	1.98	1.99	1.98	1.99	(0.05)	23,067	4,603	1.995
TIPH	29.75	190267	30.00	30.00	29.50	29.50	29.50	30.00	(0.25)	3,534	10,506	29.728
TIPH13C2404A	0.06	190267	-	-	-	-	0.03	0.04	-	-	-	0
TIPH13C2407A	0.17	190267	-	0.17	0.16	0.16	0.16	0.17	(0.01)	6,307	107	0.169
TIPH19C2404A	0.04	190267	-	0.03	0.03	0.03	0.02	0.03	(0.01)	1	-	0.03
TIPH19C2407A	0.23	190267	-	0.23	0.22	0.22	0.21	0.22	(0.01)	5,753	128	0.221
TLI	8.70	190267	8.70	8.70	8.30	8.45	8.40	8.45	(0.25)	286,220	240,849	8.414
TLI01C2404A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
TLI01C2406A	0.03	190267	-	0.02	0.02	0.02	0.01	0.03	(0.01)	60,000	120	0.02
TLI01C2406B	0.14	190267	-	0.11	0.11	0.11	0.11	0.12	(0.03)	22,290	245	0.11
TLI01P2403X	0.58	190267	-	0.70	0.61	0.68	0.66	0.68	0.10	3,074	208	0.675
TLI06C2402A	0.02	190267	-	-	-	-	-	-	-	-	-	0
TLI13C2403A	0.02	190267	-	0.01	0.01	0.01	0.01	0.02	(0.01)	2,658	3	0.01
TLI13C2404A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
TLI13C2405A	0.07	190267	-	-	-	-	0.05	0.06	-	-	-	0
TLI13C2407A	0.29	190267	-	0.27	0.22	0.24	0.24	0.25	(0.05)	21,020	512	0.243
TLI19C2404A	0.07	190267	-	-	-	-	0.01	0.02	-	-	-	0
TLI41C2404A	0.09	190267	-	-	-	-	0.01	0.03	-	-	-	0
TLI41C2404B	0.10	190267	-	-	-	-	0.01	0.03	-	-	-	0
TLI41C2405A	0.12	190267	0.11	0.11	0.08	0.08	0.08	0.09	(0.04)	8,099	71	0.087
TLI41C2405B	0.06	190267	-	-	-	-	0.02	0.04	-	-	-	0
TLI41C2406A	0.28	190267	-	0.24	0.21	0.22	0.22	0.23	(0.06)	16,365	364	0.222
TQM	27.50	190267	27.50	27.50	27.25	27.25	27.25	27.50	(0.25)	1,811	4,939	27.274
TQM13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
TQM13C2407A	0.17	190267	0.18	0.18	0.18	0.18	0.16	0.17	0.01	20	-	0.18
TQM19C2404A	0.03	190267	-	-	-	-	0.02	0.03	-	-	-	0
TQM19C2407A	0.19	190267	-	-	-	-	0.19	0.20	-	-	-	0
TSI	0.17	190267	0.18	0.18	0.16	0.17	0.16	0.17	-	1,282	22	0.167
TVH	8.15	190267	8.05	8.15	8.05	8.10	8.05	8.20	(0.05)	116	94	8.097
Packaging												
AJ	6.55	190267	6.50	6.50	6.45	6.45	6.45	6.50	(0.10)	142	92	6.485
ALUCON	184.50	190267	-	190.00	182.00	190.00	183.50	190.00	5.50	21	390	185.857
BGC	7.50	190267	7.55	7.55	7.45	7.45	7.45	7.55	(0.05)	1,132	848	7.494
CSC	45.25	190267	45.00	45.25	45.00	45.25	45.00	45.75	-	9	41	45.138
CSC-P	150.00	190267	-	-	-	-	-	-	-	-	-	0

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CSC-Q	76.00	190267	-	-	-	-	-	-	-	-	-	0
NEP	0.21	190267	-	0.22	0.21	0.21	0.20	0.21	-	12	-	0.215
PJW	3.34	190267	-	3.34	3.30	3.32	3.32	3.34	(0.02)	599	199	3.316
PJW-W1	0.30	190267	-	0.29	0.27	0.29	0.27	0.29	(0.01)	1,748	49	0.278
PTL	10.90	190267	10.90	10.90	10.10	10.50	10.40	10.50	(0.40)	6,665	6,997	10.497
SCGP	30.75	190267	30.75	30.75	28.50	28.75	28.50	28.75	(2.00)	222,106	651,653	29.339
SCGP01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2405A	0.04	190267	0.04	0.04	0.02	0.02	0.01	0.02	(0.02)	2,010	4	0.02
SCGP01C2406A	0.12	190267	-	0.10	0.08	0.08	0.07	0.08	(0.04)	26,306	233	0.088
SCGP01P2405A	0.37	190267	-	0.49	0.37	0.49	0.49	0.51	0.12	30,121	1,311	0.435
SCGP06C2403A	0.11	190267	-	-	-	-	-	-	-	-	-	0
SCGP06C2406A	0.15	190267	-	0.11	0.10	0.10	0.08	0.25	(0.05)	26,966	282	0.104
SCGP11C2405A	0.07	190267	-	-	-	-	0.02	0.03	-	-	-	0
SCGP11C2407T	0.20	190267	-	0.18	0.14	0.14	0.14	0.15	(0.06)	27,640	443	0.16
SCGP13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2403B	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2405A	0.02	190267	-	0.02	0.02	0.02	0.01	0.02	-	1,472	3	0.02
SCGP13C2406A	0.11	190267	-	0.10	0.06	0.06	0.06	0.07	(0.05)	62,940	479	0.076
SCGP13P2405A	0.28	190267	-	-	-	-	0.39	0.42	-	-	-	0
SCGP19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2405A	0.03	190267	-	-	-	-	0.02	0.03	-	-	-	0
SCGP19C2406A	0.12	190267	-	0.11	0.07	0.07	0.07	0.08	(0.05)	142,312	1,235	0.086
SCGP41C2403A	0.07	190267	-	-	-	-	0.01	0.02	-	-	-	0
SCGP41C2404A	0.01	190267	-	0.01	0.01	0.01	0.01	0.03	-	2,000	2	0.01
SCGP41C2405A	0.03	190267	-	-	-	-	0.01	0.03	-	-	-	0
SCGP41C2406A	0.12	190267	0.09	0.10	0.07	0.07	0.07	0.08	(0.05)	19,900	177	0.088
SFLEX	3.36	190267	3.36	3.38	3.32	3.36	3.34	3.36	-	14,902	4,988	3.347
SFLEX-W2	0.19	190267	0.19	0.19	0.18	0.18	0.18	0.19	(0.01)	2,501	46	0.184
SITHAI	1.18	190267	1.19	1.19	1.17	1.17	1.17	1.19	(0.01)	7,808	916	1.173
SLP	0.43	190267	0.43	0.43	0.40	0.42	0.41	0.42	(0.01)	7,234	298	0.412
SMPC	9.05	190267	9.05	9.10	9.00	9.05	9.05	9.10	-	2,212	2,002	9.049
SPACK	2.10	190267	2.14	2.18	2.04	2.04	2.04	2.06	(0.06)	3,551	748	2.105
TCOAT	25.00	190267	-	-	-	-	21.00	24.90	-	-	-	0
TFI	0.09	190267	0.09	0.10	0.08	0.09	0.08	0.09	-	3,264	29	0.09
TFI-W1	0.04	190267	0.03	0.04	0.03	0.04	0.03	0.04	-	102	-	0.03
THIP	29.50	190267	-	29.50	29.25	29.50	29.50	29.75	-	141	416	29.492
TMD	24.70	190267	24.50	24.50	24.50	24.50	24.50	24.60	(0.20)	8	20	24.5
TOPP	151.50	190267	-	153.00	153.00	153.00	151.00	153.00	1.50	1	15	153
TPAC	17.50	190267	17.40	17.50	17.10	17.30	17.20	17.30	(0.20)	1,316	2,277	17.304
TPBI	3.44	190267	-	3.58	3.42	3.48	3.48	3.52	0.04	2,456	865	3.52
TPP	16.40	190267	-	-	-	-	14.10	14.80	-	-	-	0
Personal Products												
APCO	5.35	190267	5.35	5.35	5.25	5.30	5.25	5.30	(0.05)	966	508	5.263
BIZ	3.34	190267	4.30	4.30	3.78	3.80	3.78	3.80	0.46	27,958	11,025	3.943
BLC	4.70	190267	4.70	4.72	4.64	4.64	4.64	4.66	(0.06)	9,078	4,233	4.662
DDD	9.40	190267	9.25	9.45	9.25	9.30	9.30	9.40	(0.10)	252	235	9.327
JCT	81.25	190267	-	-	-	-	81.25	82.00	-	-	-	0
KISS	4.92	190267	4.92	4.92	4.80	4.82	4.82	4.86	(0.10)	3,078	1,493	4.85
NAM	5.85	190267	5.90	5.90	5.65	5.70	5.70	5.75	(0.15)	4,485	2,568	5.724
NV	1.69	190267	1.69	1.78	1.64	1.65	1.65	1.66	(0.04)	42,918	7,330	1.707
OCC	10.70	190267	-	-	-	-	9.70	10.40	-	-	-	0
S&J	53.75	190267	-	54.25	53.00	54.00	53.00	54.25	0.25	37	200	53.986
STGT	7.75	190267	7.65	7.70	7.50	7.55	7.55	7.60	(0.20)	63,631	48,290	7.589
STGT01C2403W	0.14	190267	0.13	0.13	0.11	0.11	0.11	0.12	(0.03)	21,462	243	0.113
STGT01C2407A	0.43	190267	-	0.41	0.38	0.38	0.38	0.39	(0.05)	14,205	553	0.389
STGT13C2403A	0.09	190267	-	0.08	0.06	0.06	0.06	0.09	(0.03)	5,715	38	0.066
STGT13C2407A	0.40	190267	0.40	0.40	0.34	0.35	0.35	0.38	(0.05)	36,586	1,302	0.355
STGT19C2404A	0.40	190267	-	0.38	0.35	0.35	0.35	0.36	(0.05)	14,301	512	0.358
STGT19C2407A	1.00	190267	-	0.28	0.26	0.26	0.26	0.27	(0.74)	10,822	288	0.266
STHAI	0.01	190267	-	-	-	-	-	-	-	-	-	0
TNR	9.15	190267	9.15	9.15	9.10	9.10	9.10	9.20	(0.05)	46	42	9.114
TOG	11.60	190267	11.50	11.90	11.50	11.90	11.80	11.90	0.30	2,144	2,535	11.823
Professional Service												
BWG	0.54	190267	0.53	0.55	0.51	0.52	0.52	0.53	(0.02)	327,626	17,326	0.528
GENCO	0.53	190267	-	0.55	0.52	0.53	0.53	0.54	-	4,849	257	0.531
PRO	0.35	190267	-	-	-	-	-	-	-	-	-	0
PRTR	4.64	190267	-	4.64	4.60	4.60	4.60	4.62	(0.04)	3,580	1,656	4.624
SISB	38.25	190267	38.25	39.00	38.00	38.75	38.50	38.75	0.50	6,532	25,101	38.427
SISB13C2405A	0.20	190267	-	0.20	0.19	0.20	0.19	0.20	-	23,872	460	0.192
SO	7.45	190267	7.30	7.45	7.30	7.40	7.35	7.45	(0.05)	64	47	7.339
WAVE	0.16	190267	0.16	0.17	0.16	0.16	0.15	0.16	-	82,692	1,323	0.16
WAVE-W3	0.07	190267	0.07	0.07	0.06	0.07	0.06	0.07	-	5,863	35	0.06
Property Development												
A	5.00	190267	-	4.90	4.84	4.84	4.82	4.84	(0.16)	31	15	4.859
AKS	0.01	190267	0.01	0.01	0.01	0.01	-	0.01	-	691,125	691	0.01
AKS-W5	0.01	190267	0.01	0.01	0.01	0.01	-	0.01	-	1	-	0.01
AMATA	23.00	190267	23.00	23.10	22.40	22.60	22.50	22.60	(0.40)	64,144	145,503	22.683
AMATA01C2404A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
AMATA01C2404B	0.08	190267	-	-	-	-	0.06	0.07	-	-	-	0
AMATA01C2407A	0.49	190267	-	0.50	0.43	0.45	0.45	0.46	(0.04)	15,562	721	0.463
AMATA11C2407A	0.46	190267	-	0.47	0.41	0.42	0.42	0.43	(0.04)	15,400	685	0.444
AMATA13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
AMATA13C2404A	0.06	190267	-	-	-	-	0.03	0.05	-	-	-	0
AMATA13C2405A	0.04	190267	-	0.04	0.04	0.04	0.04	0.05	-	500	2	0.04
AMATA13C2406A	0.31	190267	0.32	0.33	0.28	0.28	0.28	0.29	(0.03)	93,648	2,883	0.307
AMATA19C2404A	0.03	190267	-	-	-	-	0.02	0.03	-	-	-	0
AMATA19C2405A	0.06	190267	-	-	-	-	0.05	0.06	-	-	-	0
AMATA19C2407A	0.46	190267	-	0.46	0.40	0.41	0.41	0.42	(0.05)	90,099	3,989	0.442
AMATA41C2407A	0.50	190267	-	0.51	0.4							

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AWC06C2404A	0.17	190267	-	0.16	0.13	0.16	-	-	(0.01)	22,510	330	0.146
AWC11C2403A	0.12	190267	-	0.11	0.09	0.11	0.11	0.12	(0.01)	8,240	82	0.1
AWC13C2403A	0.02	190267	-	-	-	-	-	0.01	-	-	-	0
AWC13C2404A	0.10	190267	-	0.10	0.08	0.09	0.09	0.10	(0.01)	21,455	187	0.087
AWC13C2405A	0.29	190267	-	0.29	0.24	0.28	0.28	0.29	(0.01)	56,421	1,475	0.261
AWC19C2403A	0.11	190267	-	-	-	-	0.03	0.04	-	-	-	0
AWC19C2405A	0.32	190267	-	0.33	0.27	0.30	0.30	0.31	(0.02)	38,216	1,121	0.293
AWC19C2406A	0.16	190267	-	0.15	0.14	0.15	0.15	0.16	(0.01)	12,978	188	0.144
AWC41C2405A	0.10	190267	-	-	-	-	0.08	0.09	-	-	-	0
AWC41C2406A	0.22	190267	0.23	0.23	0.19	0.21	0.21	0.22	(0.01)	78,364	1,557	0.198
BLAND	0.70	190267	0.70	0.71	0.69	0.69	0.69	0.70	(0.01)	127,892	8,891	0.695
BRI	8.10	190267	7.85	7.85	7.30	7.40	7.40	7.45	(0.70)	90,685	68,543	7.558
BROCK	1.74	190267	1.71	1.78	1.62	1.70	1.68	1.70	(0.04)	280	46	1.641
CGD	0.35	190267	0.35	0.35	0.34	0.34	0.34	0.35	(0.01)	16,308	555	0.34
CI	0.64	190267	0.62	0.64	0.61	0.62	0.61	0.62	(0.02)	9,592	597	0.621
CI-W2	0.03	190267	0.02	0.03	0.02	0.03	0.02	0.03	-	2,159	4	0.02
CMC	1.23	190267	-	1.25	1.20	1.24	1.22	1.24	0.01	1,221	148	1.208
CPN	64.75	190267	65.00	65.75	64.50	65.75	65.50	65.75	1.00	70,955	463,084	65.264
CPN01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
CPN01C2404A	0.10	190267	-	0.11	0.10	0.11	0.11	0.12	0.01	18,666	197	0.105
CPN01C2407A	0.41	190267	0.43	0.45	0.41	0.45	0.45	0.46	0.04	11,949	514	0.43
CPN11C2404A	0.20	190267	-	0.23	0.20	0.23	0.23	0.24	0.03	10,480	225	0.215
CPN13C2403A	0.03	190267	-	-	-	-	-	0.01	-	-	-	0
CPN13C2405A	0.13	190267	-	0.14	0.13	0.14	0.14	0.15	0.01	28,025	382	0.136
CPN13C2407A	0.38	190267	-	0.41	0.38	0.41	0.41	0.42	0.03	50,768	2,034	0.4
CPN19C2403A	0.04	190267	-	-	-	-	0.02	0.03	-	-	-	0
CPN19C2407A	0.32	190267	-	0.36	0.33	0.36	0.36	0.37	0.04	53,348	1,831	0.343
CPN41C2404A	0.12	190267	-	0.13	0.12	0.13	0.13	0.14	0.01	12,000	154	0.128
CPN41C2405A	0.13	190267	-	0.14	0.13	0.14	0.14	0.15	0.01	10,000	138	0.138
CPN41C2406A	0.36	190267	-	0.37	0.35	0.37	0.40	0.41	0.01	10,000	362	0.362
ESTAR	0.26	190267	0.26	0.26	0.25	0.25	0.25	0.26	(0.01)	1,794	45	0.251
EVER	0.16	190267	0.16	0.17	0.15	0.16	0.16	0.17	-	30,694	495	0.161
FPT	15.30	190267	-	15.30	15.20	15.20	15.20	15.30	(0.10)	30	46	15.256
GLAND	1.67	190267	-	1.66	1.62	1.66	1.65	1.66	(0.01)	90	15	1.631
J	2.04	190267	2.04	2.04	1.97	1.98	1.98	1.99	(0.06)	8,354	1,665	1.992
J-W2	0.11	190267	0.11	0.11	0.09	0.09	0.09	0.10	(0.02)	1,485	14	0.091
J-W3	0.36	190267	-	-	-	-	0.34	0.38	-	-	-	0
J-W4	0.56	190267	0.56	0.57	0.49	0.49	0.49	0.50	(0.07)	3,418	174	0.51
JCK	0.27	190267	0.27	0.27	0.26	0.26	0.26	0.27	(0.01)	14,197	379	0.267
KC	0.10	190267	-	0.11	0.10	0.11	0.10	0.11	0.01	12,768	128	0.1
LALIN	8.00	190267	8.00	8.00	7.95	8.00	7.95	8.00	-	323	258	7.989
LH	7.45	190267	7.45	7.45	7.25	7.35	7.30	7.35	(0.10)	669,311	491,325	7.34
LH19C2406A	0.12	190267	-	0.10	0.10	0.10	0.10	0.11	(0.02)	20,000	200	0.1
LPN	3.72	190267	3.72	3.72	3.68	3.72	3.70	3.72	-	5,994	2,216	3.697
MBK	16.40	190267	16.20	16.30	16.10	16.20	16.10	16.20	(0.20)	4,449	7,216	16.219
MBK-W2	14.80	190267	-	-	-	-	14.70	16.00	-	-	-	0
MBK-W3	14.30	190267	-	-	-	-	14.20	16.00	-	-	-	0
MBK-W4	13.80	190267	-	-	-	-	13.70	16.00	-	-	-	0
MBK19C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
MJD	1.28	190267	-	1.29	1.27	1.29	1.27	1.29	0.01	48	6	1.281
MK	2.14	190267	2.16	2.18	2.14	2.18	2.14	2.18	0.04	29	6	2.151
NCH	1.05	190267	1.06	1.07	1.05	1.05	1.05	1.06	-	5,634	593	1.052
NNCL	1.95	190267	1.93	1.94	1.89	1.94	1.92	1.94	(0.01)	4,394	838	1.906
NOBLE	3.78	190267	3.78	3.80	3.76	3.78	3.78	3.80	-	3,888	1,469	3.777
NUSA	0.47	190267	0.47	0.48	0.44	0.44	0.44	0.45	(0.03)	526,726	23,947	0.454
NUSA-W5	0.14	190267	0.13	0.14	0.12	0.12	0.12	0.13	(0.02)	616,330	7,815	0.126
NVD	1.83	190267	-	1.85	1.84	1.84	1.84	1.85	0.01	85	16	1.844
NVD-W3	0.06	190267	-	-	-	-	0.04	0.05	-	-	-	0
ORI	8.15	190267	8.10	8.10	7.65	7.75	7.75	7.80	(0.40)	275,882	215,058	7.795
ORI19C2404A	0.11	190267	0.04	0.04	0.04	0.04	0.04	0.05	(0.07)	5	-	0.04
ORN	1.37	190267	1.37	1.43	1.35	1.35	1.35	1.36	(0.02)	1,325,801	184,290	1.39
PACE	0.03	190267	-	-	-	-	-	-	-	-	-	0
PEACE	3.20	190267	-	3.30	3.18	3.24	3.20	3.24	0.04	183	59	3.2
PF	0.29	190267	0.29	0.29	0.28	0.28	0.28	0.29	(0.01)	12,438	352	0.282
PIN	4.74	190267	4.76	4.82	4.72	4.80	4.78	4.80	0.06	20,879	9,968	4.773
PLAT	2.98	190267	-	3.08	2.98	3.06	3.06	3.08	0.08	5,142	1,561	3.035
POLAR	0.68	190267	-	-	-	-	-	-	-	-	-	0
PRECHA	1.08	190267	1.08	1.10	1.07	1.07	1.07	1.08	(0.01)	1,575	170	1.078
PRIN	2.98	190267	-	2.98	2.98	2.98	2.74	2.92	-	50	15	2.98
PSH	12.30	190267	12.30	12.40	12.20	12.20	12.20	12.30	(0.10)	12,003	14,751	12.289
QH	2.18	190267	2.18	2.20	2.16	2.18	2.16	2.18	-	127,480	27,698	2.172
RABBIT	0.44	190267	0.44	0.44	0.41	0.42	0.41	0.42	(0.02)	436,303	18,338	0.42
RABBIT-P	0.44	190267	0.45	0.45	0.41	0.42	0.42	0.43	(0.02)	77,173	3,261	0.422
RABBIT-Q	4.00	190267	-	-	-	-	-	-	-	-	-	0
RICHY	0.66	190267	0.66	0.67	0.64	0.64	0.64	0.65	(0.02)	3,054	198	0.649
RML	0.50	190267	0.51	0.51	0.48	0.48	0.48	0.49	(0.02)	14,760	730	0.494
ROJNA	6.05	190267	6.15	6.30	6.15	6.15	6.15	6.20	0.10	49,587	30,697	6.19
S	0.82	190267	0.81	0.82	0.80	0.81	0.80	0.81	(0.01)	25,221	2,042	0.809
SA	7.05	190267	7.05	7.05	6.90	7.00	6.95	7.00	(0.05)	279	194	6.954
SA-W1	0.09	190267	-	0.09	0.08	0.08	0.08	0.09	(0.01)	226	2	0.086
SAMCO	1.19	190267	1.19	1.20	1.18	1.18	1.18	1.19	(0.01)	4,767	567	1.189
SC	3.46	190267	3.46	3.48	3.36	3.38	3.38	3.40	(0.08)	78,373	26,625	3.397
SENA	2.40	190267	2.38	2.40	2.36	2.40	2.38	2.40	-	3,058	728	2.379
SENA-W1	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	50	-	0.01
SIRI	1.81	190267	1.81	1.82	1.79	1.79	1.79	1.80	(0			

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
WHA01P2403X	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
WHA01P2407X	1.00	190267	-	0.53	0.51	0.52	0.52	0.53	(0.48)	15,832	829	0.523
WHA06C2402A	0.02	190267	-	-	-	-	-	0.10	-	-	-	0
WHA11C2407A	0.47	190267	-	0.42	0.41	0.42	0.42	0.43	(0.05)	14,216	591	0.415
WHA13C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
WHA13C2404A	0.12	190267	-	0.10	0.09	0.09	0.09	0.10	(0.03)	4,545	41	0.09
WHA13C2404B	0.04	190267	-	0.02	0.02	0.02	0.02	0.03	(0.02)	1	-	0.02
WHA13C2406A	0.31	190267	-	0.30	0.27	0.28	0.27	0.28	(0.03)	26,476	722	0.272
WHA13P2407A	0.52	190267	-	0.56	0.52	0.55	0.55	0.56	0.03	57,895	3,193	0.551
WHA19C2404A	0.05	190267	-	0.04	0.04	0.04	0.04	0.05	(0.01)	1	-	0.04
WHA19C2404B	0.09	190267	-	0.07	0.06	0.07	0.07	0.08	(0.02)	22	-	0.067
WHA19C2406A	0.35	190267	0.35	0.35	0.30	0.31	0.31	0.32	(0.04)	44,898	1,392	0.31
WHA41C2404A	0.10	190267	-	-	-	-	0.08	0.09	-	-	-	0
WHA41C2404B	0.04	190267	-	-	-	-	0.02	0.04	-	-	-	0
WHA41C2406A	0.39	190267	-	0.33	0.33	0.33	0.34	0.36	(0.06)	10	-	0.33
WHA41C2406B	0.37	190267	-	0.34	0.30	0.31	0.31	0.32	(0.06)	37,503	1,145	0.305
WHA41C2407A	1.00	190267	-	0.36	0.35	0.36	0.36	0.37	(0.64)	68,617	2,440	0.355
WIN	0.71	190267	0.71	0.71	0.69	0.69	0.69	0.70	(0.02)	10,522	729	0.692
Paper & Printing Mat												
UTP	11.80	190267	11.80	11.80	11.70	11.70	11.70	11.80	(0.10)	1,124	1,320	11.74
Fashion												
AFC	4.90	190267	-	4.90	4.82	4.82	4.80	4.82	(0.08)	43	21	4.834
AURA	14.30	190267	14.30	14.30	14.10	14.20	14.10	14.20	(0.10)	13,694	19,371	14.145
AURA01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
AURA13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
BTNC	23.40	190267	-	23.20	22.00	22.00	22.00	22.70	(1.40)	33	74	22.36
CPH	13.30	190267	-	13.50	13.10	13.10	13.10	13.20	(0.20)	517	682	13.188
CPL	1.56	190267	1.56	1.59	1.45	1.46	1.46	1.47	(0.10)	6,173	933	1.511
NC	4.68	190267	4.72	4.90	4.50	4.50	4.50	4.56	(0.18)	42,263	20,028	4.738
PAF	1.50	190267	1.52	1.55	1.46	1.46	1.46	1.50	(0.04)	11,073	1,659	1.497
PDJ	1.86	190267	-	1.87	1.86	1.86	1.86	1.87	-	324	60	1.861
PG	9.15	190267	-	-	-	-	9.05	9.20	-	-	-	0
SABINA	26.50	190267	26.50	26.50	26.00	26.25	26.25	26.50	(0.25)	10,035	26,438	26.346
SAWANG	14.90	190267	-	-	-	-	13.40	14.70	-	-	-	0
SUC	32.00	190267	32.00	32.00	31.50	31.75	31.50	31.75	(0.25)	170	540	31.76
TNL	35.50	190267	-	35.00	34.75	34.75	34.75	35.25	(0.75)	8	28	34.781
TR	41.00	190267	-	41.00	41.00	41.00	41.00	41.50	-	1	4	41
TTI	27.75	190267	-	-	-	-	24.70	27.00	-	-	-	0
TTT	47.75	190267	-	46.50	45.50	45.50	45.50	47.00	(2.25)	2	9	46
UPF	36.75	190267	-	37.00	36.75	37.00	36.75	37.50	0.25	4	15	36.937
WACOAL	31.75	190267	-	32.25	31.25	32.25	31.75	32.50	0.50	2	6	31.75
WFX	2.02	190267	2.06	2.06	2.00	2.02	2.02	2.04	-	500	101	2.018
Transportation & Log												
AAV	2.30	190267	2.30	2.30	2.24	2.24	2.24	2.26	(0.06)	233,584	52,803	2.26
AAV01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
AAV01C2405A	0.20	190267	-	-	-	-	0.17	0.18	-	-	-	0
AAV11C2406A	0.23	190267	-	0.22	0.20	0.20	0.20	0.21	(0.03)	16,140	340	0.21
AAV13C2403A	0.02	190267	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
AAV13C2403B	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
AAV13C2404A	0.28	190267	-	-	-	-	0.22	0.26	-	-	-	0
AAV13C2404B	0.12	190267	-	0.12	0.10	0.10	0.09	0.10	(0.02)	56,915	614	0.107
AAV19C2403A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
AAV19C2405A	0.28	190267	-	0.26	0.26	0.26	0.24	0.26	(0.02)	50	1	0.26
ANI	5.40	190267	5.40	5.45	5.20	5.45	5.40	5.45	0.05	105,193	56,183	5.34
AOT	63.25	190267	63.25	63.25	62.50	63.25	63.00	63.25	-	122,818	773,116	62.948
AOT01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
AOT01C2404A	0.05	190267	-	0.04	0.04	0.04	0.04	0.05	(0.01)	5,052	20	0.04
AOT01C2405A	0.30	190267	-	0.29	0.28	0.29	0.29	0.30	(0.01)	10,057	288	0.286
AOT01P2404X	0.17	190267	-	0.17	0.17	0.17	0.16	0.17	-	7,480	127	0.17
AOT01P2405X	0.13	190267	-	-	-	-	0.12	0.13	-	-	-	0
AOT01P2407X	1.00	190267	-	0.43	0.43	0.43	0.41	0.42	(0.57)	1,860	80	0.43
AOT06C2402A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
AOT06C2404A	0.12	190267	-	0.11	0.11	0.11	-	-	(0.01)	7,494	82	0.11
AOT11C2403A	0.09	190267	-	-	-	-	0.02	0.04	-	-	-	0
AOT11C2407A	0.26	190267	0.25	0.26	0.24	0.25	0.25	0.26	(0.01)	4,721	116	0.245
AOT13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
AOT13C2404A	0.03	190267	-	0.03	0.02	0.03	0.02	0.03	-	31	-	0.023
AOT13C2404B	0.08	190267	-	0.08	0.07	0.08	0.07	0.08	-	1,002	7	0.07
AOT13C2405A	0.21	190267	-	0.20	0.19	0.20	0.20	0.21	(0.01)	8,322	161	0.193
AOT13P2404A	0.08	190267	-	0.09	0.09	0.09	0.08	0.10	0.01	134	1	0.09
AOT13P2404B	0.03	190267	-	-	-	-	0.01	0.02	-	-	-	0
AOT13P2407A	0.33	190267	-	0.33	0.31	0.31	0.31	0.32	(0.02)	4,483	147	0.327
AOT19C2403A	0.01	190267	-	0.01	0.01	0.01	0.01	0.02	-	5,441	5	0.01
AOT19C2404A	0.02	190267	-	-	-	-	0.02	0.03	-	-	-	0
AOT19C2404B	0.05	190267	-	-	-	-	0.03	0.04	-	-	-	0
AOT19C2404C	0.14	190267	-	0.13	0.12	0.13	0.13	0.14	(0.01)	6,422	80	0.124
AOT19C2406A	0.20	190267	-	0.20	0.18	0.19	0.19	0.20	(0.01)	6,210	117	0.187
AOT19C2406B	0.37	190267	-	0.37	0.34	0.37	0.36	0.37	-	10,910	386	0.353
AOT19P2404A	0.04	190267	-	0.03	0.03	0.03	0.03	0.04	(0.01)	3,465	10	0.03
AOT19P2407A	0.38	190267	0.39	0.39	0.38	0.38	0.37	0.38	-	5,934	229	0.386
AOT41C2403A	0.07	190267	-	-	-	-	0.01	0.03	-	-	-	0
AOT41C2404A	0.02	190267	-	-	-	-	0.02	0.04	-	-	-	0
AOT41C2405A	0.17	190267	-	0.16	0.15	0.16	0.16	0.17	(0.01)	8,002	122	0.152
AOT41C2405B	0.20	190267	0.19	0.19	0.18	0.19	0.19	0.20	(0.01)	16,000	300	0.187
AOT41C2406A	0.35	190267	-	-	-	-	0.34	0.36	-	-	-	0
AOT41P2405A	0.30	190267	-	-	-	-	0.28	0.29	-	-	-	0
ASIMAR	1.59	190267	1.60	1.67	1.53	1.53	1.53	1.56	(0.06)	23,322	3,757	1.611
B	0.12	190267	0.12	0.12	0.11	0.12	0.11	0.12	-	16,336	193	0.117
B-W7	0.01	190267	0.01	0.01	0.01	0.01	-	0.01	-	4,000	4	0.01
B-W8	0.02	190267	0.01	0.02	0.01	0.01	0.01	0.02	(0.01)	165,168	165	0.01
BA	15.40	190267	15.40	15.70	15.10	15.60	15.60	15.70	0.20	49,443	76,327	15.437
BEM	7.75	190267	7.75	7.85	7.75	7.85	7.80	7.85	0.10	365,910	285,211	7.794
BEM01C2403A	0.04	190267	-	-	-	-	0.01	0.02	-	-	-	0
BEM01C2405A	0.10	190267	0.11	0.11	0.11	0.11	0.11	0.12	0.01	21,196	233	0.11
BEM13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
BEM19C2405A	0.09	190267	-	-	-	-	0.10	0.11	-	-	-	0
BTS	5.60	190267	5.60	5.60	5.40	5.45	5.40	5.45	(0.15)	690,016	374,944	5.433
BTS-W7	0.03	190267	0.02	0.02	0.01	0.02	0.01	0.02	(0.01)	60,371	116	0.019
BTS-W8	0.10	190267	0.10	0.11	0.09	0.09	0.09	0.10	(0.01)	101,400	969	0.095
BTS01C2405A	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
BTS01C2407A	0.13	190267	0.13	0.13	0.11	0.11	0.11	0.12	(0.02)	17,544	204	0.116
BTS01P2405X	0.62	190267	-	0.72	0.64	0.72	0.69	0.72	0.10	2,872	195	0.677
BTS01P2407X	0.30	190267	-	0.34	0.31	0.33	0.33	0.34	0.03	19,405	645	0.332

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous						Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date	Open	High	Low	Close						
BTS13C2405A	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	5	-	0.01
BTS13C2407A	0.10	190267	-	0.09	0.08	0.08	0.08	0.09	(0.02)	11,907	96	0.08
BTS13P2405A	0.50	190267	-	-	-	-	0.60	0.66	-	-	-	0
BTS13P2407A	0.27	190267	-	0.31	0.28	0.30	0.29	0.30	0.03	41,284	1,251	0.302
BTS19C2406A	0.03	190267	-	0.02	0.02	0.02	0.02	0.03	(0.01)	20	-	0.02
BTS19C2407A	0.14	190267	0.14	0.14	0.12	0.12	0.12	0.13	(0.02)	7,800	102	0.131
BTS41C2407A	0.13	190267	-	0.11	0.11	0.11	0.11	0.12	(0.02)	16,005	176	0.11
BTSIGIF	3.66	190267	3.68	3.70	3.66	3.66	3.66	3.68	-	81,859	30,118	3.679
DMT	13.00	190267	13.00	13.10	13.00	13.10	13.00	13.10	0.10	5,823	7,580	13.017
ETL	1.59	190267	1.48	1.56	1.43	1.44	1.44	1.45	(0.15)	268,764	40,116	1.492
III	9.80	190267	9.85	9.95	9.50	9.60	9.60	9.65	(0.20)	35,630	34,576	9.704
KEX	5.45	190267	5.45	5.50	5.45	5.45	5.45	5.50	-	35,126	19,160	5.455
KIAT	0.41	190267	0.41	0.41	0.39	0.40	0.39	0.40	(0.01)	10,320	413	0.399
KWC	319.00	190267	-	298.00	298.00	298.00	275.00	298.00	(21.00)	1	30	298
MENA	2.12	190267	2.14	2.18	2.08	2.14	2.14	2.16	0.02	33,768	7,161	2.12
NOK	1.04	190267	-	-	-	-	-	-	-	-	-	0
NYT	4.50	190267	4.48	4.54	4.40	4.44	4.42	4.44	(0.06)	57,945	25,944	4.477
PORT	1.31	190267	-	1.35	1.28	1.28	1.28	1.31	(0.03)	5,755	750	1.303
PRM	6.40	190267	6.40	6.40	6.30	6.35	6.35	6.40	(0.05)	75,536	47,983	6.352
PSL	8.40	190267	8.45	8.60	8.40	8.50	8.50	8.55	0.10	137,742	117,188	8.507
PSL01C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
PSL01C2405A	0.16	190267	-	0.17	0.16	0.16	0.16	0.17	-	38,987	632	0.162
PSL01C2407A	0.29	190267	0.31	0.32	0.29	0.30	0.30	0.31	0.01	45,529	1,364	0.299
PSL01P2403X	0.07	190267	-	0.06	0.06	0.06	0.06	0.07	(0.01)	7,118	43	0.06
PSL06C2404A	0.13	190267	-	0.14	0.13	0.14	-	-	0.01	60,281	796	0.132
PSL13C2403A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
PSL13C2404A	0.18	190267	-	0.19	0.17	0.18	0.18	0.20	-	20,038	354	0.176
PSL13C2407A	0.26	190267	-	0.26	0.25	0.26	0.25	0.26	-	32,355	829	0.256
PSL19C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
PSL19C2404A	0.22	190267	0.23	0.25	0.23	0.24	0.24	0.25	0.02	43,035	1,011	0.235
PSL19C2407A	0.30	190267	-	0.32	0.31	0.31	0.31	0.32	0.01	35,920	1,116	0.31
PSL41C2405A	0.15	190267	-	0.16	0.16	0.16	0.16	0.17	0.01	66,812	1,069	0.16
RCL	25.75	190267	26.00	26.25	25.50	25.75	25.50	25.75	-	17,958	46,529	25.909
RCL01C2405A	0.74	190267	0.76	0.76	0.73	0.73	0.73	0.76	(0.01)	1,896	142	0.75
RCL01C2405B	0.12	190267	-	0.13	0.12	0.12	0.12	0.13	-	29,824	376	0.126
RCL01C2407A	1.00	190267	-	0.24	0.23	0.23	0.23	0.24	(0.77)	15,252	360	0.236
RCL01P2405X	0.22	190267	-	0.22	0.21	0.22	0.22	0.23	-	8,292	177	0.213
RCL06C2405A	0.11	190267	-	0.12	0.12	0.12	-	-	0.01	744	9	0.12
RCL11C2407A	0.17	190267	-	0.18	0.17	0.17	0.17	0.18	-	9,730	173	0.177
RCL13C2404A	0.67	190267	-	-	-	-	0.66	0.69	-	-	-	0
RCL13C2405A	0.13	190267	-	0.13	0.12	0.12	0.12	0.13	(0.01)	51,040	643	0.126
RCL13C2407A	0.62	190267	-	-	-	-	0.62	0.65	-	-	-	0
RCL13P2405A	0.17	190267	-	0.16	0.16	0.16	0.16	0.17	(0.01)	4,200	67	0.16
RCL19C2405A	0.54	190267	-	-	-	-	0.54	0.60	-	-	-	0
RCL19C2405B	0.16	190267	-	0.16	0.15	0.15	0.15	0.16	(0.01)	51,240	818	0.159
RCL19C2406A	0.12	190267	-	0.13	0.13	0.13	0.13	0.14	0.01	2,294	30	0.13
RCL19P2406A	0.20	190267	-	0.20	0.20	0.20	0.20	0.21	-	464	9	0.2
RCL41C2406A	0.13	190267	-	0.12	0.12	0.12	0.12	0.13	(0.01)	4,000	48	0.12
RCL41C2407A	0.20	190267	0.20	0.21	0.18	0.19	0.19	0.20	(0.01)	30,422	599	0.196
SAV	16.30	190267	16.20	16.30	15.90	16.10	16.10	16.30	(0.20)	14,768	23,797	16.113
SINO	1.64	190267	1.64	1.64	1.54	1.54	1.54	1.55	(0.10)	96,172	15,101	1.57
SJWD	15.80	190267	15.80	15.80	15.40	15.40	15.40	15.50	(0.40)	27,337	42,520	15.553
SJWD13C2407A	0.34	190267	-	0.34	0.30	0.30	0.30	0.31	(0.04)	30,563	964	0.315
TFFIF	7.00	190267	7.00	7.00	6.90	7.00	6.95	7.00	-	26,498	18,480	6.974
THAI	3.32	190267	-	-	-	-	-	-	-	-	-	0
TSTE	9.70	190267	-	-	-	-	9.15	9.60	-	-	-	0
TTA	6.70	190267	6.65	6.65	6.50	6.50	6.50	6.55	(0.20)	99,151	64,941	6.549
WICE	5.90	190267	5.80	5.90	5.75	5.85	5.85	5.90	(0.05)	4,573	2,664	5.825
Automotive												
3K-BAT	43.00	190267	-	-	-	-	40.25	44.25	-	-	-	0
ACG	1.30	190267	1.30	1.31	1.25	1.29	1.27	1.29	(0.01)	457	59	1.289
AH	25.75	190267	25.75	26.00	25.25	25.25	25.25	25.50	(0.50)	8,845	22,579	25.527
CWT	1.50	190267	1.50	1.51	1.47	1.47	1.47	1.49	(0.03)	2,880	429	1.488
CWT-W6	0.01	190267	-	-	-	-	-	-	-	-	-	0
EASON	1.40	190267	1.40	1.42	1.38	1.42	1.41	1.42	0.02	13,781	1,935	1.404
GYT	189.00	190267	-	189.00	189.00	189.00	188.50	190.50	-	1	19	189
HFT	4.38	190267	4.48	4.50	4.40	4.48	4.42	4.48	0.10	2,510	1,126	4.486
IHL	2.46	190267	-	2.46	2.42	2.44	2.42	2.44	(0.02)	196	48	2.432
INGRS	0.53	190267	0.53	0.55	0.53	0.54	0.53	0.54	0.01	4,805	259	0.539
IRC	13.50	190267	-	13.50	13.40	13.40	13.40	13.50	(0.10)	185	248	13.403
MGC	5.15	190267	-	5.10	5.05	5.05	5.05	5.10	(0.10)	2,229	1,126	5.053
NEX	9.75	190267	9.75	9.75	9.55	9.60	9.60	9.65	(0.15)	15,545	14,982	9.637
NEX13C2403A	0.02	190267	-	-	-	-	-	0.01	-	-	-	0
NEX13C2403B	0.08	190267	-	-	-	-	0.02	0.03	-	-	-	0
NEX13C2405A	0.08	190267	-	-	-	-	0.07	0.08	-	-	-	0
NEX19C2404A	0.09	190267	-	-	-	-	0.04	0.05	-	-	-	0
PCSGH	5.30	190267	5.30	5.30	5.25	5.25	5.25	5.30	(0.05)	235	123	5.254
POLY	8.30	190267	8.25	8.30	8.25	8.25	8.25	8.50	(0.05)	69	57	8.269
SAT	18.30	190267	18.30	18.30	18.00	18.10	18.10	18.20	(0.20)	9,781	17,745	18.142
SPG	15.90	190267	-	15.80	15.80	15.80	15.70	15.80	(0.10)	3	5	15.8
STANLY	218.00	190267	218.00	226.00	218.00	223.00	223.00	224.00	5.00	1,188	26,600	223.907
TKT	1.76	190267	1.80	1.80	1.74	1.74	1.74	1.76	(0.02)	686	120	1.747
TNPC	1.36	190267	-	1.38	1.28	1.28	1.28	1.30	(0.08)	5,328	701	1.315
TRU	3.64	190267	3.62	3.64	3.54	3.62	3.58	3.62	(0.02)	794	284	3.58
TSC	14.90	190267	15.20	15.20	14.60	14.60	14.60	14.80	(0.30)	569	838	14.72

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AIMCG	3.70	190267	-	3.70	3.68	3.70	3.68	3.72	-	732	271	3.696
AIMIRT	10.50	190267	10.50	10.60	10.50	10.50	10.50	10.70	-	4,362	4,617	10.584
ALLY	5.35	190267	5.30	5.30	5.15	5.20	5.15	5.20	(0.15)	33,914	17,658	5.206
AMATAR	6.45	190267	6.40	6.50	6.40	6.50	6.45	6.50	0.05	28	18	6.446
B-WORK	4.48	190267	4.48	4.48	4.46	4.48	4.46	4.48	-	1,406	630	4.479
BAREIT	10.10	190267	10.20	10.30	10.20	10.20	10.20	10.30	0.10	5,621	5,737	10.206
BKKCP	9.30	190267	9.30	9.50	9.30	9.30	9.25	9.30	-	1,644	1,529	9.302
BOFFICE	5.10	190267	5.10	5.10	5.00	5.05	5.05	5.10	(0.05)	6,016	3,030	5.037
CPNCG	6.40	190267	6.40	6.45	6.35	6.35	6.35	6.40	(0.05)	1,774	1,132	6.383
CPNREIT	11.30	190267	11.40	11.40	10.90	11.00	11.00	11.10	(0.30)	36,720	40,916	11.142
CPTGF	5.50	190267	5.50	5.60	5.50	5.50	5.45	5.50	-	4,548	2,510	5.518
CTARAF	4.54	190267	-	4.54	4.52	4.52	4.52	4.54	(0.02)	232	105	4.532
DREIT	5.10	190267	5.10	5.10	5.05	5.05	5.05	5.10	(0.05)	296	150	5.058
ERWPF	8.50	190267	8.50	8.50	8.50	8.50	8.45	8.50	-	733	623	8.5
FTREIT	10.00	190267	10.00	10.10	9.95	10.10	10.00	10.10	0.10	32,553	32,568	10.004
FUTUREPF	11.60	190267	-	11.60	11.40	11.50	11.40	11.50	(0.10)	1,026	1,170	11.404
GAHREIT	7.15	190267	7.10	7.15	7.10	7.15	7.10	7.15	-	456	326	7.146
GROREIT	8.95	190267	-	8.95	8.95	8.95	8.95	9.00	-	62	55	8.95
GVREIT	5.95	190267	5.90	5.90	5.55	5.65	5.60	5.65	(0.30)	59,422	33,430	5.625
HPF	4.66	190267	-	4.66	4.66	4.66	4.66	4.68	-	1	-	4.66
HYDROGEN	9.65	190267	-	-	-	-	9.15	9.65	-	-	-	0
IMPACT	12.00	190267	12.00	12.10	11.90	12.10	12.00	12.10	0.10	5,248	6,305	12.014
INETREIT	9.40	190267	9.35	9.35	9.30	9.30	9.30	9.35	(0.10)	1,171	1,090	9.305
KPNPF	3.52	190267	-	-	-	-	3.48	3.60	-	-	-	0
KTBSTMR	6.35	190267	-	6.30	6.20	6.30	6.25	6.30	(0.05)	147	93	6.293
LHHOTEL	12.20	190267	12.20	12.20	12.10	12.20	12.10	12.20	-	4,946	6,024	12.18
LHPF	6.10	190267	-	6.05	6.05	6.05	6.05	6.10	(0.05)	1	1	6.05
LHSC	9.65	190267	9.65	9.65	9.55	9.60	9.60	9.85	(0.05)	2,352	2,255	9.586
LPF	13.00	190267	13.00	13.00	12.90	13.00	13.00	13.10	-	17,272	22,436	12.989
LUXF	6.95	190267	-	6.95	6.80	6.80	6.80	6.95	(0.15)	65	45	6.911
M-II	7.35	190267	-	7.35	7.35	7.35	7.20	7.35	-	18	13	7.35
M-PAT	3.50	190267	-	-	-	-	3.14	3.50	-	-	-	0
M-STOR	6.60	190267	-	6.85	6.60	6.85	6.50	6.85	0.25	49	32	6.605
MIPF	12.50	190267	-	-	-	-	11.30	16.20	-	-	-	0
MIT	0.86	190267	-	0.91	0.83	0.83	0.83	0.87	(0.03)	241	21	0.855
MJLF	3.80	190267	3.74	3.78	3.72	3.78	3.74	3.78	(0.02)	767	287	3.737
MNIT	2.10	190267	-	2.12	2.10	2.10	2.10	2.16	-	2,010	422	2.1
MNIT2	5.00	190267	-	5.10	5.00	5.10	5.00	5.10	0.10	3,334	1,667	5
MNRF	2.74	190267	-	2.74	2.74	2.74	2.72	2.76	-	33	9	2.74
POPF	6.05	190267	-	6.10	5.95	6.00	6.00	6.05	(0.05)	2,399	1,430	5.962
PPF	10.30	190267	-	10.10	10.10	10.10	10.10	10.20	(0.20)	50	51	10.1
PROSPECT	8.60	190267	-	8.65	8.60	8.65	8.60	8.65	0.05	106	91	8.616
QHHR	6.55	190267	-	6.55	6.50	6.55	6.45	6.55	-	12	8	6.508
QHOP	3.00	190267	-	3.06	2.98	3.06	3.02	3.06	0.06	60	18	3.014
QHPF	5.55	190267	5.60	5.60	5.50	5.60	5.55	5.60	0.05	4,355	2,417	5.549
SIRIP	7.45	190267	7.00	7.00	7.00	7.00	7.00	7.75	(0.45)	2	1	7
SPRIME	4.74	190267	4.76	4.76	4.68	4.70	4.68	4.70	(0.04)	5,559	2,617	4.707
SRIPANWA	4.50	190267	4.56	4.56	4.44	4.48	4.44	4.48	(0.02)	687	308	4.481
SSPF	5.40	190267	-	-	-	-	5.30	5.40	-	-	-	0
SSTRT	5.30	190267	5.35	5.35	5.30	5.35	5.25	5.30	0.05	174	92	5.305
TIF1	8.70	190267	-	8.75	8.70	8.75	8.60	8.75	0.05	35	30	8.701
TLHPF	6.95	190267	-	-	-	-	6.70	6.80	-	-	-	0
TNPF	1.66	190267	-	1.81	1.81	1.81	1.65	1.81	0.15	6	1	1.81
TPRIME	6.20	190267	6.10	6.20	6.10	6.10	6.05	6.10	(0.10)	1,385	845	6.1
TTLPF	18.00	190267	-	18.00	17.70	17.80	17.60	17.80	(0.20)	129	229	17.788
TU-PF	0.79	190267	-	0.79	0.79	0.79	0.70	0.78	-	1	-	0.79
URBNPF	1.69	190267	1.59	1.62	1.58	1.58	1.59	1.64	(0.11)	133	21	1.592
WHABT	8.40	190267	8.25	8.25	8.15	8.20	8.25	8.30	(0.20)	82	67	8.176
WHAIR	5.25	190267	5.30	5.30	5.25	5.30	5.30	5.35	0.05	7,067	3,732	5.281
WHART	9.80	190267	9.80	9.95	9.80	9.95	9.85	9.95	0.15	19,631	19,360	9.861
Steel and Metal Prod												
2S	3.08	190267	3.06	3.08	3.06	3.06	3.06	3.08	(0.02)	840	258	3.07
AMC	3.38	190267	3.38	3.42	3.38	3.42	3.40	3.42	0.04	1,587	538	3.388
BSBM	0.70	190267	-	0.70	0.69	0.69	0.69	0.70	(0.01)	5,340	371	0.694
CEN	2.24	190267	2.26	2.26	2.24	2.26	2.24	2.26	0.02	107	24	2.259
CEN-W5	0.42	190267	-	0.47	0.36	0.37	0.34	0.37	(0.05)	902	33	0.37
CITY	2.16	190267	-	-	-	-	2.14	2.22	-	-	-	0
CSP	1.07	190267	-	1.07	1.02	1.02	1.02	1.03	(0.05)	1,241	129	1.038
GJS	0.22	190267	0.23	0.23	0.22	0.23	0.22	0.23	0.01	3,755	83	0.221
GSTEEL	0.09	190267	-	-	-	-	-	-	-	-	-	0
INOX	0.57	190267	0.57	0.57	0.52	0.52	0.52	0.54	(0.05)	11,946	645	0.54
LHK	4.20	190267	4.14	4.20	4.14	4.18	4.16	4.18	(0.02)	1,620	673	4.156
MCS	6.40	190267	-	6.40	6.35	6.40	6.35	6.40	-	9,220	5,855	6.35
MILL	0.34	190267	0.35	0.35	0.34	0.34	0.34	0.35	-	17,858	608	0.34
MILL-W6	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
MILL-W7	0.04	190267	0.05	0.05	0.04	0.05	0.04	0.05	0.01	22,974	112	0.048
PAP	2.50	190267	-	2.48	2.44	2.46	2.44	2.50	(0.04)	261	64	2.45
PERM	0.93	190267	0.93	0.93	0.89	0.92	0.90	0.92	(0.01)	4,421	400	0.904
SAM	0.42	190267	0.43	0.43	0.41	0.41	0.41	0.42	(0.01)	2,419	101	0.416
SMIT	4.50	190267	4.50	4.52	4.48	4.52	4.50	4.52	0.02	601	270	4.488
SSSC	2.96	190267	-	2.96	2.94	2.96	2.94	2.96	-	90	27	2.959
TGPRO	0.14	190267	0.13	0.14	0.13	0.13	0.13	0.14	(0.01)	9,049	125	0.138
THE	1.22	190267	-	1.22	1.17	1.17	1.17	1.22	(0.05)	118	14	1.178
TMT	6.00	190267	-	6.00	5.90	5.95	5.95	6.00	(0.05)	55	33	5.991
TSTH	0.79	190267	0.79	0.80	0.76	0.78	0.76	0.78	(0.01)	30,856	2,400	0.777
TWP	2.06	190267	2.06	2.06	1.96	2.04	2.02	2.06	(0.02)	212	43	2.05

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
NWR	0.35	190267	0.36	0.36	0.34	0.35	0.34	0.35	-	20,129	704	0.349
PLE	0.57	190267	0.58	0.59	0.55	0.55	0.55	0.56	(0.02)	11,725	657	0.56
PREB	6.35	190267	-	6.35	6.10	6.15	6.15	6.25	(0.20)	2,847	1,768	6.21
PYLON	2.60	190267	2.62	2.66	2.44	2.52	2.50	2.52	(0.08)	11,859	2,970	2.504
RT	0.86	190267	0.87	0.87	0.82	0.83	0.83	0.84	(0.03)	29,121	2,442	0.838
RT-W1	0.05	190267	0.06	0.06	0.04	0.04	0.04	0.05	(0.01)	11,133	51	0.045
SEAFCO	2.58	190267	2.52	2.58	2.52	2.58	2.56	2.58	-	5,251	1,334	2.54
SQ	1.19	190267	-	1.19	1.11	1.13	1.13	1.14	(0.06)	14,495	1,680	1.159
SRICHA	8.20	190267	8.00	8.20	7.95	8.00	7.95	8.00	(0.20)	1,219	979	8.03
STEC	10.10	190267	10.10	10.30	9.95	10.10	10.00	10.10	-	38,739	39,048	10.079
STEC01C2403A	0.06	190267	-	0.05	0.04	0.05	0.05	0.06	(0.01)	6,823	30	0.043
STEC13C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
STEC13C2405A	0.42	190267	-	0.47	0.41	0.47	0.41	0.44	0.05	1,227	52	0.425
STEC19C2403A	0.02	190267	-	-	-	-	0.02	0.03	-	-	-	0
STEC19C2407A	0.58	190267	-	0.64	0.64	0.64	0.58	0.63	0.06	21	1	0.64
STI	3.52	190267	3.50	3.50	3.46	3.50	3.48	3.50	(0.02)	607	211	3.477
STPI	3.38	190267	3.38	3.40	3.32	3.32	3.32	3.38	(0.06)	5,037	1,691	3.356
SYNTEC	1.78	190267	1.79	1.79	1.75	1.75	1.75	1.76	(0.03)	9,523	1,683	1.766
TEAMG	4.94	190267	4.94	5.00	4.92	4.94	4.94	4.96	-	8,460	4,198	4.961
TEAMG-W1	0.58	190267	0.59	0.59	0.54	0.55	0.54	0.55	(0.03)	4,288	238	0.555
TEKA	2.40	190267	-	2.44	2.40	2.40	2.40	2.44	-	279	67	2.409
TPOLY	0.91	190267	0.95	1.07	0.95	0.99	0.98	0.99	0.08	438,067	44,544	1.016
TRC	0.31	190267	0.30	0.31	0.27	0.29	0.29	0.30	(0.02)	208,655	6,059	0.29
TRITN	0.13	190267	0.13	0.14	0.13	0.14	0.13	0.14	0.01	40,337	535	0.132
TRITN-W5	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
TRITN-W6	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
TTCL	3.62	190267	3.62	3.62	3.54	3.56	3.54	3.56	(0.06)	4,351	1,553	3.568
UNIQ	3.24	190267	3.30	3.30	3.18	3.20	3.20	3.22	(0.04)	1,540	495	3.215
WGE	0.71	190267	0.73	0.73	0.70	0.70	0.70	0.71	(0.01)	1,656	117	0.707
Unit Trust												
SCBSET	7.54	190267	-	-	-	-	6.40	-	-	-	-	0
ETF												
1DIV	9.84	190267	9.89	9.89	9.80	9.80	9.79	9.80	(0.04)	247	243	9.828
ABFTH	1,245.00	190267	-	-	-	-	1,263.00	1,293.00	-	-	-	0
BMSCG	9.41	190267	-	9.33	9.29	9.32	9.31	9.36	(0.09)	13	12	9.313
BMSCITH	9.63	190267	9.63	9.65	9.60	9.60	9.60	9.63	(0.03)	430	414	9.629
BSET100	8.95	190267	-	8.95	8.86	8.86	8.88	8.91	(0.09)	202	180	8.918
CHINA	5.47	190267	-	5.50	5.46	5.48	5.48	5.50	0.01	1,289	706	5.477
EBANK	4.92	190267	-	4.94	4.87	4.88	4.88	4.93	(0.04)	44	21	4.881
ENGY	5.19	190267	5.24	5.25	5.20	5.24	5.21	5.24	0.05	62	32	5.207
ENY	5.00	190267	-	5.02	4.99	4.99	5.00	5.02	(0.01)	29	14	4.996
GLD	2.92	190267	2.92	2.93	2.92	2.93	2.92	2.94	0.01	3,989	1,167	2.925
TDEX	8.14	190267	8.16	8.16	8.09	8.12	8.12	8.13	(0.02)	1,510	1,224	8.107
UBOT	13.28	190267	-	13.35	13.29	13.35	13.29	13.35	0.07	7	9	13.315
UHERO	7.51	190267	7.49	7.51	7.49	7.51	7.50	7.51	-	8	6	7.495
Warrant Foreign												
AIA28C2403A	0.04	190267	-	-	-	-	-	0.80	-	-	-	0
AIA28C2406A	0.34	190267	-	0.34	0.31	0.32	0.08	-	(0.02)	13,568	437	0.322
AIA28P2405A	0.20	190267	-	0.21	0.20	0.21	-	-	0.01	8,619	179	0.207
AIA41C2403A	0.10	190267	-	-	-	-	-	-	-	-	-	0
AIA41C2406A	0.39	190267	-	0.38	0.35	0.35	-	-	(0.04)	6	-	0.366
ALIHEA28C2402A	0.09	190267	-	-	-	-	-	-	-	-	-	0
ALIHEA28C2406A	0.05	190267	-	-	-	-	0.03	0.06	-	-	-	0
ALIHEA28C2407A	0.23	190267	-	0.28	0.26	0.28	-	-	0.05	6,084	164	0.27
ALIHEA41C2406A	0.22	190267	-	0.26	0.24	0.26	-	-	0.04	12	-	0.255
BABA28C2403A	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	0
BABA28C2403B	0.04	190267	-	-	-	-	-	-	-	-	-	0
BABA28C2404A	0.15	190267	0.14	0.17	0.14	0.17	-	0.17	0.02	3,081	43	0.14
BABA28C2404B	0.15	190267	-	0.15	0.14	0.15	-	-	-	12,198	177	0.145
BABA28C2406A	0.20	190267	-	0.25	0.19	0.25	0.18	0.25	0.05	2,548	48	0.19
BABA28C2406B	0.38	190267	-	0.38	0.35	0.35	0.20	0.39	(0.03)	20,222	746	0.369
BABA28P2403A	0.21	190267	-	0.20	0.20	0.20	-	-	(0.01)	3,000	60	0.2
BABA28P2404A	0.20	190267	-	0.18	0.17	0.17	-	-	(0.03)	6,000	105	0.175
BABA28P2407A	0.33	190267	-	0.34	0.33	0.33	-	-	-	10,140	340	0.335
BABA41C2403A	0.02	190267	-	-	-	-	0.01	-	-	-	-	0
BABA41C2403B	0.02	190267	-	-	-	-	0.01	-	-	-	-	0
BABA41C2404A	0.22	190267	-	0.17	0.14	0.17	0.14	0.17	(0.05)	146	2	0.14
BABA41C2404B	0.33	190267	-	0.33	0.29	0.33	-	-	-	14	-	0.304
BABA41C2406A	0.24	190267	-	0.24	0.23	0.24	0.08	-	-	445	10	0.23
BABA41C2406B	0.57	190267	-	0.57	0.53	0.57	0.41	-	-	6	-	0.55
BABA41P2403A	0.34	190267	-	0.35	0.33	0.33	-	-	(0.01)	4	-	0.34
BABA41P2404A	0.16	190267	-	0.17	0.17	0.17	-	-	0.01	2	-	0.17
BIDU28C2403A	0.07	190267	-	-	-	-	-	-	-	-	-	0
BIDU28C2403B	0.10	190267	-	-	-	-	-	-	-	-	-	0
BIDU28C2407A	0.34	190267	-	0.33	0.32	0.33	-	-	(0.01)	17,661	574	0.325
BIDU28P2406A	0.37	190267	-	0.37	0.37	0.37	-	-	-	4,056	150	0.37
BIDU41C2403A	0.09	190267	-	-	-	-	0.01	-	-	-	-	0
BIDU41C2403B	0.10	190267	-	-	-	-	-	-	-	-	-	0
BIDU41C2407A	0.36	190267	-	0.35	0.34	0.35	-	-	(0.01)	6	-	0.343
BIDU41P2403A	0.63	190267	-	0.65	0.61	0.61	-	-	(0.02)	24	2	0.626
BYDCOM28C2404A	0.04	190267	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2405A	0.10	190267	-	0.12	0.06	0.12	0.06	-	0.02	2,803	20	0.07
BYDCOM28C2407A	0.32	190267	-	0.27	0.26	0.27	0.26	-	(0.05)	11,154	294	0.263
BYDCOM28P2405A	0.38	190267	-	0.46	0.44	0.44	-	-	0.06	10,098	452	0.447
BYDCOM41C2404A	0.07	190267	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41C2405A	0.09	190267	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2406A	0.20	190267	-	0.17	0.16	0.17	-	-	(0.03)	5	-	0.166
BYDCOM41P2404A	0.97	190267	-	1.12	1.06	1.06	0.02	-	0.09	24	3	1.101
BYDCOM41P2405A	0.39	190267	-	0.47	0.45	0.45	-	-	0.06	8	-	0.461
CATHAY28C2403A	0.02	190267	-	-	-	-	-	-	-	-	-	0
CATHAY28C2404A	0.13	190267	-	-	-	-	-	-	-	-	-	0
CATHAY28C2407A	0.29	190267	-	0.29	0.28	0.29	-	-	-	2,114	60	0.284
CATHAY41C2403A	0.02	190267	-	-	-	-	0.01	-	-	-	-	0
CATHAY41C2404A	0.20	190267	-	0.18	0.18	0.18	0.17	-	(0.02)	2	-	0.18
CHMOBI28C2404A	0.23	190267	-	0.25	0.24	0.24	-	-	0.01	6,084	152	0.249
CMBANK41C2404A	0.11	190267	-	0.10	0.10	0.10	-	-	(0.01)	6	-	0.1
CMBANK41C2406A	0.38	190267	-	0.36	0.34	0.35	-	-	(0.03)	12	-	0.354
CNOOC28C2404A	0.37	190267	-	0.45	0.43	0.45	-	-	0.08	32,448	1,444	0.445
DJI28C2403A	3.08	190267	-	-	-	-	2.96	3.00	-	-	-	0
DJI28C2403B	0.57	190267	-	-	-	-	0.59	0.60	-	-	-	0
DJI28C2403C	0.19	190267	-	0.16	0.16	0.16	0.15	0.16	(0.03)	450	7	0.16
DJI28C2406B	0.74	190267	-	-	-	-	0.69	0.70	-	-	-	0
DJI28P2403A	0.03	190267	-	-	-	-	0.01	0.03	-	-	-	0

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
DJI28P2403B	0.01	190267	-	-	-	-	0.01	0.03	-	-	-	0
DJI28P2403C	0.07	190267	-	-	-	-	0.01	0.04	-	-	-	0
DJI28P2403D	0.11	190267	-	-	-	-	0.06	0.07	-	-	-	0
DJI28P2406A	0.36	190267	-	0.38	0.37	0.37	0.36	0.37	0.01	320	12	0.37
DJI41C2403A	2.36	190267	-	-	-	-	2.48	2.50	-	-	-	0
DJI41C2403B	0.56	190267	-	-	-	-	0.41	0.42	-	-	-	0
DJI41C2406A	0.75	190267	-	0.71	0.71	0.71	0.71	0.72	(0.04)	23	2	0.71
DJI41P2403A	0.04	190267	-	-	-	-	0.01	0.04	-	-	-	0
DJI41P2403B	0.04	190267	-	-	-	-	0.01	0.04	-	-	-	0
DJI41P2403C	0.05	190267	-	-	-	-	0.02	0.05	-	-	-	0
DJI41P2406A	0.38	190267	-	0.39	0.39	0.39	0.38	0.39	0.01	1	-	0.39
DJI41P2406B	0.61	190267	-	0.63	0.63	0.63	0.63	0.64	0.02	80	5	0.63
GEELY28C2403A	0.07	190267	-	-	-	-	-	-	-	-	-	0
GEELY28C2406A	0.25	190267	-	0.25	0.23	0.25	-	-	-	9,042	218	0.241
GEELY28P2404A	0.37	190267	-	0.42	0.38	0.38	-	-	0.01	14,112	579	0.41
GEELY41C2404A	0.06	190267	-	-	-	-	0.01	-	-	-	-	0
GEELY41C2406A	0.22	190267	-	0.22	0.21	0.22	-	-	-	8	-	0.212
HAIDIL28C2402A	0.01	190267	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2403A	0.05	190267	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2404A	0.10	190267	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2406A	0.16	190267	-	0.16	0.15	0.16	-	-	-	4,056	64	0.157
HAIDIL41C2403A	0.05	190267	-	-	-	-	0.01	-	-	-	-	0
HAIDIL41C2404A	0.09	190267	-	-	-	-	-	-	-	-	-	0
HAIDIL41C2405A	0.19	190267	-	0.19	0.18	0.18	-	-	(0.01)	4	-	0.182
HKEX28C2404A	0.06	190267	-	-	-	-	-	-	-	-	-	0
HKEX28C2406A	0.21	190267	-	0.19	0.19	0.19	0.18	-	(0.02)	10,647	202	0.19
HKEX28C2407A	0.37	190267	-	-	-	-	-	-	-	-	-	0
HKEX41C2404A	0.12	190267	-	-	-	-	-	-	-	-	-	0
HKEX41C2405A	0.14	190267	-	0.12	0.12	0.12	-	-	(0.02)	2	-	0.12
HKEX41C2406A	0.28	190267	-	0.26	0.25	0.26	-	-	(0.02)	1,032	26	0.25
HSBC28C2403A	0.15	190267	-	0.15	0.15	0.15	-	-	-	1,014	15	0.15
HSBC28C2406A	0.60	190267	-	0.61	0.61	0.61	0.59	-	0.01	8,113	495	0.61
HSBC28P2404A	0.06	190267	-	-	-	-	-	-	-	-	-	0
HSBC28P2407A	0.17	190267	-	-	-	-	-	-	-	-	-	0
HSBC41C2403A	0.21	190267	-	0.21	0.21	0.21	-	-	-	8	-	0.21
HSBC41C2405A	0.16	190267	-	-	-	-	-	-	-	-	-	0
HSBC41P2406A	0.14	190267	-	-	-	-	-	-	-	-	-	0
HSCEI28C2402A	0.04	190267	-	-	-	-	0.04	0.05	-	-	-	0
HSCEI28C2403A	0.43	190267	-	0.36	0.30	0.36	0.35	0.37	(0.07)	60,000	1,985	0.33
HSCEI28C2404A	0.72	190267	-	0.74	0.68	0.74	0.76	0.78	0.02	21,240	1,517	0.714
HSCEI28P2402A	0.09	190267	-	-	-	-	0.01	0.04	-	-	-	0
HSCEI28P2403A	0.57	190267	-	0.59	0.59	0.59	0.51	0.52	0.02	10,000	590	0.59
HSCEI28P2404A	0.28	190267	-	-	-	-	0.28	0.29	-	-	-	0
HSI06C2402A	0.01	190267	-	-	-	-	-	0.01	-	-	-	0
HSI06C2402B	0.03	190267	-	0.02	0.01	0.02	0.01	0.02	(0.01)	13,986	14	0.01
HSI06C2402C	0.05	190267	0.04	0.05	0.03	0.05	0.05	0.06	-	43,070	187	0.043
HSI06C2402D	0.28	190267	-	0.33	0.21	0.31	0.28	0.34	0.03	3,708,536	87,410	0.235
HSI06C2403A	0.17	190267	0.17	0.20	0.16	0.20	0.18	0.21	0.03	3,773,661	62,868	0.166
HSI06C2403B	0.14	190267	-	0.13	0.11	0.13	0.13	0.20	(0.01)	12	-	0.127
HSI06C2403C	0.35	190267	-	0.40	0.31	0.39	0.38	0.40	0.04	3,540,123	117,431	0.331
HSI06C2403D	1.15	190267	-	1.04	1.04	1.04	0.21	-	(0.11)	40	4	1.04
HSI06C2404A	0.21	190267	-	0.24	0.20	0.24	0.23	0.25	0.03	4,881,208	98,814	0.202
HSI06C2404B	1.09	190267	-	-	-	-	-	-	-	-	-	0
HSI06C2404C	0.58	190267	-	0.62	0.56	0.61	0.51	-	0.03	384	23	0.6
HSI06C2404D	1.62	190267	-	-	-	-	-	-	-	-	-	0
HSI06C2405A	0.58	190267	-	0.65	0.57	0.65	0.63	-	0.07	43	2	0.575
HSI06C2405B	1.00	190267	-	1.04	0.97	1.04	0.08	-	0.04	400	40	1.005
HSI06C2406A	0.86	190267	-	0.90	0.87	0.90	0.08	-	0.04	62	5	0.87
HSI06P2402A	0.57	190267	-	-	-	-	-	-	-	-	-	0
HSI06P2402B	0.03	190267	-	0.03	0.02	0.02	0.01	0.02	(0.01)	6,500	19	0.029
HSI06P2402C	0.17	190267	-	0.17	0.10	0.10	0.09	0.11	(0.07)	3,342,454	49,589	0.148
HSI06P2403A	0.62	190267	-	0.64	0.54	0.54	0.08	-	(0.08)	10,070	597	0.592
HSI06P2403B	0.32	190267	0.32	0.33	0.26	0.26	0.25	0.29	(0.06)	4,186,251	129,794	0.31
HSI06P2403C	0.14	190267	-	0.14	0.11	0.11	0.01	0.12	(0.03)	10,920	131	0.12
HSI06P2403D	0.08	190267	-	0.07	0.05	0.05	0.05	0.08	(0.03)	1,567	11	0.069
HSI06P2404A	0.82	190267	0.62	0.62	0.62	0.62	-	-	(0.20)	20	1	0.62
HSI06P2404B	0.21	190267	-	0.20	0.19	0.19	0.10	0.19	(0.02)	2,701	53	0.194
HSI06P2404C	1.28	190267	-	-	-	-	-	-	-	-	-	0
HSI06P2404D	0.36	190267	0.36	0.37	0.31	0.31	0.01	0.34	(0.05)	3,752,573	134,336	0.357
HSI06P2405A	0.91	190267	-	-	-	-	-	-	-	-	-	0
HSI06P2405B	0.39	190267	-	0.40	0.35	0.35	0.08	-	(0.04)	630,485	24,427	0.387
HSI06P2406A	1.00	190267	-	0.54	0.52	0.52	-	-	(0.48)	1,450	77	0.533
HSI28C2402A	0.01	190267	-	0.01	0.01	0.01	0.01	0.02	-	353	-	0.01
HSI28C2402B	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
HSI28C2402C	0.01	190267	-	0.02	0.01	0.01	0.01	0.02	-	5,846	6	0.01
HSI28C2402D	0.03	190267	-	0.04	0.02	0.04	0.03	0.04	0.01	17,205	52	0.029
HSI28C2402E	0.02	190267	-	0.02	0.01	0.02	0.01	0.02	-	144,724	145	0.01
HSI28C2402F	0.25	190267	0.21	0.31	0.20	0.30	0.29	0.30	0.05	4,210,452	98,708	0.234
HSI28C2403A	0.02	190267	0.02	0.02	0.01	0.01	0.01	0.02	(0.01)	471	-	0.01
HSI28C2403B	0.38	190267	0.37	0.44	0.35	0.43	0.43	0.44	0.05	2,581,369	100,498	0.389
HSI28C2403C	0.18	190267	0.17	0.21	0.16	0.21	0.20	0.21	0.03	1,134,706	20,553	0.181
HSI28C2403D	0.09	190267	-	0.09	0.08	0.09	0.09	0.10	-	32,304	291	0.09
HSI28C2403E	0.75	190267	-	0.84	0.70	0.83	0.83	0.84	0.08	1,102,670	83,033	0.753
HSI28C2403F	1.33	190267	-	1.39	1.33	1.39	1.41	1.45	0.06	1,027	137	1.334
HSI28C2404A	0.11	190267	-	0.13	0.10	0.13	0.12	0.13	0.02	52,398	563	0.107
HSI28C2404B	0.24	190267	-	0.27	0.22	0.27	0.26	0.27	0.03	32,688	784	0.239
HSI28C2404C	0.46	190267	0.45	0.51	0.43	0.50	0.50	0.51	0.04	2,364,928	109,119	0.461
HSI28C2404D	0.87	190267	-	0.95	0.83	0.94	0.95	0.98	0.07	765	70	0.917
HSI28C2405A	0.17											

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSI28P2406A	0.27	190267	0.28	0.29	0.25	0.25	0.25	0.26	(0.02)	14,115	381	0.269
HSTECH28C2403A	0.51	190267	-	0.41	0.38	0.41	0.41	0.42	(0.10)	829	33	0.401
HSTECH28C2403B	0.09	190267	-	0.09	0.08	0.09	0.09	0.10	-	3,182	27	0.086
HSTECH28C2404A	0.82	190267	-	0.83	0.77	0.83	0.83	0.84	0.01	606	48	0.795
HSTECH28P2403A	0.36	190267	-	-	-	-	0.35	0.36	-	-	-	0
HSTECH28P2403B	1.53	190267	-	-	-	-	1.15	1.18	-	-	-	0
HSTECH28P2404A	0.20	190267	-	-	-	-	0.13	0.14	-	-	-	0
ICBC28C2404A	0.13	190267	-	-	-	-	-	-	-	-	-	0
ICBC28C2407A	0.32	190267	-	-	-	-	-	-	-	-	-	0
JD28C2402A	0.04	190267	-	-	-	-	-	0.80	-	-	-	0
JD28C2403A	0.13	190267	-	-	-	-	-	-	-	-	-	0
JD28C2403B	0.13	190267	-	-	-	-	0.01	0.13	-	-	-	0
JD28C2406A	0.43	190267	-	0.42	0.37	0.42	0.08	-	(0.01)	10,521	408	0.387
JD41C2406A	0.59	190267	-	0.57	0.49	0.57	-	-	(0.02)	14	1	0.509
KUAIISH28C2403A	0.01	190267	-	-	-	-	-	-	-	-	-	0
KUAIISH28C2404A	0.10	190267	-	-	-	-	-	2.00	-	-	-	0
KUAIISH28C2406A	0.13	190267	-	0.13	0.13	0.13	-	-	-	8,112	105	0.13
KUAIISH28C2407A	0.42	190267	-	0.43	0.41	0.43	-	-	0.01	27,294	1,139	0.417
KUAIISH41C2406A	0.27	190267	-	0.27	0.26	0.27	-	-	-	351	9	0.26
LENOVO28C2402A	0.46	190267	-	-	-	-	-	-	-	-	-	0
LENOVO28C2404A	0.04	190267	-	-	-	-	-	-	-	-	-	0
LENOVO28C2407A	0.32	190267	-	0.28	0.27	0.28	0.27	-	(0.04)	13,182	365	0.276
LENOVO41C2406A	0.18	190267	-	0.13	0.12	0.12	0.08	-	(0.06)	476	6	0.129
MCA5041C2403A	0.01	190267	-	-	-	-	0.01	0.04	-	-	-	0
MCA5041C2406A	0.62	190267	-	0.66	0.65	0.65	0.65	0.66	0.03	16	1	0.65
MCA5041P2403A	1.29	190267	-	-	-	-	0.71	0.72	-	-	-	0
MCA5041P2406A	1.01	190267	-	-	-	-	0.64	0.65	-	-	-	0
MEITU28C2403A	0.03	190267	-	-	-	-	-	0.03	-	-	-	0
MEITU28C2404A	0.04	190267	-	-	-	-	-	-	-	-	-	0
MEITU28C2406A	0.26	190267	-	0.27	0.25	0.27	-	-	0.01	41,322	1,079	0.261
MEITU28C2407A	0.59	190267	-	0.62	0.57	0.62	-	-	0.03	58,560	3,498	0.597
MEITU28P2405A	0.87	190267	-	0.89	0.84	0.85	0.02	-	(0.02)	10,056	876	0.871
MEITU28P2406A	0.44	190267	-	0.43	0.39	0.39	-	-	(0.05)	7,098	293	0.412
MEITU41C2403A	0.10	190267	-	-	-	-	0.01	-	-	-	-	0
MEITU41C2405A	0.04	190267	-	-	-	-	0.05	-	-	-	-	0
MEITU41C2405B	0.21	190267	-	0.21	0.19	0.21	0.08	-	-	112	2	0.191
MEITU41C2406A	0.39	190267	-	0.40	0.37	0.40	-	-	0.01	16	1	0.393
MEITU41C2406B	0.63	190267	-	0.63	0.58	0.63	0.08	-	-	628	38	0.61
MEITU41P2404A	0.76	190267	-	0.77	0.71	0.72	0.02	-	(0.04)	36	3	0.739
MEITU41P2406A	0.36	190267	-	0.37	0.35	0.35	-	-	(0.01)	12	-	0.357
NDX28C2403A	0.15	190267	-	-	-	-	0.07	0.08	-	-	-	0
NDX28C2403B	1.01	190267	-	0.89	0.89	0.89	0.84	0.88	(0.12)	10	1	0.89
NDX28C2406A	1.87	190267	-	1.84	1.79	1.80	1.79	1.80	(0.07)	63	11	1.793
NDX28C2406B	0.55	190267	-	0.53	0.50	0.52	0.50	0.51	(0.03)	51	3	0.516
NDX28C2406C	0.77	190267	0.73	0.74	0.70	0.73	0.71	0.72	(0.04)	675	49	0.724
NDX28C2406D	0.34	190267	-	0.33	0.32	0.32	0.31	0.32	(0.02)	7	-	0.322
NDX28P2403A	0.01	190267	-	-	-	-	0.01	0.03	-	-	-	0
NDX28P2403B	0.04	190267	-	-	-	-	0.01	0.04	-	-	-	0
NDX28P2403C	0.04	190267	-	-	-	-	0.02	0.04	-	-	-	0
NDX28P2403D	0.04	190267	-	-	-	-	0.04	0.05	-	-	-	0
NDX28P2406A	0.19	190267	-	0.22	0.21	0.22	0.21	0.22	0.03	9,140	201	0.219
NDX28P2406B	0.40	190267	-	-	-	-	0.41	0.42	-	-	-	0
NDX41C2403A	1.69	190267	-	-	-	-	1.38	1.39	-	-	-	0
NDX41C2403B	1.29	190267	-	-	-	-	1.18	1.19	-	-	-	0
NDX41C2403C	0.36	190267	-	0.31	0.31	0.31	0.29	0.30	(0.05)	900	28	0.31
NDX41C2406A	1.06	190267	0.99	1.01	0.96	0.98	0.97	0.98	(0.08)	700	69	0.981
NDX41C2406B	1.00	190267	-	0.37	0.34	0.34	0.35	0.36	(0.66)	2,049	72	0.35
NDX41P2403A	0.04	190267	-	-	-	-	0.01	0.04	-	-	-	0
NDX41P2403B	0.04	190267	-	-	-	-	0.01	0.04	-	-	-	0
NDX41P2403C	0.09	190267	-	-	-	-	0.01	0.04	-	-	-	0
NDX41P2403D	0.05	190267	-	-	-	-	0.02	0.05	-	-	-	0
NDX41P2406A	0.29	190267	-	0.31	0.30	0.30	0.30	0.31	0.01	471	14	0.307
NDX41P2406B	0.39	190267	-	0.45	0.44	0.44	0.45	0.46	0.05	1,100	49	0.444
NTES41C2404A	0.19	190267	-	0.17	0.17	0.17	-	-	(0.02)	2	-	0.17
NTES41C2405A	0.59	190267	-	0.59	0.56	0.59	-	-	-	6	-	0.576
PINGAN28C2403A	0.04	190267	-	-	-	-	-	-	-	-	-	0
PINGAN28C2404A	1.20	190267	-	-	-	-	-	0.88	-	-	-	0
PINGAN28C2406A	0.19	190267	-	0.18	0.17	0.18	-	-	(0.01)	22,154	385	0.173
PINGAN28C2407A	0.43	190267	-	-	-	-	-	-	-	-	-	0
PINGAN28P2403A	0.61	190267	-	-	-	-	-	-	-	-	-	0
PINGAN28P2406A	0.17	190267	-	0.18	0.18	0.18	-	-	0.01	5,080	91	0.18
PINGAN41C2403A	0.11	190267	-	-	-	-	0.01	-	-	-	-	0
PINGAN41C2404A	0.07	190267	-	-	-	-	0.01	-	-	-	-	0
PINGAN41C2404B	0.12	190267	-	0.10	0.10	0.10	-	-	(0.02)	2	-	0.1
PINGAN41C2406A	0.29	190267	-	0.26	0.25	0.26	-	-	(0.03)	4	-	0.252
PINGAN41C2406B	0.26	190267	-	0.23	0.22	0.23	-	-	(0.03)	14	-	0.223
PINGAN41P2404A	0.13	190267	-	0.14	0.13	0.13	-	-	-	14	-	0.135
SET5001C2403A	0.02	190267	-	0.02	0.01	0.02	0.01	0.02	-	12,546	13	0.01
SET5001C2403B	0.02	190267	-	0.01	0.01	0.01	0.01	0.02	(0.01)	4,900	5	0.01
SET5001C2403F	0.05	190267	0.04	0.04	0.04	0.04	0.04	0.05	(0.01)	5,059	20	0.04
SET5001C2403G	0.02	190267	-	-	-	-	0.01	0.02	-	-	-	0
SET5001C2404A	0.04	190267	0.03	0.03	0.02	0.03	0.02	0.03	(0.01)	22,143	56	0.025
SET5001C2404T	0.19	190267	0.19	0.19	0.15	0.17	0.16	0.17	(0.02)	11,118	181	0.162
SET5001C2405A	0.26	190267	0.26	0.26	0.21	0.23	0.23	0.24	(0.03)	33,836	771	0.227
SET5001C2406A	0.38	190267	0.34	0.37	0.33	0.35	0.35	0.36	(0.03)	12,157	425	0.346
SET5001C2406F	0.38	190267	-	0.37	0.34	0.35	0.35	0.36	(0.03)	61,155	2,160	0.353
SET5001C2406T	0.41	190267	0.42	0.42	0.39	0.40	0.39	0.40	(0.01)	16,289	651	0.399
SET5001P2403A	0.02	190267	0.02	0.03	0.02	0.03	0.02	0.03	0.01	3,030	8	0.026
SET5001P2403B	0.01	190267	0.01	0.01	0.01	0.01	0.01	0.02	-	1,215	1	0.01
SET5001P2403F	0.05	190267	-	0.05	0.05	0.05	0.05	0.06	-	20	-	0.05
SET5001P2403G	0.05	190267	-	-	-	-	0.03	0.04	-	-	-	0
SET5001P2403H	0.28	190267	-	0.31	0.27	0.29	0.28	0.29	0.01	31,969	935	0.292
SET5001P2404A	0.24	190267	0.27	0.29	0.23	0.27	0.26	0.27	0.03	7,007	196	0.279
SET5001P2404T	0.28	190267	0.30	0.31	0.29	0.30	0.29	0.30	0.02	1,439	42	0.295
SET5001P2405A	0.21	190267	-	0.24	0.22	0.22	0.22	0.23	0.01	5,255	117	0.221
SET5001P2406A	0.45	190267	0.44	0.51	0.44	0.48	0.47	0.48	0.03	25,499	1,143	0.448
SET5001P2406F	0.47	190267	-	0.50	0.47	0.48	0.47	0.48	0.01	138,972	6,752	0.485
SET5001P2406T	0.36	190267	-	0.39	0.37	0.37	0.36	0.37	0.01	1,568	59	0.378
SET5006C2402A	0.01	190267	-	-	-	-	-	0.06	-	-	-	0
SET5006C2403A	0.02	190267	-	-	-	-	-	-	-	-	-	0
SET5006C2403B	0.06	190267	-	0.05	0.05	0.05	0.04	0.10	(0.01)	3,720	19	0.05
SET5006C2403C	0.17	190267	-	0.16	0.13	0.13	0.13	0.14	(0.04)	168,593	2,476	0.146
SET5006P2402A	0.10	190267	-	-	-	-	-	-	-	-	-	0

Daily Quotation

Issue Date

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
SET5006P2403A	0.21	190267	-	0.24	0.21	0.21	-	0.30	-	-	128,496	2,860	0.222
SET5006P2403C	0.06	190267	-	-	-	-	0.05	0.07	-	-	-	-	0
SET5013C2403A	0.01	190267	0.01	0.01	0.01	0.01	-	0.01	-	-	100	-	0.01
SET5013C2403B	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	-	1,095	1	0.01
SET5013C2403C	0.01	190267	-	0.01	0.01	0.01	0.01	0.02	-	-	24,512	25	0.01
SET5013C2403D	0.02	190267	0.02	0.02	0.01	0.02	0.01	0.02	-	-	31,253	62	0.019
SET5013C2403E	0.02	190267	0.02	0.03	0.01	0.02	0.02	0.03	-	-	48,277	96	0.019
SET5013C2403F	0.03	190267	0.03	0.03	0.01	0.02	0.01	0.02	(0.01)	-	858	2	0.019
SET5013C2403G	0.01	190267	0.01	0.02	0.01	0.01	0.01	0.02	-	-	71,461	71	0.01
SET5013C2403H	0.06	190267	-	0.05	0.04	0.04	0.04	0.05	(0.02)	-	315,099	1,341	0.042
SET5013C2403I	0.11	190267	0.11	0.11	0.08	0.09	0.09	0.10	(0.02)	-	245,573	2,297	0.093
SET5013C2403J	0.15	190267	0.15	0.15	0.11	0.13	0.13	0.14	(0.02)	-	1,850,761	23,518	0.127
SET5013C2405A	0.79	190267	-	0.78	0.78	0.78	0.78	0.79	(0.01)	-	257	20	0.78
SET5013C2406A	0.38	190267	0.38	0.38	0.33	0.35	0.35	0.36	(0.03)	-	2,700,123	94,575	0.35
SET5013C2406B	0.45	190267	0.45	0.45	0.39	0.42	0.42	0.43	(0.03)	-	743,295	31,201	0.419
SET5013C2410A	0.23	190267	-	0.23	0.21	0.22	0.22	0.23	(0.01)	-	83,632	1,853	0.223
SET5013P2403A	0.04	190267	-	0.04	0.03	0.03	0.03	0.04	(0.01)	-	12,705	41	0.031
SET5013P2403B	0.05	190267	-	0.06	0.04	0.05	0.04	0.05	-	-	144,177	656	0.045
SET5013P2403C	0.12	190267	0.12	0.14	0.12	0.12	0.12	0.13	-	-	101,945	1,286	0.126
SET5013P2403D	0.14	190267	0.14	0.17	0.14	0.14	0.14	0.15	-	-	145,917	2,195	0.15
SET5013P2403E	0.30	190267	0.29	0.35	0.29	0.30	0.30	0.31	-	-	1,744,004	54,846	0.314
SET5013P2403F	0.08	190267	0.07	0.08	0.07	0.08	0.07	0.08	-	-	70,589	528	0.074
SET5013P2405A	1.17	190267	-	1.17	1.17	1.17	1.17	1.18	-	-	29	3	1.17
SET5013P2406A	0.38	190267	0.38	0.43	0.38	0.40	0.39	0.40	0.02	-	582,176	23,480	0.403
SET5013P2406B	0.49	190267	0.50	0.55	0.50	0.51	0.51	0.52	0.02	-	602,896	31,605	0.524
SET5019C2403A	0.02	190267	-	0.02	0.01	0.02	0.01	0.02	-	-	135	-	0.011
SET5019C2403B	0.02	190267	-	-	-	-	0.02	0.03	-	-	-	-	0
SET5019C2403C	0.03	190267	-	-	-	-	0.02	0.03	-	-	-	-	0
SET5019C2403D	0.03	190267	-	-	-	-	0.01	0.02	-	-	-	-	0
SET5019C2403E	0.06	190267	-	-	-	-	0.04	0.05	-	-	-	-	0

Main Board Quotation

Issue Date

Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TENCEN28C2403B	0.04	190267	-	-	-	-	-	-	-	-	-	0
TENCEN28C2403C	0.06	190267	-	-	-	-	0.01	0.10	-	-	-	0
TENCEN28C2405A	0.12	190267	-	0.11	0.11	0.11	-	-	(0.01)	10,605	117	0.11
TENCEN28C2405B	0.35	190267	-	0.32	0.31	0.31	0.31	-	(0.04)	4,056	128	0.315
TENCEN28P2404A	0.16	190267	-	0.17	0.17	0.17	-	-	0.01	10,647	181	0.17
TENCEN41C2403A	0.10	190267	-	-	-	-	-	-	-	-	-	0
TENCEN41C2405A	0.09	190267	-	-	-	-	-	-	-	-	-	0
TENCEN41C2406A	0.31	190267	-	0.29	0.28	0.28	-	-	(0.03)	2	-	0.285
TENCEN41P2405A	0.58	190267	-	0.61	0.60	0.61	-	-	0.03	26	2	0.604
TRIPDC41C2403A	0.61	190267	-	0.62	0.57	0.60	-	0.64	(0.01)	65	4	0.6
XIAOMI28C2403A	0.07	190267	-	-	-	-	-	-	-	-	-	0
XIAOMI28C2404A	0.04	190267	-	-	-	-	-	0.04	-	-	-	0
XIAOMI28C2407A	0.20	190267	-	0.19	0.19	0.19	0.13	-	(0.01)	306	6	0.19
XIAOMI41C2403A	0.11	190267	-	-	-	-	-	-	-	-	-	0
XIAOMI41C2404A	0.03	190267	-	-	-	-	-	0.04	-	-	-	0
XIAOMI41C2406A	0.16	190267	0.15	0.17	0.15	0.16	0.14	-	-	1,187	18	0.154
XIAOMI41P2404A	0.44	190267	-	0.47	0.44	0.44	-	-	-	10	-	0.449
ZIJIN28C2403A	0.09	190267	-	-	-	-	-	-	-	-	-	0
ZIJIN28C2407A	0.45	190267	-	0.48	0.45	0.46	-	-	0.01	10,140	470	0.463
ZIJIN41C2403A	0.09	190267	-	0.10	0.10	0.10	-	-	0.01	4	-	0.1

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Foreign Board Quotation

Issue Date : Tuesday February 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
Agro & Food Indt	-	0	-	-	-	-	-	-	-	-	-	-
AU	8.65	190267	8.65	8.70	8.60	8.60	8.60	8.65	(0.05)	2,706.00	2,332.00	00 8.6
JCKH	0.03	190267	0.04	0.04	0.03	0.04	0.03	0.04	0.01	4,602.00	15.00	00 0.0
JCKH-W1	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	20.00	-	00 0.0
JCKH-W2	0.01	190267	-	-	-	-	0.01	0.02	-	-	-	00 0.0
KASET	1.40	190267	1.39	1.41	1.39	1.39	1.38	1.40	(0.01)	127.00	18.00	00 1.3
MUD	1.90	190267	-	1.91	1.85	1.85	1.85	1.89	(0.05)	308.00	59.00	00 1.9
NTSC	16.00	190267	-	16.00	15.90	16.00	15.70	16.00	-	11.00	18.00	00 15.9
TACC	4.60	190267	4.60	4.60	4.50	4.50	4.50	4.52	(0.10)	8,020.00	3,634.00	00 4.5
TMILL	3.80	190267	3.80	3.86	3.78	3.78	3.78	3.82	(0.02)	2,237.00	850.00	00 3.8
WINNER	2.14	190267	-	2.16	2.14	2.16	2.14	2.16	0.02	102.00	22.00	00 2.1
XO	23.50	190267	23.80	23.80	22.90	23.10	23.10	23.30	(0.40)	15,972.00	37,199.00	00 23.2
Consumer Produ	-	0	-	-	-	-	-	-	-	-	-	-
ALPHAX	0.59	190267	0.59	0.62	0.59	0.59	0.59	0.60	-	167,433.00	10,064.00	00 0.6
BGT	0.81	190267	0.83	0.83	0.80	0.81	0.80	0.81	-	1,172.00	95.00	00 0.8
DOD	3.50	190267	3.48	3.48	3.44	3.46	3.44	3.46	(0.04)	1,423.00	494.00	00 3.4
ECF	1.00	190267	0.99	1.00	0.98	0.98	0.98	0.99	(0.02)	1,893.00	187.00	00 0.9
ECF-W4	0.01	190267	0.01	0.01	0.01	0.01	-	0.01	-	28,628.00	29.00	00 0.0
EFORL	0.24	190267	0.22	0.23	0.22	0.23	0.22	0.23	(0.01)	52,492.00	1,201.00	00 0.2
EFORL-W6	0.06	190267	0.05	0.05	0.04	0.05	0.04	0.05	(0.01)	2,623.00	13.00	00 0.0
EURO	8.10	190267	8.10	8.40	7.65	7.70	7.70	7.80	(0.40)	117,673.00	95,045.00	00 8.0
HPT	0.59	190267	0.59	0.60	0.58	0.58	0.58	0.59	(0.01)	21,390.00	1,244.00	00 0.5
IP	8.55	190267	8.55	8.55	8.25	8.35	8.35	8.40	(0.20)	2,903.00	2,437.00	00 8.3
IP-W2	0.49	190267	0.50	0.50	0.48	0.49	0.47	0.49	-	5,144.00	250.00	00 0.4
ITTHI	2.24	190267	2.26	2.28	2.18	2.20	2.20	2.22	(0.04)	34,053.00	7,549.00	00 2.2
JSP	2.24	190267	2.24	2.28	2.20	2.20	2.20	2.24	(0.04)	2,489.00	553.00	00 2.2
JSP-W1	0.23	190267	-	0.24	0.20	0.23	0.21	0.23	-	9,379.00	201.00	00 0.2
JUBILE	17.10	190267	17.00	17.10	16.90	17.00	16.90	17.10	(0.10)	2,426.00	4,124.00	00 16.9
MGI	34.50	190267	-	-	-	-	32.00	35.25	-	-	-	00 0.0
MOONG	2.34	190267	2.26	2.34	2.26	2.26	2.26	2.28	(0.08)	5,660.00	1,284.00	00 2.2
NPK	15.90	190267	-	-	-	-	15.10	16.00	-	-	-	00 0.0
SMD	7.05	190267	7.05	7.10	6.95	6.95	6.95	7.00	(0.10)	1,977.00	1,388.00	00 7.0
TM	1.95	190267	1.96	1.98	1.95	1.95	1.95	1.98	-	303.00	59.00	00 1.9
TM-W1	0.20	190267	-	0.20	0.20	0.20	0.20	0.21	-	362.00	7.00	00 0.2
WARRIX	5.20	190267	5.25	5.25	5.10	5.15	5.10	5.15	(0.05)	9,975.00	5,144.00	00 5.1
WINMED	3.02	190267	3.02	3.02	2.98	3.00	3.00	3.04	(0.02)	670.00	201.00	00 2.9
Financials	-	0	-	-	-	-	-	-	-	-	-	-
ACAP	0.33	190267	-	-	-	-	-	-	-	-	-	00 0.0
AF	0.78	190267	-	0.79	0.78	0.78	0.78	0.79	-	59.00	5.00	00 0.7
AIRA	1.99	190267	1.91	1.91	1.73	1.74	1.74	1.85	(0.25)	5.00	1.00	00 1.7
ASN	1.91	190267	-	1.81	1.81	1.81	1.81	1.90	(0.10)	8.00	1.00	00 1.8
BROOK	0.57	190267	0.56	0.57	0.54	0.55	0.55	0.56	(0.02)	450,980.00	24,888.00	00 0.5
BROOK-W6	0.08	190267	0.08	0.09	0.06	0.09	0.08	0.09	0.01	104,821.00	784.00	00 0.0
BROOK-W7	0.30	190267	-	0.30	0.29	0.30	0.29	0.30	-	10,084.00	299.00	00 0.2
GCAP	0.55	190267	0.55	0.56	0.53	0.53	0.53	0.54	(0.02)	24,472.00	1,328.00	00 0.5
KCC	4.04	190267	4.08	4.08	4.00	4.02	4.02	4.04	(0.02)	2,759.00	1,110.00	00 4.0
LIT	1.06	190267	1.07	1.08	1.05	1.06	1.05	1.06	-	1,146.00	122.00	00 1.0
LIT-W2	0.27	190267	-	0.28	0.26	0.26	0.26	0.27	(0.01)	114.00	3.00	00 0.2
MITSIB	1.00	190267	1.00	1.01	1.00	1.00	0.99	1.00	-	1,505.00	151.00	00 1.0
SGF	0.44	190267	0.44	0.44	0.43	0.43	0.43	0.45	(0.01)	4,927.00	215.00	00 0.4
SGF-P1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
SGF-Q1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
TQR	7.35	190267	-	7.20	7.10	7.20	7.05	7.20	(0.15)	173.00	123.00	00 7.1
Industrials	-	0	-	-	-	-	-	-	-	-	-	-
ADB	1.02	190267	-	1.05	1.01	1.01	1.01	1.02	(0.01)	1,399.00	143.00	00 1.0
BM	2.98	190267	2.96	2.98	2.92	2.94	2.92	2.94	(0.04)	1,780.00	523.00	00 2.9
BM-W3	1.69	190267	-	1.66	1.60	1.62	1.62	1.66	(0.07)	225.00	36.00	00 1.6
CHO	0.19	190267	0.19	0.20	0.18	0.18	0.18	0.19	(0.01)	244,192.00	4,593.00	00 0.1
CHO-W3	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	4.00	-	00 0.0
CHOW	1.64	190267	1.62	1.62	1.60	1.61	1.60	1.61	(0.03)	1,034.00	167.00	00 1.6
CIG	0.07	190267	0.07	0.08	0.07	0.07	0.07	0.08	-	72,934.00	521.00	00 0.0
CIG-W10	0.06	190267	-	-	-	-	0.05	0.08	-	-	-	00 0.0
CIG-W9	0.06	190267	-	0.06	0.05	0.06	0.05	0.06	-	776.00	4.00	00 0.0
COLOR	1.41	190267	1.41	1.41	1.38	1.38	1.38	1.40	(0.03)	17.00	2.00	00 1.3
COLOR-W2	0.03	190267	0.03	0.03	0.02	0.02	0.02	0.03	(0.01)	2,934.00	8.00	00 0.0
CPR	4.08	190267	4.14	4.14	4.04	4.04	4.04	4.08	(0.04)	805.00	328.00	00 4.0
FPI	2.64	190267	2.64	2.76	2.62	2.72	2.70	2.72	0.08	6,998.00	1,896.00	00 2.7
GTB	0.66	190267	-	0.69	0.66	0.66	0.66	0.67	-	1,000.00	67.00	00 0.6
KCM	0.40	190267	0.41	0.41	0.39	0.39	0.39	0.40	(0.01)	1,360.00	54.00	00 0.3
KJL	7.95	190267	7.85	7.90	7.80	7.85	7.85	7.90	(0.10)	3,853.00	3,022.00	00 7.8
KUMWEL	1.76	190267	1.74	1.86	1.72	1.84	1.75	1.82	0.08	1,484.00	265.00	00 1.7
KWM	1.50	190267	1.53	1.53	1.50	1.51	1.50	1.51	0.01	4,412.00	665.00	00 1.5
MBAX	3.16	190267	3.14	3.16	3.12	3.12	3.12	3.14	(0.04)	668.00	209.00	00 3.1
MBAX-W2	0.26	190267	-	0.26	0.26	0.26	0.26	0.28	-	126.00	3.00	00 0.2
MGT	2.78	190267	2.74	2.78	2.68	2.68	2.66	2.68	(0.10)	4,145.00	1,132.00	00 2.7
MTW	2.52	190267	2.54	2.66	2.50	2.62	2.62	2.64	0.10	71,495.00	18,502.00	00 2.5
NDR	1.33	190267	1.36	1.36	1.31	1.32	1.32	1.34	(0.01)	1,145.00	152.00	00 1.3
NDR-W2	0.01	190267	-	0.01	0.01	0.01	-	0.01	-	25,955.00	26.00	00 0.0
PACO	1.75	190267	1.74	1.78	1.74	1.75	1.75	1.76	-	8,826.00	1,550.00	00 1.7
PACO-W1	0.24	190267	0.21	0.24	0.21	0.22	0.22	0.23	(0.02)	1,966.00	42.00	00 0.2
PDG	2.52	190267	-	2.52	2.44	2.44	2.44	2.52	(0.08)	939.00	231.00	00 2.4
PIMO	1.58	190267	1.57	1.62	1.55	1.57	1.57	1.58	(0.01)	7,596.00	1,201.00	00 1.5
PPM	2.48	190267	2.50	2.50	2.44	2.44	2.42	2.44	(0.04)	1,917.00	475.00	00 2.4
PPM-W2	0.10	190267	0.09	0.11	0.09	0.09	0.09	0.11	(0.01)	233.00	2.00	00 0.0
PRAPAT	1.95	190267	1.93	1.97	1.78	1.85	1.85	1.86	(0.10)	147,660.00	27,817.00	00 1.8
RWI	0.68	190267	0.69	0.69	0.67	0.67	0.67	0.68	(0.01)	1,833.00	124.00	00 0.6
RWI-W3	0.01	190267	0.01	0.01	0.01	0.01	-	0.01	-	19.00	-	00 0.0
SAF	0.90	190267	-	0.90	0.87	0.90	0.88	0.90	-	1,716.00	151.00	00 0.8
SALAE	0.79	190267	-	0.78	0.76	0.76	0.76	0.78	(0.03)	2,751.00	211.00	00 0.7
SANKO	1.72	190267	1.73	1.74	1.66	1.66	1.66	1.68	(0.06)	61,812.00	10,443.00	00 1.6
SCIL	2.04	190267	2.06	2.06	1.90	1.92	1.92	1.93	(0.12)	80,773.00	15,908.00	00 1.9
SELIC	2.56	190267	2.56	2.66	2.56	2.58	2.58	2.60	0.02	2,010.00	523.00	00 2.5
SFT	4.00	190267	-	-	-	-	3.96	3.98	-	-	-	00 0.0
STP	9.60	190267	-	9.60	9.40	9.55	9.40	9.55	(0.05)	356.00	337.00	00 9.4
SWC	4.46	190267	-	4.48	4.48	4.48	4.46	4.48	0.02	30.00	13.00	00 4.4