

Asia Plus Securities Company Limited Daily Quotation Report

Wednesday March 13, 2024

NOTE :

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
IVL	24.70	1,288,015	3.3%
AOT	66.00	1,215,057	0.8%
BDMS	29.00	1,179,911	-0.9%
CPALL	57.50	954,934	1.3%
KBANK	123.50	940,939	0.4%
BTS	5.40	934,439	4.9%
TRUE	7.85	896,431	0.6%
VGI	1.61	877,966	11.8%
HSI28C2404C	0.68	846,877	-2.9%
PTT	34.25	820,175	0.7%

Gainers and Losers	
Gainers	276
Losers	182
Unchanged	191

Volume by Board (Lot)	
Main Board	19,896,968,094
Foreign Board	52,307
Total	19,897,020,401

Value by Board (Mn.Bt.)	
Main Board	40,051.24
Foreign Board	246.17
Total	40,297.40

Top Ten Gainers		
Stock	Last	Value '000
XIAOMI28C2404A	0.03	0
AOT13C2404A	0.02	5
BANPU01C2404A	0.02	8
SET5001C2403F	0.02	3
VGI01C2406A	0.10	327
VGI13C2406A	0.10	1,743
VGI01C2407A	0.25	5,849
CATHAY28C2404A	0.26	6,960
VGI41C2407A	0.18	1,957
VGI19C2407A	0.17	3,525

Top Ten Losers		
Stock	Last	Value '000
BANPU11C2410T	0.24	96
RBF01C2405A	0.01	9
CENTEL19C2408A	0.29	322
PTTEP13C2404A	0.03	0
KCE11C2408A	0.31	752
GLOBAL11C2408A	0.32	211
JMART01C2404A	0.02	18
AWC11C2408A	0.34	287
SCC11C2408A	0.35	785
PTTEP41P2405A	0.04	2

Movements in SET and Sectorial Indices						
	Open	High	Low	Close	Change	%Change
.SET	1,379.60	1,388.32	1,378.43	1,384.51	4.88	0.35
.SET50	843.14	849.14	842.03	845.85	3.95	0.47
.SET100	1,868.46	1,881.90	1,866.66	1,875.34	8.49	0.45
.SETHD	1,084.87	1,095.17	1,084.62	1,092.43	4.10	0.38
.MAI	899.72	902.29	897.58	415.36	2.80	0.68
.AGRI	211.75	212.10	209.56	210.58	(0.31)	(0.15)
.BANK	368.94	371.21	368.13	370.13	2.10	0.57
.CONMAT	7,164.34	7,220.38	7,104.43	7,197.69	14.30	0.20
.PETRO	706.71	738.42	705.70	730.39	22.11	3.12
.COMM	31,254.92	31,660.80	31,193.32	31,431.05	147.46	0.47
.ICT	154.51	154.96	153.73	154.23	(0.50)	(0.32)
.ETRON	8,608.73	8,608.84	8,449.07	8,502.47	(78.02)	(0.91)
.ENERG	20,075.22	20,268.84	20,044.64	20,216.78	113.29	0.56
.MEDIA	28.82	29.35	28.65	28.99	0.16	0.55
.FIN	3,233.55	3,269.96	3,232.81	3,249.45	12.97	0.40
.FOOD	10,543.74	10,595.56	10,500.61	10,564.18	4.73	0.04
.HEALTH	6,784.94	6,834.91	6,745.40	6,745.40	(53.24)	(0.78)
.TOURISM	589.17	597.59	587.58	593.17	4.25	0.72
.HOME	20.59	20.88	20.52	20.74	0.13	0.63
.INSUR	8,779.27	8,850.28	8,727.80	8,822.07	80.69	0.92
.MINE	-	-	-	-	-	-
.PKG	3,077.26	3,155.45	3,059.16	3,133.80	69.76	2.28
.PERSON	97.80	98.39	96.86	97.86	0.01	0.01
.PROF	432.81	437.12	419.44	423.69	(4.67)	(1.09)
.PROP	224.29	225.21	223.21	224.72	1.01	0.45
.PAPER	3,235.10	3,263.23	3,206.97	3,235.10	28.13	0.88
.FASHION	633.26	637.00	629.91	629.91	(2.09)	(0.33)
.TRANS	314.90	317.92	314.53	317.24	2.39	0.76
.AUTO	439.28	442.85	439.22	442.27	6.03	1.38
.IMM	21.65	22.12	21.64	22.04	0.38	1.75
.PFUND	148.43	148.53	147.70	127.68	0.46	0.36
.STEEL	25.31	25.43	25.18	25.30	0.02	0.08

ASP's Daily Quotation Report

Wednesday March 13, 2024



Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
SAFARI	2.40	120367	-	-	-	-	-	-	-	-	-	-	0
WORLD	2.10	120367	-	-	-	-	-	-	-	-	-	-	0
Agribusiness													
EE	0.27	120367	0.25	0.26	0.25	0.26	0.25	0.26	(0.01)	9,804	250	0.255	
EE-W1	0.02	120367	0.01	0.02	0.01	0.02	0.01	0.02	-	1,761	2	0.012	
GFPT	12.00	120367	12.10	12.20	12.00	12.20	12.10	12.20	0.20	10,798	13,083	12.115	
LEE	2.34	120367	2.40	2.40	2.36	2.36	2.36	2.38	0.02	1,663	398	2.391	
NER	6.10	120367	6.10	6.10	5.90	6.00	6.00	6.05	(0.10)	87,620	52,620	6.005	
PPPM	0.05	120367	0.06	0.06	0.05	0.06	0.05	0.06	0.01	9,050	46	0.05	
PPPM-W4	0.01	120367	0.01	0.01	0.01	0.01	0.01	0.02	-	262	-	0.01	
STA	20.00	120367	20.00	20.10	19.70	19.80	19.80	19.90	(0.20)	140,620	279,706	19.89	
STA01C2404A	0.49	120367	-	0.47	0.44	0.45	0.45	0.47	(0.04)	1,868	84	0.449	
STA01C2407A	0.36	120367	0.36	0.37	0.35	0.35	0.35	0.36	(0.01)	30,796	1,089	0.353	
STA01P2407X	0.41	120367	-	0.43	0.41	0.42	0.42	0.43	0.01	13,480	566	0.42	
STA11C2407T	0.58	120367	-	0.58	0.56	0.56	0.56	0.58	(0.02)	8,232	470	0.57	
STA13C2405A	0.62	120367	-	0.57	0.55	0.55	0.55	0.58	(0.07)	4,162	233	0.56	
STA13C2407A	0.44	120367	0.45	0.45	0.41	0.42	0.42	0.43	(0.02)	87,877	3,695	0.42	
STA13P2407A	0.21	120367	-	0.22	0.20	0.21	0.21	0.22	-	47,820	1,007	0.21	
STA19C2406A	0.51	120367	0.52	0.53	0.49	0.49	0.49	0.50	(0.02)	15,044	754	0.501	
STA19C2408A	0.40	120367	-	0.42	0.39	0.39	0.39	0.41	(0.01)	60,160	2,403	0.399	
TEGH	3.36	120367	3.38	3.40	3.32	3.34	3.32	3.34	(0.02)	43,067	14,496	3.365	
TFM	7.00	120367	7.00	7.05	6.90	7.00	6.95	7.00	-	121	84	6.968	
TRUBB	1.40	120367	1.41	1.44	1.38	1.39	1.38	1.39	(0.01)	93,232	13,177	1.413	
TRUBB-W2	0.12	120367	0.13	0.14	0.12	0.12	0.12	0.13	-	41,957	551	0.131	
UPOIC	6.15	120367	-	6.20	6.10	6.15	6.15	6.20	-	215	132	6.153	
UVAN	8.40	120367	8.45	8.50	8.35	8.40	8.40	8.45	-	6,139	5,185	8.445	
VPO	0.82	120367	0.82	0.95	0.81	0.89	0.89	0.90	0.07	331,055	29,752	0.898	
Banking													
BAY	26.50	120367	26.50	26.75	26.25	26.50	26.25	26.50	-	4,262	11,267	26.435	
BBL	139.00	120367	139.50	140.50	139.00	140.00	140.00	140.50	1.00	50,886	712,191	139.958	
BBL06C2403A	0.02	120367	-	-	-	-	-	-	-	-	-	0	
BBL11C2404A	0.01	120367	-	-	-	-	0.01	0.03	-	-	-	0	
BBL11C2405A	0.12	120367	-	0.12	0.12	0.12	0.12	0.13	-	545	7	0.12	
BBL11C2406A	0.09	120367	0.09	0.09	0.08	0.09	0.09	0.10	-	733	7	0.089	
BBL11P2407A	0.39	120367	-	0.37	0.36	0.37	0.37	0.38	(0.02)	3,681	136	0.37	
BBL13C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0	
BBL13C2405A	0.02	120367	-	0.02	0.02	0.02	0.02	0.03	-	404	1	0.02	
BBL13C2406A	0.12	120367	0.13	0.13	0.13	0.13	0.13	0.14	0.01	8,674	113	0.13	
BBL13C2408A	0.29	120367	-	0.31	0.30	0.31	0.31	0.32	0.02	21,831	675	0.309	
BBL13P2404A	0.15	120367	0.14	0.14	0.13	0.13	0.13	0.14	(0.02)	14,234	189	0.132	
BBL19C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0	
BBL19C2405A	0.05	120367	-	0.03	0.03	0.03	0.03	0.04	(0.02)	608	2	0.03	
BBL19C2406A	0.10	120367	-	-	-	-	0.11	0.12	-	-	-	0	
BBL19P2406A	0.28	120367	0.27	0.27	0.26	0.26	0.25	0.26	(0.02)	24	1	0.265	
BBL41C2404A	0.01	120367	-	-	-	-	0.01	0.03	-	-	-	0	
BBL41C2405A	0.05	120367	-	-	-	-	0.01	0.03	-	-	-	0	
BBL41C2406A	0.06	120367	-	0.07	0.07	0.07	0.07	0.08	0.01	1,400	10	0.07	
BBL41C2406B	0.15	120367	-	-	-	-	0.16	0.17	-	-	-	0	
BBL41C2407A	0.20	120367	0.21	0.21	0.21	0.21	0.21	0.22	0.01	16,211	340	0.21	
BBL41C2407B	0.21	120367	0.22	0.22	0.21	0.22	0.22	0.23	0.01	16,742	368	0.219	
BBL41P2406A	0.22	120367	-	-	-	-	0.23	0.24	-	-	-	0	
CIMBT	0.58	120367	0.59	0.60	0.58	0.59	0.58	0.59	0.01	3,909	230	0.589	
CREDIT	27.75	120367	27.75	28.00	27.25	27.75	27.50	27.75	-	1,732	4,786	27.634	
KBANK	123.00	120367	123.50	124.00	122.50	123.50	123.00	123.50	0.50	76,268	940,939	123.372	
KBANK01C2405A	0.05	120367	-	0.05	0.04	0.05	0.05	0.06	-	3,000	13	0.043	
KBANK01C2406A	0.17	120367	-	0.18	0.16	0.17	0.17	0.18	-	11,586	201	0.173	
KBANK01C2407A	0.32	120367	0.33	0.33	0.32	0.33	0.33	0.34	0.01	20,425	670	0.327	
KBANK01P2404X	0.12	120367	-	0.11	0.11	0.11	0.11	0.12	(0.01)	9,266	102	0.11	
KBANK01P2406X	0.25	120367	-	0.24	0.24	0.24	0.24	0.25	(0.01)	12,736	306	0.24	
KBANK01P2408X	0.32	120367	-	0.31	0.31	0.31	0.30	0.31	(0.01)	2,663	83	0.31	
KBANK06C2404A	0.02	120367	-	-	-	-	-	-	-	-	-	0	
KBANK06C2406A	0.12	120367	-	0.13	0.12	0.13	-	-	0.01	42,412	537	0.126	
KBANK13C2405A	0.03	120367	-	0.02	0.02	0.02	0.02	0.03	(0.01)	4,900	10	0.02	
KBANK13C2406A	0.09	120367	-	0.10	0.10	0.10	0.09	0.10	0.01	3	-	0.1	
KBANK13C2407A	0.24	120367	0.24	0.25	0.23	0.24	0.24	0.25	-	26,716	649	0.242	
KBANK13P2404A	0.05	120367	-	-	-	-	0.01	0.02	-	-	-	0	
KBANK13P2406A	0.27	120367	-	0.26	0.25	0.26	0.25	0.26	(0.01)	5,840	151	0.257	
KBANK19C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0	
KBANK19C2405A	0.04	120367	-	-	-	-	0.03	0.04	-	-	-	0	
KBANK19C2406A	0.15	120367	-	0.16	0.14	0.15	0.15	0.16	-	10,544	158	0.15	
KBANK19C2408A	0.28	120367	-	0.28	0.26	0.28	0.28	0.29	-	100,950	2,775	0.274	
KBANK19P2404A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0	
KBANK41C2405A	0.04	120367	-	-	-	-	0.02	0.04	-	-	-	0	
KBANK41C2405B	0.07	120367	-	-	-	-	0.04	0.06	-	-	-	0	
KBANK41C2406A	0.16	120367	-	0.17	0.15	0.16	0.16	0.17	-	13,696	224	0.163	
KBANK41P2406A	0.21	120367	-	0.21	0.19	0.19	0.19	0.20	(0.02)	12,000	244	0.203	
KKP	53.25	120367	53.25	53.75	53.00	53.25	53.00	53.25	-	7,184	38,241	53.23	
KKP-W5	0.01	120367	-	-	-	-	-	-	-	-	-	0	
KKP-W6	1.71	120367	1.69	1.71	1.69	1.71	1.70	1.71	-	1,032	176	1.701	
KKP01C2405A	0.21	120367	-	0.22	0.20	0.21	0.21	0.22	-	8,873	186	0.21	
KKP11C2403A	0.09	120367	-	-	-	-	0.01	0.03	-	-	-	0	
KKP11C2406A	0.28	120367	-	0.29	0.28	0.28	0.28	0.29	-	7,410	210	0.282	
KKP11P2405A	0.15	120367	-	-	-	-	0.12	0.13	-	-	-	0	
KKP13C2405A	0.14	120367	-	0.14	0.13	0.13	0.13	0.14	(0.01)	1,985	28	0.139	
KKP19C2406A	0.29	120367	-	0.30	0.28	0.29	0.29	0.30	-	10,214	297	0.29	
KTB	15.80	120367	15.80	16.00	15.70	15.90	15.80	15.90	0				

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
KTBA1C2407A	0.15	120367	0.15	0.16	0.14	0.15	0.15	0.16	-	21,002	312	0.148
LHFG	1.01	120367	1.02	1.02	1.01	1.01	1.01	1.02	-	27,845	2,814	1.01
SCB	112.50	120367	113.00	113.50	112.50	113.50	113.00	113.50	1.00	40,890	462,997	113.229
SCB01C2404A	0.32	120367	-	0.33	0.32	0.33	0.33	0.36	0.01	2,236	73	0.325
SCB01C2405A	0.21	120367	-	0.21	0.21	0.21	0.21	0.23	-	6,580	138	0.21
SCB01C2407A	0.43	120367	0.44	0.45	0.44	0.45	0.44	0.46	0.02	745	33	0.442
SCB01P2405X	0.10	120367	0.09	0.09	0.08	0.09	0.08	0.09	(0.01)	4,340	39	0.089
SCB01P2407X	0.26	120367	-	0.25	0.25	0.25	0.25	0.26	(0.01)	10	-	0.25
SCB06C2403A	0.20	120367	-	-	-	-	-	-	-	-	-	0
SCB11C2403A	0.07	120367	-	-	-	-	0.04	0.05	-	-	-	0
SCB13C2404A	0.07	120367	-	-	-	-	0.05	0.06	-	-	-	0
SCB13C2406A	0.29	120367	-	0.28	0.28	0.28	0.28	0.29	(0.01)	40,478	1,133	0.28
SCB13P2406A	0.06	120367	-	-	-	-	0.05	0.06	-	-	-	0
SCB13P2407A	0.24	120367	-	0.23	0.23	0.23	0.22	0.24	(0.01)	1,100	25	0.23
SCB19C2404A	0.11	120367	-	-	-	-	0.09	0.10	-	-	-	0
SCB19C2406A	0.29	120367	-	0.30	0.28	0.30	0.30	0.31	0.01	656	19	0.286
SCB19C2407A	0.25	120367	0.26	0.26	0.26	0.26	0.26	0.28	0.01	21,960	571	0.26
SCB19P2407A	0.20	120367	-	-	-	-	0.18	0.19	-	-	-	0
SCB41C2404A	0.46	120367	-	-	-	-	0.32	0.35	-	-	-	0
SCB41C2405A	0.24	120367	-	-	-	-	0.24	0.26	-	-	-	0
SCB41C2405B	0.23	120367	-	0.23	0.22	0.23	0.23	0.25	-	2,014	45	0.225
SCB41C2407A	0.31	120367	-	0.30	0.30	0.30	0.31	0.32	(0.01)	4,000	120	0.3
SCB41C2407B	0.27	120367	-	-	-	-	0.27	0.29	-	-	-	0
SCB41P2406A	0.08	120367	-	-	-	-	0.06	0.08	-	-	-	0
TCAP	49.75	120367	49.75	50.00	49.75	49.75	49.75	50.00	-	12,684	63,151	49.788
TCAP-P	560.00	120367	-	-	-	-	-	-	-	-	-	0
TCAP-Q	-	101743	-	-	-	-	-	-	-	-	-	0
TISCO	100.00	120367	100.00	100.50	99.75	100.00	100.00	100.50	-	22,659	226,799	100.092
TISCO-P	1,346.00	120367	-	-	-	-	-	-	-	-	-	0
TISCO-Q	8.00	120367	-	-	-	-	-	-	-	-	-	0
TISCO13C2405A	0.11	120367	-	0.08	0.08	0.08	0.08	0.09	(0.03)	100	1	0.08
TISCO19C2408A	0.24	120367	-	-	-	-	0.24	0.25	-	-	-	0
TTB	1.83	120367	1.83	1.85	1.83	1.85	1.85	1.86	0.02	741,988	136,760	1.843
TTB-W1	0.85	120367	0.86	0.89	0.86	0.88	0.88	0.89	0.03	12,732	1,110	0.871
TTB01C2404A	0.09	120367	-	0.10	0.08	0.10	0.10	0.11	0.01	5,500	50	0.091
TTB01C2406A	0.36	120367	-	0.38	0.37	0.38	0.38	0.40	0.02	2,098	78	0.371
TTB13C2404A	0.08	120367	-	0.07	0.07	0.07	0.08	0.09	(0.01)	25	-	0.07
TTB19C2404A	0.12	120367	-	-	-	-	0.10	0.11	-	-	-	0
Construction Material												
CCP	0.38	120367	0.38	0.38	0.37	0.37	0.37	0.38	(0.01)	18,873	706	0.373
DCC	1.97	120367	1.96	1.99	1.93	1.95	1.95	1.96	(0.02)	111,281	21,828	1.961
DCON	0.51	120367	0.49	0.50	0.49	0.49	0.49	0.50	(0.02)	32,206	1,586	0.492
DCON-W3	0.10	120367	0.09	0.10	0.09	0.10	0.09	0.10	-	10,984	104	0.094
DRT	7.85	120367	7.85	7.90	7.80	7.85	7.80	7.85	-	2,004	1,573	7.851
EPG	7.05	120367	7.00	7.15	7.00	7.15	7.10	7.15	0.10	21,512	15,279	7.102
GEL	0.19	120367	0.20	0.20	0.19	0.19	0.19	0.20	-	4,310	82	0.19
GEL-W5	0.03	120367	0.03	0.03	0.03	0.03	0.03	0.04	-	17,626	53	0.03
PPP	1.75	120367	-	1.76	1.73	1.75	1.73	1.75	-	7	1	1.744
Q-CON	17.70	120367	17.70	18.40	17.60	18.20	18.20	18.30	0.50	16,575	29,973	18.083
SCC	269.00	120367	269.00	271.00	265.00	270.00	269.00	270.00	1.00	18,509	497,214	268.633
SCC01C2405A	0.06	120367	-	0.06	0.05	0.05	0.05	0.06	(0.01)	10,000	50	0.05
SCC01C2407A	0.20	120367	0.20	0.20	0.18	0.20	0.20	0.21	-	59,274	1,151	0.194
SCC11C2408A	1.00	120367	-	0.35	0.33	0.35	0.35	0.36	(0.65)	23,600	785	0.332
SCC13C2405A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SCC13C2407A	0.17	120367	0.18	0.18	0.16	0.18	0.18	0.19	0.01	72,800	1,275	0.175
SCC19C2405A	0.05	120367	-	-	-	-	0.03	0.04	-	-	-	0
SCC19C2406A	0.12	120367	0.13	0.13	0.11	0.12	0.12	0.13	-	13,939	158	0.113
SCCC	140.00	120367	140.50	143.00	140.50	143.00	142.50	143.00	3.00	2,698	38,444	142.491
SCGD	7.70	120367	7.75	8.20	7.70	8.10	8.05	8.10	0.40	40,897	32,856	8.033
SCP	6.20	120367	5.90	5.95	5.85	5.90	5.90	5.95	(0.30)	3,397	2,003	5.896
SKN	4.48	120367	-	4.48	4.46	4.48	4.46	4.50	-	632	283	4.479
STECH	1.55	120367	-	1.56	1.52	1.55	1.55	1.56	-	2,505	387	1.543
TASCO	15.90	120367	15.90	15.90	15.80	15.80	15.80	15.90	(0.10)	10,506	16,635	15.834
TASCO01C2405A	0.14	120367	-	-	-	-	0.13	0.14	-	-	-	0
TASCO01C2408A	0.25	120367	-	-	-	-	0.23	0.24	-	-	-	0
TASCO01P2405X	0.08	120367	-	-	-	-	0.07	0.08	-	-	-	0
TASCO06C2403A	0.08	120367	-	-	-	-	-	-	-	-	-	0
TASCO13C2407A	0.22	120367	0.19	0.20	0.19	0.19	0.19	0.20	(0.03)	20	-	0.195
TASCO19C2404A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
TASCO19C2407A	0.21	120367	-	0.20	0.20	0.20	0.20	0.21	(0.01)	1	-	0.2
TASCO41C2406A	0.16	120367	-	0.14	0.13	0.13	0.13	0.14	(0.03)	301	4	0.139
TOA	20.50	120367	20.40	20.60	20.40	20.40	20.40	20.50	(0.10)	4,496	9,206	20.475
TOA13C2407A	0.38	120367	-	-	-	-	0.35	0.36	-	-	-	0
TIPL	1.45	120367	1.39	1.39	1.37	1.38	1.38	1.39	(0.07)	85,449	11,780	1.378
UMI	1.06	120367	-	1.06	1.04	1.05	1.04	1.05	(0.01)	339	35	1.044
VNG	3.66	120367	-	3.68	3.58	3.66	3.66	3.68	-	170	62	3.661
WIJK	1.52	120367	1.50	1.57	1.50	1.50	1.50	1.52	(0.02)	9,871	1,513	1.532
WINDOW	1.24	120367	1.24	1.25	1.19	1.20	1.20	1.21	(0.04)	27,520	3,352	1.218
Petrochemicals & Chemicals												
BCT	60.50	120367	60.00	61.75	60.00	61.00	60.00	60.75	0.50	9	55	60.777
CMAN	1.96	120367	1.96	1.96	1.94	1.96	1.94	1.96	-	4,211	822	1.952
GC	5.35	120367	5.35	5.40	5.35	5.40	5.35	5.40	0.05	95	51	5.369
GGC	7.70	120367	-	8.00	7.70	7.75	7.70	7.75	0.05	384	299	7.778
GIFT	5.55	120367	5.50	5.60	5.10	5.15	5.15	5.20	(0.40)	124,923	66,433	5.317
GIFT-W2	2.40	120367	2.40	2.40	2.22	2.24	2.24	2.26	(0.16)	78,318	18,053	2.305
IVL	23.90	120367	23.80	25.25	23.70	24.70	24.70	24.80	0.80	520,022	1,288,015	24.768
IVL01C2405A	0.02	120367	-	0.03	0.03	0.03	0.02	0.03	0.01	3,000	9	0.03
IVL01C2406A	0.20	120367	-	0.29	0.19	0.25	0.25	0.26	0.05	110,680	2,805	0.253
IVL01C2406B	0.09	120367	-	0.12								

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
NFC	3.12	120367	-	3.14	3.08	3.12	3.10	3.12	-	366	113	3.099
PATO	9.85	120367	-	9.85	9.75	9.80	9.75	9.80	(0.05)	63	62	9.765
PMTA	8.85	120367	-	-	-	-	8.80	9.00	-	-	-	0
PTTGC	37.50	120367	37.50	39.00	37.25	39.00	38.75	39.00	1.50	176,409	679,403	38.512
PTTGC01C2405A	0.08	120367	-	0.10	0.10	0.10	0.10	0.11	0.02	450	5	0.1
PTTGC01C2406A	0.27	120367	-	0.34	0.27	0.34	0.34	0.36	0.07	25,478	793	0.311
PTTGC01C2407A	0.22	120367	-	0.26	0.20	0.26	0.26	0.27	0.04	30,050	708	0.235
PTTGC01P2404X	0.10	120367	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01P2405X	0.13	120367	-	0.13	0.09	0.10	0.09	0.10	(0.03)	3,981	48	0.119
PTTGC11C2404A	0.14	120367	-	0.17	0.13	0.17	0.18	0.20	0.03	8,950	139	0.155
PTTGC13C2406A	0.16	120367	-	0.21	0.15	0.21	0.21	0.22	0.05	117,086	2,242	0.191
PTTGC13P2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC19C2406A	0.20	120367	-	0.25	0.20	0.24	0.24	0.25	0.04	51,455	1,179	0.229
PTTGC41C2404A	0.07	120367	-	-	-	-	0.07	0.08	-	-	-	0
PTTGC41C2405A	0.08	120367	-	-	-	-	0.06	0.08	-	-	-	0
PTTGC41C2406A	0.18	120367	-	0.22	0.16	0.22	0.22	0.23	0.04	14,000	267	0.19
PTTGC41C2407B	0.36	120367	0.35	0.42	0.34	0.42	0.42	0.44	0.06	12,014	479	0.398
SUTHA	2.48	120367	2.48	2.48	2.48	2.48	2.48	2.52	-	72	18	2.48
TPA	3.98	120367	-	4.10	3.94	4.00	3.94	4.00	0.02	55	22	3.968
UAC	3.60	120367	3.58	3.64	3.56	3.62	3.60	3.62	0.02	581	208	3.581
UP	16.80	120367	-	16.50	16.50	16.50	16.50	16.90	(0.30)	22	36	16.5
Commerce												
ADVICE	4.26	120367	4.28	4.30	4.16	4.18	4.16	4.18	(0.08)	78,804	33,297	4.225
B52	1.04	120367	-	1.04	1.01	1.04	1.01	1.04	-	36	4	1.016
BEAUTY	0.62	120367	0.63	0.66	0.61	0.66	0.65	0.66	0.04	361,483	23,160	0.64
BIG	0.50	120367	0.49	0.50	0.49	0.50	0.49	0.50	-	23,889	1,191	0.498
BJC	25.00	120367	25.25	26.25	25.25	25.50	25.25	25.50	0.50	133,907	343,563	25.656
COM7	19.30	120367	19.30	19.40	19.00	19.00	19.00	19.10	(0.30)	104,709	200,808	19.177
COM701C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
COM701C2404B	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
COM701C2405A	0.03	120367	-	-	-	-	0.01	0.02	-	-	-	0
COM701C2406A	0.14	120367	-	0.13	0.12	0.12	0.12	0.13	(0.02)	74,839	959	0.128
COM701C2407A	0.33	120367	0.33	0.33	0.30	0.30	0.29	0.30	(0.03)	20,678	641	0.31
COM701P2404X	0.24	120367	-	0.26	0.23	0.26	0.26	0.27	0.02	18,683	451	0.241
COM701P2406X	0.52	120367	-	0.54	0.51	0.54	0.54	0.55	0.02	8,846	460	0.519
COM706C2403A	0.10	120367	-	-	-	-	-	-	-	-	-	0
COM706C2407A	0.29	120367	-	0.28	0.28	0.28	-	-	(0.01)	1,500	42	0.28
COM711C2404A	0.03	120367	-	-	-	-	0.01	0.03	-	-	-	0
COM711C2406A	0.14	120367	-	0.14	0.13	0.14	0.12	0.13	-	3,320	46	0.137
COM711P2406A	0.54	120367	-	0.55	0.53	0.54	0.56	0.58	-	15,720	849	0.539
COM713C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
COM713C2404B	0.01	120367	-	0.01	0.01	0.01	0.01	0.02	-	500	1	0.01
COM713C2405A	0.06	120367	-	-	-	-	0.03	0.04	-	-	-	0
COM713C2405B	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
COM713C2406A	0.14	120367	-	0.13	0.12	0.12	0.12	0.13	(0.02)	33,306	433	0.129
COM713C2407A	0.28	120367	0.28	0.28	0.26	0.26	0.26	0.27	(0.02)	51,543	1,400	0.271
COM713P2404A	0.21	120367	-	-	-	-	0.22	0.24	-	-	-	0
COM713P2407A	0.36	120367	-	0.38	0.36	0.38	0.38	0.39	0.02	60,007	2,210	0.368
COM719C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
COM719C2404B	0.04	120367	-	-	-	-	0.01	0.02	-	-	-	0
COM719C2406A	0.11	120367	-	-	-	-	0.09	0.10	-	-	-	0
COM719C2407A	0.22	120367	-	0.22	0.21	0.21	0.20	0.21	(0.01)	71,081	1,533	0.215
COM719P2406A	0.46	120367	-	0.49	0.45	0.49	0.49	0.50	0.03	34,649	1,593	0.459
COM741C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
COM741C2404B	0.11	120367	-	-	-	-	0.01	0.02	-	-	-	0
COM741C2405A	0.06	120367	-	-	-	-	0.01	0.02	-	-	-	0
COM741C2406A	0.13	120367	-	0.12	0.12	0.12	0.11	0.12	(0.01)	2,018	24	0.12
COM741C2407A	0.24	120367	0.24	0.24	0.22	0.22	0.21	0.22	(0.02)	57,613	1,331	0.231
CPALL	56.75	120367	56.75	57.75	56.50	57.50	57.25	57.50	0.75	166,593	954,934	57.321
CPALL01C2404A	0.03	120367	-	-	-	-	0.05	0.06	-	-	-	0
CPALL01C2405A	0.27	120367	-	0.30	0.28	0.30	0.30	0.31	0.03	16,514	482	0.292
CPALL01C2407A	0.26	120367	0.26	0.28	0.25	0.27	0.27	0.28	0.01	53,340	1,436	0.269
CPALL01P2404X	0.04	120367	-	-	-	-	0.03	0.04	-	-	-	0
CPALL01P2405X	0.04	120367	-	0.04	0.04	0.04	0.03	0.04	-	1	-	0.04
CPALL01P2408X	0.46	120367	-	0.46	0.43	0.44	0.43	0.44	(0.02)	4,088	183	0.448
CPALL06C2405A	0.13	120367	-	0.15	0.13	0.15	-	0.19	0.02	10,981	158	0.144
CPALL11C2403A	0.03	120367	-	-	-	-	0.01	0.03	-	-	-	0
CPALL11C2405A	0.20	120367	-	0.23	0.21	0.23	0.22	0.23	0.03	77,230	1,708	0.221
CPALL13C2404A	0.05	120367	-	-	-	-	0.01	0.02	-	-	-	0
CPALL13C2405A	0.09	120367	0.09	0.10	0.09	0.10	0.10	0.11	0.01	7,146	70	0.098
CPALL13C2407A	0.30	120367	-	0.33	0.29	0.33	0.33	0.34	0.03	75,537	2,392	0.316
CPALL13P2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
CPALL13P2408A	0.35	120367	-	0.33	0.31	0.32	0.31	0.32	(0.03)	7,856	251	0.319
CPALL19C2404A	0.03	120367	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2404B	0.09	120367	-	-	-	-	0.04	0.05	-	-	-	0
CPALL19C2406A	0.25	120367	-	0.28	0.25	0.28	0.27	0.28	0.03	79,376	2,040	0.257
CPALL19C2407A	0.21	120367	-	0.23	0.21	0.23	0.23	0.24	0.02	19,949	441	0.22
CPALL19P2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19P2408A	1.00	120367	-	-	-	-	0.12	0.13	-	-	-	0
CPALL41C2404A	0.08	120367	-	-	-	-	0.01	0.03	-	-	-	0
CPALL41C2405A	0.11	120367	-	0.12	0.11	0.12	0.12	0.13	0.01	16,000	188	0.117
CPALL41C2406A	0.30	120367	0.33	0.34	0.33	0.33	0.34	0.36	0.03	4,000	134	0.335
CPALL41C2407A	0.32	120367	0.34	0.35	0.31	0.35	0.35	0.36	0.03	10,950	375	0.342
CPALL41C2407B	0.27	120367	0.29	0.30	0.26	0.30	0.30	0.31	0.03	12,889	376	0.291
CPALL41C2407C	0.15	120367	-	0.17	0.15	0.17	0.17	0.18	0.02	6,000	98	0.163
CPAXT	33.00	120367	33.00	33.50	32.75	33.00	32.75	33.00	-	57,910</		

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous						Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date	Open	High	Low								
DOHOME19C2404A	0.11	120367	-	0.11	0.09	0.09	0.08	0.09	(0.02)	120,358	1,125	0.093	
DOHOME19C2406A	0.28	120367	-	0.26	0.26	0.26	0.26	0.27	(0.02)	4,702	122	0.26	
DOHOME19C2407A	0.20	120367	-	0.22	0.19	0.19	0.19	0.20	(0.01)	92,808	1,891	0.203	
DOHOME41C2406A	0.15	120367	-	0.16	0.14	0.14	0.14	0.15	(0.01)	34,000	518	0.152	
DOHOME41C2406B	0.23	120367	-	-	-	-	0.21	0.23	-	-	-	0	
FN	1.43	120367	-	1.50	1.38	1.42	1.40	1.42	(0.01)	339	48	1.415	
FTE	1.69	120367	1.69	1.70	1.69	1.70	1.70	1.71	0.01	4,438	754	1.699	
GLOBAL	16.50	120367	16.50	16.80	16.50	16.70	16.70	16.80	0.20	55,067	91,793	16.669	
GLOBAL01C2404A	0.07	120367	0.06	0.07	0.06	0.07	0.07	0.08	-	14,400	88	0.06	
GLOBAL01C2407A	0.39	120367	-	0.41	0.38	0.39	0.39	0.41	-	27,899	1,086	0.389	
GLOBAL01C2408A	0.28	120367	-	0.30	0.29	0.29	0.29	0.30	0.01	35,623	1,062	0.298	
GLOBAL06C2403A	0.09	120367	-	-	-	-	-	-	-	-	-	0	
GLOBAL11C2408A	1.00	120367	-	0.32	0.31	0.32	0.32	0.33	(0.68)	6,600	211	0.319	
GLOBAL13C2406A	0.20	120367	-	0.22	0.21	0.21	0.21	0.22	0.01	69,679	1,463	0.21	
GLOBAL19C2407A	0.41	120367	-	0.42	0.42	0.42	0.42	0.43	0.01	6,050	254	0.42	
GLOBAL19C2407B	0.23	120367	0.23	0.25	0.23	0.25	0.25	0.26	0.02	34,401	851	0.247	
GLOBAL41C2406A	0.20	120367	-	0.21	0.20	0.21	0.21	0.22	0.01	78,650	1,638	0.208	
HMPRO	11.10	120367	11.00	11.10	10.90	11.00	10.90	11.00	(0.10)	135,450	149,078	11.006	
HMPRO01C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0	
HMPRO01C2406A	0.06	120367	-	-	-	-	0.04	0.05	-	-	-	0	
HMPRO01C2407A	0.17	120367	0.17	0.17	0.17	0.17	0.17	0.18	-	17,199	292	0.17	
HMPRO11C2407T	0.14	120367	-	-	-	-	0.12	0.13	-	-	-	0	
HMPRO13C2405A	0.02	120367	-	-	-	-	0.02	0.03	-	-	-	0	
HMPRO13C2407A	0.13	120367	-	-	-	-	0.12	0.13	-	-	-	0	
HMPRO19C2404A	0.04	120367	-	-	-	-	0.01	0.02	-	-	-	0	
HMPRO19C2407A	0.17	120367	0.16	0.16	0.16	0.16	0.15	0.16	(0.01)	28,682	459	0.16	
HMPRO41C2404A	0.01	120367	-	-	-	-	0.01	0.03	-	-	-	0	
HMPRO41C2406A	0.07	120367	-	-	-	-	0.06	0.08	-	-	-	0	
HMPRO41C2407A	0.12	120367	-	0.11	0.11	0.11	0.11	0.12	(0.01)	38,100	419	0.11	
ICC	43.75	120367	-	44.25	43.75	43.75	43.75	44.50	-	77	340	44.168	
ILM	21.90	120367	22.10	22.10	21.80	21.90	21.80	21.90	-	1,160	2,545	21.94	
IT	3.42	120367	3.48	3.50	3.44	3.48	3.46	3.48	0.06	187	65	3.465	
KAMART	14.10	120367	14.10	14.30	14.00	14.10	14.00	14.10	-	32,795	46,376	14.141	
LOXLEY	1.55	120367	1.55	1.60	1.54	1.57	1.57	1.58	0.02	6,092	961	1.577	
MC	14.20	120367	14.30	14.40	14.00	14.10	14.10	14.20	(0.10)	8,657	12,258	14.159	
MEGA	40.50	120367	40.50	41.75	40.50	41.25	41.25	41.50	0.75	14,178	58,445	41.222	
MEGA01C2404A	0.12	120367	-	0.12	0.11	0.12	0.12	0.13	-	9,202	104	0.113	
MEGA13C2405A	0.12	120367	-	0.14	0.12	0.13	0.13	0.14	0.01	6,476	83	0.127	
MEGA19C2404A	0.10	120367	-	-	-	-	0.06	0.07	-	-	-	0	
MIDA	0.49	120367	0.49	0.51	0.49	0.50	0.49	0.50	0.01	7,062	349	0.494	
MIDA-W3	0.01	120367	-	-	-	-	-	0.01	-	-	-	0	
MOSHI	58.50	120367	58.50	59.25	58.25	58.50	58.25	58.75	-	5,787	33,895	58.571	
MOSHI13C2407A	0.38	120367	-	0.40	0.37	0.37	0.37	0.38	(0.01)	7,794	303	0.388	
RS	13.00	120367	13.10	13.10	12.70	13.00	12.90	13.00	-	31,937	41,004	12.838	
RS-W4	0.03	120367	-	0.02	0.02	0.02	0.01	0.02	(0.01)	12,566	25	0.02	
RS-W5	5.20	120367	5.05	5.20	4.98	4.98	4.98	5.00	(0.22)	6,603	3,333	5.048	
RSP	2.38	120367	2.40	2.40	2.36	2.40	2.38	2.40	0.02	770	184	2.385	
SABUY	4.90	120367	4.86	4.90	4.86	4.88	4.86	4.88	(0.02)	31,918	15,571	4.878	
SABUY-W1	3.00	120367	-	2.68	2.66	2.68	2.68	2.92	(0.32)	220	59	2.675	
SABUY-W2	0.48	120367	0.47	0.48	0.40	0.42	0.42	0.43	(0.06)	50,475	2,152	0.426	
SABUY01C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0	
SABUY06C2404A	0.03	120367	-	-	-	-	-	-	-	-	-	0	
SABUY13C2404A	0.03	120367	-	-	-	-	0.01	0.02	-	-	-	0	
SABUY13C2407A	0.08	120367	-	-	-	-	0.07	0.09	-	-	-	0	
SABUY13C2407B	0.15	120367	0.14	0.14	0.14	0.14	0.13	0.14	(0.01)	1,177	16	0.14	
SABUY19C2404A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0	
SABUY19C2405A	0.15	120367	-	-	-	-	0.14	0.15	-	-	-	0	
SABUY19C2407A	0.18	120367	-	-	-	-	0.17	0.18	-	-	-	0	
SCM	3.96	120367	3.96	3.96	3.94	3.96	3.94	3.96	-	767	303	3.952	
SCM-W2	1.86	120367	-	1.86	1.86	1.86	1.86	1.89	-	20	4	1.86	
SINGER	10.10	120367	10.10	10.60	10.10	10.20	10.20	10.30	0.10	91,828	95,252	10.372	
SPC	62.00	120367	-	62.25	61.50	61.50	61.50	62.25	(0.50)	11	68	61.568	
SPI	69.25	120367	-	69.25	69.25	69.25	67.25	69.25	-	9	62	69.25	
SVT	1.87	120367	-	1.89	1.88	1.89	1.88	1.90	0.02	808	153	1.889	
TAN	15.90	120367	15.90	16.30	15.80	15.90	15.90	16.10	-	5,908	9,478	16.043	
Information & Commun													
3BBIF	5.90	120367	5.90	5.95	5.85	5.90	5.85	5.90	-	64,839	38,055	5.869	
ADVANC	210.00	120367	209.00	209.00	208.00	208.00	208.00	209.00	(2.00)	33,580	699,609	208.341	
ADVANC01C2404A	0.04	120367	-	-	-	-	0.01	0.02	-	-	-	0	
ADVANC01C2407A	0.16	120367	-	0.16	0.16	0.16	0.15	0.16	-	10	-	0.16	
ADVANC01C2408A	0.33	120367	-	0.31	0.30	0.30	0.30	0.31	(0.03)	1,708	52	0.302	
ADVANC01P2404X	0.09	120367	-	-	-	-	0.04	0.05	-	-	-	0	
ADVANC01P2408X	0.33	120367	-	0.34	0.33	0.34	0.34	0.35	0.01	830	28	0.339	
ADVANC06C2405A	0.07	120367	-	-	-	-	-	-	-	-	-	0	
ADVANC11C2407A	0.16	120367	0.16	0.16	0.15	0.15	0.15	0.16	(0.01)	6,453	99	0.153	
ADVANC13C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0	
ADVANC13C2405A	0.06	120367	-	0.04	0.04	0.04	0.04	0.05	(0.02)	2	-	0.04	
ADVANC13C2407A	0.20	120367	-	0.19	0.18	0.18	0.18	0.19	(0.02)	6,450	119	0.184	
ADVANC13P2404A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0	
ADVANC13P2408A	0.32	120367	-	0.33	0.32	0.32	0.32	0.33	-	2,096	67	0.32	
ADVANC19C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0	
ADVANC19C2405A	0.05	120367	-	-	-	-	0.05	0.06	-	-	-	0	
ADVANC19C2407A	0.22	120367	-	-	-	-	0.21	0.22	-	-	-	0	
ADVANC41C2404A	0.04	120367	-	-	-	-	0.01	0.03	-	-	-	0	
ADVANC41C2405A	0.08	120367	-	-	-	-	0.05	0.07	-	-	-	0	
ADVANC41C2407A	0.17	120367	-	-	-	-	0.16	0.17	-	-	-	0	
AIT	4.66	120367	4.68	4.74	4.62	4.66	4.64						

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
INTUCH	70.25	120367	70.00	70.75	70.00	70.50	70.50	70.75	0.25	23,851	168,041	70.454
INTUCH01C2405A	0.13	120367	-	0.13	0.12	0.13	0.13	0.14	-	7,726	98	0.127
INTUCH13C2404A	0.12	120367	-	-	-	-	0.02	0.03	-	-	-	0
INTUCH13C2408A	0.41	120367	-	0.42	0.40	0.42	0.41	0.42	0.01	30,689	1,275	0.415
INTUCH19C2404A	0.09	120367	-	-	-	-	0.03	0.04	-	-	-	0
ITEL	2.36	120367	2.36	2.42	2.36	2.40	2.38	2.40	0.04	30,236	7,217	2.386
ITEL-W4	0.02	120367	-	0.02	0.01	0.01	0.01	0.02	(0.01)	682	1	0.01
JAS	1.94	120367	1.95	2.02	1.93	1.98	1.97	1.98	0.04	485,390	96,235	1.982
JMART	14.90	120367	14.90	15.30	14.80	14.80	14.80	14.90	(0.10)	71,324	107,255	15.037
JMART-W4	1.60	120367	-	1.90	1.70	1.71	1.71	1.77	0.11	1,994	355	1.781
JMART-W5	1.67	120367	-	1.71	1.55	1.59	1.56	1.59	(0.08)	418	67	1.597
JMART01C2404A	0.06	120367	-	0.02	0.02	0.02	0.01	0.02	(0.04)	9,000	18	0.02
JMART01C2405A	0.02	120367	-	0.03	0.03	0.03	0.02	0.03	0.01	1,000	3	0.03
JMART01C2406A	0.22	120367	-	0.23	0.21	0.21	0.21	0.22	(0.01)	27,509	622	0.226
JMART01C2407A	0.36	120367	-	0.40	0.36	0.36	0.36	0.37	-	19,695	757	0.384
JMART01P2404X	0.14	120367	-	0.14	0.12	0.14	0.14	0.15	-	3,332	43	0.129
JMART06C2405A	0.09	120367	-	0.10	0.10	0.10	-	0.10	0.01	1	-	0.1
JMART13C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
JMART13C2404B	0.06	120367	-	0.07	0.06	0.07	0.05	0.06	0.01	640	4	0.065
JMART13C2407A	0.21	120367	-	0.22	0.20	0.20	0.20	0.21	(0.01)	24,310	525	0.215
JMART13C2408A	0.44	120367	-	0.47	0.43	0.43	0.43	0.44	(0.01)	37,121	1,705	0.459
JMART13P2404A	0.10	120367	-	0.09	0.09	0.09	0.09	0.10	(0.01)	1,004	9	0.09
JMART13P2408A	1.00	120367	-	0.51	0.48	0.51	0.51	0.52	(0.49)	17,830	886	0.497
JMART19C2404A	0.05	120367	-	-	-	-	0.02	0.03	-	-	-	0
JMART19C2406A	0.13	120367	-	0.15	0.14	0.15	0.13	0.14	0.02	4,604	68	0.147
JMART19C2406B	0.20	120367	-	0.23	0.20	0.20	0.20	0.21	-	54,923	1,203	0.219
JMART19C2408A	0.35	120367	-	0.38	0.35	0.35	0.35	0.36	-	16,818	620	0.368
JMART19P2404A	0.12	120367	-	0.12	0.10	0.12	0.12	0.13	-	13,758	157	0.114
JMART41C2404A	0.08	120367	-	-	-	-	0.05	0.07	-	-	-	0
JMART41C2404B	0.05	120367	-	-	-	-	0.01	0.03	-	-	-	0
JMART41C2405A	0.09	120367	-	-	-	-	0.03	0.05	-	-	-	0
JMART41C2407A	0.30	120367	-	0.32	0.28	0.29	0.28	0.29	(0.01)	20,100	620	0.308
JMART41P2405A	0.52	120367	-	0.41	0.41	0.41	0.43	0.44	(0.11)	2,000	82	0.41
JTS	78.75	120367	78.75	80.25	78.25	78.25	78.25	78.75	(0.50)	7,402	58,542	79.089
MFEC	6.80	120367	6.80	6.90	6.80	6.85	6.85	6.90	0.05	1,636	1,121	6.85
MSC	8.25	120367	-	8.30	8.25	8.25	8.25	8.30	-	252	208	8.253
PT	8.15	120367	8.05	8.10	8.00	8.10	8.10	8.15	(0.05)	12,585	10,131	8.05
SAMART	6.05	120367	6.00	6.10	5.90	5.90	5.90	6.00	(0.15)	23,720	14,127	5.955
SAMART-W3	0.05	120367	0.03	0.04	0.02	0.02	0.02	0.03	(0.03)	113,009	273	0.024
SAMTEL	2.54	120367	2.54	2.64	2.54	2.62	2.60	2.64	0.08	4,651	1,209	2.6
SAMTEL-W1	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	105	-	0.01
SDC	0.05	120367	0.06	0.06	0.05	0.05	0.05	0.06	-	130,636	661	0.05
SIS	23.30	120367	23.50	24.00	23.30	23.60	23.50	23.70	0.30	4,794	11,320	23.613
SKY	27.50	120367	27.50	27.50	25.25	25.75	25.75	26.00	(1.75)	119,591	312,082	26.095
SVOA	1.75	120367	1.72	1.76	1.70	1.75	1.72	1.75	-	3,449	595	1.724
SYMC	7.45	120367	7.55	7.80	7.40	7.80	7.75	7.80	0.35	10,458	8,022	7.67
SYNEX	9.95	120367	10.00	10.20	10.00	10.10	10.10	10.20	0.15	2,804	2,818	10.051
THCOM	13.80	120367	13.70	14.00	13.60	13.80	13.70	13.80	-	117,525	161,428	13.735
TKC	13.80	120367	-	14.00	13.60	13.80	13.80	13.90	-	4,413	6,089	13.797
TRUE	7.80	120367	7.85	7.90	7.70	7.85	7.85	7.90	0.05	1,149,585	896,431	7.797
TRUE01C2404A	0.36	120367	-	0.37	0.34	0.37	0.37	0.38	0.01	16,405	577	0.351
TRUE01C2405A	0.65	120367	-	0.66	0.63	0.66	0.66	0.68	0.01	11,099	716	0.644
TRUE01C2407A	0.51	120367	-	0.52	0.48	0.52	0.52	0.53	0.01	16,593	828	0.498
TRUE01C2407B	0.36	120367	0.39	0.39	0.35	0.38	0.38	0.39	0.02	101,335	3,668	0.361
TRUE01P2404X	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
TRUE01P2406X	0.06	120367	-	0.06	0.06	0.06	0.05	0.06	-	1,003	6	0.06
TRUE01P2407X	0.19	120367	-	0.19	0.18	0.18	0.18	0.19	(0.01)	40,971	768	0.187
TRUE06C2403A	0.07	120367	-	-	-	-	-	-	-	-	-	0
TRUE11C2405A	0.35	120367	-	-	-	-	0.46	0.48	-	-	-	0
TRUE11C2406A	0.38	120367	-	-	-	-	0.77	0.79	-	-	-	0
TRUE13C2405A	0.61	120367	-	-	-	-	0.62	0.64	-	-	-	0
TRUE13C2407A	0.44	120367	-	0.47	0.43	0.45	0.45	0.46	0.01	2,861	129	0.449
TRUE13C2407B	0.32	120367	-	0.33	0.31	0.33	0.33	0.34	0.01	34,082	1,077	0.316
TRUE13P2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
TRUE13P2407A	0.07	120367	-	0.06	0.06	0.06	0.06	0.07	(0.01)	1	-	0.06
TRUE13P2407B	0.19	120367	-	0.20	0.19	0.19	0.18	0.19	-	17,385	330	0.19
TRUE19C2404A	0.27	120367	-	-	-	-	0.28	0.29	-	-	-	0
TRUE19C2405A	0.4											

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
DELTA41C2407A	0.28	120367	-	0.28	0.27	0.27	0.27	0.28	(0.01)	43,700	1,189	0.272
DELTA41C2407B	0.44	120367	0.42	0.44	0.40	0.41	0.41	0.42	(0.03)	83,494	3,465	0.415
DELTA41P2406A	1.03	120367	-	1.02	1.01	1.02	1.01	1.02	(0.01)	1,600	163	1.018
HANA	38.75	120367	38.50	39.25	38.50	38.75	38.75	39.00	-	45,034	175,081	38.877
HANA01C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
HANA01C2405A	0.01	120367	-	0.02	0.01	0.01	0.01	0.02	-	1,003	1	0.01
HANA01C2406A	0.08	120367	-	0.08	0.07	0.07	0.07	0.08	(0.01)	3,206	25	0.079
HANA01C2407A	0.19	120367	-	0.20	0.19	0.19	0.19	0.20	-	26,281	524	0.199
HANA01C2407B	0.39	120367	0.40	0.41	0.40	0.40	0.40	0.41	0.01	16,094	654	0.406
HANA01P2404X	0.09	120367	-	-	-	-	0.07	0.10	-	-	-	0
HANA01P2405X	0.80	120367	-	-	-	-	0.77	0.80	-	-	-	0
HANA01P2407X	0.55	120367	-	-	-	-	0.52	0.55	-	-	-	0
HANA01P2408X	0.34	120367	-	-	-	-	0.33	0.36	-	-	-	0
HANA06C2404A	0.03	120367	-	0.02	0.02	0.02	0.01	0.04	(0.01)	690	1	0.02
HANA06C2405A	0.02	120367	-	-	-	-	-	-	-	-	-	0
HANA06C2407A	0.35	120367	-	0.38	0.37	0.37	-	-	0.02	24,429	908	0.371
HANA11C2407A	0.10	120367	-	-	-	-	0.09	0.10	-	-	-	0
HANA13C2404A	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
HANA13C2404B	0.01	120367	-	0.01	0.01	0.01	0.01	0.02	-	400	-	0.01
HANA13C2407A	0.08	120367	-	0.08	0.08	0.08	0.08	0.09	-	1,510	12	0.08
HANA13C2407B	0.13	120367	0.13	0.14	0.13	0.14	0.14	0.15	0.01	21,346	298	0.139
HANA13C2407C	0.33	120367	0.35	0.35	0.34	0.34	0.34	0.35	0.01	104,577	3,636	0.347
HANA13P2404A	0.06	120367	-	-	-	-	0.04	0.06	-	-	-	0
HANA13P2406A	0.71	120367	-	-	-	-	0.67	0.72	-	-	-	0
HANA13P2407A	0.60	120367	-	0.53	0.52	0.53	0.53	0.57	(0.07)	22,733	1,185	0.521
HANA13P2407B	0.26	120367	-	0.25	0.25	0.25	0.25	0.27	(0.01)	12,232	306	0.25
HANA19C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
HANA19C2404B	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
HANA19C2407A	0.09	120367	-	-	-	-	0.09	0.10	-	-	-	0
HANA19C2407B	0.16	120367	-	0.17	0.17	0.17	0.17	0.18	0.01	11,494	195	0.17
HANA19C2407C	0.30	120367	-	0.33	0.32	0.32	0.32	0.33	0.02	25,292	827	0.327
HANA19P2405A	0.96	120367	-	-	-	-	0.70	0.75	-	-	-	0
HANA19P2407A	0.33	120367	0.32	0.32	0.30	0.31	0.31	0.32	(0.02)	10,330	321	0.31
HANA41C2404A	0.01	120367	-	-	-	-	0.01	0.03	-	-	-	0
HANA41C2405A	0.06	120367	-	-	-	-	0.05	0.07	-	-	-	0
HANA41C2405B	0.07	120367	-	-	-	-	0.02	0.04	-	-	-	0
HANA41C2406A	0.08	120367	-	-	-	-	0.04	0.06	-	-	-	0
HANA41C2407A	0.10	120367	0.11	0.11	0.10	0.10	0.10	0.11	-	14,961	164	0.109
HANA41C2407B	0.28	120367	-	0.31	0.29	0.29	0.29	0.30	0.01	32,840	970	0.295
HANA41P2405A	0.37	120367	-	0.35	0.35	0.35	0.35	0.36	(0.02)	8,400	294	0.35
HANA41P2406A	0.77	120367	-	-	-	-	0.73	0.75	-	-	-	0
KCE	38.75	120367	39.00	39.75	38.75	39.00	39.00	39.25	0.25	85,346	335,058	39.258
KCE01C2405A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
KCE01C2406A	0.07	120367	0.07	0.07	0.06	0.07	0.06	0.07	-	27	-	0.068
KCE01C2407A	0.19	120367	-	0.21	0.19	0.19	0.19	0.20	-	31,577	618	0.195
KCE01C2408A	0.35	120367	0.37	0.38	0.34	0.35	0.34	0.35	-	84,104	2,999	0.356
KCE01P2405X	0.91	120367	-	0.87	0.83	0.87	0.87	0.90	(0.04)	4,308	365	0.848
KCE01P2406X	0.67	120367	-	0.65	0.62	0.65	0.65	0.66	(0.02)	4,559	289	0.633
KCE01P2407X	0.42	120367	-	0.40	0.38	0.40	0.40	0.41	(0.02)	12,316	485	0.393
KCE06C2406A	0.05	120367	-	0.05	0.04	0.05	-	-	-	1,701	7	0.04
KCE11C2405A	0.14	120367	-	-	-	-	0.03	0.05	-	-	-	0
KCE11C2408A	1.00	120367	-	0.32	0.31	0.31	0.31	0.32	(0.69)	23,516	752	0.319
KCE13C2404A	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
KCE13C2406A	0.03	120367	-	0.04	0.04	0.04	0.03	0.04	0.01	615	2	0.04
KCE13C2407A	0.09	120367	0.09	0.10	0.09	0.09	0.09	0.10	-	1,864	18	0.094
KCE13C2407B	0.18	120367	-	0.19	0.18	0.18	0.17	0.18	-	67,990	1,267	0.186
KCE13C2408A	0.30	120367	0.31	0.33	0.30	0.30	0.30	0.31	-	120,449	3,769	0.312
KCE13P2407A	0.71	120367	-	-	-	-	0.58	0.61	-	-	-	0
KCE13P2407B	0.35	120367	0.34	0.34	0.32	0.34	0.34	0.35	(0.01)	13,133	436	0.332
KCE19C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2406A	0.04	120367	-	-	-	-	0.04	0.05	-	-	-	0
KCE19C2406B	0.05	120367	-	-	-	-	0.05	0.06	-	-	-	0
KCE19C2407A	0.16	120367	-	0.17	0.16	0.16	0.15	0.16	-	43,854	733	0.167
KCE19C2408A	0.32	120367	-	0.34	0.31	0.31	0.32	0.33	(0.01)	39,309	1,309	0.332
KCE19P2404A	0.88	120367	-	-	-	-	0.64	0.69	-	-	-	0
KCE19P2407A	0.30	120367	0.29	0.29	0.28	0.29	0.29	0.30	(0.01)	13,164	374	0.283
KCE41C2404A	0.01	120367	-	-	-	-	0.01	0.03	-	-	-	0
KCE41C2405A	0.03	120367	-	0.02	0.02	0.02	0.01	0.03	(0.01)	100	-	0.02
KCE41C2406A	0.02	120367	-	-	-	-	0.02	0.04	-	-	-	0
KCE41C2406B	0.06	120367	-	0.05	0.05	0.05	0.05	0.07	(0.01)	2,700	14	0.05
KCE41C2407A	0.16	120367	-	0.17	0.16	0.16	0.16	0.17	-	16,400	275	

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BANPU13C2404A	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
BANPU13C2405A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
BANPU13C2406A	0.04	120367	-	0.04	0.02	0.04	0.03	0.04	-	2,476	7	0.029
BANPU13C2407A	0.10	120367	-	0.11	0.10	0.11	0.10	0.11	0.01	17,354	190	0.109
BANPU13C2408A	0.20	120367	0.21	0.23	0.21	0.23	0.22	0.24	0.03	35,062	793	0.226
BANPU13P2404A	0.38	120367	-	-	-	-	0.51	0.58	-	-	-	0
BANPU13P2405A	0.22	120367	-	0.20	0.18	0.19	0.19	0.20	(0.03)	10,632	194	0.182
BANPU19C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
BANPU19C2405A	0.04	120367	-	-	-	-	0.01	0.02	-	-	-	0
BANPU19C2405B	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
BANPU19C2407A	0.08	120367	-	-	-	-	0.08	0.09	-	-	-	0
BANPU19C2407B	0.16	120367	-	0.15	0.14	0.14	0.14	0.15	(0.02)	41,019	578	0.14
BANPU19P2404A	0.56	120367	-	-	-	-	0.49	0.55	-	-	-	0
BANPU19P2406A	0.32	120367	-	0.28	0.28	0.28	0.29	0.34	(0.04)	7,278	204	0.28
BANPU41C2405A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
BANPU41C2406A	0.04	120367	-	-	-	-	0.04	0.06	-	-	-	0
BANPU41C2407A	0.07	120367	-	-	-	-	0.07	0.08	-	-	-	0
BANPU41C2407B	0.14	120367	-	0.14	0.13	0.14	0.13	0.14	-	46,000	640	0.139
BBGI	4.10	120367	-	4.22	4.08	4.22	4.20	4.22	0.12	4,993	2,076	4.157
BCP	41.25	120367	41.25	43.25	41.25	43.00	42.75	43.00	1.75	62,491	266,625	42.666
BCP01C2405A	0.17	120367	0.16	0.21	0.16	0.21	0.21	0.22	0.04	30,550	584	0.191
BCP01P2404X	0.09	120367	-	0.04	0.04	0.04	0.03	0.04	(0.05)	120	-	0.04
BCP13C2405A	0.14	120367	-	0.19	0.15	0.18	0.18	0.19	0.04	26,245	451	0.171
BCP13P2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
BCP19C2404A	0.09	120367	-	0.12	0.09	0.12	0.12	0.13	0.03	9,710	112	0.115
BCPG	7.25	120367	7.25	7.30	7.20	7.30	7.25	7.30	0.05	23,180	16,826	7.258
BCPG19C2406A	0.07	120367	-	0.07	0.06	0.06	0.06	0.08	(0.01)	2,280	15	0.065
BGRIM	28.75	120367	28.75	29.00	28.00	28.25	28.00	28.25	(0.50)	53,700	152,396	28.379
BGRIM01C2404A	0.07	120367	-	0.07	0.06	0.06	0.06	0.07	(0.01)	4,000	26	0.066
BGRIM01C2406A	0.18	120367	-	0.17	0.15	0.15	0.15	0.17	(0.03)	5,067	84	0.166
BGRIM01C2407A	0.30	120367	0.32	0.32	0.27	0.27	0.27	0.28	(0.03)	10,600	308	0.29
BGRIM01P2404X	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01P2406X	0.10	120367	-	0.10	0.09	0.10	0.10	0.11	-	1,852	18	0.097
BGRIM06C2403A	0.06	120367	-	-	-	-	-	-	-	-	-	0
BGRIM06C2404A	0.09	120367	-	0.09	0.08	0.08	-	-	(0.01)	43	-	0.081
BGRIM11C2403A	0.08	120367	-	-	-	-	0.01	0.03	-	-	-	0
BGRIM11C2405A	0.13	120367	0.14	0.14	0.13	0.14	0.12	0.13	0.01	2,090	29	0.137
BGRIM13C2404A	0.06	120367	0.07	0.07	0.06	0.06	0.05	0.06	-	4,035	26	0.063
BGRIM13C2407A	0.12	120367	-	0.13	0.11	0.11	0.11	0.12	(0.01)	20,292	251	0.123
BGRIM13C2407B	0.26	120367	-	-	-	-	0.24	0.27	-	-	-	0
BGRIM13P2404A	0.02	120367	-	-	-	-	-	0.01	-	-	-	0
BGRIM13P2406A	0.08	120367	-	-	-	-	0.09	0.10	-	-	-	0
BGRIM19C2404A	0.11	120367	-	0.10	0.09	0.09	0.09	0.10	(0.02)	2,354	22	0.095
BGRIM19C2407A	0.18	120367	-	0.18	0.16	0.17	0.16	0.17	(0.01)	23,925	426	0.178
BGRIM19P2406A	0.10	120367	-	-	-	-	0.11	0.12	-	-	-	0
BGRIM41C2404A	0.18	120367	0.13	0.13	0.12	0.13	0.10	0.12	(0.05)	2,000	25	0.125
BGRIM41C2404B	0.33	120367	-	-	-	-	0.39	0.45	-	-	-	0
BGRIM41C2405A	0.17	120367	-	-	-	-	0.15	0.17	-	-	-	0
BGRIM41C2405B	0.08	120367	0.09	0.09	0.08	0.08	0.07	0.08	-	1,001	9	0.089
BGRIM41C2407A	0.15	120367	0.16	0.16	0.15	0.15	0.14	0.15	-	15,610	237	0.151
BGRIM41C2408B	0.26	120367	0.27	0.27	0.25	0.25	0.25	0.26	(0.01)	2,884	76	0.262
BIOTEC	0.39	120367	0.39	0.40	0.38	0.39	0.39	0.40	-	8,930	351	0.392
BIOTEC-P	10.00	120367	-	-	-	-	-	-	-	-	-	0
BIOTEC-Q	10.00	120367	-	-	-	-	-	-	-	-	-	0
BIOTEC-W2	0.09	120367	-	0.10	0.09	0.09	0.09	0.10	-	9,761	88	0.09
BPP	14.00	120367	14.00	14.20	14.00	14.20	14.10	14.20	0.20	3,412	4,810	14.097
BRRGIF	3.32	120367	3.34	3.34	3.30	3.32	3.32	3.34	-	378	126	3.32
BSRC	9.40	120367	9.40	9.65	9.35	9.65	9.60	9.65	0.25	15,704	14,992	9.546
CKP	3.86	120367	3.86	3.98	3.86	3.94	3.94	3.96	0.08	39,796	15,675	3.938
CKP01C2407A	0.43	120367	-	0.49	0.45	0.47	0.47	0.49	0.04	6,877	324	0.471
CKP13C2407A	0.41	120367	-	0.46	0.45	0.45	0.45	0.46	0.04	1,713	78	0.453
CKP19C2407A	0.41	120367	-	0.46	0.43	0.45	0.45	0.46	0.04	11,208	504	0.445
CV	0.52	120367	0.52	0.59	0.51	0.57	0.57	0.58	0.05	1,586,124	90,041	0.567
CV-W1	0.15	120367	0.15	0.19	0.14	0.18	0.17	0.18	0.03	890,228	15,014	0.168
DEMCO	2.28	120367	2.32	2.38	2.24	2.32	2.32	2.34	0.04	4,298	999	2.323
DEMCO-W7	0.22	120367	0.26	0.31	0.20	0.25	0.25	0.27	0.03	44,007	1,211	0.275
EA	35.00	120367	35.00	35.50	35.00	35.25	35.00	35.25	0.25	44,900	158,343	35.265
EA01C2405A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
EA01C2406A	0.03	120367	-	0.03	0.03	0.03	0.02	0.03	-	130	-	0.03
EA01C2406B	0.07	120367	-	-	-	-	0.06	0.07	-	-	-	0
EA01C2407A	0.12	120367	-	0.13	0.13	0.13	0.13	0.14	0.01	23,060	300	0.13
EA01C2407B	0.24	120367	-	0.26	0.24	0.25	0.25	0.26	0.01	19,195	480	0.25
EA01P2404X	0.56	120367	-	0.53	0.53	0.53	0.53	0.55	(0.03)	2,166	115	0.53
EA01P2406X	0.29	120367	-	0.28	0.28	0.28	0.28	0.29	(0.01)	6,288	176	0.28
EA06C2404A	0.01	120367	-	-	-	-	-	-	-	-	-	0
EA06C2406A	0.06	120367	-	-	-	-	-	-	-	-	-	0
EA11C2403A	0.01	120367	-	-	-	-	0.01	0.03	-	-	-	0
EA11C2405A	0.01	120367	-	-	-	-	0.01	0.03	-	-	-	0
EA11C2408A	0.19	120367	0.20	0.20	0.19	0.19	0.19	0.20	-	17,980	345	0.192
EA13C2405A	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
EA13C2406A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
EA13C2406B	0.05	120367	-	0.04	0.04	0.04	0.04	0.05	(0.01)	1	-	0.04
EA13C2407A	0.13	120367	-	0.15	0.13	0.13	0.13	0.14	-	95,422	1,352	0.141
EA13C2408A	0.26	120367	-	0.28	0.26	0.27	0.27	0.28	0.01	23,494	638	0.271
EA13P2406A	0.32	120367	-	-	-	-	0.32	0.35	-	-	-	0
EA13P2407A	0.25	120367	0.25	0.25	0.24	0.24	0.24	0.25	(0.01)	6,721	163	0.242
EA19C2405A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2406A	0.11	120367	-	-	-	-	0.05	0.06	-	-	-	0
EA19C2406B	0.10	120367	-	0.11	0.11	0.11	0.10	0.11	0.01	1	-	0.11
EA19C2407A	0.23	120367	-	0.24	0.24	0.24	0.24	0.25	0.01	7,300	175	0.24
EA41C2404A	0.07	120367	-	-	-	-	0.01	0.03	-	-	-	0
EA41C2405A	0.03	120367	-	-	-	-	0.01	0.03	-	-	-	0
EA41C2406A	0.07	120367	0.05	0.05	0.05	0.05	0.05	0.07	(0.02)	1	-	0.05

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
EA41C2407A	0.12	120367	0.13	0.13	0.12	0.12	0.12	0.13	-	562	7	0.129
EA41C2408A	0.28	120367	0.28	0.28	0.27	0.27	0.27	0.28	(0.01)	9,000	245	0.272
EA41P2405A	0.61	120367	-	-	-	-	0.54	0.55	-	-	-	0
EASTW	3.50	120367	3.54	3.56	3.50	3.50	3.50	3.54	-	7,012	2,477	3.532
EGATIF	5.80	120367	5.80	5.85	5.80	5.80	5.80	5.85	-	1,413	820	5.805
EGCO	120.00	120367	116.50	117.00	115.00	115.50	115.00	115.50	(4.50)	17,707	204,992	115.769
EGCO01C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
EGCO13C2405A	0.05	120367	-	0.04	0.04	0.04	0.04	0.05	(0.01)	2,000	8	0.04
EGCO13C2407A	0.31	120367	0.31	0.31	0.28	0.29	0.29	0.30	(0.02)	12,793	381	0.297
EGCO19C2408A	0.35	120367	0.35	0.35	0.33	0.33	0.33	0.34	(0.02)	12,368	425	0.343
EP	2.62	120367	2.64	2.64	2.58	2.64	2.60	2.64	0.02	699	183	2.619
EP-W4	0.13	120367	-	-	-	-	0.11	0.13	-	-	-	0
ETC	2.90	120367	2.90	2.96	2.88	2.92	2.92	2.94	0.02	52,625	15,391	2.924
GPSC	55.75	120367	55.75	55.75	54.25	54.75	54.50	54.75	(1.00)	56,424	309,827	54.91
GPSC01C2404A	0.50	120367	-	0.47	0.40	0.40	0.42	0.43	(0.10)	15,805	681	0.431
GPSC01C2405A	0.31	120367	-	0.29	0.25	0.26	0.26	0.27	(0.05)	13,879	380	0.273
GPSC01C2407A	0.48	120367	0.48	0.48	0.41	0.43	0.43	0.44	(0.05)	10,429	459	0.44
GPSC01P2404X	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01P2405X	0.06	120367	-	0.06	0.06	0.06	0.05	0.06	-	1	-	0.06
GPSC01P2407X	0.20	120367	-	0.21	0.20	0.21	0.21	0.22	0.01	6,534	134	0.205
GPSC06C2403A	0.34	120367	-	-	-	-	-	-	-	-	-	0
GPSC06C2404A	0.29	120367	-	-	-	-	-	-	-	-	-	0
GPSC11C2403A	0.28	120367	-	-	-	-	0.31	0.34	-	-	-	0
GPSC11C2408T	0.49	120367	-	0.48	0.44	0.44	0.45	0.46	(0.05)	21,581	1,013	0.469
GPSC11P2405A	0.11	120367	-	-	-	-	0.07	0.08	-	-	-	0
GPSC13C2406A	0.40	120367	-	0.38	0.33	0.35	0.35	0.36	(0.05)	59,724	2,138	0.357
GPSC13P2404A	0.05	120367	-	-	-	-	0.01	0.02	-	-	-	0
GPSC13P2407A	0.12	120367	-	0.14	0.13	0.13	0.13	0.14	0.01	25,433	347	0.136
GPSC19C2405A	0.30	120367	-	0.28	0.24	0.25	0.24	0.25	(0.05)	36,098	933	0.258
GPSC19P2404A	0.05	120367	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19P2406A	0.11	120367	-	-	-	-	0.07	0.08	-	-	-	0
GPSC19P2407A	0.19	120367	-	0.21	0.19	0.20	0.20	0.21	0.01	17,193	336	0.195
GPSC41C2404A	0.69	120367	-	-	-	-	0.83	0.87	-	-	-	0
GPSC41C2405A	0.34	120367	-	0.34	0.34	0.34	0.30	0.32	-	6,200	211	0.34
GPSC41C2406A	0.37	120367	-	-	-	-	0.32	0.34	-	-	-	0
GPSC41P2406A	0.12	120367	-	-	-	-	0.11	0.12	-	-	-	0
GREEN	1.20	120367	1.24	1.25	1.11	1.16	1.16	1.17	(0.04)	191,444	22,279	1.163
GULF	45.25	120367	45.50	45.50	44.50	44.75	44.50	44.75	(0.50)	110,754	498,066	44.97
GULF01C2405A	0.10	120367	-	0.09	0.08	0.08	0.08	0.09	(0.02)	1,276	11	0.085
GULF01C2406A	0.25	120367	-	0.24	0.21	0.22	0.22	0.23	(0.03)	22,268	508	0.228
GULF01C2408A	0.33	120367	-	0.33	0.30	0.30	0.30	0.32	(0.03)	24,542	769	0.313
GULF01P2405X	0.06	120367	-	-	-	-	0.06	0.07	-	-	-	0
GULF11C2407T	0.30	120367	-	0.30	0.28	0.28	0.28	0.29	(0.02)	17,860	518	0.29
GULF13C2405A	0.06	120367	-	0.06	0.06	0.06	0.05	0.06	-	92	1	0.06
GULF13C2406A	0.20	120367	-	0.20	0.17	0.17	0.17	0.19	(0.03)	200,361	3,794	0.189
GULF13P2405A	0.04	120367	-	-	-	-	0.03	0.04	-	-	-	0
GULF13P2408A	0.28	120367	-	0.27	0.26	0.27	0.27	0.28	(0.01)	34,748	910	0.261
GULF19C2404A	0.05	120367	-	-	-	-	0.03	0.04	-	-	-	0
GULF19C2406A	0.20	120367	-	0.21	0.17	0.17	0.17	0.18	(0.03)	42,587	798	0.187
GULF19P2404A	0.12	120367	-	-	-	-	0.01	0.02	-	-	-	0
GULF41C2405A	0.08	120367	-	-	-	-	0.05	0.07	-	-	-	0
GULF41C2405B	0.07	120367	-	-	-	-	0.07	0.08	-	-	-	0
GULF41C2406A	0.21	120367	-	0.21	0.19	0.19	0.19	0.20	(0.02)	32,250	643	0.199
GULF41P2405A	0.18	120367	-	-	-	-	0.16	0.17	-	-	-	0
GUNKUL	2.78	120367	2.78	2.82	2.78	2.78	2.78	2.80	-	192,867	54,081	2.804
GUNKUL01C2404A	0.08	120367	-	0.09	0.08	0.08	0.08	0.09	-	31,000	264	0.085
GUNKUL01C2407A	0.14	120367	-	0.15	0.14	0.14	0.14	0.15	-	15,217	222	0.145
GUNKUL01P2404X	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL01P2407X	0.48	120367	-	0.47	0.46	0.47	0.48	0.49	(0.01)	2,734	128	0.467
GUNKUL11C2404A	0.15	120367	-	0.16	0.15	0.15	0.14	0.15	-	11,070	169	0.152
GUNKUL13C2404A	0.07	120367	-	-	-	-	0.06	0.07	-	-	-	0
GUNKUL13C2407A	0.12	120367	-	0.13	0.12	0.12	0.12	0.13	-	11,888	151	0.126
GUNKUL13C2407B	0.28	120367	-	0.30	0.28	0.28	0.28	0.29	-	33,627	985	0.293
GUNKUL13P2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL13P2407A	0.41	120367	-	0.40	0.38	0.40	0.40	0.41	(0.01)	16,295	633	0.388
GUNKUL19C2405A	0.17	120367	-	0.18	0.17	0.17	0.17	0.18	-	45,117	803	0.177
IFEC	0.35	120367	-	-	-	-	-	-	-	-	-	0
IRPC	1.89	120367	1.90	1.95	1.89	1.94	1.93	1.94	0.05	542,276	104,701	1.93
IRPC01C2406A	0.06	120367	-	0.04	0.04	0.04	0.05	0.06	(0.02)	6	-	0.04
IRPC13C2405A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
IRPC13C2407A	0.23	120367	-	0.28	0.24	0.26	0.26	0.27	0.03	30,782	812	0.263
IRPC19C2404A	0.07	120367	-	-	-	-	0.02	0.03	-	-	-	0
JR	4.52	120367	4.50	4.56	4.44	4.48	4.48	4.50	(0.04)	3,736	1,672	4.474
KBSPIF	8.55	120367	8.55	8.55	8.50	8.55	8.50	8.55	-	1,121	955	8.515
LANNA	15.90	120367	15.90	15.90	15.60	15.80	15.70	15.80	(0.10)	33,911	53,397	15.746
MDX	2.90	120367	2.90	2.92	2.88	2.88	2.86	2.88	(0.02)	454	131	2.894
NOVA	10.40	120367	10.10	10.50	10.10	10.20	10.20	10.30	(0.20)	122	125	10.246
OR	17.90	120367	17.90	18.10	17.90	18.00	18.00	18.10	0.10	59,429	106,931	17.993
OR01C2405A	0.06	120367	-	0.05	0.05	0.05	0.05	0.06	(0.01)	2,354	12	0.05
OR01C2407A	0.21	120367	0.22	0.22	0.21	0.21	0.21	0.22	-	2	-	0.215
OR01P2405X	0.33	120367	-	0.32	0.32	0.32	0.32	0.33	(0.01)	610	20	0.32
OR06C2403A	0.12	120367	-	-	-	-	-	-	-	-	-	0
OR11C2404A	0.05	120367	-	-	-	-	0.04	0.05	-	-	-	0
OR13C2404A	0.04	120367	-	-	-	-	0.01	0.02	-	-	-	0
OR13C2407A	0.17	120367	-	0.17	0.17	0.17	0.17	0.18	-	8,650	147	0.17
OR19C2404A	0.02	120367	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
OR19C2407A	0.20	120367	-	-	-	-	0.20	0.21	-	-	-	0
PCC	3.10	120367	3.10	3.10	3.06	3.06	3.06	3.08	(0.04)	1,812	556	3.069
PRIME	0.57	120367	0.58	0.58	0.56	0.57	0.57	0.58	-	50,047	2,861	0.571
PTG	8.85	120367	8.85	9.00	8.85	8.85	8.80	8.85	-	40,449	36,002	8.9
PTG01C2404A	0.11	120367	-	0.12	0.10	0.10	0.10	0.11	(0.01)	12,222	139	0.113
PTG01C2407A	0.32	120367	-	0.34	0.32	0.32	0.32	0.33	-	8,746	292	0.333
PTG11C2405A	0.38	120367	-	-	-	-	0.38	0.41	-	-	-	0

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PTG13C2407A	0.27	120367	-	0.29	0.27	0.27	0.27	0.28	-	19,067	535	0.28
PTG19C2404A	0.13	120367	-	0.14	0.12	0.12	0.12	0.13	(0.01)	5,591	77	0.138
PTG19C2407A	0.32	120367	-	0.34	0.32	0.32	0.32	0.33	-	7,527	251	0.333
PTT	34.00	120367	33.75	34.25	33.75	34.25	34.00	34.25	0.25	240,965	820,175	34.037
PTT01C2405A	0.08	120367	-	0.08	0.08	0.08	0.08	0.09	-	4,100	33	0.08
PTT01C2407A	0.18	120367	-	0.17	0.17	0.17	0.18	0.19	(0.01)	3,819	65	0.17
PTT01P2405X	0.07	120367	-	-	-	-	0.05	0.06	-	-	-	0
PTT01P2408X	0.24	120367	-	0.23	0.23	0.23	0.22	0.23	(0.01)	1,194	27	0.23
PTT11C2404A	0.06	120367	-	-	-	-	0.04	0.05	-	-	-	0
PTT13C2406A	0.12	120367	-	0.13	0.11	0.13	0.13	0.14	0.01	10,660	131	0.122
PTT13P2405A	0.04	120367	-	-	-	-	0.02	0.03	-	-	-	0
PTT13P2408A	0.23	120367	-	0.22	0.21	0.22	0.21	0.22	(0.01)	2,524	56	0.22
PTT19C2404A	0.06	120367	-	-	-	-	0.02	0.03	-	-	-	0
PTT19C2406A	0.14	120367	-	-	-	-	0.15	0.16	-	-	-	0
PTT41C2407A	0.22	120367	-	-	-	-	0.21	0.22	-	-	-	0
PTT41C2407B	0.16	120367	-	-	-	-	0.18	0.19	-	-	-	0
PTT41C2408C	0.15	120367	-	0.16	0.16	0.16	0.16	0.17	0.01	6,201	99	0.16
PTTEP	147.50	120367	147.50	150.00	146.50	150.00	149.50	150.00	2.50	46,659	693,672	148.668
PTTEP01C2404A	0.04	120367	-	0.04	0.04	0.04	0.04	0.05	-	950	4	0.04
PTTEP01C2404T	0.06	120367	-	0.06	0.05	0.06	0.05	0.06	-	63	-	0.051
PTTEP01C2405A	0.26	120367	-	0.30	0.26	0.30	0.30	0.31	0.04	5,800	161	0.276
PTTEP01C2407A	0.29	120367	-	0.31	0.28	0.31	0.31	0.32	0.02	10,470	309	0.294
PTTEP01P2405X	0.06	120367	-	-	-	-	0.05	0.06	-	-	-	0
PTTEP01P2406X	0.43	120367	-	0.43	0.38	0.38	0.38	0.39	(0.05)	13,536	549	0.405
PTTEP06C2403A	0.02	120367	-	-	-	-	-	-	-	-	-	0
PTTEP06C2405A	0.33	120367	-	0.34	0.29	0.34	-	-	0.01	33,084	1,001	0.302
PTTEP11C2403T	0.04	120367	-	-	-	-	0.01	0.03	-	-	-	0
PTTEP11C2406A	0.34	120367	-	0.36	0.32	0.36	0.36	0.37	0.02	2,900	97	0.333
PTTEP11P2406A	0.31	120367	-	0.32	0.28	0.28	0.28	0.29	(0.03)	8,890	269	0.302
PTTEP13C2404A	0.10	120367	-	0.03	0.02	0.03	0.03	0.04	(0.07)	11	-	0.02
PTTEP13C2405A	0.20	120367	-	0.22	0.18	0.22	0.22	0.23	0.02	48,265	983	0.203
PTTEP13P2405A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
PTTEP13P2406A	0.18	120367	-	0.18	0.16	0.16	0.16	0.17	(0.02)	2,756	47	0.171
PTTEP13P2408A	0.53	120367	-	0.54	0.50	0.50	0.49	0.50	(0.03)	22,703	1,185	0.521
PTTEP19C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2404B	0.10	120367	-	-	-	-	0.04	0.05	-	-	-	0
PTTEP19C2406A	0.28	120367	-	0.28	0.25	0.28	0.28	0.29	-	62,440	1,626	0.26
PTTEP19C2407A	0.22	120367	-	0.23	0.20	0.23	0.23	0.24	0.01	4,796	103	0.214
PTTEP41C2404A	0.07	120367	-	-	-	-	0.01	0.03	-	-	-	0
PTTEP41C2405A	0.16	120367	0.17	0.18	0.15	0.18	0.18	0.19	0.02	13,720	230	0.167
PTTEP41C2405B	0.18	120367	0.18	0.19	0.16	0.19	0.19	0.20	0.01	4,000	70	0.175
PTTEP41C2406A	0.19	120367	0.19	0.22	0.19	0.22	0.22	0.23	0.03	10,996	228	0.207
PTTEP41P2405A	0.11	120367	-	0.04	0.04	0.04	0.04	0.06	(0.07)	490	2	0.04
PTTEP41P2406A	0.26	120367	-	-	-	-	0.25	0.26	-	-	-	0
PTTEP41P2407A	0.54	120367	-	0.55	0.51	0.51	0.49	0.50	(0.03)	18,000	942	0.523
QTC	4.02	120367	4.02	4.02	4.00	4.00	4.00	4.02	(0.02)	166	66	4.002
RATCH	29.00	120367	29.00	29.75	29.00	29.50	29.25	29.50	0.50	43,734	128,658	29.418
RATCH01C2405A	0.06	120367	-	-	-	-	0.02	0.04	-	-	-	0
RATCH13C2405A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
RATCH13P2404A	0.05	120367	-	0.04	0.04	0.04	0.04	0.05	(0.01)	4,108	16	0.04
RATCH19C2405A	0.04	120367	-	-	-	-	0.04	0.05	-	-	-	0
RPC	0.68	120367	0.69	0.70	0.67	0.68	0.68	0.69	-	29,504	2,030	0.688
SCG	3.56	120367	3.54	3.56	3.40	3.50	3.48	3.50	(0.06)	96	34	3.511
SCI	0.99	120367	0.97	0.99	0.95	0.99	0.98	0.99	-	58,762	5,710	0.971
SCN	1.14	120367	1.16	1.19	1.14	1.14	1.14	1.15	-	47,667	5,513	1.156
SCN-W2	0.07	120367	-	0.07	0.06	0.07	0.06	0.07	-	3,554	25	0.07
SCN-W3	0.10	120367	0.10	0.11	0.10	0.10	0.10	0.11	-	223,751	2,394	0.107
SEAOIL	3.06	120367	3.06	3.08	3.04	3.08	3.06	3.08	0.02	5,349	1,639	3.064
SGP	8.00	120367	8.00	8.10	7.95	8.00	7.95	8.00	-	2,421	1,939	8.008
SKE	0.52	120367	0.53	0.53	0.52	0.53	0.52	0.53	0.01	20,580	1,087	0.528
SKE-W1	0.10	120367	0.10	0.10	0.09	0.09	0.09	0.10	(0.01)	11,100	104	0.093
SOLAR	0.68	120367	0.69	0.71	0.68	0.68	0.68	0.69	-	20,641	1,425	0.69
SPCG	12.10	120367	12.00	12.20	12.00	12.20	12.10	12.20	0.10	3,223	3,893	12.08
SPRC	8.45	120367	8.40	8.80	8.40	8.75	8.70	8.75	0.30	290,393	251,528	8.661
SPRC01C2405A	0.09	120367	-	0.12	0.10	0.12	0.12	0.13	0.03	50,417	560	0.111
SPRC06C2405A	0.16	120367	-	0.20	0.16	0.20	0.19	0.21	0.04	50,215	851	0.169
SPRC11C2406A	0.20	120367	-	0.25	0.20	0.25	0.24	0.25	0.05	26,253	563	0.214
SPRC13C2404A	0.08	120367	-	0.10	0.07	0.10	0.10	0.11	0.02	31,171	297	0.095
SPRC13C2408A	0.28	120367	-	0.33	0.28	0.33	0.33	0.34	0.05	114,659	3,506	0.305
SPRC13P2405A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
SPRC19C2404A	0.07	120367	-	0.11	0.07	0.10	0.10	0.11	0.03	33,121	326	0.098
SSP	7.80	120367	7.80	7.80	7.65	7.80	7.75	7.80	-	6,646	5,142	7.737
SSP-W2	0.22	120367	0.22	0.22	0.20	0.20	0.20	0.21	(0.02)	2,867	59	0.205
SUPER	0.31	120367	0.32	0.32	0.30	0.31	0.30	0.31	-	349,392	10,750	0.307
SUPEREIF	6.20	120367	6.20	6.25	6.15	6.25	6.15	6.25	0.05	2,630	1,628	6.19
SUSCO	4.78	120367	4.80	4.80	4.74	4.78	4.76	4.78	-	51,018	24,352	4.773
TAE	1.00	120367	1.01	1.07	1.00	1.04	1.04	1.05	0.04	17,087	1,772	1.036
TCC	0.52	120367	0.52	0.52	0.50	0.52	0.51	0.52	-	3,739	190	0.508
TCC-W5	0.22	120367	0.21	0.21	0.18	0.20	0.19	0.20	(0.02)	47,003	909	0.193
TGE	3.62	120367	3.64	3.76	3.62	3.68	3.68	3.70	0.06	104,894	38,701	3.689
TOP	56.00	120367	56.25	58.50	56.25	57.75	57.75	58.00	1.75	118,248	684,633	57.898
TOP01C2404A	0.24	120367	-	0.33	0.28	0.32	0.30	0.32	0.08	6,762	211	0.311
TOP01C2405A	0.26	120367	-	0.34	0.27	0.32	0.32	0.33	0.06	29,735	954	0.32
TOP01C2407A	0.47	120367	-	0.56	0.47	0.53	0.53	0.54	0.06	17,919	943	0.526
TOP01P2404X	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
TOP01P2406X	0.17	120367	-	0.15	0.13	0.14	0.14	0.15	(0.03)	15,502	216	0.139
TOP01P2408X	0.61	120367	-	0.56	0.51	0.53	0.53	0.54	(0.08)	8,619	453	0.525
TOP11C2405A	0.53	120367	-	-	-	-	0.59	0.62	-	-	-	0
TOP11C2407A	0.36	120367	0.36	0.43	0.36	0.42	0.41	0.43	0.06	8,590	353	0.411
TOP11P2406A	0.21	120367	-	0.19	0.18	0.18	0.18	0.19	(0.03)	840	15	0.182
TOP13C2404A	0.38	120367	-	-	-	-	0.44	0.47	-	-	-	0
TOP13C2407A	0.38	120367	-	0.45	0.38	0.43	0.43	0.44	0.05	58,865	2,532	0.43
TOP13P2404A	0.02	120367	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	248	-	0.01

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TOP13P2408A	0.43	120367	-	0.40	0.37	0.38	0.38	0.39	(0.05)	21,423	806	0.376
TOP19C2405A	0.21	120367	-	0.28	0.23	0.26	0.26	0.27	0.05	27,377	718	0.262
TOP41C2404A	0.46	120367	-	0.50	0.40	0.48	0.46	0.49	0.02	8,000	370	0.462
TOP41C2405A	0.23	120367	-	0.31	0.24	0.28	0.28	0.29	0.05	47,360	1,347	0.284
TPIPP	3.40	120367	3.32	3.32	3.28	3.32	3.30	3.32	(0.08)	71,233	23,524	3.302
TSE	1.31	120367	1.27	1.29	1.26	1.28	1.27	1.28	(0.03)	40,570	5,179	1.276
TTW	9.10	120367	9.10	9.20	9.10	9.15	9.10	9.15	0.05	5,627	5,136	9.128
UBE	0.79	120367	0.81	0.82	0.79	0.81	0.80	0.81	0.02	19,840	1,602	0.807
WHAUP	4.02	120367	4.04	4.04	4.00	4.02	4.02	4.04	-	13,874	5,587	4.026
WP	4.38	120367	4.40	4.44	4.30	4.34	4.34	4.36	(0.04)	4,229	1,849	4.372
Media & Publishing												
AMARIN	4.98	120367	4.96	4.98	4.92	4.96	4.96	4.98	(0.02)	56,120	27,712	4.937
AQUA	0.35	120367	0.34	0.35	0.34	0.35	0.34	0.35	-	16,649	568	0.341
AQUA-W3	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
AS	6.90	120367	6.85	6.90	6.85	6.85	6.85	6.90	(0.05)	822	566	6.881
BEC	4.42	120367	4.40	4.50	4.40	4.50	4.48	4.50	0.08	35,023	15,634	4.463
FE	172.00	120367	-	-	-	-	160.00	170.00	-	-	-	0
GPI	1.87	120367	1.91	1.95	1.87	1.89	1.89	1.90	0.02	11,847	2,269	1.915
GRAMMY	5.70	120367	-	5.75	5.70	5.70	5.70	5.75	-	255	145	5.704
JKN	0.74	120367	-	-	-	-	0.62	0.77	-	-	-	0
MAJOR	14.40	120367	14.40	14.60	14.20	14.40	14.40	14.50	-	36,908	53,173	14.406
MATCH	1.42	120367	-	1.46	1.43	1.45	1.43	1.46	0.03	503	72	1.43
MATI	7.25	120367	7.20	7.20	7.15	7.15	7.15	7.30	(0.10)	13	9	7.176
MCOT	3.20	120367	-	3.24	3.16	3.16	3.16	3.18	(0.04)	226	72	3.201
MONO	0.75	120367	0.75	0.77	0.75	0.77	0.76	0.77	0.02	40,286	3,065	0.76
NATION	0.04	120367	0.04	0.04	0.03	0.04	0.03	0.04	-	34,601	138	0.039
NATION-W4	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
ONEE	5.25	120367	5.25	5.35	4.98	5.00	5.00	5.05	(0.25)	450,108	229,713	5.103
PLANB	8.65	120367	8.65	8.70	8.50	8.50	8.50	8.55	(0.15)	125,340	107,687	8.591
PLANB-W1	1.00	120367	0.93	0.99	0.90	0.90	0.89	0.90	(0.10)	9,407	870	0.924
PLANB11C2403A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
PLANB11P2408A	0.53	120367	0.54	0.55	0.52	0.55	0.55	0.56	0.02	2,530	135	0.533
PLANB13C2407A	0.26	120367	0.24	0.26	0.23	0.23	0.23	0.24	(0.03)	84,629	2,121	0.25
PLANB19C2408A	0.28	120367	0.28	0.28	0.24	0.24	0.24	0.25	(0.04)	13,817	361	0.261
POST	1.10	120367	-	-	-	-	-	-	-	-	-	0
PRAKIT	11.60	120367	11.60	11.80	11.60	11.70	11.50	11.70	0.10	459	534	11.639
PTECH	9.10	120367	9.10	9.10	8.20	8.25	8.20	8.30	(0.85)	273	235	8.602
ROCTEC	0.66	120367	0.67	0.69	0.65	0.68	0.67	0.68	0.02	242,443	16,338	0.673
ROCTEC-W3	0.03	120367	-	0.03	0.02	0.03	0.02	0.03	-	18,853	57	0.029
ROCTEC-W5	0.04	120367	0.04	0.04	0.03	0.03	0.03	0.04	(0.01)	42,040	160	0.037
SE-ED	2.28	120367	-	2.28	2.28	2.28	2.22	2.30	-	2	-	2.28
TKS	6.40	120367	6.50	6.55	6.35	6.35	6.35	6.50	(0.05)	1,918	1,225	6.386
VGI	1.44	120367	1.44	1.69	1.41	1.61	1.60	1.61	0.17	5,526,134	877,966	1.588
VGI-W3	0.07	120367	0.07	0.08	0.07	0.07	0.07	0.08	-	260,123	2,063	0.079
VGI01C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2405A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2406A	0.05	120367	-	0.13	0.04	0.10	0.10	0.11	0.05	32,355	327	0.101
VGI01C2407A	0.13	120367	-	0.31	0.12	0.25	0.25	0.27	0.12	264,641	5,849	0.221
VGI01C2407B	0.25	120367	-	0.51	0.23	0.42	0.42	0.44	0.17	85,388	2,870	0.336
VGI01P2405X	0.74	120367	0.51	0.78	0.45	0.56	0.52	0.54	(0.18)	78,111	4,825	0.617
VGI06C2403A	0.01	120367	-	-	-	-	-	-	-	-	-	0
VGI06C2405A	0.02	120367	-	-	-	-	-	-	-	-	-	0
VGI13C2405A	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	8,201	8	0.01
VGI13C2406A	0.05	120367	-	0.13	0.07	0.10	0.10	0.11	0.05	165,730	1,743	0.105
VGI13C2407A	0.11	120367	0.19	0.24	0.09	0.18	0.18	0.19	0.07	185,303	3,336	0.18
VGI13C2407B	0.24	120367	0.41	0.48	0.22	0.40	0.39	0.40	0.16	384,555	14,322	0.372
VGI13P2405A	0.54	120367	0.35	0.57	0.30	0.35	0.35	0.36	(0.19)	226,612	8,544	0.377
VGI19C2405A	0.03	120367	-	0.05	0.04	0.04	0.04	0.05	0.01	1,801	8	0.046
VGI19C2405B	0.04	120367	-	-	-	-	0.01	0.02	-	-	-	0
VGI19C2407A	0.10	120367	-	0.21	0.09	0.17	0.17	0.18	0.07	208,463	3,525	0.169
VGI19C2407B	0.24	120367	0.41	0.48	0.22	0.39	0.38	0.39	0.15	333,228	11,499	0.345
VGI41C2405A	0.03	120367	-	-	-	-	0.01	0.03	-	-	-	0
VGI41C2407A	0.10	120367	-	0.23	0.09	0.18	0.18	0.19	0.08	118,662	1,957	0.164
WORK	9.90	120367	9.95	9.95	9.80	9.90	9.90	9.95	-	612	608	9.937
ZAA	1.26	120367	1.27	1.30	1.22	1.24	1.24	1.25	(0.02)	32,259	4,064	1.259
Finance & Securities												
AEONTS	148.00	120367	148.00	148.00	146.00	146.50	146.50	147.00	(1.50)	563	8,267	146.842
AMANAHA	2.28	120367	2.28	2.34	2.28	2.32	2.32	2.34	0.04	19,891	4,591	2.308
ASAP	2.94	120367	2.96	3.06	2.90	2.92	2.92	2.94	(0.02)	19,297	5,714	2.961
ASK	17.40	120367	17.40	17.40	17.20	17.20	17.20	17.30	(0.20)	9,373	16,162	17.243
ASP	2.74	120367	2.76	2.76	2.72	2.74	2.74	2.76	-	6,234	1,711	2.744
BAM	9.30	120367	9.30	9.50	9.20	9.45	9.40	9.45	0.15	261,471	244,107	9.335
BAM01C2404A	0.05	120367	-	-	-	-	0.03	0.04	-	-	-	0
BAM01C2406A	0.36	120367	-	0.39	0.35	0.39	0.39	0.40	0.03	25,234	924	0.366
BAM11C2405A	0.28	120367	0.28	0.30	0.27	0.30	0.30	0.31	0.02	23,469	654	0.278
BAM13C2405A	0.17	120367	0.17	0.19	0.16	0.18	0.18	0.20	0.01	122,017	2,071	0.169
BAM13C2408A	0.43	120367	0.43	0.46	0.41	0.46	0.45	0.46	0.03	52,356	2,285	0.436
BAM19C2404A	0.05	120367	-	-	-	-	0.07	0.08	-	-	-	0
BAM19C2405A	0.19	120367	-	0.21	0.18	0.20	0.20	0.22	0.01	55,993	1,053	0.188
BYD	4.24	120367	4.24	4.32	4.12	4.12	4.12	4.14	(0.12)	199,940	84,173	4.209
BYD06C2404A	0.04	120367	-	-	-	-	-	-	-	-	-	0
BYD13C2405A	0.05	120367	-	-	-	-	0.03	0.04	-	-	-	0
BYD13C2406A	0.26	120367	-	0.28	0.22	0.22	0.22	0.23	(0.04)	68,166	1,666	0.244
BYD19C2404A	0.07	120367	-	0.06	0.06	0.06	0.05	0.06	(0.01)	40	-	0.06
BYD19C2407A	0.38	120367	-	0.40	0.33	0.33	0.33	0.34	(0.05)	76,095	2,753	0.361
CGH	0.62	120367	0.63	0.65	0.63	0.64	0.63	0.64	0.02	25,226	1,614	0.639
CGH-W4	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
CHASE	1.93	120367	1.92	1.97	1.89	1.91	1.91	1.92	(0.02)	100,182	19,327	1.929
CHAYO	5.25	120367	5.25	5.30	5.20	5.25	5.20	5.25	-	35,091	18,411	5.246
CHAYO-W3	0.57	120367	0.57	0.60	0.56	0.58	0.57	0.58	0.01	9,720	564	0.579
ECL	1.46	120367	1.45	1.47	1.44	1.46	1.45	1.46	-	27,996	4,073	1.454
ECL-W4	0.02	120367	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	3,543	4	0.01
FNS	3.50	120367	3.50	3.62	3.48	3.54	3.52	3.54	0.04	3,662	1,300	3.548

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
FSX	2.26	120367	-	2.34	2.24	2.28	2.26	2.28	0.02	3,490	800	2.292
GBX	0.74	120367	0.73	0.74	0.73	0.74	0.73	0.74	-	603	44	0.732
GL	0.65	120367	-	-	-	-	-	-	-	-	-	0
HENG	1.80	120367	1.79	1.87	1.79	1.87	1.86	1.87	0.07	54,067	9,949	1.84
IFS	2.72	120367	-	2.72	2.70	2.70	2.70	2.72	(0.02)	360	97	2.701
JMT	22.80	120367	22.90	23.40	22.70	22.80	22.80	22.90	-	217,230	500,541	23.042
JMT-W4	1.43	120367	-	1.50	1.36	1.36	1.35	1.36	(0.07)	4,842	698	1.442
JMT01C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
JMT01C2405A	0.04	120367	-	0.04	0.04	0.04	0.04	0.05	-	100	-	0.04
JMT01C2406A	0.36	120367	-	0.39	0.35	0.35	0.35	0.36	(0.01)	36,753	1,387	0.377
JMT01C2407A	0.17	120367	-	0.18	0.16	0.16	0.16	0.17	(0.01)	33,377	592	0.177
JMT01C2408A	0.72	120367	0.73	0.76	0.70	0.71	0.71	0.72	(0.01)	34,471	2,553	0.74
JMT01P2404X	0.16	120367	-	0.16	0.13	0.15	0.15	0.16	(0.01)	22,610	311	0.137
JMT01P2406X	0.45	120367	-	0.45	0.41	0.44	0.44	0.45	(0.01)	35,599	1,493	0.419
JMT06C2403A	0.01	120367	-	-	-	-	-	-	-	-	-	0
JMT06C2404A	0.02	120367	-	-	-	-	-	-	-	-	-	0
JMT06C2406A	0.45	120367	0.45	0.48	0.44	0.44	-	-	(0.01)	69,002	3,227	0.467
JMT11C2405A	0.07	120367	-	-	-	-	0.05	0.07	-	-	-	0
JMT11C2407A	0.55	120367	-	0.59	0.55	0.55	0.54	0.55	-	17,600	1,013	0.575
JMT11P2406A	0.50	120367	-	0.50	0.46	0.49	0.49	0.50	(0.01)	23,939	1,138	0.475
JMT13C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
JMT13C2404B	0.03	120367	-	-	-	-	0.02	0.04	-	-	-	0
JMT13C2405A	0.04	120367	-	0.04	0.03	0.04	0.03	0.04	-	12,099	38	0.031
JMT13C2406A	0.31	120367	-	0.34	0.30	0.31	0.31	0.32	-	106,891	3,454	0.323
JMT13C2407A	0.13	120367	-	0.15	0.13	0.13	0.13	0.14	-	43,046	620	0.143
JMT13C2408A	0.63	120367	-	0.67	0.62	0.63	0.63	0.64	-	129,387	8,430	0.651
JMT13P2406A	0.46	120367	-	0.46	0.42	0.45	0.45	0.46	(0.01)	96,138	4,254	0.442
JMT19C2404A	0.01	120367	0.01	0.01	0.01	0.01	0.01	0.02	-	50	-	0.01
JMT19C2404B	0.05	120367	-	0.04	0.04	0.04	0.04	0.05	(0.01)	6,000	24	0.04
JMT19C2404C	0.02	120367	-	0.02	0.02	0.02	0.02	0.03	-	4	-	0.02
JMT19C2406A	0.40	120367	-	0.43	0.38	0.39	0.39	0.40	(0.01)	49,025	2,059	0.419
JMT19P2407A	0.32	120367	-	0.32	0.31	0.32	0.32	0.33	-	14,808	469	0.316
JMT41C2404A	0.06	120367	-	-	-	-	0.01	0.03	-	-	-	0
JMT41C2405A	0.04	120367	-	-	-	-	0.03	0.05	-	-	-	0
JMT41C2406A	0.19	120367	0.20	0.20	0.18	0.18	0.18	0.19	(0.01)	29,000	562	0.193
JMT41C2406B	0.36	120367	-	0.39	0.35	0.35	0.35	0.36	(0.01)	97,244	3,668	0.377
JMT41C2407A	0.12	120367	-	0.13	0.12	0.12	0.12	0.13	-	24,000	300	0.125
KCAR	6.50	120367	6.70	6.70	6.50	6.50	6.50	6.55	-	412	271	6.572
KGI	4.78	120367	4.78	4.82	4.78	4.82	4.80	4.82	0.04	9,650	4,632	4.8
KTC	45.25	120367	45.25	46.50	45.25	46.00	45.75	46.00	0.75	66,131	303,380	45.874
KTC01C2405A	0.08	120367	-	-	-	-	0.09	0.10	-	-	-	0
KTC01C2407A	0.27	120367	0.27	0.30	0.27	0.29	0.29	0.30	0.02	34,384	989	0.287
KTC01P2406X	0.26	120367	0.25	0.25	0.23	0.23	0.23	0.24	(0.03)	19,722	468	0.237
KTC11C2405A	0.10	120367	-	-	-	-	0.12	0.13	-	-	-	0
KTC11P2405A	0.27	120367	0.23	0.24	0.23	0.23	0.23	0.24	(0.04)	10,570	250	0.236
KTC13C2405A	0.06	120367	-	0.06	0.06	0.06	0.07	0.08	-	5,210	31	0.06
KTC13C2407A	0.25	120367	-	0.28	0.25	0.27	0.27	0.28	0.02	62,487	1,650	0.264
KTC13P2407A	0.20	120367	0.17	0.18	0.17	0.18	0.17	0.18	(0.02)	20,330	361	0.177
KTC19C2405A	0.10	120367	-	0.12	0.11	0.12	0.12	0.13	0.02	197,692	2,367	0.119
KTC19C2407A	0.25	120367	-	0.28	0.26	0.27	0.27	0.28	0.02	38,484	1,020	0.264
KTC41C2405A	0.11	120367	0.12	0.13	0.11	0.12	0.12	0.13	0.01	35,000	420	0.12
MFC	20.90	120367	21.00	21.00	21.00	21.00	20.90	21.00	0.10	16	34	21
MICRO	2.36	120367	2.38	2.42	2.30	2.40	2.34	2.40	0.04	2,260	535	2.367
ML	0.58	120367	0.59	0.59	0.57	0.59	0.58	0.59	0.01	1,858	108	0.58
ML-W3	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	24	-	0.01
MST	9.95	120367	-	10.00	9.95	9.95	9.95	10.10	-	260	260	9.999
MTC	46.25	120367	46.00	47.00	46.00	46.00	46.00	46.25	(0.25)	50,263	233,200	46.395
MTC01C2404A	0.08	120367	-	-	-	-	0.07	0.08	-	-	-	0
MTC01C2406A	0.32	120367	-	0.34	0.32	0.32	0.31	0.32	-	12,082	395	0.327
MTC01C2407A	0.33	120367	0.32	0.34	0.31	0.31	0.31	0.32	(0.02)	18,553	606	0.326
MTC01P2404X	0.07	120367	-	-	-	-	0.02	0.03	-	-	-	0
MTC01P2406X	0.35	120367	-	0.34	0.32	0.34	0.34	0.35	(0.01)	23,195	749	0.322
MTC06C2404A	0.10	120367	-	0.10	0.09	0.09	-	-	(0.01)	4,078	39	0.095
MTC11C2403A	0.33	120367	-	-	-	-	0.30	0.32	-	-	-	0
MTC11C2406A	0.25	120367	-	0.26	0.25	0.25	0.24	0.25	-	7,290	186	0.255
MTC13C2404A	0.10	120367	-	-	-	-	0.06	0.07	-	-	-	0
MTC13C2406A	0.31	120367	0.30	0.32	0.29	0.29	0.29	0.30	(0.02)	38,267	1,175	0.306
MTC13P2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
MTC13P2406A	0.16	120367	-	0.16	0.15	0.16	0.16	0.17	-	20,636	328	0.159
MTC19C2404A	0.10	120367	-	-	-	-	0.04	0.05	-	-	-	0
MTC19C2406A	0.32	120367	0.32	0.34	0.31	0.31	0.31	0.32	(0.01)	95,294	3,089	0.324
MTC19P2404A	0.05	120367	-	-	-	-	0.01	0.02	-	-	-	0
MTC41C2404A	0.11	120367	-	0.12	0.11	0.11	0.10	0.11	-	17,000	193	0.113
MTC41C2405A	0.13	120367	-	0.14	0.12	0.12	0.12	0.13	(0.01)	34,578	461	0.133
NCAP	2.24	120367	2.26	2.28	2.24	2.26	2.26	2.28	0.02	49,509	11,223	2.266
PL	2.02	120367	2.04	2.04	2.02	2.04	2.02	2.04	0.02	2,416	488	2.02
S11	2.92	120367	-	2.94	2.90	2.90	2.88	2.90	(0.02)	125	36	2.908
SAK	4.56	120367	4.56	4.78	4.52	4.74	4.72	4.74	0.18	42,926	20,111	4.684
SAWAD	39.25	120367	39.00	39.75	39.00	39.50	39.50	39.75	0.25	41,154	162,455	39.474
SAWAD-W2	1.05	120367	-	1.09	1.00	1.01	1.00	1.01	(0.04)	477	50	1.039
SAWAD01C2405A	0.04	120367	-	-	-	-	0.03	0.04	-	-	-	0
SAWAD01C2406A	0.14	120367	-	0.14	0.14	0.14	0.14	0.15	-	29,062	407	0.14
SAWAD01C2408A	0.29	120367	-	0.29	0.28	0.29	0.29	0.30	-	76,394	2,185	0.285
SAWAD01P2404X	0.19	120367	-	0.18	0.17	0.17	0.16	0.17	(0.02)	13,384	230	0.171
SAWAD01P2407X	0.51	120367	-	0.50	0.49	0.49	0.48	0.49	(0.02)	6,804	335	0.492
SAWAD11P2406A	0.36	120367	-	0.36	0.35	0.35	0.35	0.36	(0.01)	14,780	521	0.352
SAWAD13C2405A	0.02	120367	-	-	-	-	0.02	0.03	-	-	-	0
SAWAD13C2406A	0.08	120367	-	-	-	-	0.08	0.10	-	-	-	0
SAWAD13C2407A	0.18	120367	-	0.19	0.18	0.19	0.19	0.20	0.01	71,699	1,346	0.187
SAWAD13C2408A	0.33	120367	0.32	0.34	0.32	0.33	0.32	0.33	-	66,978	2,195	0.327
SAWAD13P2407A	0.30	120367	-	0.30	0.28	0.28	0.29	0.30	(0.02)	20,135	590	0.292
SAWAD19C2405A	0.06	120367	-	-	-	-	0.06	0.07	-	-	-	0
SAWAD19C2406A	0.18	120367	-	0.18	0.18	0.18	0.18	0.19	-	50,684	912	0.18

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous Price	Date	Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
SAWAD19C2408A	0.32	120367	-	0.33	0.32	0.33	0.33	0.34	0.01	28,628	933	0.325
SAWAD19P2404A	0.10	120367	-	-	-	-	0.07	0.08	-	-	-	0
SAWAD41C2405A	0.07	120367	-	-	-	-	0.05	0.07	-	-	-	0
SAWAD41C2405B	0.10	120367	-	-	-	-	0.03	0.05	-	-	-	0
SAWAD41C2406A	0.17	120367	0.19	0.19	0.17	0.18	0.18	0.19	0.01	100,976	1,784	0.176
SAWAD41C2406B	0.16	120367	0.17	0.17	0.16	0.16	0.16	0.17	-	16,200	261	0.161
SAWAD41C2407A	0.18	120367	-	0.19	0.18	0.19	0.19	0.20	0.01	45,642	852	0.186
SAWAD41P2405A	0.29	120367	0.28	0.29	0.28	0.28	0.28	0.29	(0.01)	45,080	1,303	0.289
SCAP	2.84	120367	2.86	2.86	2.82	2.86	2.82	2.86	0.02	718	205	2.853
SGC	1.40	120367	1.41	1.47	1.40	1.43	1.43	1.44	0.03	163,223	23,608	1.446
SM	1.34	120367	-	1.34	1.33	1.34	1.34	1.35	-	381	51	1.339
TH	1.11	120367	1.12	1.14	1.10	1.11	1.11	1.12	-	52,610	5,890	1.119
TH-W3	0.38	120367	0.39	0.40	0.37	0.38	0.37	0.38	-	8,475	331	0.389
THANI	2.18	120367	2.16	2.26	2.16	2.24	2.22	2.24	0.06	120,056	26,554	2.211
THANI13C2407A	0.07	120367	-	-	-	-	0.09	0.10	-	-	-	0
THANI19C2407A	0.10	120367	-	-	-	-	0.12	0.13	-	-	-	0
TIDLOR	22.20	120367	22.30	22.50	22.20	22.20	22.20	22.30	-	39,223	87,504	22.309
TIDLOR01C2405A	0.14	120367	-	0.14	0.13	0.13	0.13	0.14	(0.01)	13,564	187	0.137
TIDLOR01C2407A	0.27	120367	0.28	0.28	0.27	0.27	0.27	0.28	-	8,927	249	0.279
TIDLOR01P2404X	0.15	120367	-	0.14	0.14	0.14	0.14	0.15	(0.01)	8,278	116	0.14
TIDLOR06C2403A	0.04	120367	-	-	-	-	-	-	-	-	-	0
TIDLOR11C2403A	0.10	120367	-	0.10	0.10	0.10	0.09	0.10	-	3,060	31	0.1
TIDLOR11P2406A	0.25	120367	-	0.25	0.24	0.25	0.25	0.26	-	2,650	65	0.244
TIDLOR13C2406A	0.22	120367	-	0.23	0.23	0.23	0.22	0.23	0.01	20,788	478	0.23
TIDLOR13P2404A	0.03	120367	-	-	-	-	0.01	0.02	-	-	-	0
TIDLOR19C2404A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
TIDLOR19C2406A	0.22	120367	-	0.23	0.21	0.21	0.21	0.22	(0.01)	17,402	391	0.224
TIDLOR19P2407A	0.36	120367	-	0.36	0.35	0.36	0.36	0.37	-	13,367	471	0.352
TIDLOR41C2406A	0.25	120367	-	0.26	0.25	0.25	0.25	0.26	-	25,800	664	0.257
TIDLOR41C2407A	0.27	120367	0.28	0.28	0.27	0.27	0.27	0.28	-	34,400	957	0.278
TIDLOR41C2407B	0.22	120367	0.23	0.23	0.22	0.22	0.22	0.23	-	18,082	413	0.228
TK	5.25	120367	4.98	5.10	4.98	5.10	5.00	5.10	(0.15)	2,557	1,283	5.018
TNITY	4.18	120367	4.12	4.14	4.06	4.08	4.08	4.10	(0.10)	3,927	1,611	4.103
UOBKH	4.80	120367	-	4.84	4.74	4.84	4.78	4.84	0.04	169	81	4.801
XPG	1.36	120367	1.36	1.37	1.29	1.34	1.34	1.35	(0.02)	1,796,917	238,124	1.325
XPG-W4	3.44	120367	3.52	3.52	3.10	3.30	3.26	3.30	(0.14)	4,569	1,525	3.338
Food & Beverage												
AAI	4.16	120367	4.16	4.20	4.10	4.10	4.10	4.12	(0.06)	53,559	22,213	4.147
APURE	4.48	120367	4.50	4.50	4.42	4.44	4.44	4.46	(0.04)	2,440	1,085	4.447
APURE-W3	0.51	120367	-	0.50	0.47	0.50	0.48	0.50	(0.01)	512	25	0.487
ASIAN	6.65	120367	6.65	6.75	6.65	6.70	6.70	6.75	0.05	3,240	2,171	6.699
BR	2.56	120367	2.56	2.60	2.54	2.56	2.54	2.56	-	3,729	951	2.55
BR-W1	0.12	120367	-	0.12	0.11	0.12	0.11	0.12	-	3,432	38	0.11
BRR	4.36	120367	4.36	4.38	4.34	4.38	4.38	4.40	0.02	1,321	574	4.348
BRR-W2	0.47	120367	-	0.49	0.47	0.47	0.46	0.47	-	373	18	0.474
BTG	21.50	120367	21.50	21.60	21.40	21.50	21.50	21.60	-	10,051	21,593	21.483
CBG	65.50	120367	66.00	66.75	64.25	65.50	65.50	65.75	-	40,428	265,175	65.591
CBG01C2404A	0.02	120367	-	0.01	0.01	0.01	0.01	0.02	(0.01)	53	-	0.01
CBG01C2404T	0.04	120367	-	-	-	-	0.03	0.04	-	-	-	0
CBG01C2406A	0.09	120367	-	0.10	0.09	0.09	0.09	0.10	-	3,336	32	0.095
CBG01C2407A	0.22	120367	-	0.24	0.20	0.21	0.21	0.22	(0.01)	35,196	757	0.214
CBG01C2408A	0.48	120367	-	0.51	0.44	0.47	0.47	0.48	(0.01)	36,354	1,739	0.478
CBG01P2404X	0.26	120367	-	0.28	0.22	0.25	0.25	0.26	(0.01)	43,027	1,049	0.243
CBG01P2405X	0.82	120367	-	0.90	0.81	0.84	0.84	0.86	0.02	4,427	369	0.833
CBG01P2408X	0.62	120367	-	0.65	0.59	0.61	0.61	0.62	(0.01)	11,893	728	0.612
CBG06C2405A	0.05	120367	-	-	-	-	-	-	-	-	-	0
CBG11C2404A	0.13	120367	-	0.14	0.12	0.13	0.12	0.13	-	11,710	151	0.128
CBG11C2408A	1.00	120367	0.43	0.44	0.39	0.41	0.41	0.43	(0.59)	7,420	307	0.414
CBG11P2404A	0.32	120367	-	0.34	0.28	0.30	0.30	0.31	(0.02)	10,400	314	0.302
CBG13C2406A	0.08	120367	-	0.08	0.07	0.08	0.07	0.08	-	9,862	77	0.078
CBG13C2407A	0.21	120367	0.22	0.23	0.19	0.21	0.21	0.22	-	54,398	1,188	0.218
CBG13C2408A	0.47	120367	-	0.51	0.43	0.47	0.47	0.48	-	99,032	4,780	0.482
CBG13P2404A	0.12	120367	-	0.13	0.10	0.11	0.11	0.12	(0.01)	31,014	356	0.114
CBG13P2408A	1.00	120367	-	0.56	0.50	0.52	0.52	0.53	(0.48)	115,763	6,007	0.518
CBG19C2405A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
CBG19C2406A	0.10	120367	-	0.09	0.09	0.09	0.09	0.10	(0.01)	1,109	10	0.09
CBG19C2407A	0.20	120367	0.21	0.21	0.17	0.19	0.19	0.20	(0.01)	51,448	1,008	0.195
CBG19C2408A	0.40	120367	0.42	0.43	0.37	0.40	0.40	0.41	-	32,449	1,323	0.407
CBG19P2404A	0.24	120367	-	0.25	0.19	0.22	0.22	0.23	(0.02)	84,822	1,869	0.22
CBG19P2407A	0.69	120367	-	0.72	0.65	0.69	0.69	0.70	-	46,083	3,133	0.679
CBG41C2404A	0.06	120367	-	-	-	-	0.01	0.03	-	-	-	0
CBG41C2406A	0.10	120367	-	-	-	-	0.08	0.09	-	-	-	0
CBG41C2407A	0.20	120367	0.21	0.21	0.18	0.19	0.19	0.20	(0.01)	34,224	662	0.193
CBG41C2407B	0.41	120367	-	-	-	-	0.40	0.42	-	-	-	0
CFRESH	1.68	120367	1.69	1.70	1.68	1.69	1.68	1.69	0.01	1,663	281	1.692
CH	2.50	120367	2.50	2.52	2.48	2.50	2.50	2.52	-	1,741	435	2.496
CHOTI	113.00	120367	-	-	-	-	108.00	116.00	-	-	-	0
CM	2.24	120367	-	2.26	2.22	2.26	2.24	2.26	0.02	362	81	2.245
COCOCO	10.90	120367	10.80	11.00	10.50	10.60	10.60	10.70	(0.30)	306,243	327,576	10.696
CPF	18.80	120367	18.70	18.80	18.60	18.80	18.70	18.80	-	55,467	103,833	18.719
CPF01C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
CPF01C2407A	0.26	120367	0.25	0.25	0.23	0.25	0.25	0.26	(0.01)	7,462	179	0.239
CPF01P2404X	0.08	120367	-	-	-	-	0.03	0.04	-	-	-	0
CPF01P2408T	0.33	120367	0.33	0.33	0.32	0.33	0.32	0.33	-	3,828	126	0.329
CPF11P2407T	0.29	120367	-	0.29	0.28	0.29	0.28	0.29	-	3,060	88	0.288
CPF13C2404A	0.06	120367	-	-	-	-	0.01	0.02	-	-	-	0
CPF13C2406A	0.23	120367	-	0.23	0.21	0.23	0.23	0.24	-	9,813	217	0.221
CPF13P2405A	0.08	120367	-	-	-	-	0.07	0.08	-	-	-	0
CPF19C2404A	0.07	120367	-	-	-	-	0.04	0.05	-	-	-	0
CPI	2.62	120367	2.66	2.68	2.62	2.62	2.62	2.64	-	9,832	2,596	2.64
F&D	28.00	120367	-	28.25	28.00	28.00	28.00	28.25	-	3	8	28.083
GLOCON	0.28	120367	0.27	0.28	0.27	0.28	0.27	0.28	-	28,827	784	0.271
GLOCON-W5	0.01	120367	-	-	-	-	-	-	-	-	-	0

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HTC	17.10	120367	17.20	17.50	17.20	17.40	17.30	17.40	0.30	2,363	4,094	17.326
ICHI	18.00	120367	18.00	18.10	17.80	17.80	17.80	17.90	(0.20)	48,710	87,124	17.886
ICHI01C2405A	0.34	120367	-	0.33	0.31	0.31	0.31	0.32	(0.03)	3,319	109	0.327
ICHI13C2405A	0.29	120367	-	0.30	0.26	0.26	0.26	0.27	(0.03)	9,665	270	0.279
ICHI19C2405A	0.29	120367	-	0.28	0.26	0.26	0.26	0.27	(0.03)	5,488	151	0.275
ITC	19.20	120367	19.30	19.60	19.10	19.40	19.40	19.50	0.20	39,301	76,382	19.435
ITC01C2405A	0.07	120367	-	-	-	-	0.08	0.09	-	-	-	0
ITC13C2406A	0.15	120367	0.15	0.16	0.15	0.16	0.15	0.16	0.01	8,182	129	0.158
JDF	2.54	120367	2.56	2.70	2.54	2.58	2.58	2.60	0.04	28,400	7,442	2.62
KBS	6.15	120367	5.50	5.60	5.50	5.50	5.50	5.55	(0.65)	7,563	4,187	5.536
KCG	9.10	120367	9.15	9.30	9.15	9.15	9.15	9.20	0.05	19,985	18,375	9.194
KSL	2.34	120367	2.34	2.38	2.34	2.34	2.34	2.36	-	16,075	3,777	2.349
KTIS	3.60	120367	3.58	3.62	3.58	3.58	3.58	3.62	(0.02)	58	21	3.583
LST	5.05	120367	5.05	5.10	5.00	5.10	5.05	5.10	0.05	1,876	947	5.045
M	35.50	120367	35.50	35.75	35.25	35.75	35.50	35.75	0.25	12,182	43,151	35.422
MALEE	13.60	120367	13.70	14.50	13.10	13.70	13.60	13.70	0.10	194,659	266,395	13.685
NRF	5.20	120367	5.25	5.30	5.20	5.30	5.25	5.30	0.10	110,082	57,851	5.255
NSL	21.90	120367	22.00	22.10	21.50	21.80	21.70	21.80	(0.10)	4,809	10,472	21.776
OSP	20.00	120367	20.00	20.40	20.00	20.20	20.10	20.20	0.20	106,798	216,143	20.238
OSP01C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
OSP01C2406A	0.11	120367	-	0.11	0.11	0.11	0.11	0.12	-	11,100	122	0.11
OSP01C2408A	0.43	120367	-	0.46	0.44	0.45	0.45	0.46	0.02	24,757	1,125	0.454
OSP01P2408X	0.39	120367	-	0.39	0.38	0.38	0.38	0.39	(0.01)	11,510	445	0.386
OSP13C2405A	0.05	120367	-	0.05	0.05	0.05	0.05	0.06	-	10	-	0.05
OSP13C2408A	0.34	120367	-	0.36	0.35	0.35	0.35	0.36	0.01	57,599	2,038	0.353
OSP19C2404A	0.09	120367	-	-	-	-	0.01	0.02	-	-	-	0
PB	67.75	120367	67.75	68.00	67.50	67.50	67.50	68.50	(0.25)	8	54	67.625
PLUS	6.90	120367	6.95	7.25	6.75	7.20	7.15	7.20	0.30	21,579	15,280	7.08
PM	7.20	120367	7.25	7.25	7.10	7.20	7.15	7.20	-	7,560	5,417	7.165
PQS	2.82	120367	2.82	2.84	2.78	2.84	2.82	2.84	0.02	1,973	556	2.818
PRG	10.40	120367	10.30	10.40	10.10	10.30	10.30	10.40	(0.10)	66	68	10.346
PRG-W1	8.90	120367	-	-	-	-	6.45	8.95	-	-	-	0
PRG-W2	5.85	120367	-	-	-	-	5.60	6.10	-	-	-	0
PRG-W3	6.30	120367	-	-	-	-	5.45	6.20	-	-	-	0
RBF	11.30	120367	11.40	11.40	11.20	11.20	11.20	11.30	(0.10)	32,451	36,592	11.276
RBF01C2405A	0.04	120367	-	0.01	0.01	0.01	0.01	0.02	(0.03)	9,000	9	0.01
RBF01C2406A	0.08	120367	-	-	-	-	0.05	0.06	-	-	-	0
RBF01C2407A	0.14	120367	0.14	0.14	0.13	0.13	0.13	0.14	(0.01)	92,931	1,249	0.134
RBF01P2405X	0.46	120367	-	0.48	0.46	0.48	0.48	0.49	0.02	12,524	582	0.464
RBF01P2407X	0.37	120367	-	0.37	0.36	0.37	0.37	0.39	-	19,565	711	0.363
RBF13C2405A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
RBF13C2406A	0.05	120367	-	0.04	0.04	0.04	0.04	0.05	(0.01)	100	-	0.04
RBF13C2407A	0.11	120367	0.11	0.11	0.11	0.11	0.10	0.11	-	23,342	257	0.11
RBF13P2405A	0.32	120367	-	0.32	0.32	0.32	0.32	0.34	-	1,466	47	0.32
RBF19C2405A	0.06	120367	-	-	-	-	0.02	0.03	-	-	-	0
RBF19P2406A	0.35	120367	-	0.34	0.33	0.34	0.36	0.37	(0.01)	2,210	73	0.331
SAPPE	91.75	120367	92.00	94.75	92.00	93.50	93.25	93.50	1.75	7,981	74,953	93.914
SAPPE01C2405A	0.34	120367	-	0.41	0.38	0.39	0.37	0.39	0.05	1,580	62	0.39
SAPPE13C2406A	0.31	120367	-	0.37	0.32	0.34	0.34	0.35	0.03	18,494	646	0.349
SAUCE	41.75	120367	-	41.75	41.50	41.75	41.75	42.00	-	29	121	41.698
SNNP	17.20	120367	17.20	17.30	17.10	17.10	17.10	17.20	(0.10)	5,047	8,665	17.169
SNNP01C2407A	0.13	120367	-	-	-	-	0.12	0.13	-	-	-	0
SNNP13C2406A	0.11	120367	-	0.11	0.11	0.11	0.11	0.12	-	450	5	0.11
SNNP19C2407A	0.13	120367	-	-	-	-	0.12	0.13	-	-	-	0
SNP	15.20	120367	15.10	15.10	15.10	15.10	15.00	15.20	(0.10)	258	390	15.1
SORKON	4.30	120367	4.30	4.30	4.24	4.24	4.24	4.28	(0.06)	342	146	4.261
SSC	36.50	120367	35.25	36.00	35.25	36.00	35.00	36.25	(0.50)	33	117	35.515
SSF	7.70	120367	7.60	7.70	7.60	7.60	7.60	7.80	(0.10)	53	40	7.631
SST	5.25	120367	-	5.25	5.25	5.25	5.20	5.25	-	11	6	5.25
SUN	5.90	120367	5.95	5.95	5.80	5.80	5.80	5.85	(0.10)	25,045	14,694	5.867
TC	5.80	120367	5.80	5.80	5.70	5.75	5.75	5.80	(0.05)	1,682	967	5.75
TFG	3.46	120367	3.46	3.46	3.40	3.44	3.40	3.44	(0.02)	4,037	1,386	3.433
TFG-W3	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	100	-	0.01
TFMAMA	219.00	120367	-	221.00	208.00	221.00	215.00	222.00	2.00	63	1,349	214.158
TIPCO	9.90	120367	9.95	10.30	9.95	10.30	10.20	10.30	0.40	19,168	19,449	10.146
TKN	10.10	120367	10.20	10.80	10.20	10.20	10.20	10.30	0.10	409,640	427,368	10.432
TKN01C2405A	0.26	120367	-	0.37	0.29	0.29	0.27	0.29	0.03	28,583	929	0.324
TKN01C2405B	0.10	120367	0.10	0.13	0.10	0.10	0.10	0.11	-	116,213	1,349	0.116
TKN01C2408A	0.19	120367	-	0.25	0.20	0.20	0.20	0.21	0.01	71,406	1,605	0.224
TKN01P2405X	0.10	120367	-	0.08	0.07	0.08	0.09	0.10	(0.02)	8,594	68	0.079
TKN13C2405A	0.51	120367	-	-	-	-	0.24	0.28	-	-	-	0
TKN13C2406A	0.12	120367	0.13	0.17	0.13	0.13	0.13	0.14	0.01	166,426	2,498	0.15
TKN13P2406A	0.14	120367	-	0.13	0.10	0.13	0.13	0.14	(0.01)	80,220	966	0.112
TKN19C2406A	0.11	120367	-	0.16	0.12	0.12	0.12	0.13	0.01	123,099	1,608	0.135
TU	14.20	120367	14.10	14.30	14.10	14.10	14.10	14.20	(0.10)	185,322	262,357	14.156
TU01C2404A	0.06	120367	-	0.06	0.06	0.06	0.05	0.06	-	2,200	13	0.06
TU01C2407A	0.11	120367	0.10	0.10	0.10	0.10	0.09	0.10	(0.01)	100	1	0.1
TU01P2407X	0.32	120367	-	0.32	0.31	0.32	0.32	0.33	-	4,698	146	0.311
TU11C2407T	0.15	120367	-	-	-	-	0.14	0.15	-	-	-	0
TU13C2404A	0.06	120367	-	0.04	0.03	0.04	0.03	0.04	(0.02)	35,000	139	0.039
TU13C2408A	0.20	120367	0.21	0.21	0.19	0.19	0.19	0.20	(0.01)	14,453	288	0.199
TU13P2406A	0.24	120367	-	0.24	0.24	0.24	0.24	0.25	-	5,780	139	0.24
TU19C2407A	0.20	120367	-	0.20	0.20	0.20	0.19	0.20	-	16,020	320	0.2
TU41C2407A	0.10	120367	-	-	-	-	0.10	0.11	-	-	-	0
TVO	21.10	120367	20.30	20.70	20.30	20.60	20.60	20.70	(0.50)	8,394	17,210	20.502
TWPC	3.54	120367	3.58	3.60	3.54	3.56	3.56	3.58	0.02	1,231	439	3.566
W	0.75	120367	0.74	0.75	0.71	0.74	0.73	0.74	(0.01)	37,931	2,745	0.723
W-W5	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
W-W6	0.38	120367	-	0.43	0.32	0.33	0.33	0.40	(0.05)	1,186	42	0.351
ZEN	8.60	120367	8.40	8.65	8.25	8.35	8.30	8.35	(0.25)	4,236	3,559	8.402
Health Care Services												
AHC	17.90	120367	18.00	18.00	17.90	18.00	17.90	18.00	0.10	55	99	17.947
BCH	21.70	120367	21.70	21.90	21.60	21.60	21.60	21.70	(0.10)	24,846	53,878	21.684

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BCH01C2404A	0.09	120367	-	-	-	-	0.07	0.08	-	-	-	0
BCH01C2407A	0.26	120367	-	0.26	0.25	0.25	0.24	0.25	(0.01)	10,843	275	0.253
BCH01P2407X	0.36	120367	-	0.37	0.36	0.37	0.37	0.39	0.01	1,322	48	0.366
BCH11C2407A	0.35	120367	-	0.36	0.35	0.35	0.34	0.36	-	1,011	35	0.35
BCH13C2404A	0.04	120367	-	-	-	-	0.03	0.04	-	-	-	0
BCH13C2407A	0.22	120367	-	0.22	0.22	0.22	0.21	0.22	-	1,074	24	0.22
BCH13P2406A	0.21	120367	-	0.22	0.21	0.22	0.22	0.23	0.01	20	-	0.215
BCH19C2406A	0.15	120367	-	-	-	-	0.13	0.14	-	-	-	0
BCH41C2407A	0.25	120367	-	0.26	0.24	0.24	0.24	0.25	(0.01)	8,200	209	0.255
BDMS	29.25	120367	29.25	29.50	29.00	29.00	29.00	29.25	(0.25)	403,888	1,179,911	29.213
BDMS01C2405A	0.20	120367	-	0.20	0.20	0.20	0.18	0.20	-	1,627	33	0.2
BDMS01C2408A	0.21	120367	-	0.21	0.20	0.20	0.20	0.21	(0.01)	8,753	182	0.207
BDMS01P2407X	0.15	120367	-	-	-	-	0.15	0.16	-	-	-	0
BDMS13C2404A	0.07	120367	-	-	-	-	0.06	0.07	-	-	-	0
BDMS13C2408A	0.21	120367	-	0.21	0.21	0.21	0.21	0.22	-	4,799	101	0.21
BDMS13P2407A	0.17	120367	-	-	-	-	0.16	0.18	-	-	-	0
BDMS19C2405A	0.17	120367	-	0.17	0.16	0.16	0.16	0.17	(0.01)	6,513	107	0.163
BDMS19C2407A	0.17	120367	-	0.17	0.17	0.17	0.16	0.17	-	1,739	30	0.17
BDMS41C2404A	0.13	120367	0.11	0.11	0.11	0.11	0.10	0.11	(0.02)	2,145	24	0.11
BDMS41C2405A	0.19	120367	0.19	0.19	0.19	0.19	0.17	0.19	-	2,000	38	0.19
BDMS41C2407A	0.21	120367	0.21	0.21	0.21	0.21	0.20	0.21	-	2,000	42	0.21
BDMS41C2408A	0.18	120367	0.18	0.18	0.17	0.17	0.17	0.18	(0.01)	10,000	179	0.179
BH	228.00	120367	225.00	228.00	224.00	225.00	225.00	226.00	(3.00)	16,113	363,958	225.878
BH-P	22.80	120367	-	-	-	-	23.70	-	-	-	-	0
BH-Q	23.40	120367	-	-	-	-	29.25	-	-	-	-	0
BH01C2404A	0.07	120367	-	-	-	-	0.03	0.04	-	-	-	0
BH01C2405A	0.18	120367	-	0.20	0.18	0.18	0.18	0.19	-	11,246	209	0.185
BH01C2408A	0.37	120367	-	0.38	0.37	0.37	0.37	0.38	-	6,881	258	0.375
BH01P2405X	0.09	120367	-	-	-	-	0.08	0.09	-	-	-	0
BH01P2406X	0.34	120367	-	0.36	0.34	0.34	0.33	0.36	-	105	4	0.359
BH06C2404A	0.11	120367	-	-	-	-	-	0.45	-	-	-	0
BH11C2404A	0.08	120367	-	-	-	-	0.02	0.04	-	-	-	0
BH11C2406A	0.23	120367	-	0.22	0.21	0.21	0.21	0.22	(0.02)	4,240	91	0.215
BH13C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
BH13C2404B	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
BH13C2405A	0.09	120367	-	0.09	0.09	0.09	0.08	0.09	-	1,202	11	0.09
BH13C2407A	0.32	120367	-	0.34	0.32	0.32	0.32	0.33	-	26,614	887	0.333
BH13P2406A	0.20	120367	-	0.19	0.17	0.17	0.19	0.20	(0.03)	10,772	199	0.185
BH19C2404A	0.04	120367	-	-	-	-	0.01	0.02	-	-	-	0
BH19C2404B	0.11	120367	-	-	-	-	0.01	0.02	-	-	-	0
BH19C2404C	0.05	120367	-	-	-	-	0.02	0.03	-	-	-	0
BH19C2407A	0.14	120367	-	0.14	0.14	0.14	0.13	0.14	-	1,148	16	0.14
BH41C2404A	0.09	120367	-	-	-	-	0.01	0.03	-	-	-	0
BH41C2405A	0.12	120367	0.11	0.11	0.10	0.11	0.10	0.11	(0.01)	4,000	41	0.102
BH41C2406B	0.14	120367	0.15	0.15	0.13	0.13	0.13	0.14	(0.01)	10,167	148	0.145
BH41C2408A	0.32	120367	-	0.33	0.32	0.32	0.32	0.33	-	24,000	778	0.324
BH41P2405A	0.14	120367	-	0.12	0.12	0.12	0.12	0.13	(0.02)	16,000	192	0.12
BH41P2406A	0.20	120367	-	-	-	-	0.19	0.20	-	-	-	0
CHG	2.98	120367	2.98	2.98	2.92	2.92	2.92	2.94	(0.06)	120,733	35,533	2.943
CHG01C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
CHG01C2405A	0.11	120367	-	0.09	0.09	0.09	0.08	0.09	(0.02)	18,065	163	0.09
CHG11C2404A	0.04	120367	-	-	-	-	0.02	0.04	-	-	-	0
CHG13C2404A	0.03	120367	-	-	-	-	0.02	0.04	-	-	-	0
CHG13C2406A	0.06	120367	-	-	-	-	0.05	0.06	-	-	-	0
CHG13C2407A	0.23	120367	-	0.23	0.22	0.22	0.21	0.22	(0.01)	1,119	25	0.22
CHG13P2406A	0.24	120367	-	0.25	0.23	0.23	0.25	0.27	0.01	7,054	170	0.24
CHG19C2404A	0.07	120367	-	-	-	-	0.02	0.03	-	-	-	0
CMR	2.04	120367	2.08	2.08	2.06	2.08	2.06	2.08	0.04	718	149	2.073
EKH	7.50	120367	7.55	7.75	7.55	7.65	7.60	7.65	0.15	21,103	16,118	7.637
EKH-W1	1.50	120367	1.56	1.60	1.47	1.50	1.50	1.53	-	11,813	1,831	1.549
KDH	92.00	120367	92.00	93.50	91.50	92.25	92.25	93.50	0.25	130	1,200	92.282
LPH	4.58	120367	4.54	4.62	4.54	4.56	4.54	4.56	(0.02)	1,482	680	4.586
M-CHAI	69.50	120367	69.25	69.50	68.50	68.50	68.50	68.75	(1.00)	118	813	68.938
NEW	110.00	120367	-	-	-	-	82.00	110.00	-	-	-	0
NTV	38.25	120367	38.25	38.25	37.75	37.75	37.75	38.00	(0.50)	128	487	38.013
PHG	14.40	120367	-	14.70	14.50	14.60	14.50	14.60	0.20	3,252	4,746	14.592
PR9	19.20	120367	19.20	19.40	19.00	19.20	19.10	19.20	-	9,571	18,401	19.225
PRINC	4.02	120367	4.06	4.06	3.98	4.00	4.00	4.02	(0.02)	10,270	4,136	4.027
RAM	32.00	120367	31.75	32.00	31.50	32.00	32.00	32.25	-	664	2,111	31.789
RJH	25.75	120367	25.50	25.75	25.50	25.50	25.25	25.50	(0.25)	1,088	2,776	25.51
RPH	6.40	120367	-	6.40	6.35	6.40	6.35	6.40	-	1,894	1,203	6.35
SAFE	19.80	120367	20.00	20.10	19.80	20.00	19.90	20.00	0.20	6,794	13,550	19.944
SKR	10.00	120367	10.00	10.10	10.00	10.00	10.00	10.10	-	3,634	3,646	10.033
THG	43.25	120367	43.50	44.50	42.75	42.75	42.75	43.00	(0.50)	4,100	17,851	43.539
VIBHA	1.93	120367	1.93	1.96	1.92	1.94	1.94	1.95	0.01	39,259	7,636	1.945
VIBHA-W4	0.03	120367	0.03	0.04	0.03	0.03	0.03	0.04	-	7,292	25	0.034
VIH	8.05	120367	-	8.20	8.00	8.10	8.05	8.10	0.05	3,813	3,074	8.062
WPH	7.55	120367	7.70	7.75	7.45	7.60	7.55	7.60	0.05	17,591	13,366	7.598
Tourism & Leisure												
ASIA	6.55	120367	-	6.50	6.40	6.50	6.40	6.50	(0.05)	80	51	6.425
BEYOND	11.30	120367	11.40	11.50	11.30	11.50	11.40	11.50	0.20	253	287	11.329
BEYOND-W2	1.77	120367	1.70	1.70	1.31	1.41	1.41	1.42	(0.36)	1,837	262	1.426
CENTEL	43.00	120367	43.00	43.75	43.00	43.25	43.00	43.25	0.25	17,315	75,173	43.414
CENTEL01C2405A	0.11	120367	-	0.12	0.11	0.12	0.11	0.12	0.01	5,600	67	0.118
CENTEL01C2408A	0.29	120367	-	0.32	0.30	0.31	0.31	0.32	0.02	28,015	875	0.312
CENTEL01P2404X	0.07	120367	-	-	-	-	0.05	0.06	-	-	-	0
CENTEL13C2405A	0.08	120367	-	-	-	-	0.08	0.09	-	-	-	0
CENTEL13C2407A	0.23	120367	-	0.24	0.23	0.23	0.23	0.24	-	57,044	1,349	0.236
CENTEL13P2404A	0.08	120367	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL19C2405A	0.08	120367	-	-	-	-	0.08	0.09	-	-	-	0
CENTEL19C2408A	1.00	120367	-	0.29	0.27	0.29	0.28	0.29	(0.71)	11,598	322	0.277
CENTEL41C2405A	0.09	120367	-	-	-	-	0.07	0.09	-	-	-	0
CENTEL41C2406A	0.16	120367	-	0.17	0.17	0.17	0.17	0.18	0.01	4,640	79	0.17

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CENTEL41C2408A	0.30	120367	-	0.31	0.30	0.30	0.30	0.31	-	16,800	514	0.305
CSR	67.75	120367	-	-	-	-	66.00	67.50	-	-	-	0
DUSIT	9.05	120367	9.05	9.15	8.90	9.00	9.00	9.10	(0.05)	1,125	1,016	9.027
ERW	4.58	120367	4.58	4.70	4.58	4.62	4.62	4.64	0.04	242,832	112,573	4.635
ERW-W3	1.57	120367	-	1.61	1.56	1.58	1.57	1.58	0.01	29,663	4,729	1.594
ERW01C2405A	0.04	120367	-	-	-	-	0.03	0.04	-	-	-	0
ERW13C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
ERW13C2406A	0.07	120367	-	-	-	-	0.06	0.07	-	-	-	0
ERW13C2407A	0.30	120367	-	0.33	0.30	0.30	0.30	0.31	-	97,994	3,043	0.31
ERW19C2405A	0.06	120367	-	-	-	-	0.03	0.04	-	-	-	0
ERW41C2406A	0.09	120367	-	-	-	-	0.06	0.08	-	-	-	0
GRAND	0.15	120367	0.15	0.15	0.14	0.15	0.14	0.15	-	50,294	742	0.147
LRH	41.00	120367	-	41.25	41.25	41.25	41.00	41.25	0.25	26	107	41.25
MANRIN	32.25	120367	32.25	32.25	32.25	32.25	32.25	33.00	-	24	77	32.25
MINT	32.25	120367	32.25	32.75	32.00	32.50	32.50	32.75	0.25	68,764	223,303	32.473
MINT01C2404A	0.07	120367	0.06	0.07	0.06	0.07	0.07	0.08	-	10,205	71	0.069
MINT01C2406A	0.26	120367	-	0.27	0.25	0.27	0.27	0.28	0.01	6,379	167	0.262
MINT01C2408A	0.21	120367	-	0.21	0.20	0.21	0.21	0.22	-	38,794	795	0.204
MINT01P2404X	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
MINT01P2406X	0.15	120367	-	0.14	0.14	0.14	0.14	0.15	(0.01)	1,000	14	0.14
MINT06C2405A	0.13	120367	-	0.11	0.10	0.11	-	0.15	(0.02)	17,374	178	0.102
MINT11C2403A	0.06	120367	-	-	-	-	0.02	0.04	-	-	-	0
MINT11C2406A	0.26	120367	0.27	0.27	0.25	0.26	0.26	0.27	-	4,240	110	0.258
MINT13C2404A	0.08	120367	-	0.08	0.08	0.08	0.08	0.09	-	5,600	45	0.08
MINT13C2406A	0.25	120367	-	-	-	-	0.25	0.27	-	-	-	0
MINT13C2407A	0.18	120367	-	0.18	0.17	0.18	0.18	0.19	-	31,127	551	0.176
MINT13P2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
MINT13P2407A	0.14	120367	-	0.13	0.13	0.13	0.13	0.14	(0.01)	4,244	55	0.13
MINT19C2404A	0.12	120367	-	-	-	-	0.13	0.14	-	-	-	0
MINT19C2406A	0.19	120367	-	0.20	0.19	0.20	0.20	0.21	0.01	12,835	244	0.19
MINT41C2404A	0.11	120367	0.11	0.11	0.10	0.11	0.10	0.11	-	2,000	21	0.105
MINT41C2405A	0.30	120367	-	-	-	-	0.31	0.33	-	-	-	0
MINT41C2406A	0.21	120367	0.23	0.23	0.21	0.22	0.22	0.23	0.01	9,377	206	0.219
OHTL	408.00	120367	-	-	-	-	404.00	430.00	-	-	-	0
ROH	2.40	120367	-	2.44	2.42	2.42	2.36	2.42	0.02	52	13	2.421
SHANG	48.50	120367	-	48.50	48.50	48.50	48.25	48.75	-	4	19	48.5
SHR	2.68	120367	2.70	2.78	2.68	2.74	2.74	2.76	0.06	101,502	27,741	2.733
VRANDA	5.05	120367	5.15	5.15	4.98	5.15	5.10	5.15	0.10	1,211	613	5.057
Home & Office Produc												
AJA	0.32	120367	0.32	0.36	0.31	0.33	0.32	0.33	0.01	2,193,717	73,572	0.335
AJA-W3	0.12	120367	0.13	0.13	0.11	0.11	0.11	0.12	(0.01)	331,138	4,042	0.122
AJA-W4	0.15	120367	0.16	0.18	0.14	0.15	0.14	0.15	-	271,030	4,295	0.158
DTCI	31.25	120367	-	-	-	-	28.50	36.00	-	-	-	0
FANCY	0.41	120367	-	0.41	0.39	0.41	0.39	0.41	-	2,217	89	0.399
FTI	2.18	120367	2.18	2.20	2.16	2.18	2.16	2.18	-	6,538	1,416	2.166
KYE	313.00	120367	-	-	-	-	313.00	316.00	-	-	-	0
L&E	1.19	120367	1.17	1.19	1.17	1.19	1.18	1.19	-	720	85	1.185
MODERN	2.20	120367	2.22	2.22	2.20	2.22	2.22	2.24	0.02	9,155	2,032	2.219
OGC	23.50	120367	-	-	-	-	23.00	23.40	-	-	-	0
ROCK	9.25	120367	-	9.00	9.00	9.00	9.10	9.65	(0.25)	20	18	9
SBNEXT	0.77	120367	0.76	0.79	0.76	0.78	0.78	0.79	0.01	12,459	966	0.775
SBNEXT-W2	0.10	120367	-	0.11	0.09	0.11	0.09	0.11	0.01	9,242	92	0.1
SIAM	1.20	120367	-	1.22	1.20	1.21	1.21	1.22	0.01	246	30	1.209
TCMC	1.37	120367	-	1.41	1.38	1.39	1.39	1.41	0.02	1,548	216	1.396
Insurance												
AYUD	35.00	120367	-	35.00	34.50	35.00	34.75	35.00	-	26	90	34.788
BKI	313.00	120367	314.00	314.00	313.00	313.00	313.00	314.00	-	245	7,671	313.093
BLA	18.00	120367	18.10	18.20	18.10	18.20	18.10	18.20	0.20	7,560	13,726	18.156
BLA01C2404A	0.05	120367	-	-	-	-	0.01	0.02	-	-	-	0
BLA01P2404X	0.42	120367	-	0.41	0.41	0.41	0.39	0.41	(0.01)	678	28	0.41
BLA13C2404A	0.04	120367	-	-	-	-	0.01	0.02	-	-	-	0
BLA13C2407A	0.21	120367	-	0.21	0.21	0.21	0.21	0.22	-	4,146	87	0.21
BLA19C2408A	0.32	120367	-	0.32	0.32	0.32	0.33	0.34	-	2,274	73	0.32
BUI	21.40	120367	-	21.60	21.30	21.30	21.30	21.40	(0.10)	231	495	21.431
CHARAN	23.90	120367	-	24.00	24.00	24.00	23.40	24.10	0.10	2	5	24
INSURE	110.50	120367	-	-	-	-	109.00	120.00	-	-	-	0
KWI	0.62	120367	0.64	0.64	0.60	0.61	0.61	0.62	(0.01)	6,030	372	0.616
MTI	109.50	120367	-	110.00	108.50	109.50	109.50	110.00	-	20	219	109.7
NKI	25.75	120367	-	26.50	26.50	26.50	26.25	26.75	0.75	9	24	26.5
SMK	0.80	120367	-	-	-	-	-	-	-	-	-	0
TGH	16.40	120367	-	-	-	-	16.30	16.50	-	-	-	0
THRE	0.85	120367	0.86	0.86	0.85	0.85	0.85	0.86	-	19,595	1,668	0.851
THREL	2.12	120367	2.12	2.20	2.12	2.16	2.16	2.18	0.04	28,075	6,069	2.161
TIPH	28.50	120367	28.50	29.75	28.50	29.50	29.50	29.75	1.00	5,967	17,376	29.119
TIPH13C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
TIPH13C2407A	0.10	120367	-	0.13	0.11	0.13	0.13	0.14	0.03	9,361	112	0.12
TIPH19C2404A	0.02	120367	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
TIPH19C2407A	0.14	120367	-	0.18	0.16	0.18	0.18	0.19	0.04	4,620	79	0.17
TLI	9.50	120367	9.55	9.65	9.45	9.60	9.55	9.60	0.10	171,800	164,442	9.571
TLI01C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
TLI01C2406A	0.03	120367	-	-	-	-	0.03	0.04	-	-	-	0
TLI01C2406B	0.19	120367	-	0.20	0.19	0.20	0.20	0.21	0.01	13,499	266	0.197
TLI01C2408A	0.43	120367	0.43	0.43	0.41	0.42	0.42	0.44	(0.01)	14,489	612	0.422
TLI13C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
TLI13C2405A	0.10	120367	-	0.09	0.09	0.09	0.09	0.10	(0.01)	500	5	0.09
TLI13C2407A	0.39	120367	-	0.41	0.39	0.41	0.41	0.42	0.02	43,328	1,755	0.405
TLI19C2404A	0.07	120367	-	-	-	-	0.01	0.02	-	-	-	0
TLI19C2407A	0.38	120367	-	0.39	0.37	0.39	0.39	0.40	0.01	24,958	962	0.385
TLI41C2404A	0.01	120367	-	-	-	-	0.01	0.03	-	-	-	0
TLI41C2404B	0.01	120367	-	-	-	-	0.01	0.03	-	-	-	0
TLI41C2405A	0.14	120367	0.15	0.15	0.14	0.15	0.15	0.16	0.01	61,962	901	0.145
TLI41C2405B	0.06	120367	-	-	-	-	0.04	0.06	-	-	-	0
TLI41C2406A	0.39	120367	-	0.39	0.37	0.38	0.39	0.41	(0.01)	16,005	612	0.382

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TQM	26.00	120367	26.25	26.50	25.75	26.25	26.00	26.25	0.25	9,117	23,840	26.148
TQM13C2407A	0.13	120367	-	-	-	-	0.12	0.13	-	-	-	0
TQM19C2404A	0.03	120367	-	-	-	-	0.01	0.02	-	-	-	0
TQM19C2407A	0.15	120367	-	-	-	-	0.14	0.15	-	-	-	0
TSI	0.15	120367	0.14	0.15	0.14	0.15	0.14	0.15	-	2,444	35	0.141
TVH	8.45	120367	-	8.80	8.35	8.60	8.60	8.70	0.15	615	533	8.658
Packaging												
AJ	6.00	120367	-	6.00	5.90	6.00	5.90	6.00	-	244	145	5.948
ALUCON	179.00	120367	-	-	-	-	177.00	179.00	-	-	-	0
BGC	7.25	120367	7.20	7.30	7.20	7.25	7.20	7.25	-	837	605	7.227
CSC	44.75	120367	-	45.25	44.75	45.25	44.75	45.25	0.50	133	599	45.005
CSC-P	150.00	120367	-	-	-	-	90.00	-	-	-	-	0
CSC-Q	76.00	120367	-	-	-	-	-	-	-	-	-	0
NEP	0.21	120367	-	0.22	0.21	0.22	0.21	0.22	0.01	265	6	0.21
PJW	3.06	120367	3.08	3.10	3.08	3.08	3.08	3.10	0.02	7,719	2,381	3.083
PJW-W1	0.24	120367	-	0.25	0.22	0.25	0.23	0.25	0.01	4,791	114	0.238
PTL	10.20	120367	10.20	10.40	10.20	10.20	10.20	10.30	-	3,107	3,200	10.299
SCGP	29.00	120367	29.25	30.25	29.00	30.00	29.75	30.00	1.00	119,624	357,485	29.883
SCGP01C2405A	0.02	120367	-	0.03	0.02	0.03	0.02	0.03	0.01	40,090	80	0.02
SCGP01C2406A	0.06	120367	-	0.08	0.08	0.08	0.07	0.08	0.02	1	-	0.08
SCGP01C2408A	0.15	120367	0.15	0.18	0.15	0.17	0.17	0.18	0.02	42,503	708	0.166
SCGP01P2405A	0.41	120367	-	0.37	0.35	0.35	0.33	0.35	(0.06)	962	36	0.369
SCGP01P2408X	0.24	120367	-	0.21	0.20	0.20	0.20	0.21	(0.04)	11,878	238	0.2
SCGP06C2403A	0.11	120367	-	-	-	-	-	-	-	-	-	0
SCGP06C2406A	0.04	120367	-	-	-	-	-	0.09	-	-	-	0
SCGP11C2405A	0.03	120367	-	-	-	-	0.02	0.04	-	-	-	0
SCGP11C2407T	0.12	120367	0.16	0.16	0.13	0.15	0.15	0.16	0.03	14,222	209	0.147
SCGP13C2405A	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	507	1	0.01
SCGP13C2406A	0.04	120367	-	-	-	-	0.05	0.06	-	-	-	0
SCGP13C2407A	0.14	120367	-	0.17	0.15	0.17	0.17	0.18	0.03	45,464	761	0.167
SCGP13P2405A	0.28	120367	-	-	-	-	0.20	0.22	-	-	-	0
SCGP13P2408A	0.20	120367	-	0.18	0.17	0.17	0.17	0.18	(0.03)	29,073	500	0.171
SCGP19C2405A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2406A	0.04	120367	-	-	-	-	0.08	0.09	-	-	-	0
SCGP19C2407A	0.17	120367	0.18	0.20	0.17	0.20	0.20	0.21	0.03	43,160	815	0.188
SCGP41C2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
SCGP41C2405A	0.03	120367	-	-	-	-	0.01	0.03	-	-	-	0
SCGP41C2406A	0.03	120367	-	-	-	-	0.06	0.08	-	-	-	0
SCGP41C2407A	0.14	120367	0.15	0.17	0.15	0.17	0.17	0.18	0.03	36,513	601	0.164
SFLEX	3.34	120367	3.34	3.34	3.30	3.34	3.32	3.34	-	6,250	2,074	3.317
SFLEX-W2	0.19	120367	-	0.19	0.18	0.19	0.18	0.19	-	142	3	0.188
SITHAI	1.19	120367	1.19	1.20	1.18	1.19	1.18	1.19	-	4,109	489	1.189
SLP	0.42	120367	0.43	0.44	0.40	0.43	0.42	0.43	0.01	2,748	119	0.431
SMPC	8.15	120367	8.30	8.40	8.10	8.40	8.30	8.40	0.25	873	724	8.296
SPACK	2.04	120367	2.08	2.10	2.04	2.04	2.04	2.08	-	3,538	729	2.06
TCOAT	23.70	120367	-	-	-	-	23.50	24.80	-	-	-	0
TFI	0.09	120367	-	0.09	0.08	0.09	0.08	0.09	-	2,777	22	0.081
TFI-W1	0.04	120367	-	0.03	0.03	0.03	0.03	0.04	(0.01)	1,501	5	0.03
THIP	29.25	120367	-	29.50	29.25	29.50	29.00	29.25	0.25	35	103	29.314
TMD	25.50	120367	23.50	24.00	23.50	23.90	23.80	23.90	(1.60)	854	2,034	23.814
TOPP	150.00	120367	-	-	-	-	141.00	161.50	-	-	-	0
TPAC	15.50	120367	15.30	15.40	14.90	15.00	15.00	15.10	(0.50)	2,690	4,048	15.047
TPBI	4.08	120367	4.16	4.16	4.06	4.12	4.08	4.12	0.04	906	372	4.102
TPP	14.70	120367	-	14.80	14.60	14.70	14.40	14.70	-	23	34	14.7
Personal Products												
APCO	4.96	120367	4.96	4.98	4.92	4.98	4.96	4.98	0.02	599	297	4.958
BIZ	3.26	120367	3.26	3.30	3.24	3.30	3.28	3.30	0.04	1,623	530	3.265
BLC	5.05	120367	5.05	5.15	5.00	5.15	5.10	5.15	0.10	23,637	12,053	5.099
DDD	8.05	120367	8.00	8.20	8.00	8.15	8.10	8.15	0.10	233	189	8.123
JCT	81.75	120367	-	82.75	82.00	82.25	82.25	82.75	0.50	62	510	82.298
KISS	5.60	120367	5.55	5.55	5.45	5.50	5.45	5.50	(0.10)	8,806	4,845	5.502
NAM	5.35	120367	5.45	5.50	5.35	5.35	5.35	5.40	-	4,606	2,492	5.409
NV	1.62	120367	1.64	1.69	1.61	1.63	1.62	1.63	0.01	11,673	1,923	1.647
OCC	10.30	120367	-	-	-	-	9.65	10.40	-	-	-	0
S&J	53.25	120367	-	53.50	53.25	53.50	53.25	53.50	0.25	3	16	53.333
STGT	9.50	120367	9.50	9.60	9.30	9.45	9.40	9.45	(0.05)	83,767	79,077	9.44
STGT01C2407A	0.84	120367	-	0.85	0.77	0.81	0.81	0.83	(0.03)	12,616	1,025	0.812
STGT01C2407B	0.51	120367	-	0.53	0.48	0.50	0.50	0.52	(0.01)	20,576	1,030	0.5
STGT01P2407X	0.18	120367	-	0.20	0.18	0.18	0.18	0.19	-	36,884	686	0.185
STGT13C2407A	0.82	120367	-	0.80	0.80	0.80	0.78	0.82	(0.02)	30	2	0.8
STGT13C2407B	0.50	120367	0.53	0.53	0.46	0.49	0.49	0.50	(0.01)	98,405	4,809	0.488
STGT13P2407A	0.26	120367	-	0.28	0.26	0.27	0.26	0.27	0.01	53,332	1,448	0.271
STGT19C2404A	0.63	120367	-	-	-	-	0.82	0.87	-	-	-	0
STGT19C2407A	0.64	120367	-	0.58	0.56	0.58	0.58	0.60	(0.06)	17,142	980	0.571
STHAI	0.01	120367	-	-	-	-	-	-	-	-	-	0
TNR	9.05	120367	9.05	9.30	9.00	9.30	9.10	9.35	0.25	108	98	9.073
TOG	12.00	120367	11.90	12.00	11.90	11.90	11.90	12.00	(0.10)	1,462	1,745	11.935
Professional Service												
BWG	0.54	120367	0.55	0.56	0.53	0.54	0.53	0.54	-	1,099,026	59,757	0.543
GENCO	0.53	120367	0.53	0.54	0.52	0.53	0.52	0.53	-	7,988	419	0.524
PRO	0.35	120367	-	-	-	-	-	-	-	-	-	0
PRTR	4.30	120367	4.32	4.56	4.32	4.50	4.50	4.52	0.20	16,732	7,443	4.448
SISB	43.50	120367	44.00	44.50	42.25	42.75	42.50	42.75	(0.75)	30,957	133,395	43.09
SISB13C2405A	0.38	120367	-	0.29	0.29	0.29	0.30	0.33	(0.09)	400	12	0.29
SISB13C2407A	0.29	120367	-	0.31	0.25	0.26	0.26	0.27	(0.03)	70,916	1,998	0.281
SO	6.80	120367	-	6.90	6.75	6.85	6.75	6.85	0.05	134	91	6.784
WAVE	0.17	120367	-	0.18	0.16	0.17	0.16	0.17	-	558,872	9,445	0.169
WAVE-W3	0.08	120367	0.07	0.08	0.06	0.06	0.06	0.07	(0.02)	66,821	444	0.066
Property Development												
A	5.00	120367	-	4.98	4.98	4.98	4.96	4.98	(0.02)	11	5	4.98
AKS	0.01	120367	0.01	0.01	0.01	0.01	-	0.01	-	44,837	45	0.01
AKS-W5	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	7,800	8	0.01
AMATA	23.60	120367	23.60	23.90	23.60	23.70	23.70	23.80	0.10	31,423	74,597	23.739

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AMATA01C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
AMATA01C2404B	0.06	120367	-	-	-	-	0.04	0.05	-	-	-	0
AMATA01C2407A	0.48	120367	-	0.51	0.47	0.48	0.48	0.50	-	5,214	255	0.488
AMATA11C2407A	0.46	120367	-	0.47	0.45	0.47	0.46	0.47	0.01	15,390	717	0.466
AMATA13C2404A	0.02	120367	-	-	-	-	0.01	0.03	-	-	-	0
AMATA13C2405A	0.03	120367	-	0.03	0.03	0.03	0.03	0.04	-	1,000	3	0.03
AMATA13C2406A	0.29	120367	-	0.31	0.29	0.30	0.30	0.31	0.01	41,840	1,271	0.303
AMATA19C2404A	0.03	120367	-	-	-	-	0.01	0.02	-	-	-	0
AMATA19C2405A	0.05	120367	-	-	-	-	0.04	0.05	-	-	-	0
AMATA19C2407A	0.44	120367	-	0.46	0.45	0.45	0.45	0.46	0.01	8,185	374	0.456
AMATA41C2407A	0.49	120367	-	0.51	0.50	0.50	0.50	0.51	0.01	18,000	910	0.505
AMATA41C2407B	0.34	120367	-	0.36	0.34	0.35	0.35	0.36	0.01	23,600	833	0.353
AMATAV	5.45	120367	5.50	5.55	5.45	5.55	5.40	5.55	0.10	1,898	1,041	5.483
ANAN	0.88	120367	0.89	0.90	0.88	0.88	0.88	0.89	-	15,060	1,337	0.888
AP	10.30	120367	10.40	10.40	10.30	10.40	10.30	10.40	0.10	99,402	103,150	10.377
AP11C2404A	0.08	120367	-	-	-	-	0.03	0.04	-	-	-	0
APEX	0.04	120367	-	-	-	-	-	-	-	-	-	0
ASW	8.15	120367	8.10	8.20	8.10	8.15	8.10	8.15	-	523	427	8.156
ASW-W1	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	50	-	0.01
ASW-W2	0.03	120367	-	0.03	0.03	0.03	0.03	0.04	-	1,325	4	0.03
AWC	3.82	120367	3.82	3.86	3.78	3.86	3.84	3.86	0.04	577,408	220,745	3.822
AWC01C2404A	0.07	120367	-	-	-	-	0.06	0.07	-	-	-	0
AWC01C2406A	0.18	120367	-	0.19	0.17	0.19	0.19	0.20	0.01	32,415	572	0.176
AWC01P2405X	0.29	120367	-	0.30	0.27	0.27	0.27	0.28	(0.02)	14,075	402	0.285
AWC06C2403A	0.07	120367	-	-	-	-	-	-	-	-	-	0
AWC06C2404A	0.10	120367	-	0.07	0.07	0.07	-	-	(0.03)	54	-	0.07
AWC11C2403A	0.10	120367	-	-	-	-	0.03	0.04	-	-	-	0
AWC11C2408A	1.00	120367	-	0.34	0.30	0.34	0.34	0.35	(0.66)	9,000	287	0.318
AWC13C2404A	0.05	120367	-	-	-	-	0.03	0.04	-	-	-	0
AWC13C2405A	0.17	120367	-	0.17	0.15	0.17	0.16	0.17	-	83,664	1,358	0.162
AWC19C2405A	0.20	120367	0.20	0.21	0.18	0.21	0.21	0.22	0.01	156,501	3,082	0.196
AWC19C2406A	0.10	120367	-	0.10	0.09	0.10	0.10	0.11	-	5,962	60	0.099
AWC41C2405A	0.04	120367	-	-	-	-	0.03	0.05	-	-	-	0
AWC41C2406A	0.13	120367	-	0.14	0.12	0.14	0.14	0.15	0.01	27,090	349	0.128
BLAND	0.68	120367	0.69	0.69	0.68	0.68	0.68	0.69	-	20,771	1,416	0.681
BRI	7.10	120367	7.10	7.10	7.00	7.00	7.00	7.05	(0.10)	13,481	9,470	7.024
BROCK	1.64	120367	1.61	1.64	1.60	1.64	1.63	1.64	-	329	53	1.604
CGD	0.34	120367	0.35	0.36	0.34	0.36	0.35	0.36	0.02	84,533	2,995	0.354
CI	0.58	120367	-	0.61	0.58	0.59	0.59	0.60	0.01	9,367	554	0.591
CI-W2	0.02	120367	0.01	0.02	0.01	0.01	0.01	0.02	(0.01)	297	1	0.018
CMC	1.20	120367	1.19	1.22	1.15	1.18	1.17	1.18	(0.02)	2,902	338	1.163
CPN	65.00	120367	65.25	65.50	64.50	65.00	64.75	65.00	-	84,470	549,003	64.993
CPN01C2404A	0.05	120367	-	-	-	-	0.03	0.04	-	-	-	0
CPN01C2407A	0.34	120367	-	0.34	0.32	0.33	0.33	0.34	(0.01)	15,247	502	0.329
CPN11C2404A	0.14	120367	-	0.14	0.13	0.13	0.13	0.14	(0.01)	2,120	29	0.135
CPN13C2405A	0.08	120367	-	-	-	-	0.06	0.07	-	-	-	0
CPN13C2407A	0.31	120367	-	0.31	0.29	0.31	0.31	0.32	-	27,807	860	0.309
CPN19C2407A	0.26	120367	-	0.26	0.25	0.25	0.25	0.26	(0.01)	32,906	848	0.257
CPN41C2404A	0.10	120367	-	-	-	-	0.03	0.05	-	-	-	0
CPN41C2405A	0.08	120367	-	-	-	-	0.06	0.08	-	-	-	0
CPN41C2406A	0.26	120367	0.25	0.27	0.25	0.26	0.26	0.27	-	33,630	874	0.259
ESTAR	0.25	120367	0.25	0.26	0.25	0.25	0.25	0.26	-	3,201	81	0.251
EVER	0.15	120367	0.16	0.16	0.14	0.15	0.15	0.16	-	46,115	692	0.15
FPT	15.30	120367	-	15.20	15.10	15.10	15.10	15.20	(0.20)	23	35	15.186
GLAND	1.60	120367	-	1.66	1.64	1.65	1.64	1.66	0.05	345	57	1.642
J	1.91	120367	-	1.93	1.91	1.91	1.91	1.92	-	1,777	341	1.917
J-W2	0.04	120367	0.03	0.05	0.03	0.05	0.03	0.05	0.01	938	3	0.036
J-W3	0.22	120367	-	0.23	0.21	0.23	0.21	0.23	0.01	4	-	0.225
J-W4	0.35	120367	-	0.36	0.31	0.33	0.31	0.33	(0.02)	5,988	194	0.324
JCK	0.26	120367	0.27	0.27	0.26	0.27	0.26	0.27	0.01	8,627	229	0.265
KC	0.10	120367	0.09	0.10	0.09	0.09	0.09	0.10	(0.01)	18,083	163	0.09
LALIN	7.95	120367	7.95	8.00	7.90	7.95	7.90	7.95	-	3,294	2,626	7.971
LH	7.00	120367	7.05	7.15	6.95	7.15	7.10	7.15	0.15	1,092,476	768,975	7.038
LH19C2406A	0.07	120367	-	0.05	0.05	0.05	0.05	0.07	(0.02)	1	-	0.05
LPN	3.54	120367	3.54	3.60	3.52	3.56	3.54	3.56	0.02	5,843	2,074	3.549
MBK	15.90	120367	16.00	16.20	15.90	16.10	16.00	16.10	0.20	16,931	27,263	16.102
MBK-W2	14.30	120367	-	14.60	14.40	14.50	14.40	14.60	0.20	788	1,139	14.452
MBK-W3	13.80	120367	-	13.80	13.80	13.80	13.90	14.20	-	22	30	13.8
MBK-W4	13.50	120367	-	13.60	13.60	13.60	13.50	13.70	0.10	11	15	13.6
MJD	1.28	120367	-	1.25	1.25	1.25	1.25	1.27	(0.03)	135	17	1.25
MK	2.10	120367	2.06	2.10	2.04	2.04	2.04	2.06	(0.06)	348	72	2.067
NCH	1.00	120367	1.01	1.05	1.00	1.01	1.01	1.02	0.01	24,790	2,529	1.02
NNCL	1.92	120367	-	1.93	1.90	1.92	1.91	1.92	-	2,406	459	1.909
NOBLE	3.70	120367	3.70	3.72	3.70	3.70	3.70	3.72	-	2,382	882	3.702
NUSA	0.44	120367	0.44	0.44	0.40	0.42	0.42	0.43	(0.02)	432,858	18,052	0.417
NUSA-W5	0.10	120367	0.10	0.10	0.08	0.10	0.09	0.10	-	332,867	3,017	0.09
NVD	1.89	120367	-	1.89	1.89	1.89	1.87	1.89	-	12	2	1.89
NVD-W3	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
ORI	7.15	120367	7.15	7.15	7.05	7.10	7.10	7.15	(0.05)	48,753	34,635	7.104
ORI13C2407A	0.19	120367	-	0.19	0.18	0.18	0.18	0.19	(0.01)	20,172	363	0.18
ORI19C2404A	0.04	120367	-	-	-	-	0.01	0.02	-	-	-	0
ORN	1.34	120367	1.34	1.35	1.32	1.33	1.33	1.34	(0.01)	132,648	17,717	1.335
PACE	0.03	120367	-	-	-	-	-	-	-	-	-	0
PEACE	3.30	120367	3.30	3.32	3.26	3.32	3.26	3.32	0.02	105	35	3.299
PF	0.29	120367	0.28	0.29	0.27	0.28	0.27	0.28	(0.01)	275,095	7,784	0.282
PIN	7.60	120367	7.55	7.80	7.50	7.70	7.70	7.75	0.10	141,645	108,291	7.645
PLAT	3.06	120367	3.06	3.06	3.00	3.02	3.00	3.02	(0.04)	4,035	1,227	3.041
POLAR	0.68	120367	-	-	-	-	-	-	-	-	-	0
PRECHA	0.97	120367	0.98	1.23	0.98	1.15	1.15	1.16	0.18	335,877	39,180	1.166
PRIN	2.72	120367	-	2.90	2.88	2.90	2.66	2.90	0.18	2	1	2.89
PSH	11.50	120367	11.60	11.60	11.50	11.60	11.50	11.60	0.10	3,429	3,962	11.555
QH	2.18	120367	2.18	2.18	2.16	2.16	2.16	2.18	(0.02)	128,594	27,852	2.165
RABBIT	0.42	120367	0.42	0.47	0.41	0.45	0.45	0.46	0.03	1,713,637	77,876	0.454

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
RABBIT-P	0.42	120367	0.43	0.51	0.42	0.46	0.46	0.47	0.04	246,267	11,453	0.465
RABBIT-Q	4.00	120367	-	-	-	-	-	-	-	-	-	0
RICHY	0.61	120367	0.60	0.61	0.58	0.60	0.58	0.60	(0.01)	6,151	363	0.589
RML	0.49	120367	0.49	0.50	0.48	0.50	0.49	0.50	0.01	28,932	1,425	0.492
ROJNA	6.50	120367	6.55	6.70	6.55	6.65	6.60	6.65	0.15	40,005	26,590	6.646
S	0.90	120367	0.89	0.93	0.89	0.91	0.91	0.92	0.01	82,882	7,560	0.912
SA	7.10	120367	7.10	7.15	7.05	7.10	7.05	7.10	-	350	249	7.106
SA-W1	0.07	120367	-	0.08	0.07	0.08	0.07	0.08	0.01	159	1	0.07
SAMCO	1.17	120367	1.16	1.17	1.15	1.15	1.15	1.16	(0.02)	14,559	1,694	1.163
SC	3.48	120367	3.44	3.46	3.40	3.44	3.42	3.44	(0.04)	63,237	21,630	3.42
SENA	2.82	120367	2.84	2.84	2.80	2.82	2.80	2.82	-	8,649	2,434	2.813
SENA-W1	0.01	120367	-	-	-	-	-	-	-	-	-	0
SIRI	1.84	120367	1.84	1.85	1.83	1.84	1.83	1.84	-	867,176	159,547	1.839
SIRI01C2406A	0.17	120367	-	0.18	0.17	0.18	0.18	0.19	0.01	4,852	87	0.179
SIRI13C2407A	0.30	120367	-	0.30	0.30	0.30	0.30	0.31	-	9,248	277	0.3
SIRI19C2407A	0.30	120367	-	0.31	0.30	0.30	0.30	0.32	-	17,118	526	0.307
SIRI41C2405A	0.20	120367	-	0.21	0.21	0.21	0.21	0.22	0.01	6,800	143	0.21
SPALI	20.90	120367	20.80	21.10	20.80	21.00	20.90	21.00	0.10	76,748	160,585	20.923
SPALI11C2404A	0.21	120367	-	0.21	0.20	0.20	0.21	0.23	(0.01)	14,840	308	0.207
SPALI13C2405A	0.26	120367	-	0.26	0.25	0.26	0.26	0.27	-	32,330	830	0.256
SPALI19C2408A	0.32	120367	-	0.32	0.30	0.32	0.32	0.33	-	22,278	706	0.316
UV	2.04	120367	2.02	2.06	2.02	2.04	2.04	2.06	-	2,123	433	2.04
WHA	4.78	120367	4.80	4.84	4.78	4.80	4.80	4.82	0.02	421,080	202,623	4.811
WHA01C2404A	0.06	120367	-	-	-	-	0.05	0.06	-	-	-	0
WHA01C2405A	0.02	120367	-	-	-	-	0.02	0.03	-	-	-	0
WHA01C2406A	0.22	120367	-	0.23	0.22	0.22	0.22	0.24	-	80,111	1,806	0.225
WHA01P2407X	0.44	120367	-	0.43	0.42	0.43	0.43	0.44	(0.01)	9,999	423	0.422
WHA11C2407A	0.35	120367	0.36	0.37	0.36	0.37	0.36	0.37	0.02	14,600	534	0.365
WHA13C2404A	0.03	120367	-	-	-	-	0.03	0.04	-	-	-	0
WHA13C2404B	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
WHA13C2406A	0.20	120367	-	0.22	0.20	0.20	0.20	0.21	-	80,277	1,666	0.207
WHA13P2407A	0.45	120367	-	0.43	0.43	0.43	0.43	0.44	(0.02)	18,018	775	0.43
WHA19C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
WHA19C2404B	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
WHA19C2406A	0.23	120367	-	0.24	0.23	0.23	0.23	0.24	-	123,356	2,955	0.239
WHA41C2404A	0.04	120367	-	-	-	-	0.03	0.05	-	-	-	0
WHA41C2404B	0.04	120367	-	-	-	-	0.01	0.03	-	-	-	0
WHA41C2406A	0.25	120367	-	0.26	0.25	0.25	0.25	0.26	-	65,650	1,686	0.256
WHA41C2406B	0.22	120367	-	0.23	0.22	0.22	0.22	0.23	-	30,200	692	0.229
WHA41C2407A	0.29	120367	-	0.30	0.29	0.30	0.29	0.30	0.01	23,200	695	0.299
WIN	0.63	120367	-	0.68	0.63	0.64	0.64	0.65	0.01	13,190	867	0.657
Paper & Printing Mat										-	-	
UTP	11.40	120367	11.50	11.60	11.40	11.50	11.40	11.50	0.10	615	706	11.481
Fashion										-	-	
AFC	4.76	120367	4.68	4.94	4.68	4.68	4.66	4.68	(0.08)	285	134	4.697
AURA	14.60	120367	14.70	14.80	14.30	14.30	14.30	14.40	(0.30)	21,253	30,999	14.585
BTNC	20.20	120367	20.30	20.50	20.30	20.30	20.20	20.40	0.10	13	26	20.33
CPH	13.20	120367	-	13.50	13.10	13.20	13.20	13.30	-	202	268	13.282
CPL	1.42	120367	1.42	1.46	1.40	1.43	1.43	1.44	0.01	3,320	474	1.428
NC	4.48	120367	4.48	4.74	4.42	4.44	4.44	4.48	(0.04)	32,884	15,074	4.584
PAF	1.36	120367	1.39	1.55	1.37	1.47	1.47	1.48	0.11	51,038	7,602	1.489
PDJ	1.96	120367	1.97	2.00	1.97	1.97	1.97	1.99	0.01	784	155	1.973
PG	9.10	120367	-	9.25	9.10	9.10	9.05	9.20	-	2	2	9.175
SABINA	25.25	120367	25.25	25.50	25.25	25.25	25.25	25.50	-	5,449	13,821	25.363
SAWANG	13.60	120367	-	13.90	13.80	13.90	13.40	14.10	0.30	5	7	13.84
SUC	32.25	120367	32.25	32.25	32.25	32.25	32.25	32.50	-	44	142	32.25
TNL	34.50	120367	34.00	35.50	34.00	34.50	33.75	34.75	-	32	110	34.312
TR	41.50	120367	-	-	-	-	41.25	41.75	-	-	-	0
TTI	27.75	120367	-	-	-	-	25.00	27.50	-	-	-	0
TTT	48.00	120367	48.00	49.25	47.75	49.25	48.00	49.50	1.25	18	87	48.18
UPF	37.25	120367	37.75	37.75	37.75	37.75	37.50	38.00	0.50	3	11	37.75
WACOAL	30.50	120367	-	30.75	30.75	30.75	30.25	30.75	0.25	4	12	30.75
WFX	1.84	120367	1.81	1.84	1.81	1.82	1.82	1.84	(0.02)	1,055	192	1.822
Transportation & Log										-	-	
AAV	2.32	120367	2.32	2.34	2.28	2.28	2.28	2.30	(0.04)	339,831	78,136	2.299
AAV01C2405A	0.16	120367	-	0.15	0.14	0.14	0.13	0.14	(0.02)	8,074	119	0.147
AAV11C2406A	0.20	120367	0.20	0.20	0.18	0.18	0.18	0.19	(0.02)	17,750	350	0.197
AAV13C2404A	0.18	120367	-	-	-	-	0.12	0.15	-	-	-	0
AAV13C2404B	0.07	120367	0.06	0.06	0.05	0.05	0.05	0.06	(0.02)	15,987	92	0.057
AAV19C2405A	0.27	120367	-	-	-	-	0.21	0.22	-	-	-	0
ANI	5.05	120367	5.10	5.15	5.00	5.05	5.00	5.05	-	31,200	15,856	5.082
AOT	65.50	120367	65.50	66.50	65.50	66.00	66.00	66.25	0.50	183,966	1,215,057	66.047
AOT01C2404A	0.04	120367	0.02	0.03	0.02	0.03	0.02	0.03	(0.01)	791	2	0.02
AOT01C2405A	0.31	120367	-	0.34	0.32	0.33	0.33	0.34	0.02	10,156	336	0.33
AOT01C2407A	0.34	120367	0.34	0.36	0.34	0.35	0.35	0.36	0.01	18,422	643	0.349
AOT01P2404X	0.08	120367	0.03	0.03	0.03	0.03	0.03	0.04	(0.05)	1,700	5	0.03
AOT01P2405X	0.13	120367	-	-	-	-	0.04	0.05	-	-	-	0
AOT01P2407X	0.26	120367	-	0.25	0.25	0.25	0.25	0.26	(0.01)	2,057	51	0.25
AOT06C2404A	0.10	120367	-	-	-	-	-	-	-	-	-	0
AOT11C2403A	0.09	120367	-	-	-	-	0.01	0.03	-	-	-	0
AOT11C2407A	0.27	120367	-	0.29	0.27	0.28	0.28	0.29	0.01	7,420	209	0.282
AOT13C2404A	0.01	120367	0.02	0.02	0.02	0.02	0.01	0.02	0.01	2,510	5	0.02
AOT13C2404B	0.04	120367	-	-	-	-	0.04	0.05	-	-	-	0
AOT13C2405A	0.19	120367	0.19	0.21	0.19	0.20	0.20	0.21	0.01	36,076	729	0.202
AOT13P2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
AOT13P2404B	0.03	120367	-	-	-	-	0.01	0.02	-	-	-	0
AOT13P2407A	0.17	120367	-	0.17	0.16	0.16	0.16	0.17	(0.01)	3,152	52	0.163
AOT19C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
AOT19C2404B	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
AOT19C2404C	0.11	120367	-	0.10	0.10	0.10	0.10	0.11	(0.01)	2,444	24	0.1
AOT19C2406A	0.19	120367	0.19	0.21	0.19	0.20	0.20	0.21	0.01	30,470	604	0.198
AOT19C2406B	0.39	120367	-	0.42	0.40	0.40	0.40	0.42	0.01	153	6	0.406
AOT19P2404A	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AOT19P2407A	0.21	120367	-	0.20	0.19	0.20	0.20	0.21	(0.01)	10,270	204	0.198
AOT41C2404A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
AOT41C2405A	0.16	120367	-	0.16	0.16	0.16	0.16	0.17	-	12,000	192	0.16
AOT41C2405B	0.18	120367	-	0.20	0.19	0.20	0.19	0.20	0.02	4,501	88	0.194
AOT41C2406A	0.35	120367	-	0.38	0.36	0.37	0.37	0.39	0.02	3,630	135	0.372
AOT41P2405A	0.19	120367	-	-	-	-	0.13	0.14	-	-	-	0
ASIMAR	1.68	120367	1.66	1.73	1.61	1.63	1.63	1.65	(0.05)	24,962	4,155	1.664
B	0.12	120367	0.12	0.12	0.11	0.12	0.11	0.12	-	57,375	686	0.119
B-W7	0.01	120367	-	-	-	-	-	-	-	-	-	0
B-W8	0.01	120367	0.01	0.02	0.01	0.01	0.01	0.02	-	148,768	149	0.01
BA	15.70	120367	15.80	16.20	15.80	16.10	16.10	16.20	0.40	36,312	58,332	16.064
BEM	8.10	120367	8.10	8.15	8.00	8.15	8.10	8.15	0.05	448,454	362,374	8.08
BEM01C2405A	0.11	120367	0.11	0.13	0.11	0.13	0.13	0.14	0.02	25,493	295	0.115
BEM01C2408A	0.29	120367	-	0.31	0.29	0.31	0.31	0.32	0.02	23,070	679	0.294
BEM13C2407A	0.20	120367	0.19	0.21	0.18	0.21	0.21	0.22	0.01	79,640	1,524	0.191
BEM19C2405A	0.10	120367	-	-	-	-	0.10	0.11	-	-	-	0
BEM19C2408A	0.27	120367	0.25	0.27	0.25	0.27	0.26	0.27	-	128,854	3,261	0.253
BTS	5.15	120367	5.15	5.40	5.10	5.40	5.35	5.40	0.25	1,757,177	934,439	5.317
BTS-W7	0.02	120367	0.02	0.03	0.01	0.03	0.02	0.03	0.01	46,641	95	0.02
BTS-W8	0.08	120367	0.08	0.10	0.07	0.10	0.09	0.10	0.02	165,040	1,502	0.091
BTS01C2405A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
BTS01C2407A	0.06	120367	-	0.08	0.07	0.08	0.08	0.09	0.02	11,683	87	0.074
BTS01C2408A	0.18	120367	0.21	0.22	0.16	0.21	0.21	0.22	0.03	71,672	1,479	0.206
BTS01P2405X	0.77	120367	-	0.77	0.64	0.64	0.61	0.64	(0.13)	1,606	109	0.677
BTS01P2407X	0.35	120367	-	0.35	0.29	0.29	0.29	0.30	(0.06)	5,206	160	0.307
BTS13C2405A	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	501	1	0.01
BTS13C2407A	0.05	120367	-	0.06	0.05	0.06	0.06	0.07	0.01	22,378	117	0.052
BTS13C2407B	0.16	120367	0.19	0.20	0.14	0.20	0.19	0.20	0.04	209,834	3,888	0.185
BTS13P2405A	0.71	120367	-	-	-	-	0.49	0.55	-	-	-	0
BTS13P2407A	0.38	120367	-	0.27	0.26	0.27	0.26	0.29	(0.11)	25,814	696	0.269
BTS19C2406A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
BTS19C2407A	0.07	120367	0.09	0.09	0.09	0.09	0.09	0.10	0.02	200	2	0.09
BTS19C2407B	0.17	120367	0.17	0.22	0.17	0.21	0.21	0.22	0.04	45,081	900	0.199
BTS41C2407A	0.06	120367	-	-	-	-	0.07	0.08	-	-	-	0
BTSGIF	3.56	120367	3.56	3.60	3.56	3.58	3.56	3.58	0.02	33,540	11,988	3.574
DMT	11.90	120367	11.90	12.10	11.90	12.00	11.90	12.00	0.10	3,763	4,508	11.979
ETL	1.66	120367	1.67	1.69	1.51	1.53	1.53	1.54	(0.13)	381,922	60,372	1.58
III	9.20	120367	9.20	9.25	9.10	9.15	9.10	9.15	(0.05)	23,662	21,673	9.159
KEX	5.45	120367	5.45	5.50	5.45	5.45	5.45	5.50	-	10,020	5,487	5.476
KIAT	0.40	120367	0.38	0.39	0.38	0.38	0.38	0.39	(0.02)	17,307	661	0.382
KWC	281.00	120367	-	281.00	281.00	281.00	274.00	286.00	-	5	141	281
MENA	1.87	120367	1.88	1.88	1.82	1.84	1.84	1.85	(0.03)	52,689	9,730	1.846
NOK	1.04	120367	-	-	-	-	-	-	-	-	-	0
NYT	4.66	120367	4.66	4.72	4.66	4.68	4.68	4.70	0.02	22,410	10,509	4.689
PORT	1.45	120367	1.44	1.49	1.40	1.49	1.49	1.50	0.04	16,535	2,421	1.464
PRM	7.00	120367	7.05	7.05	6.90	6.95	6.90	6.95	(0.05)	86,411	60,260	6.973
PSL	8.40	120367	8.45	8.50	8.25	8.35	8.30	8.35	(0.05)	60,782	50,801	8.357
PSL01C2405A	0.10	120367	-	0.10	0.08	0.09	0.09	0.10	(0.01)	20,769	194	0.093
PSL01C2407A	0.24	120367	-	0.24	0.22	0.23	0.23	0.24	(0.01)	7,409	173	0.233
PSL06C2404A	0.08	120367	-	-	-	-	-	-	-	-	-	0
PSL13C2404A	0.12	120367	-	-	-	-	0.07	0.09	-	-	-	0
PSL13C2407A	0.20	120367	-	0.20	0.19	0.19	0.19	0.20	(0.01)	8,733	173	0.198
PSL19C2404A	0.14	120367	-	0.14	0.12	0.12	0.13	0.14	(0.02)	7,688	105	0.136
PSL19C2407A	0.26	120367	-	0.27	0.24	0.25	0.25	0.26	(0.01)	49,223	1,239	0.251
PSL41C2405A	0.10	120367	-	-	-	-	0.08	0.09	-	-	-	0
RCL	21.20	120367	20.80	21.00	20.70	20.80	20.80	20.90	(0.40)	17,956	37,390	20.823
RCL01C2405A	0.16	120367	-	0.17	0.16	0.16	0.16	0.17	-	4,991	82	0.164
RCL01C2405B	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
RCL01C2407A	0.08	120367	-	0.08	0.07	0.08	0.07	0.08	-	3,171	22	0.07
RCL01C2408A	0.35	120367	0.37	0.37	0.35	0.35	0.35	0.36	-	12,313	444	0.36
RCL01P2405X	0.38	120367	-	0.37	0.36	0.36	0.37	0.38	(0.02)	1,580	58	0.367
RCL06C2405A	0.03	120367	-	-	-	-	-	-	-	-	-	0
RCL11C2407A	0.06	120367	-	-	-	-	0.06	0.07	-	-	-	0
RCL13C2404A	0.09	120367	-	-	-	-	0.08	0.09	-	-	-	0
RCL13C2405A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
RCL13C2407A	0.20	120367	-	0.21	0.20	0.20	0.20	0.21	-	3,274	69	0.209
RCL13C2408A	0.40	120367	-	-	-	-	0.40	0.41	-	-	-	0
RCL13P2405A	0.28	120367	-	0.26	0.26	0.26	0.26	0.27	(0.02)	8,082	210	0.26
RCL19C2405A	0.12	120367	-	0.11	0.11	0.11	0.11	0.12	(0.01)	1,942	21	0.11
RCL19C2405B	0.03	120367	-	-	-	-	0.03	0.04	-	-	-	0
RCL19C2406A	0.04	120367	-	0.04	0.03	0.03	0.03	0.04	(0.01)	3	-	0.036
RCL19C2408A	0.39	120367	-	0.41	0.39	0.39	0.39	0.40	-	11,553	454	0.393
RCL19P2406A	0.35	120367	-	0.34	0.33	0.33	0.34	0.35	(0.02)	5,880	200	0.34
RCL41C2406A	0.06	120367	-	-	-	-	0.02	0.04	-	-	-	0
RCL41C2407A	0.05	120367	-	-	-	-	0.05	0.07	-	-	-	0
RCL41C2408A	0.33	120367	0.34	0.34	0.33	0.34	0.34	0.35	0.01	32,450	1,099	0.338
SAV	18.10	120367	18.10	18.10	17.60	17.60	17.60	17.70	(0.50)	47,715	84,973	17.808
SINO	1.44	120367	1.45	1.46	1.41	1.41	1.40	1.41	(0.03)	38,180	5,460	1.429
SJWD	16.20	120367	16.30	16.40	16.00	16.10	16.10	16.20	(0.10)	18,748	30,341	16.183
SJWD13C2407A	0.32	120367	0.34	0.34	0.31	0.31	0.31	0.32	(0.01)	14,875	480	0.322
TFFIF	6.80	120367	6.80	6.85	6.75	6.85	6.80	6.85	0.05	30,103	20,396	6.775
THAI	3.32	120367	-	-	-	-	-	-	-	-	-	0
TSTE	9.95	120367	-	9.95	9.90	9.95	9.55	10.00	-	61	60	9.916
TTA	6.95	120367	6.90	6.95	6.80	6.90	6.90	6.95	(0.05)	56,421	38,835	6.883
WICE	5.80	120367	5.80	5.80	5.70	5.80	5.75	5.80	-	1,646	948	5.757
Automotive												
3K-BAT	38.00	120367	-	-	-	-	35.50	42.50	-	-	-	0
ACG	1.19	120367	-	1.24	1.20	1.24	1.21	1.24	0.05	137	17	1.214
AH	22.80	120367	23.20	23.30	22.90	22.90	22.90	23.00	0.10	22,058	50,870	23.061
CWT	1.35	120367	1.35	1.40	1.35	1.36	1.36	1.38	0.01	2,589	358	1.383
EASON	1.24	120367	1.26	1.28	1.23	1.27	1.26	1.27	0.03	22,521	2,836	1.259
GYT	180.00	120367	-	182.00	182.00	182.00	181.50	183.00	2.00	2	36	182
HFT	4.00	120367	4.04	4.06	3.98	3.98	3.98	4.02	(0.02)	7,226	2,893	4.004

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
IHL	2.06	120367	-	2.12	2.04	2.10	2.08	2.10	0.04	1,077	224	2.082
INGRS	0.51	120367	0.50	0.51	0.50	0.51	0.50	0.51	-	9,328	466	0.5
IRC	13.10	120367	-	13.20	13.00	13.20	13.00	13.20	0.10	222	291	13.1
MGC	5.75	120367	5.75	6.05	5.75	5.90	5.85	5.90	0.15	22,199	13,106	5.903
NEX	9.85	120367	9.90	10.10	9.80	9.80	9.80	9.85	(0.05)	32,450	32,177	9.915
NEX13C2405A	0.05	120367	-	-	-	-	0.04	0.05	-	-	-	0
NEX13C2407A	0.18	120367	-	0.18	0.17	0.17	0.17	0.18	(0.01)	7,172	129	0.179
NEX19C2404A	0.03	120367	-	-	-	-	0.02	0.03	-	-	-	0
PCSGH	5.05	120367	5.05	5.05	5.00	5.05	5.00	5.05	-	188	94	5.02
POLY	8.00	120367	-	8.15	8.00	8.05	7.90	8.05	0.05	67	54	8.002
SAT	17.00	120367	17.10	17.10	16.90	16.90	16.90	17.00	(0.10)	17,194	29,191	16.977
SPG	15.30	120367	-	15.60	15.60	15.60	15.50	15.70	0.30	1	2	15.6
STANLY	220.00	120367	225.00	233.00	225.00	233.00	231.00	233.00	13.00	2,174	49,802	229.081
TKT	1.69	120367	-	1.70	1.69	1.70	1.69	1.70	0.01	436	74	1.695
TNPC	1.23	120367	-	1.29	1.22	1.23	1.23	1.24	-	1,554	194	1.25
TRU	3.36	120367	3.34	3.38	3.34	3.38	3.36	3.38	0.02	815	273	3.344
TSC	14.30	120367	-	14.40	14.40	14.40	14.30	14.40	0.10	45	65	14.4
Industrial Materials												
ALLA	1.85	120367	1.85	1.88	1.81	1.82	1.82	1.83	(0.03)	19,675	3,625	1.842
ASEFA	3.94	120367	3.86	3.94	3.86	3.92	3.88	3.90	(0.02)	587	227	3.865
CPT	0.71	120367	0.71	0.72	0.70	0.71	0.71	0.72	-	2,464	174	0.705
CRANE	0.95	120367	0.95	1.08	0.95	1.00	1.00	1.01	0.05	205,888	21,288	1.033
CTW	4.46	120367	-	-	-	-	4.42	4.46	-	-	-	0
FMT	34.00	120367	34.00	34.25	34.00	34.00	34.00	34.25	-	41	140	34.024
HTECH	2.30	120367	-	2.32	2.26	2.30	2.26	2.30	-	1,099	254	2.31
KKC	0.19	120367	-	-	-	-	0.18	-	-	-	-	0
PK	0.95	120367	0.95	0.97	0.93	0.96	0.93	0.96	0.01	2,626	250	0.953
PSP	5.35	120367	5.35	5.65	5.35	5.60	5.60	5.65	0.25	88,757	48,747	5.492
SNC	7.15	120367	7.10	7.20	7.10	7.20	7.15	7.20	0.05	345	248	7.192
STARK	0.02	120367	-	-	-	-	-	-	-	-	-	0
STARK-W1	0.01	120367	-	-	-	-	-	-	-	-	-	0
TCJ	3.02	120367	-	-	-	-	2.94	3.02	-	-	-	0
TPCS	16.50	120367	-	-	-	-	16.40	16.80	-	-	-	0
VARO	3.16	120367	3.22	3.22	3.12	3.20	3.18	3.20	0.04	232	73	3.164
Property Fund & REIT												
AIMCG	3.54	120367	3.54	3.56	3.54	3.56	3.54	3.56	0.02	1,237	439	3.548
AIMRT	10.50	120367	10.50	10.50	10.40	10.50	10.40	10.50	-	6,448	6,727	10.432
ALLY	5.75	120367	-	5.80	5.70	5.80	5.75	5.80	0.05	2,967	1,707	5.753
AMATAR	6.45	120367	6.45	6.45	6.45	6.45	6.40	6.45	-	1,512	975	6.45
B-WORK	4.54	120367	-	4.54	4.52	4.54	4.52	4.54	-	802	364	4.533
BAREIT	10.10	120367	-	10.10	10.00	10.00	10.00	10.10	(0.10)	3,414	3,448	10.099
BKKCP	9.15	120367	9.15	9.15	9.10	9.15	9.10	9.15	-	316	288	9.119
BOFFICE	4.88	120367	4.90	4.92	4.88	4.88	4.88	4.92	-	3,805	1,863	4.896
CPNCG	6.20	120367	6.15	6.25	6.15	6.20	6.15	6.20	-	3,978	2,453	6.165
CPNREIT	11.10	120367	11.20	11.20	11.00	11.20	11.10	11.20	0.10	13,372	14,909	11.142
CPTGF	5.30	120367	5.25	5.30	5.25	5.30	5.25	5.30	-	395	209	5.287
CTARAF	4.54	120367	-	-	-	-	4.40	4.44	-	-	-	0
DREIT	4.96	120367	4.92	4.94	4.90	4.90	4.90	4.92	(0.06)	1,680	824	4.906
ERWPF	8.55	120367	8.50	8.55	8.50	8.55	8.50	8.55	-	203	173	8.502
FTREIT	10.20	120367	10.20	10.20	10.10	10.20	10.10	10.20	-	16,488	16,705	10.131
FUTUREPF	11.50	120367	11.50	11.50	11.40	11.50	11.50	11.60	-	1,223	1,403	11.469
GAHREIT	7.10	120367	-	7.10	7.10	7.10	7.05	7.10	-	118	84	7.1
GROREIT	8.80	120367	8.85	8.90	8.85	8.90	8.80	9.00	0.10	30	27	8.866
GVREIT	5.35	120367	5.30	5.40	5.30	5.35	5.30	5.35	-	17,014	9,114	5.356
HPF	4.72	120367	-	4.72	4.72	4.72	4.70	4.72	-	132	62	4.72
HYDROGEN	9.50	120367	-	-	-	-	9.00	9.40	-	-	-	0
IMPACT	12.00	120367	12.00	12.10	12.00	12.10	12.00	12.10	0.10	4,351	5,225	12.007
INETREIT	9.00	120367	9.00	9.00	9.00	9.00	8.95	9.00	-	5,976	5,378	9
KPNPF	3.68	120367	-	3.68	3.68	3.68	3.50	3.68	-	80	29	3.68
KTBSTMR	6.45	120367	6.60	6.60	6.45	6.45	6.45	6.50	-	654	422	6.452
LHHOTEL	11.70	120367	11.80	11.90	11.70	11.80	11.80	11.90	0.10	2,494	2,941	11.792
LHPF	6.05	120367	-	6.10	6.05	6.10	6.05	6.10	0.05	302	184	6.099
LHSC	9.80	120367	9.80	9.80	9.75	9.80	9.75	9.80	-	6,080	5,946	9.779
LPF	13.10	120367	13.10	13.20	13.10	13.20	13.10	13.20	0.10	19,647	25,783	13.123
LUXF	6.95	120367	-	7.00	7.00	7.00	6.90	7.00	0.05	1	1	7
M-II	7.20	120367	7.15	7.25	7.10	7.10	7.05	7.10	(0.10)	545	389	7.146
M-PAT	3.18	120367	-	-	-	-	3.02	3.48	-	-	-	0
M-STOR	7.15	120367	-	-	-	-	7.00	7.15	-	-	-	0
MIPF	11.40	120367	-	-	-	-	9.75	13.80	-	-	-	0
MIT	0.80	120367	0.78	0.79	0.76	0.77	0.77	0.78	(0.03)	464	36	0.773
MJLF	3.76	120367	3.64	3.64	3.62	3.64	3.62	3.64	(0.12)	1,201	437	3.636
MNIT	2.18	120367	-	2.18	2.14	2.16	2.16	2.28	(0.02)	101	22	2.144
MNIT2	4.80	120367	4.80	4.80	4.80	4.80	4.80	4.86	-	36	17	4.8
MNRF	2.98	120367	-	2.80	2.80	2.80	2.78	2.80	(0.18)	1,177	330	2.8
POPF	6.20	120367	6.20	6.25	6.20	6.25	6.20	6.30	0.05	1,276	795	6.228
PPF	10.30	120367	10.30	10.30	10.20	10.20	10.20	10.30	(0.10)	198	202	10.209
PROSPECT	8.60	120367	8.60	8.60	8.60	8.60	8.55	8.60	-	550	473	8.6
QHHR	6.55	120367	-	6.55	6.50	6.55	6.55	6.60	-	1,967	1,288	6.549
QHOP	3.10	120367	-	-	-	-	3.06	3.10	-	-	-	0
QHPF	4.94	120367	4.90	4.92	4.90	4.92	4.90	4.92	(0.02)	7,255	3,561	4.908
SIRIP	7.00	120367	-	7.90	7.05	7.90	7.10	9.00	0.90	273	201	7.375
SPRIME	4.52	120367	4.52	4.52	4.50	4.52	4.50	4.52	-	2,219	1,002	4.514
SRIPANWA	4.80	120367	4.78	4.86	4.72	4.74	4.72	4.74	(0.06)	3,734	1,772	4.746
SSPF	5.15	120367	-	-	-	-	5.20	5.45	-	-	-	0
SSTRT	5.30	120367	5.30	5.30	5.25	5.30	5.25	5.30	-	124	66	5.297
TIF1	8.45	120367	8.40	8.45	8.40	8.40	8.40	8.45	(0.05)	84	71	8.429
TLHPF	5.75	120367	-	5.90	5.60	5.60	5.55	5.60	(0.15)	157	89	5.693
TNPF	1.67	120367	1.66	1.66	1.65	1.66	1.65	1.70	(0.01)	114	19	1.65
TPRIME	6.25	120367	-	6.45	6.25	6.45	6.30	6.45	0.20	14	9	6.296
TTLPF	17.30	120367	17.10	17.40	17.10	17.40	17.30	17.40	0.10	122	212	17.395
TU-PF	0.80	120367	-	-	-	-	0.68	0.79	-	-	-	0
URBNPF	1.30	120367	-	1.28	1.28	1.28	1.21	1.28	(0.02)	30	4	1.28
WHABT	8.15	120367	-	8.15	8.10	8.15	8.10	8.15	-	26	21	8.107

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
WHAIR	5.80	120367	5.75	5.85	5.75	5.80	5.80	5.85	-	3,881	2,251	5.799
WHART	9.70	120367	9.75	9.80	9.70	9.75	9.75	9.80	0.05	10,868	10,597	9.75
Steel and Metal Prod												
2S	3.06	120367	-	3.08	3.02	3.04	3.04	3.06	(0.02)	3,350	1,022	3.05
AMC	3.30	120367	-	3.34	3.30	3.32	3.32	3.34	0.02	3,173	1,053	3.318
BSBM	0.70	120367	-	0.71	0.69	0.70	0.69	0.70	-	253	18	0.698
CEN	2.18	120367	2.16	2.18	2.16	2.18	2.16	2.18	-	5	1	2.168
CEN-W5	0.30	120367	-	0.32	0.32	0.32	0.26	0.31	0.02	2	-	0.32
CITY	2.16	120367	-	2.14	2.14	2.14	2.14	2.18	(0.02)	640	137	2.14
CSP	0.99	120367	-	1.02	1.00	1.00	1.00	1.02	0.01	277	28	1.004
GJS	0.23	120367	-	0.23	0.22	0.22	0.22	0.23	(0.01)	2,545	56	0.22
GSTEEL	0.09	120367	-	-	-	-	-	-	-	-	-	0
INOX	0.49	120367	0.50	0.50	0.49	0.49	0.49	0.50	-	4,603	227	0.492
LHK	4.00	120367	4.02	4.04	4.00	4.02	4.02	4.04	0.02	901	362	4.017
MCS	6.65	120367	6.65	6.75	6.65	6.75	6.70	6.75	0.10	6,510	4,372	6.715
MILL	0.32	120367	-	-	-	-	0.28	0.32	-	-	-	0
MILL-W6	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
MILL-W7	0.05	120367	-	-	-	-	0.03	0.05	-	-	-	0
PAP	2.26	120367	2.26	2.28	2.26	2.28	2.28	2.30	0.02	55	13	2.279
PERM	0.90	120367	0.90	0.90	0.89	0.90	0.89	0.90	-	2,814	251	0.892
SAM	0.38	120367	0.37	0.38	0.37	0.38	0.37	0.38	-	365	14	0.372
SMIT	4.48	120367	4.48	4.50	4.48	4.48	4.48	4.50	-	717	321	4.48
SSSC	3.08	120367	3.06	3.08	3.04	3.06	3.04	3.06	(0.02)	847	259	3.058
TGPRO	0.12	120367	0.12	0.14	0.12	0.13	0.13	0.14	0.01	160,481	2,075	0.129
THE	1.17	120367	-	1.22	1.15	1.22	1.17	1.21	0.05	226	27	1.197
TMT	5.55	120367	5.55	5.60	5.55	5.60	5.55	5.60	0.05	35	20	5.597
TSTH	0.70	120367	0.71	0.71	0.69	0.71	0.70	0.71	0.01	1,103	77	0.701
TWP	1.98	120367	-	1.98	1.95	1.96	1.96	1.98	(0.02)	538	105	1.954
TYCN	2.42	120367	-	2.44	2.44	2.44	2.42	2.44	0.02	7	2	2.44
Construction Service												
APCS	3.48	120367	-	3.48	3.42	3.46	3.46	3.48	(0.02)	664	229	3.446
BJCHI	1.22	120367	1.13	1.15	1.12	1.13	1.12	1.13	(0.09)	13,264	1,502	1.132
BKD	1.53	120367	-	1.58	1.51	1.54	1.54	1.57	0.01	341	53	1.544
CIVIL	2.04	120367	2.02	2.04	2.00	2.02	2.00	2.02	(0.02)	3,375	677	2.007
CK	23.30	120367	23.10	24.00	23.10	23.80	23.70	23.80	0.50	64,650	153,740	23.78
CK01C2407A	0.45	120367	-	0.52	0.46	0.51	0.51	0.52	0.06	37,862	1,913	0.505
CK11C2407A	0.38	120367	-	0.43	0.38	0.41	0.42	0.44	0.03	9,654	402	0.416
CK13C2405A	0.16	120367	-	0.21	0.17	0.20	0.20	0.21	0.04	36,991	738	0.199
CK19C2404A	0.12	120367	-	0.13	0.10	0.12	0.12	0.13	-	12,152	148	0.122
CNT	1.07	120367	1.08	1.40	1.08	1.40	1.39	-	0.33	495,864	64,513	1.301
EMC	0.06	120367	0.06	0.07	0.05	0.07	0.06	0.07	0.01	203,479	1,221	0.06
ITD	0.85	120367	-	-	-	-	0.83	0.89	-	-	-	0
NL	2.60	120367	2.66	2.68	2.42	2.48	2.48	2.50	(0.12)	386,865	99,327	2.567
NWR	0.33	120367	0.33	0.36	0.32	0.33	0.33	0.34	-	380,103	13,071	0.343
PLE	0.49	120367	0.50	0.57	0.49	0.53	0.53	0.54	0.04	245,715	13,180	0.536
PREB	6.25	120367	6.25	6.30	6.20	6.30	6.25	6.30	0.05	500	313	6.253
PYLON	2.52	120367	2.56	2.56	2.48	2.50	2.50	2.52	(0.02)	16,516	4,151	2.513
RT	0.68	120367	0.68	0.70	0.68	0.68	0.68	0.69	-	34,105	2,343	0.687
RT-W1	0.01	120367	0.01	0.01	0.01	0.01	-	0.01	-	10,690	11	0.01
SEAFCO	2.64	120367	2.64	2.72	2.56	2.62	2.62	2.64	(0.02)	38,564	10,229	2.652
SQ	1.15	120367	1.15	1.16	1.14	1.16	1.15	1.16	0.01	3,854	443	1.148
SRICHA	8.95	120367	9.10	9.10	8.80	8.90	8.85	9.00	(0.05)	1,314	1,164	8.856
STEC	10.40	120367	10.50	11.00	10.40	10.60	10.50	10.60	0.20	103,607	110,690	10.683
STEC13C2405A	0.33	120367	-	0.42	0.40	0.42	0.42	0.44	0.09	230	9	0.402
STEC19C2407A	0.56	120367	-	-	-	-	0.62	0.67	-	-	-	0
STI	3.34	120367	3.34	3.34	3.30	3.34	3.32	3.34	-	230	76	3.32
STPI	3.22	120367	3.22	3.24	3.20	3.22	3.22	3.24	-	4,593	1,479	3.219
SYNTEC	1.79	120367	1.82	1.84	1.81	1.81	1.81	1.82	0.02	10,927	1,987	1.818
TEAMG	4.74	120367	4.76	4.82	4.74	4.76	4.76	4.78	0.02	6,170	2,947	4.775
TEAMG-W1	0.55	120367	0.55	0.57	0.55	0.55	0.55	0.57	-	3,739	209	0.56
TEKA	2.14	120367	2.22	2.22	2.12	2.12	2.12	2.22	(0.02)	2,698	585	2.169
TPOLY	1.12	120367	1.13	1.45	1.12	1.43	1.43	1.44	0.31	952,730	129,131	1.355
TRC	0.31	120367	0.32	0.33	0.31	0.32	0.31	0.32	0.01	90,559	2,874	0.317
TRITN	0.13	120367	0.13	0.14	0.13	0.14	0.13	0.14	0.01	288,858	3,935	0.136
TRITN-W5	0.01	120367	0.01	0.01	0.01	0.01	-	0.01	-	13	-	0.01
TRITN-W6	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	52	-	0.01
TTCL	3.58	120367	3.56	3.70	3.56	3.64	3.62	3.64	0.06	30,247	11,040	3.65
UNIQ	3.34	120367	3.38	3.46	3.30	3.34	3.34	3.36	-	13,587	4,620	3.4
WGE	0.69	120367	-	0.75	0.68	0.72	0.71	0.72	0.03	8,741	626	0.715
Unit Trust												
SCBSET	7.54	120367	-	-	-	-	6.40	-	-	-	-	0
ETF												
1DIV	9.74	120367	9.74	9.78	9.71	9.76	9.76	9.79	0.02	114	111	9.764
ABFTH	1,245.00	120367	-	-	-	-	1,266.00	1,296.00	-	-	-	0
BMSCG	9.41	120367	-	9.52	9.49	9.51	9.49	9.52	0.10	76	72	9.509
BMSCITH	9.70	120367	-	9.75	9.70	9.75	9.73	9.75	0.05	980	951	9.703
BSET100	8.93	120367	-	9.02	8.94	8.97	8.97	9.01	0.04	721	647	8.97
CHINA	5.73	120367	5.73	5.73	5.70	5.70	5.70	5.73	(0.03)	642	366	5.707
ENGY	5.19	120367	5.20	5.23	5.17	5.22	5.19	5.22	0.03	24	12	5.197
ENY	5.03	120367	4.99	5.03	4.99	4.99	4.98	5.11	(0.04)	18	9	4.998
GLD	3.11	120367	3.10	3.10	3.08	3.09	3.08	3.09	(0.02)	3,907	1,208	3.09
TDEX	8.14	120367	8.15	8.20	8.14	8.17	8.17	8.18	0.03	1,551	1,268	8.173
UBOT	14.19	120367	-	14.38	14.28	14.38	14.28	14.38	0.19	81	116	14.324
UHERO	7.34	120367	-	7.35	7.34	7.35	7.34	7.35	0.01	103	76	7.349
Warrant Foreign												
AIA28C2403A	0.04	120367	-	-	-	-	-	0.80	-	-	-	0
AIA28C2406A	0.30	120367	-	0.32	0.31	0.31	0.08	-	0.01	27,098	864	0.318
AIA28P2405A	0.12	120367	-	0.12	0.12	0.12	-	-	-	1,014	12	0.12
AIA41C2403A	0.10	120367	-	-	-	-	-	-	-	-	-	0
AIA41C2406A	0.33	120367	-	0.34	0.33	0.33	0.08	-	-	30,000	1,010	0.336
AIA41P2407A	0.23	120367	-	0.21	0.21	0.21	-	-	(0.02)	20,000	420	0.21
ALIHEA28C2406A	0.07	120367	-	-	-	-	-	-	-	-	-	0
ALIHEA28C2407A	0.28	120367	-	0.27	0.25	0.25	0.07	-	(0.03)	2,228	59	0.263

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ALIEA41C2406A	0.26	120367	-	-	-	-	-	-	-	-	-	0
BABA28C2403A	0.01	120367	-	0.01	0.01	0.01	-	0.02	-	200	-	0.01
BABA28C2403B	0.04	120367	-	-	-	-	-	0.05	-	-	-	0
BABA28C2404A	0.13	120367	-	-	-	-	0.01	-	-	-	-	0
BABA28C2404B	0.13	120367	-	0.13	0.12	0.12	0.01	-	(0.01)	1,114	14	0.124
BABA28C2406A	0.21	120367	-	0.21	0.20	0.21	0.20	0.21	-	1,024	21	0.209
BABA28C2406B	0.40	120367	-	0.39	0.37	0.37	-	-	(0.03)	2,028	77	0.38
BABA28C2407A	0.56	120367	-	0.57	0.53	0.53	0.01	-	(0.03)	110,002	5,970	0.542
BABA28P2403A	0.10	120367	-	-	-	-	-	-	-	-	-	0
BABA28P2404A	0.12	120367	-	-	-	-	-	-	-	-	-	0
BABA28P2407A	0.21	120367	-	0.21	0.20	0.21	0.11	-	-	1,214	25	0.209
BABA41C2403A	0.02	120367	-	-	-	-	-	-	-	-	-	0
BABA41C2403B	0.02	120367	-	-	-	-	-	0.02	-	-	-	0
BABA41C2404A	0.10	120367	-	0.14	0.13	0.13	-	-	0.03	80,000	1,055	0.131
BABA41C2404B	0.28	120367	-	0.27	0.26	0.26	-	-	(0.02)	10,000	265	0.265
BABA41C2406A	0.20	120367	-	-	-	-	-	0.32	-	-	-	0
BABA41C2406B	0.63	120367	0.60	0.60	0.58	0.58	0.08	-	(0.05)	15	1	0.592
BABA41P2403A	0.13	120367	-	-	-	-	-	-	-	-	-	0
BABA41P2404A	0.16	120367	-	-	-	-	-	-	-	-	-	0
BABA41P2407A	0.19	120367	-	0.20	0.20	0.20	0.08	-	0.01	30,050	601	0.2
BIDU28C2403A	0.04	120367	-	-	-	-	-	-	-	-	-	0
BIDU28C2403B	0.10	120367	-	-	-	-	-	-	-	-	-	0
BIDU28C2407A	0.27	120367	-	0.32	0.30	0.30	0.29	-	0.03	17,238	524	0.304
BIDU28P2406A	0.34	120367	-	0.31	0.30	0.31	-	-	(0.03)	12,168	371	0.304
BIDU41C2403A	0.01	120367	-	-	-	-	-	-	-	-	-	0
BIDU41C2403B	0.12	120367	-	-	-	-	-	-	-	-	-	0
BIDU41C2407A	0.28	120367	-	0.32	0.31	0.31	-	-	0.03	30,000	945	0.315
BIDU41P2403A	0.41	120367	-	-	-	-	0.02	-	-	-	-	0
BYDCOM28C2404A	0.01	120367	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2405A	0.19	120367	-	0.19	0.17	0.17	0.08	-	(0.02)	9,126	168	0.183
BYDCOM28C2407A	0.55	120367	-	0.56	0.52	0.53	0.41	0.53	(0.02)	35,094	1,902	0.541
BYDCOM28P2405A	0.15	120367	-	0.15	0.14	0.15	-	-	-	12,168	180	0.147
BYDCOM41C2404A	0.07	120367	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41C2405A	0.10	120367	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2406A	0.39	120367	-	-	-	-	-	-	-	-	-	0
BYDCOM41P2404A	0.83	120367	-	-	-	-	0.02	-	-	-	-	0
BYDCOM41P2405A	0.16	120367	-	0.14	0.14	0.14	-	-	(0.02)	20,000	280	0.14
CATHAY28C2403A	0.02	120367	-	-	-	-	-	-	-	-	-	0
CATHAY28C2404A	0.14	120367	-	0.31	0.21	0.26	0.06	-	0.12	255,000	6,960	0.272
CATHAY28C2407A	0.39	120367	-	0.62	0.50	0.61	-	-	0.22	10,140	573	0.565
CATHAY41C2403A	0.02	120367	-	-	-	-	-	-	-	-	-	0
CATHAY41C2404A	0.27	120367	0.29	0.44	0.29	0.42	0.08	-	0.15	12,103	482	0.398
CHMOBI28C2404A	0.14	120367	-	0.15	0.13	0.13	0.10	0.23	(0.01)	21,156	283	0.133
CMBANK41C2404A	0.14	120367	-	-	-	-	-	-	-	-	-	0
CMBANK41C2406A	0.37	120367	-	-	-	-	-	-	-	-	-	0
CNOOC28C2404A	0.61	120367	-	-	-	-	0.02	-	-	-	-	0
CNOOC28C2408A	0.39	120367	-	0.45	0.41	0.43	0.08	-	0.04	74,911	3,252	0.434
DJI28C2403A	3.02	120367	-	-	-	-	3.24	3.28	-	-	-	0
DJI28C2403B	0.20	120367	-	0.24	0.23	0.24	0.24	0.25	0.04	3,000	71	0.236
DJI28C2403C	0.01	120367	-	-	-	-	-	0.04	-	-	-	0
DJI28C2406B	0.61	120367	-	0.67	0.65	0.67	0.67	0.68	0.06	9	1	0.658
DJI28C2406C	0.23	120367	0.25	0.27	0.25	0.27	0.26	0.27	0.04	142	4	0.252
DJI28P2403A	0.04	120367	-	-	-	-	-	0.02	-	-	-	0
DJI28P2403B	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
DJI28P2403C	0.07	120367	-	-	-	-	-	0.04	-	-	-	0
DJI28P2403D	0.11	120367	-	-	-	-	-	0.04	-	-	-	0
DJI28P2406A	0.25	120367	-	0.22	0.22	0.22	0.22	0.23	(0.03)	1,020	22	0.22
DJI28P2406B	0.43	120367	-	0.39	0.39	0.39	0.38	0.39	(0.04)	80	3	0.39
DJI41C2403A	2.36	120367	-	-	-	-	2.70	2.76	-	-	-	0
DJI41C2403B	0.15	120367	-	0.10	0.10	0.10	0.07	0.10	(0.05)	1	-	0.1
DJI41C2406A	0.61	120367	-	0.70	0.69	0.70	0.70	0.71	0.09	17	1	0.691
DJI41P2403A	0.01	120367	-	-	-	-	0.01	0.04	-	-	-	0
DJI41P2403B	0.02	120367	-	-	-	-	0.01	0.04	-	-	-	0
DJI41P2403C	0.01	120367	-	-	-	-	0.01	0.04	-	-	-	0
DJI41P2406A	0.29	120367	-	-	-	-	0.23	0.24	-	-	-	0
DJI41P2406B	0.46	120367	-	0.43	0.43	0.43	0.43	0.44	(0.03)	240	10	0.43
GEELY28C2403A	0.01	120367	-	-	-	-	-	-	-	-	-	0
GEELY28C2406A	0.36	120367	-	0.41	0.38	0.38	0.08	-	0.02	8,669	349	0.402
GEELY28P2404A	0.17	120367	-	0.17	0.15	0.17	-	-	-	16,154	255	0.158
GEELY41C2404A	0.06	120367	-	-	-	-	-	-	-	-	-	0
GEELY41C2406A	0.29	120367	-	0.31	0.31	0.31	-	-	0.02	20	1	0.31
HAIDIL28C2403A	0.01	120367	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2404A	0.08	120367	-	0.10	0.09	0.09	-	-	0.01	10,000	95	0.095
HAIDIL28C2406A	0.38	120367	-	0.37	0.34	0.37	0.08	0.38	(0.01)	40,480	1,450	0.358
HAIDIL41C2403A	0.05	120367	-	-	-	-	-	-	-	-	-	0
HAIDIL41C2404A	0.10	120367	-	-	-	-	0.01	-	-	-	-	0
HAIDIL41C2405A	0.38	120367	-	-	-	-	-	-	-	-	-	0
HKEX28C2404A	0.06	120367	-	-	-	-	-	-	-	-	-	0
HKEX28C2406A	0.19	120367	-	0.24	0.24	0.24	-	-	0.05	6,084	146	0.24
HKEX28C2407A	0.35	120367	-	-	-	-	-	-	-	-	-	0
HKEX41C2404A	0.12	120367	-	-	-	-	-	-	-	-	-	0
HKEX41C2405A	0.10	120367	-	-	-	-	-	-	-	-	-	0
HKEX41C2406A	0.22	120367	-	0.31	0.29	0.29	-	-	0.07	42,000	1,238	0.294
HSBC28C2403A	0.05	120367	-	-	-	-	-	-	-	-	-	0
HSBC28C2406A	0.37	120367	0.46	0.46	0.42	0.42	0.08	-	0.05	14,110	631	0.447
HSBC28P2404A	0.05	120367	-	-	-	-	-	-	-	-	-	0
HSBC28P2407A	0.16	120367	-	0.13	0.13	0.13	0.13	-	(0.03)	5,100	66	0.13
HSBC41C2403A	0.12	120367	-	-	-	-	-	-	-	-	-	0
HSBC41C2405A	0.10	120367	-	-	-	-	-	-	-	-	-	0
HSBC41C2407A	0.12	120367	-	0.15	0.15	0.15	-	-	0.03	5	-	0.15
HSBC41P2406A	0.12	120367	-	-	-	-	-	-	-	-	-	0
HSCEI28C2403A	0.63	120367	-	0.62	0.57	0.58	0.57	0.58	(0.05)	60,000	3,540	0.59
HSCEI28C2404A	1.21	120367	-	1.26	1.18	1.19	1.17	1.19	(0.02)	40,402	4,905	1.213

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSCEI28C2405A	0.61	120367	-	0.63	0.58	0.58	0.58	0.59	(0.03)	820,005	49,270	0.6
HSCEI28P2403A	0.23	120367	-	-	-	-	0.06	0.07	-	-	-	0
HSCEI28P2404A	0.08	120367	-	-	-	-	0.07	0.08	-	-	-	0
HSCEI28P2405A	0.28	120367	-	0.29	0.29	0.29	0.28	0.29	0.01	1	-	0.29
HSI06C2403A	0.23	120367	0.23	0.25	0.20	0.20	0.20	0.21	(0.03)	6,208,166	135,947	0.218
HSI06C2403B	0.14	120367	-	0.14	0.12	0.12	0.11	0.13	(0.02)	6,108,617	80,100	0.131
HSI06C2403C	0.52	120367	-	0.56	0.46	0.48	0.46	0.48	(0.04)	1,068,394	55,417	0.518
HSI06C2403D	1.07	120367	-	-	-	-	-	-	-	-	-	0
HSI06C2404A	0.32	120367	-	0.34	0.29	0.30	0.29	0.31	(0.02)	5,157,870	165,279	0.32
HSI06C2404B	0.92	120367	-	1.48	1.48	1.48	1.40	1.49	0.56	21	3	1.48
HSI06C2404C	0.77	120367	-	-	-	-	-	-	-	-	-	0
HSI06C2404D	1.62	120367	-	-	-	-	0.02	-	-	-	-	0
HSI06C2404E	0.56	120367	-	0.60	0.55	0.55	-	0.56	(0.01)	6,486	366	0.563
HSI06C2405A	0.72	120367	-	0.91	0.86	0.86	0.08	1.00	0.14	22	2	0.905
HSI06C2405B	0.96	120367	-	-	-	-	1.39	-	-	-	-	0
HSI06C2405C	0.52	120367	-	0.56	0.51	0.51	0.51	0.52	(0.01)	261	14	0.545
HSI06C2405D	0.27	120367	-	0.29	0.26	0.27	0.20	0.30	-	436,616	11,866	0.271
HSI06C2406A	1.23	120367	-	1.26	1.21	1.21	0.21	1.23	(0.02)	29	4	1.221
HSI06C2406B	0.49	120367	-	0.52	0.48	0.48	0.45	0.49	(0.01)	131,099	6,448	0.491
HSI06C2406C	0.62	120367	-	0.63	0.63	0.63	0.36	-	0.01	5	-	0.63
HSI06C2406D	0.34	120367	0.36	0.36	0.33	0.33	0.33	0.36	(0.01)	758,564	26,359	0.347
HSI06P2403A	0.05	120367	0.04	0.05	0.03	0.04	0.04	0.05	(0.01)	49,539	199	0.04
HSI06P2403B	0.01	120367	0.01	0.01	0.01	0.01	-	0.01	-	5,256	5	0.01
HSI06P2403C	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
HSI06P2403D	0.02	120367	-	-	-	-	-	0.02	-	-	-	0
HSI06P2404A	0.14	120367	0.12	0.14	0.11	0.13	0.13	0.14	(0.01)	6,272,492	78,040	0.124
HSI06P2404B	0.04	120367	0.03	0.03	0.03	0.03	0.02	0.04	(0.01)	12,221	37	0.03
HSI06P2404C	0.36	120367	-	0.36	0.32	0.36	0.35	0.36	-	4,810,774	163,834	0.34
HSI06P2404D	0.06	120367	0.06	0.06	0.05	0.06	0.05	0.06	-	10,068	51	0.05
HSI06P2405A	0.29	120367	-	0.29	0.27	0.28	0.27	0.30	(0.01)	6,518,844	182,627	0.28
HSI06P2405B	0.12	120367	0.12	0.12	0.11	0.11	0.11	0.12	(0.01)	14,354	162	0.113
HSI06P2405C	0.59	120367	-	0.59	0.55	0.58	0.01	0.60	(0.01)	4,007	231	0.577
HSI06P2406A	0.22	120367	-	0.23	0.21	0.22	0.21	0.23	-	87,998	1,925	0.218
HSI06P2406B	0.35	120367	-	0.36	0.34	0.35	-	-	-	185,378	6,495	0.35
HSI06P2406C	0.51	120367	0.51	0.53	0.49	0.53	-	0.54	0.02	3,673	186	0.507
HSI28C2403A	0.02	120367	-	0.02	0.01	0.01	0.01	0.02	(0.01)	17	-	0.01
HSI28C2403B	0.59	120367	0.61	0.65	0.55	0.56	0.56	0.57	(0.03)	8,365,310	487,856	0.583
HSI28C2403C	0.19	120367	0.20	0.22	0.17	0.18	0.17	0.18	(0.01)	3,250,440	61,326	0.188
HSI28C2403D	0.05	120367	-	0.05	0.04	0.04	0.04	0.05	(0.01)	7,700	35	0.045
HSI28C2403E	1.25	120367	-	1.38	1.22	1.22	1.22	1.26	(0.03)	8,449	1,083	1.281
HSI28C2403F	2.14	120367	-	2.12	2.08	2.08	2.08	2.12	(0.06)	4,002	840	2.1
HSI28C2404A	0.15	120367	0.15	0.15	0.13	0.13	0.13	0.14	(0.02)	96,612	1,389	0.143
HSI28C2404B	0.35	120367	-	0.37	0.33	0.33	0.33	0.34	(0.02)	6,090,558	207,642	0.34
HSI28C2404C	0.70	120367	0.72	0.75	0.67	0.68	0.68	0.69	(0.02)	12,168,184	846,877	0.695
HSI28C2404D	1.30	120367	-	1.31	1.31	1.31	1.29	1.31	0.01	1	-	1.31
HSI28C2405A	0.24	120367	-	0.24	0.22	0.22	0.22	0.23	(0.02)	48,353	1,121	0.231
HSI28C2405B	0.74	120367	-	0.77	0.71	0.72	0.71	0.72	(0.02)	9,341,921	681,320	0.729
HSI28C2405C	0.42	120367	0.43	0.45	0.40	0.41	0.41	0.42	(0.01)	6,027,100	251,804	0.417
HSI28C2405D	1.14	120367	-	1.20	1.11	1.12	1.12	1.13	(0.02)	504,886	58,015	1.149
HSI28C2406A	0.67	120367	0.69	0.72	0.66	0.66	0.66	0.67	(0.01)	3,956,980	267,701	0.676
HSI28C2406B	1.07	120367	1.11	1.13	1.06	1.07	1.06	1.07	-	1,506,244	162,673	1.079
HSI28C2406C	0.47	120367	0.48	0.48	0.45	0.45	0.45	0.46	(0.02)	2,524,999	116,006	0.459
HSI28P2403A	0.04	120367	0.03	0.05	0.03	0.04	0.03	0.04	-	92,549	347	0.037
HSI28P2403B	0.01	120367	-	0.01	0.01	0.01	0.01	0.02	-	1	-	0.01
HSI28P2403C	0.03	120367	-	0.03	0.02	0.02	0.02	0.03	(0.01)	130	-	0.022
HSI28P2403D	0.19	120367	0.17	0.19	0.15	0.18	0.18	0.19	(0.01)	4,894,054	84,799	0.173
HSI28P2404A	0.05	120367	0.05	0.06	0.05	0.06	0.05	0.06	0.01	167,694	853	0.05
HSI28P2404B	0.17	120367	0.17	0.18	0.16	0.17	0.17	0.18	-	98,537	1,670	0.169
HSI28P2404C	0.38	120367	0.38	0.40	0.35	0.39	0.39	0.40	0.01	3,093,422	119,317	0.385
HSI28P2404D	0.04	120367	-	0.04	0.03	0.04	0.03	0.04	-	221	1	0.03
HSI28P2405A	0.11	120367	-	0.12	0.10	0.12	0.11	0.12	0.01	16,624	184	0.11
HSI28P2405B	0.23	120367	0.23	0.24	0.22	0.24	0.23	0.24	0.01	13,736	318	0.231
HSI28P2405C	0.43	120367	0.42	0.44	0.41	0.43	0.43	0.44	-	835,232	36,128	0.432
HSI28P2406A	0.10	120367	0.11	0.12	0.11	0.11	0.11	0.12	0.01	11,877	132	0.111
HSI28P2406B	0.39	120367	0.38	0.40	0.37	0.39	0.39	0.40	-	3,286,450	128,129	0.389
HSI28P2406C	0.23	120367	0.23	0.25	0.22	0.23	0.23	0.24	-	3,054	69	0.225
HSTECH28C2403A	0.79	120367	-	0.89	0.81	0.83	0.82	0.83	0.04	1,541	135	0.878
HSTECH28C2403B	0.14	120367	-	0.18	0.18	0.18	0.14	0.15	0.04	1	-	0.18
HSTECH28C2404A	0.98	120367	-	-	-	-	1.35	1.38	-	-	-	0
HSTECH28C2405A	0.49	120367	0.70	0.71	0.67	0.67	0.67	0.68	0.18	106	7	0.681
HSTECH28P2403A	0.20	120367	-	-	-	-	0.03	0.04	-	-	-	0
HSTECH28P2403B	1.53	120367	-	-	-	-	0.53	0.55	-	-	-	0
HSTECH28P2404A	0.03	120367	-	-	-	-	0.02	0.04	-	-	-	0
HSTECH28P2405A	0.27	120367	-	-	-	-	0.26	0.27	-	-	-	0
ICBC28C2404A	0.13	120367	-	-	-	-	-	-	-	-	-	0
ICBC28C2407A	0.41	120367	-	-	-	-	-	-	-	-	-	0
JD28C2403A	0.13	120367	-	-	-	-	-	-	-	-	-	0
JD28C2403B	0.15	120367	-	-	-	-	-	-	-	-	-	0
JD28C2406A	0.77	120367	-	0.80	0.75	0.75	0.76	-	(0.02)	15,124	1,161	0.767
JD28C2408A	0.96	120367	-	0.99	0.97	0.97	-	-	0.01	10,000	980	0.98
JD41C2406A	0.91	120367	-	1.00	1.00	1.00	-	-	0.09	1	-	1
KUAISH28C2403A	0.01	120367	-	-	-	-	-	-	-	-	-	0
KUAISH28C2404A	0.10	120367	-	0.09	0.08	0.09	-	0.10	(0.01)	800	6	0.08
KUAISH28C2406A	0.23	120367	-	-	-	-	-	-	-	-	-	0
KUAISH28C2407A	0.66	120367	-	0.75	0.71	0.71	-	-	0.05	3,042	223	0.733
KUAISH41C2406A	0.47	120367	-	0.52	0.50	0.50	-	-	0.03	20,000	1,030	0.515
LENOVO28C2404A	0.11	120367	-	-	-	-	-	-	-	-	-	0
LENOVO28C2407A	0.49	120367	-	0.56	0.54	0.54	-	-	0.05	32,321	1,762	0.545
LENOVO41C2406A	0.24	120367	-	0.31	0.30	0.30	-	-	0.06	30,010	920	0.306
MCA5041C2403A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
MCA5041C2406A	0.98	120367	0.94	0.96	0.89	0.89	0.89	0.90	(0.09)	8,059	727	0.902
MCA5041P2403A	1.29	120367	-	-	-	-	0.01	0.04	-	-	-	0
MCA5041P2406A	0.33	120367	-	-	-	-	0.34	0.35	-	-	-	0

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
MEITUA28C2403A	0.01	120367	-	-	-	-	-	-	-	-	-	0
MEITUA28C2404A	0.23	120367	-	0.27	0.25	0.25	-	-	0.02	40,000	1,010	0.252
MEITUA28C2406A	0.74	120367	-	0.81	0.76	0.76	0.08	-	0.02	22,168	1,718	0.774
MEITUA28C2407A	1.57	120367	-	1.60	1.58	1.60	0.60	-	0.03	2	-	1.59
MEITUA28P2405A	0.24	120367	-	0.24	0.22	0.23	0.01	-	(0.01)	41,294	946	0.229
MEITUA28P2406A	0.11	120367	-	-	-	-	-	-	-	-	-	0
MEITUA41C2403A	0.10	120367	-	-	-	-	-	-	-	-	-	0
MEITUA41C2405A	0.27	120367	-	0.32	0.31	0.31	-	-	0.04	40,000	1,255	0.313
MEITUA41C2405B	0.71	120367	-	0.77	0.75	0.76	0.08	-	0.05	30,000	2,280	0.76
MEITUA41C2406A	0.73	120367	-	-	-	-	0.75	-	-	-	-	0
MEITUA41C2406B	1.37	120367	-	1.73	1.73	1.73	0.37	-	0.36	1	-	1.73
MEITUA41C2407A	1.18	120367	-	1.24	1.24	1.24	0.24	-	0.06	2	-	1.24
MEITUA41P2404A	0.13	120367	-	0.12	0.11	0.12	-	-	(0.01)	55,000	640	0.116
MEITUA41P2406A	0.15	120367	-	-	-	-	-	-	-	-	-	0
NDX28C2403A	0.06	120367	-	-	-	-	0.01	0.04	-	-	-	0
NDX28C2403B	0.80	120367	-	-	-	-	1.06	1.10	-	-	-	0
NDX28C2406A	1.99	120367	-	2.14	2.10	2.14	2.10	2.16	0.15	67	14	2.119
NDX28C2406B	0.51	120367	0.57	0.60	0.57	0.58	0.57	0.58	0.07	184	10	0.57
NDX28C2406C	0.78	120367	-	0.90	0.87	0.88	0.87	0.88	0.10	604	53	0.87
NDX28C2406D	0.33	120367	0.36	0.39	0.36	0.36	0.36	0.37	0.03	4,946	179	0.362
NDX28P2403A	0.01	120367	-	-	-	-	-	0.04	-	-	-	0
NDX28P2403B	0.01	120367	-	-	-	-	-	0.04	-	-	-	0
NDX28P2403C	0.04	120367	-	-	-	-	-	0.04	-	-	-	0
NDX28P2403D	0.04	120367	-	-	-	-	-	0.04	-	-	-	0
NDX28P2406A	0.11	120367	-	-	-	-	0.09	0.11	-	-	-	0
NDX28P2406B	0.24	120367	0.21	0.22	0.20	0.22	0.21	0.22	(0.02)	11,489	241	0.21
NDX41C2403A	1.59	120367	-	1.84	1.84	1.84	1.82	1.85	0.25	1	-	1.84
NDX41C2403B	1.21	120367	-	-	-	-	1.53	1.56	-	-	-	0
NDX41C2403C	0.34	120367	-	0.17	0.17	0.17	0.13	0.16	(0.17)	1,000	17	0.17
NDX41C2406A	1.05	120367	1.17	1.20	1.15	1.16	1.16	1.17	0.11	1,636	189	1.152
NDX41C2406B	0.36	120367	0.42	0.43	0.41	0.41	0.41	0.42	0.05	867	36	0.41
NDX41P2403A	0.01	120367	-	0.01	0.01	0.01	0.01	0.04	-	100	-	0.01
NDX41P2403B	0.02	120367	-	-	-	-	0.01	0.03	-	-	-	0
NDX41P2403C	0.09	120367	-	-	-	-	0.01	0.04	-	-	-	0
NDX41P2403D	0.01	120367	-	-	-	-	0.01	0.04	-	-	-	0
NDX41P2406A	0.16	120367	0.14	0.14	0.13	0.14	0.14	0.15	(0.02)	258	4	0.139
NDX41P2406B	0.27	120367	0.24	0.25	0.24	0.24	0.24	0.25	(0.03)	415,220	9,966	0.24
NTES41C2404A	0.22	120367	-	-	-	-	-	-	-	-	-	0
NTES41C2405A	0.50	120367	-	0.57	0.50	0.54	-	-	0.04	50,000	2,665	0.533
PINGAN28C2403A	0.01	120367	-	-	-	-	-	-	-	-	-	0
PINGAN28C2404A	0.10	120367	-	-	-	-	-	2.00	-	-	-	0
PINGAN28C2406A	0.32	120367	-	0.28	0.27	0.27	0.27	0.35	(0.05)	2,285	62	0.27
PINGAN28C2407A	0.64	120367	-	0.60	0.58	0.58	0.58	-	(0.06)	10,184	594	0.583
PINGAN28P2403A	0.11	120367	-	-	-	-	-	-	-	-	-	0
PINGAN28P2406A	0.07	120367	-	0.08	0.08	0.08	0.01	-	0.01	10,200	82	0.08
PINGAN41C2403A	0.11	120367	-	-	-	-	-	-	-	-	-	0
PINGAN41C2404A	0.07	120367	-	-	-	-	-	-	-	-	-	0
PINGAN41C2404B	0.20	120367	-	-	-	-	-	-	-	-	-	0
PINGAN41C2406A	0.44	120367	-	-	-	-	-	-	-	-	-	0
PINGAN41C2406B	0.41	120367	-	-	-	-	-	-	-	-	-	0
PINGAN41P2404A	0.13	120367	-	-	-	-	-	-	-	-	-	0
SET5001C2403F	0.01	120367	0.02	0.02	0.02	0.02	0.01	0.02	0.01	1,303	3	0.02
SET5001C2403G	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5001C2404A	0.02	120367	0.01	0.02	0.01	0.01	0.01	0.02	(0.01)	2,780	3	0.012
SET5001C2404T	0.09	120367	-	0.11	0.09	0.10	0.10	0.11	0.01	2,946	28	0.095
SET5001C2405A	0.14	120367	-	0.16	0.13	0.14	0.14	0.15	-	11,293	163	0.144
SET5001C2406A	0.25	120367	0.24	0.27	0.23	0.25	0.25	0.26	-	22,067	568	0.257
SET5001C2406F	0.27	120367	-	0.31	0.27	0.30	0.29	0.30	0.03	95,629	2,799	0.292
SET5001C2406T	0.36	120367	0.36	0.39	0.36	0.38	0.37	0.38	0.02	14,220	535	0.376
SET5001C2407A	0.39	120367	0.42	0.43	0.38	0.41	0.41	0.42	0.02	54,562	2,200	0.403
SET5001P2403F	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5001P2403G	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5001P2403H	0.05	120367	-	0.04	0.03	0.03	0.03	0.04	(0.02)	507	2	0.03
SET5001P2404A	0.11	120367	0.07	0.09	0.06	0.07	0.07	0.08	(0.04)	6,815	53	0.078
SET5001P2404T	0.20	120367	-	0.18	0.17	0.18	0.17	0.18	(0.02)	4,153	71	0.17
SET5001P2405A	0.13	120367	0.11	0.11	0.10	0.11	0.10	0.11	(0.02)	1,893	21	0.109
SET5001P2406A	0.34	120367	0.33	0.34	0.29	0.30	0.30	0.31	(0.04)	29,369	916	0.311
SET5001P2406F	0.33	120367	-	0.32	0.28	0.28	0.28	0.29	(0.05)	117,362	3,391	0.288
SET5001P2406T	0.33	120367	-	0.32	0.31	0.31	0.30	0.31	(0.02)	4,597	145	0.315
SET5006C2403A	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5006C2403B	0.01	120367	-	-	-	-	-	-	-	-	-	0
SET5006C2403C	0.03	120367	-	0.04	0.04	0.04	0.02	-	0.01	1	-	0.04
SET5006C2404A	0.26	120367	-	0.31	0.26	0.29	-	0.30	0.03	75,054	2,045	0.272
SET5006P2403A	0.11	120367	-	-	-	-	-	-	-	-	-	0
SET5006P2403C	0.04	120367	-	-	-	-	-	-	-	-	-	0
SET5006P2404A	0.27	120367	-	0.26	0.22	0.23	0.22	0.27	(0.04)	49,843	1,218	0.244
SET5013C2403A	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	2	-	0.01
SET5013C2403B	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403C	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403D	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403E	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403F	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403G	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403H	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	4,000	4	0.01
SET5013C2403I	0.02	120367	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	8,793	9	0.01
SET5013C2403J	0.01	120367	0.01	0.02	0.01	0.01	0.01	0.02	-	19,715	25	0.012
SET5013C2405A	0.77	120367	-	0.80	0.78	0.78	0.79	0.80	0.01	170	13	0.79
SET5013C2406A	0.26	120367	0.27	0.32	0.26	0.29	0.29	0.30	0.03	2,074,459	60,175	0.29
SET5013C2406B	0.31	120367	0.32	0.38	0.30	0.36	0.35	0.36	0.05	2,140,348	74,117	0.346
SET5013C2406C	0.20	120367	0.21	0.24	0.20	0.22	0.22	0.23	0.02	992,742	21,752	0.219
SET5013C2406D	0.44	120367	0.44	0.53	0.43	0.50	0.49	0.50	0.06	2,088,300	101,672	0.486
SET5013C2406E	0.66	120367	0.66	0.80	0.65	0.75	0.75	0.76	0.09	372,191	27,066	0.727
SET5013C2410A	0.20	120367	0.22	0.23	0.20	0.22	0.22	0.23	0.02	929,964	20,967	0.225

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET5013P2403A	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5013P2403B	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5013P2403C	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	1,506	2	0.01
SET5013P2403D	0.02	120367	-	-	-	-	-	0.01	-	-	-	0
SET5013P2403E	0.04	120367	-	0.03	0.02	0.02	0.02	0.03	(0.02)	132,612	369	0.027
SET5013P2403F	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	5	-	0.01
SET5013P2405A	1.13	120367	-	1.12	1.11	1.12	1.11	1.12	(0.01)	85	10	1.118
SET5013P2406A	0.25	120367	0.24	0.25	0.20	0.22	0.22	0.23	(0.03)	1,183,658	26,297	0.222
SET5013P2406B	0.32	120367	0.31	0.32	0.26	0.27	0.27	0.28	(0.05)	1,389,353	39,144	0.281
SET5013P2406C	0.43	120367	0.42	0.44	0.35	0.37	0.37	0.38	(0.06)	2,414,479	92,828	0.384
SET5013P2406D	0.57	120367	0.54	0.56	0.45	0.48	0.48	0.49	(0.09)	946,563	46,553	0.491
SET5019C2403A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2403B	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2403C	0.03	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2403D	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2403E	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2403F	0.04	120367	-	-	-	-	0.02	0.03	-	-	-	0
SET5019C2406A	0.12	120367	-	0.15	0.13	0.14	0.13	0.14	0.02	110,845	1,518	0.136
SET5019C2406B	0.12	120367	-	0.13	0.13	0.13	0.12	0.13	0.01	6	-	0.13
SET5019C2406C	0.18	120367	-	0.22	0.18	0.21	0.20	0.21	0.03	209,231	4,200	0.2
SET5019C2406E	0.21	120367	-	0.25	0.21	0.24	0.24	0.25	0.03	215,084	5,003	0.232
SET5019C2406F	0.42	120367	-	0.51	0.42	0.48	0.47	0.48	0.06	182,649	8,675	0.474
SET5019P2403A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019P2403B	0.04	120367	-	0.04	0.02	0.02	0.02	0.03	(0.02)	259	1	0.024
SET5019P2403C	0.04	120367	-	0.03	0.02	0.03	0.02	0.03	(0.01)	34	-	0.022
SET5019P2403D	0.04	120367	-	0.03	0.03	0.03	0.02	0.03	(0.01)	10,000	30	0.03
SET5019P2403E	0.10	120367	-	0.09	0.07	0.07	0.07	0.08	(0.03)	168,021	1,298	0.077
SET5019P2406A	0.40	120367	-	0.40	0.35	0.35	0.35	0.36	(0.05)	206,596	7,570	0.366
SET5019P2406B	0.27	120367	-	0.26	0.22	0.23	0.23	0.24	(0.04)	205,835	4,883	0.237
SET5019P2406C	0.20	120367	-	0.20	0.17	0.17	0.17	0.18	(0.03)	341,184	6,040	0.177
SET5027C2403A	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403B	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403C	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403D	0.05	120367	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403E	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403T	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5027C2406A	0.26	120367	0.27	0.34	0.27	0.31	0.30	0.31	0.05	193,524	5,853	0.302
SET5027C2406B	0.13	120367	-	0.17	0.13	0.15	0.15	0.16	0.02	119,299	1,768	0.148
SET5027C2406C	0.26	120367	-	0.32	0.25	0.30	0.29	0.30	0.04	239,979	7,151	0.297
SET5027C2406D	0.50	120367	0.51	0.63	0.49	0.56	0.56	0.58	0.06	103,305	5,860	0.567
SET5027C2406T	0.03	120367	-	0.03	0.02	0.03	0.02	0.03	-	2	-	0.025
SET5027P2409T	0.17	120367	-	0.19	0.17	0.18	0.18	0.19	0.01	52,050	960	0.184
SET5027P2403A	0.02	120367	-	-	-	-	-	0.01	-	-	-	0
SET5027P2403B	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5027P2403T	0.16	120367	-	-	-	-	0.04	0.05	-	-	-	0
SET5027P2406A	0.20	120367	0.19	0.19	0.16	0.17	0.17	0.18	(0.03)	89,220	1,509	0.169
SET5027P2406B	0.43	120367	-	0.42	0.34	0.36	0.36	0.37	(0.07)	189,986	7,018	0.369
SET5027P2406T	0.07	120367	0.07	0.07	0.06	0.06	0.06	0.07	(0.01)	7,492	45	0.06
SET5028C2403A	0.01	120367	-	-	-	-	-	0.01	-	-	-	0
SET5028C2403B	0.02	120367	-	-	-	-	-	0.02	-	-	-	0
SET5028C2403C	0.04	120367	-	-	-	-	-	0.04	-	-	-	0
SET5028C2403D	0.05	120367	-	0.08	0.05	0.07	0.06	0.07	0.02	50,448	382	0.075
SET5028C2406A	0.19	120367	-	0.22	0.19	0.21	0.21	0.22	0.02	403,412	8,564	0.212
SET5028C2409A	0.44	120367	-	0.50	0.45	0.48	0.47	0.48	0.04	764,128	36,463	0.477
SET5028P2403A	0.66	120367	-	0.63	0.51	0.54	0.54	0.56	(0.12)	1,839	101	0.549
SET5028P2403B	0.11	120367	-	0.10	0.07	0.09	0.08	0.09	(0.02)	1,048	8	0.08
SET5028P2406A	0.30	120367	-	0.30	0.27	0.28	0.27	0.28	(0.02)	326,530	9,112	0.279
SET5028P2409A	0.53	120367	-	0.53	0.50	0.51	0.50	0.51	(0.02)	238,374	12,119	0.508
SET5041C2403A	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403B	0.01	120367	-	0.01	0.01	0.01	0.01	0.02	-	19	-	0.01
SET5041C2403C	0.02	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403D	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403E	0.01	120367	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403F	0.01	120367	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2403G	0.02	120367	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2403H	0.04	120367	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2403I	0.05	120367	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2406A	0.08	120367	-	0.11	0.09	0.10	0.09	0.10	0.02	2,774	27	0.097
SET5041C2406B	0.30	120367	-	0.37	0.31	0.35	0.34	0.36	0.05	192,901	6,349	0.329
SET5041C2406C	0.16	120367	-	0.19	0.16	0.17	0.17	0.18	0.01	3,123	53	0.171
SET5041C2406D	0.17	120367	-	0.21	0.18	0.20	0.20	0.21	0.03	85,202	1,622	0.19
SET5041C2406E	0.40	120367	-	0.48	0.39	0.45	0.44	0.45	0.05	711,197	29,228	0.41
SET5041C2409A	0.22	120367	-	0.26	0.22	0.24	0.24	0.25	0.02	71,096	1,605	0.225
SET5041P2403A	0.12	120367	-	0.10	0.08	0.08	0.08	0.10	(0.04)	420	3	0.08
SET5041P2403B	0.07	120367	-	-	-	-	0.01	0.04	-	-	-	0
SET5041P2403C	0.02	120367	-	-	-	-	0.01	0.04	-	-	-	0
SET5041P2406A	0.49	120367	0.47	0.48	0.42	0.43	0.43	0.45	(0.06)	233,748	10,900	0.466
SET5041P2406B	0.47	120367	-	0.44	0.37	0.38	0.38	0.39	(0.09)	84,918	3,387	0.398
SET5041P2409A	0.49	120367	-	0.48	0.44	0.45	0.45	0.46	(0.04)	98,843	4,733	0.478
SPX28C2403A	1.52	120367	-	-	-	-	2.66	2.70	-	-	-	0
SPX28C2403B	0.44	120367	-	0.66	0.66	0.66	0.65	0.66	0.22	14	1	0.66
SPX28C2406A	1.10	120367	-	1.22	1.19	1.22	1.20	1.21	0.12	14	2	1.205
SPX28C2406B	0.57	120367	-	0.67	0.65	0.66	0.65	0.66	0.09	66	4	0.665
SPX28P2403A	0.04	120367	-	-	-	-	-	0.04	-	-	-	0
SPX28P2403B	0.04	120367	-	-	-	-	-	0.04	-	-	-	0
SPX28P2403C	0.04	120367	-	-	-	-	-	0.03	-	-	-	0
SPX28P2406A	0.13	120367	-	0.11	0.10	0.10	0.11	0.12	(0.03)	30	-	0.103
SPX28P2406B	0.22	120367	-	0.19	0.19	0.19	0.19	0.20	(0.03)	500	10	0.19
SPX41C2403A	2.44	120367	-	-	-	-	2.68	2.74	-	-	-	0
SPX41C2403B	0.74	120367	-	-	-	-	1.07	1.10	-	-	-	0
SPX41C2406A	1.18	120367	1.30	1.31	1.30	1.30	1.31	1.32	0.12	985	129	1.306
SPX41C2406B	0.46	120367	-	0.52	0.51	0.52	0.51	0.52	0.06	12	1	0.511
SPX41P2403A	0.01	120367	-	-	-	-	0.01	0.04	-	-	-	0

Main Board Quotation

Issue Date

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SPX41P2403B	0.01	120367	-	-	-	-	0.01	0.04	-	-	-	0
SPX41P2403C	0.01	120367	-	-	-	-	0.01	0.04	-	-	-	0
SPX41P2406A	0.14	120367	-	-	-	-	0.11	0.12	-	-	-	0
SPX41P2406B	0.25	120367	-	0.21	0.21	0.21	0.21	0.22	(0.04)	600	13	0.21
SUNNY28C2406A	0.04	120367	-	-	-	-	-	-	-	-	-	0
SUNNY28C2407A	0.21	120367	-	0.21	0.21	0.21	-	-	-	1,014	21	0.21
SUNNY28C2408A	0.43	120367	-	0.44	0.42	0.42	-	-	(0.01)	110,000	4,720	0.429
SUNNY41C2403A	0.09	120367	-	-	-	-	-	-	-	-	-	0
SUNNY41C2405A	0.09	120367	-	-	-	-	0.01	0.09	-	-	-	0
SUNNY41C2406A	0.44	120367	-	0.45	0.44	0.44	-	-	-	10,000	445	0.445
SUNNY41C2407A	0.50	120367	-	0.52	0.48	0.49	-	-	(0.01)	40,000	2,005	0.501
TENCEN28C2403A	0.01	120367	-	-	-	-	-	-	-	-	-	0
TENCEN28C2403B	0.04	120367	-	-	-	-	-	-	-	-	-	0
TENCEN28C2403C	0.02	120367	-	-	-	-	-	-	-	-	-	0
TENCEN28C2405A	0.11	120367	-	-	-	-	-	0.30	-	-	-	0
TENCEN28C2405B	0.31	120367	-	0.33	0.29	0.30	0.25	0.60	(0.01)	7,687	237	0.308
TENCEN28P2404A	0.08	120367	-	-	-	-	-	-	-	-	-	0
TENCEN41C2403A	0.10	120367	-	-	-	-	-	-	-	-	-	0
TENCEN41C2405A	0.08	120367	-	0.09	0.09	0.09	0.01	0.10	0.01	31	-	0.09
TENCEN41C2406A	0.27	120367	0.29	0.30	0.29	0.30	0.04	-	0.03	20,510	595	0.29
TENCEN41P2405A	0.43	120367	-	0.44	0.42	0.43	-	-	-	30,000	1,285	0.428
TRIPDC41C2403A	0.75	120367	-	-	-	-	0.08	-	-	-	-	0
TRIPDC41C2407A	0.54	120367	-	0.58	0.57	0.58	0.08	0.56	0.04	20,000	1,150	0.575
XIAOMI28C2403A	0.22	120367	-	-	-	-	-	-	-	-	-	0
XIAOMI28C2404A	0.01	120367	0.03	0.03	0.03	0.03	0.01	0.10	0.02	1	-	0.03
XIAOMI28C2407A	0.36	120367	0.37	0.38	0.35	0.35	0.15	0.44	(0.01)	31,031	1,118	0.36
XIAOMI41C2403A	0.11	120367	-	-	-	-	-	-	-	-	-	0
XIAOMI41C2404A	0.05	120367	-	-	-	-	0.01	-	-	-	-	0
XIAOMI41C2405A	0.30	120367	-	0.34	0.33	0.34	0.08	-	0.04	90	3	0.339
XIAOMI41C2406A	0.30	120367	0.30	0.31	0.29	0.31	0.09	0.44	0.01	50	1	0.298
XIAOMI41P2404A	0.14	120367	-	0.15	0.14	0.14	0.05	-	-	20,008	280	0.14
ZIJIN28C2403A	0.21	120367	-	0.30	0.25	0.29	-	-	0.08	85,000	2,415	0.284
ZIJIN28C2407A	0.75	120367	-	0.94	0.91	0.94	-	-	0.19	2,028	188	0.927
ZIJIN28C2408A	0.31	120367	-	0.37	0.34	0.36	0.01	-	0.05	21,294	749	0.351
ZIJIN41C2403A	0.34	120367	-	-	-	-	-	-	-	-	-	0
ZIJIN41C2407A	0.40	120367	-	0.44	0.44	0.44	0.08	-	0.04	10,005	440	0.44

Page 28

Page 29

Main Board Quotation

Issue Date Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Foreign Board Quotation

Issue Date : Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
Agro & Food Indt	-	0	-	-	-	-	-	-	-	-	-	-
AU	8.80	120367	8.80	9.10	8.75	9.10	9.05	9.10	0.30	32,808.00	29,387.00	00 8.9
JCKH	0.03	120367	0.04	0.04	0.03	0.04	0.03	0.04	0.01	30,983.00	99.00	00 0.0
JCKH-W1	0.01	120367	-	-	-	-	-	0.01	-	-	-	00 0.0
JCKH-W2	0.01	120367	0.02	0.02	0.02	0.02	0.01	0.02	0.01	1.00	-	00 0.0
KASET	1.27	120367	-	1.27	1.20	1.24	1.24	1.26	(0.03)	349.00	43.00	00 1.2
MUD	1.79	120367	-	1.79	1.78	1.79	1.75	1.79	-	220.00	39.00	00 1.7
NTSC	15.80	120367	-	16.00	15.50	16.00	15.50	15.90	0.20	39.00	61.00	00 15.6
TACC	4.82	120367	4.82	4.88	4.76	4.80	4.80	4.82	(0.02)	15,312.00	7,396.00	00 4.8
TMILL	3.86	120367	3.76	3.86	3.76	3.76	3.76	3.90	(0.10)	264.00	101.00	00 3.8
WINNER	2.20	120367	2.22	2.22	2.18	2.18	2.18	2.20	(0.02)	1,598.00	349.00	00 2.1
XO	26.25	120367	26.50	27.25	26.25	27.00	26.75	27.00	0.75	81,078.00	216,931.00	00 26.7
Consumer Produ	-	0	-	-	-	-	-	-	-	-	-	-
ALPHAX	0.50	120367	0.51	0.57	0.50	0.55	0.55	0.56	0.05	295,975.00	16,009.00	00 0.5
BGT	0.79	120367	-	0.80	0.75	0.78	0.78	0.79	(0.01)	2,305.00	179.00	00 0.7
DOD	3.30	120367	3.28	3.30	3.24	3.30	3.28	3.30	-	1,892.00	618.00	00 3.2
ECF	0.97	120367	0.97	0.98	0.96	0.97	0.96	0.97	-	9,968.00	958.00	00 0.9
ECF-W4	0.01	120367	0.01	0.01	0.01	0.01	-	0.01	-	4,700.00	5.00	00 0.0
EFORL	0.22	120367	0.21	0.22	0.21	0.21	0.21	0.22	(0.01)	16,889.00	355.00	00 0.2
EFORL-W6	0.04	120367	-	0.04	0.04	0.04	0.04	0.05	-	662.00	3.00	00 0.0
EURO	7.30	120367	7.35	7.50	7.30	7.35	7.35	7.40	0.05	14,406.00	10,636.00	00 7.3
HPT	0.64	120367	0.65	0.68	0.64	0.68	0.67	0.68	0.04	82,212.00	5,486.00	00 0.6
IP	8.35	120367	8.35	8.55	8.30	8.35	8.35	8.40	-	1,668.00	1,405.00	00 8.4
IP-W2	0.41	120367	0.42	0.43	0.41	0.41	0.41	0.42	-	7,106.00	294.00	00 0.4
ITTHI	2.12	120367	2.14	2.18	2.10	2.12	2.12	2.14	-	28,122.00	6,011.00	00 2.1
JSP	2.22	120367	2.26	2.26	2.18	2.24	2.22	2.24	0.02	1,422.00	316.00	00 2.2
JSP-W1	0.14	120367	-	0.16	0.14	0.15	0.14	0.15	0.01	4,676.00	70.00	00 0.1
JUBILE	16.20	120367	16.20	16.30	16.20	16.30	16.20	16.30	0.10	548.00	888.00	00 16.2
MGI	43.50	120367	44.25	45.00	41.50	42.50	42.50	42.75	(1.00)	21,771.00	94,131.00	00 43.2
MOONG	2.18	120367	2.18	2.24	2.18	2.20	2.20	2.22	0.02	285.00	63.00	00 2.2
NPK	17.00	120367	16.90	16.90	15.80	16.50	16.30	16.70	(0.50)	50.00	82.00	00 16.4
SMD	6.90	120367	6.80	6.85	6.80	6.85	6.80	6.85	(0.05)	1,535.00	1,047.00	00 6.8
TM	1.91	120367	-	1.92	1.90	1.91	1.90	1.91	-	167.00	32.00	00 1.9
TM-W1	0.19	120367	0.17	0.18	0.17	0.17	0.17	0.18	(0.02)	282.00	5.00	00 0.1
WARRIX	5.45	120367	5.45	5.50	5.35	5.50	5.50	5.55	0.05	14,718.00	8,034.00	00 5.4
WINMED	2.90	120367	2.90	2.92	2.86	2.86	2.86	2.90	(0.04)	962.00	277.00	00 2.8
Financials	-	0	-	-	-	-	-	-	-	-	-	-
ACAP	0.33	120367	-	-	-	-	-	-	-	-	-	00 0.0
AF	0.80	120367	-	0.81	0.78	0.81	0.77	0.81	0.01	15.00	1.00	00 0.8
AIRA	1.74	120367	-	1.74	1.74	1.74	1.73	1.74	-	2.00	-	00 1.7
ASN	1.90	120367	-	1.90	1.78	1.78	1.78	1.90	(0.12)	53.00	9.00	00 1.7
BROOK	0.66	120367	0.65	0.67	0.65	0.66	0.65	0.66	-	545,106.00	35,905.00	00 0.6
BROOK-W6	0.14	120367	0.14	0.14	0.12	0.13	0.12	0.13	(0.01)	51,015.00	664.00	00 0.1
BROOK-W7	0.30	120367	0.31	0.31	0.29	0.30	0.30	0.31	-	9,759.00	294.00	00 0.3
GCAP	0.49	120367	0.51	0.52	0.50	0.51	0.50	0.51	0.02	23,799.00	1,197.00	00 0.5
KCC	3.24	120367	-	3.26	3.18	3.26	3.24	3.26	0.02	5,301.00	1,701.00	00 3.2
LIT	0.96	120367	-	0.98	0.96	0.96	0.96	0.97	-	2,013.00	195.00	00 0.9
LIT-W2	0.13	120367	-	0.13	0.13	0.13	0.12	0.13	-	365.00	5.00	00 0.1
MITSIIB	0.83	120367	0.84	0.85	0.83	0.83	0.83	0.84	-	1,021.00	85.00	00 0.8
SGF	0.39	120367	0.40	0.40	0.39	0.39	0.39	0.40	-	3,752.00	146.00	00 0.3
SGF-P1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
SGF-Q1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
TQR	7.10	120367	7.15	7.25	7.10	7.20	7.20	7.25	0.10	439.00	318.00	00 7.2
Industrials	-	0	-	-	-	-	-	-	-	-	-	-
ADB	0.93	120367	0.93	0.93	0.92	0.92	0.92	0.93	(0.01)	890.00	82.00	00 0.9
BM	2.88	120367	2.88	2.90	2.86	2.88	2.86	2.88	-	2,219.00	636.00	00 2.8
BM-W3	1.60	120367	-	1.60	1.51	1.60	1.51	1.60	-	10.00	2.00	00 1.5
CHO	0.16	120367	0.15	0.16	0.14	0.15	0.14	0.15	(0.01)	119,547.00	1,758.00	00 0.1
CHO-W3	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	691.00	1.00	00 0.0
CHOW	1.70	120367	1.69	1.73	1.68	1.72	1.72	1.74	0.02	2,643.00	451.00	00 1.7
CIG	0.08	120367	0.08	0.09	0.07	0.08	0.07	0.08	-	69,876.00	559.00	00 0.0
CIG-W10	0.05	120367	-	-	-	-	0.04	0.07	-	-	-	00 0.0
CIG-W9	0.05	120367	-	0.05	0.04	0.05	0.04	0.05	-	4,305.00	22.00	00 0.0
COLOR	1.32	120367	-	-	-	-	1.33	1.35	-	-	-	00 0.0
COLOR-W2	0.01	120367	-	0.02	0.01	0.02	-	0.02	0.01	305.00	-	00 0.0
CPR	4.06	120367	4.06	4.06	4.04	4.06	4.04	4.06	-	126.00	51.00	00 4.0
FPI	2.44	120367	2.44	2.44	2.32	2.38	2.38	2.40	(0.06)	4,626.00	1,092.00	00 2.3
GTB	0.71	120367	-	0.72	0.71	0.71	0.71	0.72	-	284.00	20.00	00 0.7
KCM	0.38	120367	0.38	0.40	0.38	0.38	0.38	0.39	-	9,466.00	363.00	00 0.3
KJL	7.60	120367	7.70	7.80	7.65	7.65	7.65	7.75	0.05	2,590.00	1,995.00	00 7.7
KUMWEL	1.80	120367	1.75	1.84	1.75	1.84	1.78	1.84	0.04	1,269.00	230.00	00 1.8
KWM	1.56	120367	1.57	1.65	1.55	1.55	1.55	1.58	(0.01)	56,234.00	9,024.00	00 1.6
MBAX	3.00	120367	3.00	3.00	2.96	3.00	2.96	3.00	-	397.00	118.00	00 2.9
MBAX-W2	0.19	120367	-	0.17	0.14	0.16	0.15	0.16	(0.03)	6,734.00	105.00	00 0.1
MGT	2.60	120367	2.58	2.66	2.58	2.66	2.60	2.66	0.06	1,478.00	390.00	00 2.6
MTW	2.58	120367	2.56	2.66	2.54	2.54	2.54	2.56	(0.04)	40,100.00	10,425.00	00 2.5
NDR	1.20	120367	-	1.26	1.19	1.26	1.25	1.26	0.06	724.00	90.00	00 1.2
NDR-W2	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	66.00	-	00 0.0
PACO	1.81	120367	1.82	1.82	1.77	1.82	1.81	1.82	0.01	5,946.00	1,060.00	00 1.7
PACO-W1	0.23	120367	0.23	0.23	0.21	0.23	0.20	0.23	-	1,058.00	24.00	00 0.2
PDG	2.50	120367	2.52	2.52	2.46	2.48	2.48	2.50	(0.02)	59.00	15.00	00 2.4
PIMO	1.52	120367	1.51	1.54	1.50	1.51	1.51	1.52	(0.01)			

Foreign Board Quotation

Issue Date : Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
A5	3.14	120367	3.16	3.22	3.12	3.18	3.14	3.18	0.04	19,182.00	6,074.00	00 3.1
A5-W2	0.03	120367	-	0.04	0.03	0.03	0.02	0.03	-	3,802.00	11.00	00 0.0
A5-W3	0.06	120367	-	0.07	0.06	0.07	0.06	0.07	0.01	2,724.00	19.00	00 0.0
ALL	0.03	120367	-	-	-	-	-	-	-	-	-	00 0.0
ARIN	3.10	120367	-	3.14	3.10	3.12	3.04	3.12	0.02	85.00	26.00	00 3.1
ARROW	6.40	120367	-	6.55	6.30	6.55	6.35	6.50	0.15	117.00	75.00	00 6.3
BC	1.32	120367	1.32	1.39	1.32	1.32	1.31	1.32	-	1,656.00	219.00	00 1.3
BLESS	0.61	120367	0.64	0.69	0.61	0.63	0.63	0.64	0.02	69,065.00	4,511.00	00 0.6
BSM	2.58	120367	-	2.58	2.50	2.58	2.56	2.58	-	567.00	143.00	00 2.5
BTW	0.29	120367	0.29	0.30	0.28	0.29	0.28	0.29	-	11,535.00	335.00	00 0.2
CAZ	3.60	120367	3.58	3.62	3.58	3.60	3.58	3.60	-	805.00	290.00	00 3.5
CHEWA	0.51	120367	-	0.51	0.50	0.51	0.50	0.51	-	475.00	24.00	00 0.5
CPANEL	6.10	120367	-	6.10	6.10	6.10	6.10	6.15	-	344.00	210.00	00 6.1
CPANEL-W1	1.95	120367	-	1.98	1.97	1.98	1.74	1.98	0.03	4.00	1.00	00 1.9
CRD	0.50	120367	-	0.51	0.48	0.50	0.49	0.50	-	1,849.00	92.00	00 0.4
DHOUSE	0.60	120367	0.61	0.61	0.59	0.60	0.59	0.60	-	598.00	36.00	00 0.5
DIMET	0.26	120367	0.25	0.26	0.24	0.26	0.25	0.26	-	68,615.00	1,696.00	00 0.2
DPAINT	2.56	120367	-	2.58	2.54	2.58	2.56	2.58	0.02	2,079.00	532.00	00 2.5
FLOYD	1.22	120367	1.22	1.25	1.20	1.23	1.21	1.23	0.01	997.00	123.00	00 1.2
FLOYD-W1	0.03	120367	0.02	0.03	0.02	0.02	0.02	0.03	(0.01)	4,554.00	11.00	00 0.0
HYDRO	0.28	120367	0.27	0.30	0.27	0.28	0.27	0.28	-	1,558.00	42.00	00 0.2
HYDRO-W2	0.05	120367	-	0.05	0.04	0.05	0.03	0.05	-	10,022.00	40.00	00 0.0
IND	0.95	120367	0.95	1.05	0.94	0.98	0.98	0.99	0.03	78,879.00	7,912.00	00 1.0
JAK	1.30	120367	1.26	1.33	1.23	1.26	1.26	1.29	(0.04)	993.00	125.00	00 1.2
K	1.28	120367	1.28	1.28	1.24	1.28	1.27	1.28	-	1,155.00	146.00	00 1.2
K-W2	0.37	120367	-	0.39	0.36	0.38	0.38	0.39	0.01	5,318.00	205.00	00 0.3
KUN	1.62	120367	-	1.64	1.60	1.62	1.59	1.62	-	55.00	9.00	00 1.6
KUN-W1	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	1.00	-	00 0.0
KUN-W2	0.08	120367	-	0.08	0.07	0.08	0.07	0.08	-	3,992.00	28.00	00 0.0
META	0.15	120367	0.15	0.16	0.14	0.15	0.15	0.16	-	92,926.00	1,394.00	00 0.1
META-W7	0.01	120367	-	0.01	0.01	0.01	-	0.01	-	227.00	-	00 0.0
PANEL	2.68	120367	2.70	2.74	2.60	2.64	2.62	2.64	(0.04)	49,558.00	13,213.00	00 2.6
PPS	0.48	120367	0.49	0.49	0.46	0.47	0.46	0.47	(0.01)	31,149.00	1,474.00	00 0.4
PRI	19.10	120367	18.70	18.80	17.70	17.80	17.80	17.90	(1.30)	22,707.00	41,349.00	00 18.2
PROS	1.54	120367	1.69	1.88	1.67	1.77	1.76	1.77	0.23	545,574.00	96,918.00	00 1.7
PROS-W1	0.60	120367	0.59	0.61	0.48	0.49	0.49	0.50	(0.11)	504,760.00	27,680.00	00 0.5
PROUD	1.70	120367	1.70	1.74	1.68	1.70	1.70	1.71	-	1,808.00	309.00	00 1.7
PSG	0.69	120367	0.70	0.72	0.69	0.70	0.69	0.70	0.01	233,557.00	16,332.00	00 0.6
SENX	0.68	120367	0.75	0.75	0.63	0.64	0.64	0.65	(0.04)	185,862.00	12,867.00	00 0.6
SENX-W1	0.02	120367	0.01	0.02	0.01	0.01	0.01	0.02	(0.01)	29,617.00	52.00	00 0.0
SK	0.89	120367	0.89	0.93	0.88	0.89	0.89	0.90	-	58,899.00	5,289.00	00 0.8
SMART	1.06	120367	1.06	1.07	1.02	1.04	1.03	1.04	(0.02)	159,113.00	16,502.00	00 1.0
STC	0.66	120367	-	0.66	0.63	0.65	0.65	0.66	(0.01)	1,197.00	76.00	00 0.6
SVR	1.49	120367	1.48	1.50	1.48	1.49	1.49	1.50	-	2,367.00	352.00	00 1.4
TAPAC	1.50	120367	-	-	-	-	-	-	-	-	-	00 0.0
THANA	1.75	120367	1.75	1.85	1.72	1.76	1.76	1.79	0.01	21,371.00	3,840.00	00 1.7
TIGER	0.96	120367	0.94	0.98	0.94	0.96	0.95	0.96	-	2,855.00	271.00	00 0.9
TITLE	4.24	120367	4.24	4.24	4.18	4.24	4.22	4.24	-	344.00	145.00	00 4.2
YONG	2.08	120367	2.08	2.10	2.06	2.06	2.06	2.08	(0.02)	9,592.00	1,993.00	00 2.0
Resources	-	0	-	-	-	-	-	-	-	-	-	-
ABM	1.36	120367	1.47	1.47	1.35	1.38	1.37	1.38	0.02	570.00	83.00	00 1.4
ABM-W1	0.16	120367	-	0.17	0.12	0.16	0.12	0.16	-	107.00	1.00	00 0.1
GTV	0.13	120367	0.13	0.14	0.13	0.14	0.13	0.14	0.01	124,329.00	1,647.00	00 0.1
PSTC	0.51	120367	0.50	0.51	0.49	0.50	0.50	0.51	(0.01)	95,318.00	4,764.00	00 0.4
PSTC-W2	0.05	120367	0.05	0.06	0.05	0.05	0.05	0.06	-	17,109.00	86.00	00 0.0
PTC	2.02	120367	2.02	2.02	1.98	1.98	1.98	1.99	(0.04)	1,152.00	229.00	00 1.9
SAAM	7.70	120367	7.75	7.85	7.55	7.75	7.70	7.75	0.05	5,316.00	4,116.00	00 7.7
SAAM-W2	0.14	120367	-	0.17	0.14	0.15	0.14	0.15	0.01	879.00	14.00	00 0.1
SR	0.62	120367	-	0.67	0.58	0.67	0.67	0.68	0.05	2,250.00	139.00	00 0.6
STOWER	0.11	120367	0.11	0.11	0.10	0.11	0.10	0.11	-	86,784.00	955.00	00 0.1
STOWER-W4	0.01	120367	-	-	-	-	-	0.01	-	-	-	00 0.0
TAKUNI	1.28	120367	1.29	1.29	1.27	1.27	1.27	1.28	(0.01)	19,701.00	2,515.00	00 1.2
TPCH	7.00	120367	7.10	7.85	7.00	7.65	7.65	7.70	0.65	26,446.00	19,959.00	00 7.5
TRT	2.90	120367	-	2.96	2.90	2.92	2.90	2.92	0.02	1,641.00	481.00	00 2.9
UMS	0.60	120367	0.56	0.5								

Foreign Board Quotation

Issue Date : Wednesday March 13, 2024

Page 10

Foreign Board Quotation

Issue Date :

Wednesday March 13, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-