

Asia Plus Securities Company Limited Daily Quotation Report

Monday August 19, 2024

NOTE :

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
KBANK	138.50	47,887	3.7%
BBL	134.00	27,085	2.7%
SCB	106.50	18,535	2.9%
CPALL	57.00	15,736	2.2%
EA	4.92	15,097	16.0%
AOT	58.00	14,997	2.7%
BDMS	26.25	14,191	0.0%
PTT	34.50	13,781	0.7%
DELTA	103.00	12,163	-1.0%
ADVANC	241.00	11,842	0.0%

Gainers and Losers	
Gainers	416
Losers	112
Unchanged	130

Volume by Board (Lot)	
Main Board	10,701,178,718
Foreign Board	20,556
Total	10,701,199,274

Value by Board (Mn.Bt.)	
Main Board	62,188.56
Foreign Board	170.04
Total	62,358.60

Top Ten Gainers		
Stock	Last	Value '000
VGI13C2409A	0.05	0
VGI41C2409A	0.24	315
SET5028C2409A	0.04	0
VGI01C2409A	0.12	122
VGI19C2410A	0.45	6,294
VGI13C2410A	0.54	98
SAWAD19C2411A	0.11	326
JMT01C2411W	0.24	1
VGI01C2410A	0.52	1,558
VGI41C2411A	1.01	1,709

Top Ten Losers		
Stock	Last	Value '000
SET5028P2409B	0.01	4
WHA01C2501A	0.19	489
COM701P2410W	0.02	1
TRUE11C2501A	0.20	113
SET5013P2409C	0.01	70
SET5019P2412B	0.26	4,779
CPALL11C2412A	0.27	586
DELTA11C2501A	0.27	207
IVL01P2501W	0.27	2,678
SET01P2412A	0.29	131

Movements in SET and Sectorial Indices						
	Open	High	Low	Close	Change	%Change
.SET	1,305.89	1,323.38	1,302.97	1,323.38	20.38	1.56
.SET50	826.78	837.88	824.11	817.41	13.30	1.65
.SET100	1,796.37	1,821.10	1,791.20	1,782.00	30.14	1.72
.SETHD	1,098.86	1,115.21	1,094.16	1,115.21	18.83	1.72
.MAI	764.19	776.59	763.46	321.92	5.25	1.66
.AGRI	208.49	209.76	206.78	208.60	(0.37)	(0.18)
.BANK	354.88	364.80	353.67	364.68	11.30	3.20
.CONMAT	5,861.50	5,954.11	5,830.33	5,937.87	133.98	2.31
.PETRO	512.25	523.58	509.07	519.87	12.14	2.39
.COMM	27,420.25	27,996.00	27,284.32	27,969.14	706.27	2.59
.ICT	172.89	174.85	172.27	174.55	1.15	0.66
.ETRON	12,333.60	12,511.57	12,235.72	12,300.50	(90.90)	(0.73)
.ENERG	18,278.92	18,454.76	18,175.58	18,439.01	234.18	1.29
.MEDIA	26.40	27.58	26.28	27.44	1.18	4.49
.FIN	2,507.99	2,620.56	2,493.13	2,614.93	134.49	5.42
.FOOD	11,003.39	11,057.24	10,965.59	11,002.22	(1.22)	(0.01)
.HELTH	6,127.05	6,192.15	6,104.94	6,169.72	20.54	0.33
.TOURISM	459.54	482.25	458.48	477.19	19.44	4.25
.HOME	17.42	17.69	17.42	17.69	0.27	1.55
.INSUR	7,488.59	7,657.74	7,475.72	7,622.01	108.25	1.44
.MINE	-	-	-	-	-	-
.PKG	2,641.39	2,686.74	2,608.07	2,655.68	30.01	1.14
.PERSON	96.65	99.01	96.58	98.39	1.43	1.47
.PROF	319.33	322.76	312.50	315.08	(5.83)	(1.82)
.PROP	190.53	194.29	189.42	193.94	3.97	2.09
.PAPER	3,066.31	3,122.58	3,066.31	3,094.44	-	-
.FASHION	586.84	593.97	586.84	592.93	7.39	1.26
.TRANS	279.11	286.00	277.20	284.56	6.52	2.34
.AUTO	317.11	320.21	316.38	320.21	4.10	1.30
.IMM	19.85	19.87	19.70	19.79	0.04	0.20
.PFUND	148.43	148.53	147.70	125.12	(0.02)	(0.02)
.STEEL	20.93	21.10	20.76	21.07	0.18	0.86

ASP's Daily Quotation Report

Monday August 19, 2024



Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SAFARI	2.40	160867	-	-	-	-	-	-	-	-	-	0
WORLD	2.10	160867	-	-	-	-	-	-	-	-	-	0
Agribusiness												
EE	0.12	160867	0.12	0.13	0.12	0.13	0.12	0.13	0.01	6,254	80	0.127
EE-W1	0.01	160867	0.01	0.01	0.01	0.01	-	0.01	-	25	-	0.01
GFPT	12.80	160867	12.90	13.00	12.50	12.50	12.50	12.70	(0.30)	36,998	46,922	12.682
LEE	2.38	160867	-	2.44	2.38	2.44	2.40	2.44	0.06	1,918	463	2.412
NER	4.90	160867	4.90	4.92	4.86	4.90	4.88	4.90	-	29,187	14,263	4.886
NER-W2	0.72	160867	0.72	0.75	0.72	0.73	0.73	0.74	0.01	16,880	1,237	0.733
PPPM	0.23	160867	0.22	0.24	0.22	0.24	0.23	0.24	0.01	29,304	665	0.227
STA	20.80	160867	20.70	21.00	20.30	20.80	20.80	20.90	-	91,480	189,158	20.677
STA01C2409A	0.19	160867	-	0.18	0.15	0.18	0.17	0.18	(0.01)	38	1	0.153
STA01C2410A	0.06	160867	-	0.05	0.05	0.05	0.05	0.06	(0.01)	3,000	15	0.05
STA01C2411A	0.24	160867	-	0.25	0.22	0.24	0.24	0.25	-	11,671	277	0.237
STA01C2412A	0.52	160867	0.53	0.55	0.48	0.53	0.53	0.54	0.01	6,356	330	0.518
STA01P2410X	0.27	160867	-	0.29	0.25	0.25	0.25	0.26	(0.02)	15,046	395	0.262
STA06C2408A	0.10	160867	-	-	-	-	-	-	-	-	-	0
STA06C2409A	0.08	160867	-	-	-	-	-	-	-	-	-	0
STA13C2409A	0.28	160867	-	0.28	0.21	0.25	0.25	0.26	(0.03)	30,269	721	0.238
STA13C2410A	0.06	160867	-	-	-	-	0.06	0.07	-	-	-	0
STA13C2411A	0.19	160867	-	0.18	0.16	0.18	0.18	0.19	(0.01)	24,780	423	0.17
STA13C2412A	0.38	160867	-	0.39	0.34	0.37	0.37	0.38	(0.01)	71,960	2,586	0.359
STA13P2410A	0.24	160867	0.23	0.25	0.22	0.23	0.23	0.24	(0.01)	30,108	708	0.235
STA19C2409A	0.22	160867	-	0.21	0.16	0.19	0.19	0.20	(0.03)	77,850	1,493	0.191
STA19C2410A	0.09	160867	-	0.09	0.09	0.09	0.09	0.10	-	28	-	0.09
STA19C2411A	0.22	160867	-	0.21	0.19	0.21	0.21	0.22	(0.01)	12,563	254	0.202
STA19C2412A	0.46	160867	-	0.46	0.41	0.46	0.45	0.46	-	44,651	1,972	0.441
STA19P2410A	0.33	160867	-	0.35	0.30	0.32	0.32	0.33	(0.01)	58,774	1,913	0.325
TEGH	3.42	160867	3.44	3.46	3.32	3.38	3.38	3.40	(0.04)	43,629	14,745	3.379
TFM	8.25	160867	7.90	8.50	7.90	8.50	8.50	8.65	0.25	3,372	2,731	8.098
TRUBB	1.08	160867	1.09	1.11	1.09	1.11	1.10	1.11	0.03	7,205	793	1.1
TRUBB-W2	0.01	160867	-	0.01	0.01	0.01	-	0.01	-	4	-	0.01
UPOIC	6.45	160867	-	6.50	6.45	6.45	6.45	6.50	-	144	93	6.451
UVAN	8.70	160867	8.70	8.70	8.60	8.70	8.65	8.70	-	5,595	4,855	8.676
VPO	0.53	160867	0.53	0.55	0.51	0.54	0.53	0.54	0.01	14,378	761	0.529
Banking												
BAY	22.40	160867	22.50	23.90	22.40	23.90	23.90	24.00	1.50	10,580	24,767	23.409
BBL	130.50	160867	131.50	134.50	130.50	134.00	133.50	134.00	3.50	203,190	2,708,469	133.297
BBL11C2409A	0.14	160867	-	-	-	-	0.07	0.08	-	-	-	0
BBL13C2410A	0.03	160867	-	-	-	-	0.05	0.06	-	-	-	0
BBL13C2412A	0.16	160867	0.17	0.21	0.17	0.20	0.20	0.21	0.04	57,605	1,117	0.193
BBL13P2412A	0.31	160867	-	0.29	0.25	0.25	0.25	0.26	(0.06)	33,224	888	0.267
BBL19C2410A	0.08	160867	-	-	-	-	0.04	0.05	-	-	-	0
BBL19C2411A	0.12	160867	-	0.15	0.15	0.15	0.15	0.16	0.03	5,498	82	0.15
BBL41C2412A	0.14	160867	-	0.17	0.14	0.17	0.17	0.18	0.03	27,100	448	0.165
CIMBT	0.45	160867	0.45	0.49	0.45	0.47	0.47	0.48	0.02	9,984	472	0.472
CREDIT	17.00	160867	-	17.10	16.80	16.90	16.70	16.90	(0.10)	408	689	16.88
KBANK	133.50	160867	134.00	138.50	133.00	138.50	138.00	138.50	5.00	349,601	4,788,672	136.975
KBANK01C2409A	0.05	160867	-	0.09	0.06	0.09	0.10	0.11	0.04	11,658	92	0.079
KBANK01C2412A	0.36	160867	-	0.48	0.36	0.48	0.48	0.49	0.12	85,781	3,809	0.443
KBANK01P2409X	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
KBANK01P2410X	0.11	160867	-	-	-	-	0.06	0.07	-	-	-	0
KBANK01P2412X	0.45	160867	-	0.45	0.36	0.36	0.36	0.37	(0.09)	18,031	693	0.384
KBANK13C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
KBANK13C2411A	0.21	160867	0.21	0.29	0.20	0.29	0.28	0.29	0.08	158,304	4,067	0.256
KBANK13C2412A	0.31	160867	-	0.41	0.30	0.41	0.41	0.43	0.10	35,869	1,241	0.346
KBANK13P2409A	0.01	160867	-	0.02	0.02	0.02	0.01	0.02	0.01	1	-	0.02
KBANK13P2410A	0.06	160867	-	-	-	-	0.03	0.04	-	-	-	0
KBANK13P2412A	0.28	160867	-	0.27	0.21	0.21	0.20	0.21	(0.07)	19,300	430	0.222
KBANK19C2409A	0.08	160867	-	-	-	-	0.01	0.02	-	-	-	0
KBANK19C2410A	0.12	160867	-	-	-	-	0.08	0.09	-	-	-	0
KBANK19C2411A	0.21	160867	-	0.30	0.20	0.30	0.29	0.30	0.09	88,710	2,300	0.259
KBANK19P2410A	0.07	160867	-	-	-	-	0.02	0.03	-	-	-	0
KBANK19P2501A	0.28	160867	-	0.25	0.21	0.21	0.21	0.22	(0.07)	29,006	652	0.224
KBANK41C2501A	0.30	160867	-	0.40	0.30	0.40	0.40	0.41	0.10	58,504	2,067	0.353
KBANK41C2604T	0.60	160867	0.65	0.66	0.60	0.66	0.66	0.67	0.06	61,338	3,937	0.641
KKP	39.75	160867	39.75	42.25	39.75	41.75	41.50	41.75	2.00	46,449	191,722	41.275
KKP-W6	1.00	160867	1.01	1.14	1.01	1.10	1.08	1.10	0.10	10,348	1,086	1.049
KKP13C2412A	0.06	160867	-	0.08	0.07	0.08	0.08	0.09	0.02	922	7	0.074
KKP13C2412B	0.27	160867	-	0.36	0.28	0.34	0.34	0.35	0.07	74,982	2,452	0.327
KKP19C2411A	0.02	160867	-	-	-	-	0.03	0.04	-	-	-	0
KTB	18.10	160867	18.30	18.60	18.10	18.40	18.40	18.50	0.30	444,074	817,617	18.411
KTB-P	153.00	160867	-	-	-	-	-	-	-	-	-	0
KTB-Q	-	101743	-	-	-	-	-	-	-	-	-	0
KTB01C2409A	0.12	160867	-	0.15	0.12	0.14	0.14	0.16	0.02	18,954	258	0.136
KTB01C2501A	0.29	160867	-	0.32	0.29	0.31	0.31	0.32	0.02	20,091	614	0.305
KTB11C2408A	0.09	160867	-	-	-	-	0.03	0.04	-	-	-	0
KTB11C2412A	0.23	160867	0.24	0.26	0.23	0.25	0.24	0.25	0.02	25,350	612	0.241
KTB13C2412A	0.23	160867	-	0.26	0.23	0.25	0.25	0.26	0.02	65,468	1,617	0.246
KTB19C2410A	0.12	160867	-	0.14	0.12	0.13	0.13	0.14	0.01	92,285	1,212	0.131
LHFG	0.75	160867	0.76	0.83	0.75	0.83	0.82	0.83	0.08	120,011	9,535	0.794
SCB	103.50	160867	103.50	106.50	103.50	106.50	106.00	106.50	3.00	175,860	1,853,478	105.395
SCB01C2412A	0.17	160867	0.17	0.21	0.17	0.21	0.21	0.22	0.04	62,355	1,226	0.196
SCB01P2410X	0.09	160867	-									

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CCP	0.25	160867	0.25	0.26	0.25	0.25	0.25	0.26	-	10,745	269	0.25
DCC	1.96	160867	1.94	1.96	1.94	1.96	1.95	1.96	-	11,996	2,343	1.953
DCON	0.31	160867	0.31	0.32	0.31	0.32	0.31	0.32	0.01	8,463	264	0.311
DCON-W3	0.01	160867	0.01	0.02	0.01	0.02	0.01	0.02	0.01	32,912	66	0.019
DRT	7.90	160867	7.95	8.00	7.90	8.00	7.95	8.00	0.10	1,385	1,101	7.949
EPG	4.04	160867	4.04	4.22	4.02	4.22	4.18	4.22	0.18	46,927	19,522	4.16
GEL	0.09	160867	0.09	0.09	0.08	0.09	0.08	0.09	-	61,993	557	0.089
GEL-W5	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
PPP	1.40	160867	-	1.40	1.39	1.40	1.36	1.40	-	65	9	1.399
Q-CON	8.50	160867	8.50	9.00	8.50	8.85	8.85	8.95	0.35	6,927	6,123	8.839
SCC	205.00	160867	206.00	209.00	204.00	208.00	207.00	209.00	3.00	14,423	298,870	207.217
SCC01C2412A	0.05	160867	-	0.05	0.05	0.05	0.05	0.06	-	205	1	0.05
SCC01C2502A	1.00	160867	-	0.42	0.39	0.42	0.42	0.44	(0.58)	11,442	470	0.41
SCC11C2408A	0.01	160867	-	-	-	-	0.01	0.03	-	-	-	0
SCC13C2410A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
SCC19C2410A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
SCC19C2411A	0.03	160867	-	0.05	0.04	0.04	0.04	0.05	0.01	232	1	0.04
SCCC	143.50	160867	155.50	158.00	154.50	157.50	157.50	158.00	14.00	40,868	640,183	156.646
SCGD	6.65	160867	6.65	6.90	6.65	6.85	6.85	6.90	0.20	3,260	2,227	6.832
SCP	6.50	160867	6.40	6.40	6.25	6.30	6.30	6.35	(0.20)	1,507	948	6.292
SKN	5.85	160867	5.80	5.80	5.50	5.70	5.70	5.80	(0.15)	4,651	2,635	5.664
STECH	1.23	160867	1.21	1.22	1.20	1.21	1.19	1.21	(0.02)	2,686	325	1.208
TASCO	16.20	160867	16.10	16.20	15.90	16.10	16.10	16.20	(0.10)	29,161	46,809	16.051
TASCO19C2411A	0.15	160867	0.15	0.15	0.13	0.14	0.14	0.15	(0.01)	11,847	159	0.134
TOA	17.00	160867	17.00	17.40	17.00	17.30	17.20	17.30	0.30	13,146	22,720	17.282
TPIPL	1.15	160867	1.15	1.20	1.15	1.20	1.20	1.21	0.05	111,396	13,169	1.182
UMI	0.71	160867	0.73	0.73	0.69	0.70	0.70	0.72	(0.01)	1,386	98	0.706
VNG	3.48	160867	3.46	3.50	3.46	3.50	3.46	3.50	0.02	963	335	3.477
WIJK	0.99	160867	0.99	1.00	0.99	0.99	0.98	0.99	-	646	64	0.991
WIJK-W3	0.06	160867	0.05	0.06	0.05	0.06	0.05	0.06	-	4,702	27	0.056
WINDOW	1.03	160867	1.03	1.09	1.03	1.08	1.08	1.09	0.05	17,825	1,898	1.064
Petrochemicals & Cr												
BCT	73.25	160867	73.75	73.75	72.75	72.75	71.00	72.75	(0.50)	3	22	73.25
CMAN	2.32	160867	2.32	2.36	2.30	2.36	2.34	2.36	0.04	4,309	1,010	2.342
GC	5.05	160867	5.10	5.10	5.05	5.05	5.00	5.05	-	1,608	812	5.052
GGC	4.76	160867	-	4.88	4.48	4.50	4.46	4.68	(0.26)	171	78	4.541
GIFT	3.86	160867	3.90	3.96	3.86	3.96	3.90	3.96	0.10	1,632	640	3.922
GIFT-W2	1.70	160867	1.69	1.71	1.69	1.70	1.70	1.71	-	258	44	1.698
IVL	17.70	160867	17.90	18.60	17.70	18.40	18.40	18.50	0.70	196,091	359,123	18.314
IVL01C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
IVL01C2410W	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
IVL01C2411W	0.06	160867	-	0.09	0.07	0.09	0.09	0.10	0.03	702	6	0.084
IVL01C2412W	0.18	160867	-	0.24	0.19	0.23	0.23	0.24	0.05	40,105	888	0.221
IVL01C2501W	1.00	160867	-	0.47	0.39	0.46	0.46	0.48	(0.54)	11,780	514	0.436
IVL01P2409X	0.47	160867	-	0.39	0.37	0.37	0.35	0.37	(0.10)	1,500	57	0.376
IVL01P2501W	1.00	160867	-	0.32	0.27	0.27	0.27	0.28	(0.73)	93,967	2,678	0.285
IVL06C2411A	0.12	160867	-	0.14	0.11	0.14	-	-	0.02	39,543	489	0.123
IVL11C2411A	0.15	160867	-	0.19	0.15	0.19	0.18	0.20	0.04	6,933	120	0.172
IVL13C2410A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
IVL13C2410B	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
IVL13C2411A	0.04	160867	-	0.05	0.05	0.05	0.04	0.05	0.01	3	-	0.05
IVL13C2411B	0.07	160867	-	0.10	0.08	0.10	0.09	0.10	0.03	26,012	237	0.091
IVL13C2412A	0.20	160867	0.21	0.25	0.20	0.24	0.24	0.25	0.04	37,006	862	0.232
IVL13C2412B	0.31	160867	-	0.39	0.31	0.38	0.38	0.40	0.07	37,586	1,380	0.367
IVL13P2411A	0.41	160867	-	0.37	0.30	0.30	0.30	0.33	(0.11)	1,174	40	0.341
IVL19C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2410A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2410B	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2411A	0.06	160867	-	0.09	0.09	0.09	0.09	0.10	0.03	500	5	0.09
IVL19C2412A	0.16	160867	-	0.21	0.16	0.20	0.20	0.21	0.04	6,458	126	0.195
IVL19C2501A	0.39	160867	-	0.48	0.39	0.46	0.46	0.47	0.07	60,613	2,684	0.442
IVL19P2410A	0.72	160867	-	-	-	-	0.34	0.38	-	-	-	0
IVL41C2410A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
IVL41C2411A	0.04	160867	-	-	-	-	0.07	0.08	-	-	-	0
IVL41C2412A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
IVL41C2412B	0.19	160867	-	0.25	0.20	0.24	0.24	0.25	0.05	32,208	733	0.227
NFC	1.17	160867	-	1.22	1.10	1.19	1.18	1.19	0.02	174	21	1.207
PATO	9.10	160867	9.05	9.10	9.05	9.05	9.00	9.05	(0.05)	81	73	9.053
PMTA	8.50	160867	8.50	8.80	8.00	8.80	8.50	9.00	0.30	18	15	8.527
PTTGC	24.00	160867	24.20	24.70	24.10	24.50	24.40	24.50	0.50	200,546	491,844	24.525
PTTGC01C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2411A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2412A	0.02	160867	-	0.03	0.03	0.03	0.02	0.03	0.01	30	-	0.03
PTTGC01C2501A	0.08	160867	-	0.09	0.09	0.09	0.09	0.10	0.01	1,501	14	0.09
PTTGC01C2501B	0.43	160867	0.45	0.50	0.44	0.47	0.47	0.48	0.04	33,327	1,606	0.482
PTTGC01P2409X	1.48	160867	-	1.41	1.34	1.34	1.34	1.36	(0.14)	1,371	188	1.369
PTTGC01P2412X	0.59	160867	-	0.57	0.54	0.54	0.54	0.55	(0.05)	7,823	425	0.543
PTTGC01P2501A	0.38	160867	-	0.38	0.36	0.36	0.36	0.37	(0.02)	8,762	322	0.367
PTTGC11C2409A	0.01	160867	-	-	-	-	0.01	0.03	-	-	-	0
PTTGC11C2411A	0.07	160867	-	-	-	-	0.03	0.04	-	-	-	0
PTTGC11C2412A	0.07	160867	-	0.08	0.08	0.08	0.08	0.09	0.01	2,000	16	0.08
PTTGC13C2409A	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
PTTGC13C2410A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC13C2411A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC13C2412A	0.02	160867	-	-	-	-	0.02	0.03	-	-	-	0
PTTGC13C2412B	0.07	160867	-	-	-	-	0.07	0.08	-	-	-	0

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BJC13C2412A	0.18	160867	-	0.21	0.18	0.21	0.21	0.22	0.03	18,600	383	0.205
BJC19C2411A	0.18	160867	-	0.20	0.17	0.20	0.20	0.21	0.02	13,942	263	0.188
COM7	22.00	160867	22.30	22.70	22.00	22.30	22.30	22.40	0.30	176,687	394,969	22.354
COM701C2410W	0.46	160867	-	0.54	0.47	0.50	0.50	0.51	0.04	19,666	994	0.505
COM701C2412W	0.38	160867	-	0.45	0.40	0.42	0.42	0.43	0.04	40,922	1,734	0.423
COM701P2410W	0.10	160867	-	0.02	0.02	0.02	0.02	0.11	(0.08)	465	1	0.02
COM711C2409A	0.25	160867	-	0.30	0.27	0.27	0.27	0.28	0.02	13,999	402	0.286
COM713C2410A	0.35	160867	-	0.41	0.36	0.37	0.37	0.40	0.02	12,888	505	0.392
COM713C2411A	0.56	160867	-	0.63	0.57	0.58	0.58	0.59	0.02	5,065	305	0.602
COM713C2412A	0.37	160867	0.39	0.42	0.37	0.39	0.39	0.40	0.02	132,828	5,240	0.394
COM713P2410A	0.02	160867	-	-	-	-	0.01	0.05	-	-	-	0
COM719C2410A	0.44	160867	-	0.50	0.46	0.46	0.46	0.47	0.02	11,086	529	0.476
COM719C2501A	0.44	160867	0.46	0.48	0.44	0.46	0.46	0.47	0.02	78,227	3,621	0.462
COM719P2412A	0.26	160867	-	0.25	0.24	0.25	0.25	0.30	(0.01)	28,692	705	0.245
COM741C2412A	0.66	160867	-	0.72	0.66	0.69	0.69	0.70	0.03	53,625	3,729	0.695
CPALL	55.75	160867	56.00	57.00	55.75	57.00	56.75	57.00	1.25	278,364	1,573,637	56.531
CPALL01C2409A	0.05	160867	-	0.06	0.06	0.06	0.06	0.07	0.01	66	-	0.06
CPALL01C2410A	0.02	160867	0.02	0.02	0.02	0.02	0.02	0.03	-	5	-	0.02
CPALL01C2412A	0.16	160867	0.18	0.20	0.16	0.19	0.19	0.20	0.03	35,638	642	0.18
CPALL01C2501A	1.00	160867	-	0.38	0.34	0.38	0.38	0.39	(0.62)	16,429	592	0.36
CPALL01P2410X	0.16	160867	-	0.15	0.13	0.13	0.12	0.13	(0.03)	13,244	193	0.145
CPALL01P2501X	1.00	160867	-	0.41	0.38	0.38	0.38	0.39	(0.62)	974	39	0.404
CPALL06C2409A	0.04	160867	-	-	-	-	-	-	-	-	-	0
CPALL11C2410A	0.10	160867	0.12	0.14	0.11	0.14	0.14	0.15	0.04	8,684	106	0.121
CPALL11C2412A	1.00	160867	-	0.27	0.23	0.27	0.26	0.27	(0.73)	23,651	586	0.247
CPALL13C2410A	0.02	160867	0.02	0.02	0.02	0.02	0.01	0.02	-	34	-	0.02
CPALL13C2410B	0.03	160867	-	-	-	-	0.02	0.03	-	-	-	0
CPALL13C2411A	0.11	160867	0.11	0.13	0.11	0.13	0.12	0.13	0.02	50,484	607	0.12
CPALL13C2412A	0.23	160867	0.23	0.27	0.23	0.27	0.26	0.27	0.04	74,348	1,867	0.251
CPALL13P2410A	0.22	160867	-	0.20	0.18	0.18	0.17	0.18	(0.04)	11,656	224	0.192
CPALL19C2409A	0.02	160867	-	-	-	-	0.02	0.03	-	-	-	0
CPALL19C2409B	0.10	160867	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2410A	0.03	160867	-	-	-	-	0.03	0.04	-	-	-	0
CPALL19C2411A	0.13	160867	0.13	0.16	0.13	0.16	0.15	0.16	0.03	292,867	4,307	0.147
CPALL19P2412A	0.31	160867	-	0.29	0.26	0.26	0.25	0.26	(0.05)	11,346	312	0.275
CPALL41C2412A	0.11	160867	-	0.14	0.12	0.14	0.14	0.15	0.03	21,268	286	0.134
CPALL41C2605T	0.32	160867	-	0.34	0.33	0.34	0.34	0.35	0.02	11,011	364	0.33
CPAXT	28.25	160867	28.50	29.00	28.00	29.00	28.75	29.00	0.75	41,875	120,169	28.697
CPW	2.42	160867	2.42	2.52	2.42	2.52	2.46	2.52	0.10	4,168	1,032	2.476
CRC	26.50	160867	26.75	27.75	26.50	27.25	27.00	27.25	0.75	107,183	292,924	27.329
CRC01C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
CRC01C2412A	0.05	160867	-	0.07	0.07	0.07	0.06	0.07	0.02	1,025	7	0.07
CRC01C2501A	0.19	160867	0.20	0.23	0.20	0.22	0.22	0.23	0.03	99,653	2,146	0.215
CRC13C2409A	0.03	160867	-	-	-	-	0.01	0.02	-	-	-	0
CRC13C2412A	0.06	160867	-	0.07	0.06	0.07	0.06	0.07	0.01	5,630	39	0.069
CRC13C2412B	0.13	160867	0.14	0.17	0.14	0.16	0.16	0.17	0.03	88,038	1,390	0.157
CRC19C2409A	0.04	160867	-	-	-	-	0.01	0.02	-	-	-	0
CRC19C2411A	0.04	160867	0.04	0.04	0.04	0.04	0.04	0.05	-	3,475	14	0.04
CRC19C2501A	0.17	160867	0.19	0.20	0.18	0.19	0.19	0.20	0.02	28,903	550	0.19
CSS	0.77	160867	-	0.80	0.78	0.78	0.78	0.79	0.01	5,461	430	0.788
DOHOME	10.50	160867	10.50	11.10	10.40	10.90	10.90	11.00	0.40	119,603	130,395	10.902
DOHOME01C2409A	0.05	160867	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME01C2501A	0.16	160867	0.15	0.20	0.15	0.18	0.18	0.19	0.02	34,709	617	0.177
DOHOME13C2409A	0.02	160867	-	0.01	0.01	0.01	0.01	0.02	(0.01)	20	-	0.01
DOHOME13C2412A	0.14	160867	-	0.18	0.13	0.16	0.16	0.17	0.02	23,278	375	0.16
DOHOME19C2409A	0.01	160867	-	-	-	-	0.03	0.04	-	-	-	0
DOHOME41C2412A	0.06	160867	-	-	-	-	0.08	0.10	-	-	-	0
FN	0.89	160867	0.88	0.93	0.88	0.91	0.90	0.91	0.02	4,847	438	0.904
GLOBAL	13.40	160867	13.50	14.30	13.50	14.30	14.20	14.30	0.90	128,465	181,248	14.108
GLOBAL01C2410A	0.07	160867	-	-	-	-	0.01	0.02	-	-	-	0
GLOBAL11C2408A	0.11	160867	-	-	-	-	0.01	0.03	-	-	-	0
GLOBAL13C2410A	0.02	160867	-	0.01	0.01	0.01	0.01	0.02	(0.01)	800	1	0.01
GLOBAL19C2410A	0.02	160867	-	0.02	0.02	0.02	0.02	0.03	-	3,500	7	0.02
GLOBAL19C2412A	0.10	160867	-	0.14	0.11	0.14	0.14	0.15	0.04	15,497	202	0.13
HMPRO	8.00	160867	8.00	8.35	7.95	8.35	8.30	8.35	0.35	357,197	293,578	8.218
HMPRO01C2501A	0.14	160867	-	0.18	0.14	0.18	0.18	0.19	0.04	40,940	680	0.166
HMPRO11C2412A	0.21	160867	-	0.26	0.21	0.26	0.26	0.28	0.05	12,400	294	0.236
HMPRO13C2411A	0.07	160867	-	0.09	0.07	0.09	0.09	0.10	0.02	157	1	0.086
HMPRO19C2410A	0.07	160867	-	-	-	-	0.01	0.02	-	-	-	0
ICC	31.50	160867	-	31.75	30.50	30.50	30.50	31.25	(1.00)	151	468	31.001
ILM	16.20	160867	16.30	16.90	16.30	16.80	16.80	16.90	0.60	2,774	4,606	16.605
IT	5.10	160867	5.10	5.30	5.10	5.20	5.10	5.25	0.10	3,331	1,730	5.192
KAMART	12.30	160867	12.40	12.70	12.20	12.40	12.30	12.40	0.10	40,390	50,235	12.437
LOXLEY	1.38	160867	1.36	1.40	1.36	1.40	1.40	1.41	0.02	1,105	154	1.389
MC	10.10	160867	10.10	10.30	10.00	10.20	10.10	10.20	0.10	9,996	10,137	10.141
MEGA	38.75	160867	38.75	39.00	38.25	38.75	38.50	38.75	-	13,340	51,464	38.578
MEGA19C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
MIDA	0.35	160867	0.35	0.35	0.34	0.35	0.35	0.36	-	2,415	84	0.347
MOSHI	43.00	160867	42.75	43.50	42.75	43.00	43.00	43.50	-	16,566	71,540	43.185
RS	11.90	160867	11.90	12.10	11.80	11.90	11.90	12.00	-	8,548	10,196	11.927
RS-W5	5.20	160867	-	5.25	5.00	5.00	5.00	5.05	(0.20)	9,938	4,995	5.061
RSP	1.87	160867	1.85	1.86	1.84	1.86	1.85	1.86	(0.01)	749	139	1.849
SABUY	0.42	160867	0.43	0.55	0.43	0.55	0.54	-	0.13	848,252	42,407	0.499
SABUY-W2	0.01	160867	0.01	0.02	0.01	0.01	0.01	0.02	-	161,613	163	0.01
SCM	3.42	160867	3.28	3.68	3.28	3.58	3.56	3.58	0.16	11,694	4,073	3.482
SCM-W2	1.30	160867	-	1.75	1.30	1.75	1.28	1.68	0.45	38	5	1.314
SINGER	7.55	160867	7.55	8.10	7.55	7.95	7.95	8.00	0.40	105,168	83,243	7.915
SPC	60.00	160867	61.25	61.25	60.00	60.75	60.75	61.25	0.75	273	1,648	60.381
SPI	66.75	160867	-	67.00	65.25	67.00	63.75	67.00	0.25	32	210	65.546
SVT	1.47	160867	1.52	1.55	1.47	1.51	1.51	1.54	0.04	4,750	727	1.53
TAN	8.55	160867	8.65	9.50	8.60	8.95	8.95	9.15	0.40	24,645	22,429	9.1
Information & Commr	-	-	-	-	-	-	-	-	-	-	-	-
3BBIF	5.40	160867	5.45	5.45	5.40	5.40	5.40	5.45	-	66,312	35,914	5.415
ADVANC	241.00	160867	238.00	241.00	237.00	241.00	240.00	241.00	-	49,399	1,184,173	239.715
ADVANC01C2410A	0.34	160867	0.36	0.40	0.36	0.40	0.40	0.43	0.06	12,490	480	0.384
ADVANC01C2412A	0.32	160867	0.33	0.37	0.33	0.36	0.36	0.37	0.04	36,981	1,282	0.346
ADVANC01P2412X	0.09	160867	-	0.09	0.08	0.08	0.08	0.09	(0.01)	2,113	17	0.08

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ADVANC19C2501A	0.27	160867	-	0.31	0.28	0.31	0.31	0.32	0.04	13,572	400	0.294
ADVANC19P2412A	0.15	160867	0.13	0.14	0.12	0.13	0.12	0.13	(0.02)	2,972	39	0.13
ADVANC41C2410A	0.30	160867	-	-	-	-	0.32	0.34	-	-	-	0
ADVANC41C2412A	0.32	160867	0.34	0.37	0.33	0.37	0.37	0.38	0.05	23,500	834	0.354
AIT	4.06	160867	4.10	4.14	4.08	4.08	4.08	4.10	0.02	8,909	3,652	4.099
ALT	1.21	160867	1.21	1.22	1.19	1.20	1.20	1.21	(0.01)	917	110	1.198
AMR	1.06	160867	1.06	1.07	1.05	1.06	1.05	1.06	-	1,939	205	1.057
BLISS	0.14	160867	-	-	-	-	-	-	-	-	-	0
DIF	7.80	160867	7.80	7.90	7.75	7.90	7.85	7.90	0.10	210,533	164,852	7.83
DITTO	14.50	160867	14.60	16.30	14.60	16.10	16.10	16.20	1.60	86,940	136,275	15.674
DITTO-W1	1.62	160867	1.66	2.00	1.62	1.69	1.67	1.69	0.07	8,726	1,565	1.792
DTCENT	1.22	160867	1.23	1.24	1.21	1.22	1.21	1.22	-	7,236	885	1.223
FORTH	10.10	160867	10.20	10.60	10.00	10.50	10.40	10.50	0.40	15,114	15,672	10.369
FORTH01C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
FORTH13C2412A	0.08	160867	-	0.10	0.08	0.09	0.09	0.10	0.01	15,933	147	0.092
FORTH19C2501A	0.12	160867	-	0.14	0.12	0.14	0.14	0.15	0.02	16,663	222	0.133
GABLE	3.68	160867	3.68	3.70	3.62	3.66	3.66	3.68	(0.02)	1,631	600	3.68
HUMAN	10.60	160867	10.60	10.60	10.30	10.50	10.40	10.50	(0.10)	983	1,027	10.451
ICN	1.89	160867	1.89	1.95	1.88	1.95	1.94	1.95	0.06	15,445	2,958	1.914
ILINK	5.45	160867	5.40	5.75	5.40	5.65	5.60	5.65	0.20	3,457	1,922	5.56
INET	4.30	160867	4.36	4.42	4.36	4.38	4.38	4.42	0.08	8,425	3,692	4.381
INET-W3	0.39	160867	0.38	0.40	0.37	0.39	0.38	0.39	-	9,695	374	0.386
INSET	2.16	160867	2.20	2.22	2.14	2.20	2.20	2.22	0.04	24,308	5,319	2.188
INTUCH	83.25	160867	83.00	84.50	82.75	84.50	84.25	84.50	1.25	55,723	467,055	83.817
INTUCH01C2412A	0.65	160867	-	0.69	0.63	0.69	0.69	0.70	0.04	37,599	2,443	0.649
INTUCH13C2411A	0.58	160867	-	0.60	0.55	0.60	0.60	0.63	0.02	33,997	1,972	0.579
INTUCH13C2412A	0.43	160867	0.42	0.46	0.41	0.46	0.45	0.46	0.03	111,509	4,887	0.438
INTUCH13P2411A	0.07	160867	-	0.07	0.06	0.06	0.05	0.06	(0.01)	2,451	17	0.068
INTUCH19C2409A	0.23	160867	-	0.25	0.19	0.25	0.25	0.26	0.02	43,602	889	0.203
INTUCH19C2412A	0.47	160867	-	0.50	0.45	0.50	0.50	0.51	0.03	45,996	2,138	0.464
ITEL	1.79	160867	1.82	1.88	1.81	1.85	1.84	1.85	0.06	91,920	16,957	1.844
JAS	2.64	160867	2.66	2.68	2.58	2.66	2.64	2.66	0.02	361,495	95,116	2.631
JAS13C2411A	0.10	160867	-	0.11	0.09	0.10	0.10	0.11	-	22,909	225	0.098
JAS13C2412A	0.27	160867	-	0.28	0.25	0.27	0.27	0.28	-	37,341	995	0.266
JAS19C2411A	0.10	160867	-	0.10	0.10	0.10	0.09	0.10	-	209,149	2,091	0.1
JAS19C2412A	0.24	160867	-	0.24	0.22	0.24	0.24	0.25	-	67,197	1,593	0.237
JMART	11.80	160867	11.90	12.90	11.90	12.40	12.40	12.50	0.60	207,841	258,932	12.458
JMART-W5	0.85	160867	0.87	1.07	0.87	0.95	0.95	0.96	0.10	17,298	1,688	0.975
JMART01C2409A	0.02	160867	-	-	-	-	0.01	0.03	-	-	-	0
JMART01C2410W	0.04	160867	-	-	-	-	0.06	0.15	-	-	-	0
JMART01C2411W	0.16	160867	-	0.22	0.17	0.20	0.19	0.27	0.04	7,186	152	0.211
JMART01P2410W	0.75	160867	-	-	-	-	0.13	0.72	-	-	-	0
JMART13C2410A	0.04	160867	-	0.06	0.04	0.04	0.04	0.05	-	15,473	71	0.046
JMART13C2410B	0.09	160867	-	0.14	0.10	0.12	0.11	0.12	0.03	62,507	707	0.113
JMART13C2412A	0.35	160867	-	0.47	0.36	0.41	0.41	0.42	0.06	243,757	10,022	0.411
JMART13P2410A	0.50	160867	-	0.33	0.33	0.33	0.08	0.32	(0.17)	3	-	0.33
JMART19C2410A	0.08	160867	-	0.09	0.07	0.07	0.07	0.08	(0.01)	211	2	0.08
JMART19C2412A	0.22	160867	-	0.28	0.22	0.25	0.25	0.26	0.03	89,939	2,288	0.254
JMART19C2501A	0.37	160867	-	0.48	0.39	0.44	0.43	0.44	0.07	85,014	3,673	0.432
JMART19C2501B	0.71	160867	-	0.75	0.72	0.75	0.73	0.78	0.04	40	3	0.735
JMART19P2410A	0.14	160867	-	-	-	-	0.11	0.61	-	-	-	0
JMART19P2411A	0.74	160867	-	-	-	-	0.23	0.70	-	-	-	0
JMART41C2410A	0.08	160867	-	0.09	0.09	0.09	0.08	0.09	0.01	400	4	0.09
JMART41C2412A	0.21	160867	0.22	0.29	0.22	0.25	0.25	0.26	0.04	130,883	3,389	0.258
JTS	65.50	160867	65.75	68.00	64.50	68.00	67.75	68.00	2.50	7,600	50,572	66.542
MFEC	5.45	160867	5.40	5.50	5.35	5.50	5.45	5.50	0.05	950	518	5.452
MSC	8.20	160867	8.10	8.25	8.00	8.20	8.10	8.20	-	658	528	8.02
PT	9.05	160867	9.10	9.10	8.95	9.10	9.05	9.10	0.05	2,894	2,617	9.044
ROCTEC	0.94	160867	0.95	0.96	0.94	0.94	0.94	0.95	-	362,849	34,191	0.942
ROCTEC-W3	0.02	160867	0.01	0.02	0.01	0.02	0.01	0.02	-	2,712	4	0.013
ROCTEC-W5	0.04	160867	0.05	0.05	0.04	0.05	0.04	0.05	0.01	61,271	301	0.049
SAMART	6.00	160867	6.05	6.20	6.05	6.20	6.15	6.20	0.20	6,963	4,255	6.11
SAMTEL	4.06	160867	4.02	4.14	4.02	4.10	4.08	4.10	0.04	3,785	1,538	4.062
SDC	0.03	160867	0.02	0.03	0.02	0.03	0.02	0.03	-	23,756	66	0.027
SIS	22.60	160867	22.70	23.40	22.50	23.20	23.20	23.30	0.60	6,320	14,519	22.973
SKY	17.40	160867	17.60	18.00	17.50	17.90	17.90	18.00	0.50	8,624	15,360	17.81
SPREME	1.70	160867	1.74	1.75	1.71	1.72	1.72	1.73	0.02	33,224	5,739	1.727
SVOA	1.69	160867	1.72	1.73	1.68	1.71	1.70	1.71	0.02	4,197	712	1.697
SYMC	6.90	160867	6.95	7.25	6.95	7.10	7.10	7.15	0.20	6,213	4,402	7.084
SYNEX	13.50	160867	13.50	13.90	13.50	13.60	13.50	13.60	0.10	13,385	18,308	13.677
THCOM	11.60	160867	11.70	12.10	11.60	12.00	11.90	12.00	0.40	86,165	102,769	11.927
TKC	9.30	160867	9.30	9.45	8.95	9.35	9.30	9.35	0.05	17,120	15,821	9.241
TRUE	10.20	160867	10.30	10.40	10.10	10.20	10.20	10.30	-	809,117	827,391	10.225
TRUE01C2410W	0.47	160867	-	0.50	0.47	0.47	0.47	0.50	-	910	44	0.484
TRUE01C2501A	0.21	160867	-	0.21	0.20	0.20	0.20	0.21	(0.01)	23,673	479	0.202
TRUE01P2410X	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
TRUE01P2412W	0.24	160867	-	0.25	0.23	0.23	0.23	0.24	(0.01)	22,104	517	0.233
TRUE06C2409A	0.16	160867	-	-	-	-	-	-	-	-	-	0
TRUE11C2411A	0.48	160867	-	0.52	0.48	0.50	0.49	0.50	0.02	4,640	232	0.5
TRUE11C2501A	1.00	160867	-	0.20	0.18	0.20	0.18	0.20	(0.80)	6,010	113	0.188
TRUE11P2408A	0.09	16086										

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
DELTA13P2411A	0.12	160867	-	0.13	0.11	0.12	0.12	0.13	-	7,632	93	0.121
DELTA13P2412A	1.00	160867	0.50	0.50	0.48	0.50	0.50	0.51	(0.50)	63,230	3,078	0.486
DELTA19C2409A	1.42	160867	-	1.35	1.35	1.35	1.27	1.34	(0.07)	379	51	1.35
DELTA19C2411A	0.72	160867	-	-	-	-	0.70	0.75	-	-	-	0
DELTA19C2412A	0.39	160867	-	0.39	0.37	0.38	0.37	0.38	(0.01)	18,560	706	0.38
DELTA19P2409A	0.01	160867	-	0.01	0.01	0.01	0.01	0.11	-	20,003	20	0.01
DELTA19P2411A	0.15	160867	-	0.15	0.15	0.15	0.14	0.15	-	16,135	242	0.15
DELTA19P2412A	0.29	160867	-	0.29	0.28	0.29	0.28	0.29	-	18,781	533	0.283
DELTA41C2411A	1.24	160867	-	1.28	1.25	1.25	1.21	1.24	0.01	15	2	1.263
DELTA41C2411B	0.61	160867	-	0.63	0.60	0.60	0.59	0.61	(0.01)	3,060	189	0.617
DELTA41C2412A	0.39	160867	-	0.39	0.37	0.37	0.37	0.38	(0.02)	29,570	1,125	0.38
DELTA41P2410A	0.03	160867	-	-	-	-	0.03	0.04	-	-	-	0
DELTA41P2412A	0.38	160867	-	0.39	0.37	0.39	0.38	0.39	0.01	3,067	117	0.38
HANA	39.50	160867	39.50	40.75	39.25	40.75	40.50	40.75	1.25	44,732	180,089	40.259
HANA01C2410A	0.09	160867	0.11	0.12	0.08	0.11	0.11	0.12	0.02	13,333	141	0.105
HANA01C2411W	0.05	160867	-	-	-	-	0.06	0.07	-	-	-	0
HANA01C2412W	0.10	160867	-	0.11	0.09	0.11	0.11	0.12	0.01	24,785	270	0.108
HANA01C2501W	0.25	160867	0.26	0.31	0.25	0.30	0.30	0.31	0.05	39,237	1,095	0.279
HANA01P2410W	0.10	160867	-	-	-	-	0.08	0.09	-	-	-	0
HANA01P2411W	0.55	160867	-	0.53	0.49	0.49	0.49	0.50	(0.06)	21,779	1,113	0.51
HANA13C2410A	0.06	160867	-	0.07	0.05	0.07	0.07	0.08	0.01	2,436	15	0.061
HANA13C2411A	0.05	160867	-	0.07	0.06	0.07	0.06	0.07	0.02	756	5	0.06
HANA13C2411B	0.04	160867	-	0.05	0.04	0.05	0.05	0.06	0.01	860	4	0.041
HANA13C2412A	0.17	160867	-	0.20	0.17	0.20	0.19	0.20	0.03	52,250	957	0.183
HANA13C2412B	1.00	160867	-	0.30	0.26	0.30	0.30	0.31	(0.70)	33,225	916	0.275
HANA13P2410A	0.11	160867	-	-	-	-	0.08	0.09	-	-	-	0
HANA13P2411A	0.45	160867	0.41	0.45	0.39	0.39	0.39	0.40	(0.06)	14,654	618	0.421
HANA19C2410A	0.08	160867	0.09	0.09	0.09	0.09	0.10	0.11	0.01	40	-	0.09
HANA19C2411A	0.08	160867	-	0.08	0.08	0.08	0.08	0.09	-	61	-	0.08
HANA19C2501A	0.24	160867	-	0.28	0.24	0.28	0.27	0.28	0.04	20,672	532	0.257
HANA19P2410A	0.13	160867	-	0.12	0.10	0.10	0.10	0.20	(0.03)	6,954	77	0.11
HANA19P2411A	0.64	160867	-	-	-	-	0.56	0.66	-	-	-	0
HANA41C2411A	0.06	160867	-	0.08	0.07	0.08	0.07	0.08	0.02	1,101	8	0.07
HANA41C2501A	0.25	160867	-	0.29	0.25	0.29	0.29	0.30	0.04	20,548	556	0.27
KCE	38.25	160867	38.00	38.50	37.25	38.50	38.25	38.50	0.25	105,402	401,575	38.097
KCE01C2410W	0.06	160867	-	0.06	0.05	0.06	0.05	0.06	-	366	2	0.05
KCE01C2412W	0.10	160867	-	0.10	0.09	0.10	0.09	0.10	-	2,155	20	0.09
KCE01C2501W	0.28	160867	0.28	0.28	0.25	0.28	0.28	0.29	-	35,919	974	0.271
KCE01P2410W	0.21	160867	-	0.24	0.21	0.21	0.21	0.22	-	17,337	389	0.224
KCE01P2412W	0.74	160867	0.77	0.80	0.75	0.75	0.74	0.75	0.01	8,675	663	0.763
KCE06C2409A	0.05	160867	-	-	-	-	-	0.05	-	-	-	0
KCE11C2408A	0.07	160867	-	-	-	-	0.01	0.03	-	-	-	0
KCE13C2410A	0.06	160867	-	0.06	0.05	0.05	0.05	0.06	(0.01)	21,340	107	0.05
KCE13C2411A	0.06	160867	-	0.06	0.05	0.06	0.06	0.07	-	8,452	45	0.053
KCE13C2412A	0.11	160867	0.10	0.10	0.09	0.10	0.10	0.11	(0.01)	62,130	616	0.099
KCE13C2412B	0.21	160867	0.20	0.21	0.18	0.21	0.21	0.22	-	97,038	1,896	0.195
KCE13P2410A	0.15	160867	-	0.16	0.14	0.14	0.14	0.15	(0.01)	10,000	155	0.154
KCE13P2412A	0.68	160867	-	-	-	-	0.61	0.64	-	-	-	0
KCE19C2411A	0.07	160867	-	0.07	0.07	0.07	0.07	0.08	-	10,000	70	0.07
KCE19C2412A	0.15	160867	-	0.16	0.14	0.16	0.16	0.17	0.01	17,918	260	0.145
KCE19C2501A	0.29	160867	0.28	0.30	0.27	0.30	0.30	0.31	0.01	37,376	1,058	0.283
KCE19P2410A	0.16	160867	-	0.17	0.15	0.15	0.15	0.25	(0.01)	7,688	128	0.165
KCE19P2412A	0.62	160867	-	-	-	-	0.62	0.72	-	-	-	0
KCE41C2409A	0.03	160867	-	-	-	-	0.01	0.03	-	-	-	0
KCE41C2411A	0.08	160867	-	0.07	0.07	0.07	0.07	0.08	(0.01)	100	1	0.07
KCE41C2501A	0.25	160867	0.25	0.26	0.23	0.26	0.26	0.27	0.01	43,503	1,068	0.245
METCO	179.50	160867	180.50	185.00	180.50	185.00	184.50	185.50	5.50	178	3,266	183.494
SMT	1.23	160867	1.23	1.29	1.21	1.28	1.28	1.29	0.05	90,386	11,329	1.253
SVI	8.40	160867	8.50	8.55	8.40	8.45	8.45	8.50	0.05	13,045	11,030	8.455
TEAM	3.44	160867	-	3.54	3.42	3.50	3.50	3.52	0.06	1,757	616	3.508
Energy & Utilities												
ACC	0.44	160867	0.43	0.45	0.43	0.45	0.44	0.45	0.01	3,726	165	0.442
ACC-W2	0.17	160867	0.17	0.18	0.16	0.17	0.17	0.18	-	18,088	301	0.166
ACE	1.32	160867	1.32	1.34	1.32	1.33	1.33	1.34	0.01	11,687	1,554	1.329
AE	0.17	160867	0.18	0.18	0.17	0.18	0.17	0.18	0.01	26,936	460	0.17
AGE	1.20	160867	1.21	1.22	1.19	1.20	1.20	1.21	-	4,576	552	1.205
AI	3.60	160867	3.56	3.64	3.56	3.62	3.60	3.62	0.02	4,401	1,583	3.596
AIE	1.07	160867	1.08	1.08	0.99	1.02	1.02	1.03	(0.05)	20,226	2,048	1.012
BAFS	13.60	160867	13.70	14.00	13.30	13.90	13.90	14.00	0.30	14,364	19,614	13.655
BANPU	5.10	160867	5.10	5.15	5.00	5.15	5.10	5.15	0.05	428,255	218,533	5.102
BANPU01C2410W	0.03	160867	-	-	-	-	0.03	0.04	-	-	-	0
BANPU01C2411W	0.08	160867	-	0.09	0.09	0.09	0.09	0.10	0.01	2,198	20	0.09
BANPU01C2501A	0.15	160867	-	0.16	0.14	0.15	0.15	0.16	-	6,669	97	0.145
BANPU01C2501B	0.75	160867	-	0.75	0.72	0.75	0.75	0.78	-	1,935	144	0.744
BANPU01P2411W	0.14	160867	-	0.15	0.13	0.13	0.13	0.14	(0.01)	32,337	458	0.141
BANPU11C2410T	0.07	160867	-	-	-	-	0.05	0.07	-	-	-	0
BANPU11C2411A	0.11	160867	-	-	-	-	0.12	0.13	-	-	-	0
BANPU11C2412A	0.58	160867	-	0.58	0.54	0.58	0.61	0.62	-	6,967	382	0.548
BANPU13C2411A	0.08	160867	-	0.08	0.07	0.08	0.08	0.09	-	19,972	144	0.071
BANPU13C2411B	0.32	160867	-	0.35	0.35	0.35	0.37	0.40	0.03	1	-	0.35
BANPU13C2412A	0.16	160867	0.16	0.16	0.15	0.16	0.16	0.17	-	18,860	283	0.15
BANPU13C2412B	0.62	160867	-	0.74	0.67	0.67	0.70	0.72	0.05	2,012	135	0.67
BANPU13P2409A	0.04	160867	-	0.03	0.03	0.03	0.02	0.03	(0.01)	580	2	

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BGRIM01P2411X	0.35	160867	-	0.33	0.27	0.27	0.27	0.28	(0.08)	20,000	604	0.302
BGRIM11C2410A	0.14	160867	-	-	-	-	0.01	0.03	-	-	-	0
BGRIM11C2410B	0.13	160867	-	0.15	0.14	0.15	0.15	0.16	0.02	7,400	107	0.144
BGRIM11C2412A	1.00	160867	-	-	-	-	0.35	0.36	-	-	-	0
BGRIM13C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM13C2410A	0.02	160867	-	-	-	-	0.01	0.03	-	-	-	0
BGRIM13C2411A	0.11	160867	-	0.14	0.09	0.13	0.13	0.14	0.02	80,642	953	0.118
BGRIM13C2412A	0.25	160867	0.26	0.32	0.26	0.32	0.32	0.33	0.07	123,795	3,571	0.288
BGRIM13P2411A	0.32	160867	0.29	0.30	0.24	0.24	0.24	0.25	(0.08)	20,026	521	0.26
BGRIM19C2409A	0.04	160867	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2411A	0.05	160867	-	0.06	0.06	0.06	0.06	0.07	0.01	1,450	9	0.06
BGRIM19C2411B	0.13	160867	0.14	0.19	0.14	0.18	0.18	0.19	0.05	137,889	2,151	0.156
BGRIM19C2501A	1.00	160867	-	0.42	0.35	0.42	0.42	0.43	(0.58)	55,920	2,156	0.385
BGRIM19P2411A	0.23	160867	-	0.22	0.17	0.17	0.17	0.18	(0.06)	24,746	507	0.204
BGRIM41C2411A	0.15	160867	-	0.20	0.15	0.20	0.20	0.21	0.05	69,262	1,293	0.186
BGRIM41C2412A	0.08	160867	0.08	0.10	0.08	0.10	0.10	0.11	0.02	8,610	79	0.091
BIOTEC	0.21	160867	0.21	0.22	0.20	0.22	0.21	0.22	0.01	11,270	236	0.209
BIOTEC-P	10.00	160867	-	-	-	-	-	-	-	-	-	0
BIOTEC-Q	10.00	160867	-	-	-	-	-	-	-	-	-	0
BIOTEC-W2	0.05	160867	0.05	0.06	0.05	0.06	0.05	0.06	0.01	328	2	0.05
BPP	11.60	160867	11.70	11.90	11.60	11.70	11.70	11.80	0.10	2,782	3,266	11.738
BRRGIF	3.34	160867	3.34	3.36	3.32	3.34	3.32	3.34	-	3,368	1,123	3.333
BSRC	6.55	160867	6.60	7.10	6.60	7.00	7.00	7.05	0.45	54,573	37,769	6.92
CKP	3.58	160867	3.58	3.74	3.58	3.74	3.74	3.76	0.16	59,218	21,868	3.692
CKP13C2412A	0.11	160867	-	0.14	0.13	0.14	0.13	0.14	0.03	7,433	97	0.13
CKP19C2411A	0.09	160867	-	0.11	0.10	0.11	0.11	0.12	0.02	3,466	38	0.109
CV	0.18	160867	0.19	0.19	0.16	0.17	0.17	0.18	(0.01)	414,405	6,973	0.168
CV-W1	0.13	160867	0.13	0.14	0.13	0.14	0.13	0.14	0.01	32,550	448	0.137
DEMCO	3.64	160867	-	3.70	3.64	3.66	3.64	3.66	0.02	1,937	712	3.676
DEMCO-W7	0.09	160867	0.10	0.10	0.08	0.09	0.08	0.09	-	20,682	190	0.091
EA	4.24	160867	4.26	4.94	4.22	4.92	4.92	4.94	0.68	3,206,766	1,509,733	4.707
EA01C2409A	0.01	160867	-	0.02	0.01	0.02	0.01	0.02	0.01	50	-	0.017
EA01C2410A	0.02	160867	-	0.02	0.02	0.02	0.01	0.02	-	115	-	0.02
EA01C2410W	0.04	160867	0.01	0.04	0.01	0.04	0.01	0.04	-	257	1	0.025
EA01C2411W	0.02	160867	-	0.02	0.01	0.01	0.01	0.02	(0.01)	89	-	0.012
EA01C2412A	0.05	160867	0.06	0.06	0.04	0.06	0.05	0.06	0.01	855	5	0.059
EA01C2412W	0.04	160867	0.03	0.04	0.02	0.04	0.03	0.04	-	4,580	14	0.03
EA01P2409X	3.96	160867	-	-	-	-	3.82	3.96	-	-	-	0
EA01P2410W	3.92	160867	-	3.62	3.62	3.62	3.58	3.72	(0.30)	202	73	3.62
EA01P2411A	1.59	160867	-	1.45	1.44	1.44	1.35	1.42	(0.15)	2,720	394	1.449
EA01P2411W	3.32	160867	-	3.04	3.04	3.04	2.92	3.04	(0.28)	120	36	3.04
EA06C2409A	0.03	160867	-	-	-	-	-	0.03	-	-	-	0
EA11C2408A	0.01	160867	-	-	-	-	-	-	-	-	-	0
EA13C2409A	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
EA13C2410A	0.01	160867	0.01	0.01	0.01	0.01	-	0.01	-	11	-	0.01
EA13C2410B	0.01	160867	-	-	-	-	-	0.02	-	-	-	0
EA13C2410C	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
EA13C2411A	0.01	160867	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
EA13C2411B	0.01	160867	-	0.01	0.01	0.01	-	0.01	-	201	-	0.01
EA13C2411C	0.01	160867	-	0.01	0.01	0.01	-	0.01	-	3,586	4	0.01
EA13C2411D	0.01	160867	0.01	0.01	0.01	0.01	-	0.01	-	67,946	68	0.01
EA13C2411E	0.02	160867	-	0.04	0.02	0.04	0.03	0.04	0.02	9,093	29	0.031
EA13C2412A	0.09	160867	0.13	0.14	0.09	0.13	0.13	0.14	0.04	114,759	1,408	0.122
EA13C2412B	0.19	160867	0.20	0.31	0.19	0.30	0.30	0.31	0.11	628,456	16,804	0.267
EA13C2412C	0.40	160867	0.53	0.58	0.40	0.57	0.56	0.57	0.17	488,354	25,282	0.517
EA13P2410A	3.50	160867	-	-	-	-	-	-	-	-	-	0
EA13P2411A	4.94	160867	-	-	-	-	4.34	-	-	-	-	0
EA13P2411B	3.44	160867	-	3.14	3.06	3.06	2.94	3.50	(0.38)	220	68	3.096
EA13P2411C	1.38	160867	-	1.39	1.20	1.20	1.20	1.34	(0.18)	13,830	1,849	1.336
EA13P2411D	0.65	160867	-	0.66	0.62	0.62	0.57	0.62	(0.03)	247	16	0.632
EA19C2409A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2410A	0.01	160867	-	0.01	0.01	0.01	0.01	0.02	-	62	-	0.01
EA19C2410B	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2410C	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2411A	0.01	160867	0.01	0.01	0.01	0.01	0.01	0.02	-	4,003	4	0.01
EA19C2411B	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2411C	0.01	160867	-	0.01	0.01	0.01	0.01	0.02	-	610	1	0.01
EA19C2411D	0.02	160867	-	0.02	0.01	0.02	0.01	0.02	-	2	-	0.015
EA19C2412A	0.07	160867	-	0.11	0.09	0.10	0.09	0.10	0.03	211,229	2,112	0.1
EA19C2412B	0.15	160867	-	0.21	0.15	0.21	0.21	0.22	0.06	381,303	7,471	0.195
EA19C2412C	0.44	160867	0.56	0.60	0.44	0.59	0.59	0.60	0.15	150,978	7,961	0.527
EA19P2410A	2.76	160867	-	-	-	-	2.62	2.82	-	-	-	0
EA19P2411A	1.39	160867	-	1.34	1.30	1.30	1.22	1.29	(0.09)	81	11	1.3
EA19P2412A	0.36	160867	-	0.35	0.31	0.31	0.31	0.32	(0.05)	56,618	1,828	0.322
EA41C2410A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
EA41C2410B	0.01	160867	-	-	-	-	0.01	0.03	-	-	-	0
EA41C2412A	0.02	160867	-	0.02	0.01	0.02	0.01	0.02	-	1,217	2	0.018
EASTW	2.48	160867	2.50	2.68	2.48	2.64	2.62	2.64	0.16	7,020	1,828	2.603
EGATIF	6.00	160867	6.05	6.05	5.95	6.00	6.00	6.05	-	22,899	13,747	6.003
EGCO	101.50	160867	101.50	103.00	101.00	103.00	102.50	103.00	1.50	4,766	48,785	102.36
EGCO13C2410A	0.06	160867	-	-	-	-	0.07	0.08	-	-	-	0
EGCO13C2412A	0.29	160867	-	0.30	0.28	0.30	0.30	0.31	0.01	19,879	590	0.296
EGCO19C2412A	0.20	160867	-	0.20	0.20	0.20	0.21	0.22	-	472	9	0.2
EP	1.88	160867	-	1.88	1.78	1.82	1.81	1.82	(0.06)	2,232	404	1.809
EP-W4	0.03	160867	-	0.04	0.03	0.03	0.02	0.03	-	6,577	20	0.03
ETC	1.91	160867	1.92	1.94	1.							

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
GPSC41C2411A	0.02	160867	-	0.04	0.04	0.04	0.05	0.06	0.02	10	-	0.04
GPSC41C2412A	0.14	160867	0.19	0.23	0.15	0.22	0.22	0.23	0.08	102,875	1,886	0.183
GREEN	0.99	160867	1.00	1.03	0.99	1.03	1.02	1.03	0.04	2,238	226	1.011
GULF	47.50	160867	47.25	48.00	47.25	47.75	47.50	47.75	0.25	139,431	663,482	47.585
GULF01C2409A	0.20	160867	-	0.20	0.20	0.20	0.19	0.21	-	700	14	0.2
GULF01C2411A	0.40	160867	-	0.43	0.40	0.43	0.41	0.43	0.03	20,623	859	0.416
GULF01C2412A	0.23	160867	-	0.25	0.23	0.24	0.24	0.25	0.01	17,603	422	0.239
GULF01P2411X	0.04	160867	-	-	-	-	0.02	0.03	-	-	-	0
GULF11C2410A	0.47	160867	-	0.48	0.46	0.48	0.48	0.49	0.01	3,805	176	0.463
GULF13C2409A	0.12	160867	0.11	0.12	0.11	0.12	0.12	0.13	-	34,468	394	0.114
GULF13C2411A	0.47	160867	0.41	0.45	0.41	0.45	0.44	0.45	(0.02)	300	13	0.436
GULF13C2412A	0.31	160867	0.30	0.32	0.30	0.31	0.31	0.32	-	51,485	1,555	0.302
GULF13C2412B	0.21	160867	0.21	0.22	0.21	0.21	0.21	0.22	-	13,386	281	0.21
GULF13P2411A	0.04	160867	-	-	-	-	0.03	0.04	-	-	-	0
GULF13P2412A	0.28	160867	-	0.26	0.25	0.25	0.25	0.26	(0.03)	48,277	1,246	0.258
GULF19C2409A	0.12	160867	-	0.12	0.11	0.12	0.11	0.12	-	21,113	241	0.113
GULF19C2411A	0.43	160867	-	0.42	0.42	0.42	0.42	0.46	(0.01)	100	4	0.42
GULF19C2412A	0.27	160867	-	0.28	0.27	0.28	0.28	0.29	0.01	40,266	1,097	0.272
GULF19P2411A	0.03	160867	-	-	-	-	0.02	0.03	-	-	-	0
GULF41C2410A	0.16	160867	-	0.17	0.16	0.17	0.17	0.18	0.01	36,832	598	0.162
GULF41C2605T	0.42	160867	-	0.42	0.42	0.42	0.42	0.43	-	19,000	798	0.42
GUNKUL	2.24	160867	2.26	2.32	2.24	2.28	2.28	2.30	0.04	254,321	58,212	2.288
GUNKUL13C2411A	0.04	160867	-	0.05	0.05	0.05	0.05	0.06	0.01	300	2	0.05
GUNKUL13C2412A	0.25	160867	-	0.28	0.26	0.27	0.27	0.28	0.02	57,944	1,588	0.274
GUNKUL19C2412A	0.09	160867	-	0.11	0.10	0.11	0.10	0.11	0.02	38,190	413	0.108
IRPC	1.44	160867	1.43	1.47	1.42	1.45	1.44	1.45	0.01	282,501	40,890	1.447
IRPC01C2410A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
IRPC13C2412A	0.16	160867	-	0.17	0.15	0.16	0.16	0.17	-	20,662	339	0.163
IRPC19C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
KBSPIF	8.10	160867	-	8.15	8.10	8.10	8.05	8.10	-	346	280	8.106
LANNA	14.90	160867	14.90	15.00	14.80	14.90	14.90	15.00	-	11,077	16,535	14.926
MDX	2.80	160867	2.78	2.88	2.76	2.82	2.82	2.86	0.02	2,229	629	2.823
NOVA	12.30	160867	12.40	12.40	12.20	12.30	12.20	12.30	-	55	68	12.298
OR	14.10	160867	14.20	14.70	14.10	14.60	14.50	14.60	0.50	135,640	195,400	14.405
OR01C2410A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
OR01C2412A	0.05	160867	0.05	0.06	0.05	0.06	0.06	0.07	0.01	4,721	28	0.059
OR13C2410A	0.01	160867	-	0.02	0.02	0.02	0.01	0.02	0.01	1	-	0.02
OR13C2411A	0.02	160867	-	0.02	0.02	0.02	0.01	0.02	-	1,100	2	0.02
OR13C2501A	0.16	160867	-	0.20	0.17	0.20	0.20	0.21	0.04	36,409	670	0.183
OR19C2410A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
OR19C2411A	0.05	160867	-	0.03	0.03	0.03	0.03	0.04	(0.02)	300	1	0.03
OR19C2501A	0.19	160867	0.20	0.23	0.20	0.23	0.23	0.24	0.04	25,836	538	0.208
OR41C2501A	0.18	160867	-	0.22	0.18	0.22	0.22	0.23	0.04	11,500	235	0.203
OR41C2605T	0.13	160867	-	0.16	0.16	0.16	0.16	0.17	0.03	40	1	0.16
PRIME	0.22	160867	0.23	0.25	0.23	0.24	0.24	0.25	0.02	84,897	2,001	0.235
PTG	8.20	160867	8.25	8.45	8.20	8.45	8.45	8.50	0.25	30,841	25,814	8.369
PTT	34.25	160867	34.50	34.75	34.25	34.50	34.25	34.50	0.25	399,582	1,378,078	34.487
PTT01C2409A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
PTT01C2412A	0.18	160867	0.20	0.20	0.20	0.20	0.19	0.20	0.02	11,723	234	0.2
PTT13C2409A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
PTT13C2412A	0.19	160867	0.20	0.20	0.19	0.20	0.20	0.21	0.01	42,672	853	0.2
PTT19C2409A	0.08	160867	-	-	-	-	0.02	0.03	-	-	-	0
PTT19C2411A	0.15	160867	0.16	0.16	0.16	0.16	0.16	0.17	0.01	5,656	90	0.16
PTT41C2412A	0.15	160867	0.16	0.17	0.16	0.16	0.16	0.17	0.01	9,100	146	0.16
PTTEP	144.50	160867	145.50	145.50	143.50	144.00	143.50	144.00	(0.50)	45,041	647,860	143.837
PTTEP01C2409A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP01C2410A	0.11	160867	-	-	-	-	0.10	0.11	-	-	-	0
PTTEP01C2412A	0.37	160867	-	0.38	0.35	0.36	0.34	0.36	(0.01)	4,631	166	0.358
PTTEP01P2409X	0.09	160867	-	0.07	0.07	0.07	0.07	0.08	(0.02)	10,000	70	0.07
PTTEP01P2412X	0.45	160867	0.46	0.46	0.44	0.45	0.45	0.46	-	12,497	568	0.454
PTTEP11C2411A	0.35	160867	-	0.35	0.33	0.33	0.33	0.34	(0.02)	1,620	55	0.342
PTTEP13C2410A	0.07	160867	-	0.06	0.06	0.06	0.06	0.07	(0.01)	1,180	7	0.06
PTTEP13C2412A	0.28	160867	-	0.29	0.26	0.26	0.26	0.27	(0.02)	5,260	148	0.28
PTTEP13P2410A	0.16	160867	-	0.16	0.15	0.16	0.16	0.17	-	2,136	34	0.157
PTTEP19C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2410A	0.10	160867	-	-	-	-	0.05	0.06	-	-	-	0
PTTEP19C2411A	0.16	160867	-	-	-	-	0.15	0.16	-	-	-	0
PTTEP19C2412A	0.35	160867	0.36	0.36	0.34	0.34	0.34	0.35	(0.01)	3,865	136	0.352
PTTEP19P2409A	0.10	160867	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP41C2409A	0.09	160867	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP41C2412A	0.37	160867	0.39	0.39	0.36	0.36	0.36	0.37	(0.01)	2,100	80	0.382
PTTEP41C2604T	0.40	160867	-	0.39	0.39	0.39	0.39	0.40	(0.01)	1,000	39	0.39
PTTEP41P2412A	0.43	160867	-	0.43	0.43	0.43	0.42	0.43	-	92	4	0.43
RATCH	30.25	160867	30.50	30.50	30.00	30.50	30.25	30.50	0.25	27,884	84,483	30.297
RATCH13C2412A	0.23	160867	0.23	0.23	0.22	0.22	0.23	0.24	(0.01)	12,873	284	0.22
RATCH19C2412A	0.20	160867	0.21	0.21	0.20	0.20	0.21	0.22	-	9,366	188	0.2
RPC	0.49	160867	0.49	0.51	0.49	0.50	0.49	0.51	0.01	3,837	191	0.497
SCG	3.46	160867	3.50	3.54	3.40	3.50	3.50	3.54	0.04	108	38	3.489
SCN	0.82	160867	0.82	0.86	0.81	0.82	0.82	0.83	-	9,550	787	0.824
SCN-W2	0.07	160867	-	0.07	0.05	0.06	0.05	0.06	(0.01)	463	3	0.055
SCN-W3	0.03	160867	0.04	0.05	0.03	0.04	0.03	0.04	0.01	17,305	69	0.039
SEAQIL	2.30	160867	2.32	2.34	2.28	2.						

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
TOP01C2412A	0.24	160867	-	0.29	0.23		0.29	0.29	0.30	0.05	27,066	715	0.264
TOP13C2410A	0.04	160867	-	0.05	0.04		0.05	0.05	0.06	0.01	200	1	0.045
TOP13C2412A	0.21	160867	-	0.25	0.19		0.25	0.25	0.26	0.04	38,396	883	0.229
TOP19C2410A	0.08	160867	-	-	-		-	0.07	0.08	-	-	-	0
TOP19C2412A	0.21	160867	-	0.26	0.20		0.26	0.25	0.26	0.05	27,435	658	0.239
TOP41C2410A	0.07	160867	-	-	-		-	0.06	0.07	-	-	-	0
TOP41C2412A	0.22	160867	0.24	0.27	0.21		0.27	0.27	0.28	0.05	37,500	903	0.24
TPIPP	2.80	160867	2.82	2.86	2.82		2.86	2.84	2.86	0.06	16,100	4,560	2.832
TSE	0.91	160867	0.91	0.93	0.89		0.92	0.92	0.93	0.01	55,126	5,012	0.909
TTW	9.00	160867	9.00	9.00	8.95		9.00	8.95	9.00	-	18,132	16,301	8.99
UBE	0.80	160867	0.80	0.81	0.79		0.80	0.79	0.80	-	34,671	2,768	0.798
WHAUP	3.88	160867	3.86	3.94	3.84		3.90	3.90	3.92	0.02	33,286	12,962	3.894
WP	3.40	160867	3.52	3.56	3.42		3.54	3.52	3.54	0.14	598	210	3.519
Media & Publishing													
AMARIN	3.82	160867	-	3.80	3.78		3.78	3.76	3.82	(0.04)	7	3	3.797
AQUA	0.35	160867	0.35	0.35	0.34		0.35	0.34	0.35	-	34,655	1,199	0.346
AS	3.32	160867	3.32	3.88	3.32		3.70	3.70	3.72	0.38	76,382	27,890	3.651
BEC	3.82	160867	3.86	4.00	3.84		3.96	3.96	3.98	0.14	17,866	7,055	3.948
FE	190.00	160867	-	-	-		-	170.00	187.00	-	-	-	0
GPI	1.70	160867	1.70	1.73	1.70		1.71	1.71	1.72	0.01	9,057	1,549	1.709
GRAMMY	7.00	160867	6.85	6.95	6.70		6.75	6.65	6.75	(0.25)	350	236	6.742
JKN	0.44	160867	0.44	0.47	0.38		0.38	0.37	0.38	(0.06)	398,575	16,353	0.41
MAJOR	14.00	160867	14.00	14.10	13.60		13.80	13.70	13.80	(0.20)	25,722	35,483	13.794
MATCH	1.40	160867	-	1.50	1.42		1.44	1.44	1.49	0.04	23	3	1.427
MATI	7.45	160867	-	7.20	7.05		7.05	7.00	7.10	(0.40)	65	46	7.096
MCOT	2.76	160867	-	2.76	2.70		2.76	2.74	2.76	-	97	26	2.726
MONO	1.50	160867	1.50	1.58	1.48		1.57	1.56	1.57	0.07	234,076	35,931	1.535
NATION	0.02	160867	0.03	0.03	0.02		0.02	0.02	0.03	-	1,481	4	0.025
NATION-W4	0.01	160867	-	-	-		-	-	0.01	-	-	-	0
ONEE	3.28	160867	3.34	3.52	3.28		3.52	3.50	3.52	0.24	100,189	34,516	3.445
PLANB	6.65	160867	6.65	6.95	6.60		6.90	6.90	6.95	0.25	126,647	86,756	6.85
PLANB-W1	0.21	160867	0.21	0.23	0.19		0.22	0.21	0.22	0.01	34,810	748	0.214
PLANB11C2408A	0.01	160867	-	0.01	0.01		0.01	0.01	0.04	-	2	-	0.01
PLANB11P2408A	0.01	160867	-	-	-		-	-	-	-	-	-	0
PLANB13C2412A	0.13	160867	-	0.16	0.13		0.16	0.16	0.17	0.03	36,340	520	0.143
PLANB19C2412A	0.15	160867	-	0.19	0.15		0.19	0.18	0.19	0.04	42,574	696	0.163
PRAKIT	10.20	160867	-	10.10	9.85		9.90	9.85	10.10	(0.30)	4	4	9.987
PTECH	4.94	160867	-	5.25	5.20		5.25	4.50	5.20	0.31	2	1	5.225
SE-ED	2.14	160867	2.14	2.14	2.14		2.14	2.04	2.14	-	2	-	2.14
TKS	7.20	160867	7.20	7.35	7.20		7.25	7.20	7.25	0.05	2,804	2,049	7.306
VGI	1.75	160867	1.77	2.04	1.75		2.02	2.02	2.04	0.27	4,386,010	836,603	1.907
VGI-W3	0.06	160867	0.07	0.08	0.07		0.08	0.07	0.08	0.02	40,098	282	0.07
VGI01C2409A	0.03	160867	-	0.13	0.03		0.12	0.12	0.13	0.09	10,780	122	0.112
VGI01C2410A	0.24	160867	0.25	0.52	0.24		0.52	0.55	0.57	0.28	48,259	1,558	0.322
VGI01C2411A	0.64	160867	-	1.13	0.63		1.13	1.09	1.10	0.49	14,047	1,180	0.84
VGI01C2501A	1.00	160867	-	0.82	0.49		0.80	0.80	0.82	(0.20)	40,111	2,405	0.599
VGI01P2411X	0.04	160867	-	0.02	0.02		0.02	0.01	0.02	(0.02)	5,255	11	0.02
VGI01P2412X	0.27	160867	-	0.26	0.14		0.14	0.14	0.15	(0.13)	66,297	1,240	0.187
VGI13C2409A	0.01	160867	-	0.05	0.02		0.05	0.05	0.06	0.04	81	-	0.02
VGI13C2410A	0.23	160867	-	0.54	0.26		0.54	0.53	0.56	0.31	2,614	98	0.376
VGI13C2411A	0.49	160867	-	0.88	0.55		0.88	0.88	0.92	0.39	2,478	154	0.621
VGI13C2411B	0.69	160867	-	1.00	0.72		1.00	1.09	1.17	0.31	438	36	0.826
VGI13C2412A	0.26	160867	-	0.50	0.25		0.48	0.48	0.49	0.22	242,952	8,633	0.355
VGI13P2411A	0.05	160867	-	0.05	0.02		0.02	0.02	0.03	(0.03)	9,739	29	0.029
VGI19C2409A	0.04	160867	-	0.07	0.06		0.07	0.07	0.08	0.03	3,000	20	0.065
VGI19C2410A	0.19	160867	0.20	0.45	0.19		0.45	0.45	0.46	0.26	219,286	6,294	0.287
VGI19C2410B	0.31	160867	-	0.57	0.31		0.57	0.66	0.69	0.26	15,136	550	0.363
VGI19C2411A	0.54	160867	-	0.98	0.56		0.98	0.94	0.98	0.44	6,773	482	0.711
VGI41C2409A	0.05	160867	-	0.26	0.04		0.24	0.24	0.26	0.19	20,865	315	0.15
VGI41C2411A	0.50	160867	-	1.01	0.65		1.01	1.04	1.06	0.51	19,825	1,709	0.862
VGI41C2412A	0.45	160867	-	0.78	0.46		0.77	0.77	0.78	0.32	59,244	3,447	0.581
VGI41C2412B	0.30	160867	-	0.55	0.30		0.54	0.54	0.55	0.24	147,676	6,064	0.41
WORK	9.85	160867	9.90	10.00	9.80		9.85	9.80	9.85	-	2,053	2,026	9.87
ZAA	0.62	160867	0.62	0.65	0.61		0.64	0.62	0.64	0.02	426	26	0.62
Finance & Securities													
AEONTS	110.00	160867	111.50	119.00	109.50		118.00	117.50	118.00	8.00	7,865	91,615	116.485
AEONTS01C2409A	0.01	160867	-	-	-		-	0.01	0.02	-	-	-	0
AEONTS13C2412A	0.24	160867	-	0.37	0.26		0.35	0.35	0.36	0.11	16,381	530	0.323
AMANAH	0.98	160867	0.99	1.27	0.99		1.22	1.22	1.23	0.24	165,164	19,971	1.209
ASAP	2.30	160867	-	2.32	2.26		2.32	2.28	2.32	0.02	172	40	2.3
ASK	9.95	160867	10.10	10.70	9.90		10.00	9.95	10.00	0.05	35,021	35,480	10.131
ASP	2.28	160867	2.28	2.42	2.28		2.40	2.40	2.42	0.12	20,957	4,989	2.38
BAM	6.80	160867	6.95	7.60	6.90		7.45	7.45	7.50	0.65	246,857	181,526	7.353
BAM01C2409A	0.01	160867	-	-	-		-	0.01	0.02	-	-	-	0
BAM01C2411A	0.04	160867	-	0.07	0.06		0.06	0.06	0.07	0.02	4,666	30	0.063
BAM01C2501A	0.16	160867	0.19	0.28	0.18		0.26	0.26	0.27	0.10	100,195	2,273	0.226
BAM13C2412A	0.15	160867	-	0.25	0.16		0.23	0.23	0.24	0.08	40,582	876	0.215
BAM19C2409A	0.02	160867	-	-	-		-	0.01	0.02	-	-	-	0
BAM19C2412A	0.14	160867	-	0.23	0.15		0.21	0.21	0.22	0.07	68,879	1,411	0.204
BYD	0.84	160867	0.86	1.06	0.84		1.01	1.01	1.02	0.17	1,837,892	177,908	0.968
BYD13C2410A	0.01	160867	-	-	-		-	-	0.01	-	-	-	0
BYD13C2411A	0.01	160867	-	0.01	0.01		0.01	-	0.01	-	441	-	0.01
BYD13C2412A	0.02	160867	-	0.03	0.01		0.03	0.01	0.03	0.01	3,278	7	0.019

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
JMT01C2412A	0.60	160867	-	0.86	0.66	0.81	0.78	0.80	0.21	6,077	497	0.818
JMT01C2412W	0.36	160867	-	0.47	0.43	0.47	0.47	0.51	0.11	812	38	0.462
JMT01P2410W	0.15	160867	-	0.16	0.11	0.11	0.11	0.13	(0.04)	6,782	84	0.123
JMT06C2410A	0.02	160867	-	0.04	0.04	0.04	0.03	0.06	0.02	10	-	0.04
JMT13C2410A	0.01	160867	-	0.01	0.01	0.01	0.01	0.02	-	1	-	0.01
JMT13C2410B	0.02	160867	-	-	-	-	0.03	0.04	-	-	-	0
JMT13C2410C	0.08	160867	-	0.13	0.08	0.11	0.11	0.12	0.03	99,337	1,142	0.114
JMT13C2412A	0.29	160867	0.31	0.41	0.30	0.37	0.37	0.38	0.08	250,573	8,948	0.357
JMT13C2412B	0.56	160867	-	0.76	0.64	0.70	0.70	0.72	0.14	3,980	271	0.681
JMT13P2410A	0.92	160867	-	-	-	-	0.29	0.67	-	-	-	0
JMT13P2410B	0.31	160867	-	0.35	0.12	0.35	0.14	0.32	0.04	6	-	0.158
JMT19C2410A	0.06	160867	-	-	-	-	0.02	0.03	-	-	-	0
JMT19C2410B	0.05	160867	-	0.06	0.06	0.06	0.05	0.06	0.01	3,000	18	0.06
JMT19C2411A	0.10	160867	-	0.17	0.12	0.14	0.14	0.15	0.04	49,270	705	0.143
JMT19C2411B	0.24	160867	-	0.36	0.27	0.32	0.32	0.33	0.08	90,847	2,850	0.313
JMT19C2412A	0.39	160867	0.48	0.53	0.42	0.49	0.49	0.50	0.10	123,066	5,724	0.465
JMT19P2410A	0.73	160867	0.36	0.55	0.36	0.36	0.35	0.36	(0.37)	43	2	0.402
JMT41C2411A	0.24	160867	0.26	0.38	0.26	0.33	0.33	0.34	0.09	106,017	3,363	0.317
JMT41C2412A	0.08	160867	-	0.13	0.10	0.11	0.11	0.12	0.03	13,767	161	0.116
KCAR	4.32	160867	-	4.36	4.26	4.34	4.32	4.34	0.02	448	194	4.32
KGI	4.08	160867	4.10	4.22	4.10	4.16	4.16	4.18	0.08	13,732	5,738	4.178
KTC	39.75	160867	40.00	41.00	39.50	41.00	40.75	41.00	1.25	58,053	235,351	40.54
KTC01C2410A	0.03	160867	-	-	-	-	0.03	0.04	-	-	-	0
KTC01C2412W	0.24	160867	0.29	0.31	0.24	0.31	0.30	0.31	0.07	87,783	2,519	0.287
KTC13C2410A	0.03	160867	-	-	-	-	0.02	0.03	-	-	-	0
KTC13C2412A	0.14	160867	-	0.17	0.14	0.17	0.17	0.18	0.03	33,044	528	0.159
KTC13C2412B	0.21	160867	0.22	0.26	0.21	0.26	0.25	0.26	0.05	85,389	2,095	0.245
KTC19C2410A	0.03	160867	-	0.03	0.03	0.03	0.03	0.04	-	500	2	0.03
KTC19C2412A	0.16	160867	0.17	0.20	0.17	0.20	0.20	0.21	0.04	89,889	1,645	0.183
MFC	19.60	160867	19.60	19.70	19.20	19.40	19.30	19.50	(0.20)	121	234	19.349
MICRO	0.91	160867	0.92	1.11	0.91	1.01	1.01	1.03	0.10	35,069	3,625	1.033
ML	0.47	160867	0.47	0.55	0.47	0.50	0.48	0.50	0.03	3,938	199	0.505
MST	8.95	160867	-	9.00	8.95	9.00	8.95	9.05	0.05	41	37	8.959
MTC	42.50	160867	42.75	44.75	42.25	44.75	44.75	45.00	2.25	127,155	561,312	44.143
MTC01C2409A	0.03	160867	-	-	-	-	0.03	0.04	-	-	-	0
MTC01C2411W	0.13	160867	-	0.19	0.14	0.19	0.19	0.20	0.06	20,790	357	0.171
MTC01C2412A	0.31	160867	-	0.41	0.31	0.41	0.41	0.42	0.10	47,006	1,706	0.362
MTC01P2411W	0.32	160867	-	0.32	0.25	0.25	0.25	0.26	(0.07)	24,201	653	0.27
MTC13C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
MTC13C2411A	0.12	160867	-	0.16	0.12	0.16	0.16	0.17	0.04	24,078	364	0.151
MTC13C2412A	0.26	160867	-	0.34	0.26	0.34	0.34	0.35	0.08	58,098	1,791	0.308
MTC13P2412A	0.27	160867	-	0.28	0.21	0.23	0.21	0.22	(0.04)	3,569	84	0.234
MTC19C2409A	0.09	160867	-	-	-	-	0.01	0.02	-	-	-	0
MTC19C2411A	0.14	160867	-	0.19	0.14	0.19	0.19	0.20	0.05	26,710	453	0.169
MTC19C2412A	0.28	160867	-	0.36	0.28	0.36	0.36	0.37	0.08	43,566	1,441	0.33
MTC41C2411A	0.11	160867	-	0.16	0.11	0.16	0.16	0.17	0.05	33,003	460	0.139
MTC41C2412A	0.37	160867	-	0.47	0.36	0.47	0.47	0.48	0.10	47,811	2,020	0.422
NCAP	1.58	160867	1.61	1.74	1.60	1.66	1.65	1.66	0.08	231,473	38,825	1.677
PL	1.61	160867	-	1.65	1.61	1.64	1.62	1.65	0.03	1,044	169	1.62
S11	1.77	160867	2.04	2.14	1.76	2.10	2.10	2.12	0.33	7,977	1,593	1.997
SAK	4.74	160867	4.76	5.05	4.58	4.72	4.72	4.74	(0.02)	88,023	42,539	4.832
SAWAD	32.00	160867	32.50	34.75	32.25	33.75	33.75	34.00	1.75	162,278	546,195	33.657
SAWAD-W2	0.62	160867	0.64	0.73	0.64	0.66	0.66	0.67	0.04	98,298	6,684	0.679
SAWAD01C2410W	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD01C2411W	0.05	160867	-	0.11	0.08	0.08	0.09	0.10	0.03	9,296	90	0.096
SAWAD01C2501A	1.00	160867	-	0.54	0.43	0.50	0.48	0.51	(0.50)	9,563	472	0.493
SAWAD01C2501W	0.18	160867	0.20	0.28	0.19	0.24	0.24	0.25	0.06	84,606	1,977	0.233
SAWAD01P2410W	1.02	160867	-	0.52	0.52	0.52	0.50	0.52	(0.50)	2	-	0.52
SAWAD01P2501W	0.40	160867	-	0.39	0.32	0.34	0.34	0.35	(0.06)	89,419	3,153	0.352
SAWAD13C2410A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD13C2411A	0.06	160867	-	0.11	0.07	0.09	0.09	0.10	0.03	43,885	407	0.092
SAWAD13C2412A	0.17	160867	0.19	0.27	0.19	0.23	0.23	0.24	0.06	164,399	3,768	0.229
SAWAD13C2412B	0.31	160867	0.33	0.42	0.29	0.37	0.37	0.40	0.06	18,258	576	0.315
SAWAD13P2410A	0.59	160867	-	0.38	0.38	0.38	0.36	0.38	(0.21)	2,000	76	0.38
SAWAD13P2411A	0.26	160867	0.23	0.24	0.19	0.20	0.20	0.22	(0.06)	40,396	855	0.211
SAWAD19C2410A	0.02	160867	-	-	-	-	0.02	0.03	-	-	-	0
SAWAD19C2411A	0.05	160867	-	0.13	0.10	0.11	0.11	0.12	0.06	29,435	326	0.11
SAWAD19C2412A	0.18	160867	0.18	0.25	0.18	0.22	0.22	0.23	0.04	43,310	927	0.213
SAWAD19C2501A	0.35	160867	0.36	0.46	0.35	0.42	0.42	0.43	0.07	17,229	683	0.396
SAWAD19P2410A	0.44	160867	-	0.33	0.26	0.31	0.30	0.34	(0.13)	2,703	74	0.272
SAWAD41C2411A	0.10	160867	-	-	-	-	0.02	0.04	-	-	-	0
SAWAD41C2411B	0.12	160867	0.17	0.21	0.13	0.17	0.17	0.18	0.05	63,110	1,035	0.163
SAWAD41C2501A	0.34	160867	0.40	0.45	0.36	0.42	0.42	0.43	0.08	59,602	2,428	0.407
SCAP	1.17	160867	1.18	1.53	1.18	1.53	1.52	-	0.36	98,425	13,861	1.408
SGC	1.26	160867	1.27	1.34	1.26	1.32	1.32	1.33	0.06	246,566	32,317	1.31
SM	1.23	160867	-	1.33	1.22	1.25	1.25	1.26	0.02	12,706	1,603	1.261
TH	0.79	160867	0.80	0.90	0.78	0.86	0.85	0.86	0.07	256,377	21,556	0.84
TH-W3	0.25	160867	0.26	0.31	0.25	0.25	0.24	0.25	-	65,437	1,794	0.274
THANI	1.81	160867	1.82	1.95	1.82	1.91	1.91	1.92	0.10	114,319	21,575	1.887
TIDLOR	13.80	160867	14.30	14.90	14.10	14.30	14.30	14.40	0.50	425,630	615,504	14.461
TIDLOR01C2409A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
TIDLOR13C2410A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
TIDLOR13C2411A	0.02	160867	-	0.03	0.01	0.02	0.01	0.02	-	38,508	77	0.02
TIDLOR13C2411B	0.20	160867	0.23	0.29	0.22	0.24	0.24	0.25	0.04	214,379	5,652	0.263
TIDLOR19C2410A	0.03	160867	-	-	-	-	0.01	0.02	-	-	-	0
TIDLOR19C2411A	0.02	160867	-	0.04	0.02	0.04	0.02	0.03	0.02	1,638	4	0.023
TIDLOR19C2501A	0.29	160867	0.34	0.37	0.32	0.33	0.33	0.34	0.04	225,629	7,672	0.34
TIDLOR19P2410A	0.85	160867	0.65	0.71	0.63	0.69	0.71	0.74	(0.16)	198	13	0.678
TIDLOR41C2409A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
TK	4.66	160867	-	4.86	4.66	4.84	4.80	4.84	0.18	1,281	615	4.803
TNITY	3.54	160867	3.82	3.96	3.56	3.72	3.72	3.74	0.18	501	188	3.742
UOBKH	4.96	160867	-	-	-	-	4.96	5.00	-	-	-	0
XPG	0.83	160867	0.83	0.88	0.82	0.87	0.87	0.88	0.04	303,070	26,159	0.863
Food & Beverage												
AAI	6.10	160867	6.00	6.15	5.90	6.05	6.05	6.10	(0.05)	112,171	68,281	6.087
APURE	4.02	160867	-	4.08	4.02	4.06	4.06	4.08	0.04	2,864	1,160	4.05
APURE-W3	0.04	160867	0.05	0.06	0.04	0.05	0.04	0.05	0.01	11,588	58	0.049

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CBG	67.50	160867	67.25	69.50	67.25	69.00	69.00	69.25	1.50	47,014	322,420	68.579
CBG01C2410A	0.13	160867	-	0.16	0.12	0.16	0.15	0.17	0.03	2,201	32	0.145
CBG01C2412W	0.29	160867	-	0.35	0.30	0.34	0.34	0.35	0.05	44,376	1,387	0.312
CBG01C2501W	0.56	160867	-	0.64	0.56	0.62	0.62	0.63	0.06	47,999	2,944	0.613
CBG01P2409X	0.06	160867	-	0.04	0.04	0.04	0.03	0.05	(0.02)	100	-	0.04
CBG01P2412W	0.52	160867	-	0.53	0.47	0.47	0.47	0.48	(0.05)	85,919	4,311	0.501
CBG06C2408A	0.04	160867	-	-	-	-	-	-	-	-	-	0
CBG06C2411A	0.23	160867	-	0.27	0.23	0.27	-	0.27	0.04	140,946	3,393	0.24
CBG11C2408A	0.01	160867	-	-	-	-	0.01	0.03	-	-	-	0
CBG13C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
CBG13C2411A	0.16	160867	-	0.19	0.16	0.19	0.18	0.19	0.03	29,331	521	0.177
CBG13C2412A	0.37	160867	0.36	0.43	0.36	0.41	0.41	0.42	0.04	174,896	6,780	0.387
CBG13P2410A	0.12	160867	-	0.12	0.09	0.09	0.09	0.10	(0.03)	19,898	207	0.103
CBG19C2411A	0.18	160867	-	0.21	0.18	0.21	0.21	0.22	0.03	36,170	697	0.192
CBG19C2412A	0.40	160867	0.39	0.45	0.39	0.43	0.43	0.45	0.03	146,565	6,094	0.415
CBG19P2412A	0.45	160867	-	0.44	0.39	0.40	0.39	0.40	(0.05)	112,695	4,748	0.421
CBG41C2411A	0.17	160867	0.18	0.22	0.17	0.20	0.20	0.21	0.03	56,705	1,059	0.186
CBG41C2412A	0.34	160867	0.36	0.40	0.34	0.39	0.39	0.40	0.05	108,138	3,930	0.363
CFRESH	1.78	160867	1.78	1.84	1.76	1.83	1.83	1.84	0.05	14,196	2,567	1.808
CH	2.58	160867	2.70	2.70	2.62	2.66	2.66	2.68	0.08	8,713	2,313	2.655
CHAO	12.00	160867	12.20	12.20	11.70	11.80	11.70	11.80	(0.20)	10,882	13,082	12.022
CHOTI	66.00	160867	-	-	-	-	65.50	68.50	-	-	-	0
CM	2.26	160867	2.32	2.32	2.22	2.22	2.22	2.28	(0.04)	1,832	412	2.249
COCOCO	12.40	160867	12.40	12.50	12.00	12.20	12.10	12.20	(0.20)	80,296	98,148	12.223
CPF	24.50	160867	24.60	24.80	24.50	24.60	24.60	24.70	0.10	169,979	418,722	24.633
CPF01C2410A	0.42	160867	-	0.44	0.43	0.43	0.43	0.45	0.01	10	-	0.437
CPF01C2412A	0.30	160867	-	0.32	0.30	0.30	0.30	0.31	-	53,294	1,608	0.301
CPF01P2410X	0.02	160867	-	-	-	-	0.02	0.03	-	-	-	0
CPF11C2408A	0.59	160867	-	-	-	-	0.27	0.30	-	-	-	0
CPF13C2409A	0.59	160867	-	-	-	-	0.67	0.72	-	-	-	0
CPF13C2410A	0.35	160867	-	0.36	0.34	0.34	0.33	0.34	(0.01)	8,716	306	0.35
CPF13C2412A	0.27	160867	-	0.28	0.27	0.27	0.27	0.28	-	46,953	1,274	0.271
CPF13P2410A	0.05	160867	0.04	0.04	0.04	0.04	0.03	0.04	(0.01)	4	-	0.04
CPF19C2409A	0.61	160867	-	-	-	-	0.70	0.73	-	-	-	0
CPF19C2410A	0.20	160867	-	0.21	0.19	0.20	0.20	0.21	-	25,759	525	0.203
CPI	2.24	160867	2.24	2.30	2.24	2.28	2.28	2.30	0.04	718	163	2.264
F&D	40.00	160867	40.00	40.50	39.25	39.50	39.75	41.00	(0.50)	53	212	39.966
FM	5.30	160867	5.35	5.40	5.20	5.25	5.25	5.30	(0.05)	371,398	197,171	5.308
GLOCON	0.23	160867	0.23	0.24	0.22	0.22	0.22	0.23	(0.01)	44,461	1,014	0.228
HTC	15.70	160867	15.60	15.70	15.40	15.50	15.50	15.60	(0.20)	8,539	13,295	15.57
ICHI	14.50	160867	14.60	14.60	14.10	14.30	14.30	14.40	(0.20)	100,033	143,489	14.344
ICHI13C2410A	0.02	160867	-	0.02	0.01	0.01	-	0.01	(0.01)	11,554	12	0.01
ICHI13C2501A	0.25	160867	0.22	0.25	0.22	0.22	0.22	0.23	(0.03)	100,545	2,385	0.237
ITC	22.40	160867	22.20	22.40	21.70	21.90	21.80	21.90	(0.50)	65,286	143,667	22.005
ITC01C2412A	0.20	160867	-	0.21	0.18	0.18	0.18	0.19	(0.02)	10,633	216	0.203
ITC13C2410A	0.14	160867	0.14	0.15	0.12	0.12	0.12	0.13	(0.02)	17,727	228	0.128
JDF	2.26	160867	2.26	2.32	2.26	2.28	2.26	2.28	0.02	2,370	544	2.295
KBS	4.94	160867	4.94	5.05	4.94	4.96	4.94	4.96	0.02	7,138	3,559	4.986
KCG	9.75	160867	9.85	10.40	9.85	10.30	10.20	10.30	0.55	50,746	51,129	10.075
KSL	1.83	160867	1.83	1.87	1.83	1.85	1.85	1.86	0.02	13,762	2,552	1.854
KTIS	3.00	160867	-	3.12	2.94	3.00	2.92	3.00	-	2,101	622	2.958
LST	4.78	160867	4.78	4.80	4.78	4.78	4.78	4.82	-	320	154	4.798
M	26.25	160867	26.25	27.00	26.25	26.75	26.75	27.00	0.50	4,800	12,828	26.724
MALEE	10.10	160867	10.20	10.50	10.10	10.40	10.30	10.40	0.30	26,944	27,754	10.3
NRF	1.40	160867	1.41	1.58	1.39	1.57	1.56	1.57	0.17	269,272	40,269	1.495
NSL	29.50	160867	29.75	29.75	28.25	29.00	29.00	29.25	(0.50)	16,685	48,177	28.874
OSP	22.10	160867	22.00	22.50	21.70	22.30	22.30	22.40	0.20	172,456	382,074	22.154
OSP01C2412A	0.21	160867	-	0.23	0.19	0.21	0.21	0.22	-	55,929	1,169	0.209
OSP01P2410X	0.10	160867	-	0.11	0.09	0.09	0.09	0.10	(0.01)	11,486	114	0.099
OSP11C2409A	0.14	160867	-	0.15	0.14	0.14	0.14	0.15	-	5,372	77	0.142
OSP13C2412A	0.07	160867	-	0.07	0.07	0.07	0.06	0.07	-	300	2	0.07
OSP13C2412B	0.20	160867	-	0.22	0.19	0.22	0.21	0.22	0.02	86,361	1,806	0.209
OSP13P2409A	0.03	160867	-	-	-	-	0.01	0.02	-	-	-	0
OSP19C2409A	0.05	160867	-	-	-	-	0.05	0.06	-	-	-	0
OSP19C2412A	0.19	160867	-	0.20	0.16	0.19	0.19	0.20	-	38,343	723	0.188
PB	60.00	160867	-	61.00	59.75	60.00	59.50	60.00	-	44	264	59.886
PLUS	5.50	160867	5.50	5.50	5.35	5.35	5.35	5.45	(0.15)	7,694	4,198	5.455
PM	8.20	160867	8.30	8.35	8.25	8.30	8.25	8.30	0.10	7,087	5,872	8.285
PQS	2.54	160867	2.56	2.70	2.50	2.60	2.60	2.62	0.06	9,909	2,582	2.605
PRG	8.80	160867	-	9.00	8.80	9.00	8.85	9.00	0.20	7	6	8.942
PRG-W1	4.70	160867	-	-	-	-	4.60	5.90	-	-	-	0
PRG-W2	4.70	160867	-	-	-	-	4.30	5.85	-	-	-	0
PRG-W3	4.10	160867	-	-	-	-	4.06	5.95	-	-	-	0
PRG-W4	3.70	160867	3.72	3.72	3.70	3.72	3.70	4.34	0.02	5	2	3.712
RBF	5.35	160867	5.40	5.55	5.35	5.50	5.45	5.50	0.15	88,077	48,034	5.453
RBF01C2409A	0.02	160867	-	-	-	-	0.01	0.05	-	-	-	0
RBF13C2410A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
RBF13C2412A	0.20	160867	-	0.21	0.18	0.21	0.21	0.22	0.01	81,344	1,603	0.197
RBF19C2410A	0.06	160867	-	-	-	-	0.01	0.02	-	-	-	0
SAPPE	91.00	160867	90.75	90.75	76.25	76.50	76.50	76.75	(14.50)	82,794	667,768	80.654
SAPPE13C2411A	0.08	160867	-	0.06	0.02	0.03	0.02	0.03	(0.05)	60,917	168	0.027
SAUCE	40.75	160867	40.75	41.00	40.50	41.00	40.75	41.00	0.25	41	167	4

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TKN19C2410B	0.09	160867	-	-	-	-	0.04	0.05	-	-	-	0
TU	15.40	160867	15.40	15.70	15.30	15.50	15.40	15.50	0.10	260,431	403,619	15.498
TU01C2411A	0.15	160867	-	0.16	0.15	0.15	0.15	0.16	-	11,171	170	0.152
TU01C2501A	0.33	160867	-	0.35	0.33	0.33	0.33	0.34	-	12,992	436	0.335
TU13C2412A	0.20	160867	0.21	0.22	0.21	0.21	0.21	0.22	0.01	52,228	1,117	0.213
TU19C2411A	0.11	160867	-	0.12	0.11	0.12	0.12	0.13	0.01	11,932	137	0.115
TVO	22.00	160867	22.00	22.60	22.00	22.60	22.40	22.60	0.60	13,546	30,213	22.303
TWPC	3.30	160867	3.28	3.30	3.26	3.28	3.28	3.32	(0.02)	529	174	3.292
W	0.60	160867	0.59	0.61	0.58	0.60	0.59	0.60	-	44,900	2,677	0.596
W-W5	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
W-W6	0.19	160867	-	-	-	-	0.18	0.24	-	-	-	0
ZEN	5.35	160867	5.60	5.65	5.35	5.55	5.50	5.60	0.20	219	119	5.441
Health Care Service												
AHC	15.10	160867	-	15.10	15.00	15.10	15.00	15.10	-	64	97	15.096
BCH	14.80	160867	15.00	15.20	14.90	15.10	15.00	15.10	0.30	225,492	339,302	15.047
BCH01C2409A	0.01	160867	-	0.01	0.01	0.01	0.01	0.02	-	350	-	0.01
BCH01C2412A	0.07	160867	-	0.07	0.07	0.07	0.07	0.08	-	17	-	0.07
BCH13C2410A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
BCH13C2412A	0.05	160867	-	0.05	0.05	0.05	0.05	0.06	-	2,716	14	0.05
BCH19C2410A	0.03	160867	-	-	-	-	0.01	0.02	-	-	-	0
BCH19C2411A	0.05	160867	-	-	-	-	0.03	0.04	-	-	-	0
BCH41C2409A	0.08	160867	-	-	-	-	0.01	0.02	-	-	-	0
BDMS	26.25	160867	26.00	26.50	26.00	26.25	26.00	26.25	-	541,587	1,419,065	26.201
BDMS01C2411A	0.06	160867	-	-	-	-	0.04	0.05	-	-	-	0
BDMS01C2412A	0.11	160867	-	0.12	0.11	0.11	0.11	0.12	-	6,368	76	0.119
BDMS11C2411A	0.17	160867	-	0.12	0.12	0.12	0.12	0.13	(0.05)	3,000	36	0.12
BDMS13C2411A	0.06	160867	-	0.06	0.06	0.06	0.06	0.07	-	861	5	0.06
BDMS19C2410A	0.02	160867	-	0.02	0.02	0.02	0.02	0.03	-	2,400	5	0.02
BDMS19C2411A	0.09	160867	-	0.09	0.08	0.09	0.08	0.09	-	90	1	0.084
BDMS41C2412A	0.06	160867	-	-	-	-	0.06	0.07	-	-	-	0
BDMS41C2502B	0.19	160867	-	0.19	0.19	0.19	0.19	0.20	-	9,620	183	0.19
BH	243.00	160867	244.00	244.00	241.00	244.00	243.00	244.00	1.00	17,430	423,363	242.893
BH-P	22.80	160867	-	-	-	-	23.70	-	-	-	-	0
BH-Q	23.40	160867	-	-	-	-	29.25	-	-	-	-	0
BH01C2410A	0.07	160867	-	-	-	-	0.07	0.08	-	-	-	0
BH01C2412A	0.30	160867	0.29	0.30	0.29	0.29	0.29	0.30	(0.01)	29,154	858	0.294
BH01P2409X	0.10	160867	-	-	-	-	0.06	0.07	-	-	-	0
BH01P2412X	0.56	160867	-	0.58	0.56	0.56	0.56	0.57	-	14,275	813	0.569
BH11C2411A	0.21	160867	-	0.20	0.19	0.20	0.19	0.20	(0.01)	6,429	123	0.19
BH13C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
BH13C2411A	0.16	160867	-	0.16	0.14	0.16	0.16	0.17	-	86,214	1,361	0.157
BH13P2409A	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
BH13P2412A	0.39	160867	-	0.39	0.37	0.37	0.37	0.38	(0.02)	35,448	1,356	0.382
BH19C2409A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
BH19C2411A	0.20	160867	-	0.19	0.18	0.19	0.19	0.20	(0.01)	46,798	889	0.19
BH19P2409A	0.10	160867	-	-	-	-	0.01	0.11	-	-	-	0
BH41C2411A	0.21	160867	0.22	0.22	0.21	0.21	0.21	0.23	-	36,515	768	0.21
BH41C2605T	0.45	160867	0.44	0.44	0.44	0.44	0.44	0.45	(0.01)	19,250	847	0.44
BKGI	2.10	160867	2.12	2.18	2.10	2.12	2.12	2.14	0.02	70,067	14,963	2.135
CHG	2.42	160867	2.40	2.44	2.38	2.44	2.44	2.46	0.02	120,513	29,172	2.42
CHG01C2501A	0.18	160867	-	0.20	0.18	0.20	0.20	0.21	0.02	30,747	569	0.184
CHG13C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
CHG13C2412A	0.13	160867	-	0.13	0.12	0.13	0.13	0.14	-	8,595	106	0.123
CHG19C2412A	0.14	160867	-	0.15	0.15	0.15	0.15	0.16	0.01	2,246	34	0.15
CMR	1.75	160867	1.75	1.76	1.74	1.75	1.75	1.77	-	885	155	1.751
EKH	6.70	160867	6.75	6.85	6.65	6.75	6.70	6.75	0.05	16,536	11,125	6.728
EKH-W1	0.51	160867	-	0.55	0.49	0.50	0.49	0.50	(0.01)	3,123	160	0.513
KDH	90.00	160867	90.00	90.25	90.00	90.25	90.25	92.25	0.25	11	99	90.159
LPH	4.52	160867	4.48	4.52	4.48	4.52	4.52	4.54	-	3,258	1,466	4.499
M-CHAI	32.00	160867	-	32.00	31.00	31.50	31.25	31.50	(0.50)	1,035	3,267	31.567
NEW	75.00	160867	-	-	-	-	60.50	89.00	-	-	-	0
NTV	30.00	160867	29.50	30.25	29.50	29.75	29.75	30.25	(0.25)	613	1,813	29.577
PHG	15.90	160867	16.00	16.00	15.20	15.20	15.20	15.30	(0.70)	9,125	14,078	15.427
PR9	18.10	160867	18.20	18.80	18.00	18.80	18.60	18.80	0.70	40,405	74,648	18.474
PRINC	3.10	160867	3.14	3.16	3.10	3.12	3.12	3.16	0.02	8,361	2,615	3.127
RAM	27.75	160867	27.50	27.75	27.50	27.50	27.50	27.75	(0.25)	89	245	27.533
RJH	23.50	160867	23.30	23.50	23.20	23.40	23.30	23.50	(0.10)	1,198	2,797	23.343
RPH	5.75	160867	5.80	5.80	5.75	5.75	5.75	5.80	-	2,395	1,387	5.791
SAFE	14.40	160867	14.40	14.70	14.40	14.60	14.60	14.70	0.20	2,442	3,547	14.526
SKR	9.30	160867	9.25	9.40	9.25	9.40	9.35	9.40	0.10	246	230	9.339
THG	26.00	160867	26.25	27.00	26.00	26.75	26.50	26.75	0.75	1,278	3,375	26.411
VIBHA	2.12	160867	2.10	2.14	2.08	2.14	2.12	2.14	0.02	14,421	3,055	2.118
VIBHA-W4	0.09	160867	-	0.10	0.09	0.10	0.09	0.10	0.01	8,262	75	0.091
VIH	10.40	160867	10.40	10.50	10.10	10.30	10.20	10.30	(0.10)	12,113	12,465	10.29
VIH-W1	4.80	160867	-	4.70	4.18	4.18	4.18	4.68	(0.62)	27	12	4.285
WPH	11.20	160867	11.30	11.30	11.10	11.20	11.20	11.30	-	12,113	13,573	11.204
Tourism & Leisure												
ASIA	6.40	160867	-	6.45	6.40	6.45	6.40	6.45	0.05	3	2	6.416
BEYOND	8.35	160867	8.35	8.40	8.30	8.30	8.30	8.40	(0.05)	302	252	8.333
BEYOND-W2	0.01	160867	-	-	-	-	-	-	-	-	-	0
CENTEL	30.25	160867	30.25	32.25	30.00	32.00	31.75	32.00	1.75	64,382	202,280	31.418
CENTEL01C2412A	0.02	160867	-	0.03	0.03	0.03	0.03	0.04	0.01	250	1	0.03
CENTEL13C2410A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL13C2412A	0.03	160867	-	0.04	0.03	0.04	0.03	0.04	0.01	8,529	28	0.032
CENTEL19C2410A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL41C2412A	0.02	160867	-	-	-	-	0.03	0.04	-			

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
MINT11C2408A	0.03	160867	-	-	-	-	-	0.01	0.03	-	-	-	0
MINT11C2412A	0.09	160867	-	-	-	-	-	0.07	0.08	-	-	-	0
MINT13C2409A	0.01	160867	-	-	-	-	-	0.01	0.02	-	-	-	0
MINT13C2412A	0.03	160867	-	0.04	0.03	0.04	0.03	0.04	0.01	12,495	41	0.032	
MINT13C2412B	0.13	160867	-	0.18	0.14	0.18	0.17	0.18	0.05	48,690	827	0.169	
MINT19C2410A	0.01	160867	-	-	-	-	-	0.01	0.02	-	-	-	0
MINT19C2411A	0.05	160867	-	-	-	-	-	0.03	0.04	-	-	-	0
MINT19C2501A	0.14	160867	0.15	0.19	0.15	0.18	0.18	0.19	0.04	53,815	898	0.166	
MINT41C2412A	0.03	160867	-	0.03	0.03	0.03	0.02	0.04	-	26,222	79	0.03	
MINT41C2502A	0.07	160867	-	0.10	0.09	0.10	0.10	0.11	0.03	6,000	58	0.096	
MINT41C2604T	0.09	160867	-	0.11	0.09	0.11	0.10	0.11	0.02	6,502	65	0.1	
OHTL	360.00	160867	-	-	-	-	-	360.00	368.00	-	-	-	0
ROH	2.54	160867	-	2.58	2.56	2.58	2.52	2.58	0.04	7	2	2.574	
SHANG	48.50	160867	-	48.00	48.00	48.00	48.00	48.50	(0.50)	10	48	48	
SHR	1.78	160867	1.78	1.87	1.76	1.87	1.86	1.87	0.09	48,887	8,977	1.836	
VRANDA	5.15	160867	-	5.40	5.20	5.40	5.35	5.40	0.25	336	177	5.278	
Home & Office Prod													
AJA	0.14	160867	0.14	0.15	0.14	0.15	0.14	0.15	0.01	76,957	1,146	0.148	
AJA-W3	0.01	160867	-	-	-	-	-	-	-	-	-	-	0
AJA-W4	0.03	160867	-	0.03	0.02	0.03	0.02	0.03	-	2,124	5	0.025	
DTCI	38.00	160867	-	-	-	-	29.00	37.75	-	-	-	-	0
FANCY	0.32	160867	0.32	0.34	0.32	0.33	0.33	0.34	0.01	4,535	149	0.329	
FTI	2.14	160867	2.16	2.18	2.14	2.18	2.16	2.18	0.04	1,464	315	2.151	
KYE	284.00	160867	286.00	288.00	285.00	286.00	286.00	287.00	2.00	22	630	286.454	
L&E	1.01	160867	-	1.01	1.00	1.01	1.00	1.01	-	228	23	1.004	
MODERN	2.48	160867	-	2.48	2.48	2.48	2.48	2.50	-	4,000	992	2.48	
OGC	22.10	160867	-	22.50	22.50	22.50	22.00	22.80	0.40	20	45	22.5	
ROCK	10.20	160867	-	11.90	11.90	11.90	10.30	11.90	1.70	1	1	11.9	
SBNEXT	0.26	160867	0.25	0.32	0.25	0.31	0.30	0.31	0.05	87,209	2,614	0.299	
SBNEXT-W2	0.02	160867	-	0.04	0.02	0.03	0.03	0.04	0.01	81,834	242	0.029	
SIAM	1.15	160867	-	1.15	1.12	1.15	1.12	1.15	-	364	41	1.133	
TCMC	0.73	160867	-	0.74	0.72	0.73	0.72	0.73	-	432	32	0.729	
Insurance													
AYUD	33.00	160867	33.25	33.75	32.75	33.75	33.25	33.75	0.75	140	464	33.151	
BKIH	289.00	160867	289.00	289.00	287.00	287.00	287.00	288.00	(2.00)	232	6,686	288.198	
BLA	17.30	160867	17.30	18.00	17.10	17.80	17.70	17.80	0.50	16,702	29,605	17.725	
BLA01C2410A	0.03	160867	-	-	-	-	0.03	0.04	-	-	-	-	0
BLA13C2410A	0.03	160867	-	0.04	0.04	0.04	0.04	0.05	0.01	100	-	0.04	
BLA19C2410A	0.04	160867	-	-	-	-	0.03	0.04	-	-	-	-	0
BUI	14.50	160867	-	14.70	14.20	14.50	14.50	14.60	-	95	138	14.476	
CHARAN	22.60	160867	-	-	-	-	21.50	23.60	-	-	-	-	0
INSURE	78.00	160867	-	-	-	-	77.50	79.50	-	-	-	-	0
KWI	0.30	160867	-	0.32	0.29	0.31	0.30	0.31	0.01	4,676	141	0.302	
MTI	105.00	160867	-	107.00	105.50	107.00	106.00	107.00	2.00	225	2,386	106.033	
NKI	24.70	160867	-	25.25	25.25	25.25	24.80	25.25	0.55	2	5	25.25	
SMK	0.80	160867	-	-	-	-	-	-	-	-	-	-	0
TGH	14.20	160867	-	14.30	14.30	14.30	14.10	14.30	0.10	2	3	14.3	
THRE	0.56	160867	0.56	0.57	0.54	0.56	0.56	0.57	-	16,377	918	0.56	
THREL	1.73	160867	1.74	1.75	1.73	1.75	1.74	1.75	0.02	1,094	190	1.738	
TIPH	25.25	160867	25.25	25.75	25.00	25.50	25.25	25.50	0.25	2,363	5,989	25.345	
TIPH19C2412A	0.11	160867	-	0.12	0.12	0.12	0.12	0.13	0.01	208	2	0.12	
TLI	7.35	160867	7.30	7.60	7.30	7.50	7.50	7.55	0.15	160,089	119,904	7.489	
TLI13C2411A	0.13	160867	-	0.15	0.13	0.15	0.15	0.16	0.02	33,668	497	0.147	
TLI19C2412A	0.17	160867	-	0.19	0.17	0.19	0.18	0.19	0.02	32,336	592	0.183	
TQM	26.75	160867	26.50	27.00	25.75	26.75	26.50	26.75	-	8,911	23,341	26.193	
TSI	0.08	160867	-	0.08	0.07	0.08	0.07	0.08	-	2,457	19	0.079	
TVH	7.85	160867	7.85	7.95	7.85	7.95	7.85	7.95	0.10	753	593	7.881	
Packaging													
AJ	4.64	160867	4.60	4.80	4.60	4.78	4.70	4.78	0.14	1,609	755	4.69	
ALUCON	174.00	160867	-	-	-	-	173.00	174.00	-	-	-	-	0
BGC	6.20	160867	6.15	6.20	6.10	6.20	6.15	6.20	-	2,280	1,410	6.183	
CSC	45.00	160867	-	45.25	45.00	45.25	45.25	45.75	0.25	38	171	45.006	
CSC-P	150.00	160867	-	-	-	-	-	-	-	-	-	-	0
CSC-Q	76.00	160867	-	-	-	-	-	-	-	-	-	-	0
NEP	0.18	160867	0.17	0.20	0.17	0.18	0.18	0.19	-	10,889	212	0.194	
PJW	2.52	160867	-	2.70	2.52	2.66	2.64	2.66	0.14	1,868	487	2.605	
PTL	12.70	160867	12.80	12.80	12.40	12.50	12.50	12.60	(0.20)	8,644	10,821	12.518	
SCGP	23.00	160867	23.20	23.80	22.80	23.40	23.30	23.40	0.40	148,341	346,872	23.383	
SCGP01C2410A	0.05	160867	-	-	-	-	0.01	0.02	-	-	-	-	0
SCGP01C2411A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	-	0
SCGP01C2412A	0.04	160867	-	0.05	0.05	0.05	0.04	0.05	0.01	1	-	0.05	
SCGP11C2412A	0.06	160867	-	-	-	-	0.06	0.07	-	-	-	-	0
SCGP13C2410A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	-	0
SCGP13C2412A	0.02	160867	-	0.02	0.02	0.02	0.02	0.03	-	9,200	18	0.02	
SCGP13C2412B	0.05	160867	-	0.06	0.05	0.05	0.04	0.06	-	3,047	15	0.05	
SCGP13C2501A	0.35	160867	0.37	0.41	0.33	0.38	0.38	0.39	0.03	137,145	5,178	0.377	
SCGP19C2409A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	-	0
SCGP19C2412A	0.03	160867	-	-	-	-	0.02	0.03	-	-	-	-	0
SCGP19C2412B	0.05	160867	-	-	-	-	0.06	0.07	-	-	-	-	0
SCGP19C2501A	0.38	160867	-	0.44	0.36	0.41	0.41	0.42	0.03	98,322	4,003	0.407	
SCGP41C2412A	0.02	160867	-	-	-	-	0.01	0.03	-	-	-	-	0
SCGP41C2412B	0.06	160867	-	-	-	-	0.05	0.07	-	-	-	-	0
SFLEX	3.60	160867	3.62	3.62	3.50	3.50	3.50	3.54	(0.10)	32,566	11,522	3.538	
SFLEX-W2	0.13	160867	0.14	0.14	0.12	0.13	0.12	0.13	-	18,753	244	0.13	
SITHAI	1.40	160867	1.40	1.42	1.39	1.40	1.39	1.40	-	11,709	1,643	1.403	
SLP	0.40	160867	0.40	0.41	0.38	0.39	0.38	0.39	(0.01)	6,398	253	0.394	
SMPC	9.75	160867	9.75	10.00	9.75	9.95	9.95	10.00	0.20	3,169	3,132	9.883	
SPACK	1.61	160867	-	1.63	1.59	1.61	1.61	1.62	-	328	53	1.607	
TCOAT	25.00	160867	-	-	-	-	23.50	25.00	-	-	-	-	0
TFI	0.06	160867	0.06	0.07	0.06								

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
IP-W2	0.33	160867	-	0.37	0.33	0.34	0.34	0.35	0.01	19,848	678	0.341
JCT	79.25	160867	-	81.00	81.00	81.00	79.75	81.00	1.75	1	8	81
KISS	4.38	160867	4.44	4.46	4.40	4.44	4.42	4.44	0.06	5,789	2,565	4.43
NAM	4.78	160867	-	4.78	4.68	4.72	4.70	4.72	(0.06)	2,617	1,237	4.726
NEO	47.00	160867	47.25	48.50	47.00	47.75	47.75	48.00	0.75	15,706	74,997	47.75
NV	0.88	160867	-	0.91	0.88	0.89	0.89	0.92	0.01	263	23	0.892
OCC	8.85	160867	-	8.55	8.35	8.55	8.50	8.55	(0.30)	81	68	8.439
S&J	42.50	160867	39.50	42.25	39.50	40.00	40.00	40.25	(2.50)	61	246	40.245
STGT	10.40	160867	10.40	10.80	10.30	10.70	10.60	10.70	0.30	87,265	92,881	10.643
STGT01C2410A	0.05	160867	-	-	-	-	0.05	0.06	-	-	-	0
STGT01C2410B	0.03	160867	-	-	-	-	0.03	0.04	-	-	-	0
STGT01C2412A	0.14	160867	-	0.17	0.14	0.15	0.15	0.16	0.01	94,601	1,463	0.154
STGT01C2412B	0.60	160867	-	0.69	0.59	0.66	0.64	0.66	0.06	14,242	920	0.645
STGT01P2410X	0.13	160867	0.13	0.13	0.11	0.11	0.11	0.12	(0.02)	22,371	259	0.115
STGT13C2410A	0.04	160867	-	0.05	0.05	0.05	0.04	0.05	0.01	5,512	28	0.05
STGT13C2412A	0.18	160867	-	0.21	0.18	0.20	0.20	0.21	0.02	37,640	755	0.2
STGT13C2412B	0.55	160867	-	0.58	0.58	0.58	0.61	0.63	0.03	348	20	0.58
STGT13P2410A	0.08	160867	-	0.07	0.06	0.06	0.06	0.07	(0.02)	5,976	36	0.06
STGT19C2410A	0.10	160867	-	-	-	-	0.06	0.07	-	-	-	0
STGT19C2412A	0.20	160867	-	0.25	0.20	0.23	0.23	0.24	0.03	39,937	889	0.222
STHAI	0.01	160867	-	-	-	-	-	-	-	-	-	0
TNR	9.80	160867	9.75	9.90	9.70	9.85	9.80	9.85	0.05	680	664	9.766
TOG	10.20	160867	10.40	10.90	10.30	10.50	10.50	10.60	0.30	4,520	4,819	10.661
Professional Service												
BWG	0.45	160867	0.46	0.48	0.45	0.47	0.47	0.48	0.02	486,930	22,770	0.467
BWG-W6	0.06	160867	0.05	0.06	0.04	0.05	0.05	0.06	(0.01)	462,806	2,315	0.05
GENCO	0.46	160867	0.45	0.46	0.45	0.46	0.45	0.46	-	6,860	309	0.45
PRO	0.35	160867	-	-	-	-	-	-	-	-	-	0
PRTR	4.40	160867	-	4.48	4.36	4.46	4.46	4.48	0.06	4,911	2,179	4.437
SISB	32.00	160867	31.75	32.25	30.75	31.00	30.75	31.00	(1.00)	33,336	104,361	31.305
SISB13C2410A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
SISB13C2412A	0.14	160867	-	0.14	0.12	0.12	0.12	0.13	(0.02)	27,217	345	0.126
SO	4.18	160867	4.30	4.40	4.18	4.38	4.36	4.40	0.20	348	150	4.308
WAVE	0.12	160867	0.12	0.12	0.11	0.12	0.11	0.12	-	5,518	66	0.119
WAVE-W3	0.03	160867	0.02	0.03	0.02	0.03	0.02	0.03	-	2,204	4	0.02
WAVE-W4	0.04	160867	0.04	0.04	0.04	0.04	0.03	0.04	-	352	1	0.04
Property Developme												
A	4.98	160867	-	5.00	5.00	5.00	4.98	5.00	0.02	7	4	5
AKS	0.01	160867	0.01	0.01	0.01	0.01	-	0.01	-	33,230	33	0.01
AKS-W5	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
AMATA	21.20	160867	21.30	21.80	21.20	21.60	21.50	21.60	0.40	44,825	96,806	21.596
AMATA13C2410A	0.05	160867	0.04	0.05	0.04	0.05	0.04	0.05	-	1,011	5	0.045
AMATA13C2412A	0.21	160867	-	0.24	0.20	0.23	0.23	0.24	0.02	22,672	512	0.225
AMATA19C2412A	0.22	160867	-	0.26	0.22	0.24	0.23	0.24	0.02	18,890	460	0.243
AMATAV	4.58	160867	4.60	4.60	4.58	4.58	4.58	4.60	-	302	138	4.585
ANAN	0.55	160867	0.55	0.58	0.55	0.58	0.57	0.58	0.03	20,046	1,132	0.564
AP	7.85	160867	7.85	8.05	7.80	8.05	8.00	8.05	0.20	254,342	201,808	7.93
AP13C2409A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
AP19C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
APEX	0.04	160867	-	-	-	-	-	-	-	-	-	0
ASW	7.50	160867	7.50	7.80	7.50	7.60	7.55	7.60	0.10	1,256	955	7.604
ASW-W2	0.04	160867	-	0.05	0.04	0.04	0.03	0.04	-	18,678	75	0.04
AWC	3.08	160867	3.10	3.32	3.08	3.28	3.28	3.30	0.20	1,075,521	347,948	3.234
AWC01C2409A	0.03	160867	0.03	0.03	0.03	0.03	0.01	0.03	-	111	-	0.03
AWC01C2410W	0.02	160867	-	0.02	0.02	0.02	0.02	0.03	-	200	-	0.02
AWC01C2411A	0.07	160867	-	0.11	0.07	0.10	0.10	0.11	0.03	37,242	375	0.1
AWC01C2501A	1.00	160867	0.36	0.47	0.35	0.45	0.45	0.46	(0.55)	25,233	1,048	0.415
AWC01P2409X	0.69	160867	-	0.70	0.41	0.44	0.41	0.44	(0.25)	3,150	183	0.579
AWC11C2408A	0.01	160867	-	-	-	-	0.01	0.03	-	-	-	0
AWC11C2411A	0.06	160867	-	-	-	-	0.06	0.07	-	-	-	0
AWC11C2412A	0.14	160867	-	0.21	0.15	0.19	0.19	0.20	0.05	19,254	356	0.184
AWC11C2501A	1.00	160867	-	0.45	0.32	0.44	0.42	0.43	(0.56)	26,202	984	0.375
AWC13C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
AWC13C2410A	0.02	160867	0.02	0.02	0.02	0.02	0.01	0.03	-	20	-	0.02
AWC13C2411A	0.05	160867	-	0.08	0.05	0.07	0.07	0.08	0.02	17,554	114	0.065
AWC13C2412A	0.29	160867	0.30	0.40	0.28	0.39	0.39	0.40	0.10	79,033	2,748	0.347
AWC13P2410A	0.45	160867	-	0.44	0.28	0.28	0.28	0.29	(0.17)	11,988	376	0.313
AWC19C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
AWC19C2411A	0.06	160867	-	0.09	0.08	0.08	0.08	0.09	0.02	3,005	24	0.08
AWC19C2501A	0.28	160867	-	0.37	0.28	0.36	0.36	0.37	0.08	72,020	2,278	0.316
AWC41C2411A	0.05	160867	-	-	-	-	0.06	0.07	-	-	-	0
BLAND	0.54	160867	0.54	0.56	0.53	0.55	0.55	0.56	0.01	259,704	14,175	0.545
BRI	4.18	160867	4.18	4.28	4.16	4.28	4.26	4.28	0.10	7,454	3,152	4.229
BROCK	1.56	160867	-	-	-	-	1.48	1.52	-	-	-	0
CGD	0.32	160867	0.32	0.34	0.32	0.34	0.33	0.34	0.02	95,531	3,206	0.335
CI	0.53	160867	0.53	0.56	0.53	0.54	0.54	0.55	0.01	3,582	196	0.546
CMC	1.18	160867	-	1.18	1.13	1.17	1.17	1.18	(0.01)	1,381	161	1.166
CPN	57.50	160867	57.75	58.50	57.25	58.50	58.25	58.50	1.00	61,664	358,655	58.162
CPN01C2410A	0.02	160867	-	-	-	-	0.03	0.04	-	-	-	0
CPN01C2412A	0.25	160867	0.25	0.28	0.24	0.27	0.27	0.28	0.02	41,501	1,067	0.257
CPN11C2412A	0.33	160867	-	0.36	0.33	0.35	0.37	0.38	0.02	3,400	118	0.345
CPN13C2409A	0.01	160867	-	0.02	0.02	0.02	0.01	0.02	0.01	8	-	0.02
CPN13C2411A	0.19	160867	0.20	0.21	0.19	0.21	0.21	0.22	0.02	45,410	927	0.204
CPN13C2501A	0.47	160867	-	0.52	0.46	0.52	0.51	0.54	0.05	18,264	862	0.471
CPN19C2410A	0.04	160867	-	-	-	-	0.03	0.04	-	-	-	0
CPN19C2411A	0.20	160867	-	0.22	0.19	0.22	0.21	0.22	0.02	38,868	805	0.207
CPN41C2410A	0.03	160867	-	-	-	-	0.02	0.04	-	-	-	0
ESTAR	0.20	160867	0.20	0.21	0.20	0.21	0.20	0.21	0.01	5,657	118	0.208
EVER	0.11	160867	0.11	0.13	0.10	0.12	0.12	0.13	0.01	100,669	1,170	0.116
FPT	13.80	160867	-	13.70	13.70	13.70	13.80	14.00	(0.10)	2	3	13.7
GLAND	1.32	160867	-	1.40	1.40	1.40	1.40	1.62	0.08	9	1	1.4
J	1.51	160867	1.56	1.59	1.54	1.56	1.55	1.56	0.05	7,746	1,214	1.566
J-W3	0.27	160867	0.28	0.31	0.27	0.27	0.27	0.29	-	4,636	135	0.29
J-W4	0.37	160867	-	0.41	0.39	0.40	0.37	0.40	0.03	2,855	114	0.399
JCK	0.34	160867	0.33	0.36	0.33	0.35	0.35	0.36	0.01	53,989	1,867	0.345
KC	0.07	160867	0.09	0.09	0.07	0.09	0.08	0.09	0.02	130,150	1,133	0.087
LALIN	6.05	160867	6.05	6.10	5.95	6.05	6.00	6.05	-	2,335	1,403	6.006
LH	5.20	160867	5.20	5.50	5.15	5.40	5.35	5.40	0.20	861,090	460,803	5.351
LH01C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
LH13C2411A	0.02	160867	-	0.02	0.02	0.02	0.02	0.03	-	1,000	2	0.02
LH19C2411A	0.03	160867	-	0.04	0.04	0.04	0.03	0.04	0.01	316	1	0.04

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
MBK-W3	14.70	160867	14.90	14.90	14.70	14.70	14.60	15.00	-	-	5	7	14.8
MBK-W4	14.20	160867	14.30	14.30	14.20	14.20	14.10	16.40	-	-	1,285	1,827	14.216
MJD	1.00	160867	1.04	1.05	1.01	1.02	1.02	1.03	0.02	-	11	1	1.029
MK	1.41	160867	-	1.50	1.42	1.50	1.43	1.50	0.09	-	822	120	1.463
NCH	0.73	160867	0.73	0.74	0.72	0.73	0.73	0.74	-	-	3,337	243	0.727
NNCL	1.84	160867	1.82	1.84	1.81	1.84	1.83	1.84	-	-	1,233	225	1.828
NOBLE	3.18	160867	3.14	3.22	3.14	3.22	3.20	3.22	0.04	-	3,613	1,156	3.199
NUSA	0.27	160867	0.29	0.30	0.28	0.29	0.28	0.29	0.02	-	144,226	4,183	0.29
NUSA-W5	0.05	160867	0.06	0.07	0.05	0.05	0.05	0.06	-	-	69,908	412	0.058
NVD	1.77	160867	-	1.70	1.61	1.68	1.68	1.69	(0.09)	-	580	95	1.644
ORI	4.22	160867	4.22	4.36	4.18	4.36	4.34	4.36	0.14	-	83,678	35,905	4.29
ORI13C2412A	0.07	160867	-	0.08	0.07	0.07	0.07	0.08	-	-	17	-	0.077
ORI19C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	-	0
ORI19C2501A	0.14	160867	-	0.16	0.15	0.16	0.16	0.17	0.02	-	5,748	92	0.159
ORN	0.69	160867	0.72	0.73	0.68	0.72	0.72	0.73	0.03	-	27,427	1,969	0.718
PEACE	2.76	160867	-	2.82	2.78	2.82	2.78	2.82	0.06	-	38	11	2.804
PF	0.15	160867	0.15	0.17	0.15	0.17	0.16	0.17	0.02	-	162,872	2,607	0.16
PIN	4.88	160867	4.90	4.98	4.74	4.80	4.80	4.82	(0.08)	-	33,796	16,460	4.87
PLAT	2.12	160867	2.14	2.16	2.10	2.12	2.12	2.14	-	-	9,209	1,959	2.127
POLAR	0.68	160867	-	-	-	-	-	-	-	-	-	-	0
PRECHA	1.16	160867	-	1.17	1.15	1.15	1.15	1.17	(0.01)	-	666	77	1.16
PRIN	2.38	160867	2.36	2.36	2.36	2.36	2.36	2.38	(0.02)	-	105	25	2.36
PROUD	1.15	160867	1.15	1.21	1.13	1.20	1.20	1.21	0.05	-	5,513	657	1.19
PSH	8.60	160867	8.60	8.75	8.60	8.70	8.70	8.75	0.10	-	3,641	3,160	8.679
QH	1.65	160867	1.66	1.75	1.65	1.73	1.72	1.73	0.08	-	617,654	105,977	1.715
RABBIT	0.56	160867	0.56	0.57	0.55	0.57	0.56	0.57	0.01	-	948,769	53,129	0.559
RABBIT-P	0.55	160867	0.56	0.57	0.54	0.55	0.55	0.56	-	-	661,940	36,181	0.546
RABBIT-Q	4.00	160867	-	-	-	-	-	-	-	-	-	-	0
RICHY	0.47	160867	0.46	0.47	0.46	0.47	0.46	0.47	-	-	713	33	0.46
RML	0.27	160867	-	0.27	0.25	0.27	0.26	0.27	-	-	46,687	1,229	0.263
ROJNA	5.65	160867	5.75	5.90	5.70	5.85	5.80	5.85	0.20	-	35,992	20,904	5.807
S	0.72	160867	0.72	0.73	0.71	0.72	0.72	0.73	-	-	71,062	5,112	0.719
SA	7.70	160867	-	7.65	7.55	7.60	7.55	7.60	(0.10)	-	1,596	1,209	7.576
SA-W1	0.07	160867	-	0.08	0.07	0.07	0.06	0.07	-	-	1,285	9	0.071
SAMCO	0.93	160867	0.94	0.94	0.93	0.93	0.93	0.94	-	-	5,604	526	0.938
SC	2.50	160867	2.52	2.56	2.50	2.50	2.50	2.52	-	-	331,078	83,519	2.522
SENA	2.26	160867	2.26	2.30	2.22	2.30	2.28	2.30	0.04	-	2,752	626	2.276
SIRI	1.60	160867	1.60	1.61	1.57	1.60	1.60	1.61	-	-	947,525	151,365	1.597
SIRI01C2412A	0.18	160867	-	0.18	0.17	0.18	0.18	0.19	-	-	13,583	241	0.177
SIRI13C2412A	0.18	160867	-	0.18	0.17	0.18	0.18	0.19	-	-	17,465	311	0.178
SIRI19C2411A	0.15	160867	0.15	0.15	0.14	0.15	0.15	0.16	-	-	7,530	111	0.147
SPALI	16.40	160867	16.50	16.80	16.40	16.70	16.60	16.70	0.30	-	54,619	90,992	16.659
SPALI13C2409A	0.10	160867	-	-	-	-	0.01	0.02	-	-	-	-	0
SPALI13C2501A	0.30	160867	-	0.32	0.30	0.32	0.32	0.33	0.02	-	36,008	1,141	0.316
SPALI19C2412A	0.10	160867	-	0.11	0.11	0.11	0.11	0.12	0.01	-	5,726	63	0.11
UV	1.44	160867	1.44	1.47	1.43	1.46	1.45	1.47	0.02	-	1,203	175	1.457
WHA	5.10	160867	5.10	5.10	5.00	5.10	5.05	5.10	-	-	456,135	230,734	5.058
WHA01C2410A	0.04	160867	0.04	0.04	0.04	0.04	0.04	0.05	-	-	400	2	0.04
WHA01C2501A	1.00	160867	-	0.19	0.19	0.19	0.19	0.20	(0.81)	-	25,744	489	0.19
WHA06C2410A	0.06	160867	-	-	-	-	-	-	-	-	-	-	0
WHA13C2410A	0.02	160867	-	0.02	0.02	0.02	0.02	0.03	-	-	1,500	3	0.02
WHA13C2411A	0.09	160867	-	0.09	0.08	0.09	0.09	0.10	-	-	16,135	135	0.083
WHA19C2410A	0.05	160867	-	-	-	-	0.03	0.04	-	-	-	-	0
WHA19C2412A	0.20	160867	0.19	0.19	0.17	0.17	0.17	0.18	(0.03)	-	40,524	689	0.17
WHA41C2409A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	-	0
WHA41C2411A	0.30	160867	-	-	-	-	0.30	0.33	-	-	-	-	0
WHA41C2501A	0.16	160867	-	0.16	0.15	0.16	0.15	0.16	-	-	26,100	400	0.153
WIN	0.47	160867	0.47	0.49	0.47	0.48	0.47	0.48	0.01	-	5,939	285	0.479
Paper & Printing Ma													
UTP	11.00	160867	10.90	11.10	10.90	11.00	10.90	11.00	-	-	2,590	2,845	10.982
Fashion													
AFC	4.66	160867	4.92	5.00	4.64	4.92	4.84	4.90	0.26	-	238	117	4.918
AURA	14.00	160867	14.00	14.40	14.00	14.30	14.20	14.30	0.30	-	14,025	19,933	14.212
BTNC	16.50	160867	-	17.00	16.70	17.00	16.30	17.00	0.50	-	5	8	16.84
CPH	9.10	160867	-	9.15	8.95	9.00	9.00	9.10	(0.10)	-	1,089	980	8.998
CPL	1.27	160867	-	1.28	1.24	1.28	1.24	1.28	0.01	-	780	98	1.26
NC	1.68	160867	1.67	1.68	1.66	1.66	1.66	1.71	(0.02)	-	178	30	1.669
PAF	1.01	160867	1.01	1.07	1.01	1.05	1.01	1.05	0.04	-	1,022	107	1.044
PDJ	2.08	160867	2.08	2.10	2.06	2.08	2.06	2.08	-	-	1,702	353	2.071
PG	9.10	160867	9.00	9.00	8.90	8.90	8.85	9.00	(0.20)	-	15	13	8.933
SABINA	21.70	160867	21.70	22.60	21.70	22.60	22.40	22.60	0.90	-	13,984	31,069	22.217
SAWANG	13.40	160867	-	11.00	11.00	11.00	12.80	13.40	(2.40)	-	1	1	11
SUC	30.50	160867	30.75	30.75	30.25	30.25	30.25	30.75	(0.25)	-	241	737	30.582
TNL	31.25	160867	31.50	31.75	31.00	31.75	30.00	31.50	0.50	-	19	59	31.263
TR	39.50	160867	-	-	-	-	39.75	40.00	-	-	-	-	0
TTI	26.25	160867	-	-	-	-	25.25	26.50	-	-	-	-	0
TTT	51.50	160867	51.50	52.50	51.50	52.50	51.00	52.25	1.00	-	44	228	51.863
UPF	33.50	160867	-	-	-	-	33.25	34.00	-	-	-	-	0
WACOAL	29.00	160867	-	-	-	-	27.00	29.75	-	-	-	-	0
WFX	1.03	160867	1.02	1.10	1.02	1.08	1.06	1.08	0.05	-	4,682	503	1.073
Transportation & Log													
AAV	2.20	160867	2.22	2.30	2.18	2.28	2.28	2.30	0.08	-	423,589	96,090	2.268
AAV01C2409A	0.02	160867	0.02	0.02									

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AOT41C2411A	0.11	160867	-	-	-	-	0.05	0.07	-	-	-	0
AOT41C2412A	0.16	160867	0.17	0.21	0.16	0.20	0.20	0.21	0.04	42,001	799	0.19
AOT41C2605T	0.26	160867	-	0.28	0.27	0.28	0.29	0.30	0.02	1,600	44	0.276
ASIMAR	1.49	160867	1.51	1.51	1.48	1.50	1.49	1.50	0.01	304	45	1.491
B	0.08	160867	0.07	0.08	0.07	0.08	0.07	0.08	-	94,996	680	0.071
B-W8	0.01	160867	0.01	0.01	0.01	0.01	-	0.01	-	91	-	0.01
BA	19.10	160867	19.10	19.70	19.10	19.60	19.50	19.60	0.50	24,137	46,883	19.423
BA01C2412A	0.17	160867	-	0.20	0.17	0.20	0.19	0.20	0.03	25,721	472	0.183
BA13C2412A	0.16	160867	-	0.18	0.16	0.18	0.17	0.18	0.02	33,700	579	0.171
BEM	7.90	160867	7.90	7.95	7.80	7.95	7.90	7.95	0.05	218,255	172,648	7.91
BEM01C2412A	0.18	160867	-	0.19	0.18	0.19	0.19	0.20	0.01	82,274	1,550	0.188
BEM11C2411A	0.19	160867	-	-	-	-	0.21	0.22	-	-	-	0
BEM13C2410A	0.05	160867	-	-	-	-	0.06	0.07	-	-	-	0
BEM13C2412A	0.18	160867	0.19	0.20	0.18	0.20	0.19	0.20	0.02	26,135	492	0.188
BEM19C2410A	0.05	160867	-	-	-	-	0.06	0.07	-	-	-	0
BEM19C2412A	0.21	160867	-	0.22	0.21	0.22	0.21	0.22	0.01	78,761	1,657	0.21
BTS	4.04	160867	4.06	4.22	4.04	4.20	4.20	4.22	0.16	1,231,285	511,278	4.152
BTS-W7	0.01	160867	-	0.01	0.01	0.01	-	0.01	-	12	-	0.01
BTS-W8	0.05	160867	0.06	0.06	0.05	0.06	0.05	0.06	0.01	8,599	50	0.058
BTS01C2410A	0.02	160867	-	0.02	0.02	0.02	0.01	0.02	-	101	-	0.02
BTS01C2412A	0.11	160867	0.11	0.15	0.11	0.14	0.14	0.15	0.03	54,430	721	0.132
BTS01C2501A	0.31	160867	-	0.37	0.30	0.36	0.36	0.37	0.05	29,535	1,021	0.345
BTS01P2410X	0.47	160867	-	-	-	-	0.27	0.29	-	-	-	0
BTS06C2410A	0.01	160867	-	-	-	-	-	-	-	-	-	0
BTS13C2410A	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
BTS13C2410B	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
BTS13C2410C	0.02	160867	-	0.04	0.04	0.04	0.04	0.05	0.02	1,710	7	0.04
BTS13C2412A	0.20	160867	-	0.24	0.20	0.24	0.24	0.25	0.04	119,605	2,688	0.224
BTS13C2412B	0.28	160867	0.28	0.34	0.28	0.34	0.33	0.34	0.06	97,220	3,120	0.32
BTS13P2410A	0.35	160867	-	0.33	0.25	0.25	0.25	0.27	(0.10)	59,450	1,671	0.281
BTS19C2410A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
BTS19C2410B	0.02	160867	-	-	-	-	0.02	0.03	-	-	-	0
BTS19C2411A	0.12	160867	-	0.13	0.10	0.13	0.13	0.14	0.01	22,650	280	0.123
BTS19C2412A	0.26	160867	-	0.31	0.25	0.31	0.30	0.31	0.05	20,432	561	0.274
BTS19P2410A	0.23	160867	-	0.20	0.18	0.18	0.18	0.19	(0.05)	15,426	285	0.184
BTS41C2411A	0.16	160867	0.18	0.20	0.15	0.19	0.19	0.20	0.03	43,895	767	0.174
BTS41C2412A	0.02	160867	-	0.04	0.04	0.04	0.04	0.05	0.02	550	2	0.04
BTS41C2501A	0.40	160867	0.40	0.47	0.39	0.47	0.47	0.48	0.07	59,503	2,621	0.44
BTSGIF	3.22	160867	3.24	3.24	3.22	3.24	3.22	3.24	0.02	39,738	12,874	3.239
DMT	11.90	160867	12.00	12.10	11.90	12.00	11.90	12.00	0.10	6,373	7,641	11.988
ETL	0.63	160867	0.64	0.70	0.64	0.70	0.69	0.70	0.07	36,417	2,452	0.673
III	5.55	160867	5.75	5.75	5.50	5.65	5.60	5.65	0.10	13,428	7,548	5.62
KEX	2.50	160867	2.48	2.70	2.48	2.60	2.58	2.60	0.10	13,026	3,409	2.616
KIAT	0.34	160867	0.34	0.35	0.34	0.35	0.34	0.35	0.01	12,116	415	0.342
KWC	270.00	160867	-	-	-	-	261.00	288.00	-	-	-	0
MENA	0.93	160867	0.93	1.02	0.90	1.00	1.00	1.01	0.07	30,267	2,951	0.975
NOK	1.04	160867	-	-	-	-	-	-	-	-	-	0
NYT	3.04	160867	3.04	3.06	3.00	3.06	3.06	3.08	0.02	17,558	5,326	3.033
PORT	1.54	160867	1.50	1.56	1.50	1.53	1.53	1.55	(0.01)	368	56	1.516
PRM	8.00	160867	8.00	8.15	7.85	8.00	7.95	8.00	-	78,559	62,379	7.94
PSL	8.10	160867	8.05	8.20	8.00	8.15	8.15	8.20	0.05	43,048	35,065	8.145
RCL	22.80	160867	22.80	23.30	22.80	23.00	23.00	23.10	0.20	45,094	103,852	23.03
RCL01C2410A	0.02	160867	-	0.02	0.02	0.02	0.02	0.03	-	1,100	2	0.02
RCL01C2411A	0.03	160867	-	-	-	-	0.01	0.02	-	-	-	0
RCL01C2412A	0.37	160867	-	0.40	0.37	0.38	0.38	0.39	0.01	13,746	530	0.385
RCL01P2410X	0.22	160867	-	0.21	0.20	0.20	0.20	0.21	(0.02)	8,565	175	0.204
RCL13C2409A	0.29	160867	-	0.35	0.35	0.35	0.34	0.36	0.06	200	7	0.35
RCL13C2410A	0.03	160867	-	0.03	0.03	0.03	0.02	0.03	-	12,000	36	0.03
RCL13C2410B	0.02	160867	-	0.02	0.02	0.02	0.01	0.02	-	241	-	0.02
RCL13C2412A	0.10	160867	-	0.11	0.10	0.10	0.10	0.11	-	28,634	286	0.1
RCL13C2412B	0.32	160867	-	0.34	0.31	0.32	0.32	0.33	-	4,910	162	0.329
RCL13P2410A	0.13	160867	-	0.11	0.11	0.11	0.11	0.12	(0.02)	3,058	34	0.11
RCL19C2410A	0.04	160867	-	0.03	0.03	0.03	0.03	0.04	(0.01)	72	-	0.03
RCL19C2410B	0.07	160867	-	-	-	-	0.02	0.03	-	-	-	0
RCL19C2412A	0.11	160867	-	0.12	0.12	0.12	0.11	0.12	0.01	18,330	220	0.12
RCL19C2412B	0.35	160867	-	0.37	0.34	0.35	0.35	0.36	-	36,451	1,306	0.358
RCL19P2410A	0.16	160867	-	0.14	0.13	0.13	0.13	0.14	(0.03)	9,892	134	0.135
RCL19P2412A	0.56	160867	-	0.54	0.51	0.54	0.53	0.54	(0.02)	46,247	2,421	0.523
RCL41C2412A	0.07	160867	-	-	-	-	0.07	0.08	-	-	-	0
RCL41C2412B	0.52	160867	0.55	0.56	0.52	0.54	0.54	0.55	0.02	46,061	2,495	0.541
SAV	19.50	160867	19.50	20.40	19.40	20.00	20.00	20.20	0.50	11,702	23,338	19.943
SINO	1.15	160867	1.17	1.20	1.16	1.17	1.17	1.19	0.02	13,447	1,590	1.182
SJWD	10.90	160867	11.10	11.30	10.90	11.20	11.10	11.20	0.30	21,359	23,678	11.085
SJWD13C2410A	0.05	160867	-	-	-	-	0.01	0.02	-	-	-	0
TFFIF	6.35	160867	6.35	6.45	6.35	6.45	6.40	6.45	0.10	34,183	21,895	6.405
THAI	3.32	160867	-	-	-	-	-	-	-	-	-	0
TSTE	13.90	160867	-	14.10	14.00	14.10	13.90	14.10	0.20	15	21	14.08
TTA	5.70	160867	5.75	5.85	5.70	5.85	5.80	5.85	0.15	34,027	19,709	5.792
WICE	5.55	160867	5.60	5.75	5.60	5.75	5.75	5.80	0.20	8,198	4,655	5.678
Automotive												
3K-BAT	53.25	160867	-	53.00	53.00	53.00	53.00	53.25	(0.25)	260	1,378	53
ACG	0.79	160867	0.80	0.83	0.80	0.81	0.80	0.81	0.02	198	16	0.804
AH	17.10	160867	17.20	18.30	17.10	18.20	18.20	18.30	1.10	10,543	18,714	17.75
CWT	1.06	160867	-	1.08	1.05	1.05	1.05	1.07	(0.01)	1,858	197	1.061
EASON	1.14	160867	1.15	1.23	1.15	1.20	1.20	1.22	0.06	16,905	2,039	1.206
GYT	149.50	160867	-	-	-	-						

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
NEX19C2410D	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
NEX19C2411A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
NEX19C2501A	0.03	160867	0.03	0.04	0.02	0.03	0.03	0.04	-	99,011	297	0.03
PCSGH	4.68	160867	4.70	4.76	4.64	4.74	4.70	4.76	0.06	399	187	4.69
POLY	9.30	160867	-	9.40	9.00	9.25	9.05	9.25	(0.05)	272	248	9.116
SAT	11.60	160867	11.60	11.80	11.40	11.80	11.70	11.80	0.20	19,242	22,401	11.641
SPG	13.80	160867	-	-	-	-	13.80	14.30	-	-	-	0
STANLY	206.00	160867	206.00	207.00	205.00	207.00	206.00	207.00	1.00	357	7,354	206.005
TKT	1.72	160867	-	1.74	1.63	1.67	1.67	1.72	(0.05)	229	39	1.682
TNPC	0.93	160867	0.95	0.97	0.92	0.96	0.94	0.97	0.03	462	43	0.933
TRU	2.86	160867	2.90	2.98	2.88	2.98	2.96	2.98	0.12	3,972	1,162	2.925
TSC	14.10	160867	-	14.10	14.00	14.10	14.00	14.10	-	39	55	14.041
Industrial Materials												
AKR	0.85	160867	0.86	0.88	0.84	0.86	0.86	0.87	0.01	27,192	2,349	0.863
ALLA	1.60	160867	1.61	1.61	1.56	1.60	1.59	1.60	-	5,212	820	1.572
ASEFA	3.30	160867	3.28	3.28	3.20	3.20	3.20	3.26	(0.10)	2,260	731	3.234
CPT	0.68	160867	-	0.69	0.67	0.68	0.67	0.68	-	4,791	324	0.675
CRANE	0.73	160867	0.73	0.80	0.73	0.77	0.77	0.78	0.04	2,140	164	0.765
CTW	4.20	160867	-	4.22	4.20	4.20	4.04	4.22	-	25	11	4.212
FMT	34.25	160867	34.00	34.75	34.00	34.75	34.00	34.75	0.50	25	86	34.39
FTE	1.27	160867	1.27	1.31	1.27	1.30	1.29	1.30	0.03	7,590	969	1.276
HTECH	3.56	160867	3.60	3.64	3.48	3.60	3.58	3.60	0.04	14,208	5,089	3.581
KKC	0.04	160867	-	-	-	-	0.03	0.04	-	-	-	0
PCC	2.78	160867	2.78	2.82	2.78	2.80	2.80	2.82	0.02	3,790	1,058	2.79
PK	0.70	160867	0.72	0.74	0.70	0.72	0.72	0.73	0.02	9,249	667	0.72
PSP	4.82	160867	4.92	4.92	4.74	4.78	4.78	4.82	(0.04)	6,491	3,106	4.784
QTC	4.00	160867	3.96	4.08	3.96	4.08	4.08	4.10	0.08	856	345	4.027
SCI	0.74	160867	0.74	0.74	0.69	0.74	0.70	0.74	-	87	6	0.702
SE	0.67	160867	0.66	0.67	0.65	0.67	0.65	0.67	-	517	34	0.658
SNC	6.20	160867	6.15	6.30	6.15	6.20	6.20	6.25	-	2,480	1,549	6.244
STARK	0.02	160867	-	-	-	-	-	-	-	-	-	0
STARK-W1	0.01	160867	-	-	-	-	-	-	-	-	-	0
TCJ	3.26	160867	3.28	3.28	3.20	3.28	3.20	3.28	0.02	15	5	3.226
TPCS	12.80	160867	-	-	-	-	12.50	12.80	-	-	-	0
VARO	3.32	160867	3.40	3.42	3.34	3.38	3.36	3.38	0.06	153	52	3.386
Property Fund & RE												
AIMCG	3.30	160867	3.30	3.34	3.28	3.28	3.28	3.30	(0.02)	2,096	695	3.314
AIMIRT	10.80	160867	10.80	10.90	10.70	10.80	10.70	10.80	-	1,686	1,818	10.783
ALLY	4.52	160867	4.54	4.58	4.50	4.50	4.48	4.50	(0.02)	10,606	4,804	4.529
AMATAR	6.20	160867	-	6.25	6.25	6.25	6.20	6.25	0.05	30	19	6.25
B-WORK	4.28	160867	4.30	4.36	4.30	4.34	4.32	4.34	0.06	3,198	1,385	4.329
BAREIT	9.20	160867	9.30	9.30	9.20	9.20	9.20	9.25	-	695	644	9.267
BKKCP	8.50	160867	-	8.55	8.50	8.50	8.50	8.55	-	82	70	8.501
BOFFICE	4.42	160867	4.42	4.44	4.40	4.40	4.38	4.40	(0.02)	7,280	3,211	4.411
CPNCG	5.30	160867	5.35	5.50	5.35	5.45	5.40	5.45	0.15	2,824	1,540	5.451
CPNREIT	11.10	160867	11.10	11.20	11.00	11.10	11.00	11.10	-	18,669	20,689	11.081
CPTGF	5.15	160867	-	5.15	5.10	5.15	5.10	5.15	-	143	74	5.147
CTARAF	4.46	160867	-	4.46	4.46	4.46	4.44	4.46	-	27	12	4.46
DREIT	4.70	160867	4.76	4.80	4.74	4.78	4.78	4.80	0.08	950	453	4.767
FTREIT	10.20	160867	10.20	10.30	10.20	10.20	10.10	10.20	-	24,553	25,116	10.229
FUTUREPF	11.30	160867	-	11.30	11.20	11.20	11.20	11.30	(0.10)	1,450	1,633	11.26
GAHREIT	6.50	160867	-	6.50	6.40	6.50	6.40	6.45	-	164	105	6.401
GROREIT	8.45	160867	-	8.50	8.45	8.45	8.45	8.50	-	135	114	8.47
GVREIT	5.40	160867	5.40	5.40	5.35	5.35	5.35	5.40	(0.05)	10,302	5,518	5.356
HPF	4.70	160867	4.76	4.76	4.76	4.76	4.72	4.76	0.06	26	12	4.76
HYDROGEN	9.25	160867	9.30	9.40	9.30	9.30	9.30	9.40	0.05	304	283	9.3
IMPACT	11.30	160867	11.40	11.40	11.20	11.20	11.20	11.30	(0.10)	3,658	4,133	11.297
INETREIT	8.35	160867	8.35	8.35	8.30	8.30	8.30	8.35	(0.05)	446	372	8.348
KPNPF	2.40	160867	-	-	-	-	2.38	2.56	-	-	-	0
KTBSTMR	6.75	160867	-	6.80	6.75	6.80	6.75	6.80	0.05	60	41	6.752
LHHOTEL	12.10	160867	12.10	12.10	12.00	12.10	12.00	12.10	-	3,567	4,282	12.005
LHPF	5.50	160867	5.50	5.50	5.45	5.45	5.45	5.50	(0.05)	65	36	5.476
LHSC	9.95	160867	9.95	10.10	9.95	10.00	10.00	10.10	0.05	852	852	9.998
LPF	12.70	160867	12.70	12.80	12.70	12.70	12.70	12.80	-	2,939	3,733	12.7
LUXF	7.05	160867	-	7.00	7.00	7.00	6.95	7.00	(0.05)	14	10	7
M-II	6.00	160867	-	6.00	5.95	6.00	5.90	6.00	-	32	19	5.998
M-PAT	2.80	160867	-	-	-	-	2.24	2.88	-	-	-	0
M-STOR	7.75	160867	-	7.25	7.10	7.10	7.10	7.50	(0.65)	20	14	7.147
MIPF	14.80	160867	-	14.80	14.80	14.80	11.00	15.90	-	1	1	14.8
MIT	0.23	160867	0.26	0.29	0.23	0.29	0.29	-	0.06	2,369	65	0.272
MJLF	3.80	160867	3.74	3.78	3.74	3.78	3.76	3.78	(0.02)	470	177	3.756
MNIT	2.22	160867	-	2.28	2.26	2.26	2.14	2.28	0.04	101	23	2.26
MNIT2	4.70	160867	-	4.98	4.70	4.98	4.70	5.00	0.28	11	5	4.725
MNRF	2.28	160867	2.60	2.64	2.28	2.32	2.28	2.32	0.04	204	47	2.3
POPF	5.50	160867	5.50	5.50	5.45	5.50	5.45	5.50	-	791	434	5.485
PROSPECT	8.45	160867	8.45	8.45	8.40	8.45	8.40	8.45	-	727	614	8.449
QHHRREIT	6.45	160867	-	6.40	6.30	6.30	6.30	6.35	(0.15)	1,496	946	6.324
QHOP	3.26	160867	3.30	3.38	3.30	3.38	3.28	3.38	0.12	59	19	3.301
QHPF	4.40	160867	4.42	4.44	4.42	4.42	4.42	4.44	0.02	3,658	1,622	4.433
SIRIP	7.60	160867	-	-	-	-	7.20	7.95	-	-	-	0
SPRIME	3.80	160867	3.80	3.84	3.80	3.80	3.78	3.80	-	8,117	3,089	3.805
SRIPANWA	4.96	160867	4.92	4.98	4.92	4.92	4.92	4.98	(0.04)	80	39	4.937
SSPF	4.82	160867	-	-	-	-	4.62	4.96	-	-	-	0
SSTRT	4.86	160867	4.88	4.92	4.86	4.92	4.88	4.94	0.06	25	12	4.884
TIF1	7.25	160867	-	7.35	7.25	7.35	7.25	7.35	0.10	133	96	7.25
TLHPF	3.00	160867	-	-	-	-	2.90	3.00	-	-	-	0
TNPF	1.56	160867	-	-	-	-	1.52	1.56	-	-	-	0
TPRIME	6.00											

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
INOX	0.45	160867	0.45	0.46	0.45	0.45	0.45	0.46	-	7,232	326	0.45
LHK	3.66	160867	3.68	3.68	3.64	3.66	3.64	3.66	-	719	263	3.66
MCS	7.05	160867	7.00	7.40	7.00	7.25	7.25	7.30	0.20	5,526	4,017	7.268
MILL	0.08	160867	0.09	0.09	0.08	0.09	0.08	0.09	0.01	9,239	78	0.084
MILL-W7	0.01	160867	-	0.01	0.01	0.01	-	0.01	-	1,000	1	0.01
PAP	1.61	160867	1.68	1.68	1.62	1.62	1.62	1.68	0.01	1,481	243	1.637
PERM	0.81	160867	0.82	0.82	0.79	0.81	0.80	0.81	-	2,215	178	0.801
SAM	0.14	160867	0.13	0.14	0.10	0.12	0.11	0.12	(0.02)	109,325	1,294	0.118
SMIT	4.00	160867	4.00	4.02	4.00	4.00	4.00	4.02	-	2,943	1,177	4
SSSC	2.30	160867	2.32	2.38	2.30	2.38	2.30	2.36	0.08	338	79	2.33
TGPRO	0.09	160867	0.09	0.09	0.08	0.08	0.08	0.09	(0.01)	5,169	42	0.081
THE	0.93	160867	-	0.99	0.92	0.94	0.94	0.96	0.01	4,837	455	0.94
TMT	4.46	160867	-	4.54	4.32	4.54	4.44	4.54	0.08	617	274	4.436
TSTH	0.50	160867	-	0.51	0.49	0.50	0.50	0.51	-	63,005	3,158	0.501
TWP	1.45	160867	1.43	1.51	1.43	1.46	1.45	1.46	0.01	251	37	1.46
TYCN	2.28	160867	-	2.28	2.26	2.28	2.26	2.30	-	7	2	2.268
Construction Service												
APCS	2.20	160867	2.16	2.26	2.16	2.22	2.20	2.22	0.02	149	32	2.171
BJCHI	1.42	160867	1.39	1.44	1.39	1.43	1.43	1.45	0.01	12,859	1,832	1.424
BKD	1.28	160867	1.33	1.33	1.27	1.31	1.30	1.31	0.03	866	114	1.311
CIVIL	1.79	160867	-	1.80	1.77	1.79	1.79	1.80	-	3,424	615	1.796
CK	17.80	160867	18.00	18.60	17.80	18.60	18.50	18.60	0.80	30,811	56,440	18.318
CK13C2412A	0.11	160867	-	0.14	0.12	0.14	0.14	0.15	0.03	15,787	195	0.123
CK19C2412A	0.15	160867	-	0.19	0.16	0.19	0.19	0.20	0.04	21,454	373	0.174
CNT	1.11	160867	-	1.18	1.11	1.14	1.14	1.15	0.03	10,573	1,215	1.149
EMC	0.07	160867	0.06	0.07	0.06	0.07	0.06	0.07	-	5,291	33	0.062
EMC-W7	0.09	160867	-	0.09	0.09	0.09	0.08	0.09	-	15,500	140	0.09
ITD	0.53	160867	0.52	0.53	0.50	0.52	0.51	0.52	(0.01)	58,460	3,013	0.515
JR	3.34	160867	3.34	3.44	3.34	3.44	3.42	3.44	0.10	1,187	404	3.403
NL	1.34	160867	1.33	1.38	1.33	1.35	1.35	1.37	0.01	4,447	602	1.353
NWR	0.16	160867	0.12	0.14	0.12	0.13	0.12	0.13	(0.03)	372,116	4,577	0.123
PLE	0.37	160867	-	0.37	0.33	0.36	0.35	0.36	(0.01)	14,136	491	0.347
PREB	4.32	160867	-	4.42	4.34	4.42	4.42	4.44	0.10	473	208	4.39
PYLON	1.78	160867	1.78	1.84	1.78	1.83	1.81	1.83	0.05	2,575	468	1.816
RT	0.47	160867	0.47	0.50	0.47	0.49	0.49	0.50	0.02	18,807	911	0.484
SEAFCO	1.83	160867	1.87	1.91	1.83	1.91	1.90	1.91	0.08	3,036	573	1.888
SQ	0.80	160867	0.79	0.80	0.78	0.79	0.79	0.80	(0.01)	6,207	488	0.785
SRICHA	5.70	160867	5.90	6.80	5.85	6.70	6.70	6.75	1.00	4,213	2,705	6.419
STEC	8.05	160867	8.20	8.45	8.10	8.40	8.40	8.45	0.35	78,219	65,268	8.344
STI	3.18	160867	-	3.18	3.16	3.18	3.16	3.18	-	99	31	3.178
STPI	3.22	160867	3.24	3.32	3.24	3.32	3.30	3.32	0.10	22,283	7,287	3.27
SYNTEC	1.53	160867	1.53	1.56	1.53	1.54	1.54	1.55	0.01	1,735	268	1.542
TEAMG	2.82	160867	2.86	3.12	2.84	3.08	3.06	3.08	0.26	40,327	12,199	3.025
TEAMG-W1	0.29	160867	0.30	0.34	0.30	0.31	0.31	0.32	0.02	31,538	1,006	0.319
TEKA	2.22	160867	2.24	2.28	2.22	2.26	2.24	2.26	0.04	1,792	404	2.253
TPOLY	1.01	160867	1.04	1.08	1.02	1.07	1.07	1.08	0.06	37,392	3,938	1.053
TRC	0.09	160867	0.09	0.10	0.08	0.10	0.09	0.10	0.01	204,608	1,859	0.09
TRITN	0.12	160867	0.13	0.14	0.12	0.13	0.12	0.13	0.01	271,470	3,529	0.129
TRITN-W6	0.01	160867	-	0.01	0.01	0.01	-	0.01	-	2	-	0.01
TTCL	3.14	160867	-	3.20	3.12	3.14	3.14	3.16	-	11,435	3,599	3.146
UNIQ	2.40	160867	2.36	2.48	2.36	2.46	2.46	2.48	0.06	7,464	1,823	2.407
WGE	0.81	160867	0.88	0.99	0.82	0.82	0.82	0.83	0.01	38,979	3,373	0.865
Unit Trust												
SCBSET	7.54	160867	-	-	-	-	6.40	-	-	-	-	0
ETF												
1DIV	9.90	160867	10.05	10.07	9.89	10.07	10.05	10.08	0.17	976	978	10.023
ABFTH	1,245.00	160867	-	-	-	-	1,263.00	1,293.00	-	-	-	0
BMSCG	8.52	160867	-	8.66	8.66	8.66	8.75	8.82	0.14	1	1	8.66
BMSCITH	9.46	160867	9.45	9.56	9.45	9.56	9.56	9.57	0.10	1,641	1,563	9.526
BSET100	8.66	160867	8.68	8.80	8.68	8.80	8.79	8.82	0.14	320	280	8.74
CHINA	5.34	160867	5.38	5.39	5.33	5.38	5.35	5.39	0.04	184	99	5.355
ENGY	4.65	160867	4.65	4.69	4.65	4.69	4.69	4.70	0.04	215	100	4.66
GLD	3.47	160867	3.48	3.49	3.47	3.49	3.48	3.49	0.02	8,435	2,936	3.481
TDEX	8.08	160867	8.08	8.21	8.08	8.20	8.20	8.21	0.12	6,184	5,055	8.173
UBOT	13.23	160867	13.23	13.33	13.22	13.23	13.23	14.54	-	7	9	13.26
UHERO	7.65	160867	7.12	7.67	7.12	7.67	6.25	7.67	0.02	70	52	7.408
Warrant Foreign												
AIA28C2408A	0.04	160867	-	-	-	-	-	-	-	-	-	0
AIA28C2408B	0.03	160867	-	-	-	-	-	0.03	-	-	-	0
AIA28C2411A	0.23	160867	-	0.22	0.22	0.22	0.03	-	(0.01)	20,000	440	0.22
AIA28P2408A	0.15	160867	-	-	-	-	-	-	-	-	-	0
AIA28P2409A	0.08	160867	-	-	-	-	-	-	-	-	-	0
AIA41C2408A	0.06	160867	-	-	-	-	-	-	-	-	-	0
AIA41C2411A	0.16	160867	-	0.16	0.15	0.15	0.06	-	(0.01)	1,002	16	0.159
AIA41P2409A	0.03	160867	-	0.03	0.01	0.03	0.01	-	-	13	-	0.025
AIA41P2411A	0.25	160867	-	0.24	0.24	0.24	-	-	(0.01)	1,000	24	0.24
ALIHEA28C2409A	0.13	160867	-	-	-	-	-	-	-	-	-	0
ALIHEA41C2410A	0.10	160867	-	-	-	-	0.01	-	-	-	-	0
BABA28C2408A	0.42	160867	-	-	-	-	0.08	-	-	-	-	0
BABA28C2410A	0.12	160867	-	0.14	0.13	0.13	0.10	-	0.01	1,001	14	0.135
BABA28C2412A	0.44	160867	0.49	0.50	0.49	0.50	0.08	-	0.06	56	3	0.499
BABA28P2408A	0.10	160867	-	-	-	-	-	-	-	-	-	0
BABA28P2410A	0.20	160867	0.15	0.15	0.15	0.15	-	-	(0.05)	2	-	0.15
BABA41C2409A	0.04	160867	-	-	-	-	0.01	0.05	-	-	-	0
BABA41C2410A	0.35	160867	0.42	0.43	0.40	0.40	0.40	-	0.05	54	2	0.421
BABA41P2409A	0.10	160867	-	-	-	-	0.01	-	-	-	-	0
BABA41P2411A	0.26	160867	-	0.15	0.14	0.14	0.14	0.16	(0.12)	32	-	0.149
BIDU28C2409A	0.06	160867	-	-	-	-	0.01	-	-	-	-	0
BIDU28C2411A	0.28	160867	-	0.33	0.32	0.32	0.08	-	0.04	401	13	0.322
BIDU28P2410A	0.74	160867	-	-	-	-	-	-	-	-	-	0
BIDU41C2409A	0.13	160867	-	-	-	-	0.01	-	-	-	-	0
BIDU41C2410A	0.16	160867	-	0.21	0.20	0.20	-	-	0.04	8	-	0.203
BIDU41P2410A	0.42	160867	-	0.34	0.32	0.34	-	-	(0.08)	1,012	32	0.32
BYDCOM28C2408A	0.10	160867	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2501A	0.30	160867	-	0.32	0.31	0.31	0.08	-	0.01	10,001	320	0.32
BYDCOM28P2409A	0.08	160867	-	-	-	-	-	-	-	-	-	0
BYDCOM28P2501A	0.58	160867	-	0.44	0.42	0.44	-	-	(0.14)	1,016	45	0.439
BYDCOM41C2409A	0.21	160867	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2409B	0.03	160867	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41P2409A	0.05	160867	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41P2410A	0.30	160867	-	-	-	-	-	-	-	-	-	0
CATHAY41C2411A	0.07	160867	-	-	-	-	-	-	-	-	-	0
CHMOBI28C2409A	0.27	160867	-	0.33	0.32	0.32	-	-	0.05	2,028	65	0.322

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CHMOB128C2411A	0.13	160867	-	0.19	0.19	0.19	-	-	0.06	1	-	0.19
CNOOC28C2408A	0.72	160867	-	-	-	-	0.08	-	-	-	-	0
DJI28C2409A	0.15	160867	-	0.14	0.14	0.14	0.13	0.14	(0.01)	1	-	0.14
DJI28C2409B	0.33	160867	-	0.29	0.29	0.29	0.29	0.30	(0.04)	100	3	0.29
DJI28C2412A	0.96	160867	-	0.95	0.94	0.95	0.94	0.95	(0.01)	32	3	0.946
DJI28P2409A	0.27	160867	-	0.22	0.22	0.22	0.21	0.22	(0.05)	59	1	0.22
DJI28P2409B	0.15	160867	-	0.12	0.11	0.12	0.11	0.12	(0.03)	101	1	0.116
DJI28P2412A	0.83	160867	-	0.78	0.78	0.78	0.77	0.78	(0.05)	15	1	0.78
DJI41C2409A	0.22	160867	-	0.20	0.20	0.20	0.20	0.21	(0.02)	324	6	0.2
DJI41C2412A	0.88	160867	-	0.89	0.86	0.88	0.87	0.88	-	5,634	493	0.875
DJI41P2409A	0.21	160867	-	0.19	0.19	0.19	0.18	0.19	(0.02)	385	7	0.19
DJI41P2412A	0.76	160867	-	0.74	0.73	0.73	0.72	0.73	(0.03)	414	30	0.73
GEELY28C2408A	0.04	160867	-	-	-	-	-	0.04	-	-	-	0
GEELY28C2411A	0.06	160867	-	-	-	-	-	-	-	-	-	0
GEELY41C2411A	0.04	160867	-	-	-	-	0.01	0.80	-	-	-	0
GEELY41C2411B	0.11	160867	-	0.13	0.13	0.13	0.03	0.14	0.02	500	7	0.13
HAIDIL41C2411A	0.11	160867	-	0.13	0.13	0.13	-	-	0.02	3,503	46	0.13
HKEX28C2409A	0.08	160867	-	-	-	-	-	-	-	-	-	0
HKEX28C2410A	0.01	160867	-	-	-	-	0.01	0.04	-	-	-	0
HKEX41C2409A	0.01	160867	-	-	-	-	0.01	0.03	-	-	-	0
HKEX41C2409B	0.06	160867	-	-	-	-	0.01	-	-	-	-	0
HKEX41C2411A	0.19	160867	-	0.20	0.19	0.19	-	-	-	4	-	0.197
HSBC41C2409A	0.01	160867	-	-	-	-	0.01	-	-	-	-	0
HSBC41C2411A	0.07	160867	-	-	-	-	-	-	-	-	-	0
HSCEI28C2408A	0.01	160867	-	0.01	0.01	0.01	-	0.04	-	3	-	0.01
HSCEI28P2408A	0.29	160867	-	-	-	-	0.09	0.10	-	-	-	0
HSI06C2408A	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
HSI06C2408B	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
HSI06C2408C	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
HSI06C2408D	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
HSI06C2408E	0.01	160867	-	0.01	0.01	0.01	-	0.01	-	10	-	0.01
HSI06C2408F	0.02	160867	-	0.03	0.02	0.03	0.02	0.03	0.01	6,206	16	0.025
HSI06C2409A	0.01	160867	-	-	-	-	-	0.02	-	-	-	0
HSI06C2409B	0.02	160867	-	0.02	0.02	0.02	0.02	0.03	-	6,282	13	0.02
HSI06C2409C	0.07	160867	-	0.08	0.07	0.07	0.07	0.09	-	560,848	3,926	0.07
HSI06C2409D	0.20	160867	-	0.25	0.23	0.23	0.21	0.24	0.03	440,614	10,285	0.233
HSI06C2409E	0.47	160867	-	0.57	0.52	0.53	0.52	0.54	0.06	472,906	25,453	0.538
HSI06C2409F	0.94	160867	-	1.09	1.04	1.04	0.04	-	0.10	642	67	1.05
HSI06C2409G	1.43	160867	-	1.81	1.78	1.78	0.09	1.78	0.35	1,004	181	1.804
HSI06C2410A	0.04	160867	-	0.04	0.04	0.04	0.02	0.04	-	142	1	0.04
HSI06C2410B	0.08	160867	-	0.09	0.08	0.09	-	-	0.01	2,907	25	0.085
HSI06C2410C	0.18	160867	-	0.23	0.20	0.20	0.19	0.22	0.02	89,558	1,871	0.208
HSI06C2410D	0.45	160867	-	0.52	0.49	0.50	-	0.60	0.05	224,092	11,334	0.505
HSI06C2410E	0.96	160867	-	1.11	1.06	1.08	1.06	1.08	0.12	5,697	618	1.084
HSI06C2411A	0.20	160867	0.23	0.23	0.22	0.22	0.08	0.23	0.02	116,141	2,559	0.22
HSI06C2411B	0.49	160867	-	0.56	0.54	0.54	0.14	-	0.05	89,600	4,870	0.543
HSI06C2412A	0.21	160867	0.25	0.25	0.04	0.24	0.04	0.25	0.03	43,208	1,042	0.241
HSI06C2412B	0.47	160867	-	0.53	0.51	0.51	0.11	0.52	0.04	93,346	4,823	0.516
HSI06P2408A	0.02	160867	-	-	-	-	-	0.01	-	-	-	0
HSI06P2408B	0.04	160867	-	0.03	0.02	0.02	0.02	0.03	(0.02)	7,474	16	0.021
HSI06P2408C	0.23	160867	-	0.16	0.14	0.15	0.02	-	(0.08)	746,757	11,709	0.156
HSI06P2408D	1.30	160867	-	-	-	-	0.08	-	-	-	-	0
HSI06P2409A	0.23	160867	0.18	0.19	0.17	0.19	0.18	0.19	(0.04)	12,589	227	0.18
HSI06P2409B	0.07	160867	-	0.06	0.06	0.06	0.05	0.07	(0.01)	405	2	0.06
HSI06P2409C	0.48	160867	-	0.41	0.38	0.40	0.38	0.41	(0.08)	409,010	16,268	0.397
HSI06P2409D	1.48	160867	-	-	-	-	0.08	-	-	-	-	0
HSI06P2409E	0.04	160867	-	0.03	0.03	0.03	0.02	-	(0.01)	1,710	5	0.03
HSI06P2410A	0.22	160867	-	0.19	0.17	0.18	0.17	-	(0.04)	42,149	759	0.18
HSI06P2410B	0.57	160867	-	0.51	0.48	0.50	-	-	(0.07)	103,536	5,158	0.498
HSI06P2410C	0.13	160867	-	0.12	0.11	0.12	0.01	-	(0.01)	150,244	1,653	0.11
HSI06P2411A	0.40	160867	-	0.35	0.34	0.35	0.33	-	(0.05)	72,345	2,516	0.347
HSI06P2411B	0.22	160867	-	0.20	0.19	0.19	-	0.21	(0.03)	96,901	1,938	0.199
HSI06P2412A	0.32	160867	-	0.30	0.29	0.29	0.28	0.30	(0.03)	26,128	759	0.29
HSI28C2408A	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
HSI28C2408B	0.04	160867	-	-	-	-	-	0.04	-	-	-	0
HSI28C2408C	0.01	160867	-	-	-	-	-	0.01	-	-	-	0
HSI28C2408D	0.03	160867	-	0.01	0.01	0.01	0.01	0.02	(0.02)	90	-	0.01
HSI28C2408E	0.04	160867	-	0.03	0.03	0.03	0.02	0.03	(0.01)	554	2	0.03
HSI28C2408F	0.74	160867	0.84	0.87	0.84	0.87	0.83	0.87	0.13	13	1	0.846
HSI28C2408G	0.17	160867	0.20	0.20	0.18	0.18	0.18	0.19	0.01	1,357,062	25,572	0.188
HSI28C2409A	0.02	160867	0.02	0.02	0.01	0.02	0.01	0.02	-	2,765	5	0.018
HSI28C2409B	0.05	160867	-	0.06	0.05	0.05	0.05	0.06	-	11,423	57	0.05
HSI28C2409C	0.11	160867	0.12	0.13	0.11	0.11	0.11	0.12	-	8,026	96	0.119
HSI28C2409D	0.24	160867	0.28	0.29	0.26	0.26	0.26	0.27	0.02	1,467,483	40,087	0.273
HSI28C2409E	0.62	160867	0.69	0.71	0.66	0.67	0.67	0.68	0.05	182,030	12,409	0.681
HSI28C2409F	0.98	160867	-	1.11	1.04	1.06	1.05	1.08	0.08	1,243	134	1.08
HSI28C2410A	0.02	160867	0.01	0.03	0.01	0.02	0.01	0.02	-	2,453	5	0.019
HSI28C2410B	0.03	160867	-	0.03	0.02	0.03	0.02	0.03	-	31	-	0.026
HSI28C2410C	0.04	160867	-	0.04	0.04	0.04	0.03	0.04	-	100	-	0.04
HSI28C2410D	0.12	160867	-	0.13	0.13	0.13	0.12	0.13	0.01	850	11	0.13
HSI28C2410E	0.17	160867	-	0.19	0.18	0.18	0.18	0.19	0.01	1,576	29	0.185
HSI28C2410F	0.32	160867	0.35	0.37	0.35	0.35	0.35	0.36	0.03	132,851	4,655	0.35
HSI28C2410G	0.59	160867	-	0.66	0.63	0.64	0.63	0.64	0.05	7,035	448	0.636
HSI28C2411A	0.08	160867	0.09	0.09	0.08	0.09	0.08	0.09	0.01	14,311	127	0.088
HSI28C2411B	0.22	160867	0.25	0.25	0.24							

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSTECH28C2412A	0.34	160867	-	0.40	0.37	0.37	0.37	0.38	0.03	16,501	659	0.399
HSTECH28P2408A	0.36	160867	-	0.19	0.19	0.19	0.19	0.20	(0.17)	2	-	0.19
HSTECH28P2412A	1.00	160867	-	-	-	-	0.22	0.23	-	-	-	0
JD28C2408A	0.20	160867	-	0.36	0.36	0.36	-	-	0.16	400	14	0.36
JD28C2408B	0.01	160867	-	-	-	-	-	-	-	-	-	0
JD28C2410A	0.09	160867	-	-	-	-	-	-	-	-	-	0
JD41C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
JD41C2411A	0.32	160867	-	0.43	0.40	0.40	0.08	-	0.08	884	36	0.406
KUAIISH28C2410A	0.02	160867	-	-	-	-	-	-	-	-	-	0
KUAIISH41C2410A	0.05	160867	-	-	-	-	0.01	-	-	-	-	0
LENOVO41C2409A	0.07	160867	-	-	-	-	-	-	-	-	-	0
LENOVO41C2410A	0.08	160867	-	-	-	-	0.01	0.10	-	-	-	0
MEITUA28C2408A	0.11	160867	-	-	-	-	-	-	-	-	-	0
MEITUA28C2409A	0.04	160867	-	-	-	-	-	0.04	-	-	-	0
MEITUA28P2409A	0.10	160867	-	-	-	-	-	-	-	-	-	0
MEITUA28P2410A	0.36	160867	-	0.30	0.29	0.30	0.08	-	(0.06)	1,000	30	0.295
MEITUA41C2409A	0.02	160867	-	-	-	-	0.01	-	-	-	-	0
MEITUA41C2411A	0.25	160867	-	0.27	0.26	0.26	-	-	0.01	6	-	0.263
MEITUA41P2409A	0.17	160867	-	-	-	-	-	-	-	-	-	0
MEITUA41P2411A	0.54	160867	-	0.51	0.50	0.50	0.08	-	(0.04)	1,536	77	0.5
NDX28C2409A	0.56	160867	-	0.56	0.49	0.49	0.49	0.58	(0.07)	3,000	147	0.49
NDX28C2409B	0.25	160867	-	0.22	0.20	0.20	0.20	0.21	(0.05)	233	5	0.218
NDX28C2412A	0.26	160867	0.24	0.24	0.21	0.23	0.22	0.23	(0.03)	4,862	116	0.237
NDX28P2409A	0.19	160867	-	0.17	0.17	0.17	0.16	0.17	(0.02)	848	14	0.17
NDX28P2409B	0.06	160867	-	0.05	0.05	0.05	0.04	0.06	(0.01)	2,520	13	0.05
NDX28P2409C	0.11	160867	-	0.14	0.14	0.14	0.04	0.13	0.03	200	3	0.14
NDX28P2412A	0.99	160867	-	0.98	0.94	0.97	0.96	0.97	(0.02)	1,253	118	0.943
NDX41C2409A	0.86	160867	-	0.85	0.77	0.79	0.80	0.81	(0.07)	2,118	172	0.811
NDX41C2409B	0.26	160867	0.25	0.25	0.22	0.22	0.22	0.23	(0.04)	94	2	0.238
NDX41C2412A	0.24	160867	0.25	0.25	0.21	0.23	0.22	0.23	(0.01)	21,615	518	0.239
NDX41C2412B	1.32	160867	1.32	1.33	1.25	1.27	1.27	1.28	(0.05)	4,020	515	1.28
NDX41P2409A	0.14	160867	-	0.14	0.14	0.14	0.13	0.14	-	221	3	0.14
NDX41P2409B	0.29	160867	-	0.28	0.27	0.28	0.27	0.28	(0.01)	2,182	60	0.275
NDX41P2412A	0.95	160867	-	0.97	0.92	0.96	0.95	0.96	0.01	1,044	100	0.957
NDX41P2412B	0.40	160867	-	0.40	0.38	0.40	0.39	0.40	-	1,355	54	0.399
NIKKEI41C2409A	0.05	160867	0.04	0.04	0.02	0.03	0.02	0.03	(0.02)	579	1	0.022
NIKKEI41C2409B	0.04	160867	-	-	-	-	0.01	0.03	-	-	-	0
NIKKEI41C2412A	1.52	160867	1.54	1.54	1.33	1.36	1.36	1.37	(0.16)	1,231	176	1.425
NIKKEI41C2412B	0.35	160867	0.35	0.36	0.27	0.28	0.28	0.29	(0.07)	76,145	2,302	0.302
NIKKEI41C2412C	0.59	160867	-	0.61	0.48	0.49	0.49	0.50	(0.10)	47,348	2,458	0.519
NIKKEI41C2412T	0.20	160867	0.21	0.21	0.16	0.16	0.15	0.16	(0.04)	18,777	322	0.171
NIKKEI41C2503A	0.39	160867	0.40	0.40	0.32	0.34	0.33	0.34	(0.05)	8,515	301	0.352
NIKKEI41C2503B	1.29	160867	-	1.30	1.15	1.17	1.17	1.18	(0.12)	18,148	2,143	1.18
NIKKEI41P2409A	0.43	160867	0.38	0.50	0.38	0.47	0.47	0.48	0.04	14,201	635	0.446
NIKKEI41P2409B	1.25	160867	-	1.30	1.13	1.30	1.37	1.38	0.05	143	17	1.178
NIKKEI41P2412A	0.20	160867	0.19	0.22	0.19	0.22	0.21	0.22	0.02	25,959	536	0.206
NIKKEI41P2412B	1.74	160867	-	1.93	1.68	1.88	1.88	1.89	0.14	94	17	1.807
NIKKEI41P2412C	0.34	160867	-	0.39	0.33	0.37	0.37	0.38	0.03	34,583	1,237	0.357
NIKKEI41P2412T	0.71	160867	-	0.79	0.67	0.78	0.77	0.78	0.07	1,368	103	0.751
NIKKEI41P2503A	0.50	160867	-	0.56	0.49	0.54	0.54	0.55	0.04	15,510	819	0.528
NIKKEI41P2503B	0.32	160867	0.30	0.34	0.30	0.34	0.33	0.34	0.02	9,116	293	0.321
NTES41C2409A	0.12	160867	-	0.13	0.11	0.11	-	-	(0.01)	1,008	11	0.11
PINGAN41C2409A	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
PINGAN41C2410A	0.05	160867	-	-	-	-	-	-	-	-	-	0
PINGAN41C2411A	0.18	160867	0.19	0.19	0.18	0.18	0.09	-	-	1,002	19	0.189
SET01C2412A	1.00	160867	-	0.70	0.58	0.70	0.70	0.71	(0.30)	16,297	1,108	0.679
SET01P2412A	1.00	160867	0.31	0.36	0.29	0.29	0.29	0.30	(0.71)	4,291	131	0.305
SET5001C2409A	0.02	160867	0.02	0.02	0.01	0.02	0.01	0.02	-	60	-	0.016
SET5001C2409F	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
SET5001C2410T	0.11	160867	-	0.14	0.12	0.14	0.14	0.15	0.03	172	2	0.138
SET5001C2412A	0.38	160867	0.40	0.48	0.38	0.47	0.47	0.48	0.09	285,225	12,900	0.452
SET5001C2412F	0.15	160867	-	0.20	0.16	0.19	0.19	0.20	0.04	32,952	631	0.191
SET5001C2412T	0.19	160867	0.20	0.24	0.19	0.23	0.23	0.24	0.04	5,578	119	0.212
SET5001C2412W	0.09	160867	-	0.13	0.10	0.13	0.12	0.13	0.04	5,813	65	0.111
SET5001P2409A	0.03	160867	-	0.02	0.02	0.02	0.01	0.02	(0.01)	570	1	0.02
SET5001P2409F	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
SET5001P2410T	0.42	160867	0.41	0.41	0.34	0.34	0.33	0.34	(0.08)	7,181	269	0.373
SET5001P2412A	0.36	160867	0.29	0.35	0.27	0.27	0.26	0.27	(0.09)	58,091	1,675	0.288
SET5001P2412F	0.24	160867	-	0.23	0.17	0.17	0.17	0.18	(0.07)	37,514	716	0.19
SET5001P2412T	0.21	160867	0.20	0.20	0.16	0.17	0.16	0.17	(0.04)	4,263	74	0.172
SET5001P2412W	0.22	160867	0.21	0.21	0.15	0.15	0.15	0.16	(0.07)	38,159	661	0.173
SET5006C2409A	0.07	160867	-	0.12	0.09	0.12	-	-	0.05	4	-	0.107
SET5006C2409B	0.25	160867	0.34	0.38	0.25	0.37	0.24	-	0.12	241,188	7,672	0.318
SET5006C2412A	0.12	160867	-	0.20	0.15	0.19	-	-	0.07	515,027	9,330	0.181
SET5006C2412B	0.28	160867	-	0.38	0.28	0.37	-	-	0.09	618,193	21,505	0.347
SET5006C2412C	0.46	160867	-	0.60	0.46	0.59	0.51	-	0.13	114,487	6,025	0.526
SET5006P2409A	0.41	160867	-	0.40	0.29	0.29	0.29	0.35	(0.12)	491,581	16,279	0.331
SET5006P2412A	0.42	160867	-	0.42	0.33	0.33	0.32	0.34	(0.09)	465,432	16,842	0.361
SET5006P2412B	0.13	160867	-	0.10	0.10	0.10	-	0.11	(0.03)	1	-	0.1
SET5013C2409A	0.01	160867	-	0.02	0.01	0.01	-	0.01	-	234,855	235	0.01
SET5013C2409B	0.02	160867	-	0.02	0.01	0.02	0.01	0.02	-	3,003	3	0.01
SET5013C2409C	0.01	160867	-	0.02	0.01	0.02	0.01	0.02	0.01	23,752	24	0.01
SET5013C2409D	0.01	160867	-	0.01	0.01	0.01	0.01	0.02	-	1,500	2	0.01
SET5013C2409E	0.03	160867	0.03	0.04	0.02	0						

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET5013P2412B	0.45	160867	0.43	0.44	0.31	0.33	0.33	0.34	(0.12)	4,249,470	151,299	0.356
SET5013P2412C	0.32	160867	0.30	0.32	0.23	0.24	0.24	0.25	(0.08)	190,177	4,966	0.261
SET5013P2412D	1.00	160867	0.56	0.57	0.41	0.42	0.42	0.43	(0.58)	953,956	44,008	0.461
SET5013P2412T	0.23	160867	0.23	0.24	0.17	0.17	0.17	0.18	(0.06)	192,562	3,767	0.195
SET5019C2409A	0.01	160867	0.01	0.02	0.01	0.02	0.01	0.02	0.01	1,280	2	0.012
SET5019C2409B	0.01	160867	-	0.02	0.01	0.02	0.01	0.02	0.01	630	1	0.01
SET5019C2409C	0.03	160867	0.03	0.06	0.03	0.05	0.05	0.06	0.02	1,731	8	0.044
SET5019C2409D	0.09	160867	-	0.17	0.09	0.15	0.15	0.16	0.06	61,332	892	0.145
SET5019C2409E	0.13	160867	0.13	0.23	0.12	0.22	0.21	0.22	0.09	176,953	3,308	0.186
SET5019C2412A	0.06	160867	-	0.08	0.05	0.08	0.07	0.08	0.02	3,316	22	0.066
SET5019C2412B	0.44	160867	0.45	0.62	0.44	0.61	0.60	0.61	0.17	46,645	2,302	0.493
SET5019C2412C	0.33	160867	-	0.44	0.32	0.42	0.42	0.43	0.09	133,578	5,327	0.398
SET5019P2409A	0.18	160867	0.12	0.18	0.10	0.10	0.10	0.11	(0.08)	127,338	1,701	0.133
SET5019P2409B	0.16	160867	0.15	0.15	0.08	0.08	0.08	0.09	(0.08)	61,094	678	0.111
SET5019P2409C	0.05	160867	-	0.03	0.02	0.02	0.02	0.03	(0.03)	137	-	0.024
SET5019P2409D	0.04	160867	-	0.04	0.02	0.02	0.01	0.02	(0.02)	20,478	51	0.025
SET5019P2412A	0.21	160867	0.20	0.21	0.14	0.14	0.14	0.15	(0.07)	121,063	2,008	0.165
SET5019P2412B	1.00	160867	-	0.35	0.26	0.26	0.26	0.27	(0.74)	164,261	4,779	0.29
SET5027C2409A	0.02	160867	-	0.02	0.02	0.02	-	0.02	-	10	-	0.02
SET5027C2409B	0.04	160867	-	-	-	-	-	0.02	-	-	-	0
SET5027C2409C	0.07	160867	-	0.12	0.10	0.12	0.11	0.12	0.05	90,000	990	0.11
SET5027C2409T	0.03	160867	-	-	-	-	-	0.02	-	-	-	0
SET5027C2412A	0.23	160867	-	0.31	0.23	0.31	0.30	0.31	0.08	376,141	10,430	0.277
SET5027C2412B	0.26	160867	-	0.37	0.25	0.35	0.35	0.36	0.09	294,511	8,897	0.302
SET5027C2412T	0.03	160867	-	0.05	0.04	0.04	0.04	0.06	0.01	2,820	11	0.04
SET5027P2409A	0.04	160867	-	0.02	0.01	0.02	0.01	0.02	(0.02)	327	1	0.019
SET5027P2409B	0.12	160867	-	0.11	0.05	0.05	0.05	0.06	(0.07)	30,440	216	0.07
SET5027P2409T	0.03	160867	-	-	-	-	-	0.02	-	-	-	0
SET5027P2412A	0.27	160867	0.26	0.26	0.18	0.19	0.18	0.19	(0.08)	285,796	5,859	0.205
SET5027P2412T	0.14	160867	-	0.13	0.09	0.10	0.09	0.10	(0.04)	13,173	154	0.117
SET5028C2409A	0.01	160867	-	0.04	0.04	0.04	0.01	0.04	0.03	1	-	0.04
SET5028C2409B	0.01	160867	-	-	-	-	-	0.04	-	-	-	0
SET5028C2409C	0.08	160867	-	-	-	-	-	0.05	-	-	-	0
SET5028C2409D	0.27	160867	0.27	0.41	0.27	0.38	0.38	0.39	0.11	72,782	2,440	0.335
SET5028C2410A	0.19	160867	-	0.26	0.18	0.25	0.25	0.26	0.06	161,244	4,020	0.249
SET5028C2412A	0.03	160867	-	0.05	0.04	0.05	0.05	0.06	0.02	42,741	192	0.044
SET5028C2412B	0.12	160867	-	-	-	-	0.16	0.18	-	-	-	0
SET5028C2412C	0.16	160867	-	0.22	0.16	0.21	0.21	0.22	0.05	210,025	4,220	0.2
SET5028P2408A	0.04	160867	-	-	-	-	0.01	0.04	-	-	-	0
SET5028P2409A	0.07	160867	-	-	-	-	0.04	0.05	-	-	-	0
SET5028P2409B	0.06	160867	-	0.01	0.01	0.01	-	0.04	(0.05)	4,070	4	0.01
SET5028P2412A	0.28	160867	-	0.27	0.20	0.21	0.21	0.22	(0.07)	276,546	6,164	0.222
SET5041C2409A	0.02	160867	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2409B	0.03	160867	-	0.05	0.05	0.05	0.05	0.06	0.02	1,000	5	0.05
SET5041C2409C	0.01	160867	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2409D	0.17	160867	-	0.25	0.14	0.24	0.24	0.25	0.07	340,410	5,152	0.151
SET5041C2412T	0.05	160867	0.06	0.07	0.05	0.07	0.06	0.07	0.02	14,942	88	0.058
SET5041C2412U	0.07	160867	-	0.10	0.08	0.10	0.09	0.10	0.03	325	3	0.084
SET5041C2412V	0.22	160867	0.22	0.30	0.21	0.30	0.29	0.30	0.08	118,576	2,786	0.234
SET5041C2412X	0.42	160867	0.42	0.55	0.41	0.53	0.53	0.54	0.11	278,141	13,139	0.472
SET5041P2409A	0.08	160867	-	0.07	0.05	0.06	0.05	0.06	(0.02)	14,334	99	0.069
SET5041P2409B	0.10	160867	0.04	0.04	0.04	0.04	0.03	0.04	(0.06)	1,100	4	0.04
SET5041P2412T	0.28	160867	-	0.28	0.21	0.21	0.21	0.22	(0.07)	104,896	2,865	0.273
SET5041P2412U	0.51	160867	0.51	0.52	0.40	0.40	0.40	0.41	(0.11)	118,044	5,994	0.507
SET5041P2412V	0.20	160867	0.20	0.21	0.14	0.15	0.15	0.16	(0.05)	36,960	661	0.178
SPX28C2409A	0.21	160867	-	0.20	0.18	0.18	0.18	0.19	(0.03)	3,500	66	0.188
SPX28C2409B	0.78	160867	-	0.74	0.70	0.70	0.70	0.72	(0.08)	2,007	141	0.7
SPX28C2412A	0.52	160867	-	0.50	0.48	0.48	0.48	0.49	(0.04)	2,292	110	0.48
SPX28P2409A	0.15	160867	-	0.12	0.12	0.12	0.11	0.12	(0.03)	780	9	0.12
SPX28P2409B	0.86	160867	-	-	-	-	0.29	0.30	-	-	-	0
SPX28P2412A	0.94	160867	-	0.90	0.88	0.90	0.88	0.90	(0.04)	114	10	0.882
SPX41C2409A	0.53	160867	-	0.71	0.69	0.69	0.69	0.70	0.16	21	1	0.69
SPX41C2409B	0.30	160867	-	-	-	-	0.27	0.28	-	-	-	0
SPX41C2412A	0.41	160867	-	0.42	0.39	0.41	0.40	0.41	-	11,662	467	0.4
SPX41C2412B	1.44	160867	-	1.45	1.40	1.42	1.41	1.42	(0.02)	7,271	1,037	1.426
SPX41P2409A	0.21	160867	-	-	-	-	0.19	0.20	-	-	-	0
SPX41P2409B	0.94	160867	-	-	-	-	0.32	0.33	-	-	-	0
SPX41P2412A	0.96	160867	0.91	0.94	0.91	0.94	0.93	0.94	(0.02)	31	3	0.929
SPX41P2412B	0.48	160867	-	0.47	0.47	0.47	0.46	0.47	(0.01)	8,100	381	0.47
SUNNY28C2408A	0.09	160867	-	-	-	-	-	-	-	-	-	0
SUNNY28C2408B	0.10	160867	-	-	-	-	-	-	-	-	-	0
SUNNY41C2408A	0.06	160867	-	-	-	-	-	-	-	-	-	0
SUNNY41C2411A	0.15	160867	-	0.17	0.15	0.16	0.05	-	0.01	1,084	17	0.158
TENCEN28C2409A	0.24	160867	-	0.22	0.22	0.22	0.08	-	(0.02)	140	3	0.22
TENCEN28C2409B	0.09	160867	-	-	-	-	0.01	-	-	-	-	0
TENCEN28P2408A	0.06	160867	-	-	-	-	-	-	-	-	-	0
TENCEN28P2410A	0.16	160867	-	-	-	-	-	-	-	-	-	0
TENCEN28P2410B	0.26	160867	-	0.25	0.25	0.25	0.05	-	(0.01)	27,000	675	0.25
TENCEN41C2409A	0.23	160867	-	0.22	0.20	0.20	0.12	0.44	(0.03)	770	17	0.219
TENCEN41P2409A	0.02	160867	-	0.02	0.02	0.02	0.01	-	-	65	-	0.02
TENCEN41P2410A	0.18	160867	-	0.18	0.18	0.18	-	-	-	52	1	0.18
TRIPDC41C2409A	0.05	160867	-	0.02	0.01	0.02	0.01	-	(0.03)	2	-	0.015
TRIPDC41C2411A	0.21	160867	0.21	0.21	0.20	0.20	0.08	-	(0.01)	506	11	0.209
XIAOMI28C2409A	0.04	160867	-	-	-	-	-	0.03	-	-	-	0
XIAOMI28C2410A	0.13	160867	-	-	-	-	-	-	-	-	-	0
XIAOMI28C2412A	0.40	160867	-	-	-	-	-	-	-	-	-	0
XIAOMI28P2408A	0.14	160867	-	-	-	-	-	-	-	-	-	0
XIAOMI28P2409A	0.14	160867	-	0.10	0.10	0.10	-	-	(0.04)	3,042	30	0.1
XIAOMI41C2409A	0.02	160867	-	0.02	0.02	0.02	-	-	-	3	-	0.02
XIAOMI41C2411A	0.25	160867	-	0.31	0.29	0.29	-	-	0.04	4	-	0.3
XIAOMI41P2408A	0.03	160867	-	-	-	-	-	-	-	-	-	0
XIAOMI41P2409A	0.14	160867	-	0.11	0.11	0.11	-	-	(0.03)	2	-	0.11
ZIJIN28C2408A	0.23	160867	-	-	-	-	-	-	-	-	-	0
ZIJIN41C2409A	0.13	160867	-	-	-	-	0.01	0.13	-	-	-	0
ZIJIN41C2410A	0.10	160867	-	0.12	0.12	0.12	-	-	0.02	2	-	0.12

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Main Board Quotation

Issue Date

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Foreign Board Quotation

Issue Date :

Monday August 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
Agro & Food Indt												
APO	2.02	160867	2.06	2.10	2.02	2.04	2.04	2.06	0.02	61,238.00	12,635.00	00 2.0
AU	8.40	160867	8.55	9.00	8.55	8.90	8.90	8.95	0.50	38,560.00	33,939.00	00 8.8
CFARM	1.34	160867	1.36	1.41	1.36	1.39	1.39	1.40	0.05	249,290.00	34,516.00	00 1.3
JCKH	0.02	160867	0.02	0.03	0.01	0.02	0.01	0.02	-	64,632.00	129.00	00 0.0
JCKH-W2	0.01	160867	-	-	-	-	-	0.01	-	-	-	00 0.0
KASET	0.95	160867	0.96	0.96	0.94	0.95	0.95	0.96	-	274.00	26.00	00 0.9
MAGURO	13.20	160867	13.40	14.20	13.30	13.90	13.90	14.00	0.70	15,511.00	21,343.00	00 13.7
MUD	1.37	160867	-	1.44	1.37	1.37	1.37	1.43	-	203.00	28.00	00 1.3
NTSC	11.60	160867	-	12.10	11.70	11.70	11.60	11.70	0.10	232.00	274.00	00 11.8
TACC	4.92	160867	4.92	4.96	4.88	4.94	4.92	4.94	0.02	37,137.00	18,270.00	00 4.9
TMILL	3.64	160867	3.66	3.72	3.66	3.68	3.66	3.68	0.04	1,519.00	560.00	00 3.6
WINNER	2.00	160867	2.00	2.02	1.99	2.02	1.99	2.02	0.02	1,328.00	266.00	00 2.0
XO	26.00	160867	26.25	26.50	25.00	25.25	25.25	25.50	(0.75)	36,301.00	93,017.00	00 25.6
Consumer Produ												
ALPHAX	0.66	160867	0.65	0.67	0.65	0.66	0.65	0.66	-	18,594.00	1,218.00	00 0.6
BGT	0.51	160867	0.52	0.53	0.50	0.52	0.52	0.53	0.01	357.00	19.00	00 0.5
DOD	1.71	160867	1.69	1.72	1.68	1.71	1.70	1.71	-	893.00	152.00	00 1.6
ECF	0.40	160867	0.39	0.40	0.38	0.40	0.39	0.40	-	938.00	37.00	00 0.3
ECF-W5	0.02	160867	0.02	0.03	0.02	0.02	0.02	0.03	-	98,986.00	198.00	00 0.0
EFORL	0.09	160867	0.09	0.10	0.08	0.10	0.09	0.10	0.01	10,840.00	98.00	00 0.0
EFORL-W6	0.03	160867	-	-	-	-	0.02	0.03	-	-	-	00 0.0
EURO	5.45	160867	5.35	5.50	5.35	5.40	5.40	5.50	(0.05)	114.00	62.00	00 5.4
HPT	0.45	160867	0.45	0.47	0.44	0.46	0.45	0.46	0.01	89,527.00	4,058.00	00 0.4
ITTHI	1.75	160867	1.77	1.82	1.74	1.77	1.77	1.79	0.02	4,294.00	761.00	00 1.7
JSP	2.10	160867	2.10	2.18	2.08	2.10	2.10	2.12	-	4,870.00	1,036.00	00 2.1
JSP-W1	0.01	160867	-	-	-	-	-	-	-	-	-	00 0.0
JUBILE	11.60	160867	11.50	12.00	11.50	12.00	11.80	12.00	0.40	462.00	541.00	00 11.7
LTS	5.95	160867	5.95	6.20	5.90	5.95	5.95	6.00	-	4,672.00	2,822.00	00 6.0
MGI	13.40	160867	13.50	15.50	13.40	15.10	15.00	15.10	1.70	73,572.00	108,311.00	00 14.7
MOONG	1.98	160867	2.00	2.04	1.98	2.00	2.00	2.02	0.02	824.00	164.00	00 1.9
NPK	10.20	160867	-	10.30	10.10	10.20	10.00	10.30	-	629.00	642.00	00 10.1
SMD	3.84	160867	3.82	3.92	3.82	3.88	3.88	3.92	0.04	959.00	373.00	00 3.8
TM	1.46	160867	-	1.48	1.44	1.48	1.45	1.47	0.02	597.00	88.00	00 1.4
TM-W1	0.16	160867	0.17	0.17	0.16	0.16	0.15	0.16	-	306.00	5.00	00 0.1
WARRIX	3.38	160867	3.40	3.58	3.38	3.48	3.46	3.48	0.10	67,097.00	23,208.00	00 3.4
WINMED	1.61	160867	1.60	1.64	1.59	1.64	1.63	1.64	0.03	322.00	52.00	00 1.6
Financials												
ACAP	0.33	160867	-	-	-	-	-	-	-	-	-	00 0.0
AF	0.55	160867	-	0.56	0.52	0.54	0.53	0.54	(0.01)	513.00	27.00	00 0.5
AIRA	1.51	160867	-	-	-	-	1.44	1.51	-	-	-	00 0.0
ASN	1.49	160867	-	1.50	1.47	1.50	1.49	1.50	0.01	154.00	23.00	00 1.4
BTC	0.43	160867	0.42	0.44	0.42	0.43	0.42	0.43	-	110,924.00	4,763.00	00 0.4
BTC-W7	0.19	160867	0.18	0.19	0.18	0.19	0.18	0.19	-	2,066.00	37.00	00 0.1
GCAP	0.56	160867	0.56	0.64	0.55	0.61	0.60	0.61	0.05	79,429.00	4,740.00	00 0.5
KCC	2.10	160867	2.10	2.28	2.02	2.26	2.26	2.28	0.16	2,600.00	576.00	00 2.2
LIT	0.97	160867	-	1.03	0.98	0.99	0.99	1.01	0.02	3,459.00	348.00	00 1.0
LIT-W2	0.22	160867	-	0.26	0.22	0.24	0.23	0.24	0.02	8,826.00	207.00	00 0.2
MITSIB	0.78	160867	0.76	0.79	0.76	0.79	0.78	0.79	0.01	1,047.00	81.00	00 0.7
SGF	0.23	160867	0.23	0.25	0.23	0.24	0.24	0.25	0.01	34,619.00	822.00	00 0.2
SGF-P1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
SGF-Q1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
TQR	5.85	160867	-	6.10	5.85	6.10	5.90	6.10	0.25	1,162.00	690.00	00 5.9
Industrials												
ADB	0.49	160867	0.50	0.51	0.47	0.50	0.50	0.51	0.01	865.00	43.00	00 0.4
BM	2.90	160867	2.90	3.00	2.90	3.00	2.96	3.00	0.10	6,477.00	1,902.00	00 2.9
BM-W3	1.36	160867	-	1.48	1.36	1.42	1.40	1.42	0.06	1,532.00	216.00	00 1.4
BPS	0.55	160867	0.58	0.62	0.56	0.62	0.62	0.63	0.07	69,831.00	4,165.00	00 0.5
CHO	0.06	160867	0.07	0.07	0.06	0.07	0.06	0.07	0.01	29,973.00	207.00	00 0.0
CHO-W4	0.01	160867	0.01	0.02	0.01	0.01	0.01	0.02	-	8,774.00	9.00	00 0.0
CHOW	2.36	160867	-	2.42	2.38	2.40	2.38	2.42	0.04	118.00	28.00	00 2.4
CIG	0.05	160867	0.05	0.05	0.04	0.05	0.04	0.05	-	69,199.00	346.00	00 0.0
CIG-W10	0.06	160867	-	-	-	-	0.05	0.06	-	-	-	00 0.0
CIG-W9	0.04	160867	-	0.04	0.04	0.04	-	0.04	-	1.00	-	00 0.0
COLOR	1.21	160867	1.21	1.23	1.21	1.23	1.22	1.23	0.02	213.00	26.00	00 1.2
CPR	3.24	160867	-	3.24	3.14	3.20	3.18	3.20	(0.04)	485.00	153.00	00 3.1
FPI	1.99	160867	1.99	2.04	1.98	2.02	2.02	2.04	0.03	1,769.00	356.00	00 2.0
GTB	0.71	160867	0.72	0.72	0.71	0.71	0.70	0.71	-	5.00	-	00 0.7
HARN	2.08	160867	2.10	2.12	2.08	2.10	2.08	2.12	0.02	237.00	50.00	00 2.1
KCM	0.27	160867	-	0.29	0.27	0.29	0.28	0.29	0.02	2,671.00	75.00	00 0.2
KJL	6.90	160867	6.90	7.00	6.90	6.95	6.95	7.00	0.05	2,602.00	1,808.00	00 6.9
KUMWEL	1.78	160867	1.76	1.79	1.75	1.76	1.75	1.76	(0.02)	239.00	42.00	00 1.7
KWM	1.21	160867	-	1.25	1.22	1.23	1.22	1.23	0.02	1,989.00	245.00	00 1.2
MBAX	2.86	160867	2.84	2.94	2.84	2.86	2.86	2.92	-	768.00	221.00	00 2.8
MBAX-W2	0.01	160867	0.01	0.01	0.01	0.01	-	0.01	-	14.00	-	00 0.0
MGT	2.12	160867	-	2.12	2.08	2.12	2.12	2.14	-	882.00	185.00	00 2.0
MTW	1.06	160867	1.08	1.10	1.06	1.09	1.08	1.09	0.03	4,713.00	509.00	00 1.0
MTW-W1	0.16	160867	0.16	0.18	0.16	0.17	0.16	0.17	0.01	10,747.00	183.00	00 0.1
NDR	2.14	160867	-	2.20	2.16	2.20	2.16	2.20	0.06	1,477.00	324.00	00 2.1
PACO	1.41	160867	-	1.42	1.40	1.42	1.41	1.42	0.01	2,580.00	364.00	00 1.4
PACO-W1	0.16	160867	0.16	0.16	0.14	0.16	0.15	0.16	-	1,432.00	22.00	00 0.1
PDG	2.54	160867	-	2.62	2.56	2.60	2.54	2.62	0.06	780.		

Foreign Board Quotation

Issue Date :

Monday August 19, 2024

Sector/ Securities	Previous										Volume	Value	Average
	Price	Date	Open	High	Low	Close	Bid	Offer	Change	(Lot)	('000)	Price	
A5	2.86	160867	2.88	3.02	2.86	2.88	2.86	2.88	0.02	4,011.00	1,178.00	00 2.9	
A5-W3	0.03	160867	0.03	0.03	0.01	0.02	0.01	0.02	(0.01)	71,196.00	143.00	00 0.0	
A5-W4	-	101743	0.13	0.13	0.05	0.06	0.06	0.07	0.06	2,033,821.00	14,632.00	00 0.0	
ALL	0.03	160867	-	-	-	-	-	-	-	-	-	00 0.0	
ARIN	0.60	160867	0.60	0.64	0.59	0.60	0.60	0.62	-	27,896.00	1,701.00	00 0.6	
ARROW	5.55	160867	5.55	5.60	5.55	5.55	5.55	5.60	-	181.00	101.00	00 5.5	
BC	0.73	160867	-	0.77	0.74	0.76	0.75	0.76	0.03	2,304.00	176.00	00 0.7	
BC-W2	0.16	160867	0.17	0.17	0.15	0.16	0.16	0.17	-	13,863.00	224.00	00 0.1	
BLESS	0.41	160867	0.42	0.43	0.39	0.41	0.40	0.41	-	2,945.00	120.00	00 0.4	
BSM	2.28	160867	-	2.34	2.24	2.26	2.26	2.32	(0.02)	217.00	49.00	00 2.2	
BTW	0.19	160867	0.20	0.20	0.19	0.20	0.19	0.20	0.01	3,060.00	60.00	00 0.1	
CAZ	2.64	160867	2.74	2.74	2.56	2.68	2.64	2.66	0.04	1,707.00	452.00	00 2.6	
CHEWA	0.31	160867	0.32	0.35	0.31	0.35	0.34	0.35	0.04	7,237.00	240.00	00 0.3	
CPANEL	3.60	160867	-	3.60	3.54	3.58	3.58	3.60	(0.02)	89.00	32.00	00 3.5	
CPANEL-W1	0.42	160867	-	0.38	0.38	0.38	0.38	0.39	(0.04)	84.00	3.00	00 0.3	
CRD	0.42	160867	-	0.45	0.41	0.45	0.42	0.43	0.03	825.00	35.00	00 0.4	
DHOUSE	0.64	160867	0.64	0.65	0.62	0.64	0.63	0.64	-	2,160.00	137.00	00 0.6	
DIMET	0.19	160867	0.18	0.19	0.17	0.19	0.18	0.19	-	4,547.00	80.00	00 0.1	
DPAIN	1.42	160867	1.46	1.47	1.41	1.45	1.45	1.46	0.03	1,281.00	184.00	00 1.4	
FLOYD	0.69	160867	-	0.70	0.67	0.69	0.68	0.69	-	634.00	43.00	00 0.6	
HYDRO	0.37	160867	0.33	0.37	0.32	0.32	0.32	0.34	(0.05)	500.00	17.00	00 0.3	
HYDRO-W2	0.12	160867	-	-	-	-	0.04	0.12	-	-	-	00 0.0	
IND	0.77	160867	-	0.80	0.71	0.80	0.76	0.80	0.03	2,965.00	225.00	00 0.7	
JAK	1.18	160867	-	1.18	1.17	1.18	1.17	1.18	-	214.00	25.00	00 1.1	
K	1.16	160867	1.25	1.25	1.17	1.20	1.18	1.20	0.04	6,525.00	784.00	00 1.2	
K-W3	0.22	160867	0.24	0.24	0.21	0.21	0.21	0.22	(0.01)	11,332.00	256.00	00 0.2	
KUN	1.41	160867	1.40	1.41	1.39	1.41	1.40	1.41	-	153.00	21.00	00 1.4	
KUN-W2	0.03	160867	-	0.05	0.04	0.04	0.03	0.04	0.01	10,217.00	41.00	00 0.0	
META	0.12	160867	0.11	0.12	0.11	0.12	0.11	0.12	-	11,577.00	137.00	00 0.1	
META-W7	0.01	160867	-	-	-	-	-	0.01	-	-	-	00 0.0	
PANEL	1.18	160867	1.21	1.24	1.20	1.21	1.21	1.23	0.03	996.00	121.00	00 1.2	
PPS	0.29	160867	-	0.30	0.29	0.30	0.29	0.30	0.01	8,034.00	238.00	00 0.2	
PRI	8.20	160867	8.30	8.80	8.15	8.70	8.70	8.80	0.50	17,024.00	14,428.00	00 8.4	
PROS	1.17	160867	-	1.18	1.11	1.17	1.14	1.17	-	2,390.00	271.00	00 1.1	
PROS-W1	0.26	160867	0.26	0.28	0.26	0.28	0.26	0.28	0.02	324.00	9.00	00 0.2	
PSG	0.52	160867	0.51	0.53	0.51	0.53	0.52	0.53	0.01	96,971.00	5,044.00	00 0.5	
QTCG	0.44	160867	0.44	0.47	0.43	0.46	0.46	0.47	0.02	87,472.00	3,986.00	00 0.4	
SENX	0.36	160867	0.37	0.38	0.36	0.38	0.36	0.38	0.02	7,693.00	282.00	00 0.3	
SK	0.65	160867	0.65	0.67	0.64	0.67	0.64	0.65	0.02	3,327.00	216.00	00 0.6	
SMART	0.67	160867	0.67	0.70	0.66	0.67	0.67	0.68	-	90,795.00	6,131.00	00 0.6	
STC	0.54	160867	0.54	0.55	0.52	0.54	0.53	0.54	-	489.00	26.00	00 0.5	
STX	1.50	160867	1.51	1.54	1.48	1.52	1.51	1.52	0.02	27,976.00	4,242.00	00 1.5	
SVR	1.26	160867	1.26	1.27	1.24	1.25	1.25	1.26	(0.01)	1,851.00	232.00	00 1.2	
TAPAC	0.52	160867	-	-	-	-	-	-	-	-	-	00 0.0	
THANA	1.23	160867	1.23	1.24	1.20	1.21	1.21	1.22	(0.02)	1,272.00	155.00	00 1.2	
TIGER	0.56	160867	-	0.56	0.55	0.56	0.56	0.57	-	34.00	2.00	00 0.5	
TITLE	4.00	160867	-	4.04	3.94	4.00	3.96	4.00	-	2,574.00	1,024.00	00 3.9	
WELL	0.71	160867	-	-	-	-	-	-	-	-	-	00 0.0	
YONG	1.19	160867	1.19	1.31	1.19	1.30	1.30	1.31	0.11	9,117.00	1,152.00	00 1.2	
Resources													
ABM	1.24	160867	1.26	1.28	1.25	1.26	1.25	1.26	0.02	264.00	33.00	00 1.2	
ABM-W1	0.14	160867	-	0.16	0.13	0.14	0.14	0.15	-	5,319.00	76.00	00 0.1	
GTV	0.09	160867	0.09	0.10	0.08	0.09	0.09	0.10	-	177,400.00	1,589.00	00 0.0	
PSTC	0.45	160867	0.45	0.47	0.44	0.46	0.45	0.46	0.01	74,315.00	3,373.00	00 0.4	
PSTC-W2	0.02	160867	-	0.02	0.01	0.02	0.01	0.02	-	420.00	-	00 0.0	
PSTC-W3	0.15	160867	0.14	0.16	0.14	0.15	0.15	0.16	-	1,444.00	22.00	00 0.1	
PTC	1.44	160867	-	1.46	1.42	1.44	1.44	1.46	-	534.00	76.00	00 1.4	
SAAM	7.70	160867	-	7.70	7.50	7.60	7.50	7.60	(0.10)	1,895.00	1,434.00	00 7.5	
SAAM-W2	0.19	160867	0.20	0.22	0.17	0.18	0.17	0.18	(0.01)	15,222.00	290.00	00 0.1	
SR	0.46	160867	0.44	0.45	0.43	0.45	0.44	0.46	(0.01)	110.00	5.00	00 0.4	
STOWER	0.06	160867	0.07	0.07	0.06	0.07	0.06	0.07	0.01	5,602.00	34.00	00 0.0	
TAKUNI	0.70	160867	0.70	0.72	0.70	0.70	0.70	0.71	-	45,447.00	3,214.00	00 0.7	
TPCH	6.10	160867	6.10	6.25	6.00	6.15	6.05	6.15	0.05	2,368.00	1,445.00	00 6.1	
UMS	0.40	160867	-	0.39	0.39	0.39	0.38	0.39	(0.01)	12.00	-	00 0.3	
Services													
ADD	4.34	160867	-	4.66	4.38	4.64	4.60	4.64	0.30	771.00	353.00	00 4.5	
AKP	0.67	160867	0.67	0.71	0.66	0.70	0.69	0.70	0.03	7,415.00	515.00	00 0.6	
AMA	4.36	160867	4.38	4.44	4.36	4.40	4.40	4.42	0.04	18,458.00	8,133.00	00 4.4	
AMARC	1.22	160867	1.23	1.28	1.21	1.26	1.24	1.26	0.04	6,074.00	756.00	00 1.2	
ARIP	0.53	160867	0.51	0.53	0.51	0.53	0.52	0.53	-	1,194.00	63.00	00 0.5	
ATP30	0.85	160867	0.86	0.87	0.86	0.86	0.85	0.86	0.01	5,481.00	472.00	00 0.8	
AUCT	10.10	160867	10.20	10.20	10.00	10.20	10.10	10.20	0.10	7,490.00	7,573.00	00 10.1	
BIS	3.24	160867	3.22	3.28	3.22	3.28	3.26	3.28	0.04	2,418.00	786.00	00 3.2	
BOL	6.20	160867	6.20	6.40	6.20	6.25	6.20	6.25	0.05	2,562.00	1,604.00	00 6.2	
CEYE	3.00	160867	-	3.06	2.92	3.02	2.92	3.02	0.02	925.00	274.00	00 2.9	
CHIC	0.47	160867	0.47	0.48	0.47	0.48	0.47	0.48	0.01	279.00	13.00	00 0.4	
CMO	0.70	160867	0.67	0.72	0.66	0.69	0.68	0.69	(0.01)	3,703.00	250.00	00 0.6	
D	3.14	160867	3.18	3.18	3.12	3.18	3.16	3.18	0.04	2,399.00	757.00	00 3.1	
DEXON	1.40	160867	1.42	1.44	1.41	1.43	1.40	1.43	0.03	770.00	110.00	00 1.4	
DV8	0.40	160867	-	0.40	0.40	0.40	0.39	0.41	-	350.00	14.00	00 0.4	
DV8-W2	0.14	160867	-	0.13	0.13	0.13	0.13	0.14	(0.01)	102.00	1.00	00 0.1	

Foreign Board Quotation

Issue Date : Monday August 19, 2024

Page 10