

Asia Plus Securities Company Limited Daily Quotation Report

Tuesday August 20, 2024

NOTE :

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
CPALL	59.00	43,334	3.5%
KBANK	138.50	23,965	0.0%
PTTEP	141.00	16,134	-2.1%
DELTA	105.50	14,905	2.4%
ADVANC	244.00	14,694	1.2%
BDMS	27.25	13,951	3.8%
BBL	134.00	12,248	0.0%
SCB	106.00	11,993	-0.5%
GULF	48.50	11,549	1.6%
AOT	58.25	10,929	0.4%

Gainers and Losers	
Gainers	284
Losers	216
Unchanged	161

Volume by Board (Lot)	
Main Board	9,475,217,658
Foreign Board	20,556
Total	9,475,238,214

Value by Board (Mn.Bt.)	
Main Board	47,891.32
Foreign Board	89.32
Total	47,980.65

Top Ten Gainers		
Stock	Last	Value '000
DOHOME19C2409A	0.03	0
VGI13C2409A	0.12	165
VGI19C2409A	0.16	457
CENTEL41C2412A	0.04	0
CPALL01C2410A	0.04	0
EA01C2411W	0.02	0
ICHI13C2410A	0.02	5
NEX13C2411A	0.02	1
SABUY-W2	0.02	530
SET5001C2409F	0.02	50

Top Ten Losers		
Stock	Last	Value '000
BABA28C2412A	0.08	1
DOHOME19C2501A	0.21	130
SCC13C2501A	0.22	906
SCB13P2412A	0.24	1,193
JMART13P2410A	0.08	0
CENTEL13C2501A	0.25	2,067
BCH19C2501A	0.26	1,103
SPX41P2409B	0.26	39
SPX28P2409B	0.24	22
GLOBAL13C2501A	0.28	2,632

Movements in SET and Sectorial Indices						
	Open	High	Low	Close	Change	%Change
.SET	1,327.25	1,337.35	1,323.94	1,328.12	4.74	0.36
.SET50	839.58	846.73	837.20	819.79	2.38	0.29
.SET100	1,825.94	1,841.11	1,820.49	1,788.17	6.17	0.35
.SETHD	1,114.44	1,119.40	1,106.84	1,110.87	(4.34)	(0.39)
.MAI	778.59	782.27	776.16	324.02	2.10	0.65
.AGRI	209.79	212.19	209.06	212.19	3.59	1.72
.BANK	365.48	367.52	363.13	363.37	(1.31)	(0.36)
.CONMAT	5,960.31	6,018.35	5,880.11	5,887.44	(50.43)	(0.85)
.PETRO	520.51	526.67	510.31	512.62	(7.25)	(1.39)
.COMM	28,129.80	28,581.76	28,072.52	28,342.53	373.39	1.34
.ICT	174.49	176.77	174.23	175.53	0.98	0.56
.ETRON	12,418.67	12,765.30	12,365.16	12,592.98	292.48	2.38
.ENERG	18,433.69	18,509.02	18,281.13	18,368.75	(70.26)	(0.38)
.MEDIA	27.48	28.09	27.48	27.87	0.43	1.57
.FIN	2,621.47	2,640.98	2,596.72	2,619.98	5.05	0.19
.FOOD	11,037.49	11,067.90	10,933.60	10,946.77	(55.45)	(0.50)
.HELTH	6,204.49	6,315.09	6,171.69	6,305.54	135.82	2.20
.TOURISM	481.28	483.70	475.82	480.66	3.47	0.73
.HOME	17.62	17.81	17.60	17.71	0.02	0.11
.INSUR	7,620.39	7,661.60	7,515.36	7,563.66	(58.35)	(0.77)
.MINE	-	-	-	-	-	-
.PKG	2,657.60	2,693.77	2,591.14	2,611.56	(44.12)	(1.66)
.PERSON	98.65	100.13	98.34	98.48	0.09	0.09
.PROF	317.76	318.06	305.29	313.22	(1.86)	(0.59)
.PROP	194.61	196.09	192.63	193.78	(0.16)	(0.08)
.PAPER	3,122.58	3,122.58	3,094.44	3,094.44	-	-
.FASHION	593.30	594.51	589.30	590.65	(2.28)	(0.38)
.TRANS	285.64	287.68	283.45	285.61	1.05	0.37
.AUTO	320.57	322.25	319.89	322.25	2.04	0.64
.IMM	19.82	19.84	19.45	19.72	(0.07)	(0.35)
.PFUND	148.43	148.53	147.70	124.96	(0.16)	(0.13)
.STEEL	21.17	21.24	20.98	21.16	0.09	0.43

ASP's Daily Quotation Report

Tuesday August 20, 2024



Daily Quotation

Issue Date

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
SAFARI	2.40	190867	-	-	-	-	-	-	-	-	-	-	0
WORLD	2.10	190867	-	-	-	-	-	-	-	-	-	-	0
Agribusiness													
EE	0.13	190867	0.12	0.13	0.12	0.12	0.12	0.13	(0.01)		11,192	134	0.12
EE-W1	0.01	190867	-	0.01	0.01	0.01	-	0.01			7	-	0.01
GFPT	12.50	190867	12.70	12.80	12.60	12.70	12.70	12.80	0.20		12,614	16,018	12.698
LEE	2.44	190867	-	2.44	2.40	2.40	2.40	2.44	(0.04)		801	195	2.439
NER	4.90	190867	4.92	4.94	4.88	4.94	4.92	4.94	0.04		45,724	22,453	4.91
NER-W2	0.73	190867	0.72	0.74	0.72	0.73	0.73	0.74	-		6,606	483	0.73
PPPM	0.24	190867	0.23	0.24	0.23	0.24	0.23	0.24	-		10,034	234	0.233
STA	20.80	190867	20.90	21.40	20.80	21.40	21.30	21.40	0.60		142,610	301,606	21.149
STA01C2409A	0.18	190867	-	0.22	0.17	0.22	0.20	0.22	0.04		1,803	35	0.196
STA01C2410A	0.05	190867	-	0.05	0.05	0.05	0.05	0.06	-		30	-	0.05
STA01C2411A	0.24	190867	-	0.27	0.25	0.27	0.27	0.28	0.03		32,615	854	0.261
STA01C2412A	0.53	190867	-	0.58	0.53	0.57	0.57	0.58	0.04		28,271	1,571	0.555
STA01P2410X	0.25	190867	-	0.24	0.21	0.21	0.21	0.22	(0.04)		15,936	364	0.228
STA06C2408A	0.10	190867	-	-	-	-	-	-	-		-	-	0
STA06C2409A	0.08	190867	-	-	-	-	-	-	-		-	-	0
STA13C2409A	0.25	190867	-	0.32	0.26	0.32	0.32	0.33	0.07		46,858	1,346	0.287
STA13C2410A	0.06	190867	-	0.07	0.07	0.07	0.07	0.08	0.01		146	1	0.07
STA13C2411A	0.18	190867	-	0.21	0.18	0.21	0.21	0.22	0.03		51,699	1,016	0.196
STA13C2412A	0.37	190867	0.38	0.42	0.37	0.42	0.41	0.42	0.05		153,237	6,054	0.395
STA13P2410A	0.23	190867	-	0.22	0.19	0.19	0.19	0.20	(0.04)		20,067	415	0.206
STA19C2409A	0.19	190867	-	0.25	0.20	0.25	0.25	0.26	0.06		89,581	2,013	0.224
STA19C2410A	0.09	190867	-	0.11	0.10	0.11	0.10	0.11	0.02		10,850	112	0.103
STA19C2411A	0.21	190867	-	0.25	0.22	0.24	0.24	0.25	0.03		35,458	810	0.228
STA19C2412A	0.46	190867	0.46	0.50	0.46	0.49	0.50	0.51	0.03		42,303	2,024	0.478
STA19P2410A	0.32	190867	0.30	0.30	0.26	0.26	0.26	0.27	(0.06)		68,368	1,884	0.275
TEGH	3.38	190867	3.44	3.52	3.44	3.50	3.48	3.50	0.12		92,120	32,015	3.475
TFM	8.50	190867	8.35	8.60	8.30	8.50	8.45	8.50	-		2,259	1,912	8.464
TRUBB	1.11	190867	1.10	1.14	1.09	1.13	1.12	1.13	0.02		41,354	4,601	1.112
TRUBB-W2	0.01	190867	-	-	-	-	-	0.01	-		-	-	0
UPOIC	6.45	190867	6.45	6.45	6.35	6.40	6.40	6.45	(				

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
Construction Materials												
CCP	0.25	190867	0.26	0.26	0.25	0.26	0.25	0.26	0.01	6,098	155	0.254
DCC	1.96	190867	1.95	1.98	1.95	1.96	1.96	1.97	-	14,109	2,775	1.966
DCON	0.32	190867	0.32	0.32	0.30	0.31	0.31	0.32	(0.01)	19,868	616	0.31
DCON-W3	0.02	190867	0.02	0.02	0.01	0.02	0.01	0.02	-	4,419	9	0.019
DRT	8.00	190867	8.00	8.00	7.95	8.00	7.95	8.00	-	2,161	1,722	7.969
EPG	4.22	190867	4.18	4.18	4.02	4.06	4.06	4.08	(0.16)	51,770	21,165	4.088
GEL	0.09	190867	0.09	0.09	0.08	0.09	0.08	0.09	-	4,566	40	0.087
GEL-W5	0.01	190867	0.01	0.01	0.01	0.01	-	0.01	-	10	-	0.01
PPP	1.40	190867	-	1.48	1.39	1.43	1.42	1.43	0.03	458	65	1.423
Q-CON	8.85	190867	8.90	9.05	8.85	8.90	8.90	8.95	0.05	3,280	2,925	8.919
SCC	208.00	190867	209.00	212.00	205.00	205.00	205.00	206.00	(3.00)	24,040	498,765	207.475
SCC01C2412A	0.05	190867	-	0.06	0.05	0.05	0.04	0.05	-	20,010	120	0.06
SCC01C2502A	0.42	190867	0.44	0.45	0.38	0.38	0.38	0.39	(0.04)	11,418	495	0.433
SCC11C2408A	0.01	190867	-	-	-	-	0.01	0.03	-	-	-	0
SCC13C2410A	0.02	190867	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1	-	0.01
SCC13C2501A	1.00	190867	-	0.26	0.22	0.22	0.21	0.22	(0.78)	38,372	906	0.236
SCC19C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
SCC19C2411A	0.04	190867	-	0.04	0.04	0.04	0.03	0.04	-	870	3	0.04
SCCC	157.50	190867	158.00	159.00	158.00	158.50	158.50	159.00	1.00	22,273	352,762	158.381
SCGD	6.85	190867	6.90	7.00	6.90	6.90	6.90	6.95	0.05	2,653	1,838	6.926
SCP	6.30	190867	6.25	6.35	6.25	6.30	6.25	6.35	-	1,014	638	6.287
SKN	5.70	190867	5.65	5.80	5.65	5.75	5.70	5.75	0.05	3,711	2,109	5.681
STECH	1.21	190867	1.22	1.22	1.19	1.20	1.18	1.20	(0.01)	3,906	469	1.201
TASCO	16.10	190867	16.20	16.40	16.20	16.40	16.40	16.50	0.30	40,955	66,733	16.294
TASCO19C2411A	0.14	190867	0.15	0.15	0.14	0.15	0.15	0.16	0.01	28,815	418	0.144
TOA	17.30	190867	17.40	17.70	17.10	17.20	17.20	17.30	(0.10)	16,441	28,494	17.33
TPPL	1.20	190867	1.20	1.21	1.15	1.17	1.16	1.17	(0.03)	106,083	12,495	1.177
UMI	0.70	190867	0.70	0.72	0.70	0.70	0.70	0.71	-	705	50	0.708
VNG	3.50	190867	3.56	3.56	3.52	3.56	3.54	3.56	0.06	2,032	721	3.549
WIJK	0.99	190867	-	1.00	0.98	0.98	0.98	1.00	(0.01)	240	24	0.985
WIJK-W3	0.06	190867	0.05	0.06	0.05	0.06	0.05	0.06	-	1,156	6	0.053
WINDOW	1.08	190867	1.09	1.12	1.07	1.09	1.09	1.10	0.01	26,782	2,955	1.103
Petrochemicals & CI												
BCT	72.75	190867	72.00	73.75	71.00	73.75	71.25	73.50	1.00	31	222	71.572
CMAN	2.36	190867	-	2.36	2.32	2.36	2.34	2.36	-	1,498	350	2.334
GC	5.05	190867	5.05	5.10	5.00	5.10	5.05	5.10	0.05	3,612	1,834	5.078
GGC	4.50	190867	-	4.68	4.52	4.56	4.46	4.56	0.06	124	57	4.576
GIFT	3.96	190867	3.92	3.98	3.92	3.98	3.94	3.98	0.02	1,820	716	3.932
GIFT-W2	1.70	190867	1.73	1.75	1.71	1.73	1.71	1.73	0.03	5,011	862	1.72
IVL	18.40	190867	18.50	18.90	18.30	18.40	18.40	18.50	-	201,530	373,853	18.551
IVL01C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
IVL01C2410W	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
IVL01C2411W	0.09	190867	0.09	0.10	0.09	0.09	0.09	0.10	-	9,901	99	0.099
IVL01C2412W	0.23	190867	0.24	0.26	0.23	0.23	0.23	0.24	-	40,136	974	0.242
IVL01C2501W	0.46	190867	-	0.49	0.46	0.46	0.46	0.47	-	33,294	1,584	0.475
IVL01P2409X	0.37	190867	-	0.38	0.38	0.38	0.34	0.37	0.01	1	-	0.38
IVL01P2501W	0.27	190867	-	0.29	0.26	0.27	0.27	0.28	-	41,173	1,117	0.271
IVL06C2411A	0.14	190867	-	0.16	0.13	0.13	-	-	(0.01)	44,716	658	0.147
IVL11C2411A	0.19	190867	-	0.21	0.18	0.18	0.18	0.19	(0.01)	10,138	198	0.194
IVL13C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
IVL13C2410B	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
IVL13C2411A	0.05	190867	-	0.05	0.04	0.05	0.04	0.05	-	41	-	0.04
IVL13C2411B	0.10	190867	-	0.11	0.08	0.09	0.09	0.10	(0.01)	55,133	555	0.1
IVL13C2412A	0.24	190867	-	0.27	0.24	0.24	0.24	0.25	-	34,002	856	0.251
IVL13C2412B	0.38	190867	-	0.43	0.39	0.41	0.40	0.41	0.03	375	15	0.411
IVL13P2411A	0.30	190867	0.34	0.34	0.27	0.29	0.29	0.30	(0.01)	33,815	974	0.288
IVL19C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2410B	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2411A	0.09	190867	-	0.10	0.09	0.09	0.08	0.09	-	12,536	119	0.095
IVL19C2412A	0.20	190867	0.20	0.22	0.20	0.20	0.20	0.21	-	27,100	566	0.208
IVL19C2501A	0.46	190867	0.47	0.50	0.46	0.47	0.46	0.47	0.01	23,480	1,118	0.476
IVL19P2410A	0.72	190867	-	0.32	0.29	0.32	0.34	0.35	(0.40)	1,824	53	0.291
IVL41C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
IVL41C2411A	0.04	190867	-	0.07	0.07	0.07	0.06	0.08	0.03	1	-	0.07
IVL41C2412A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
IVL41C2412B	0.24	190867	0.25	0.28	0.24	0.24	0.24	0.25	-	41,213	1,049	0.254
NFC	1.19	190867	1.19	1.20	1.18	1.20	1.19	1.20	0.01	22	3	1.19
PATO	9.05	190867	9.05	9.10	9.00	9.10	9.00	9.10	0.05	689	621	9.01
PMTA	8.80	190867	8.80	8.80	8.80	8.80	8.20	8.80	-	1	1	8.8
PTTGC	24.50	190867	24.50	24.80	23.50	23.60	23.60	23.70	(0.90)	216,887	520,734	24.009
PTTGC01C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2411A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2412A	0.03	190867	-	0.02	0.02	0.02	0.01	0.02	(0.01)	27,690	55	0.02
PTTGC01C2501A	0.09	190867	-	-	-	-	0.07	0.08	-	-	-	0
PTTGC01C2501B	0.47	190867	-	0.49	0.39	0.39	0.39	0.40	(0.08)	46,459	2,038	0.438
PTTGC01P2409X	1.34	190867	1.34	1.50	1.30	1.50	1.50	1.52	0.16	4,505	634	1.407
PTTGC01P2412X	0.54	190867	0.54	0.61	0.53	0.61	0.61	0.63	0.07	23,209	1,316	0.567
PTTGC01P2501A	0.36	190867	-	0.40	0.35	0.40	0.40	0.41	0.04	44,408	1,640	0.369
PTTGC11C2409A	0.01	190867	-	-	-	-	0.01	0.03	-	-	-	0
PTTGC11C2411A	0.07	190867	-	-	-	-	0.02	0.04	-	-	-	0
PTTGC11C2412A	0.08	190867	-	-	-	-	0.06	0.07	-	-	-	0
PTTGC13C2409A	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
PTTGC13C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC13C2411A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC13C2412A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC13C2412B	0.07	190867	-	0.09	0.09	0.09	0.06	0.07	0.02	1	-	0.09
PTTGC13C2412C	0.39	190867	-	0.41	0.32	0.32	0.32	0.33	(0.07)	120,775	4,553	0.377
PTTGC13P2412A	0.22	190867	0.22	0.25	0.21	0.25	0.25	0.26	0.03	24,014	574	0.239
PTTGC19C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC19C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC19C2411A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC19C2412A	0.05	190867	-	0.04	0.04	0.04	0.03	0.04	(0.01)	15	-	0.04
PTTGC19C2412B	0.09	190867	-	0.10	0.08	0.08	0.07	0.08	(0.01)	8,537	79	0.092
PTTGC19C2501A	0.49	190867	-	0.52	0.43	0.43	0.42	0.43	(0.06)	45,447	2,233	0.491
PTTGC19P2412A	0.23	190867	-	0.26	0.22	0.26	0.25	0.26	0.03	60,494	1,407	0.232
PTTGC41C2412A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC41C2412B	0.08	190867	-	-	-	-	0.05	0.06	-	-	-	0
PTTGC41C2501A	0.45	190867	-	0.46	0.36	0.36	0.36	0.37	(0.09)	37,702	1,523	0.404
SUTHA	2.88	190867	-									

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BJC	20.60	190867	20.70	20.90	20.50	20.60	20.60	20.70	-	82,853	171,309	20.676
BJC01C2412A	0.26	190867	-	0.28	0.26	0.26	0.26	0.27	-	55,990	1,500	0.267
BJC13C2412A	0.21	190867	-	0.22	0.20	0.20	0.20	0.21	(0.01)	87,637	1,888	0.215
BJC19C2411A	0.20	190867	-	0.21	0.20	0.20	0.20	0.21	-	12,256	253	0.206
COM7	22.30	190867	22.30	22.80	22.20	22.60	22.60	22.70	0.30	209,028	470,551	22.511
COM701C2410W	0.50	190867	-	0.56	0.50	0.56	0.54	0.56	0.06	29,074	1,532	0.527
COM701C2412W	0.42	190867	0.43	0.46	0.41	0.45	0.45	0.46	0.03	62,614	2,747	0.438
COM701P2410W	0.02	190867	-	-	-	-	0.02	0.11	-	-	-	0
COM711C2409A	0.27	190867	-	0.30	0.27	0.28	0.28	0.30	0.01	22,350	647	0.289
COM713C2410A	0.37	190867	-	0.41	0.39	0.40	0.40	0.42	0.03	901	36	0.4
COM713C2411A	0.58	190867	-	0.62	0.58	0.62	0.62	0.65	0.04	881	53	0.606
COM713C2412A	0.39	190867	-	0.42	0.38	0.41	0.41	0.42	0.02	68,555	2,778	0.405
COM713P2410A	0.02	190867	-	-	-	-	0.01	0.09	-	-	-	0
COM719C2410A	0.46	190867	-	0.50	0.45	0.49	0.49	0.50	0.03	33,135	1,578	0.476
COM719C2501A	0.46	190867	-	0.49	0.45	0.49	0.48	0.49	0.03	75,196	3,547	0.471
COM719P2412A	0.25	190867	-	0.25	0.22	0.23	0.23	0.25	(0.02)	158,522	3,755	0.236
COM741C2412A	0.69	190867	-	0.73	0.68	0.72	0.72	0.73	0.03	64,681	4,573	0.706
CPALL	57.00	190867	57.50	59.50	57.25	59.00	59.00	59.25	2.00	737,300	4,333,395	58.773
CPALL01C2409A	0.06	190867	-	0.12	0.07	0.10	0.10	0.12	0.04	84,040	797	0.094
CPALL01C2410A	0.02	190867	-	0.04	0.03	0.04	0.03	0.04	0.02	63	-	0.037
CPALL01C2412A	0.19	190867	-	0.27	0.21	0.26	0.26	0.27	0.07	102,374	2,489	0.243
CPALL01C2501A	0.38	190867	-	0.48	0.40	0.46	0.45	0.46	0.08	50,640	2,267	0.447
CPALL01P2410X	0.13	190867	0.08	0.11	0.08	0.08	0.08	0.09	(0.05)	10,919	99	0.09
CPALL01P2501X	0.38	190867	-	0.33	0.31	0.31	0.30	0.31	(0.07)	58,162	1,855	0.318
CPALL06C2409A	0.04	190867	-	-	-	-	-	-	-	-	-	0
CPALL11C2410A	0.14	190867	-	0.22	0.15	0.20	0.19	0.21	0.06	68,268	1,364	0.199
CPALL11C2412A	0.27	190867	-	0.38	0.31	0.35	0.35	0.36	0.08	29,388	1,016	0.345
CPALL13C2410A	0.02	190867	-	0.02	0.01	0.02	0.02	0.03	-	753	1	0.019
CPALL13C2410B	0.03	190867	-	-	-	-	0.03	0.04	-	-	-	0
CPALL13C2411A	0.13	190867	-	0.20	0.14	0.18	0.18	0.19	0.05	143,402	2,575	0.179
CPALL13C2412A	0.27	190867	0.28	0.38	0.27	0.35	0.35	0.36	0.08	132,841	4,417	0.332
CPALL13P2410A	0.18	190867	-	0.16	0.12	0.12	0.12	0.13	(0.06)	18,665	268	0.143
CPALL19C2409A	0.02	190867	-	-	-	-	0.03	0.04	-	-	-	0
CPALL19C2409B	0.10	190867	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2410A	0.03	190867	-	-	-	-	0.04	0.05	-	-	-	0
CPALL19C2411A	0.16	190867	0.17	0.24	0.16	0.22	0.22	0.23	0.06	435,738	8,729	0.2
CPALL19P2412A	0.26	190867	0.25	0.25	0.19	0.20	0.20	0.21	(0.06)	30,570	639	0.209
CPALL41C2412A	0.14	190867	0.15	0.20	0.15	0.19	0.19	0.20	0.05	61,189	1,161	0.189
CPALL41C2605T	0.34	190867	-	0.38	0.35	0.38	0.38	0.39	0.04	9,534	352	0.368
CPAXT	29.00	190867	29.00	29.50	28.75	29.00	28.75	29.00	-	70,800	206,061	29.104
CPW	2.52	190867	2.54	2.54	2.44	2.48	2.48	2.50	(0.04)	3,402	850	2.497
CRC	27.25	190867	27.75	28.25	27.50	27.50	27.50	27.75	0.25	116,862	325,458	27.849
CRC01C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
CRC01C2412A	0.07	190867	-	-	-	-	0.07	0.08	-	-	-	0
CRC01C2501A	0.22	190867	0.24	0.25	0.24	0.25	0.23	0.24	0.03	40,006	982	0.245
CRC13C2409A	0.03	190867	-	0.02	0.01	0.01	0.01	0.02	(0.02)	4	-	0.015
CRC13C2412A	0.07	190867	-	0.08	0.07	0.07	0.07	0.08	-	7,410	59	0.079
CRC13C2412B	0.16	190867	-	0.18	0.17	0.17	0.17	0.18	0.01	13,085	233	0.177
CRC19C2409A	0.04	190867	-	-	-	-	0.01	0.02	-	-	-	0
CRC19C2411A	0.04	190867	-	0.05	0.05	0.05	0.04	0.05	0.01	149	1	0.05
CRC19C2501A	0.19	190867	-	0.21	0.21	0.21	0.20	0.21	0.02	5,244	110	0.21
CSS	0.78	190867	0.80	0.83	0.78	0.80	0.79	0.80	0.02	14,971	1,204	0.804
DOHOME	10.90	190867	10.90	11.00	10.70	10.80	10.80	10.90	(0.10)	46,650	50,523	10.83
DOHOME01C2409A	0.05	190867	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME01C2501A	0.18	190867	-	0.19	0.17	0.17	0.17	0.18	(0.01)	33,544	585	0.174
DOHOME13C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME13C2412A	0.16	190867	-	0.17	0.15	0.15	0.15	0.16	(0.01)	27,128	432	0.159
DOHOME19C2409A	0.01	190867	-	0.03	0.03	0.03	0.03	0.04	0.02	1	-	0.03
DOHOME19C2501A	1.00	190867	-	0.22	0.21	0.21	0.20	0.21	(0.79)	6,102	130	0.213
DOHOME41C2412A	0.06	190867	-	-	-	-	0.08	0.09	-	-	-	0
FN	0.91	190867	0.93	1.10	0.92	1.02	1.02	1.03	0.11	36,111	3,680	1.018
GLOBAL	14.30	190867	14.30	14.60	14.10	14.30	14.20	14.30	-	76,597	109,721	14.324
GLOBAL01C2410A	0.07	190867	-	-	-	-	0.01	0.02	-	-	-	0
GLOBAL11C2408A	0.11	190867	-	-	-	-	0.01	0.03	-	-	-	0
GLOBAL13C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
GLOBAL13C2501A	1.00	190867	-	0.30	0.26	0.28	0.28	0.29	(0.72)	90,610	2,632	0.29
GLOBAL19C2410A	0.02	190867	-	0.02	0.02	0.02	0.02	0.03	-	1,500	3	0.02
GLOBAL19C2412A	0.14	190867	-	0.15	0.13	0.13	0.13	0.14	(0.01)	59,656	848	0.142
HMPRO	8.35	190867	8.40	8.45	8.20	8.30	8.25	8.30	(0.05)	362,699	301,734	8.319
HMPRO01C2501A	0.18	190867	-	0.19	0.17	0.17	0.17	0.18	(0.01)	44,320	800	0.18
HMPRO11C2412A	0.26	190867	-	0.27	0.25	0.26	0.26	0.27	-	18,804	488	0.259
HMPRO13C2411A	0.09	190867	-	0.09	0.09	0.09	0.08	0.09	-	20,510	185	0.09
HMPRO19C2410A	0.07	190867	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO19C2501A	1.00	190867	-	0.30	0.27	0.28	0.28	0.29	(0.72)	24,032	700	0.291
ICC	30.50	190867	-	30.75	30.50	30.75	30.75	31.25	0.25	12	37	30.708
ILM	16.80	190867	17.00	17.10	16.90	16.90	16.90	17.00	0.10	977	1,659	16.98
IT	5.20	190867	5.25	5.25	5.15	5.15	5.15	5.20	(0.05)	3,868	2,002	5.177
KAMART	12.40	190867	12.30	12.40	12.10	12.30	12.20	12.30	(0.10)	44,707	54,740	12.244
LOXLEY	1.40	190867	1.39	1.40	1.39	1.40	1.40	1.41	-	5,753	805	1.392
MC	10.20	190867	10.20	10.40	10.10	10.20	10.10	10.20	-	11,397	11,675	10.243
MEGA	38.75	190867	38.75	39.00	38.25	38.50	38.50	38.75	(0.25)	6,141	23,740	38.658
MEGA19C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
MIDA	0.35	190867	0.35	0.35	0.34	0.35	0.34	0.35	-	1,660	58	0.349
MOSHI	43.00	190867	43.00	43.75	42.25	43.25	43.25	43.50	0.25	9,752	41,926	42.992
RS	11.90	190867	12.00	12.00	11.90	12.00	11.90	12.00	0.10	2,937	3,522	11.99
RS-W5	5.00	190867	-	5.00	4.98	4.98	4.98	5.00	(0.02)	2,641	1,320	4.999
RSP	1.86	190867	1.87	1.88	1.85	1.86	1.86	1.87	-	1,202	224	1.866
SABUY	0.55	190867	0.57	0.72	0.57	0.72	0.71	-	0.17	1,596,582	107,320	0.672
SABUY-W2	0.01	190867	0.01	0.03	0.01	0.02	0.02	0.03	0.01	268,174	530	0.019
SCM	3.58	190867	-	3.90	3.44	3.90	3.90	3.92	0.32	5,980	2,280	3.812
SCM-W2	1.75	190867	-	1.25	1.25	1.25	1.25	1.49	(0.50)	19	2	1.25
SINGER	7.95	190867	8.05	8.70	7.90	8.35	8.35	8.40	0.40	193,909	161,111	8.308
SPC	60.75	190867	61.00	61.00	60.25	60.75	60.75	61.00	-	265	1,604	60.527
SPI	67.00	190867	-	67.25	64.75	67.25	64.25	66.50	0.25	18	119	65.944
SVT	1.51	190867	1.54	1.65	1.53	1.62	1.62	1.63	0.11	34,888	5,568	1.595
TAN	8.95	190867	8.95	9.20	8.80	8.90	8.90	8.95	(0.05)	9,840	8,802	8.944
Information & Commr												
3BBIF	5.40	190867	5.45	5.50	5.40	5.40	5.40	5.45	-			

Daily Quotation

Issue Date

Sector/ Securities	Previous				Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date	Open	High								
ADVANC13P2411A	0.05	190867	-	-	-	-	0.04	0.05	-	-	-	0
ADVANC13P2412A	0.25	190867	-	0.24	0.22	0.22	0.22	0.23	(0.03)	37,685	874	0.232
ADVANC19C2409A	0.21	190867	-	-	-	-	0.26	0.31	-	-	-	0
ADVANC19C2411A	0.56	190867	-	-	-	-	0.61	0.66	-	-	-	0
ADVANC19C2412A	0.38	190867	-	0.43	0.41	0.41	0.43	0.44	0.03	1,010	42	0.419
ADVANC19C2501A	0.31	190867	-	0.35	0.32	0.34	0.33	0.34	0.03	26,556	886	0.333
ADVANC19P2412A	0.13	190867	0.12	0.12	0.11	0.11	0.10	0.11	(0.02)	5,568	61	0.11
ADVANC41C2410A	0.30	190867	-	-	-	-	0.36	0.38	-	-	-	0
ADVANC41C2412A	0.37	190867	-	0.41	0.36	0.39	0.39	0.41	0.02	21,501	820	0.381
AIT	4.08	190867	4.12	4.16	4.08	4.16	4.14	4.16	0.08	14,576	5,996	4.113
ALT	1.20	190867	1.21	1.22	1.17	1.19	1.18	1.19	(0.01)	3,239	388	1.198
AMR	1.06	190867	1.05	1.13	1.05	1.13	1.12	1.13	0.07	13,056	1,441	1.103
BLISS	0.14	190867	-	-	-	-	-	-	-	-	-	0
DIF	7.90	190867	7.90	7.95	7.85	7.90	7.85	7.90	-	97,424	77,008	7.904
DITTO	16.10	190867	16.10	16.50	15.70	16.20	16.20	16.30	0.10	71,640	115,385	16.106
DITTO-W1	1.69	190867	1.73	1.73	1.60	1.62	1.62	1.67	(0.07)	4,098	672	1.6
DTCENT	1.22	190867	1.22	1.24	1.20	1.20	1.20	1.23	(0.02)	12,060	1,472	1.22
FORTH	10.50	190867	10.60	10.80	10.50	10.70	10.60	10.70	0.20	12,774	13,598	10.645
FORTH01C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
FORTH13C2412A	0.09	190867	-	0.11	0.09	0.10	0.10	0.11	0.01	25,553	253	0.098
FORTH19C2501A	0.14	190867	0.16	0.16	0.14	0.15	0.15	0.16	0.01	15,338	228	0.148
GABLE	3.66	190867	-	3.72	3.64	3.68	3.66	3.68	0.02	6,490	2,376	3.661
HUMAN	10.50	190867	10.60	10.90	10.80	10.90	10.70	10.90	0.40	9,622	10,372	10.779
ICN	1.95	190867	1.92	2.10	1.92	2.06	2.06	2.08	0.11	11,190	2,274	2.031
ILINK	5.65	190867	5.65	5.65	5.50	5.60	5.55	5.60	(0.05)	6,273	3,503	5.583
INET	4.38	190867	-	4.40	4.34	4.38	4.36	4.38	-	1,886	824	4.369
INET-W3	0.39	190867	0.38	0.39	0.35	0.37	0.36	0.37	(0.02)	9,636	354	0.367
INSET	2.20	190867	2.22	2.28	2.16	2.26	2.24	2.26	0.06	59,657	13,324	2.233
INTUCH	84.50	190867	82.75	84.00	82.50	83.50	83.50	83.75	(1.00)	91,071	758,125	83.245
INTUCH01C2412A	0.69	190867	-	0.74	0.71	0.73	0.73	0.76	0.04	8,040	579	0.72
INTUCH13C2411A	0.60	190867	0.60	0.68	0.60	0.68	0.65	0.68	0.08	50,043	3,071	0.613
INTUCH13C2412A	0.46	190867	0.46	0.50	0.46	0.49	0.49	0.50	0.03	133,126	6,477	0.486
INTUCH13P2411A	0.06	190867	-	0.06	0.05	0.05	0.05	0.06	(0.01)	9,		

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
DELTA11C2501A	0.27	190867	-	0.30	0.28	0.30	0.29	0.30	0.03	14,504	426	0.293
DELTA13C2409A	0.98	190867	-	1.28	1.09	1.18	1.14	1.18	0.20	4,808	564	1.173
DELTA13C2411A	0.76	190867	0.82	0.91	0.82	0.84	0.84	0.85	0.08	9,744	834	0.856
DELTA13C2412A	0.40	190867	0.41	0.46	0.41	0.43	0.43	0.44	0.03	137,884	5,994	0.434
DELTA13P2409A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
DELTA13P2411A	0.12	190867	-	0.12	0.10	0.10	0.10	0.11	(0.02)	41,871	428	0.102
DELTA13P2412A	0.50	190867	0.48	0.48	0.43	0.45	0.45	0.46	(0.05)	45,752	2,058	0.449
DELTA19C2409A	1.35	190867	-	-	-	-	1.46	1.53	-	-	-	0
DELTA19C2411A	0.72	190867	-	0.85	0.76	0.78	0.78	0.83	0.06	2,716	217	0.797
DELTA19C2412A	0.38	190867	0.39	0.42	0.39	0.41	0.41	0.42	0.03	34,340	1,410	0.41
DELTA19P2409A	0.01	190867	-	-	-	-	0.01	0.11	-	-	-	0
DELTA19P2411A	0.15	190867	-	0.14	0.12	0.13	0.13	0.14	(0.02)	20,463	271	0.132
DELTA19P2412A	0.29	190867	0.28	0.28	0.24	0.26	0.25	0.26	(0.03)	31,374	811	0.258
DELTA41C2411A	1.25	190867	1.28	1.37	1.26	1.32	1.32	1.35	0.07	59	8	1.322
DELTA41C2411B	0.60	190867	-	0.68	0.64	0.65	0.65	0.66	0.05	13,774	898	0.651
DELTA41C2412A	0.37	190867	-	0.43	0.38	0.40	0.40	0.41	0.03	26,177	1,071	0.409
DELTA41P2410A	0.03	190867	-	0.02	0.02	0.02	0.02	0.03	(0.01)	200	-	0.02
DELTA41P2412A	0.39	190867	-	0.36	0.34	0.35	0.35	0.36	(0.04)	3,063	109	0.354
HANA	40.75	190867	41.25	41.75	41.00	41.25	41.25	41.50	0.50	95,562	396,048	41.444
HANA01C2410A	0.11	190867	0.12	0.13	0.12	0.12	0.12	0.13	0.01	45,115	552	0.122
HANA01C2411W	0.05	190867	-	0.07	0.07	0.07	0.07	0.08	0.02	270	2	0.07
HANA01C2412W	0.11	190867	0.12	0.13	0.12	0.12	0.12	0.13	0.01	19,093	238	0.124
HANA01C2501W	0.30	190867	-	0.34	0.32	0.33	0.32	0.33	0.03	40,308	1,315	0.326
HANA01P2410W	0.10	190867	-	0.08	0.07	0.08	0.07	0.08	(0.02)	257	2	0.073
HANA01P2411W	0.49	190867	0.47	0.47	0.44	0.46	0.46	0.47	(0.03)	18,224	827	0.454
HANA13C2410A	0.07	190867	-	0.09	0.07	0.07	0.07	0.08	-	18,932	151	0.079
HANA13C2411A	0.07	190867	-	0.07	0.07	0.07	0.07	0.08	-	3,594	25	0.07
HANA13C2411B	0.05	190867	0.06	0.06	0.05	0.05	0.05	0.06	-	3,500	18	0.051
HANA13C2412A	0.20	190867	0.21	0.23	0.21	0.21	0.21	0.22	0.01	31,953	700	0.218
HANA13C2412B	0.30	190867	-	0.34	0.32	0.32	0.32	0.33	0.02	76,464	2,480	0.324
HANA13P2410A	0.11	190867	-	-	-	-	0.07	0.08	-	-	-	0
HANA13P2411A	0.39	190867	-	0.36	0.33	0.36	0.36	0.37	(0.03)	44,296	1,567	0.353
HANA19C2410A	0.09	190867	-	0.11	0.11	0.11	0.10	0.11	0.02	3,305	36	0.11
HANA19C2411A	0.08	190867	-	0.10	0.09	0.10	0.09	0.10	0.02	11,051	99	0.09
HANA19C2501A	0.28	190867	0.29	0.31	0.29	0.29	0.29	0.30	0.01	86,860	2,565	0.295
HANA19P2410A	0.10	190867	-	-	-	-	0.09	0.19	-	-	-	0
HANA19P2411A	0.64	190867	-	0.53	0.51	0.53	0.53	0.63	(0.11)	11,557	603	0.521
HANA41C2411A	0.08	190867	-	0.09	0.08	0.09	0.07	0.08	0.01	1,002	8	0.08
HANA41C2501A	0.29	190867	-	0.32	0.31	0.31	0.31	0.32	0.02	41,002	1,277	0.311
KCE	38.50	190867	39.00	39.75	38.75	39.00	39.00	39.25	0.50	130,521	511,794	39.212
KCE01C2410W	0.06	190867	-	0.07	0.06	0.07	0.06	0.07	0.01	1,483	9	0.062
KCE01C2412W	0.10	190867	0.10	0.11	0.10	0.10	0.10	0.11	-	32,870	360	0.109
KCE01C2501W	0.28	190867	0.30	0.33	0.30	0.30	0.30	0.31	0.02	69,724	2,135	0.306
KCE01P2410W	0.21	190867	-	0.19	0.18	0.19	0.19	0.20	(0.02)	23,505	439	0.186
KCE01P2412W	0.75	190867	-	0.72	0.69	0.70	0.70	0.71	(0.05)	8,442	595	0.704
KCE06C2409A	0.05	190867	-	-	-	-	-	0.07	-	-	-	0
KCE11C2408A	0.07	190867	-	-	-	-	0.01	0.03	-	-	-	0
KCE13C2410A	0.05	190867	0.06	0.08	0.06	0.07	0.06	0.07	0.02	4,187	27	0.064
KCE13C2411A	0.06	190867	-	0.08	0.06	0.07	0.06	0.07	0.01	871	6	0.069
KCE13C2412A	0.10	190867	0.11	0.12	0.11	0.11	0.11	0.12	0.01	43,206	493	0.114
KCE13C2412B	0.21	190867	-	0.25	0.22	0.22	0.22	0.23	0.01	179,132	4,059	0.226
KCE13P2410A	0.14	190867	-	0.12	0.11	0.12	0.12	0.13	(0.02)	10,934	129	0.118
KCE13P2412A	0.68	190867	-	0.59	0.58	0.59	0.58	0.61	(0.09)	99	6	0.581
KCE19C2411A	0.07	190867	-	0.09	0.09	0.09	0.07	0.08	0.02	55	-	0.09
KCE19C2412A	0.16	190867	-	0.18	0.16	0.16	0.16	0.17	-	27,081	467	0.172
KCE19C2501A	0.30	190867	-	0.34	0.30	0.31	0.31	0.32	0.01	38,716	1,236	0.319
KCE19P2410A	0.15	190867	-	0.13	0.12	0.13	0.13	0.14	(0.02)	10,622	135	0.127
KCE19P2412A	0.62	190867	-	0.59	0.58	0.59	0.59	0.60	(0.03)	11,605	684	0.589
KCE41C2409A	0.03	190867	-	-	-	-	0.01	0.02	-	-	-	0
KCE41C2411A	0.07	190867	-	0.09	0.09	0.09	0.08	0.09	0.02	1	-	0.09
KCE41C2501A	0.26	190867	0.28	0.30	0.26	0.27	0.27	0.28	0.01	43,046	1,206	0.28
METCO	185.00	190867	184.50	185.00	183.00	183.00	183.00	184.50	(2.00)	70	1,289	184.157
SMT	1.28	190867	1.29	1.61	1.29	1.47	1.47	1.48	0.19	472,358	70,338	1.489
SVI	8.45	190867	8.45	8.70	8.40	8.60	8.60	8.65	0.15	40,223	34,360	8.542
TEAM	3.50	190867	3.52	3.66	3.52	3.60	3.60	3.64	0.10	4,691	1,696	3.615
Energy & Utilities												
ACC	0.45	190867	0.45	0.46	0.44	0.46	0.44	0.46	0.01	39,933	1,811	0.453
ACC-W2	0.17	190867	0.17	0.18	0.16	0.17	0.17	0.18	-	5,220	90	0.172
ACE	1.33	190867	1.35	1.35	1.32	1.33	1.32	1.33	-	11,612	1,551	1.335
AE	0.18	190867	0.18	0.18	0.17	0.18	0.17	0.18	-	40,325	716	0.177
AGE	1.20	190867	1.21	1.34	1.19	1.24	1.24	1.25	0.04	69,966	8,880	1.269
AI	3.62	190867	3.64	3.68	3.64	3.64	3.64	3.66	0.02	2,338	855	3.658
AIE	1.02	190867	1.03	1.05	1.02	1.02	1.02	1.03	-	6,923	716	1.033
BAFS	13.90	190867	13.90	14.20	13.40	13.80	13.80	13.90	(0.10)	13,985	19,364	13.845
BANPU	5.15	190867	5.15	5.30	5.10	5.20	5.20	5.25	0.05	681,207	354,074	5.197
BANPU01C2410W	0.03	190867	-	0.04	0.04	0.04	0.03	0.04	0.01	70,300	281	0.04
BANPU01C2411W	0.09	190867	-	0.11	0.10	0.10	0.10	0.11	0.01	7,552	81	0.107
BANPU01C2501A	0.15	190867	0.15	0.17	0.15	0.16	0.16	0.17	0.01	25,596	409	0.159
BANPU01C2501B	0.75	190867	0.77	0.84	0.77	0.81	0.81	0.84	0.06	6,457	524	0.81
BANPU01P2411W	0.13	190867	-	0.13	0.12	0.12	0.12	0.13	(0.01)	44,434	565	0.127
BANPU11C2410T	0.07	190867	-	-	-	-	0.05	0.07	-	-	-	

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BGRIM01C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2411A	0.07	190867	-	0.10	0.08	0.09	0.08	0.10	0.02	19,720	187	0.094
BGRIM01C2411B	0.18	190867	-	0.22	0.19	0.20	0.20	0.21	0.02	88,395	1,806	0.204
BGRIM01C2501A	0.43	190867	0.45	0.50	0.45	0.47	0.47	0.48	0.04	37,934	1,803	0.475
BGRIM01P2411X	0.27	190867	-	0.25	0.23	0.24	0.24	0.25	(0.03)	26,231	633	0.241
BGRIM11C2410A	0.14	190867	-	-	-	-	0.01	0.04	-	-	-	0
BGRIM11C2410B	0.15	190867	-	0.20	0.17	0.18	0.16	0.18	0.03	11,506	213	0.184
BGRIM11C2412A	1.00	190867	-	0.43	0.41	0.42	0.37	0.39	(0.58)	6,002	251	0.418
BGRIM13C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM13C2410A	0.02	190867	-	-	-	-	0.01	0.03	-	-	-	0
BGRIM13C2411A	0.13	190867	0.15	0.16	0.14	0.15	0.14	0.15	0.02	61,201	926	0.151
BGRIM13C2412A	0.32	190867	-	0.37	0.32	0.33	0.33	0.34	0.01	96,975	3,397	0.35
BGRIM13P2411A	0.24	190867	-	0.23	0.20	0.22	0.22	0.23	(0.02)	50,621	1,091	0.215
BGRIM19C2409A	0.04	190867	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2411A	0.06	190867	-	0.07	0.07	0.07	0.06	0.07	0.01	6,105	43	0.07
BGRIM19C2411B	0.18	190867	-	0.22	0.20	0.20	0.19	0.20	0.02	60,212	1,261	0.209
BGRIM19C2501A	0.42	190867	-	0.47	0.43	0.44	0.43	0.44	0.02	54,904	2,477	0.451
BGRIM19P2411A	0.17	190867	-	0.16	0.15	0.16	0.16	0.17	(0.01)	24,826	383	0.154
BGRIM41C2411A	0.20	190867	0.22	0.24	0.22	0.22	0.21	0.22	0.02	64,160	1,455	0.226
BGRIM41C2412A	0.10	190867	0.11	0.12	0.11	0.11	0.10	0.11	0.01	37,508	420	0.111
BIOTEC	0.22	190867	0.21	0.22	0.20	0.20	0.20	0.21	(0.02)	16,148	334	0.206
BIOTEC-P	10.00	190867	-	-	-	-	-	-	-	-	-	0
BIOTEC-Q	10.00	190867	-	-	-	-	-	-	-	-	-	0
BIOTEC-W2	0.06	190867	0.05	0.06	0.05	0.06	0.05	0.06	-	401	2	0.05
BPP	11.70	190867	11.80	11.90	11.60	11.60	11.60	11.80	(0.10)	2,289	2,680	11.708
BRRGIF	3.34	190867	3.34	3.34	3.32	3.34	3.32	3.34	-	2,781	926	3.328
BSRC	7.00	190867	7.10	7.10	6.60	6.80	6.75	6.80	(0.20)	93,038	63,688	6.845
CKP	3.74	190867	3.76	3.82	3.74	3.78	3.78	3.80	0.04	49,536	18,741	3.783
CKP13C2412A	0.14	190867	0.14	0.15	0.14	0.15	0.14	0.15	0.01	14,812	207	0.14
CKP19C2411A	0.11	190867	-	0.13	0.12	0.13	0.12	0.13	0.02	14,231	175	0.122
CV	0.17	190867	0.17	0.20	0.17	0.19	0.18	0.19	0.02	327,336	6,120	0.186
CV-W1	0.14	190867	0.14	0.17	0.14	0.17	0.16	0.17	0.03	53,049	866	0.163
DEMCO	3.66	190867	3.66	3.72	3.60	3.60	3.60	3.66	(0.06)	2,896	1,058	3.654
DEMCO-W7	0.09	190867	0.09	0.10	0.08	0.09	0.08	0.09	-	22,729	204	0.089
EA	4.92	190867	4.90	5.25	4.88	5.10	5.10	5.15	0.18	1,526,182	775,323	5.08
EA01C2409A	0.02	190867	0.02	0.02	0.02	0.02	0.01	0.02	-	40	-	0.02
EA01C2410A	0.02	190867	-	0.02	0.02	0.02	0.01	0.02	-	15	-	0.02
EA01C2410W	0.04	190867	-	0.04	0.04	0.04	0.01	0.03	-	1	-	0.04
EA01C2411W	0.01	190867	-	0.02	0.02	0.02	0.01	0.02	0.01	21	-	0.02
EA01C2412A	0.06	190867	-	0.05	0.03	0.04	0.04	0.05	(0.02)	189	1	0.036
EA01C2412W	0.04	190867	-	0.04	0.03	0.04	0.03	0.04	-	97	-	0.034
EA01P2409X	3.96	190867	-	-	-	-	3.80	3.94	-	-	-	0
EA01P2410W	3.62	190867	-	-	-	-	3.52	3.66	-	-	-	0
EA01P2411A	1.44	190867	-	1.37	1.35	1.37	1.36	1.37	(0.07)	2,693	365	1.356
EA01P2411W	3.04	190867	-	2.84	2.84	2.84	2.80	2.94	(0.20)	20	6	2.84
EA06C2409A	0.03	190867	-	-	-	-	-	0.03	-	-	-	0
EA13C2409A	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
EA13C2410A	0.01	190867	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
EA13C2410B	0.01	190867	-	-	-	-	-	0.02	-	-	-	0
EA13C2410C	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
EA13C2411A	0.01	190867	0.01	0.01	0.01	0.01	-	0.01	-	500	1	0.01
EA13C2411B	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
EA13C2411C	0.01	190867	0.01	0.01	0.01	0.01	-	0.01	-	1,104	1	0.01
EA13C2411D	0.01	190867	0.01	0.01	0.01	0.01	-	0.01	-	4,795	5	0.01
EA13C2411E	0.04	190867	-	0.05	0.03	0.04	0.04	0.05	-	57,205	229	0.04
EA13C2412A	0.13	190867	0.15	0.16	0.13	0.14	0.14	0.15	0.01	73,872	1,068	0.144
EA13C2412B	0.30	190867	0.31	0.36	0.30	0.33	0.33	0.34	0.03	230,817	7,625	0.33
EA13C2412C	0.57	190867	0.56	0.65	0.56	0.61	0.61	0.62	0.04	106,771	6,477	0.606
EA13P2410A	3.50	190867	-	-	-	-	3.16	-	-	-	-	0
EA13P2411A	4.94	190867	-	-	-	-	4.20	-	-	-	-	0
EA13P2411B	3.06	190867	-	-	-	-	2.84	3.34	-	-	-	0
EA13P2411C	1.20	190867	1.20	1.23	1.12	1.23	1.15	1.20	0.03	490	55	1.124
EA13P2411D	0.62	190867	-	0.67	0.54	0.55	0.55	0.56	(0.07)	3,416	188	0.55
EA19C2409A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2410A	0.01	190867	-	0.01	0.01	0.01	0.01	0.02	-	18	-	0.01
EA19C2410B	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2410C	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2411A	0.01	190867	-	0.01	0.01	0.01	0.01	0.02	-	49,100	49	0.01
EA19C2411B	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2411C	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2411D	0.02	190867	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	2,550	3	0.01
EA19C2412A	0.10	190867	-	0.12	0.10	0.11	0.11	0.12	0.01	98,908	1,076	0.108
EA19C2412B	0.21	190867	-	0.23	0.21	0.23	0.22	0.23	0.02	124,611	2,797	0.224
EA19C2412C	0.59	190867	0.57	0.66	0.57	0.63	0.63	0.64	0.04	23,264	1,453	0.624
EA19P2410A	2.76	190867	-	2.60	2.60	2.60	2.58	2.80	(0.16)	1	-	2.6
EA19P2411A	1.30	190867	-	1.20	1.13	1.20	1.15	1.36	(0.10)	83	10	1.175
EA19P2412A	0.31	190867	-	0.31	0.29	0.30	0.30	0.31	(0.01)	24,666	738	0.299
EA41C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
EA41C2410B	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
EA41C2412A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
EASTW	2.64	190867	2.62	2.66	2.60	2.64	2.62	2.66	-	6,300	1,654	2.624
EGATIF	6.00	190867	6.05	6.05	5.95	6.00	6.00	6.05	-	39,363	23,652	6.008
EGCO	103.00	190867	103.00	104.00	102.50	102.50	102.50	103.00	(0.50)	4,898	50,537	103.178
EGCO13C2410A	0.06	190867	-	0.07	0.07	0.07	0.06	0.08	0.01	21	-	0.07
EGCO13C2412A	0.30	190867	-	0.32	0.30	0.30	0.29	0.31	-	9,348	288	0.308
EGCO19C2412A	0.20	190867	-	0.22	0.21	0.21	0.20	0.21	0.01	4,006	86	0.213
EP	1.82	190867	-	1.90	1.83	1.90	1.86	1.90	0.08	1,624	304	1.873
EP-W4	0.03	190867	-	0.04	0.03	0.03	0.02	0.03	-	13,779	41	0.03
ETC	1.94	190867	1.95	1.95	1.85	1.85	1.85	1.87	(0.09)	10,280	1,945	1.891
GPSC	39.00	190867	39.25	40.75	39.00	40.00	40.00	40.25	1.00	155,179	622,714	40.129
GPSC01C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01C2410A	0.02	190867	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
GPSC01C2411A	0.07	190867	-	0.09	0.07	0.09	0.07	0.08	0.02	6,781	53	0.077
GPSC01C2412A	0.21	190867	0.20	0.24	0.20	0.23	0.23	0.24	0.02	58,243	1,318	0.226
GPSC01C2501A	0.35	190867	0.37	0.42	0.36	0.38	0.38	0.41	0.03	39,343	1,566	0.397
GPSC01P2409X	0.41	190867	-	0.35	0.29	0.29	0.31	0.33	(0.12)	5,600	172	0.306
GPSC01P2411X	0.26	190867	-	0.24	0.21	0.22	0.22	0.23	(0.04)	61,839	1,342	0.216
GPSC11C2411A	0.18	190867	-	0.24	0.23	0.23	0.21	0.22	0.05	1,500	35	0.235
GPSC13C2409A	0.01	190867	-	0.01	0.01	0.01	0.01	0.02	-	200	-	0.01
GPSC13C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
GPSC19P2410A	0.35	190867	-	0.24	0.21	0.23	0.23	0.24	(0.12)	15,256	344	0.225
GPSC19P2411A	0.21	190867	0.17	0.19	0.17	0.18	0.17	0.18	(0.03)	40,433	714	0.176
GPSC41C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
GPSC41C2411A	0.04	190867	-	-	-	-	0.06	0.07	-	-	-	0
GPSC41C2412A	0.22	190867	0.22	0.27	0.22	0.25	0.25	0.26	0.03	53,821	1,355	0.251
GREEN	1.03	190867	1.02	1.03	1.00	1.00	1.00	1.01	(0.03)	2,556	259	1.014
GULF	47.75	190867	48.00	48.75	47.75	48.50	48.50	48.75	0.75	239,209	1,154,940	48.281
GULF01C2409A	0.20	190867	-	0.25	0.20	0.24	0.24	0.25	0.04	6,602	153	0.232
GULF01C2411A	0.43	190867	0.44	0.48	0.42	0.47	0.47	0.48	0.04	30,354	1,398	0.46
GULF01C2412A	0.24	190867	0.25	0.28	0.24	0.27	0.27	0.28	0.03	45,768	1,176	0.256
GULF01P2411X	0.04	190867	-	-	-	-	0.02	0.03	-	-	-	0
GULF11C2410A	0.48	190867	0.49	0.54	0.48	0.53	0.52	0.53	0.05	9,006	457	0.507
GULF13C2409A	0.12	190867	-	0.15	0.11	0.14	0.14	0.15	0.02	45,424	574	0.126
GULF13C2411A	0.45	190867	-	0.48	0.45	0.48	0.48	0.50	0.03	209	10	0.479
GULF13C2412A	0.31	190867	0.32	0.35	0.31	0.34	0.33	0.34	0.03	143,120	4,718	0.329
GULF13C2412B	0.21	190867	0.22	0.24	0.21	0.23	0.23	0.24	0.02	93,523	2,118	0.226
GULF13P2411A	0.04	190867	-	-	-	-	0.03	0.04	-	-	-	0
GULF13P2412A	0.25	190867	-	0.25	0.22	0.22	0.22	0.23	(0.03)	32,878	781	0.237
GULF19C2409A	0.12	190867	0.12	0.15	0.11	0.14	0.14	0.15	0.02	22,317	298	0.133
GULF19C2411A	0.42	190867	-	0.46	0.43	0.46	0.46	0.50	0.04	783	36	0.453
GULF19C2412A	0.28	190867	0.29	0.32	0.28	0.31	0.31	0.32	0.03	46,115	1,369	0.296
GULF19P2411A	0.03	190867	-	0.03	0.03	0.03	0.02	0.03	-	1,000	3	0.03
GULF41C2410A	0.17	190867	0.17	0.19	0.16	0.19	0.19	0.20	0.02	59,860	1,056	0.176
GULF41C2605T	0.42	190867	0.43	0.45	0.42	0.45	0.44	0.45	0.03	17,508	758	0.433
GUNKUL	2.28	190867	2.22	2.26	2.22	2.24	2.22	2.24	(0.04)	104,377	23,298	2.232
GUNKUL13C2411A	0.05	190867	-	-	-	-	0.05	0.06	-	-	-	0
GUNKUL13C2412A	0.27	190867	-	0.29	0.29	0.29	0.29	0.30	0.02	4,740	137	0.29
GUNKUL19C2412A	0.11	190867	-	0.11	0.11	0.11	0.11	0.12	-	1,354	15	0.11
IRPC	1.45	190867	1.45	1.47	1.43	1.43	1.43	1.45	(0.02)	176,886	25,565	1.445
IRPC01C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
IRPC13C2412A	0.16	190867	-	0.17	0.15	0.15	0.15	0.16	(0.01)	17,717	288	0.162
IRPC19C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
KBSPIF	8.10	190867	8.10	8.15	8.05	8.10	8.05	8.10	-	1,794	1,455	8.109
LANNA	14.90	190867	15.00	16.90	14.90	16.70	16.60	16.70	1.80	231,739	377,760	16.301
MDX	2.82	190867	2.82	3.04	2.82	3.00	2.98	3.00	0.18	8,012	2,372	2.961
NOVA	12.30	190867	-	12.30	12.30	12.30	12.20	12.30	-	11	14	12.3
OR	14.60	190867	14.60	14.70	14.40	14.40	14.30	14.40	(0.20)	127,419	184,970	14.517
OR01C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
OR01C2412A	0.06	190867	-	0.06	0.06	0.06	0.05	0.06	-	31	-	0.06
OR13C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
OR13C2411A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
OR13C2501A	0.20	190867	-	0.21	0.18	0.18	0.18	0.19	(0.02)	39,154	754	0.192
OR19C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
OR19C2411A	0.03	190867	-	-	-	-	0.02	0.03	-	-	-	0
OR19C2501A	0.23	190867	-	0.24	0.21	0.21	0.21	0.22	(0.02)	7,541	165	0.219
OR41C2501A	0.22	190867	0.22	0.23	0.21	0.21	0.20	0.21	(0.01)	12,100	263	0.217
OR41C2605T	0.16	190867	-	0.16	0.15	0.15	0.15	0.16	(0.01)	1,000	16	0.155
PRIME	0.24	190867	0.24	0.25	0.21	0.22	0.21	0.22	(0.02)	266,150	5,900	0.221
PTG	8.45	190867	8.55	8.70	8.50	8.70	8.65	8.70	0.25	67,348	58,142	8.633
PTT	34.50	190867	34.50	34.50	34.00	34.25	34.25	34.50	(0.25)	302,483	1,037,248	34.291
PTT01C2409A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTT01C2412A	0.20	190867	0.20	0.20	0.19	0.20	0.19	0.20	-	5,532	109	0.197
PTT13C2409A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTT13C2412A	0.20	190867	-	0.19	0.17	0.19	0.18	0.19	(0.01)	26,249	486	0.185
PTT19C2409A	0.08	190867	-	-	-	-	0.02	0.03	-	-	-	0
PTT19C2411A	0.16	190867	-	0.15	0.15	0.15	0.15	0.16	(0.01)	322	5	0.15
PTT41C2412A	0.16	190867	0.15	0.15	0.15	0.15	0.15	0.16	(0.01)	4,000	60	0.15
PTTEP	144.00	190867	142.50	143.00	140.50	141.00	140.50	141.00	(3.00)	113,945	1,613,427	141.596
PTTEP01C2409A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP01C2410A	0.11	190867	0.10	0.10	0.08	0.08	0.07	0.08	(0.03)	31,656	269	0.085
PTTEP01C2412A	0.36	190867	0.33	0.33	0.30	0.30	0.29	0.30	(0.06)	13,956	442	0.316
PTTEP01P2409X	0.07	190867	-	0.08	0.07	0.08	0.08	0.09	0.01	2,000	15	0.075
PTTEP01P2412X	0.45	190867	0.47	0.50	0.47	0.50	0.50	0.51	0.05	49,241	2,381	0.483
PTTEP11C2411A	0.33	190867	-	0.30	0.26	0.27	0.27	0.28	(0.06)	18,121	500	0.275
PTTEP13C2410A	0.06	190867	-	0.05	0.05	0.05	0.04	0.05	(0.01)	904	5	0.05
PTTEP13C2412A	0.26	190867	0.25	0.25	0.22	0.22	0.22	0.23	(0.04)	31,747	735	0.231
PTTEP13P2410A	0.16	190867	-	0.19	0.17	0.18	0.18	0.19	0.02	11,554	208	0.179
PTTEP19C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2410A	0.10	190867	-	-	-	-	0.03	0.04	-	-	-	0
PTTEP19C2411A	0.16	190867	-	-	-	-	0.12	0.13	-	-	-	0
PTTEP19C2412A	0.34	190867	-	0.32	0.28	0.28	0.28	0.29	(0.06)	7,532	220	0.291
PTTEP19P2409A	0.10	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP41C2409A	0.09	190867	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP41C2412A	0.36	190867	0.31	0.33	0.30	0.30	0.30	0.31	(0.06)	14,506	467	0.321
PTTEP41C2604T	0.39	190867	-	0.38	0.38	0.38	0.37	0.38	(0.01)	500	19	0.38
PTTEP41P2412A	0.43	190867	-	0.47	0.46	0.46	0.46	0.47	0.03	2,000	93	0.465
RATCH	30.50	190867	30.50	30.75	30.00	30.00	30.00	30.25	(0.50)	25,223	76,299	30.249
RATCH13C2412A	0.22	190867	-	0.23	0.22	0.22	0.21	0.22	-	6,108	138	0.225
RATCH19C2412A	0.20	190867	-	0.21	0.20	0.20	0.19	0.20	-	13,906	280	0.201
RPC	0.50	190867	0.51	0.52	0.50	0.51	0.51	0.52	0.01	14,321	728	0.508
SCG	3.50	190867	3.58	3.60	3.10	3.44	3.42	3.44	(0.06)	109	37	3.403
SCN	0.82	190867	0.83	0.85	0.81	0.83	0.83	0.85	0.01	55,409	4,590	0.828
SCN-W2	0.06	190867	-	0.07	0.06	0.06	0.05	0.07	-	3,272	20	0.06
SCN-W3	0.04	190867	0.04	0.04	0.03	0.04	0.04	0.05	-	20,971	84	0.039
SEAOL	2.34	190867	2.26	2.36	2.24	2.34	2.28	2.32	-	960	218	2.272
SGP	6.80	190867	6.80	6.85	6.75	6.80	6.80	6.90	-	3,933	2,680	6.813
SKE	0.35	190867	0.35	0.36	0.35	0.35	0.35	0.36	-	3,193	112	0.35
SKE-W1	0.06	190867	-	0.07	0.06	0.07	0.06	0.07	0.01	174	1	0.06
SOLAR	0.52	190867	0.51	0.52	0.51	0.51	0.51	0.52	(0.01)	3,732	191	0.511
SPCG	8.55	190867	8.60	8.75	8.55	8.70	8.65	8.70	0.15	13,396	11,613	8.669
SPRC	7.30	190867	7.30	7.35	7.20	7.20	7.20	7.25	(0.10)	141,444	102,724	7.262
SPRC13C2410A	0.03	190867	-	0.03	0.03	0.03	0.02	0.03	-	11,096	33	0.03
SPRC13C2412A	0.14	190867	-	0.15	0.13	0.13	0.13	0.14	(0.01)	17,062	238	0.139
SPRC19C2410A	0.03	190867	-	-	-	-	0.03	0.04	-	-	-	0
SSP	6.30	190867	6.25	6.35	6.25	6.35	6.25	6.35	0.05	9,158	5,796	6.329
SSP-W2	0.15	190867	-	0.16	0.14	0.15	0.14	0.15	-	9,355	141	0.15
SUPER	0.24	190867	0.24	0.25	0.24	0.25	0.24	0.25	0.01	218,371	5,271	0.241
SUPEREIF	6.15	190867	6.15	6.20	6.15	6.20	6.15	6.20	0.05	458	282	6.167
SUSCO												

Daily Quotation

Issue Date

Sector/ Securities	Previous				Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date	Open	High								
TGE-W1	1.07	190867	-	1.35	1.10	1.35	1.17	1.35	0.28	259	32	1.249
TOP	53.25	190867	53.00	53.00	51.25	52.00	51.75	52.00	(1.25)	132,265	686,902	51.933
TOP01C2410A	0.06	190867	-	-	-	-	0.05	0.06	-	-	-	0
TOP01C2412A	0.29	190867	0.29	0.29	0.23	0.25	0.25	0.26	(0.04)	8,642	226	0.261
TOP13C2410A	0.05	190867	-	-	-	-	0.04	0.05	-	-	-	0
TOP13C2412A	0.25	190867	-	0.24	0.19	0.21	0.21	0.22	(0.04)	45,339	997	0.219
TOP19C2410A	0.08	190867	-	-	-	-	0.05	0.06	-	-	-	0
TOP19C2412A	0.26	190867	0.25	0.25	0.21	0.22	0.22	0.23	(0.04)	14,752	346	0.234
TOP41C2410A	0.07	190867	-	-	-	-	0.04	0.05	-	-	-	0
TOP41C2412A	0.27	190867	-	0.25	0.21	0.22	0.22	0.23	(0.05)	45,500	1,020	0.224
TPIPP	2.86	190867	2.86	2.90	2.86	2.86	2.86	2.88	-	16,891	4,862	2.878
TSE	0.92	190867	0.92	0.93	0.91	0.93	0.92	0.93	0.01	15,012	1,387	0.923
TTW	9.00	190867	9.00	9.10	8.95	8.95	8.95	9.00	(0.05)	25,652	23,126	9.015
UBE	0.80	190867	0.80	0.82	0.79	0.80	0.79	0.80	-	67,367	5,420	0.804
WHAUP	3.90	190867	3.92	3.92	3.88	3.88	3.88	3.90	(0.02)	89,381	34,901	3.904
WP	3.54	190867	-	3.58	3.52	3.56	3.54	3.58	0.02	125	45	3.566
Media & Publishing												
AMARIN	3.78	190867	3.76	3.88	3.76	3.88	3.80	3.88	0.10	141	54	3.814
AQUA	0.35	190867	0.35	0.35	0.34	0.35	0.34	0.35	-	30,127	1,048	0.347
AS	3.70	190867	3.68	3.80	3.56	3.62	3.62	3.64	(0.08)	39,615	14,497	3.659
BEC	3.96	190867	4.00	4.00	3.92	3.92	3.92	3.94	(0.04)	11,624	4,594	3.952
FE	190.00	190867	-	-	-	-	170.00	190.00	-	-	-	0
GPI	1.71	190867	1.77	1.79	1.66	1.74	1.71	1.74	0.03	30,800	5,332	1.731
GRAMMY	6.75	190867	-	6.85	6.45	6.85	6.70	6.85	0.10	941	622	6.615
JKN	0.38	190867	0.38	0.45	0.38	0.42	0.42	0.43	0.04	755,687	32,210	0.426
MAJOR	13.80	190867	13.80	13.90	13.30	13.60	13.60	13.70	(0.20)	41,765	56,570	13.544
MATCH	1.44	190867	-	1.50	1.44	1.47	1.44	1.47	0.03	78	11	1.461
MATI	7.05	190867	-	7.10	7.05	7.05	7.00	7.10	-	23	16	7.082
MCOOT	2.76	190867	-	2.80	2.72	2.74	2.74	2.78	(0.02)	160	44	2.777
MONO	1.57	190867	1.60	1.74	1.59	1.71	1.71	1.72	0.14	535,988	90,639	1.691
NATION	0.02	190867	0.02	0.03	0.02	0.02	0.02	0.03	-	2,315	7	0.028
NATION-W4	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
ONEE	3.52	190867	3.54	3.54	3.40	3.48	3.48	3.50	(0.04)	48,657	16,920	3.477
PLANB	6.90	190867	6.95	7.05	6.85	6.85	6.85					

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume	Value	Average
	Price	Date								(Lot)	('000)	Price
JMT01C2410W	0.04	190867	-	-	-	-	0.05	0.14	-	-	-	0
JMT01C2411W	0.24	190867	-	0.29	0.16	0.29	0.18	0.27	0.05	592	9	0.16
JMT01C2412A	0.81	190867	0.76	0.84	0.68	0.84	0.78	0.87	0.03	6,243	447	0.716
JMT01C2412W	0.47	190867	-	-	-	-	0.48	0.57	-	-	-	0
JMT01P2410W	0.11	190867	0.09	0.13	0.09	0.12	0.09	0.12	0.01	1,278	14	0.107
JMT06C2410A	0.04	190867	-	0.05	0.04	0.05	-	0.07	0.01	925	5	0.049
JMT13C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
JMT13C2410B	0.02	190867	-	-	-	-	0.04	0.05	-	-	-	0
JMT13C2410C	0.11	190867	0.13	0.15	0.11	0.14	0.14	0.15	0.03	125,525	1,598	0.127
JMT13C2412A	0.37	190867	0.39	0.45	0.35	0.42	0.42	0.43	0.05	182,096	7,303	0.401
JMT13C2412B	0.70	190867	0.76	0.82	0.68	0.77	0.77	0.79	0.07	6,034	461	0.764
JMT13P2410A	0.92	190867	-	-	-	-	0.24	0.57	-	-	-	0
JMT13P2410B	0.35	190867	-	0.27	0.27	0.27	0.20	0.26	(0.08)	2	-	0.27
JMT19C2410A	0.06	190867	-	0.04	0.04	0.04	0.03	0.04	(0.02)	10	-	0.04
JMT19C2410B	0.06	190867	-	-	-	-	0.06	0.07	-	-	-	0
JMT19C2411A	0.14	190867	0.16	0.19	0.14	0.18	0.17	0.18	0.04	185,022	3,141	0.169
JMT19C2411B	0.32	190867	0.35	0.40	0.30	0.38	0.37	0.38	0.06	208,350	7,289	0.349
JMT19C2412A	0.49	190867	0.52	0.58	0.46	0.54	0.54	0.55	0.05	71,498	3,605	0.504
JMT19P2410A	0.36	190867	0.30	0.60	0.27	0.27	0.27	0.30	(0.09)	2,608	83	0.319
JMT41C2411A	0.33	190867	0.36	0.42	0.31	0.38	0.38	0.39	0.05	86,692	3,063	0.353
JMT41C2412A	0.11	190867	-	0.14	0.11	0.14	0.13	0.14	0.03	36,590	437	0.119
KCAR	4.34	190867	4.34	4.38	4.32	4.32	4.32	4.34	(0.02)	345	150	4.346
KGI	4.16	190867	4.18	4.20	4.16	4.18	4.16	4.18	0.02	7,042	2,943	4.179
KTC	41.00	190867	41.00	41.25	40.50	40.50	40.50	40.75	(0.50)	23,065	94,125	40.808
KTC01C2410A	0.03	190867	-	-	-	-	0.03	0.04	-	-	-	0
KTC01C2412W	0.31	190867	0.31	0.31	0.28	0.28	0.28	0.29	(0.03)	33,390	1,009	0.302
KTC13C2410A	0.03	190867	-	-	-	-	0.02	0.03	-	-	-	0
KTC13C2412A	0.17	190867	-	0.18	0.17	0.17	0.15	0.17	-	79	1	0.17
KTC13C2412B	0.26	190867	-	0.26	0.24	0.24	0.24	0.25	(0.02)	49,177	1,239	0.251
KTC19C2410A	0.03	190867	-	-	-	-	0.03	0.04	-	-	-	0
KTC19C2412A	0.20	190867	-	0.20	0.19	0.19	0.18	0.19	(0.01)	16,361	316	0.193
MFC	19.40	190867	-	19.50	19.40	19.40	19.40	19.60	-	139	271	19.492
MICRO	1.01	190867	1.04	1.06	0.98	1.00	1.00	1.01	(0.01)	12,626	1,289	1.02
ML	0.50	190867	-	0.51	0.49	0.49	0.49	0.50	(0.01)	419	21	0.497
MST	9.00	190867	9.00	9.00	9.00	9.00	9.00	9.05	-	292	263	9
MTC	44.75	190867	44.50	44.75	43.50	44.00	43.75	44.00	(0.75)	70,477	310,244	44.02
MTC01C2409A	0.03	190867	-	-	-	-	0.02	0.03	-	-	-	0
MTC01C2411W	0.19	190867	0.19	0.19	0.16	0.17	0.16	0.17	(0.02)	40,410	691	0.17
MTC01C2412A	0.41	190867	-	0.40	0.36	0.36	0.36	0.37	(0.05)	28,632	1,077	0.376
MTC01P2411W	0.25	190867	-	0.28	0.25	0.27	0.27	0.28	0.02	32,155	865	0.268
MTC13C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
MTC13C2411A	0.16	190867	-	0.16	0.14	0.14	0.14	0.15	(0.02)	5,980	91	0.152
MTC13C2412A	0.34	190867	0.33	0.34	0.30	0.31	0.31	0.32	(0.03)	36,423	1,153	0.316
MTC13P2412A	0.23	190867	-	0.23	0.22	0.23	0.22	0.23	-	6,845	157	0.229
MTC19C2409A	0.09	190867	-	-	-	-	0.01	0.02	-	-	-	0
MTC19C2411A	0.19	190867	0.18	0.19	0.16	0.17	0.17	0.18	(0.02)	55,968	983	0.175
MTC19C2412A	0.36	190867	0.35	0.36	0.32	0.32	0.33	0.34	(0.04)	66,834	2,289	0.342
MTC41C2411A	0.16	190867	-	0.15	0.13	0.14	0.14	0.15	(0.02)	55,500	785	0.141
MTC41C2412A	0.47	190867	0.45	0.46	0.42	0.43	0.43	0.44	(0.04)	63,754	2,787	0.437
NCAP	1.66	190867	1.69	1.76	1.68	1.72	1.72	1.73	0.06	150,546	25,787	1.712
PL	1.64	190867	-	1.66	1.65	1.66	1.63	1.66	0.02	257	42	1.651
S11	2.10	190867	2.16	2.18	2.12	2.14	2.12	2.14	0.04	511	109	2.135
SAK	4.72	190867	4.72	4.88	4.62	4.70	4.70	4.72	(0.02)	81,533	38,228	4.688
SAWAD	33.75	190867	34.00	34.75	33.50	34.75	34.50	34.75	1.00	98,316	336,975	34.274
SAWAD-W2	0.66	190867	0.69	0.69	0.65	0.65	0.65	0.67	(0.01)	34,533	2,313	0.669
SAWAD01C2410W	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD01C2411W	0.08	190867	-	0.11	0.09	0.11	0.11	0.12	0.03	36,404	362	0.099
SAWAD01C2501A	0.50	190867	0.52	0.55	0.49	0.55	0.55	0.57	0.05	13,030	677	0.519
SAWAD01C2501W	0.24	190867	0.25	0.28	0.23	0.28	0.28	0.29	0.04	53,195	1,382	0.259
SAWAD01P2410W	0.52	190867	-	0.50	0.45	0.45	0.40	0.42	(0.07)	9,181	452	0.491
SAWAD01P2501W	0.34	190867	0.33	0.34	0.31	0.31	0.31	0.32	(0.03)	51,266	1,651	0.321
SAWAD13C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD13C2411A	0.09	190867	0.10	0.11	0.09	0.11	0.11	0.12	0.02	59,848	598	0.099
SAWAD13C2412A	0.23	190867	0.24	0.27	0.23	0.27	0.27	0.28	0.04	136,672	3,451	0.252
SAWAD13C2412B	0.37	190867	-	0.41	0.39	0.40	0.42	0.46	0.03	1,001	40	0.395
SAWAD13P2410A	0.38	190867	-	0.31	0.31	0.31	0.31	0.34	(0.07)	649	20	0.31
SAWAD13P2411A	0.20	190867	0.19	0.20	0.17	0.17	0.16	0.17	(0.03)	80,514	1,453	0.18
SAWAD19C2410A	0.02	190867	-	-	-	-	0.03	0.04	-	-	-	0
SAWAD19C2411A	0.11	190867	-	0.13	0.10	0.13	0.13	0.14	0.02	8,003	93	0.116
SAWAD19C2412A	0.22	190867	-	0.25	0.22	0.25	0.24	0.25	0.03	143,146	3,339	0.233
SAWAD19C2501A	0.42	190867	0.43	0.46	0.42	0.43	0.47	0.48	0.01	9,467	402	0.424
SAWAD19P2410A	0.31	190867	-	0.29	0.25	0.25	0.25	0.26	(0.06)	11,853	320	0.269
SAWAD19P2501A	1.00	190867	-	0.36	0.33	0.33	0.32	0.33	(0.67)	104,365	3,548	0.339
SAWAD41C2411A	0.10	190867	-	-	-	-	0.03	0.04	-	-	-	0
SAWAD41C2411B	0.17	190867	0.20	0.21	0.17	0.21	0.21	0.22	0.04	73,402	1,404	0.191
SAWAD41C2501A	0.42	190867	0.43	0.46	0.43	0.46	0.46	0.48	0.04	16,209	715	0.441
SCAP	1.53	190867	1.64	1.92	1.64	1.79	1.79	1.82	0.26	24		

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
BRR	4.40	190867	4.44	4.46	4.40	4.40	4.40	4.40	4.42	-	2,633	1,168	4.434
BRR-W2	0.43	190867	-	0.44	0.41	0.41	0.41	0.41	0.42	(0.02)	1,100	46	0.415
BTG	23.30	190867	23.60	23.60	22.90	23.00	23.00	22.90	23.00	(0.30)	7,791	18,037	23.151
CBG	69.00	190867	69.50	70.00	68.25	68.25	68.25	68.25	68.75	(0.75)	37,494	259,273	69.15
CBG01C2410A	0.16	190867	-	-	-	-	-	0.13	0.15	-	-	-	0
CBG01C2412W	0.34	190867	0.35	0.36	0.33	0.33	0.31	0.32	(0.01)	25,168	875	0.347	
CBG01C2501W	0.62	190867	-	0.67	0.61	0.61	0.59	0.60	(0.01)	45,441	2,933	0.645	
CBG01P2409X	0.04	190867	-	-	-	-	0.03	0.05	-	-	-	-	0
CBG01P2412W	0.47	190867	0.47	0.49	0.45	0.49	0.49	0.50	0.02	49,725	2,346	0.471	
CBG06C2408A	0.04	190867	-	-	-	-	-	-	-	-	-	-	0
CBG06C2411A	0.27	190867	-	0.28	0.25	0.25	0.24	0.26	(0.02)	74,694	2,006	0.268	
CBG11C2408A	0.01	190867	-	-	-	-	0.01	0.03	-	-	-	-	0
CBG13C2409A	0.01	190867	-	0.01	0.01	0.01	0.01	0.02	-	3	-	-	0.01
CBG13C2411A	0.19	190867	0.19	0.19	0.17	0.17	0.16	0.17	(0.02)	18,851	353	0.187	
CBG13C2412A	0.41	190867	0.43	0.44	0.38	0.38	0.38	0.39	(0.03)	121,225	5,171	0.426	
CBG13P2410A	0.09	190867	-	0.10	0.08	0.10	0.09	0.10	0.01	6,275	52	0.083	
CBG19C2411A	0.21	190867	-	0.22	0.19	0.19	0.19	0.20	(0.02)	28,992	622	0.214	
CBG19C2412A	0.43	190867	0.46	0.47	0.42	0.43	0.41	0.42	-	111,827	5,099	0.456	
CBG19P2412A	0.40	190867	0.38	0.41	0.37	0.41	0.41	0.42	0.01	70,267	2,730	0.388	
CBG41C2411A	0.20	190867	-	0.21	0.19	0.19	0.18	0.19	(0.01)	64,439	1,315	0.203	
CBG41C2412A	0.39	190867	-	0.41	0.37	0.37	0.36	0.37	(0.02)	32,850	1,299	0.395	
CFRESH	1.83	190867	1.85	1.85	1.75	1.78	1.78	1.79	(0.05)	35,714	6,365	1.782	
CH	2.66	190867	2.68	2.68	2.52	2.52	2.52	2.54	(0.14)	26,372	6,780	2.57	
CHAO	11.80	190867	11.60	12.50	11.60	12.10	12.00	12.10	0.30	25,721	31,183	12.123	
CHOTI	66.00	190867	-	66.50	66.25	66.25	65.25	69.00	0.25	2	13	66.375	
CM	2.22	190867	2.30	2.30	2.20	2.22	2.22	2.26	-	2,347	522	2.226	
COCOCO	12.20	190867	12.20	12.30	12.00	12.00	12.00	12.10	(0.20)	61,887	74,842	12.093	
CPF	24.60	190867	24.60	24.80	24.50	24.60	24.50	24.60	-	126,432	311,413	24.63	
CPF01C2410A	0.43	190867	-	-	-	-	0.41	0.44	-	-	-	-	0
CPF01C2412A	0.30	190867	-	0.31	0.29	0.30	0.29	0.30	-	22,955	692	0.301	
CPF01P2410X	0.02	190867	-	0.02	0.02	0.02	0.02	0.03	-	185	-	-	0.02
CPF11C2408A	0.59	190867	-	-	-	-	0.25	0.28	-	-	-	-	0
CPF13C2409A	0.59	190867	-	-	-	-	0.66	0.71	-	-	-	-	0
CPF13C2410A	0.34	190867	-	0.34	0.34	0.34	0.33	0.35	-	1,205	41	0.34	
CPF13C2412A	0.27	190867	0.27	0.27	0.26	0.26	0.26	0.27	(0.01)	21,214	558	0.262	
CPF13P2410A	0.04	190867	-	0.03	0.03	0.03	0.03	0.04	(0.01)	1	-	0.03	0.03
CPF19C2409A	0.61	190867	-	-	-	-	0.69	0.74	-	-	-	-	0
CPF19C2410A	0.20	190867	-	0.20	0.19	0.19	0.19	0.20	(0.01)	18,509	360	0.194	
CPI	2.28	190867	2.28	2.34	2.28	2.30	2.30	2.32	0.02	2,077	478	2.302	
F&D	39.50	190867	-	39.75	39.25	39.75	39.50	40.00	0.25	29	114	39.465	
FM	5.25	190867	5.30	5.45	4.90	4.96	4.96	4.98	(0.29)	698,562	360,501	5.16	
GLOCON	0.22	190867	-	0.23	0.22	0.23	0.22	0.23	0.01	10,683	244	0.228	
HTC	15.50	190867	15.40	15.60	15.40	15.40	15.40	15.50	(0.10)	3,627	5,606	15.456	
ICHI	14.30	190867	14.50	14.90	14.40	14.80	14.70	14.80	0.50	97,899	144,020	14.711	
ICHI13C2410A	0.01	190867	-	0.02	0.01	0.02	0.01	0.02	0.01	4,253	5	0.01	
ICHI13C2501A	0.22	190867	0.24	0.27	0.24	0.26	0.26	0.27	0.04	34,549	893	0.258	
ITC	21.90	190867	21.80	22.30	21.80	21.80	21.80	21.90	(0.10)	64,549	141,814	21.969	
ITC01C2412A	0.18	190867	0.21	0.21	0.19	0.19	0.18	0.19	0.01	18,221	355	0.194	
ITC13C2410A	0.12	190867	-	0.13	0.11	0.11	0.11	0.12	(0.01)	14,076	177	0.125	
JDF	2.28	190867	-	2.28	2.20	2.26	2.24	2.26	(0.02)	1,871	418	2.231	
KBS	4.96	190867	4.98	5.00	4.94	4.98	4.96	4.98	0.02	5,251	2,613	4.976	
KCG	10.30	190867	10.20	10.50	10.20	10.40	10.40	10.50	0.10	33,442	34,469	10.307	
KSL	1.85	190867	1.86	1.86	1.81	1.81	1.81	1.82	(0.04)	38,366	7,006	1.826	
KTIS	3.00	190867	3.00	3.00	3.00	3.00	2.96	3.00	-	36	11	3	
LST	4.78	190867	-	4.82	4.80	4.80	4.78	4.82	0.02	339	163	4.806	
M	26.75	190867	27.00	27.75	26.75	26.75	26.75	27.00	-	13,978	37,908	27.119	
MALEE	10.40	190867	10.40	10.40	10.00	10.00	9.95	10.00	(0.40)	19,714	20,021	10.155	
NRF	1.57	190867	1.58	1.66	1.58	1.61	1.60	1.61	0.04	253,878	40,982	1.614	
NSL	29.00	190867	29.25	29.25	28.25	28.25	28.25	28.50	(0.75)	12,157	34,725	28.563	
OSP	22.30	190867	22.40	22.50	21.80	22.00	21.90	22.00	(0.30)	191,923	423,783	22.08	
OSP01C2412A	0.21	190867	-	0.22	0.19	0.19	0.19	0.20	(0.02)	43,909	889	0.202	
OSP01P2410X	0.09	190867	-	0.10	0.09	0.09	0.09	0.10	-	5,020	50	0.099	
OSP11C2409A	0.14	190867	-	0.14	0.13	0.13	0.11	0.13	(0.01)	12,525	170	0.135	
OSP13C2412A	0.07	190867	-	0.06	0.06	0.06	0.05	0.06	(0.01)	100	1	0.06	
OSP13C2412B	0.22	190867	0.22	0.22	0.18	0.19	0.19	0.20	(0.03)	65,403	1,301	0.198	
OSP13P2409A	0.03	190867	-	-	-	-	0.01	0.02	-	-	-	-	0
OSP19C2409A	0.05	190867	-	0.05	0.03	0.03	0.03	0.05	(0.02)	10,524	44	0.041	
OSP19C2412A	0.19	190867	0.18	0.20	0.17	0.17	0.17	0.18	(0.02)	40,148	741	0.184	
PB	60.00	190867	60.25	60.25	59.50	60.25	60.00	60.25	0.25	129	775	60.071	
PLUS	5.35	190867	5.45	5.75	5.45	5.70	5.70	5.75	0.35	17,412	9,828	5.644	
PM	8.30	190867	8.35	8.35	8.25	8.30	8.25	8.30	-	4,743	3,939	8.305	
PQS	2.60	190867	2.60	2.66	2.58	2.62	2.62	2.64	0.02	3,086	803	2.602	
PRG	9.00	190867	-	9.00	9.00	9.00	8.85	9.00	-	56	50	9	
PRG-W1	4.70	190867	-	-	-	-	4.66	6.00	-	-	-	-	0
PRG-W2	4.70	190867	-	-	-	-	4.26	5.95	-	-	-	-	0
PRG-W3	4.10	190867	-	-	-	-	4.06</						

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TKN13C2412A	0.30	190867	-	0.35	0.31	0.33	0.33	0.34	0.03	14,251	478	0.335
TKN13C2412B	0.12	190867	-	0.14	0.13	0.13	0.13	0.14	0.01	4,534	61	0.135
TKN19C2410A	0.03	190867	-	-	-	-	0.02	0.03	-	-	-	0
TKN19C2410B	0.09	190867	-	-	-	-	0.05	0.06	-	-	-	0
TU	15.50	190867	15.50	15.70	15.40	15.40	15.40	15.50	(0.10)	126,459	196,318	15.524
TU01C2411A	0.15	190867	-	0.16	0.15	0.15	0.14	0.15	-	7,688	119	0.155
TU01C2501A	0.33	190867	-	0.35	0.34	0.34	0.33	0.34	0.01	7,372	255	0.345
TU13C2412A	0.21	190867	-	0.22	0.20	0.21	0.20	0.21	-	47,322	1,007	0.212
TU19C2411A	0.12	190867	-	0.12	0.12	0.12	0.11	0.12	-	418	5	0.12
TVO	22.60	190867	22.60	22.60	22.30	22.40	22.40	22.50	(0.20)	10,022	22,485	22.435
TWPC	3.28	190867	3.30	3.30	3.28	3.30	3.30	3.32	0.02	655	216	3.293
W	0.60	190867	0.60	0.60	0.58	0.60	0.59	0.60	-	15,986	949	0.593
W-W5	0.01	190867	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
W-W6	0.19	190867	-	0.18	0.18	0.18	0.18	0.24	(0.01)	40	1	0.18
ZEN	5.55	190867	-	5.60	5.55	5.55	5.55	5.60	-	67	37	5.555
Health Care Service												
AHC	15.10	190867	15.10	15.20	15.00	15.20	15.10	15.20	0.10	77	116	15.08
BCH	15.10	190867	15.10	15.30	15.00	15.30	15.20	15.30	0.20	169,556	258,131	15.223
BCH01C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
BCH01C2412A	0.07	190867	-	-	-	-	0.08	0.09	-	-	-	0
BCH13C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
BCH13C2412A	0.05	190867	0.06	0.06	0.06	0.06	0.05	0.06	0.01	27	-	0.06
BCH19C2410A	0.03	190867	-	-	-	-	0.01	0.02	-	-	-	0
BCH19C2411A	0.05	190867	-	-	-	-	0.04	0.05	-	-	-	0
BCH19C2501A	1.00	190867	-	0.26	0.24	0.26	0.25	0.26	(0.74)	44,198	1,103	0.249
BCH41C2409A	0.08	190867	-	-	-	-	0.01	0.02	-	-	-	0
BDMS	26.25	190867	26.50	27.25	26.25	27.25	27.00	27.25	1.00	516,606	1,395,118	27.005
BDMS01C2411A	0.06	190867	-	-	-	-	0.05	0.06	-	-	-	0
BDMS01C2412A	0.11	190867	-	0.14	0.12	0.14	0.14	0.15	0.03	15,610	207	0.132
BDMS11C2411A	0.12	190867	-	-	-	-	0.15	0.16	-	-	-	0
BDMS13C2411A	0.06	190867	-	0.09	0.08	0.09	0.08	0.09	0.03	510	4	0.08
BDMS19C2410A	0.02	190867	-	-	-	-	0.02	0.03	-	-	-	0
BDMS19C2411A	0.09	190867	-	0.11	0.10	0.11	0.10	0.11	0.02	5,540	56	0.101
BDMS41C2412A	0.06	190867	-	-	-	-	0.08	0.09	-	-	-	0
BDMS41C2502B	0.19	190867	-	0.23	0.20	0.23	0.23	0.24	0.04	9,380	207	0.22
BH	244.00	190867	244.00	246.00	243.00	245.00	245.00	246.00	1.00	15,550	381,034	245.037
BH-P	22.80	190867	-	-	-	-	23.70	-	-	-	-	0
BH-Q	23.40	190867	-	-	-	-	29.25	-	-	-	-	0
BH01C2410A	0.07	190867	-	-	-	-	0.07	0.08	-	-	-	0
BH01C2412A	0.29	190867	-	0.32	0.30	0.31	0.31	0.32	0.02	37,690	1,165	0.309
BH01P2409X	0.10	190867	-	-	-	-	0.05	0.06	-	-	-	0
BH01P2412X	0.56	190867	0.55	0.55	0.53	0.54	0.54	0.55	(0.02)	8,756	476	0.543
BH11C2411A	0.20	190867	-	0.21	0.20	0.20	0.20	0.21	-	5,875	118	0.2
BH13C2409A	0.01	190867	-	0.01	0.01	0.01	0.01	0.02	-	7	-	0.01
BH13C2411A	0.16	190867	-	0.17	0.16	0.16	0.16	0.17	-	7,731	126	0.163
BH13P2409A	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
BH13P2412A	0.37	190867	0.37	0.37	0.36	0.36	0.36	0.37	(0.01)	25,346	915	0.36
BH19C2409A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
BH19C2411A	0.19	190867	-	0.21	0.19	0.20	0.20	0.21	0.01	34,317	686	0.2
BH19P2409A	0.10	190867	-	-	-	-	0.01	0.11	-	-	-	0
BH41C2411A	0.21	190867	0.23	0.23	0.21	0.22	0.22	0.23	0.01	30,425	670	0.22
BH41C2605T	0.44	190867	-	0.45	0.45	0.45	0.44	0.45	0.01	9,850	443	0.45
BKGI	2.12	190867	2.14	2.22	2.14	2.16	2.14	2.16	0.04	102,845	22,420	2.179
CHG	2.44	190867	2.46	2.48	2.42	2.44	2.44	2.46	-	167,542	40,939	2.443
CHG01C2501A	0.20	190867	0.21	0.21	0.20	0.20	0.20	0.21	-	30,791	625	0.202
CHG13C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
CHG13C2412A	0.13	190867	-	0.14	0.12	0.13	0.13	0.14	-	19,150	250	0.13
CHG19C2412A	0.15	190867	-	0.15	0.14	0.14	0.14	0.15	(0.01)	3,588	54	0.149
CMR	1.75	190867	1.75	1.78	1.75	1.77	1.75	1.77	0.02	187	33	1.756
EKH	6.75	190867	6.70	6.80	6.70	6.80	6.75	6.80	0.05	4,453	3,016	6.773
EKH-W1	0.50	190867	-	0.53	0.48	0.48	0.48	0.50	(0.02)	1,480	73	0.492
KDH	90.25	190867	-	91.00	91.00	91.00	90.75	91.75	0.75	5	46	91
LPH	4.52	190867	-	4.54	4.50	4.52	4.52	4.54	-	134	61	4.524
M-CHAI	31.50	190867	31.25	31.75	30.00	30.75	30.50	30.75	(0.75)	1,009	3,098	30.698
NEW	75.00	190867	-	-	-	-	63.00	89.00	-	-	-	0
NTV	29.75	190867	29.75	30.50	29.50	29.50	29.50	30.00	(0.25)	196	584	29.789
PHG	15.20	190867	15.30	15.90	14.90	15.70	15.60	15.70	0.50	10,236	15,782	15.417
PR9	18.80	190867	18.90	18.90	18.30	18.50	18.40	18.60	(0.30)	10,204	18,852	18.475
PRINC	3.12	190867	3.16	3.24	3.00	3.04	3.04	3.06	(0.08)	34,906	10,877	3.116
RAM	27.50	190867	-	28.00	27.25	27.75	27.50	28.00	0.25	623	1,718	27.577
RJH	23.40	190867	23.50	23.50	23.30	23.50	23.40	23.50	0.10	1,003	2,353	23.455
RPH	5.75	190867	5.80	5.85	5.75	5.80	5.75	5.80	0.05	1,825	1,059	5.804
SAFE	14.60	190867	14.60	14.60	14.00	14.00	14.00	14.10	(0.60)	3,008	4,281	14.233
SKR	9.40	190867	9.40	9.40	9.35	9.35	9.35	9.40	(0.05)	117	109	9.351
THG	26.75	190867	27.00	29.25	27.00	28.75	28.50	28.75	2.00	1,241	3,515	28.324
VIBHA	2.14	190867	2.16	2.18	2.10	2.16	2.16	2.18	0.02	13,324	2,860	2.146
VIBHA-W4	0.10	190867	-	0.11	0.10	0.11	0.10	0.11	0.01	30,548	306	0.1
VIH	10.30	190867	10.20	10.60	10.10	10.50	10.40	10.50	0.20	8,117	8,427	10.382
VIH-W1	4.18	190867	-	4.36	4.30	4.36	4.22	4.44	0.18	10	4	4.342
WPH	11.20	190867	11.20	11.60	11.20	11.50	11.40	11.50	0.30	14,991	17,178	11.459
Tourism & Leisure												
ASIA	6.45	190867	-	-	-	-	6.40	6.45	-			

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
MANRIN	32.00	190867	-	-	-	-	32.00	33.25	-	-	-	0
MINT	26.00	190867	26.25	26.50	26.00	26.25	26.00	26.25	0.25	137,699	361,082	26.222
MINT01C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
MINT01C2412A	0.05	190867	-	-	-	-	0.05	0.06	-	-	-	0
MINT01C2501A	0.19	190867	0.19	0.19	0.17	0.17	0.17	0.18	(0.02)	42,796	769	0.179
MINT11C2408A	0.03	190867	-	-	-	-	0.01	0.03	-	-	-	0
MINT11C2412A	0.09	190867	-	-	-	-	0.07	0.08	-	-	-	0
MINT13C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
MINT13C2412A	0.04	190867	-	0.04	0.03	0.03	0.03	0.04	(0.01)	500	2	0.036
MINT13C2412B	0.18	190867	0.18	0.18	0.17	0.18	0.17	0.18	-	39,130	704	0.179
MINT19C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
MINT19C2411A	0.05	190867	-	-	-	-	0.03	0.04	-	-	-	0
MINT19C2501A	0.18	190867	-	0.19	0.19	0.19	0.18	0.19	0.01	10,236	194	0.19
MINT41C2412A	0.03	190867	-	-	-	-	0.03	0.04	-	-	-	0
MINT41C2502A	0.10	190867	-	0.11	0.10	0.10	0.10	0.11	-	2,000	20	0.1
MINT41C2604T	0.11	190867	-	-	-	-	0.11	0.12	-	-	-	0
OHTL	360.00	190867	-	372.00	362.00	362.00	362.00	367.00	2.00	16	584	365
ROH	2.58	190867	-	2.60	2.58	2.60	2.44	2.60	0.02	8	2	2.587
SHANG	48.00	190867	-	-	-	-	48.00	48.50	-	-	-	0
SHR	1.87	190867	1.88	1.89	1.82	1.84	1.84	1.85	(0.03)	23,758	4,393	1.849
VRANDA	5.40	190867	5.40	5.50	5.35	5.45	5.40	5.50	0.05	366	199	5.446
Home & Office Prod												
AJA	0.15	190867	0.14	0.15	0.14	0.14	0.14	0.15	(0.01)	247,299	3,482	0.14
AJA-W3	0.01	190867	-	-	-	-	-	-	-	-	-	0
AJA-W4	0.03	190867	-	0.03	0.02	0.02	0.02	0.03	(0.01)	27,337	56	0.02
DTCI	38.00	190867	-	-	-	-	29.00	37.75	-	-	-	0
FANCY	0.33	190867	0.34	0.36	0.33	0.36	0.35	0.36	0.03	5,513	191	0.346
FTI	2.18	190867	2.18	2.18	2.16	2.18	2.16	2.18	-	1,143	248	2.171
KYE	286.00	190867	-	288.00	286.00	287.00	287.00	288.00	1.00	36	1,032	286.666
L&E	1.01	190867	-	1.02	1.00	1.01	1.00	1.01	-	17	2	1.009
MODERN	2.48	190867	2.50	2.52	2.48	2.50	2.50	2.52	0.02	10,395	2,599	2.499
OGC	22.50	190867	-	22.10	21.10	21.90	21.80	22.00	(0.60)	35	76	21.662
ROCK	11.90	190867	-	-	-	-	10.00	12.00	-	-	-	0
SBNEXT	0.31	190867	0.32	0.33	0.30	0.32	0.31	0.32	0.01	91,591	2,879	0.314
SBNEXT-W2	0.03	190867	0.04	0.04	0.03	0.04	0.03	0.04	0.01	5,523	17	0.03
SIAM	1.15	190867	-	1.16	1.12	1.15	1.12	1.15	-	378	43	1.146
TCMC	0.73	190867	-	0.76	0.72	0.76	0.75	0.76	0.03	4,163	303	0.729
Insurance												
AYUD	33.75	190867	33.25	33.75	33.00	33.50	33.25	33.50	(0.25)	671	2,231	33.252
BKIH	287.00	190867	-	290.00	288.00	290.00	290.00	291.00	3.00	651	18,805	288.866
BLA	17.80	190867	17.80	18.00	17.40	17.60	17.50	17.60	(0.20)	11,298	19,944	17.652
BLA01C2410A	0.03	190867	-	-	-	-	0.02	0.03	-	-	-	0
BLA13C2410A	0.04	190867	-	-	-	-	0.03	0.04	-	-	-	0
BLA19C2410A	0.04	190867	-	-	-	-	0.03	0.04	-	-	-	0
BUI	14.50	190867	-	14.60	14.30	14.50	14.30	14.50	-	1,533	2,208	14.4
CHARAN	22.60	190867	-	-	-	-	21.50	23.90	-	-	-	0
INSURE	78.00	190867	-	-	-	-	77.50	79.50	-	-	-	0
KWI	0.31	190867	0.31	0.31	0.28	0.29	0.29	0.30	(0.02)	16,465	484	0.293
MTI	107.00	190867	105.00	106.00	105.00	106.00	106.00	107.00	(1.00)	1,305	13,833	105.996
NKI	25.25	190867	-	25.50	25.00	25.00	24.70	25.00	(0.25)	27	68	25.212
SMK	0.80	190867	-	-	-	-	-	-	-	-	-	0
TGH	14.30	190867	14.20	14.30	13.60	14.30	13.80	14.30	-	19	27	14.063
THRE	0.56	190867	0.56	0.57	0.55	0.56	0.56	0.57	-	23,612	1,322	0.56
THREL	1.75	190867	1.75	1.75	1.74	1.75	1.73	1.75	-	1,824	318	1.742
TIPH	25.50	190867	25.75	26.25	25.75	26.00	26.00	26.25	0.50	1,829	4,755	25.997
TIPH19C2412A	0.12	190867	-	0.12	0.12	0.12	0.13	0.14	-	208	2	0.12
TLI	7.50	190867	7.50	7.55	7.30	7.35	7.30	7.35	(0.15)	131,625	97,451	7.403
TLI13C2411A	0.15	190867	-	0.15	0.12	0.12	0.12	0.13	(0.03)	45,787	620	0.135
TLI19C2412A	0.19	190867	-	0.19	0.16	0.16	0.16	0.17	(0.03)	30,340	511	0.168
TQM	26.75	190867	26.75	26.75	26.25	26.75	26.50	26.75	-	4,743	12,562	26.485
TSI	0.08	190867	0.06	0.08	0.06	0.07	0.06	0.07	(0.01)	56,589	396	0.069
TVH	7.95	190867	-	8.00	7.75	8.00	7.80	8.00	0.05	585	461	7.881
Packaging												
AJ	4.78	190867	-	4.92	4.78	4.80	4.78	4.80	0.02	1,418	687	4.846
ALUCON	174.00	190867	-	174.00	174.00	174.00	173.00	174.00	-	2	35	174
BGC	6.20	190867	6.20	6.35	6.20	6.35	6.30	6.35	0.15	2,892	1,816	6.278
CSC	45.25	190867	-	45.25	45.00	45.00	45.00	45.25	(0.25)	56	253	45.129
CSC-P	150.00	190867	-	-	-	-	-	-	-	-	-	0
CSC-Q	76.00	190867	-	-	-	-	-	-	-	-	-	0
NEP	0.18	190867	0.18	0.19	0.18	0.19	0.19	0.20	0.01	1,001	19	0.189
PJW	2.66	190867	2.68	2.70	2.56	2.68	2.60	2.68	0.02	1,731	451	2.607
PTL	12.50	190867	12.50	12.60	12.20	12.50	12.40	12.50	-	6,237	7,723	12.382
SCGP	23.40	190867	23.40	23.90	22.50	22.70	22.60	22.70	(0.70)	203,576	471,363	23.154
SCGP01C2410A	0.05	190867	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2411A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2412A	0.05	190867	-	-	-	-	0.03	0.04	-	-	-	0
SCGP11C2412A	0.06	190867	-	0.05	0.05	0.05	0.05	0.06	(0.01)	4,000	20	0.05
SCGP13C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2412A	0.02	190867	-	0.02	0.02	0.02	0.01	0.03	-	9,700	19	0.02
SCGP13C2412B	0.05	190867	-	0.05	0.04	0.05	0.03	0.05	-	610	2	0.04
SCGP13C2501A	0.38	190867	0.38	0.42	0.31	0.32	0.31	0.32	(0.06)	141,330	5,233	0.37
SCGP19C2409A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2412A	0.03	190867	-	0.02	0.02	0.02	0.02	0.03	(0.01)	650	1	0.02
SCGP19C2412B	0.05	190867	-	-	-	-	0.04	0.05	-	-	-	0
SCGP19C2501A	0.41	190867	0.41	0.45	0.34	0.34	0.34	0.35	(0.0			

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
APCO	6.00	190867	6.05	6.05	5.90	6.05	6.00	6.05	0.05	894	536	5.99
BIZ	3.14	190867	3.12	3.18	3.10	3.18	3.14	3.16	0.04	1,150	361	3.136
BLC	5.00	190867	5.05	5.10	4.96	5.10	5.00	5.10	0.10	56,747	28,516	5.025
DDD	9.90	190867	9.95	9.95	9.65	9.80	9.80	9.85	(0.10)	2,530	2,485	9.822
IP	3.54	190867	3.60	3.68	3.58	3.60	3.58	3.60	0.06	6,348	2,300	3.623
IP-W2	0.34	190867	-	0.39	0.34	0.36	0.36	0.37	0.02	37,488	1,359	0.362
JCT	81.00	190867	-	-	-	-	79.75	81.00	-	-	-	0
KISS	4.44	190867	4.50	4.58	4.44	4.48	4.48	4.52	0.04	10,308	4,641	4.501
NAM	4.72	190867	4.72	4.74	4.68	4.72	4.72	4.74	-	1,297	611	4.711
NEO	47.75	190867	48.00	48.75	46.00	46.00	46.00	46.25	(1.75)	21,397	100,287	46.869
NV	0.89	190867	-	0.91	0.89	0.89	0.89	0.90	-	1,078	97	0.895
OCC	8.55	190867	-	9.00	8.55	8.60	8.60	8.95	0.05	7	6	8.721
S&J	40.00	190867	40.00	40.25	39.75	40.25	39.75	40.25	0.25	20	80	40.1
STGT	10.70	190867	10.70	11.00	10.70	10.80	10.80	10.90	0.10	72,008	78,081	10.843
STGT01C2410A	0.05	190867	-	-	-	-	0.06	0.07	-	-	-	0
STGT01C2410B	0.03	190867	-	-	-	-	0.04	0.05	-	-	-	0
STGT01C2412A	0.15	190867	-	0.17	0.16	0.16	0.16	0.17	0.01	47,945	780	0.162
STGT01C2412B	0.66	190867	0.65	0.70	0.65	0.68	0.68	0.70	0.02	10,258	704	0.686
STGT01P2410X	0.11	190867	0.09	0.10	0.09	0.09	0.09	0.10	(0.02)	15,230	150	0.098
STGT13C2410A	0.05	190867	-	0.05	0.05	0.05	0.04	0.05	-	1,000	5	0.05
STGT13C2412A	0.20	190867	-	0.22	0.20	0.21	0.21	0.22	0.01	34,318	736	0.214
STGT13C2412B	0.58	190867	-	0.66	0.62	0.62	0.62	0.65	0.04	140	9	0.64
STGT13P2410A	0.06	190867	-	-	-	-	0.05	0.06	-	-	-	0
STGT19C2410A	0.10	190867	-	-	-	-	0.06	0.07	-	-	-	0
STGT19C2412A	0.23	190867	-	0.24	0.22	0.23	0.23	0.24	-	16,984	394	0.231
STHAI	0.01	190867	-	-	-	-	-	-	-	-	-	0
TNR	9.85	190867	9.70	9.85	9.50	9.50	9.50	9.55	(0.35)	1,757	1,692	9.631
TOG	10.50	190867	-	11.00	10.60	11.00	10.90	11.00	0.50	2,594	2,839	10.943
Professional Service												
BWG	0.47	190867	0.48	0.48	0.44	0.44	0.44	0.45	(0.03)	438,385	20,192	0.46
BWG-W6	0.05	190867	0.05	0.06	0.04	0.05	0.04	0.05	-	161,354	807	0.05
GENCO	0.46	190867	-	0.46	0.45	0.45	0.44	0.45	(0.01)	159	7	0.453
PRO	0.35	190867	-	-	-	-	-	-	-	-	-	0
PRTR	4.46	190867	4.52	4.64	4.52	4.60	4.58	4.60	0.14	13,062	5,980	4.578
SISB	31.00	190867	31.25	31.50	29.50	30.75	30.75	31.00	(0.25)	89,916	275,056	30.59
SISB13C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
SISB13C2412A	0.12	190867	-	0.12	0.10	0.11	0.11	0.12	(0.01)	78,008	846	0.108
SO	4.38	190867	4.48	4.68	4.40	4.60	4.60	4.64	0.22	357	163	4.576
WAVE	0.12	190867	0.12	0.13	0.11	0.12	0.11	0.12	-	287,245	3,447	0.12
WAVE-W3	0.03	190867	-	0.03	0.02	0.03	0.02	0.03	-	118,244	236	0.02
WAVE-W4	0.04	190867	0.04	0.04	0.04	0.04	0.03	0.04	-	1,252	5	0.04
Property Developme												
A	5.00	190867	-	5.00	5.00	5.00	4.98	5.00	-	5	3	5
AKS	0.01	190867	0.01	0.01	0.01	0.01	-	0.01	-	2,226	2	0.01
AKS-W5	0.01	190867	-	0.01	0.01	0.01	-	0.01	-	5	-	0.01
AMATA	21.60	190867	21.60	21.70	20.90	21.00	20.90	21.00	(0.60)	114,654	242,108	21.116
AMATA13C2410A	0.05	190867	-	0.04	0.04	0.04	0.03	0.04	(0.01)	160	1	0.04
AMATA13C2412A	0.23	190867	-	0.22	0.19	0.19	0.19	0.20	(0.04)	81,592	1,640	0.201
AMATA19C2412A	0.24	190867	-	0.24	0.20	0.20	0.20	0.21	(0.04)	15,083	336	0.223
AMATAV	4.58	190867	4.60	4.62	4.60	4.62	4.60	4.62	0.04	320	147	4.606
ANAN	0.58	190867	0.58	0.58	0.57	0.58	0.58	0.59	-	12,340	710	0.575
AP	8.05	190867	8.20	8.20	8.00	8.05	8.05	8.10	-	72,463	58,774	8.11
AP13C2409A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
AP19C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
APEX	0.04	190867	-	-	-	-	-	-	-	-	-	0
ASW	7.60	190867	7.65	7.65	7.55	7.60	7.50	7.60	-	734	556	7.574
ASW-W2	0.04	190867	0.04	0.05	0.04	0.05	0.04	0.05	0.01	7,091	28	0.04
AWC	3.28	190867	3.30	3.40	3.22	3.28	3.28	3.30	-	1,116,297	370,474	3.318
AWC01C2409A	0.03	190867	-	-	-	-	0.01	0.03	-	-	-	0
AWC01C2410W	0.02	190867	-	0.03	0.02	0.02	0.02	0.03	-	650	1	0.021
AWC01C2411A	0.10	190867	-	0.13	0.09	0.10	0.10	0.11	-	62,186	704	0.113
AWC01C2501A	0.45	190867	-	0.52	0.42	0.45	0.45	0.46	-	35,787	1,676	0.468
AWC01P2409X	0.44	190867	0.40	0.47	0.30	0.47	0.40	0.44	0.03	7,802	302	0.386
AWC11C2408A	0.01	190867	-	-	-	-	0.01	0.03	-	-	-	0
AWC11C2411A	0.06	190867	-	-	-	-	0.06	0.07	-	-	-	0
AWC11C2412A	0.19	190867	-	0.24	0.18	0.20	0.19	0.20	0.01	23,364	504	0.215
AWC11C2501A	0.44	190867	-	0.51	0.43	0.43	0.42	0.43	(0.01)	21,000	975	0.464
AWC13C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
AWC13C2410A	0.02	190867	-	0.02	0.02	0.02	0.01	0.03	-	100	-	0.02
AWC13C2411A	0.07	190867	-	0.10	0.07	0.07	0.07	0.08	-	9,304	76	0.081
AWC13C2412A	0.39	190867	-	0.45	0.36	0.38	0.38	0.39	(0.01)	102,831	4,157	0.404
AWC13P2410A	0.28	190867	0.26	0.30	0.22	0.27	0.27	0.30	(0.01)	40,579	1,044	0.257
AWC19C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
AWC19C2411A	0.08	190867	-	0.10	0.07	0.07	0.07	0.08	(0.01)	15,907	150	0.094
AWC19C2501A	0.36	190867	-	0.43	0.34	0.36	0.36	0.37	-	84,436	3,179	0.376
AWC41C2411A	0.05	190867	-	-	-	-	0.06	0.07	-	-	-	0
BLAND	0.55	190867	0.56	0.57	0.55	0.56	0.56	0.57	0.01	106,371	5,991	0.563
BRI	4.28	190867	4.28	4.32	4.24	4.28	4.26	4.28	-	6,999	2,994	4.277
BROCK	1.56	190867	-	1.56	1.54	1.55	1.49	1.55	(0.01)	157	24	1.544
CGD	0.34	190867	0.34	0.34	0.33	0.34	0.33	0.34	-	746	25	0.336
CI	0.54	190867	0.54	0.55	0.52	0.53	0.53	0.54</				

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
LH01C2409A	0.01	190867	-	0.01	0.01	0.01	0.01	0.02	-	900	1	0.01
LH13C2411A	0.02	190867	-	-	-	-	0.02	0.03	-	-	-	0
LH19C2411A	0.04	190867	-	0.04	0.03	0.03	0.03	0.04	(0.01)	8,718	35	0.04
LPN	3.02	190867	3.02	3.06	3.00	3.04	3.02	3.04	0.02	7,164	2,172	3.031
MBK	16.60	190867	16.70	16.80	16.50	16.50	16.50	16.60	(0.10)	7,860	13,022	16.567
MBK-W3	14.70	190867	-	14.50	14.50	14.50	14.50	14.60	(0.20)	2	3	14.5
MBK-W4	14.20	190867	-	-	-	-	14.00	14.90	-	-	-	0
MJD	1.02	190867	-	1.05	1.01	1.01	1.01	1.04	(0.01)	116	12	1.024
MK	1.50	190867	-	1.50	1.50	1.50	1.44	1.52	-	101	15	1.5
NCH	0.73	190867	0.72	0.74	0.72	0.73	0.72	0.73	-	779	56	0.724
NNCL	1.84	190867	1.82	1.84	1.82	1.84	1.83	1.84	-	1,190	218	1.83
NOBLE	3.22	190867	3.22	3.24	3.20	3.22	3.20	3.22	-	3,035	979	3.225
NUSA	0.29	190867	0.29	0.30	0.29	0.29	0.29	0.30	-	25,508	744	0.291
NUSA-W5	0.05	190867	0.06	0.06	0.05	0.05	0.05	0.06	-	2,879	15	0.051
NVD	1.68	190867	-	1.70	1.62	1.68	1.66	1.68	-	219	36	1.641
ORI	4.36	190867	4.36	4.36	4.20	4.20	4.20	4.24	(0.16)	80,054	34,105	4.26
ORI13C2412A	0.07	190867	-	0.06	0.06	0.06	0.06	0.07	(0.01)	1	-	0.06
ORI19C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
ORI19C2501A	0.16	190867	-	0.16	0.14	0.14	0.14	0.15	(0.02)	4,315	68	0.158
ORN	0.72	190867	0.72	0.75	0.72	0.73	0.73	0.74	0.01	49,220	3,619	0.735
PEACE	2.82	190867	2.80	2.90	2.78	2.88	2.78	2.90	0.06	170	48	2.828
PF	0.17	190867	0.17	0.18	0.16	0.16	0.16	0.17	(0.01)	143,243	2,420	0.168
PIN	4.80	190867	4.82	4.84	4.50	4.64	4.64	4.68	(0.16)	69,890	32,546	4.656
PLAT	2.12	190867	-	2.12	2.08	2.12	2.10	2.12	-	1,478	311	2.102
POLAR	0.68	190867	-	-	-	-	-	-	-	-	-	0
PRECHA	1.15	190867	1.15	1.18	1.15	1.16	1.16	1.17	0.01	1,912	222	1.161
PRIN	2.36	190867	-	-	-	-	2.36	2.38	-	-	-	0
PROUD	1.20	190867	1.23	1.24	1.20	1.22	1.21	1.22	0.02	6,186	751	1.214
PSH	8.70	190867	8.75	8.80	8.60	8.70	8.65	8.70	-	5,066	4,398	8.681
QH	1.73	190867	1.73	1.74	1.71	1.73	1.73	1.74	-	293,345	50,568	1.723
RABBIT	0.57	190867	0.57	0.58	0.56	0.57	0.56	0.57	-	148,600	8,427	0.567
RABBIT-P	0.55	190867	0.56	0.56	0.55	0.55	0.55	0.56	-	439,508	24,302	0.552
RABBIT-Q	4.00	190867	-	-	-	-	-	-	-	-	-	0
RICHY	0.47	190867	-	0.47	0.44	0.44	0.45	0.46	(0.03)	2,749	126	0.457
RML	0.27	190867	0.27	0.27	0.25	0.26	0.25	0.26	(0.01)	21,362	555	0.26
ROJNA	5.85	190867	5.85	5.95	5.75	5.90	5.90	5.95	0.05	37,414	21,825	5.833
S	0.72	190867	0.72	0.73	0.71	0.73	0.72	0.73	0.01	7,412	533	0.719
SA	7.60	190867	7.60	7.70	7.50	7.70	7.65	7.70	0.10	2,845	2,154	7.571
SA-W1	0.07	190867	-	0.08	0.06	0.07	0.06	0.08	-	1,176	8	0.068
SAMCO	0.93	190867	0.94	0.94	0.93	0.93	0.93	0.94	-	2,975	280	0.939
SC	2.50	190867	2.52	2.54	2.46	2.54	2.52	2.54	0.04	219,276	55,114	2.513
SENA	2.30	190867	2.28	2.30	2.24	2.28	2.26	2.28	(0.02)	2,995	679	2.267
SIRI	1.60	190867	1.61	1.63	1.61	1.63	1.62	1.63	0.03	836,520	135,695	1.622
SIRI01C2412A	0.18	190867	-	0.20	0.19	0.19	0.19	0.20	0.01	22,659	432	0.19
SIRI13C2412A	0.18	190867	-	0.20	0.18	0.20	0.19	0.20	0.02	27,188	519	0.19
SIRI19C2411A	0.15	190867	-	0.16	0.15	0.16	0.16	0.17	0.01	11,344	180	0.158
SPALI	16.70	190867	16.90	17.00	16.60	16.90	16.80	16.90	0.20	35,633	59,823	16.788
SPALI13C2409A	0.10	190867	-	-	-	-	0.01	0.02	-	-	-	0
SPALI13C2501A	0.32	190867	-	0.34	0.32	0.34	0.34	0.35	0.02	10,230	342	0.334
SPALI19C2412A	0.11	190867	-	0.12	0.12	0.12	0.12	0.13	0.01	1,068	13	0.12
UV	1.46	190867	1.47	1.52	1.47	1.51	1.51	1.52	0.05	3,519	527	1.497
WHA	5.10	190867	5.10	5.10	4.96	5.05	5.05	5.10	(0.05)	696,223	349,335	5.017
WHA01C2410A	0.04	190867	-	-	-	-	0.04	0.05	-	-	-	0
WHA01C2501A	0.19	190867	0.20	0.20	0.17	0.19	0.19	0.20	-	21,996	401	0.182
WHA06C2410A	0.06	190867	-	-	-	-	-	-	-	-	-	0
WHA13C2410A	0.02	190867	-	0.02	0.02	0.02	0.01	0.02	-	250	1	0.02
WHA13C2411A	0.09	190867	-	0.09	0.07	0.08	0.08	0.09	(0.01)	13,430	109	0.08
WHA19C2410A	0.05	190867	-	-	-	-	0.03	0.04	-	-	-	0
WHA19C2412A	0.17	190867	0.18	0.18	0.16	0.18	0.17	0.18	0.01	34,936	588	0.168
WHA41C2409A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
WHA41C2411A	0.30	190867	-	-	-	-	0.27	0.30	-	-	-	0
WHA41C2501A	0.16	190867	0.16	0.16	0.13	0.15	0.15	0.16	(0.01)	35,080	514	0.146
WIN	0.48	190867	0.49	0.49	0.48	0.49	0.48	0.49	0.01	2,459	118	0.48
Paper & Printing Ma												
UTP	11.00	190867	11.10	11.10	11.00	11.00	11.00	11.10	-	370	409	11.046
Fashion												
AFC	4.92	190867	5.00	5.05	4.90	4.90	4.82	4.92	(0.02)	403	199	4.942
AURA	14.30	190867	14.30	14.30	14.00	14.10	14.10	14.20	(0.20)	11,670	16,468	14.111
BTNC	17.00	190867	-	16.50	16.50	16.50	16.40	17.30	(0.50)	1	2	16.5
CPH	9.00	190867	9.05	9.20	8.85	9.00	8.90	9.00	-	710	636	8.957
CPL	1.28	190867	1.26	1.29	1.24	1.28	1.24	1.28	-	2,351	296	1.257
NC	1.66	190867	-	1.71	1.67	1.71	1.68	1.71	0.05	2,084	352	1.69
PAF	1.05	190867	1.06	1.09	1.02	1.02	1.02	1.04	(0.03)	3,852	403	1.045
PDJ	2.08	190867	2.08	2.10	2.06	2.10	2.08	2.10	0.02	1,513	314	2.075
PG	8.90	190867	-	9.00	9.00	9.00	8.85	9.00	0.10	4	4	9
SABINA	22.60	190867	22.70	22.70	22.20	22.40	22.30	22.40	(0.20)	7,371	16,486	22.366
SAWANG	11.00	190867	11.00	12.40	11.00	12.40	11.80	12.50	1.40	49	56	11.485
SUC	30.25	190867	-	30.75	30.00	30.50	30.25	30.75	0.25	97	295	30.363
TNL	31.75	190867	-	32.00	31.50	31.50	31.00	31.50	(0.25)	5	16	31.7
TR	39.50	190867	-	-	-	-	39.75	40.25	-	-	-	0
TTI	26.25	190867	-	-	-	-	26.00	26.25	-	-	-	0
TTT	52.50	190867	-	53.50	52.50	53.50	52.00	53.25	1.00	38	201	52.894
UPF	33.50	190867	-	34.00	33.75	33.75	33.25	34.00	0.25	3	10	33.833
WACOAL	29.00	190867	-	29.00	29.00	29.00	28.00	31.75	-	1	3	29
WFX	1.08	190867	1.09	1.10	1.04	1.04	1.04	1.05	(0.04)	1,697	181	1.068
Transportation & Log												
AAV	2.28	190867	2.30	2.34	2.							

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AOT19C2411A	0.05	190867	-	0.06	0.06	0.06	0.06	0.07	0.01	100	1	0.06
AOT19C2411B	0.15	190867	0.15	0.16	0.14	0.15	0.15	0.16	-	15,738	234	0.148
AOT19C2501A	0.34	190867	0.34	0.35	0.33	0.34	0.33	0.34	-	13,390	453	0.338
AOT19P2412A	0.23	190867	-	0.23	0.22	0.23	0.22	0.23	-	5,172	117	0.227
AOT41C2410A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
AOT41C2411A	0.11	190867	-	-	-	-	0.05	0.07	-	-	-	0
AOT41C2412A	0.20	190867	0.21	0.23	0.20	0.21	0.21	0.22	0.01	24,900	523	0.209
AOT41C2605T	0.28	190867	-	0.30	0.29	0.29	0.29	0.30	0.01	1,500	44	0.293
ASIMAR	1.50	190867	1.51	1.52	1.49	1.49	1.49	1.51	(0.01)	159	24	1.497
B	0.08	190867	0.07	0.08	0.07	0.07	0.07	0.08	(0.01)	35,062	273	0.077
B-W8	0.01	190867	-	0.01	0.01	0.01	-	0.01	-	408	-	0.01
BA	19.60	190867	19.90	21.20	19.80	20.70	20.70	20.80	1.10	88,987	183,008	20.565
BA01C2412A	0.20	190867	0.21	0.31	0.21	0.28	0.27	0.28	0.08	93,890	2,248	0.239
BA13C2412A	0.18	190867	0.19	0.28	0.19	0.25	0.24	0.25	0.07	97,955	2,337	0.238
BEM	7.95	190867	7.95	8.00	7.85	7.95	7.90	7.95	-	403,422	319,359	7.916
BEM01C2412A	0.19	190867	-	0.19	0.18	0.18	0.18	0.20	(0.01)	53,151	1,000	0.188
BEM11C2411A	0.19	190867	-	0.21	0.21	0.21	0.21	0.22	0.02	6,000	126	0.21
BEM13C2410A	0.05	190867	-	-	-	-	0.06	0.07	-	-	-	0
BEM13C2412A	0.20	190867	0.20	0.20	0.19	0.19	0.19	0.20	(0.01)	10,639	202	0.19
BEM19C2410A	0.05	190867	-	0.06	0.06	0.06	0.06	0.07	0.01	10	-	0.06
BEM19C2412A	0.22	190867	0.22	0.22	0.20	0.22	0.21	0.22	-	73,208	1,592	0.217
BTS	4.20	190867	4.22	4.28	4.16	4.22	4.22	4.24	0.02	741,357	312,309	4.212
BTS-W7	0.01	190867	-	0.01	0.01	0.01	-	0.01	-	20	-	0.01
BTS-W8	0.06	190867	0.05	0.06	0.05	0.05	0.05	0.06	(0.01)	36,366	202	0.055
BTS01C2410A	0.02	190867	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
BTS01C2412A	0.14	190867	-	0.15	0.14	0.14	0.14	0.15	-	42,691	608	0.142
BTS01C2501A	0.36	190867	-	0.38	0.35	0.36	0.36	0.37	-	66,966	2,397	0.357
BTS01P2410X	0.47	190867	-	0.28	0.26	0.26	0.26	0.27	(0.21)	9,854	273	0.277
BTS06C2410A	0.01	190867	-	-	-	-	-	-	-	-	-	0
BTS13C2410A	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
BTS13C2410B	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
BTS13C2410C	0.04	190867	-	0.05	0.05	0.05	0.04	0.05	0.01	200	1	0.05
BTS13C2412A	0.24	190867	-	0.25	0.23	0.24	0.24	0.26	-	31,374	743	0.236
BTS13C2412B	0.34	190867	0.35	0.36	0.33	0.35	0.34	0.35	0.01	94,784	3,259	0.343
BTS13P2410A	0.25	190867	0.25	0.26	0.23	0.25	0.25	0.26	-	50,835	1,277	0.251
BTS19C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
BTS19C2410B	0.02	190867	-	-	-	-	0.02	0.03	-	-	-	0
BTS19C2411A	0.13	190867	-	0.14	0.13	0.13	0.13	0.14	-	17,060	229	0.134
BTS19C2412A	0.31	190867	0.31	0.32	0.30	0.31	0.31	0.32	-	33,248	1,030	0.309
BTS19P2410A	0.18	190867	-	0.18	0.16	0.17	0.17	0.18	(0.01)	17,106	300	0.175
BTS41C2411A	0.19	190867	0.20	0.22	0.19	0.20	0.20	0.21	0.01	36,100	714	0.197
BTS41C2412A	0.04	190867	-	-	-	-	0.04	0.05	-	-	-	0
BTS41C2501A	0.47	190867	0.47	0.50	0.45	0.45	0.47	0.49	(0.02)	13,558	655	0.483
BTSGIF	3.24	190867	3.24	3.24	3.22	3.22	3.22	3.24	(0.02)	36,620	11,847	3.235
DMT	12.00	190867	11.90	12.00	11.80	11.90	11.80	11.90	(0.10)	16,324	19,397	11.882
ETL	0.70	190867	0.70	0.76	0.66	0.67	0.66	0.67	(0.03)	92,683	6,549	0.706
III	5.65	190867	5.50	5.65	5.50	5.65	5.55	5.65	-	4,348	2,432	5.594
KEX	2.60	190867	2.60	2.64	2.58	2.62	2.60	2.62	0.02	4,769	1,245	2.609
KIAT	0.35	190867	0.34	0.35	0.34	0.35	0.34	0.35	-	8,750	298	0.34
KWC	270.00	190867	-	274.00	274.00	274.00	264.00	334.00	4.00	10	274	274
MENA	1.00	190867	1.00	1.06	1.00	1.06	1.05	1.06	0.06	16,955	1,760	1.037
NOK	1.04	190867	-	-	-	-	-	-	-	-	-	0
NYT	3.06	190867	3.06	3.14	3.06	3.08	3.08	3.12	0.02	18,035	5,582	3.094
PORT	1.53	190867	1.53	1.70	1.53	1.60	1.59	1.60	0.07	2,815	461	1.637
PRM	8.00	190867	7.95	8.00	7.85	8.00	7.95	8.00	-	51,333	40,751	7.938
PSL	8.15	190867	8.25	8.25	7.95	8.10	8.05	8.10	(0.05)	54,768	44,303	8.089
RCL	23.00	190867	23.50	23.70	23.10	23.30	23.20	23.30	0.30	42,633	99,667	23.377
RCL01C2410A	0.02	190867	-	-	-	-	0.02	0.03	-	-	-	0
RCL01C2411A	0.03	190867	-	-	-	-	0.01	0.02	-	-	-	0
RCL01C2412A	0.38	190867	0.42	0.43	0.40	0.40	0.40	0.41	0.02	33,660	1,374	0.408
RCL01P2410X	0.20	190867	-	0.19	0.18	0.18	0.18	0.19	(0.02)	20,842	389	0.186
RCL13C2409A	0.35	190867	-	0.44	0.35	0.38	0.37	0.39	0.03	992	39	0.39
RCL13C2410A	0.03	190867	-	-	-	-	0.02	0.03	-	-	-	0
RCL13C2410B	0.02	190867	-	0.02	0.02	0.02	0.01	0.02	-	20	-	0.02
RCL13C2412A	0.10	190867	-	0.11	0.11	0.11	0.10	0.11	0.01	9,962	110	0.11
RCL13C2412B	0.32	190867	0.35	0.36	0.34	0.34	0.34	0.35	0.02	4,212	147	0.349
RCL13P2410A	0.11	190867	-	0.10	0.10	0.10	0.09	0.10	(0.01)	3,214	32	0.1
RCL19C2410A	0.03	190867	-	0.04	0.04	0.04	0.03	0.04	0.01	1,000	4	0.04
RCL19C2410B	0.07	190867	-	-	-	-	0.02	0.03	-	-	-	0
RCL19C2412A	0.12	190867	0.13	0.13	0.12	0.12	0.12	0.13	-	7,348	95	0.129
RCL19C2412B	0.35	190867	0.39	0.39	0.37	0.37	0.36	0.37	0.02	38,691	1,457	0.376
RCL19P2410A	0.13	190867	-	0.12	0.11	0.12	0.12	0.13	(0.01)	24,073	288	0.119
RCL19P2412A	0.54	190867	-	0.51	0.47	0.50	0.50	0.51	(0.04)	60,370	3,006	0.497
RCL41C2412A	0.07	190867	-	-	-	-	0.07	0.08	-	-	-	0
RCL41C2412B	0.54	190867	0.58	0.61	0.55	0.56	0.56	0.57	0.02	46,015	2,616	0.568
SAV	20.00	190867	20.20	20.30	20.00	20.30	20.20	20.30	0.30	11,036	22,256	20.166
SINO	1.17	190867	1.19	1.23	1.19	1.22	1.22	1.23	0.05	18,632	2,252	1.208
SJWD	11.20	190867	11.10	11.10	10.70	10.80	10.80	10.90	(0.40)	26,349	28,754	10.912
SJWD13C2410A	0.05	190867	-	-	-	-	0.01	0.02	-	-	-	0
TFFIF	6.45	190867	6.45	6.45	6.40	6.45	6.40	6.45	-	18,833	12,105	6.427
THAI	3.32	190867	-	-	-	-	-	-	-	-	-	0
TSTE	14.10	190867	-	14.10	14.10	14.10	12.00	14.20	-	40	56	14.1
TTA	5.85	190867	5.90	5.90	5.75	5.85	5.80	5.85	-	33,932	19,814	5.839
WICE	5.75	190867	5.80	5.95	5.75	5.75	5.75	5.80	-	12,420	7,241	5.83

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
NEX13C2411A	0.01	190867	-	0.02	0.02	0.02	0.01	0.02	0.01	251	1	0.02
NEX19C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
NEX19C2410A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
NEX19C2410B	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
NEX19C2410C	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
NEX19C2410D	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
NEX19C2411A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
NEX19C2501A	0.03	190867	0.03	0.04	0.03	0.04	0.03	0.04	0.01	39,831	120	0.03
PCSGH	4.74	190867	-	4.76	4.70	4.76	4.72	4.76	0.02	77	36	4.73
POLY	9.25	190867	9.25	9.25	9.20	9.20	9.10	9.20	(0.05)	8	7	9.237
SAT	11.80	190867	11.90	11.90	11.60	11.60	11.60	11.70	(0.20)	9,199	10,725	11.658
SPG	13.80	190867	-	-	-	-	13.50	14.10	-	-	-	0
STANLY	207.00	190867	-	209.00	207.00	209.00	209.00	210.00	2.00	111	2,311	208.153
TKT	1.67	190867	-	1.71	1.66	1.71	1.67	1.70	0.04	448	74	1.661
TNPC	0.96	190867	-	1.00	0.96	1.00	0.96	1.00	0.04	826	81	0.977
TRU	2.98	190867	2.98	3.00	2.98	3.00	2.98	3.00	0.02	10,904	3,271	2.999
TSC	14.10	190867	-	14.10	14.10	14.10	14.00	14.10	-	9	13	14.1
Industrial Materials												
AKR	0.86	190867	0.87	0.88	0.87	0.87	0.87	0.88	0.01	6,203	541	0.872
ALLA	1.60	190867	1.60	1.61	1.56	1.59	1.59	1.60	(0.01)	6,831	1,089	1.594
ASEFA	3.20	190867	-	3.36	3.20	3.36	3.30	3.36	0.16	823	268	3.257
CPT	0.68	190867	-	0.69	0.67	0.68	0.67	0.68	-	4,236	287	0.676
CRANE	0.77	190867	0.80	0.81	0.77	0.77	0.77	0.79	-	3,891	305	0.783
CTW	4.20	190867	-	4.18	4.18	4.18	4.12	4.18	(0.02)	1	-	4.18
FMT	34.75	190867	-	34.75	34.25	34.75	34.25	34.75	-	9	31	34.527
FTE	1.30	190867	1.30	1.36	1.30	1.35	1.33	1.35	0.05	4,653	619	1.33
HTECH	3.60	190867	3.64	3.76	3.44	3.52	3.52	3.54	(0.08)	47,921	17,314	3.612
KKC	0.04	190867	-	-	-	-	0.03	0.04	-	-	-	0
PCC	2.80	190867	-	2.80	2.78	2.80	2.78	2.80	-	1,754	491	2.799
PK	0.72	190867	0.76	0.81	0.72	0.75	0.75	0.76	0.03	41,938	3,244	0.773
PSP	4.78	190867	4.74	4.80	4.72	4.74	4.72	4.74	(0.04)	6,154	2,921	4.746
QTC	4.08	190867	-	4.02	3.00	3.86	3.86	3.94	(0.22)	1,008	368	3.653
SCI	0.74	190867	-	0.71	0.66	0.67	0.66	0.69	(0.07)	3,663	245	0.669
SE	0.67	190867	0.66	0.74	0.66	0.74	0.69	0.74	0.07	4,819	341	0.707
SNC	6.20	190867	6.20	6.20	5.95	6.15	6.15	6.20	(0.05)	1,735	1,054	6.073
STARK	0.02	190867	-	-	-	-	-	-	-	-	-	0
STARK-W1	0.01	190867	-	-	-	-	-	-	-	-	-	0
TCJ	3.28	190867	-	3.28	3.16	3.16	3.16	3.32	(0.12)	68	22	3.17
TPCS	12.80	190867	-	12.50	12.50	12.50	12.20	12.70	(0.30)	3	4	12.5
VARO	3.38	190867	-	3.40	3.34	3.34	3.34	3.36	(0.04)	182	61	3.351
Property Fund & RE												
AIMCG	3.28	190867	3.28	3.36	3.28	3.32	3.32	3.34	0.04	4,190	1,389	3.313
AIMIRT	10.80	190867	10.60	10.80	10.60	10.70	10.60	10.70	(0.10)	4,463	4,756	10.655
ALLY	4.50	190867	4.50	4.50	4.48	4.50	4.48	4.50	-	4,697	2,112	4.495
AMATAR	6.25	190867	-	6.25	6.25	6.25	6.25	6.35	-	102	64	6.25
B-WORK	4.34	190867	4.34	4.34	4.32	4.34	4.34	4.36	-	4,949	2,143	4.33
BAREIT	9.20	190867	9.20	9.25	9.20	9.25	9.20	9.25	0.05	1,067	982	9.204
BKKCP	8.50	190867	8.50	8.50	8.50	8.50	8.50	8.55	-	40	34	8.5
BOFFICE	4.40	190867	4.40	4.40	4.38	4.40	4.38	4.40	-	9,383	4,121	4.392
CPNCG	5.45	190867	5.45	5.45	5.35	5.40	5.40	5.45	(0.05)	2,835	1,532	5.405
CPNREIT	11.10	190867	11.10	11.20	11.00	11.10	11.00	11.10	-	28,122	31,216	11.1
CPTGF	5.15	190867	5.15	5.20	5.15	5.20	5.10	5.20	0.05	861	446	5.181
CTARAF	4.46	190867	-	4.48	4.40	4.46	4.40	4.46	-	753	333	4.421
DREIT	4.78	190867	4.84	4.84	4.76	4.82	4.80	4.82	0.04	1,750	841	4.803
FTREIT	10.20	190867	10.20	10.30	10.20	10.30	10.20	10.30	0.10	9,255	9,453	10.214
FUTUREPF	11.20	190867	11.20	11.30	11.20	11.30	11.20	11.30	0.10	974	1,091	11.2
GAHREIT	6.50	190867	-	6.45	6.40	6.40	6.40	6.50	(0.10)	273	175	6.401
GROREIT	8.45	190867	8.45	8.50	8.40	8.45	8.40	8.45	-	1,214	1,026	8.452
GVREIT	5.35	190867	5.35	5.45	5.35	5.45	5.40	5.45	0.10	4,393	2,370	5.394
HPF	4.76	190867	-	4.78	4.72	4.76	4.74	4.76	-	2,296	1,086	4.731
HYDROGEN	9.30	190867	-	9.40	9.20	9.20	9.20	9.30	(0.10)	1,020	948	9.298
IMPACT	11.20	190867	11.20	11.30	11.10	11.20	11.10	11.20	-	4,278	4,790	11.196
INETREIT	8.30	190867	8.30	8.30	8.30	8.30	8.30	8.35	-	530	440	8.3
KPNPF	2.40	190867	-	2.78	2.60	2.78	2.50	2.78	0.38	25	7	2.629
KTBSTMR	6.80	190867	-	6.75	6.75	6.75	6.70	6.75	(0.05)	7	5	6.75
LHHOTEL	12.10	190867	12.00	12.10	11.90	12.00	12.00	12.10	(0.10)	4,991	5,977	11.975
LHPF	5.45	190867	-	5.50	5.45	5.50	5.45	5.50	0.05	36	20	5.451
LHSC	10.00	190867	10.00	10.10	9.95	10.10	9.95	10.10	0.10	8,314	8,290	9.97
LPF	12.70	190867	12.90	12.90	12.70	12.80	12.80	12.90	0.10	5,853	7,475	12.77
LUXF	7.00	190867	6.95	7.00	6.90	7.00	6.95	7.00	-	103	72	6.949
M-II	6.00	190867	-	5.95	5.90	5.90	5.95	6.00	(0.10)	5	3	5.94
M-PAT	2.80	190867	-	-	-	-	2.24	2.88	-	-	-	0
M-STOR	7.10	190867	-	-	-	-	7.20	7.50	-	-	-	0
MIPF	14.80	190867	-	12.00	12.00	12.00	11.50	17.80	(2.80)	1	1	12
MIT	0.29	190867	0.35	0.38	0.34	0.38	0.37	-	0.09	4,361	158	0.362
MJLF	3.78	190867	3.78	3.80	3.76	3.80	3.76	3.80	0.02	802	302	3.76
MNIT	2.26	190867	-	-	-	-	2.20	2.28	-	-	-	0
MNIT2	4.98	190867	-	4.80	4.72	4.80	4.78	5.00	(0.18)	14	7	4.731
MNRF	2.32	190867	-	2.30	2.30	2.30	2.24	2.30	(0.02)	8	2	2.3
POPF	5.50	190867	5.50	5.55	5.50	5.55	5.50	5.55	0.05	1,017	563	5.54
PROSPECT	8.45	190867	-	8.50	8.35	8.45	8.35	8.45	-	2,459	2,078	8.451
QHHRREIT	6.30	190867	6.40	6.70	6.30	6.45	6.40	6.45	0.15	424	270	6.367
QHOP	3.38	190867	-	-	-	-	3.28	3.38	-	-	-	0
QHPP	4.42	190867	4.44	4.46	4.42	4.44	4.42	4.44	0.02	5,846	2,597	4.442
SIRIP	7.60	190867	-	-	-	-	7.25	8.00	-	-	-	0
SPRIME	3.80	190867	3.80	3.80	3.76	3.78	3.76	3.78	(0.02)	8,839	3,343	3.781
SRIPANWA	4.92	190867	-	5.00	4.96	5.00	4.94	5.00	0.08	107	53	4.988
SSPF	4.82	190867	-	-	-	-	4.68	4.98	-	-	-	0
SSTRT	4.92	190867	-									

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CEN-W5	0.26	190867	-	0.27	0.25	0.27	0.25	0.27	0.01	1,085	28	0.261
CITY	2.06	190867	-	2.06	2.02	2.06	2.02	2.06	-	1,001	202	2.022
CSP	0.99	190867	-	1.00	0.99	1.00	0.98	1.00	0.01	721	72	0.999
GJS	0.18	190867	0.18	0.18	0.17	0.18	0.17	0.18	-	4,973	89	0.178
GSTEEL	0.09	190867	-	-	-	-	-	-	-	-	-	0
INOX	0.45	190867	0.46	0.47	0.45	0.45	0.45	0.46	-	10,691	486	0.454
LHK	3.66	190867	3.66	3.68	3.62	3.66	3.64	3.68	-	2,440	888	3.641
MCS	7.25	190867	7.35	7.35	7.25	7.30	7.30	7.35	0.05	2,188	1,597	7.298
MILL	0.09	190867	0.09	0.09	0.08	0.08	0.08	0.09	(0.01)	1,213	10	0.086
MILL-W7	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
PAP	1.62	190867	-	1.67	1.64	1.67	1.65	1.67	0.05	121	20	1.655
PERM	0.81	190867	0.81	0.81	0.80	0.80	0.79	0.80	(0.01)	849	68	0.8
SAM	0.12	190867	0.11	0.11	0.10	0.10	0.10	0.11	(0.02)	87,679	913	0.104
SMIT	4.00	190867	4.00	4.02	3.98	4.00	3.98	4.00	-	2,621	1,048	3.999
SSSC	2.38	190867	2.34	2.36	2.34	2.36	2.34	2.36	(0.02)	192	45	2.355
TGPRO	0.08	190867	0.09	0.09	0.08	0.09	0.08	0.09	0.01	3,712	30	0.081
THE	0.94	190867	-	0.95	0.94	0.94	0.94	0.95	-	52	5	0.945
TMT	4.54	190867	4.50	4.54	4.36	4.46	4.46	4.50	(0.08)	903	407	4.504
TSTH	0.50	190867	0.51	0.52	0.50	0.52	0.51	0.52	0.02	16,115	820	0.508
TWP	1.46	190867	1.44	1.47	1.43	1.47	1.44	1.47	0.01	214	31	1.44
TYCN	2.28	190867	-	2.28	2.28	2.28	2.24	2.28	-	1	-	2.28
Construction Service												
APCS	2.22	190867	-	2.26	2.20	2.20	2.18	2.20	(0.02)	104	23	2.201
BJCHI	1.43	190867	1.43	1.44	1.41	1.42	1.42	1.43	(0.01)	6,261	891	1.423
BKD	1.31	190867	-	1.34	1.30	1.31	1.30	1.31	-	967	127	1.312
CIVIL	1.79	190867	1.78	1.87	1.78	1.79	1.79	1.80	-	1,470	265	1.802
CK	18.60	190867	19.00	19.20	18.70	18.90	18.80	18.90	0.30	52,719	100,032	18.974
CK13C2412A	0.14	190867	-	0.18	0.15	0.16	0.16	0.17	0.02	43,238	689	0.159
CK19C2412A	0.19	190867	-	0.23	0.20	0.21	0.20	0.21	0.02	23,925	515	0.215
CNT	1.14	190867	1.16	1.18	1.14	1.15	1.15	1.16	0.01	8,463	981	1.158
EMC	0.07	190867	0.07	0.07	0.06	0.07	0.06	0.07	-	19,321	132	0.068
EMC-W7	0.09	190867	-	0.09	0.09	0.09	0.08	0.09	-	1,000	9	0.09
ITD	0.52	190867	0.52	0.53	0.51	0.53	0.52	0.53	0.01	38,794	2,008	0.517
JR	3.44	190867	3.46	3.50	3.44	3.48	3.46	3.48	0.04	983	343	3.486
NL	1.35	190867	-	1.41	1.36	1.41	1.40	1.41	0.06	3,588	495	1.379
NWR	0.13	190867	0.13	0.14	0.12	0.13	0.12	0.13	-	67,159	850	0.126
PLE	0.36	190867	0.35	0.37	0.35	0.35	0.35	0.36	(0.01)	7,535	268	0.355
PREB	4.42	190867	-	4.60	4.42	4.42	4.42	4.58	-	266	119	4.467
PYLON	1.83	190867	1.83	1.94	1.83	1.94	1.93	1.94	0.11	2,439	463	1.899
RT	0.49	190867	0.50	0.50	0.48	0.48	0.48	0.49	(0.01)	12,244	598	0.488
SEAFCO	1.91	190867	1.91	2.02	1.91	2.02	2.00	2.02	0.11	7,848	1,561	1.989
SQ	0.79	190867	0.79	0.80	0.78	0.80	0.79	0.80	0.01	5,536	439	0.793
SRICHA	6.70	190867	6.70	6.70	6.35	6.35	6.35	6.40	(0.35)	3,304	2,138	6.471
STEC	8.40	190867	8.45	8.60	8.40	8.40	8.40	8.45	-	39,942	33,847	8.473
STI	3.18	190867	-	3.18	3.16	3.16	3.14	3.16	(0.02)	146	46	3.165
STPI	3.32	190867	3.32	3.36	3.28	3.32	3.32	3.34	-	7,053	2,336	3.311
SYNTEC	1.54	190867	1.54	1.56	1.53	1.53	1.53	1.54	(0.01)	5,056	780	1.542
TEAMG	3.08	190867	3.06	3.08	2.96	3.00	3.00	3.04	(0.08)	22,530	6,783	3.01
TEAMG-W1	0.31	190867	0.31	0.32	0.28	0.28	0.28	0.29	(0.03)	17,700	525	0.296
TEKA	2.26	190867	2.24	2.30	2.24	2.26	2.26	2.28	-	1,499	340	2.27
TPOLY	1.07	190867	1.07	1.09	1.05	1.06	1.06	1.07	(0.01)	29,179	3,111	1.066
TRC	0.10	190867	0.10	0.13	0.10	0.12	0.11	0.12	0.02	429,029	4,974	0.115
TRITN	0.13	190867	0.13	0.14	0.12	0.14	0.13	0.14	0.01	529,652	7,185	0.135
TRITN-W6	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
TTCL	3.14	190867	3.16	3.16	3.10	3.14	3.12	3.14	-	3,818	1,197	3.135
UNIQ	2.46	190867	2.48	2.52	2.46	2.50	2.48	2.50	0.04	1,367	339	2.481
WGE	0.82	190867	0.83	0.84	0.81	0.81	0.81	0.82	(0.01)	7,308	601	0.821
Unit Trust												
SCBSET	7.54	190867	-	-	-	-	6.40	-	-	-	-	0
ETF												
1DIV	10.07	190867	10.11	10.13	10.00	10.07	10.07	10.08	-	333	336	10.099
ABFTH	1,245.00	190867	-	-	-	-	1,263.00	1,293.00	-	-	-	0
BMSCG	8.66	190867	8.80	8.80	8.80	8.80	8.80	8.86	0.14	14	12	8.8
BMSCITH	9.56	190867	9.58	9.70	9.58	9.62	9.62	9.64	0.06	1,189	1,147	9.645
BSET100	8.80	190867	8.83	8.92	8.83	8.89	8.86	8.89	0.09	262	233	8.89
CHINA	5.38	190867	5.31	5.31	5.28	5.28	5.28	5.29	(0.10)	305	161	5.293
ENGY	4.69	190867	4.69	4.70	4.65	4.65	4.67	4.70	(0.04)	109	51	4.69
GLD	3.49	190867	3.49	3.50	3.48	3.50	3.49	3.50	0.01	10,458	3,651	3.49
TDEX	8.20	190867	8.20	8.28	8.20	8.22	8.22	8.24	0.02	9,926	8,166	8.226
UBOT	13.23	190867	14.52	14.53	13.30	13.30	13.30	13.49	0.07	16	22	13.53
UHERO	7.67	190867	7.42	7.90	7.42	7.81	7.81	7.90	0.14	148	113	7.608
Warrant Foreign												
AIA28C2408A	0.04	190867	-	-	-	-	-	0.03	-	-	-	0
AIA28C2408B	0.03	190867	-	-	-	-	-	0.02	-	-	-	0
AIA28C2411A	0.22	190867	-	0.21	0.21	0.21	-	-	(0.01)	10,000	210	0.21
AIA28P2408A	0.15	190867	-	-	-	-	-	-	-	-	-	0
AIA28P2409A	0.08	190867	-	-	-	-	-	-	-	-	-	0
AIA41C2408A	0.06	190867	-	-	-	-	-	-	-	-	-	0
AIA41C2411A	0.15	190867	-	-	-	-	-	-	-	-	-	0
AIA41P2409A	0.03	190867	-	0.01	0.01	0.01	0.01	0.02	(0.02)	11	-	0.01
AIA41P2411A	0.24	190867	-	-	-	-	-	-	-	-	-	0
ALIHEA28C2409A	0.13	190867	-	-	-	-	-	-	-	-	-	0
ALIHEA41C2410A	0.10	190867	-	-	-	-	0.01	-	-	-	-	0
BABA28C2408A	0.42	190867	-	0.41	0.39	0.39	0.15	0.42	(0.03)	50	2	0.398
BABA28C2410A	0.13	190867	-	0.12	0.12	0.12	0.10	-	(0.01)	4,010	48	0.12
BABA28C2412A	0.50	190867	-	0.45	0.08	0.08	0.08	10.00	(0.42)	59	1	0.11
BABA28P2408A	0.10	190867	-	-	-	-	-	-	-	-	-	0
BABA28P2410A	0.15	190867	-	0.18	0.18	0.18	-	-	0.03	3,042	55	0.18
BABA41C2409A	0.04	190867	-	0.03	0.03	0.03	0.01	-	(0.01)	1	-	0.03
BABA41C2410A	0.40	190867	-	0.37	0.34	0.35	0.08	-	(0.05)	19	1	0.348
BABA41P2409A	0.10	190867	-	-	-	-	0.01	-	-	-	-	0
BABA41P2411A	0.14	190867	-	0.16	0.16	0.16	-	-	0.02	36	1	0.16
BIDU28C2409A	0.06	190867	-	-	-	-	0.01	-	-	-	-	0
BIDU28C2411A	0.32	190867	0.33	0.33	0.33	0.33	0.33	-	0.01	202	7	0.33
BIDU28P2410A	0.74	190867	-	-	-	-	-	-	-	-	-	0
BIDU41C2409A	0.13	190867	-	-	-	-	0.01	-	-	-	-	0
BIDU41C2410A	0.20	190867	-	0.21	0.20	0.20	-	-	-	16	-	0.203
BIDU41P2410A	0.34	190867	-	0.31	0.31	0.31	-	-	(0.03)	8	-	0.31
BYDCOM28C2408A	0.10	190867	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2501A	0.31	190867	-	0.33	0.32	0.32	0.05	-	0.01	20,001	640	0.32
BYDCOM28P2409A	0.08	190867	-	-	-	-	-	-	-	-	-	0
BYDCOM28P2501A	0.44	190867	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2409A	0.21	190867	-	-	-	-	-	-	-	-	-	0

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BYDCOM41C2409B	0.03	190867	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41P2409A	0.05	190867	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41P2410A	0.30	190867	-	0.20	0.20	0.20	-	-	(0.10)	4	-	0.2
CATHAY41C2411A	0.07	190867	-	-	-	-	-	-	-	-	-	0
CHMOBI28C2409A	0.32	190867	-	0.27	0.27	0.27	-	-	(0.05)	1,014	27	0.27
CHMOBI28C2411A	0.19	190867	-	-	-	-	-	-	-	-	-	0
CNOOC28C2408A	0.72	190867	-	-	-	-	0.08	-	-	-	-	0
DJI28C2409A	0.14	190867	-	0.15	0.15	0.15	0.14	0.15	0.01	30	-	0.15
DJI28C2409B	0.29	190867	-	0.24	0.23	0.23	0.22	0.23	(0.06)	211	5	0.234
DJI28C2412A	0.95	190867	-	0.99	0.99	0.99	0.98	0.99	0.04	23	2	0.99
DJI28P2409A	0.22	190867	0.18	0.19	0.18	0.19	0.18	0.19	(0.03)	83	2	0.183
DJI28P2409B	0.12	190867	-	0.11	0.10	0.11	0.10	0.11	(0.01)	890	9	0.106
DJI28P2412A	0.78	190867	-	0.74	0.73	0.74	0.73	0.74	(0.04)	2,126	155	0.73
DJI41C2409A	0.20	190867	-	-	-	-	0.22	0.23	-	-	-	0
DJI41C2412A	0.88	190867	-	0.93	0.92	0.93	0.92	0.93	0.05	3,542	326	0.92
DJI41P2409A	0.19	190867	0.15	0.16	0.15	0.16	0.15	0.16	(0.03)	733	11	0.155
DJI41P2412A	0.73	190867	-	0.69	0.68	0.68	0.68	0.69	(0.05)	1,046	71	0.68
GEELY28C2408A	0.04	190867	-	-	-	-	-	0.04	-	-	-	0
GEELY28C2411A	0.06	190867	-	-	-	-	-	-	-	-	-	0
GEELY41C2411A	0.04	190867	-	-	-	-	0.01	0.80	-	-	-	0
GEELY41C2411B	0.13	190867	-	0.12	0.12	0.12	0.08	-	(0.01)	700	8	0.12
HAIDIL41C2411A	0.13	190867	-	0.11	0.11	0.11	-	0.12	(0.02)	501	6	0.11
HKEX28C2409A	0.08	190867	-	-	-	-	-	-	-	-	-	0
HKEX28C2410A	0.01	190867	-	-	-	-	-	0.06	-	-	-	0
HKEX41C2409A	0.01	190867	-	-	-	-	0.01	-	-	-	-	0
HKEX41C2409B	0.06	190867	-	-	-	-	0.01	-	-	-	-	0
HKEX41C2411A	0.19	190867	-	0.18	0.18	0.18	-	-	(0.01)	2	-	0.18
HSBC41C2409A	0.01	190867	-	-	-	-	0.01	-	-	-	-	0
HSBC41C2411A	0.07	190867	-	-	-	-	-	-	-	-	-	0
HSCEI28C2408A	0.01	190867	-	-	-	-	-	0.04	-	-	-	0
HSCEI28P2408A	0.29	190867	-	-	-	-	0.09	0.10	-	-	-	0
HSI06C2408A	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
HSI06C2408B	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
HSI06C2408C	0.01	190867	-	0.01	0.01	0.01	-	0.01	-	210	-	0.01
HSI06C2408D	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
HSI06C2408E	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
HSI06C2408F	0.03	190867	-	0.02	0.02	0.02	0.01	0.03	(0.01)	203	-	0.02
HSI06C2409A	0.01	190867	-	-	-	-	-	0.02	-	-	-	0
HSI06C2409B	0.02	190867	-	-	-	-	0.01	-	-	-	-	0
HSI06C2409C	0.07	190867	-	-	-	-	0.05	0.09	-	-	-	0
HSI06C2409D	0.23	190867	-	0.20	0.19	0.19	0.06	0.21	(0.04)	239,521	4,777	0.199
HSI06C2409E	0.53	190867	0.47	0.48	0.45	0.46	-	0.48	(0.07)	390,962	18,177	0.464
HSI06C2409F	1.04	190867	-	0.97	0.94	0.95	0.50	-	(0.09)	414	40	0.96
HSI06C2409G	1.78	190867	-	-	-	-	0.03	-	-	-	-	0
HSI06C2410A	0.04	190867	-	-	-	-	0.01	0.03	-	-	-	0
HSI06C2410B	0.09	190867	-	0.08	0.07	0.07	-	0.08	(0.02)	695	5	0.077
HSI06C2410C	0.20	190867	0.18	0.18	0.17	0.17	0.16	0.18	(0.03)	50,700	913	0.179
HSI06C2410D	0.50	190867	0.46	0.47	0.44	0.46	0.42	0.47	(0.04)	128,700	5,830	0.453
HSI06C2410E	1.08	190867	-	1.02	0.99	1.02	-	-	(0.06)	121	12	1.003
HSI06C2411A	0.22	190867	-	0.20	0.20	0.20	0.19	0.22	(0.02)	40,350	807	0.2
HSI06C2411B	0.54	190867	-	0.51	0.49	0.49	0.46	-	(0.05)	70,503	3,497	0.496
HSI06C2412A	0.24	190867	0.22	0.23	0.21	0.21	0.20	0.24	(0.03)	32,862	723	0.219
HSI06C2412B	0.51	190867	-	0.48	0.47	0.47	0.45	0.49	(0.04)	81,166	3,850	0.474
HSI06P2408A	0.02	190867	-	-	-	-	-	0.01	-	-	-	0
HSI06P2408B	0.02	190867	0.02	0.03	0.02	0.02	0.01	0.03	-	4,026	8	0.02
HSI06P2408C	0.15	190867	-	0.17	0.16	0.16	0.13	-	0.01	502,820	8,226	0.163
HSI06P2408D	1.30	190867	-	0.81	0.79	0.79	0.08	-	(0.51)	29	2	0.794
HSI06P2409A	0.19	190867	-	0.19	0.19	0.19	0.17	0.20	-	223,970	4,255	0.19
HSI06P2409B	0.06	190867	0.06	0.06	0.06	0.06	-	0.07	-	2,571	15	0.06
HSI06P2409C	0.40	190867	0.42	0.44	0.41	0.42	0.41	0.43	0.02	394,629	16,782	0.425
HSI06P2409D	1.48	190867	-	-	-	-	0.03	-	-	-	-	0
HSI06P2409E	0.03	190867	-	0.03	0.03	0.03	0.02	0.10	-	1,589	5	0.03
HSI06P2410A	0.18	190867	0.19	0.20	0.18	0.19	0.19	0.20	0.01	42,890	815	0.19
HSI06P2410B	0.50	190867	-	0.53	0.51	0.52	0.52	-	0.02	97,361	5,062	0.519
HSI06P2410C	0.12	190867	-	0.12	0.11	0.11	0.10	0.29	(0.01)	14,323	159	0.111
HSI06P2411A	0.35	190867	-	0.36	0.36	0.36	0.35	-	0.01	28,300	1,019	0.36
HSI06P2411B	0.19	190867	-	0.21	0.20	0.20	0.19	0.22	0.01	16,562	333	0.201
HSI06P2412A	0.29	190867	-	0.31	0.30	0.30	-	0.31	0.01	20,747	622	0.3
HSI28C2408A	0.01	190867	-	-	-	-	-	0.03	-	-	-	0
HSI28C2408B	0.04	190867	-	-	-	-	-	0.04	-	-	-	0
HSI28C2408C	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
HSI28C2408D	0.01	190867	-	0.01	0.01	0.01	-	0.02	-	10,129	10	0.01
HSI28C2408E	0.03	190867	-	0.02	0.02	0.02	0.01	0.03	(0.01)	120	-	0.02
HSI28C2408F	0.87	190867	-	0.75	0.75	0.75	0.72	0.76	(0.12)	100	8	0.75
HSI28C2408G	0.18	190867	0.14	0.15	0.13	0.14	0.13	0.14	(0.04)	1,214,726	16,565	0.136
HSI28C2409A	0.02	190867	0.02	0.02	0.01	0.02	0.01	0.02	-	4,252	4	0.01
HSI28C2409B	0.05	190867	-	0.05	0.04	0.04	0.04	0.05	(0.01)	40,040	165	0.041
HSI28C2409C	0.11	190867	0.10	0.10	0.10	0.10	0.09	0.10	(0.01)	3,491	35	0.1
HSI28C2409D	0.26	190867	0.24	0.25	0.22	0.23	0.23	0.24	(0.03)	1,675,382	39,878	0.238
HSI28C2409E	0.67	190867	0.62	0.63	0.60	0.60	0.60	0.61	(0.07)	811,998	49,930	0.614
HSI28C2409F	1.06	190867	-	0.99	0.96	0.99	0.96	1.01	(0.07)	460	45	0.975
HSI28C2410A	0.02	190867	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
HSI28C2410B	0.03	190867	0.02	0.03	0.02	0.03	0.02	0.03	-	30	-	0.026
HSI28C2410C	0.04	190867	-	0.04	0.03	0.03	0.03	0.04	(0.01)	2	-	0.035
HSI28C2410D	0.13	190867	-	-	-	-	0.11	0.12	-	-	-	0
HSI28C2410E	0.18	190867	-	0.17	0.16	0.16	0.15	0.16	(0.02)	605	10	0.16
HSI28C2410F	0.35	190867	-	0.33	0.31	0.32	0.31	0.32	(0.03)	21,481	689	0.32
HSI28C2410G	0.64	190867	-	0.60	0.57	0.58	0.58	0.59	(0.06)	58,159	3,409	

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSI28P2411A	0.21	190867	0.23	0.23	0.22	0.23	0.22	0.23	0.02	3,255	74	0.226
HSI28P2411B	0.42	190867	-	0.45	0.43	0.43	0.43	0.44	0.01	735,983	32,367	0.439
HSI28P2412A	0.42	190867	-	0.43	0.42	0.43	0.43	0.44	0.01	1,938	83	0.428
HSI28P2412B	0.24	190867	-	0.26	0.25	0.25	0.24	0.25	0.01	5,727	143	0.25
HSTECH28C2408A	0.01	190867	-	-	-	-	0.01	0.04	-	-	-	0
HSTECH28C2412A	0.37	190867	0.37	0.37	0.35	0.35	0.34	0.35	(0.02)	15,130	530	0.35
HSTECH28P2408A	0.19	190867	-	-	-	-	0.21	0.22	-	-	-	0
HSTECH28P2412A	1.00	190867	-	-	-	-	0.23	0.24	-	-	-	0
JD28C2408A	0.36	190867	-	-	-	-	-	-	-	-	-	0
JD28C2408B	0.01	190867	-	-	-	-	-	-	-	-	-	0
JD28C2410A	0.09	190867	-	-	-	-	-	-	-	-	-	0
JD41C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
JD41C2411A	0.40	190867	-	0.37	0.37	0.37	0.07	-	(0.03)	954	35	0.37
KUAIISH28C2410A	0.02	190867	-	-	-	-	-	-	-	-	-	0
KUAIISH41C2410A	0.05	190867	-	0.04	0.04	0.04	0.02	1.00	(0.01)	2,500	10	0.04
LENOVO41C2409A	0.07	190867	-	-	-	-	-	-	-	-	-	0
LENOVO41C2410A	0.08	190867	-	-	-	-	-	0.80	-	-	-	0
MEITUA28C2408A	0.11	190867	-	-	-	-	-	-	-	-	-	0
MEITUA28C2409A	0.04	190867	-	-	-	-	-	-	-	-	-	0
MEITUA28P2409A	0.10	190867	-	-	-	-	-	-	-	-	-	0
MEITUA28P2410A	0.30	190867	-	0.31	0.29	0.30	0.08	-	-	4,000	120	0.298
MEITUA41C2409A	0.02	190867	-	-	-	-	0.01	-	-	-	-	0
MEITUA41C2411A	0.26	190867	-	0.26	0.24	0.24	-	-	(0.02)	4	-	0.247
MEITUA41P2409A	0.17	190867	-	-	-	-	-	-	-	-	-	0
MEITUA41P2411A	0.50	190867	-	0.52	0.49	0.52	-	-	0.02	6	-	0.501
NDX28C2409A	0.49	190867	0.75	0.75	0.70	0.70	0.73	0.74	0.21	817	59	0.722
NDX28C2409B	0.20	190867	-	0.29	0.28	0.29	0.28	0.29	0.09	90	3	0.289
NDX28C2412A	0.23	190867	0.28	0.28	0.26	0.28	0.27	0.28	0.05	1,616	44	0.27
NDX28P2409A	0.17	190867	0.11	0.12	0.11	0.12	0.11	0.12	(0.05)	488	6	0.119
NDX28P2409B	0.05	190867	-	-	-	-	0.02	0.05	-	-	-	0
NDX28P2409C	0.14	190867	-	0.11	0.11	0.11	0.02	0.11	(0.03)	524	6	0.11
NDX28P2412A	0.97	190867	-	0.86	0.83	0.85	0.84	0.85	(0.12)	1,994	169	0.845
NDX41C2409A	0.79	190867	0.98	0.98	0.95	0.95	0.96	0.97	0.16	71	7	0.968
NDX41C2409B	0.22	190867	-	0.31	0.30	0.31	0.31	0.32	0.09	138	4	0.309
NDX41C2412A	0.23	190867	0.28	0.28	0.26	0.27	0.26	0.27	0.04	50,895	1,374	0.269
NDX41C2412B	1.27	190867	1.43	1.44	1.40	1.43	1.42	1.43	0.16	1,913	272	1.421
NDX41P2409A	0.14	190867	-	0.10	0.10	0.10	0.09	0.10	(0.04)	1,031	10	0.1
NDX41P2409B	0.28	190867	-	0.20	0.19	0.20	0.19	0.20	(0.08)	630	12	0.195
NDX41P2412A	0.96	190867	-	0.84	0.82	0.83	0.82	0.83	(0.13)	3,842	318	0.826
NDX41P2412B	0.40	190867	-	0.35	0.33	0.34	0.34	0.35	(0.06)	2,428	83	0.342
NIKKEI41C2409A	0.03	190867	-	0.05	0.03	0.03	0.03	0.04	-	22	-	0.036
NIKKEI41C2409B	0.04	190867	-	0.03	0.02	0.03	0.02	0.03	(0.01)	1,010	2	0.02
NIKKEI41C2412A	1.36	190867	1.60	1.61	1.52	1.52	1.52	1.53	0.16	52,062	8,170	1.569
NIKKEI41C2412B	0.28	190867	0.37	0.37	0.33	0.34	0.33	0.34	0.06	103,628	3,800	0.366
NIKKEI41C2412C	0.49	190867	0.64	0.65	0.57	0.59	0.58	0.59	0.10	71,669	4,432	0.618
NIKKEI41C2412T	0.16	190867	0.21	0.21	0.19	0.19	0.19	0.20	0.03	13,350	272	0.203
NIKKEI41C2503A	0.34	190867	0.41	0.42	0.38	0.40	0.39	0.40	0.06	2,500	99	0.396
NIKKEI41C2503B	1.17	190867	-	1.35	1.28	1.30	1.29	1.30	0.13	4,774	636	1.331
NIKKEI41P2409A	0.47	190867	0.33	0.38	0.33	0.37	0.36	0.37	(0.10)	50,204	1,757	0.349
NIKKEI41P2409B	1.30	190867	-	1.13	0.99	1.08	1.08	1.09	(0.22)	91,899	9,494	1.033
NIKKEI41P2412A	0.22	190867	0.18	0.19	0.17	0.19	0.18	0.19	(0.03)	6,067	112	0.185
NIKKEI41P2412B	1.88	190867	-	1.68	1.60	1.68	1.67	1.68	(0.20)	1,638	266	1.623
NIKKEI41P2412C	0.37	190867	0.30	0.34	0.30	0.33	0.32	0.33	(0.04)	44,029	1,380	0.313
NIKKEI41P2412T	0.78	190867	0.64	0.68	0.64	0.68	0.67	0.68	(0.10)	3,702	245	0.661
NIKKEI41P2503A	0.54	190867	0.47	0.50	0.46	0.49	0.48	0.49	(0.05)	10,444	499	0.477
NIKKEI41P2503B	0.34	190867	0.28	0.31	0.28	0.31	0.30	0.31	(0.03)	10,303	295	0.286
NTES41C2409A	0.11	190867	-	-	-	-	-	-	-	-	-	0
PINGAN41C2409A	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
PINGAN41C2410A	0.05	190867	-	-	-	-	-	-	-	-	-	0
PINGAN41C2411A	0.18	190867	-	0.16	0.16	0.16	0.05	-	(0.02)	5	-	0.16
SET01C2412A	0.70	190867	0.73	0.78	0.71	0.72	0.72	0.73	0.02	28,167	2,071	0.735
SET01P2412A	0.29	190867	0.28	0.29	0.25	0.28	0.27	0.28	(0.01)	6,252	169	0.27
SET5001C2409A	0.02	190867	-	0.02	0.01	0.02	0.01	0.02	-	610	1	0.011
SET5001C2409F	0.01	190867	-	0.02	0.01	0.02	0.01	0.02	0.01	50,001	50	0.01
SET5001C2410T	0.14	190867	0.15	0.17	0.15	0.16	0.14	0.15	0.02	102	2	0.167
SET5001C2412A	0.47	190867	0.49	0.55	0.48	0.50	0.50	0.51	0.03	77,682	3,970	0.511
SET5001C2412F	0.19	190867	-	0.22	0.20	0.21	0.20	0.21	0.02	46,974	991	0.21
SET5001C2412T	0.23	190867	0.24	0.26	0.24	0.25	0.24	0.25	0.02	5,428	138	0.254
SET5001C2412W	0.13	190867	0.13	0.16	0.13	0.13	0.13	0.14	-	899	13	0.139
SET5001P2409A	0.02	190867	-	0.02	0.02	0.02	0.01	0.02	-	136	-	0.02
SET5001P2409F	0.02	190867	-	0.02	0.01	0.02	0.01	0.02	-	17,000	23	0.013
SET5001P2410T	0.34	190867	-	0.32	0.29	0.31	0.31	0.32	(0.03)	36,254	1,130	0.311
SET5001P2412A	0.27	190867	0.26	0.26	0.22	0.24	0.24	0.25	(0.03)	160,569	3,692	0.229
SET5001P2412F	0.17	190867	-	0.16	0.14	0.15	0.15	0.16	(0.02)	24,113	370	0.153
SET5001P2412T	0.17	190867	0.15	0.15	0.13	0.14	0.14	0.15	(0.03)	13,967	197	0.141
SET5001P2412W	0.15	190867	0.15	0.15	0.12	0.15	0.14	0.15	-	8,943	120	0.134
SET5006C2409A	0.12	190867	-	0.12	0.12	0.12	-	0.13	-	1,000	12	0.12
SET5006C2409B	0.37	190867	-	0.44	0.37	0.39	0.38	0.41	0.02	72,127	2,961	0.41
SET5006C2412A	0.19	190867	-	0.23	0.20	0.20	-	0.24	0.01	407,408	8,589	0.21
SET5006C2412B	0.37	190867	-	0.42	0.38	0.39	0.39	-	0.02	406,559	16,224	0.399
SET5006C2412C	0.59	190867	-	0.67	0.59	0.62	-	0.68	0.03	58,125	3,637	0.625
SET5006P2409A	0.29	190867	0.25	0.28	0.25	0.26	-	0.32	(0.03)	285,852	7,311	0.255
SET5006P2412A	0.33	190867	0.29	0.32	0.29	0.30	0.30	0.32	(0.03)	429,292	13,032	0.303
SET5006P2412B	0.10	190867	0.09	0.09	0							

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET5013P2409D	0.05	190867	0.05	0.05	0.03	0.04	0.04	0.05	(0.01)	1,019,497	4,126	0.04
SET5013P2409E	0.01	190867	0.01	0.01	0.01	0.01	-	0.01	-	701	1	0.01
SET5013P2409F	0.01	190867	-	-	-	-	-	0.01	-	-	-	0
SET5013P2410A	0.04	190867	-	0.04	0.03	0.04	0.03	0.04	-	5,832	23	0.038
SET5013P2412A	0.20	190867	0.20	0.20	0.16	0.18	0.17	0.18	(0.02)	1,137,833	20,073	0.176
SET5013P2412B	0.33	190867	0.32	0.32	0.27	0.30	0.30	0.31	(0.03)	2,484,666	72,968	0.293
SET5013P2412C	0.24	190867	0.24	0.24	0.20	0.21	0.21	0.22	(0.03)	97,495	2,091	0.214
SET5013P2412D	0.42	190867	0.42	0.42	0.35	0.38	0.38	0.39	(0.04)	3,057,488	116,164	0.379
SET5013P2412T	0.17	190867	0.17	0.17	0.15	0.16	0.16	0.17	(0.01)	100,114	1,578	0.157
SET5019C2409A	0.02	190867	0.02	0.03	0.02	0.03	0.01	0.02	0.01	1,679	4	0.025
SET5019C2409B	0.02	190867	-	0.03	0.02	0.03	0.02	0.03	0.01	30	-	0.026
SET5019C2409C	0.05	190867	0.06	0.08	0.06	0.07	0.06	0.07	0.02	1,597	11	0.065
SET5019C2409D	0.15	190867	0.19	0.20	0.17	0.18	0.17	0.18	0.03	158,499	2,993	0.188
SET5019C2409E	0.22	190867	0.22	0.29	0.22	0.24	0.24	0.25	0.02	230,693	5,967	0.258
SET5019C2412A	0.08	190867	-	0.09	0.08	0.08	0.08	0.09	-	815	7	0.088
SET5019C2412B	0.61	190867	-	0.68	0.63	0.64	0.63	0.65	0.03	712	47	0.659
SET5019C2412C	0.42	190867	0.47	0.48	0.43	0.45	0.44	0.45	0.03	148,758	6,924	0.465
SET5019P2409A	0.10	190867	-	0.10	0.08	0.09	0.08	0.09	(0.01)	141,013	1,143	0.081
SET5019P2409B	0.08	190867	-	0.08	0.06	0.07	0.06	0.07	(0.01)	22,348	141	0.062
SET5019P2409C	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
SET5019P2409D	0.02	190867	-	0.02	0.01	0.02	0.01	0.02	-	290	-	0.01
SET5019P2412A	0.14	190867	0.14	0.14	0.12	0.13	0.13	0.14	(0.01)	28,152	363	0.128
SET5019P2412B	0.26	190867	0.26	0.26	0.23	0.24	0.24	0.25	(0.02)	298,572	7,082	0.237
SET5027C2409A	0.02	190867	-	0.02	0.02	0.02	-	0.02	-	20	-	0.02
SET5027C2409B	0.04	190867	-	-	-	-	-	0.02	-	-	-	0
SET5027C2409C	0.12	190867	-	0.14	0.11	0.12	0.12	0.13	-	18,114	236	0.13
SET5027C2409T	0.03	190867	-	0.02	0.02	0.02	-	0.02	(0.01)	3	-	0.02
SET5027C2412A	0.31	190867	-	0.35	0.31	0.32	0.32	0.33	0.01	155,560	5,253	0.337
SET5027C2412B	0.35	190867	-	0.42	0.36	0.37	0.37	0.38	0.02	139,653	5,489	0.393
SET5027C2412T	0.04	190867	-	0.05	0.05	0.05	0.05	0.07	0.01	334	2	0.05
SET5027P2409A	0.02	190867	-	-	-	-	-	0.02	-	-	-	0
SET5027P2409B	0.05	190867	-	0.05	0.03	0.04	0.04	0.05	(0.01)	49,196	235	0.047
SET5027P2409T	0.03	190867	-	-	-	-	-	0.01	-	-	-	0
SET5027P2412A	0.19	190867	0.18	0.18	0.15	0.16	0.16	0.17	(0.03)	91,422	1,479	0.161
SET5027P2412T	0.10	190867	-	0.09	0.07	0.07	0.08	0.09	(0.03)	601	5	0.083
SET5028C2409A	0.04	190867	-	-	-	-	0.01	0.04	-	-	-	0
SET5028C2409B	0.01	190867	-	-	-	-	-	0.04	-	-	-	0
SET5028C2409C	0.08	190867	-	-	-	-	0.02	0.06	-	-	-	0
SET5028C2409D	0.38	190867	0.39	0.47	0.39	0.41	0.41	0.42	0.03	91,723	3,840	0.418
SET5028C2410A	0.25	190867	-	0.32	0.29	0.29	0.29	0.30	0.04	227,822	6,785	0.297
SET5028C2412A	0.05	190867	-	0.06	0.06	0.06	0.05	0.07	0.01	10,000	60	0.06
SET5028C2412B	0.12	190867	0.21	0.21	0.17	0.17	0.17	0.20	0.05	15	-	0.186
SET5028C2412C	0.21	190867	-	0.25	0.23	0.24	0.23	0.24	0.03	358,474	8,799	0.245
SET5028P2408A	0.04	190867	-	-	-	-	0.01	0.03	-	-	-	0
SET5028P2409A	0.07	190867	-	-	-	-	0.03	0.04	-	-	-	0
SET5028P2409B	0.01	190867	-	-	-	-	0.01	0.03	-	-	-	0
SET5028P2412A	0.21	190867	0.20	0.20	0.18	0.18	0.18	0.19	(0.03)	45,593	822	0.18
SET5041C2409A	0.02	190867	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2409B	0.05	190867	-	-	-	-	0.05	0.06	-	-	-	0
SET5041C2409C	0.01	190867	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2409D	0.24	190867	-	0.31	0.24	0.26	0.26	0.27	0.02	548,394	15,555	0.283
SET5041C2412T	0.07	190867	0.07	0.09	0.07	0.08	0.07	0.08	0.01	15,084	119	0.078
SET5041C2412U	0.10	190867	-	0.11	0.10	0.10	0.10	0.11	-	159,900	1,739	0.108
SET5041C2412V	0.30	190867	0.30	0.34	0.30	0.31	0.31	0.32	0.01	537,725	17,713	0.329
SET5041C2412X	0.53	190867	0.55	0.63	0.55	0.57	0.57	0.58	0.04	525,534	30,873	0.587
SET5041P2409A	0.06	190867	-	0.04	0.04	0.04	0.03	0.05	(0.02)	5,000	20	0.04
SET5041P2409B	0.04	190867	-	0.03	0.03	0.03	0.02	0.03	(0.01)	3	-	0.03
SET5041P2412T	0.21	190867	-	0.19	0.18	0.19	0.19	0.20	(0.02)	305,049	5,576	0.182
SET5041P2412U	0.40	190867	0.39	0.39	0.34	0.36	0.36	0.37	(0.04)	459,521	16,190	0.352
SET5041P2412V	0.15	190867	0.13	0.14	0.12	0.14	0.13	0.14	(0.01)	5,631	72	0.127
SPX28C2409A	0.18	190867	-	0.25	0.23	0.25	0.24	0.25	0.07	24,797	570	0.23
SPX28C2409B	0.70	190867	-	-	-	-	0.84	0.85	-	-	-	0
SPX28C2412A	0.48	190867	-	0.54	0.53	0.54	0.53	0.54	0.06	785	42	0.536
SPX28P2409A	0.12	190867	-	0.09	0.09	0.09	0.08	0.09	(0.03)	2,756	25	0.09
SPX28P2409B	0.86	190867	-	0.24	0.24	0.24	0.23	0.24	(0.62)	903	22	0.24
SPX28P2412A	0.90	190867	-	0.82	0.81	0.81	0.80	0.81	(0.09)	143	12	0.81
SPX41C2409A	0.69	190867	-	0.85	0.84	0.84	0.84	0.85	0.15	2	-	0.845
SPX41C2409B	0.30	190867	-	0.37	0.34	0.36	0.35	0.36	0.06	52	2	0.345
SPX41C2412A	0.41	190867	-	0.48	0.46	0.48	0.47	0.48	0.07	20,095	945	0.47
SPX41C2412B	1.42	190867	1.55	1.56	1.53	1.55	1.55	1.56	0.13	651	100	1.537
SPX41P2409A	0.21	190867	-	-	-	-	0.15	0.16	-	-	-	0
SPX41P2409B	0.94	190867	-	0.26	0.25	0.26	0.25	0.26	(0			

Main Board Quotation

Issue Date

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Foreign Board Quotation

Issue Date :

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
Agro & Food Indt												
APO	2.04	190867	2.06	2.10	2.04	2.06	2.04	2.06	0.02	39,916.00	8,226.00	00 2.0
AU	8.90	190867	8.95	9.05	8.70	8.80	8.75	8.80	(0.10)	34,912.00	30,981.00	00 8.8
CFARM	1.39	190867	1.42	1.48	1.41	1.45	1.44	1.45	0.06	233,441.00	33,636.00	00 1.4
JCKH	0.02	190867	0.02	0.03	0.02	0.02	0.02	0.03	-	70,489.00	141.00	00 0.0
JCKH-W2	0.01	190867	-	-	-	-	-	0.01	-	-	-	00 0.0
KASET	0.95	190867	-	0.96	0.90	0.96	0.94	0.96	0.01	2,273.00	210.00	00 0.9
MAGURO	13.90	190867	14.40	17.10	14.30	15.80	15.80	15.90	1.90	49,907.00	78,304.00	00 15.6
MUD	1.37	190867	-	1.38	1.38	1.38	1.37	1.43	0.01	120.00	17.00	00 1.3
NTSC	11.70	190867	-	11.70	11.70	11.70	11.60	11.70	-	210.00	246.00	00 11.7
TACC	4.94	190867	4.96	5.00	4.94	5.00	4.98	5.00	0.06	32,939.00	16,390.00	00 4.9
TMILL	3.68	190867	-	3.70	3.64	3.66	3.66	3.70	(0.02)	10,419.00	3,830.00	00 3.6
WINNER	2.02	190867	2.02	2.02	2.00	2.02	2.00	2.02	-	1,592.00	318.00	00 2.0
XO	25.25	190867	25.25	26.00	25.25	25.75	25.50	25.75	0.50	19,527.00	50,043.00	00 25.6
Consumer Produ												
ALPHAX	0.66	190867	0.65	0.66	0.65	0.65	0.65	0.66	(0.01)	27,228.00	1,770.00	00 0.6
BGT	0.52	190867	0.53	0.57	0.53	0.55	0.54	0.55	0.03	634.00	35.00	00 0.5
DOD	1.71	190867	-	1.70	1.68	1.70	1.69	1.70	(0.01)	699.00	118.00	00 1.6
ECF	0.40	190867	0.40	0.42	0.39	0.40	0.39	0.40	-	5,228.00	210.00	00 0.4
ECF-W5	0.02	190867	0.02	0.03	0.02	0.03	0.02	0.03	0.01	26,852.00	55.00	00 0.0
EFORL	0.10	190867	0.10	0.10	0.08	0.10	0.09	0.10	-	148,794.00	1,340.00	00 0.0
EFORL-W6	0.03	190867	-	0.04	0.02	0.03	0.03	0.04	-	2,906.00	9.00	00 0.0
EURO	5.40	190867	-	5.50	5.40	5.40	5.40	5.45	-	227.00	123.00	00 5.4
HPT	0.46	190867	0.46	0.47	0.44	0.45	0.44	0.45	(0.01)	101,339.00	4,572.00	00 0.4
ITTHI	1.77	190867	1.78	1.86	1.78	1.80	1.80	1.81	0.03	15,275.00	2,774.00	00 1.8
JSP	2.10	190867	2.08	2.12	2.06	2.08	2.06	2.08	(0.02)	2,938.00	612.00	00 2.0
JSP-W1	0.01	190867	-	-	-	-	-	-	-	-	-	00 0.0
JUBILE	12.00	190867	12.00	12.70	12.00	12.40	12.40	12.50	0.40	789.00	986.00	00 12.4
LTS	5.95	190867	6.00	6.35	5.90	6.00	6.00	6.05	0.05	13,608.00	8,270.00	00 6.0
MGI	15.10	190867	14.80	15.50	14.50	15.10	15.10	15.20	-	61,740.00	93,040.00	00 15.0
MOONG	2.00	190867	2.00	2.00	1.98	1.99	1.99	2.00	(0.01)	1,014.00	202.00	00 1.9
NPK	10.20	190867	-	11.50	10.00	11.50	11.10	11.80	1.30	78.00	79.00	00 10.1
SMD	3.88	190867	3.86	4.08	3.82	4.00	4.00	4.02	0.12	2,990.00	1,172.00	00 3.9
TM	1.48	190867	-	1.48	1.46	1.47	1.46	1.48	(0.01)	171.00	25.00	00 1.4
TM-W1	0.16	190867	0.17	0.17	0.14	0.15	0.14	0.15	(0.01)	4,626.00	66.00	00 0.1
WARRIX	3.48	190867	3.50	4.46	3.50	4.30	4.26	4.30	0.82	306,890.00	128,064.00	00 4.1
WINMED	1.64	190867	1.68	1.68	1.62	1.65	1.65	1.67	0.01	449.00	74.00	00 1.6
Financials												
ACAP	0.33	190867	-	-	-	-	-	-	-	-	-	00 0.0
AF	0.54	190867	-	0.58	0.52	0.57	0.53	0.58	0.03	114.00	6.00	00 0.5
AIRA	1.51	190867	-	1.50	1.43	1.48	1.47	1.51	(0.03)	32.00	5.00	00 1.4
ASN	1.50	190867	-	1.50	1.48	1.48	1.48	1.50	(0.02)	41.00	6.00	00 1.4
BTC	0.43	190867	0.44	0.46	0.44	0.46	0.45	0.46	0.03	141,613.00	6,373.00	00 0.4
BTC-W7	0.19	190867	-	0.20	0.18	0.20	0.19	0.20	0.01	3,049.00	57.00	00 0.1
GCAP	0.61	190867	0.61	0.63	0.58	0.58	0.58	0.60	(0.03)	38,985.00	2,365.00	00 0.6
KCC	2.26	190867	-	2.28	2.22	2.24	2.24	2.26	(0.02)	2,004.00	449.00	00 2.2
LIT	0.99	190867	0.99	1.01	0.95	0.99	0.98	0.99	-	2,377.00	230.00	00 0.9
LIT-W2	0.24	190867	0.24	0.25	0.22	0.22	0.22	0.23	(0.02)	5,914.00	140.00	00 0.2
MITSIB	0.79	190867	0.76	0.76	0.74	0.76	0.75	0.76	(0.03)	6,399.00	480.00	00 0.7
SGF	0.24	190867	-	0.25	0.24	0.25	0.24	0.25	0.01	11,454.00	286.00	00 0.2
SGF-P1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
SGF-Q1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
TQR	6.10	190867	6.05	6.15	6.00	6.15	6.00	6.10	0.05	28.00	17.00	00 6.0
Industrials												
ADB	0.50	190867	0.51	0.52	0.50	0.52	0.51	0.52	0.02	390.00	20.00	00 0.5
BM	3.00	190867	3.00	3.02	2.96	3.00	2.98	3.00	-	17,273.00	5,160.00	00 2.9
BM-W3	1.42	190867	-	1.44	1.37	1.40	1.37	1.40	(0.02)	222.00	30.00	00 1.3
BPS	0.62	190867	0.64	0.67	0.63	0.63	0.63	0.64	0.01	110,578.00	7,116.00	00 0.6
CHO	0.07	190867	0.07	0.07	0.06	0.07	0.06	0.07	-	29,019.00	200.00	00 0.0
CHO-W4	0.01	190867	0.02	0.02	0.01	0.01	0.01	0.02	-	3,390.00	3.00	00 0.0
CHOW	2.40	190867	-	2.48	2.34	2.34	2.34	2.46	(0.06)	135.00	32.00	00 2.3
CIG	0.05	190867	0.05	0.06	0.04	0.05	0.04	0.05	-	2,897.00	14.00	00 0.0
CIG-W10	0.06	190867	-	-	-	-	-	0.06	-	-	-	00 0.0
CIG-W9	0.04	190867	0.03	0.04	0.03	0.04	-	0.04	-	534.00	2.00	00 0.0
COLOR	1.23	190867	-	1.24	1.17	1.24	1.18	1.23	0.01	66.00	8.00	00 1.2
CPR	3.20	190867	-	3.26	2.30	3.14	3.12	3.14	(0.06)	1,218.00	360.00	00 2.9
FPI	2.02	190867	-	2.04	2.00	2.04	2.02	2.04	0.02	185.00	37.00	00 2.0
GTB	0.71	190867	-	0.71	0.70	0.70	0.70	0.71	(0.01)	255.00	18.00	00 0.7
HARN	2.10	190867	2.10	2.10	2.08	2.10	2.10	2.12	-	223.00	47.00	00 2.0
KCM	0.29	190867	0.28	0.30	0.27	0.30	0.28	0.30	0.01	5,800.00	169.00	00 0.2
KJL	6.95	190867	7.00	7.10	6.95	7.05	7.00	7.05	0.10	5,097.00	3,575.00	00 7.0
KUMWEL	1.76	190867										

Foreign Board Quotation

Issue Date :

Tuesday August 20, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume	Value	Average Price
	Price	Date								(Lot)	('000)	
A5	2.88	190867	-	2.94	2.88	2.88	2.86	2.88	-	354.00	103.00	00 2.9
A5-W3	0.02	190867	0.02	0.02	0.01	0.02	0.01	0.02	-	181,777.00	257.00	00 0.0
A5-W4	0.06	190867	0.06	0.08	0.05	0.06	0.06	0.07	-	871,011.00	5,711.00	00 0.0
ALL	0.03	190867	-	-	-	-	-	-	-	-	-	00 0.0
ARIN	0.60	190867	0.62	0.79	0.61	0.79	0.78	-	0.19	336,784.00	25,323.00	00 0.7
ARROW	5.55	190867	5.60	5.65	5.55	5.60	5.55	5.65	0.05	373.00	209.00	00 5.5
BC	0.76	190867	-	0.76	0.74	0.74	0.75	0.76	(0.02)	397.00	30.00	00 0.7
BC-W2	0.16	190867	0.16	0.16	0.15	0.16	0.15	0.16	-	1,895.00	29.00	00 0.1
BLESS	0.41	190867	0.42	0.42	0.40	0.42	0.41	0.42	0.01	494.00	20.00	00 0.4
BSM	2.26	190867	-	2.34	2.28	2.32	2.26	2.30	0.06	16.00	4.00	00 2.3
BTW	0.20	190867	-	0.22	0.20	0.21	0.20	0.21	0.01	9,990.00	208.00	00 0.2
CAZ	2.68	190867	2.68	2.72	2.68	2.70	2.68	2.70	0.02	1,203.00	323.00	00 2.6
CHEWA	0.35	190867	0.34	0.35	0.33	0.35	0.34	0.35	-	1,729.00	59.00	00 0.3
CPANEL	3.58	190867	-	3.62	3.58	3.60	3.60	3.64	0.02	525.00	189.00	00 3.5
CPANEL-W1	0.38	190867	0.40	0.41	0.39	0.40	0.38	0.40	0.02	31.00	1.00	00 0.4
CRD	0.45	190867	0.44	0.44	0.40	0.42	0.40	0.42	(0.03)	3,009.00	124.00	00 0.4
DHOUSE	0.64	190867	0.64	0.64	0.60	0.64	0.63	0.64	-	1,788.00	111.00	00 0.6
DIMET	0.19	190867	0.18	0.19	0.18	0.19	0.18	0.19	-	10,923.00	197.00	00 0.1
DPAIN	1.45	190867	-	1.46	1.43	1.43	1.43	1.45	(0.02)	967.00	139.00	00 1.4
FLOYD	0.69	190867	0.71	0.73	0.60	0.68	0.68	0.70	(0.01)	6,772.00	464.00	00 0.6
HYDRO	0.32	190867	0.32	0.34	0.30	0.30	0.31	0.32	(0.02)	252.00	8.00	00 0.3
HYDRO-W2	0.12	190867	-	-	-	-	0.05	0.12	-	-	-	00 0.0
IND	0.80	190867	0.82	0.82	0.79	0.79	0.79	0.80	(0.01)	2,567.00	205.00	00 0.8
JAK	1.18	190867	-	1.20	1.17	1.17	1.17	1.20	(0.01)	21.00	2.00	00 1.1
K	1.20	190867	1.20	1.20	1.15	1.18	1.18	1.20	(0.02)	1,769.00	207.00	00 1.1
K-W3	0.21	190867	0.22	0.23	0.21	0.22	0.22	0.23	0.01	6,293.00	137.00	00 0.2
KUN	1.41	190867	1.40	1.40	1.39	1.40	1.39	1.40	(0.01)	50.00	7.00	00 1.3
KUN-W2	0.04	190867	0.04	0.04	0.04	0.04	0.04	0.05	-	844.00	3.00	00 0.0
META	0.12	190867	0.12	0.13	0.11	0.12	0.11	0.12	-	2,467.00	29.00	00 0.1
META-W7	0.01	190867	-	-	-	-	-	0.01	-	-	-	00 0.0
PANEL	1.21	190867	-	1.25	1.21	1.23	1.23	1.24	0.02	405.00	50.00	00 1.2
PPS	0.30	190867	0.29	0.31	0.29	0.31	0.30	0.31	0.01	3,801.00	114.00	00 0.2
PRI	8.70	190867	8.65	8.95	8.40	8.55	8.55	8.60	(0.15)	9,935.00	8,580.00	00 8.6
PROS	1.17	190867	1.15	1.18	1.14	1.14	1.14	1.18	(0.03)	1,436.00	166.00	00 1.1
PROS-W1	0.28	190867	0.27	0.28	0.27	0.27	0.26	0.27	(0.01)	1,028.00	28.00	00 0.2
PSG	0.53	190867	0.53	0.53	0.52	0.52	0.52	0.53	(0.01)	35,909.00	1,885.00	00 0.5
QTCG	0.46	190867	0.47	0.50	0.47	0.49	0.49	0.50	0.03	109,936.00	5,340.00	00 0.4
SENX	0.38	190867	-	0.39	0.37	0.37	0.37	0.38	(0.01)	6,911.00	265.00	00 0.3
SK	0.67	190867	0.66	0.67	0.65	0.66	0.65	0.66	(0.01)	1,883.00	124.00	00 0.6
SMART	0.67	190867	0.68	0.69	0.67	0.67	0.67	0.68	-	47,700.00	3,228.00	00 0.6
STC	0.54	190867	0.54	0.54	0.38	0.54	0.49	0.54	-	9,177.00	423.00	00 0.4
STX	1.52	190867	1.54	1.58	1.51	1.55	1.55	1.56	0.03	54,980.00	8,488.00	00 1.5
SVR	1.25	190867	1.26	1.34	1.26	1.28	1.27	1.28	0.03	6,824.00	885.00	00 1.2
TAPAC	0.52	190867	-	-	-	-	-	-	-	-	-	00 0.0
THANA	1.21	190867	-	1.24	1.18	1.18	1.18	1.23	(0.03)	2,573.00	309.00	00 1.1
TIGER	0.56	190867	0.57	0.58	0.55	0.58	0.56	0.58	0.02	130.00	7.00	00 0.5
TITLE	4.00	190867	-	4.00	3.92	4.00	3.98	4.00	-	790.00	315.00	00 3.9
WELL	0.71	190867	-	-	-	-	-	-	-	-	-	00 0.0
YONG	1.30	190867	1.30	1.36	1.30	1.34	1.34	1.36	0.04	3,352.00	449.00	00 1.3
Resources												
ABM	1.26	190867	-	1.29	1.26	1.28	1.26	1.28	0.02	479.00	61.00	00 1.2
ABM-W1	0.14	190867	-	0.15	0.14	0.15	0.14	0.15	0.01	162.00	2.00	00 0.1
GTV	0.09	190867	0.09	0.10	0.09	0.10	0.09	0.10	0.01	59,703.00	538.00	00 0.0
PSTC	0.46	190867	0.47	0.51	0.46	0.50	0.49	0.50	0.04	401,088.00	19,843.00	00 0.4
PSTC-W2	0.02	190867	-	0.02	0.01	0.02	0.01	0.02	-	8,755.00	14.00	00 0.0
PSTC-W3	0.15	190867	0.16	0.18	0.16	0.18	0.17	0.18	0.03	34,922.00	604.00	00 0.1
PTC	1.44	190867	1.45	1.45	1.41	1.44	1.43	1.44	-	754.00	107.00	00 1.4
SAAM	7.60	190867	7.60	7.65	7.50	7.65	7.55	7.65	0.05	1,858.00	1,408.00	00 7.5
SAAM-W2	0.18	190867	0.18	0.18	0.16	0.17	0.17	0.18	(0.01)	13,375.00	228.00	00 0.1
SR	0.45	190867	-	0.46	0.45	0.46	0.45	0.46	0.01	58.00	3.00	00 0.4
STOWER	0.07	190867	0.06	0.07	0.06	0.06	0.06	0.07	(0.01)	1,745.00	11.00	00 0.0
TAKUNI	0.70	190867	0.70	0.71	0.66	0.69	0.68	0.69	(0.01)	62,396.00	4,248.00	00 0.6
TPCH	6.15	190867	6.25	6.40	6.20	6.30	6.25	6.30	0.15	5,748.00	3,612.00	00 6.2
UMS	0.39	190867	-	0.40	0.39	0.39	0.38	0.40	-	4.00	-	00 0.3
Services												
ADD	4.64	190867	4.60	4.64	4.50	4.58	4.56	4.58	(0.06)	46.00	21.00	00 4.5
AKP	0.70	190867	0.70	0.70	0.65	0.67	0.66	0.67	(0.03)	21,090.00	1,412.00	00 0.6
AMA	4.40	190867	4.44	4.48	4.40	4.46	4.44	4.46	0.06	13,284.00	5,907.00	00 4.4
AMARC	1.26	190867	1.24	1.26	1.23	1.26	1.24	1.26	-	646.00	81.00	00 1.2
ARIP	0.53	190867	0.56	0.57	0.51	0.54	0.54	0.55	0.01	11,664.00	635.00	00 0.5
ATP30												

Daily Quotation

Issue Date : Tuesday August 20, 2024

Page 10