

# Asia Plus Securities Company Limited Daily Quotation Report

Thursday January 16, 2025

## NOTE :

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
DELTA	138.50	28,046	-1.1%
MASTER	32.25	23,389	-19.9%
GULF	60.50	20,101	0.8%
ADVANC	290.00	18,051	1.0%
KBANK	161.50	17,248	-1.2%
INTUCH	102.00	16,745	1.0%
CPALL	56.00	15,345	0.4%
PTT	31.00	14,743	-0.8%
CCET	8.25	10,339	-1.8%
PTTEP	130.00	9,355	0.8%

Gainers and Losers	
Gainers	193
Losers	271
Unchanged	201

Volume by Board (Lot)	
Main Board	7,857,047,990
Foreign Board	24,141
Total	7,857,072,131

Value by Board (Mn.Bt.)	
Main Board	40,221.00
Foreign Board	156.07
Total	40,377.07

Top Ten Gainers		
Stock	Last	Value '000
CBG01C2502W	0.07	3
ADVANC06C2501A	0.04	1
BGRIM13C2504A	0.02	0
CPALL01C2504A	0.04	3
HANA01C2504W	0.02	0
HANA13C2504A	0.02	0
MINT13C2503A	0.02	0
PTTEP01C2502A	0.02	0
SET5013C2503B	0.02	14
XBIO-W7	0.02	35

Top Ten Losers		
Stock	Last	Value '000
BBL41C2502A	0.01	3
SAPPE01C2502A	0.01	2
HMPRO41C2606T	0.21	123
BGRIM13C2506A	0.23	28,342
BEM41C2606T	0.25	100
EA13C2503C	0.01	0
GULF13P2502B	0.01	1
CENTEL41C2606T	0.26	725
TLI41C2606T	0.27	988
COM741C2606T	0.28	564

Movements in SET and Sectorial Indices						
	Open	High	Low	Close	Change	%Change
.SET	1,362.14	1,363.55	1,346.45	1,352.56	(0.61)	(0.05)
.SET50	890.78	891.83	879.01	841.57	(1.14)	(0.14)
.SET100	1,914.58	1,916.75	1,889.32	1,819.63	(2.24)	(0.12)
.SETHD	1,164.01	1,166.31	1,153.86	1,162.66	1.64	0.14
.MAI	682.82	683.80	674.37	275.84	(11.37)	(3.96)
.AGRI	198.34	198.72	194.12	195.43	(1.91)	(0.97)
.BANK	410.52	410.96	406.70	409.52	(0.62)	(0.15)
.CONMAT	4,885.07	4,911.19	4,830.70	4,850.98	(21.34)	(0.44)
.PETRO	551.01	553.00	539.85	542.25	(6.92)	(1.26)
.COMM	27,803.47	28,184.28	27,509.45	28,017.82	461.68	1.68
.ICT	200.24	201.60	198.56	201.06	1.91	0.96
.ETRON	16,823.27	16,826.84	16,086.19	16,201.46	(172.55)	(1.05)
.ENERG	17,504.02	17,599.07	17,343.94	17,456.00	11.46	0.07
.MEDIA	31.39	31.50	30.68	30.81	(0.42)	(1.34)
.FIN	2,718.76	2,724.12	2,657.50	2,670.34	(7.06)	(0.26)
.FOOD	9,942.74	9,947.35	9,855.53	9,913.74	1.85	0.02
.HELTH	5,419.32	5,434.85	5,362.50	5,376.97	(36.57)	(0.68)
.TOURISM	447.62	449.05	441.07	444.80	(1.12)	(0.25)
.HOME	16.68	16.75	16.46	16.53	(0.07)	(0.42)
.INSUR	8,811.03	8,861.04	8,689.32	8,751.63	(56.27)	(0.64)
.MINE	-	-	-	-	-	-
.PKG	2,129.79	2,159.74	2,113.71	2,134.88	6.49	0.30
.PERSON	82.26	82.96	80.41	80.77	(1.30)	(1.58)
.PROF	246.79	252.68	241.79	250.12	5.27	2.15
.PROP	185.54	185.69	182.77	183.79	(1.04)	(0.56)
.PAPER	2,152.05	2,180.18	2,152.05	2,166.11	28.13	1.32
.FASHION	575.98	576.74	570.74	572.64	(5.59)	(0.97)
.TRANS	282.10	283.20	277.62	279.69	(1.56)	(0.55)
.AUTO	298.12	298.25	296.35	296.52	(1.62)	(0.54)
.IMM	18.18	18.36	18.03	18.09	(0.08)	(0.44)
.PFUND	148.43	148.53	147.70	127.80	(0.22)	(0.17)
.STEEL	18.13	18.33	17.91	18.03	(0.05)	(0.28)

ASP's Daily Quotation Report

Thursday January 16, 2025



## Main Board Quotation

Issue Date Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SAFARI	2.40	150168	-	-	-	-	-	-	-	-	-	0
Agribusiness												
EE	0.50	22/02/2311	0.51	0.53	0.45	0.50	0.50	0.51	-	411,772	20,225	0.491
EE-W1	0.01	150168	0.01	0.02	0.01	0.01	0.01	0.02	-	567,533	568	0.01
GFPT	10.30	150168	10.40	10.40	10.10	10.40	10.30	10.40	0.10	18,932	19,400	10.247
LEE	2.32	150168	2.32	2.32	2.30	2.30	2.30	2.34	(0.02)	26	6	2.313
NER	4.86	150168	4.88	4.92	4.86	4.90	4.90	4.92	0.04	126,612	61,979	4.895
NER-W2	0.46	150168	0.48	0.50	0.47	0.50	0.49	0.50	0.04	32,170	1,573	0.488
PCE	3.06	150168	3.06	3.06	2.96	2.96	2.96	2.98	(0.10)	189,860	56,773	2.99
PPPM	0.50	150168	-	0.52	0.48	0.48	0.47	0.49	(0.02)	7,044	342	0.486
PPPM-W6	0.42	150168	-	0.45	0.36	0.42	0.36	0.41	-	37	1	0.379
STA	17.20	150168	17.30	17.40	16.80	16.90	16.90	17.00	(0.30)	45,904	78,176	17.03
STA01C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
STA01C2503A	0.03	150168	-	-	-	-	0.02	0.03	-	-	-	0
STA01C2504A	0.20	150168	-	0.20	0.18	0.19	0.18	0.19	(0.01)	28,575	545	0.19
STA01P2502A	0.51	150168	-	0.53	0.49	0.52	0.52	0.55	0.01	19,932	1,022	0.512
STA13C2502A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
STA13C2502B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
STA13C2503A	0.06	150168	-	0.05	0.05	0.05	0.05	0.06	(0.01)	400	2	0.05
STA13C2505A	0.26	150168	0.27	0.27	0.23	0.24	0.23	0.24	(0.02)	11,134	272	0.243
STA13P2502A	0.30	150168	-	0.31	0.27	0.31	0.31	0.32	0.01	17,212	504	0.293
STA19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
STA19C2502B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
STA19C2503A	0.03	150168	-	0.03	0.03	0.03	0.03	0.04	-	1,820	5	0.03
STA19C2504A	0.11	150168	-	0.11	0.10	0.10	0.10	0.11	(0.01)	6,973	74	0.106
STA19C2505A	0.26	150168	-	0.26	0.23	0.23	0.23	0.24	(0.03)	31,742	758	0.238
STA19P2503A	0.34	150168	-	0.35	0.32	0.35	0.35	0.36	0.01	16,996	578	0.34
STA41C2503A	0.11	150168	-	0.11	0.10	0.10	0.10	0.11	(0.01)	9,600	100	0.104
STA41C2505A	0.23	150168	-	0.24	0.21	0.22	0.21	0.22	(0.01)	17,000	377	0.221
TEGH	3.28	150168	3.32	3.32	3.26	3.28	3.28	3.30	-	10,170	3,339	3.283
TFM	7.35	150168	-	7.30	6.95	7.00	7.00	7.10	(0.35)	830	584	7.04
TRUBB	0.85	150168	0.83	0.85	0.83	0.84	0.83	0.84	(0.01)	2,411	202	0.837
UPOIC	6.70	150168	-	6.65	6.60	6.60	6.60	6.65	(0.10)	30	20	6.616
UVAN	9.35	150168	9.35	9.40	9.25	9.35	9.35	9.40	-	1,982	1,853	9.347
VPO	0.52	150168	0.52	0.53	0.50	0.52	0.51	0.52	-	4,053	206	0.508
Banking												
BAY	24.40	150168	24.50	24.50	24.30	24.50	24.30	24.50	0.10	1,280	3,130	24.449
BBL	153.50	150168	153.50	153.50	151.50	151.50	151.50	152.00	(2.00)	48,498	738,309	152.234
BBL11C2501A	0.02	150168	-	-	-	-	-	0.01	-	-	-	0
BBL11C2502A	0.07	150168	-	-	-	-	0.02	0.03	-	-	-	0
BBL13C2503A	0.07	150168	-	-	-	-	0.04	0.05	-	-	-	0
BBL13C2504A	0.22	150168	-	0.22	0.20	0.20	0.19	0.20	(0.02)	7,527	158	0.21
BBL19C2502A	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	135	-	0.01
BBL19C2503A	0.07	150168	-	-	-	-	0.06	0.07	-	-	-	0
BBL19C2503B	0.13	150168	-	0.13	0.13	0.13	0.11	0.12	-	947	12	0.13
BBL19C2506A	0.33	150168	-	0.32	0.30	0.30	0.29	0.30	(0.03)	8,050	251	0.312
BBL41C2502A	0.10	150168	-	0.01	0.01	0.01	0.01	0.02	(0.09)	3,200	3	0.01
BBL41C2504A	0.21	150168	-	0.20	0.19	0.19	0.18	0.19	(0.02)	12,600	252	0.199
CIMBT	0.40	150168	0.41	0.41	0.40	0.40	0.40	0.41	-	6,021	244	0.405
CREDIT	18.50	150168	-	18.70	18.30	18.70	18.50	18.70	0.20	458	846	18.465
KBANK	163.50	150168	163.00	163.00	160.00	161.50	161.00	161.50	(2.00)	106,889	1,724,772	161.361
KBANK01C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
KBANK01C2503A	0.32	150168	0.32	0.32	0.28	0.29	0.28	0.29	(0.03)	21,377	624	0.291
KBANK01C2506A	0.58	150168	0.58	0.58	0.53	0.55	0.54	0.55	(0.03)	25,069	1,388	0.545
KBANK01P2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
KBANK01P2502B	0.03	150168	-	-	-	-	0.02	0.03	-	-	-	0
KBANK13C2503A	0.24	150168	0.23	0.23	0.19	0.20	0.20	0.21	(0.04)	42,156	849	0.201
KBANK13C2505A	0.46	150168	0.41	0.44	0.39	0.41	0.41	0.42	(0.05)	92,441	3,742	0.404
KBANK13P2504A	0.10	150168	-	0.11	0.10	0.10	0.10	0.11	-	9,127	100	0.109
KBANK19C2502A	0.08	150168	-	0.06	0.06	0.06	0.06	0.07	(0.02)	100	1	0.06
KBANK19C2502B	0.04	150168	-	-	-	-	0.02	0.03	-	-	-	0
KBANK19C2504A	0.42	150168	-	0.39	0.37	0.39	0.39	0.41	(0.03)	4,311	164	0.379
KBANK19C2505A	0.33	150168	-	0.31	0.28	0.29	0.29	0.30	(0.04)	7,374	212	0.287
KBANK19P2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
KBANK41C2502A	0.10	150168	-	-	-	-	0.03	0.05	-	-	-	0
KBANK41C2505A	0.37	150168	0.33	0.34	0.32	0.34	0.33	0.34	(0.03)	47,960	1,583	0.33
KBANK41C2604T	0.88	150168	-	0.87	0.85	0.86	0.86	0.87	(0.02)	64,000	5,523	0.863
KBANK41P2502A	0.04	150168	-	-	-	-	0.01	0.03	-	-	-	0
KBANK41P2606T	0.41	150168	-	-	-	-	0.40	0.41	-	-	-	0
KKP	52.50	150168	52.75	53.00	52.00	52.75	52.50	52.75	0.25	14,182	74,504	52.534
KKP-W6	1.26	150168	1.26	1.27	1.26	1.27	1.27	1.28	0.01	330	42	1.263
KKP13C2502A	0.07	150168	-	-	-	-	0.01	0.02	-	-	-	0
KKP13C2504A	0.24	150168	-	0.24	0.23	0.23	0.24	0.25	(0.01)	13,663	319	0.233
KKP19C2503A	0.15	150168	-	0.16	0.15	0.16	0.16	0.17	0.01	6,818	104	0.153
KTB	22.20	150168	22.20	22.40	22.00	22.40	22.30	22.40	0.20	369,695	822,638	22.251
KTB-P	153.00	150168	-	-	-	-	-	-	-	-	-	0
KTB-Q	-	101743	-	-	-	-	-	-	-	-	-	0
KTB01C2502A	0.06	150168	-	-	-	-	0.04	0.05	-	-	-	0
KTB01C2506A	0.37	150168	-	0.39	0.36	0.39	0.38	0.39	0.02	18,480	686	0.371
KTB01P2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
KTB11C2501A	0.04	150168	-	-	-	-	0.03	0.04	-	-	-	0
KTB13C2503A	0.13	150168	-	0.15	0.13	0.15	0.15	0.16	0.02	11,366	157	0.138
KTB13C2505A	0.33	150168	-	0.35	0.32	0.35	0.35	0.36	0.02	54,050	1,805	0.334
KTB19C2502A	0.09	150168	-	-	-	-	0.08	0.09	-	-	-	0
KTB19C2505A	0.35	150168	-	0.36	0.34	0.36	0.37	0.38	0.01	1,688	58	0.345
KTB41C2506A	0.25	150168	-	0.26	0.24	0.26	0.26	0.27	0.01	42,000	1,032	0.245
LHFG	0.76	150168	0.77	0.77	0.75	0.76	0.75	0.76	-	52,958	3,999	0.755
SCB	121.50	150168	122.00	122.50	120.50	122.00	121.50	122.00	0.50	70,400	857,520	121.866
SCB01C2502A	0.11	150168	-	0.11	0.09	0.11	0.11	0.12	-	54,276	576	0.106
SCB01C2505A	0.31	150168	-	0.32	0.30	0.31	0.31	0.32	-	30,785	951	0.308
SCB11C2501A	0.10	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCB13C2502A	0.05	150168	-	0.05	0.05	0.05	0.05	0.06	-	30	-	0.05
SCB13C2505A	0.29	150168	0.30	0.30	0.28	0.30	0.30	0.31	0.01	139,096	4,059	0.291
SCB13P2502A	0.04	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCB19C2502A	0.07	150168	-	-	-	-	0.06	0.07	-	-	-	0
SCB19C2504A	0.24	150168	-	0.25	0.23	0.25	0.24	0.25	0.01	38,135	924	0.242
SCB41C2502A	0.07	150168	-	-	-	-	0.08	0.09	-	-	-	0
SCB41C2505A	0.28	150168	-	0.29	0.27	0.28	0.28	0.29	-	51,000	1,409	0.276
SCB41P2504A	0.22	150168	-	0.21	0.20	0.20	0.19	0.20	(0.02)	22,096	460	0.208
TCAP	49.75	150168	49.75	50.25	49.50	50.00	49.75	50.00	0.25	4,937	24,624	49.876
TCAP-P	560.00	150168	-	-	-	-	-	-	-	-	-	0
TCAP-Q	-	101743	-	-	-	-	-	-	-	-	-	0
TCAP19C2504A	0.10	150168	-	-	-	-	0.10	0.11	-	-	-	0
TISCO	99.50	150168	99.25	99.50	98.75	99.00	98.75	99.00	(0.50)	32,858	325,811	99.157

## Main Board Quotation

Issue Date Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TISCO19C2502A	0.10	150168	-	-	-	-	0.04	0.05	-	-	-	0
TTB	1.83	150168	1.83	1.84	1.82	1.83	1.83	1.84	-	2,173,669	397,725	1.829
TTB-W1	0.85	150168	0.85	0.86	0.85	0.85	0.85	0.86	-	4,748	404	0.85
TTB01C2503A	0.02	150168	0.02	0.02	0.02	0.02	0.02	0.03	-	396	1	0.02
TTB01C2504A	0.18	150168	-	0.18	0.18	0.18	0.18	0.19	-	54,568	982	0.18
TTB13C2503A	0.08	150168	-	-	-	-	0.07	0.08	-	-	-	0
TTB19C2504A	0.18	150168	-	-	-	-	0.17	0.18	-	-	-	0
Construction Materie												
CCP	0.26	150168	0.25	0.26	0.25	0.25	0.25	0.26	(0.01)	3,622	91	0.25
DCC	1.62	150168	1.64	1.68	1.62	1.65	1.65	1.66	0.03	20,932	3,457	1.651
DCON	0.29	150168	0.29	0.30	0.29	0.29	0.29	0.30	-	45,026	1,306	0.29
DCON-W3	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
DRT	7.40	150168	7.45	7.55	7.40	7.40	7.45	7.50	-	1,718	1,277	7.43
EPG	3.56	150168	3.58	3.64	3.54	3.54	3.54	3.60	(0.02)	8,604	3,075	3.573
GEL	0.06	150168	0.07	0.07	0.05	0.06	0.05	0.06	-	188,704	1,092	0.057
GEL-W5	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
PPP	1.50	150168	-	-	-	-	1.32	1.47	-	-	-	0
Q-CON	8.85	150168	8.80	8.85	8.75	8.85	8.80	8.90	-	144	127	8.794
SCC	158.00	150168	158.00	159.00	155.50	156.00	155.50	156.00	(2.00)	21,267	333,723	156.92
SCC01C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCC01C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCC01C2505A	0.10	150168	-	0.10	0.09	0.09	0.08	0.09	(0.01)	55,270	547	0.098
SCC01C2505B	0.25	150168	-	0.25	0.22	0.22	0.21	0.22	(0.03)	65,412	1,547	0.236
SCC01P2503A	1.53	150168	-	1.60	1.50	1.59	1.59	1.61	0.06	16,772	2,604	1.552
SCC13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCC13C2503A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
SCC13C2504A	0.03	150168	-	-	-	-	-	0.03	-	-	-	0
SCC13C2504B	0.07	150168	-	0.07	0.07	0.07	0.06	0.07	-	1	-	0.07
SCC13C2505A	0.20	150168	0.20	0.20	0.17	0.17	0.17	0.18	(0.03)	63,504	1,203	0.189
SCC13C2505B	0.41	150168	0.42	0.43	0.37	0.37	0.37	0.38	(0.04)	125,106	5,001	0.399
SCC13P2502A	1.42	150168	-	-	-	-	1.45	1.50	-	-	-	0
SCC13P2504A	0.81	150168	-	-	-	-	0.85	0.88	-	-	-	0
SCC13P2505A	0.55	150168	0.54	0.58	0.53	0.58	0.58	0.59	0.03	43,791	2,461	0.561
SCC19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCC19C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCC19C2504A	0.03	150168	0.03	0.03	0.03	0.03	0.02	0.03	-	31	-	0.03
SCC19C2505A	0.09	150168	-	-	-	-	0.08	0.09	-	-	-	0
SCC19C2505B	0.18	150168	-	0.18	0.16	0.16	0.15	0.16	(0.02)	17,166	286	0.166
SCC19P2505A	1.12	150168	-	-	-	-	0.96	1.06	-	-	-	0
SCC41C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCC41C2504A	0.11	150168	-	-	-	-	0.03	0.05	-	-	-	0
SCC41C2505A	0.13	150168	-	0.14	0.11	0.11	0.11	0.12	(0.02)	40,000	512	0.128
SCCC	159.50	150168	161.00	161.00	160.00	160.50	160.50	161.00	1.00	329	5,278	160.425
SCGD	4.18	150168	4.26	4.32	4.20	4.28	4.28	4.30	0.10	15,114	6,440	4.261
SCP	6.85	150168	-	6.85	6.80	6.85	6.75	6.85	-	205	139	6.801
SKN	5.45	150168	-	5.60	5.40	5.45	5.40	5.45	-	211	115	5.466
STECH	1.04	150168	-	1.04	1.03	1.04	1.03	1.04	-	218	23	1.039
TASCO	18.10	150168	18.10	18.50	18.10	18.30	18.20	18.30	0.20	33,926	62,207	18.335
TASCO19C2502A	0.04	150168	-	-	-	-	0.03	0.04	-	-	-	0
TOA	12.70	150168	12.80	12.80	12.40	12.70	12.60	12.70	-	22,633	28,470	12.579
TPIPL	1.01	150168	1.01	1.02	0.99	1.00	1.00	1.01	(0.01)	102,660	10,281	1.001
UMI	0.67	150168	0.63	0.64	0.62	0.63	0.63	0.64	(0.04)	1,853	117	0.632
VNG	2.94	150168	2.94	2.96	2.94	2.96	2.94	2.96	0.02	421	124	2.94
WIIK	1.10	150168	1.10	1.10	1.08	1.10	1.09	1.10	-	301	33	1.092
WIIK-W3	0.05	150168	0.03	0.05	0.03	0.05	0.03	0.05	-	2,608	10	0.04
WINDOW	0.69	150168	-	0.70	0.69	0.69	0.69	0.70	-	810	57	0.699
Petrochemicals & Ct												
BCT	67.75	150168	-	-	-	-	66.50	67.75	-	-	-	0
CMAN	2.16	150168	2.12	2.14	2.08	2.12	2.10	2.12	(0.04)	9,550	2,010	2.104
GC	4.90	150168	-	4.96	4.92	4.96	4.94	4.96	0.06	378	187	4.947
GGC	3.98	150168	-	4.12	3.96	4.10	4.08	4.12	0.12	167	68	4.066
IVL	23.50	150168	23.60	23.70	23.00	23.20	23.10	23.20	(0.30)	95,259	221,945	23.299
IVL01C2502A	0.06	150168	-	-	-	-	0.06	0.08	-	-	-	0
IVL01C2502B	0.03	150168	-	-	-	-	0.01	0.03	-	-	-	0
IVL01C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
IVL01C2504A	0.06	150168	-	0.07	0.06	0.06	0.05	0.06	-	1,001	6	0.06
IVL01C2506A	0.46	150168	-	0.47	0.42	0.42	0.42	0.43	(0.04)	50,829	2,218	0.436
IVL01P2502A	0.10	150168	-	0.08	0.08	0.08	0.07	0.09	(0.02)	200	2	0.08
IVL01P2502W	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
IVL01P2504A	0.30	150168	-	0.32	0.29	0.31	0.31	0.32	0.01	87,798	2,755	0.313
IVL06C2501A	0.02	150168	-	-	-	-	-	-	-	-	-	0
IVL11C2501A	1.57	150168	-	-	-	-	0.59	0.67	-	-	-	0
IVL11C2501B	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
IVL11C2502A	0.10	150168	-	-	-	-	-	0.01	-	-	-	0
IVL13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
IVL13C2502B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
IVL13C2504A	0.08	150168	-	0.08	0.07	0.07	0.07	0.08	(0.01)	21	-	0.07
IVL13C2505A	0.41	150168	-	0.42	0.37	0.38	0.38	0.39	(0.03)	125,677	5,016	0.399
IVL13P2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
IVL13P2504A	0.31	150168	0.30	0.33	0.30	0.32	0.32	0.33	0.01	51,950	1,669	0.321
IVL19C2502A	0.03	150168	-	-	-	-	0.02	0.03	-	-	-	0
IVL19C2502B	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2502C	0.06	150168	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2505A	0.10	150168	-	0.11	0.11	0.11	0.09	0.10	0.01	1	-	0.11
IVL19C2506A	0.39	150168	-	0.40	0.35	0.35	0.35	0.36	(0.04)	55,861	2,089	0.373
IVL19P2502A	0.04	150168	-	-	-	-	0.04	0.05	-	-	-	0
IVL41C2502A	0.21	150168	-	0.21	0.17	0.17	0.17	0.19	(0.04)	47,664	911	0.191
IVL41C2502B	0.05	150168	-	-	-	-	0.01	0.03	-	-	-	0
IVL41C2505A	0.13	150168	-	0.13	0.12	0.12	0.12	0.13	(0.01)	4,800	60	0.125
IVL41C2605T	0.32	150168	-	0.33	0.32	0.32	0.31	0.32	-	23,000	749	0.325
IVL41P2605T	0.42	150168	-	-	-	-	0.42	0.43	-	-	-	0
NFC	1.48	150168	1.41	1.52	1.41	1.46	1.43	1.46	(0.02)	52	8	1.488
PATO	8.35	150168	8.25	8.25	8.20	8.20	8.20	8.25	(0.15)	1,565	1,291	8.249
PMTA	8.60	150168	-	8.80	8.75	8.80	8.60	8.70	0.20	10	9	8.79
PTTGC	23.00	150168	23.10	23.30	22.50	22.60	22.60	22.70	(0.40)	165,876	378,371	22.81
PTTGC01C2502A	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	111	-	0.01
PTTGC01C2504A	0.16	150168	0.15	0.17	0.15	0.15	0.14	0.15	(0.01)	55,127	846	0.153
PTTGC01C2505A	0.07	150168	-	0.05	0.05	0.05	0.05	0.06	(0.02)	1	-	0.05
PTTGC01P2503A	0.36	150168	0.35	0.39	0.35	0.38	0.38	0.39	0.02	86,358	3,201	0.37
PTTGC11C2501A	0.02	150168	-	-	-	-	-	0.01	-	-	-	0
PTTGC11C2502A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
PTTGC11C2503A	0.10	150168	-	0.10	0.10	0.10	0.08	0.09	-	1,500	15	0.1
PTTGC13C2502A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC13C2503A	0.10	150168	-	0.09	0.08	0.08	0.07	0.08	(0.02)	12,883	103	0.08
PTTGC13C2504A	0.07	150168	-	-	-	-	0.05	0.06	-	-	-	0
PTTGC13C2505A	0.33	150168	0.31	0.34	0.29	0.29	0.29	0.30	(0.04)	141,814	4,384	0.309
PTTGC13P2502A	0.20	150168	-	0.23	0.18	0.22						

## Main Board Quotation

Issue Date

Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PTTGC19C2504A	0.06	150168	-	-	-	-	0.04	0.05	-	-	-	0
PTTGC19C2505A	0.23	150168	-	0.24	0.20	0.20	0.20	0.21	(0.03)	109,542	2,382	0.217
PTTGC19P2503A	0.15	150168	-	0.16	0.14	0.16	0.16	0.26	0.01	33,293	518	0.155
PTTGC41C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC41C2502B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC41C2503A	0.06	150168	-	-	-	-	0.02	0.04	-	-	-	0
PTTGC41C2505A	0.21	150168	0.20	0.22	0.19	0.20	0.18	0.19	(0.01)	54,603	1,098	0.201
PTTGC41P2502A	0.18	150168	-	-	-	-	0.18	0.19	-	-	-	0
RSXYZ	0.76	150168	0.78	0.79	0.72	0.74	0.73	0.74	(0.02)	61,754	4,688	0.759
SUTHA	2.84	150168	-	2.84	2.64	2.82	2.66	2.82	(0.02)	625	166	2.65
TPA	3.50	150168	-	3.58	3.58	3.58	3.30	3.58	0.08	3	1	3.58
UAC	3.00	150168	-	3.02	2.98	2.98	2.98	3.02	(0.02)	23	7	3.006
UP	17.00	150168	-	17.10	17.10	17.10	16.80	17.10	0.10	6	10	17.001
Commerce												
ADVICE	5.75	150168	5.85	5.85	5.65	5.65	5.65	5.70	(0.10)	34,357	19,670	5.725
B52	0.39	150168	-	0.39	0.36	0.39	0.36	0.39	-	24	1	0.371
BEAUTY	0.29	150168	0.28	0.29	0.27	0.28	0.28	0.29	(0.01)	15,195	425	0.28
BIG	0.32	150168	0.31	0.31	0.30	0.31	0.30	0.31	(0.01)	6,303	193	0.306
BJC	22.10	150168	22.30	22.50	22.10	22.30	22.30	22.40	0.20	30,157	67,183	22.277
BJC01C2503A	0.06	150168	-	-	-	-	0.01	0.02	-	-	-	0
BJC13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BJC13C2503A	0.05	150168	-	-	-	-	0.05	0.06	-	-	-	0
BJC13C2505A	0.21	150168	0.22	0.23	0.21	0.22	0.22	0.23	0.01	47,336	1,043	0.22
BJC19C2502A	0.11	150168	-	-	-	-	0.01	0.02	-	-	-	0
BJC19C2503A	0.07	150168	-	-	-	-	0.06	0.07	-	-	-	0
COM7	23.20	150168	23.40	23.40	22.80	23.10	23.10	23.20	(0.10)	132,368	306,648	23.166
COM701C2503A	0.04	150168	-	-	-	-	0.02	0.03	-	-	-	0
COM713C2504A	0.06	150168	-	0.05	0.05	0.05	0.05	0.06	(0.01)	101	1	0.05
COM713C2505A	0.11	150168	-	0.12	0.10	0.11	0.11	0.12	-	20,749	228	0.109
COM713C2506A	0.47	150168	-	0.48	0.44	0.46	0.46	0.47	(0.01)	66,765	3,072	0.46
COM719C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
COM719C2505A	0.09	150168	-	-	-	-	0.09	0.10	-	-	-	0
COM719P2502A	0.05	150168	-	-	-	-	0.04	0.05	-	-	-	0
COM741C2503A	0.11	150168	-	-	-	-	0.02	0.04	-	-	-	0
COM741C2505A	0.08	150168	-	-	-	-	0.08	0.09	-	-	-	0
COM741C2606T	1.00	150168	-	0.29	0.28	0.28	0.28	0.29	(0.72)	20,000	564	0.282
CPALL	55.75	150168	56.25	56.50	55.75	56.00	56.00	56.25	0.25	273,637	1,534,500	56.077
CPALL01C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
CPALL01C2504A	0.02	150168	0.03	0.04	0.03	0.04	0.03	0.04	0.02	942	3	0.03
CPALL01C2505A	0.23	150168	0.25	0.26	0.23	0.24	0.24	0.25	0.01	41,854	1,018	0.243
CPALL01P2502X	0.14	150168	-	0.13	0.11	0.11	0.11	0.13	(0.03)	33,491	398	0.118
CPALL01P2505A	0.37	150168	0.35	0.35	0.34	0.34	0.34	0.35	(0.03)	16,422	562	0.342
CPALL06C2504A	0.14	150168	-	0.15	0.14	0.14	-	0.15	-	54,306	786	0.144
CPALL11C2501A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
CPALL11C2503A	0.01	150168	-	-	-	-	0.02	0.03	-	-	-	0
CPALL13C2503A	0.02	150168	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1,005	1	0.01
CPALL13C2504A	0.03	150168	0.03	0.03	0.03	0.03	0.02	0.03	-	14,554	44	0.03
CPALL13C2505A	0.10	150168	0.11	0.11	0.11	0.11	0.11	0.12	0.01	33,752	371	0.11
CPALL13C2505B	0.18	150168	0.20	0.20	0.17	0.17	0.17	0.19	(0.01)	71,914	1,315	0.182
CPALL13P2504A	0.64	150168	-	-	-	-	0.55	0.57	-	-	-	0
CPALL13P2505A	0.28	150168	-	0.26	0.25	0.26	0.26	0.27	(0.02)	10,009	257	0.256
CPALL19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2502B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2504A	0.02	150168	-	-	-	-	0.02	0.03	-	-	-	0
CPALL19C2505A	0.12	150168	-	0.12	0.12	0.12	0.12	0.13	-	30,537	366	0.12
CPALL19C2505B	0.24	150168	0.26	0.26	0.24	0.25	0.25	0.26	0.01	34,625	873	0.252
CPALL19C2506A	0.23	150168	0.25	0.25	0.23	0.24	0.24	0.25	0.01	19,053	466	0.244
CPALL19P2505A	0.33	150168	-	0.31	0.29	0.30	0.29	0.30	(0.03)	21,224	638	0.3
CPALL19P2505B	0.17	150168	-	0.16	0.15	0.15	0.15	0.16	(0.02)	9,493	145	0.152
CPALL41C2504A	0.05	150168	-	-	-	-	0.03	0.04	-	-	-	0
CPALL41C2505A	0.17	150168	-	0.19	0.17	0.18	0.17	0.18	0.01	106,792	1,841	0.172
CPALL41C2605T	0.26	150168	-	0.26	0.26	0.26	0.26	0.27	-	79,800	2,075	0.26
CPALL41P2502A	0.65	150168	-	-	-	-	0.28	0.30	-	-	-	0
CPALL41P2504A	0.44	150168	-	-	-	-	0.38	0.39	-	-	-	0
CPAXT	27.25	150168	27.50	28.50	26.75	28.25	28.25	28.50	1.00	220,359	613,409	27.836
CPW	2.12	150168	2.10	2.16	2.10	2.14	2.12	2.14	0.02	2,261	482	2.133
CRC	34.00	150168	34.50	35.75	34.25	35.25	35.25	35.50	1.25	129,545	454,860	35.112
CRC01C2503A	0.06	150168	-	-	-	-	0.07	0.08	-	-	-	0
CRC01C2506A	0.24	150168	0.26	0.30	0.26	0.29	0.29	0.30	0.05	35,919	998	0.277
CRC11C2501A	0.10	150168	-	-	-	-	0.03	0.04	-	-	-	0
CRC13C2502A	0.08	150168	-	-	-	-	0.01	0.02	-	-	-	0
CRC13C2503A	0.09	150168	0.10	0.13	0.10	0.13	0.13	0.14	0.04	98,803	1,169	0.118
CRC13C2506A	0.25	150168	0.27	0.30	0.26	0.29	0.29	0.30	0.04	68,513	1,931	0.281
CRC19C2502A	0.04	150168	-	0.07	0.07	0.07	0.06	0.07	0.03	5,000	35	0.07
CRC19C2506A	0.26	150168	0.29	0.33	0.29	0.33	0.32	0.33	0.07	35,079	1,059	0.302
CRC41C2503A	0.11	150168	0.15	0.16	0.13	0.15	0.15	0.16	0.04	28,205	410	0.145
CSS	0.76	150168	0.78	0.79	0.76	0.79	0.78	0.79	0.03	5,243	409	0.779
DOHOME	8.50	150168	8.55	8.60	8.25	8.45	8.45	8.50	(0.05)	44,124	37,216	8.434
DOHOME01C2503A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME13C2503A	0.05	150168	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME13C2505A	0.24	150168	-	0.24	0.21	0.23	0.23	0.24	(0.01)	17,086	404	0.236
DOHOME19C2502A	0.09	150168	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME19C2504A	0.10	150168	-	-	-	-	0.05	0.06	-	-	-	0
FN	0.70	150168	-	0.70	0.70	0.70	0.69	0.70	-	13	1	0.7
GLOBAL	12.60	150168	12.70	12.80	12.50	12.60	12.50	12.60	-	90,730	114,475	12.617
GLOBAL01C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
GLOBAL11C2501A	0.11	150168	-	-	-	-	-	0.01	-	-	-	0
GLOBAL13C2504A	0.04	150168	-	0.04	0.04	0.04	0.03	0.04	-	5,005	20	0.04
GLOBAL19C2503A	0.02	150168	-	-	-	-	0.02	0.03	-	-	-	0
HMPRO	8.75	150168	8.85	9.30	8.80	9.10	9.10	9.15	0.35	546,804	497,579	9.099
HMPRO01C2503A	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	3,200	3	0.01
HMPRO01C2504A	0.08	150168	-	0.13	0.09	0.13	0.11	0.12	0.05	86,522	957	0.11
HMPRO11C2502A	0.04	150168	-	-	-	-	-	0.01	-	-	-	0
HMPRO13C2504A	0.09	150168	-	0.14	0.10	0.12	0.12	0.13	0.03	74,282	911	0.122
HMPRO13C2506A	0.28	150168	0.30	0.39	0.30	0.35	0.35	0.36	0.07	196,778	6,499	0.33
HMPRO19C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO19C2503A	0.07	150168	-	-	-	-	0.06	0.07	-	-	-	0
HMPRO41C2503A	0.09	150168	-	-	-	-	0.04	0.05	-	-	-	0
HMPRO41C2606T	1.00	150168	-	0.22	0.20	0.21	0.21	0.22	(0.79)	6,000	123	0.205
ICC	33.50	150168	-	-	-	-	32.00	33.50	-	-	-	0
ILM	14.80	150168	14.80	15.00	14.70	14.70	14.70	14.80	(0.10)	301	446	14.822
IT	4.10	150168	4.04	4.08	3.90	3.94	3.94	3.96	(0.16)	2,003	791	3.946
KAMART	10.60	150168	10.60	10.70	10.50	10.60	10.50	10.60	-	16,614	17,494	10.529
LOXLEY	1.36	150168	1.36	1.37								

## Main Board Quotation

Issue Date

Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
MIDA	0.28	150168	-	0.28	0.27	0.28	0.27	0.28	-	1,852	52	0.279
MOSHI	40.50	150168	41.00	41.75	40.50	41.25	41.00	41.25	0.75	10,584	43,766	41.351
RS	1.36	150168	1.38	1.41	1.23	1.24	1.23	1.24	(0.12)	1,106,700	144,719	1.307
RS-W5	0.47	150168	0.49	0.50	0.43	0.44	0.43	0.44	(0.03)	18,417	860	0.467
RSP	1.77	150168	-	1.78	1.73	1.73	1.73	1.75	(0.04)	610	107	1.759
SABUY	0.52	150168	0.53	0.54	0.51	0.53	0.52	0.53	0.01	66,804	3,486	0.521
SCM	0.60	150168	0.61	0.61	0.48	0.48	0.48	0.50	(0.12)	825,418	44,402	0.537
SCM-W2	0.06	150168	0.07	0.07	0.05	0.05	0.05	0.06	(0.01)	56,567	310	0.054
SINGER	7.05	150168	7.10	7.15	6.75	6.80	6.80	6.90	(0.25)	31,007	21,333	6.88
SPC	57.50	150168	57.00	57.50	57.00	57.50	57.50	57.75	-	15	86	57.366
SPI	59.50	150168	-	60.00	60.00	60.00	59.25	59.75	0.50	5	30	60
SVT	1.42	150168	1.40	1.42	1.39	1.42	1.40	1.42	-	1,521	213	1.399
TAN	5.45	150168	5.40	5.50	5.30	5.50	5.45	5.50	0.05	4,606	2,483	5.39
Information & Comr												
3BBIF	5.10	150168	5.15	5.15	5.10	5.10	5.10	5.15	-	20,613	10,568	5.126
ADVANC	287.00	150168	287.00	290.00	284.00	290.00	289.00	290.00	3.00	62,738	1,805,065	287.714
ADVANC01C2503A	0.14	150168	-	0.16	0.14	0.16	0.16	0.17	0.02	82,484	1,232	0.149
ADVANC01C2503B	0.16	150168	-	0.18	0.15	0.17	0.17	0.18	0.01	62,309	1,020	0.163
ADVANC01C2506A	0.39	150168	0.39	0.42	0.37	0.41	0.41	0.43	0.02	64,201	2,555	0.398
ADVANC01P2502X	0.02	150168	-	-	-	-	0.01	0.02	-	-	0	-
ADVANC01P2503X	0.09	150168	-	0.08	0.08	0.08	0.07	0.08	(0.01)	5,796	46	0.08
ADVANC01P2505A	0.45	150168	0.43	0.45	0.41	0.42	0.41	0.42	(0.03)	44,697	1,925	0.43
ADVANC06C2501A	0.02	150168	-	0.04	0.04	0.04	0.02	-	0.02	300	1	0.04
ADVANC13C2502A	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	1,300	1	0.01
ADVANC13C2503A	0.14	150168	-	0.16	0.13	0.16	0.16	0.17	0.02	58,984	863	0.146
ADVANC13C2503B	0.05	150168	-	0.05	0.05	0.05	0.05	0.06	-	5	-	0.05
ADVANC13C2505A	0.40	150168	0.41	0.43	0.38	0.42	0.42	0.43	0.02	97,242	3,981	0.409
ADVANC13P2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	0	0
ADVANC13P2504A	0.24	150168	-	0.25	0.21	0.21	0.21	0.22	(0.03)	28,855	662	0.229
ADVANC19C2502A	0.04	150168	-	0.05	0.04	0.05	0.05	0.06	0.01	1,300	6	0.042
ADVANC19C2503A	0.05	150168	-	0.06	0.06	0.06	0.07	0.08	0.01	50	-	0.06
ADVANC19C2505A	0.22	150168	-	0.24	0.21	0.24	0.24	0.25	0.02	108,326	2,446	0.225
ADVANC19C2506A	0.44	150168	0.44	0.47	0.41	0.47	0.47	0.48	0.03	9,092	404	0.443
ADVANC19P2503A	0.06	150168	-	-	-	-	0.02	0.03	-	-	0	0
ADVANC19P2504A	0.20	150168	0.20	0.21	0.18	0.18	0.18	0.19	(0.02)	50,983	1,001	0.196
ADVANC41C2502A	0.12	150168	-	0.15	0.13	0.15	0.15	0.16	0.03	45,000	596	0.132
ADVANC41C2503A	0.10	150168	-	0.11	0.10	0.11	0.11	0.12	0.01	48,000	485	0.101
ADVANC41C2505A	0.24	150168	-	0.26	0.22	0.26	0.26	0.27	0.02	88,583	2,129	0.24
ADVANC41P2504A	0.31	150168	-	0.27	0.26	0.26	0.25	0.26	(0.05)	6,000	159	0.265
AIT	4.02	150168	4.06	4.06	4.00	4.00	4.00	4.02	(0.02)	7,026	2,817	4.009
ALT	1.02	150168	0.96	1.01	0.92	1.00	0.97	1.00	(0.02)	6,392	615	0.962
AMR	0.77	150168	0.77	0.81	0.76	0.77	0.76	0.77	-	1,631	126	0.773
BLISS	0.14	150168	-	-	-	-	-	-	-	-	-	0
DIF	8.20	150168	8.25	8.30	8.20	8.25	8.25	8.30	0.05	75,343	62,164	8.25
DITTO	14.60	150168	14.80	15.10	13.70	14.40	14.40	14.50	(0.20)	68,109	97,941	14.38
DITTO-W1	0.24	150168	0.26	0.29	0.22	0.23	0.23	0.24	(0.01)	46,081	1,151	0.249
DTCENT	0.97	150168	0.98	1.00	0.97	0.98	0.98	0.99	0.01	4,707	462	0.981
FORTH	9.40	150168	9.50	9.55	9.30	9.40	9.30	9.40	-	1,637	1,530	9.347
GABLE	2.68	150168	2.68	2.70	2.58	2.60	2.58	2.60	(0.08)	5,760	1,508	2.618
HUMAN	7.00	150168	6.95	7.05	6.85	6.90	6.90	7.00	(0.10)	4,080	2,825	6.923
ICN	2.04	150168	-	2.04	2.00	2.02	2.00	2.02	(0.02)	2,513	505	2.009
ILINK	5.35	150168	5.40	5.45	5.35	5.35	5.35	5.45	-	3,638	1,961	5.391
INET	4.62	150168	4.64	4.78	4.46	4.72	4.70	4.72	0.10	112,282	52,358	4.663
INSET	2.84	150168	2.86	2.88	2.76	2.76	2.76	2.78	(0.08)	79,738	22,332	2.8
INTUCH	101.00	150168	101.50	102.00	100.00	102.00	101.50	102.00	1.00	165,620	1,674,500	101.104
INTUCH01C2502A	0.03	150168	-	-	-	-	0.02	0.03	-	-	0	0
INTUCH01C2504A	0.21	150168	0.22	0.22	0.21	0.22	0.22	0.23	0.01	100,068	2,156	0.215
INTUCH13C2502A	0.02	150168	-	0.02	0.02	0.02	0.02	0.04	-	536	1	0.02
INTUCH13C2502B	0.02	150168	-	0.01	0.01	0.01	0.01	0.02	(0.01)	492	-	0.01
INTUCH13C2503A	0.27	150168	-	0.29	0.25	0.28	0.27	0.28	0.01	168,609	4,477	0.265
INTUCH13C2504A	0.20	150168	-	0.21	0.18	0.21	0.20	0.21	0.01	96,422	1,909	0.198
INTUCH13C2505A	0.75	150168	-	0.79	0.72	0.78	0.78	0.79	0.03	2,760	211	0.764
INTUCH13P2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	0	0
INTUCH19C2502A	0.12	150168	-	-	-	-	0.08	0.09	-	-	0	0
INTUCH19C2503A	0.09	150168	-	0.10	0.10	0.10	0.10	0.11	0.01	13,194	132	0.1
INTUCH19C2503B	0.06	150168	-	-	-	-	0.04	0.05	-	-	0	0
INTUCH19C2504A	0.43	150168	-	0.44	0.43	0.44	0.46	0.50	0.01	8	-	0.435
INTUCH19C2505A	0.25	150168	-	0.26	0.24	0.26	0.25	0.26	0.01	92,676	2,303	0.248
ITEL	1.65	150168	1.82	1.88	1.72	1.77	1.77	1.78	0.12	362,407	65,528	1.808
JAS	2.00	150168	2.02	2.02	1.98	1.98	1.98	1.99	(0.02)	95,069	18,927	1.99
JAS-W4	0.42	150168	0.43	0.43	0.41	0.41	0.41	0.42	(0.01)	69,891	2,923	0.418
JAS13C2502A	0.01	150168	-	-	-	-	-	0.01	-	-	0	0
JAS13C2503A	0.06	150168	-	0.06	0.06	0.06	0.05	0.06	-	3,000	18	0.06
JAS13C2505A	0.16	150168	-	0.16	0.15	0.15	0.15	0.16	(0.01)	1,301	21	0.158
JAS19C2503A	0.06	150168	-	0.05	0.05	0.05	0.05	0.06	(0.01)	844	4	0.05
JAS19C2505A	0.17	150168	-	0.18	0.17	0.17	0.17	0.18	-	2,581	46	0.177
JAS41C2605T	0.26	150168	-	0.26	0.26	0.26	0.25	0.26	-	48,000	1,248	0.26
JMART	11.50	150168	11.60	11.80	11.10	11.20	11.10	11.20	(0.30)	64,015	72,351	11.302
JMART-W5	0.31	150168	-	0.31	0.31	0.31	0.31	0.32	-	345	11	0.31
JMART01C2503A	0.03	150168	-	-	-	-	0.02	0.03	-	-	0	0
JMART13C2504A	0.07	150168	-	0.07	0.06	0.06	0.05	0.06	(0.01)	15,871	95	0.06
JMART13C2506A	0.27	150168	-	0.29	0.24	0.24	0.24	0.25	(0.03)	38,413	966	0.251
JMART19C2503A	0.03	150168	-	-	-	-	0.02	0.03	-	-	0	0
JMART19C2504A	0.09	150168	-	-	-	-	0.07	0.08	-	-	0	0
JMART41C2504A	0.14	150168	-	0.06	0.06	0.06	0.06	0.07	(0.08)	40	-	0.06
JTS	65.50	150168	65.50	66.25	65.25	66.25	65.50	66.25	0.75	1,889	12,446	65.888
MFEK	5.80	150168	5.75	5.85	5.70	5.75	5.75	5.85	(0.05)	1,154	664	5.753
MSC	7.75	150168	-	7.80	7.75	7.80	7.70	7.80	0.05	8	6	7.793
PT	9.40	150168	9.35	9.45	9.35	9.45	9.35	9.45	0.05	459	431	9.386
ROCTEC	1.05	150168	1.05	1.06	1.03	1.03	1.03	1.05	(0.02)	51,145	5,323	1.04
ROCTEC-W3	0.04	150168	0.03	0.04	0.03	0.04	0.03	0.04	-	10,170	41	0.039
ROCTEC-W5	0.08	150168	0.08	0.08	0.07	0.08	0.07	0.08	-	4,516	32	0.071
SAMART	6.55	150168	6.55	6.55	6.25	6.55	6.45	6.55	-	30,916	19,764	6.392
SAMTEL	6.05	150168	6.05	6.05	5.75	5.95	5.85	5.95	(0.10)	637	377	5.922
SDC	0.04	150168	0.04	0.04	0.03	0.04	0.03	0.04	-	61,097	238	0.038
SIS	26.00	150168	26.25	26.50	25.50	25.50	25.50	26.00	(0.50)	2,635	6,810	25.844
SKY	20.90	150168	20.80	21.40	20.70	20.80	20.80	20.90	(0.10)	9,101	19,177	21.071
SPREME	1.43	150168	1.44	1.45	1.39	1.43	1.40	1.43	-	15,838	2,237	1.412
SVOA	1.12	150168	1.17	1.17	1.13	1.13	1.13	1.15	0.01	3		

## Main Board Quotation

Issue Date Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TRUE11C2501B	0.02	150168	-	-	-	-	0.04	0.05	-	-	-	0
TRUE13C2503A	0.05	150168	-	-	-	-	0.05	0.06	-	-	-	0
TRUE13C2504A	0.13	150168	-	0.17	0.16	0.16	0.16	0.17	0.03	8,915	146	0.163
TRUE13C2505A	0.24	150168	-	0.27	0.26	0.26	0.26	0.27	0.02	8,628	224	0.26
TRUE13P2503A	0.05	150168	-	0.04	0.04	0.04	0.04	0.05	(0.01)	150	1	0.04
TRUE13P2506A	0.31	150168	-	0.30	0.30	0.30	0.30	0.31	(0.01)	5,227	157	0.3
TRUE19C2503A	0.07	150168	0.07	0.07	0.07	0.07	0.07	0.08	-	140	1	0.07
TRUE19C2504A	0.20	150168	0.22	0.22	0.22	0.22	0.21	0.22	0.02	4,353	96	0.22
TRUE41C2503A	0.05	150168	-	-	-	-	0.06	0.07	-	-	-	0
TRUE41C2505A	0.22	150168	-	0.24	0.24	0.24	0.24	0.26	0.02	6,010	144	0.24
TRUE41C2604T	0.64	150168	-	-	-	-	0.68	0.70	-	-	-	0
TRUE41C2612T	0.34	150168	-	0.36	0.35	0.35	0.35	0.36	0.01	1,601	56	0.35
TRUE41P2504A	0.17	150168	-	0.17	0.15	0.17	0.15	0.16	-	1,273	20	0.16
TWZ	0.03	150168	0.03	0.04	0.03	0.03	0.03	0.04	-	25,898	78	0.03
TWZ-W8	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
TWZ-W9	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
Electronic Compone												
CCET	8.40	150168	8.55	8.60	8.05	8.25	8.25	8.30	(0.15)	1,238,533	1,033,870	8.347
CCET13C2505A	0.11	150168	0.12	0.13	0.10	0.10	0.10	0.11	(0.01)	99,971	1,116	0.111
CCET13C2505B	0.26	150168	0.28	0.29	0.21	0.24	0.24	0.25	(0.02)	285,754	7,374	0.258
CCET19C2506A	0.16	150168	-	0.17	0.15	0.15	0.15	0.16	(0.01)	40,181	630	0.156
CCET19C2506B	0.15	150168	-	0.17	0.12	0.13	0.13	0.14	(0.02)	167,897	2,361	0.14
CCET41C2505A	0.15	150168	-	0.15	0.14	0.14	0.14	0.15	(0.01)	24,055	347	0.144
DELTA	140.00	150168	144.00	144.00	137.50	138.50	138.50	139.00	(1.50)	200,363	2,804,612	139.976
DELTA01C2502A	0.20	150168	0.25	0.25	0.17	0.18	0.18	0.20	(0.02)	11,763	230	0.195
DELTA01C2503A	0.10	150168	0.11	0.11	0.08	0.09	0.08	0.09	(0.01)	70,663	691	0.097
DELTA01C2505A	0.48	150168	0.54	0.54	0.46	0.47	0.47	0.48	(0.01)	93,124	4,582	0.492
DELTA01P2502A	0.01	150168	0.01	0.01	0.01	0.01	0.01	0.02	-	1,008	1	0.01
DELTA01P2503A	0.13	150168	-	0.14	0.11	0.13	0.13	0.14	-	75,902	953	0.125
DELTA01P2504A	0.63	150168	0.57	0.65	0.56	0.64	0.64	0.65	0.01	271,280	16,462	0.606
DELTA06C2502A	0.16	150168	-	0.19	0.13	0.13	-	0.18	(0.03)	23,938	404	0.168
DELTA06C2504A	0.19	150168	-	0.21	0.17	0.18	0.16	0.18	(0.01)	12,851	246	0.191
DELTA11C2501A	0.32	150168	-	0.38	0.28	0.30	0.28	0.29	(0.02)	20,584	689	0.334
DELTA11C2501B	0.53	150168	-	-	-	-	0.27	0.29	-	-	-	0
DELTA11C2503A	0.07	150168	-	0.07	0.07	0.07	0.06	0.07	-	30	-	0.07
DELTA13C2502A	0.41	150168	-	0.47	0.37	0.37	0.37	0.40	(0.04)	827	36	0.436
DELTA13C2502B	0.14	150168	0.17	0.17	0.11	0.11	0.11	0.12	(0.03)	69,128	960	0.138
DELTA13C2503A	0.17	150168	0.20	0.20	0.14	0.16	0.15	0.16	(0.01)	142,062	2,468	0.173
DELTA13C2503B	0.09	150168	0.10	0.10	0.07	0.07	0.07	0.08	(0.02)	37,004	313	0.084
DELTA13C2503C	0.04	150168	0.05	0.05	0.04	0.04	0.03	0.04	-	401	2	0.041
DELTA13C2505A	0.53	150168	0.59	0.59	0.49	0.50	0.50	0.51	(0.03)	180,894	9,585	0.529
DELTA13P2502A	0.01	150168	-	0.01	0.01	0.01	-	0.01	-	5	-	0.01
DELTA13P2502B	0.01	150168	-	-	-	-	0.01	0.05	-	-	-	0
DELTA13P2503A	0.13	150168	-	0.13	0.11	0.12	0.12	0.13	(0.01)	12,110	149	0.123
DELTA13P2503B	0.39	150168	0.36	0.41	0.36	0.40	0.40	0.41	0.01	36,719	1,411	0.384
DELTA13P2505A	0.91	150168	0.84	0.94	0.84	0.92	0.92	0.93	0.01	236,142	21,153	0.895
DELTA19C2502A	0.52	150168	0.50	0.50	0.50	0.50	0.49	0.50	(0.02)	2	-	0.5
DELTA19C2503A	0.30	150168	0.35	0.35	0.27	0.29	0.27	0.28	(0.01)	49,208	1,482	0.301
DELTA19C2503B	0.13	150168	0.15	0.16	0.11	0.11	0.11	0.12	(0.02)	32,820	441	0.134
DELTA19C2506A	0.36	150168	0.40	0.40	0.33	0.34	0.34	0.35	(0.02)	39,110	1,413	0.361
DELTA19P2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
DELTA19P2503A	0.10	150168	-	0.10	0.09	0.10	0.10	0.11	-	6,766	68	0.1
DELTA19P2504A	0.42	150168	0.39	0.44	0.39	0.43	0.42	0.43	0.01	112,736	4,818	0.427
DELTA19P2505A	0.79	150168	0.73	0.81	0.73	0.80	0.80	0.81	0.01	61,226	4,826	0.788
DELTA41C2502A	0.32	150168	-	0.38	0.29	0.30	0.30	0.31	(0.02)	44,033	1,556	0.353
DELTA41C2503A	0.15	150168	-	0.18	0.14	0.14	0.14	0.15	(0.01)	27,791	454	0.163
DELTA41C2503B	0.14	150168	-	0.16	0.12	0.12	0.12	0.13	(0.02)	40,169	578	0.143
DELTA41C2505A	0.39	150168	0.44	0.44	0.35	0.36	0.36	0.37	(0.03)	57,570	2,298	0.399
DELTA41C2612T	1.00	150168	0.40	0.40	0.35	0.37	0.36	0.37	(0.63)	8,024	304	0.378
DELTA41P2502A	0.05	150168	-	0.03	0.03	0.03	0.03	0.05	(0.02)	19	-	0.03
DELTA41P2504A	0.53	150168	-	0.58	0.51	0.56	0.56	0.57	0.03	26,000	1,426	0.548
DELTA41P2505A	0.53	150168	-	0.53	0.47	0.51	0.51	0.52	(0.02)	58,932	3,033	0.514
HANA	23.00	150168	23.30	23.30	22.80	23.00	23.00	23.10	-	64,319	148,080	23.022
HANA01C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
HANA01C2504A	0.05	150168	-	-	-	-	0.04	0.05	-	-	-	0
HANA01C2504W	0.01	150168	-	0.02	0.02	0.02	0.01	0.02	0.01	1	-	0.02
HANA01C2505A	0.38	150168	0.41	0.41	0.37	0.38	0.38	0.39	-	70,823	2,718	0.383
HANA01C2505B	0.12	150168	0.13	0.13	0.12	0.12	0.12	0.13	-	37,393	463	0.123
HANA01P2503W	1.14	150168	-	-	-	-	1.31	1.33	-	-	-	0
HANA01P2504A	0.38	150168	-	0.39	0.36	0.37	0.37	0.38	(0.01)	18,404	689	0.374
HANA06C2504A	0.05	150168	-	-	-	-	-	-	-	-	-	0
HANA13C2502A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
HANA13C2503A	0.02	150168	-	0.01	0.01	0.01	-	0.01	(0.01)	9	-	0.01
HANA13C2504A	0.01	150168	-	0.02	0.02	0.02	-	0.02	0.01	1	-	0.02
HANA13C2504B	0.03	150168	-	0.02	0.02	0.02	0.03	0.04	(0.01)	1	-	0.02
HANA13C2504C	0.07	150168	-	0.07	0.05	0.05	0.05	0.06	(0.02)	1,104	6	0.05
HANA13C2505A	0.29	150168	0.30	0.31	0.27	0.28	0.28	0.29	(0.01)	45,047	1,288	0.285
HANA13C2505B	0.10	150168	-	0.11	0.10	0.10	0.10	0.11	-	40,914	433	0.105
HANA13P2502A	0.96	150168	-	-	-	-	1.12	1.14	-	-	-	0
HANA13P2503A	0.73	150168	-	0.75	0.70	0.73	0.73	0.74	-	26,572	1,923	0.723
HANA13P2504A	0.42	150168	-	0.43	0.41	0.42	0.42	0.43	-	27,236	1,138	0.417
HANA19C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
HANA19C2504A	0.07	150168	-	-	-	-	0.03	0.04	-	-	-	0
HANA19C2505A	0.09	150168	-	-	-	-	0.08	0.10	-	-	-	0
HANA19C2505B	0.31	150168	-	0.34	0.30	0.31	0.31	0.32	-	39,814	1,257	0.315
HANA19P2504A	1.11	150168	-	1.10	1.05	1.08	1.08	1.18	(0.03)	34,918	3,765	1.078
HANA19P2504B	0.40	150168	-	0.41	0.39	0.40	0.39	0.40	-	46,044	1,837	0.398
HANA41C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
HANA41C2504A	0.02	150168	-	-	-	-	0.01	0.03	-	-	-	0
HANA41C2504B	0.21	150168	0.21	0.22	0.20	0.22	0.21	0.22	0.01	24,004	505	0.21
HANA41C2505A	0.09	150168	-	-	-	-	0.08	0.09	-	-	-	0
HANA41C2606T	0.25	150168	-	0.26	0.25	0.25	0.25	0.26	-	7,200	184	0.255
KCE	22.40	150168	22.70	22.70	22.10	22.40	22.40	22.50	-	52,980	119,012	22.463
KCE01C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
KCE01C2504A	0.05	150168	-	-	-	-	0.04	0.05	-	-	-	0
KCE01C2504W	0.02	150168	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1	-	0.01
KCE01C2505A	0.32	150168	0.35	0.35	0.31	0.32	0.32	0.33	-	113,701	3,723	0.327
KCE01P2503W	1.26	150168	-	1.26	1.19	1.24	1.23	1.25	(0.02)	4,676	575	1.228
KCE01P2504A	0.56	150168	-	0.56	0.53	0.54	0.54	0.55	(0.02)	43,270	2,365	0.546
KCE11C2501A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
KCE11C2502A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
KCE												

## Main Board Quotation

Issue Date Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
KCE13P2503A	0.46	150168	-	-	-	-	0.42	0.45	-	-	-	0
KCE13P2504A	0.66	150168	-	0.64	0.60	0.61	0.62	0.64	(0.05)	11,866	733	0.617
KCE13P2505A	0.41	150168	-	0.41	0.39	0.40	0.40	0.41	(0.01)	17,318	692	0.399
KCE19C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2503B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2504A	0.05	150168	-	-	-	-	0.02	0.03	-	-	-	0
KCE19C2504B	0.10	150168	-	-	-	-	0.04	0.05	-	-	-	0
KCE19C2505A	0.24	150168	-	0.25	0.23	0.24	0.24	0.25	-	21,544	517	0.24
KCE19P2504A	0.55	150168	-	0.55	0.52	0.54	0.53	0.54	(0.01)	49,057	2,639	0.538
KCE19P2505A	0.50	150168	-	0.50	0.47	0.49	0.48	0.49	(0.01)	67,821	3,297	0.486
KCE41C2502A	0.02	150168	-	0.02	0.02	0.02	0.01	0.02	-	11	-	0.02
KCE41C2504A	0.06	150168	-	-	-	-	0.01	0.03	-	-	-	0
KCE41C2504B	0.10	150168	-	-	-	-	0.03	0.04	-	-	-	0
KCE41C2505A	0.18	150168	-	0.19	0.18	0.18	0.18	0.19	-	4,000	74	0.185
KCE41C2606T	0.23	150168	-	0.24	0.24	0.24	0.23	0.24	0.01	26,400	634	0.24
METCO	174.00	150168	-	175.00	173.50	174.00	174.00	175.00	-	16	279	174.312
SMT	1.36	150168	1.36	1.42	1.36	1.38	1.38	1.40	0.02	1,127	157	1.397
SVI	6.90	150168	6.95	7.10	6.80	7.00	7.00	7.05	0.10	12,899	8,998	6.975
TEAM	2.50	150168	2.50	2.54	2.50	2.50	2.50	2.52	-	2,225	558	2.506
Energy & Utilities												
ACC	0.51	150168	0.52	0.52	0.49	0.50	0.49	0.50	(0.01)	24,692	1,239	0.501
ACC-W2	0.68	150168	-	0.68	0.66	0.68	0.67	0.68	-	13,263	890	0.67
ACE	1.28	150168	1.28	1.30	1.28	1.30	1.29	1.30	0.02	12,128	1,555	1.281
AE	0.19	150168	0.20	0.21	0.19	0.20	0.19	0.20	0.01	61,109	1,221	0.199
AGE	1.15	150168	1.15	1.17	1.15	1.16	1.15	1.16	0.01	2,479	286	1.153
AI	3.48	150168	3.52	3.52	3.48	3.50	3.50	3.52	0.02	288	100	3.488
AIE	0.85	150168	0.84	0.84	0.77	0.80	0.80	0.82	(0.05)	8,968	720	0.802
BAFS	10.00	150168	10.00	10.10	9.70	9.70	9.70	9.75	(0.30)	11,253	11,046	9.815
BANPU	5.25	150168	5.30	5.35	5.15	5.20	5.20	5.25	(0.05)	275,514	144,168	5.232
BANPU01C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
BANPU01C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BANPU01C2504A	0.08	150168	-	0.08	0.08	0.08	0.07	0.08	-	1	-	0.08
BANPU01C2506A	0.17	150168	-	0.17	0.16	0.16	0.16	0.17	(0.01)	22,264	363	0.163
BANPU01P2502A	0.15	150168	-	-	-	-	0.14	0.17	-	-	-	0
BANPU11C2501A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
BANPU13C2502A	0.02	150168	-	-	-	-	-	0.01	-	-	-	0
BANPU13C2503A	0.04	150168	-	0.02	0.02	0.02	0.02	0.03	(0.02)	623	1	0.02
BANPU13C2504A	0.06	150168	-	0.07	0.06	0.06	0.06	0.07	-	1,349	8	0.06
BANPU13C2505A	0.14	150168	0.15	0.15	0.13	0.13	0.13	0.14	(0.01)	17,836	252	0.141
BANPU13P2502A	0.10	150168	-	-	-	-	0.10	0.11	-	-	-	0
BANPU13P2504A	0.16	150168	0.16	0.17	0.15	0.17	0.17	0.18	0.01	8,292	133	0.16
BANPU19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BANPU19C2502B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BANPU19C2504A	0.09	150168	-	0.07	0.07	0.07	0.07	0.08	(0.02)	5,000	35	0.07
BANPU19C2506A	0.19	150168	-	0.20	0.18	0.18	0.18	0.19	(0.01)	46,401	841	0.181
BANPU41C2502A	0.03	150168	-	-	-	-	0.01	0.03	-	-	-	0
BANPU41C2505A	0.09	150168	0.10	0.10	0.09	0.09	0.08	0.09	-	13,850	130	0.093
BANPU41C2605T	0.21	150168	-	0.21	0.20	0.20	0.20	0.21	(0.01)	9,200	187	0.203
BBGI	4.28	150168	4.30	4.40	4.22	4.32	4.30	4.32	0.04	20,766	8,930	4.3
BCP	33.75	150168	33.75	34.25	33.00	33.25	33.00	33.25	(0.50)	54,508	182,232	33.432
BCP01C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BCP01C2504A	0.14	150168	-	0.15	0.13	0.13	0.12	0.13	(0.01)	46,122	638	0.138
BCP01C2505A	0.26	150168	0.27	0.28	0.24	0.24	0.24	0.25	(0.02)	29,904	791	0.264
BCP01P2502A	0.06	150168	-	-	-	-	0.06	0.07	-	-	-	0
BCP01P2505A	0.39	150168	0.38	0.39	0.37	0.39	0.39	0.40	-	17,929	684	0.381
BCP11C2501A	0.06	150168	-	-	-	-	-	0.01	-	-	-	0
BCP11C2502A	0.03	150168	-	-	-	-	0.02	0.03	-	-	-	0
BCP11C2503A	0.22	150168	-	0.25	0.20	0.21	0.21	0.22	(0.01)	8,438	187	0.221
BCP13C2503A	0.06	150168	-	-	-	-	0.04	0.05	-	-	-	0
BCP13C2504A	0.26	150168	-	0.27	0.22	0.23	0.23	0.24	(0.03)	68,970	1,690	0.245
BCP13C2505A	0.14	150168	-	0.16	0.14	0.14	0.14	0.15	-	35,630	544	0.152
BCP13P2505A	0.25	150168	-	0.27	0.24	0.26	0.26	0.27	0.01	41,658	1,061	0.254
BCP19C2503A	0.10	150168	-	-	-	-	0.09	0.10	-	-	-	0
BCP19C2503B	0.09	150168	-	-	-	-	0.05	0.06	-	-	-	0
BCP19C2504A	0.27	150168	-	0.28	0.25	0.25	0.25	0.26	(0.02)	20,235	536	0.264
BCP41C2502A	0.02	150168	-	-	-	-	0.01	0.03	-	-	-	0
BCP41C2504A	0.14	150168	-	0.16	0.13	0.13	0.13	0.14	(0.01)	32,001	451	0.14
BCP41C2505A	0.27	150168	-	0.28	0.25	0.25	0.25	0.26	(0.02)	28,010	741	0.264
BCPG	6.05	150168	6.25	6.45	6.10	6.35	6.35	6.40	0.30	267,481	167,657	6.268
BCPG01C2502A	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	10,000	10	0.01
BCPG13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BCPG13C2504A	0.15	150168	0.17	0.21	0.16	0.19	0.18	0.19	0.04	270,136	4,854	0.179
BCPG19C2503A	0.04	150168	0.04	0.04	0.04	0.04	0.04	0.05	-	400	2	0.04
BCPG19C2505A	0.19	150168	-	0.25	0.20	0.24	0.24	0.25	0.05	93,481	2,169	0.232
BCPG41C2606T	0.26	150168	-	0.29	0.27	0.29	0.28	0.29	0.03	62,000	1,735	0.279
BGRIM	15.50	150168	15.80	15.90	14.90	15.10	15.00	15.10	(0.40)	298,734	458,764	15.357
BGRIM01C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2504A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2505A	0.13	150168	0.15	0.15	0.09	0.11	0.11	0.12	(0.02)	201,092	2,616	0.13
BGRIM01P2505A	0.67	150168	-	0.73	0.61	0.70	0.70	0.71	0.03	63,454	4,192	0.66
BGRIM11C2501A	0.02	150168	-	-	-	-	-	0.01	-	-	-	0
BGRIM11C2502A	0.08	150168	-	-	-	-	-	0.01	-	-	-	0
BGRIM13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM13C2503A	0.05	150168	-	-	-	-	-	0.01	-	-	-	0
BGRIM13C2504A	0.01	150168	0.02	0.02	0.02	0.02	0.01	0.02	0.01	60	-	0.02
BGRIM13C2505A	0.06	150168	0.06	0.06	0.04	0.05	0.04	0.05	(0.01)	58,844	297	0.05
BGRIM13C2505B	0.10	150168	0.12	0.12	0.08	0.08	0.08	0.09	(0.02)	196,410	2,121	0.108
BGRIM13C2506A	1.00	150168	-	0.31	0.22	0.23	0.22	0.23	(0.77)	1,083,146	28,342	0.261
BGRIM13P2505A	0.81	150168	0.82	0.87	0.76	0.85	0.87	0.89	0.04	585	46	0.791
BGRIM13P2506A	1.00	150168	-	0.40	0.33	0.38	0.38	0.39	(0.62)	52,315	1,904	0.363
BGRIM19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2504A	0.07	150168	0.04	0.04	0.03	0.03	0.02	0.03	(0.04)	10	-	0.032
BGRIM19C2505A	0.07	150168	-	0.09	0.06	0.06	0.06	0.07	(0.01)	5,070	31	0.06
BGRIM41C2502A	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	100	-	0.01
BGRIM41C2504A	0.06	150168	-	-	-	-	0.01	0.03	-	-	-	0
BGRIM41C2505A	0.06	150168	-	0.05	0.04	0.04	0.04	0.05	(0.02)	65,640	328	0.049
BIOTEC	0.23	150168	0.23	0.24	0.21	0.23	0.22	0.23	-	22,766	509	0.223
BIOTEC-P	10.00	150168	-	-	-	-	-	-	-	-	-	0
BIOTEC-Q	10.00	150168	-	-	-	-	-	-	-	-	-	0
BIOTEC-W2	0.04	150168	-	0.04	0.04	0.04	0.03	0.04	-	13,962	56	0.04
BPP	9.20	150168	9.20	9.20	9.00	9.10	9.10	9.15	(0.10)	8,348	7,574	9.072
BRRGIF	3.84	150168	3.82	3.84	3.82	3.84	3.82	3.84	-	3,493	1,335	3.82
BSRC	6.80	150168	6.85	6.90	6.75	6.75	6.75	6.80	(0.05)	6,893	4,698	6.815
CKP												

## Main Board Quotation

Issue Date Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
EA13C2502A	0.01	150168	-	0.01	0.01	0.01	-	0.01	-	30	-	0.01
EA13C2503A	0.01	150168	-	0.01	0.01	0.01	-	0.01	-	241	-	0.01
EA13C2503B	0.01	150168	-	0.02	0.01	0.01	-	0.01	-	3,303	3	0.01
EA13C2503C	0.04	150168	-	0.01	0.01	0.01	0.01	0.04	(0.03)	199	-	0.01
EA13C2504A	0.09	150168	-	0.11	0.09	0.10	0.10	0.11	0.01	44,844	446	0.099
EA13C2504B	0.11	150168	-	0.14	0.11	0.13	0.13	0.14	0.02	95,713	1,214	0.126
EA13C2505A	0.13	150168	0.15	0.18	0.13	0.16	0.16	0.17	0.03	185,172	2,811	0.151
EA13C2505B	0.27	150168	0.29	0.35	0.28	0.33	0.33	0.34	0.06	124,053	3,825	0.308
EA13P2504A	0.92	150168	-	0.92	0.84	0.85	0.85	0.88	(0.07)	42,684	3,714	0.87
EA19C2503A	0.04	150168	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2503B	0.02	150168	-	-	-	-	0.02	0.03	-	-	-	0
EA19C2504A	0.08	150168	-	0.10	0.08	0.10	0.09	0.10	0.02	7,078	66	0.093
EA19C2504B	0.10	150168	-	0.12	0.11	0.12	0.11	0.12	0.02	30,943	363	0.117
EA19C2505A	1.00	150168	-	0.40	0.34	0.39	0.39	0.40	(0.61)	88,795	3,284	0.369
EA19C2506A	0.17	150168	0.19	0.21	0.18	0.20	0.20	0.21	0.03	64,600	1,268	0.196
EA19P2505A	1.10	150168	1.05	1.08	1.03	1.03	1.03	1.05	(0.07)	25,826	2,744	1.062
EA41C2606T	0.21	150168	-	0.23	0.21	0.22	0.22	0.23	0.01	58,503	1,255	0.214
EASTW	2.14	150168	2.18	2.18	2.10	2.16	2.14	2.16	0.02	10,345	2,205	2.131
EGATIF	5.95	150168	6.00	6.00	5.90	5.95	5.95	6.00	-	4,705	2,801	5.953
EGCO	110.00	150168	110.50	112.00	109.50	111.00	110.50	111.00	1.00	5,197	57,563	110.761
EGCO13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
EGCO19C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
EGCO19C2504A	0.09	150168	-	0.10	0.10	0.10	0.10	0.11	0.01	1,317	13	0.1
EP	1.48	150168	1.46	1.49	1.44	1.49	1.48	1.49	0.01	563	83	1.473
EP-W4	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
ETC	1.58	150168	1.58	1.58	1.49	1.50	1.49	1.50	(0.08)	11,277	1,723	1.528
GPSC	32.00	150168	32.50	32.50	31.25	31.75	31.50	31.75	(0.25)	67,672	216,328	31.968
GPSC01C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01C2504W	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01C2505A	0.16	150168	0.16	0.17	0.15	0.15	0.15	0.16	(0.01)	190,459	3,047	0.16
GPSC01P2502A	0.40	150168	0.36	0.43	0.36	0.41	0.41	0.44	0.01	12,798	491	0.383
GPSC11C2501A	0.02	150168	-	-	-	-	-	0.01	-	-	-	0
GPSC11C2502A	0.11	150168	-	-	-	-	-	0.01	-	-	-	0
GPSC13C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
GPSC13C2504A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
GPSC13C2505A	0.08	150168	-	0.08	0.08	0.08	0.07	0.08	-	48,657	389	0.08
GPSC13C2505B	0.17	150168	0.19	0.19	0.16	0.17	0.17	0.18	-	103,882	1,827	0.175
GPSC13P2505A	0.50	150168	0.49	0.53	0.49	0.53	0.51	0.55	0.03	23	1	0.512
GPSC13P2506A	1.00	150168	-	0.29	0.27	0.28	0.28	0.29	(0.72)	71,383	1,959	0.274
GPSC19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19C2505A	0.08	150168	-	0.05	0.05	0.05	0.04	0.05	(0.03)	2,000	10	0.05
GPSC19C2506A	0.11	150168	0.12	0.12	0.10	0.10	0.10	0.11	(0.01)	22,404	246	0.11
GPSC19P2506A	0.36	150168	0.33	0.36	0.33	0.36	0.35	0.36	-	46,769	1,619	0.346
GPSC41C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
GPSC41C2504A	0.06	150168	-	-	-	-	0.01	0.04	-	-	-	0
GPSC41C2505A	0.07	150168	-	0.04	0.04	0.04	0.04	0.05	(0.03)	200	1	0.04
GPSC41C2606T	0.21	150168	-	0.21	0.20	0.20	0.20	0.21	(0.01)	46,000	962	0.209
GREEN	0.99	150168	0.98	0.99	0.96	0.99	0.98	0.99	-	1,830	178	0.972
GULF	60.00	150168	60.00	61.50	59.50	60.50	60.50	60.75	0.50	332,289	2,010,052	60.491
GULF01C2502A	0.04	150168	-	0.05	0.05	0.05	0.05	0.06	0.01	3	-	0.05
GULF01C2502B	0.02	150168	-	-	-	-	0.02	0.03	-	-	-	0
GULF01C2503A	0.03	150168	-	0.02	0.02	0.02	0.02	0.03	(0.01)	2,000	4	0.02
GULF01C2504A	0.19	150168	0.20	0.23	0.19	0.21	0.20	0.21	0.02	73,738	1,500	0.203
GULF01P2504A	0.54	150168	0.52	0.53	0.47	0.49	0.49	0.50	(0.05)	28,746	1,458	0.507
GULF06C2503A	0.06	150168	-	0.09	0.08	0.09	-	-	0.03	305	3	0.082
GULF13C2502A	0.01	150168	-	0.01	0.01	0.01	-	0.02	-	500	1	0.01
GULF13C2502B	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
GULF13C2504A	0.12	150168	-	0.14	0.12	0.12	0.12	0.13	-	82,354	1,067	0.129
GULF13C2505A	0.24	150168	0.25	0.28	0.23	0.25	0.25	0.26	0.01	327,041	8,368	0.255
GULF13C2505B	0.42	150168	0.42	0.47	0.40	0.43	0.43	0.44	0.01	353,639	15,318	0.433
GULF13P2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
GULF13P2502B	0.04	150168	-	0.01	0.01	0.01	0.01	0.03	(0.03)	1,110	1	0.01
GULF13P2504A	0.42	150168	0.43	0.43	0.37	0.40	0.40	0.41	(0.02)	38,129	1,543	0.404
GULF13P2505A	0.30	150168	0.30	0.30	0.26	0.28	0.28	0.29	(0.02)	126,161	3,627	0.287
GULF19C2502A	0.05	150168	-	-	-	-	0.08	0.09	-	-	-	0
GULF19C2503A	0.07	150168	-	0.07	0.07	0.07	0.07	0.08	-	500	4	0.07
GULF19C2503B	0.06	150168	-	0.04	0.04	0.04	0.03	0.04	(0.02)	100	-	0.04
GULF19C2505A	0.24	150168	-	0.28	0.23	0.27	0.25	0.26	0.03	50,611	1,287	0.254
GULF19C2506A	0.48	150168	-	0.53	0.47	0.51	0.50	0.51	0.03	14,316	717	0.5
GULF19P2503A	0.16	150168	0.15	0.15	0.13	0.14	0.14	0.15	(0.02)	14,674	215	0.146
GULF19P2504A	0.36	150168	-	0.36	0.31	0.33	0.33	0.34	(0.03)	74,476	2,560	0.343
GULF41C2502A	0.19	150168	0.20	0.22	0.19	0.20	0.20	0.22	0.01	29,586	567	0.191
GULF41C2502B	0.06	150168	-	-	-	-	0.06	0.07	-	-	-	0
GULF41C2504A	0.11	150168	-	0.13	0.11	0.13	0.11	0.12	0.02	19,000	225	0.118
GULF41C2505A	0.28	150168	-	0.32	0.27	0.29	0.29	0.30	0.01	83,509	2,473	0.296
GULF41C2605T	0.66	150168	-	0.69	0.65	0.67	0.67	0.68	0.01	83,010	5,528	0.665
GULF41P2504A	0.44	150168	0.37	0.39	0.35	0.36	0.36	0.37	(0.08)	20,384	764	0.374
GUNKUL	2.00	150168	2.02	2.08	2.02	2.04	2.04	2.06	0.04	176,091	36,138	2.052
GUNKUL13C2504A	0.05	150168	-	0.06	0.06	0.06	0.04	0.06	0.01	1	-	0.06
GUNKUL13C2505A	0.09	150168	0.10	0.12	0.10	0.11	0.10	0.12	0.02	7,787	86	0.109
GUNKUL19C2504A	0.06	150168	-	0.07	0.07	0.07	0.07	0.08	0.01	4,980	35	0.07
GUNKUL19C2505A	0.13	150168	-	0.15	0.13	0.14	0.14	0.15	0.01	5,527	77	0.14
IRPC	1.16	150168	1.18	1.21	1.16	1.16	1.16	1.17	-	263,891	31,090	1.178
IRPC01C2502A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
IRPC01C2504A	0.02	150168	-	-	-	-	0.02	0.03	-	-	-	0
IRPC13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
IRPC13C2503A	0.02	150168	-	-	-	-	0.01	0.03	-	-	-	0
IRPC19C2502A	0.08	150168	-	-	-	-	0.01	0.02	-	-	-	0
IRPC19C2503A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
KBSPIF	8.00	150168	-	8.00	8.00	8.00	7.95	8.00	-	1	1	8
LANNA	15.80	150168	15.90	16.00	15.80	15.90	15.90	16.00	0.10	3,187	5,052	15.851
MDX	2.92	150168	2.92	2.96	2.88	2.94	2.90	2.94	0.02	890	258	2.903
NOVA	8.40	150168	-	8.40	8.30	8.40	8.20	8.50	-	10	8	8.31
OR	12.20	150168	12.20	12.30	11.90	12.00	11.90	12.00	(0.20)	97,532	117,024	11.998
OR01C2502A	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	3	-	0.01
OR01C2503A	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	99	-	0.01
OR01C2505A	0.05	150168	-	0.04	0.04	0.04	0.03	0.04	(0.01)	240	1	0.04
OR13C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
OR13C2504A	0.03	150168	-	-	-	-	0.02	0.03	-	-	-	0
OR13C2506A	0.17	150168	-	0.17	0.14	0.15	0.15	0.16	(0.02)	34,858	531	0.152
OR19C2502A	0.01	150168	-	-	-	-	0.01					



## Main Board Quotation

Issue Date Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
OR19C2504A	0.03	150168	-	-	-	-	0.02	0.03	-	-	-	0
OR19C2505A	0.09	150168	0.09	0.09	0.07	0.07	0.08	0.09	(0.02)	6,409	56	0.088
OR41C2502A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
OR41C2505A	0.07	150168	-	0.07	0.06	0.06	0.06	0.07	(0.01)	159	1	0.067
OR41C2605T	0.06	150168	-	0.06	0.06	0.06	0.06	0.07	-	1,660	10	0.06
PRIME	0.09	150168	0.10	0.10	0.08	0.08	0.08	0.09	-	178,422	1,609	0.09
PTG	7.80	150168	7.90	7.90	7.75	7.80	7.80	7.85	-	15,863	12,402	7.818
PTT	31.25	150168	31.25	31.50	30.75	31.00	31.00	31.25	(0.25)	475,152	1,474,260	31.027
PTT01C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
PTT01C2505A	0.08	150168	-	-	-	-	0.08	0.09	-	-	-	0
PTT11C2501A	0.05	150168	-	-	-	-	-	0.01	-	-	-	0
PTT13C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
PTT19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
PTT19C2505A	0.09	150168	-	0.11	0.10	0.11	0.10	0.11	0.02	1,403	15	0.109
PTT41C2502A	0.07	150168	-	-	-	-	0.01	0.03	-	-	-	0
PTT41C2606T	0.24	150168	-	0.25	0.25	0.25	0.25	0.26	0.01	17,506	438	0.25
PTTEP	129.00	150168	130.00	130.50	129.00	130.00	130.00	130.50	1.00	72,089	935,536	129.774
PTTEP01C2502A	0.01	150168	-	0.02	0.02	0.02	0.01	0.02	0.01	1	-	0.02
PTTEP01C2503A	0.05	150168	-	0.05	0.05	0.05	0.05	0.06	-	100	1	0.05
PTTEP01C2504A	0.20	150168	0.22	0.22	0.21	0.21	0.21	0.22	0.01	35,778	754	0.21
PTTEP01C2505A	0.41	150168	0.43	0.43	0.42	0.42	0.42	0.44	0.01	21,630	916	0.423
PTTEP01P2503A	0.22	150168	0.20	0.22	0.20	0.20	0.20	0.21	(0.02)	36,302	749	0.206
PTTEP06C2501A	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	3,416	3	0.01
PTTEP11C2501A	0.03	150168	-	-	-	-	-	0.01	-	-	-	0
PTTEP11C2501B	0.01	150168	0.01	0.01	0.01	0.01	-	0.01	-	1	-	0.01
PTTEP11C2502A	0.10	150168	-	-	-	-	0.03	0.04	-	-	-	0
PTTEP11C2503A	0.17	150168	-	-	-	-	0.17	0.18	-	-	-	0
PTTEP13C2502A	0.02	150168	-	-	-	-	-	0.01	-	-	-	0
PTTEP13C2503A	0.05	150168	-	-	-	-	0.05	0.06	-	-	-	0
PTTEP13C2504A	0.17	150168	-	0.19	0.18	0.18	0.18	0.19	0.01	192,933	3,484	0.18
PTTEP13C2505A	0.35	150168	-	0.38	0.35	0.37	0.37	0.38	0.02	119,244	4,310	0.361
PTTEP13P2502A	0.07	150168	-	0.05	0.05	0.05	0.04	0.06	(0.02)	2,008	10	0.05
PTTEP19C2502A	0.04	150168	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2503A	0.06	150168	0.07	0.07	0.07	0.07	0.07	0.08	0.01	500	4	0.07
PTTEP19C2504A	0.19	150168	0.20	0.21	0.20	0.20	0.20	0.21	0.01	112,391	2,272	0.202
PTTEP19C2505A	0.41	150168	0.43	0.43	0.41	0.42	0.42	0.43	0.01	1,885	78	0.414
PTTEP41C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP41C2503A	0.10	150168	-	-	-	-	0.07	0.08	-	-	-	0
PTTEP41C2504A	0.19	150168	-	0.20	0.19	0.19	0.20	0.21	-	19,368	383	0.197
PTTEP41C2505A	0.38	150168	-	0.43	0.42	0.42	0.43	0.44	0.04	34,000	1,430	0.42
PTTEP41C2604T	0.20	150168	-	0.20	0.20	0.20	0.20	0.21	-	9,600	192	0.2
PTTEP41P2503A	0.17	150168	-	-	-	-	0.12	0.13	-	-	-	0
RATCH	28.00	150168	28.00	28.25	27.75	28.00	27.75	28.00	-	5,887	16,457	27.955
RATCH01C2503A	0.06	150168	-	-	-	-	0.01	0.02	-	-	-	0
RATCH13C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
RATCH19C2502A	0.04	150168	-	-	-	-	0.01	0.02	-	-	-	0
RPC	0.33	150168	0.32	0.33	0.30	0.30	0.30	0.31	(0.03)	16,346	500	0.305
SCG	3.28	150168	-	3.50	3.30	3.50	3.42	3.48	0.22	29	10	3.373
SCN	0.56	150168	0.56	0.56	0.54	0.55	0.54	0.55	(0.01)	3,690	204	0.552
SCN-W2	0.05	150168	-	-	-	-	0.04	0.05	-	-	-	0
SEAOL	2.58	150168	2.60	2.60	2.56	2.56	2.56	2.58	(0.02)	398	103	2.587
SGP	7.15	150168	7.05	7.10	7.05	7.10	7.10	7.25	(0.05)	572	406	7.095
SKE	0.27	150168	0.27	0.28	0.27	0.27	0.27	0.28	-	2,262	62	0.276
SKE-W1	0.05	150168	0.04	0.05	0.04	0.05	0.04	0.05	-	1,196	6	0.049
SOLAR	0.39	150168	0.38	0.39	0.37	0.37	0.37	0.38	(0.02)	5,344	201	0.376
SPCG	8.05	150168	-	8.15	8.00	8.15	8.05	8.15	0.10	2,352	1,898	8.067
SPRC	6.00	150168	6.00	6.25	6.00	6.15	6.15	6.20	0.15	145,482	89,184	6.13
SPRC01C2502A	0.04	150168	-	-	-	-	0.01	0.02	-	-	-	0
SPRC13C2503A	0.02	150168	-	-	-	-	0.02	0.03	-	-	-	0
SPRC13C2504A	0.08	150168	-	0.10	0.08	0.10	0.09	0.10	0.02	18,163	173	0.095
SPRC19C2503A	0.09	150168	-	-	-	-	0.04	0.05	-	-	-	0
SPRC19C2505A	0.16	150168	-	0.19	0.16	0.19	0.18	0.19	0.03	51,311	900	0.175
SPRC41C2606T	0.28	150168	-	0.30	0.29	0.30	0.30	0.31	0.02	12,000	355	0.295
SSP	5.25	150168	-	5.25	5.15	5.20	5.15	5.20	(0.05)	1,593	824	5.171
SSP-W2	0.02	150168	0.02	0.03	0.02	0.02	0.02	0.03	-	3,500	7	0.02
SUPER	0.23	150168	0.23	0.23	0.22	0.23	0.22	0.23	-	303,791	6,739	0.221
SUPEREIF	6.35	150168	6.35	6.35	6.20	6.35	6.30	6.35	-	1,313	818	6.229
SUSCO	2.80	150168	2.82	2.86	2.80	2.82	2.82	2.84	0.02	15,575	4,414	2.833
TAE	0.72	150168	-	0.73	0.71	0.71	0.71	0.72	(0.01)	1,425	102	0.712
TCC	0.30	150168	0.30	0.31	0.30	0.30	0.30	0.31	-	1,112	34	0.301
TCC-W5	0.16	150168	-	0.16	0.14	0.14	0.14	0.16	(0.02)	18	-	0.141
TGE	2.08	150168	-	2.20	2.00	2.06	2.04	2.08	(0.02)	1,058	215	2.034
TGE-W1	0.96	150168	-	0.96	0.95	0.95	0.95	0.98	(0.01)	288	27	0.95
TOP	26.75	150168	27.00	27.25	26.25	27.25	27.00	27.25	0.50	134,807	362,050	26.855
TOP01C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP01C2504A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP01C2505A	0.03	150168	-	0.02	0.02	0.02	0.02	0.03	(0.01)	1,001	2	0.02
TOP01C2506A	0.25	150168	-	0.26	0.24	0.26	0.26	0.27	0.01	35,539	895	0.251
TOP01P2504A	1.18	150168	-	-	-	-	0.97	1.01	-	-	-	0
TOP01P2506A	0.31	150168	0.29	0.31	0.29	0.29	0.28	0.29	(0.02)	21,157	630	0.297
TOP11C2501A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
TOP11C2502A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
TOP13C2502A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
TOP13C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP13C2503B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP13C2504A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP13C2504B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP13C2505A	0.02	150168	-	0.02	0.01	0.02	0.01	0.02	-	111	-	0.019
TOP13C2505B	0.09	150168	-	0.10	0.09	0.10	0.10	0.11	0.01	35,102	331	0.094
TOP13C2505C	0.19	150168	0.20	0.20	0.18	0.20	0.20	0.21	0.01	44,525	851	0.191
TOP13P2503A	1.22	150168	-	-	-	-	0.97	1.04	-	-	-	0
TOP13P2505A	0.74	150168	-	-	-	-	0.63	0.66	-	-	-	0
TOP13P2505B	0.31	150168	0.30	0.32	0.29	0.29	0.29	0.30	(0.02)	14,713	452	0.307
TOP19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP19C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP19C2503B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP19C2504A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP19C2505A	0.02	150168	0.02	0.02	0.02	0.02	0.02	0.03	-	11,000	22	0.02
TOP19C2505B	0.18	150168	-	0.20	0.17	0.19	0.19	0.20	0.01	25,458	466	0.183
TOP19P2505A	0.17	150168	0.16	0.17	0.16	0.16	0.15	0.16	(0.01)	7,620	123	0.161
TOP41C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP41C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
TOP41C2505A	0.01	150168	-	-	-	-	0.01	0.03	-	-	-	0

## Main Board Quotation

Issue Date **Thursday January 16, 2025**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TOP41C2506B	0.27	150168	-	0.29	0.25	<b>0.29</b>	0.28	0.29	0.02	76,440	2,009	0.262
TOP41P2505A	1.00	150168	-	-	-	-	0.23	0.24	-	-	-	0
TPIPP	2.92	150168	2.92	2.94	2.92	<b>2.92</b>	2.92	2.94	-	2,659	777	2.923
TSE	0.79	150168	0.80	0.80	0.78	<b>0.78</b>	0.78	0.79	(0.01)	4,084	321	0.786
TTW	8.80	150168	8.85	8.90	8.85	<b>8.90</b>	8.85	8.90	0.10	6,301	5,593	8.876
UBE	0.61	150168	0.61	0.62	0.61	<b>0.61</b>	0.61	0.62	-	7,891	482	0.61
WHAUP	4.14	150168	4.16	4.18	4.02	<b>4.04</b>	4.04	4.06	(0.10)	49,641	20,227	4.074
WP	3.24	150168	-	3.26	3.24	<b>3.26</b>	3.24	3.26	0.02	56	18	3.24
Media & Publishing												
AMARIN	2.92	150168	-	2.96	2.82	<b>2.94</b>	2.84	2.94	0.02	27	8	2.912
AQUA	0.31	150168	0.31	0.31	0.29	<b>0.29</b>	0.29	0.30	(0.02)	19,553	586	0.299
AS	3.30	150168	3.30	3.32	3.14	<b>3.14</b>	3.14	3.16	(0.16)	10,611	3,392	3.197
BEC	3.80	150168	3.80	3.80	3.74	<b>3.80</b>	3.80	3.82	-	8,383	3,160	3.769
FE	194.00	150168	-	-	-	-	179.00	185.00	-	-	-	0
GPI	1.54	150168	1.54	1.57	1.53	<b>1.57</b>	1.56	1.57	0.03	4,121	636	1.543
GRAMMY	8.00	150168	-	8.00	7.65	<b>8.00</b>	7.60	8.00	-	98	75	7.692
JKN	0.31	150168	-	-	-	-	-	-	-	-	-	0
MAJOR	14.20	150168	14.30	14.30	14.10	<b>14.20</b>	14.20	14.30	-	4,641	6,586	14.191
MATCH	1.01	150168	-	1.01	1.01	<b>1.01</b>	1.01	1.08	-	13	1	1.01
MATI	5.60	150168	-	-	-	-	5.35	5.80	-	-	-	0
MCOT	4.98	150168	5.05	5.05	4.68	<b>4.74</b>	4.74	4.76	(0.24)	41,072	19,662	4.787
MONO	1.92	150168	1.93	1.98	1.84	<b>1.85</b>	1.85	1.86	(0.07)	366,342	69,501	1.897
NATION	0.03	150168	0.04	0.04	0.03	<b>0.03</b>	0.03	0.04	-	9,118	36	0.039
NATION-W4	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
ONEE	3.74	150168	3.72	3.72	3.60	<b>3.62</b>	3.62	3.66	(0.12)	25,870	9,425	3.643
PLANB	6.90	150168	6.95	6.95	6.80	<b>6.80</b>	6.80	6.85	(0.10)	43,442	29,732	6.844
PLANB13C2503A	0.05	150168	-	0.05	0.04	<b>0.04</b>	0.04	0.05	(0.01)	6,073	29	0.048
PLANB19C2503A	0.07	150168	-	0.07	0.07	<b>0.07</b>	0.07	0.08	-	2,631	18	0.07
PRAKIT	11.50	150168	-	-	-	-	11.40	11.50	-	-	-	0
PTECH	0.56	150168	0.57	0.73	0.57	<b>0.73</b>	0.72	-	0.17	193	14	0.705
SE-ED	2.04	150168	-	-	-	-	1.89	2.04	-	-	-	0
TKS	5.60	150168	5.55	5.60	5.50	<b>5.60</b>	5.55	5.60	-	1,523	845	5.545
VGI	3.24	150168	3.26	3.28	3.14	<b>3.20</b>	3.20	3.22	(0.04)	759,475	243,245	3.202
VGI-W3	0.09	150168	0.09	0.09	0.08	<b>0.09</b>	0.08	0.09	-	8,502	71	0.084
VGI-W4	1.50	150168	1.51	1.54	1.47	<b>1.47</b>	1.47	1.48	(0.03)	96,943	14,531	1.498
VGI01C2502A	0.14	150168	-	0.14	0.12	<b>0.12</b>	0.12	0.14	(0.02)	588	8	0.134
VGI01C2505A	0.41	150168	-	0.41	0.37	<b>0.38</b>	0.38	0.39	(0.03)	46,070	1,782	0.386
VGI06C2502A	0.20	150168	0.20	0.20	0.16	<b>0.18</b>	0.16	-	(0.02)	10,496	183	0.174
VGI13C2504A	0.49	150168	-	0.49	0.44	<b>0.46</b>	0.46	0.47	(0.03)	40,563	1,871	0.461
VGI13C2505A	0.31	150168	-	0.32	0.28	<b>0.29</b>	0.29	0.30	(0.02)	44,056	1,304	0.295
VGI13P2504A	0.13	150168	-	0.15	0.13	<b>0.13</b>	0.13	0.14	-	33,454	465	0.139
VGI19C2502A	0.21	150168	-	0.21	0.17	<b>0.19</b>	0.19	0.20	(0.02)	39,022	716	0.183
VGI19C2504A	0.42	150168	-	0.41	0.36	<b>0.39</b>	0.38	0.39	(0.03)	42,628	1,619	0.379
VGI19C2505A	0.32	150168	-	0.32	0.29	<b>0.30</b>	0.30	0.31	(0.02)	69,242	2,103	0.303
VGI19P2503A	0.04	150168	-	-	-	-	0.03	0.04	-	-	-	0
VGI41C2502A	0.16	150168	-	0.16	0.13	<b>0.14</b>	0.14	0.15	(0.02)	18,575	268	0.144
VGI41C2505A	0.32	150168	0.29	0.32	0.28	<b>0.31</b>	0.30	0.31	(0.01)	38,403	1,176	0.306
VGI41C2606T	0.33	150168	0.34	0.34	0.31	<b>0.32</b>	0.32	0.33	(0.01)	5,622	181	0.321
WORK	5.80	150168	5.80	5.85	5.65	<b>5.70</b>	5.70	5.75	(0.10)	1,299	743	5.722
ZAA	0.87	150168	0.87	0.87	0.84	<b>0.85</b>	0.84	0.85	(0.02)	554	47	0.852
Finance & Securities												
AEONTS	112.00	150168	113.50	119.50	113.50	<b>119.00</b>	118.50	119.00	7.00	2,863	33,647	117.523
AMANAH	0.86	150168	0.87	0.88	0.85	<b>0.87</b>	0.86	0.87	0.01	5,896	507	0.859
ASAP	1.80	150168	-	1.79	1.79	<b>1.79</b>	1.78	1.79	(0.01)	22	4	1.79
ASK	8.85	150168	9.00	9.00	8.80	<b>8.80</b>	8.80	8.95	(0.05)	7,409	6,566	8.862
ASP	2.30	150168	2.32	2.32	2.30	<b>2.32</b>	2.30	2.32	0.02	2,531	586	2.314
BAM	5.75	150168	5.80	5.80	5.60	<b>5.65</b>	5.65	5.70	(0.10)	82,536	46,831	5.674
BAM01C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
BAM01C2504A	0.03	150168	-	0.03	0.03	<b>0.03</b>	0.02	0.03	-	19,600	59	0.03
BAM01C2506A	0.20	150168	-	0.22	0.20	<b>0.20</b>	0.20	0.21	-	44,032	906	0.205
BAM13C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BAM13C2503B	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
BAM13C2504A	0.04	150168	-	-	-	-	0.03	0.04	-	-	-	0
BAM13C2505A	0.12	150168	-	0.13	0.12	<b>0.12</b>	0.11	0.12	-	1,344	17	0.126
BAM19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BAM19C2503A	0.06	150168	-	-	-	-	0.01	0.02	-	-	-	0
BAM19C2504A	0.05	150168	-	-	-	-	0.04	0.05	-	-	-	0
BAM19C2505A	0.14	150168	-	0.14	0.12	<b>0.13</b>	0.12	0.13	(0.01)	34,146	431	0.126
BAM41C2504A	0.09	150168	-	-	-	-	0.01	0.04	-	-	-	0
BAM41C2505A	0.11	150168	-	0.11	0.11	<b>0.11</b>	0.10	0.11	-	2,000	22	0.11
BYD	0.70	150168	0.70	0.73	0.67	<b>0.68</b>	0.68	0.69	(0.02)	65,231	4,499	0.689
CGH	0.61	150168	0.61	0.62	0.59	<b>0.60</b>	0.59	0.60	(0.01)	15,663	934	0.596
CGH-W5	0.31	150168	-	-	-	-	0.13	-	-	-	-	0
CHASE	0.60	150168	0.63	0.64	0.58	<b>0.63</b>	0.62	0.63	0.03	88,484	5,487	0.62
CHASE-W1	0.24	150168	0.26	0.28	0.25	<b>0.26</b>	0.26	0.27	0.02	24,630	641	0.26
CHAYO	2.36	150168	2.40	2.40	2.32	<b>2.36</b>	2.34	2.36	-	9,259	2,176	2.35
CHAYO-W3	0.09	150168	-	0.09	0.08	<b>0.09</b>	0.08	0.09	-	132	1	0.089
ECL	0.83	150168	0.84	0.84	0.80	<b>0.81</b>	0.81	0.82	(0.02)	3,784	309	0.817
FNS	1.78	150168	-	1.80	1.77	<b>1.77</b>	1.77	1.79	(0.01)	125	22	1.778
FSX	1.99	150168	2.02	2.02	2.00	<b>2.00</b>	1.96	2.00	0.01	63	13	2.003
GBX	0.66	150168	-	0.67	0.64	<b>0.66</b>	0.65	0.66	-	1,734	114	0.657
GL	0.65	150168	-	-	-	-	-	-	-	-	-	0
HENG	1.04	150168	1.06	1.06	1.02	<b>1.03</b>	1.03	1.04	(0.01)	12,079	1,251	1.035
IFS	2.36	150168	-	2.38	2.32	<b>2.38</b>	2.36	2.38	0.02	186	44	2.343
JMT	15.50	150168	15.70	15.70	14.40	<b>14.90</b>	14.90	15.00	(0.60)	260,138	388,544	14.936
JMT01C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
JMT01C2504A	0.15	150168	-	0.15	0.11	<b>0.12</b>	0.12	0.13	(0.03)	30,403	361	0.118
JMT13C2502A	0.01	150168	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	1,010	1	0.01
JMT13C2504A	0.12	150168	0.13	0.13	0.09	<b>0.09</b>	0.09	0.10	(0.03)	161,373	1,577	0.097
JMT13C2506A	0.32	150168	0.33	0.33	0.24	<b>0.26</b>	0.26	0.27	(0.06)	170,540	4,624	0.271
JMT19C2503A	0.03	150168	-	0.03	0.03	<b>0.03</b>	0.02	0.03	-	1,000	3	0.03
JMT19C2504A	0.08	150168	-	0.07	0.05	<b>0.06</b>	0.06	0.07	(0.02)	346	2	0.052
JMT19C2504B	0.13	150168	-	0.13	0.09	<b>0.11</b>	0.11	0.12	(0.02)	31,757	337	0.106
JMT19C2506A	0.33	150168	-	0.33	0.25	<b>0.28</b>	0.28	0.29	(0.05)	91,085	2,531	0.277
JMT41C2505A	0.17	150168	0.13	0.17	0.12	<b>0.14</b>	0.14	0.15	(0.03)	91,936	1,257	0.136
KCAR	4.52	150168	-	4.52	4.50	<b>4.50</b>	4.50	4.52	(0.02)	227	103	4.519
KGI	4.16	150168	4.18	4.22	4.18	<b>4.18</b>	4.18	4.22	0.02	5,017	2,104	4.193
KTC	50.75	150168	50.75	51.00	50.50	<b>50.50</b>	50.50	50.75	(0.25)	16,902	85,668	50.685
KTC01C2503A	0.17	150168	-	0.17	0.16	<b>0.16</b>	0.16	0.17	(0.01)	23,553	400	0.169
KTC11C2502A	0.11	150168	-	-	-	-	0.04	0.05	-	-	-	0
KTC13C2502A	0.07	150168	-	-	-	-	0.02	0.03	-	-	-	0
KTC13C2503A	0.14	150168										

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date

Thursday January 16, 2025

Sector/	Previous										Volume	Value	Average
Securities	Price	Date	Open	High	Low	Close	Bid	Offer	Change	(Lot)	('000)	Price	
KTC19C2504A	0.27	150168	-	0.27	0.27	0.27	0.26	0.27	-	16,398	443	0.27	
KTC41C2606T	0.34	150168	-	-	-	-	0.34	0.35	-	-	-	0	
MFC	28.75	150168	28.75	30.00	28.50	30.00	29.75	30.00	1.25	1,660	4,930	29.695	
MICRO	0.95	150168	-	0.98	0.96	0.96	0.96	0.97	0.01	5,077	493	0.971	
ML	0.50	150168	-	0.51	0.50	0.50	0.50	0.51	-	4,385	220	0.5	
MST	9.05	150168	9.05	9.10	9.05	9.05	9.05	9.10	-	158	143	9.05	
MTC	43.75	150168	45.25	45.25	43.00	43.50	43.25	43.50	(0.25)	47,647	208,446	43.747	
MTC01C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0	
MTC01C2504A	0.09	150168	-	0.11	0.09	0.09	0.09	0.10	-	5,470	60	0.108	
MTC01P2502A	0.16	150168	-	0.16	0.15	0.15	0.15	0.17	(0.01)	20	-	0.155	
MTC13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0	
MTC13C2503A	0.05	150168	-	-	-	-	0.03	0.04	-	-	-	0	
MTC13C2505A	0.17	150168	-	0.20	0.16	0.17	0.16	0.17	-	89,027	1,570	0.176	
MTC13P2502A	0.06	150168	-	-	-	-	0.05	0.06	-	-	-	0	
MTC19C2502A	0.05	150168	-	-	-	-	0.01	0.02	-	-	-	0	
MTC19C2504A	0.09	150168	-	0.11	0.11	0.11	0.09	0.10	0.02	4,004	44	0.11	
MTC19C2506A	0.30	150168	0.35	0.35	0.28	0.29	0.28	0.29	(0.01)	58,856	1,729	0.293	
MTC19P2506A	1.00	150168	-	0.46	0.43	0.45	0.46	0.47	(0.55)	12,128	553	0.456	
MTC41C2502A	0.04	150168	-	-	-	-	0.01	0.03	-	-	-	0	
MTC41C2505A	0.11	150168	-	0.11	0.10	0.11	0.11	0.12	-	13,000	142	0.109	
NCAP	1.26	150168	1.31	1.32	1.23	1.24	1.24	1.25	(0.02)	37,787	4,794	1.268	
PL	1.43	150168	1.44	1.44	1.43	1.44	1.44	1.47	0.01	84	12	1.437	
S11	2.02	150168	-	2.04	2.00	2.00	2.00	2.04	(0.02)	231	46	2.002	
SAK	4.16	150168	4.24	4.28	4.14	4.14	4.12	4.14	(0.02)	8,156	3,415	4.187	
SAWAD	37.25	150168	38.25	38.25	36.50	36.75	36.50	36.75	(0.50)	53,279	197,748	37.115	
SAWAD-W2	0.36	150168	-	0.40	0.35	0.36	0.36	0.37	-	451	17	0.366	
SAWAD01C2502A	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	112	-	0.01	
SAWAD01C2504A	0.10	150168	-	0.12	0.09	0.09	0.09	0.10	(0.01)	35,195	376	0.106	
SAWAD01P2502W	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0	
SAWAD01P2505A	0.59	150168	-	0.62	0.54	0.61	0.61	0.62	0.02	28,527	1,672	0.586	
SAWAD13C2503A	0.06	150168	-	-	-	-	0.04	0.05	-	-	-	0	
SAWAD13C2505A	0.17	150168	0.20	0.20	0.16	0.16	0.16	0.17	(0.01)	182,771	3,047	0.166	
SAWAD13P2504A	0.35	150168	-	0.32	0.28	0.32	0.32	0.33	(0.03)	15,044	466	0.309	
SAWAD19C2502A	0.09	150168	-	-	-	-	0.01	0.02	-	-	-	0	
SAWAD19C2504A	0.09	150168	-	0.12	0.10	0.10	0.09	0.10	0.01	442	5	0.11	
SAWAD19C2505A	0.17	150168	0.20	0.20	0.15	0.16	0.15	0.16	(0.01)	79,598	1,400	0.175	
SAWAD19P2504A	0.24	150168	-	0.25	0.21	0.25	0.25	0.26	0.01	27,088	653	0.24	
SAWAD41C2502A	0.10	150168	-	-	-	-	0.01	0.03	-	-	-	0	
SAWAD41C2502B	0.03	150168	-	-	-	-	0.01	0.03	-	-	-	0	
SAWAD41C2505A	0.18	150168	0.18	0.20	0.17	0.17	0.16	0.17	(0.01)	32,960	597	0.181	
SCAP	1.29	150168	1.28	1.29	1.25	1.25	1.25	1.27	(0.04)	4,655	589	1.265	
SGC	1.05	150168	1.06	1.07	1.01	1.02	1.02	1.03	(0.03)	83,788	8,607	1.027	
SGC-W1	0.21	150168	0.22	0.22	0.18	0.19	0.17	0.19	(0.02)	13,128	240	0.182	
SGC-W2	0.30	150168	0.30	0.32	0.29	0.30	0.28	0.30	-	4,779	142	0.296	
SM	1.01	150168	-	0.99	0.97	0.99	0.98	0.99	(0.02)	422	41	0.981	
TH	0.66	150168	0.66	0.67	0.64	0.65	0.64	0.65	(0.01)	5,923	384	0.648	
TH-W3	0.05	150168	-	0.05	0.03	0.04	0.03	0.04	(0.01)	19,651	79	0.039	
THANI	1.33	150168	1.35	1.35	1.28	1.32	1.31	1.32	(0.01)	23,458	3,050	1.3	
TIDLOR	15.50	150168	16.00	16.10	15.30	15.70	15.70	15.80	0.20	104,873	164,668	15.701	
TIDLOR01C2506A	0.26	150168	0.30	0.30	0.25	0.28	0.27	0.28	0.02	63,662	1,736	0.272	
TIDLOR13C2504A	0.13	150168	-	0.16	0.12	0.13	0.13	0.14	-	45,781	634	0.138	
TIDLOR13C2505A	0.30	150168	-	0.35	0.29	0.30	0.30	0.32	-	139,206	4,338	0.311	
TIDLOR19C2504A	0.09	150168	-	0.11	0.09	0.09	0.10	0.11	-	4,704	48	0.101	
TIDLOR19C2505A	0.20	150168	0.23	0.23	0.18	0.21	0.21	0.22	0.01	82,352	1,707	0.207	
TIDLOR19C2505B	0.30	150168	0.35	0.36	0.29	0.32	0.32	0.33	0.02	60,272	1,921	0.318	
TIDLOR41C2605T	0.37	150168	0.40	0.40	0.37	0.39	0.38	0.39	0.02	65,002	2,513	0.386	
TK	3.90	150168	3.90	3.98	3.86	3.96	3.90	3.96	0.06	546	213	3.903	
TNITY	3.68	150168	3.78	3.78	3.50	3.50	3.50	3.52	(0.18)	5,143	1,829	3.556	
TNL	34.00	150168	35.75	36.00	32.50	34.00	33.50	35.00	-	72	254	35.34	
UOBKH	5.30	150168	-	5.30	5.10	5.30	5.10	5.30	-	350	179	5.1	
XPG	0.90	150168	0.91	0.91	0.87	0.90	0.90	0.91	-	196,143	17,546	0.894	
Food & Beverage													
AAI	5.45	150168	5.50	5.75	5.45	5.70	5.70	5.75	0.25	59,414	33,622	5.658	
APURE	3.98	150168	3.96	4.02	3.96	3.96	3.96	4.02	(0.02)	409	162	3.964	
ASIAN	7.60	150168	7.65	7.80	7.60	7.65	7.65	7.70	0.05	3,858	2,969	7.696	
BR	1.73	150168	-	1.74	1.72	1.74	1.73	1.74	0.01	3,045	526	1.726	
BR-W1	0.04	150168	0.04	0.04	0.03	0.04	0.03	0.04	-	9,294	29	0.031	
BRR	4.20	150168	-	4.22	4.18	4.20	4.18	4.20	-	918	384	4.187	
BRR-W2	0.24	150168	-	0.24	0.23	0.23	0.22	0.23	(0.01)	259	6	0.238	
BTG	17.70	150168	17.80	18.00	17.50	18.00	17.90	18.00	0.30	10,957	19,455	17.756	
CBG	73.50	150168	75.50	78.00	74.00	77.00	77.00	77.25	3.50	55,220	421,774	76.379	
CBG01C2502W	0.02	150168	-	0.07	0.04	0.07	0.06	0.07	0.05	485	3	0.052	
CBG01C2503A	0.07	150168	-	0.11	0.08	0.10	0.10	0.11	0.03	16,764	173	0.103	
CBG01C2504A	0.30	150168	0.35	0.43	0.31	0.39	0.39	0.40	0.09	100,423	3,704	0.368	
CBG01P2502X	0.04	150168	-	-	-	-	0.02	0.03	-	-	-	0	
CBG01P2504W	0.55	150168	0.49	0.53	0.42	0.44	0.44	0.45	(0.11)	69,595	3,229	0.464	
CBG13C2503A	0.11	150168	0.13	0.17	0.12	0.16	0.16	0.17	0.05	56,436	788	0.139	
CBG13C2505A	0.27	150168	0.32	0.40	0.28	0.36	0.35	0.36	0.09	175,044	6,123	0.349	
CBG13P2502A	0.05	150168	-	-	-	-	0.01	0.05	-	-	-	0	
CBG13P2504A	0.57	150168	0.50	0.54	0.42	0.45	0.45	0.46	(0.12)	70,223	3,297	0.469	
CBG19C2502A	0.03	150168	-	0.05	0.04	0.05	0.06	0.07	0.02	1,305	5	0.04	
CBG19C2504A	0.17	150168	0.21	0.27	0.18	0.24	0.24	0.25	0.07	39,748	891	0.224	
CBG19P2502A	0.04	150168	-	-	-	-	0.01	0.02	-	-	-	0	
CBG41C2503A	0.09	150168	0.12	0.15	0.10	0.15	0.14	0.15	0.06	40,100	508	0.126	
CBG41C2505A	0.29	150168	0.33	0.40	0.30	0.38	0.38	0.39	0.09	101,450	3,533	0.348	
CFRESH	1.14	150168	1.12	1.15	1.10	1.11	1.11	1.12	(0.03)	2,149	240	1.117	
CH	2.00	150168	2.00	2.00	1.98	2.00	1.99	2.00	-	376	75	1.991	
CHAO	6.00	150168	6.10	6.10	5.65	6.00	6.00	6.05	-	32,399	18,910	5.836	
CHOTTI	69.50	150168	-	66.50	66.50	66.50	66.00	69.00	(3.00)	1	7	66.5	
CM	1.81	150168	1.80	1.81	1.79	1.80	1.79	1.81	(0.01)	93	17	1.798	
COCOCO	11.20	150168	11.30	11.30	11.00	11.10	11.10	11.20	(0.10)	35,027	38,993	11.132	
COCOCO13C2505A	0.11	150168	-	0.10	0.09	0.09	0.09	0.10	(0.02)	8,493	84	0.098	
COCOCO19C2506A	0.15	150168	0.15	0.15	0.14	0.14	0.13	0.14	(0.01)	15,575	218	0.134	
CPF	22.30	150168	22.30	22.50	22.10	22.30	22.30	22.40	-	88,065	196,687	22.334	
CPF01C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0	
CPF01C2503A	0.05	150168	-	-	-	-	0.01	0.02	-	-	-	0	
CPF01C2504A	0.17	150168	-	0.17	0.16	0.17	0.17	0.18	-	32,154	544	0.169	
CPF13C2502A	0.04	150168	-	-	-	-	0.01	0.02	-	-	-	0	
CPF13C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0	
CPF13C2504A	0.08	150168	-	0.09	0.09	0.0							



Sector/ Securities	Previous Price	Date	Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
BCH19C2502A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
BCH19C2505A	0.05	150168	-	-	-	-	0.06	0.07	-	-	-	0
BCH19C2505B	0.17	150168	-	0.15	0.15	<b>0.15</b>	0.15	0.16	(0.02)	4,113	62	0.15
BCH41C2506A	0.19	150168	-	0.19	0.17	<b>0.17</b>	0.17	0.18	(0.02)	22,000	381	0.173
BDMS	23.80	150168	23.90	24.10	23.70	<b>23.80</b>	23.80	23.90	-	266,183	635,396	23.871
BDMS01C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BDMS01C2503B	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
BDMS01C2504A	0.04	150168	-	-	-	-	0.04	0.05	-	-	-	0
BDMS01C2506A	0.36	150168	-	0.37	0.36	<b>0.36</b>	0.36	0.37	-	28,704	1,043	0.363
BDMS11C2501A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
BDMS11C2502A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
BDMS11C2503A	0.05	150168	-	-	-	-	0.04	0.05	-	-	-	0
BDMS13C2502A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
BDMS13C2504A	0.02	150168	-	0.02	0.02	<b>0.02</b>	0.02	0.03	-	1	-	0.02
BDMS13C2505A	0.23	150168	-	0.24	0.23	<b>0.23</b>	0.23	0.24	-	27,845	648	0.232
BDMS19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BDMS19C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BDMS19C2504A	0.08	150168	-	-	-	-	0.04	0.05	-	-	-	0
BDMS19C2505A	0.21	150168	-	0.23	0.21	<b>0.21</b>	0.21	0.22	-	46,921	1,019	0.217
BDMS41C2502B	0.01	150168	-	0.01	0.01	<b>0.01</b>	0.01	0.03	-	123	-	0.01
BDMS41C2505A	0.26	150168	-	0.27	0.26	<b>0.26</b>	0.26	0.27	-	59,550	1,564	0.262
BH	194.50	150168	195.00	196.50	192.50	<b>193.50</b>	193.50	194.00	(1.00)	26,263	511,011	194.574
BH-P	22.80	150168	-	-	-	-	21.10	-	-	-	-	0
BH-Q	23.40	150168	-	-	-	-	26.00	-	-	-	-	0
BH01C2502A	0.01	150168	-	0.01	0.01	<b>0.01</b>	0.01	0.02	-	3,000	3	0.01
BH01C2504A	0.10	150168	-	0.11	0.10	<b>0.10</b>	0.09	0.10	-	600	6	0.105
BH01C2505A	0.65	150168	-	0.67	0.61	<b>0.62</b>	0.62	0.64	(0.03)	42,068	2,735	0.65
BH01C2506A	0.26	150168	-	0.27	0.24	<b>0.24</b>	0.24	0.25	(0.02)	46,942	1,213	0.258
BH01P2502X	1.03	150168	-	0.82	0.82	<b>0.82</b>	0.83	0.86	(0.21)	382	31	0.82
BH01P2504A	0.54	150168	0.51	0.54	0.51	<b>0.53</b>	0.53	0.55	(0.01)	27,174	1,429	0.525
BH06C2503A	0.10	150168	-	-	-	-	-	-	-	-	-	0
BH11C2503A	0.12	150168	-	-	-	-	0.06	0.07	-	-	-	0
BH13C2503A	0.02	150168	-	0.01	0.01	<b>0.01</b>	0.01	0.03	(0.01)	1	-	0.01
BH13C2504A	0.10	150168	-	-	-	-	0.09	0.11	-	-	-	0
BH13C2504B	0.46	150168	-	0.49	0.43	<b>0.44</b>	0.44	0.45	(0.02)	130,541	5,944	0.455
BH13C2505A	0.24	150168	-	0.25	0.23	<b>0.23</b>	0.23	0.24	(0.01)	68,074	1,605	0.235
BH13P2503A	0.43	150168	-	0.43	0.40	<b>0.43</b>	0.43	0.44	-	23,302	969	0.415
BH19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BH19C2504A	0.03	150168	-	-	-	-	0.03	0.04	-	-	-	0
BH19C2504B	0.11	150168	0.11	0.11	0.11	<b>0.11</b>	0.10	0.11	-	6,900	76	0.11
BH19C2505A	0.48	150168	-	0.50	0.45	<b>0.45</b>	0.45	0.46	(0.03)	67,260	3,216	0.478
BH19C2506A	0.25	150168	-	0.25	0.23	<b>0.23</b>	0.23	0.24	(0.02)	4,443	107	0.24
BH19P2504A	0.67	150168	-	0.68	0.64	<b>0.66</b>	0.66	0.68	(0.01)	30,389	1,996	0.656
BH41C2503A	0.10	150168	-	0.11	0.10	<b>0.11</b>	0.09	0.10	0.01	9,600	104	0.108
BH41C2504A	0.04	150168	-	-	-	-	0.04	0.05	-	-	-	0
BH41C2505A	0.54	150168	-	0.56	0.51	<b>0.51</b>	0.51	0.52	(0.03)	89,961	4,834	0.537
BH41C2605T	0.18	150168	-	0.19	0.18	<b>0.18</b>	0.18	0.19	-	10,505	200	0.19
BH41P2504A	0.54	150168	-	-	-	-	0.49	0.50	-	-	-	0
BKGI	2.56	150168	2.56	2.56	2.32	<b>2.32</b>	2.32	2.36	(0.24)	120,928	29,391	2.43
CHG	2.32	150168	2.30	2.30	2.22	<b>2.28</b>	2.28	2.30	(0.04)	157,762	35,665	2.26
CHG13C2504A	0.05	150168	0.03	0.03	0.02	<b>0.02</b>	0.01	0.02	(0.03)	1,446	3	0.02
CHG19C2505A	0.08	150168	-	0.08	0.08	<b>0.08</b>	0.07	0.08	-	30	-	0.08
CMR	1.68	150168	1.68	1.70	1.67	<b>1.67</b>	1.67	1.68	(0.01)	604	102	1.694
EKH	6.25	150168	6.25	6.25	6.20	<b>6.25</b>	6.20	6.25	-	6,030	3,756	6.229
KDH	91.00	150168	-	-	-	-	91.00	93.75	-	-	-	0
LPH	4.28	150168	4.26	4.28	4.26	<b>4.28</b>	4.26	4.28	-	67	29	4.272
M-CHAI	24.80	150168	-	24.80	24.60	<b>24.60</b>	24.60	24.90	(0.20)	49	121	24.63
MASTER	40.25	150168	35.00	36.25	28.25	<b>32.25</b>	32.25	32.50	(8.00)	737,603	2,338,869	31.709
MEDEZE	9.35	150168	9.45	9.50	8.90	<b>9.00</b>	9.00	9.05	(0.35)	256,705	235,302	9.166
NEW	107.00	150168	-	-	-	-	100.00	105.00	-	-	-	0
NKT	6.05	150168	6.10	6.10	5.40	<b>5.40</b>	5.40	5.45	(0.65)	58,553	33,113	5.655
NTV	30.25	150168	-	30.25	30.00	<b>30.00</b>	29.75	30.25	(0.25)	81	243	30.009
PHG	15.30	150168	-	15.40	15.20	<b>15.40</b>	15.30	15.40	0.10	5,055	7,733	15.296
PR9	24.90	150168	25.25	25.75	25.00	<b>25.00</b>	25.00	25.25	0.10	32,231	81,688	25.344
PR913C2505A	0.10	150168	0.10	0.10	0.10	<b>0.10</b>	0.09	0.10	-	300	3	0.1
PR919C2506A	0.20	150168	0.21	0.22	0.21	<b>0.21</b>	0.20	0.21	0.01	27,389	594	0.217
PRINC	2.76	150168	2.74	2.78	2.70	<b>2.76</b>	2.76	2.78	-	1,642	451	2.745
RAM	21.90	150168	21.90	21.90	21.60	<b>21.60</b>	21.60	21.80	(0.30)	2,124	4,610	21.704
RJH	19.00	150168	19.10	19.20	19.00	<b>19.10</b>	19.10	19.20	0.10	3,274	6,248	19.084
RPH	5.55	150168	5.55	5.55	5.45	<b>5.50</b>	5.45	5.50	(0.05)	3,769	2,062	5.47
SAFE	11.40	150168	-	11.80	11.50	<b>11.50</b>	11.50	11.70	0.10	71	82	11.508
SKR	8.85	150168	8.85	9.00	8.80	<b>9.00</b>	8.80	9.00	0.15	707	629	8.897
THG	12.80	150168	12.80	12.80	12.40	<b>12.60</b>	12.60	12.70	(0.20)	3,462	4,348	12.56
VIBHA	1.86	150168	1.87	1.88	1.86	<b>1.86</b>	1.86	1.88	-	6,580	1,226	1.863
VIBHA-W4	0.01	150168	0.01	0.02	0.01	<b>0.01</b>	0.01	0.02	-	16,584	17	0.01
VIH	7.90	150168	7.90	8.05	7.75	<b>7.85</b>	7.80	7.85	(0.05)	3,212	2,514	7.827
VIH-W1	3.50	150168	-	-	-	-	2.04	3.38	-	-	-	0
WPH	8.55	150168	8.70	8.70	8.45	<b>8.45</b>	8.45	8.55	(0.10)	4,048	3,444	8.508
Tourism & Leisure												
ASIA	6.15	150168	-	-	-	-	6.15	6.30	-	-	-	0
BEYOND	7.95	150168	7.95	7.95	7.85	<b>7.85</b>	7.85	7.95	(0.10)	67	53	7.867
CENTEL	30.50	150168	31.00	31.00	29.25	<b>30.50</b>	30.50	30.75	-	35,604	107,291	30.133
CENTEL01C2504A	0.04	150168	-	-	-	-	0.03	0.04	-	-	-	0
CENTEL11C2501A	0.13	150168	-	-	-	-	-	0.01	-	-	-	0
CENTEL11C2503A	0.08	150168	-	-	-	-	0.02	0.03	-	-	-	0
CENTEL13C2504A	0.04	150168	-	0.04	0.03	<b>0.04</b>	0.03	0.04	-	1,801	6	0.03
CENTEL19C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL19C2504A	0.05	150168	-	0.04	0.03	<b>0.04</b>	0.04	0.05	(0.01)	1,503	6	0.039
CENTEL41C2502A	0.07	150168	-	-	-	-	0.01	0.03	-	-	-	0
CENTEL41C2504A	0.06	150168	-	0.07	0.05	<b>0.07</b>	0.06	0.07	0.01	201	1	0.055
CENTEL41C2606T	1.00	150168	-	0.27	0.24	<b>0.26</b>	0.26	0.27	(0.74)	28,500	725	0.254
CSR	90.25	150168	-	-	-	-	90.50	99.50	-	-	-	0
DUSIT	10.20	150168	10.20	10.40	10.20	<b>10.20</b>	10.20	10.30	-	4,702	4,816	10.242
ERW	3.28	150168	3.30	3.34	3.18	<b>3.20</b>	3.20	3.22	(0.08)	264,785	85,923	3.245
ERW01C2504A	0.06	150168	-	-	-	-	0.05	0.06	-	-	-	0
ERW13C2503A	0.01	150168	-	0.01	0.01	<b>0.01</b>	-	0.01	-	10	-	0.01
ERW13C2505A	0.14	150168	0.13	0.15	0.12	<b>0.12</b>	0.11	0.12	(0.02)	26,764	352	0.131
ERW19C2503A	0.08	150168	-	-	-	-	0.02	0.03	-	-	-	0
ERW41C2606T	0.23	150168	-	0.23	0.22	<b>0.22</b>	0.21	0.22	(0.01)	24,000	548	0.228
GRAND	0.05	150168	0.04	0.05	0.04	<b>0.05</b>	0.04	0.05	-	366,627	1,468	0.04
LRH	38.75	150168	-	39.00	39.00	<b>39.00</b>	39.00	39.50	0.25	10	39	39
MANRIN	30.25	150168	-	-	-	-	30.25	32.50	-	-	-	0
MINT	23.90	150168	23.90	24.10	23.70	<b>23.90</b>	23.90	24.00	-	112,408	269,088	23.938

## Main Board Quotation

Issue Date **Thursday January 16, 2025**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
MINT01C2504A	0.05	150168	0.05	0.05	0.05	0.05	0.04	0.05	-	40	-	0.05
MINT11C2501A	0.07	150168	-	-	-	-	-	0.01	-	-	-	0
MINT13C2503A	0.01	150168	-	0.02	0.02	0.02	0.01	0.02	0.01	1	-	0.02
MINT13C2505A	0.08	150168	-	0.09	0.08	0.08	0.08	0.09	-	9,023	72	0.08
MINT19C2502A	0.06	150168	-	-	-	-	0.01	0.02	-	-	-	0
MINT19C2504A	0.06	150168	-	-	-	-	0.05	0.06	-	-	-	0
MINT41C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
MINT41C2504A	0.08	150168	-	-	-	-	0.05	0.06	-	-	-	0
MINT41C2604T	0.07	150168	-	-	-	-	0.05	0.06	-	-	-	0
MINT41C2612T	0.19	150168	-	0.19	0.19	0.19	0.19	0.20	-	6,000	114	0.19
OHTL	324.00	150168	-	322.00	311.00	318.00	312.00	330.00	(6.00)	6	191	317.666
ROH	1.91	150168	-	1.85	1.74	1.84	1.73	1.85	(0.07)	126	22	1.78
SHANG	43.00	150168	-	-	-	-	43.00	44.00	-	-	-	0
SHR	2.06	150168	2.10	2.10	2.02	2.02	2.02	2.08	(0.04)	43,051	8,847	2.054
SPA	6.10	150168	6.20	6.20	6.10	6.15	6.15	6.20	0.05	12,900	7,951	6.163
VRANDA	4.86	150168	4.80	4.86	4.76	4.86	4.78	4.86	-	1,244	598	4.803
Home & Office Prod												
AJA	0.13	150168	0.13	0.14	0.12	0.13	0.13	0.14	-	63,841	833	0.13
AJA-W4	0.01	150168	-	0.01	0.01	0.01	-	0.01	-	23	-	0.01
DTCI	36.00	150168	-	33.50	33.50	33.50	34.00	36.50	(2.50)	1	3	33.5
FANCY	0.35	150168	-	0.37	0.33	0.36	0.33	0.37	0.01	1,092	37	0.339
FTI	1.98	150168	1.95	2.00	1.94	1.95	1.95	2.00	(0.03)	1,478	288	1.949
KYE	285.00	150168	-	287.00	287.00	287.00	285.00	288.00	2.00	3	86	287
L&E	1.15	150168	1.16	1.19	1.15	1.15	1.15	1.16	-	58	7	1.151
MODERN	2.18	150168	2.28	2.28	2.14	2.16	2.14	2.16	(0.02)	101	22	2.169
OGC	16.00	150168	15.40	15.90	15.20	15.90	15.40	16.00	(0.10)	108	171	15.865
ROCK	11.00	150168	-	10.90	10.80	10.80	10.40	10.90	(0.20)	4	4	10.85
SIAM	0.99	150168	1.00	1.00	0.96	0.98	0.93	0.98	(0.01)	308	30	0.975
TCMC	0.55	150168	0.53	0.54	0.52	0.53	0.53	0.54	(0.02)	6,171	325	0.526
TSR	0.31	150168	0.31	0.32	0.29	0.29	0.29	0.32	(0.02)	10,484	316	0.301
TSR-W2	0.02	150168	0.02	0.03	0.02	0.02	0.02	0.03	-	1,240	2	0.02
Insurance												
AYUD	31.50	150168	-	31.25	31.00	31.25	31.00	31.25	(0.25)	2	6	31.125
BKIH	284.00	150168	-	286.00	284.00	284.00	284.00	286.00	-	84	2,388	284.285
BLA	19.40	150168	19.40	19.70	19.20	19.60	19.60	19.70	0.20	7,079	13,763	19.442
BLA01C2503A	0.05	150168	-	-	-	-	0.02	0.03	-	-	-	0
BLA13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BLA13C2502B	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	10,000	10	0.01
BLA13C2504A	0.11	150168	-	0.12	0.11	0.12	0.12	0.13	0.01	17,793	203	0.114
BLA19C2502A	0.02	150168	-	-	-	-	0.03	0.04	-	-	-	0
BLA19C2502B	0.06	150168	-	-	-	-	0.01	0.02	-	-	-	0
BLA19C2502C	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
BUI	16.10	150168	16.10	16.10	16.00	16.00	15.90	16.10	(0.10)	28	45	16.06
CHARAN	20.00	150168	-	20.00	20.00	20.00	20.00	21.40	-	170	340	20
INSURE	77.25	150168	-	79.00	76.00	77.50	76.25	80.00	0.25	6	46	77.25
KWI	0.32	150168	0.31	0.33	0.31	0.32	0.31	0.32	-	805	26	0.318
MTI	105.50	150168	-	106.50	105.50	106.50	106.00	106.50	1.00	12	127	106
NKI	24.20	150168	-	24.90	24.90	24.90	24.10	25.00	0.70	1	2	24.9
TGH	13.00	150168	-	12.80	11.90	11.90	11.80	11.90	(1.10)	53	64	12.164
THRE	0.53	150168	0.53	0.53	0.52	0.53	0.52	0.53	-	2,948	155	0.525
THREL	1.31	150168	1.31	1.32	1.27	1.31	1.30	1.31	-	4,183	539	1.287
TIPH	20.10	150168	20.20	20.40	20.20	20.30	20.20	20.30	0.20	1,404	2,843	20.247
TIPH13C2502A	0.08	150168	-	-	-	-	0.01	0.02	-	-	-	0
TLI	11.00	150168	11.00	11.10	10.80	10.90	10.80	10.90	(0.10)	58,196	63,536	10.917
TLI01C2502A	0.50	150168	-	-	-	-	0.30	0.34	-	-	-	0
TLI01C2503A	0.08	150168	-	-	-	-	0.08	0.09	-	-	-	0
TLI06C2503A	0.14	150168	-	0.13	0.13	0.13	-	0.14	(0.01)	10,855	141	0.13
TLI13C2502A	0.16	150168	-	-	-	-	0.16	0.19	-	-	-	0
TLI13C2502B	0.04	150168	-	-	-	-	0.02	0.03	-	-	-	0
TLI13C2505A	0.20	150168	-	0.20	0.19	0.19	0.19	0.20	(0.01)	30,287	586	0.193
TLI19C2502A	0.04	150168	-	-	-	-	0.04	0.05	-	-	-	0
TLI41C2606T	1.00	150168	-	0.28	0.27	0.27	0.27	0.28	(0.73)	36,000	988	0.274
TQM	21.50	150168	21.50	21.60	21.20	21.20	21.20	21.30	(0.30)	2,119	4,521	21.337
TSI	0.10	150168	-	0.09	0.09	0.09	0.08	0.10	(0.01)	2	-	0.09
TVH	8.10	150168	8.20	8.60	8.20	8.50	8.50	8.55	0.40	344	291	8.464
Packaging												
AJ	2.64	150168	2.62	2.64	2.56	2.58	2.56	2.58	(0.06)	3,558	920	2.586
ALUCON	171.00	150168	-	171.00	171.00	171.00	170.50	171.00	-	1	17	171
BGC	6.90	150168	-	7.05	6.85	6.90	6.85	6.90	-	637	438	6.881
CSC	46.00	150168	45.50	45.75	45.25	45.50	45.25	45.75	(0.50)	151	684	45.322
CSC-P	150.00	150168	-	-	-	-	88.00	-	-	-	-	0
CSC-Q	76.00	150168	-	-	-	-	-	-	-	-	-	0
NEP	0.19	150168	0.20	0.20	0.19	0.20	0.19	0.20	0.01	124	2	0.19
PJW	2.30	150168	2.30	2.30	2.28	2.30	2.28	2.30	-	3,154	723	2.291
PTL	10.40	150168	10.50	10.50	10.30	10.40	10.30	10.40	-	3,619	3,755	10.374
SCGP	17.50	150168	17.50	18.00	17.30	17.60	17.50	17.60	0.10	202,818	357,043	17.604
SCGP01C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2502B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2504A	0.06	150168	-	-	-	-	0.05	0.06	-	-	-	0
SCGP01C2504W	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2506A	0.19	150168	0.19	0.21	0.18	0.19	0.18	0.19	-	81,508	1,563	0.191
SCGP01P2503A	1.25	150168	-	1.29	1.20	1.22	1.25	1.27	(0.03)	3,230	398	1.231
SCGP11C2501A	0.04	150168	-	-	-	-	-	0.01	-	-	-	0
SCGP13C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2503B	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2504A	0.04	150168	-	0.04	0.04	0.04	0.03	0.04	-	1,100	4	0.04
SCGP13C2504B	0.07	150168	-	0.08	0.07	0.08	0.07	0.08	0.01	726	6	0.077
SCGP13C2506A	0.21	150168	0.21	0.23	0.20	0.21	0.21	0.22	-	205,887	4,434	0.215
SCGP13P2502A	0.91	150168	-	-	-	-	0.89	0.94	-	-	-	0
SCGP13P2504A	0.73	150168	-	0.87	0.74	0.74	0.80	0.83	0.01	100	8	0.805
SCGP13P2504B	0.45	150168	-	0.47	0.39	0.43	0.43	0.46	(0.02)	26,011	1,130	0.434
SCGP19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2504A	0.05	150168	-	-	-	-	0.04	0.05	-	-	-	0
SCGP19C2505A	0.10	150168	-	0.11	0.09	0.10	0.10	0.11	-	11,760	116	0.098
SCGP19C2506A	0.28	150168	0.29	0.32	0.27	0.30	0.30	0.31	0.02	157,475	4,536	0.288
SCGP19P2505A	0.57	150168	-	-	-	-	0.61	0.71	-	-	-	0
SCGP41C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCGP41C2502B	0.09	150168	-	-	-	-	0.01	0.02	-	-	-	0
SCGP41C2505A	0.10	150168	-	0.11	0.09	0.10	0.10	0.11	-	56,950	594	0.104
SFLEX	2.56	150168	2.60	2.64	2.28	2.54	2.52	2.54	(0.02)	125,141	30,131	2.407
SFLEX-W2	0.06	150168	-	0.06	0.04	0.05	0.04	0.05	(0.01)	3,625	18	0.049
SITHAI	1.13	150168	1.12	1.16	1.10	1.14	1.12	1.14	0.01	5,155	580	1.124

## Main Board Quotation

Issue Date **Thursday January 16, 2025**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SLP	0.39	150168	-	0.40	0.38	0.40	0.39	0.40	0.01	481	19	0.39
SMPC	9.20	150168	-	9.35	9.25	9.25	9.25	9.30	0.05	590	547	9.271
SPACK	1.75	150168	-	1.72	1.66	1.69	1.69	1.71	(0.06)	747	127	1.7
TCOAT	23.50	150168	25.00	30.50	23.00	23.30	23.30	24.30	(0.20)	37	93	25.16
TFI	0.06	150168	0.06	0.07	0.06	0.06	0.06	0.07	-	2,847	17	0.061
TFI-W1	0.02	150168	-	0.02	0.02	0.02	0.01	0.02	-	178	-	0.02
THIP	26.25	150168	26.25	26.25	25.75	26.00	25.75	26.00	(0.25)	192	499	25.98
TMD	24.70	150168	-	24.90	24.30	24.30	24.30	24.80	(0.40)	69	168	24.405
TOPP	167.00	150168	-	-	-	-	152.50	173.00	-	-	-	0
TPAC	8.70	150168	8.70	8.85	8.65	8.80	8.80	8.85	0.10	632	555	8.778
TPBI	3.76	150168	3.80	3.84	3.76	3.80	3.78	3.80	0.04	3,623	1,378	3.804
TPP	11.90	150168	-	12.00	11.90	11.90	11.90	12.20	-	3	4	11.966
Personal Products												
APCO	4.82	150168	4.78	4.82	4.78	4.80	4.78	4.80	(0.02)	679	325	4.785
BIZ	3.40	150168	-	3.44	3.36	3.36	3.36	3.44	(0.04)	388	132	3.389
BLC	4.20	150168	4.20	4.26	4.14	4.26	4.22	4.26	0.06	8,427	3,538	4.198
DDD	8.35	150168	8.40	8.40	8.00	8.25	8.00	8.25	(0.10)	321	258	8.023
IP	3.02	150168	3.00	3.00	2.82	3.00	2.98	3.00	(0.02)	8,999	2,591	2.879
IP-W2	0.21	150168	-	0.22	0.20	0.21	0.20	0.21	-	66	1	0.2
JCT	80.00	150168	-	-	-	-	80.00	80.75	-	-	-	0
KISS	3.94	150168	4.00	4.00	3.92	3.94	3.92	3.94	-	1,353	534	3.948
NAM	4.42	150168	4.40	4.44	4.18	4.26	4.26	4.38	(0.16)	3,574	1,547	4.329
NEO	29.75	150168	29.25	30.00	29.00	29.25	29.25	29.50	(0.50)	1,765	5,192	29.415
NV	0.77	150168	-	0.78	0.73	0.76	0.75	0.77	(0.01)	474	36	0.751
OCC	9.35	150168	-	-	-	-	8.35	9.25	-	-	-	0
S&J	29.75	150168	-	32.00	31.00	31.75	31.00	31.75	2.00	24	76	31.552
SNPS	5.15	150168	5.15	5.25	5.10	5.20	5.15	5.20	0.05	21,668	11,193	5.165
STGT	9.30	150168	9.35	9.50	8.90	8.95	8.95	9.00	(0.35)	69,529	62,908	9.047
STGT01C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
STGT01C2503A	0.10	150168	-	-	-	-	0.02	0.03	-	-	-	0
STGT01C2504A	0.28	150168	-	0.30	0.23	0.23	0.23	0.24	(0.05)	47,017	1,138	0.242
STGT01P2502A	0.23	150168	0.21	0.27	0.20	0.27	0.27	0.28	0.04	42,639	1,087	0.254
STGT13C2502A	0.01	150168	-	-	-	-	-	0.02	-	-	-	0
STGT13C2503A	0.20	150168	0.21	0.22	0.16	0.16	0.15	0.16	(0.04)	47,392	862	0.181
STGT13C2504A	0.10	150168	-	0.10	0.08	0.08	0.07	0.08	(0.02)	4,521	44	0.096
STGT13P2502A	0.15	150168	-	0.18	0.13	0.18	0.18	0.19	0.03	10,537	175	0.166
STGT19C2502A	0.05	150168	-	-	-	-	0.01	0.02	-	-	-	0
STGT19C2503A	0.09	150168	-	-	-	-	0.03	0.04	-	-	-	0
STGT19C2504A	0.31	150168	-	0.33	0.26	0.26	0.26	0.27	(0.05)	33,771	951	0.281
STGT19C2504B	0.10	150168	-	0.10	0.08	0.08	0.07	0.08	(0.02)	3,980	37	0.092
STGT19P2502A	0.24	150168	-	0.29	0.22	0.29	0.29	0.39	0.05	19,868	538	0.27
STGT41C2503A	0.08	150168	-	-	-	-	0.03	0.04	-	-	-	0
TMAN	15.10	150168	15.10	15.10	14.50	14.70	14.60	14.70	(0.40)	14,000	20,609	14.721
TNR	7.60	150168	7.60	7.75	7.60	7.65	7.65	7.75	0.05	94	72	7.669
TOG	9.75	150168	-	9.80	9.65	9.65	9.65	9.75	(0.10)	340	329	9.682
Professional Service												
BWG	0.32	150168	0.32	0.33	0.31	0.31	0.31	0.32	(0.01)	204,140	6,529	0.319
BWG-W6	0.02	150168	0.02	0.03	0.01	0.03	0.02	0.03	0.01	87,633	175	0.02
GENCO	0.42	150168	0.41	0.42	0.40	0.42	0.40	0.42	-	4,206	172	0.409
PRTR	3.82	150168	3.76	3.88	3.70	3.74	3.70	3.74	(0.08)	1,576	588	3.73
SISB	23.70	150168	24.00	24.70	23.30	24.60	24.60	24.70	0.90	145,638	353,674	24.284
SISB13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SISB13C2504A	0.03	150168	-	0.03	0.03	0.03	0.03	0.04	-	6,058	18	0.03
SISB19C2502A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
SO	4.20	150168	-	4.22	4.16	4.22	4.18	4.22	0.02	77	32	4.196
WAVE	0.08	150168	0.08	0.08	0.07	0.07	0.07	0.08	(0.01)	5,886	44	0.075
WAVE-W3	0.01	150168	-	0.01	0.01	0.01	-	0.01	-	40	-	0.01
WAVE-W4	0.03	150168	-	0.03	0.03	0.03	0.02	0.03	-	178	1	0.03
Property Developme												
A	4.92	150168	4.92	4.92	4.92	4.92	4.90	4.92	-	2	1	4.92
A5	2.46	150168	-	2.50	2.42	2.46	2.46	2.48	-	8,786	2,169	2.468
A5-W4	0.06	150168	0.06	0.06	0.05	0.06	0.05	0.06	-	40,635	240	0.058
AKS	0.01	150168	0.01	0.01	0.01	0.01	0.01	0.01	-	1,430	1	0.01
AMATA	26.75	150168	27.00	27.25	26.50	26.75	26.75	27.00	-	47,344	127,140	26.854
AMATA01C2502A	0.42	150168	0.44	0.44	0.40	0.44	0.40	0.43	0.02	5,376	234	0.434
AMATA01C2503A	0.05	150168	-	0.06	0.06	0.06	0.06	0.07	0.01	24,469	147	0.06
AMATA13C2503A	0.03	150168	-	-	-	-	0.03	0.04	-	-	-	0
AMATA13C2505A	0.12	150168	-	0.12	0.12	0.12	0.12	0.13	-	25,320	304	0.12
AMATA19C2502A	0.04	150168	-	-	-	-	0.03	0.04	-	-	-	0
AMATA19C2503A	0.07	150168	-	-	-	-	0.04	0.05	-	-	-	0
AMATA19C2505A	0.14	150168	-	0.15	0.14	0.15	0.14	0.15	0.01	72,641	1,043	0.143
AMATA41C2502A	0.03	150168	-	-	-	-	0.02	0.05	-	-	-	0
AMATA41C2505A	0.16	150168	-	0.17	0.16	0.17	0.16	0.17	0.01	30,010	494	0.164
AMATAV	4.64	150168	4.66	4.66	4.56	4.56	4.56	4.60	(0.08)	881	405	4.598
ANAN	0.52	150168	0.52	0.53	0.51	0.53	0.52	0.53	0.01	33,262	1,720	0.517
AP	7.75	150168	7.80	7.80	7.65	7.75	7.70	7.75	-	50,486	39,058	7.736
AP01C2503A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
AP13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
AP13C2503A	0.03	150168	-	0.02	0.02	0.02	0.01	0.02	(0.01)	174	-	0.02
AP19C2502A	0.05	150168	-	-	-	-	0.01	0.02	-	-	-	0
ASW	7.80	150168	7.80	7.85	7.75	7.85	7.75	7.85	0.05	2,920	2,277	7.799
AWC	3.16	150168	3.18	3.24	3.14	3.18	3.16	3.18	0.02	471,729	150,479	3.189
AWC01C2504A	0.05	150168	-	0.05	0.05	0.05	0.04	0.05	-	214	1	0.05
AWC01P2502A	0.04	150168	-	-	-	-	0.04	0.05	-	-	-	0
AWC11C2501A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
AWC13C2504A	0.09	150168	0.09	0.09	0.09	0.09	0.08	0.09	-	7,811	70	0.09
AWC19C2504A	0.06	150168	-	-	-	-	0.06	0.07	-	-	-	0
AWC41C2502A	0.05	150168	-	-	-	-	0.01	0.03	-	-	-	0
AWC41C2606T	0.20	150168	-	0.21	0.20	0.20	0.20	0.21	-	12,000	250	0.208
BLAND	0.57	150168	0.57	0.57	0.56	0.56	0.56	0.57	(0.01)	13,446	758	0.563
BRI	3.44	150168	3.46	3.48	3.40	3.44	3.44	3.46	-	1,718	592	3.447
BROCK	1.63	150168	-	1.63	1.50	1.63	1.47	1.61	-	3	-	1.583
CGD	0.29	150168	0.31	0.32	0.29	0.29	0.29	0.30	-	118,136	3,639	0.308
CI	0.41	150168	-	0.41	0.39	0.41	0.39	0.41	-	785	31	0.399
CMC	1.00	150168	-	1.02	1.00	1.00	1.00	1.01	-	176	18	1.005
CPN	54.25	150168	54.50	54.50	52.75	53.50	53.50	53.75	(0.75)	87,820	470,048	53.524
CPN01C2503A	0.04	150168	-	-	-	-	0.01	0.02	-	-	-	0
CPN01C2505A	0.13	150168	-	0.13	0.12	0.12	0.12	0.13	(0.01)	55,596	680	0.122
CPN13C2503A	0.07	150168	-	-	-	-	0.01	0.02	-	-	-	0
CPN13C2504A	0.06	150168	-	0.07	0.07	0.07	0.06	0.07	0.01	500	4	0.07
CPN13C2505A	0.19	150168	-	0.18	0.16	0.16	0.16	0.17	(0.03)	84,020	1,424	0.169
CPN19C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
CPN19C2503A	0.03	150168	-	-	-	-	0.02	0.03	-	-	-	0

## Main Board Quotation

Issue Date Thursday January 16, 2025

Sector/ Securities	Previous Price	Date	Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
CPN19C2504A	0.10	150168	-	-	-	-	0.04	0.05	-	-	-	0
CPN19C2505A	0.15	150168	-	0.15	0.12	0.13	0.13	0.14	(0.02)	60,550	810	0.133
CPN41C2504A	0.11	150168	-	-	-	-	0.04	0.05	-	-	-	0
CPN41C2505A	0.14	150168	-	0.14	0.12	0.13	0.13	0.14	(0.01)	68,420	916	0.133
ESTAR	0.20	150168	0.19	0.21	0.19	0.20	0.20	0.21	-	2,392	48	0.2
EVER	0.11	150168	0.11	0.11	0.10	0.10	0.10	0.11	(0.01)	64,229	643	0.1
FPT	9.80	150168	9.80	9.80	9.70	9.80	9.70	9.80	-	90	88	9.773
GLAND	1.30	150168	-	1.30	1.30	1.30	1.30	1.45	-	78	10	1.3
J	1.17	150168	1.16	1.17	1.15	1.17	1.15	1.17	-	256	29	1.151
J-W3	0.17	150168	-	0.15	0.14	0.14	0.15	0.18	(0.03)	698	10	0.146
J-W4	0.22	150168	-	-	-	-	0.18	0.22	-	-	-	0
JCK	0.25	150168	0.24	0.25	0.22	0.23	0.23	0.24	(0.02)	85,953	2,000	0.232
KC	0.06	150168	0.06	0.06	0.05	0.06	0.05	0.06	-	1,136	7	0.059
KUN	1.16	150168	1.18	1.18	1.18	1.18	1.06	1.15	0.02	30	4	1.18
KUN-W2	0.02	150168	-	0.02	0.02	0.02	0.01	0.02	-	10	-	0.02
LALIN	5.80	150168	-	5.80	5.70	5.75	5.75	5.80	(0.05)	85	49	5.784
LH	4.78	150168	4.86	4.92	4.78	4.88	4.88	4.90	0.10	412,170	200,089	4.854
LH19C2504A	0.08	150168	-	0.08	0.08	0.08	0.08	0.09	-	2,332	19	0.08
LPN	2.24	150168	2.26	2.26	2.24	2.26	2.24	2.26	0.02	2,498	560	2.243
MBK	19.20	150168	19.10	19.20	19.00	19.20	19.10	19.20	-	8,335	19,964	19.152
MBK-W4	17.20	150168	-	-	-	-	16.70	17.10	-	-	-	0
MBK19C2508A	0.33	150168	-	0.33	0.33	0.33	0.33	0.34	-	1,675	55	0.33
MJD	0.96	150168	-	0.95	0.91	0.91	0.90	0.91	(0.05)	507	46	0.91
MK	1.50	150168	-	1.55	1.45	1.50	1.45	1.50	-	516	75	1.46
NCH	0.70	150168	0.71	0.71	0.70	0.71	0.70	0.71	0.01	262	19	0.709
NNCL	1.66	150168	1.67	1.68	1.66	1.68	1.66	1.68	0.02	266	44	1.661
NOBLE	2.50	150168	2.52	2.52	2.48	2.50	2.50	2.52	-	3,662	918	2.507
NVD	1.29	150168	1.30	1.32	1.26	1.30	1.26	1.30	0.01	566	73	1.288
ORI	3.44	150168	3.46	3.50	3.38	3.42	3.40	3.42	(0.02)	33,051	11,332	3.428
ORN	0.65	150168	0.64	0.65	0.63	0.65	0.64	0.65	-	6,651	424	0.638
PEACE	2.44	150168	-	2.46	2.44	2.44	2.42	2.44	-	75	18	2.453
PF	0.14	150168	0.14	0.14	0.13	0.13	0.13	0.14	(0.01)	38,504	502	0.13
PIN	6.10	150168	6.10	6.15	5.95	6.00	6.00	6.05	(0.10)	25,364	15,256	6.014
PLAT	1.83	150168	1.84	1.86	1.83	1.85	1.84	1.85	0.02	7,076	1,303	1.841
POLAR	0.68	150168	-	-	-	-	-	-	-	-	-	0
PRECHA	0.92	150168	-	0.92	0.90	0.90	0.90	0.91	(0.02)	41	4	0.904
PRIN	1.76	150168	-	-	-	-	1.61	1.73	-	-	-	0
PROUD	1.29	150168	-	1.30	1.26	1.30	1.26	1.30	0.01	1,322	167	1.266
PSH	6.75	150168	6.80	6.80	6.55	6.60	6.60	6.70	(0.15)	7,802	5,195	6.659
QH	1.69	150168	1.69	1.71	1.69	1.70	1.70	1.71	0.01	96,344	16,384	1.7
RABBIT	0.43	150168	0.43	0.43	0.42	0.43	0.42	0.43	-	16,355	688	0.42
RABBIT-P	0.57	150168	-	0.58	0.57	0.58	0.57	0.58	0.01	38,137	2,174	0.57
RABBIT-Q	4.00	150168	-	-	-	-	-	-	-	-	-	0
RICHY	0.40	150168	-	0.41	0.39	0.40	0.40	0.41	-	408	16	0.398
RML	0.26	150168	0.26	0.26	0.25	0.25	0.25	0.26	(0.01)	14,523	366	0.252
ROJNA	5.75	150168	5.80	5.85	5.70	5.80	5.75	5.80	0.05	15,750	9,094	5.774
S	0.74	150168	0.74	0.74	0.64	0.69	0.68	0.69	(0.05)	235,891	15,748	0.667
SA	7.40	150168	-	7.40	7.35	7.40	7.30	7.40	-	276	203	7.364
SA-W1	0.04	150168	-	0.03	0.03	0.03	0.02	0.03	(0.01)	1,555	5	0.03
SAMCO	0.81	150168	0.79	0.81	0.79	0.81	0.80	0.81	-	944	75	0.794
SC	2.52	150168	2.52	2.54	2.52	2.52	2.52	2.54	-	10,703	2,702	2.524
SENA	2.20	150168	2.18	2.22	2.18	2.20	2.18	2.20	-	860	188	2.183
SIRI	1.70	150168	1.72	1.72	1.69	1.70	1.69	1.70	-	274,433	46,772	1.704
SIRI01C2504A	0.12	150168	-	0.13	0.13	0.13	0.12	0.13	0.01	3,481	45	0.13
SIRI13C2503A	0.11	150168	-	-	-	-	0.06	0.07	-	-	-	0
SIRI19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
SIRI19C2503A	0.10	150168	-	-	-	-	0.09	0.10	-	-	-	0
SIRI41C2606T	1.00	150168	-	0.32	0.32	0.32	0.31	0.32	(0.68)	16,400	525	0.32
SPALI	16.90	150168	17.00	17.00	16.60	16.90	16.80	16.90	-	48,971	82,348	16.815
SPALI19C2504A	0.06	150168	-	-	-	-	0.04	0.05	-	-	-	0
STELLA	0.18	150168	-	0.19	0.18	0.18	0.17	0.18	-	282,500	5,086	0.18
STELLA-W5	0.01	150168	-	0.01	0.01	0.01	-	0.01	-	323	-	0.01
UV	1.33	150168	1.33	1.34	1.32	1.33	1.32	1.33	-	1,515	202	1.332
WHA	5.30	150168	5.25	5.25	5.05	5.15	5.10	5.15	(0.15)	597,533	307,222	5.141
WHA01C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
WHA01C2504A	0.06	150168	-	-	-	-	0.05	0.06	-	-	-	0
WHA11C2503A	0.08	150168	-	-	-	-	0.02	0.03	-	-	-	0
WHA13C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
WHA13C2504A	0.05	150168	-	0.06	0.05	0.05	0.04	0.05	-	72	-	0.05
WHA13C2505A	0.14	150168	-	0.13	0.11	0.11	0.11	0.12	(0.03)	39,060	450	0.115
WHA19C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
WHA19C2504A	0.08	150168	-	0.09	0.08	0.08	0.08	0.09	-	4,000	34	0.085
WHA41C2605T	0.21	150168	-	0.22	0.21	0.21	0.21	0.22	-	9,808	208	0.212
WIN	0.40	150168	-	0.46	0.40	0.41	0.40	0.42	0.01	14,668	624	0.425
Paper & Printing Ma												
UTP	7.60	150168	7.65	7.75	7.65	7.70	7.65	7.70	0.10	2,404	1,849	7.693
Fashion												
AFC	3.88	150168	-	3.98	3.90	3.90	3.70	3.88	0.02	6	2	3.913
AURA	14.80	150168	14.70	14.70	14.30	14.50	14.40	14.60	(0.30)	14,692	21,315	14.508
BTNC	15.20	150168	14.60	14.90	14.60	14.80	14.80	15.80	(0.40)	22	32	14.713
CPH	7.55	150168	-	7.60	7.40	7.45	7.45	7.50	(0.10)	121	90	7.458
CPL	0.92	150168	0.93	0.93	0.89	0.91	0.89	0.91	(0.01)	224	20	0.901
NC	2.20	150168	2.18	2.18	2.12	2.12	2.12	2.14	(0.08)	46	10	2.141
PAF	0.93	150168	-	0.95	0.91	0.94	0.92	0.94	0.01	289	27	0.92
PDJ	1.92	150168	1.93	1.93	1.92	1.93	1.92	1.93	0.01	1,328	255	1.923
PG	8.95	150168	9.35	9.40	9.15	9.25	9.15	9.30	0.30	22,250	20,582	9.25
SABINA	18.30	150168	18.30	18.40	18.00	18.20	18.20	18.30	(0.10)	10,522	19,120	18.171
SAWANG	11.30	150168	12.50	12.50	10.50	12.40	11.40	12.40	1.10	20	25	12.34
SUC	31.00	150168	30.75	31.00	30.50	30.50	30.50	31.00	(0.50)	120	368	30.702
TR	38.75	150168	-	38.75	38.75	38.75	38.75	39.00	-	2	8	38.75
TTI	26.75	150168	-	26.75	25.75	26.75	25.75	27.00	-	11	29	26.34
TTT	52.50	150168	-	-	-	-	52.50	53.75	-	-	-	0
UPF	30.75	150168	-	-	-	-	30.25	32.50	-	-	-	0
WACOAL	23.00	150168	-	-	-	-	23.00	24.60	-	-	-	0
WFX	0.99	150168	1.02	1.04	0.98	1.01	1.01	1.02	0.02	1,601	162	1.011
Transportation & Log												
AAV	2.32	150168	2.32	2.34	2.20	2.24	2.22	2.24	(0.08)	455,000	102,252	2.247
AAV01C2503A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
AAV13C2504A	0.05	150168	-	0.04	0.04	0.04	0.04	0.05	(0.01)	305	1	0.04
AAV19C2502A	0.09	150168	-	-	-	-	0.01	0.02	-	-	-	0
AAV19C2505A	0.13	150168	-	0.12	0.10	0.10	0.10	0.11	(0.03)	558	6	0.109
AAV41C2505A	0.13	150168	-	0.13	0.10	0.11	0.11	0.12	(0.02)	17,124	207	0.121
ANI	3.36	150168	-	3.36	3.30	3.36	3.30	3.36	-	249	84	3.359



## Main Board Quotation

Issue Date **Thursday January 16, 2025**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AOT	57.50	150168	57.75	58.00	56.75	<b>57.25</b>	57.00	57.25	(0.25)	121,189	693,415	57.217
AOT01C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
AOT01C2504A	0.09	150168	-	0.08	0.08	<b>0.08</b>	0.08	0.09	(0.01)	1,000	8	0.08
AOT01P2502A	0.04	150168	-	-	-	-	0.02	0.03	-	-	-	0
AOT11C2501A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
AOT13C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
AOT13C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
AOT13C2504A	0.07	150168	-	0.07	0.06	<b>0.06</b>	0.06	0.07	(0.01)	710	5	0.064
AOT13C2506A	0.28	150168	-	0.29	0.26	<b>0.27</b>	0.27	0.28	(0.01)	16,859	463	0.274
AOT19C2502A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
AOT19C2504A	0.11	150168	-	0.11	0.09	<b>0.10</b>	0.10	0.11	(0.01)	2,353	26	0.109
AOT19C2506A	0.29	150168	-	0.30	0.27	<b>0.28</b>	0.28	0.29	(0.01)	7,723	219	0.283
AOT41C2503A	0.08	150168	-	-	-	-	0.01	0.04	-	-	-	0
AOT41C2505A	0.12	150168	-	0.11	0.11	<b>0.11</b>	0.11	0.12	(0.01)	2,000	22	0.11
AOT41C2605T	0.22	150168	-	-	-	-	0.22	0.23	-	-	-	0
AOT41P2504A	0.37	150168	0.34	0.37	0.34	<b>0.37</b>	0.35	0.36	-	5,104	187	0.366
ASIMAR	1.56	150168	1.56	1.56	1.56	<b>1.56</b>	1.54	1.56	-	82	13	1.56
B	0.07	150168	0.07	0.07	0.06	<b>0.07</b>	0.06	0.07	-	64,483	442	0.068
B-W8	0.01	150168	0.01	0.01	0.01	<b>0.01</b>	-	0.01	-	11	-	0.01
BA	19.50	150168	19.50	19.50	18.70	<b>19.20</b>	19.10	19.20	(0.30)	56,004	106,847	19.078
BA01C2503A	0.02	150168	-	0.02	0.02	<b>0.02</b>	0.01	0.02	-	88	-	0.02
BA01C2504A	0.04	150168	-	-	-	-	0.01	0.02	-	-	-	0
BA13C2502A	0.05	150168	-	-	-	-	0.01	0.02	-	-	-	0
BA13C2503A	0.08	150168	-	-	-	-	0.01	0.03	-	-	-	0
BA13C2504A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
BA19C2503A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
BA41C2606T	0.18	150168	-	0.19	0.18	<b>0.19</b>	0.19	0.20	0.01	40,000	734	0.183
BEM	6.90	150168	6.90	6.90	6.80	<b>6.85</b>	6.85	6.90	(0.05)	95,268	65,274	6.851
BEM11C2502A	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
BEM11C2503A	0.09	150168	-	-	-	-	0.04	0.05	-	-	-	0
BEM13C2505A	0.06	150168	-	-	-	-	0.06	0.07	-	-	-	0
BEM19C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
BEM19C2505A	0.09	150168	-	-	-	-	0.08	0.09	-	-	-	0
BEM41C2606T	1.00	150168	-	0.25	0.25	<b>0.25</b>	0.25	0.26	(0.75)	4,000	100	0.25
BTS	5.85	150168	5.85	5.90	5.70	<b>5.80</b>	5.75	5.80	(0.05)	342,670	199,050	5.808
BTS-W8	0.08	150168	0.08	0.08	0.07	<b>0.08</b>	0.07	0.08	-	19,893	156	0.078
BTS01C2503A	0.76	150168	-	-	-	-	0.68	0.74	-	-	-	0
BTS01C2504A	0.21	150168	-	0.21	0.19	<b>0.20</b>	0.19	0.20	(0.01)	22,239	450	0.202
BTS01P2504A	0.10	150168	-	0.11	0.10	<b>0.11</b>	0.10	0.11	0.01	17,032	175	0.102
BTS01P2505A	0.28	150168	0.28	0.29	0.28	<b>0.28</b>	0.28	0.29	-	10,239	290	0.283
BTS13C2502A	0.72	150168	-	-	-	-	0.40	0.43	-	-	-	0
BTS13C2503A	0.18	150168	-	0.17	0.15	<b>0.16</b>	0.16	0.17	(0.02)	21,410	351	0.163
BTS13C2505A	0.16	150168	-	0.16	0.14	<b>0.14</b>	0.14	0.15	(0.02)	16,756	247	0.147
BTS13P2503A	0.05	150168	-	-	-	-	0.04	0.05	-	-	-	0
BTS13P2505A	0.27	150168	-	0.29	0.27	<b>0.28</b>	0.28	0.29	0.01	10,040	279	0.278
BTS19C2503A	0.81	150168	-	-	-	-	0.70	0.79	-	-	-	0
BTS19C2503B	0.24	150168	-	0.22	0.20	<b>0.21</b>	0.21	0.22	(0.03)	6,388	138	0.216
BTS19C2505A	0.22	150168	-	0.21	0.19	<b>0.20</b>	0.20	0.21	(0.02)	27,624	567	0.205
BTS41C2504A	0.63	150168	-	-	-	-	0.58	0.62	-	-	-	0
BTS41C2504B	0.25	150168	0.25	0.25	0.23	<b>0.23</b>	0.23	0.24	(0.02)	25,770	605	0.234
BTS41C2504B	2.94	150168	2.94	2.96	2.92	<b>2.94</b>	2.92	2.94	-	26,955	7,929	2.941
DMT	10.50	150168	10.60	10.60	10.40	<b>10.60</b>	10.50	10.60	0.10	8,743	9,187	10.507
ETL	0.60	150168	0.57	0.60	0.57	<b>0.59</b>	0.59	0.60	(0.01)	3,752	223	0.595
III	4.96	150168	5.00	5.10	4.92	<b>5.00</b>	4.98	5.00	0.04	4,324	2,164	5.003
KEX	1.45	150168	1.48	1.48	1.43	<b>1.45</b>	1.43	1.45	-	8,057	1,163	1.443
KIAT	0.30	150168	0.30	0.31	0.30	<b>0.30</b>	0.30	0.31	-	10,627	329	0.309
KWC	348.00	150168	-	-	-	-	277.00	339.00	-	-	-	0
MENA	0.99	150168	1.00	1.00	0.96	<b>0.99</b>	0.98	0.99	-	10,441	1,019	0.975
NYT	3.18	150168	3.18	3.20	3.14	<b>3.18</b>	3.18	3.20	-	11,263	3,567	3.167
PORT	1.17	150168	-	1.19	1.19	<b>1.19</b>	1.19	1.26	0.02	20	2	1.19
PRM	8.40	150168	8.40	8.45	8.15	<b>8.20</b>	8.20	8.25	(0.20)	69,011	56,825	8.234
PSL	6.25	150168	6.30	6.35	6.25	<b>6.30</b>	6.30	6.35	0.05	25,799	16,249	6.298
RCL	25.75	150168	25.75	26.25	25.25	<b>25.75</b>	25.50	25.75	-	19,465	49,760	25.564
RCL01C2502A	0.26	150168	-	0.27	0.19	<b>0.21</b>	0.21	0.22	(0.05)	12,050	268	0.222
RCL01C2502B	0.09	150168	-	0.03	0.03	<b>0.03</b>	0.03	0.04	(0.06)	350	1	0.03
RCL01C2505A	0.19	150168	-	0.20	0.17	<b>0.18</b>	0.18	0.19	(0.01)	44,314	799	0.18
RCL13C2502A	0.04	150168	-	0.02	0.02	<b>0.02</b>	0.02	0.03	(0.02)	10,100	20	0.02
RCL13C2502B	0.49	150168	-	-	-	-	0.17	0.18	-	-	-	0
RCL13C2506A	0.20	150168	-	0.22	0.19	<b>0.20</b>	0.20	0.21	-	67,068	1,393	0.207
RCL19C2503A	0.39	150168	-	-	-	-	0.39	0.45	-	-	-	0
RCL19C2503B	0.13	150168	-	0.13	0.10	<b>0.11</b>	0.11	0.12	(0.02)	13,910	152	0.109
RCL19C2504A	0.11	150168	-	0.11	0.10	<b>0.10</b>	0.10	0.11	(0.01)	12,619	131	0.103
RCL41C2502A	0.63	150168	-	-	-	-	0.25	0.28	-	-	-	0
RCL41C2502B	0.06	150168	-	-	-	-	0.03	0.05	-	-	-	0
RCL41C2505A	0.15	150168	-	0.16	0.13	<b>0.14</b>	0.14	0.15	(0.01)	66,520	956	0.143
SAV	18.30	150168	18.10	18.80	18.10	<b>18.50</b>	18.50	18.60	0.20	8,275	15,280	18.464
SINO	0.82	150168	0.81	0.83	0.79	<b>0.81</b>	0.80	0.81	(0.01)	3,105	250	0.803
SJWD	9.20	150168	9.25	9.35	9.05	<b>9.05</b>	9.05	9.10	(0.15)	6,358	5,822	9.156
SJWD13C2504A	0.08	150168	-	-	-	-	0.02	0.03	-	-	-	0
TFFIF	6.30	150168	6.30	6.35	6.25	<b>6.35</b>	6.30	6.35	0.05	23,064	14,559	6.312
THAI	3.32	150168	-	-	-	-	-	-	-	-	-	0
TSTE	9.45	150168	-	9.25	9.25	<b>9.25</b>	9.25	9.90	(0.20)	5	5	9.25
TTA	4.84	150168	4.84	4.88	4.78	<b>4.84</b>	4.84	4.86	-	29,013	14,014	4.83
WICE	3.54	150168	3.58	3.58	3.54	<b>3.58</b>	3.52	3.58	0.04	1,519	542	3.565
Automotive	-	-	-	-	-	-	-	-	-	-	-	-
ACG	0.83	150168	-	0.84	0.83	<b>0.83</b>	0.83	0.84	-	10	1	0.833
AH	15.30	150168	15.30	15.30	15.00	<b>15.00</b>	15.00	15.30	(0.30)	1,370	2,073	15.129
CWT	0.73	150168	0.73	0.74	0.72	<b>0.74</b>	0.73	0.74	0.01	1,105	81	0.732
EASON	1.07	150168	1.06	1.08	1.06	<b>1.07</b>	1.06	1.07	-	819	87	1.064
GYT	174.00	150168	-	-	-	-	174.00	177.50	-	-	-	0
HFT	4.26	150168	4.26	4.30	4.26	<b>4.30</b>	4.28	4.30	0.04	1,782	764	4.285
IHL	1.58	150168	-	1.58	1.56	<b>1.58</b>	1.57	1.58	-	204	32	1.571
INGRS	0.25	150168	0.25	0.26	0.24	<b>0.26</b>	0.25	0.26	0.01	11,339	283	0.249
IRC	14.00	150168	14.20	14.20	14.00	<b>14.10</b>	14.00	14.10	0.10	225	318	14.118
MGC	3.24	150168	3.18	3.22	3.00	<b>3.00</b>	3.00	3.06	(0.24)	3,542	1,099	3.101
NEX	0.55	150168	0.55	0.58	0.54	<b>0.56</b>	0.56	0.57	0.01	84,756	4,729	0.557
PCSGH	3.38	150168	3.36	3.36	3.34	<b>3.36</b>	3.34	3.36	(0.02)	652	218	3.345
POLY	8.50	150168	-	8.40	8.30	<b>8.40</b>	8.30	8.40	(0.10)	2	2	8.35
SAT	10.70	150168	10.70	10.70	10.50	<b>10.50</b>	10.50	10.60	(0.20)	5,754	6,099	10.598
SPG	13.30	150168	-	13.30	13.30	<b>13.30</b>	13.30	13.90	-	2	3	13.3
STANLY	218.00	150168	218.00	219.00	218.00	<b>219.00</b>	218.00	219.00	1.00	39	851	218.153
TKT	1.47	150168	-	-	-	-	1.44	1.47	-	-	-	0
TNPC	0.85											

## Main Board Quotation

Issue Date

Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TRU	3.34	150168	-	3.34	3.30	3.32	3.30	3.32	(0.02)	28	9	3.316
TSC	15.00	150168	15.10	15.20	15.00	15.20	15.10	15.20	0.20	530	800	15.103
Industrial Materials												
AKR	1.00	150168	0.99	1.00	0.98	0.99	0.98	0.99	(0.01)	25,600	2,518	0.983
ALLA	1.45	150168	1.45	1.51	1.45	1.48	1.46	1.48	0.03	7,690	1,138	1.479
ASEFA	2.96	150168	-	2.94	2.90	2.94	2.90	2.94	(0.02)	256	75	2.92
CPT	0.98	150168	1.00	1.00	0.97	0.99	0.97	0.99	0.01	551	54	0.978
CRANE	0.35	150168	-	0.35	0.32	0.32	0.32	0.33	(0.03)	10,535	351	0.333
CTW	3.30	150168	-	3.44	3.26	3.32	3.30	3.40	0.02	40	13	3.336
FMT	32.00	150168	-	34.00	32.00	33.00	33.00	34.00	1.00	25	85	33.84
FTE	1.48	150168	1.50	1.50	1.48	1.49	1.48	1.49	0.01	880	131	1.489
HTECH	3.02	150168	2.86	3.12	2.86	2.90	2.90	2.94	(0.12)	10,031	2,931	2.921
KKC	0.04	150168	-	-	-	-	-	-	-	-	-	0
PCC	2.70	150168	2.72	2.74	2.70	2.72	2.70	2.72	0.02	956	259	2.705
PK	0.50	150168	-	0.50	0.48	0.48	0.48	0.50	(0.02)	586	29	0.486
PSP	4.08	150168	-	4.04	3.98	4.04	3.98	4.04	(0.04)	34,517	13,787	3.994
QTC	3.68	150168	-	3.70	3.52	3.52	3.54	3.66	(0.16)	34	12	3.675
SCI	0.88	150168	0.85	0.90	0.85	0.88	0.86	0.88	-	5,423	465	0.856
SE	0.50	150168	0.50	0.51	0.50	0.50	0.51	0.52	-	1,635	82	0.505
SELIC	3.20	150168	3.20	3.20	3.16	3.18	3.18	3.20	(0.02)	1,159	369	3.187
SNC	5.35	150168	5.35	5.35	5.25	5.30	5.25	5.30	(0.05)	802	425	5.3
TCJ	3.06	150168	3.08	3.08	2.96	2.96	2.96	3.06	(0.10)	3	1	3
TPCS	11.30	150168	11.90	14.60	11.30	11.30	11.00	11.30	-	59	72	12.176
VARO	4.00	150168	-	4.04	4.04	4.04	4.04	4.06	0.04	44	18	4.04
Property Fund & RE												
AIMCG	3.02	150168	3.04	3.04	2.98	3.00	2.98	3.00	(0.02)	1,540	462	2.997
AIMIRT	10.50	150168	10.50	10.60	10.50	10.50	10.50	10.60	-	1,792	1,885	10.517
ALLY	5.25	150168	5.25	5.30	5.20	5.25	5.25	5.30	-	1,081	567	5.245
AMATAR	6.45	150168	-	6.50	6.50	6.50	6.45	6.50	0.05	151	98	6.5
AXTRAK	11.70	150168	11.70	11.90	11.50	11.70	11.70	11.90	-	13,249	15,579	11.758
B-WORK	4.76	150168	4.78	4.78	4.76	4.78	4.76	4.78	0.02	1,212	577	4.764
BAREIT	9.10	150168	9.10	9.15	9.05	9.10	9.05	9.10	-	5,726	5,208	9.095
BOFFICE	5.00	150168	-	5.05	4.98	5.00	4.98	5.00	-	118	59	4.995
CPNCG	6.20	150168	6.15	6.20	6.15	6.20	6.20	6.25	-	1,976	1,225	6.197
CPNREIT	12.20	150168	12.20	12.20	12.10	12.10	12.10	12.20	(0.10)	12,560	15,225	12.121
CPTREIT	5.10	150168	-	5.10	5.00	5.10	5.00	5.10	-	655	330	5.038
CTARAF	4.36	150168	-	4.38	4.36	4.36	4.36	4.38	-	551	240	4.36
DREIT	5.05	150168	-	5.10	5.10	5.10	5.05	5.10	0.05	1	1	5.1
FTREIT	10.10	150168	10.10	10.20	10.00	10.10	10.10	10.20	-	7,481	7,586	10.14
FUTURERT	10.40	150168	-	10.50	10.20	10.30	10.20	10.40	(0.10)	593	621	10.464
GAHREIT	6.80	150168	-	6.80	6.80	6.80	6.80	6.90	-	6	4	6.8
GROREIT	8.55	150168	-	8.55	8.50	8.55	8.50	8.55	-	512	437	8.535
GVREIT	6.65	150168	-	6.65	6.55	6.65	6.65	6.70	-	2,353	1,562	6.637
HPF	4.92	150168	4.92	4.92	4.84	4.84	4.84	4.88	(0.08)	1,028	498	4.847
HYDROGEN	9.35	150168	-	-	-	-	9.35	9.40	-	-	-	0
IMPACT	10.80	150168	10.80	10.90	10.70	10.80	10.70	10.80	-	9,441	10,178	10.78
INETREIT	8.40	150168	-	8.45	8.35	8.40	8.35	8.40	-	2,452	2,058	8.391
ISSARA	8.85	150168	-	-	-	-	8.80	8.90	-	-	-	0
KPNREIT	2.50	150168	-	-	-	-	2.40	2.50	-	-	-	0
KTBSTMR	6.20	150168	-	6.20	6.15	6.15	6.15	6.20	(0.05)	133	82	6.159
LHHOTEL	13.10	150168	13.20	13.30	13.20	13.20	13.20	13.30	0.10	3,863	5,102	13.208
LHRREIT	5.30	150168	5.25	5.30	5.25	5.25	5.25	5.30	(0.05)	55	29	5.291
LHSC	11.40	150168	11.30	11.40	11.30	11.30	11.30	11.40	(0.10)	4,455	5,057	11.35
LUXF	8.00	150168	-	8.00	7.90	8.00	7.95	8.05	-	118	94	7.998
M-PAT	2.70	150168	-	-	-	-	1.90	2.92	-	-	-	0
M-STOR	7.45	150168	-	7.25	7.25	7.25	7.20	7.40	(0.20)	2	1	7.25
MII	6.20	150168	-	6.20	6.10	6.10	6.10	6.30	(0.10)	51	31	6.101
MIPF	10.00	150168	-	-	-	-	10.00	10.90	-	-	-	0
MIT	0.30	150168	-	0.31	0.29	0.30	0.30	0.31	-	6,357	191	0.3
MJLF	4.16	150168	4.16	4.18	4.16	4.16	4.14	4.18	-	278	116	4.16
MNIT	2.20	150168	-	2.28	2.16	2.28	2.14	2.28	0.08	33	7	2.178
MNIT2	5.40	150168	-	4.90	4.90	4.90	4.90	5.25	(0.50)	2	1	4.9
MNRF	2.28	150168	-	2.22	2.18	2.18	2.20	2.24	(0.10)	200	44	2.201
POPF	6.25	150168	6.20	6.25	6.15	6.25	6.25	6.30	-	5,259	3,262	6.201
PROSPECT	8.40	150168	8.45	8.45	8.35	8.40	8.35	8.40	-	1,914	1,605	8.383
QHBREIT	4.64	150168	4.64	4.68	4.60	4.66	4.64	4.66	0.02	1,220	566	4.638
QHHRREIT	6.85	150168	-	6.85	6.80	6.85	6.80	6.85	-	417	284	6.801
QHOP	3.48	150168	-	3.40	3.30	3.40	3.32	3.40	(0.08)	36	12	3.308
SIRIPRT	8.30	150168	-	8.30	8.30	8.30	7.35	8.30	-	10	8	8.3
SPRIME	4.20	150168	-	4.20	4.18	4.20	4.18	4.20	-	925	387	4.18
SRIPANWA	5.10	150168	-	5.40	5.05	5.20	5.05	5.15	0.10	335	173	5.17
SSPF	3.80	150168	-	3.98	3.80	3.80	3.80	4.00	-	804	306	3.8
SSTRT	4.86	150168	4.92	4.92	4.92	4.92	4.86	4.90	0.06	2	1	4.92
TIF1	7.45	150168	7.45	7.45	7.40	7.40	7.40	7.45	(0.05)	269	200	7.428
TLHPF	2.54	150168	-	2.56	2.56	2.56	2.54	2.56	0.02	20	5	2.56
TNPF	1.47	150168	-	1.51	1.51	1.51	1.48	1.52	0.04	2	-	1.51
TPRIME	7.50	150168	-	-	-	-	7.50	7.65	-	-	-	0
TTLPF	14.30	150168	-	14.40	14.20	14.20	14.20	14.30	(0.10)	187	266	14.214
TU-PF	0.68	150168	0.70	0.72	0.60	0.60	0.61	0.71	(0.08)	10	1	0.686
WHABT	7.25	150168	-	7.30	7.20	7.25	7.20	7.30	-	1,223	884	7.229
WHAIR	6.50	150168	6.45	6.50	6.45	6.45	6.45	6.50	(0.05)	10,573	6,820	6.45
WHART	10.10	150168	10.10	10.20	10.00	10.10	10.00	10.10	-	7,947	7,984	10.046
Steel and Metal Proc												
ZS	2.62	150168	2.70	2.70	2.62	2.64	2.62	2.64	0.02	137	36	2.658
AMC	1.92	150168	1.96	1.96	1.92	1.96	1.95	1.96	0.04	4,824	939	1.947
BSBM	0.71	150168	-	0.72	0.70	0.71	0.70	0.71	-	1,674	119	0.709
CEN	1.94	150168	-	1.94	1.90	1.92	1.91	1.92	(0.02)	183	35	1.918
CEN-W5	0.13	150168	-	0.14	0.12	0.13	0.12	0.13	-	8,147	99	0.121
CITY	1.74	150168	-	1.83	1.74	1.83	1.73	1.81	0.09	12	2	1.795
CSP	0.59	150168	-	0.61	0.58	0.59	0.59	0.60	-	88	5	0.588
GJS	0.13	150168	0.13	0.14	0.12	0.13	0.12	0.13	-	26,183	322	0.122
GSTEEL	0.09	150168	-	-	-	-	-	-	-	-	-	0
INOX	0.45	150168	-	0.45	0.44	0.44	0.44	0.45	(0.01)	3,089	137	0.443
LHK	3.58	150168	3.58	3.58	3.54	3.56	3.54	3.56	(0.02)	896	318	3.552
MCS	6.35	150168	6.35	6.35	6.30	6.35	6.30	6.35	-	541	343	6.34
MILL	0.10	150168	0.09	0.10	0.09	0.09	0.09	0.10	(0.01)	32,064	289	0.09
PAP	1.73	150168	-	1.73	1.71	1.72	1.71	1.72	(0.01)	1,742	299	1.718
PERM	0.40	150168	0.40	0.41	0.38	0.38	0.38	0.39	(0.02)	5,683	221	0.388
SAM	0.17	150168	-	0.17	0.16	0.16	0.16	0.17	(0.01)	2,212	35	0.16
SMIT	3.88	150168	3.88	3.90	3.88	3.90	3.88	3.90	0.02	666	259	3.893
SSSC	2.08	150168	2.02	2.10	2.00	2.00	2.00	2.02	(0.08)	3,518	708	2.011
TGPRO	0.07	150168	0.08	0.08	0.07	0.08	0.07	0.08	0.01	6,340	45	0.071
THE	0.69	150168	-	0.73	0.69	0.73	0.69	0.73	0.04	12	1	0.72

## Main Board Quotation

Issue Date

Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TMT	2.96	150168	3.04	3.04	2.96	2.96	2.94	3.00	-	219	65	2.983
TSTH	0.51	150168	0.51	0.52	0.50	0.51	0.51	0.52	-	7,265	372	0.511
TWP	1.41	150168	1.42	1.44	1.41	1.43	1.42	1.43	0.02	510	72	1.412
TYCN	1.85	150168	-	1.87	1.85	1.87	1.85	1.88	0.02	7	1	1.867
Construction Service												
APCS	1.80	150168	-	1.80	1.78	1.80	1.78	1.80	-	1,756	314	1.789
BJCHI	1.10	150168	1.11	1.11	1.09	1.09	1.09	1.10	(0.01)	2,788	305	1.093
BKD	1.30	150168	-	1.30	1.29	1.30	1.25	1.30	-	5	1	1.298
CIVIL	1.80	150168	-	1.88	1.80	1.81	1.81	1.83	0.01	945	173	1.835
CK	16.90	150168	17.00	17.10	16.60	17.00	16.90	17.00	0.10	20,810	35,166	16.898
CK01C2503A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
CK13C2503A	0.03	150168	-	0.02	0.02	0.02	0.02	0.04	(0.01)	600	1	0.02
CK19C2503A	0.04	150168	-	-	-	-	0.04	0.05	-	-	-	0
CNT	0.98	150168	0.96	0.97	0.96	0.97	0.96	0.97	(0.01)	918	88	0.96
DEMCO	3.00	150168	-	3.12	3.00	3.12	3.00	3.10	0.12	530	163	3.066
EMC	0.07	150168	0.07	0.08	0.06	0.08	0.07	0.08	0.01	18,299	133	0.072
EMC-W7	0.05	150168	-	0.05	0.04	0.05	0.04	0.05	-	50,990	245	0.048
ITD	0.48	150168	0.47	0.48	0.47	0.48	0.47	0.48	-	14,343	679	0.473
JR	1.91	150168	-	1.91	1.87	1.90	1.89	1.90	(0.01)	4,180	791	1.892
NL	1.01	150168	-	1.03	0.98	1.01	1.00	1.01	-	3,065	305	0.995
NWR	0.15	150168	-	0.15	0.13	0.15	0.14	0.15	-	7,212	101	0.14
PLE	0.33	150168	0.32	0.33	0.32	0.33	0.32	0.33	-	9,973	326	0.327
PREB	4.22	150168	4.22	4.22	4.20	4.22	4.20	4.22	-	62	26	4.216
PYLON	1.81	150168	1.82	1.83	1.79	1.79	1.79	1.80	(0.02)	1,076	194	1.806
RT	0.36	150168	-	0.36	0.35	0.35	0.35	0.36	(0.01)	10,510	372	0.353
SEAFCO	1.98	150168	1.98	1.99	1.95	1.98	1.95	1.98	-	1,517	299	1.97
SQ	0.63	150168	0.62	0.65	0.62	0.63	0.63	0.64	-	2,012	126	0.628
SRICHA	4.82	150168	4.88	4.88	4.74	4.80	4.80	4.84	(0.02)	760	364	4.787
STECON	6.20	150168	6.20	6.25	6.05	6.05	6.05	6.15	(0.15)	8,089	4,938	6.104
STI	2.96	150168	-	2.98	2.94	2.96	2.94	2.96	-	152	45	2.959
STPI	3.04	150168	3.04	3.04	3.00	3.00	3.00	3.02	(0.04)	3,309	998	3.015
SYNTEC	1.53	150168	-	1.55	1.53	1.53	1.53	1.55	-	91	14	1.537
TEAMG	2.72	150168	2.76	2.82	2.58	2.72	2.72	2.74	-	137,014	37,095	2.707
TEAMG-W1	0.23	150168	0.24	0.25	0.23	0.23	0.23	0.24	-	30,268	732	0.241
TEKA	2.20	150168	2.18	2.24	2.16	2.22	2.16	2.22	0.02	44	10	2.19
TPOLY	0.53	150168	-	0.55	0.53	0.53	0.52	0.53	-	3,467	184	0.53
TRC	1.01	150168	1.01	1.01	0.95	0.97	0.97	0.98	(0.04)	17,266	1,696	0.982
TRITN	0.11	150168	0.10	0.11	0.10	0.11	0.10	0.11	-	1,410,896	15,511	0.109
TTCL	1.81	150168	1.81	1.84	1.80	1.84	1.81	1.84	0.03	2,577	468	1.814
UNIQ	2.50	150168	2.46	2.50	2.38	2.44	2.42	2.44	(0.06)	2,216	541	2.441
WGE	0.70	150168	-	0.74	0.70	0.74	0.70	0.74	0.04	6	-	0.706
Unit Trust												
SCBSET	7.54	150168	-	-	-	-	6.40	-	-	-	-	0
VAYU1	10.00	150168	10.00	10.10	10.00	10.00	10.00	10.10	-	10,274	10,274	10
ETF												
1DIV	10.60	150168	10.60	10.70	10.60	10.70	10.65	10.70	0.10	250	266	10.642
ABFTH	1,330.00	150168	-	-	-	-	1,290.00	1,320.00	-	-	-	0
BMSCG	8.13	150168	-	8.16	8.09	8.15	8.15	8.17	0.02	23	19	8.121
BMSCITH	9.77	150168	9.83	9.87	9.79	9.79	9.80	9.82	0.02	888	872	9.821
BSET100	9.23	150168	9.28	9.32	9.24	9.28	9.24	9.28	0.05	271	252	9.293
CHINA	5.86	150168	5.87	5.87	5.82	5.87	5.83	5.88	0.01	137	80	5.855
ENGY	4.35	150168	-	4.41	4.36	4.38	4.38	4.41	0.03	32	14	4.402
GLD	3.73	150168	3.74	3.74	3.72	3.73	3.73	3.74	-	2,592	967	3.731
TDEX	8.69	150168	8.72	8.75	8.70	8.73	8.73	8.74	0.04	1,580	1,380	8.734
UBOT	13.40	150168	-	13.84	13.43	13.84	13.76	14.16	0.44	26	36	13.792
UHERO	7.98	150168	-	-	-	-	6.35	8.25	-	-	-	0
Warrant Foreign												
AIA41C2502A	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
AIA41C2504A	0.14	150168	-	-	-	-	-	-	-	-	-	0
ALHHA41C2502A	0.30	150168	-	-	-	-	-	-	-	-	-	0
BABA28C2503A	0.04	150168	-	-	-	-	-	0.04	-	-	-	0
BABA28C2506A	0.24	150168	-	0.25	0.24	0.25	0.05	0.26	0.01	80	2	0.248
BABA28P2503A	0.42	150168	-	0.40	0.40	0.40	-	-	(0.02)	50	2	0.4
BABA41C2502A	0.01	150168	-	-	-	-	0.01	0.02	-	-	-	0
BABA41C2503A	0.04	150168	-	-	-	-	-	-	-	-	-	0
BABA41C2504A	0.20	150168	-	0.20	0.19	0.19	0.08	0.19	(0.01)	18	-	0.19
BABA41P2502A	0.32	150168	-	0.32	0.29	0.29	-	-	(0.03)	8	-	0.303
BABA41P2502B	0.73	150168	-	-	-	-	0.02	-	-	-	-	0
BIDU41C2502A	0.11	150168	-	-	-	-	0.02	-	-	-	-	0
BIDU41C2502B	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	70	-	0.01
BYDCOM28C2501A	0.06	150168	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2503A	0.04	150168	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2508A	0.30	150168	-	0.32	0.32	0.32	0.12	-	0.02	500	16	0.32
BYDCOM28P2501A	0.05	150168	-	-	-	-	-	-	-	-	-	0
BYDCOM28P2503A	0.58	150168	-	-	-	-	0.02	-	-	-	-	0
BYDCOM41C2502A	0.19	150168	-	0.19	0.19	0.19	0.08	3.00	-	2	-	0.19
BYDCOM41C2506A	0.33	150168	-	-	-	-	-	-	-	-	-	0
BYDCOM41P2502A	0.05	150168	-	-	-	-	-	-	-	-	-	0
CATHAY41C2502A	0.96	150168	-	-	-	-	0.08	-	-	-	-	0
DJI28C2503A	0.18	150168	0.25	0.25	0.24	0.25	0.24	0.25	0.07	8,398	206	0.245
DJI28C2503B	0.06	150168	-	0.11	0.10	0.10	0.10	0.11	0.04	4,661	47	0.1
DJI28P2503A	0.19	150168	-	0.15	0.15	0.15	0.14	0.15	(0.04)	760	11	0.15
DJI28P2503B	0.37	150168	-	0.30	0.29	0.29	0.29	0.30	(0.08)	300	9	0.296
DJ41C2503A	0.16	150168	0.20	0.21	0.20	0.20	0.20	0.21	0.04	7,125	143	0.2
DJ41C2503B	0.10	150168	-	0.16	0.14	0.15	0.14	0.15	0.05	4,121	62	0.149
DJ41P2503A	0.21	150168	-	-	-	-	0.14	0.15	-	-	-	0
DJ41P2503B	0.41	150168	0.32	0.32	0.31	0.32	0.31	0.32	(0.09)	8	-	0.318
GEELY41C2502A	0.67	150168	-	0.68	0.68	0.68	0.08	0.72	0.01	100	7	0.68
HKEX41C2502A	0.72	150168	-	0.80	0.79	0.80	0.08	-	0.08	200	16	0.795
HKEX41C2502B	0.03	150168	-	-	-	-	-	-	-	-	-	0
HSBC41C2502A	0.32	150168	-	-	-	-	0.08	-	-	-	-	0
HSI06C2501A	0.01	150168	-	0.01	0.01	0.01	-	0.01	-	23	-	0.01
HSI06C2501B	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
HSI06C2501C	0.03	150168	-	-	-	-	-	0.03	-	-	-	0
HSI06C2501D	0.02	150168	-	0.02	0.02	0.02	-	0.02	-	1	-	0.02
HSI06C2501E	0.07	150168	0.10	0.10	0.04	0.05	0.04	0.12	(0.02)	3,882	16	0.04
HSI06C2501F	0.22	150168	0.26	0.30	0.23	0.30	0.01	-	0.08	84,421	2,249	0.266
HSI06C2501G	1.73	150168	-	-	-	-	0.02	-	-	-	-	0
HSI06C2502A	0.02	150168	-	0.02	0.02	0.02	0.02	0.03	-	1,200	2	0.02
HSI06C2502B	0.08	150168	-	0.09	0.09	0.09	0.01	0.36	0.01	374	3	0.09
HSI06C2502C	0.24	150168	0.28	0.30	0.26	0.29	0.01	0.29	0.05	92,123	2,576	0.279
HSI06C2502D	0.53	150168	-	0.60	0.56	0.59	-	-	0.06	1,650	97	0.589
HSI06C2502E	0.14	150168	0.16	0.17	0.15	0.17	0.06	0.18	0.03	37,810	589	0.155

## Main Board Quotation

Issue Date

Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSI06C2503A	0.50	150168	0.53	0.58	0.51	0.56	0.56	0.65	0.06	75,295	4,036	0.536
HSI06C2503B	0.15	150168	-	0.18	0.16	0.17	0.17	0.18	0.02	13,435	227	0.168
HSI06C2503C	0.04	150168	-	0.05	0.04	0.04	0.04	0.05	-	206	1	0.04
HSI06C2503D	0.04	150168	0.04	0.04	0.04	0.04	0.02	0.04	-	90	-	0.04
HSI06C2503E	1.00	150168	-	0.97	0.96	0.96	0.01	-	(0.04)	150	14	0.963
HSI06C2504A	0.29	150168	0.31	0.34	0.30	0.32	0.32	-	0.03	28,835	895	0.31
HSI06C2504B	1.00	150168	-	-	-	-	0.01	-	-	-	-	0
HSI06P2501A	0.33	150168	-	0.27	0.21	0.22	0.21	0.23	(0.11)	178,535	4,141	0.231
HSI06P2501B	0.05	150168	-	0.04	0.03	0.04	0.02	0.04	(0.01)	8,334	25	0.03
HSI06P2501C	0.02	150168	-	0.02	0.02	0.02	-	0.02	-	18	-	0.02
HSI06P2501D	0.82	150168	-	-	-	-	0.02	-	-	-	-	0
HSI06P2502A	0.30	150168	-	0.27	0.24	0.24	0.23	0.25	(0.06)	179,431	4,516	0.251
HSI06P2502B	0.56	150168	-	0.49	0.45	0.45	-	-	(0.11)	42,365	2,036	0.48
HSI06P2502C	0.09	150168	-	0.08	0.07	0.07	-	0.09	(0.02)	1,011	8	0.078
HSI06P2502D	0.83	150168	-	-	-	-	0.02	-	-	-	-	0
HSI06P2502E	1.00	150168	-	-	-	-	0.02	-	-	-	-	0
HSI06P2503A	0.02	150168	0.02	0.02	0.02	0.02	0.01	0.02	-	483	1	0.02
HSI06P2503B	0.36	150168	0.32	0.33	0.30	0.32	0.31	-	(0.04)	22,032	703	0.318
HSI06P2503C	0.97	150168	-	0.88	0.86	0.86	0.01	-	(0.11)	28	2	0.861
HSI06P2503D	0.15	150168	-	0.13	0.12	0.12	0.12	0.14	(0.03)	31,137	402	0.129
HSI06P2504A	0.46	150168	-	0.41	0.39	0.40	-	0.48	(0.06)	10,222	419	0.409
HSI06P2504B	1.00	150168	-	-	-	-	0.01	-	-	-	-	0
HSI28C2501A	0.03	150168	-	0.04	0.03	0.04	0.03	0.04	0.01	8,078	28	0.035
HSI28C2501B	0.02	150168	-	-	-	-	-	0.01	-	-	-	0
HSI28C2501C	0.01	150168	-	-	-	-	-	0.01	-	-	-	0
HSI28C2501D	0.01	150168	-	0.01	0.01	0.01	0.01	0.01	-	3	-	0.01
HSI28C2501E	0.01	150168	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
HSI28C2501F	0.05	150168	-	-	-	-	-	0.04	-	-	-	0
HSI28C2501G	0.10	150168	-	-	-	-	-	0.04	-	-	-	0
HSI28C2501H	0.06	150168	-	-	-	-	-	-	-	-	-	0
HSI28C2501I	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	10	-	0.01
HSI28C2501J	0.36	150168	0.42	0.48	0.37	0.44	0.44	0.45	0.08	587,484	24,391	0.415
HSI28C2501K	0.10	150168	-	0.14	0.10	0.13	0.12	0.13	0.03	118,653	1,504	0.126
HSI28C2502A	0.08	150168	0.09	0.09	0.09	0.09	0.09	0.10	0.01	28,045	252	0.09
HSI28C2502B	0.03	150168	-	-	-	-	0.02	0.03	-	-	-	0
HSI28C2502C	0.04	150168	-	-	-	-	0.02	0.04	-	-	-	0
HSI28C2502D	0.30	150168	-	0.37	0.32	0.35	0.35	0.36	0.05	16,760	592	0.353
HSI28C2502E	0.56	150168	0.63	0.67	0.59	0.66	0.65	0.66	0.10	188,782	11,982	0.634
HSI28C2502F	0.16	150168	-	0.20	0.17	0.18	0.18	0.20	0.02	13,550	250	0.184
HSI28C2503A	0.43	150168	0.47	0.49	0.44	0.48	0.47	0.48	0.05	69,682	3,238	0.464
HSI28C2503B	0.05	150168	0.05	0.05	0.04	0.05	0.04	0.05	-	11,784	59	0.05
HSI28C2503D	0.03	150168	0.03	0.04	0.03	0.04	0.03	0.04	0.01	1,977	6	0.03
HSI28C2503E	0.02	150168	-	-	-	-	0.02	0.04	-	-	-	0
HSI28C2503F	0.12	150168	0.14	0.15	0.13	0.14	0.14	0.15	0.02	15,779	219	0.138
HSI28C2504A	0.14	150168	0.15	0.17	0.15	0.16	0.16	0.17	0.02	73,053	1,112	0.152
HSI28C2504B	0.30	150168	-	0.35	0.32	0.34	0.33	0.34	0.04	124,631	4,000	0.32
HSI28C2505A	0.21	150168	-	0.23	0.22	0.23	0.23	0.24	0.02	2,105	47	0.224
HSI28P2501A	0.02	150168	-	-	-	-	-	0.01	-	-	-	0
HSI28P2501B	0.20	150168	0.14	0.17	0.13	0.13	0.13	0.14	(0.07)	103,626	1,497	0.144
HSI28P2501C	1.76	150168	-	-	-	-	1.39	1.44	-	-	-	0
HSI28P2501D	0.04	150168	-	-	-	-	-	0.04	-	-	-	0
HSI28P2501E	0.05	150168	-	-	-	-	0.02	0.04	-	-	-	0
HSI28P2502A	1.17	150168	-	-	-	-	0.77	0.82	-	-	-	0
HSI28P2502B	0.18	150168	0.15	0.16	0.14	0.14	0.14	0.15	(0.04)	25,689	374	0.145
HSI28P2502C	0.10	150168	-	-	-	-	0.07	0.08	-	-	-	0
HSI28P2502D	0.41	150168	0.35	0.38	0.33	0.34	0.34	0.35	(0.07)	160,494	5,737	0.357
HSI28P2503A	0.09	150168	-	-	-	-	0.07	0.08	-	-	-	0
HSI28P2503B	0.33	150168	0.29	0.30	0.28	0.29	0.28	0.29	(0.04)	6,482	183	0.281
HSI28P2503C	0.16	150168	-	-	-	-	0.12	0.13	-	-	-	0
HSI28P2503D	1.03	150168	-	0.90	0.90	0.90	0.83	0.88	(0.13)	50	5	0.9
HSI28P2504A	0.25	150168	-	0.23	0.21	0.21	0.21	0.22	(0.04)	5,684	125	0.219
HSI28P2504B	0.36	150168	-	0.33	0.30	0.31	0.30	0.31	(0.05)	465	15	0.32
HSI28P2505A	0.22	150168	-	0.21	0.20	0.20	0.20	0.21	(0.02)	141	3	0.201
HSTECH28C2503A	0.12	150168	-	-	-	-	0.11	0.13	-	-	-	0
HSTECH28P2503A	0.33	150168	-	0.25	0.23	0.23	0.23	0.24	(0.10)	51	1	0.243
JD41C2502A	0.96	150168	-	-	-	-	0.08	-	-	-	-	0
JD41C2502B	0.03	150168	-	-	-	-	-	-	-	-	-	0
KUAIH41C2502A	0.07	150168	-	-	-	-	-	-	-	-	-	0
KUAIH41C2506A	0.40	150168	-	-	-	-	-	-	-	-	-	0
LENOV041C2502A	0.10	150168	-	0.10	0.10	0.10	0.01	-	-	1,000	10	0.1
MCA5041C2503A	0.11	150168	-	-	-	-	0.09	0.10	-	-	-	0
MCA5041C2503B	0.24	150168	-	-	-	-	0.26	0.27	-	-	-	0
MCA5041C2506A	0.37	150168	-	0.36	0.35	0.36	0.35	0.36	(0.01)	20	1	0.355
MCA5041P2503A	0.46	150168	-	-	-	-	0.49	0.50	-	-	-	0
MCA5041P2506A	0.64	150168	-	0.67	0.65	0.65	0.64	0.65	0.01	39	3	0.653
MEITUA28C2501A	1.51	150168	-	-	-	-	0.08	-	-	-	-	0
MEITUA28C2503A	0.33	150168	-	0.37	0.35	0.36	-	-	0.03	7	-	0.354
MEITUA28C2504A	0.07	150168	-	-	-	-	-	-	-	-	-	0
MEITUA28C2507A	0.21	150168	-	0.21	0.20	0.21	-	-	-	2	-	0.205
MEITUA28P2503A	0.20	150168	-	-	-	-	-	-	-	-	-	0
MEITUA28P2504B	0.58	150168	0.55	0.57	0.53	0.53	0.53	-	(0.05)	8	-	0.548
MEITUA41C2502A	0.11	150168	-	-	-	-	0.01	0.11	-	-	-	0
MEITUA41C2504A	0.15	150168	-	0.16	0.16	0.16	-	-	0.01	250	4	0.16
MEITUA41P2502A	0.11	150168	-	-	-	-	-	-	-	-	-	0
MEITUA41P2503A	0.94	150168	-	-	-	-	0.02	-	-	-	-	0
NDX28C2503A	0.10	150168	0.14	0.16	0.14	0.16	0.15	0.16	0.06	793	12	0.146
NDX28P2503A	0.11	150168	-	0.08	0.08	0.08	0.08	0.09	(0.03)	1,002	8	0.08
NDX41C2503A	0.28	150168	0.38	0.43	0.37	0.41	0.40	0.41	0.13	64,082	2,440	0.38
NDX41C2503B	0.08	150168	0.11	0.13	0.11	0.12	0.12	0.13	0.04	9,503	114	0.12
NDX41P2503A	0.24	150168	-	0.18	0.16	0.17	0.16	0.17	(0.07)	9,311	154	0.165
NDX41P2503B	0.52	150168	0.40	0.40	0.37	0.39	0.38	0.39	(0.13)	7,796	296	0.38
NIKKEI41C2503A	0.10	150168	-	0.10	0.10	0.10	0.10	0.11	-	930	9	0.1
NIKKEI41C2503B	0.75	150168	-	0.81	0.77	0.81	0.77	0.78	0.06	106	8	0.775
NIKKEI41C2506A	0.41	150168	-	0.45	0.42	0.44	0.43	0.44	0.03	4,105	182	0.443
NIKKEI41C2506B	0.23	150168	0.25	0.26	0.25	0.25	0.24	0.25	0.02	1,305	33	0.25
NIKKEI41P2503A	0.07	150168	-	-	-	-	0.07	0.08	-	-	-	0
NIKKEI41P2503B	0.03	150168	-	-	-	-	0.03	0.04	-	-	-	0
NIKKEI41P2506A	0.39	150168	-	0.38	0.35	0.37	0.36	0.37	(0.02)	2,368	84	0.352
NIKKEI41P2506B	0.21	150168	-	0.20	0.20	0.20	0.20	0.21	(0.01)	10	-	0.2
NTES41C2502A	0.67	150168	-	0.76	0.76	0.76	0.08	-	0.09	100	8	0.76
PINGAN41C2502A	0.03	150168	-	-	-	-	0.01	0.02	-	-	-	0
PINGAN41C2504A	0.15	150168	-	0.16	0.16	0.16	0.15	0.18	0.01	60	1	0.16
POP41C2503A	0.36	150168	-	0.45	0.40	0.45	0.08	-	0.09	506	23	0.449

## Main Board Quotation

Issue Date Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET01C2503A	0.03	150168	0.03	0.03	0.03	0.03	0.02	0.03	-	16,193	49	0.03
SET01C2503B	0.13	150168	0.14	0.15	0.12	0.13	0.12	0.13	-	5,446	71	0.13
SET01C2505A	0.40	150168	0.43	0.44	0.37	0.39	0.38	0.39	(0.01)	50,843	1,991	0.391
SET01P2502A	0.37	150168	0.28	0.33	0.28	0.32	0.33	0.35	(0.05)	2,092	63	0.301
SET01P2502B	1.01	150168	-	0.76	0.76	0.76	0.77	0.79	(0.25)	1	-	0.76
SET01P2503A	1.06	150168	0.87	1.04	0.87	0.98	0.98	1.00	(0.08)	1,128	107	0.949
SET01P2505A	0.82	150168	0.74	0.83	0.73	0.80	0.80	0.81	(0.02)	17,585	1,403	0.797
SET5001C2503A	0.03	150168	0.03	0.04	0.03	0.03	0.02	0.03	-	15,804	47	0.03
SET5001C2503F	0.03	150168	-	0.04	0.02	0.02	0.02	0.03	(0.01)	2,247	7	0.029
SET5001C2505A	0.34	150168	0.38	0.39	0.32	0.34	0.33	0.34	-	125,181	4,305	0.343
SET5001C2506F	0.42	150168	-	0.47	0.40	0.42	0.41	0.42	-	112,764	4,901	0.434
SET5001P2502A	0.40	150168	0.31	0.41	0.30	0.36	0.36	0.39	(0.04)	1,197	42	0.354
SET5001P2503F	0.23	150168	0.20	0.23	0.19	0.22	0.21	0.22	(0.01)	35,788	757	0.211
SET5001P2505A	0.51	150168	0.45	0.53	0.45	0.50	0.49	0.50	(0.01)	69,651	3,351	0.481
SET5001P2506F	0.62	150168	0.55	0.62	0.55	0.60	0.60	0.61	(0.02)	96,240	5,631	0.585
SET5006C2503A	0.03	150168	-	0.03	0.02	0.03	0.02	0.03	-	135	-	0.027
SET5006C2503B	0.02	150168	0.02	0.03	0.01	0.02	0.02	0.03	-	3,935	5	0.012
SET5006C2503C	0.04	150168	-	0.05	0.05	0.05	0.03	0.06	0.01	30	-	0.05
SET5006C2503D	0.11	150168	-	0.13	0.11	0.12	0.10	0.12	0.01	55,786	661	0.118
SET5006C2503E	0.22	150168	-	0.25	0.20	0.22	0.21	0.23	-	167,533	3,850	0.229
SET5006P2503A	0.12	150168	0.10	0.12	0.10	0.12	0.11	0.12	-	177,868	1,965	0.11
SET5006P2503B	0.38	150168	0.31	0.37	0.30	0.35	0.34	0.38	(0.03)	85,282	2,829	0.331
SET5006P2503C	0.82	150168	-	-	-	-	-	0.82	-	-	-	0
SET5013C2503A	0.02	150168	0.02	0.02	0.01	0.02	0.01	0.02	-	46,860	49	0.01
SET5013C2503B	0.01	150168	-	0.02	0.01	0.02	0.01	0.02	0.01	11,090	14	0.012
SET5013C2503C	0.04	150168	0.04	0.04	0.03	0.03	0.03	0.04	(0.01)	60,390	210	0.034
SET5013C2503D	0.04	150168	0.05	0.06	0.03	0.05	0.04	0.05	0.01	422,808	1,796	0.042
SET5013C2503E	0.05	150168	0.06	0.06	0.05	0.05	0.05	0.06	-	283,185	1,645	0.058
SET5013C2503F	0.09	150168	0.10	0.12	0.08	0.09	0.09	0.10	-	566,894	5,698	0.1
SET5013C2503G	0.13	150168	0.15	0.17	0.12	0.12	0.12	0.13	(0.01)	1,608,694	22,897	0.142
SET5013C2503H	0.19	150168	0.22	0.24	0.17	0.18	0.18	0.19	(0.01)	2,511,568	50,121	0.199
SET5013C2503I	0.25	150168	0.29	0.31	0.23	0.24	0.24	0.25	(0.01)	5,169,137	138,766	0.268
SET5013C2503J	1.00	150168	0.44	0.46	0.35	0.37	0.37	0.38	(0.63)	1,304,814	52,064	0.399
SET5013C2503T	0.02	150168	-	0.02	0.01	0.02	0.01	0.02	-	678	1	0.01
SET5013C2506T	0.13	150168	0.14	0.15	0.12	0.12	0.12	0.13	(0.01)	222,767	2,965	0.133
SET5013P2503A	0.40	150168	0.35	0.42	0.34	0.39	0.39	0.40	(0.01)	1,558,775	58,476	0.375
SET5013P2503B	0.68	150168	0.61	0.71	0.59	0.67	0.67	0.68	(0.01)	2,802,029	181,260	0.646
SET5013P2503C	1.02	150168	0.92	1.05	0.89	1.00	1.00	1.02	(0.02)	52,680	5,141	0.975
SET5013P2503D	0.29	150168	0.25	0.30	0.24	0.28	0.28	0.29	(0.01)	871,478	23,062	0.264
SET5013P2503T	0.12	150168	0.11	0.12	0.10	0.11	0.11	0.12	(0.01)	135,543	1,465	0.108
SET5013P2506T	0.51	150168	0.46	0.51	0.46	0.49	0.49	0.50	(0.02)	73,653	3,555	0.482
SET5019C2503A	0.02	150168	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1,203	1	0.01
SET5019C2503B	0.02	150168	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2503C	0.02	150168	0.03	0.03	0.03	0.03	0.02	0.03	0.01	14,924	45	0.03
SET5019C2503D	0.12	150168	-	0.14	0.12	0.12	0.11	0.12	-	567,916	7,349	0.129
SET5019C2503E	0.26	150168	0.30	0.30	0.24	0.25	0.25	0.26	(0.01)	523,971	13,799	0.263
SET5019C2503F	1.00	150168	0.38	0.43	0.35	0.37	0.36	0.37	(0.63)	72,242	2,842	0.393
SET5019C2506A	0.15	150168	0.16	0.17	0.14	0.14	0.14	0.15	(0.01)	165,488	2,548	0.153
SET5019P2503A	0.44	150168	0.38	0.45	0.38	0.43	0.43	0.44	(0.01)	493,746	20,634	0.417
SET5019P2503B	0.98	150168	-	0.93	0.83	0.90	0.90	0.91	(0.08)	12,144	1,069	0.88
SET5019P2503C	0.19	150168	0.17	0.19	0.16	0.19	0.18	0.19	-	226,927	4,059	0.178
SET5019P2506A	0.43	150168	0.39	0.43	0.38	0.42	0.41	0.42	(0.01)	459,516	18,581	0.404
SET5028C2503A	0.04	150168	-	0.04	0.04	0.04	0.03	0.04	-	1,509	6	0.04
SET5041C2503A	0.03	150168	-	0.02	0.01	0.02	0.01	0.02	(0.01)	501	1	0.01
SET5041C2503B	0.02	150168	-	0.03	0.01	0.03	0.01	0.03	0.01	141	-	0.01
SET5041C2503C	0.01	150168	0.01	0.01	0.01	0.01	0.01	0.02	-	50	-	0.01
SET5041C2503D	0.01	150168	-	0.01	0.01	0.01	0.01	0.02	-	500	1	0.01
SET5041C2503E	0.02	150168	-	0.03	0.03	0.03	0.03	0.04	0.01	4,940	15	0.03
SET5041C2503F	0.08	150168	-	0.10	0.09	0.10	0.08	0.09	0.02	4,371	44	0.099
SET5041C2503G	0.14	150168	0.16	0.16	0.14	0.15	0.14	0.15	0.01	58,116	855	0.147
SET5041C2503H	0.07	150168	-	-	-	-	0.09	0.10	-	-	-	0
SET5041C2503I	0.23	150168	0.27	0.28	0.22	0.23	0.23	0.24	-	86,047	2,111	0.245
SET5041C2506A	0.15	150168	-	0.17	0.15	0.15	0.15	0.16	-	4,835	77	0.16
SET5041C2506T	0.10	150168	0.12	0.12	0.10	0.10	0.10	0.11	-	17,515	187	0.106
SET5041P2503A	0.29	150168	0.27	0.28	0.24	0.27	0.26	0.27	(0.02)	90,451	2,403	0.265
SET5041P2503B	0.64	150168	-	0.60	0.56	0.60	0.59	0.61	(0.04)	588	34	0.581
SET5041P2503C	0.54	150168	-	0.47	0.42	0.46	0.46	0.48	(0.08)	208,380	9,284	0.445
SET5041P2503D	0.16	150168	-	-	-	-	0.09	0.10	-	-	-	0
SET5041P2503E	0.70	150168	-	-	-	-	0.81	0.83	-	-	-	0
SET5041P2503F	1.23	150168	-	1.12	1.12	1.12	1.10	1.12	(0.11)	10	1	1.12
SET5041P2506A	0.52	150168	0.46	0.50	0.45	0.49	0.49	0.50	(0.03)	169,001	8,013	0.474
SET5041P2506T	0.45	150168	0.41	0.44	0.41	0.43	0.43	0.44	(0.02)	26,827	1,136	0.423
SPX28C2503A	0.06	150168	0.09	0.10	0.08	0.09	0.09	0.10	0.03	1,611	15	0.09
SPX28C2503B	0.30	150168	0.40	0.40	0.40	0.40	0.42	0.43	0.10	14	1	0.4
SPX28P2503A	0.22	150168	-	-	-	-	0.16	0.17	-	-	-	0
SPX28P2503B	0.50	150168	-	-	-	-	0.38	0.39	-	-	-	0
SPX41C2503A	0.21	150168	-	0.33	0.30	0.32	0.31	0.32	0.11	1,717	53	0.308
SPX41C2503B	0.06	150168	-	-	-	-	0.10	0.11	-	-	-	0
SPX41P2503A	0.26	150168	-	0.17	0.15	0.16	0.16	0.17	(0.10)	5,100	81	0.158
SPX41P2503B	0.49	150168	-	0.38	0.36	0.36	0.36	0.37	(0.13)	2,106	77	0.365
SUNNY41C2502A	0.79	150168	-	-	-	-	0.08	-	-	-	-	0
TENCEN28C2502A	0.14	150168	0.14	0.14	0.13	0.14	0.04	0.15	-	72	1	0.135
TENCEN28C2503A	0.01	150168	-	-	-	-	-	-	-	-	-	0
TENCEN28C2508A	0.35	150168	-	0.36	0.34	0.36	0.08	-	0.01	218	8	0.35
TENCEN28P2503A	0.45	150168	-	0.45	0.45	0.45	0.42	-	-	1	-	0.45
TENCEN41C2502A	0.12	150168	-	0.12	0.12	0.12	-	-	-	4	-	0.12
TENCEN41C2502B	0.01	150168	-	-	-	-	-	0.02	-	-	-	0
TENCEN41C2506A	0.37	150168	-	0.37	0.36	0.37	0.08	-	-	110	4	0.36
TENCEN41P2502A	0.11	150168	-	0.10	0.10	0.10	0.01	0.15	(0.01)	63	1	0.1
TENCEN41P2502B	0.36	150168	-	0.38	0.38	0.38	-	-	0.02	2	-	0.38
XIAOMI28C2504A	0.86	150168	-	0.95	0.93	0.93	0.93	0.93	0.07	62	6	0.93
XIAOMI28C2508A	0.35	150168	0.38	0.38	0.36	0.38	0.08	-	0.03	28	1	0.372
XIAOMI28P2502A	0.03	150168	-	-	-	-	-	-	-	-	-	0
XIAOMI28P2505A	0.08	150168	-	0.07	0.07	0.07	0.06	-	(0.01)	180	1	0.07
XIAOMI41C2502A	2.20	150168	-	-	-	-	0.08	-	-	-	-	0
XIAOMI41C2503A	1.08	150168	-	1.14	1.13	1.14	0.08	1.17	0.06	141	16	1.139
XIAOMI41C2504A	0.28	150168	0.31	0.31	0.29	0.31	0.11	0.35	0.03	166		

Main Board Quotation

Issue Date

Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Main Board Quotation

Issue Date

Thursday January 16, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

**Main Board Quotation**

**Issue Date**

**Thursday January 16, 2025**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										







Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TRP	8.35	150168	-	8.40	7.80	8.00	7.85	8.00	(0.35)	5,292.00	4,228.00	00 7.9
TURTLE	6.40	150168	-	-	-	-	4.58	6.40	-	-	-	00 0.0
TVDH	0.18	150168	-	0.18	0.17	0.18	0.17	0.18	-	2,092.00	36.00	00 0.1
TVDH-W3	0.01	150168	-	-	-	-	-	0.01	-	-	-	00 0.0
TVT	0.32	150168	-	0.34	0.31	0.31	0.31	0.33	(0.01)	243.00	8.00	00 0.3
UBA	0.81	150168	0.81	0.82	0.80	0.80	0.80	0.81	(0.01)	1,474.00	119.00	00 0.8
VL	1.01	150168	1.02	1.02	1.01	1.01	1.01	1.02	-	765.00	78.00	00 1.0
VS	0.56	150168	0.53	0.56	0.52	0.53	0.52	0.55	(0.03)	285.00	15.00	00 0.5
YGG	0.63	150168	0.65	0.65	0.61	0.62	0.62	0.63	(0.01)	63,743.00	4,036.00	00 0.6
Technology												
APP	1.61	150168	1.63	1.66	1.62	1.63	1.63	1.65	0.02	977.00	160.00	00 1.6
BBIK	37.50	150168	38.50	38.50	36.50	37.25	37.25	37.50	(0.25)	6,164.00	23,003.00	00 37.3
BE8	12.50	150168	12.70	12.70	11.90	12.10	12.10	12.20	(0.40)	24,314.00	29,871.00	00 12.2
BE8-W1	1.20	150168	-	1.22	1.12	1.19	1.12	1.19	(0.01)	7.00	1.00	00 1.1
BVG	2.28	150168	2.36	2.40	2.20	2.28	2.24	2.28	-	282.00	63.00	00 2.2
COMAN	0.77	150168	0.76	0.76	0.68	0.74	0.71	0.74	(0.03)	428.00	31.00	00 0.7
I2	1.21	150168	1.23	1.25	1.20	1.20	1.20	1.21	(0.01)	2,173.00	264.00	00 1.2
IIG	3.64	150168	3.64	3.74	3.64	3.66	3.66	3.68	0.02	1,415.00	519.00	00 3.6
IIG-W1	0.01	150168	-	-	-	-	-	-	-	-	-	00 0.0
IRCP	0.49	150168	-	0.50	0.48	0.50	0.49	0.50	0.01	3,418.00	165.00	00 0.4
ITNS	1.30	150168	-	1.31	1.28	1.29	1.28	1.29	(0.01)	697.00	91.00	00 1.2
NAT	4.38	150168	4.38	4.40	4.30	4.40	4.38	4.40	0.02	1,038.00	449.00	00 4.3
NETBAY	15.20	150168	15.40	15.40	14.70	14.90	14.90	15.00	(0.30)	6,364.00	9,478.00	00 14.8
PLANET	1.61	150168	1.61	1.66	1.56	1.61	1.60	1.61	-	75,621.00	11,998.00	00 1.5
PROEN	2.04	150168	1.54	2.02	1.42	1.42	-	1.43	(0.62)	601,192.00	92,939.00	00 1.5
PROEN-W2	0.89	150168	0.89	0.89	0.48	0.50	0.50	0.51	(0.39)	60,542.00	3,628.00	00 0.5
READY	5.25	150168	-	5.25	4.90	5.20	5.15	5.25	(0.05)	851.00	431.00	00 5.0
SECURE	12.30	150168	-	12.80	12.30	12.30	12.30	12.50	-	1,570.00	1,990.00	00 12.6
SICT	3.72	150168	3.68	3.74	3.60	3.64	3.64	3.66	(0.08)	5,012.00	1,825.00	00 3.6
SIMAT	1.37	150168	1.36	1.40	1.29	1.36	1.35	1.36	(0.01)	31,201.00	4,245.00	00 1.3
SIMAT-W3	0.04	150168	0.04	0.04	0.03	0.04	0.03	0.04	-	757.00	3.00	00 0.0
SPV1	1.69	150168	1.73	1.73	1.68	1.69	1.68	1.69	-	945.00	161.00	00 1.6
SRS	3.50	150168	3.58	3.62	3.54	3.54	3.54	3.58	0.04	934.00	335.00	00 3.5
TBN	7.15	150168	7.10	7.45	6.85	6.85	6.85	7.15	(0.30)	1,546.00	1,086.00	00 7.0
TERA	1.05	150168	-	1.07	1.04	1.07	1.04	1.07	0.02	569.00	59.00	00 1.0
TPS	2.82	150168	2.80	2.82	2.80	2.82	2.82	2.84	-	1,926.00	541.00	00 2.8
VCOM	2.30	150168	-	2.32	2.26	2.28	2.26	2.28	(0.02)	1,205.00	275.00	00 2.2
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-