

Asia Plus Securities Company Limited Daily Quotation Report

Monday April 07, 2025

NOTE :

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
GULF	45.00	41,822	-7.7%
KBANK	159.50	32,588	-1.2%
BBL	140.00	21,949	-3.1%
PTTEP	106.00	20,285	-8.2%
PTT	31.50	19,342	-2.3%
KTB	22.70	19,074	-3.4%
DELTA	56.75	15,609	-6.2%
SCB	122.50	14,358	-1.2%
ADVANC	272.00	13,185	-2.2%
AOT	37.25	12,602	-3.9%

Gainers and Losers	
Gainers	65
Losers	491
Unchanged	102

Volume by Board (Lot)	
Main Board	9,222,630,749
Foreign Board	123,617
Total	9,222,754,366

Value by Board (Mn.Bt.)	
Main Board	47,215.15
Foreign Board	1,070.94
Total	48,286.09

Top Ten Gainers		
Stock	Last	Value '000
SET5013P2506G	0.53	103,845
BCP01P2505A	0.04	11
BGRIM01C2506A	0.02	5
CBG01C2504A	0.02	0
IVL01P2504A	0.14	588
SCC13C2505A	0.02	1
SET5001C2506F	0.02	22
SET5041C2506A	0.02	3
SET5013P2506I	0.35	27,290
PTTEP01P2506A	0.29	1,850

Top Ten Losers		
Stock	Last	Value '000
CPALL13P2504A	0.01	0
HSTECH28P2506C	0.08	0
BBL11C2507A	0.12	99
BGRIM01C2509A	0.13	263
BGRIM11C2507A	0.14	262
STGT19C2504A	0.01	1
SET5019C2506N	0.15	3,243
GULF13C2508A	0.17	3,941
DOHOME01C2508A	0.18	473
GPSC01C2508A	0.18	444

Movements in SET and Sectorial Indices						
	Open	High	Low	Close	Change	%Change
.SET	1,155.46	1,156.02	1,122.51	1,125.21	(36.60)	(3.15)
.SET50	736.56	737.09	713.61	722.17	(23.08)	(3.10)
.SET100	1,586.46	1,587.44	1,537.15	1,558.16	(49.97)	(3.11)
.SETHD	1,102.66	1,103.08	1,071.68	1,072.68	(36.14)	(3.26)
.MAI	604.45	604.45	588.59	238.26	(5.29)	(2.17)
.AGRI	175.80	176.32	172.06	173.36	(3.63)	(2.05)
.BANK	413.19	413.49	403.90	405.45	(8.37)	(2.02)
.CONMAT	4,466.13	4,466.13	4,283.27	4,283.27	(202.49)	(4.51)
.PETRO	451.47	452.59	422.23	427.06	(30.48)	(6.66)
.COMM	24,764.58	24,764.58	24,105.05	24,161.60	(606.22)	(2.45)
.ICT	184.58	185.35	178.96	180.14	(5.30)	(2.86)
.ETRON	7,338.32	7,338.32	6,957.09	7,013.02	(448.86)	(6.02)
.ENERG	15,771.33	15,819.35	15,224.00	15,225.85	(749.69)	(4.69)
.MEDIA	26.56	26.68	25.02	25.32	(1.59)	(5.91)
.FIN	2,480.56	2,485.72	2,427.97	2,472.36	(14.11)	(0.57)
.FOOD	9,067.58	9,072.21	8,920.52	8,979.11	(125.78)	(1.38)
.HEALTH	4,891.38	4,891.38	4,807.57	4,833.64	(63.05)	(1.29)
.TOURISM	453.86	454.48	439.21	442.02	(12.92)	(2.84)
.HOME	16.18	16.20	15.93	15.93	(0.25)	(1.55)
.INSUR	8,768.24	8,768.24	8,458.80	8,458.80	(298.44)	(3.41)
.MINE	-	-	-	-	-	-
.PKG	1,755.24	1,755.24	1,689.84	1,706.23	(53.80)	(3.06)
.PERSON	71.32	71.33	69.15	69.29	(2.06)	(2.89)
.PROF	181.61	187.92	180.43	184.92	3.31	1.82
.PROP	152.86	152.98	149.31	149.49	(3.84)	(2.50)
.PAPER	2,194.24	2,194.24	2,152.05	2,166.11	(28.13)	(1.28)
.FASHION	586.58	586.73	575.43	582.60	(4.15)	(0.71)
.TRANS	206.58	207.36	197.57	198.96	(7.90)	(3.82)
.AUTO	279.00	279.46	273.43	274.73	(4.47)	(1.60)
.IMM	17.86	17.88	17.65	17.70	(0.20)	(1.12)
.PFUND	148.43	148.53	147.70	124.29	(1.39)	(1.11)
.STEEL	18.30	18.31	17.73	17.83	(0.33)	(1.82)

ASP's Daily Quotation Report

Monday April 07, 2025



Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SAFARI	2.40	304248	-	-	-	-	-	-	-	-	-	0
Agribusiness												
EE	0.38	31/12/2732	0.38	0.38	0.31	0.34	0.33	0.34	(0.04)	84,916	2,868	0.337
GFPT	8.40	304248	8.45	8.50	8.05	8.35	8.30	8.35	(0.05)	63,035	51,810	8.219
LEE	2.24	304248	2.24	2.24	2.22	2.22	2.24	2.26	(0.02)	681	152	2.234
NER	4.66	304248	4.64	4.64	4.48	4.56	4.54	4.56	(0.10)	110,228	50,047	4.54
NER-W2	0.29	304248	0.27	0.29	0.26	0.26	0.25	0.26	(0.03)	15,658	418	0.266
PCE	2.94	304248	2.94	2.96	2.88	2.92	2.90	2.92	(0.02)	34,134	9,931	2.909
PPPM	0.38	304248	0.39	0.40	0.36	0.36	0.36	0.37	(0.02)	2,441	90	0.369
PPPM-W6	0.24	304248	-	0.24	0.16	0.24	0.17	0.22	-	4	-	0.18
STA	14.10	304248	13.80	13.90	13.50	13.60	13.60	13.70	(0.50)	67,576	92,223	13.647
STA01C2504A	0.06	304248	-	-	-	-	0.01	0.02	-	-	-	0
STA01C2506A	0.07	304248	-	-	-	-	0.03	0.04	-	-	-	0
STA13C2505A	0.05	304248	-	0.01	0.01	0.01	0.01	0.02	(0.04)	1,389	1	0.01
STA13C2506A	0.08	304248	-	0.08	0.07	0.07	0.06	0.07	(0.01)	3	-	0.073
STA13C2508A	1.00	304248	-	0.27	0.25	0.25	0.25	0.26	(0.75)	30,803	791	0.256
STA19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
STA19C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
STA19C2506A	0.09	304248	-	0.06	0.05	0.05	0.05	0.06	(0.04)	5,104	26	0.05
STA41C2505A	0.01	304248	-	-	-	-	0.01	0.03	-	-	-	0
STA41C2612T	0.30	304248	-	0.29	0.29	0.29	0.29	0.30	(0.01)	200	6	0.29
TEGH	2.94	304248	2.88	2.92	2.82	2.84	2.84	2.86	(0.10)	12,542	3,590	2.862
TFM	9.15	304248	9.15	9.45	9.00	9.10	9.00	9.10	(0.05)	3,371	3,120	9.255
TRUBB	0.60	304248	0.60	0.62	0.58	0.62	0.61	0.62	0.02	27,230	1,624	0.596
UPOIC	6.25	304248	-	6.25	6.25	6.25	6.25	6.50	-	78	49	6.25
UVAN	9.25	304248	9.25	9.25	9.05	9.10	9.05	9.10	(0.15)	6,770	6,191	9.144
VPO	0.47	304248	0.48	0.48	0.46	0.47	0.46	0.47	-	4,819	226	0.468
Banking												
BAY	22.60	304248	22.60	22.60	22.10	22.30	22.30	22.40	(0.30)	3,154	7,023	22.267
BBL	144.50	304248	144.00	144.00	140.00	140.00	140.00	140.50	(4.50)	155,234	2,194,882	141.391
BBL11C2507A	1.00	304248	-	0.18	0.12	0.12	0.11	0.12	(0.88)	6,337	99	0.155
BBL13C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BBL13C2507A	0.08	304248	-	-	-	-	0.05	0.06	-	-	-	0
BBL13C2508A	0.23	304248	0.23	0.23	0.17	0.17	0.17	0.18	(0.06)	44,191	843	0.19
BBL19C2506A	0.03	304248	-	0.03	0.03	0.03	0.02	0.03	-	1	-	0.03
BBL19C2508A	0.18	304248	-	0.16	0.13	0.13	0.13	0.14	(0.05)	18,998	275	0.144
BBL41C2504A	0.08	304248	-	-	-	-	-	-	-	-	-	0
BBL41C2506A	0.07	304248	-	-	-	-	0.01	0.03	-	-	-	0
BBL41C2609T	0.32	304248	0.32	0.32	0.30	0.30	0.29	0.30	(0.02)	7,200	226	0.313
CIMBT	0.60	304248	0.59	0.60	0.56	0.56	0.56	0.58	(0.04)	26,994	1,529	0.566
CREDIT	19.70	304248	19.90	19.90	18.70	19.20	18.80	19.20	(0.50)	379	723	19.077
KBANK	161.50	304248	161.00	161.00	157.00	159.50	159.50	160.00	(2.00)	205,675	3,258,787	158.443
KBANK01C2506A	0.22	304248	-	0.19	0.17	0.19	0.19	0.20	(0.03)	50,908	912	0.179
KBANK01C2508A	0.82	304248	-	0.75	0.70	0.75	0.75	0.76	(0.07)	14,895	1,059	0.71
KBANK01P2507A	0.38	304248	-	0.44	0.38	0.39	0.38	0.39	0.01	139,479	5,735	0.411
KBANK13C2505A	0.04	304248	-	0.03	0.03	0.03	0.03	0.04	(0.01)	4,000	12	0.03
KBANK13C2507A	0.40	304248	-	0.36	0.31	0.34	0.34	0.35	(0.06)	120,849	3,868	0.32
KBANK13P2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
KBANK13P2507A	0.25	304248	0.30	0.30	0.26	0.27	0.27	0.28	0.02	46,368	1,322	0.285
KBANK19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
KBANK19C2505A	0.04	304248	-	-	-	-	0.01	0.02	-	-	-	0
KBANK19C2507A	0.19	304248	-	0.17	0.15	0.15	0.16	0.17	(0.04)	8,609	130	0.151
KBANK19C2507B	0.34	304248	-	0.31	0.25	0.28	0.28	0.29	(0.06)	32,542	902	0.277
KBANK41C2505A	0.04	304248	-	-	-	-	0.02	0.05	-	-	-	0
KBANK41C2604T	0.77	304248	0.71	0.74	0.71	0.74	0.74	0.75	(0.03)	63,000	4,539	0.72
KBANK41C2609T	0.42	304248	-	0.41	0.39	0.40	0.40	0.41	(0.02)	33,600	1,317	0.392
KBANK41P2606T	0.36	304248	-	0.39	0.37	0.38	0.37	0.38	0.02	496	18	0.371
KKP	56.00	304248	55.50	56.00	55.25	55.50	55.50	55.75	(0.50)	27,484	152,631	55.534
KKP-W6	1.13	304248	-	1.13	1.11	1.12	1.11	1.12	(0.01)	346	39	1.119
KKP13C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
KKP19C2507A	0.27	304248	-	0.26	0.25	0.25	0.25	0.26	(0.02)	25,140	636	0.253
KTB	23.50	304248	23.60	23.70	22.60	22.70	22.60	22.70	(0.80)	829,300	1,907,352	22.999
KTB-P	153.00	304248	-	-	-	-	-	-	-	-	-	0
KTB-Q	-	101743	-	-	-	-	-	-	-	-	-	0
KTBO1C2506A	0.26	304248	-	0.24	0.17	0.18	0.18	0.19	(0.08)	20,524	404	0.197
KTBO13C2505A	0.12	304248	-	0.12	0.07	0.07	0.07	0.09	(0.05)	30,601	260	0.085
KTBO13C2507A	0.16	304248	0.17	0.17	0.12	0.12	0.12	0.13	(0.04)	29,530	394	0.133
KTBO13P2507A	0.25	304248	-	0.29	0.24	0.29	0.29	0.30	0.04	28,089	768	0.273
KTBO19C2505A	0.09	304248	-	0.08	0.05	0.05	0.05	0.06	(0.04)	1,800	13	0.073
KTBO19C2506A	0.10	304248	-	-	-	-	0.07	0.08	-	-	-	0
KTBO41C2506A	0.15	304248	-	0.16	0.11	0.11	0.11	0.12	(0.04)	16,385	218	0.133
LHFG	0.77	304248	0.77	0.77	0.75	0.77	0.76	0.77	-	29,438	2,245	0.762
SCB	124.00	304248	123.50	124.00	122.00	122.50	122.00	122.50	(1.50)	116,925	1,435,776	122.794
SCBO1C2505A	0.10	304248	-	-	-	-	0.06	0.07	-	-	-	0
SCBO1C2507A	0.24	304248	-	0.23	0.21	0.21	0.21	0.22	(0.03)	8,960	203	0.226
SCBO1P2507A	0.42	304248	0.42	0.45	0.42	0.44	0.44	0.45	0.02	40,708	1,762	0.432
SCBO13C2505A	0.07	304248	-	0.05	0.05	0.05	0.04	0.05	(0.02)	20	-	0.05
SCBO13C2508A	0.25	304248	0.24	0.24	0.22	0.22	0.22	0.23	(0.03)	50,587	1,167	0.23
SCBO13P2507A	0.22	304248	-	0.24	0.23	0.23	0.23	0.24	0.01	39,714	914	0.23
SCBO19C2504A	0.06	304248	-	-	-	-	0.01	0.02	-	-	-	0
SCBO19C2507A	0.16	304248	0.14	0.14	0.13	0.13	0.13	0.14	(0.03)	105,449	1,464	0.138
SCBO41C2505A	0.10	304248	-	-	-	-	0.04	0.05	-	-	-	0
SCBO41C2609T	0.34	304248	-	0.33	0.32	0.32	0.32	0.33	(0.02)	5,200	171	0.328
SCBO41P2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
TCAP	51.00	304248	50.75	50.75	49.50	50.00	49.75	50.00	(1.00)	18,466	92,286	49.976
TCAP-P												

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
DCON-W4	0.03	304248	-	0.04	0.03	0.03	0.03	0.04	-	23,071	69	0.03
DRT	6.95	304248	6.95	7.00	6.65	6.80	6.75	6.80	(0.15)	8,510	5,771	6.781
EPG	2.90	304248	2.90	2.90	2.74	2.78	2.78	2.80	(0.12)	25,522	7,093	2.779
GEL	0.04	304248	0.04	0.04	0.03	0.04	0.03	0.04	-	13,533	46	0.034
GEL-W5	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
PPP	1.05	304248	1.05	1.06	1.03	1.03	1.02	1.05	(0.02)	72	7	1.033
Q-CON	7.55	304248	7.50	7.50	7.15	7.20	7.20	7.25	(0.35)	3,374	2,448	7.255
SCC	148.00	304248	146.50	146.50	138.50	138.50	138.50	139.00	(9.50)	44,806	631,231	140.88
SCC01C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
SCC01C2505B	0.12	304248	-	-	-	-	0.01	0.08	-	-	-	0
SCC01C2507A	0.12	304248	-	0.11	0.07	0.07	0.06	0.07	(0.05)	43,962	351	0.079
SCC01C2508A	0.37	304248	-	0.37	0.28	0.29	0.28	0.30	(0.08)	582	18	0.312
SCC01C2508B	0.49	304248	-	0.44	0.35	0.35	0.35	0.36	(0.14)	23,527	932	0.396
SCC01C2606T	0.44	304248	-	-	-	-	0.34	0.36	-	-	-	0
SCC01P2507A	0.43	304248	-	0.57	0.46	0.56	0.56	0.58	0.13	16,079	890	0.553
SCC13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
SCC13C2504B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
SCC13C2505A	0.01	304248	-	0.02	0.01	0.02	0.01	0.02	0.01	1,202	1	0.011
SCC13C2505B	0.03	304248	-	0.02	0.01	0.02	0.01	0.02	(0.01)	8,951	10	0.011
SCC13C2507A	0.29	304248	0.27	0.27	0.17	0.17	0.16	0.17	(0.12)	160,654	3,234	0.201
SCC13P2504A	0.03	304248	-	0.01	0.01	0.01	0.01	0.03	(0.02)	1,302	1	0.01
SCC13P2505A	0.14	304248	0.22	0.24	0.15	0.24	0.24	0.26	0.10	45,486	993	0.218
SCC13P2508A	0.72	304248	0.74	0.94	0.74	0.93	0.93	0.97	0.21	23,940	2,061	0.861
SCC19C2504A	0.02	304248	-	-	-	-	0.01	0.09	-	-	-	0
SCC19C2505A	0.01	304248	-	0.01	0.01	0.01	0.01	0.09	-	2,700	3	0.01
SCC19C2505B	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	100	-	0.01
SCC19C2506A	0.07	304248	-	0.04	0.03	0.04	0.03	0.04	(0.03)	175	1	0.031
SCC19C2507A	0.36	304248	-	0.33	0.22	0.22	0.22	0.23	(0.14)	52,964	1,458	0.275
SCC19P2505A	0.28	304248	-	0.48	0.35	0.48	0.48	0.50	0.20	551	25	0.454
SCC19P2508A	0.88	304248	-	1.08	0.94	1.08	1.11	1.12	0.20	674	64	0.945
SCC41C2504A	0.11	304248	-	-	-	-	-	-	-	-	-	0
SCC41C2505A	0.08	304248	-	-	-	-	0.01	0.03	-	-	-	0
SCC41C2608T	0.41	304248	-	0.39	0.33	0.33	0.33	0.34	(0.08)	76,330	2,784	0.364
SCC41P2508A	0.40	304248	-	0.45	0.40	0.45	0.46	0.47	0.05	27,968	1,205	0.43
SCCC	156.00	304248	156.00	156.00	153.50	153.50	153.50	154.00	(2.50)	481	7,412	154.097
SCGD	4.14	304248	4.06	4.14	4.04	4.04	4.04	4.10	(0.10)	5,971	2,435	4.078
SCP	6.15	304248	6.25	6.25	6.05	6.10	6.05	6.10	(0.05)	2,051	1,248	6.084
SKN	5.55	304248	5.55	5.55	5.45	5.45	5.45	5.50	(0.10)	438	240	5.484
STECH	0.99	304248	0.98	1.00	0.97	0.97	0.97	0.98	(0.02)	5,762	563	0.976
TASCO	14.10	304248	14.50	14.50	14.00	14.10	14.00	14.10	-	31,420	44,613	14.199
TASCO19C2507A	0.08	304248	-	0.09	0.08	0.08	0.08	0.09	-	2,000	17	0.085
TOA	11.30	304248	11.20	11.30	10.50	10.70	10.70	10.80	(0.60)	69,411	75,255	10.841
TIPL	0.96	304248	0.96	0.98	0.93	0.94	0.93	0.94	(0.02)	65,467	6,216	0.949
UMI	0.72	304248	0.70	0.70	0.68	0.68	0.67	0.68	(0.04)	8,838	609	0.689
VNG	2.28	304248	2.26	2.26	2.16	2.18	2.16	2.18	(0.10)	897	197	2.2
WIK	0.90	304248	-	0.90	0.88	0.90	0.88	0.90	-	345	31	0.897
WIK-W3	0.02	304248	0.03	0.03	0.02	0.03	0.02	0.03	0.01	8,344	25	0.029
WINDOW	0.79	304248	0.75	0.79	0.73	0.74	0.73	0.74	(0.05)	9,447	707	0.748
Petrochemicals & Cr												
BCT	59.00	304248	-	63.75	56.00	63.75	57.00	64.00	4.75	32	181	56.664
CMAN	2.30	304248	-	2.30	2.22	2.28	2.20	2.28	(0.02)	1,313	294	2.24
GC	4.92	304248	4.96	4.96	4.90	4.90	4.90	4.92	(0.02)	2,134	1,049	4.914
GGC	4.48	304248	-	4.48	4.40	4.46	4.34	4.48	(0.02)	191	84	4.405
IVL	20.10	304248	19.80	19.90	18.70	18.80	18.80	18.90	(1.30)	153,717	293,813	19.113
IVL01C2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	23,000	23	0.01
IVL01C2506A	0.05	304248	-	0.02	0.02	0.02	0.02	0.03	(0.03)	4,000	8	0.02
IVL01C2507A	0.29	304248	0.28	0.28	0.19	0.19	0.19	0.20	(0.10)	101,575	2,282	0.224
IVL01P2504A	0.07	304248	-	0.14	0.14	0.14	0.17	0.21	0.07	42,000	588	0.14
IVL01P2506A	0.63	304248	-	0.80	0.66	0.80	0.81	0.85	0.17	3,614	280	0.775
IVL13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
IVL13C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
IVL13C2507A	0.16	304248	0.15	0.15	0.10	0.10	0.10	0.11	(0.06)	139,041	1,710	0.123
IVL13C2508A	0.34	304248	-	0.32	0.23	0.23	0.23	0.24	(0.11)	79,097	2,068	0.261
IVL13P2504A	0.08	304248	-	-	-	-	-	-	-	-	-	0
IVL13P2508A	0.48	304248	-	0.60	0.49	0.60	0.60	0.64	0.12	82,344	4,617	0.56
IVL19C2505A	0.03	304248	-	0.01	0.01	0.01	0.01	0.02	(0.02)	200	-	0.01
IVL19C2506A	0.03	304248	-	0.03	0.03	0.03	0.02	0.03	-	100	-	0.03
IVL19C2507A	0.21	304248	-	0.18	0.13	0.13	0.13	0.14	(0.08)	33,203	514	0.154
IVL19C2508A	0.36	304248	0.34	0.34	0.25	0.25	0.25	0.26	(0.11)	105,451	3,099	0.293
IVL19P2508A	0.50	304248	-	0.62	0.54	0.62	0.64	0.65	0.12	31,136	1,795	0.576
IVL41C2505A	0.09	304248	-	-	-	-	0.01	0.03	-	-	-	0
IVL41C2605T	0.18	304248	-	0.15	0.14	0.14	0.14	0.15	(0.04)	44,500	667	0.149
IVL41P2605T	0.49	304248	-	-	-	-	0.51	0.52	-	-	-	0
NFC	1.53	304248	1.55	1.55	1.41	1.45	1.41	1.45	(0.08)	181	27	1.484
PATO	7.50	304248	7.35	7.55	7.30	7.30	7.30	7.40	(0.20)	170	126	7.387
PMTA	8.05	304248	-	-	-	-	7.75	8.05	-	-	-	0
PTTGC	17.80	304248	17.50	17.60	15.80	15.80	15.80	15.90	(2.00)	554,868	907,228	16.35
PTTGC01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2506A	0.05	304248	-	0.03	0.02	0.02	0.01	0.02	(0.03)	22,720	66	0.029
PTTGC01C2507A	0.19	304248	-	0.16	0.08	0.08	0.08	0.09	(0.11)	112,650	1,292	0.114
PTTGC01C2508A	1.00	304248	-	0.33	0.24	0.24	0.24	0.25	(0.76)	156,306	4,344	0.277
PTTGC01P2506A	0.55	304248	-	0.85	0.60	0.85	0.85	0.87	0.30	11,656	871	0.747
PTTGC13C2504A	0.03	304248	-	-	-	-	-	-	-	-	-	0
PTTGC13C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC13C2506A	0.03	304248	-	0.02	0.02	0.02	0.01	0.02	(0.01)	1,000	2	0.02
PTTGC13C2507A	0.17	304248	-	0.15	0.07	0.07	0.07	0.08	(0.10)	111,184	1,154	0.103
PTTGC13C2507B	0.36	304248	-	0.35	0.20	0.20	0.20	0.21	(0.16)	207,057	5,110	0.246
PTTGC13P2506A	0.37	304248	-	0.62	0.39	0.62	0.62	0.65	0.25	75	4	0.557
PTTGC19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC19C2506A	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC19C2508A	0.29	304248	0.27	0.27	0.16	0.16	0.16	0.17	(0.13)	155,000	3,238	0.208
PTTGC41C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC41C2506A	0.09	304248	-	-	-	-	0.01	0.03	-	-	-	0
PTTGC41C2608T	0.36	304248	-	0.36	0.28	0.29	0.28	0.29	(0.07)	190,361	5,800	0.304
PTTGC41P2506A	0.38	304248	-	0.55	0.47	0.55	0.55	0.56	0.17	16,794	833	0.495
SUTHA	2.54	304248	2.56	2.72	2.54	2.60	2.52	3.20	0.06	312	80	2.566
TPA	2.46	304248	-	2.32	2.10	2.12	2.12	2.16	(0.34)	136	29	2.118
UAC	2.50	304248	2.50	2.50	2.44	2.4						

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BIG	0.30	304248	-	0.30	0.28	0.29	0.28	0.29	(0.01)	8,063	234	0.289
BJC	23.30	304248	23.20	23.20	22.40	22.60	22.60	22.70	(0.70)	46,601	105,697	22.681
BJC13C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
BJC13C2508A	0.47	304248	0.43	0.43	0.41	0.42	0.41	0.42	(0.05)	1,560	65	0.413
BJC41C2606T	0.30	304248	-	0.28	0.28	0.28	0.27	0.28	(0.02)	400	11	0.28
COM7	19.90	304248	19.90	19.90	18.60	18.70	18.70	18.80	(1.20)	74,121	140,643	18.974
COM701C2506A	0.10	304248	-	-	-	-	0.05	0.06	-	-	-	0
COM701C2508A	0.37	304248	-	0.34	0.28	0.29	0.29	0.30	(0.08)	25,039	754	0.301
COM713C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
COM713C2505A	0.05	304248	-	-	-	-	0.01	0.02	-	-	-	0
COM713C2506A	0.09	304248	-	-	-	-	0.05	0.06	-	-	-	0
COM713C2507A	0.20	304248	-	0.18	0.13	0.13	0.13	0.15	(0.07)	24,933	376	0.15
COM719C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
COM719C2507A	0.20	304248	-	0.18	0.14	0.14	0.14	0.15	(0.06)	20,107	311	0.154
COM719C2508A	1.00	304248	-	0.35	0.29	0.29	0.29	0.30	(0.71)	18,636	595	0.319
COM719P2508A	0.43	304248	-	0.52	0.49	0.52	0.52	0.53	0.09	1,011	53	0.519
COM741C2505A	0.10	304248	-	-	-	-	0.01	0.03	-	-	-	0
COM741C2606T	0.19	304248	-	0.19	0.17	0.17	0.17	0.18	(0.02)	10,000	181	0.181
COM741C2609T	0.35	304248	-	0.35	0.31	0.31	0.31	0.32	(0.04)	56,000	1,802	0.321
CPALL	51.00	304248	51.00	51.00	49.75	49.75	49.75	50.00	(1.25)	199,661	1,000,935	50.131
CPALL01C2504A	0.01	304248	0.02	0.02	0.01	0.01	0.01	0.02	-	2,397	2	0.01
CPALL01C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPALL01C2507A	0.28	304248	0.28	0.28	0.24	0.24	0.24	0.25	(0.04)	53,724	1,359	0.252
CPALL01C2606T	0.30	304248	-	0.29	0.29	0.29	0.28	0.29	(0.01)	14,212	412	0.29
CPALL01P2505A	0.18	304248	-	0.20	0.17	0.20	0.20	0.22	0.02	53,008	1,011	0.19
CPALL01P2507A	0.33	304248	-	0.36	0.34	0.36	0.36	0.38	0.03	31,405	1,122	0.357
CPALL06C2504A	0.02	304248	-	-	-	-	-	-	-	-	-	0
CPALL13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
CPALL13C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPALL13C2505B	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1,000	1	0.01
CPALL13C2506A	0.07	304248	-	0.05	0.05	0.05	0.04	0.05	(0.02)	1,585	8	0.05
CPALL13C2506B	0.17	304248	-	0.16	0.13	0.13	0.13	0.14	(0.04)	24,804	354	0.142
CPALL13P2504A	0.13	304248	0.01	0.01	0.01	0.01	0.05	0.35	(0.12)	3	-	0.01
CPALL13P2505A	0.05	304248	-	0.07	0.06	0.07	0.07	0.08	0.02	9,054	61	0.067
CPALL13P2506A	0.13	304248	-	0.14	0.12	0.14	0.14	0.15	0.01	11,752	158	0.134
CPALL19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2505B	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	323	-	0.01
CPALL19C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2506B	0.10	304248	-	-	-	-	0.07	0.08	-	-	-	0
CPALL19C2508A	0.27	304248	0.24	0.27	0.23	0.23	0.23	0.24	(0.04)	37,005	899	0.242
CPALL19P2505A	0.07	304248	-	0.10	0.08	0.10	0.10	0.11	0.03	9,761	87	0.089
CPALL19P2505B	0.05	304248	-	-	-	-	0.02	0.03	-	-	-	0
CPALL41C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
CPALL41C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPALL41C2506A	0.06	304248	-	-	-	-	0.04	0.05	-	-	-	0
CPALL41C2605T	0.15	304248	-	-	-	-	0.13	0.14	-	-	-	0
CPALL41P2504A	0.33	304248	-	-	-	-	0.31	0.33	-	-	-	0
CPALL41P2508A	0.21	304248	-	-	-	-	0.21	0.22	-	-	-	0
CPAXT	26.75	304248	27.00	27.00	26.00	26.25	26.00	26.25	(0.50)	35,328	93,217	26.386
CPW	1.99	304248	1.97	1.99	1.96	1.99	1.98	1.99	-	926	183	1.976
CRC	25.75	304248	25.50	25.50	24.60	24.90	24.80	24.90	(0.85)	136,144	340,512	25.011
CRC01C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
CRC13C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
CRC13C2508A	0.12	304248	-	0.11	0.10	0.10	0.10	0.11	(0.02)	16,574	167	0.101
CRC19C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
CRC19C2508A	0.13	304248	-	0.13	0.11	0.11	0.11	0.12	(0.02)	26,251	316	0.12
CRC41C2608T	0.12	304248	-	0.12	0.10	0.11	0.11	0.12	(0.01)	10,000	112	0.112
CSS	0.83	304248	0.83	0.83	0.81	0.81	0.81	0.82	(0.02)	6,446	528	0.818
DOHOME	5.40	304248	5.40	5.40	5.15	5.15	5.15	5.20	(0.25)	104,560	54,583	5.22
DOHOME01C2507A	0.09	304248	-	0.08	0.06	0.06	0.06	0.07	(0.03)	32,561	238	0.073
DOHOME01C2508A	1.00	304248	-	0.22	0.18	0.18	0.18	0.19	(0.82)	24,862	473	0.19
DOHOME13C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME13C2506A	0.03	304248	-	0.01	0.01	0.01	0.01	0.02	(0.02)	2,656	3	0.01
DOHOME13C2508A	0.22	304248	0.22	0.22	0.19	0.19	0.18	0.19	(0.03)	43,939	856	0.194
DOHOME19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME19C2506A	0.10	304248	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME19C2506B	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME19C2508A	0.24	304248	-	0.23	0.20	0.20	0.19	0.20	(0.04)	42,523	868	0.204
FN	0.53	304248	-	0.54	0.48	0.51	0.50	0.52	(0.02)	348	18	0.519
GLOBAL	6.70	304248	6.65	6.70	6.45	6.45	6.45	6.50	(0.25)	96,616	63,096	6.53
GLOBAL01C2507A	0.09	304248	-	0.08	0.07	0.07	0.06	0.07	(0.02)	2,116	16	0.077
GLOBAL13C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
GLOBAL13C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
GLOBAL13C2507A	0.09	304248	0.09	0.09	0.07	0.07	0.07	0.08	(0.02)	16,544	129	0.077
GLOBAL13C2508A	0.26	304248	-	0.25	0.22	0.22	0.22	0.24	(0.04)	4,675	107	0.228
GLOBAL19C2507A	0.12	304248	-	0.11	0.09	0.09	0.09	0.10	(0.03)	17,411	173	0.099
GLOBAL41C2606T	0.11	304248	-	0.11	0.10	0.10	0.10	0.11	(0.01)	2,000	21	0.105
HMPRO	8.50	304248	8.50	8.55	8.30	8.40	8.35	8.40	(0.10)	413,621	347,153	8.393
HMPRO01C2504A	0.02	304248	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	2,990	3	0.01
HMPRO01C2507A	0.09	304248	0.08	0.08	0.08	0.08	0.07	0.08	(0.01)	4,883	39	0.08
HMPRO01C2508A	0.31	304248	-	0.31	0.28	0.28	0.28	0.30	(0.03)	29,066	832	0.286
HMPRO13C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO13C2506A	0.08	304248	-	0.06	0.06	0.06	0.06	0.07	(0.02)	16,996	102	0.06
HMPRO13C2508A	0.37	304248	-	0.37	0.33	0.34	0.35	0.36	(0.03)	70,124	2,458	0.35
HMPRO19C2506A	0.09	304248	-	0.07	0.07	0.07	0.06	0.07	(0.			

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TAN	4.70	304248	4.76	4.76	4.52	4.56	4.54	4.56	(0.14)	8,992	4,120	4.581
Information & Comm												
3BBIF	5.80	304248	5.80	5.85	5.75	5.80	5.75	5.80	-	136,625	79,051	5.786
ADVANC	278.00	304248	277.00	278.00	270.00	272.00	271.00	272.00	(6.00)	48,255	1,318,498	273.235
ADVANC01C2506A	0.10	304248	-	0.09	0.08	0.08	0.07	0.08	(0.02)	1,032	9	0.082
ADVANC01C2508A	0.36	304248	-	0.35	0.30	0.30	0.30	0.31	(0.06)	21,494	701	0.326
ADVANC01P2505A	0.07	304248	-	0.08	0.07	0.08	0.08	0.09	0.01	2,387	19	0.079
ADVANC01P2507A	0.55	304248	0.59	0.60	0.54	0.59	0.59	0.61	0.04	20,407	1,173	0.574
ADVANC13C2505A	0.04	304248	-	0.03	0.03	0.03	0.03	0.04	(0.01)	906	3	0.03
ADVANC13C2507A	0.25	304248	0.25	0.25	0.19	0.20	0.19	0.20	(0.05)	38,246	800	0.209
ADVANC13P2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
ADVANC13P2507A	0.38	304248	-	0.44	0.39	0.43	0.43	0.44	0.05	22,601	925	0.409
ADVANC19C2505A	0.04	304248	-	-	-	-	0.01	0.02	-	-	-	0
ADVANC19C2506A	0.09	304248	-	0.08	0.07	0.07	0.07	0.08	(0.02)	450	4	0.079
ADVANC19C2507A	0.25	304248	-	0.24	0.20	0.21	0.21	0.22	(0.04)	65,219	1,446	0.221
ADVANC19P2504A	0.05	304248	-	-	-	-	0.01	0.02	-	-	-	0
ADVANC19P2508A	0.35	304248	-	0.40	0.35	0.39	0.39	0.40	0.04	31,296	1,193	0.381
ADVANC41C2505A	0.01	304248	-	-	-	-	0.01	0.03	-	-	-	0
ADVANC41C2606T	0.30	304248	-	0.29	0.27	0.27	0.27	0.28	(0.03)	16,800	464	0.276
ADVANC41P2504A	0.12	304248	-	-	-	-	-	-	-	-	-	0
ADVANC41P2508A	0.21	304248	-	0.22	0.21	0.22	0.22	0.23	0.01	11,500	249	0.216
AIT	4.58	304248	4.58	4.62	4.52	4.62	4.58	4.62	0.04	28,705	13,110	4.567
ALT	0.81	304248	0.77	0.81	0.75	0.80	0.77	0.80	(0.01)	1,500	117	0.779
AMR	0.65	304248	0.65	0.65	0.59	0.59	0.59	0.60	(0.06)	9,454	572	0.604
BLISS	0.14	304248	-	-	-	-	-	-	-	-	-	0
DIF	7.90	304248	7.85	7.90	7.85	7.90	7.85	7.90	-	77,872	61,385	7.882
DITTO	10.50	304248	10.50	10.50	9.85	10.20	10.10	10.20	(0.30)	53,414	53,765	10.065
DITTO-W1	0.03	304248	0.03	0.04	0.02	0.03	0.02	0.03	-	34,658	103	0.029
DTCENT	0.86	304248	0.86	0.86	0.84	0.84	0.84	0.85	(0.02)	4,857	411	0.846
FORTH	6.90	304248	7.00	7.05	6.95	7.05	6.95	7.05	0.15	2,364	1,657	7.008
GABLE	3.56	304248	3.50	3.56	3.44	3.46	3.44	3.46	(0.10)	3,441	1,196	3.476
HUMAN	8.00	304248	7.95	8.00	7.80	8.00	7.95	8.00	-	5,668	4,505	7.947
ICN	1.83	304248	1.83	1.83	1.76	1.79	1.78	1.79	(0.04)	4,017	725	1.804
ILINK	5.55	304248	5.50	5.55	5.35	5.35	5.35	5.40	(0.20)	10,304	5,589	5.423
INET	4.86	304248	4.86	4.86	4.62	4.64	4.62	4.64	(0.22)	46,680	22,016	4.716
INSET	2.06	304248	2.06	2.06	1.92	1.92	1.92	1.95	(0.14)	63,803	12,591	1.973
ITEL	1.36	304248	1.36	1.36	1.28	1.28	1.28	1.29	(0.08)	42,296	5,572	1.317
JAS	1.53	304248	1.52	1.52	1.45	1.46	1.46	1.47	(0.07)	159,122	23,393	1.47
JAS-W4	0.31	304248	0.31	0.32	0.29	0.29	0.29	0.30	(0.02)	74,028	2,232	0.301
JAS13C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
JAS13C2507A	0.22	304248	-	0.20	0.18	0.18	0.18	0.19	(0.04)	9,250	174	0.188
JAS19C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
JAS19C2507A	0.17	304248	0.16	0.16	0.13	0.13	0.13	0.14	(0.04)	5,593	82	0.146
JAS41C2605T	0.12	304248	-	0.11	0.10	0.10	0.10	0.11	(0.02)	6,000	65	0.108
JMART	8.70	304248	8.65	8.65	7.95	7.95	7.95	8.00	(0.75)	89,531	73,184	8.174
JMART-W5	0.21	304248	-	0.21	0.18	0.20	0.18	0.20	(0.01)	442	8	0.192
JMART13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
JMART13C2506A	0.04	304248	-	0.01	0.01	0.01	0.01	0.02	(0.03)	1,700	2	0.01
JMART13C2507A	0.10	304248	-	0.08	0.06	0.06	0.06	0.07	(0.04)	32,166	217	0.067
JMART19C2504A	0.08	304248	-	-	-	-	0.01	0.02	-	-	-	0
JMART19C2506A	0.05	304248	-	0.02	0.02	0.02	0.02	0.03	(0.03)	21	-	0.02
JMART19C2508A	0.14	304248	-	0.13	0.10	0.10	0.09	0.10	(0.04)	3,917	44	0.112
JMART19C2508B	0.37	304248	-	0.35	0.27	0.27	0.25	0.26	(0.10)	18,199	508	0.279
JMART41C2504A	0.02	304248	-	-	-	-	-	-	-	-	-	0
JMART41C2606T	0.14	304248	-	0.13	0.11	0.11	0.11	0.12	(0.03)	10,004	118	0.118
JTS	26.50	304248	26.75	27.00	24.90	26.00	26.00	26.25	(0.50)	4,334	11,168	25.767
MFEC	5.85	304248	5.80	5.80	5.70	5.70	5.70	5.75	(0.15)	2,066	1,185	5.734
MSC	7.90	304248	-	7.90	7.45	7.80	7.75	7.85	(0.10)	147	114	7.773
PT	11.60	304248	11.70	11.70	11.30	11.40	11.30	11.40	(0.20)	2,839	3,220	11.342
ROCTEC	0.53	304248	0.48	0.52	0.47	0.50	0.50	0.51	(0.03)	79,637	3,944	0.495
ROCTEC-W3	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
ROCTEC-W5	0.03	304248	0.03	0.03	0.02	0.02	0.02	0.03	(0.01)	152,878	320	0.02
SAMART	6.95	304248	7.00	7.00	6.60	6.70	6.60	6.70	(0.25)	54,038	36,524	6.758
SAMTEL	5.50	304248	5.05	5.55	5.00	5.30	5.25	5.30	(0.20)	1,179	603	5.11
SAMTEL-W2	0.95	304248	-	0.97	0.90	0.95	0.90	0.93	-	240	22	0.909
SDC	0.04	304248	0.04	0.04	0.03	0.04	0.03	0.04	-	46,821	185	0.039
SIS	23.00	304248	22.80	23.00	20.90	21.50	21.40	21.50	(1.50)	12,448	26,728	21.471
SKY	15.90	304248	15.90	16.60	15.00	16.60	16.60	16.70	0.70	14,839	23,178	15.619
SPREME	1.45	304248	1.40	1.43	1.39	1.42	1.41	1.42	(0.03)	11,502	1,622	1.409
SVOA	1.00	304248	1.00	1.00	0.98	1.00	0.98	1.00	-	3,961	392	0.989
SYMC	4.72	304248	4.52	4.70	4.38	4.40	4.40	4.42	(0.32)	2,951	1,316	4.457
SYNEX	11.00	304248	10.90	10.90	10.30	10.40	10.40	10.50	(0.60)	11,563	12,176	10.53
THCOM	9.80	304248	9.85	9.85	8.50	8.65	8.65	8.75	(1.15)	159,221	142,484	8.948
TKC	7.95	304248	-	7.95	7.65	7.85	7.75	7.85	(0.10)	293	229	7.83
TRUE	12.10	304248	12.00	12.10	11.40	11.50	11.40	11.50	(0.60)	1,055,046	1,229,597	11.654
TRUE01C2505A	0.12	304248	0.08	0.08	0.08	0.08	0.06	0.07	(0.04)	9,700	78	0.08
TRUE01C2507A	0.09	304248	-	0.08	0.07	0.07	0.06	0.07	(0.02)	3,000	23	0.075
TRUE01C2508A	0.29	304248	-	0.28	0.23	0.23	0.22	0.24	(0.06)	27,847	708	0.254
TRUE01P2505A	0.07	304248	-	0.04	0.04	0.04	0.05	0.06	(0.03)	50	-	0.04
TRUE01P2507A	0.26	304248	0.25	0.30	0.25	0.30	0.30	0.31	0.04	79,770	2,206	0.276
TRUE13C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
TRUE13C2505A	0.06	304248	-	0.05	0.03	0.03	0.03	0.04	(0.03)	16,434	70	0.042
TRUE13C2507A	0.21	304248	0.19	0.20	0.16	0.16	0.16	0.1				

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CCET19C2507B	0.18	304248	-	0.17	0.14	0.15	0.15	0.16	(0.03)	112,351	1,750	0.155
CCET41C2505A	0.02	304248	-	-	-	-	0.01	0.03	-	-	-	0
CCET41C2506A	0.04	304248	-	-	-	-	0.02	0.04	-	-	-	0
CCET41C2609T	0.28	304248	-	0.28	0.28	0.28	0.27	0.28	-	12,070	338	0.28
DELTA	60.50	304248	59.50	59.50	56.25	56.75	56.50	56.75	(3.75)	272,369	1,560,872	57.307
DELTA01C2505A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	22,843	23	0.01
DELTA01C2506A	0.01	304248	-	0.02	0.01	0.01	0.01	0.02	-	251	1	0.019
DELTA01C2507A	0.57	304248	0.54	0.54	0.46	0.46	0.46	0.47	(0.11)	150,230	7,291	0.485
DELTA01P2504A	3.34	304248	-	3.62	3.52	3.62	3.62	3.70	0.28	8,015	2,857	3.565
DELTA06C2504A	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
DELTA11C2507A	0.18	304248	-	0.16	0.14	0.14	0.13	0.14	(0.04)	17,919	274	0.152
DELTA13C2505A	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
DELTA13C2506A	0.01	304248	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
DELTA13C2506B	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
DELTA13C2507A	0.09	304248	0.09	0.09	0.05	0.06	0.06	0.07	(0.03)	49,722	335	0.067
DELTA13C2507B	0.05	304248	0.05	0.05	0.03	0.03	0.03	0.04	(0.02)	28,019	99	0.035
DELTA13C2507C	0.20	304248	0.16	0.19	0.14	0.15	0.15	0.16	(0.05)	305,447	4,897	0.16
DELTA13C2508A	0.44	304248	0.41	0.41	0.33	0.34	0.34	0.35	(0.10)	323,151	11,533	0.356
DELTA13P2505A	3.12	304248	-	-	-	-	4.04	4.18	-	-	-	0
DELTA13P2505B	2.54	304248	-	3.00	3.00	3.00	2.96	3.08	0.46	100	30	3
DELTA13P2506A	1.62	304248	-	1.85	1.80	1.85	1.85	1.93	0.23	10	2	1.825
DELTA13P2507A	1.15	304248	1.18	1.37	1.18	1.31	1.31	1.36	0.16	4,915	628	1.277
DELTA13P2507B	0.47	304248	0.49	0.56	0.49	0.54	0.54	0.55	0.07	253,739	13,579	0.535
DELTA19C2506A	0.02	304248	0.01	0.02	0.01	0.01	0.01	0.02	(0.01)	16,159	16	0.01
DELTA19C2506B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
DELTA19C2506C	0.02	304248	-	0.02	0.01	0.02	0.01	0.02	-	497	-	0.01
DELTA19C2507A	0.04	304248	-	0.03	0.02	0.03	0.02	0.03	(0.01)	20,238	61	0.029
DELTA19C2507B	0.07	304248	-	0.06	0.06	0.06	0.05	0.06	(0.01)	3,450	21	0.06
DELTA19C2507C	0.26	304248	0.25	0.25	0.19	0.19	0.19	0.20	(0.07)	28,522	584	0.204
DELTA19C2508A	0.48	304248	-	0.45	0.37	0.38	0.38	0.39	(0.10)	75,258	2,986	0.396
DELTA19P2504A	2.16	304248	-	2.78	2.78	2.78	2.78	2.80	0.62	1	-	2.78
DELTA19P2505A	2.74	304248	-	-	-	-	3.48	3.50	-	-	-	0
DELTA19P2506A	1.55	304248	-	2.26	2.26	2.26	2.08	2.30	0.71	50	11	2.26
DELTA19P2507A	1.05	304248	1.18	1.26	1.15	1.22	1.22	1.24	0.17	5,028	611	1.215
DELTA41C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
DELTA41C2506A	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
DELTA41C2507A	0.05	304248	-	-	-	-	0.03	0.04	-	-	-	0
DELTA41C2508A	0.19	304248	-	0.17	0.15	0.15	0.15	0.16	(0.04)	59,485	977	0.164
DELTA41C2608T	0.22	304248	-	0.21	0.20	0.20	0.20	0.21	(0.02)	55,663	1,137	0.204
DELTA41C2612T	0.05	304248	-	0.04	0.03	0.03	0.03	0.04	(0.02)	2	-	0.035
DELTA41P2504A	2.16	304248	-	-	-	-	-	-	-	-	-	0
DELTA41P2505A	2.00	304248	-	2.10	2.00	2.10	2.10	2.14	0.10	1,265	254	2.005
DELTA41P2507A	0.34	304248	-	0.36	0.34	0.36	0.36	0.37	0.02	30,121	1,072	0.356
HANA	16.60	304248	16.30	16.30	15.50	15.60	15.60	15.70	(1.00)	139,224	219,373	15.756
HANA01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
HANA01C2504W	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	705	1	0.01
HANA01C2505A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1,003	1	0.01
HANA01C2505B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
HANA01P2504A	0.16	304248	-	0.30	0.18	0.30	0.30	0.32	0.14	15,880	414	0.26
HANA01P2505A	0.69	304248	0.73	0.88	0.73	0.88	0.88	0.90	0.19	8,571	686	0.8
HANA06C2504A	0.02	304248	-	-	-	-	-	-	-	-	-	0
HANA13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
HANA13C2504B	0.01	304248	-	-	-	-	-	0.02	-	-	-	0
HANA13C2504C	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
HANA13C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
HANA13C2505B	0.01	304248	-	-	-	-	0.01	0.03	-	-	-	0
HANA13C2506A	0.05	304248	-	-	-	-	0.01	0.05	-	-	-	0
HANA13C2507A	0.06	304248	-	0.05	0.05	0.05	0.04	0.06	(0.01)	20	-	0.05
HANA13C2508A	0.30	304248	-	0.27	0.23	0.23	0.23	0.25	(0.07)	41,303	988	0.239
HANA13P2504A	0.81	304248	-	-	-	-	-	-	-	-	-	0
HANA13P2505A	0.91	304248	-	-	-	-	0.93	1.08	-	-	-	0
HANA13P2507A	0.35	304248	-	0.40	0.38	0.40	0.40	0.44	0.05	60,022	2,369	0.394
HANA19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
HANA19C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
HANA19C2505B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
HANA19C2507A	0.05	304248	-	-	-	-	0.03	0.04	-	-	-	0
HANA19C2508A	0.29	304248	-	0.24	0.22	0.22	0.22	0.23	(0.07)	23,265	535	0.23
HANA19P2504A	1.80	304248	-	-	-	-	1.86	1.98	-	-	-	0
HANA19P2504B	0.59	304248	-	-	-	-	0.67	0.79	-	-	-	0
HANA41C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
HANA41C2504B	0.05	304248	-	-	-	-	-	-	-	-	-	0
HANA41C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
HANA41C2606T	0.11	304248	-	-	-	-	0.08	0.09	-	-	-	0
KCE	16.20	304248	15.90	15.90	15.40	15.40	15.40	15.50	(0.80)	78,330	121,796	15.549
KCE01C2504A	0.02	304248	-	0.01	0.01	0.01	0.01	0.05	(0.01)	17,164	17	0.01
KCE01C2504W	0.02	304248	-	0.01	0.01	0.01	0.01	0.05	(0.01)	6,645	7	0.01
KCE01C2505A	0.09	304248	-	-	-	-	0.01	0.02	-	-	-	0
KCE01C2507A	0.12	304248	-	0.06	0.06	0.06	0.06	0.10	(0.06)	1	-	0.06
KCE01P2504A	0.60	304248	-	-	-	-	1.03	1.07	-	-	-	0
KCE13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
KCE13C2504B	0.01	304248	-	-	-	-	-	-	-	-	-	0
KCE13C2504C	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
KCE13C2504D	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
KCE13C2505A	0.01	304248	0.01	0.01	0.01	0.01	0.01	0.02	-	500	1	0.01
KCE13C2505B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
KCE13C2506A	0.03	304248	-	0.03	0.03	0.03	0.02	0.03	-	2,340	7	0.03
KCE13C2507A	0.11	304248	-	0.09	0.08	0.08	0.08	0.09	(0.03)	3,616	30	0.083
KCE13C2508A	0.19	304248	-	0.16	0.14	0.14	0.14	0.15	(0.05)	19,169	285	0.148
KCE13P2504A	0.68	304248	-	-	-	-	0.68	0.78	-	-	-	0
KCE13P2505A	0.38	304248	-	0.49	0.46	0.49	0.49	0.50	0.11	937	43	0.463
KCE13P2508A	0.45	304248	0.47	0.51	0.47	0.51	0.51	0.52	0.06	103,764	5,159	0.497
KCE19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2504B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2507A	0.08	304248	-	-	-	-	0.06	0.07	-	-	-	0
KCE19C2508A	0.20	304248	-	0.18	0.16	0.16	0.15	0.16	(0.04)	39,595	637	0.16
KCE19P2504A	0.64	304248	-	-	-	-	1.04	1.16	-	-	-	0
KCE19P2505A	0.50	304248	-	-	-	-	0.68	0.80	-	-	-	0
KCE41C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
KCE41C2504B	0.02	304248	-	-	-	-	-	-	-	-	-	0
KCE41C2505A	0.01	304248	-	-	-	-	0.01	0.03	-	-	-	0
KCE41C2606T	0.12	304248	-	-	-	-	0.08	0.09	-	-	-	0
METCO	169.00	304248	-	169.00	166.50	166.50	166.00	170.00	(2.50)	8	134	167.125
SMT	1.05	304248	1.05	1.05	1.01	1.03	1.00	1.03	(0.02)	9,161	940	1.026
SVI	7.35	304248	7.25	7.30	6.90	7.00	6.90	7.00	(0.35)	9,425	6,651	7.056
TEAM												

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
Energy & Utilities												
ACC	0.38	304248	0.38	0.39	0.37	0.38	0.37	0.38	-	30,522	1,169	0.383
ACC-W2	0.33	304248	0.33	0.35	0.30	0.30	0.30	0.34	(0.03)	278	9	0.324
ACE	1.28	304248	1.28	1.28	1.26	1.27	1.27	1.28	(0.01)	21,268	2,704	1.271
AE	0.10	304248	0.10	0.10	0.09	0.09	0.09	0.10	(0.01)	191,330	1,755	0.091
AGE	0.87	304248	0.87	0.87	0.82	0.83	0.83	0.84	(0.04)	8,140	685	0.841
AI	3.30	304248	3.30	3.42	3.26	3.42	3.28	3.42	0.12	2,476	819	3.306
AIE	1.26	304248	1.26	1.27	1.18	1.19	1.19	1.20	(0.07)	44,369	5,345	1.204
BAFS	7.95	304248	7.95	7.95	7.70	7.70	7.70	7.75	(0.25)	3,193	2,485	7.782
BANPU	4.24	304248	4.26	4.26	4.14	4.18	4.16	4.18	(0.06)	526,149	219,624	4.174
BANPU01C2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	45	-	0.01
BANPU01C2506A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BANPU01C2507A	0.15	304248	-	0.13	0.12	0.12	0.12	0.13	(0.03)	11,030	138	0.125
BANPU01C2508A	0.34	304248	-	0.33	0.30	0.31	0.31	0.32	(0.03)	52,612	1,634	0.31
BANPU01C2606T	0.28	304248	0.26	0.27	0.26	0.26	0.26	0.27	(0.02)	37,254	970	0.26
BANPU13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
BANPU13C2505A	0.02	304248	-	0.02	0.01	0.02	0.01	0.02	-	1,532	2	0.01
BANPU13C2506A	0.05	304248	-	-	-	-	0.01	0.02	-	-	-	0
BANPU13C2506B	0.07	304248	-	-	-	-	0.06	0.07	-	-	-	0
BANPU13C2507A	0.23	304248	-	0.22	0.20	0.20	0.20	0.21	(0.03)	57,175	1,160	0.202
BANPU13P2504A	0.06	304248	-	-	-	-	-	-	-	-	-	0
BANPU19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BANPU19C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
BANPU19C2507A	0.14	304248	-	0.13	0.12	0.12	0.12	0.13	(0.02)	3,008	38	0.125
BANPU19C2508A	0.33	304248	-	0.32	0.29	0.29	0.29	0.31	(0.04)	79,047	2,379	0.3
BANPU41C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BANPU41C2605T	0.10	304248	-	-	-	-	0.08	0.09	-	-	-	0
BBGI	3.40	304248	3.40	3.40	3.18	3.22	3.22	3.26	(0.18)	21,693	7,010	3.231
BCP	38.75	304248	38.50	39.00	37.25	37.25	37.25	37.50	(1.50)	88,913	337,517	37.96
BCP01C2504A	0.06	304248	-	-	-	-	0.01	0.03	-	-	-	0
BCP01C2505A	0.31	304248	-	0.28	0.28	0.28	0.21	0.23	(0.03)	90	3	0.28
BCP01C2507A	0.28	304248	-	0.26	0.21	0.21	0.21	0.22	(0.07)	71,915	1,626	0.226
BCP01P2505A	0.02	304248	0.03	0.04	0.03	0.04	0.04	0.05	0.02	3,192	11	0.035
BCP13C2504A	0.17	304248	-	-	-	-	-	-	-	-	-	0
BCP13C2505A	0.10	304248	-	0.09	0.06	0.06	0.06	0.07	(0.04)	3,831	31	0.079
BCP13C2507A	0.28	304248	0.26	0.28	0.22	0.22	0.22	0.23	(0.06)	42,102	1,006	0.239
BCP13C2508A	1.00	304248	-	0.22	0.18	0.19	0.18	0.19	(0.81)	47,552	925	0.194
BCP13P2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BCP19C2504A	0.24	304248	-	0.10	0.10	0.10	0.05	0.12	(0.14)	70	1	0.1
BCP19C2506A	0.31	304248	-	0.28	0.22	0.22	0.22	0.23	(0.09)	19,758	459	0.232
BCP19C2507A	0.22	304248	0.19	0.21	0.15	0.15	0.15	0.16	(0.07)	112,605	2,013	0.178
BCP41C2504A	0.05	304248	-	-	-	-	-	-	-	-	-	0
BCP41C2505A	0.35	304248	-	-	-	-	0.19	0.21	-	-	-	0
BCP41C2609T	0.36	304248	-	0.36	0.33	0.33	0.33	0.34	(0.03)	38,000	1,300	0.342
BCPG	6.70	304248	6.70	6.75	6.50	6.55	6.55	6.60	(0.15)	65,990	43,592	6.605
BCPG01C2506A	0.19	304248	-	0.20	0.16	0.16	0.16	0.17	(0.03)	67,635	1,139	0.168
BCPG01C2508A	0.39	304248	-	0.39	0.34	0.34	0.34	0.36	(0.05)	51,186	1,874	0.366
BCPG01P2506A	0.08	304248	-	0.10	0.09	0.09	0.09	0.11	0.01	9,520	95	0.099
BCPG13C2504A	0.10	304248	-	-	-	-	-	-	-	-	-	0
BCPG13C2507A	0.16	304248	-	0.16	0.13	0.13	0.13	0.14	(0.03)	50,223	741	0.147
BCPG13C2507B	0.45	304248	-	0.40	0.37	0.37	0.37	0.41	(0.08)	1,010	39	0.385
BCPG19C2505A	0.19	304248	-	0.19	0.15	0.15	0.15	0.16	(0.04)	32,484	575	0.177
BCPG19C2508A	0.20	304248	-	0.20	0.17	0.18	0.17	0.18	(0.02)	35,996	680	0.188
BCPG41C2606T	0.31	304248	0.31	0.32	0.30	0.30	0.30	0.31	(0.01)	54,398	1,675	0.307
BGRIM	10.20	304248	10.10	10.20	9.70	9.70	9.70	9.75	(0.50)	153,945	151,382	9.834
BGRIM01C2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	11,000	11	0.01
BGRIM01C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2506A	0.01	304248	-	0.02	0.01	0.02	0.01	0.02	0.01	5,471	5	0.01
BGRIM01C2507A	0.03	304248	-	-	-	-	0.02	0.03	-	-	-	0
BGRIM01C2508A	0.11	304248	0.11	0.11	0.08	0.08	0.08	0.09	(0.03)	6,651	60	0.09
BGRIM01C2509A	1.00	304248	-	0.16	0.13	0.13	0.13	0.14	(0.87)	18,542	263	0.141
BGRIM01C2606T	0.13	304248	-	0.12	0.12	0.12	0.11	0.12	(0.01)	17,394	209	0.12
BGRIM01P2505A	1.51	304248	-	-	-	-	1.52	1.56	-	-	-	0
BGRIM01P2507A	0.47	304248	0.48	0.55	0.48	0.55	0.53	0.55	0.08	15,521	796	0.513
BGRIM11C2507A	1.00	304248	-	0.18	0.14	0.14	0.13	0.14	(0.86)	16,844	262	0.155
BGRIM13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
BGRIM13C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM13C2505B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM13C2506A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	1,165	1	0.01
BGRIM13C2507A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	500	1	0.01
BGRIM13C2507B	0.08	304248	0.07	0.07	0.06	0.06	0.05	0.06	(0.02)	1,931	12	0.062
BGRIM13C2508A	0.17	304248	-	0.16	0.13	0.13	0.13	0.14	(0.04)	54,551	782	0.143
BGRIM13P2505A	1.98	304248	-	-	-	-	2.06	2.14	-	-	-	0
BGRIM13P2506A	0.54	304248	-	-	-	-	0.78	0.82	-	-	-	0
BGRIM19C2504A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2506A	0.04	304248	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2507A	0.07	304248	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2507B	0.08	304248	-	0.06	0.06	0.06	0.06	0.07	(0.02)	301	2	0.06
BGRIM19C2508A	1.00	304248	-	0.35	0.31	0.31	0.30	0.34	(0.69)	42,532	1,354	0.318
BGRIM19P2506A	0.98	304248	-	1.02	0.97	0.97	0.99	1.10	(0.01)	6	1	0.995
BGRIM41C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
BGRIM41C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM41C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM41C2608T	0.16	304248	-	0.15	0.15	0.15	0.14	0.15	(0.01)	24,000	360	0.15
BIOTEC	0.19	304248	0.20	0.20	0.19	0.20	0.19	0.20	0.01	29,774	578	0.194
BIOTEC-P	10.00	304248	-	-	-	-	-	-	-	-	-	0
BIOTEC-Q	10.00	304248	-	-	-	-	-	-	-	-	-	0
BIOTEC-W2	0.03	304248	-	0.03	0.02	0.03	0.02	0.03	-	24,019	48	0.02
BPP	6.80	304248	6.80	6.85	6.65	6.75	6.75	6.85	(0.05)	32,474	21,835	6.723
BRRGIF	3.84	304248	3.84	3.86	3.84	3.84	3.84	3.86	-	5,697	2,192	3.848
BSRC	5.70	304248	5.65	5.70	5.40	5.40	5.35	5.40	(0.30)	37,952	20,995	5.532
BSRC13C2506A	0.16	304248	-	0.15	0.11	0.11	0.11	0.12	(0.05)	36,219	494	0.136
CKP	2.50	304248	2.52	2.54	2.46	2.52	2.50	2.52	0.02	58,166	14,607	2.511
CKP01C2504A	0.04	304248	-	-	-	-	0.01	0.02	-	-	-	0
CV	0.20	304248	-	-	-	-	-	-	-	-	-	0
CV-W1	0.05	304248	-	-	-	-	-	-	-	-	-	0
EA	2.06	304248	2.06	2.06	1.99	2.00	2.00	2.02	(0.06)	421,969	84,795	2.009
EA-W1	0.24	304248	0.24	0.24	0.23	0.23	0.23	0.24	(0.01)	30,551	706	0.231
EA13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
EA13C2504B	0.01	304248	-	-	-	-	-	-	-	-	-	0
EA13C2505A	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
EA13C2505B	0.01	304248	-	-	-	-	-	0.01	-	-	-	0

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
EA13C2507A	0.05	304248	0.05	0.05	0.04	0.04	0.04	0.05	(0.01)	54,566	243	0.044
EA13C2508A	0.15	304248	0.14	0.14	0.12	0.12	0.12	0.13	(0.03)	40,014	509	0.127
EA13P2504A	0.33	304248	-	-	-	-	-	-	-	-	-	0
EA19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2504B	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2506A	0.02	304248	-	0.02	0.01	0.02	0.01	0.02	-	1,002	1	0.01
EA19C2506B	0.03	304248	-	0.02	0.02	0.02	0.01	0.02	(0.01)	50	-	0.02
EA19C2508A	0.16	304248	0.16	0.16	0.14	0.14	0.14	0.15	(0.02)	30,145	443	0.146
EA19C2508B	0.24	304248	-	0.23	0.21	0.21	0.21	0.22	(0.03)	31,290	669	0.213
EA19P2505A	1.17	304248	-	-	-	-	1.26	1.31	-	-	-	0
EA41C2606T	0.09	304248	-	0.08	0.08	0.08	0.07	0.08	(0.01)	375	3	0.08
EASTW	1.99	304248	1.99	2.00	1.86	1.90	1.90	1.92	(0.09)	20,770	3,990	1.92
EGATIF	5.90	304248	5.95	5.95	5.85	5.95	5.90	5.95	0.05	15,556	9,206	5.918
EGCO	90.50	304248	90.50	91.25	89.50	89.50	89.50	89.75	(1.00)	7,830	70,453	89.977
EGCO19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
EP	1.38	304248	1.38	1.38	1.34	1.35	1.34	1.35	(0.03)	167	23	1.349
EP-W4	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
ETC	1.42	304248	1.43	1.43	1.35	1.38	1.37	1.38	(0.04)	19,124	2,649	1.385
GPSC	25.50	304248	25.75	25.75	24.30	24.50	24.50	24.60	(1.00)	124,930	309,440	24.769
GPSC01C2504W	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	40	-	0.01
GPSC01C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01C2507A	0.10	304248	0.10	0.10	0.08	0.08	0.07	0.08	(0.02)	11,268	106	0.093
GPSC01C2508A	1.00	304248	-	0.20	0.18	0.18	0.17	0.18	(0.82)	24,418	444	0.181
GPSC01P2506A	0.29	304248	-	0.35	0.32	0.34	0.34	0.36	0.05	1,510	50	0.328
GPSC13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
GPSC13C2505A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	2,040	2	0.01
GPSC13C2505B	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
GPSC13C2506A	0.03	304248	-	0.02	0.02	0.02	0.01	0.02	(0.01)	4,400	9	0.02
GPSC13C2507A	0.12	304248	0.13	0.13	0.09	0.09	0.09	0.10	(0.03)	97,335	987	0.101
GPSC13P2505A	0.59	304248	-	-	-	-	0.61	0.63	-	-	-	0
GPSC13P2506A	0.25	304248	-	0.31	0.28	0.30	0.30	0.31	0.05	3,920	116	0.295
GPSC19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19C2506B	0.03	304248	-	-	-	-	0.02	0.03	-	-	-	0
GPSC19C2507A	0.11	304248	-	0.11	0.08	0.08	0.08	0.09	(0.03)	26,343	251	0.095
GPSC19P2506A	0.39	304248	-	0.45	0.41	0.43	0.43	0.54	0.04	4,365	186	0.425
GPSC41C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
GPSC41C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
GPSC41C2606T	0.09	304248	-	-	-	-	0.08	0.09	-	-	-	0
GREEN	0.75	304248	-	0.78	0.74	0.74	0.74	0.78	(0.01)	1,307	99	0.76
GULF	48.75	304248	48.00	48.25	45.00	45.00	44.75	45.00	(3.75)	900,568	4,182,206	46.439
GULF01C2508A	1.00	304248	-	0.30	0.21	0.21	0.20	0.21	(0.79)	19,092	454	0.237
GULF13C2508A	1.00	304248	0.25	0.25	0.17	0.17	0.17	0.18	(0.83)	203,122	3,941	0.194
GUNKUL	1.56	304248	1.56	1.56	1.50	1.52	1.51	1.52	(0.04)	146,343	22,198	1.516
GUNKUL13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
GUNKUL13C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL19C2504A	0.06	304248	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL19C2505A	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
IRPC	0.91	304248	0.89	0.89	0.85	0.86	0.86	0.87	(0.05)	501,871	43,311	0.862
IRPC01C2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	2,356	2	0.01
IRPC19C2508A	0.19	304248	0.19	0.19	0.15	0.16	0.15	0.16	(0.03)	63,876	994	0.155
KBSPIF	7.40	304248	-	7.45	7.35	7.40	7.35	7.40	-	770	566	7.354
LANNA	14.90	304248	14.90	15.00	14.70	14.80	14.70	14.80	(0.10)	5,599	8,327	14.871
MDX	2.84	304248	2.82	2.84	2.68	2.72	2.70	2.72	(0.12)	4,188	1,142	2.725
NOVA	8.45	304248	-	-	-	-	7.35	8.00	-	-	-	0
OR	12.40	304248	12.30	12.40	11.80	12.00	11.90	12.00	(0.40)	262,347	314,809	11.999
OR01C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
OR01C2507A	0.17	304248	-	0.16	0.13	0.14	0.13	0.14	(0.03)	93,862	1,266	0.134
OR01C2508A	0.31	304248	-	0.31	0.25	0.27	0.27	0.28	(0.04)	140,978	3,808	0.27
OR13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
OR13C2506A	0.05	304248	0.04	0.04	0.03	0.04	0.04	0.05	(0.01)	6	-	0.036
OR13C2507A	0.18	304248	0.17	0.17	0.13	0.14	0.14	0.15	(0.04)	78,268	1,062	0.135
OR13C2508A	0.33	304248	-	0.29	0.29	0.29	0.29	0.32	(0.04)	9	-	0.29
OR19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
OR19C2505A	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
OR19C2506A	0.12	304248	-	0.12	0.08	0.10	0.09	0.10	(0.02)	101,852	1,015	0.099
OR19C2508A	0.37	304248	-	-	-	-	0.34	0.39	-	-	-	0
OR41C2505A	0.04	304248	-	-	-	-	0.01	0.03	-	-	-	0
OR41C2605T	0.05	304248	-	-	-	-	0.04	0.05	-	-	-	0
OR41C2608T	0.33	304248	0.31	0.32	0.29	0.29	0.30	0.31	(0.04)	52,224	1,576	0.301
PRIME	0.07	304248	0.07	0.08	0.06	0.07	0.07	0.08	-	12,443	88	0.07
PTG	6.90	304248	6.90	6.90	6.65	6.65	6.65	6.70	(0.25)	32,860	22,114	6.729
PTT	32.25	304248	31.75	32.25	31.00	31.50	31.25	31.50	(0.75)	612,839	1,934,249	31.562
PTT01C2505A	0.05	304248	-	-	-	-	0.01	0.02	-	-	-	0
PTT01C2508A	0.22	304248	-	0.22	0.19	0.19	0.19	0.21	(0.03)	29,729	609	0.204
PTT13C2508A	0.22	304248	-	0.21	0.17	0.18	0.18	0.19	(0.04)	145,303	2,637	0.181
PTT19C2505A	0.04	304248	-	-	-	-	0.03	0.04	-	-	-	0
PTT41C2606T	0.29	304248	-	0.27	0.26	0.26	0.27	0.28	(0.03)	15,030	405	0.269
PTTEP	115.50	304248	113.00	113.00	106.00	106.00	106.00	106.50	(9.50)	187,035	2,028,542	108.457
PTTEP01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP01C2505A	0.06	304248	-	0.02	0.02	0.02	0.01	0.02	(0.04)	5,000	10	0.02
PTTEP01C2507A	0.30	304248	0.26	0.26	0.15	0.15	0.15	0.16	(0.15)	183,869	3,245	0.176
PTTEP01P2506A	0.15	304248	0.22	0.29	0.19	0.29	0.29	0.30	0.14	71,498	1,850	0.258
PTTEP13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
PTTEP13C2505A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	960	1	0.01
PTTEP13C2507A	0.19	304248	0.16	0.16	0.09	0.09	0.09	0.10	(0.10)	110,295	1,238	0.112
PTTEP13C2507B	0.51	304248	-	0.28	0.18	0.18	0.18	0.19	(0.33)	45,689	981	0.214
PTTEP13P2506A	0.23	304248	0.29	0.40	0.28	0.40	0.40	0.44	0.17	17,851	586	0.328
PTTEP19C2504A	0.08	304248	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2505A	0.06	304248	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2507A	0.31	304248	-	0.21	0.15	0.15	0.15	0.16	(0.16)	51,960	1,019	0.196
PTTEP19C2508A	0.21	304248	0.18	0.18	0.11	0.11	0.10	0.11	(0.10)	23,316	295	0.126

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PTTEP41C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
PTTEP41C2505A	0.03	304248	-	-	-	-	0.01	0.03	-	-	-	0
PTTEP41C2507A	0.26	304248	-	0.18	0.13	0.13	0.13	0.14	(0.13)	65,197	1,083	0.166
PTTEP41C2604T	0.10	304248	-	0.08	0.08	0.08	0.07	0.08	(0.02)	1,272	10	0.08
PTTEP41P2506A	0.16	304248	0.19	0.29	0.19	0.29	0.29	0.30	0.13	37,461	920	0.245
RATCH	25.00	304248	25.00	25.25	24.50	24.50	24.50	24.60	(0.50)	20,640	51,035	24.726
RATCH19C2506A	0.07	304248	-	-	-	-	0.05	0.06	-	-	-	0
RPC	0.25	304248	0.26	0.26	0.24	0.24	0.24	0.25	(0.01)	10,472	261	0.248
SCG	2.54	304248	2.52	2.54	2.50	2.52	2.50	2.52	(0.02)	100	25	2.516
SCN	0.42	304248	0.42	0.43	0.40	0.42	0.42	0.43	-	16,155	661	0.409
SCN-W2	0.04	304248	-	0.04	0.03	0.04	0.03	0.04	-	1,972	6	0.03
SEAOIL	2.46	304248	2.42	2.46	2.38	2.46	2.40	2.46	-	754	181	2.404
SGP	6.75	304248	-	6.75	6.65	6.75	6.70	6.75	-	159	107	6.727
SKE	0.20	304248	-	0.20	0.18	0.20	0.18	0.20	-	3,803	71	0.186
SKE-W1	0.03	304248	0.03	0.03	0.02	0.02	0.02	0.03	(0.01)	124	-	0.02
SOLAR	0.19	304248	0.20	0.21	0.19	0.21	0.20	0.21	0.02	22,644	466	0.205
SPCG	7.30	304248	7.30	7.30	7.15	7.30	7.20	7.30	-	2,571	1,848	7.189
SPRC	5.35	304248	5.20	5.25	4.96	5.00	5.00	5.10	(0.35)	165,688	83,773	5.056
SPRC13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
SPRC13C2506A	0.07	304248	-	0.06	0.04	0.04	0.04	0.05	(0.03)	17,231	95	0.054
SPRC19C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
SPRC41C2606T	0.19	304248	-	-	-	-	0.16	0.17	-	-	-	0
SSP	5.05	304248	5.00	5.00	4.78	4.92	4.92	4.94	(0.13)	17,589	8,655	4.92
SSP-W2	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
SUPER	0.17	304248	0.17	0.17	0.16	0.17	0.16	0.17	-	172,802	2,777	0.16
SUPEREIF	5.75	304248	5.75	5.75	5.65	5.65	5.65	5.75	(0.10)	8,902	5,046	5.668
SUSCO	2.90	304248	2.90	2.92	2.82	2.88	2.86	2.88	(0.02)	27,291	7,834	2.87
TAE	0.70	304248	0.70	0.70	0.64	0.64	0.64	0.66	(0.06)	2,396	159	0.664
TCC	0.27	304248	0.27	0.27	0.24	0.26	0.25	0.26	(0.01)	13,322	340	0.255
TCC-W5	0.14	304248	-	0.14	0.13	0.14	0.13	0.14	-	1,002	13	0.13
TGE	1.44	304248	1.39	1.45	1.38	1.44	1.39	1.44	-	3,529	492	1.393
TGE-W2	0.11	304248	0.12	0.12	0.09	0.09	0.08	0.09	(0.02)	61,002	602	0.098
TOP	25.00	304248	24.90	24.90	23.50	23.50	23.50	23.60	(1.50)	390,812	937,112	23.978
TOP01C2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	28,000	28	0.01
TOP01C2505A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	2,001	2	0.01
TOP01C2506A	0.07	304248	-	0.05	0.05	0.05	0.04	0.05	(0.02)	3,370	17	0.05
TOP01C2507A	0.55	304248	-	0.43	0.38	0.38	0.38	0.40	(0.17)	122	5	0.392
TOP01C2508A	0.18	304248	0.18	0.18	0.14	0.14	0.14	0.15	(0.04)	47,408	748	0.157
TOP01P2504A	0.74	304248	-	-	-	-	0.99	1.04	-	-	-	0
TOP01P2506A	0.11	304248	0.13	0.15	0.11	0.14	0.14	0.15	0.03	71,064	934	0.131
TOP01P2508A	0.33	304248	0.33	0.38	0.33	0.38	0.38	0.39	0.05	65,790	2,382	0.362
TOP13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
TOP13C2504B	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
TOP13C2505A	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
TOP13C2505B	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
TOP13C2505C	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
TOP13C2506A	0.47	304248	-	0.34	0.28	0.28	0.27	0.28	(0.19)	153,037	4,712	0.307
TOP13C2507A	0.12	304248	0.12	0.12	0.09	0.09	0.08	0.09	(0.03)	30,422	305	0.1
TOP13P2505A	0.48	304248	-	0.58	0.56	0.56	0.56	0.62	0.08	212	12	0.56
TOP13P2505B	0.08	304248	0.11	0.12	0.10	0.12	0.13	0.15	0.04	636	7	0.109
TOP13P2508A	0.31	304248	-	0.36	0.32	0.36	0.37	0.38	0.05	25,499	881	0.345
TOP19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
TOP19C2505A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	5,000	5	0.01
TOP19C2505B	0.04	304248	-	0.03	0.03	0.03	0.02	0.03	(0.01)	400	1	0.03
TOP19C2508A	0.20	304248	-	0.19	0.15	0.15	0.15	0.16	(0.05)	78,564	1,335	0.169
TOP19P2505A	0.03	304248	-	-	-	-	0.04	0.05	-	-	-	0
TOP41C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
TOP41C2506B	0.06	304248	0.06	0.06	0.06	0.06	0.03	0.05	-	1,790	11	0.06
TOP41P2505A	0.07	304248	-	-	-	-	0.12	0.13	-	-	-	0
TIPIP	2.18	304248	2.20	2.20	2.14	2.14	2.14	2.16	(0.04)	29,245	6,296	2.152
TSE	0.34	304248	0.34	0.35	0.32	0.35	0.33	0.35	0.01	25,275	848	0.335
TTW	8.75	304248	8.75	8.75	8.65	8.75	8.70	8.75	-	37,914	32,967	8.695
UBE	0.50	304248	0.50	0.50	0.48	0.50	0.49	0.50	-	27,719	1,358	0.489
WHAUP	3.34	304248	3.30	3.32	3.26	3.30	3.28	3.30	(0.04)	35,100	11,548	3.29
WP	3.50	304248	3.40	3.50	3.34	3.34	3.36	3.44	(0.16)	881	301	3.411
Media & Publishing												
AMARIN	2.36	304248	-	2.34	2.30	2.32	2.30	2.36	(0.04)	113	26	2.336
AQUA	0.22	304248	-	0.22	0.21	0.22	0.21	0.22	-	8,287	179	0.216
AS	2.24	304248	2.20	2.20	2.14	2.14	2.14	2.18	(0.10)	3,791	821	2.166
BEC	3.82	304248	3.80	3.90	3.66	3.82	3.80	3.82	-	11,693	4,387	3.751
FE	192.00	304248	-	-	-	-	190.00	195.00	-	-	-	0
GPI	1.62	304248	1.62	1.69	1.61	1.62	1.61	1.62	-	18,818	3,097	1.645
GRAMMY	5.95	304248	-	-	-	-	5.35	5.85	-	-	-	0
JKN	0.31	304248	-	-	-	-	-	-	-	-	-	0
MAJOR	10.50	304248	10.40	10.40	10.20	10.30	10.20	10.30	(0.20)	4,022	4,145	10.305
MATCH	1.12	304248	-	-	-	-	1.08	1.11	-	-	-	0
MATI	4.60	304248	-	-	-	-	4.10	5.00	-	-	-	0
MCOT	4.68	304248	4.72	5.10	4.62	4.62	4.62	4.66	(0.06)	244,706	119,064	4.865
MONO	1.42	304248	1.41	1.41	1.31	1.35	1.35	1.36	(0.07)	358,300	48,314	1.348
NATION	0.03	304248	0.02	0.03	0.02	0.02	0.02	0.03	(0.01)	20,178	40	0.02
NATION-W4	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
ONEE	2.60	304248	2.56	2.58	2.54	2.54	2.52	2.54	(0.06)	22,017	5,634	2.558
PLANB	5.60	304248	5.55	5.55	5.05	5.10	5.10	5.15	(0.50)	76,665	40,130	5.234
PLANB13C2508A	0.19	304248	0.18	0.18	0.12	0.12	0.12	0.13	(0.07)	24,788	353	0.142
PLANB19C2508A	0.17	304248	-	0.14	0.11	0.11	0.11	0.12	(0.06)	11,948	140	0.117
PLANB41C2606T	0.17	304248	-	0.17	0.15	0.15	0.14	0.15	(0.02)	14,000	222	0.158
PRAKIT	11.70	304248	-	11.40	11.20	11.20	11.20	11.50	(0.50)	120	135	11.26
PTECH	0.83	304248	0.99	1.03	0.70	0.98	0.72	0.98	0.15	34	3	0.98
SE-ED	1.96	304248	-	1.94	1.90	1.94	1.93	1.94	(0.02)	1,471	284	1.929
TKS	5.60	304248	5.65	5.65	5.40	5.45	5.40	5.45	(0.15)	2,463	1,342	5.446
VGI	3.00	304248	2.94	2.96	2.68	2.76	2.76	2.78	(0.24)	2,602,332	725,898	2.789
VGI-W3	0.05	304248	-	0.05	0.04	0.05	0.04	0.05	-	67,775	274	0.04
VGI-W4	1.22	304248	1.22	1.22	1.10	1.10	1.10	1.13	(0.12)	20,153	2,310	1.146

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
VGI01C2505A	0.05	304248	-	0.04	0.04	0.04	0.02	0.03	(0.01)	200	1	0.04
VGI01C2507A	0.30	304248	-	0.28	0.19	0.22	0.22	0.23	(0.08)	135,086	3,060	0.226
VGI13C2504A	0.03	304248	-	-	-	-	-	-	-	-	-	0
VGI13C2505A	0.03	304248	-	0.02	0.02	0.02	0.01	0.02	(0.01)	2,748	5	0.02
VGI13C2507A	0.18	304248	0.17	0.17	0.10	0.12	0.12	0.13	(0.06)	167,637	2,141	0.127
VGI13C2508A	1.00	304248	-	0.33	0.23	0.26	0.26	0.27	(0.74)	200,567	5,235	0.261
VGI13P2504A	0.01	304248	-	-	-	-	0.01	0.05	-	-	-	0
VGI19C2504A	0.04	304248	-	-	-	-	0.01	0.02	-	-	-	0
VGI19C2505A	0.04	304248	-	0.03	0.02	0.03	0.01	0.02	(0.01)	3,502	7	0.02
VGI19C2507A	0.18	304248	-	0.17	0.11	0.12	0.12	0.13	(0.06)	64,276	880	0.136
VGI19C2508A	0.35	304248	0.26	0.33	0.23	0.25	0.25	0.26	(0.10)	210,537	6,023	0.286
VGI41C2505A	0.06	304248	0.01	0.03	0.01	0.03	0.01	0.02	(0.03)	2,001	2	0.01
VGI41C2606T	0.25	304248	-	0.24	0.21	0.22	0.22	0.23	(0.03)	92,000	2,072	0.225
WORK	5.15	304248	-	5.10	4.78	4.90	4.86	4.90	(0.25)	3,267	1,599	4.893
ZAA	0.69	304248	0.68	0.70	0.59	0.59	0.59	0.68	(0.10)	1,303	85	0.653
Finance & Securities												
AEONTS	108.00	304248	107.50	107.50	102.50	103.50	103.50	104.00	(4.50)	4,128	43,267	104.814
AMANAHA	0.84	304248	0.83	0.85	0.78	0.81	0.80	0.81	(0.03)	15,472	1,245	0.804
ASAP	1.44	304248	-	1.40	1.36	1.40	1.36	1.40	(0.04)	752	105	1.39
ASK	7.05	304248	7.00	7.00	6.80	6.90	6.85	6.90	(0.15)	12,106	8,315	6.868
ASP	2.00	304248	2.00	2.00	1.96	1.97	1.96	1.97	(0.03)	14,776	2,913	1.971
BAM	6.20	304248	6.15	6.20	5.95	6.20	6.15	6.20	-	170,424	103,493	6.072
BAM01C2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	18,000	18	0.01
BAM01C2506A	0.12	304248	-	0.11	0.10	0.11	0.11	0.12	(0.01)	72,747	747	0.102
BAM13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
BAM13C2505A	0.07	304248	-	-	-	-	0.02	0.03	-	-	-	0
BAM13C2506A	0.13	304248	-	0.13	0.10	0.13	0.13	0.14	-	61,661	723	0.117
BAM19C2504A	0.04	304248	-	-	-	-	0.01	0.02	-	-	-	0
BAM19C2505A	0.09	304248	-	-	-	-	0.03	0.04	-	-	-	0
BAM19C2506A	0.16	304248	-	0.15	0.13	0.15	0.15	0.17	(0.01)	95,335	1,281	0.134
BAM41C2504A	0.09	304248	-	-	-	-	-	-	-	-	-	0
BAM41C2505A	0.07	304248	-	-	-	-	0.02	0.04	-	-	-	0
BAM41C2612T	0.31	304248	-	0.31	0.30	0.31	0.31	0.32	-	16,490	506	0.306
BYD	0.34	304248	0.35	0.35	0.31	0.33	0.32	0.33	(0.01)	37,104	1,208	0.325
CGH	0.44	304248	0.44	0.45	0.41	0.44	0.43	0.44	-	19,151	834	0.435
CGH-W5	0.04	304248	-	-	-	-	0.05	-	-	-	-	0
CHASE	0.68	304248	0.68	0.68	0.64	0.66	0.66	0.67	(0.02)	45,627	2,998	0.657
CHASE-W1	0.36	304248	-	0.36	0.33	0.35	0.35	0.36	(0.01)	7,358	257	0.349
CHAYO	2.20	304248	2.18	2.18	2.10	2.10	2.10	2.12	(0.10)	19,869	4,223	2.125
CHAYO-W3	0.08	304248	-	0.08	0.06	0.07	0.06	0.07	(0.01)	3,724	25	0.067
EAST	0.84	304248	0.86	0.86	0.83	0.84	0.84	0.85	-	10,803	907	0.839
FNS	1.18	304248	-	1.14	1.13	1.13	1.12	1.13	(0.05)	161	18	1.132
FSX	1.56	304248	1.59	1.59	1.10	1.10	1.10	1.59	(0.46)	3,551	415	1.168
GBX	0.54	304248	0.53	0.53	0.52	0.52	0.52	0.53	(0.02)	1,636	86	0.525
GL	0.65	304248	-	-	-	-	-	-	-	-	-	0
HENG	1.04	304248	1.04	1.05	1.01	1.03	1.02	1.03	(0.01)	22,664	2,321	1.023
IFS	2.28	304248	-	2.28	2.26	2.26	2.26	2.28	(0.02)	43	10	2.279
JMT	13.40	304248	13.30	13.30	12.40	12.50	12.50	12.60	(0.90)	136,617	174,165	12.748
JMT01C2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	1,099	1	0.01
JMT13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
JMT13C2506A	0.04	304248	-	0.04	0.03	0.03	0.03	0.04	(0.01)	5,940	19	0.031
JMT13C2507A	0.17	304248	0.17	0.17	0.11	0.11	0.11	0.13	(0.06)	47,102	597	0.126
JMT19C2504A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	2,947	3	0.01
JMT19C2504B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
JMT19C2506A	0.06	304248	-	0.05	0.04	0.04	0.04	0.05	(0.02)	1,700	7	0.04
JMT19C2507A	0.21	304248	-	0.20	0.15	0.15	0.15	0.16	(0.06)	40,507	676	0.166
JMT41C2505A	0.04	304248	-	-	-	-	0.01	0.02	-	-	-	0
JMT41C2608T	0.26	304248	-	0.25	0.23	0.23	0.22	0.23	(0.03)	95,800	2,290	0.239
KCAR	3.94	304248	-	3.94	3.92	3.92	3.92	3.96	(0.02)	283	111	3.92
KGI	4.32	304248	4.32	4.32	4.16	4.26	4.24	4.26	(0.06)	38,587	16,301	4.224
KTC	47.25	304248	47.25	47.25	46.50	46.75	46.75	47.00	(0.50)	29,200	136,490	46.743
KTC01C2507A	0.16	304248	-	0.15	0.15	0.15	0.14	0.15	(0.01)	3,428	51	0.15
KTC01C2508A	0.31	304248	-	0.30	0.29	0.29	0.29	0.30	(0.02)	22,332	654	0.292
KTC13C2506A	0.06	304248	-	-	-	-	0.06	0.07	-	-	-	0
KTC19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
KTC19C2507A	0.10	304248	-	-	-	-	0.09	0.10	-	-	-	0
KTC41C2606T	0.25	304248	-	0.24	0.23	0.23	0.24	0.25	(0.02)	20,000	477	0.238
MFC	24.90	304248	25.75	25.75	24.80	24.90	24.70	24.90	-	47	117	24.974
MICRO	0.91	304248	0.90	0.94	0.86	0.91	0.90	0.91	-	29,429	2,653	0.901
ML	0.37	304248	0.35	0.36	0.33	0.34	0.33	0.34	(0.03)	1,752	59	0.336
MST	8.00	304248	-	7.85	7.75	7.85	7.80	7.85	(0.15)	24	19	7.8
MTC	41.50	304248	41.50	42.75	40.75	42.25	42.00	42.25	0.75	185,127	775,072	41.867
MTC01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
MTC01C2506A	0.09	304248	-	0.11	0.09	0.10	0.10	0.11	0.01	57,931	605	0.104
MTC01C2508A	0.32	304248	0.37	0.37	0.31	0.35	0.35	0.37	0.03	96,804	3,296	0.34
MTC01P2506A	0.27	304248	-	0.27	0.25	0.27	0.24	0.25	-	390	10	0.251
MTC13C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
MTC13C2506A	0.08	304248	-	0.09	0.07	0.09	0.09	0.10	0.01	6,450	54	0.084
MTC13C2508A	0.32	304248	-	0.37	0.30	0.35	0.35	0.36	0.03	57,666	1,945	0.337
MTC13P2506A	0.17	304248	-	0.19	0.15	0.15	0.15	0.16	(0.02)	45,728	768	0.167
MTC19C2504A	0.09	304248	-	-	-	-	0.01	0.02	-	-	-	0
MTC19C2506A	0.06	304248	0.07	0.07	0.07	0.07	0.07	0.08	0.01	15	-	0.07
MTC19C2508A	0.28	304248	-	0.31	0.26	0.29	0.29	0.31	0.01	148,568	4,170	0.28
MTC19P2506A	0.20	304248	-	0.20	0.17	0.18	0.18	0.19	(0.02)	105,238	1,932	0.183
MTC41C2505A	0.12	304248	-	-	-	-	0.01	0.03	-	-	-	0
MTC41C2606T	0.24	304248	-	0.26	0.24	0.25	0.25	0.26	0.01	84,800	2,101	0.247
NCAP	2.42	304248	2.38	2.40	2.28	2.28	2.28	2.30	(0.14)	167,799	38,945	2.32
PL	1.03	304248	-	1.02	1.02	1.02	1.01	1.02	(0.01)	100	10	1.02
S11	2.84	304248	2.82	2.84	2.66	2.70	2.70	2.72	(0.14)	2,114	573	2.712
SAK	3.96	304248	3.92	3.92	3.80	3.88	3.84	3.88	(0.08)	18,703	7,198	3.848
SAWAD	30.00	304248	30.00	30.25	28.50	29.50	29.25	29.50	(0.50)	128,103	375,895	29.342
SAWAD-W2	0.23	304248	-	0.24	0.22	0.22	0.22	0.23	(0.01)	7,232	165	0.227
SAWAD01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SAWAD01C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD01C2508A	0.10	304248	0.10	0.11	0.09	0.09	0.09	0.10	(0.01)	14,461	144	0.099
SAWAD01C2508B	1.00	304248	-	0.28	0.25	0.26	0.26	0.28	(0.74)	82,539	2,172	0.263
SAWAD01P2505A	0.58	304248	-	0.61	0.54	0.56	0.54	0.56	(0.02)	3,746	214	0.571
SAWAD13C2505A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	2,200	2	0.01
SAWAD13C2506A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	1,000	1	0.01
SAWAD13C2507A	0.09	304248	-	0.08	0.07	0.07	0.07	0.08	(0.02)	1,356	10	0.07
SAWAD13C2508A	0.18	304248	-	0.18	0.15	0.16	0.16	0.17	(0.02)	189,550	3,122	0.164
SAWAD13C2508B	0.30	304248	-	0.31	0.25	0.28	0.28	0.29	(0.02)	135,731	3,743	0.275
SAWAD13P2504A	0.16	304248	-	-	-	-	-	-	-	-	-	0
SAWAD19C2504A	0.06	304248	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD19C2506A	0.04	304248	-	-	-	-	0.02	0.03	-	-	-	0
SAWAD19C2507A	0.11	304248	-	0.12	0.09	0.10	0.10	0.11	(0.01)	82,322	874	0.106
SAWAD19C2508A	0.23	304248	0.24	0.24	0.20	0.20	0.20	0.21	(0.03)	332,139	7,049	0.212
SAWAD19P2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	1,000	1	0.01
SAWAD41C2505A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	2	-	0.01
SAWAD41C2609T	0.26	304248	-	0.28	0.26	0.27	0.27	0.28	0.01	61,960	1,678	0.27
SCAP	1.30	304248	1.29	1.38	1.25	1.37	1.35	1.37	0.07	137,313	18,312	1.333
SGC	0.86	304248	0.85	0.85	0.79	0.80	0.80	0.81	(0.06)	334,447	27,071	0.809
SGC-W1	0.10	304248	-	0.10	0.09	0.10	0.08	0.10	-	1,087	10	0.096
SGC-W2	0.24	304248	-	0.25	0.21	0.24	0.23	0.24	-	7,088	157	0.222
SM	0.80	304248	0.77	0.79	0.77	0.78	0.77	0.78	(0.02)	1,033	80	0.773
TH	0.61	304248	0.61	0.62	0.58	0.58	0.58	0.59	(0.03)	18,600	1,097	0.589
TH-W3	0.03	304248	0.03	0.03	0.02	0.02	0.01	0.02	(0.01)	7,766	16	0.02
THANI	1.73	304248	1.71	1.71	1.65	1.68	1.67	1.68	(0.05)	98,672	16,494	1.671
TIDLOR	14.70	304248	14.60	15.50	14.30	15.40	15.30	15.40	0.70	174,294	261,891	15.025
TIDLOR01C2506A	0.07	304248	-	-	-	-	0.06	0.08	-	-	-	0
TIDLOR13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
TIDLOR13C2505A	0.05	304248	-	0.05	0.03	0.05	0.04	0.05	-	308	1	0.039
TIDLOR19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
TIDLOR19C2505A	0.01	304248	-	-	-	-	0.02	0.03	-	-	-	0
TIDLOR19C2505B	0.02	304248	-	-	-	-	0.05	0.06	-	-	-	0
TIDLOR41C2605T	0.40	304248	-	-	-	-	0.29	0.38	-	-	-	0
TK	3.56	304248	-	3.58	3.48	3.52	3.52	3.56	(0.04)	3,528	1,254	3.555
TNITY	2.84	304248	-	2.84	2.80	2.80	2.78	2.80	(0.04)	411	115	2.809
TNL	29.25	304248	-	-	-	-	28.75	30.25	-	-	-	0
UOBKH	5.40	304248	-	5.50	5.40	5.50	5.00	5.50	0.10	2,241	1,227	5.476
XPG	0.81	304248	0.80	0.81	0.78	0.81	0.80	0.81	-	169,808	13,584	0.799
Food & Beverage												
AAI	4.90	304248	4.88	4.90	4.72	4.84	4.84	4.86	(0.06)	49,836	24,010	4.817
APURE	3.58	304248	-	3.44	3.38	3.38	3.36	3.38	(0.20)	288	98	3.414
ASIAN	7.10	304248	7.10	7.15	7.05	7.15	7.10	7.15	0.05	9,051	6,410	7.081
BR	1.60	304248	-	1.60	1.59	1.59	1.59	1.60	(0.01)	595	95	1.592
BR-W1	0.04	304248	-	0.04	0.03	0.04	0.03	0.04	-	2,315	7	0.03
BRR	4.60	304248	4.58	4.62	4.54	4.56	4.56	4.58	(0.04)	2,773	1,264	4.559
BRR-W2	0.20	304248	0.18	0.19	0.18	0.18	0.18	0.19	(0.02)	121	2	0.18
BTG	20.10	304248	20.00	20.00	19.20	19.20	19.20	19.50	(0.90)	14,322	27,944	19.511
CBG	61.25	304248	60.50	60.50	59.25	59.75	59.50	60.00	(1.50)	26,103	156,446	59.934
CBG01C2504A	0.01	304248	0.02	0.02	0.02	0.02	0.01	0.02	0.01	3	-	0.02
CBG01C2506A	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
CBG01C2507A	0.12	304248	-	0.11	0.10	0.10	0.10	0.11	(0.02)	41,463	446	0.107
CBG01C2508A	0.35	304248	0.33	0.33	0.31	0.31	0.31	0.32	(0.04)	52,038	1,644	0.316
CBG01P2504W	0.10	304248	-	0.02	0.02	0.02	0.02	0.06	(0.08)	2,680	5	0.02
CBG01P2506A	1.03	304248	1.06	1.14	1.06	1.12	1.12	1.14	0.09	12,060	1,329	1.102
CBG01P2507A	0.57	304248	0.62	0.65	0.59	0.62	0.62	0.63	0.05	53,910	3,310	0.613
CBG13C2505A	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
CBG13C2506A	0.03	304248	-	0.02	0.02	0.02	0.02	0.03	(0.01)	1,424	3	0.02
CBG13C2507A	0.17	304248	-	0.16	0.14	0.15	0.14	0.15	(0.02)	37,177	556	0.149
CBG13C2508A	0.49	304248	0.47	0.47	0.42	0.43	0.43	0.44	(0.06)	126,213	5,553	0.439
CBG13P2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.10	-	700	1	0.01
CBG19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CBG19C2506A	0.05	304248	-	-	-	-	0.01	0.02	-	-	-	0
CBG19C2506B	0.06	304248	-	-	-	-	0.04	0.05	-	-	-	0
CBG19C2508A	0.31	304248	0.27	0.28	0.26	0.27	0.26	0.27	(0.04)	64,723	1,760	0.271
CBG19P2507A	0.61	304248	0.63	0.68	0.63	0.67	0.67	0.78	0.06	30,140	1,972	0.654
CBG41C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CBG41C2608T	0.24	304248	-	0.23	0.23	0.23	0.22	0.23	(0.01)	62,000	1,426	0.23
CFRESH	1.01	304248	1.01	1.01	0.98	0.99	0.98	0.99	(0.02)	1,656	164	0.989
CH	2.02	304248	-	2.02	1.97	2.02	1.98	2.02	-	3,035	601	1.979
CHAO	4.52	304248	4.50	4.54	4.36	4.54	4.54	4.56	0.02	19,095	8,558	4.475
CHOTI	65.00	304248	-	64.75	64.00	64.75	62.00	65.00	(0.25)	3	19	64.25
CM	1.68	304248	1.68	1.68	1.65	1.65	1.66	1.69	(0.03)	499	83	1.653
COCOCO	6.65	304248	6.70	6.70	6.45	6.45	6.45	6.50	(0.20)	45,009	29,321	6.514
COCOCO13C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
COCOCO19C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPF	23.70	304248	23.50	23.70	23.30	23.60	23.60	23.70	(0.10)	186,446	438,500	23.518
CPF01C2504A	0.05	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPF01C2508A	0.53	304248	0.51	0.52	0.50	0.52	0.52	0.53	(0.01)	15,713	802	0.51
CPF13C2504A	0.06	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPF13C2505A	0.04	304248	-	-	-	-	0.05	0.06	-	-	-	0
CPF13C2506A	0.33	304248	-	0.31	0.29	0.31	0.31	0.32	(0.02)	64,090	1,921	0.299
CPF19C2504A	0.05	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPF19C2505A	0.06	304248	-	-	-	-	0.02	0.03	-	-	-	0
CPF41C2505A	0.10	304248	-	-	-	-	0.01	0.03	-	-	-	0
CPF41C2505B	0.09	304248	-	-	-	-	0.04	0.05	-	-	-	0
CPF41C2612T	0.55	304248	-	0.55	0.53	0.55	0.54	0.55	-	87,796	4,717	0.537
CFI	2.74	304248	2.74	2.76	2.72	2.74	2.72	2.74	-	1,942	529	2.726
F&D	41.00	304248	-	44.00	44.00	44.00	38.00	43.75	3.00	1	4	44
FM	3.86	304248	3.84	3.84	3.70	3.72	3.72	3.76	(0.14)	32,734	12,270	3.748
GLOCON	0.14	304248	0.14	0.14	0.13	0.14	0.13	0.14	-	115,088	1,518	0.131
HTC	16.40	304248	16.40	16.40	16.10	16.10	16.10	16.30	(0.30)	2,869	4,661	16.246
ICHI	11.40	304248	11.30	11.40	11.10	11.20	11.20	11.30	(0.20)	130,463	145,984	11.189

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ICHI13C2504A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
ITC	13.30	304248	13.30	13.40	13.00	13.30	13.20	13.30	-	72,068	95,175	13.206
ITC01C2504A	0.01	304248	-	-	-	-	0.01	0.03	-	-	-	0
ITC01C2506A	0.02	304248	0.02	0.02	0.02	0.02	0.01	0.02	-	2,750	6	0.02
ITC01C2606T	1.00	304248	-	0.25	0.24	0.25	0.25	0.26	(0.75)	19,546	474	0.242
ITC13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
ITC13C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
ITC13C2508A	0.20	304248	0.20	0.20	0.19	0.20	0.20	0.21	-	28,923	560	0.193
ITC19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
ITC19C2506A	0.03	304248	-	0.03	0.03	0.03	0.03	0.04	-	1,675	5	0.03
ITC41C2505A	0.09	304248	-	-	-	-	0.01	0.02	-	-	-	0
ITC41C2612T	0.26	304248	-	0.26	0.25	0.26	0.26	0.27	-	20,509	533	0.259
JDF	1.96	304248	1.95	1.96	1.93	1.94	1.93	1.94	(0.02)	1,959	381	1.945
KBS	5.50	304248	-	5.50	5.30	5.35	5.35	5.40	(0.15)	2,210	1,186	5.367
KCG	8.10	304248	8.05	8.05	7.80	7.90	7.90	7.95	(0.20)	10,400	8,248	7.93
KSL	1.43	304248	1.42	1.42	1.37	1.38	1.38	1.39	(0.05)	9,172	1,276	1.391
KTIS	2.38	304248	2.38	2.38	2.32	2.32	2.30	2.32	(0.06)	78	18	2.343
LST	4.70	304248	4.70	4.72	4.64	4.66	4.64	4.66	(0.04)	1,602	745	4.649
M	18.60	304248	18.50	18.50	17.70	17.80	17.70	17.80	(0.80)	36,796	65,940	17.92
MALEE	6.20	304248	6.15	6.15	6.00	6.00	6.00	6.05	(0.20)	3,330	2,007	6.026
NRF	0.47	304248	0.48	0.48	0.43	0.43	0.43	0.44	(0.04)	11,651	517	0.444
NSL	28.50	304248	28.50	29.00	28.25	28.75	28.75	29.00	0.25	7,902	22,587	28.583
OKJ	7.90	304248	7.90	7.90	7.50	7.50	7.50	7.55	(0.40)	25,161	19,151	7.611
OSP	14.20	304248	14.10	14.20	13.70	13.90	13.80	13.90	(0.30)	117,683	163,097	13.859
OSP01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
OSP01C2507A	0.05	304248	-	-	-	-	0.04	0.05	-	-	-	0
OSP01C2507B	0.10	304248	-	-	-	-	0.08	0.09	-	-	-	0
OSP01C2508A	1.00	304248	-	0.26	0.23	0.24	0.24	0.25	(0.76)	43,600	1,030	0.236
OSP01P2507A	0.29	304248	-	0.31	0.29	0.30	0.29	0.31	0.01	110	3	0.298
OSP13C2505A	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
OSP13C2506A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
OSP13C2506B	0.03	304248	-	-	-	-	0.03	0.04	-	-	-	0
OSP13C2507A	0.11	304248	-	0.11	0.09	0.09	0.09	0.11	(0.02)	11,282	106	0.094
OSP13C2508A	0.27	304248	-	0.26	0.23	0.24	0.24	0.25	(0.03)	28,241	689	0.243
OSP19C2506A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	9,721	10	0.01
OSP19C2506B	0.10	304248	-	-	-	-	0.01	0.02	-	-	-	0
OSP19C2506C	0.05	304248	-	-	-	-	0.05	0.06	-	-	-	0
OSP41C2505A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1,571	2	0.01
OSP41C2606T	0.13	304248	-	0.12	0.12	0.12	0.12	0.13	(0.01)	34,000	408	0.12
PB	55.00	304248	-	56.00	53.50	56.00	54.00	56.00	1.00	15	82	54.533
PLUS	3.54	304248	3.40	3.44	3.32	3.36	3.36	3.38	(0.18)	2,760	931	3.374
PM	10.10	304248	10.10	10.10	9.95	10.00	10.00	10.10	(0.10)	13,885	13,861	9.982
PQS	2.38	304248	-	2.38	2.30	2.30	2.30	2.38	(0.08)	4,012	934	2.328
PRG	8.20	304248	-	8.40	8.20	8.40	8.15	8.40	0.20	30	25	8.231
PRG-W2	3.80	304248	-	-	-	-	3.40	4.18	-	-	-	0
PRG-W3	3.50	304248	-	-	-	-	2.14	4.90	-	-	-	0
PRG-W4	3.30	304248	-	-	-	-	3.00	3.60	-	-	-	0
PRG-W5	3.10	304248	-	-	-	-	2.20	3.30	-	-	-	0
RBF	4.16	304248	4.14	4.26	4.02	4.22	4.22	4.24	0.06	48,284	20,015	4.145
RBF01C2504A	0.10	304248	-	-	-	-	0.01	0.02	-	-	-	0
RBF13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
RBF13C2507A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
RBF19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
RBF19C2508A	0.03	304248	-	0.03	0.03	0.03	0.02	0.03	-	230	1	0.03
SAPPE	35.75	304248	35.75	35.75	34.25	34.75	34.50	34.75	(1.00)	18,735	64,998	34.693
SAPPE01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
SAPPE13C2507A	0.09	304248	-	-	-	-	0.07	0.08	-	-	-	0
SAPPE19C2508A	0.30	304248	-	0.29	0.26	0.27	0.27	0.28	(0.03)	9,766	263	0.269
SAUCE	38.75	304248	-	38.25	38.00	38.25	37.75	38.25	(0.50)	69	262	38.018
SNNP	12.10	304248	12.00	12.10	11.90	11.90	11.90	12.00	(0.20)	6,542	7,812	11.941
SNP	11.40	304248	11.40	11.40	11.00	11.20	11.10	11.20	(0.20)	3,020	3,393	11.235
SORKON	4.40	304248	4.36	4.38	4.36	4.36	4.36	4.38	(0.04)	1,787	780	4.363
SSF	5.60	304248	5.55	5.70	5.25	5.60	5.35	5.60	-	1,359	743	5.464
SST	1.99	304248	1.86	1.99	1.86	1.99	1.87	2.00	-	2	-	1.925
SUN	3.04	304248	3.06	3.06	3.00	3.04	3.02	3.04	-	5,888	1,776	3.016
TC	5.95	304248	5.80	6.00	5.70	5.95	5.85	5.95	-	450	262	5.816
TFG	4.56	304248	4.54	4.54	4.46	4.46	4.46	4.48	(0.10)	46,796	21,058	4.499
TFG-W4	0.69	304248	-	0.68	0.62	0.67	0.66	0.67	(0.02)	7,488	484	0.646
TFMAMA	199.50	304248	-	198.50	198.00	198.00	197.50	199.00	(1.50)	6	119	198.083
TIPCO	9.45	304248	9.65	9.65	9.35	9.35	9.40	9.45	(0.10)	661	620	9.376
TKN	7.45	304248	7.45	7.45	7.10	7.20	7.20	7.25	(0.25)	33,600	24,351	7.247
TU	10.70	304248	10.80	10.80	10.20	10.50	10.50	10.60	(0.20)	222,298	232,374	10.453
TU01C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
TU01C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
TU01C2508A	0.09	304248	-	0.10	0.08	0.08	0.08	0.09	(0.01)	3,699	32	0.087
TU13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
TU13C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
TU19C2504A	0.07	304248	-	-	-	-	0.01	0.02	-	-	-	0
TU19C2505A	0.05	304248	-	-	-	-	0.01	0.02	-	-	-	0
TU19C2506A	0.08	304248	-	-	-	-	0.03	0.04	-	-	-	0
TU41C2506A	0.06	304248	-	-	-	-	0.01	0.03	-	-	-	0
TU41C2609T	0.21	304248	-	0.19	0.19	0.19	0.19	0.20	(0.02)	4,000	76	0.19
TVO	21.70	304248	21.60	21.60	21.00	21.30	21.20	21.30	(0.40)	7,428	15,718	21.161
TWPC	2.26	304248	-	2.30	2.20	2.30	2.26	2.32	0.04	1,691	380	2.248
XBIO	0.12	304248	0.12	0.12	0.10	0.11	0.11	0.12	(0.01)	42,478	477	0.112
XBIO-W6	0.03	304248	-	0.02	0.02	0.02	0.02	0.03	(0.01)	600	1	0.02
XBIO-W7	0.02	304248	0.02	0.02	0.01	0.01	0.01	0.02	(0.01)	3,018	3	0.01
ZEN	6.40	304248	-	6.25	6.20	6.20	6.15	6.20	(0.20)	192	119	6.2
Health Care Services:												
AHC	13.80	304248	-	13.90	13.60	13.70	13.60	13.70	(0.10)	39	54	13.728
BCH	14.50	304248	14.50	14.50	14.00	14.20	14.10	14.20	(0.30)	38,721	54,894	14.176
BCH01C2508A	0.12	304248	-	0.11	0.10	0.10	0.10	0.11	(0.02)	15,310	168	0.109
BCH13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BCH13C2507A	0.09	304248	-	-	-	-	0.08	0.09	-	-	-	0
BCH13C2508A	0.25	304248	-	0.25	0.21	0.22	0.22	0.23	(0.03)	28,456	639	0.224
BCH19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BCH19C2505B	0.09	304248	-	-	-	-	0.01	0.02	-	-	-	0
BCH19C2508A	0.14	304248	-	0.12	0.11	0.12	0.12	0.13	(0.02)	7,203	86	0.118
BCH41C2506A	0.04	304248	-	-	-	-	0.07	0.08	-	-	-	0
BCH41C2609T	0.30	304248	-	0.29	0.28	0.29	0.29	0.30	(0.01)	30,000	863	0.287
BDMS	22.70	304248	22.70	22.80	22.30	22.50	22.50	22.60	(0.20)	475,684	1,071,096	22.516
BDMS01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BDMS01C2506A	0.08	304248	-	0.06	0.06	0.06	0.07	0.08	(0.02)	100	1	0.06
BDMS01C2508A	0.07	304248	-	0.07	0.06	0.07	0.06	0.07	-	1,306	8	0.06
BDMS01C2509A	1.00	304248	0.40	0.40	0.37	0.37	0.37	0.38	(0.63)	29,100	1,095	0.376
BDMS13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
BDMS13C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
BDMS13C2508A	0.28	304248	-	0.28	0.25	0.26	0.26	0.28	(0.02)	57,416	1,499	0.261
BDMS19C2504A	0.04	304248	-	-	-	-	0.01	0.02	-	-	-	0
BDMS19C2505A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	3,800	4	0.01
BDMS19C2508A	0.33	304248	-	0.33	0.30	0.31	0.31	0.32	(0.02)	55,279	1,736	0.314
BDMS41C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BDMS41C2609T	0.19	304248	-	0.19	0.18	0.18	0.18	0.19	(0.01)	8,000	151	0.188
BH	173.00	304248	173.00	173.00	168.50	170.00	169.50	170.00	(3.00)	23,325	396,850	170.139
BH-P	22.80	304248	-	-	-	-	17.20	-	-	-	-	0
BH-Q	23.40	304248	-	-	-	-	21.20	-	-	-	-	0
BH01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BH01C2505A	0.04	304248	-	0.02	0.02	0.02	0.01	0.02	(0.02)	1,000	2	0.02
BH01C2506A	0.02	304248	-	0.02	0.02	0.02	0.02	0.03	-	10	-	0.02
BH01C2507A	0.41	304248	-	0.39	0.35	0.36	0.36	0.37	(0.05)	64,757	2,375	0.366
BH01P2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BH01P2507A	0.41	304248	-	0.45	0.41	0.43	0.43	0.44	0.02	29,736	1,274	0.428
BH13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
BH13C2504B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BH13C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
BH13C2506A	0.19	304248	0.19	0.19	0.16	0.16	0.16	0.17	(0.03)	45,827	778	0.169
BH13C2508A	0.63	304248	0.60	0.63	0.55	0.57	0.57	0.58	(0.06)	96,871	5,615	0.579
BH19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BH19C2504B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BH19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BH19C2506A	0.03	304248	-	-	-	-	0.02	0.03	-	-	-	0
BH19C2506B	0.15	304248	-	0.15	0.12	0.13	0.13	0.14	(0.02)	51,939	685	0.131
BH19C2508A	0.52	304248	-	0.50	0.45	0.47	0.47	0.48	(0.05)	80,460	3,844	0.477
BH19P2504A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1	-	0.01
BH41C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
BH41C2505A	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
BH41C2605T	0.11	304248	-	0.10	0.10	0.10	0.09	0.10	(0.01)	286	3	0.1
BH41C2609T	0.30	304248	-	0.30	0.28	0.29	0.29	0.30	(0.01)	90,500	2,641	0.291
BH41P2504A	0.16	304248	-	-	-	-	-	-	-	-	-	0
BH41P2508A	0.34	304248	-	0.35	0.35	0.35	0.35	0.36	0.01	20,796	728	0.35
BKGI	1.94	304248	1.93	1.94	1.81	1.90	1.89	1.90	(0.04)	21,685	4,121	1.9
CHG	1.68	304248	1.67	1.68	1.63	1.67	1.66	1.67	(0.01)	435,505	71,812	1.648
CHG13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
CHG19C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
CMR	1.34	304248	-	1.34	1.28	1.33	1.32	1.33	(0.01)	1,278	166	1.295
EKH	6.40	304248	6.40	6.40	6.35	6.40	6.35	6.40	-	8,415	5,353	6.361
KDH	87.75	304248	-	87.75	87.75	87.75	87.75	88.00	-	1	9	87.75
LPH	3.60	304248	3.60	3.62	3.58	3.62	3.58	3.62	0.02	533	193	3.611
M-CHAI	19.40	304248	-	19.30	18.70	18.80	18.70	18.80	(0.60)	537	1,016	18.916
MASTER	21.80	304248	21.80	21.80	20.50	20.50	20.50	20.70	(1.30)	16,386	34,364	20.971
MEDEZE	7.30	304248	7.30	7.30	6.90	6.90	6.90	6.95	(0.40)	35,607	25,065	7.039
NEW	97.00	304248	-	-	-	-	80.25	118.00	-	-	-	0
NKT	4.64	304248	4.54	4.64	4.46	4.46	4.46	4.48	(0.18)	8,433	3,809	4.517
NTV	27.25	304248	26.75	27.25	26.25	27.00	26.50	27.25	(0.25)	580	1,560	26.903
PHG	13.90	304248	13.90	13.90	13.70	13.70	13.70	13.80	(0.20)	400	549	13.715
PR9	20.80	304248	20.80	21.40	20.70	21.30	21.20	21.30	0.50	39,163	82,656	21.105
PR901C2507A	0.13	304248	-	0.16	0.13	0.15	0.15	0.16	0.02	39,723	557	0.14
PR913C2505A	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
PR913C2506A	0.04	304248	-	0.05	0.05	0.05	0.04	0.05	0.01	5,000	25	0.05
PR919C2506A	0.04	304248	-	-	-	-	0.03	0.04	-	-	-	0
PR941C2609T	0.34	304248	-	0.36	0.35	0.36	0.36	0.37	0.02	34,400	1,228	0.356
PRINC	2.32	304248	2.32	2.34	2.28	2.28	2.28	2.32	(0.04)	3,876	897	2.314
RAM	18.50	304248	18.30	18.50	18.00	18.20	18.20	18.30	(0.30)	434	793	18.276
RJH	13.70	304248	13.70	13.70	13.40	13.50	13.50	13.60	(0.20)	4,623	6,248	13.514
RPH	5.35	304248	5.30	5.35	5.25	5.35	5.30	5.35	-	5,327	2,808	5.27
SAFE	8.75	304248	-	8.95	8.65	8.65	8.65	8.80	(0.10)	680	592	8.699
SKR	7.80	304248	7.80	7.80	7.45	7.45	7.45	7.60	(0.35)	2,147	1,618	7.538
THG	10.60	304248	10.50	10.50	10.00	10.30	10.30	10.40	(0.30)	10,484	10,700	10.205
VIBHA	1.56	304248	1.52	1.54	1.51	1.54	1.52	1.54	(0.02)	19,404	2,960	1.525
VIBHA-W4	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
VIH	7.05	304248	7.00	7.05	6.85	7.05	6.95	7.05	-	4,313	3,006	6.969
VIH-W1	1.00	304248	-	-	-	-	0.72	0.97	-	-	-	0
WPH	8.00	304248	7.85	7.95	7.70	7.80	7.75	7.80	(0.20)	5,481	4,272	7.794
Tourism & Leisure												
ASIA	5.10	304248	5.10	5.15	4.70	4.70	4.70	5.05	(0.40)	516	245	4.742
BEYOND	6.95	304248	-	6.70	6.65	6.70	6.65	6.70	(0.25)	70	47	6.655
CENTEL	28.25	304248	28.00	28.25	27.00	27.00	27.00	27.25	(1.25)	27,828	76,512	27.494
CENTEL01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL01C2508A	0.09	304248	-	0.09	0.07	0.07	0.07	0.08	(0.02)	16,844	151	0.089
CENTEL13C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL13C2506A	0.04	304248	-	-	-	-	0.02	0.03	-	-	-	0
CENTEL13C2508A	0.14	304248	0.14	0.14	0.12	0.13	0.11	0.12	(0.01)	38,013	478	0.125
CENTEL19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL19C2506A	0.08	304248	-	0.07	0.06	0.06	0.05	0.06	(0.02)	19,215	132	0.068
CENTEL19C2508A	1.00	304248	-	0.20	0.19	0.19	0.18	0.19	(0.81)	17,330	343	0.198
CENTEL41C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CENTEL41C2606T	0.22	304248	-	0.21	0.21	0.21	0.19	0.20	(0.01)	16,000	336	0.21
CSR	84.00	304248	-	-	-	-	76.00	86.50	-	-	-	0
DUSIT	8.35	304248	8.40	8.40	8.25	8.25	8.25	8.35	(0.10)	2,700	2,250	8.334
ERW	2.62	304248	2.56	2.62	2.46	2.50	2.48	2.50	(0.12)	288,447	72,592	2.516
ERW01C2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	4,641	5	0.01
ERW01C2507A	0.06	304248	-	0.05	0.04	0.04	0.03	0.04	(0.02)	530	2	0.042
ERW13C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
ERW13C2507A	0.05	304248	-	0.04	0.03	0.03	0.03	0.04	(0.02)	18,500	65	0.034
ERW13C2508A	0.19	304248	-	0.18	0.14	0.15	0.15	0.17	(0.04)	157,088	2,586	0.164
ERW19C2506A	0.09	304248	-	-	-	-	0.01	0.02	-	-	-	0
ERW19C2508A	0.22	304248	-	0.21	0.17	0.17	0.16	0.17	(0.05)	84,225	1,559	0.185
ERW41C2606T	0.11	304248	-	-	-	-	0.09	0.10	-	-	-	0
GRAND	0.04	304248	-	0.05	0.04	0.05	0.04	0.05	0.01	625	3	0.04
LRH	38.00	304248	33.50	37.75	33.50	37.25	36.75	38.00	(0.75)	46	169	36.842
MANRIN	22.60	304248	-	-	-	-	22.00	27.00	-	-	-	0
MINT	26.75	304248	26.75	26.75	25.75	26.00	25.75	26.00	(0.75)	125,200	327,107	26.127
MINT01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
MINT01C2506A	0.58	304248	-	-	-	-	0.30	0.35	-	-	-	0
MINT01C2507A	0.11	304248	-	0.10	0.09	0.09	0.08	0.09	(0.02)	413	4	0.097
MINT13C2505A	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
MINT13C2506A	0.43	304248	-	-	-	-	0.23	0.25	-	-	-	0
MINT13C2506B	0.11	304248	0.11	0.11	0.08	0.09	0.09	0.10	(0.02)	39,531	387	0.097
MINT19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
MINT19C2506A	0.34	304248	-	0.30	0.30	0.30	0.25	0.31	(0.04)	94	3	0.3
MINT19C2508A	0.15	304248	-	0.15	0.13	0.13	0.12	0.13	(0.02)	12,860	174	0.135
MINT41C2504A	0.09	304248	-	-	-	-	-	-	-	-	-	0
MINT41C2604T	0.06	304248	-	-	-	-	0.05	0.06	-	-	-	0
MINT41C2612T	0.25	304248	-	0.23	0.22	0.22	0.22	0.23	(0.03)	6,194	139	0.224
OHTL	338.00	304248	-	348.00	340.00	344.00	339.00	348.00	6.00	41	1,410	344
ROH	1.87	304248	-	1.85	1.77	1.85	1.79	1.85	(0.02)	22	4	1.782
SHANG	49.00	304248	-	49.00	49.00	49.00	46.25	49.00	-	150	735	49
SHR	1.90	304248	1.90	1.91	1.85	1.86	1.85	1.86	(0.04)	48,194	8,996	1.866
SPA	4.16	304248	4.16	4.16	4.00	4.04	4.02	4.04	(0.12)	24,170	9,791	4.051
VRANDA	4.56	304248	-	4.56	4.48	4.54	4.46	4.54	(0.02)	185	83	4.501
Home & Office Prodi												
AJA	0.10	304248	0.10	0.10	0.09	0.09	0.09	0.10	(0.01)	165,618	1,512	0.091
DTCI	30.75	304248	-	-	-	-	26.50	29.50	-	-	-	0
FANCY	0.43	304248	0.42	0.44	0.40	0.42	0.42	0.43	(0.01)	5,065	213	0.421
FTI	1.94	304248	1.93	1.93	1.83	1.84	1.84	1.92	(0.10)	274	52	1.906
KYE	297.00	304248	-	297.00	294.00	294.00	294.00	297.00	(3.00)	14	414	295.857
L&E	1.20	304248	1.20	1.20	1.20	1.20	1.19	1.20	-	358	43	1.2
MODERN	2.24	304248	2.28	2.30	2.22	2.26	2.20	2.26	0.02	659	147	2.236
OGC	9.55	304248	-	-	-	-	9.50	10.20	-	-	-	0
ROCK	13.00	304248	-	13.00	13.00	13.00	12.30	12.90	-	2	3	13
SIAM	0.71	304248	-	0.70	0.68	0.70	0.69	0.70	(0.01)	395	27	0.69
TCMC	0.44	304248	0.44	0.44	0.41	0.41	0.41	0.43	(0.03)	8,282	349	0.42
TSR	0.19	304248	-	0.20	0.18	0.19	0.18	0.19	-	6,823	126	0.184
TSR-W2	0.01	304248	-	0.01	0.01	0.01	-	0.01	-	2,011	2	0.01
Insurance												
AYUD	31.50	304248	32.00	32.00	31.50	31.50	31.25	31.50	-	112	353	31.542
BKIH	282.00	304248	280.00	282.00	278.00	279.00	279.00	280.00	(3.00)	181	5,063	279.734
BLA	17.80	304248	17.80	17.80	16.60	16.80	16.70	16.80	(1.00)	27,218	46,355	17.031
BLA01C2508A	0.17	304248	-	0.16	0.12	0.12	0.12	0.13	(0.05)	16,728	220	0.131
BLA13C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BLA13C2507A	0.08	304248	-	0.07	0.05	0.05	0.05	0.06	(0.03)	1,813	9	0.05
BLA19C2506A	0.08	304248	-	-	-	-	0.04	0.05	-	-	-	0
BLA41C2606T	0.25	304248	-	0.25	0.21	0.21	0.21	0.22	(0.04)	12,001	281	0.234
BUI	20.00	304248	20.00	20.00	19.60	20.00	19.90	20.00	-	849	1,692	19.926
CHARAN	17.30	304248	-	-	-	-	16.50	19.90	-	-	-	0
INSURE	95.75	304248	-	95.00	90.25	90.25	90.00	96.50	(5.50)	10	94	94.25
KWI	0.30	304248	-	-	-	-	-	-	-	-	-	0
MTI	110.00	304248	107.50	110.00	107.00	110.00	108.00	110.00	-	80	872	109.025
NKI	22.50	304248	-	23.00	21.50	23.00	21.50	23.00	0.50	17	37	21.588
TGH	11.50	304248	-	-	-	-	11.20	12.20	-	-	-	0
THRE	0.40	304248	0.40	0.40	0.37	0.39	0.39	0.40	(0.01)	26,774	1,025	0.382
THREL	1.43	304248	1.36	1.43	1.33	1.36	1.36	1.38	(0.07)	1,581	215	1.36
TIPH	18.40	304248	18.60	18.60	17.60	17.70	17.70	17.90	(0.70)	25,859	46,300	17.904
TLI	11.70	304248	11.70	11.70	11.20	11.20	11.20	11.30	(0.50)	70,312	80,040	11.383
TLI01C2507A	0.20	304248	-	0.18	0.17	0.17	0.15	0.17	(0.03)	19,170	344	0.179
TLI13C2505A	0.07	304248	-	0.06	0.06	0.06	0.05	0.06	(0.01)	14,594	88	0.06
TLI19C2506A	0.16	304248	-	0.14	0.12	0.12	0.12	0.13	(0.04)	58,082	804	0.138
TLI41C2606T	0.29	304248	-	0.28	0.28	0.28	0.26	0.27	(0.01)	1,275	36	0.28
TQM	14.10	304248	14.10	14.10	13.50	14.00	13.90	14.00	(0.10)	6,951	9,587	13.792
TSI	0.05	304248	-	0.05	0.04	0.04	0.04	0.05	(0.01)	5,482	22	0.04
TVH	8.55	304248	-	8.20	8.10	8.10	8.05	8.15	(0.45)	131	106	8.109
Packaging												
AJ	2.18	304248	2.16	2.16	2.06	2.08	2.08	2.10	(0.10)	4,191	881	2.101
ALUCON	180.00	304248	180.00	180.00	179.00	180.00	179.00	180.00	-	12	216	179.75
BGC	5.70	304248	5.60	5.60	5.55	5.55	5.55	5.65	(0.15)	999	556	5.564
CSC	43.25	304248	-	43.00	42.75	43.00	42.50	43.00	(0.25)	65	278	42.807
CSC-P	150.00	304248	-	-	-	-	-	-	-	-	-	0
CSC-Q	76.00	304248	-	-	-	-	-	-	-	-	-	0
NEP	0.23	304248	0.22	0.23	0.22	0.23	0.22	0.23	-	406	9	0.22
PJW	2.16	304248	-	2.16	2.12	2.16	2.14	2.16	-	790	169	2.137
PTL	10.40	304248	10.40	10.40	9.95	10.00	10.00	10.10	(0.40)	4,395	4,415	10.044
SCGP	12.70	304248	12.70	12.70	11.90	12.20	12.20	12.30	(0.50)	170,742	208,788	12.228
SCGP01C2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	5,024	5	0.01
SCGP01C2504W	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	11,312	11	0.01
SCGP01C2506A	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2507A	0.04	304248	-	0.03	0.03	0.03	0.02	0.03	(0.01)	1,650	5	0.03
SCGP01C2508A	0.14	304248	0.14	0.14	0.11	0.11	0.11	0.12	(0.03)	106,712	1,238	0.115
SCGP01P2507A	0.70	304248	0.69	0.84	0.69	0.77	0.77	0.82	0.07	18,107	1,402	0.774
SCGP13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SCGP13C2504B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2506A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2506B	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	500	1	0.01
SCGP13C2507A	0.09	304248	0.08	0.08	0.06	0.06	0.06	0.07	(0.03)	33,618	233	0.069
SCGP13C2508A	0.22	304248	0.22	0.22	0.17	0.18	0.18	0.19	(0.04)	127,811	2,358	0.184
SCGP13P2504A	0.95	304248	-	-	-	-	-	-	-	-	-	0
SCGP13P2504B	0.59	304248	-	-	-	-	1.01	1.12	-	-	-	0
SCGP13P2506A	0.44	304248	-	0.56	0.56	0.56	0.56	0.63	0.12	1	-	0.56
SCGP19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2505A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	1	-	0.01
SCGP19C2506A	0.04	304248	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2506B	0.02	304248	0.02	0.02	0.02	0.02	0.01	0.02	-	10	-	0.02
SCGP19C2507A	0.16	304248	0.16	0.16	0.12	0.13	0.13	0.14	(0.03)	178,593	2,265	0.126
SCGP19P2505A	0.82	304248	-	-	-	-	1.30	1.45	-	-	-	0
SCGP41C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
SCGP41C2606T	0.13	304248	-	0.13	0.11	0.11	0.11	0.12	(0.02)	6,120	75	0.123
SFLEX	2.94	304248	2.94	3.00	2.82	3.00	2.98	3.00	0.06	79,651	23,061	2.895
SFLEX-W2	0.04	304248	0.04	0.05	0.04	0.05	0.04	0.05	0.01	7,551	30	0.04
SITHAI	1.09	304248	-	1.09	1.06	1.08	1.07	1.08	(0.01)	1,436	153	1.065
SLP	0.37	304248	-	0.38	0.37	0.38	0.36	0.38	0.01	527	20	0.37
SMPC	9.10	304248	8.75	8.80	8.65	8.65	8.65	8.70	(0.45)	1,720	1,500	8.718
SPACK	1.38	304248	-	1.41	1.36	1.39	1.37	1.40	0.01	88	12	1.394
TCOAT	24.90	304248	-	-	-	-	22.20	25.25	-	-	-	0
TFI	0.05	304248	-	0.05	0.04	0.05	0.04	0.05	-	2,502	10	0.04
TFI-W1	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
THIP	26.00	304248	-	26.00	25.25	25.25	25.25	25.50	(0.75)	102	261	25.571
TMD	24.40	304248	-	24.30	24.00	24.10	24.10	24.20	(0.30)	31	75	24.103
TOPP	155.00	304248	-	-	-	-	155.00	201.00	-	-	-	0
TPAC	7.90	304248	-	7.85	7.20	7.40	7.35	7.40	(0.50)	3,254	2,447	7.519
TPBI	3.90	304248	3.86	3.86	3.76	3.80	3.80	3.84	(0.10)	2,777	1,058	3.811
TPP	12.00	304248	-	-	-	-	10.90	12.00	-	-	-	0
Personal Products												
APCO	3.28	304248	3.24	3.28	3.22	3.26	3.22	3.26	(0.02)	598	194	3.246
BIZ	3.16	304248	3.14	3.22	3.10	3.20	3.20	3.22	0.04	4,231	1,338	3.162
BLC	4.00	304248	4.00	4.00	3.84	3.96	3.86	3.96	(0.04)	21,575	8,421	3.902
DDD	6.45	304248	-	6.45	6.25	6.35	6.30	6.40	(0.10)	460	291	6.329
IP	3.64	304248	3.68	3.70	3.40	3.48	3.48	3.50	(0.16)	14,182	5,062	3.569
IP-W2	0.10	304248	0.11	0.12	0.08	0.08	0.08	0.09	(0.02)	12,887	120	0.093
JCT	79.00	304248	-	78.75	78.75	78.75	78.00	78.50	(0.25)	1	8	78.75
KISS	3.86	304248	-	3.86	3.74	3.76	3.74	3.76	(0.10)	2,766	1,045	3.779
NAM	4.22	304248	4.10	4.26	4.08	4.08	4.08	4.14	(0.14)	2,183	899	4.116
NEO	29.50	304248	29.50	29.75	28.75	29.75	29.75	30.00	0.25	5,336	15,540	29.122
NV	0.71	304248	-	0.68	0.61	0.61	0.60	0.61	(0.10)	2,332	150	0.641
OCC	8.85	304248	-	8.50	8.50	8.50	8.45	8.50	(0.35)	1	1	8.5
S&J	34.25	304248	-	34.25	33.00	33.00	32.00	33.00	(1.25)	8	27	33.781
SNPS	4.94	304248	4.86	4.92	4.32	4.88	4.88	4.90	(0.06)	49,010	22,961	4.685
STGT	7.00	304248	7.00	7.00	6.70	6.75	6.75	6.80	(0.25)	82,015	55,892	6.814
STGT01C2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	999	1	0.01
STGT13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
STGT13C2506A	0.05	304248	-	0.03	0.03	0.03	0.03	0.04	(0.02)	200	1	0.03
STGT13C2508A	0.24	304248	-	0.23	0.20	0.20	0.20	0.21	(0.04)	74,848	1,566	0.209
STGT19C2504A	0.07	304248	0.01	0.01	0.01	0.01	0.01	0.02	(0.06)	1,000	1	0.01
STGT19C2504B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
STGT19C2509A	0.31	304248	-	0.31	0.27	0.27	0.27	0.28	(0.04)	28,805	807	0.28
STGT41C2606T	0.15	304248	-	0.14	0.14	0.14	0.13	0.14	(0.01)	3,000	42	0.14
TMAN	11.50	304248	11.50	11.50	10.50	10.70	10.70	11.00	(0.80)	10,027	10,987	10.957
TNR	7.60	304248	7.60	7.60	7.50	7.50	7.50	7.55	(0.10)	688	519	7.545
TOG	8.60	304248	8.60	8.60	8.00	8.00	8.00	8.15	(0.60)	1,255	1,041	8.296
Professional Service												
BWG	0.26	304248	0.26	0.27	0.25	0.25	0.25	0.26	(0.01)	221,538	5,709	0.257
BWG-W6	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
GENCO	0.29	304248	-	0.29	0.25	0.28	0.26	0.28	(0.01)	1,462	39	0.265
PRTR	3.68	304248	-	3.76	3.64	3.70	3.68	3.70	0.02	204	75	3.689
SISB	16.50	304248	16.50	17.40	16.40	17.00	17.00	17.10	0.50	48,465	82,125	16.945
SISB13C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
SISB13C2506A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
SISB13C2506B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
SISB13C2508A	0.26	304248	0.29	0.31	0.26	0.29	0.29	0.30	0.03	45,762	1,322	0.288
SISB19C2507A	0.03	304248	-	0.03	0.03	0.03	0.02	0.03	-	4	-	0.03
SO	4.14	304248	4.10	4.14	4.10	4.12	4.10	4.12	(0.02)	123	51	4.107
WAVE	0.05	304248	0.05	0.05	0.04	0.05	0.04	0.05	-	20,050	87	0.043
WAVE-W3	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
WAVE-W4	0.02	304248	0.02	0.02	0.02	0.02	0.01	0.02	-	1,103	2	0.02
Property Developme												
A	4.80	304248	-	-	-	-	4.60	4.80	-	-	-	0
A5	2.28	304248	-	2.32	2.22	2.32	2.28	2.32	0.04	939	216	2.296
A5-W4	0.03	304248	-	0.03	0.02	0.03	0.02	0.03	-	5,053	10	0.02
AKS	0.01	304248	0.01	0.01	0.01	0.01	-	0.01	-	585	1	0.01
AMATA	18.00	304248	17.20	17.30	15.30	15.50	15.50	15.60	(2.50)	650,952	1,039,724	15.972
AMATA01C2507A	0.03	304248	-	-	-	-	0.01	0.08	-	-	-	0
AMATA01C2508A	0.08	304248	-	0.08	0.07	0.08	0.07	0.08	-	2,319	17	0.071
AMATA13C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
AMATA13C2506A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
AMATA13C2506B	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
AMATA13C2508A	0.14	304248	0.11	0.11	0.05	0.06	0.06	0.07	(0.08)	307,687	2,387	0.077
AMATA19C2505A	0.05	304248	-	-	-	-	0.01	0.02	-	-	-	0
AMATA19C2508A	0.10	304248	0.08	0.08	0.03	0.04	0.04	0.05	(0.06)	15,669	85	0.054
AMATA41C2505A	0.04	304248	-	-	-	-	0.01	0.02	-	-	-	0
AMATA41C2608T	0.20	304248	-	0.11	0.09	0.09	0.08	0.09	(0.11)	68,331	685	0.1
AMATAV	3.36	304248	3.38	3.38	3.28	3.28	3.28	3.30	(0.08)	377	125	3.317
ANAN	0.49	304248	0.48	0.49	0.46	0.47	0.46	0.47	(0.02)	39,417	1,869	0.474
AP	7.70	304248	7.70	7.70	7.45	7.55	7.50	7.55	(0.15)	152,242	114,860	7.544
AP01C2507A	0.16	304248	-	0.15	0.13	0.13	0.13	0.14	(0.03)	20,034	280	0.139

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ASW	6.35	304248	6.30	6.30	6.25	6.30	6.25	6.30	(0.05)	807	505	6.255
AWC	2.40	304248	2.44	2.44	2.34	2.34	2.32	2.34	(0.06)	720,572	170,583	2.367
AWC01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
AWC01C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
AWC01C2508A	0.07	304248	0.08	0.08	0.05	0.05	0.05	0.06	(0.02)	18,267	128	0.07
AWC13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
AWC13C2506A	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
AWC13C2508A	0.09	304248	-	0.08	0.07	0.07	0.06	0.07	(0.02)	73,082	516	0.07
AWC19C2504A	0.06	304248	-	-	-	-	0.01	0.02	-	-	-	0
AWC19C2506A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
AWC41C2606T	0.08	304248	-	0.07	0.07	0.07	0.06	0.07	(0.01)	1	-	0.07
BLAND	0.43	304248	0.43	0.43	0.41	0.42	0.41	0.42	(0.01)	113,496	4,766	0.419
BRI	1.92	304248	1.90	1.90	1.85	1.87	1.86	1.87	(0.05)	5,543	1,036	1.869
BROCK	1.50	304248	1.24	1.79	1.24	1.51	1.30	1.52	0.01	10	1	1.454
CGD	0.21	304248	0.21	0.21	0.18	0.20	0.19	0.20	(0.01)	80,475	1,587	0.197
CI	0.36	304248	-	0.36	0.34	0.34	0.34	0.35	(0.02)	1,134	40	0.349
CMC	0.86	304248	0.84	0.85	0.75	0.83	0.82	0.83	(0.03)	5,663	457	0.807
CPN	48.75	304248	48.50	48.75	47.75	48.25	48.00	48.25	(0.50)	73,994	356,605	48.193
CPN01C2505A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	2,800	3	0.01
CPN01C2506A	0.11	304248	-	0.11	0.09	0.10	0.10	0.11	(0.01)	36,996	369	0.099
CPN01C2606T	1.00	304248	-	0.24	0.24	0.24	0.24	0.25	(0.76)	6,230	150	0.24
CPN13C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPN13C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPN13C2507A	0.14	304248	-	0.14	0.12	0.13	0.13	0.14	(0.01)	38,739	504	0.13
CPN19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPN19C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPN19C2508A	0.21	304248	-	0.21	0.19	0.20	0.20	0.21	(0.01)	62,911	1,249	0.198
CPN41C2504A	0.11	304248	-	-	-	-	-	-	-	-	-	0
CPN41C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
CPN41C2608T	0.31	304248	-	0.31	0.30	0.30	0.30	0.31	(0.01)	76,000	2,293	0.301
ESTAR	0.20	304248	0.20	0.20	0.18	0.18	0.18	0.19	(0.02)	15,937	302	0.189
EVER	0.06	304248	0.06	0.07	0.05	0.06	0.06	0.07	-	72,528	430	0.059
FPT	6.50	304248	-	-	-	-	6.45	6.50	-	-	-	0
GLAND	1.04	304248	-	0.82	0.82	0.82	0.82	1.04	(0.22)	504	41	0.82
J	0.95	304248	0.93	0.95	0.90	0.93	0.90	0.93	(0.02)	1,424	131	0.92
J-W3	0.13	304248	-	0.12	0.09	0.11	0.10	0.11	(0.02)	6,092	60	0.098
J-W4	0.20	304248	-	-	-	-	0.12	0.20	-	-	-	0
JCK	0.16	304248	0.16	0.16	0.14	0.15	0.14	0.15	(0.01)	89,124	1,344	0.15
KC	0.04	304248	0.04	0.04	0.04	0.04	0.03	0.04	-	30,109	120	0.04
KUN	1.21	304248	-	1.19	1.16	1.19	1.17	1.19	(0.02)	43	5	1.172
KUN-W2	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
LALIN	5.15	304248	5.30	5.30	5.10	5.15	5.10	5.15	-	822	425	5.173
LH	4.22	304248	4.24	4.26	4.20	4.26	4.24	4.26	0.04	245,988	104,082	4.231
LH19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
LPN	2.06	304248	1.99	2.04	1.99	2.00	2.00	2.02	(0.06)	16,401	3,287	2.004
MBK	16.70	304248	16.60	16.60	16.00	16.00	16.00	16.10	(0.70)	12,148	19,736	16.246
MBK-W4	14.10	304248	14.00	14.10	13.50	13.50	13.50	14.00	(0.60)	1,664	2,262	13.591
MBK19C2508A	0.10	304248	-	0.08	0.08	0.08	0.07	0.08	(0.02)	200	2	0.08
MJD	0.53	304248	-	0.55	0.52	0.52	0.52	0.53	(0.01)	3,220	170	0.529
MK	1.42	304248	1.40	1.42	1.35	1.42	1.36	1.42	-	1,562	221	1.413
NCH	0.65	304248	0.65	0.66	0.64	0.65	0.64	0.65	-	5,761	374	0.65
NNCL	1.61	304248	1.59	1.62	1.53	1.58	1.57	1.58	(0.03)	1,935	301	1.556
NOBLE	2.16	304248	2.14	2.14	2.08	2.10	2.10	2.12	(0.06)	5,530	1,158	2.094
NVD	1.22	304248	-	1.22	1.19	1.21	1.20	1.21	(0.01)	221	26	1.194
ORI	1.91	304248	1.90	1.93	1.87	1.93	1.92	1.93	0.02	81,380	15,423	1.895
ORN	0.69	304248	0.69	0.69	0.64	0.68	0.67	0.68	(0.01)	21,362	1,408	0.659
PEACE	2.40	304248	-	2.38	2.24	2.34	2.28	2.32	(0.06)	48	11	2.37
PF	0.10	304248	0.10	0.11	0.09	0.09	0.09	0.10	(0.01)	96,374	959	0.099
PIN	6.20	304248	6.15	6.15	5.80	5.90	5.90	5.95	(0.30)	90,523	54,170	5.984
PLAT	1.50	304248	-	1.53	1.45	1.45	1.45	1.46	(0.05)	8,306	1,218	1.466
PRECHA	0.35	304248	0.33	0.35	0.31	0.35	0.35	0.36	-	1,101	36	0.327
PRIN	1.64	304248	-	1.65	1.65	1.65	1.63	1.64	0.01	5	1	1.65
PROUD	1.26	304248	-	1.25	1.25	1.25	1.25	1.27	(0.01)	805	101	1.25
PSH	4.72	304248	4.70	4.70	4.54	4.58	4.56	4.58	(0.14)	18,309	8,437	4.607
QH	1.56	304248	1.56	1.56	1.50	1.51	1.51	1.52	(0.05)	392,344	59,654	1.52
RABBIT	0.32	304248	0.31	0.32	0.28	0.29	0.29	0.30	(0.03)	123,130	3,667	0.297
RABBIT-P	0.50	304248	-	0.50	0.48	0.49	0.49	0.50	(0.01)	37,579	1,834	0.488
RABBIT-Q	4.00	304248	-	-	-	-	-	-	-	-	-	0
RICHY	0.36	304248	0.35	0.35	0.30	0.31	0.31	0.32	(0.05)	4,748	154	0.324
RML	0.15	304248	0.15	0.16	0.15	0.15	0.15	0.16	-	1,452	22	0.153
ROJNA	5.45	304248	5.40	5.45	5.10	5.10	5.10	5.20	(0.35)	77,376	40,437	5.226
S	0.63	304248	0.62	0.62	0.60	0.61	0.60	0.61	(0.02)	11,391	693	0.608
SA	7.45	304248	7.35	7.45	7.30	7.40	7.35	7.40	(0.05)	1,115	823	7.377
SA-W1	0.01	304248	0.01	0.01	0.01	0.01	-	0.01	-	50	-	0.01
SAMCO	0.70	304248	0.71	0.71	0.69	0.69	0.69	0.70	(0.01)	2,337	163	0.695
SC	2.36	304248	2.36	2.38	2.28	2.34	2.34	2.36	(0.02)	43,339	10,117	2.334
SENA	1.99	304248	1.96	1.98	1.95	1.96	1.96	1.97	(0.03)	6,505	1,274	1.959
SIRI	1.46	304248	1.45	1.45	1.41	1.41	1.40	1.41	(0.05)	611,457	86,969	1.422
SIRI01C2504A	0.04	304248	-	-	-	-	0.01	0.03	-	-	-	0
SIRI13C2508A	0.11	304248	-	0.11	0.09	0.09	0.09	0.10	(0.02)	16,632	163	0.097
SIRI19C2508A	0.13	304248	-	0.12	0.11	0.11	0.10	0.11	(0.02)	17,115	193	0.112
SIRI41C2606T	0.21	304248	-	0.20	0.19	0.19	0.19	0.20	(0.02)	17,002	333	0.195
SPALI	16.20	304248	16.30	16.30	15.90	15.90	15.90	16.00	(0.30)	62,746	100,705	16.052
SPALI13C2507A	0.15	304248	-	0.14	0.13	0.13	0.13	0.14	(0.02)	45,940	619	0.134
SPALI19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
SPALI19C2509A	0.27	304248	-	0.27	0.26	0.26	0.25	0.26	(0.01)	31,003	816	0.263
SPALI41C2609T	0.27	304248	0.27	0.27	0.26	0.26	0.25	0.26	(0.01)	11,400	301	0.264
STELLA	0.23	304248	0.23	0.23	0.19	0.22	0.21	0.22	(0.01)	220,597	4,506	0.204
STELLA-W5	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
STELLA-W6	0.08	304248	-	0.08	0.07	0.08	0.06	0.09	-	1,190	9	0.071
UV	1.02	304248	1.02	1.02	0.96	0.98	0.97	0.98	(0.04)	16,611	1,620	0.975
WHA	3.10	304248	3.02	3.04	2.92	2.94	2.94	2.96	(0.16)	2,978,143	884,544	2.97
WHA01C2504A	0.02	304248	-	-	-	-	0.01	0.08	-	-	-	0

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
WHA01C2506A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
WHA01C2507A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	65	-	0.01
WHA01C2508A	0.17	304248	0.16	0.16	0.12	0.12	0.12	0.13	(0.05)	73,336	977	0.133
WHA13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
WHA13C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
WHA13C2506A	0.01	304248	-	-	-	-	-	0.02	-	-	-	0
WHA13C2506B	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	401	-	0.01
WHA13C2507A	0.07	304248	0.05	0.05	0.04	0.04	0.04	0.05	(0.03)	43,691	214	0.049
WHA13C2507B	0.12	304248	0.10	0.11	0.09	0.09	0.09	0.10	(0.03)	23,911	241	0.1
WHA19C2504A	0.01	304248	-	-	-	-	0.01	0.09	-	-	-	0
WHA19C2506A	0.02	304248	-	-	-	-	0.01	0.09	-	-	-	0
WHA19C2507A	0.07	304248	0.07	0.07	0.05	0.05	0.05	0.06	(0.02)	15,113	90	0.059
WHA41C2605T	0.03	304248	-	-	-	-	0.02	0.04	-	-	-	0
WHA41C2608T	0.13	304248	-	0.12	0.12	0.12	0.11	0.12	(0.01)	77,500	930	0.12
WIN	0.35	304248	0.33	0.35	0.33	0.33	0.32	0.33	(0.02)	1,202	40	0.335
Paper & Printing Mat												
UTP	7.80	304248	7.70	7.80	7.65	7.70	7.70	7.75	(0.10)	1,863	1,439	7.721
Fashion												
AFC	4.02	304248	-	4.04	3.88	4.04	3.82	4.02	0.02	23	9	3.998
AURA	17.70	304248	17.70	17.80	17.30	17.70	17.70	17.80	-	30,839	54,240	17.588
BTNC	12.50	304248	-	12.30	12.20	12.20	12.20	13.30	(0.30)	9	11	12.222
CPH	7.40	304248	-	7.40	7.05	7.20	7.15	7.20	(0.20)	409	293	7.172
CPL	0.78	304248	-	0.78	0.75	0.76	0.76	0.77	(0.02)	222	17	0.764
NC	2.42	304248	-	2.40	2.30	2.34	2.34	2.40	(0.08)	77	18	2.336
PAF	0.73	304248	0.75	0.76	0.71	0.75	0.73	0.74	0.02	532	40	0.749
PDJ	1.68	304248	1.66	1.68	1.66	1.68	1.65	1.68	-	731	122	1.665
PG	6.90	304248	-	6.75	6.40	6.40	6.35	6.40	(0.50)	210	137	6.513
SABINA	18.40	304248	18.30	18.30	17.90	18.20	18.10	18.20	(0.20)	8,733	15,758	18.043
SAWANG	10.60	304248	-	-	-	-	9.55	10.40	-	-	-	0
SUC	29.00	304248	-	29.00	28.50	28.75	28.50	28.75	(0.25)	700	2,008	28.691
TR	31.25	304248	-	-	-	-	30.25	32.00	-	-	-	0
TTI	24.00	304248	-	-	-	-	23.70	25.00	-	-	-	0
TTT	52.75	304248	-	50.25	50.00	50.25	49.50	51.25	(2.50)	16	80	50.156
UPF	27.50	304248	-	-	-	-	28.00	29.75	-	-	-	0
WACOAL	20.70	304248	-	20.50	20.50	20.50	20.50	20.80	(0.20)	6	12	20.5
WFX	0.91	304248	0.95	0.95	0.88	0.88	0.88	0.89	(0.03)	1,268	112	0.884
Transportation & Log												
AAV	1.54	304248	1.52	1.53	1.41	1.44	1.43	1.44	(0.10)	1,617,499	232,646	1.438
AAV13C2504A	0.02	304248	-	-	-	-	-	-	-	-	-	0
AAV13C2506A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
AAV13C2508A	0.27	304248	0.26	0.26	0.18	0.20	0.19	0.20	(0.07)	135,749	2,670	0.196
AAV19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
AAV19C2507A	0.05	304248	-	0.04	0.02	0.02	0.02	0.03	(0.03)	3,603	11	0.03
AAV41C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
AAV41C2608T	0.11	304248	-	0.11	0.09	0.09	0.09	0.10	(0.02)	22,109	219	0.099
ANI	2.64	304248	-	2.64	2.60	2.64	2.62	2.64	-	22	6	2.63
AOT	38.75	304248	38.75	39.00	37.00	37.25	37.25	37.50	(1.50)	335,256	1,260,150	37.587
AOT01C2504A	0.01	304248	0.01	0.01	0.01	0.01	0.01	0.02	-	333	-	0.01
AOT01C2506A	0.02	304248	-	0.02	0.01	0.02	0.01	0.02	-	22,710	23	0.01
AOT01C2507A	0.08	304248	-	0.07	0.05	0.05	0.05	0.06	(0.03)	2,032	11	0.054
AOT01C2507B	0.19	304248	-	0.18	0.14	0.14	0.14	0.15	(0.05)	10,009	160	0.16
AOT01C2606T	0.22	304248	-	-	-	-	0.19	0.21	-	-	-	0
AOT01P2507A	1.39	304248	-	1.49	1.48	1.49	1.50	1.56	0.10	7	1	1.488
AOT01P2507B	0.42	304248	-	0.50	0.42	0.49	0.48	0.50	0.07	1,361	59	0.436
AOT11C2507A	0.16	304248	-	0.16	0.12	0.12	0.12	0.13	(0.04)	8,843	124	0.14
AOT13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
AOT13C2506A	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
AOT13C2507A	0.01	304248	-	0.01	0.01	0.01	-	0.01	-	7,272	7	0.01
AOT13C2507B	0.07	304248	-	0.05	0.05	0.05	0.05	0.06	(0.02)	2,200	11	0.05
AOT13C2507C	0.04	304248	-	0.03	0.03	0.03	0.02	0.03	(0.01)	1	-	0.03
AOT13C2508A	0.19	304248	-	0.19	0.14	0.15	0.15	0.16	(0.04)	40,450	668	0.165
AOT13P2507A	1.25	304248	-	-	-	-	1.47	1.53	-	-	-	0
AOT13P2507B	0.32	304248	-	0.38	0.31	0.37	0.37	0.38	0.05	35,044	1,236	0.352
AOT19C2504A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
AOT19C2506A	0.01	304248	-	0.01	0.01	0.01	0.01	0.02	-	490	-	0.01
AOT19C2507A	0.02	304248	-	0.02	0.01	0.01	0.01	0.02	(0.01)	2,445	3	0.01
AOT19C2507B	0.05	304248	-	0.03	0.03	0.03	0.02	0.03	(0.02)	100	-	0.03
AOT19C2508A	0.19	304248	-	0.18	0.14	0.15	0.15	0.16	(0.04)	24,714	390	0.157
AOT19P2507A	0.32	304248	-	-	-	-	0.42	0.54	-	-	-	0
AOT41C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
AOT41C2507A	0.09	304248	-	0.06	0.06	0.06	0.05	0.06	(0.03)	3,718	22	0.06
AOT41C2605T	0.04	304248	-	0.02	0.02	0.02	0.02	0.03	(0.02)	14,110	28	0.02
AOT41C2609T	0.28	304248	-	0.28	0.25	0.25	0.25	0.26	(0.03)	25,009	680	0.271
AOT41P2504A	1.70	304248	-	-	-	-	-	-	-	-	-	0
AOT41P2606T	0.58	304248	-	-	-	-	0.59	0.60	-	-	-	0
ASIMAR	1.39	304248	1.39	1.39	1.36	1.36	1.35	1.36	(0.03)	890	121	1.363
B	0.04	304248	0.04	0.05	0.04	0.05	0.04	0.05	0.01	17,982	77	0.042
B-W8	0.01	304248	-	0.01	0.01	0.01	-	0.01	-	52	-	0.01
BA	17.50	304248	17.50	17.50	16.30	16.40	16.30	16.50	(1.10)	88,543	147,535	16.662
BA01C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BA01C2508A	0.21	304248	0.20	0.20	0.14	0.14	0.14	0.15	(0.07)	67,843	1,057	0.155
BA13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
BA13C2506A	0.08	304248	-	0.06	0.04	0.04	0.04	0.05	(0.04)	2,820	12	0.041
BA19C2507A	0.11	304248	-	0.09	0.07	0.07	0.07	0.08	(0.04)	6,162	48	0.078
BA41C2606T	0.15	304248	-	0.13	0.12	0.12	0.11	0.12	(0.03)	23,960	301	0.125
BEM	5.35	304248	5.35	5.35	5.15	5.25	5.20	5.25	(0.10)	432,316	225,634	5.219
BEM13C2505A	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	954	1	0.01
BEM13C2506A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BEM13C2508A	0.12	304248	-	0.11	0.10	0.11	0.11	0.12	(0.01)	7,534	80	0.106
BEM19C2505A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
BEM41C2606T	0.10	304248	-	0.08	0.08	0.08	0.08	0.09	(0.02)	1,000	8	0.08
BTS	5.25	304248	5.20	5.25	4.98	5.00	5.00	5.05	(0.25)	407,545	205,953	5.053
BTS-W8	0.03	304248	0.04	0.04	0.03	0.03	0.03	0.04	-	41,539	145	0.034

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BTS01C2504A	0.01	304248	-	-	-	-	0.01	0.03	-	-	-	0
BTS01C2507A	0.06	304248	-	0.04	0.04	0.04	0.03	0.04	(0.02)	500	2	0.04
BTS01C2508A	0.14	304248	-	0.13	0.10	0.11	0.11	0.12	(0.03)	50,989	592	0.116
BTS01P2504A	0.01	304248	-	0.01	0.01	0.01	0.01	0.03	-	124	-	0.01
BTS01P2505A	0.18	304248	0.17	0.22	0.17	0.20	0.20	0.21	0.02	43,071	835	0.193
BTS13C2505A	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
BTS13C2507A	0.07	304248	-	0.06	0.05	0.06	0.04	0.05	(0.01)	501	3	0.05
BTS13C2508A	0.15	304248	0.14	0.14	0.11	0.11	0.11	0.12	(0.04)	8,726	111	0.127
BTS13P2505A	0.09	304248	-	0.14	0.10	0.13	0.13	0.15	0.04	32,012	398	0.124
BTS19C2505A	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
BTS19C2508A	0.12	304248	-	0.11	0.10	0.10	0.09	0.10	(0.02)	45,200	491	0.108
BTS19P2508A	0.29	304248	-	0.33	0.29	0.32	0.32	0.43	0.03	48,223	1,455	0.301
BTS41C2504A	0.12	304248	-	-	-	-	-	-	-	-	-	0
BTS41C2504B	0.05	304248	-	-	-	-	-	-	-	-	-	0
BTS41C2608T	0.15	304248	-	0.15	0.14	0.14	0.14	0.15	(0.01)	18,000	261	0.145
BTSGIF	2.82	304248	2.82	2.84	2.80	2.82	2.80	2.82	-	36,586	10,276	2.808
DMT	10.00	304248	9.75	10.00	9.60	9.65	9.65	9.70	(0.35)	23,510	23,017	9.79
ETL	0.55	304248	0.55	0.55	0.53	0.55	0.54	0.55	-	4,515	248	0.548
III	4.82	304248	4.78	4.78	4.72	4.78	4.76	4.78	(0.04)	3,947	1,872	4.743
KEX	0.92	304248	0.93	0.94	0.91	0.91	0.91	0.92	(0.01)	54,427	4,991	0.917
KIAT	0.29	304248	0.30	0.30	0.28	0.29	0.28	0.29	-	2,099	60	0.286
KWC	340.00	304248	-	-	-	-	313.00	335.00	-	-	-	0
MENA	0.99	304248	0.99	0.99	0.95	0.96	0.96	0.97	(0.03)	4,396	425	0.965
NYT	3.36	304248	3.36	3.36	3.28	3.30	3.30	3.32	(0.06)	30,861	10,233	3.315
PORT	1.06	304248	1.02	1.06	0.99	1.02	0.99	1.02	(0.04)	13	1	1
PRM	5.80	304248	5.80	5.80	5.60	5.70	5.65	5.70	(0.10)	126,464	71,971	5.691
PSL	6.10	304248	6.05	6.05	5.60	5.65	5.60	5.65	(0.45)	90,837	52,395	5.768
RCL	22.60	304248	22.50	22.50	20.30	20.60	20.50	20.70	(2.00)	54,935	115,932	21.103
RCL01C2505A	0.03	304248	-	-	-	-	0.01	0.02	-	-	-	0
RCL01C2507A	0.12	304248	0.12	0.12	0.07	0.07	0.06	0.07	(0.05)	5,764	49	0.085
RCL13C2506A	0.06	304248	-	-	-	-	0.02	0.03	-	-	-	0
RCL13C2507A	0.38	304248	-	0.37	0.22	0.22	0.22	0.24	(0.16)	97,548	2,625	0.269
RCL19C2504A	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
RCL19C2507A	0.15	304248	-	0.12	0.08	0.08	0.08	0.09	(0.07)	2,186	22	0.099
RCL41C2505A	0.11	304248	-	-	-	-	0.01	0.02	-	-	-	0
RCL41C2608T	0.39	304248	-	0.38	0.31	0.32	0.31	0.32	(0.07)	87,196	2,947	0.337
SAV	15.00	304248	14.90	14.90	14.20	14.30	14.30	14.40	(0.70)	4,333	6,261	14.449
SINO	0.90	304248	0.88	0.89	0.87	0.88	0.86	0.88	(0.02)	2,534	224	0.883
SJWD	7.15	304248	7.15	7.15	6.65	6.85	6.80	6.85	(0.30)	38,339	26,189	6.83
SJWD13C2504A	0.01	304248	-	-	-	-	-	-	-	-	-	0
TFFIF	6.05	304248	6.05	6.05	5.90	5.95	5.95	6.00	(0.10)	81,218	48,434	5.963
THAI	3.32	304248	-	-	-	-	-	-	-	-	-	0
TSTE	13.30	304248	-	13.20	13.10	13.20	13.10	13.40	(0.10)	170	224	13.17
TTA	3.90	304248	3.90	3.90	3.60	3.70	3.68	3.70	(0.20)	78,219	28,911	3.696
WICE	2.76	304248	2.68	2.72	2.60	2.62	2.62	2.66	(0.14)	3,970	1,037	2.612
Automotive												
ACG	0.70	304248	-	0.70	0.68	0.68	0.68	0.69	(0.02)	287	20	0.682
AH	12.20	304248	11.40	12.00	11.20	11.70	11.70	11.80	(0.50)	3,130	3,581	11.442
CWT	0.55	304248	0.55	0.56	0.52	0.52	0.52	0.54	(0.03)	5,126	278	0.542
EASON	1.00	304248	-	1.00	0.98	0.99	0.98	0.99	(0.01)	9,069	898	0.99
GYT	168.00	304248	-	171.00	170.00	170.00	170.00	174.00	2.00	8	137	170.625
HFT	3.68	304248	3.62	3.68	3.60	3.66	3.64	3.66	(0.02)	4,509	1,634	3.624
IHL	1.46	304248	-	1.46	1.43	1.45	1.45	1.46	(0.01)	497	72	1.446
INGRS	0.25	304248	-	0.25	0.23	0.24	0.23	0.25	(0.01)	2,575	61	0.238
IRC	11.50	304248	-	11.30	11.20	11.20	11.20	11.50	(0.30)	118	132	11.227
MGC	2.90	304248	-	2.98	2.80	2.86	2.86	2.90	(0.04)	1,893	542	2.861
NEX	0.60	304248	0.60	0.60	0.56	0.58	0.58	0.59	(0.02)	28,991	1,680	0.579
PCSGH	3.60	304248	3.50	3.62	3.50	3.50	3.52	3.60	(0.10)	6	2	3.556
POLY	6.80	304248	-	6.90	6.60	6.90	6.65	6.90	0.10	96	64	6.663
SAT	11.00	304248	10.90	10.90	10.40	10.50	10.40	10.50	(0.50)	15,568	16,512	10.606
SPG	12.60	304248	-	-	-	-	12.30	13.00	-	-	-	0
STANLY	219.00	304248	-	218.00	217.00	217.00	217.00	219.00	(2.00)	380	8,266	217.534
TKT	1.05	304248	1.05	1.10	1.00	1.00	1.00	1.05	(0.05)	1,098	114	1.039
TNPC	0.83	304248	0.83	0.83	0.80	0.83	0.78	0.83	-	182	15	0.821
TRU	3.28	304248	-	3.26	3.20	3.24	3.22	3.24	(0.04)	581	187	3.218
TSC	12.90	304248	-	13.10	12.70	12.80	12.70	12.80	(0.10)	64	82	12.851
Industrial Materials												
AKR	1.01	304248	1.01	1.02	1.00	1.01	1.00	1.01	-	12,338	1,245	1.008
ALLA	1.33	304248	1.33	1.33	1.30	1.30	1.30	1.31	(0.03)	4,681	610	1.304
ASEFA	2.98	304248	2.92	3.00	2.92	2.96	2.98	3.00	(0.02)	1,230	364	2.961
CPT	0.95	304248	-	0.96	0.91	0.91	0.91	0.95	(0.04)	530	49	0.92
CRANE	0.50	304248	-	0.50	0.46	0.48	0.48	0.49	(0.02)	2,955	142	0.481
CTW	2.90	304248	-	2.80	2.78	2.78	2.66	2.76	(0.12)	20	6	2.785
FMT	27.50	304248	27.50	27.50	27.25	27.25	26.50	27.25	(0.25)	3	8	27.416
FTE	1.61	304248	-	1.62	1.60	1.61	1.60	1.61	-	2,241	359	1.6
HTECH	3.14	304248	3.10	3.18	2.94	2.94	2.94	2.98	(0.20)	9,350	2,816	3.011
KKC	0.04	304248	-	-	-	-	-	-	-	-	-	0
PCC	2.60	304248	2.58	2.60	2.56	2.60	2.58	2.60	-	4,095	1,054	2.573
PK	0.39	304248	0.35	0.39	0.33	0.37	0.34	0.37	(0.02)	4,438	158	0.355
PSP	4.02	304248	4.00	4.02	3.98	4.00	4.00	4.02	(0.02)	1,825	730	3.999
QTC	3.92	304248	3.92	3.92	3.90	3.90	3.86	3.90	(0.02)	46	18	3.902
SCI	0.82	304248	-	0.83	0.77	0.77	0.77	0.80	(0.05)	2,978	236	0.791
SE	0.41	304248	0.41	0.43	0.41	0.41	0.41	0.43	-	4,160	174	0.418
SELIC	2.76	304248	-	-	-	-	2.76	2.80	-	-	-	0
SNC	6.10	304248	6.05	6.05	5.80	6.00	5.80	6.00	(0.10)	1,806	1,066	5.901
TCJ	2.78	304248	-	2.78	2.70	2.78	2.68	2.78	-	8	2	2.71
TPCS	12.00	304248	-	-	-	-	11.50	12.40	-	-	-	0
VARO	4.46	304248	-	4.66	4.42	4.64	4.44	4.66	0.18	24	11	4.48
Property Fund & REI												
AIMCG	2.22	304248	2.22	2.24	2.18	2.18	2.18	2.24	(0.04)	1,800	397	2.206
AIMIRT	10.30	304248	10.30	10.40	10.10	10.20	10.10	10.20	(0.10)	2,953	3,020	10.225
ALLY	4.88	304248	-	4.88	4.82	4.86	4.82	4.86	(0.02)	312	151	4.838
AMATAR	6.20	304248	6.30	6.30	6.10	6.20	6.10	6.20	-	118	72	6.138

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AXTRART	12.10	304248	12.00	12.20	11.90	12.20	12.10	12.20	0.10	10,102	12,143	12.02
B-WORK	4.62	304248	4.60	4.60	4.52	4.52	4.52	4.54	(0.10)	2,746	1,248	4.543
BAREIT	9.30	304248	9.30	9.30	9.25	9.25	9.25	9.30	(0.05)	3,994	3,711	9.292
BOFFICE	4.82	304248	4.84	4.84	4.72	4.82	4.82	4.84	-	5,042	2,407	4.774
CPNCG	6.00	304248	6.00	6.00	5.90	5.95	5.90	5.95	(0.05)	9,886	5,885	5.952
CPNREIT	11.90	304248	11.90	11.90	11.70	11.80	11.70	11.80	(0.10)	9,674	11,402	11.785
CPTREIT	4.68	304248	4.68	4.68	4.58	4.62	4.56	4.62	(0.06)	127	58	4.598
CTARAF	4.62	304248	4.66	4.66	4.62	4.64	4.62	4.66	0.02	313	145	4.633
DREIT	5.00	304248	5.05	5.05	4.98	5.00	4.98	5.00	-	1,132	565	4.991
FTREIT	10.10	304248	10.10	10.10	9.95	10.00	9.95	10.00	(0.10)	10,814	10,778	9.966
FUTURERT	9.70	304248	9.70	9.70	9.40	9.50	9.50	9.55	(0.20)	1,555	1,479	9.508
GAHREIT	6.40	304248	-	6.40	6.35	6.40	6.35	6.50	-	195	125	6.392
GROREIT	8.50	304248	8.55	8.55	8.40	8.40	8.40	8.45	(0.10)	1,124	949	8.438
GVREIT	6.70	304248	6.60	6.70	6.60	6.60	6.60	6.65	(0.10)	2,768	1,831	6.613
HPF	4.68	304248	4.72	4.72	4.64	4.66	4.64	4.66	(0.02)	791	368	4.655
HYDROGEN	8.70	304248	8.80	8.80	8.70	8.70	6.15	8.70	-	11	10	8.727
IMPACT	9.75	304248	9.70	9.70	9.50	9.65	9.65	9.70	(0.10)	2,281	2,188	9.591
INETREIT	8.75	304248	8.70	8.75	8.65	8.70	8.65	8.70	(0.05)	4,724	4,111	8.702
ISSARA	8.35	304248	8.40	8.60	8.00	8.55	8.30	8.60	0.20	156	127	8.128
KPNREIT	2.36	304248	2.28	2.28	2.28	2.28	2.14	2.28	(0.08)	10	2	2.28
KTBSTMR	6.05	304248	-	6.05	6.00	6.05	6.00	6.05	-	58	35	6.032
LHHOTEL	13.30	304248	13.40	13.40	12.80	12.90	12.80	12.90	(0.40)	22,214	28,956	13.035
LHRREIT	4.62	304248	-	4.62	4.60	4.60	4.60	4.62	(0.02)	1,380	637	4.619
LHSC	12.10	304248	12.00	12.00	11.80	11.80	11.80	12.00	(0.30)	5,475	6,515	11.9
LUXF	8.10	304248	-	8.10	8.00	8.10	8.00	8.10	-	26	21	8.003
M-PAT	3.42	304248	-	-	-	-	2.42	3.42	-	-	-	0
M-STOR	7.20	304248	-	7.15	7.15	7.15	7.15	7.45	(0.05)	1	1	7.15
MII	5.55	304248	-	5.50	5.50	5.50	5.40	5.50	(0.05)	1	1	5.5
MIPF	10.50	304248	-	11.50	11.50	11.50	9.15	13.60	1.00	1	1	11.5
MIT	0.38	304248	0.38	0.39	0.35	0.35	0.34	0.35	(0.03)	187	7	0.363
MJLF	4.44	304248	4.44	4.44	4.32	4.40	4.36	4.40	(0.04)	774	339	4.375
MNIT	1.94	304248	-	1.99	1.94	1.95	1.93	1.95	0.01	59	12	1.958
MNIT2	4.94	304248	-	-	-	-	4.90	4.96	-	-	-	0
MNRF	2.02	304248	2.02	2.02	2.00	2.00	2.00	2.04	(0.02)	956	192	2.004
POPF	5.65	304248	5.65	5.70	5.60	5.60	5.60	5.65	(0.05)	1,370	773	5.641
PROSPECT	8.15	304248	8.10	8.10	8.05	8.10	8.05	8.10	(0.05)	1,339	1,081	8.071
QHBREIT	3.84	304248	3.80	3.80	3.78	3.80	3.78	3.80	(0.04)	1,421	538	3.784
QHHRREIT	6.75	304248	-	6.65	6.55	6.65	6.60	6.65	(0.10)	2,176	1,432	6.58
QHOP	3.58	304248	3.42	3.42	3.40	3.40	3.40	3.48	(0.18)	86	29	3.402
SIRIPRT	6.45	304248	6.45	6.70	6.45	6.70	6.40	6.80	0.25	16	11	6.684
SPRIME	4.06	304248	4.06	4.06	4.04	4.06	4.04	4.06	-	271	110	4.042
SRIPANWA	5.40	304248	-	5.40	5.05	5.15	5.15	5.40	(0.25)	254	133	5.239
SSPF	3.56	304248	-	-	-	-	3.52	3.98	-	-	-	0
SSTRT	4.76	304248	-	4.76	4.76	4.76	4.66	4.76	-	1	-	4.76
TIF1	6.95	304248	-	6.95	6.90	6.90	6.85	6.95	(0.05)	33	23	6.915
TLHPF	2.34	304248	-	2.54	2.30	2.30	2.28	2.30	(0.04)	1,170	270	2.305
TNPF	1.37	304248	-	1.37	1.37	1.37	1.32	1.39	-	20	3	1.37
TPRIME	6.75	304248	-	6.90	6.65	6.90	6.65	6.90	0.15	34	23	6.657
TTLPF	12.10	304248	12.20	12.20	12.10	12.10	12.10	12.20	-	450	548	12.184
TU-PF	0.99	304248	-	0.99	0.92	0.99	0.92	1.00	-	14	1	0.975
WHABT	6.75	304248	-	6.85	6.75	6.85	6.75	6.85	0.10	32	22	6.759
WHAIR	5.60	304248	5.60	5.60	5.20	5.20	5.20	5.25	(0.40)	18,180	9,764	5.37
WHART	10.00	304248	9.95	9.95	9.65	9.70	9.65	9.70	(0.30)	24,324	23,757	9.766
Steel and Metal Proc											-	-
2S	2.10	304248	-	2.18	2.12	2.18	2.14	2.20	0.08	224	49	2.175
AMC	1.98	304248	1.96	2.04	1.96	2.04	2.00	2.02	0.06	772	154	1.992
BSBM	0.69	304248	0.67	0.70	0.66	0.68	0.68	0.69	(0.01)	7,885	542	0.686
CEN	1.84	304248	1.83	1.83	1.81	1.82	1.81	1.82	(0.02)	64	12	1.82
CEN-W5	0.08	304248	-	0.07	0.04	0.06	0.05	0.06	(0.02)	44,169	222	0.05
CITY	1.59	304248	1.52	1.57	1.51	1.57	1.51	1.57	(0.02)	142	21	1.51
CSP	0.46	304248	-	0.46	0.42	0.42	0.42	0.43	(0.04)	4,246	188	0.442
GJS	0.14	304248	0.14	0.14	0.13	0.14	0.13	0.14	-	12,809	167	0.13
GSTEEL	0.09	304248	-	-	-	-	-	-	-	-	-	0
INOX	0.46	304248	0.47	0.48	0.44	0.44	0.43	0.44	(0.02)	33,173	1,523	0.459
LHK	3.28	304248	3.26	3.28	3.26	3.26	3.26	3.28	(0.02)	440	144	3.265
MCS	7.55	304248	7.55	7.55	7.45	7.50	7.45	7.50	(0.05)	10,522	7,852	7.462
MILL	0.08	304248	0.09	0.09	0.07	0.09	0.08	0.09	0.01	15,813	124	0.078
PAP	1.55	304248	-	1.55	1.53	1.54	1.53	1.56	(0.01)	313	49	1.549
PERM	0.38	304248	0.38	0.38	0.36	0.37	0.35	0.36	(0.01)	1,311	48	0.365
SAM	0.15	304248	0.15	0.15	0.14	0.14	0.14	0.15	(0.01)	2,976	43	0.144
SMIT	3.74	304248	3.68	3.74	3.64	3.64	3.64	3.70	(0.10)	217	80	3.667
SSSC	2.16	304248	2.20	2.20	2.10	2.10	2.10	2.12	(0.06)	602	127	2.114
TGPRO	0.07	304248	0.07	0.07	0.06	0.06	0.06	0.07	(0.01)	3,309	20	0.06
THE	0.66	304248	-	0.67	0.65	0.66	0.65	0.66	-	114	7	0.655
TMT	3.06	304248	-	3.14	3.02	3.02	3.02	3.06	(0.04)	785	239	3.04
TSTH	0.54	304248	0.55	0.55	0.51	0.51	0.51	0.53	(0.03)	20,457	1,089	0.532
TWP	1.01	304248	0.98	0.98	0.90	0.96	0.92	0.96	(0.05)	461	44	0.946
TYCN	1.72	304248	-	1.69	1.67	1.69	1.67	1.69	(0.03)	201	34	1.67
Construction Service											-	-
APCS	1.44	304248	-	1.48	1.40	1.48	1.40	1.48	0.04	33	5	1.448
BJCHI	0.72	304248	0.68	0.69	0.67	0.67	0.67	0.69	(0.05)	2,855	193	0.675
BKD	1.23	304248	1.20	1.24	1.15	1.20	1.19	1.20	(0.03)	4,000	472	1.18
CIVIL	1.59	304248	-	1.59	1.56	1.59	1.56	1.59	-	1,428	224	1.571
CK	14.40	304248	14.40	14.40	13.50	13.90	13.90	14.00	(0.50)	46,290	64,122	13.852
CNT	0.98	304248	0.95	0.97	0.94	0.94	0.94	0.96	(0.04)	554	53	0.95
DEMCO	1.99	304248	-	1.99	1.97	1.97	1.97	1.98	(0.02)	1,494	296	1.98
EMC	0.06	304248	0.06	0.06	0.05	0.06	0.05	0.06	-	39,637	234	0.058
EMC-W7	0.04	304248	-	0.04	0.04	0.04	0.03	0.04	-	60	-	0.04
ITD	0.19	304248	0.19	0.19	0.18	0.18	0.18	0.19	(0.01)	40,214	750	0.186
JR	1.49	304248	1.49	1.49	1.48	1.49	1.48	1.49	-	1,552	230	1.483
NL	0.98	304248	-	0.98	0.91	0.97	0.92	0.97	(0.01)	5,416	502	0.927
NWR	0.10	304248	-	-	-	-	-	-	-	-	-	0
PLE	0.22	304248	-	0.22	0.21	0.21	0.21	0.22	(0.01)	6,415	138	0.214

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PREB	3.80	304248	-	3.80	3.68	3.80	3.70	3.80	-	954	353	3.704
PYLON	1.89	304248	1.89	1.89	1.85	1.88	1.86	1.88	(0.01)	565	105	1.861
RT	0.30	304248	0.29	0.29	0.27	0.28	0.27	0.28	(0.02)	36,815	1,032	0.28
SEAFCO	1.99	304248	-	2.00	1.97	2.00	1.99	2.00	0.01	2,936	584	1.99
SQ	0.79	304248	0.77	0.79	0.75	0.79	0.77	0.79	-	8,400	643	0.765
SRICHA	4.50	304248	4.30	4.46	3.96	4.06	4.06	4.10	(0.44)	4,557	1,884	4.133
STECON	7.05	304248	7.05	7.25	6.35	7.10	7.10	7.15	0.05	391,285	266,518	6.811
STI	2.66	304248	2.56	2.68	2.56	2.66	2.58	2.64	-	84	22	2.609
STPI	2.64	304248	2.60	2.62	2.48	2.54	2.54	2.56	(0.10)	18,233	4,623	2.535
SYNTEC	1.59	304248	1.55	1.58	1.52	1.58	1.53	1.58	(0.01)	10,766	1,678	1.558
TEAMG	3.08	304248	3.04	3.06	2.94	2.96	2.96	2.98	(0.12)	63,848	19,049	2.983
TEAMG-W1	0.17	304248	-	0.17	0.16	0.17	0.16	0.17	-	12,551	212	0.169
TEKA	1.95	304248	-	1.94	1.91	1.94	1.93	1.94	(0.01)	1,437	278	1.935
TPOLY	0.42	304248	0.41	0.43	0.39	0.41	0.40	0.41	(0.01)	3,663	147	0.401
TRC	0.72	304248	0.71	0.73	0.65	0.68	0.67	0.68	(0.04)	19,197	1,313	0.683
TRITN	0.09	304248	0.09	0.09	0.08	0.09	0.08	0.09	-	30,470	258	0.084
TRITN-W7	0.01	304248	-	0.01	0.01	0.01	-	0.01	-	1,000	1	0.01
TTCL	1.15	304248	1.14	1.15	1.12	1.12	1.12	1.13	(0.03)	3,164	357	1.127
UNIQ	1.66	304248	1.64	1.65	1.60	1.65	1.60	1.65	(0.01)	3,661	599	1.635
WGE	0.77	304248	0.76	0.78	0.74	0.74	0.74	0.75	(0.03)	305	23	0.742
Unit Trust												
SCBSET	7.54	304248	-	-	-	-	7.00	-	-	-	-	0
VAYU1	10.10	304248	10.00	10.10	10.00	10.00	10.00	10.10	(0.10)	12,251	12,255	10.003
ETF												
1DIV	10.13	304248	10.12	10.12	9.80	9.80	9.79	9.80	(0.33)	436	429	9.842
ABFTH	1,330.00	304248	-	-	-	-	1,360.00	1,376.00	-	-	-	0
BMSCG	7.15	304248	-	7.01	6.91	6.91	6.90	6.91	(0.24)	1,529	1,057	6.911
BMSCITH	8.61	304248	-	8.57	8.40	8.42	8.40	8.42	(0.19)	4,780	4,038	8.448
BSET100	7.87	304248	7.73	7.83	7.66	7.68	7.67	7.68	(0.19)	980	757	7.722
CHINA	5.86	304248	5.85	5.85	5.65	5.68	5.65	5.68	(0.18)	1,378	788	5.717
ENGY	4.12	304248	-	4.06	3.25	4.06	3.94	4.08	(0.06)	58	23	3.948
GLD	4.42	304248	4.39	4.42	4.33	4.35	4.34	4.35	(0.07)	18,307	7,970	4.353
TDEX	7.17	304248	7.15	7.15	6.96	6.97	6.97	6.98	(0.20)	70,462	49,363	7.005
UBOT	12.40	304248	-	11.80	11.70	11.80	11.70	12.40	(0.60)	50	59	11.704
UHERO	8.10	304248	-	-	-	-	7.63	8.10	-	-	-	0
Warrant Foreign												
AIA41C2504A	0.08	304248	-	-	-	-	0.01	-	-	-	-	0
BABA28C2506A	1.53	304248	-	-	-	-	1.53	-	-	-	-	0
BABA28C2506B	0.19	304248	-	-	-	-	0.08	-	-	-	-	0
BABA28C2509A	0.29	304248	0.20	0.29	0.20	0.25	0.23	0.48	(0.04)	839	19	0.226
BABA28P2507A	1.00	304248	-	-	-	-	-	-	-	-	-	0
BABA28P2509A	0.16	304248	-	-	-	-	0.10	0.16	-	-	-	0
BABA41C2504A	1.75	304248	-	-	-	-	0.08	2.00	-	-	-	0
BABA41C2504B	0.07	304248	-	-	-	-	0.01	0.25	-	-	-	0
BABA41C2505A	0.11	304248	-	-	-	-	0.04	0.23	-	-	-	0
BABA41P2504A	0.01	304248	-	-	-	-	-	0.02	-	-	-	0
BABA41P2506A	0.22	304248	-	-	-	-	0.10	-	-	-	-	0
BABA41P2507A	0.72	304248	-	-	-	-	0.08	-	-	-	-	0
BIDU41C2504A	0.08	304248	-	0.08	0.08	0.08	0.02	0.11	-	520	4	0.08
BIDU41C2506A	0.48	304248	-	0.48	0.31	0.48	0.26	0.48	-	12	-	0.338
BYDCOM28C2508A	1.23	304248	-	-	-	-	0.08	1.23	-	-	-	0
BYDCOM28C2510A	0.43	304248	-	-	-	-	0.08	-	-	-	-	0
BYDCOM28P2510A	0.26	304248	-	-	-	-	0.15	-	-	-	-	0
BYDCOM41C2506A	1.25	304248	-	-	-	-	1.10	-	-	-	-	0
BYDCOM41C2506B	0.21	304248	-	-	-	-	0.08	0.70	-	-	-	0
DJI28C2506A	0.10	304248	-	0.12	0.12	0.12	0.04	0.12	0.02	5	-	0.12
DJI28C2509A	0.72	304248	-	0.69	0.64	0.64	0.64	0.65	(0.08)	345	23	0.664
DJI28P2506A	0.74	304248	-	0.94	0.89	0.94	0.93	0.94	0.20	737	66	0.899
DJI41C2506A	0.07	304248	-	0.04	0.03	0.04	0.03	0.04	(0.03)	232	1	0.038
DJI41C2506B	0.39	304248	-	0.29	0.24	0.24	0.24	0.25	(0.15)	22,470	592	0.263
DJI41P2506A	0.61	304248	0.74	0.82	0.74	0.82	0.80	0.81	0.21	14,659	1,106	0.754
GEELY41C2506A	0.20	304248	-	0.20	0.20	0.20	0.20	-	-	4	-	0.2
HSI06C2504A	0.45	304248	-	-	-	-	0.10	-	-	-	-	0
HSI06C2504B	2.40	304248	-	-	-	-	0.08	-	-	-	-	0
HSI06C2504C	0.18	304248	-	0.14	0.09	0.11	0.09	0.11	(0.07)	1,303	13	0.098
HSI06C2504D	0.08	304248	-	-	-	-	0.04	0.09	-	-	-	0
HSI06C2504E	0.03	304248	-	0.02	0.02	0.02	0.01	0.02	(0.01)	447	1	0.02
HSI06C2505A	0.48	304248	-	0.48	0.08	0.22	0.23	0.49	(0.26)	3	-	0.26
HSI06C2505B	0.22	304248	-	-	-	-	0.22	-	-	-	-	0
HSI06C2505C	0.12	304248	-	-	-	-	0.07	0.17	-	-	-	0
HSI06C2505D	0.05	304248	-	0.05	0.03	0.03	0.03	0.04	(0.02)	1,127	4	0.031
HSI06C2505E	0.90	304248	-	-	-	-	0.23	-	-	-	-	0
HSI06C2505F	1.27	304248	-	-	-	-	0.23	-	-	-	-	0
HSI06C2506A	1.11	304248	-	-	-	-	0.08	1.05	-	-	-	0
HSI06C2506B	1.76	304248	-	-	-	-	0.08	1.76	-	-	-	0
HSI06C2506C	0.39	304248	-	-	-	-	0.23	0.44	-	-	-	0
HSI06C2506D	0.22	304248	-	-	-	-	0.01	0.30	-	-	-	0
HSI06C2506E	0.10	304248	-	0.10	0.10	0.10	0.05	0.10	-	4	-	0.1
HSI06C2507A	0.30	304248	-	0.29	0.28	0.28	0.25	0.34	(0.02)	62	2	0.28
HSI06C2508A	0.40	304248	-	0.37	0.36	0.37	0.23	0.37	(0.03)	3	-	0.366
HSI06P2504A	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
HSI06P2504B	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
HSI06P2504C	0.03	304248	-	-	-	-	0.01	-	-	-	-	0
HSI06P2504D	0.01	304248	-	-	-	-	0.01	0.02	-	-	-	0
HSI06P2504E	0.05	304248	-	-	-	-	0.03	0.05	-	-	-	0
HSI06P2504F	0.14	304248	-	0.14	0.12	0.14	0.12	0.14	-	472	6	0.129
HSI06P2504G	0.35	304248	-	-	-	-	0.01	-	-	-	-	0
HSI06P2504H	0.71	304248	-	0.71	0.71	0.71	0.69	-	-	1	-	0.71
HSI06P2505A	0.09	304248	-	-	-	-	0.09	-	-	-	-	0
HSI06P2505B	0.19	304248	-	-	-	-	0.01	-	-	-	-	0
HSI06P2505C	0.33	304248	-	0.35	0.35	0.35	0.32	0.40	0.02	1,000	35	0.35
HSI06P2505D	0.69	304248	-	-	-	-	0.65	-	-	-	-	0
HSI06P2505E	1.14	304248	-	-	-	-	0.08	-	-	-	-	0

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSI06P2505F	2.10	304248	-	-	-	-	0.08	-	-	-	-	0
HSI06P2506A	0.05	304248	-	0.05	0.03	0.05	0.03	0.05	-	24	-	0.042
HSI06P2506B	0.10	304248	-	-	-	-	0.10	0.11	-	-	-	0
HSI06P2506C	0.26	304248	-	0.25	0.25	0.25	0.25	0.28	(0.01)	1	-	0.25
HSI06P2506D	0.57	304248	-	0.63	0.63	0.63	0.63	-	0.06	17	1	0.63
HSI06P2506E	0.86	304248	-	-	-	-	0.08	-	-	-	-	0
HSI06P2506F	1.00	304248	-	-	-	-	0.02	-	-	-	-	0
HSI06P2507A	0.45	304248	-	0.43	0.43	0.43	0.46	-	(0.02)	11	-	0.43
HSI06P2508A	0.59	304248	-	-	-	-	0.08	-	-	-	-	0
HSI28C2504A	0.07	304248	-	0.06	0.04	0.04	0.03	0.04	(0.03)	18,609	84	0.044
HSI28C2504B	0.37	304248	-	0.35	0.19	0.19	0.19	0.22	(0.18)	8,193	187	0.228
HSI28C2504C	1.20	304248	-	-	-	-	0.08	-	-	-	-	0
HSI28C2504D	0.03	304248	-	0.02	0.02	0.02	0.01	0.02	(0.01)	3,300	7	0.02
HSI28C2504E	0.02	304248	-	-	-	-	0.01	-	-	-	-	0
HSI28C2504F	0.02	304248	0.01	0.02	0.01	0.02	-	0.02	-	2,086	3	0.014
HSI28C2505A	0.20	304248	-	0.22	0.18	0.22	0.09	0.19	0.02	89	2	0.184
HSI28C2505B	0.06	304248	-	-	-	-	0.02	0.06	-	-	-	0
HSI28C2505C	0.02	304248	0.02	0.02	0.02	0.02	0.01	0.02	-	2,051	4	0.02
HSI28C2505D	0.10	304248	-	-	-	-	0.01	0.11	-	-	-	0
HSI28C2505E	0.24	304248	-	-	-	-	0.01	0.24	-	-	-	0
HSI28C2505F	0.59	304248	0.56	0.57	0.47	0.57	-	0.57	(0.02)	5	-	0.524
HSI28C2505G	0.37	304248	-	-	-	-	0.23	0.49	-	-	-	0
HSI28C2505H	1.00	304248	-	-	-	-	0.02	-	-	-	-	0
HSI28C2506A	0.29	304248	-	0.25	0.25	0.25	0.25	0.29	(0.04)	1	-	0.25
HSI28C2506B	0.10	304248	-	0.11	0.04	0.04	0.04	0.10	(0.06)	44	-	0.072
HSI28C2506C	0.17	304248	-	-	-	-	0.04	0.20	-	-	-	0
HSI28C2507A	0.16	304248	-	0.20	0.13	0.19	0.15	0.18	0.03	5,138	73	0.142
HSI28C2508A	0.21	304248	-	0.21	0.20	0.20	0.16	0.20	(0.01)	114	2	0.208
HSI28C2508B	1.00	304248	-	-	-	-	0.02	-	-	-	-	0
HSI28P2504A	0.01	304248	-	-	-	-	-	0.12	-	-	-	0
HSI28P2504B	0.02	304248	-	-	-	-	0.01	0.03	-	-	-	0
HSI28P2504C	0.02	304248	-	-	-	-	0.01	0.07	-	-	-	0
HSI28P2504D	0.04	304248	-	-	-	-	0.02	0.04	-	-	-	0
HSI28P2504E	0.08	304248	-	-	-	-	0.04	-	-	-	-	0
HSI28P2504F	0.16	304248	-	-	-	-	0.10	0.20	-	-	-	0
HSI28P2504G	0.34	304248	-	0.39	0.02	0.35	0.35	0.36	0.01	1,699	56	0.331
HSI28P2504H	0.71	304248	-	0.77	0.77	0.77	0.70	0.77	0.06	224	17	0.77
HSI28P2505A	0.03	304248	-	0.03	0.02	0.02	0.02	0.03	(0.01)	932	2	0.026
HSI28P2505B	0.05	304248	-	-	-	-	0.01	-	-	-	-	0
HSI28P2505C	0.29	304248	-	0.29	0.29	0.29	0.02	0.29	-	290	8	0.29
HSI28P2505D	0.19	304248	-	-	-	-	-	-	-	-	-	0
HSI28P2505E	0.46	304248	-	0.47	0.08	0.43	0.43	0.47	(0.03)	13	1	0.429
HSI28P2505F	0.84	304248	-	-	-	-	0.08	-	-	-	-	0
HSI28P2505G	1.21	304248	-	-	-	-	0.08	-	-	-	-	0
HSI28P2506A	0.09	304248	-	0.12	0.10	0.12	0.10	0.12	0.03	828	8	0.102
HSI28P2506B	0.13	304248	-	0.16	0.16	0.16	0.12	0.16	0.03	100	2	0.16
HSI28P2506C	0.16	304248	-	0.10	0.10	0.10	0.10	0.18	(0.06)	1	-	0.1
HSI28P2506D	0.38	304248	-	0.41	0.41	0.41	0.38	-	0.03	60	2	0.41
HSI28P2506E	0.93	304248	-	-	-	-	0.94	0.99	-	-	-	0
HSI28P2506F	0.58	304248	-	0.58	0.57	0.57	0.57	-	(0.01)	170	10	0.571
HSI28P2507A	0.46	304248	-	0.49	0.47	0.49	0.47	0.49	0.03	863	41	0.474
HSI28P2508A	0.50	304248	-	-	-	-	0.49	-	-	-	-	0
HSTECH28C2506A	0.94	304248	-	-	-	-	0.08	-	-	-	-	0
HSTECH28C2506B	0.20	304248	-	-	-	-	0.02	0.21	-	-	-	0
HSTECH28C2506C	0.39	304248	-	-	-	-	0.08	-	-	-	-	0
HSTECH28P2506A	0.09	304248	-	-	-	-	-	-	-	-	-	0
HSTECH28P2506B	0.39	304248	-	-	-	-	0.08	-	-	-	-	0
HSTECH28P2506C	0.76	304248	-	0.08	0.08	0.08	0.08	15.20	(0.68)	31	-	0.08
JD41C2506A	0.27	304248	-	-	-	-	0.08	-	-	-	-	0
KUAISH41C2506A	0.97	304248	-	-	-	-	0.08	-	-	-	-	0
KUAISH41C2506B	0.14	304248	-	-	-	-	0.06	-	-	-	-	0
MCA5041C2506A	0.15	304248	0.13	0.13	0.12	0.12	0.12	0.13	(0.03)	8	-	0.121
MCA5041P2506A	0.34	304248	0.37	0.37	0.37	0.37	0.38	0.39	0.03	20	1	0.37
MEITUA28C2504A	0.02	304248	-	-	-	-	-	-	-	-	-	0
MEITUA28C2507A	0.12	304248	-	-	-	-	0.05	0.12	-	-	-	0
MEITUA28P2504B	0.17	304248	-	-	-	-	-	-	-	-	-	0
MEITUA41C2504A	0.04	304248	-	-	-	-	0.01	0.08	-	-	-	0
MEITUA41C2506A	0.15	304248	-	-	-	-	0.03	0.16	-	-	-	0
NDX28C2506A	0.07	304248	0.02	0.05	0.02	0.05	0.03	0.05	(0.02)	46	-	0.023
NDX28C2506B	0.29	304248	0.24	0.24	0.20	0.22	0.22	0.23	(0.07)	49	1	0.22
NDX28C2506C	0.16	304248	-	-	-	-	0.12	0.13	-	-	-	0
NDX28C2509A	0.52	304248	0.41	0.41	0.36	0.39	0.38	0.39	(0.13)	4,580	183	0.398
NDX28P2506A	0.52	304248	-	0.66	0.62	0.64	0.63	0.64	0.12	503	32	0.63
NDX28P2509A	0.59	304248	-	0.77	0.73	0.76	0.75	0.76	0.17	2,190	164	0.75
NDX41C2506A	0.04	304248	-	-	-	-	0.01	0.04	-	-	-	0
NDX41C2506B	0.10	304248	-	-	-	-	0.06	0.07	-	-	-	0
NDX41C2506C	0.29	304248	-	0.21	0.18	0.19	0.19	0.20	(0.10)	26,093	518	0.198
NDX41C2509T	1.54	304248	1.29	1.29	1.20	1.26	1.25	1.26	(0.28)	705	89	1.263
NDX41P2506A	0.74	304248	0.90	0.97	0.89	0.93	0.92	0.93	0.19	20,511	1,934	0.942
NDX41P2509T	3.82	304248	-	4.28	4.18	4.24	4.22	4.26	0.42	218	93	4.258
NIKKEI28C2506A	0.13	304248	0.10	0.10	0.08	0.09	0.08	0.09	(0.04)	7,635	65	0.085
NIKKEI28C2506B	0.05	304248	-	-	-	-	0.03	0.05	-	-	-	0
NIKKEI28C2506C	0.07	304248	-	-	-	-	0.01	0.04	-	-	-	0
NIKKEI28P2506A	0.24	304248	-	0.32	0.30	0.32	0.32	0.33	0.08	816	26	0.317
NIKKEI28P2506B	0.43	304248	-	0.54	0.50	0.53	0.54	0.55	0.10	5	-	0.522
NIKKEI28P2506C	0.69	304248	-	0.90	0.90	0.90	0.88	0.91	0.21	1	-	0.9
NIKKEI41C2506A	0.04	304248	-	0.02	0.02	0.02	0.02	0.05	(0.02)	1,000	2	0.02
NIKKEI41C2506B	0.02	304248	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1	-	0.01
NIKKEI41C2509A	0.20	304248	0.16	0.17	0.14	0.15	0.14	0.15	(0.05)	37,041	587	0.158
NIKKEI41C2509B	0.13	304248	0.10	0.10	0.09	0.09	0.08	0.09	(0.04)	2,385	23	0.094
NIKKEI41C2509C	0.35	304248	-	0.29	0.24	0.26	0.25	0.26	(0.09)	20,993	554	0.263
NIKKEI41P2506A	0.44	304248	-	0.62	0.55	0.60	0.59	0.60	0.16	30,184	1,712	0.567
NIKKEI41P2506B	0.23	304248	-	0.31	0.30	0.30	0.32	0.33	0.07	128	4	0.305

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
NIKKEI41P2509A	0.63	304248	-	0.80	0.73	0.77	0.77	0.78	0.14	6,543	491	0.749
NIKKEI41P2509B	0.49	304248	-	0.60	0.57	0.60	0.59	0.60	0.11	349	21	0.591
NIKKEI41P2509C	0.80	304248	0.89	0.97	0.89	0.94	0.93	0.94	0.14	7,056	662	0.937
NTES41C2506A	0.30	304248	-	-	-	-	0.08	-	-	-	-	0
PINGAN41C2504A	0.10	304248	-	-	-	-	0.05	0.20	-	-	-	0
POPMA41C2506A	0.99	304248	-	-	-	-	0.09	0.99	-	-	-	0
POPMA41C2507A	0.46	304248	-	-	-	-	0.40	-	-	-	-	0
SET01C2505A	0.02	304248	0.02	0.02	0.01	0.02	0.01	0.02	-	2,012	2	0.01
SET01C2506A	0.02	304248	0.02	0.02	0.01	0.02	0.01	0.02	-	2,005	2	0.011
SET01C2506B	0.03	304248	0.04	0.04	0.02	0.02	0.02	0.03	(0.01)	4,528	10	0.022
SET01C2507A	0.24	304248	0.21	0.21	0.12	0.12	0.12	0.13	(0.12)	128,697	1,911	0.148
SET01P2505A	3.16	304248	3.94	4.36	3.50	4.36	4.18	4.36	1.20	49	19	3.79
SET01P2506A	1.10	304248	1.15	1.66	1.15	1.59	1.59	1.66	0.49	12,079	1,649	1.364
SET01P2507A	0.67	304248	-	1.07	0.72	1.00	1.00	1.03	0.33	20,359	1,825	0.896
SET5001C2505A	0.01	304248	-	0.02	0.01	0.01	0.01	0.02	-	20,180	20	0.01
SET5001C2506A	0.02	304248	-	0.02	0.01	0.02	0.01	0.02	-	188	-	0.015
SET5001C2506F	0.01	304248	-	0.02	0.01	0.02	0.01	0.02	0.01	22,100	22	0.01
SET5001C2506G	0.03	304248	-	0.03	0.02	0.02	0.01	0.02	(0.01)	6,100	13	0.02
SET5001C2507A	0.17	304248	0.16	0.16	0.08	0.08	0.08	0.09	(0.09)	136,879	1,447	0.105
SET5001C2509F	0.35	304248	0.32	0.32	0.20	0.20	0.20	0.21	(0.15)	73,799	1,835	0.248
SET5001P2505A	2.64	304248	-	3.76	3.32	3.76	3.64	3.76	1.12	14	5	3.4
SET5001P2506A	1.19	304248	1.25	1.80	1.25	1.80	1.79	1.80	0.61	1,964	306	1.557
SET5001P2506F	2.76	304248	-	4.46	3.18	4.40	4.42	4.48	1.64	4,909	1,890	3.849
SET5001P2506G	1.55	304248	1.73	2.36	1.73	2.32	2.34	2.40	0.77	5,184	961	1.853
SET5001P2507A	0.32	304248	0.36	0.55	0.36	0.55	0.54	0.55	0.23	55,269	2,515	0.455
SET5001P2509F	0.97	304248	-	1.36	1.05	1.36	1.36	1.38	0.39	1,676	197	1.177
SET5006C2506A	0.01	304248	0.01	0.01	0.01	0.01	-	0.01	-	738	1	0.01
SET5006C2506B	0.04	304248	-	0.04	0.04	0.04	-	0.04	-	1,932	8	0.04
SET5006C2506C	0.09	304248	-	0.05	0.05	0.05	0.03	0.06	(0.04)	50	-	0.05
SET5006C2506D	0.12	304248	-	0.09	0.05	0.05	0.04	0.06	(0.07)	10,901	69	0.063
SET5006C2506E	0.24	304248	0.20	0.20	0.09	0.09	-	0.10	(0.15)	73,466	1,120	0.152
SET5006C2506F	0.43	304248	0.38	0.38	0.21	0.21	-	0.26	(0.22)	301,232	8,027	0.266
SET5006C2509A	0.41	304248	0.38	0.38	0.26	0.26	0.26	0.29	(0.15)	107,740	3,483	0.323
SET5006P2506A	1.51	304248	-	2.44	2.10	2.44	-	-	0.93	40	9	2.163
SET5006P2506B	0.84	304248	-	1.56	1.50	1.56	-	-	0.72	5	1	1.536
SET5006P2506C	0.71	304248	0.77	1.14	0.77	1.14	-	-	0.43	801	81	1.007
SET5006P2506D	0.44	304248	-	0.71	0.45	0.71	0.59	0.72	0.27	107,166	5,866	0.547
SET5006P2506E	0.29	304248	-	0.48	0.30	0.48	-	-	0.19	166,428	6,414	0.385
SET5006P2506F	0.18	304248	0.19	0.31	0.19	0.31	0.31	-	0.13	377,448	9,772	0.258
SET5006P2509A	0.44	304248	0.53	0.60	0.45	0.59	0.58	0.60	0.15	52,980	2,641	0.498
SET5013C2506A	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
SET5013C2506B	0.01	304248	0.01	0.01	0.01	0.01	-	0.01	-	3,922	4	0.01
SET5013C2506C	0.02	304248	-	0.01	0.01	0.01	-	0.01	(0.01)	12,099	12	0.01
SET5013C2506D	0.02	304248	0.01	0.02	0.01	0.02	0.01	0.02	-	6,191	6	0.01
SET5013C2506E	0.01	304248	-	0.01	0.01	0.01	-	0.01	-	15,190	15	0.01
SET5013C2506F	0.02	304248	0.01	0.01	0.01	0.01	-	0.01	(0.01)	19,564	20	0.01
SET5013C2506G	0.02	304248	0.02	0.02	0.02	0.02	0.02	0.03	-	36,106	72	0.02
SET5013C2506H	0.05	304248	0.04	0.04	0.01	0.02	0.01	0.02	(0.03)	238,307	419	0.017
SET5013C2506I	0.05	304248	0.05	0.05	0.02	0.02	0.02	0.03	(0.03)	230,070	723	0.031
SET5013C2506J	0.12	304248	0.10	0.10	0.04	0.04	0.04	0.05	(0.08)	620,360	4,066	0.065
SET5013C2506K	0.17	304248	0.15	0.15	0.06	0.06	0.06	0.07	(0.11)	2,502,910	24,816	0.099
SET5013C2506L	0.30	304248	0.27	0.28	0.11	0.12	0.12	0.13	(0.18)	6,079,511	105,709	0.173
SET5013C2506M	0.43	304248	0.38	0.40	0.19	0.19	0.19	0.20	(0.24)	3,454,889	89,387	0.258
SET5013C2506N	0.20	304248	0.17	0.18	0.08	0.08	0.08	0.09	(0.12)	381,654	4,407	0.115
SET5013C2506T	0.01	304248	-	0.01	0.01	0.01	-	0.01	-	5,282	5	0.01
SET5013P2506A	1.65	304248	1.74	2.60	1.74	2.54	2.52	2.56	0.89	8,851	1,864	2.105
SET5013P2506B	1.03	304248	1.12	1.82	1.12	1.79	1.79	1.82	0.76	14,106	2,084	1.477
SET5013P2506C	2.84	304248	-	4.10	3.18	4.10	4.12	4.20	1.26	472	169	3.575
SET5013P2506D	1.41	304248	-	2.14	1.63	2.14	2.16	2.26	0.73	303	59	1.939
SET5013P2506E	0.76	304248	-	1.30	0.82	1.22	1.22	1.28	0.46	10,760	1,093	1.015
SET5013P2506F	0.46	304248	0.51	0.89	0.51	0.87	0.87	0.88	0.41	2,361,729	164,479	0.696
SET5013P2506G	0.26	304248	0.29	0.55	0.29	0.53	0.53	0.54	0.27	2,455,513	103,845	0.422
SET5013P2506H	0.61	304248	0.67	1.15	0.66	1.14	1.14	1.16	0.53	157,037	13,487	0.858
SET5013P2506I	0.18	304248	0.20	0.38	0.20	0.35	0.35	0.36	0.17	935,081	27,290	0.291
SET5013P2506J	0.29	304248	0.31	0.53	0.31	0.52	0.52	0.53	0.23	218,448	9,208	0.421
SET5013P2506K	0.41	304248	0.44	0.75	0.44	0.73	0.73	0.74	0.32	857,576	50,944	0.594
SET5013P2506L	0.62	304248	0.69	1.13	0.68	1.11	1.11	1.12	0.49	1,095,126	96,324	0.879
SET5013P2506M	0.85	304248	0.95	1.54	0.93	1.53	1.53	1.57	0.68	18,468	2,091	1.132
SET5013P2506T	2.94	304248	-	3.72	3.20	3.72	3.80	3.90	0.78	8,620	2,837	3.29
SET5019C2506A	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
SET5019C2506B	0.01	304248	-	-	-	-	-	0.01	-	-	-	0
SET5019C2506C	0.01	304248	-	-	-	-	-	0.02	-	-	-	0
SET5019C2506D	0.02	304248	-	-	-	-	-	0.01	-	-	-	0
SET5019C2506E	0.01	304248	-	0.01	0.01	0.01	-	0.01	-	120	-	0.01
SET5019C2506F	0.08	304248	-	0.02	0.02	0.02	0.02	0.03	(0.06)	1,950	4	0.02
SET5019C2506G	0.03	304248	-	-	-	-	-	0.01	-	-	-	0
SET5019C2506H	0.03	304248	-	0.02	0.02	0.02	0.02	0.03	(0.01)	28	-	0.02
SET5019C2506I	0.11	304248	-	0.02	0.02	0.02	0.03	0.04	(0.09)	34	-	0.02
SET5019C2506J	0.14	304248	-	-	-	-	0.05	0.06	-	-	-	0
SET5019C2506K	0.16	304248	0.14	0.14	0.06	0.06	0.06	0.07	(0.10)	25,996	246	0.094
SET5019C2506L	0.21	304248	0.19	0.19	0.10	0.10	0.09	0.10	(0.11)	28,271	413	0.145
SET5019C2506M	0.31	304248	0.28	0.28	0.14	0.14	0.14	0.15	(0.17)	173,938	3,493	0.2
SET5019C2506N	1.00	304248	-	0.29	0.13	0.15	0.14	0.15	(0.85)	190,777	3,243	0.17
SET5019P2506A	2.22	304248	-	-	-	-	3.24	3.26	-	-	-	0
SET5019P2506B	2.22	304248	-	2.56	2.56	2.56	2.70	2.72	0.34	1	-	2.56
SET5019P2506C	2.30	304248	-	4.02	3.34	4.02	4.08	4.10	1.72	31	12	3.96
SET5019P2506D	1.89	304248	-	2.20	2.20	2.20	2.26	2.28	0.31	1	-	2.2
SET5019P2506E	1.35	304248	-	-	-	-	1.92	1.93	-	-	-	0
SET5019P2506F	1.00	304248	-	1.63	1.40	1.63	1.63	1.64	0.63	6	1	1.515
SET5019P2506G	0.75	304248	-	1.21	1.19	1.19	1.33	1.34	0.44	61	7	1.19
SET5019P2506H	0.55	304248	0.74	0.87	0.60	0.86	0.86	0.87	0.31	516,536	38,553	0.746
SET5019P2506I	0.76	304248	0.82	1.21	0.82	1.21	1.16	1.17	0.45	54,033	4,779	0.884
SET5019P2506J	0.37	304248	0.41	0.61	0.40	0.61	0.61	0.62	0.24	405,157	21,419	0.528

Main Board Quotation

Issue Date

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET5019P2506K	0.80	304248	1.15	1.36	0.92	1.34	1.36	1.37	0.54	1,346	128	0.947
SET5041C2506A	0.01	304248	0.01	0.02	0.01	0.02	0.01	0.02	0.01	2,720	3	0.01
SET5041C2506B	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2506C	0.02	304248	-	0.02	0.01	0.02	0.01	0.02	-	5,335	7	0.012
SET5041C2506D	0.06	304248	-	0.04	0.02	0.02	0.02	0.03	(0.04)	15,533	52	0.033
SET5041C2506E	0.07	304248	-	0.06	0.02	0.02	0.02	0.04	(0.05)	29,292	105	0.035
SET5041C2506F	0.12	304248	-	0.10	0.04	0.04	0.04	0.05	(0.08)	33,516	200	0.059
SET5041C2506G	0.21	304248	0.18	0.18	0.07	0.07	0.07	0.08	(0.14)	62,391	769	0.123
SET5041C2506H	0.39	304248	0.34	0.34	0.15	0.15	0.15	0.16	(0.24)	1,331,256	33,121	0.248
SET5041C2506T	0.02	304248	-	0.02	0.01	0.02	0.01	0.02	-	3,174	3	0.01
SET5041C2509T	0.05	304248	0.05	0.05	0.03	0.03	0.03	0.04	(0.02)	55,110	233	0.042
SET5041C2509U	0.31	304248	0.29	0.29	0.19	0.20	0.19	0.20	(0.11)	863,529	20,531	0.237
SET5041P2506A	2.82	304248	-	3.86	3.04	3.86	3.84	3.94	1.04	2,713	929	3.424
SET5041P2506B	0.92	304248	1.25	1.44	0.99	1.44	1.44	1.47	0.52	721	86	1.196
SET5041P2506C	0.46	304248	0.51	0.77	0.49	0.76	0.76	0.77	0.30	1,976,823	131,457	0.664
SET5041P2506D	0.30	304248	0.41	0.51	0.31	0.50	0.49	0.50	0.20	1,750,642	74,870	0.427
SET5041P2506E	0.44	304248	-	0.79	0.49	0.78	0.78	0.79	0.34	689,907	41,905	0.607
SET5041P2506T	1.71	304248	1.78	2.10	1.78	2.08	2.08	2.10	0.37	1,373	263	1.916
SET5041P2509T	0.41	304248	-	0.54	0.44	0.53	0.53	0.54	0.12	477,303	23,156	0.485
SPX28C2506A	0.07	304248	-	0.03	0.02	0.03	0.01	0.03	(0.04)	41	-	0.02
SPX28C2506B	0.10	304248	-	0.09	0.08	0.09	0.08	0.09	(0.01)	3,042	27	0.089
SPX28C2506C	0.23	304248	-	0.21	0.19	0.19	0.19	0.20	(0.04)	507	10	0.195
SPX28P2506A	0.55	304248	-	0.72	0.70	0.72	0.73	0.74	0.17	202	14	0.71
SPX28P2506B	0.25	304248	-	0.41	0.39	0.41	0.41	0.42	0.16	1,874	73	0.39
SPX41C2506A	0.04	304248	-	-	-	-	0.01	0.04	-	-	-	0
SPX41C2506B	0.10	304248	-	-	-	-	0.05	0.06	-	-	-	0
SPX41C2506C	0.27	304248	0.18	0.18	0.16	0.16	0.16	0.17	(0.11)	1,540	27	0.172
SPX41C2509T	1.85	304248	1.61	1.62	1.55	1.55	1.56	1.57	(0.30)	143	23	1.591
SPX41P2506A	0.55	304248	0.68	0.72	0.68	0.72	0.71	0.72	0.17	1,466	104	0.707
SPX41P2509T	3.38	304248	-	3.82	3.80	3.82	3.80	3.82	0.44	31	12	3.819
TENCEN28C2508A	1.03	304248	-	-	-	-	0.08	-	-	-	-	0
TENCEN28C2509A	0.36	304248	-	0.36	0.36	0.36	0.16	0.36	-	20	1	0.36
TENCEN28P2509A	0.35	304248	-	-	-	-	-	-	-	-	-	0
TENCEN41C2504A	1.12	304248	-	-	-	-	1.12	-	-	-	-	0
TENCEN41C2504B	0.08	304248	-	-	-	-	0.01	0.08	-	-	-	0
TENCEN41C2505A	0.10	304248	-	-	-	-	0.01	-	-	-	-	0
TENCEN41C2506A	0.93	304248	-	-	-	-	0.08	0.98	-	-	-	0
TENCEN41P2506A	0.29	304248	-	-	-	-	-	-	-	-	-	0
TRIPDC41C2506A	0.48	304248	-	-	-	-	0.08	-	-	-	-	0
XIAOMI28C2504A	2.42	304248	-	2.42	2.42	2.42	2.42	4.00	-	1	-	2.42
XIAOMI28C2508A	0.92	304248	-	-	-	-	0.75	-	-	-	-	0
XIAOMI28C2509A	0.34	304248	0.36	0.36	0.30	0.31	0.32	0.36	(0.03)	64	2	0.318
XIAOMI28P2505A	0.02	304248	0.02	0.02	0.02	0.02	-	0.02	-	100	-	0.02
XIAOMI28P2509A	0.14	304248	-	-	-	-	0.06	0.14	-	-	-	0
XIAOMI28P2510A	0.68	304248	-	-	-	-	0.08	0.68	-	-	-	0
XIAOMI41C2504A	1.06	304248	-	-	-	-	0.08	1.06	-	-	-	0
XIAOMI41C2506A	0.71	304248	-	-	-	-	0.79	1.00	-	-	-	0
XIAOMI41C2506B	0.14	304248	-	0.08	0.08	0.08	0.08	0.22	(0.06)	3	-	0.08
XIAOMI41C2507A	0.11	304248	-	0.11	0.11	0.11	0.07	0.10	-	10	-	0.11
XIAOMI41P2506A	0.52	304248	-	-	-	-	0.50	0.52	-	-	-	0

Page 25

Main Board Quotation (MAI)

Issue Date :

Monday April 07, 2025

Sector/ Securities	Previous Price	Date	Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
Agro & Food Indt												
APO	1.60	07/04/2025	1.62	1.62	1.56	1.58	1.57	1.58	(0.02)	804.00	126.00	00 1.5
AU	9.85	304248	9.85	9.85	9.65	9.65	9.65	9.70	(0.20)	10,591.00	10,264.00	00 9.6
CFARM	0.80	304248	0.80	0.80	0.72	0.76	0.75	0.76	(0.04)	33,165.00	2,500.00	00 0.7
JCKH	0.26	304248	0.26	0.27	0.22	0.23	0.22	0.23	(0.03)	16,961.00	407.00	00 0.2
KASET	0.63	304248	-	0.63	0.58	0.58	0.58	0.62	(0.05)	1,245.00	76.00	00 0.6
MAGUORO	17.20	304248	17.30	17.30	16.70	16.80	16.80	16.90	(0.40)	4,637.00	7,834.00	00 16.8
MUD	1.20	304248	-	1.20	1.20	1.20	1.20	1.22	-	401.00	48.00	00 1.2
NTSC	5.70	304248	-	5.55	5.45	5.45	5.40	5.45	(0.25)	223.00	122.00	00 5.4
TACC	4.38	304248	4.38	4.40	4.34	4.40	4.38	4.40	0.02	9,763.00	4,270.00	00 4.3
TMILL	1.72	304248	1.69	1.72	1.66	1.67	1.67	1.69	(0.05)	1,025.00	172.00	00 1.6
WINNER	1.99	304248	1.99	1.99	1.97	1.99	1.98	2.00	-	1,602.00	318.00	00 1.9
XO	14.80	304248	14.80	14.90	13.80	14.00	14.00	14.10	(0.80)	19,734.00	27,719.00	00 14.0
Consumer Produ												
ALPHAX	0.41	304248	-	0.41	0.38	0.39	0.39	0.40	(0.02)	11,437.00	451.00	00 0.3
BGT	0.41	304248	0.41	0.41	0.40	0.40	0.40	0.41	(0.01)	20.00	1.00	00 0.4
DOD	1.24	304248	1.18	1.24	1.17	1.24	1.23	1.24	-	1,282.00	156.00	00 1.2
ECF	0.19	304248	0.19	0.19	0.17	0.18	0.17	0.18	(0.01)	20,279.00	363.00	00 0.1
ECF-W5	0.01	304248	-	0.01	0.01	0.01	-	0.01	-	131.00	-	00 0.0
EFORL	0.17	304248	0.17	0.17	0.13	0.16	0.15	0.16	(0.01)	87,252.00	1,275.00	00 0.1
EFORL-W6	0.01	304248	-	-	-	-	-	0.01	-	-	-	00 0.0
EURO	4.40	304248	4.40	4.40	4.40	4.40	4.40	4.42	-	1,904.00	838.00	00 4.4
HPT	0.43	304248	0.43	0.43	0.41	0.41	0.41	0.42	(0.02)	38,695.00	1,596.00	00 0.4
ITTHI	1.58	304248	-	1.58	1.48	1.56	1.48	1.56	(0.02)	560.00	86.00	00 1.5
JSP	1.81	304248	1.82	1.82	1.74	1.75	1.75	1.77	(0.06)	3,633.00	637.00	00 1.7
JSP-W2	0.03	304248	-	0.04	0.02	0.03	0.02	0.03	-	8,884.00	26.00	00 0.0
JUBILE	8.00	304248	-	8.15	7.85	7.90	7.85	7.90	(0.10)	901.00	715.00	00 7.9
LTS	6.25	304248	6.20	6.25	5.70	5.85	5.85	5.90	(0.40)	20,013.00	11,716.00	00 5.8
MGI	10.30	304248	10.30	10.30	10.00	10.00	10.00	10.10	(0.30)	3,288.00	3,318.00	00 10.0
MGI-W1	2.60	304248	2.62	2.62	2.40	2.40	2.40	2.44	(0.20)	4,495.00	1,108.00	00 2.4
MOONG	1.91	304248	1.90	1.91	1.90	1.90	1.90	1.91	(0.01)	227.00	43.00	00 1.9
NPK	9.90	304248	-	9.90	9.90	9.90	9.90	10.20	-	8.00	8.00	00 9.9
SEI	3.16	304248	3.04	3.14	2.92	3.00	3.00	3.02	(0.16)	3,142.00	947.00	00 3.0
SMD100	3.96	304248	3.98	4.02	3.94	3.94	3.94	3.98	(0.02)	241.00	96.00	00 3.9
TM	0.57	304248	-	0.67	0.57	0.58	0.58	0.59	0.01	19,075.00	1,195.00	00 0.6
TM-W1	0.02	304248	-	0.01	0.01	0.01	-	0.01	(0.01)	600.00	1.00	00 0.0
WARRIX	3.50	304248	3.42	3.50	3.22	3.22	3.22	3.32	(0.28)	17,854.00	5,953.00	00 3.3
WINMED	1.34	304248	1.30	1.35	1.23	1.30	1.22	1.30	(0.04)	479.00	61.00	00 1.2
Financials												
ACAP	0.33	304248	-	-	-	-	-	-	-	-	-	00 0.0
AF	0.32	304248	0.34	0.34	0.32	0.32	0.32	0.33	-	277.00	9.00	00 0.3
AIRA	1.40	304248	1.41	1.41	1.30	1.30	1.28	1.30	(0.10)	12.00	2.00	00 1.3
ASN	0.94	304248	-	0.94	0.80	0.84	0.84	0.92	(0.10)	262.00	24.00	00 0.9
BTC	0.33	304248	0.33	0.33	0.30	0.31	0.30	0.31	(0.02)	215,343.00	6,734.00	00 0.3
BTC-W7	0.10	304248	-	0.09	0.09	0.09	0.08	0.10	(0.01)	100.00	1.00	00 0.0
GCAP	0.22	304248	0.21	0.21	0.20	0.20	0.20	0.21	(0.02)	10,758.00	219.00	00 0.2
KCC	1.76	304248	-	1.78	1.73	1.76	1.73	1.76	-	218.00	38.00	00 1.7
LIT	0.45	304248	0.45	0.45	0.43	0.43	0.43	0.45	(0.02)	532.00	23.00	00 0.4
MITTSIB	0.50	304248	0.50	0.51	0.50	0.50	0.50	0.51	-	2,262.00	113.00	00 0.5
SGF	0.16	304248	-	0.15	0.13	0.14	0.13	0.14	(0.02)	17,851.00	244.00	00 0.1
SGF-P1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
SGF-Q1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
TQR	4.92	304248	4.82	4.94	4.82	4.86	4.86	4.92	(0.06)	722.00	351.00	00 4.8
Industrials												
ADB	0.56	304248	0.57	0.57	0.55	0.55	0.55	0.56	(0.01)	1,436.00	80.00	00 0.5
BM	2.68	304248	2.70	2.82	2.70	2.78	2.70	2.74	0.10	1,458.00	399.00	00 2.7
BM-W3	1.08	304248	-	1.08	1.00	1.04	1.02	1.05	(0.04)	1,566.00	159.00	00 1.0
BPS	0.51	304248	0.51	0.54	0.50	0.50	0.50	0.51	(0.01)	25,906.00	1,324.00	00 0.5
CHO	0.03	304248	0.03	0.04	0.02	0.03	0.02	0.03	-	56,895.00	171.00	00 0.0
CHO-W4	0.01	304248	-	0.01	0.01	0.01	-	0.01	-	50.00	-	00 0.0
CHOW	1.30	304248	-	1.26	1.23	1.23	1.23	1.27	(0.07)	236.00	29.00	00 1.2
CIG	0.04	304248	0.04	0.04	0.03	0.04	0.03	0.04	-	4,373.00	14.00	00 0.0
CIG-W10	0.06	304248	-	-	-	-	-	0.05	-	-	-	00 0.0
CIG-W9	0.02	304248	-	-	-	-	0.01	0.02	-	-	-	00 0.0
COLOR	1.08	304248	-	1.10	1.06	1.08	1.08	1.09	-	266.00	29.00	00 1.0
CPR	2.88	304248	2.64	2.88	2.54	2.66	2.66	2.68	(0.22)	792.00	209.00	00 2.6
FPI	1.65	304248	1.61	1.70	1.59	1.64	1.60	1.64	(0.01)	1,065.00	171.00	00 1.6
GTB	0.74	304248	-	0.75	0.69	0.72	0.72	0.75	(0.02)	1,656.00	122.00	00 0.7
HARN	2.12	304248	2.10	2.12	2.08	2.12	2.10	2.12	-	1,779.00	373.00	00 2.0
KCM	0.19	304248	0.19	0.20	0.19	0.19	0.19	0.20	-	2,474.00	47.00	00 0.1
KJL	6.80	304248	-	6.80	6.55	6.55	6.55	6.65	(0.25)	724.00	479.00	00 6.6
KUMWEL	1.06	304248	-	1.09	1.03	1.07	1.06	1.07	0.01	771.00	82.00	00 1.0
KWM	1.04	304248	1.04	1.05	1.01	1.01	1.01	1.03	(0.03)	5,047.00	515.00	00 1.0
MBAX	1.60	304248	1.57	1.60	1.53	1.53	1.54	1.55	(0.07)	839.00	131.00	00 1.5
MGT	1.75	304248	-	1.76	1.68	1.75	1.71	1.75	-	658.00	112.00	00 1.7
MTW	1.09	304248	1.09	1.14	1.05	1.09	1.09	1.10	-	32,627.00	3,550.00	00 1.0
MTW-W1	0.01	304248	-	-	-	-	-	-	-	-	-	00 0.0
NDR	1.23	304248	-	1.26	1.21	1.22	1.21	1.25	(0.01)	394.00	49.00	00 1.2
PACO	1.41	304248	1.40	1.43	1.40	1.42	1.40	1.42	0.01	1,009.00	142.00	00 1.4
PACO-W1	0.03	304248	-	-	-	-	0.02	0.03	-	-	-	00 0.0
PDG	2.60	304248	2.56	2.58	2.50	2.50	2.50	2.60	(0.10)	1,928.00	490.00	00 2.5
PHOL	2.88	304248	2.86	2.86	2.84	2.86	2.84	2.86	(0.02)	1,193.00	340.00	00 2.8
PIMO	1.26	304248	1.25	1.26	1.23	1.24	1.23	1.24	(0.02)	18,514.00	2,306.00	00 1.2
PMC	0.75	304248	0.76	0.76	0.72	0.72	0.71	0.72	(0.03)	1,072.00	78.00	00 0.7
PPM	1.80	304248	1.74	1.80	1.70	1.79	1.72	1.79	(0.01)	115.00	20.00	00 1.7
PRAPAT	1.13	304248	-	1.13	1.09	1.09	1.09	1.10	(0.04)	6,069.00	673.00	00 1.1
RWI	0.27	304248	-	0.27	0.23	0.25	0.24	0.25	(0.02)	11,116.00	279.00	00 0.2
SAF	0.49	304248	0.51	0.53	0.43	0.43	0.43	0.52	(0.06)	1,963.00	91.00	00 0.4
SALEE	0.37	304248	0.37	0.37	0.30	0.33	0.31	0.33	(0.04)	11,501.00	362.00	00 0.3
SANKO	1.02	304248	1.02	1.02	0.94	0.98	0.97	0.98	(0.04)	5,263.00	519.00	00 0.9
SCL	1.12	304248	1.12	1.15	1.09	1.09	1.09	1.11	(0.03)	8,120.00	907.00	00 1.1
SFT	2.50	304248	-	2.54	2.32	2.32	2.30	2.46	(0.18)	239.00	57.00	00 2.4
STP	9.65	304248	9.70	9.70	9.20	9.70	9.50	9.70	0.05	220.00	207.00	00 9.3
SWC	2.70	304248	-	2.70	2.70	2.70	2.56	2.78	-	1.00	-	00 2.7
TATG	0.96	304248	0.92	0.95	0.89	0.91	0.91	0.92	(0.05)	4,509.00	415.00	00 0.9
TMC	0.72	304248	0.72	0.72	0.70	0.71	0.70	0.71	(0.01)	627.00	44.00	00 0.7
TMC-W2	0.01	304248	0.01	0.02	0.01	0.02	0.01	0.02	0.01	602.00	1.00	00 0.0
TMI	0.54	304248	-	0.54	0.51	0.54	0.53	0.54	-	2,817.00	149.00	00 0.5
TMW	54.00	304248	54.25	54.25	53.25	53.25	53.25	53.75	(			

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation (MAI)

Issue Date :

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average	
	Price	Date										Price	
24CS	1.14	304248	1.10	1.16	1.09	1.13	1.13	1.14	(0.01)	5,765.00	647.00	00	1.1
24CS-W1	0.09	304248	0.09	0.09	0.08	0.08	0.08	0.09	(0.01)	24,906.00	219.00	00	0.0
24CS-W2	0.14	304248	0.13	0.13	0.12	0.13	0.12	0.13	(0.01)	7,481.00	91.00	00	0.1
ARIN	0.44	304248	0.44	0.45	0.42	0.43	0.42	0.43	(0.01)	7,289.00	308.00	00	0.4
ARROW	5.20	304248	5.10	5.20	5.05	5.15	5.10	5.15	(0.05)	527.00	269.00	00	5.0
BC	0.98	304248	1.01	1.02	1.01	1.01	1.01	1.03	0.03	342.00	35.00	00	1.0
BC-W2	0.02	304248	0.01	0.01	0.01	0.01	-	0.01	(0.01)	2,000.00	2.00	00	0.0
BLESS	0.20	304248	0.20	0.20	0.19	0.19	0.19	0.20	(0.01)	1,993.00	40.00	00	0.1
BSM	0.80	304248	-	0.80	0.70	0.70	0.70	0.79	(0.10)	103.00	8.00	00	0.7
BTW	0.20	304248	-	0.19	0.19	0.19	0.19	0.20	(0.01)	243.00	5.00	00	0.1
CAZ	1.65	304248	1.63	1.71	1.60	1.70	1.70	1.71	0.05	3,494.00	589.00	00	1.6
CHEWA	0.26	304248	0.26	0.26	0.26	0.26	0.25	0.26	-	2,604.00	68.00	00	0.2
CPANEL	3.20	304248	-	3.18	3.12	3.18	3.12	3.18	(0.02)	301.00	94.00	00	3.1
CPANEL-W1	0.08	304248	-	0.09	0.05	0.07	0.06	0.07	(0.01)	13,107.00	83.00	00	0.0
CRD	0.34	304248	0.32	0.33	0.32	0.33	0.32	0.33	(0.01)	1,116.00	36.00	00	0.3
DHOUSE	0.59	304248	0.59	0.60	0.58	0.59	0.58	0.59	-	106.00	6.00	00	0.5
DIMET	0.11	304248	0.12	0.12	0.11	0.11	0.11	0.12	-	2,240.00	25.00	00	0.1
DPAIN	0.75	304248	-	0.76	0.70	0.72	0.72	0.73	(0.03)	7,077.00	508.00	00	0.7
FLOYD	0.87	304248	-	0.88	0.83	0.86	0.85	0.87	(0.01)	11,612.00	986.00	00	0.8
HYDRO	1.39	304248	1.35	1.36	1.24	1.24	1.24	1.35	(0.15)	68.00	9.00	00	1.3
HYDRO-W2	0.10	304248	-	0.08	0.07	0.08	0.07	0.08	(0.02)	89.00	1.00	00	0.0
IND	0.83	304248	0.82	0.82	0.80	0.81	0.80	0.81	(0.02)	5,370.00	435.00	00	0.8
JAK	1.06	304248	-	1.11	1.11	1.11	1.09	1.14	0.05	11.00	1.00	00	1.1
K	1.46	304248	1.42	1.42	1.31	1.33	1.29	1.33	(0.13)	11,583.00	1,594.00	00	1.3
K-W3	0.21	304248	0.21	0.21	0.18	0.19	0.18	0.20	(0.02)	160.00	3.00	00	0.1
META	0.09	304248	0.09	0.09	0.07	0.08	0.07	0.08	(0.01)	27,570.00	221.00	00	0.0
PANEL	1.18	304248	-	1.18	1.11	1.17	1.16	1.17	(0.01)	644.00	75.00	00	1.1
PPS	0.22	304248	0.22	0.22	0.17	0.18	0.18	0.19	(0.04)	171,788.00	3,243.00	00	0.1
PRI	5.80	304248	5.80	5.80	5.30	5.50	5.45	5.50	(0.30)	608.00	334.00	00	5.5
PROS	0.99	304248	1.00	1.04	0.96	0.97	0.97	0.98	(0.02)	98,748.00	9,874.00	00	0.9
PROS-W1	0.08	304248	0.08	0.08	0.06	0.07	0.06	0.07	(0.01)	34,405.00	246.00	00	0.0
PSG	0.18	304248	0.17	0.20	0.17	0.19	0.18	0.19	0.01	295,781.00	5,579.00	00	0.1
QTCG	0.14	304248	0.15	0.15	0.13	0.14	0.13	0.14	-	18,680.00	261.00	00	0.1
SENX	0.23	304248	-	0.22	0.21	0.21	0.21	0.22	(0.02)	8,547.00	182.00	00	0.2
SK	0.62	304248	0.61	0.62	0.60	0.62	0.60	0.62	-	8,047.00	488.00	00	0.6
SMART	0.65	304248	0.65	0.65	0.63	0.64	0.64	0.65	(0.01)	10,880.00	696.00	00	0.6
STC	0.49	304248	-	0.49	0.48	0.49	0.48	0.49	-	1,099.00	53.00	00	0.4
STX	1.21	304248	-	1.20	1.16	1.19	1.17	1.20	(0.02)	3,230.00	379.00	00	1.1
SVR	0.63	304248	0.63	0.63	0.60	0.61	0.60	0.61	(0.02)	1,451.00	88.00	00	0.6
TAPAC	0.52	304248	-	-	-	-	-	-	-	-	-	00	0.0
THANA	0.99	304248	-	1.01	0.98	1.00	0.99	1.01	0.01	791.00	78.00	00	0.9
TIGER	0.42	304248	0.39	0.42	0.39	0.42	0.41	0.42	-	97.00	4.00	00	0.3
TITLE	4.02	304248	4.00	4.02	3.98	4.00	3.98	4.00	(0.02)	765.00	305.00	00	3.9
WELL	0.71	304248	-	-	-	-	-	-	-	-	-	00	0.0
YONG	1.02	304248	1.02	1.02	0.94	0.96	0.95	0.96	(0.06)	42,450.00	4,116.00	00	0.9
Resources													
ABM	0.71	304248	-	0.73	0.71	0.71	0.71	0.72	-	69.00	5.00	00	0.7
GTV	0.08	304248	0.07	0.08	0.07	0.07	0.07	0.08	(0.01)	32,019.00	224.00	00	0.0
PSTC	0.46	304248	0.46	0.46	0.44	0.46	0.45	0.46	-	15,695.00	707.00	00	0.4
PSTC-W2	0.01	304248	-	-	-	-	-	0.01	-	-	-	00	0.0
PSTC-W3	0.10	304248	-	0.11	0.09	0.11	0.09	0.11	0.01	12,862.00	129.00	00	0.0
PTC	0.97	304248	-	1.00	0.95	0.95	0.95	1.00	(0.02)	704.00	67.00	00	0.9
SAAM	6.30	304248	-	6.20	5.95	6.20	5.95	6.20	(0.10)	2,887.00	1,776.00	00	6.1
SR	0.50	304248	-	0.50	0.46	0.50	0.42	0.51	-	71.00	3.00	00	0.4
STOWER	0.05	304248	0.04	0.05	0.04	0.04	0.04	0.05	(0.01)	14,019.00	56.00	00	0.0
TAKUNI	0.39	304248	0.40	0.40	0.35	0.36	0.36	0.37	(0.03)	36,282.00	1,344.00	00	0.3
TPCH	2.96	304248	2.96	2.96	2.90	2.94	2.92	2.94	(0.02)	2,484.00	729.00	00	2.9
UMS	0.36	304248	-	0.35	0.26	0.35	0.29	0.35	(0.01)	1,336.00	37.00	00	0.2
Services													
ADD	3.74	304248	3.62	3.84	3.54	3.80	3.56	3.80	0.06	385.00	143.00	00	3.7
AKP	0.69	304248	0.70	0.70	0.60	0.60	0.60	0.68	(0.09)	7,110.00	450.00	00	0.6
AMA	4.06	304248	4.00	4.02	3.98	4.02	4.00	4.02	(0.04)	1,813.00	725.00	00	3.9
AMARC	1.20	304248	1.21	1.24	1.17	1.17	1.17	1.19	(0.03)	2,638.00	312.00	00	1.1
ARIP	0.39	304248	0.39	0.40	0.38	0.38	0.38	0.39	(0.01)	2,745.00	107.00	00	0.3
ATP30	0.89	304248	0.87	0.87	0.85	0.87	0.86	0.87	(0.02)	7,544.00	651.00	00	0.8
AUCT	7.75	304248	7.75	7.75	7.45	7.45	7.45	7.50	(0.30)	5,425.00	4,074.00	00	7.5
BIS	2.72	304248	2.66	2.68	2.62	2.68	2.64	2.68	(0.04)	361.00	95.00	00	2.6
BOL	5.00	304248	4.96	5.00	4.96	4.98	4.98	5.00	(0.02)	1,290.00	644.00	00	4.9
CEYE	2.20	304248	-	2.24	2.16	2.18	2.16	2.18	(0.02)	21.00	5.00	00	2.1
CHIC	0.36	304248	-	0.35	0.34	0.35	0.33	0.35	(0.01)	249.00	8.00	00	0.3
CMO	0.63	304248	-	0.60	0.59	0.60	0.58	0.60	(0.03)	124.00	7.00	00	0.5
D	2.22	304248	2.22	2.22	2.18	2.20	2.20	2.22	(0.02)	3,316.00	728.00	00	2.1
DEXON	1.32	304248	-	1.32	1.30	1.32	1.31	1.32	-	449.00	59.00	00	1.3
DV8	0.44	304248	-	0.46	0.43	0.45	0.45	0.46	0.01	3,519.00	157.00	00	0.4
DV8-W2	0.10	304248	-	-	-	-	0.08	0.12	-	-	-	00	0.0
ETE	0.69	304248	-	0.69	0.66	0.68	0.65	0.68	(0.01)	4,098.00	277.00	00	0.6
FSMART	6.20	304248	6.20	6.20	6.00	6.10	6.05	6.10	(0.10)	3,407.00	2,071.00	00	6.0
FVC	0.45	304248	-	0.44	0.41	0.43	0.42	0.43	(0.02)	2,222.00	93.00	00	0.4
GFC	4.98	304248	4.90	4.94	4.88	4.94	4.92	4.94	(0.04)	336.00	165.00	00	4.9
GLORY	0.94	304248	-	0.94	0.83	0.90	0.86	0.90	(0.04)	808.00	72.00	00	0.8
GLORY-W1	0.17	304248	-	0.18	0.16	0.17	0.16	0.17	-	558.00	9.00	00	0.1
HEALTH	0.24	304248	0.24	0.28	0.22	0.27	0.24	0.27	0.03	6,474.00	158.00	00	0.2
HL	6.35	304248	6.50	6.50	6.10	6.25	6.20	6.25	(0.10)	3,370.00	2,087.00	00	6.1
IMH	3.92	304248	3.90	3.90	3.72	3.90	3.74	3.90	(0.02)	400.00	152.00	00	3.7
IROYAL	3.30	304248	3.22	3.34	3.00	3.34	3.28	3.34	0.04	3,314.00	1,041.00	00	3.1
IVF	1.03	304248	1.03	1.03	0.89	0.90	0.90	0.92	(0.13)	46,077.00	4,264.00	00	0.9
JPARK	5.10	304248	5.10	5.15	4.82	4.86	4.86	4.88	(0.24)	10,539.00	5,207.00	00	4.9
KGEN	0.69	304248	0.59	0.67	0.58	0.62	0.61	0.62	(0.07)	42,997.00	2,623.00	00	0.6
KGEN-W2	0.18	304248	0.17	0.17	0.13	0.16	0.13	0.16	(0.02)	6,394.00	87.00	00	0.1
KK	0.86	304248	0.81	0.81	0.71	0.78	0.77	0.78	(0.08)	2,189.00	169.00	00	0.7
KLINIQ	30.25	304248	30.00	30.25	29.25	29.75	29.50	29.75	(0.50)	3,941.00	11,764.00	00	29.8
KOOL	0.23	304248	0.23	0.24	0.22	0.23	0.22	0.23	-	16,878.00	388.00	00	0.2
KTMS													

Main Board Quotation (MAI)

Issue Date : Monday April 07, 2025

Page 10

Main Board Quotation (MAI)

Issue Date :

Monday April 07, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-
-	-	0	-	-	-	-	-	-	-	-	-	-