

## Main Board Quotation

Issue Date :

Friday November 05, 2021

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPUJ	-	-	-	-	BLISS	-	-	-	-	AQUA	0.51	-	234,291	0.51
SAFARI	-	-	-	-	DIF	13.50	-	27,408	13.47	AS	18.70	0.30	67,225	18.77
WORLD	-	-	-	-	DTAC	35.25	0.25	112,598	35.06	BEC	12.30	(0.30)	85,782	12.40
Agribusiness	-	-	-	-	FORTH	19.90	-	10,860	19.67	FE	-	-	-	-
EE	1.68	-	366,086	1.66	HUMAN	10.50	(0.10)	3,008	10.54	GPI	2.08	(0.02)	12,643	2.11
GFPT	11.80	0.20	24,834	11.63	ILINK	9.20	0.05	47,344	9.11	GRAMMY	15.30	(0.80)	4,008	15.36
LEE	2.68	-	2,030	2.69	INET	3.86	-	6,358	3.87	JKN	8.65	-	13,013	8.69
MAX	-	-	-	-	INTUCH	74.75	(0.75)	46,013	74.59	MACO	0.68	-	75,124	0.68
NER	7.10	0.25	469,979	7.02	JAS	2.84	0.04	46,449	2.81	MAJOR	20.60	0.30	21,029	20.50
PPPM	0.64	(0.02)	265,177	0.64	JASIF	10.30	-	46,993	10.26	MATCH	1.86	0.01	210	1.85
STA	30.00	(0.50)	25,394	30.21	JMART	40.75	1.75	77,509	39.95	MATI	-	-	-	-
TFM	14.00	0.20	46,630	13.85	JR	6.85	-	10,303	6.85	MCOT	6.65	0.05	976	6.65
TRUBB	2.46	-	9,753	2.45	JTS	73.25	(0.50)	4,345	72.74	MONO	1.46	(0.04)	175,518	1.47
TWPC	5.45	(0.05)	1,698	5.49	MFEK	11.10	(0.20)	40,340	11.20	MPIC	1.70	0.02	61	1.69
UPOIC	6.35	-	147	6.37	MSC	6.20	0.05	118	6.19	NMG	0.35	(0.01)	52,645	0.35
UVAN	7.30	(0.15)	16,579	7.40	PT	5.90	-	3,925	5.87	ONEE	9.20	0.70	8,431,670	9.85
VPO	2.16	(0.06)	117,335	2.17	SAMART	6.15	-	5,750	6.16	PLANB	6.65	-	123,824	6.65
Banking	-	-	-	-	SAMTEL	6.55	0.15	1,717	6.50	POST	-	-	-	-
BAY	34.00	(0.50)	17,197	34.10	SDC	0.65	(0.02)	80,169	0.65	PRAKIT	-	-	-	-
BBL	128.00	-	183,215	127.52	SIS	37.00	0.50	6,967	36.91	SE-ED	2.44	0.02	69	2.42
CIMBT	0.89	(0.01)	62,861	0.89	SKY	10.90	(0.20)	2,951	11.01	TBSP	17.20	-	10	17.20
KBANK	147.00	(0.50)	297,047	146.50	SVOA	2.28	0.06	512,125	2.28	TH	2.70	0.08	121,149	2.68
KKP	61.25	0.25	53,872	60.95	SYMC	5.65	-	72	5.65	TKS	12.20	0.60	37,729	12.08
KTB	11.60	-	132,954	11.62	SYNEX	25.00	0.40	19,371	24.83	VGI	6.90	(0.05)	170,029	6.89
LHFG	1.40	0.01	220,961	1.40	THCOM	10.80	(0.10)	86,021	10.98	WAVE	0.98	(0.02)	60,266	0.99
SCB	132.50	0.50	124,062	131.98	TRUE	3.74	(0.04)	1,224,350	3.72	WORK	21.60	(0.60)	28,624	21.74
TCAP	35.25	(0.50)	42,104	35.25	TWZ	0.11	-	349,750	0.11	Finance & Securities	-	-	-	-
TISCO	91.50	(0.50)	23,550	91.61	Electronic Comp	-	-	-	-	AEONTS	196.50	(0.50)	11,606	195.69
TTB	1.16	(0.01)	1,736,911	1.17	CCET	2.64	(0.02)	13,880	2.65	AMANAHA	5.15	(0.10)	45,478	5.16
Construction Matera	-	-	-	-	DELTA	452.00	6.00	45,650	456.23	ASAP	2.48	-	162	2.49
CCP	0.61	(0.02)	70,561	0.62	HANA	85.50	0.50	33,341	85.45	ASK	43.75	2.00	39,315	43.01
COTTO	2.50	0.04	81,026	2.48	KCE	89.00	(0.25)	73,205	88.78	ASP	3.46	(0.02)	45,709	3.47
DCC	2.96	0.02	67,635	2.95	METCO	275.00	-	224	275.17	BAM	18.90	-	98,628	18.87
DCON	0.55	0.01	225,059	0.55	NEX	9.70	-	95,949	9.72	BFIT	30.50	0.25	4,623	30.34
DRT	7.35	-	2,727	7.32	SMT	6.30	(0.15)	84,545	6.32	BYD	8.85	0.15	64,743	8.83
EPG	10.70	(0.10)	47,210	10.72	SVI	5.50	(0.05)	20,655	5.51	CGH	1.07	-	34,673	1.07
GEL	0.40	-	156,699	0.41	TEAM	4.04	(0.04)	11,563	4.07	CHAYO	11.80	0.10	29,411	11.75
PPP	2.10	(0.02)	1,750	2.10	Energy & Utilitie	-	-	-	-	ECL	1.64	(0.01)	17,176	1.64
Q-CON	5.45	0.05	820	5.46	7UP	1.43	(0.02)	295,922	1.44	FNS	3.96	-	1,751	3.96
SCC	398.00	2.00	26,883	396.81	ABPIF	2.10	-	428	2.09	FSS	4.04	(0.02)	12,220	3.95
SCCC	166.00	(1.50)	3,417	166.09	ACC	0.98	0.02	109,505	0.98	GBX	1.34	-	57,262	1.33
SCP	6.00	-	983	6.01	ACE	3.62	-	90,020	3.62	GL	-	-	-	-
SKN	6.35	0.40	52,186	6.15	AGE	2.76	(0.04)	14,720	2.77	HENG	3.26	0.14	2,624,638	3.24
STECH	2.40	(0.02)	5,090	2.41	AI	7.35	-	3,438	7.36	IFS	2.70	0.02	2,299	2.68
TASCO	17.90	(0.20)	74,354	17.99	AKR	1.00	(0.01)	39,936	1.01	JMT	49.75	2.00	198,405	48.36
TOA	32.00	-	8,415	32.20	BAFS	27.75	-	1,256	27.73	KCAR	8.50	0.05	177	8.49
TPPL	1.69	-	32,405	1.69	BANPU	10.60	(0.20)	1,357,872	10.57	KGI	6.20	(0.15)	226,865	6.22
UMI	1.79	0.03	8,049	1.77	BCP	26.25	(0.50)	82,930	25.97	KTC	58.00	(0.25)	45,815	58.14
VNG	9.15	0.15	15,954	9.07	BCPG	12.90	(0.20)	68,997	12.94	MBKET	12.10	-	1,201	12.17
WIIK	2.50	0.06	16,309	2.48	BEYOND	9.80	(0.05)	1,837	9.83	MFC	23.70	0.20	154	23.60
Petrochemicals & Ch	-	-	-	-	BGRIM	43.75	1.00	187,799	43.38	MICRO	7.75	(0.10)	11,639	7.73
BCT	45.50	-	131	45.38	BPP	17.60	0.10	21,730	17.56	ML	1.24	(0.01)	6,109	1.24
CMAN	2.52	0.02	1,938	2.50	BRRGIF	5.60	-	507	5.55	MTC	63.50	(0.50)	55,707	63.45
GC	11.40	(0.10)	187	11.36	CKP	5.00	(0.05)	191,664	5.01	NCAP	8.85	(0.15)	32,297	8.88
GGC	12.10	(0.10)	3,939	12.16	CV	2.98	(0.02)	23,429	2.98	PE	-	-	-	-
GIFT	2.68	0.02	1,992	2.67	DEMCO	4.52	-	27,775	4.49	PL	2.52	0.02	3,639	2.50
IVL	41.75	(0.75)	410,004	41.78	EA	66.25	(0.25)	107,317	66.40	S11	6.65	-	786	6.62
NFC	3.64	(0.04)	41	3.65	EASTW	9.95	-	4,092	9.93	SAK	8.35	0.10	47,701	8.29
PATO	12.00	(0.10)	44	12.04	EGATIF	12.30	0.10	17,480	12.20	SAWAD	64.75	-	46,479	64.58
PMTA	11.60	(0.10)	22	11.64	EGCO	176.50	0.50	6,349	175.78	THANI	4.22	-	409,410	4.19
PTTGC	61.00	(1.00)	137,205	61.02	EP	6.00	0.10	29,744	6.01	TIDLOR	36.75	(0.25)	131,200	36.86
SUTHA	4.42	(0.06)	250	4.42	ESSO	7.75	(0.10)	246,187	7.80	TK	8.85	-	382	8.90
TCCC	36.50	-	30	36.28	ETC	2.80	0.04	170,515	2.79	TNITY	6.95	-	1,118	6.91
TPA	6.50	-	3	6.50	GPSC	78.50	1.00	192,800	78.45	UOBKH	5.00	(0.05)	131	5.01
UAC	5.00	0.02	2,611	5.00	GREEN	1.74	(0.04)	14,098	1.75	XPG	3.10	(0.02)	205,899	3.10
UP	25.25	0.25	75	25.05	GULF	42.75	-	106,912	42.73	Food & Beverage	-	-	-	-
VNT	38.25	0.25	5,139	38.25	GUNKUL	5.40	(0.10)	708,715	5.43	APURE	7.40	(0.30)	45,070	7.51
Commerce	-	-	-	-	IFEC	-	-	-	-	ASIAN	15.70	-	4,446	15.69
B52	0.66	0.01	10,349	0.65	IRPC	4.12	(0.06)	856,784	4.14	BR	2.94	(0.02)	1,686	2.96
BEAUTY	1.58	-	60,371	1.57	KBSPIF	10.90	-	1,225	10.90	BRR	6.30	0.10	770	6.26
BIG	0.99	(0.03)	320,448	1.00	LANNA	17.60	(0.40)	33,484	17.68	CBG	125.00	(0.50)	83,295	124.91
BIC	34.25	(0.25)	22,155	34.27	MDX	5.80	(0.15)	10,201	5.84	CFRESH	3.60	-	110,620	3.52
COM7	71.50	(0.50)	26,521	71.65	OR	26.25	0.25	210,747	26.22	CHOTI	80.00	-	6	80.00
CPALL	65.25	0.25	111,684	65.23	PRIME	1.98	0.01	25,893	1.98	CM	2.86	(0.04)	29	2.87
CPW	3.98	0.02	8,253	3.97	PTG	14.60	(0.20)	83,463	14.64	CPF	25.00	-	252,264	24.97
CRC	34.75	0.25	47,495	34.73	PTT	37.25	(0.25)	341,965	37.37	CPI	4.10	(0.14)	28,922	4.18
CSS	1.91	-	6,569	1.91	PTTEP	117.50	(0.50)	49,508	117.34	F&D	22.80	-	1	22.80
DOHOME	24.00	0.20	76,609	23.99	QTC	5.35	-	1,466	5.32	GLOCON	1.15	(0.01)	77,379	1.14
FN	2.10	-	2,622	2.09	RATCH	45.00	-	17,173	44.83	HTC	37.00	0.25	1,120	36.85
FTE	1.82	-	2,029	1.83	RPC	1.45	(0.08)	384,400	1.47	ICHI	10.40	-	7,519	10.37
GLOBAL	20.70	0.10	61,134	20.69	SCG	5.70	0.05	3,765	5.70	KBS	4.28	0.04	1,566	4.22
HMPRO	15.20	(0.10)	222,031	15.14	SCI	2.04	(0.02)	22,210	2.05	KSL	3.72	0.02	17,368	3.72
ILM	16.50	(0.30)	3,571	16.54	SCN	2.08	(0.02)	10,049	2.08	KTIS	5.20	-	898	5.16
IT	8.65	0.10	5,949	8.72	SGP	13.40	(0.10)	17,367	13.44	LST	5.35	-	2,604	5.38
KAMART	3.80	(0.04)	3,789	3.81	SKE	1.00	-	80,508	1.00	M	54.75	0.25	4,664	54.67
LOXLEY	2.70	0.02	11,497	2.70	SOLAR	1.82	(0.02)	15,852	1.82	MALEE	6.90	0.20	3,482	6.79
MAKRO	49.50	-	27,863	49.17	SPCG	17.90	0.30	20,362	17.80	MINT	33.25	0.50	37,209	33.03
MC	9.10	(0.10)	10,659	9.14	SPRC	9.90	(0.30)	219,181	9.97	NRF	8.15	(0.20)	40,936	8.16
MEGA	47.00	(0.25)	21,652	47.12	SSP	13.50	(0.20)	33,002	13.55	NSL	17.60	0.40	7,365	17.42
MIDA	0.56	-	22,175	0.56	SUPER	0.94	(0.01)	363,171	0.94	OISHI	45.50	-	14	45.27
RS	17.00	-	16,464	17.11	SUPEREIF	11.80								

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date :

Friday November 05, 2021

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SST	5.10	0.05	1,500	5.10	APCO	5.00	(0.05)	3,940	5.03	BTSIGF	4.48	(0.10)	49,214	4.49
SUN	7.00	-	10,350	7.02	DDD	17.80	0.10	3,947	17.79	DMT	12.50	-	1,887	12.50
TC	5.75	0.05	3,019	5.75	JCT	-	-	-	-	III	11.20	0.30	61,793	11.13
TFG	4.28	(0.02)	15,615	4.28	KISS	11.00	0.20	7,231	10.89	JUTHA	1.60	0.05	12,326	1.58
TFMAMA	194.00	0.50	6	193.00	OCC	-	-	-	-	JWD	15.40	0.70	149,314	15.29
TIPCO	9.05	-	3,698	9.05	S & J	-	-	-	-	KEX	33.25	0.25	35,867	33.31
TKN	6.60	(0.05)	20,073	6.64	STGT	27.75	(0.75)	137,306	28.16	KIAT	0.59	(0.01)	64,128	0.59
TU	20.60	(0.20)	133,348	20.57	STHAI	-	-	-	-	KWC	-	-	-	-
TVO	31.25	-	6,330	31.16	TNR	11.20	0.20	102	11.16	MENA	1.89	(0.01)	17,875	1.89
W	3.88	0.10	18,194	3.80	TOG	8.30	(0.20)	18,251	8.28	NOK	-	-	-	-
ZEN	11.80	(0.10)	159	11.89	Professional Sen	-	-	-	-	NYT	4.10	0.04	10,014	4.08
Health Care Services	-	-	-	-	BWG	0.78	0.02	1,308,057	0.77	PORT	2.52	0.02	3,431	2.52
AHC	15.70	(0.10)	16	15.57	GENCO	0.99	(0.01)	53,032	0.99	PRM	6.30	(0.10)	49,622	6.30
BCH	20.20	-	89,985	20.23	PRO	-	-	-	-	PSL	16.50	(0.10)	129,274	16.51
BDMS	23.90	-	112,641	23.80	SISB	10.10	0.10	1,427	10.04	RCL	43.00	-	95,175	42.85
BH	149.00	(2.50)	27,253	149.98	SO	12.10	0.10	1,960	12.13	TFIF	7.55	(0.10)	73,425	7.57
CHG	3.70	0.02	268,664	3.72	Property Develop	-	-	-	-	THAI	-	-	-	-
CMR	3.04	(0.02)	4,349	3.06	A	5.10	(0.05)	42	5.09	TSTE	-	-	-	-
EKH	7.80	(0.05)	7,117	7.82	AMATA	20.40	-	127,292	20.46	TTA	9.45	(0.50)	391,851	9.60
KDH	-	-	-	-	AMATAV	8.10	(0.05)	356	8.11	WICE	12.40	0.10	17,390	12.40
LPH	5.65	-	3,239	5.69	ANAN	1.54	0.01	32,569	1.53	Automotive	-	-	-	-
M-CHAI	204.00	(4.00)	23	202.96	AP	8.85	(0.25)	233,971	8.92	3K-BAT	68.00	(1.00)	3	68.00
NEW	-	-	-	-	APEX	-	-	-	-	ACG	2.58	-	5,985	2.59
NTV	39.00	-	319	38.98	AQ	0.05	0.01	1,783,639	0.05	AH	21.80	(0.20)	8,992	21.85
PR9	11.00	(0.10)	721	11.08	ASW	8.10	-	9,118	8.03	CWT	3.46	0.04	9,991	3.42
PRINC	4.34	-	1,706	4.33	AWC	4.56	-	189,180	4.55	EASON	1.66	-	3,102	1.66
RAM	157.00	1.00	151	157.19	BLAND	1.08	-	45,810	1.08	GYT	185.00	(1.00)	37	185.00
RJH	32.25	0.75	2,856	32.37	BROCK	2.44	0.08	69,186	2.47	HFT	7.80	(0.10)	11,930	7.87
RPH	5.90	(0.05)	3,795	5.92	CGD	0.51	-	98,151	0.51	IHL	3.92	0.08	4,446	3.90
SKR	11.90	(0.10)	2,191	11.86	CI	1.22	-	29,002	1.21	INGRS	0.91	-	16,724	0.91
SVH	408.00	2.00	23	412.61	CPN	58.00	-	50,612	57.77	IRC	16.90	(0.10)	141	16.97
THG	33.75	-	7,036	33.66	ESTAR	0.55	(0.01)	60,415	0.55	PCSGH	5.35	(0.05)	336	5.36
VIBHA	2.22	(0.02)	22,163	2.23	EVER	0.36	-	101,420	0.36	SAT	21.00	0.10	28,556	20.93
VIH	11.70	-	9,211	11.75	FPT	12.30	-	1,165	12.27	SPG	-	-	-	-
WPH	2.28	-	2,486	2.28	GLAND	2.34	0.02	89	2.34	STANLY	176.50	(1.00)	280	176.47
Tourism & Leisure	-	-	-	-	J	3.02	0.06	32,934	2.99	TKT	1.88	0.01	651	1.86
ASIA	5.90	-	1	5.90	JCK	1.12	(0.01)	13,152	1.12	TNPC	2.92	(0.08)	12,057	2.94
CENDEL	37.00	1.00	24,182	36.90	KC	-	-	-	-	TRU	4.82	-	76	4.81
CSR	-	-	-	-	LALIN	9.10	0.05	1,618	9.08	TSC	11.30	(0.10)	42	11.24
DUSIT	10.10	-	178	10.06	LH	8.50	-	335,866	8.48	Industrial Materials	-	-	-	-
ERW	3.12	(0.02)	36,665	3.12	LPN	4.86	(0.04)	85,990	4.86	ALLA	1.77	(0.01)	3,917	1.77
GRAND	0.52	(0.01)	16,551	0.53	MBK	13.90	(0.10)	3,465	13.86	ASEFA	4.00	0.02	4,939	4.02
LRH	31.00	-	156	31.00	MJD	2.02	0.04	68,955	2.05	CPT	1.04	(0.02)	108,902	1.05
MANRIN	24.90	0.20	1	24.90	MK	3.08	(0.02)	1,560	3.08	CRANE	1.45	0.03	22,063	1.44
OHTL	341.00	(1.00)	6	340.83	NCH	1.82	(0.03)	405,021	1.84	CTW	8.75	(0.15)	773	8.92
ROH	32.00	-	20	32.03	NNCL	2.50	-	5,467	2.49	FMT	26.50	-	13	26.46
SHANG	-	-	-	-	NOBLE	6.45	-	30,325	6.41	HTECH	6.70	0.40	111,798	6.60
SHR	3.64	0.10	152,488	3.61	NUSA	0.39	-	186,743	0.39	KKC	1.34	0.02	5,065	1.33
VRANDA	6.50	-	145	6.51	NVD	2.60	-	2,049	2.58	PK	2.28	(0.04)	16,798	2.28
Home & Office Prodt.	-	-	-	-	ORI	11.00	-	47,308	11.05	SNC	15.20	1.30	89,579	14.94
AJA	0.58	-	110,030	0.57	PACE	-	-	-	-	STARK	4.46	0.08	325,154	4.43
DTCI	33.25	3.00	74	32.66	PF	0.46	(0.01)	156,645	0.46	TCJ	4.38	-	91	4.39
FANCY	1.20	(0.04)	57,383	1.20	PLAT	3.10	-	1,604	3.08	TPCS	-	-	-	-
KYE	376.00	1.00	19	376.00	POLAR	-	-	-	-	VARO	-	-	-	-
L&E	2.02	(0.02)	541	2.02	PRECHA	1.95	0.02	757,801	2.01	Property Fund & REI	-	-	-	-
MODERN	3.90	-	3,595	3.90	PRIN	2.44	0.04	768	2.38	AIMCG	5.95	(0.05)	232	5.91
OGC	-	-	-	-	PSH	13.30	(0.10)	7,465	13.32	AIMIRT	13.20	-	234	13.11
ROCK	15.40	(0.20)	1	15.40	QH	2.28	0.02	312,134	2.28	ALLY	7.40	0.05	382	7.35
SIAM	1.93	-	1,406	1.92	RICHY	1.35	(0.02)	102,276	1.37	AMATAR	8.80	-	41	8.82
TCMC	1.74	(0.03)	14,911	1.76	RML	1.00	(0.02)	223,310	1.00	B-WORK	10.40	-	235	10.40
TSR	3.04	(0.06)	2,795	3.07	ROJNA	7.00	0.05	21,321	6.99	BKKCP	11.00	-	12	10.99
Insurance	-	-	-	-	S	1.90	(0.07)	174,689	1.93	BOFFICE	9.10	0.05	2,201	8.99
AYUD	38.25	0.50	1	38.25	SA	10.30	0.20	58,372	10.00	CPNG	12.50	-	1,274	12.46
BKI	280.00	-	513	279.24	SAMCO	2.04	(0.02)	374,440	2.07	CPNREIT	21.50	0.20	5,069	21.40
BLA	29.00	(0.25)	20,873	29.06	SC	3.54	(0.02)	24,595	3.55	CPTGF	8.95	-	1,227	8.95
BUI	-	-	-	-	SENA	4.00	(0.04)	1,842	4.02	CTARAF	5.30	0.05	700	5.25
CHARAN	28.50	(0.50)	241	28.12	SF	10.90	(0.10)	2,033	11.03	DREIT	5.45	(0.10)	1,792	5.46
INSURE	-	-	-	-	SIRI	1.30	(0.01)	1,169,386	1.30	ERWPF	4.42	0.02	724	4.39
KWG	1.56	(0.02)	382	1.55	SPALI	22.80	(0.20)	115,284	22.92	FTREIT	13.10	-	2,400	13.00
MTI	91.00	0.50	176	90.17	U	1.74	(0.02)	137,954	1.74	FUTUREPF	15.20	0.10	97	15.14
NKI	44.00	-	4	44.19	UV	3.98	(0.04)	18,585	3.99	GAHREIT	-	-	-	-
NSI	82.25	0.25	1	82.25	WHA	3.38	-	513,790	3.40	GROREIT	10.00	-	12	9.95
SMK	28.50	0.25	25	28.50	WIN	0.97	-	11,380	0.97	GVREIT	10.60	-	541	10.65
TGH	29.25	1.00	1	29.25	Paper & Printing	-	-	-	-	HPF	4.70	-	1,838	4.70
THRE	1.21	-	38,796	1.21	UTP	16.40	-	3,818	16.39	HREIT	9.10	0.10	1,669	9.06
THREL	3.00	-	3,968	2.99	Fashion	-	-	-	-	IMPACT	19.70	0.10	1,262	19.71
TIPH	40.75	-	3,721	40.80	AFC	12.00	(0.10)	16	11.96	INETREIT	11.00	(0.10)	914	11.08
TQM	103.50	0.50	2,665	103.17	BTNC	-	-	-	-	KPNPF	6.65	-	309	6.54
TST	0.36	0.01	10,601	0.35	CPH	-	-	-	-	LHHOTEL	9.35	(0.10)	435	9.38
TVI	9.25	0.05	470	9.22	CPL	2.04	0.02	412	2.03	LHPF	5.65	(0.30)	423	5.71
Mining	-	-	-	-	ICC	-	-	-	-	LHSC	10.40	-	150	10.40
THL	-	-	-	-	NC	9.10	0.35	1	9.10	LPF	15.70	-	4,267	15.89
Packaging	-	-	-	-	PAF	2.44	-	92,066	2.44	LUXF	7.00	(0.05)	7	7.01
AJ	18.50	(0.10)	2,541	18.52	PDJ	2.38	0.04	484	2.36	M-II	7.65	0.05	69	7.65
ALUCON	178.50	(1.00)	1	178.50	PG	-	-	-	-	M-PAT	-	-	-	-
BGC	10.70	(0.10)	6,802	10.79	SABINA	19.50	0.10	1,238	19.41	M-STOR	-	-	-	-
CSC	49.50	0.75	8	49.47	SAWANG	-	-	-	-	MIPF	-	-	-	-
NEP	0.51	0.01	5,939	0.50	SUC	33.00	-	129	33.02	MIT	3.02	-	52	3.01
PTL	22.90	(0.40)	32,045	23.08	TNL	17.30	0.90	1	17.30	MJLF	8.05	-	59	8.05
SCGP	63.25	-	34,938	63.19	TR	56.00	4.50	12,434	55.32	MNIT	1.66	-	93	1.64
SFLEX	5.65	0.20	129,352	5.61	TTI	-	-	-	-	MNIT2	4.88	(0.10)	22	4.84
SITHAI	1.34	(0.01)	32,377	1.34	TTT	53.00	(0.50)	2	53.00	MNRF	2.94	-	50	2.94
SLP	1.05	(0.02)	18,657	1.05	UPF	67.50	2.25	84	67.18	POPF	11.70	(0.10)	2,902	11.73
SMPC	11.50	-	6,184	11.44	UT	-	-	-	-	PPF	-	-	-	-
SPACK	2.70	-	3,455	2.68	WACOAL	39.50	0.25	1	39.50	PROSPECT	9.95	0.05	3,299	9.94
TCOAT	-	-	-	-	Transportation 8	-	-	-	-	QHHR	5.70			



## Main Board Quotation

Issue Date :

Friday November 05, 2021

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	SK	1.20	(0.03)	13,134	1.00	GLD	2.45	0.02	16,417	2.00
ABICO	5.35	-	162	5.00	SMART	0.92	0.01	55,306	-	TDEX	9.73	0.01	1,135	9.00
AU	10.40	0.10	4,430	10.00	STAR	-	-	-	-	Warrant Foreign	-	-	-	-
JCHK	0.42	-	19,191	-	STC	0.90	(0.01)	9,787	-	ACE01C2201A	0.12	(0.01)	3,211	-
KASET	1.70	(0.03)	3,433	1.00	STI	7.80	0.05	401	7.00	ACE01C2203A	0.29	-	14,065	-
MUD	2.06	-	1,162	2.00	TAPAC	3.90	(0.06)	4,568	3.00	ACE01P2201A	0.37	-	6,523	-
TACC	7.90	0.10	10,037	7.00	THANA	1.43	(0.02)	16,296	1.00	ACE06C2112A	0.06	-	599	-
TMILL	4.02	0.02	1,801	4.00	TIGER	2.42	-	100	2.00	ACE06C2202A	0.17	(0.02)	8,914	-
XO	17.10	(0.10)	14,788	17.00	TITLE	2.10	-	542	2.00	ACE13C2112A	0.04	-	900	-
Consumer Products	-	-	-	-	Resources (MAI)	-	-	-	-	ACE13C2202A	0.21	-	9,632	-
BGT	1.25	(0.01)	5,503	1.00	ABM	1.48	-	11,108	1.00	ACE16C2111A	-	-	-	-
BIZ	10.60	(0.10)	1,568	10.00	AIE	4.88	0.02	22,183	4.00	ACE16C2201A	0.09	(0.01)	552	-
DOD	11.50	0.30	28,547	11.00	PSTC	2.48	(0.06)	213,687	2.00	ACE16C2202A	0.24	(0.02)	664	-
ECF	1.84	0.02	81,883	1.00	SAAM	5.50	(0.10)	1,983	5.00	ACE19C2111A	-	-	-	-
EFORL	0.23	0.01	451,359	-	SEAOIL	3.12	-	4,055	3.00	ACE19C2201A	0.10	(0.01)	14,681	-
HPT	0.93	-	18,166	-	SR	1.34	0.05	13,925	1.00	ACE19C2202A	0.24	(0.01)	26,403	-
IP	21.70	(0.10)	1,008	21.00	STOWER	0.10	0.01	596,612	-	ACE24C2203A	0.24	-	3,321	-
JP	7.75	0.05	313,958	7.00	TAKUNI	1.74	(0.03)	1,001,343	1.00	ACE28C2202A	0.22	(0.01)	9,126	-
JUBILE	24.90	-	326	24.00	TPCH	11.10	0.50	5,742	10.00	ACE28C2203A	0.37	-	13,356	-
MOONG	5.00	-	274	4.00	TRT	3.14	-	589	3.00	ADVA01C2111X	0.36	0.01	25,201	-
NPK	-	-	-	-	UMS	1.33	0.01	641	1.00	ADVA01C2201A	0.25	0.01	55,532	-
OCEAN	1.46	(0.02)	29,958	1.00	UPA	0.37	-	289,865	-	ADVA01C2201B	0.05	(0.03)	651	-
SMD	12.40	0.10	5,782	12.00	Services (MAI)	-	-	-	-	ADVA01C2203X	0.50	0.01	19,580	-
TM	3.76	(0.02)	7,232	3.00	A5	-	-	-	-	ADVA01P2111X	-	-	-	-
WINMED	5.60	0.05	2,461	5.00	ADD	21.40	(0.10)	2,032	21.00	ADVA01P2201A	0.26	(0.02)	18,362	-
Financials (MAI)	-	-	-	-	AKP	2.52	0.38	1,072,151	2.00	ADVA06C2112A	0.28	0.01	99,584	-
ACAP	1.49	(0.04)	9,061	1.00	AMA	5.20	(0.05)	3,680	5.00	ADVA06C2201A	0.18	-	80,852	-
AF	1.10	(0.01)	5,883	1.00	ARIP	0.88	0.01	27,178	-	ADVA06P2201A	0.05	-	5,662	-
AIRA	2.22	-	342	2.00	ATP30	1.67	0.11	470,774	1.00	ADVA08C2112S	0.70	0.01	17,498	-
ASN	3.48	(0.02)	46	3.00	AUCT	9.20	0.10	2,369	9.00	ADVA08P2111S	-	-	-	-
BROOK	0.81	0.01	642,320	-	BOL	13.20	0.70	19,484	13.00	ADVA11C2203A	0.47	0.01	24,770	-
GCAP	1.76	0.03	3,878	1.00	CMO	1.76	(0.08)	78,105	1.00	ADVA11P2111A	-	-	-	-
LIT	3.50	0.02	3,180	3.00	D	4.02	0.04	1,576	4.00	ADVA13C2111A	-	-	-	-
MTSIB	1.17	0.01	4,798	1.00	DV8	0.62	0.01	1,319	-	ADVA13C2201A	0.10	-	54,671	-
SGF	1.15	-	57,694	1.00	ETE	1.88	(0.02)	16,878	1.00	ADVA13C2202A	0.45	0.01	175,982	-
TQR	14.80	(0.20)	454	14.00	FSMART	11.00	0.20	11,640	11.00	ADVA13P2112A	-	-	-	-
Industrials (MAI)	-	-	-	-	FLV	1.22	0.04	368,385	1.00	ADVA13P2201A	0.13	-	18,211	-
ADB	2.08	(0.02)	27,840	2.00	GLORY	4.16	(0.14)	49,228	4.00	ADVA16C2201A	0.18	-	3,456	-
BM	4.72	0.22	147,070	4.00	GSC	1.96	(0.04)	83,264	1.00	ADVA16C2202A	0.48	0.01	9,122	-
CHO	0.90	-	108,252	-	HARN	2.42	0.02	2,650	2.00	ADVA19C2112A	0.21	0.01	62,046	-
CHOW	3.56	(0.20)	179	3.00	IMP	0.66	0.01	174,540	-	ADVA19C2201A	0.17	0.01	10,248	-
CIG	0.79	0.06	173,070	-	IMH	12.00	-	3,329	11.00	ADVA19C2201B	0.14	0.01	56,112	-
COLOR	2.06	-	10,088	2.00	KK	3.22	0.06	4,057	3.00	ADVA19C2203A	0.44	0.01	244,865	-
CPR	3.90	(0.02)	419	3.00	KOOL	1.01	0.01	18,199	1.00	ADVA19P2111A	-	-	-	-
FPI	2.32	(0.02)	7,571	2.00	LDC	2.28	0.01	1,731	1.00	ADVA19P2112A	-	-	-	-
GTB	1.04	-	102,440	1.00	LEO	11.70	0.10	16,041	11.00	ADVA19P2112B	0.07	(0.01)	2,162	-
KCM	1.07	(0.02)	21,308	1.00	MORE	1.78	0.13	3,381,431	1.00	ADVA19P2202A	0.35	(0.01)	22,714	-
KUMWEL	2.88	-	3,955	2.00	MVP	4.04	(0.10)	7,054	4.00	ADVA24C2203A	0.45	-	23,924	-
KWM	4.14	(0.06)	24,392	4.00	NBC	0.93	(0.01)	9,274	-	ADVA28C2111A	-	-	-	-
MBAX	5.35	(0.05)	1,662	5.00	NCL	3.56	(0.18)	113,735	3.00	ADVA28C2202A	0.26	0.01	35,488	-
MGF	3.08	(0.08)	9,993	3.00	NEWS	0.05	-	2,660,075	-	ADVA28C2203A	0.51	0.01	45,109	-
NDR	2.76	(0.04)	3,034	2.00	NINE	3.88	0.16	162	3.00	ADVA41C2201B	0.16	-	7,536	-
PACO	3.16	(0.06)	168,179	3.00	OTO	12.30	0.40	71,320	12.00	ADVA41C2202A	0.46	0.01	56,663	-
PDG	4.12	-	1,128	4.00	PHOL	3.76	(0.04)	3,485	3.00	AEON01C2111X	0.12	(0.01)	20,272	-
PIMO	3.70	0.02	16,774	3.00	PICO	3.82	0.02	221	3.00	AEON01C2201A	0.40	(0.02)	27,573	-
PJW	4.00	(0.02)	21,682	3.00	QLT	4.10	0.04	387	4.00	AEON06C2111A	0.10	(0.02)	59,760	-
PPM	2.78	0.02	4,448	2.00	RP	2.58	(0.02)	317	2.00	AEON06C2111B	-	-	-	-
PRAPAT	1.68	(0.01)	14,054	1.00	SE	1.71	-	136,282	1.00	AEON13C2111A	-	-	-	-
RWI	2.04	(0.02)	24,404	2.00	SLM	-	-	-	-	AEON13C2202A	0.51	(0.01)	70,641	-
SALEE	1.09	(0.03)	16,514	1.00	SONIC	4.06	(0.06)	10,810	4.00	AEON16C2201A	0.47	(0.02)	20,399	-
SANKO	1.55	(0.01)	10,565	1.00	SPA	7.40	0.30	8,602	7.00	AEON16C2201B	0.22	-	9,072	-
SELIC	3.36	(0.02)	1,120	3.00	THMUI	1.21	(0.04)	55,664	1.00	AEON19C2111A	-	-	-	-
SFT	6.70	0.05	4,688	6.00	TNDT	2.30	-	1,320	2.00	AEON19C2112A	0.31	(0.02)	47,735	-
SWC	7.55	(0.05)	8,801	7.00	TNH	33.25	0.25	92	33.00	AEON19C2201A	0.21	(0.02)	50,715	-
TMC	1.25	-	3,765	1.00	TNP	5.50	(0.40)	181,034	5.00	AEON19C2202A	0.63	(0.02)	163,164	-
TMI	1.15	(0.01)	6,837	1.00	TSF	-	-	-	-	AEON28C2202L	0.22	-	71,760	-
TMW	38.25	0.75	6	38.00	TVD	1.00	(0.01)	2,980	1.00	AMAT01C2111X	0.17	(0.01)	60,290	-
TPAC	19.90	0.40	1,672	19.00	TVT	1.06	0.01	12,663	1.00	AMAT01C2202A	0.46	(0.01)	58,921	-
TPLAS	3.12	(0.04)	3,582	3.00	VL	1.83	(0.01)	5,664	1.00	AMAT06C2111A	-	-	-	-
UBIS	6.70	(0.35)	48,466	6.00	WINNER	2.34	0.02	4,447	2.00	AMAT11C2112A	0.30	-	24,540	-
UEC	2.48	-	4,677	2.00	YGG	22.70	0.30	16,284	22.00	AMAT13C2111A	-	-	-	-
UKEM	2.72	-	802,808	2.00	Technology (M/	-	-	-	-	AMAT13C2112A	0.27	(0.03)	3,066	-
UREKA	3.12	0.02	74,542	3.00	APP	3.56	(0.06)	6,352	3.00	AMAT13C2202A	0.30	-	400,828	-
YUASA	16.40	-	91	16.00	BBIK	41.00	(0.50)	15,263	41.00	AMAT16C2112A	0.28	(0.01)	45,076	-
ZIGA	4.38	(0.02)	16,882	4.00	COMAN	6.00	0.05	4,228	5.00	AMAT19C2111A	0.05	0.01	1	-
Property & Construc	-	-	-	-	DITTO	16.50	0.30	12,643	16.00	AMAT19C2112A	0.28	-	125,563	-
ALL	2.86	(0.02)	8,041	2.00	ICN	8.50	0.05	89,955	8.00	AMAT19C2202A	0.29	-	181,091	-
ARIN	1.94	(0.12)	39,964	2.00	IIG	41.00	1.00	12,007	40.00	AMAT28C2112A	0.24	-	23,252	-
ARROW	8.30	-	316	8.00	INSET	7.40	-	101,967	7.00	AOT01C2112X	0.34	0.02	5,597	-
BC	1.47	0.01	1,586	1.00	IRCP	1.74	(0.01)	82,013	1.00	AOT01C2202A	0.36	0.01	34,453	-

## Main Board Quotation

Issue Date :

Friday November 05, 2021

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2112A	0.25	0.01	23,932	-	BCH01C2111X	0.01	-	1	-	BH08C2202S	0.79	(0.06)	23,625	-
AOT19C2201A	0.26	0.01	224,104	-	BCH01C2112A	0.04	-	250	-	BH11C2202A	0.44	(0.05)	34,751	-
AOT19C2202A	0.22	0.01	54,873	-	BCH01C2201A	0.13	(0.01)	13,661	-	BH13C2111A	-	-	-	-
AOT19P2112A	-	-	-	-	BCH01C2203A	0.30	(0.01)	26,005	-	BH13C2201A	0.47	(0.06)	236,581	-
AOT19P2202A	0.50	(0.03)	16	-	BCH01P2111X	0.14	(0.01)	50	-	BH13C2203A	0.39	(0.05)	973,997	-
AOT24C2203A	0.25	-	26,929	-	BCH06C2111A	-	-	-	-	BH19C2111A	0.22	(0.06)	421,772	-
AOT28C2112A	0.36	0.01	18,263	-	BCH06C2111B	0.01	(0.04)	102	-	BH19C2202A	0.37	(0.04)	634,608	-
AOT28C2203A	0.32	0.01	14,722	-	BCH06C2201A	0.09	(0.01)	31,988	-	BJC01C2112X	0.09	(0.01)	1,250	-
AOT41C2111A	-	-	-	-	BCH06C2202A	0.29	(0.01)	81,758	-	BJC01C2203A	0.19	(0.02)	1,300	-
AOT41C2201A	0.24	0.01	6,239	-	BCH11C2202A	0.20	(0.01)	9,180	-	BJC06C2201A	0.12	(0.01)	29,100	-
AOT41C2202A	0.32	0.02	125,373	-	BCH13C2111A	-	-	-	-	BJC08C2111S	0.22	(0.01)	400	-
AOT41P2112A	-	-	-	-	BCH13C2111B	-	-	-	-	BJC11C2112A	0.10	-	5,100	-
AOT41P2202A	0.63	(0.02)	25,560	-	BCH13C2201A	0.09	-	16,817	-	BJC13C2111A	-	-	-	-
AP01C2111X	0.06	(0.04)	80	-	BCH13C2202A	0.19	-	14,415	-	BJC13C2202A	0.17	(0.02)	1,349	-
AP01C2202A	0.35	(0.06)	42,433	-	BCH13C2203A	0.30	-	138,208	-	BJC19C2112A	-	-	-	-
AP13C2111A	-	-	-	-	BCH16C2111A	-	-	-	-	BJC19C2202A	0.16	(0.01)	1,069	-
AP13C2202A	0.28	(0.05)	381,673	-	BCH16C2111B	-	-	-	-	BPP01C2201X	0.17	-	2,032	-
AP19C2111A	-	-	-	-	BCH16C2201A	0.12	-	1,296	-	BPP13C2112A	0.08	-	29,513	-
AP19C2202A	0.33	(0.06)	303,048	-	BCH19C2111A	-	-	-	-	BPP19C2112A	0.05	-	3	-
AWC01C2201X	0.25	-	30,123	-	BCH19C2111B	-	-	-	-	BTS01C2201X	0.38	(0.01)	6,472	-
AWC13C2112A	0.08	(0.01)	81,068	-	BCH19C2201A	0.05	-	81,406	-	BTS13C2111A	0.03	(0.01)	8	-
AWC13C2112B	-	-	-	-	BCH19C2202A	0.18	(0.01)	2,111	-	BTS13C2202A	0.24	(0.01)	57,158	-
AWC19C2112A	0.09	(0.01)	44,352	-	BCH19C2203A	0.30	-	150,941	-	BTS19C2112A	0.04	(0.01)	4,345	-
AWC28C2111A	-	-	-	-	BCH24C2201A	0.06	(0.01)	7,585	-	BTS19C2203A	0.28	(0.01)	98,463	-
AWC28C2112A	0.08	(0.01)	30,000	-	BCH24C2203A	0.30	(0.01)	6,315	-	CBG01C2111X	0.01	-	1	-
AWC41C2201A	0.30	(0.01)	58,170	-	BCH41C2201A	0.16	-	7,936	-	CBG01C2112X	0.09	-	2,343	-
BAM01C2112X	0.21	0.01	11,750	-	BCP01C2112X	0.45	(0.09)	3,910	-	CBG01C2201A	0.13	(0.01)	37,917	-
BAM01C2203A	0.30	-	24,332	-	BCP01C2201A	0.12	(0.03)	34	-	CBG01C2201X	0.16	(0.01)	14,620	-
BAM06C2112A	0.07	(0.01)	22,000	-	BCP13C2111A	-	-	-	-	CBG01C2202X	0.37	(0.03)	78,708	-
BAM06C2203A	0.28	(0.01)	47,700	-	BCP13C2201A	0.16	(0.02)	34,416	-	CBG01P2111X	0.47	-	17,078	-
BAM08C2111S	0.41	-	4,600	-	BCP13C2202A	0.11	(0.02)	53,847	-	CBG01P2201A	0.50	0.02	37,987	-
BAM11C2201A	0.26	-	10,100	-	BCP19C2111A	-	-	-	-	CBG06C2201A	0.12	-	50	-
BAM13C2112A	0.04	(0.01)	24	-	BCP19C2201A	0.14	(0.03)	22,992	-	CBG06C2202A	0.43	(0.03)	274,150	-
BAM13C2202A	0.21	-	110,403	-	BCP19C2202A	0.13	(0.01)	13,657	-	CBG06P2111A	-	-	-	-
BAM16C2112A	0.09	-	1,977	-	BCP19C2203A	0.10	(0.02)	3,627	-	CBG08C2201S	0.68	(0.03)	58,770	-
BAM19C2112A	0.04	(0.01)	100	-	BCPG01C2112X	-	-	-	-	CBG11C2203A	0.38	(0.01)	16,165	-
BAM19C2203A	0.25	-	208,344	-	BCPG01C2202A	-	-	-	-	CBG11P2111A	0.33	-	19,004	-
BAM28C2111A	-	-	-	-	BCPG06C2112A	-	-	-	-	CBG13C2111A	0.01	-	50	-
BAM28C2201A	0.28	-	22,230	-	BCPG06C2201A	0.09	(0.01)	11,406	-	CBG13C2112A	0.06	-	61,394	-
BANP01C2201A	0.10	(0.02)	71,167	-	BCPG08C2111S	0.28	(0.02)	1,207	-	CBG13C2201A	0.23	(0.02)	159,301	-
BANP01C2201B	0.06	(0.01)	29	-	BCPG13C2111A	-	-	-	-	CBG13C2202A	0.39	(0.02)	321,758	-
BANP01C2201X	0.12	(0.01)	15,202	-	BCPG13C2201A	0.07	(0.01)	890	-	CBG13P2111A	-	-	-	-
BANP01C2202X	0.06	(0.02)	2	-	BCPG13C2203A	-	-	-	-	CBG13P2112A	0.24	-	100,957	-
BANP01C2203X	0.12	(0.02)	13,604	-	BCPG16C2111A	-	-	-	-	CBG16C2201A	0.11	(0.01)	4,772	-
BANP01P2111X	-	-	-	-	BCPG19C2111A	-	-	-	-	CBG16C2202A	0.45	(0.04)	28,743	-
BANP01P2201A	0.19	-	12,820	-	BCPG19C2202A	-	-	-	-	CBG19C2111A	-	-	-	-
BANP01P2202A	0.84	(0.01)	5,640	-	BCPG19C2203A	0.21	(0.02)	51,573	-	CBG19C2112A	0.05	(0.01)	51,295	-
BANP01P2203A	0.41	0.03	72,150	-	BCPG28C2111A	-	-	-	-	CBG19C2201A	0.17	(0.02)	7,108	-
BANP06C2112A	0.11	(0.03)	27,746	-	BCPG28C2202A	0.13	(0.01)	6,086	-	CBG19C2202A	0.41	(0.01)	640,296	-
BANP06C2202A	0.05	(0.02)	67,424	-	BDM0S01C2112X	0.20	(0.02)	5,211	-	CBG19P2111A	-	-	-	-
BANP06C2203A	0.14	(0.02)	119,661	-	BDM0S01C2202A	0.35	(0.01)	14,019	-	CBG19P2112A	0.32	-	14,816	-
BANP06P2111A	0.02	(0.01)	1,126	-	BDM0S01P2201A	0.28	(0.02)	12,226	-	CBG19P2202A	0.43	0.02	12,681	-
BANP06P2201A	0.34	0.03	140	-	BDM0S06C2111A	-	-	-	-	CBG24C2203A	0.42	(0.02)	38,235	-
BANP13C2111A	-	-	-	-	BDM0S06C2201A	0.31	(0.01)	43,682	-	CBG41C2202A	0.41	(0.02)	35,882	-
BANP13C2111B	0.05	(0.04)	79	-	BDM0S08C2112S	0.57	(0.02)	3,972	-	CBG41C2204A	0.54	(0.04)	879	-
BANP13C2112A	0.25	(0.02)	7,104	-	BDM0S08P2111S	0.41	(0.01)	6,328	-	CENT01C2112X	0.55	0.03	5,452	-
BANP13C2112B	0.08	(0.02)	4,157	-	BDM0S11C2203A	0.42	(0.01)	11,500	-	CENT01C2202A	0.35	0.03	18,432	-
BANP13C2201A	0.05	-	908,174	-	BDM0S11P2111A	-	-	-	-	CENT06C2112K	-	-	-	-
BANP13C2202A	0.03	(0.01)	310,111	-	BDM0S13C2111A	-	-	-	-	CENT06C2203K	0.28	0.04	37,008	-
BANP13C2202B	0.09	(0.01)	241,492	-	BDM0S13C2201A	0.29	(0.01)	52,912	-	CENT13C2112A	0.15	0.01	17,921	-
BANP13C2203A	0.14	(0.02)	628,162	-	BDM0S19C2111A	-	-	-	-	CENT13C2203A	0.29	0.03	67,961	-
BANP13P2112A	0.05	0.01	28,710	-	BDM0S19C2112A	0.05	-	201	-	CENT19C2112A	0.11	-	2	-
BANP13P2201A	0.24	0.01	170,491	-	BDM0S19C2201A	0.26	-	138,486	-	CENT19C2201A	-	-	-	-
BANP13P2202A	0.52	0.04	4,127	-	BDM0S19P2111A	-	-	-	-	CENT19C2203A	0.28	0.03	50,273	-
BANP16C2112A	0.07	(0.02)	30,118	-	BDM0S28C2111A	-	-	-	-	CENT24C2203A	0.28	0.02	972	-
BANP16C2201A	0.05	-	18,237	-	BDM0S28C2202A	0.35	-	18,475	-	CENT28C2112L	0.09	0.01	4	-
BANP19C2111A	-	-	-	-	BEC01C2202A	0.13	(0.03)	29,281	-	CENT28C2201L	0.31	0.01	8,081	-
BANP19C2112A	-	-	-	-	BEC01P2202A	0.45	0.01	25,877	-	CHG01C2111X	0.01	(0.01)	4,691	-
BANP19C2201A	0.08	(0.01)	8,105	-	BEC13C2202A	0.14	(0.01)	16,491	-	CHG01C2112A	-	-	-	-
BANP19C2201B	0.05	-	7,810	-	BEC13C2203A	0.24	(0.03)	169,285	-	CHG01C2202A	0.22	-	18,243	-
BANP19C2202A	0.04	-	21,882	-	BEC16C2202A	0.14	(0.02)	896	-	CHG01C2203A	0.32	(0.01)	8,261	-
BANP19C2203A	0.17	(0.02)	765,944	-	BEC19C2202A	0.12	(0.02)	3,108	-	CHG01P2111X	0.11	(0.02)	16,228	-
BANP19P2112A	0.08	0.01	22,627	-	BEC19C2203A	0.23	(0.02)	91,480	-	CHG06C2111A	0.01	-	2,333	-
BANP19P2202A	-	-	-	-	BEC24C2203A	0.28	(0.05)	13,322	-	CHG06C2201A	0.13	(0.01)	60,785	-
BANP19P2203A	0.33	0.02	44,700	-	BEM01C2202A	0.29	(0.01)	9,518	-	CHG06P2112A	0.10	(0.01)	50,910	-
BANP24C2203A	0.19	(0.02)	103,577	-	BEM11C2111A	-	-	-	-	CHG08C2111S	0.45	(0.01)	4,216	-
BANP28C2111A	-	-	-	-	BEM13C2112A	0.16	-	5,250	-	CHG11C2112A	0.05	-	6,120	-
BANP28C2111B	-	-	-	-	BEM19C2112A	-	-	-	-	CHG13C2111A	-	-	-	-
BANP28C2112A	-	-	-	-	BEM19C2203A	0.28	0.01	104,537	-	CHG13C2201A	0.11	(0.01)	52,275	-
BANP28C2202A	0.07	(0.01)	6,084	-	BEM28C2111A	-	-	-	-	CHG13C2202A	0.26	(0.01)	74,348	-
BANP41C2111A	0.05	(0.03)	2,011	-	BEM28C2112A	0.31	(0.02)	7,605	-	CHG16C2111A	-	-	-	-
BANP41C2201A	0.10	(0.01)	10,052	-	BEM28C2203A	0.36	-	1,521	-	CHG16C2112A	0.09	-	432	-
BANP41C2204A	0.19	(0.02)	48,660	-	BGR101C2111X	0.02	-	400	-	CHG16C2202A	0.28	-	4,873	-
BBL06C2112A	0.26	(0.01)	1,636	-	BGR101C2112X	0.15	0.02	71,749	-	CHG19C2111A	-	-	-	-
BBL06C2202A	0.39	(0.01)	88,838	-	BGR101C2203A	0.29	0.04	125,712	-	CHG19C2112A	-	-	-	-
BBL08C2112S	0.88	(0.02)	7,228	-	BGR101P2112X	0.12	(0.02)	29,224	-	CHG19C2201A	0.12	-	2,994	-
BBL11C2202A	0.48	(0.01)	33,752	-	BGR106C2201A	0.11	0.03	167,441	-	CHG19C2202A	0.23	-	127,678	-
BBL13C2111A	0.11	(0.02)	88,652											

## Main Board Quotation

Issue Date :

Friday November 05, 2021

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP19C2203A	0.12	-	13,003	-	DELT13C2202A	0.22	0.01	1,194,084	-	EA41C2201A	0.43	(0.03)	122,975	-
COM701C2111X	0.20	(0.02)	16,188	-	DELT13C2202B	0.30	-	1,395,550	-	EGCO01C2201A	0.29	(0.01)	9,902	-
COM701C2201A	0.36	(0.02)	43,361	-	DELT13P2111A	-	-	-	-	EGCO08C2202S	0.64	-	11,013	-
COM701C2201X	0.46	(0.02)	16,663	-	DELT13P2112A	0.32	(0.03)	40	-	EGCO11C2203A	0.50	(0.01)	5,100	-
COM701P2202A	0.56	0.01	22,578	-	DELT13P2201A	0.40	(0.02)	1,201,668	-	EGCO13C2202A	0.38	-	42,948	-
COM706C2112A	0.27	(0.03)	70,208	-	DELT16C2112A	0.04	-	33,114	-	EGCO19C2112A	0.07	(0.01)	48,882	-
COM706P2111A	0.01	-	983	-	DELT16C2202A	0.26	-	97,440	-	EGCO19C2202A	0.42	-	124,008	-
COM708C2111S	0.58	(0.02)	17,434	-	DELT19C2111A	0.01	(0.01)	1,222	-	EPG01C2201X	0.17	(0.01)	5,964	-
COM711C2112A	0.25	(0.01)	27,310	-	DELT19C2112A	0.05	0.01	109,610	-	EPG06C2111A	0.01	(0.01)	715	-
COM711P2111A	-	-	-	-	DELT19C2201A	0.18	0.01	402,076	-	EPG13C2112A	0.06	(0.01)	2,360	-
COM711P2202A	0.62	(0.01)	19,500	-	DELT19C2202A	0.28	0.01	867,543	-	EPG19C2111A	-	-	-	-
COM713C2111A	0.04	(0.01)	1,600	-	DELT19P2111A	0.02	(0.01)	51,684	-	EPG19C2201A	0.08	-	2	-
COM713C2112A	0.33	(0.02)	84,745	-	DELT19P2112A	0.17	(0.02)	487,861	-	EPG28C2112A	0.12	(0.01)	19,600	-
COM713C2203A	0.61	(0.39)	147,009	-	DELT19P2112B	0.55	(0.04)	185,751	-	ESS001C2111X	0.02	(0.06)	80	-
COM713P2112A	0.12	-	21,746	-	DELT19P2201A	0.93	(0.04)	73,628	-	ESS001C2201A	0.26	(0.03)	55,976	-
COM713P2202A	0.53	-	73,378	-	DELT19P2202A	0.35	(0.02)	449,309	-	ESS001C2203X	0.20	(0.02)	57,166	-
COM716C2112A	0.37	(0.03)	11,233	-	DELT28C2112A	0.03	-	690	-	ESS006C2112A	-	-	-	-
COM719C2111A	0.07	(0.02)	60,988	-	DELT28C2201A	0.08	-	25,974	-	ESS006C2203A	0.22	(0.01)	102,936	-
COM719C2112A	0.20	(0.02)	6,706	-	DELT28C2201B	0.24	0.02	137,127	-	ESS013C2111A	-	-	-	-
COM719C2202A	0.25	(0.03)	48,915	-	DELT41C2202A	0.36	0.01	208,212	-	ESS013C2112A	0.15	(0.01)	23,164	-
COM719C2203A	0.47	(0.02)	193,955	-	DJI41C2112A	0.29	(0.01)	42,421	-	ESS013C2201A	0.13	(0.02)	51,133	-
COM719P2112A	0.07	-	20,650	-	DJI41C2112B	0.96	(0.05)	526	-	ESS013C2203A	0.27	(0.73)	116,960	-
COM719P2202A	0.40	(0.01)	36,895	-	DJI41C2112C	1.06	(0.04)	9	1.00	ESS016C2202A	0.15	(0.02)	2,161	-
COM728C2202A	0.28	(0.01)	20,652	-	DJI41C2112T	0.71	(0.03)	404	-	ESS019C2111A	0.02	-	100	-
COM741C2112A	0.32	(0.03)	16,011	-	DJI41C2112U	1.54	(0.05)	11	1.00	ESS019C2112A	0.16	(0.01)	219,382	-
COM741C2202A	0.48	(0.02)	65,001	-	DJI41P2112A	0.35	(0.02)	2,455	-	ESS019C2202A	0.16	(0.01)	31,862	-
CPAL01C2112X	0.31	0.01	1,994	-	DJI41P2112B	0.20	(0.02)	435	-	ESS028C2111A	-	-	-	-
CPAL01C2201A	0.17	(0.01)	400	-	DJI41P2112T	0.44	(0.01)	7,891	-	ESS028C2112A	0.10	(0.01)	18,759	-
CPAL01C2204X	0.38	(0.01)	1,212	-	DJI41P2112U	0.57	(0.01)	274	-	ESS028C2201A	0.28	(0.03)	57,660	-
CPAL01P2112X	0.12	(0.01)	6,137	-	DOHO01C2111	-	-	-	-	GFPT06C2111A	-	-	-	-
CPAL01P2203A	0.39	(0.02)	7,902	-	DOHO01C2201	0.11	0.01	15,115	-	GFPT13C2112A	0.06	-	21,386	-
CPAL06C2111K	0.06	0.01	7	-	DOHO01C2201I	0.36	0.01	34,086	-	GFPT19C2112A	0.05	-	200	-
CPAL06C2112A	-	-	-	-	DOHO06C2112	0.01	(0.01)	2,999	-	GLOB01C2112X	0.09	-	8,160	-
CPAL06C2203K	0.19	-	20,170	-	DOHO06C2201	0.20	0.01	79,935	-	GLOB01C2201A	0.16	-	43,890	-
CPAL08C2111S	0.57	-	26,891	-	DOHO06C2202	0.13	-	104,608	-	GLOB01C2203X	0.37	(0.01)	16,343	-
CPAL08P2111S	0.26	(0.02)	5,858	-	DOHO13C2112	0.04	-	2,721	-	GLOB06C2112A	-	-	-	-
CPAL11C2203A	0.34	0.01	6,900	-	DOHO13C2201	0.32	0.01	238,810	-	GLOB06C2201A	0.15	0.01	64,892	-
CPAL13C2112A	0.08	(0.01)	22,526	-	DOHO13C2202	0.12	0.01	60,599	-	GLOB08C2201S	0.44	-	31,366	-
CPAL13C2112B	0.22	-	112,906	-	DOHO16C2111	0.01	-	7	-	GLOB13C2111A	-	-	-	-
CPAL16C2111A	-	-	-	-	DOHO16C2112	0.13	-	2,492	-	GLOB13C2202A	0.28	0.01	91,789	-
CPAL16C2112A	0.10	(0.01)	7,448	-	DOHO16C2202	0.37	0.01	8,112	-	GLOB16C2201A	0.15	-	7,228	-
CPAL19C2112A	0.04	-	100	-	DOHO19C2111	-	-	-	-	GLOB19C2112A	0.08	(0.01)	7,175	-
CPAL19C2112B	-	-	-	-	DOHO19C2111I	-	-	-	-	GLOB19C2202A	0.23	-	98,838	-
CPAL19C2201A	0.05	-	62,779	-	DOHO19C2112	-	-	-	-	GLOB19P2111A	-	-	-	-
CPAL19C2202A	0.26	-	41,010	-	DOHO19C2112I	0.12	(0.01)	56,978	-	GLOB24C2201A	0.11	-	19,324	-
CPAL24C2203A	0.27	0.01	3,770	-	DOHO19C2202	0.35	0.01	699,637	-	GPSCO1C2112A	0.14	0.01	34,422	-
CPAL28C2111A	-	-	-	-	DOHO19P2111	-	-	-	-	GPSCO1C2112X	0.21	0.03	9,797	-
CPAL28C2111L	-	-	-	-	DOHO28C2111	-	-	-	-	GPSCO1C2202A	0.37	0.02	59,766	-
CPAL28C2112A	-	-	-	-	DOHO28C2202	0.14	0.01	2,000	-	GPSCO1C2202X	0.41	0.02	12,012	-
CPAL28C2202A	0.25	-	9,126	-	DOHO28C2202I	0.43	0.02	19,360	-	GPSCO1P2112X	0.18	(0.02)	3,060	-
CPAL41C2112A	0.12	(0.01)	3,512	-	DOHO41C2112	0.06	0.01	1,002	-	GPSCO1P2201A	0.68	(0.03)	25,891	-
CPAL41C2202A	0.48	-	10,855	-	DTAC01C2111X	0.14	(0.01)	119,538	-	GPSCO6C2201A	0.28	0.02	438,407	-
CPF01C2111X	-	-	-	-	DTAC01C2112A	0.08	-	1,621	-	GPSCO8C2201S	0.66	0.04	50,673	-
CPF01C2203A	0.16	-	25,172	-	DTAC01C2112X	0.10	-	300	-	GPSC11C2112A	0.15	0.02	18,273	-
CPF01P2112X	0.11	-	8,908	-	DTAC01C2202X	0.08	-	1	-	GPSC11P2111A	0.05	(0.01)	6,360	-
CPF06C2112A	-	-	-	-	DTAC01C2203X	0.17	-	34,575	-	GPSC13C2112A	0.07	0.01	54,669	-
CPF13C2111A	-	-	-	-	DTAC01P2112X	-	-	-	-	GPSC13C2201A	0.29	0.02	218,946	-
CPF13C2201A	0.04	(0.01)	823	-	DTAC01P2201A	0.41	0.01	36,526	-	GPSC13C2202A	0.46	0.03	730,121	-
CPF13C2203A	0.10	-	92,291	-	DTAC06C2112A	0.08	(0.01)	145,368	-	GPSC13P2201A	0.30	(0.02)	94,845	-
CPF16C2112A	-	-	-	-	DTAC06C2112B	0.04	0.01	8,920	-	GPSC16C2201A	0.18	0.01	9,882	-
CPF19C2112A	-	-	-	-	DTAC06C2202A	0.07	-	66,412	-	GPSC16C2201B	0.34	0.03	31,943	-
CPF19C2201A	-	-	-	-	DTAC06C2203K	0.13	-	83,884	-	GPSC19C2111A	-	-	-	-
CPF19C2203A	0.11	-	126,229	-	DTAC06P2203A	0.62	0.02	10,302	-	GPSC19C2201A	0.20	0.01	56,062	-
CPF28C2112A	-	-	-	-	DTAC11C2112A	0.12	-	12,052	-	GPSC19C2202A	0.46	0.03	593,108	-
CPF28C2203A	-	-	-	-	DTAC13C2111A	0.01	(0.15)	284	-	GPSC19P2111A	-	-	-	-
CPF41C2201A	0.03	-	1,200	-	DTAC13C2112A	0.03	(0.01)	495	-	GPSC19P2201A	0.34	(0.04)	101,157	-
CPF41C2204A	0.15	-	3,537	-	DTAC13C2201A	0.09	-	145,690	-	GPSC24C2201A	0.17	0.02	4,664	-
CPN01C2201X	0.59	(0.02)	6,064	-	DTAC13C2202A	0.06	-	133,336	-	GPSC28C2111L	-	-	-	-
CPN01C2203X	0.35	(0.02)	8,094	-	DTAC13C2202B	0.05	-	46,086	-	GPSC28C2202A	0.30	0.01	19,483	-
CPN06C2112A	0.14	(0.01)	14,428	-	DTAC13C2203A	0.19	(0.81)	106,258	-	GPSC41C2111B	-	-	-	-
CPN08C2111S	0.68	(0.01)	4,400	-	DTAC13P2112A	0.08	-	83,988	-	GPSC41C2201A	0.38	0.02	287,880	-
CPN11C2203A	0.44	-	20,700	-	DTAC13P2202A	0.47	(0.01)	44,816	-	GPSC41P2112A	0.40	(0.04)	23,332	-
CPN11P2112A	0.08	(0.01)	3,030	-	DTAC16C2112A	0.04	-	20	-	GULF01C2111X	0.27	(0.03)	3,192	-
CPN13C2112A	-	-	-	-	DTAC19C2112A	0.12	(0.01)	198,411	-	GULF01C2112A	0.19	(0.01)	35,279	-
CPN13C2201A	0.27	-	138,169	-	DTAC19C2112B	0.02	(0.01)	10	-	GULF01C2201A	0.15	-	24,336	-
CPN16C2202A	0.36	(0.01)	6,622	-	DTAC19C2112C	0.08	(0.01)	3,429	-	GULF01C2201X	0.18	(0.02)	50	-
CPN19C2112A	-	-	-	-	DTAC19C2202A	0.05	-	98,137	-	GULF01P2112X	-	-	-	-
CPN19C2201A	0.31	-	234,322	-	DTAC19C2203A	0.09	-	57,099	-	GULF01P2201A	0.17	(0.01)	15,810	-
CPN24C2203A	0.24	(0.01)	4,418	-	DTAC19C2203B	0.22	(0.78)	193,850	-	GULF01P2202A	0.39	-	12,274	-
CRC01C2201A	0.16	-	30,678	-	DTAC19P2112A	-	-	-	-	GULF06C2112A	-	-	-	-
CRC06C2111A	0.01	-	400	-	DTAC19P2201A	-	-	-	-	GULF06C2201A	0.14	(0.01)	91,604	-
CRC06C2112K	0.05	-	13,777	-	DTAC28C2111A	-	-	-	-	GULF06P2201A	-	-	-	-
CRC06P2112K	-	-	-	-	DTAC28C2201A	0.08	(0.01)	6,084	-	GULF06P2203A	0.32	-	55,048	-
CRC06P2201K	0.14	(0.01)	42,888	-	EA01C2111X	0.09	-	16,622	-	GULF08C2202S	0.49	(0.02)	3,600	-
CRC11C2112A	0.20	-	5,049	-	EA01C2201A	0.36	0.01	79,164	-	GULF08P2111S	-	-	-	-
CRC13C2112A	0.09	-	12,410	-	EA01C2201X	0.41	(0.02)	41,807	-	GULF11C2111A	0.30	-	7,400	-
CRC13C2201A	0.10	0.01	2,374	-	EA01P2111X									

## Main Board Quotation

Issue Date :

Friday November 05, 2021

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF41C2112A	0.11	(0.01)	1,256	-	ICHI01P2111X	0.17	(0.01)	6,400	-	JAS13C2112A	0.04	-	3,000	-
GULF41C2201B	0.16	(0.02)	13,565	-	ICHI06C2111A	-	-	-	-	JAS13C2202A	0.19	0.01	8,477	-
GUNK01C2111X	0.17	(0.03)	124	-	ICHI08C2111S	-	-	-	-	JAS16C2202A	0.14	-	1,080	-
GUNK01C2112X	-	-	-	-	ICHI13C2111A	-	-	-	-	JAS19C2112A	0.12	-	7,038	-
GUNK01C2201A	0.58	(0.06)	788	-	ICHI13C2201A	0.04	-	171	-	JAS28C2111A	-	-	-	-
GUNK01C2202A	0.25	(0.02)	2,220	-	ICHI13C2203A	-	-	-	-	JAS28C2201A	0.25	0.01	4,642	-
GUNK01C2202X	0.17	(0.02)	88,953	-	ICHI19C2111A	-	-	-	-	JAS41C2202A	0.27	-	5,226	-
GUNK01P2111X	0.03	-	4,000	-	ICHI19C2201A	-	-	-	-	JMAR01C2201A	0.12	0.01	29,146	-
GUNK01P2202A	0.24	0.01	4	-	ICHI19C2203A	0.15	-	1,143	-	JMAR01C2202A	0.31	0.06	39,493	-
GUNK06C2111A	-	-	-	-	ICHI24C2201A	-	-	-	-	JMAR01C2202X	0.20	0.04	29,898	-
GUNK06C2111B	-	-	-	-	INTU01C2201A	0.45	(0.03)	28,180	-	JMAR01P2201A	0.32	(0.07)	61,972	-
GUNK06C2201A	-	-	-	-	INTU01C2201X	0.24	(0.04)	40,743	-	JMAR06C2112A	0.13	0.04	46,547	-
GUNK06C2202A	0.19	(0.02)	43,656	-	INTU01C2203X	0.59	(0.06)	45,722	-	JMAR06C2112B	-	-	-	-
GUNK06P2111A	0.01	(0.01)	1	-	INTU01P2112A	0.13	-	27,922	-	JMAR06C2202A	0.17	0.04	166,224	-
GUNK06P2201A	0.18	0.01	66,139	-	INTU01P2201A	0.55	0.02	36,248	-	JMAR11C2112A	0.26	0.02	14,801	-
GUNK11C2111A	-	-	-	-	INTU06C2201A	0.15	(0.02)	50,872	-	JMAR13C2111A	0.05	-	32,834	-
GUNK11C2203A	-	-	-	-	INTU06C2203A	0.44	(0.04)	167,527	-	JMAR13C2201A	0.38	0.08	32,724	-
GUNK11P2112A	0.13	-	3,287	-	INTU06P2201A	0.22	-	86,626	-	JMAR13C2201B	0.15	0.04	204,246	-
GUNK13C2111A	-	-	-	-	INTU11C2201A	0.32	(0.02)	41,399	-	JMAR13C2202A	0.29	0.06	225,841	-
GUNK13C2201A	0.17	(0.01)	78,345	-	INTU13C2112A	-	-	-	-	JMAR16C2111A	0.12	0.04	6,014	-
GUNK13C2201B	-	-	-	-	INTU13C2201A	0.15	(0.02)	101,352	-	JMAR16C2201A	0.15	0.03	3,557	-
GUNK13P2111A	-	-	-	-	INTU13C2202A	0.44	(0.03)	348,893	-	JMAR19C2111A	-	-	-	-
GUNK13P2202A	0.31	0.02	100,966	-	INTU13P2112A	0.02	-	551	-	JMAR19C2112A	0.37	0.07	3,283	-
GUNK16C2112A	0.13	(0.02)	43,773	-	INTU13P2201A	0.36	0.01	197,168	-	JMAR19C2201A	0.16	0.04	49,242	-
GUNK16C2201A	0.57	(0.07)	764	-	INTU16C2201A	0.14	(0.02)	23,527	-	JMAR19C2203A	0.28	0.05	194,818	-
GUNK19C2111A	-	-	-	-	INTU16C2202A	0.47	(0.04)	84,762	-	JMT01C2112X	0.43	0.12	65,520	-
GUNK19C2201A	0.16	(0.02)	159,718	-	INTU19C2111A	0.08	(0.04)	27,844	-	JMT01C2201A	0.22	0.07	123,424	-
GUNK19C2201B	-	-	-	-	INTU19C2112A	0.11	(0.02)	36,432	-	JMT06C2111A	-	-	-	-
GUNK19P2111A	0.01	-	10	-	INTU19C2201A	0.19	(0.03)	13,959	-	JMT06C2112A	0.48	0.13	25,807	-
GUNK19P2202A	0.33	0.01	52,262	-	INTU19C2201B	0.07	(0.01)	14,044	-	JMT08C2111S	0.69	0.14	48,590	-
GUNK41C2201A	-	-	-	-	INTU19C2202A	0.38	(0.03)	331,791	-	JMT11C2112A	0.21	0.08	43,661	-
GUNK41C2202A	0.28	(0.02)	6,353	-	INTU19P2112A	0.10	-	64,072	-	JMT13C2112A	0.30	0.11	21,985	-
GUNK41C2203A	0.23	(0.77)	810	-	INTU19P2112B	0.31	0.01	34,460	-	JMT13C2201A	0.26	0.08	146,457	-
HANA01C2111X	0.38	(0.01)	27,888	-	INTU19P2201A	-	-	-	-	JMT13C2203A	0.47	0.12	617,947	-
HANA01C2112A	0.26	(0.01)	34,026	-	INTU23C2111A	-	-	-	-	JMT16C2201A	0.44	0.16	33,940	-
HANA01C2201A	0.74	0.01	19,682	-	INTU28C2111A	-	-	-	-	JMT19C2112A	0.38	0.14	61,322	-
HANA01C2201T	0.64	0.01	32,448	-	INTU28C2201A	0.20	(0.02)	38,228	-	JMT19C2201A	0.25	0.09	70,621	-
HANA01C2201X	0.86	0.01	39,465	-	INTU28C2202A	0.15	(0.02)	8,127	-	JMT19C2203A	0.46	0.12	604,960	-
HANA01P2111X	-	-	-	-	INTU28C2202B	0.55	(0.03)	90,122	-	JMT28C2202A	0.35	0.08	84,934	-
HANA01P2201A	0.35	(0.01)	23,897	-	INTU41C2111A	0.30	(0.03)	26,492	-	KBAN01C2111X	0.42	(0.02)	172,827	-
HANA06C2201A	0.67	0.01	110,635	-	INTU41C2201A	0.34	(0.03)	165,262	-	KBAN01C2112T	0.50	(0.01)	12,800	-
HANA08C2111S	0.99	0.01	74,109	1.00	IRPC01C2111X	0.19	(0.03)	4,598	-	KBAN01C2112X	1.06	(0.02)	6,328	1.00
HANA13C2112A	0.35	-	257,724	-	IRPC01C2202A	0.25	(0.03)	18,675	-	KBAN01C2201A	0.64	(0.03)	21,234	-
HANA13C2201A	0.79	0.01	647,061	-	IRPC01C2202X	0.17	(0.02)	5,686	-	KBAN01C2201X	0.81	(0.02)	51,962	-
HANA13C2202A	1.13	0.01	361	1.00	IRPC01P2202A	0.63	0.03	8,670	-	KBAN01C2202A	0.59	(0.03)	19,946	-
HANA13P2111A	-	-	-	-	IRPC06C2111A	0.04	(0.01)	1,291	-	KBAN01C2202X	0.40	(0.02)	15,567	-
HANA13P2112A	0.05	(0.02)	44,529	-	IRPC06C2202A	0.21	(0.02)	145,528	-	KBAN01C2204T	0.45	(0.01)	16,533	-
HANA13P2202A	0.32	(0.02)	244,002	-	IRPC06P2112A	-	-	-	-	KBAN01P2112X	0.04	0.02	3,338	-
HANA16C2112A	0.50	0.01	7,992	-	IRPC06P2202A	0.43	0.01	83,639	-	KBAN01P2201A	0.08	(0.02)	2,472	-
HANA16C2202A	1.20	0.01	5,301	1.00	IRPC08C2112S	0.71	(0.04)	23,225	-	KBAN01P2202A	0.28	-	44,727	-
HANA19C2112A	0.41	(0.01)	41,973	-	IRPC11C2202A	0.28	(0.04)	18,500	-	KBAN06C2111A	0.20	(0.06)	227	-
HANA19C2202A	0.83	0.01	39,164	-	IRPC13C2111A	-	-	-	-	KBAN06C2112A	1.18	(0.11)	10	1.00
HANA19P2111A	-	-	-	-	IRPC13C2112A	-	-	-	-	KBAN06C2202A	0.58	(0.01)	24,815	-
HANA19P2201A	0.27	(0.01)	76,292	-	IRPC13C2201A	0.22	(0.03)	192,635	-	KBAN06P2112A	-	-	-	-
HANA19P2202A	0.62	(0.02)	213,365	-	IRPC13C2202A	0.15	(0.02)	170,232	-	KBAN06P2201A	0.07	-	1,040	-
HANA28C2111A	0.12	(0.01)	2,164	-	IRPC13P2201A	0.61	0.03	172,502	-	KBAN06P2203A	0.35	-	242,792	-
HMPR01C2112X	-	-	-	-	IRPC16C2112A	0.27	(0.03)	6,570	-	KBAN08C2111S	1.09	-	7,147	1.00
HMPR01C2203A	0.33	(0.03)	13,784	-	IRPC19C2111A	0.01	(0.06)	700	-	KBAN08P2111S	-	-	-	-
HMPR06C2112A	0.22	(0.02)	5,200	-	IRPC19C2112A	0.30	(0.04)	2,658	-	KBAN13C2111A	0.10	(0.03)	14,240	-
HMPR11C2203A	0.32	(0.02)	13,353	-	IRPC19C2202A	0.23	(0.02)	166,057	-	KBAN13C2112A	0.58	(0.03)	17,306	-
HMPR13C2111A	-	-	-	-	IRPC19C2202B	0.15	(0.02)	8,478	-	KBAN13C2112B	-	-	-	-
HMPR13C2112A	0.24	(0.02)	33,488	-	IRPC19P2202A	0.65	0.03	2,256	-	KBAN13C2201A	0.43	(0.02)	815,488	-
HMPR13C2203A	0.26	(0.74)	110,045	-	IRPC28C2111A	-	-	-	-	KBAN13P2112A	0.01	-	100	-
HMPR16C2202A	0.27	(0.02)	2,440	-	IRPC28C2112A	-	-	-	-	KBAN13P2201A	0.04	(0.02)	46,325	-
HMPR19C2111A	-	-	-	-	IRPC28C2203A	0.31	(0.03)	20,280	-	KBAN13P2201B	0.13	-	19,408	-
HMPR19C2201A	0.25	(0.02)	4,066	-	IRPC41C2201A	0.16	(0.03)	13,848	-	KBAN13P2202A	0.26	-	215,656	-
HMPR19C2202A	0.21	(0.02)	319,191	-	IRPC41C2203A	0.33	(0.67)	15,478	-	KBAN16C2111A	0.15	(0.03)	18,309	-
HSI28C2111A	0.44	(0.15)	1,565,547	-	IVL01C2111X	-	-	-	-	KBAN16C2111B	0.86	(0.03)	3,343	-
HSI28C2111B	0.18	(0.09)	969,224	-	IVL01C2112A	0.11	(0.01)	25,300	-	KBAN16C2201A	0.80	(0.03)	9,838	-
HSI28C2111C	0.07	(0.05)	415,897	-	IVL01C2112T	0.13	(0.02)	15,948	-	KBAN16C2202A	0.42	(0.02)	43,446	-
HSI28C2111D	0.03	(0.01)	319,640	-	IVL01C2202A	0.21	(0.02)	71,982	-	KBAN19C2111A	0.43	(0.04)	100	-
HSI28C2111E	0.88	(0.22)	226,372	-	IVL01C2202X	0.12	(0.02)	32,356	-	KBAN19C2112A	0.86	0.01	3	-
HSI28C2112A	0.58	(0.14)	633,410	-	IVL01P2112X	-	-	-	-	KBAN19C2112B	-	-	-	-
HSI28C2112B	0.31	(0.10)	343,951	-	IVL01P2202A	0.56	0.03	45,298	-	KBAN19C2201A	0.50	(0.02)	6,199	-
HSI28C2112C	2.46	(0.32)	209	2.00	IVL06C2112K	0.05	(0.02)	94,903	-	KBAN19C2202A	0.40	(0.02)	180,562	-
HSI28C2112D	1.66	(0.30)	1,038	1.00	IVL06C2203A	0.22	(0.02)	567,688	-	KBAN19P2111A	-	-	-	-
HSI28C2112E	1.02	(0.21)	269,821	1.00	IVL06P2112A	-	-	-	-	KBAN19P2112A	-	-	-	-
HSI28P2111A	0.67	0.11	971,599	-	IVL06P2201K	0.24	0.02	375,561	-	KBAN19P2201A	0.14	-	69,546	-
HSI28P2111B	0.30	0.05	213,456	-	IVL08C2111S	0.34	(0.04)	104,211	-	KBAN19P2202A	0.32	-	75,614	-
HSI28P2111C	0.13	0.04	146,019	-	IVL11C2111A	-	-	-	-	KBAN24C2202A	0.43	(0.01)	61,733	-
HSI28P2111D	1.20	0.19	521,875	1.00	IVL11P2202A	0.48	0.03	46,037	-	KBAN28C2111A	-	-	-	-
HSI28P2112A	0.72	0.09	308,790	-	IVL13C2111A	-	-	-	-	KBAN28C2112A	1.03	0.10	4,897	1.00
HSI28P2112B	0.43	0.06	40,430	-	IVL13C2112A	0.06	(0.02)	22,408	-	KBAN28C2202A	0.85	0.04	52	-
HSI28P2112C	1.90	0.21	931,325	1.00	IVL13C2201A	0.11	(0.02)	1,515,055	-	KBAN28C2202B	0.44	(0.01)	41,484	-
HSI28P2112D	1.20	0.15	220,783	1.00	IVL13C2203A	0.23	(0.03)	383,835	-	KBAN41C2111A	0.74	(0.06)	3,012	-

## Main Board Quotation

Issue Date :

Friday November 05, 2021

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE11C2111A	0.24	(0.02)	18,998	-	MINT11C2204A	0.27	-	1,150	-	PTG01C2203A	0.21	(0.02)	16,623	-
KCE13C2112A	0.31	(0.02)	178,886	-	MINT11P2201A	0.15	(0.01)	2,840	-	PTG01P2111X	0.22	-	31,161	-
KCE13C2201A	0.47	(0.02)	1,925,957	-	MINT13C2112A	0.12	(0.01)	7,879	-	PTG01P2203A	0.47	-	13,816	-
KCE13C2202A	0.87	(0.02)	264,220	-	MINT13C2201A	0.11	-	8,020	-	PTG06C2111A	0.02	(0.01)	791	-
KCE13P2112A	0.02	0.01	203	-	MINT13C2203A	0.22	-	38,438	-	PTG06C2112A	-	-	-	-
KCE13P2202A	0.34	(0.01)	302,252	-	MINT13P2201A	0.15	(0.02)	19,988	-	PTG08C2111A	-	-	-	-
KCE16C2201A	0.67	(0.02)	41,187	-	MINT16C2112A	0.11	-	797	-	PTG11C2201A	0.09	(0.01)	11,275	-
KCE19C2112A	0.32	(0.02)	52,399	-	MINT19C2112A	-	-	-	-	PTG13C2111A	-	-	-	-
KCE19C2202A	0.84	(0.01)	520,942	-	MINT19C2201A	0.11	-	500	-	PTG13C2112A	-	-	-	-
KCE19P2111A	-	-	-	-	MINT19C2203A	0.22	0.01	43,377	-	PTG13C2112B	0.02	(0.01)	211	-
KCE19P2112A	0.10	(0.01)	121,519	-	MINT19P2111A	-	-	-	-	PTG13C2202A	0.10	(0.01)	13,812	-
KCE19P2202A	0.61	-	647,487	-	MINT19P2201A	0.16	(0.02)	21,110	-	PTG13C2203A	0.17	(0.01)	21,417	-
KCE41C2203A	0.91	(0.09)	181,674	-	MINT28C2111A	0.07	-	3,042	-	PTG16C2201A	0.02	(0.01)	48	-
KKP01C2112X	0.55	-	31,553	-	MINT28C2203A	-	-	-	-	PTG16C2202A	0.13	(0.01)	3,002	-
KKP11C2111A	0.09	(0.01)	20,480	-	MINT41C2111A	-	-	-	-	PTG19C2111A	-	-	-	-
KKP13C2111A	-	-	-	-	MINT41C2112A	-	-	-	-	PTG19C2112A	-	-	-	-
KKP13C2112A	0.34	-	130,141	-	MINT41C2202A	-	-	-	-	PTG19C2112B	-	-	-	-
KKP13C2203A	0.44	(0.56)	184,544	-	MTC01C2112X	0.41	(0.04)	29,456	-	PTG19C2202A	0.09	(0.01)	2,000	-
KKP19C2111A	-	-	-	-	MTC01C2201A	0.28	(0.02)	50,069	-	PTG19C2203A	0.21	(0.03)	190,062	-
KKP19C2112A	0.36	(0.01)	14,149	-	MTC01C2203X	0.56	(0.03)	22,241	-	PTL01C2111X	0.10	-	3	-
KKP19C2204A	0.45	-	173,804	-	MTC01P2112X	0.12	(0.01)	18,338	-	PTL01C2202A	-	-	-	-
KTB01C2201X	-	-	-	-	MTC06C2112A	0.33	(0.05)	99,131	-	PTL13C2112A	0.04	-	3	-
KTB13C2111A	-	-	-	-	MTC06P2112A	0.04	(0.01)	2	-	PTL13C2202A	-	-	-	-
KTB13C2201A	0.15	-	140	-	MTC08C2202S	0.70	(0.03)	12,907	-	PTL13C2203A	0.39	(0.04)	311,505	-
KTB19C2111A	-	-	-	-	MTC11C2112A	0.16	(0.03)	6,600	-	PTL16C2201A	-	-	-	-
KTB19C2203A	0.17	-	3,000	-	MTC11P2202A	0.48	0.01	40,274	-	PTL16C2202A	0.11	-	1,392	-
KTB28C2112A	-	-	-	-	MTC13C2112A	0.06	(0.01)	120,614	-	PTL16C2202B	0.30	(0.02)	8,300	-
KTB28C2201A	-	-	-	-	MTC13C2201A	0.35	(0.02)	240,657	-	PTL19C2111A	-	-	-	-
KTC01C2111X	-	-	-	-	MTC13P2112A	0.09	-	105,821	-	PTL19C2201A	0.05	-	17,336	-
KTC01C2112A	-	-	-	-	MTC16C2112A	0.25	(0.03)	22,698	-	PTL19C2202A	-	-	-	-
KTC01C2202A	0.28	(0.02)	18,387	-	MTC16C2202A	0.54	(0.05)	15,400	-	PTL19C2203A	0.31	(0.03)	541,402	-
KTC01C2202X	0.31	(0.02)	9,261	-	MTC19C2111A	-	-	-	-	PTT01C2111X	-	-	-	-
KTC01C2203X	0.50	(0.01)	8,425	-	MTC19C2112A	0.11	(0.02)	6,322	-	PTT01C2112A	-	-	-	-
KTC01P2111X	-	-	-	-	MTC19C2202A	0.42	(0.02)	130,290	-	PTT01C2112X	0.18	(0.02)	4,312	-
KTC01P2201A	0.53	-	10,322	-	MTC19P2112A	-	-	-	-	PTT01C2202A	0.14	-	510	-
KTC06C2111A	-	-	-	-	MTC19P2112B	0.13	-	46,098	-	PTT01C2202X	0.08	(0.02)	1,678	-
KTC06C2112A	0.12	(0.01)	28,624	-	MTC24C2201A	0.21	(0.02)	3,918	-	PTT01P2112X	-	-	-	-
KTC06C2202A	0.41	(0.01)	50,475	-	MTC28C2111A	-	-	-	-	PTT01P2202A	0.30	-	15,597	-
KTC06P2112A	0.24	0.01	57,219	-	MTC28C2201A	0.52	(0.02)	40,095	-	PTT06C2112K	0.03	(0.01)	230	-
KTC08C2111S	-	-	-	-	NDX41C2111A	0.95	0.18	7,191	-	PTT06C2201K	0.14	(0.01)	40,789	-
KTC08C2112S	0.43	(0.02)	18,839	-	NDX41C2112B	2.66	0.34	10,147	2.00	PTT06C2203K	-	-	-	-
KTC11C2112A	0.09	(0.01)	4,897	-	NDX41C2112T	1.58	0.22	5,915	1.00	PTT08C2111S	0.42	(0.02)	20,440	-
KTC13C2112A	0.07	(0.01)	13,515	-	NDX41C2112U	2.74	0.28	500	2.00	PTT08P2111S	0.44	(0.01)	17,492	-
KTC13C2202A	0.33	(0.01)	62,972	-	NDX41P2112A	0.12	(0.04)	1,688	-	PTT11C2202A	0.17	(0.01)	10,280	-
KTC13C2203A	0.52	(0.01)	512,469	-	NDX41P2112B	0.09	(0.07)	250	-	PTT13C2111A	-	-	-	-
KTC13P2201A	0.48	-	291,789	-	NDX41P2112T	0.20	(0.06)	2,417	-	PTT13C2112A	0.06	(0.01)	41,062	-
KTC13P2202A	0.21	-	39,014	-	NDX41P2112U	0.20	(0.14)	1,070	-	PTT13C2201A	0.06	(0.01)	105,828	-
KTC16C2112A	0.07	(0.01)	432	-	OR01C2201X	0.10	-	22,635	-	PTT13C2202A	0.11	(0.01)	44,259	-
KTC16C2202A	0.39	(0.01)	5,272	-	OR01P2112X	0.17	(0.02)	5,038	-	PTT13C2203A	0.19	(0.81)	101,830	-
KTC19C2111A	-	-	-	-	OR06C1121A	0.03	-	190	-	PTT13P2112A	-	-	-	-
KTC19C2112A	-	-	-	-	OR06C2203A	0.10	0.01	51,544	-	PTT13P2201A	0.05	-	620	-
KTC19C2202A	0.22	(0.01)	9,507	-	OR11C2112A	-	-	-	-	PTT13P2202A	0.21	0.02	72,077	-
KTC19C2202B	0.37	(0.02)	226,268	-	OR13C2111A	-	-	-	-	PTT16C2112A	-	-	-	-
KTC19P2112A	0.04	(0.01)	10,145	-	OR13C2112A	-	-	-	-	PTT16C2201A	0.06	-	3,436	-
KTC19P2112B	0.43	(0.01)	2,425	-	OR13C2202A	0.06	(0.01)	162,751	-	PTT19C2111A	-	-	-	-
KTC19P2202A	0.43	-	110	-	OR13C2203A	0.12	-	100,618	-	PTT19C2112A	0.03	(0.03)	2,000	-
KTC24C2203A	0.36	(0.01)	5,975	-	OR13P2201A	0.22	(0.03)	67,304	-	PTT19C2202A	0.08	(0.01)	2,100	-
KTC28C2111A	-	-	-	-	OR16C2112A	-	-	-	-	PTT19C2204A	0.19	(0.81)	82,528	-
KTC28C2112A	0.11	(0.02)	3,042	-	OR16C2202A	0.10	0.01	1,777	-	PTT19P2112A	-	-	-	-
KTC28C2202A	0.48	(0.02)	27,549	-	OR19C2111A	-	-	-	-	PTT19P2202A	0.28	-	4,518	-
KTC41C2111A	0.02	-	4	-	OR19C2112A	-	-	-	-	PTT24C2204A	0.18	(0.82)	36,675	-
KTC41C2111B	-	-	-	-	OR19C2202A	0.05	0.01	1	-	PTT28C2112A	-	-	-	-
KTC41C2201A	0.43	(0.04)	69,095	-	OR19C2203A	0.09	-	103,180	-	PTT28C2201A	0.17	(0.01)	6,084	-
LH01C2112X	0.22	-	15,121	-	OR28C2112A	0.05	0.02	1,010	-	PTT28C2203A	0.14	(0.01)	3,071	-
LH01C2204X	0.36	0.01	4,678	-	OR28C2203A	0.11	-	5,563	-	PTT41C2112A	0.06	(0.01)	2,502	-
LH13C2111A	0.01	-	1	-	OR41C2204A	0.18	0.02	10,652	-	PTT41C2201A	0.14	(0.01)	3,900	-
LH13C2202A	0.28	0.01	89,482	-	OR11C2111A	-	-	-	-	PTT41C2204A	0.31	-	450	-
LH16C2202A	0.25	(0.01)	3,024	-	OR11C2201A	0.17	-	56,421	-	PTTE01C2111X	-	-	-	-
LH19C2201A	-	-	-	-	OR11C2111A	-	-	-	-	PTTE01C2112A	0.29	(0.02)	49,391	-
MAJ001C2201A	0.28	-	12,597	-	OR19C2201A	0.22	0.01	23,873	-	PTTE01C2112X	0.36	(0.02)	26,139	-
MAJ001P2201A	0.33	(0.03)	10,043	-	OR124C2203A	0.19	0.01	2,376	-	PTTE01C2202A	0.31	(0.02)	50,676	-
MAJ006C2201A	0.23	0.01	25,652	-	OSP01C2201A	0.15	-	34,807	-	PTTE01C2202X	0.22	(0.01)	21,040	-
MAJ013C2201A	0.29	-	21,624	-	OSP06C2111A	-	-	-	-	PTTE01P2111X	0.10	0.02	1	-
MAJ016C2201A	0.22	-	2,811	-	OSP06C2202A	0.13	-	25,100	-	PTTE01P2202A	0.56	(0.01)	19,130	-
MAJ019C2111A	-	-	-	-	OSP11C2111A	-	-	-	-	PTTE06C2111A	-	-	-	-
MAJ019C2111B	-	-	-	-	OSP11C2204A	0.23	(0.01)	1,171	-	PTTE06C2112A	0.10	(0.02)	9,500	-
MAJ019C2112A	-	-	-	-	OSP13C2112A	-	-	-	-	PTTE06C2201A	-	-	-	-
MAJ019C2201A	0.31	0.01	40,331	-	OSP13C2202A	0.08	(0.01)	40,472	-	PTTE06C2203A	0.21	(0.02)	109,855	-
MAJ019C2203A	0.23	0.01	100	-	OSP13C2203A	0.15	-	1,003	-	PTTE08C2201S	0.63	(0.02)	3,040	-
MAJ024C2203A	0.43	(0.57)	3,466	-	OSP19C2112A	-	-	-	-	PTTE11C2201A	0.33	-	13,500	-
MBK13C2112A	0.06	(0.01)	2,000	-	OSP19C2202A	-	-	-	-	PTTE11P2202A	0.67	-	20,700	-
MBK19C2112A	-	-	-	-	OSP19C2204A	0.22	(0.78)	11,477	-	PTTE13C2111A	-	-	-	-
MEGA01C2201A	0.15	(0.02)	58,727	-	OSP28C2111A	-	-	-	-	PTTE13C2112A	0.18	(0.02)	73,802	-
MEGA01C2203X	0.42	(0.01)	8,230	-	OSP28C2201A	-	-	-	-	PTTE13C2202A	0.27	(0.01)	188,370	-
MEGA01P2201A	0.30	(0.02)	25,079	-	OSP28C2202A	0.15	-	3,042	-	PTTE13P2112A	-	-	-	-
MEGA06C2201A	0.18	(0.01)	15,827	-	PLAN06C2112A	-	-	-	-	PTTE13P2202A	0.44	0.01	48,094	-
MEGA13C2112A	0.17	0.02	240	-	PLAN06C2202A	0.18	-	101,827	-	PTTE16C2112A	0.16	(0.02)	3,888	-
MEGA13C2201A	0.14	-	11,464	-	PLAN13C2112A	0.15	0.01	89,088	-	PTTE19C2111A	0.02	(0.03)	20	-
MEGA13C2202A	0.38	(0.01)	54,650	-	PLAN19C2112A	0.20	(0.01)	3,737	-	PTTE19C2112A	-	-		

## Main Board Quotation

Issue Date :

Friday November 05, 2021

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG01C2202X	0.26	(0.03)	10,738	-	S5013P2111A	0.74	-	1,602,811	-	SCB06P2203A	0.34	-	190,508	-
PTTG01P2201A	0.23	-	8,650	-	S5013P2112A	0.08	-	53,075	-	SCB08C2202S	0.80	-	28,859	-
PTTG01P2203A	0.78	0.03	14,142	-	S5013P2112B	0.16	-	75,499	-	SCB11C2111A	0.52	-	20,132	-
PTTG06C2112A	0.09	(0.03)	44,390	-	S5013P2112C	0.20	-	2,217,321	-	SCB11C2201A	-	-	-	-
PTTG06C2202A	0.25	(0.03)	115,642	-	S5013P2112D	0.34	0.01	12,283,679	-	SCB11P2111A	0.01	-	1,410	-
PTTG06P2201A	0.28	0.01	140,265	-	S5013P2112E	0.52	0.01	11,223,826	-	SCB13C2111A	1.87	(0.12)	1	1.00
PTTG08C2111S	0.54	(0.04)	12,752	-	S5013P2202A	1.19	0.01	27,024	1.00	SCB13C2201A	0.83	-	2,875	-
PTTG08P2111S	0.25	0.02	48,910	-	S5013P2203A	1.00	0.02	10,745,954	1.00	SCB13C2201B	0.37	-	265,747	-
PTTG11C2111A	0.09	(0.02)	15,375	-	S5016C2112A	0.49	(0.05)	174,034	-	SCB13C2203A	0.58	-	718,253	-
PTTG11P2203A	0.68	0.03	28,750	-	S5016C2112B	-	-	-	-	SCB13P2112A	-	-	-	-
PTTG13C2111A	-	-	-	-	S5016C2112C	0.16	(0.02)	115,612	-	SCB13P2201A	0.02	(0.01)	5,460	-
PTTG13C2201A	0.21	(0.03)	52,898	-	S5016C2112D	0.40	(0.06)	277,930	-	SCB13P2201B	0.16	(0.01)	56,916	-
PTTG13C2203A	0.37	(0.04)	255,619	-	S5016C2203A	0.46	(0.03)	115,422	-	SCB13P2203A	0.50	(0.02)	329,961	-
PTTG13P2111A	-	-	-	-	S5016P2112A	0.04	(0.01)	5,000	-	SCB16C2111A	2.08	(0.14)	420	2.00
PTTG13P2201A	0.22	0.01	45,905	-	S5016P2112B	0.11	-	1,372	-	SCB16C2112A	0.87	-	5,256	-
PTTG13P2202A	0.54	0.02	241,334	-	S5016P2112C	0.28	-	164,843	-	SCB16C2201A	0.38	-	4,636	-
PTTG16C2111A	-	-	-	-	S5016P2112D	0.24	-	188,368	-	SCB16C2202A	0.51	0.01	15,894	-
PTTG19C2111A	0.11	(0.04)	4,726	-	S5016P2203A	0.89	0.01	260,216	-	SCB19C2111A	1.01	(0.14)	2,629	1.00
PTTG19C2201A	0.23	(0.04)	361,995	-	S5019C2112A	0.39	(0.04)	1,334,642	-	SCB19C2201A	-	-	-	-
PTTG19P2111A	-	-	-	-	S5019C2112B	0.04	(0.01)	2,255	-	SCB19C2202A	0.62	(0.01)	2,710	-
PTTG19P2112A	0.13	0.01	91,675	-	S5019C2112C	0.40	(0.05)	557,627	-	SCB19C2202B	0.34	0.01	828,619	-
PTTG19P2202A	0.61	0.03	54,466	-	S5019C2203A	0.27	(0.01)	1,244,530	-	SCB19C2203A	0.51	-	15,082	-
PTTG24C2204A	0.38	(0.05)	10,985	-	S5019P2112A	0.04	-	4,646	-	SCB19P2111A	0.01	-	1	-
PTTG28C2111A	-	-	-	-	S5019P2112B	0.11	-	4,200	-	SCB19P2201A	0.07	-	110,500	-
PTTG28C2111B	-	-	-	-	S5019P2112C	0.34	-	1,402,588	-	SCB19P2201B	0.32	(0.01)	469	-
PTTG28C2112A	0.24	(0.03)	14,296	-	S5019P2112D	0.25	0.01	974,960	-	SCB24C2204A	0.45	(0.55)	12,156	-
PTTG28C2203A	0.31	(0.02)	68,898	-	S5019P2203A	0.46	0.01	939,709	-	SCB28C2112L	-	-	-	-
PTTG41C2111A	0.08	(0.02)	5,424	-	S5024C2112B	0.19	(0.03)	126,052	-	SCB28C2201A	0.44	0.01	31,474	-
PTTG41C2201A	0.23	(0.03)	3,314	-	S5024C2112C	0.45	(0.05)	460,907	-	SCB28C2201B	0.30	-	37,829	-
PTTG41C2203A	0.45	(0.55)	9,246	-	S5024P2112B	0.20	-	94,498	-	SCC01C2111X	0.02	(0.02)	100	-
QH01C2203A	0.22	-	30,883	-	S5024P2112C	0.19	-	157,343	-	SCC01C2202X	0.14	0.01	6,998	-
QH13C2201A	0.13	-	225	-	S5024P2112D	0.69	0.02	292,264	-	SCC01C2204X	0.69	0.01	9,185	-
QH19C2203A	0.16	-	400	-	S5028C2112A	0.61	(0.06)	655,334	-	SCC01P2201A	0.34	(0.02)	22,919	-
RATC01C2111A	-	-	-	-	S5028C2112B	0.25	(0.02)	288,452	-	SCC06C2201A	0.02	(0.01)	3,528	-
RATC01C2111X	0.02	-	2	-	S5028C2112C	0.10	0.01	200	-	SCC06C2202A	0.15	-	89,589	-
RATC08C2111S	-	-	-	-	S5028C2112D	1.22	(0.05)	38,107	1.00	SCC11C2202A	0.13	-	2,300	-
RATC13C2111A	-	-	-	-	S5028C2203A	2.20	(0.04)	63,981	2.00	SCC13C2111A	0.01	-	16,000	-
RATC13C2112A	0.11	(0.01)	11,168	-	S5028C2203B	1.32	(0.05)	114,233	1.00	SCC13C2112A	-	-	-	-
RATC13C2203A	0.23	(0.01)	8,648	-	S5028C2203C	0.80	(0.04)	620,646	-	SCC13C2202A	0.10	-	140,341	-
RATC19C2111A	-	-	-	-	S5028C2203D	0.45	(0.01)	228,094	-	SCC13C2202B	0.54	0.01	236,922	-
RATC19C2203A	-	-	-	-	S5028P2112A	0.12	-	82,235	-	SCC13P2112A	0.10	(0.01)	14,306	-
RBFO1C2111A	-	-	-	-	S5028P2112B	-	-	-	-	SCC16C2112A	0.01	-	914	-
RBFO1C2111X	0.14	(0.01)	24,766	-	S5028P2112C	1.00	0.03	427,711	1.00	SCC19C2111A	-	-	-	-
RBFO1C2201A	0.23	-	15,575	-	S5028P2112D	0.41	0.01	722,893	-	SCC19C2112A	0.01	-	4	-
RBFO1C2201X	0.27	(0.01)	31,526	-	S5028P2203A	0.75	0.02	574,379	-	SCC19C2202A	0.10	-	98,295	-
RBFO1P2111X	0.20	-	16,550	-	S5028P2203B	1.29	0.02	296,171	1.00	SCC19C2202B	0.37	0.01	178,909	-
RBFO6C2111A	-	-	-	-	S5041C2112A	0.35	(0.05)	2,550,911	-	SCC19P2112A	0.09	(0.01)	88,556	-
RBFO8C2112S	0.57	(0.02)	78,883	-	S5041C2112B	0.20	(0.03)	3,000	-	SCC24C2202A	0.10	0.01	1	-
RFB11C2111A	0.12	(0.01)	20,480	-	S5041C2112C	0.10	(0.02)	20,014	-	SCC28C2111A	-	-	-	-
RFB13C2111A	-	-	-	-	S5041C2112D	0.07	0.02	65	-	SCC28C2201A	0.08	-	35,000	-
RFB13C2112A	0.16	(0.02)	112,849	-	S5041C2112T	1.05	(0.05)	28,348	1.00	SCC28C2203A	0.20	-	15,213	-
RFB13C2202A	0.47	(0.01)	133,771	-	S5041C2112W	0.67	(0.03)	75,169	-	SCC41C2112A	1.03	0.01	2,806	1.00
RFB16C2112A	0.21	(0.01)	6,344	-	S5041C2112W	-	-	-	-	SCC41C2202A	0.50	0.02	40,719	-
RFB16C2202A	0.41	(0.03)	34,542	-	S5041C2203T	0.96	(0.05)	362,614	-	SCGP01C2111X	0.09	-	100	-
RFB19C2111A	-	-	-	-	S5041P2112A	0.14	(0.05)	13	-	SCGP01C2201A	0.08	(0.02)	1,705	-
RFB19C2112A	0.26	(0.03)	90,511	-	S5041P2112B	0.26	-	250	-	SCGP01C2202A	0.25	-	14,073	-
RFB24C2201A	0.17	(0.01)	5,078	-	S5041P2112C	0.46	(0.01)	2,311,548	-	SCGP01C2202X	0.29	-	4,818	-
RS06C2111A	-	-	-	-	S5041P2112D	0.57	0.01	19,226	-	SCGP01C2203X	0.45	(0.01)	3,941	-
RS06C2202A	0.13	-	4,002	-	S5041P2112T	0.15	-	10,822	-	SCGP01P2111X	-	-	-	-
RS08C2111S	0.09	0.01	2	-	S5041P2112U	-	-	-	-	SCGP06C2112A	0.06	0.01	1	-
RS13C2111A	-	-	-	-	S5041P2112V	0.49	0.01	109,326	-	SCGP06C2201A	0.18	-	32,660	-
RS13C2112A	0.02	-	1,000	-	S5041P2112W	0.80	-	314	-	SCGP06C2202A	0.36	(0.01)	26,292	-
RS13C2201A	0.12	-	30,320	-	S5041P2203T	1.08	0.01	750,743	1.00	SCGP06P2112A	0.16	(0.01)	12,100	-
RS13C2202A	0.25	0.01	23,805	-	S5042C2111G	-	-	-	-	SCGP08C2201S	0.50	(0.01)	1,200	-
RS16C2112A	-	-	-	-	S5042C2111T	0.31	(0.04)	5,196	-	SCGP11C2112A	0.10	(0.01)	5,553	-
RS16C2201A	0.17	0.01	8,460	-	S5042P2111G	-	-	-	-	SCGP11P2111A	0.13	(0.02)	8,372	-
RS19C2111A	-	-	-	-	S5042P2111T	-	-	-	-	SCGP13C2111A	0.01	-	19,500	-
RS19C2111B	-	-	-	-	SAWA01C2111D	-	-	-	-	SCGP13C2201A	0.23	-	98,740	-
RS19C2111C	-	-	-	-	SAWA01C2111E	0.15	-	16,392	-	SCGP13C2202A	0.40	(0.01)	88,294	-
RS19C2112A	-	-	-	-	SAWA01C2111F	0.16	(0.01)	18,118	-	SCGP13P2112A	-	-	-	-
RS19C2202A	0.15	-	2,001	-	SAWA01C2201I	0.39	(0.01)	25,262	-	SCGP13P2112B	0.17	(0.01)	45,856	-
RS19C2203A	0.28	-	58,080	-	SAWA01C2201J	0.31	(0.02)	12,857	-	SCGP16C2201A	0.11	(0.01)	582	-
RS28C2111A	-	-	-	-	SAWA01P2112I	0.26	0.01	10,848	-	SCGP16C2202A	0.39	(0.01)	3,276	-
RS28C2202A	0.21	-	13,797	-	SAWA06C2111I	-	-	-	-	SCGP19C2111A	-	-	-	-
S5001C2112A	0.13	(0.01)	11,286	-	SAWA06C2202I	0.35	-	76,874	-	SCGP19C2112A	-	-	-	-
S5001C2112B	0.61	(0.02)	5,224	-	SAWA08C2111I	0.06	0.01	10	-	SCGP19C2202A	0.21	-	58,228	-
S5001C2112F	-	-	-	-	SAWA08C2112I	0.45	(0.02)	490	-	SCGP19C2202B	0.37	(0.01)	77,822	-
S5001C2112X	0.37	(0.02)	2,880	-	SAWA11C2201I	0.19	(0.01)	5,050	-	SCGP19P2111A	-	-	-	-
S5001C2201T	0.83	-	38,541	-	SAWA13C2112I	0.05	-	510,568	-	SCGP19P2112A	0.16	(0.02)	100	-
S5001P2112A	0.23	(0.02)	26,749	-	SAWA13C2202I	0.30	-	594,996	-	SCGP24C2203A	0.40	0.01	5,839	-
S5001P2112B	0.67	(0.02)	3,644	-	SAWA13C2203I	0.47	-	77,527	-	SCGP28C2112A	0.05	(0.01)	10,000	-
S5001P2112F	0.29	(0.01)	2,362	-	SAWA13P2112I	0.18	(0.01)	29,895	-	SCGP28C2202A	0.31	-	19,245	-
S5001P2112X	0.06	(0.01)	348	-	SAWA16C2112I	0.12	(0.01)	28,190	-	SCGP41C2203A	0.41	(0.59)	17,078	-
S5001P2201T	0.55	-	5,261	-	SAWA16C2202I	0.39	-	8,875	-	SPAL01C2112X	0.26	(0.03)	18,327	-
S5006C2112A	0.37	(0.05)	1,012,314	-	SAWA19C2111I	-	-	-	-	SPAL01C2203A	0.59	(0.04)	95,877	-
S5006C2112B	0.12	(0.02)	340,050	-	SAWA19C2202I									

## Main Board Quotation

Issue Date :

Friday November 05, 2021

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC1C2204A	0.15	(0.02)	12,040	-	STGT28C2202A	0.07	-	6,084	-	TQM13C2203A	0.40	-	42,756	-
SPRC13C2111A	-	-	-	-	STGT28C2203A	0.11	(0.01)	3,992	-	TQM19C2201A	0.16	-	22,067	-
SPRC13C2112A	0.33	(0.05)	6,000	-	STGT41C2204A	0.21	(0.79)	9,919	-	TQM19C2204A	0.46	0.01	46,818	-
SPRC13C2202A	0.13	(0.01)	123,628	-	SUPE13C2112A	0.04	(0.01)	17,990	-	TRUE01C2201A	0.50	(0.02)	2,497	-
SPRC16C2201A	0.32	(0.07)	35,124	-	SUPE13C2203A	0.17	(0.01)	27,120	-	TRUE01C2202A	0.27	(0.01)	4,962	-
SPRC19C2111A	-	-	-	-	SUPE19C2112A	0.08	-	5	-	TRUE01C2202X	0.18	(0.02)	3,951	-
SPRC19C2112A	0.12	(0.39)	812	-	SUPE19C2203A	0.22	(0.01)	15	-	TRUE01C2203X	0.16	(0.02)	4,973	-
SPRC19C2112B	-	-	-	-	SYNE01C2202A	0.55	0.04	19,876	-	TRUE01P2201A	0.13	0.01	36,657	-
SPRC19C2202A	0.11	(0.01)	16,129	-	SYNE13C2202A	0.40	0.03	134,161	-	TRUE01P2202A	0.44	0.01	23,273	-
SPRC19C2203A	-	-	-	-	SYNE13C2203A	0.18	0.02	16,133	-	TRUE06C2112A	-	-	-	-
SPRC28C2112A	0.26	(0.08)	5,563	-	SYNE16C2202A	0.51	0.03	7,012	-	TRUE06C2202A	0.20	(0.01)	126,868	-
SPRC28C2201A	0.52	(0.05)	4,086	-	SYNE19C2202A	0.42	0.03	197,288	-	TRUE06P2203A	0.56	0.02	142,511	-
SPRC28C2202A	0.15	(0.03)	8,763	-	SYNE19C2203A	0.18	0.01	5,128	-	TRUE11C2202A	0.19	(0.02)	9,210	-
SPX28C2112A	0.67	0.04	4,523	-	TAS001C2112X	-	-	-	-	TRUE13C2111A	0.05	(0.02)	2,009	-
SPX28C2112B	1.66	0.11	348	1.00	TAS001C2203A	0.30	(0.01)	19,814	-	TRUE13C2202A	0.24	(0.02)	288,987	-
SPX28C2112C	0.22	0.02	3,010	-	TAS001P2112X	0.15	-	25,328	-	TRUE13C2202B	0.18	(0.01)	391,194	-
SPX28P2112A	0.23	(0.03)	14,944	-	TAS006C2202A	0.28	(0.02)	2,680	-	TRUE13P2201A	0.43	0.01	387,195	-
SPX28P2112B	0.47	(0.39)	2	-	TASC11C2111A	0.02	(0.01)	990	-	TRUE16C2202A	0.17	(0.02)	18,430	-
SPX28P2112C	-	-	-	-	TASC13C2112A	0.08	-	29,582	-	TRUE19C2111A	0.07	(0.02)	70,253	-
SPX28P2112D	-	-	-	-	TASC13C2203A	0.37	(0.02)	28,819	-	TRUE19C2202A	0.14	(0.01)	129,354	-
SPX41C2112A	0.63	0.03	74	-	TASC13P2112A	0.09	(0.01)	6,244	-	TRUE19C2202B	0.12	(0.01)	108,210	-
SPX41C2112B	0.32	(0.01)	120	-	TASC16C2201A	0.22	(0.02)	1,296	-	TRUE19C2203A	0.31	(0.69)	281,321	-
SPX41C2112T	1.01	0.07	9	1.00	TASC19C2112A	-	-	-	-	TRUE19P2202A	0.43	0.01	102,317	-
SPX41C2112U	1.60	0.11	10,032	1.00	TASC19C2201A	0.17	(0.02)	89,578	-	TRUE28C2112A	0.37	-	102	-
SPX41C2112V	2.60	0.10	1	2.00	TASC19P2112A	-	-	-	-	TRUE28C2202A	0.18	(0.01)	17,120	-
SPX41P2112A	0.23	(0.04)	1,000	-	TASC28C2111A	-	-	-	-	TTB01C2112X	-	-	-	-
SPX41P2112B	-	-	-	-	TASC28C2111L	-	-	-	-	TTB13C2111A	0.01	(0.01)	390	-
SPX41P2112T	0.24	(0.03)	20	-	TASC28C2201A	0.23	(0.01)	14,207	-	TTB13C2201A	0.17	(0.01)	40,323	-
SPX41P2112U	0.32	(0.18)	50	-	TASC41C2204A	0.45	(0.01)	16,735	-	TTB19C2112A	-	-	-	-
SPX41P2112V	0.40	(0.03)	1,648	-	TCAP01C2111X	-	-	-	-	TTB19C2112B	0.15	(0.01)	80,773	-
STA01C2111X	-	-	-	-	TCAP13C2112A	0.12	(0.02)	52,385	-	TTB19C2203A	0.18	(0.01)	77,657	-
STA01C2201A	0.04	(0.03)	725	-	TCAP19C2112A	0.15	(0.02)	245,157	-	TTW13C2112A	-	-	-	-
STA01C2202A	0.11	(0.01)	5,179	-	THAN01C2111A	-	-	-	-	TTW19C2112A	-	-	-	-
STA01P2111X	0.20	0.01	49	-	THAN01C2112A	-	-	-	-	TU01C2112X	-	-	-	-
STA06C2112A	0.01	(0.02)	1	-	THAN01C2202A	0.26	(0.01)	33,124	-	TU01C2201A	0.23	(0.01)	76,668	-
STA06C2201A	0.07	(0.01)	11,000	-	THAN01P2111X	0.19	(0.01)	19,274	-	TU06C2111A	-	-	-	-
STA08C2111S	0.10	(0.14)	2,000	-	THAN06C2111A	-	-	-	-	TU06C2112A	0.03	(0.01)	9	-
STA11C2201A	-	-	-	-	THAN06C2201A	0.18	-	98,556	-	TU06C2202A	0.16	(0.01)	81,870	-
STA13C2111A	0.01	-	90	-	THAN13C2112A	0.04	-	30,500	-	TU06P2112A	0.16	(0.01)	126,684	-
STA13C2201A	0.06	(0.01)	2,500	-	THAN13C2202A	0.22	-	82,102	-	TU11C2203A	0.33	(0.02)	18,419	-
STA13C2202A	0.10	-	10,893	-	THAN13C2202E	0.40	(0.01)	248,056	-	TU13C2111A	-	-	-	-
STA13C2203A	0.21	(0.02)	51,423	-	THAN19C2111A	-	-	-	-	TU13C2112A	0.01	-	600	-
STA13P2111A	-	-	-	-	THAN19C2112A	-	-	-	-	TU13C2201A	0.18	(0.02)	229,166	-
STA13P2112A	-	-	-	-	THAN19C2202A	0.21	(0.01)	7,360	-	TU13C2203A	0.31	(0.69)	60,226	-
STA13P2202A	0.32	-	6,692	-	THAN19C2203A	0.40	-	327,756	-	TU16C2111A	-	-	-	-
STA16C2112A	-	-	-	-	THAN24C2201A	0.11	-	13,289	-	TU16C2202A	0.25	(0.01)	6,092	-
STA16C2201A	-	-	-	-	THAN28C2111L	-	-	-	-	TU19C2111A	-	-	-	-
STA19C2111A	-	-	-	-	THAN28C2202A	0.22	-	19,170	-	TU19C2111B	-	-	-	-
STA19C2111B	-	-	-	-	TIS001C2112X	0.30	(0.02)	28,806	-	TU19C2201A	0.16	-	2,074	-
STA19C2202A	0.08	-	510	-	TIS01C2203A	0.51	(0.02)	24,525	-	TU19C2203A	0.31	(0.02)	294,983	-
STA19C2202B	0.11	(0.01)	2,000	-	TIS01C2201A	0.31	(0.02)	100,745	-	TU24C2203A	0.23	(0.01)	6,886	-
STA19C2203A	0.20	(0.01)	25,455	-	TIS01C2202A	0.32	(0.02)	33,136	-	TU28C2111A	-	-	-	-
STA19P2111A	-	-	-	-	TKN01C2111X	-	-	-	-	TU28C2111B	-	-	-	-
STA19P2112A	-	-	-	-	TKN01C2201A	0.14	-	15,498	-	TU28C2202A	0.23	(0.02)	32,751	-
STA28C2111A	-	-	-	-	TKN13C2111A	-	-	-	-	TVO13C2201A	0.11	(0.01)	6	-
STA41C2202A	-	-	-	-	TKN13C2202A	0.18	(0.01)	69,861	-	TVO19C2202A	-	-	-	-
STEC01C2111X	-	-	-	-	TKN19C2111A	-	-	-	-	VG101C2112X	0.32	(0.02)	5,545	-
STEC01C2112X	-	-	-	-	TKN19C2111B	-	-	-	-	VG101C2203X	0.28	(0.01)	1,992	-
STEC01C2202A	0.18	-	29,732	-	TKN19C2202A	0.15	(0.01)	99,816	-	VG106C2111A	-	-	-	-
STEC06C2111A	0.01	-	1,000	-	TKN28C2112A	0.05	-	15,210	-	VG106C2202A	0.33	(0.02)	2,696	-
STEC06C2202A	0.18	-	65,000	-	TKN28C2202A	0.18	-	12,168	-	VG11C2111A	-	-	-	-
STEC08C2111S	0.19	(0.01)	2,000	-	TOA08C2111S	0.14	0.01	1	-	VG11C2204A	0.35	-	10,350	-
STEC11C2112A	0.09	-	8,680	-	TOA13C2112A	0.05	(0.01)	3,000	-	VG11C2111A	-	-	-	-
STEC13C2112A	0.07	-	354	-	TOA19C2112A	-	-	-	-	VG11C2112A	0.25	(0.02)	51,726	-
STEC13C2203A	0.17	-	15	-	TOA41C2201A	0.18	-	4,401	-	VG13C2203A	0.25	(0.01)	100,830	-
STEC16C2201A	0.10	-	3,618	-	TOP01C2111X	-	-	-	-	VG19C2111A	-	-	-	-
STEC19C2112A	0.02	-	500	-	TOP01C2112A	0.38	(0.08)	34,035	-	VG19C2112A	0.25	-	1,159	-
STEC19C2201A	0.13	(0.01)	67,677	-	TOP01C2112X	0.17	(0.04)	33,198	-	VG19C2203A	0.22	(0.01)	132,510	-
STEC28C2111A	-	-	-	-	TOP01C2203A	0.27	(0.04)	25,356	-	VG128C2111A	-	-	-	-
STEC28C2112A	0.09	(0.01)	11,733	-	TOP01C2203X	0.18	(0.03)	32,900	-	VG128C2112A	-	-	-	-
STEC41C2111A	-	-	-	-	TOP01P2111X	0.10	0.01	23,100	-	VG128C2203A	0.32	-	17,812	-
STEC41C2202A	0.17	(0.01)	20,791	-	TOP01P2112X	0.10	0.07	50	-	WHA01C2112X	0.14	(0.01)	47,200	-
STGT01C2111X	-	-	-	-	TOP01P2203A	0.72	0.05	18,648	-	WHA01C2203A	0.30	(0.01)	65,180	-
STGT01C2112A	0.02	-	550	-	TOP06C2111A	-	-	-	-	WHA06C2112A	0.21	-	100,690	-
STGT01C2112X	-	-	-	-	TOP06C2112A	0.14	(0.05)	101,164	-	WHA08C2111S	0.33	-	6,400	-
STGT01C2202A	0.05	(0.03)	430	-	TOP06C2202A	0.22	(0.04)	133,510	-	WHA11C2203A	0.30	-	23,000	-
STGT01C2202B	-	-	-	-	TOP08C2111S	0.27	(0.05)	68,937	-	WHA13C2112A	0.15	-	106,367	-
STGT01P2111X	0.66	0.02	2,761	-	TOP08C2112S	0.77	(0.05)	8,805	-	WHA16C2202A	0.20	(0.02)	19,394	-
STGT01P2202A	0.51	0.03	9,915	-	TOP11C2201A	0.38	(0.05)	30,900	-	WHA19C2112A	0.08	(0.02)	3,911	-
STGT06C2111A	0.01	-	102	-	TOP11P2203A	0.71	0.04	42,553	-	WHA19C2203A	0.26	-	274,604	-
STGT06C2112A	-	-	-	-	TOP13C2111A	-	-	-	-	WHA24C2204A	0.30	(0.70)	7,123	-
STGT06C2202A	-	-	-	-	TOP13C2112A	0.08	(0.03)	67,260	-	WHA28C2202A	0.17	-	33,955	-
STGT06C2202B	0.11	(0.01)	19,572	-	TOP13C2112B	0.17	(0.06)	115,808	-	WHAU13C2112A	0.10	(0.01)	3,294	-
STGT06P2201A	0.57	0.05	29,223	-	TOP13C2202A	0.16	(0.03)	164,143	-	WHAU19C2111A	-	-	-	-
STGT11C2201A	0.05	(0.01)	3,000	-	TOP13P2112A	-	-	-	-	Preferred/Foreign	-	-	-	-
STGT13C2111A	0.01	-	10	-	TOP13P2202A	0.27	0.04	125,843	-	BH-Q	-	-	-	-
STGT13C2111B	-	-	-	-	TOP16C2112A	0.19	(0.06)	8,012	-	CSC-Q	-	-	-	-
STGT13C2201A	0.01	(0.01)	410	-	TOP16C2202A	0.18	(0.04)	33,186	-	JUTHA-Q	-	-	-	-
STGT13C2201B	0.02	(0.01)	4,430	-	TOP19C2111A	-	-	-	-	KTB-Q	-	-	-	-
STGT13C2202A	0.07	(0.02)	145,											

## Main Board Quotation

Issue Date :

Friday November 05, 2021

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BEYOND-W2	4.40	0.28	2,861	4.00	SAAM-W2	1.24	(0.18)	1,772	1.00	-	-	-	-	-
BKD-W2	0.26	-	2,972	-	SIMAT-W3	1.01	0.02	5,929	1.00	-	-	-	-	-
BTS-W6	1.32	(0.01)	31,197	1.00	SIMAT-W5	2.90	(0.04)	996	2.00	-	-	-	-	-
BYD-W6	2.16	0.04	28,001	2.00	SONIC-W1	2.56	(0.04)	4,650	2.00	-	-	-	-	-
CEN-W5	1.01	-	74,576	1.00	STOWER-W3	0.05	-	384,357	-	-	-	-	-	-
CGD-W5	0.16	-	14,266	-	SWC-W1	-	-	-	-	-	-	-	-	-
CGH-W4	0.28	-	33,619	-	TAPAC-W4	0.23	(0.01)	28,076	-	-	-	-	-	-
CHAYO-W1	7.55	0.05	882	7.00	UREKA-W2	1.85	0.01	2,203	1.00	-	-	-	-	-
CHAYO-W2	3.34	0.06	1,285	3.00	VL-W1	1.02	0.01	4,191	1.00	-	-	-	-	-
CWT-W5	1.45	(0.04)	144	1.00	ZIGA-W1	3.14	0.02	2,286	3.00	-	-	-	-	-
EMC-W6	0.12	-	73,272	-	Preferred Share	-	-	-	-	-	-	-	-	-
ERW-W3	1.10	0.01	1,362	1.00	SGF-P1	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.45	(0.02)	171,630	-	-	-	-	-	-	-	-	-	-	-
III-W1	4.82	0.14	5,700	4.00	-	-	-	-	-	-	-	-	-	-
J-W1	1.74	0.02	1,852	1.00	-	-	-	-	-	-	-	-	-	-
JCK-W6	0.22	-	35,565	-	-	-	-	-	-	-	-	-	-	-
JMART-W3	28.00	1.00	1,366	27.00	-	-	-	-	-	-	-	-	-	-
JMART-W4	24.60	0.70	1,645	24.00	-	-	-	-	-	-	-	-	-	-
JMART-W5	13.20	0.50	2,694	12.00	-	-	-	-	-	-	-	-	-	-
JMT-W3	9.50	0.65	2,589	9.00	-	-	-	-	-	-	-	-	-	-
MACO-W3	0.16	-	41,499	-	-	-	-	-	-	-	-	-	-	-
MBK-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MBK-W2	11.00	(0.10)	4	11.00	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.37	(0.01)	847	-	-	-	-	-	-	-	-	-	-	-
MILL-W6	0.47	(0.01)	3,818	-	-	-	-	-	-	-	-	-	-	-
MINT-W7	10.90	-	1,464	10.00	-	-	-	-	-	-	-	-	-	-
MINT-W8	5.00	-	1,103	5.00	-	-	-	-	-	-	-	-	-	-
MINT-W9	3.92	0.04	1,179	3.00	-	-	-	-	-	-	-	-	-	-
NER-W1	5.15	0.15	5,612	5.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	11.30	0.30	11,524	11.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.41	(0.11)	11,733	-	-	-	-	-	-	-	-	-	-	-
NOBLE-W2	1.11	-	3,780	1.00	-	-	-	-	-	-	-	-	-	-
NRF-W1	3.00	(0.04)	293	3.00	-	-	-	-	-	-	-	-	-	-
NUSA-W4	0.17	-	23,751	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.82	(0.02)	7,431	-	-	-	-	-	-	-	-	-	-	-
PORT-W1	0.40	(0.04)	19,606	-	-	-	-	-	-	-	-	-	-	-
PPPM-W4	0.46	(0.01)	33,978	-	-	-	-	-	-	-	-	-	-	-
RS-W4	3.78	(0.04)	1,814	3.00	-	-	-	-	-	-	-	-	-	-
SABUY-W1	8.15	0.20	3,136	8.00	-	-	-	-	-	-	-	-	-	-
SAMART-W3	1.45	-	965	1.00	-	-	-	-	-	-	-	-	-	-
SAMTEL-W1	1.40	(0.04)	533	1.00	-	-	-	-	-	-	-	-	-	-
SAWAD-W2	10.90	0.10	337	11.00	-	-	-	-	-	-	-	-	-	-
SDC-W1	0.42	-	3,017	-	-	-	-	-	-	-	-	-	-	-
SINGER-W2	25.75	0.75	138	25.00	-	-	-	-	-	-	-	-	-	-
SMT-W3	2.56	(0.04)	1,135	2.00	-	-	-	-	-	-	-	-	-	-
SNP-W2	16.90	2.40	209	15.00	-	-	-	-	-	-	-	-	-	-
SSP-W1	2.40	0.02	910	2.00	-	-	-	-	-	-	-	-	-	-
SSP-W2	2.60	(0.02)	5,266	2.00	-	-	-	-	-	-	-	-	-	-
STARK-W1	0.93	0.04	257,824	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	0.39	(0.01)	3,349	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	0.40	(0.02)	13,735	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	0.51	-	3,026	-	-	-	-	-	-	-	-	-	-	-
TFG-W3	1.32	-	815	1.00	-	-	-	-	-	-	-	-	-	-
TFI-W1	0.18	0.01	14,099	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	0.14	-	33,823	-	-	-	-	-	-	-	-	-	-	-
TRUBB-W2	0.56	(0.03)	13,554	-	-	-	-	-	-	-	-	-	-	-
U-W4	0.01	-	160,979	-	-	-	-	-	-	-	-	-	-	-
VGI-W2	0.49	0.01	150,206	-	-	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.45	-	9,206	-	-	-	-	-	-	-	-	-	-	-
W-W5	0.09	-	84,585	-	-	-	-	-	-	-	-	-	-	-
WAVE-W2	0.49	(0.01)	2,407	-	-	-	-	-	-	-	-	-	-	-
WIJK-W2	0.22	-	37,147	-	-	-	-	-	-	-	-	-	-	-
XPG-W4	14.30	(0.20)	13,360	14.00	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUTHA-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KTB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	1.13	-	32,476	1.00	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AIE-W2	0.80	0.01	15,179	-	-	-	-	-	-	-	-	-	-	-
ALL-W1	0.65	(0.02)	1,202	-	-	-	-	-	-	-	-	-	-	-
BC-W1	0.54	-	2,577	-	-	-	-	-	-	-	-	-	-	-
BM-W2	3.58	0.10	7,068	3.00	-	-	-	-	-	-	-	-	-	-
BROOK-W5	0.64	-	15,572	-	-	-	-	-	-	-	-	-	-	-
BROOK-W6	0.33	(0.01)	69,964	-	-	-	-	-	-	-	-	-	-	-
BROOK-W7	0.31	0.02	31,027	-	-	-	-	-	-	-	-	-	-	-
D-W1	1.19	0.04	1,040	1.00	-	-	-	-	-	-	-	-	-	-
DIMET-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIMET-W4	0.25	(0.01)	151,346	-	-	-	-	-	-	-	-	-	-	-
ECF-W4	0.54	(0.02)	8,962	-	-	-	-	-	-	-	-	-	-	-
FLOYD-W1	0.49	(0.05)	6,495	-	-	-	-	-	-	-	-	-	-	-
HYDRO-W1	0.16	-	1,632	-	-	-	-	-	-	-	-	-	-	-
IP-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ITEL-W3	2.00	0.15	1,105,329	1.00	-	-	-	-	-	-	-	-	-	-
JCKH-W1	0.30	0.01	2,009	-	-	-	-	-	-	-	-	-	-	-
K-W1	0.50	(0.03)	10,394	-	-	-	-	-	-	-	-	-	-	-
KUN-W1	0.67	0.67	2,194,981	-	-	-	-	-	-	-	-	-	-	-
KWM-W1	2.22	-	3,960	2.00	-	-	-	-	-	-	-	-	-	-
LIT-W1	0.43	(0.02)	1,757	-	-	-	-	-	-	-	-	-	-	-
META-W5	0.24	-	15,912	-	-	-	-	-	-	-	-	-	-	-
MORE-W2	0.46	0.02	46,202	-	-	-	-	-	-	-	-	-	-	-
MVP-W1	2.40	-	1,276	2.00	-	-	-	-	-	-	-	-	-	-
OCEAN-W3	0.40	(0.02)	162,940	-	-	-	-	-	-	-	-	-	-	-
PIMO-W2	1.66	-	11,361	1.00	-	-	-	-	-	-	-	-	-	-
PJW-W1	1.19	(0.02)	16,403	1.00	-	-	-	-	-	-	-	-	-	-
RWI-W2	0.38	(0.01)	32,921	-	-	-	-	-	-	-	-	-	-	-
SAAM-W1	1.26	(0.07)	987	1.00	-	-	-	-	-	-	-	-	-	-