

## Main Board Quotation

Issue Date :

Monday June 19, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPUI	-	-	-	-	KTB13C2308A	-	-	-	-	IVL01C2310A	0.21	(0.01)	44,982	0.21
SAFARI	-	-	-	-	KTB13C2309A	0.28	(0.01)	25,772	0.28	IVL01P2309A	0.13	-	59,280	0.13
WORLD	-	-	-	-	KTB13P2309A	0.11	-	8,000	0.11	IVL01P2311A	0.33	(0.67)	19,871	0.33
Agribusiness	-	-	-	-	KTB19C2309A	-	-	-	-	IVL06C2306A	-	-	-	-
EE	0.41	-	8,612	0.40	KTB19C2310A	0.24	-	4,728	0.24	IVL06C2307A	-	-	-	-
EE-W1	0.06	-	28,154	0.06	KTB19P2309A	-	-	-	-	IVL06C2309A	-	-	-	-
GFPT	12.40	0.10	45,201	12.33	KTB41C2307A	0.17	(0.13)	400	0.17	IVL06C2310A	-	-	-	-
LEE	2.30	-	1,884	2.29	KTB41C2309A	-	-	-	-	IVL08C2308A	-	-	-	-
MAX	-	-	-	-	KTB41C2310A	0.22	0.01	20,810	0.22	IVL11C2307X	0.06	(0.01)	3,822	0.06
NER	4.76	(0.02)	20,231	4.76	LHFG	1.08	-	15,353	1.08	IVL11C2312A	0.23	(0.01)	12,777	0.23
PPPM	0.11	0.01	130,449	0.10	SCB	107.00	0.50	60,458	106.42	IVL11P2308A	0.26	(0.02)	16,579	0.26
PPPM-W4	-	-	-	-	SCB01C2308A	-	-	-	-	IVL13C2306A	-	-	-	-
PPPM-W5	-	-	-	-	SCB01C2309A	0.23	0.01	14,474	0.22	IVL13C2307A	-	-	-	-
STA	18.80	(0.20)	76,993	19.05	SCB01P2310A	0.34	-	3,002	0.35	IVL13C2308A	0.05	0.01	2	0.05
STA01C2307A	-	-	-	-	SCB06C2307A	-	-	-	-	IVL13C2309A	0.13	-	72,578	0.13
STA01C2308A	-	-	-	-	SCB06C2307B	-	-	-	-	IVL13P2307A	-	-	-	-
STA01C2309A	0.06	-	31,259	0.06	SCB06C2310A	0.29	0.01	7,001	0.28	IVL19C2306A	-	-	-	-
STA01C2311A	0.39	(0.61)	28,209	0.41	SCB08C2308A	0.23	-	3,620	0.23	IVL19C2307A	-	-	-	-
STA01P2307A	0.23	-	28,912	0.21	SCB13C2306B	-	-	-	-	IVL19C2309A	0.15	-	69,624	0.15
STA06C2307A	-	-	-	-	SCB13C2307A	0.12	(0.01)	1,020	0.13	IVL19C2310A	0.31	-	36,216	0.31
STA06C2308A	0.04	(0.01)	3,001	0.05	SCB13C2310A	0.24	-	37,208	0.23	IVL19P2307A	-	-	-	-
STA13C2307A	-	-	-	-	SCB13P2309A	0.14	(0.01)	25,160	0.15	IVL41C2307A	-	-	-	-
STA13C2308A	0.06	-	9,140	0.06	SCB19C2306B	-	-	-	-	IVL41C2308A	0.09	-	16,110	0.09
STA13C2310A	0.31	(0.02)	77,111	0.33	SCB19C2307A	0.09	-	3,710	0.09	IVL41C2309A	0.22	-	37,902	0.22
STA19C2307A	-	-	-	-	SCB19C2309A	0.15	-	1,154	0.15	IVL41C2311A	0.35	0.02	10	0.35
STA19C2309A	0.15	(0.01)	12,355	0.16	SCB19P2309A	0.14	-	81	0.14	NFC	4.52	(0.06)	390	4.51
TEGH	3.82	0.08	10,163	3.82	SCB41C2307A	0.13	(0.06)	2,000	0.12	PATO	9.85	0.05	6	9.85
TFM	8.45	(0.05)	47	8.46	SCB41C2309A	0.22	0.01	16,400	0.21	PMTA	9.00	-	4	8.98
TRUBB	1.43	(0.02)	1,768	1.44	TCAP	49.75	0.50	16,345	49.71	PTTGC	38.50	0.50	171,519	38.41
TRUBB-W2	0.09	(0.01)	2,017	0.09	TCAP-P	-	-	-	-	PTTGC01C2307A	-	-	-	-
UPOIC	6.25	(0.05)	237	6.28	TCAP-Q	-	-	-	-	PTTGC01C2309A	-	-	-	-
UVAN	8.35	(0.05)	3,763	8.38	TCAP13C2309A	0.31	(0.01)	10	0.31	PTTGC01C2310A	0.12	0.02	36,770	0.12
VPO	0.80	0.01	1,078	0.80	TCAP13C2310A	0.15	0.01	37,309	0.15	PTTGC01C2311A	0.32	0.04	3,199	0.32
Banking	-	-	-	-	TCAP19C2310A	0.30	-	674	0.30	PTTGC01P2308A	-	-	-	-
BAY	31.50	(1.00)	8,682	31.64	TCAP19C2311A	0.21	0.02	10,788	0.20	PTTGC01P2311A	0.22	(0.02)	65,115	0.23
BBL	161.00	-	35,439	160.78	TISCO	96.75	0.25	14,940	96.44	PTTGC06C2307A	-	-	-	-
BBL06C2307A	-	-	-	-	TISCO-P	-	-	-	-	PTTGC06C2309A	0.08	(0.01)	18,000	0.08
BBL06C2309A	0.29	(0.02)	10,200	0.29	TISCO-Q	-	-	-	-	PTTGC06C2310A	0.24	0.02	48,025	0.24
BBL08C2308A	0.15	-	28,034	0.15	TISCO06C2306A	-	-	-	-	PTTGC11C2312T	0.19	0.01	39,152	0.19
BBL11C2311T	0.30	-	19,383	0.31	TISCO13C2308A	0.09	-	2,934	0.09	PTTGC13C2308A	-	-	-	-
BBL11P2311T	0.17	(0.01)	6,477	0.18	TISCO19C2311A	0.49	-	7,714	0.49	PTTGC13C2309A	0.07	0.01	61,823	0.07
BBL13C2306A	-	-	-	-	TTB	1.62	-	2,707,982	1.62	PTTGC13C2310A	0.19	0.01	196,104	0.19
BBL13C2308A	0.19	-	18,296	0.18	TTB-W1	0.67	-	42,854	0.66	PTTGC19C2307A	-	-	-	-
BBL19C2307A	-	-	-	-	TTB01C2310A	0.39	(0.01)	1,005	0.39	PTTGC19C2310A	0.11	0.01	75,100	0.11
BBL19C2308A	0.16	(0.01)	3,230	0.16	TTB01C2311X	0.23	-	35,336	0.23	PTTGC19C2310B	0.19	0.02	49,818	0.19
BBL19C2310A	0.33	-	17,507	0.32	TTB06C2309A	0.30	0.01	42,505	0.30	PTTGC19C2310C	0.33	0.02	55,985	0.32
BBL41C2308A	0.21	(0.07)	4,400	0.21	TTB13C2306A	-	-	-	-	PTTGC28C2307A	-	-	-	-
BBL41C2310A	0.32	-	50,000	0.32	TTB13C2310A	0.26	(0.01)	45,402	0.26	PTTGC41C2308A	-	-	-	-
CIMBT	0.77	-	15,292	0.77	TTB19C2310A	0.26	-	134,414	0.26	PTTGC41C2309A	-	-	-	-
KBANK	130.00	(0.50)	96,400	129.63	Construction Ma	-	-	-	-	PTTGC41C2310A	0.14	0.01	24,805	0.15
KBANK01C2307A	-	-	-	-	CCP	0.40	0.01	3,771	0.39	PTTGC41C2311A	0.35	0.03	107,694	0.34
KBANK01C2308A	0.05	(0.01)	15,527	0.05	COTTO	2.16	-	6,736	2.15	SUTHA	3.54	0.02	921	3.49
KBANK01C2308T	0.10	-	41,546	0.10	DCC	2.08	-	34,711	2.08	TCCC	39.50	-	129	39.50
KBANK01C2309A	0.18	(0.01)	19,108	0.17	DCON	0.45	0.02	30,682	0.44	TPA	5.40	(0.15)	33	5.42
KBANK01C2309W	0.19	-	13,590	0.18	DRT	8.05	-	646	8.01	UAC	4.04	-	364	4.01
KBANK01C2311X	0.26	(0.01)	11,790	0.25	EPG	7.50	0.05	18,681	7.44	UP	18.80	0.50	3	18.50
KBANK01P2308A	0.17	(0.01)	45,901	0.18	EPG08C2306A	-	-	-	-	Commerce	-	-	-	-
KBANK01P2311A	0.53	-	101,557	0.54	EPG13C2306A	-	-	-	-	B52	1.73	(0.09)	1,308	1.73
KBANK06C2307A	-	-	-	-	EPG19C2307A	-	-	-	-	BEAUTY	0.69	(0.01)	54,334	0.69
KBANK06C2308A	0.15	(0.02)	19,200	0.15	EPG19C2401A	0.26	-	4,561	0.25	BIG	0.60	-	7,554	0.60
KBANK08C2308A	0.09	(0.01)	10,600	0.09	GEL	0.23	(0.01)	16,021	0.24	BJC	36.25	(1.00)	20,464	36.37
KBANK13C2306A	-	-	-	-	GEL-W5	0.06	0.01	752	0.05	COM7	27.25	(0.50)	45,077	27.25
KBANK13C2307A	-	-	-	-	PPP	2.00	0.03	1,803	1.99	COM701C2307A	-	-	-	-
KBANK13C2308A	0.09	(0.01)	18,236	0.09	Q-CON	15.50	(0.10)	4,411	15.53	COM701C2309A	0.12	(0.02)	212	0.12
KBANK13C2310A	0.22	-	96,291	0.21	SCC	329.00	(2.00)	21,695	328.66	COM701P2307A	0.07	0.01	64,457	0.07
KBANK13P2307A	0.02	-	10	0.02	SCC01C2307X	-	-	-	-	COM701P2310A	0.27	0.01	23,131	0.27
KBANK13P2309A	0.20	(0.02)	23,244	0.21	SCC01C2310A	0.22	(0.02)	25,674	0.22	COM706C2306A	-	-	-	-
KBANK16C2306A	-	-	-	-	SCC01C2312T	0.45	(0.02)	18,049	0.45	COM706C2308A	-	-	-	-
KBANK16C2307A	-	-	-	-	SCC01P2307X	-	-	-	-	COM706C2309A	0.18	(0.01)	20,949	0.18
KBANK16C2307B	-	-	-	-	SCC06C2306B	-	-	-	-	COM708C2306A	-	-	-	-
KBANK16C2310A	0.21	(0.02)	1,618	0.21	SCC06C2309A	0.32	(0.03)	119,010	0.32	COM711C2306A	-	-	-	-
KBANK19C2306A	-	-	-	-	SCC06C2310A	0.20	(0.02)	24,000	0.20	COM711C2312A	0.26	(0.01)	26,754	0.26
KBANK19C2307A	-	-	-	-	SCC11C2310T	0.38	(0.03)	41,660	0.39	COM711P2308A	0.24	-	24,660	0.25
KBANK19C2307B	-	-	-	-	SCC13C2307A	-	-	-	-	COM713C2306B	-	-	-	-
KBANK19C2308A	-	-	-	-	SCC13C2308A	0.05	(0.02)	40,412	0.05	COM713C2308A	0.06	(0.01)	27,760	0.06
KBANK19C2310A	0.22	-	7,916	0.21	SCC13C2310A	0.24	(0.02)	117,672	0.24	COM713C2309A	0.15	(0.02)	25,713	0.15
KBANK19P2307A	-	-	-	-	SCC19C2307A	-	-	-	-	COM719C2306B	-	-	-	-
KBANK19P2309A	0.21	(0.01)	142,969	0.22	SCC19C2308A	-	-	-	-	COM719C2308A	0.13	(0.02)	20,528	0.13
KBANK41C2307A	-	-	-	-	SCC19C2312A	0.32	(0.01)	30,800	0.32	COM719C2309A	0.12	(0.01)	72,004	0.12
KBANK41C2308A	0.07	(0.01)	8,283	0.07	SCC28C2309A	-	-	-	-	COM719P2308A	0.15	0.01	5,753	0.15
KBANK41C2310A	0.28	(0.02)	25,030	0.28	SCCC	139.00	(1.00)	781	139.85	COM719P2309A	0.09	0.01	7,471	0.09
KBANK41P2308A	-	-	-	-	SCP	4.80	(0.04)	313	4.79	COM741C2307A	-	-	-	-
KKP	60.75	(0.25)	19,855	60.59	SKN	4.40	-	819	4.40	COM741C2308A	0.08	(0.01)	18,040	0.08
KKP-W5	1.83	(0.02)	12,447	1.82	STECH	2.08	(0.02)	5,220	2.08	COM741C2309A	0.15	(0.02)	49,367	0.15
KKP-W6	3.58	(0.02)	4,150	3.57	TASCO	18.30	(0.40)	32,627	18.43	CPALL	64.00	(0.50)	70,367	64.20
KKP01C2308A	-	-	-	-	TASCO08C2306/	0.01	(0.03)	25	0.01	CPALL01C2308A	0.15	(0.02)	11,383	0.16
KKP01C2310A	0.29	(0.02)	2,684	0.29	TASCO13C2306/	-	-	-	-	CPALL01C2309T	0.16	(0.01)	16,721	0.17
KKP11C2312T	0.35	-	19,163	0.35	TASCO19C2308/	0.19	(0.01)	217	0.19	CPALL01C2312A	0.37	(0.02)	11,949	0.38
KKP13C2306A	-	-	-	-	TASCO28C2309/	-								

## Main Board Quotation

Issue Date :

Monday June 19, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL19C2310A	0.22	(0.02)	8,973	0.22	SINGER06C2309	-	-	-	-	JMART08C2306A	-	-	-	-
CPALL28C2307A	0.12	(0.01)	3,047	0.13	SINGER06C2310	0.15	(0.01)	26,000	0.15	JMART13C2307A	-	-	-	-
CPALL41C2307A	-	-	-	-	SINGER08C2305	-	-	-	-	JMART13C2307B	-	-	-	-
CPALL41C2308A	0.15	(0.03)	1,000	0.16	SINGER13C230E	-	-	-	-	JMART13C2308A	-	-	-	-
CPALL41C2309A	-	-	-	-	SINGER13C2307	0.01	-	18	0.01	JMART13C2308B	0.03	(0.02)	3,800	0.04
CPALL41C2310A	0.27	(0.03)	28,299	0.28	SINGER13C2308	-	-	-	-	JMART13C2309A	0.19	-	7,637	0.19
CPALL41P2307A	-	-	-	-	SINGER13C2309	0.01	(0.02)	1,002	0.02	JMART13C2309B	0.31	(0.01)	36,447	0.30
CPW	3.00	0.02	684	2.98	SINGER13C2305	0.05	(0.02)	39,264	0.04	JMART13P2309A	0.41	-	37,694	0.41
CRC	39.75	(0.25)	59,418	39.71	SINGER13C231C	0.17	-	56,086	0.16	JMART16C2308A	-	-	-	-
CRC01C2307A	-	-	-	-	SINGER19C230E	-	-	-	-	JMART16C2310A	0.34	(0.02)	1,193	0.34
CRC01C2312A	0.19	(0.02)	24,112	0.20	SINGER19C2308	-	-	-	-	JMART19C2306B	-	-	-	-
CRC06C2306A	-	-	-	-	SINGER19C2308	-	-	-	-	JMART19C2307A	-	-	-	-
CRC06C2309A	-	-	-	-	SINGER19C2305	0.06	-	5,266	0.06	JMART19C2307B	-	-	-	-
CRC06C2312A	0.29	-	15,266	0.29	SINGER19C231C	0.17	-	29,819	0.16	JMART19C2308A	-	-	-	-
CRC11P2310A	0.44	-	14,210	0.44	SINGER19P2307	1.17	0.01	10	1.17	JMART19C2309A	0.19	(0.01)	4,748	0.19
CRC13C2306A	-	-	-	-	SPC	63.00	(0.50)	3	62.92	JMART19C2310A	0.37	(0.01)	19,609	0.37
CRC13C2310A	0.06	(0.01)	6,042	0.06	SPI	69.00	0.50	7	68.96	JMART19P2307A	0.27	0.02	4,856	0.28
CRC13C2310B	0.17	(0.01)	31,654	0.17	SVT	3.16	(0.02)	6,060	3.14	JMART41C2307A	-	-	-	-
CRC19C2308A	-	-	-	-	Information & C	-	-	-	-	JMART41C2308A	-	-	-	-
CRC19C2311A	0.16	(0.01)	6,347	0.16	ADVANC	216.00	(2.00)	15,522	216.19	JMART41C2308B	-	-	-	-
CRC28C2307A	0.06	(0.01)	9,126	0.06	ADVANC01C230	0.17	(0.02)	30,381	0.17	JMART41C2309A	0.23	(0.01)	4,800	0.23
CSS	1.23	(0.04)	20,469	1.24	ADVANC01C231	0.30	(0.70)	8,084	0.30	JMART41C2310A	0.36	(0.02)	41,983	0.36
DOHOME	12.90	(0.10)	16,685	12.91	ADVANC01P230	0.15	0.01	600	0.15	JTS	28.25	0.25	5,460	27.81
DOHOME01C2309A	-	-	-	-	ADVANC01P231	0.40	(0.60)	8,792	0.40	MFECC	7.90	0.30	3,444	7.80
DOHOME01C2311A	-	-	-	-	ADVANC06C230	-	-	-	-	MSC	8.75	0.15	40	8.63
DOHOME01P2308A	0.24	0.01	15,705	0.24	ADVANC06C230	0.24	(0.02)	15,055	0.24	PT	7.35	-	4,685	7.37
DOHOME06C2308A	-	-	-	-	ADVANC08C230	-	-	-	-	SAMART	6.05	-	23,446	6.09
DOHOME06C2312A	0.29	(0.01)	18,000	0.29	ADVANC11C231	0.31	(0.01)	9,555	0.31	SAMART-W3	0.44	(0.04)	45,318	0.47
DOHOME08C2306A	-	-	-	-	ADVANC13C230	0.09	(0.02)	312	0.09	SAMTEL	4.60	-	14,842	4.60
DOHOME11C2309A	-	-	-	-	ADVANC13C231	0.23	(0.02)	28,080	0.24	SAMTEL-W1	0.55	(0.04)	36,057	0.64
DOHOME13C2306A	-	-	-	-	ADVANC13P230	-	-	-	-	SDC	0.09	-	73,412	0.09
DOHOME13C2308A	0.03	(0.01)	4,600	0.03	ADVANC13P231	0.38	0.01	4,081	0.38	SIS	18.90	0.70	2,370	18.55
DOHOME13C2310A	0.20	(0.01)	30,542	0.20	ADVANC16C230	-	-	-	-	SKY	24.60	1.10	22,945	24.34
DOHOME19C2306A	-	-	-	-	ADVANC19C230	0.07	(0.01)	98,790	0.07	SVOA	2.02	-	6,450	2.01
DOHOME19C2307A	-	-	-	-	ADVANC19C231	0.25	(0.03)	19,596	0.25	SYMC	6.00	0.05	209	5.95
DOHOME19C2311A	0.21	(0.01)	40,654	0.21	ADVANC19P230	-	-	-	-	SYNEX	13.10	-	2,381	12.98
FN	1.61	(0.02)	21	1.61	ADVANC28C230	-	-	-	-	SYNEX08C2306A	-	-	-	-
FTE	1.67	(0.02)	2,120	1.68	ADVANC41C230	-	-	-	-	SYNEX13C2306A	-	-	-	-
GLOBAL	16.90	(0.10)	32,831	16.95	ADVANC41C231	0.26	(0.02)	25,500	0.26	SYNEX19C2308A	-	-	-	-
GLOBAL01C2308A	-	-	-	-	AIT	5.05	0.25	62,736	4.99	THCOM	11.30	0.10	27,781	11.30
GLOBAL01C2312A	0.24	(0.76)	35,973	0.25	AIT-W2	2.76	0.08	14,197	2.96	TKC	21.10	(0.20)	1,344	21.06
GLOBAL06C2306A	-	-	-	-	ALT	2.00	-	434	1.97	TRUE	6.65	0.05	459,373	6.64
GLOBAL06C2307A	-	-	-	-	AMR	2.94	-	1,177	2.91	TRUE01C2308A	-	-	-	-
GLOBAL06C2308A	0.12	(0.03)	14,730	0.12	BLISS	-	-	-	-	TRUE01C2310A	0.07	-	30,483	0.07
GLOBAL13C2307A	-	-	-	-	DIF	12.10	(0.20)	76,141	12.15	TRUE01C2311A	0.24	0.01	59,023	0.24
GLOBAL13C2310A	0.12	(0.01)	5,968	0.12	DTCENT	1.51	(0.03)	16,350	1.52	TRUE01P2308A	0.37	(0.01)	1,048	0.37
GLOBAL13C2311A	0.24	(0.01)	21,919	0.25	FORTH	29.00	(0.50)	14,142	29.26	TRUE01P2311A	0.33	(0.02)	16,390	0.34
GLOBAL19C2307A	-	-	-	-	FORTH01C2308	-	-	-	-	TRUE06C2307A	-	-	-	-
GLOBAL19C2311A	0.15	-	31,024	0.15	FORTH01C2309	0.07	-	33,755	0.07	TRUE06C2308A	-	-	-	-
GLOBAL41C2307A	-	-	-	-	FORTH01C2310	0.17	(0.01)	92,483	0.17	TRUE06C2309A	0.17	0.01	41,998	0.16
GLOBAL41C2309A	0.13	(0.01)	13,738	0.13	FORTH01P2308	0.38	(0.01)	16,147	0.40	TRUE08C2310A	-	-	-	-
GLOBAL41C2310A	0.18	-	29,739	0.18	FORTH01P2310	0.21	0.01	24,882	0.21	TRUE11C2311A	0.28	0.01	9,690	0.28
HMPRO	13.80	(0.10)	58,733	13.84	FORTH06C2306	-	-	-	-	TRUE13C2307A	-	-	-	-
HMPRO01C2307A	-	-	-	-	FORTH06C2307	-	-	-	-	TRUE13C2309A	0.03	(0.02)	5,470	0.03
HMPRO01C2310A	0.20	(0.01)	1,504	0.21	FORTH06C2309	0.17	(0.02)	92,708	0.17	TRUE13C2310A	0.13	-	21,096	0.13
HMPRO06C2307A	0.05	-	12,000	0.05	FORTH11C2306	-	-	-	-	TRUE13P2307A	-	-	-	-
HMPRO11C2310T	0.17	(0.01)	13,489	0.18	FORTH13C2307	-	-	-	-	TRUE13P2310A	0.27	(0.01)	15,774	0.28
HMPRO13C2306A	-	-	-	-	FORTH13C2308	0.05	-	6,230	0.04	TRUE19C2307A	-	-	-	-
HMPRO13C2309A	-	-	-	-	FORTH13C2309	0.20	(0.01)	69,868	0.20	TRUE19C2307B	-	-	-	-
HMPRO19C2308A	-	-	-	-	FORTH19C2306	-	-	-	-	TRUE19C2310A	0.13	-	12,395	0.13
HMPRO41C2311A	0.26	(0.01)	4,400	0.27	FORTH19C2307	-	-	-	-	TRUE19C2310B	0.21	-	69,378	0.21
ICC	44.25	(1.00)	154	44.34	FORTH19C2308	-	-	-	-	TRUE19P2307A	0.13	(0.02)	16,333	0.13
ILM	22.20	(0.30)	5,467	22.18	FORTH19C2310	0.23	(0.01)	72,638	0.23	TRUE41C2307A	-	-	-	-
IT	3.58	(0.04)	564	3.57	FORTH19P2306	0.17	(0.01)	1,300	0.19	TRUE41C2308A	-	-	-	-
KAMART	12.90	0.10	53,087	12.80	GABLE	5.15	(0.05)	42,314	5.14	TRUE41C2310A	-	-	-	-
LOXLEY	1.92	(0.02)	48	1.93	HUMAN	9.90	(0.10)	3,790	9.88	TRUE41C2311A	0.19	-	28,106	0.19
MAKRO	36.75	(0.50)	108,357	36.80	ILINK	7.60	0.15	17,407	7.47	TRUE41P2307A	-	-	-	-
MC	13.50	0.10	11,602	13.41	INET	4.76	(0.02)	1,114	4.76	TWZ	0.05	-	683,144	0.05
MEGA	39.25	-	12,467	39.06	INET-W2	0.40	(0.05)	21,796	0.40	TWZ-W6	-	-	-	-
MEGA06C2308A	0.07	-	3,000	0.07	INSET	2.38	(0.06)	36,625	2.38	TWZ-W7	0.01	-	1,000	0.01
MEGA13C2309A	0.08	(0.02)	2,072	0.08	INSET-W1	0.38	(0.06)	16,531	0.37	Electronic Componer	-	-	-	-
MEGA13C2310A	0.20	-	8,562	0.19	INTUCH	71.50	(0.25)	19,360	71.75	CCET	1.97	(0.01)	13,607	1.98
MEGA19C2308A	-	-	-	-	INTUCH01C231	0.21	(0.01)	14,755	0.22	DELTA	117.50	6.00	195,253	115.72
MEGA19C2311A	0.22	-	4,884	0.22	INTUCH06C230	0.06	(0.02)	7,001	0.07	DELTA01C2308A	0.79	0.14	144,420	0.73
MIDA	0.46	-	3,407	0.45	INTUCH11C230	-	-	-	-	DELTA01C2308X	1.29	0.22	15,275	1.26
MIDA-W3	0.01	(0.01)	6,386	0.02	INTUCH11C231	0.35	(0.01)	17,201	0.35	DELTA01C2309A	0.63	0.10	187,330	0.57
MOSHI	52.50	3.50	27,974	51.30	INTUCH13C230	-	-	-	-	DELTA01C2309W	0.63	0.10	173,644	0.59
RS	14.80	0.10	9,553	14.59	INTUCH13C231	0.30	(0.03)	56,420	0.32	DELTA01P2308X	0.03	-	70,791	0.03
RS-W4	0.66	(0.07)	35,167	0.67	INTUCH13P231	0.45	(0.01)	3,448	0.44	DELTA01P2309A	0.24	(0.06)	443,682	0.26
RSP	2.78	(0.12)	13,450	2.82	INTUCH19C230	0.05	-	22,514	0.05	DELTA06C2308A	0.25	0.05	38,994	0.22
SABUY	11.30	(0.20)	104,791	11.34	INTUCH28C230	0.14	-	11,661	0.14	DELTA06C2309A	1.22	0.19	2,404	1.12
SABUY-W1	9.65	0.15	58	9.56	ITEL	2.90	(0.08)	33,079	2.88	DELTA06C2310A	0.67	0.09	128,012	0.62
SABUY-W2	5.55	(0.15)	6,219	5.60	ITEL-W4	0.08	-	5,703	0.08	DELTA08C2310A	1.99	0.11	82	1.89
SABUY01C2307A	-	-	-	-	JAS	1.29	(0.06)	354,535	1.28	DELTA13C2308A	0.15	0.04	216,344	0.14
SABUY01C2309A	0.20	(0.02)	24,873	0.21	JAS13C2308A	-	-	-	-	DELTA13C2308B	0.12	0.02	129,634	0.12
SABUY01P2309A	0.29	-	72,141	0.29	JAS13C2309A	0.17	(0.01)	30,981	0.17	DELTA13C2308C	1.08	0.23	30,373	0.97
SABUY06C2307A	0.11	-	36,000	0.11	JAS19C2308A	-	-	-	-	DELTA13C2309A	1.88	0.34	19,313	1.72
SABUY13C2308A	0.11	-	4,353	0.11	JAS19C2310A	0.23	(0.05)	4,497	0.24	DELTA13C2310A	0.65	0.11	379,354	0.60
SABUY13C2309A	0.27	(0.02)	70,786	0.27	JASIF	7.25	(0.15)	78,603						

## Main Board Quotation

Issue Date :

Monday June 19, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HANA01C2311A	0.60	0.03	26,278	0.57	BANPU41C2309J	-	-	-	-	GPSC06C2310A	0.29	(0.05)	42,000	0.32
HANA01P2308A	0.35	(0.04)	46,424	0.39	BANPU41C2310J	0.23	(0.01)	24,950	0.23	GPSC11C2307X	-	-	-	-
HANA01P2309A	0.14	(0.01)	44,854	0.15	BANPU41C2311J	-	-	-	-	GPSC11C2311A	0.36	(0.03)	39,909	0.36
HANA01P2311A	0.46	(0.54)	38,506	0.49	BANPU41P2307J	-	-	-	-	GPSC11P2309A	0.55	0.05	26,914	0.55
HANA06C2306A	-	-	-	-	BANPU41P2311J	0.22	-	10	0.22	GPSC13C2308A	-	-	-	-
HANA06C2307A	-	-	-	-	BBGI	5.25	(0.05)	2,250	5.29	GPSC13C2310A	0.23	(0.05)	25,827	0.24
HANA06C2308A	0.42	0.03	60,450	0.37	BCP	35.25	(0.50)	32,662	35.42	GPSC13P2310A	0.30	0.02	120,080	0.30
HANA06C2309A	-	-	-	-	BCP01C2308A	0.16	(0.03)	47,615	0.17	GPSC19C2308A	-	-	-	-
HANA08C2310A	0.13	0.01	46,666	0.12	BCP01C2312A	0.37	(0.04)	46,285	0.38	GPSC19C2310A	0.24	(0.04)	106,696	0.24
HANA13C2307A	-	-	-	-	BCP01P2312A	0.27	0.02	52,792	0.26	GPSC19P2310A	0.31	0.02	260,470	0.31
HANA13C2308A	0.14	0.01	87,744	0.13	BCP06C2307A	0.22	(0.02)	19,900	0.22	GPSC28C2309A	-	-	-	-
HANA13C2309A	0.46	0.04	74,310	0.42	BCP13C2308A	0.23	(0.03)	40,831	0.24	GPSC41C2308A	-	-	-	-
HANA13C2310A	0.72	0.05	1,649	0.68	BCP19C2309A	0.30	(0.03)	47,478	0.31	GPSC41C2310A	-	-	-	-
HANA13C2310B	0.39	0.03	111,181	0.36	BCPG	9.25	0.05	26,164	9.19	GPSC41C2311A	0.43	(0.07)	41,401	0.43
HANA13P2307A	-	-	-	-	BCPG-W2	1.25	(0.06)	125	1.28	GREEN	0.98	(0.03)	5,295	0.99
HANA13P2309A	0.14	(0.02)	33,152	0.15	BCPG13C2309A	-	-	-	-	GULF	46.25	(0.50)	96,425	46.15
HANA13P2310A	0.41	(0.04)	51,225	0.44	BCPG13C2311A	0.25	-	21,581	0.24	GULF01C2308A	-	-	-	-
HANA16C2307A	-	-	-	-	BCPG19C2307A	-	-	-	-	GULF01C2311A	0.18	(0.02)	28,075	0.18
HANA16C2308A	0.16	0.02	1,568	0.15	BCPG19C2310A	-	-	-	-	GULF01P2311A	0.34	0.03	31,099	0.34
HANA16C2309A	-	-	-	-	BCPG19C2401A	0.26	-	2,354	0.26	GULF06C2308A	-	-	-	-
HANA19C2306A	-	-	-	-	BGRIM	36.25	(1.25)	70,903	36.41	GULF06C2309A	0.18	-	14,000	0.18
HANA19C2306B	0.01	-	10,000	0.01	BGRIM01C2309J	0.07	(0.02)	50,836	0.08	GULF08C2306A	-	-	-	-
HANA19C2307A	-	-	-	-	BGRIM01C2311J	0.20	(0.05)	6,868	0.21	GULF11C2306A	-	-	-	-
HANA19C2308A	0.17	0.02	12,456	0.15	BGRIM01P2309J	0.16	0.02	57,439	0.15	GULF13C2307A	-	-	-	-
HANA19C2309A	0.37	0.03	65,297	0.35	BGRIM06C2307J	-	-	-	-	GULF13C2309A	0.05	(0.01)	63,244	0.05
HANA19C2310A	0.59	0.01	42,331	0.56	BGRIM06C2308J	0.09	(0.02)	3,012	0.09	GULF13C2310A	0.19	(0.02)	126,697	0.19
HANA19P2309A	0.18	0.01	4,944	0.18	BGRIM11C2310J	0.12	(0.02)	1,911	0.12	GULF13P2309A	0.26	0.01	21,264	0.27
HANA19P2310A	0.42	(0.04)	239,053	0.44	BGRIM13C2307J	-	-	-	-	GULF13P2310A	0.23	0.01	40,479	0.24
HANA41C2307A	-	-	-	-	BGRIM13C2309J	-	-	-	-	GULF16C2306A	-	-	-	-
HANA41C2309A	0.16	0.02	16,400	0.15	BGRIM13C2310J	0.17	(0.04)	4,070	0.17	GULF16C2309A	0.15	(0.02)	664	0.16
HANA41C2310A	0.53	0.02	37,454	0.49	BGRIM19C2309J	0.09	(0.02)	443	0.09	GULF19C2307A	-	-	-	-
HANA41C2311A	0.43	0.03	130,456	0.40	BGRIM41C2307J	-	-	-	-	GULF19C2309A	0.06	-	2	0.06
KCE	41.50	1.25	90,086	40.99	BGRIM41C2309J	0.09	(0.03)	34,403	0.09	GULF19C2310A	0.15	(0.01)	70	0.15
KCE01C2307A	0.01	-	700	0.01	BGRIM41C2311J	0.21	(0.04)	1	0.21	GULF19P2310A	0.24	0.01	46,154	0.23
KCE01C2309W	0.09	0.02	18,714	0.08	BIOTEC	0.62	(0.03)	22,592	0.63	GULF28C2307A	-	-	-	-
KCE01C2310A	0.33	0.04	150,712	0.31	BIOTEC-P	-	-	-	-	GULF41C2307A	-	-	-	-
KCE01P2308A	0.18	(0.05)	96,147	0.20	BIOTEC-Q	-	-	-	-	GULF41C2310A	0.08	-	5,001	0.08
KCE01P2311A	0.36	(0.04)	91,764	0.38	BIOTEC-W2	0.14	-	131,047	0.13	GULF41C2310B	0.14	(0.01)	80,400	0.13
KCE06C2306A	-	-	-	-	BPP	14.80	0.10	10,123	14.63	GULF41P2310A	0.40	0.02	54,256	0.40
KCE06C2308A	0.07	-	1	0.07	BRRGIF	4.48	(0.02)	193	4.47	GUNKUL	3.34	0.02	144,405	3.34
KCE06C2308B	0.23	0.03	67,477	0.21	CKP	3.30	(0.02)	58,750	3.33	GUNKUL01C2307A	-	-	-	-
KCE08C2307A	-	-	-	-	CKP01C2307A	-	-	-	-	GUNKUL01C2308A	-	-	-	-
KCE13C2307A	-	-	-	-	CKP06C2307A	-	-	-	-	GUNKUL01C2309A	0.10	0.01	45,743	0.10
KCE13C2308A	0.06	0.01	91,540	0.05	CKP13C2308A	-	-	-	-	GUNKUL01C2311A	0.30	0.01	23,167	0.30
KCE13C2309A	0.22	0.03	324,582	0.19	CKP19C2307A	-	-	-	-	GUNKUL01P2308A	0.47	(0.03)	6,424	0.47
KCE13C2310A	0.31	0.04	220,219	0.27	CKP19C2308A	-	-	-	-	GUNKUL06C2306A	-	-	-	-
KCE13P2307A	0.08	(0.02)	26,696	0.09	CKP19C2401A	0.32	-	40,504	0.32	GUNKUL06C2308A	0.07	-	6,000	0.08
KCE13P2309A	0.18	(0.02)	27,968	0.19	CV	1.53	-	9,047	1.53	GUNKUL06C2312A	0.34	0.01	24,000	0.33
KCE16C2306A	-	-	-	-	DEMCO	3.34	(0.02)	912	3.34	GUNKUL08C2309A	0.03	(0.01)	500	0.03
KCE16C2309A	0.37	0.04	28,257	0.35	EA	61.25	(0.75)	45,389	61.39	GUNKUL13C2306B	-	-	-	-
KCE19C2307A	0.01	(0.01)	180	0.01	EA01C2308A	0.01	(0.01)	3,070	0.01	GUNKUL13C2307A	0.01	-	32	0.01
KCE19C2308A	0.09	0.01	91,136	0.09	EA01C2308W	-	-	-	-	GUNKUL13C2310A	0.12	(0.01)	14,784	0.13
KCE19C2309A	0.25	0.03	234,954	0.22	EA01C2310A	0.13	(0.02)	14,060	0.14	GUNKUL13C2311A	0.26	-	22,128	0.26
KCE41C2309A	0.15	0.01	12,090	0.14	EA01C2311A	0.35	(0.03)	34,935	0.36	GUNKUL19C2306B	-	-	-	-
KCE41C2310A	0.35	0.05	297,986	0.32	EA01P2310A	0.78	0.02	16,676	0.77	GUNKUL19C2307A	-	-	-	-
METCO	237.00	-	237.00	237.00	EA06C2309A	0.08	(0.02)	19,001	0.09	GUNKUL19C2310A	0.15	-	2,326	0.16
SMT	4.84	0.12	18,969	4.81	EA06C2309B	0.21	(0.01)	60,000	0.20	GUNKUL19C2310B	0.27	-	58,076	0.27
SMT-W3	1.04	0.06	79,457	1.06	EA08C2306A	-	-	-	-	GUNKUL28C2309A	-	-	-	-
SVI	9.00	0.40	49,424	8.85	EA11C2311T	0.14	(0.01)	24,282	0.14	IFEC	-	-	-	-
TEAM	5.85	(0.20)	24,017	5.89	EA13C2307A	-	-	-	-	IRPC	2.34	(0.04)	334,681	2.36
Energy & Utilities	-	-	-	-	EA13C2307B	-	-	-	-	IRPC01C2307A	0.01	-	26	0.01
7UP	0.53	(0.02)	90,374	0.54	EA13C2309A	0.05	(0.01)	154,294	0.05	IRPC01C2310A	0.11	(0.02)	15,259	0.12
ACC	1.00	-	4,013	1.00	EA13C2310A	0.22	(0.02)	35,895	0.22	IRPC06C2309A	0.13	(0.02)	18,005	0.13
ACE	2.04	0.02	173,109	2.04	EA13C2310B	0.34	(0.04)	58,531	0.35	IRPC13C2308A	0.02	(0.01)	8,408	0.02
ACE13C2308A	-	-	-	-	EA13P2307A	0.08	(0.02)	8,226	0.08	IRPC13C2310A	0.15	(0.02)	61,735	0.16
ACE13C2311A	0.19	0.01	20,784	0.19	EA13P2310A	0.46	(0.01)	77,849	0.46	IRPC19C2307A	-	-	-	-
ACE19C2308A	-	-	-	-	EA16C2306A	-	-	-	-	IRPC19C2308A	0.02	-	50	0.02
AGE	2.60	-	10,496	2.58	EA16C2309A	0.21	(0.01)	2,880	0.21	IRPC19C2310A	0.18	(0.01)	53,831	0.19
AI	5.55	0.05	1,240	5.50	EA19C2306A	-	-	-	-	IRPC28C2308A	-	-	-	-
AIE	1.50	(0.01)	2,672	1.51	EA19C2307A	-	-	-	-	JR	5.95	-	742	5.91
AKR	0.92	(0.01)	24,821	0.92	EA19C2308A	0.02	(0.01)	6	0.02	KBSPIF	9.20	(0.05)	2,115	9.25
AKR-W2	0.10	-	89,454	0.09	EA19C2309A	0.08	(0.01)	2,260	0.09	LANNA	15.60	(0.10)	4,251	15.58
BAFS	32.25	-	3,521	32.18	EA19C2310A	0.22	(0.02)	92,542	0.23	MDX	3.48	(0.06)	1,213	3.38
BANPU	9.00	(0.05)	602,431	9.01	EA19P2307A	0.16	-	77,040	0.15	NOVA	11.90	0.10	150	11.88
BANPU-W5	1.31	-	231,635	1.30	EA41C2307A	0.01	-	6	0.01	OR	21.00	-	91,142	20.98
BANPU01C2307A	-	-	-	-	EA41C2308A	-	-	-	-	OR01C2308A	-	-	-	-
BANPU01C2308A	0.01	(0.01)	2,750	0.01	EA41C2310A	0.12	(0.02)	300	0.12	OR01C2310A	0.19	-	75,964	0.19
BANPU01C2310A	0.16	-	49,297	0.16	EA41C2310B	0.20	(0.02)	48,400	0.20	OR01P2312A	0.43	(0.57)	19,431	0.44
BANPU01C2311A	0.41	(0.01)	43,674	0.41	EASTW	4.86	(0.04)	14,503	4.88	OR06C2306B	-	-	-	-
BANPU01P2307A	0.21	(0.01)	2,800	0.22	EGATTF	6.65	(0.10)	10,057	6.67	OR06C2308A	0.06	-	30,000	0.06
BANPU01P2310A	0.43	(0.01)	6,402	0.43	EGCO	140.50	(1.00)	6,084	140.72	OR06C2310A	0.27	-	44,000	0.27
BANPU01P2311A	0.26	-	14,568	0.26	EGCO13C2307A	-	-	-	-	OR13C2307A	-	-	-	-
BANPU06C2306A	-	-	-	-	EGCO13C2310A	0.19	(0.01)	4,124	0.19	OR13C2309A	0.08	-	42,265	0.07
BANPU06C2306B	-	-	-	-	EGCO19C2307A	-	-	-	-	OR13C2310A	0.23	-	133,454	0.23
BANPU06C2308A	0.14	-	26,370	0.14	EGCO19C2309A	0.06	-	8,784	0.06	OR19C2307A	-	-	-	-
BANPU06C2309A	0.08	(0.01)	34,000	0.08	EP	3.08	-	238	3.08	OR19C2311A	0.25	-	44,620	0.25
BANPU06C2														

## Main Board Quotation

Issue Date :

Monday June 19, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG19C2309A	0.07	-	2,000	0.07	TOP11C2311A	0.27	(0.01)	3,000	0.27	BAM	11.10	(0.10)	96,790	11.05
PTG19C2310A	0.16	(0.01)	239	0.16	TOP11P2308A	0.48	(0.01)	13,345	0.49	BAM01C2307A	-	-	-	-
PTG41C2307A	-	-	-	-	TOP13C2307A	-	-	-	-	BAM01C2309A	-	-	-	-
PTG41C2310A	-	-	-	-	TOP13C2309A	0.07	-	1,010	0.07	BAM01C2310A	0.09	(0.01)	25,988	0.09
PTT	31.50	(0.25)	198,662	31.65	TOP13C2310A	0.19	(0.02)	5,430	0.19	BAM01C2312A	0.24	(0.02)	33,456	0.24
PTT01C2309A	0.10	(0.01)	24	0.11	TOP13P2310A	0.19	-	2,106	0.19	BAM06C2306A	-	-	-	-
PTT01C2311X	0.17	(0.01)	5,298	0.18	TOP19C2308A	-	-	-	-	BAM06C2307A	-	-	-	-
PTT01P2309A	0.10	-	4,800	0.10	TOP19C2310A	0.16	(0.01)	9,743	0.16	BAM06C2308A	-	-	-	-
PTT06C2307A	-	-	-	-	TOP19C2310B	0.28	(0.01)	69,532	0.28	BAM06C2309A	0.07	(0.01)	6,000	0.07
PTT06C2308A	0.19	-	9,010	0.19	TOP19P2309A	0.25	0.01	24,403	0.25	BAM06C2312A	0.28	-	48,000	0.27
PTT13C2306A	-	-	-	-	TOP41C2308A	-	-	-	-	BAM08C2306A	-	-	-	-
PTT13C2308A	0.06	(0.01)	55,208	0.07	TOP41C2310A	-	-	-	-	BAM11P2309A	-	-	-	-
PTT13C2310A	0.17	(0.02)	40,493	0.18	TOP41C2311A	0.32	(0.01)	56,694	0.32	BAM13C2307A	-	-	-	-
PTT13P2309A	0.11	0.01	87,490	0.11	TPIPP	3.34	-	11,393	3.35	BAM13C2308A	0.03	-	1,000	0.03
PTT19C2307A	-	-	-	-	TSE	2.42	0.04	60,189	2.36	BAM13C2310A	0.11	(0.01)	15,473	0.11
PTT19C2309A	0.10	-	872	0.10	TTW	8.60	(0.10)	10,678	8.59	BAM19C2307A	-	-	-	-
PTT28C2307A	-	-	-	-	UBE	1.08	-	13,904	1.08	BAM19C2307B	-	-	-	-
PTTEP	150.50	(2.50)	63,538	151.12	WHAUP	3.82	-	6,600	3.80	BAM19C2310A	0.17	(0.01)	65,575	0.17
PTTEP01C2307A	0.02	-	2,000	0.02	WP	4.22	(0.02)	41	4.22	BYD	6.80	(0.20)	94,638	6.67
PTTEP01C2308A	0.16	(0.03)	18,216	0.17	Media & Publishi	-	-	-	-	BYD-W6	3.58	(0.20)	3,763	3.48
PTTEP01C2308W	0.16	(0.03)	15,063	0.17	AMARIN	5.75	-	342	5.66	BYD06C2306A	-	-	-	-
PTTEP01C2309A	0.47	(0.06)	30,233	0.48	AQUA	0.49	0.01	17,590	0.48	BYD06C2310A	0.13	(0.05)	69,982	0.12
PTTEP01C2311X	0.41	(0.59)	20,582	0.42	AQUA-W3	0.02	-	8,474	0.02	BYD13C2308A	0.03	0.02	1	0.03
PTTEP01C2312T	0.40	(0.03)	13,585	0.41	AS	12.80	-	7,378	12.86	BYD13C2310A	0.10	(0.02)	25,639	0.09
PTTEP01P2308A	0.13	0.01	23,880	0.13	AS-W2	9.90	(0.40)	9	9.90	BYD13C2311A	0.22	(0.04)	41,286	0.21
PTTEP01P2309A	0.37	0.03	120,489	0.36	BEC	8.00	(0.05)	19,809	8.05	BYD16C2306A	-	-	-	-
PTTEP01P2311X	0.57	(0.43)	14,788	0.56	BEC01C2308A	-	-	-	-	BYD19C2307A	-	-	-	-
PTTEP06C2306A	-	-	-	-	BEC01C2312A	0.41	(0.59)	67,859	0.42	BYD19C2309A	0.03	(0.02)	5,775	0.03
PTTEP06C2307A	-	-	-	-	BEC01P2312A	0.45	(0.55)	10,461	0.45	BYD19C2311A	0.17	(0.03)	35,829	0.16
PTTEP06C2308A	0.26	(0.03)	39,707	0.27	BEC06C2307A	-	-	-	-	CGH	0.77	(0.01)	24,678	0.78
PTTEP11C2310T	0.18	(0.02)	6,185	0.19	BEC13C2306A	-	-	-	-	CGH-W4	0.10	0.01	1,778	0.09
PTTEP11P2308A	0.29	0.02	16,748	0.28	BEC13C2309A	0.12	-	6,778	0.13	CHASE	1.73	(0.07)	101,370	1.74
PTTEP13C2307A	-	-	-	-	BEC19C2306A	-	-	-	-	CHAYO	7.35	(0.30)	43,063	7.36
PTTEP13C2308A	0.15	(0.03)	32,611	0.16	BEC19C2309A	0.13	(0.01)	22,130	0.13	CHAYO-W2	-	-	-	-
PTTEP13C2310A	0.46	(0.06)	61,458	0.47	FE	-	-	-	-	ECL	1.66	(0.02)	19,252	1.68
PTTEP13P2307A	0.01	-	5	0.01	GPI	1.69	-	1,679	1.69	ECL-W4	0.17	-	6,625	0.16
PTTEP13P2308A	0.14	0.01	9,948	0.14	GRAMMY	9.10	0.10	46	9.14	FNS	3.40	(0.04)	1,079	3.41
PTTEP19C2306A	-	-	-	-	JKN	2.56	0.02	42,442	2.55	FSS	2.58	(0.04)	6,428	2.56
PTTEP19C2307A	0.01	(0.01)	350	0.01	MACO	0.52	-	15,479	0.52	GBX	0.85	(0.02)	7,971	0.86
PTTEP19C2307B	0.05	(0.02)	71,234	0.05	MACO-W3	0.07	(0.01)	25,178	0.07	GL	-	-	-	-
PTTEP19C2309A	0.32	(0.04)	21,515	0.33	MACO-W4	0.01	-	1,022	0.01	HENG	2.72	(0.02)	27,793	2.72
PTTEP19P2307A	-	-	-	-	MAJOR	16.20	0.40	11,175	15.96	IFS	2.82	(0.02)	315	2.81
PTTEP19P2308A	0.19	0.02	12,325	0.18	MAJOR13C2306A	-	-	-	-	JMT	39.75	(1.25)	107,369	39.95
PTTEP28C2307A	-	-	-	-	MAJOR19C2308A	-	-	-	-	JMT-W4	3.52	(0.22)	3,775	3.57
PTTEP41C2307A	-	-	-	-	MATCH	1.63	(0.02)	1,886	1.64	JMT01C2307A	-	-	-	-
PTTEP41C2308A	0.04	(0.04)	1	0.04	MATI	8.15	(0.10)	8	8.29	JMT01C2307X	-	-	-	-
PTTEP41C2309A	0.28	(0.04)	127,698	0.29	MCOT	3.78	-	367	3.77	JMT01C2308A	-	-	-	-
PTTEP41C2310A	0.62	(0.08)	34,310	0.64	MONO	1.20	(0.02)	10,575	1.21	JMT01C2309A	0.13	(0.03)	57,174	0.14
PTTEP41P2308A	-	-	-	-	MPIC	1.81	0.01	40,240	1.69	JMT01C2311A	0.29	(0.03)	80,927	0.29
PTTEP41P2309A	0.45	0.03	17,921	0.44	NATION	0.10	-	31,394	0.09	JMT01P2307A	0.15	0.02	164,541	0.14
PTTEP41P2310A	0.26	0.01	4,000	0.26	ONEE	5.35	(0.25)	81,240	5.40	JMT01P2308A	0.17	0.03	87,365	0.16
QTC	4.52	0.02	141	4.49	ONEE13C2311A	0.16	(0.03)	12,123	0.16	JMT01P2310A	0.45	0.03	103,833	0.44
RATCH	37.00	(0.75)	27,726	37.06	ONEE19C2401A	0.22	(0.03)	5,790	0.22	JMT06C2306A	-	-	-	-
RATCH01C2307X	0.01	-	48	0.01	PLANB	8.70	0.15	65,880	8.64	JMT06C2307A	-	-	-	-
RATCH11C2311A	0.20	(0.02)	25,190	0.20	PLANB-W1	2.30	0.10	1,023	2.20	JMT06C2308A	-	-	-	-
RATCH13C2310A	0.21	(0.03)	22,656	0.21	PLANB06C2308A	0.13	0.01	36,007	0.12	JMT06C2307B	0.19	(0.04)	55,525	0.19
RATCH19C2310A	0.10	(0.01)	100	0.10	PLANB11C2307A	0.08	0.01	2	0.08	JMT08C2307A	-	-	-	-
RPC	0.74	0.01	2,888	0.73	PLANB11P2309A	0.24	(0.01)	3,076	0.25	JMT11C2306A	-	-	-	-
SCG	4.12	(0.04)	205	4.05	PLANB13C2307A	-	-	-	-	JMT13C2307A	-	-	-	-
SCI	1.11	0.02	1,400	1.10	PLANB13C2307E	-	-	-	-	JMT13C2307B	-	-	-	-
SCN	1.60	(0.03)	4,973	1.61	PLANB13C2308A	0.09	(0.02)	23,082	0.09	JMT13C2309A	0.19	(0.04)	75,741	0.20
SCN-W2	0.18	-	3,239	0.17	PLANB13C2310A	0.31	0.02	61,915	0.30	JMT13P2310A	0.43	0.03	54,448	0.42
SGP	8.40	-	2,356	8.44	PLANB19C2306A	-	-	-	-	JMT16C2306A	-	-	-	-
SKE	0.57	(0.02)	7,479	0.58	PLANB19C2308A	0.10	0.01	4,498	0.10	JMT16C2306B	-	-	-	-
SKE-W1	0.12	-	2,184	0.11	POST	-	-	-	-	JMT19C2306C	-	-	-	-
SOLAR	0.79	(0.01)	17,784	0.79	PRAKTI	11.90	-	19	11.90	JMT19C2307A	-	-	-	-
SOLAR-W1	0.07	-	3,211	0.06	PTECH	16.70	(0.20)	3	16.80	JMT19C2308A	0.08	(0.02)	28,036	0.08
SPCG	13.10	0.20	6,080	13.19	SE-ED	2.26	0.04	5	2.26	JMT19C2309A	0.17	(0.04)	87,513	0.18
SPRC	8.90	0.05	68,177	8.90	TKS	9.20	(0.15)	3,785	9.23	JMT19P2306A	-	-	-	-
SPRC01C2310A	-	-	-	-	VGI	3.24	-	113,721	3.22	JMT19P2307A	0.05	-	4,480	0.05
SPRC01C2311A	0.40	0.01	13,757	0.39	VGI-W3	0.18	0.01	32,437	0.17	JMT28C2308A	-	-	-	-
SPRC06C2309A	0.13	(0.01)	27,000	0.13	VGI01C2308A	-	-	-	-	JMT41C2307A	-	-	-	-
SPRC06C2310A	0.32	0.02	58,251	0.31	VGI01C2309A	-	-	-	-	JMT41C2308A	-	-	-	-
SPRC11C2309A	-	-	-	-	VGI01C2310A	0.07	-	29,540	0.07	JMT41C2309A	0.25	(0.04)	67,450	0.26
SPRC13C2306A	-	-	-	-	VGI01C2311A	0.30	(0.02)	20,679	0.30	KCAR	8.40	-	219	8.39
SPRC13C2308A	-	-	-	-	VGI01P2308A	0.91	0.07	446	0.89	KGI	4.56	0.02	5,539	4.55
SPRC13C2309A	0.10	-	5,749	0.09	VGI01P2311A	0.32	-	14,475	0.32	KTC	49.50	(0.75)	25,231	49.69
SPRC13C2310A	0.29	0.01	106,035	0.28	VGI06C2306A	-	-	-	-	KTC01C2309A	-	-	-	-
SPRC19C2308A	-	-	-	-	VGI06C2308A	-	-	-	-	KTC01C2311A	0.21	(0.03)	21,228	0.22
SPRC19C2310A	0.13	-	2,306	0.13	VGI06C2309A	0.20	-	14,000	0.19	KTC01P2307A	0.20	-	8,800	0.19
SPRC19C2310B	0.23	0.01	15,979	0.22	VGI08C2306A	-	-	-	-	KTC01P2311A	0.46	0.03	20,130	0.45
SPRC28C2308A	-	-	-	-	VGI13C2307A	-	-	-	-	KTC06C2308A	-	-	-	-
SPRC41C2307A	-	-	-	-	VGI13C2308A	-	-	-	-	KTC06C2310A	0.16	(0.01)	34,000	0.16
SSP	8.25	-	3,696	8.28	VGI13C2309A	0.14	(0.01)	27,913	0.14	KTC08C2306A	-	-	-	-
SSP-W2	0.61	-	1,746	0.61	VGI13C2310A	0.30	-	66,586	0.30	KTC11C2306A	-	-	-	-
SUPER	0.55	-	242,985	0.55	VGI19C2307A	-	-	-	-	KTC11C2311A	0.31	(0.02)	22,503	0.32
SUPER08C2306A	-	-	-	-	VGI19C2307B	-	-	-	-	KTC13C2308A	0.03	(0.01)	33,492	0.03
SUPER13C2306A	-	-	-	-	VGI19C2309A	0.15	-	28,024	0.15	KTC13C2310A	0.10	(0.02)	12,194	0.10
SUPER19C2308A	0.04	-	22	0.04	VGI19C2310A	0.32	0.02	28,931	0.30	KTC13C23				

## Main Board Quotation

Issue Date :

Monday June 19, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MTC06C2306A	-	-	-	-	CBG01P2310A	0.75	(0.01)	15	0.75	TFMAMA	192.00	(2.00)	238	192.03
MTC06C2307A	0.19	0.01	81,684	0.19	CBG01P2311A	0.45	0.01	48,860	0.42	TIPCO	12.50	1.00	100,326	12.10
MTC06C2309A	0.21	0.01	81,992	0.21	CBG06C2306A	-	-	-	-	TKN	11.60	(0.10)	41,008	11.64
MTC08C2308A	0.25	0.02	44,650	0.25	CBG06C2307A	-	-	-	-	TU	13.40	(0.10)	203,735	13.40
MTC11C2307X	-	-	-	-	CBG06C2309A	0.11	-	18,999	0.12	TU01C2307A	-	-	-	-
MTC11C2310A	0.31	0.02	37,100	0.31	CBG06C2310A	0.36	(0.02)	48,502	0.39	TU01C2309A	0.07	(0.01)	6,050	0.07
MTC11P2309A	0.07	-	24	0.07	CBG08C2306A	-	-	-	-	TU01C2311X	0.21	(0.01)	40,925	0.21
MTC13C2307A	0.07	-	36,030	0.07	CBG13C2308A	-	-	-	-	TU01P2311X	0.29	0.01	21,018	0.29
MTC13C2308A	-	-	-	-	CBG13C2308B	-	-	-	-	TU06C2307A	-	-	-	-
MTC13C2310A	0.23	0.01	22,714	0.23	CBG13C2309A	-	-	-	-	TU06C2308A	-	-	-	-
MTC13P2307A	0.01	(0.01)	21	0.01	CBG13C2309B	0.06	-	4,442	0.06	TU06C2310A	0.06	(0.01)	66,223	0.06
MTC16C2306A	-	-	-	-	CBG13C2310A	0.24	(0.02)	87,622	0.25	TU06C2312A	0.24	(0.01)	74,864	0.24
MTC19C2307A	0.17	0.02	12,141	0.17	CBG13C2310B	0.46	(0.03)	152,688	0.49	TU11C2311T	-	-	-	-
MTC19C2308A	-	-	-	-	CBG13P2309A	0.38	(0.04)	3,000	0.39	TU13C2308A	0.01	-	6	0.01
MTC19C2309A	0.21	0.01	22,420	0.21	CBG13P2310A	0.41	-	61,709	0.40	TU13C2310A	0.07	-	337,250	0.07
MTC19P2307A	-	-	-	-	CBG19C2307A	-	-	-	-	TU13C2311A	0.17	(0.83)	50,580	0.17
MTC28C2309A	-	-	-	-	CBG19C2308A	-	-	-	-	TU19C2308A	-	-	-	-
MTC41C2307A	0.21	(0.12)	8,000	0.21	CBG19C2308B	-	-	-	-	TU19C2309A	0.10	-	2,956	0.10
MTC41C2310A	0.42	0.02	87,496	0.41	CBG19C2309A	0.06	-	18,562	0.07	TU19C2309B	0.08	-	70,143	0.08
MTC41C2311B	0.27	0.01	8,400	0.27	CBG19C2309B	0.13	(0.01)	14,045	0.13	TU28C2307C	-	-	-	-
NCAP	4.84	0.02	160,259	4.79	CBG19C2310A	0.32	(0.03)	98,828	0.34	TVO	26.00	-	4,037	26.14
NCAP-W1	0.30	-	26,967	0.29	CBG19C2310B	0.51	(0.02)	75,114	0.53	TWPC	4.46	-	1,888	4.48
PL	2.40	(0.02)	291	2.40	CBG19P2307A	0.65	(0.12)	11	0.65	W	0.80	0.09	609,533	0.73
S11	5.00	0.02	1,299	5.05	CBG19P2309A	0.37	(0.01)	139,200	0.35	W-W5	0.01	(0.01)	292,281	0.01
SAK	5.55	(0.05)	3,102	5.59	CBG19P2310A	0.32	0.01	18,086	0.31	ZEN	12.90	-	1,335	12.63
SAWAD	50.75	-	39,622	50.92	CBG41C2308A	-	-	-	-	Health Care Services	-	-	-	-
SAWAD-W2	3.08	-	1,065	3.11	CBG41C2309A	-	-	-	-	AHC	17.00	-	13	17.05
SAWAD01C2307A	-	-	-	-	CBG41C2310A	0.21	-	111,200	0.21	BCH	18.10	0.10	82,077	18.10
SAWAD01C2308A	0.07	-	31,932	0.07	CFRESH	1.87	0.01	3,300	1.86	BCH01C2310A	0.17	-	11,314	0.18
SAWAD01C2311A	0.24	-	62,041	0.25	CH	2.90	(0.10)	12,948	2.94	BCH01P2311A	0.44	(0.02)	19,746	0.45
SAWAD01P2310A	0.56	(0.01)	35,307	0.56	CHOTTI	126.00	5.00	1	126.00	BCH06C2308A	-	-	-	-
SAWAD06C2308A	0.15	0.02	30,000	0.15	CM	2.08	(0.02)	621	2.09	BCH06C2309A	0.25	(0.01)	9,000	0.25
SAWAD06C2309A	0.08	(0.01)	18,000	0.08	CPF	21.10	(0.30)	44,668	21.16	BCH13C2307A	-	-	-	-
SAWAD08C2308A	0.07	-	70,091	0.08	CPF01C2312A	0.39	(0.03)	39	0.39	BCH13C2309A	0.13	-	6,263	0.13
SAWAD11C2306X	-	-	-	-	CPF06C2309A	0.27	(0.01)	12,029	0.27	BCH13C2310A	0.22	-	15,915	0.21
SAWAD13C2307A	-	-	-	-	CPF13C2308A	-	-	-	-	BCH19C2308A	-	-	-	-
SAWAD13C2308A	0.06	-	19,257	0.06	CPF13C2310A	0.27	(0.04)	3,035	0.28	BCH19C2310A	0.23	0.01	132,740	0.21
SAWAD13C2309A	0.06	-	82,181	0.06	CPF19C2307A	-	-	-	-	BDMS	28.50	(0.25)	181,771	28.55
SAWAD13C2311A	0.26	-	72,718	0.27	CPF19C2309A	0.10	(0.01)	870	0.10	BDMS01C2308A	0.04	-	420	0.04
SAWAD13P2307A	-	-	-	-	CPF19C2311A	0.43	(0.03)	478	0.43	BDMS01C2311A	-	-	-	-
SAWAD13P2309A	-	-	-	-	CPF28C2308A	0.08	-	22	0.08	BDMS01P2311A	-	-	-	-
SAWAD16C2309A	0.17	(0.01)	2,658	0.18	CPI	2.84	(0.02)	2,372	2.84	BDMS06C2308A	0.13	-	10	0.13
SAWAD19C2307A	-	-	-	-	F&D	-	-	-	-	BDMS11C2310T	-	-	-	-
SAWAD19C2307B	-	-	-	-	GLOCON	0.45	-	42,728	0.45	BDMS13C2306A	-	-	-	-
SAWAD19C2309A	0.10	-	6,198	0.10	GLOCON-W5	0.05	-	2,702	0.05	BDMS13C2308A	0.04	(0.01)	10,200	0.04
SAWAD19C2310A	0.22	0.01	28,159	0.22	HTC	39.00	0.50	6,429	38.98	BDMS13C2310A	0.16	(0.01)	384	0.17
SAWAD19P2307A	-	-	-	-	ICHI	14.40	-	69,665	14.40	BDMS19C2306A	-	-	-	-
SAWAD19P2309A	-	-	-	-	ITC	22.80	(0.10)	7,034	22.82	BDMS19C2309A	-	-	-	-
SAWAD41C2308A	0.20	(0.01)	107,123	0.21	JDF	2.48	(0.02)	3,894	2.49	BDMS19C2310A	-	-	-	-
SAWAD41C2309A	0.15	(0.01)	14,510	0.16	KBS	7.50	0.05	12,418	7.47	BDMS28C2307A	0.06	-	20	0.06
SCAP	5.05	(0.10)	12,147	5.11	KSL	3.28	-	19,296	3.26	BDMS41C2309A	-	-	-	-
SGC	1.76	(0.02)	122,488	1.76	KTIS	3.94	0.04	454	3.98	BH	227.00	(2.00)	8,817	227.38
SM	1.56	(0.05)	18,286	1.55	LST	5.00	0.02	797	5.00	BH-P	-	-	-	-
TH	1.16	(0.01)	358,648	1.06	M	49.00	-	2,346	49.17	BH-Q	-	-	-	-
TH-W3	0.42	(0.02)	26,946	0.41	MALEE	8.90	0.95	298,220	8.66	BH01C2307A	-	-	-	-
THANI	3.28	(0.04)	64,816	3.29	NRF	5.20	(0.15)	7,471	5.24	BH01C2310A	0.20	(0.01)	38,951	0.20
THANI06C2306A	-	-	-	-	NSL	23.40	(0.30)	11,981	23.37	BH01C2312X	0.33	(0.67)	25,445	0.35
THANI13C2308A	-	-	-	-	OISHI	58.75	0.25	3,985	58.72	BH01P2308A	0.09	-	14,073	0.09
THANI13C2311A	0.30	(0.01)	23,300	0.30	OSP	30.25	(0.25)	24,475	30.23	BH01P2312X	0.61	(0.39)	20,906	0.59
THANI19C2307A	-	-	-	-	OSP01C2308A	0.06	(0.01)	43,984	0.06	BH06C2308A	0.12	(0.01)	8,024	0.12
THANI19C2401A	0.28	(0.01)	3,351	0.28	OSP01C2312A	0.28	(0.01)	40,672	0.28	BH08C2306A	-	-	-	-
THANI28C2309A	-	-	-	-	OSP06C2308A	0.09	-	7,999	0.09	BH13C2309A	0.13	(0.01)	9,140	0.13
TIDLOR	24.40	(0.40)	245,849	24.46	OSP11C2312T	0.23	(0.01)	43,793	0.23	BH13C2310A	0.24	(0.02)	32,396	0.24
TIDLOR01C2308A	0.04	(0.01)	5	0.03	OSP13C2308A	-	-	-	-	BH19C2309A	0.12	-	2,414	0.12
TIDLOR01C2310A	0.60	(0.03)	4,824	0.58	OSP19C2308A	-	-	-	-	BH19C2310A	0.26	(0.02)	44,834	0.26
TIDLOR01C2310X	0.15	(0.01)	14,166	0.15	OSP28C2307A	-	-	-	-	BH41C2307A	0.07	(0.07)	6,400	0.07
TIDLOR01P2310A	0.37	0.02	35,633	0.37	OSP41C2308A	-	-	-	-	BH41C2308A	0.09	(0.01)	20,000	0.09
TIDLOR06C2309A	-	-	-	-	OSP41C2311A	0.21	(0.01)	37,624	0.21	BH41C2309A	0.15	-	84,000	0.14
TIDLOR06C2309B	0.13	(0.01)	48,013	0.13	PB	69.50	-	4	69.50	CHG	2.98	0.04	215,935	2.98
TIDLOR08C2306A	-	-	-	-	PLUS	7.95	0.65	70,570	7.70	CHG01C2310A	0.09	0.01	8,820	0.09
TIDLOR11P2309A	0.23	0.02	19,110	0.23	PM	9.05	-	858	9.05	CHG01C2311A	0.19	0.01	28,051	0.19
TIDLOR13C2307A	-	-	-	-	PQS	3.56	-	8,104	3.55	CHG01P2311A	0.39	(0.03)	23,803	0.39
TIDLOR13C2308A	0.24	(0.02)	30,715	0.23	PRG	10.60	(0.20)	88	10.69	CHG06C2307A	-	-	-	-
TIDLOR13C2309A	0.09	(0.01)	31,182	0.09	PRG-W1	-	-	-	-	CHG06C2309A	-	-	-	-
TIDLOR13C2311A	0.21	(0.79)	31,316	0.21	PRG-W2	-	-	-	-	CHG06C2310A	0.15	0.01	760	0.15
TIDLOR19C2308A	0.13	(0.02)	33,628	0.13	PRG-W3	-	-	-	-	CHG11C2306X	-	-	-	-
TIDLOR19C2308B	0.23	(0.04)	145,966	0.23	RBF	12.00	(0.20)	38,860	12.17	CHG11C2310A	0.12	0.01	3,841	0.12
TIDLOR19C2309A	0.13	-	9,999	0.13	RBF01C2309A	0.14	(0.02)	48,931	0.16	CHG11P2306A	0.22	(0.03)	2,400	0.22
TIDLOR41C2308A	-	-	-	-	RBF06C2306A	-	-	-	-	CHG13C2308A	-	-	-	-
TIDLOR41C2308B	0.38	(0.19)	2,800	0.37	RBF06C2308A	0.09	(0.03)	78,000	0.12	CHG13C2310A	0.08	0.01	72,827	0.08
TIDLOR41C2309A	0.20	(0.01)	20,400	0.19	RBF06C2310A	0.36	(0.03)	66,200	0.39	CHG13C2311A	0.22	(0.78)	10,559	0.22
TK	7.20	(0.05)	475	7.21	RBF08C2309A	0.06	(0.01)	19,798	0.06	CHG19C2306A	-	-	-	-
TNITY	4.46	(0.02)	3,739	4.48	RBF11C2306A	-	-	-	-	CHG19C2309A	-	-	-	-
UOBKH	5.25	(0.10)	151	5.30	RBF13C2306A	-	-	-	-	CHG19C2311A	0.22	0.01	18,037	0.22
XPG	0.94	(0.02)	83,537	0.95	RBF13C2308A	0.14	(0.01)	152,189	0.17	CMR	2.44	(0.06)	2,227	2.47
XPG-W4	2.00	(0.06)	487	1.98	RBF13C2310A	0.36	(0.04)	3,706	0.40	EKH	8.25	0.30	86,135	8.15
Food & Beverage	-	-	-	-	RBF19C2307A	-	-	-	-	EKH-W1	1.86	0.13	50,896	1.89
AAI	4.42	(0.06)	48,919	4.45	RBF19C2310A	0.29	(0.03)</							

## Main Board Quotation

Issue Date :

Monday June 19, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIH	8.20	0.05	986	8.15	ALUCON	180.00	0.50	2	179.50	ANAN	1.00	(0.01)	102,282	1.01
WPH	3.80	-	2,035	3.81	BGC	9.65	(0.05)	1,618	9.63	ANAN-W1	0.06	-	8,015	0.05
Tourism & Leisure	-	-	-	-	CSC	46.75	-	2	46.63	AP	11.80	0.30	139,149	11.74
ASIA	7.70	0.05	61	7.65	CSC-P	-	-	-	-	AP01C2308A	0.08	0.01	17,828	0.08
BEYOND	14.60	0.30	3,305	14.50	CSC-Q	-	-	-	-	AP13C2306A	-	-	-	-
BEYOND-W2	4.60	0.26	48	4.59	NEP	-	-	-	-	AP19C2308A	0.07	0.01	5,422	0.07
CENTEL	48.25	(0.50)	17,801	48.35	PJW	4.30	0.06	14,048	4.27	APEX	-	-	-	-
CENTEL01C2308A	-	-	-	-	PJW-W1	1.28	-	182	1.27	ASW	8.35	(0.05)	4,293	8.34
CENTEL01C2311A	0.28	(0.02)	21,480	0.28	PTL	13.90	(0.10)	8,162	13.89	ASW-W1	0.13	-	5,990	0.13
CENTEL01P2309A	0.33	0.01	21,176	0.32	SCGP	39.00	(0.25)	47,538	39.15	ASW-W2	0.19	-	574	0.18
CENTEL06C2310A	-	-	-	-	SCGP01C2307A	-	-	-	-	AWC	4.90	0.02	364,660	4.88
CENTEL11C2311T	0.11	-	3,822	0.11	SCGP01C2307X	-	-	-	-	AWC01C2307A	-	-	-	-
CENTEL11P2306A	-	-	-	-	SCGP01C2309A	-	-	-	-	AWC01C2310A	0.08	(0.01)	53,796	0.08
CENTEL11P2311A	0.76	0.03	33,465	0.75	SCGP01C2310A	0.13	(0.01)	66,352	0.14	AWC06C2307A	-	-	-	-
CENTEL13C2309A	0.09	(0.01)	13,933	0.10	SCGP01C2312X	0.26	(0.01)	65,911	0.27	AWC13C2307A	-	-	-	-
CENTEL13C2310A	0.27	(0.02)	24,486	0.27	SCGP01P2307X	0.50	0.01	2,118	0.49	AWC13C2309A	-	-	-	-
CENTEL19C2308A	-	-	-	-	SCGP01P2312A	0.40	(0.60)	49,517	0.39	AWC13C2310A	0.35	-	79,116	0.34
CENTEL19C2310A	0.20	(0.02)	3,270	0.21	SCGP06C2306A	-	-	-	-	AWC13C2311A	0.13	(0.01)	23,469	0.13
CENTEL28C2308A	-	-	-	-	SCGP06C2308A	-	-	-	-	AWC19C2308A	0.04	(0.01)	1,000	0.04
CSR	74.00	(1.00)	11	74.73	SCGP06C2308B	-	-	-	-	AWC19C2312A	0.32	0.01	30,588	0.31
DUSIT	11.40	0.10	743	11.35	SCGP06C2309A	0.06	-	54,000	0.06	BLAND	0.87	-	49,085	0.87
ERW	4.76	0.04	75,916	4.72	SCGP06C2311A	0.20	(0.03)	96,299	0.21	BRI	9.55	(0.15)	8,826	9.59
ERW-W3	1.57	-	7,283	1.56	SCGP11C2311T	-	-	-	-	BROCK	1.79	(0.01)	76	1.74
GRAND	0.23	0.01	59,779	0.22	SCGP11C2312T	0.31	(0.01)	12,500	0.32	CGD	0.35	-	34,087	0.35
LRH	39.50	-	29	39.27	SCGP11P2309A	-	-	-	-	CI	0.64	-	842	0.64
MANRIN	-	-	-	-	SCGP11P2312A	0.45	0.01	46,480	0.44	CI-W2	0.08	-	557	0.08
MINT	34.50	(0.25)	106,093	34.52	SCGP13C2308A	-	-	-	-	CMC	1.33	(0.04)	1,904	1.34
MINT-W7	12.60	(0.10)	1,635	12.59	SCGP13C2309A	0.06	-	197,861	0.06	CPN	68.25	(0.25)	23,048	68.36
MINT-W9	3.70	(0.08)	4,280	3.70	SCGP13C2310A	0.16	(0.01)	62,128	0.16	CPN01C2309A	0.22	-	30,771	0.22
MINT01C2309A	0.27	(0.01)	14,990	0.27	SCGP19C2309A	-	-	-	-	CPN01C2312X	0.50	-	11,680	0.50
MINT01P2307X	-	-	-	-	SCGP19C2309B	0.06	-	60,002	0.07	CPN06C2307A	0.09	(0.01)	18,000	0.09
MINT01P2311A	0.27	(0.73)	47,761	0.28	SCGP19C2310A	0.18	(0.01)	114,414	0.19	CPN06C2311A	0.46	-	12,000	0.46
MINT06C2309A	0.24	(0.01)	40,921	0.24	SCGP41C2308A	-	-	-	-	CPN08C2306A	-	-	-	-
MINT11C2310T	0.28	(0.01)	26,852	0.28	SCGP41C2309A	-	-	-	-	CPN11C2311T	0.37	-	46,791	0.37
MINT11P2309A	0.14	-	10,400	0.14	SCGP41C2310A	0.10	(0.01)	20,941	0.11	CPN11P2312A	0.58	(0.02)	25,110	0.58
MINT13C2307A	-	-	-	-	SCGP41C2311A	0.24	(0.02)	122,460	0.25	CPN13C2307A	-	-	-	-
MINT13C2308A	0.10	(0.01)	70,458	0.10	SFLEX	3.78	0.12	41,475	3.75	CPN13C2310A	0.32	-	28,922	0.33
MINT19C2309A	0.20	(0.01)	181,550	0.20	SFLEX-W1	0.01	-	1	0.01	CPN19C2308A	0.14	(0.01)	5,088	0.14
MINT28C2306A	-	-	-	-	SFLEX-W2	0.18	(0.01)	10,872	0.19	CPN41C2307A	-	-	-	-
MINT41C2307A	-	-	-	-	SITHAI	1.29	(0.01)	19,810	1.30	CPN41C2309A	0.20	-	12,400	0.20
MINT41C2309A	0.22	(0.01)	107,314	0.22	SLP	0.50	-	1,253	0.48	CPN41C2311A	0.41	(0.01)	48,800	0.41
MINT41C2310A	0.25	0.01	5,922	0.26	SMPC	11.10	0.10	1,348	11.00	ESTAR	0.32	(0.01)	44,201	0.32
MINT41P2307A	-	-	-	-	SPACK	2.48	-	1,853	2.45	EVER	0.20	(0.01)	36,708	0.20
MINT41P2310A	0.20	-	7,488	0.20	TCOAT	26.75	0.25	3	26.50	EVER-W4	0.01	-	10	0.01
OHTL	488.00	6.00	3	484.00	TFI	0.11	(0.01)	4,829	0.12	FPT	15.00	-	20	15.00
ROH	3.14	(0.02)	123	3.12	TFI-W1	0.05	-	3,045	0.04	GLAND	2.06	0.02	115	2.05
SHANG	53.25	(0.50)	10	53.25	THIP	28.00	-	178	28.02	J	2.84	(0.04)	1,371	2.86
SHR	3.42	(0.14)	169,154	3.43	TMD	24.00	0.20	45	23.98	J-W2	0.83	(0.01)	14	0.83
VRANDA	6.95	(0.10)	2,874	7.00	TOPP	-	-	-	-	J-W3	0.65	(0.01)	35	0.66
Home & Office Prod.	-	-	-	-	TPAC	16.80	0.10	766	16.61	JCK	0.24	-	66,316	0.24
AJA	0.18	(0.01)	72,411	0.19	TPBI	3.74	0.02	944	3.70	KC	0.10	(0.01)	12,567	0.10
AJA-W3	0.07	0.01	15,082	0.06	TPP	18.60	-	12	18.63	LALIN	8.80	0.05	1,414	8.74
AJA-W4	0.04	(0.01)	575	0.04	Personal Product	-	-	-	-	LH	8.50	(0.05)	370,450	8.50
DTCI	36.00	(0.50)	12	36.77	APCO	6.65	0.70	65,284	6.48	LH13C2310A	0.15	(0.01)	42,028	0.15
FANCY	0.67	-	447	0.66	BIZ	3.66	-	685	3.68	LH19C2310A	-	-	-	-
FTI	2.10	-	8,446	2.06	DDD	14.00	-	205	13.97	LPN	4.42	(0.02)	8,155	4.40
KYE	299.00	(5.00)	4	299.50	JCT	78.50	(1.25)	3	78.75	MBK	17.00	-	13,209	16.98
L&E	1.75	0.01	49	1.74	KISS	7.00	(0.10)	73,139	7.09	MBK-W1	16.30	-	9	16.30
MODERN	2.90	0.02	337	2.82	NV	2.56	(0.18)	10,939	2.63	MBK-W2	15.50	-	2	15.50
OGC	25.00	(0.25)	32	25.04	OCC	-	-	-	-	MBK-W3	15.00	(0.30)	1	15.00
ROCK	8.00	0.05	419	8.00	S&J	40.00	(1.75)	36	41.07	MBK-W4	14.40	(0.10)	5	14.44
SBNEXT	2.32	(0.20)	42,326	2.38	STGT	8.90	(0.10)	14,821	8.94	MJD	1.50	0.03	2,910	1.48
SBNEXT-W2	0.73	(0.05)	2,611	0.74	STGT01C2307A	0.01	-	300	0.01	MK	2.90	0.06	60	2.86
SIAM	1.48	(0.03)	1,076	1.48	STGT01C2310A	-	-	-	-	NCH	1.34	-	2,313	1.34
TCMC	2.04	(0.04)	39,866	2.02	STGT01P2308A	0.24	0.01	7,028	0.23	NNCL	1.97	0.03	1,312	1.95
Insurance	-	-	-	-	STGT11C2311T	-	-	-	-	NOBLE	4.48	(0.06)	11,155	4.50
AYUD	39.00	0.25	1	39.00	STGT13C2308A	0.02	(0.01)	42	0.02	NOBLE-W2	0.13	-	5,098	0.13
BKI	318.00	-	77	317.96	STGT13C2309A	-	-	-	-	NUSA	0.75	(0.01)	37,889	0.75
BLA	27.75	0.25	27,020	27.76	STGT19C2306A	-	-	-	-	NVD	2.02	-	5,239	2.00
BLA01C2307A	0.01	-	200	0.01	STGT19C2309A	-	-	-	-	NVD-W2	-	-	-	-
BLA13C2308A	0.06	-	8,376	0.06	STGT19C2309B	-	-	-	-	NVD-W3	0.15	-	1,065	0.14
BLA13C2310A	0.21	0.02	15,238	0.21	STGT28C2307A	0.04	(0.06)	100	0.04	ORI	11.00	(0.10)	14,668	11.08
BLA19C2308A	-	-	-	-	STHAI	-	-	-	-	ORI13C2308A	0.07	(0.01)	4,404	0.08
BLA19C2311A	0.22	0.01	43,981	0.22	TNR	9.10	(0.05)	388	8.95	ORI19C2307A	0.06	(0.01)	2,606	0.06
BUI	17.30	-	1	17.30	TOG	12.60	0.50	6,836	12.27	PACE	-	-	-	-
CHARAN	-	-	-	-	Professional Ser	-	-	-	-	PEACE	4.14	0.04	516	4.12
INSURE	-	-	-	-	BWG	0.68	0.01	62,569	0.68	PF	0.37	-	75,916	0.37
KWI	1.41	0.08	15,177	1.34	BWG-W5	0.07	-	23,660	0.06	PIN	3.48	0.02	656	3.48
MTI	114.00	1.50	63	113.46	GENCO	0.64	0.01	757	0.63	PLAT	3.46	0.12	56,834	3.42
NKI	33.00	0.75	3	33.00	PRO	-	-	-	-	POLAR	-	-	-	-
SMK	-	-	-	-	PRTR	5.90	(0.65)	82,760	6.16	PRECHA	0.88	(0.03)	1,397	0.89
TGH	18.80	0.10	1	18.80	SISB	40.00	(0.50)	21,451	39.63	PRIN	2.58	-	279	2.52
THRE	0.98	-	7,272	0.97	SO	8.60	(0.05)	53	8.54	PSH	12.60	(0.20)	5,821	12.62
THREL	4.28	(0.14)	11,283	4.28	WAVE	0.17	0.01	643,015	0.16	QH	2.28	(0.04)	132,277	2.30
TIPH	46.25	0.75	16,746	46.27	WAVE-W2	0.09	-	25,568	0.09	QH19C2310A	0.12	-	1,500	0.12
TIPH01P2307A	-	-	-	-	WAVE-W3	0.07	-	75,390	0.07	RABBIT	0.63	(0.01)	99,846	0.63
TIPH11C2309A	0.20	0.02	14,096	0.20	Property Develo	-	-	-	-	RABBIT-P	0.74	-	327,019	0.74
TIPH13C2310A	0.34	0.02	49,332	0.34	A	5.00	-	16	5.00	RABBIT-Q	-	-	-	-
TIPH19C2311A	0.36	0.03	33,853	0.36	AKS	0.01	-	194,129	0.01	RICHY	0.69	-	848	0.69
TLI	13.30	0.10	188,979	13.33	AKS-W5	0.01	-	26	0.01	RML	0.60	(0.01)	18,476	0.60
TQM	28.50	-	4,488	28.43	AMATA	22.30	(0.20)	56,366	22.49	ROJNA	5.75	-	12,746	5.76
TQM01C2310A	0.23	-	110,904											

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

Issue Date :

Monday June 19, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPALI	20.80	(0.10)	8,888	20.80	BTS13C2308A	-	-	-	-	STANLY	217.00	(1.00)	694	216.64
SPALI01C2307A	-	-	-	-	BTS13C2308B	0.12	(0.01)	2,133	0.12	TKT	2.40	(0.04)	8,181	2.40
SPALI06C2307A	-	-	-	-	BTS19C2307A	0.16	-	4,014	0.16	TNPC	1.45	(0.07)	1,766	1.44
SPALI11C2306A	-	-	-	-	BTS19C2308A	-	-	-	-	TRU	4.82	-	973	4.80
SPALI11C2311A	0.24	(0.01)	11,642	0.24	BTS19C2308B	0.14	-	2,852	0.14	TSC	13.40	0.10	68	13.38
SPALI13C2309A	-	-	-	-	BTS19C2309A	3.66	-	34,966	3.65	Industrial Materials	-	-	-	-
SPALI13C2310A	0.22	(0.01)	1,000	0.22	DMT	12.40	-	7,344	12.40	ALLA	1.38	-	3,124	1.38
SPALI19C2308A	-	-	-	-	III	11.60	(0.10)	5,362	11.61	ASEFA	3.72	(0.04)	773	3.73
SPALI19C2311A	0.26	(0.01)	1,003	0.26	KEX	11.40	0.10	63,726	11.37	CPT	0.71	-	1,135	0.71
UV	2.70	(0.04)	10,685	2.70	KEX01C2308A	-	-	-	-	CRANE	1.27	-	7,133	1.27
WHA	4.54	(0.12)	1,316,506	4.63	KEX01C2311A	0.34	0.01	101,103	0.34	CTW	5.15	-	125	5.00
WHA01C2308A	0.30	(0.08)	56,320	0.36	KEX01P2311A	0.25	-	8,465	0.25	FMT	33.25	(0.25)	5	33.30
WHA01P2308A	0.02	0.01	16	0.02	KEX06C2307A	-	-	-	-	HTECH	2.88	-	738	2.87
WHA06C2306A	-	-	-	-	KEX06C2308A	-	-	-	-	KKC	0.25	-	375	0.24
WHA06C2308A	0.21	(0.04)	114,108	0.27	KEX06C2310A	0.15	0.01	109,765	0.15	PK	1.49	0.05	2,139	1.46
WHA08C2306A	0.03	(0.04)	75,082	0.07	KEX08C2309A	-	-	-	-	SNC	10.90	(0.20)	9,273	10.96
WHA11C2307X	0.23	(0.07)	63,050	0.28	KEX11C2308X	-	-	-	-	STARK	0.05	(0.03)	713,671	0.06
WHA11P2309A	0.08	0.01	4,290	0.07	KEX13C2306A	-	-	-	-	STARK-W1	0.01	-	11	0.01
WHA13C2310A	0.38	(0.06)	180,526	0.44	KEX13C2308A	-	-	-	-	TCJ	3.84	(0.08)	80	3.80
WHA19C2308A	0.15	(0.06)	192,279	0.17	KEX13C2309A	0.12	-	31,280	0.12	TPCS	18.50	(0.20)	7	18.21
WHA19C2310A	0.44	(0.08)	641	0.45	KEX13C2310A	0.30	-	57,645	0.30	VARO	4.82	-	107	4.83
WHA28C2307C	-	-	-	-	KEX13C2311A	0.23	-	117,965	0.24	Property Fund & REI	-	-	-	-
WHA41C2308A	0.23	(0.07)	187,407	0.28	KEX19C2306A	-	-	-	-	AIMCG	5.30	0.05	670	5.27
WIN	0.76	(0.01)	2,563	0.76	KEX19C2307A	-	-	-	-	AIMIRT	11.40	-	2,346	11.40
Paper & Printing Mat	-	-	-	-	KEX19C2309A	0.11	-	41,448	0.11	ALLY	7.40	-	4,848	7.41
UTP	11.10	(0.10)	2,357	11.20	KEX19C2310A	0.23	-	111,831	0.23	AMATAR	6.85	(0.05)	698	6.93
Fashion	-	-	-	-	KEX28C2306A	-	-	-	-	B-WORK	8.50	-	2,784	8.49
AFC	6.45	(0.10)	33	6.51	KIAT	0.44	-	2,212	0.43	BAREIT	11.00	-	7,566	10.96
AURA	16.10	0.10	5,544	16.05	KWC	-	-	-	-	BKKCP	10.40	(0.10)	20	10.41
BTNC	20.50	(2.50)	442	20.82	MENA	2.08	-	181,656	2.10	BOFFICE	7.55	(0.05)	1,475	7.55
CPH	20.30	(0.90)	2,552	20.46	NOK	-	-	-	-	CPNCG	10.70	0.10	783	10.62
CPL	2.22	-	5,873	2.21	NYT	4.00	(0.04)	11,327	3.99	CPNREIT	11.10	(0.90)	116,352	11.17
NC	7.00	(1.25)	5,621	7.45	PORT	1.45	(0.02)	2,928	1.46	CPTGF	6.80	(0.05)	2,450	6.77
PAF	1.45	(0.02)	8,932	1.44	PORT-W3	0.03	-	21,532	0.03	CTARAF	5.10	-	3	5.10
PDJ	2.34	(0.02)	2,676	2.36	PRM	6.40	(0.05)	25,741	6.43	DREIT	6.10	-	687	6.10
PG	8.25	(0.10)	341	8.20	PSL	9.75	(0.10)	105,563	9.72	ERWPF	5.25	-	3,685	5.25
SABINA	29.25	0.75	8,584	28.86	PSL01C2309A	0.02	(0.01)	2	0.02	FTREIT	10.90	(0.10)	10,788	10.86
SAWANG	-	-	-	-	PSL01C2312A	0.22	(0.78)	38,474	0.22	FUTUREPF	14.20	-	686	14.11
SUC	29.50	-	90	29.51	PSL06C2308A	-	-	-	-	GAHREIT	8.75	-	2,969	8.80
TNL	33.75	0.25	105	33.43	PSL06C2309A	-	-	-	-	GROREIT	9.40	-	1,827	9.40
TR	45.75	0.25	39	45.51	PSL11C2308X	-	-	-	-	GVREIT	8.85	-	2,620	8.81
TTI	28.75	(1.25)	5	28.75	PSL13C2306A	-	-	-	-	HPF	4.72	0.02	121	4.70
TTT	51.00	0.25	7	51.07	PSL13C2309A	-	-	-	-	HYDROGEN	10.00	-	1,184	10.00
UPF	50.00	(0.50)	2	50.00	PSL13C2310A	0.13	(0.01)	27,805	0.13	IMPACT	13.10	(0.10)	3,423	13.17
WACOAL	34.25	(1.25)	1,114	33.51	PSL13C2310B	0.38	(0.02)	48,337	0.38	INETREIT	10.70	0.10	1,142	10.61
WFX	2.90	(0.04)	1,848	2.91	PSL19C2308A	-	-	-	-	KPNPF	4.68	0.18	1	4.68
Transportation & Log	-	-	-	-	PSL19C2310A	0.13	-	17,999	0.13	KTBSTMR	8.50	-	259	8.49
AAV	2.80	(0.04)	166,512	2.81	PSL19C2311A	0.43	(0.02)	38,001	0.43	LHHOTEL	12.20	(0.10)	1,160	12.22
AAV01C2308A	0.06	(0.01)	4,701	0.06	RCL	24.60	(0.10)	21,632	24.60	LHPF	7.05	-	606	7.05
AAV06C2307A	-	-	-	-	RCL01C2307A	-	-	-	-	LHSC	11.50	0.10	288	11.40
AAV06C2309A	0.19	(0.03)	13,440	0.21	RCL01C2309A	0.09	-	29,122	0.09	LPF	12.90	-	20,177	12.89
AAV13C2307A	-	-	-	-	RCL01C2311A	0.22	(0.78)	20,775	0.22	LUXF	7.20	0.10	21	7.01
AAV13C2310A	0.17	(0.01)	16,244	0.19	RCL01P2308A	0.18	-	14,168	0.18	M-II	-	-	-	-
AAV19C2307A	-	-	-	-	RCL06C2306A	-	-	-	-	M-PAT	-	-	-	-
AAV19C2312A	0.20	(0.02)	75,056	0.22	RCL06C2309A	0.38	(0.02)	67,518	0.38	M-STOR	6.55	-	7	6.55
AOT	71.50	0.25	108,000	71.66	RCL13C2308A	-	-	-	-	MIPF	-	-	-	-
AOT01C2307A	0.01	(0.01)	600	0.01	RCL13C2309A	0.39	(0.02)	168,473	0.39	MIT	1.34	(0.01)	84	1.34
AOT01C2309A	0.16	-	18,404	0.16	RCL19C2308A	0.09	-	3,158	0.09	MJLF	4.06	(0.02)	495	4.04
AOT01C2311A	0.37	0.02	19,816	0.37	RCL19C2309A	0.39	(0.01)	35,834	0.39	MNIT	1.93	0.01	170	1.91
AOT01P2309A	0.32	(0.03)	4,907	0.33	SJWD	17.80	(0.20)	2,721	17.81	MNIT2	-	-	-	-
AOT06C2307A	-	-	-	-	SJWD06C2308A	-	-	-	-	MNRF	2.74	0.12	138	2.74
AOT06C2309A	0.25	(0.01)	42,000	0.25	SJWD08C2310A	0.12	(0.01)	3,988	0.12	POPF	11.00	(0.10)	2,325	11.00
AOT08C2306A	-	-	-	-	SJWD13C2307A	-	-	-	-	PPF	-	-	-	-
AOT11C2310T	0.28	0.01	17,219	0.28	SJWD19C2307A	-	-	-	-	PROSPECT	9.05	(0.05)	486	9.06
AOT13C2306A	-	-	-	-	TFFJF	7.70	(0.15)	12,929	7.71	QHHR	6.85	-	136	6.83
AOT13C2307A	-	-	-	-	THAI	-	-	-	-	QHOP	2.72	-	212	2.72
AOT13C2309A	0.12	-	11,656	0.12	TSTE	9.70	0.45	235	9.61	QHPF	7.05	0.05	2,994	7.00
AOT13C2310A	0.29	0.01	32,030	0.28	TTA	6.80	(0.15)	31,148	6.84	SHREIT	3.52	0.04	1,480	3.47
AOT19C2306A	-	-	-	-	TTA06C2307A	-	-	-	-	SIRIP	9.15	0.45	153	9.12
AOT19C2308A	0.04	(0.01)	1	0.04	TTA13C2306A	-	-	-	-	SPRIME	6.70	-	888	6.66
AOT19C2310A	0.20	0.01	33,725	0.20	TTA19C2308A	-	-	-	-	SRIPANWA	6.45	-	174	6.41
AOT19P2309A	0.14	(0.02)	7,656	0.14	WICE	8.85	-	8,930	8.79	SSPF	6.95	0.05	11	6.90
AOT28C2306A	-	-	-	-	Automotive	-	-	-	-	SSTRT	5.45	0.05	361	5.45
AOT41C2308A	0.08	0.01	2	0.08	3K-BAT	58.00	(3.00)	13	57.58	TIF1	8.90	0.05	4	8.90
AOT41C2310A	0.29	-	36,398	0.30	ACG	1.51	(0.04)	879	1.52	TLHPF	7.40	(0.05)	11	7.45
AOT41P2308A	-	-	-	-	AH	33.50	(1.00)	19,600	33.73	TNPF	1.74	(0.06)	9	1.75
ASIMAR	1.60	0.01	48	1.58	CWT	2.02	(0.06)	3,293	2.04	TPRIME	8.10	-	20,402	8.06
B	0.08	0.01	746,552	0.08	CWT-W5	0.07	-	1,555	0.07	TTLPF	22.00	-	1	22.00
B-W6	0.01	-	20	0.01	CWT-W6	0.09	(0.01)	10,796	0.09	TU-PF	0.64	(0.04)	15	0.65
B-W7	0.01	-	8,524	0.01	EASON	1.20	(0.03)	2,678	1.21	URBNPF	2.00	0.19	1	2.00
BA	15.80	(0.40)	39,018	15.77	GYT	185.50	-	1	185.50	WHABT	9.00	-	238	9.03
BEM	8.30													

## Main Board Quotation

Issue Date :

Monday June 19, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TGPRO	0.15	(0.01)	116,744	0.15	BIDU28C2309A	0.24	(0.03)	16,000	0.24	HSI28P2308B	0.26	0.01	68,577	0.27
TGPRO-W3	-	-	-	-	BIDU28C2310A	0.58	(0.04)	176,000	0.55	HSI28P2308C	0.13	-	4,666	0.14
THE	1.39	(0.01)	1,004	1.39	BIDU41C2307A	-	-	-	-	HSI28P2308D	0.11	-	5,652	0.11
TMT	7.45	(0.05)	187	7.47	BIDU41C2309A	0.79	(0.15)	12,070	0.75	HSI28P2309A	0.32	0.03	96,010	0.34
TSTH	0.90	(0.04)	16,945	0.92	BOCH41C2309A	-	-	-	-	HSI28P2309B	0.23	0.01	34,268	0.24
TWP	-	-	-	-	BYDCOM28C230	-	-	-	-	HSTECH28C2306A	-	-	-	-
TYCN	2.46	(0.04)	67	2.47	BYDCOM28C230	0.67	-	16,000	0.68	HSTECH28C2306B	-	-	-	-
Construction Service	-	-	-	-	BYDCOM28C231	0.49	-	128,360	0.49	HSTECH28C2306C	-	-	-	-
APCS	4.16	-	365	4.15	BYDCOM28P230	-	-	-	-	HSTECH28C2307A	-	-	-	-
BJCHI	1.47	(0.01)	1,511	1.47	BYDCOM28P230	0.06	(0.01)	10,140	0.07	HSTECH28C2307B	0.56	(0.09)	43,910	0.54
BKD	1.91	-	335	1.90	BYDCOM41C230	0.52	(0.04)	12,000	0.52	HSTECH28C2307C	0.13	0.05	200	0.14
CIVIL	2.30	0.02	3,563	2.27	BYDCOM41C231	1.13	(0.02)	500	1.13	HSTECH28C2309A	-	-	-	-
CK	18.80	(0.10)	17,095	18.91	BYDCOM41P230	-	-	-	-	HSTECH28C2309B	0.58	(0.05)	20	0.58
CK01C2312A	0.31	0.01	8,880	0.31	CATHAY28C230	-	-	-	-	HSTECH28C2309C	0.29	(0.03)	122	0.26
CK06C2307A	-	-	-	-	CATHAY28C230	-	-	-	-	HSTECH28P2306A	-	-	-	-
CK06C2310A	0.23	0.01	7,000	0.23	CATHAY28C230	0.17	0.01	24,000	0.17	HSTECH28P2306B	-	-	-	-
CK11C2311A	0.19	-	12,049	0.19	CATHAY41C230	-	-	-	-	HSTECH28P2306C	-	-	-	-
CK13C2308A	-	-	-	-	CATHAY41C230	-	-	-	-	HSTECH28P2307A	-	-	-	-
CK13C2310A	0.17	(0.01)	210,018	0.18	CATHAY41C231	-	-	-	-	HSTECH28P2307B	-	-	-	-
CK19C2307A	-	-	-	-	CHMOB128C230	-	-	-	-	HSTECH28P2307C	-	-	-	-
CK19C2308A	-	-	-	-	CHMOB128C230	0.18	0.03	113,000	0.18	HSTECH28P2309A	-	-	-	-
CK19C2311A	0.23	-	96,335	0.23	CMBANK41C230	-	-	-	-	HSTECH28P2309B	0.34	(0.66)	3,000	0.34
CNT	1.37	(0.09)	6,181	1.39	CMBANK41C231	-	-	-	-	HSTECH28P2309C	0.92	0.06	60	0.92
EMC	0.11	(0.01)	18,402	0.12	CNOOC28C2306	-	-	-	-	ICBC28C2306A	-	-	-	-
EMC-W6	0.01	-	152,903	0.01	CNOOC28C2312	0.14	-	55,160	0.14	ICBC28C2312A	-	-	-	-
ITD	1.39	(0.01)	29,604	1.39	DJI28C2306A	-	-	-	-	JD28C2306A	-	-	-	-
NWR	0.51	(0.03)	60,870	0.52	DJI28C2306B	-	-	-	-	JD28C2308A	-	-	-	-
PLE	0.56	-	1,066	0.56	DJI28C2306C	-	-	-	-	JD28C2309A	0.35	(0.02)	208,220	0.33
PREB	7.20	(0.10)	1,692	7.22	DJI28C2306D	-	-	-	-	JD28P2308A	0.13	-	16,000	0.14
PYLON	3.50	-	2,705	3.49	DJI28C2309A	0.75	(0.07)	1,000	0.74	KUAI28C2306A	-	-	-	-
RT	1.00	-	1,674	1.00	DJI28C2309B	0.36	(0.03)	351	0.35	KUAI28C2308A	-	-	-	-
RT-W1	0.27	(0.01)	673	0.27	DJI28P2306A	-	-	-	-	KUAI28C2310A	0.47	(0.07)	325,411	0.46
SEAFCO	3.34	(0.04)	4,258	3.33	DJI28P2306B	-	-	-	-	LENOVO28C2306A	-	-	-	-
SQ	1.23	-	18,379	1.23	DJI28P2306C	-	-	-	-	LENOVO28C2308A	-	-	-	-
SRICHA	7.50	-	284	7.46	DJI28P2306D	-	-	-	-	LENOVO28C2310A	-	-	-	-
STEC	9.00	(0.05)	63,296	9.03	DJI28P2309A	0.24	-	110	0.24	LENOVO28C2310B	0.28	(0.01)	224,180	0.29
STEC06C2307A	-	-	-	-	DJI28P2309B	0.55	-	10	0.55	LENOVO41C2306A	-	-	-	-
STEC08C2306A	-	-	-	-	DJI41C2306A	-	-	-	-	LENOVO41C2309A	0.15	(0.03)	18,000	0.16
STEC13C2306A	-	-	-	-	DJI41C2306B	-	-	-	-	MCA5041C2306A	-	-	-	-
STEC19C2308A	-	-	-	-	DJI41C2306C	-	-	-	-	MCA5041C2306B	-	-	-	-
STEC28C2309A	-	-	-	-	DJI41C2309A	-	-	-	-	MCA5041C2309A	0.28	(0.05)	4	0.28
STI	4.78	0.10	13,100	4.81	DJI41P2306A	-	-	-	-	MCA5041C2309B	-	-	-	-
STPI	3.60	(0.02)	5,459	3.62	DJI41P2306B	-	-	-	-	MCA5041P2306A	-	-	-	-
SYNTEC	1.51	-	789	1.50	DJI41P2309A	0.28	-	34	0.29	MCA5041P2309A	-	-	-	-
TEAMG	7.90	(0.25)	60,390	7.94	DJI41P2309B	0.45	0.01	200	0.45	MCA5041P2309B	-	-	-	-
TEKA	3.02	-	1,006	3.02	GEELY28C2306A	-	-	-	-	MEITUA28C2306A	-	-	-	-
TPOLY	1.21	(0.04)	2,187	1.22	GEELY28C2308A	-	-	-	-	MEITUA28C2308A	0.24	-	16,000	0.24
TRC	0.47	(0.03)	287,699	0.47	GEELY28C2308E	-	-	-	-	MEITUA28C2311A	0.48	0.01	160,100	0.45
TRITN	0.19	-	660,195	0.19	GEELY28C2309A	0.31	0.01	224,000	0.31	MEITUA28P2306A	-	-	-	-
TRITN-W5	0.03	0.01	5,828	0.02	GEELY28P2306A	-	-	-	-	MEITUA28P2308A	0.13	(0.01)	10,140	0.13
TRITN-W6	0.02	(0.01)	4,371	0.02	GEELY28P2308A	-	-	-	-	MEITUA41C2306A	-	-	-	-
TTCL	3.94	-	8,075	3.92	GEELY41C2306A	-	-	-	-	MEITUA41C2309A	0.41	(0.01)	60,000	0.37
UNIQ	3.08	0.02	2,162	3.05	GEELY41C2308A	-	-	-	-	NDX28C2306A	-	-	-	-
WGE	0.99	0.01	231	0.98	GEELY41C2310A	0.16	0.02	12,000	0.16	NDX28C2306B	-	-	-	-
Unit Trust	-	-	-	-	HAIDIL28C2308	0.07	0.02	1	0.07	NDX28C2309A	-	-	-	-
SCBSET	-	-	-	-	HAIDIL28C2310	-	-	-	-	NDX28C2312A	0.75	(0.08)	639	0.76
ETF	-	-	-	-	HAIDIL28C2310	0.36	-	96,185	0.34	NDX28P2306A	-	-	-	-
IDIV	10.40	-	82	10.40	HAIDIL41C2308	-	-	-	-	NDX28P2306B	-	-	-	-
ABFTH	-	-	-	-	HAIDIL41C2309	0.32	-	12,000	0.31	NDX28P2309A	0.15	(0.01)	325	0.15
BMSCG	10.31	-	27	10.30	HKEX28C2306A	-	-	-	-	NDX28P2312A	0.57	0.02	593	0.57
BMSCITH	10.90	-	301	10.90	HKEX28C2309A	-	-	-	-	NDX41C2306A	-	-	-	-
BSET100	10.00	0.04	217	9.97	HKEX28C2309B	0.23	(0.03)	224,000	0.22	NDX41C2306B	-	-	-	-
CHINA	6.11	(0.05)	730	6.11	HKEX41C2306A	-	-	-	-	NDX41C2306C	-	-	-	-
EBANK	5.28	0.08	3,027	5.18	HKEX41C2309A	0.21	(0.06)	30,000	0.20	NDX41C2309A	3.70	(0.28)	32	3.72
ENGY	5.34	(0.05)	51	5.34	HSBC28C2306A	-	-	-	-	NDX41C2309B	1.35	(0.12)	35	1.35
ENY	5.12	(0.01)	32	5.13	HSBC28C2308A	0.27	0.01	160,000	0.28	NDX41P2306A	-	-	-	-
GLD	2.77	-	466	2.76	HSBC28P2306A	-	-	-	-	NDX41P2306B	-	-	-	-
TDEX	9.24	-	1,924	9.24	HSBC28P2312A	0.17	(0.03)	10,140	0.18	NDX41P2306C	-	-	-	-
UBOT	13.50	(0.06)	48	13.50	HSBC41C2308A	0.30	0.01	12,000	0.30	NDX41P2309A	0.09	(0.01)	100	0.09
UHERO	7.51	(0.03)	111	7.45	HSCEI28C2306A	-	-	-	-	NDX41P2309B	0.17	0.01	3,311	0.17
Warrant Foreign	-	-	-	-	HSCEI28C2306B	-	-	-	-	NTES41C2306A	-	-	-	-
AIA28C2306A	-	-	-	-	HSCEI28C2307A	-	-	-	-	NTES41C2310A	0.73	(0.08)	24,000	0.72
AIA28C2308A	-	-	-	-	HSCEI28C2307B	0.69	(0.10)	148	0.64	PINGAN28C2306A	-	-	-	-
AIA28C2308B	0.14	(0.01)	16,030	0.14	HSCEI28P2306A	-	-	-	-	PINGAN28C2308A	-	-	-	-
AIA28C2309A	0.29	-	96,000	0.30	HSCEI28P2306B	-	-	-	-	PINGAN28C2312A	0.35	-	176,500	0.33
AIA28P2308A	-	-	-	-	HSCEI28P2307A	-	-	-	-	PINGAN28P2306A	-	-	-	-
AIA28P2312A	0.31	-	48,000	0.31	HSCEI28P2307B	-	-	-	-	PINGAN28P2311A	0.28	0.01	48,560	0.29
AIA41C2306A	-	-	-	-	HSI28C2306A	0.01	-	75,375	0.01	PINGAN41C2306A	-	-	-	-
AIA41C2309A	0.27	0.01	24,000	0.26	HSI28C2306B	0.04	(0.01)	2,521	0.03	PINGAN41C2308A	0.14	(0.02)	30,000	0.13
ALIHEA28C2308A	-	-	-	-	HSI28C2306C	0.10	(0.10)	280,919	0.08	PINGAN41P2306A	-	-	-	-
ALIHEA28C2310A	0.19	(0.02)	40,000	0.19	HSI28C2306D	0.03	0.01	10	0.03	SET10001C2306T	0.17	0.02	666	0.15
ALIHEA41C2308A	-	-	-	-	HSI28C2306E	0.02	-	151	0.01	SET10001P2306T	0.36	-	5	0.36
ALIHEA41C2310A	0.23	(0.04)	6,000	0.23	HSI28C2307A	0.06	(0.02)	96,381	0.05	SET5001C2306F	0.02	0.01	121	0.02
BABA28C2306A	-	-	-	-	HSI28C2307B	0.16	(0.05)	98,124	0.14	SET5001C2307A	0.02	-	4,533	0.02
BABA28C2306B	-	-	-	-	HSI28C2307C	0.58	(0.13)	3,507,651	0.53	SET5001C2307W	0.03	-	1,718	0.03
BABA28C2306C	-	-	-	-	HSI28C2307D	0.28	(0.09)	49,394	0.26	SET5001C2308A	0.37	-	51,409	0.36
BABA28C2308A	0.30	(0.09)	2,434	0.29	HSI28C2307E	0.96	(0.17)	3,780,263	0.90	SET5001C2309A	0.35	-	21,578	0.35
BABA28C2308B	0.53	(0.07)	81,000	0.51	HSI28C2308A	0.11	(0.03)	50,535	0.10	SET5001C2309F	0.54	(0.02)	209,701	0.52
BABA28C2309A	0.04	(0.01)	271	0.05	HSI28C2308B	0.47	(0.08)	126,818	0.42	SET5001C2309W	0.36	0.01	7,675	0.34
BABA28C2309B	0.24	(0.02)	128,000	0.23	HSI28C2308C	1.10	(0.14)	853,750	1.06	SET5001C2309X	0.45	0.04	4,055	0.42
BABA28C2310A	0.28	0.02	224,637	0.20	HSI28C2308D	0.83	(0.13)	3,205,692	0.79	SET5001P2306F	0.01	(0.01)	6	0.01
BABA28C2310B	0.69	(0.04)	340,004	0.66	HSI28C2308E	0.33	(0.07)	51,196	0.31	SET5001P230				



## Main Board Quotation

Issue Date :

Monday June 19, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5006C2306G	-	-	-	-	SET5028P2309A	0.49	(0.03)	617,400	0.52	0	-	-	-	-
SET5006P2306A	0.06	(0.03)	13,112	0.07	SET5028P2309B	0.30	(0.02)	55,216	0.31	0	-	-	-	-
SET5006P2306B	-	-	-	-	SET5028P2309C	0.24	(0.03)	12,568	0.25	0	-	-	-	-
SET5006P2306C	-	-	-	-	SET5041C2306A	0.01	(0.03)	298	0.01	0	-	-	-	-
SET5006P2306D	0.47	(0.07)	73,549	0.51	SET5041C2306B	-	-	-	-	0	-	-	-	-
SET5006P2306E	-	-	-	-	SET5041C2306C	-	-	-	-	0	-	-	-	-
SET5006P2306F	1.89	(0.35)	2	1.89	SET5041C2306E	-	-	-	-	0	-	-	-	-
SET5008C2306A	-	-	-	-	SET5041C2306E	0.01	-	3,998	0.01	0	-	-	-	-
SET5008C2306B	-	-	-	-	SET5041C2306F	-	-	-	-	0	-	-	-	-
SET5008C2306C	-	-	-	-	SET5041C2309A	0.48	-	291,543	0.47	0	-	-	-	-
SET5008C2309A	0.33	-	105,972	0.32	SET5041C2309B	0.46	-	2,950,145	0.43	0	-	-	-	-
SET5008C2309B	0.42	-	89,220	0.41	SET5041C2309C	0.46	-	260,588	0.43	0	-	-	-	-
SET5008P2306A	-	-	-	-	SET5041P2306A	-	-	-	-	0	-	-	-	-
SET5008P2306B	-	-	-	-	SET5041P2306B	-	-	-	-	0	-	-	-	-
SET5008P2306C	-	-	-	-	SET5041P2306C	-	-	-	-	0	-	-	-	-
SET5008P2309A	-	-	-	-	SET5041P2306D	-	-	-	-	0	-	-	-	-
SET5008P2309B	0.19	(0.03)	169,742	0.21	SET5041P2306E	-	-	-	-	0	-	-	-	-
SET5011C2306A	-	-	-	-	SET5041P2309A	0.43	(0.01)	238,505	0.45	0	-	-	-	-
SET5011C2309A	0.44	-	33,121	0.43	SET5041P2309B	0.34	(0.02)	1,518	0.35	0	-	-	-	-
SET5011P2306A	0.12	(0.02)	1,698	0.14	SET5041P2309C	0.39	(0.02)	53,722	0.41	0	-	-	-	-
SET5011P2309A	0.27	(0.03)	17,674	0.28	SET5041P2309D	0.43	(0.57)	3,268,130	0.45	0	-	-	-	-
SET5013C2306A	0.01	-	1	0.01	SPX28C2306A	-	-	-	-	0	-	-	-	-
SET5013C2306B	-	-	-	-	SPX28C2306B	-	-	-	-	0	-	-	-	-
SET5013C2306C	-	-	-	-	SPX28C2306C	-	-	-	-	0	-	-	-	-
SET5013C2306D	-	-	-	-	SPX28C2306L	-	-	-	-	0	-	-	-	-
SET5013C2306E	0.02	(0.01)	931	0.02	SPX28C2309A	-	-	-	-	0	-	-	-	-
SET5013C2306F	0.01	-	202	0.01	SPX28C2309B	0.74	(0.06)	15	0.73	0	-	-	-	-
SET5013C2306G	0.01	-	300	0.01	SPX28P2306A	-	-	-	-	0	-	-	-	-
SET5013C2306H	0.01	-	300	0.01	SPX28P2306B	-	-	-	-	0	-	-	-	-
SET5013C2306I	0.02	(0.01)	17,126	0.02	SPX28P2306C	-	-	-	-	0	-	-	-	-
SET5013C2309A	0.28	-	1,853,161	0.27	SPX28P2306D	-	-	-	-	0	-	-	-	-
SET5013C2309B	0.39	(0.01)	2,724,449	0.38	SPX28P2309A	-	-	-	-	0	-	-	-	-
SET5013C2309C	0.58	-	5,229,342	0.56	SPX28P2309B	0.13	(0.04)	20	0.13	0	-	-	-	-
SET5013C2309D	0.69	(0.01)	375,611	0.67	SPX28P2309C	-	-	-	-	0	-	-	-	-
SET5013C2311A	1.06	0.01	48	1.04	SPX41C2306A	-	-	-	-	0	-	-	-	-
SET5013P2306A	-	-	-	-	SPX41C2306B	-	-	-	-	0	-	-	-	-
SET5013P2306B	-	-	-	-	SPX41C2306C	-	-	-	-	0	-	-	-	-
SET5013P2306C	-	-	-	-	SPX41C2309A	1.13	(0.21)	4	1.13	0	-	-	-	-
SET5013P2306D	-	-	-	-	SPX41P2306A	-	-	-	-	0	-	-	-	-
SET5013P2306E	-	-	-	-	SPX41P2306B	-	-	-	-	0	-	-	-	-
SET5013P2306F	-	-	-	-	SPX41P2309A	0.12	(0.03)	28	0.13	0	-	-	-	-
SET5013P2306G	-	-	-	-	SPX41P2309B	-	-	-	-	0	-	-	-	-
SET5013P2309A	0.42	(0.02)	1,621,949	0.44	SUNNY28C2306	-	-	-	-	0	-	-	-	-
SET5013P2309B	0.25	(0.02)	5,437,311	0.27	SUNNY28C2306I	-	-	-	-	0	-	-	-	-
SET5013P2309C	0.46	(0.03)	6,948,101	0.48	SUNNY28C2308	-	-	-	-	0	-	-	-	-
SET5013P2311A	1.34	(0.01)	460	1.35	SUNNY28C2311	0.28	-	128,008	0.27	0	-	-	-	-
SET5016C2306A	-	-	-	-	SUNNY41C2306	-	-	-	-	0	-	-	-	-
SET5016C2306B	-	-	-	-	SUNNY41C2309	0.26	(0.01)	8,400	0.26	0	-	-	-	-
SET5016C2306C	-	-	-	-	TENCEN28C230	-	-	-	-	0	-	-	-	-
SET5016C2306D	-	-	-	-	TENCEN28C230	0.01	-	100	0.01	0	-	-	-	-
SET5016C2309A	0.61	-	22,473	0.59	TENCEN28C230	-	-	-	-	0	-	-	-	-
SET5016P2306A	-	-	-	-	TENCEN28C230	0.15	-	91	0.10	0	-	-	-	-
SET5016P2306B	-	-	-	-	TENCEN28C231	0.33	(0.02)	16,900	0.32	0	-	-	-	-
SET5016P2309A	0.47	(0.01)	16,619	0.49	TENCEN28C231	0.48	(0.06)	480,000	0.46	0	-	-	-	-
SET5019C2306A	0.01	(0.01)	1	0.01	TENCEN28C231	0.74	(0.02)	64,000	0.71	0	-	-	-	-
SET5019C2306B	-	-	-	-	TENCEN28P230	-	-	-	-	0	-	-	-	-
SET5019C2306C	-	-	-	-	TENCEN28P231	0.27	0.03	48,113	0.27	0	-	-	-	-
SET5019C2306D	0.01	-	510	0.01	TENCEN41C230	-	-	-	-	0	-	-	-	-
SET5019C2306E	0.01	(0.01)	3,150	0.01	TENCEN41C230	0.52	(0.07)	102,020	0.51	0	-	-	-	-
SET5019C2306F	0.03	(0.03)	260	0.02	TENCEN41C231	0.75	(0.05)	50	0.75	0	-	-	-	-
SET5019C2306G	-	-	-	-	TRIPDC41C2309	0.27	(0.02)	6,010	0.27	0	-	-	-	-
SET5019C2306H	-	-	-	-	XIAOMI28C2306	0.01	(0.04)	65	0.02	0	-	-	-	-
SET5019C2306I	-	-	-	-	XIAOMI28C2308	0.07	-	10	0.07	0	-	-	-	-
SET5019C2306J	-	-	-	-	XIAOMI28C2310	-	-	-	-	0	-	-	-	-
SET5019C2309A	0.30	0.01	1,366,546	0.29	XIAOMI28C2311	0.26	(0.03)	288,001	0.25	0	-	-	-	-
SET5019C2309B	0.40	(0.01)	767,739	0.39	XIAOMI28P2308	0.17	0.02	91,260	0.17	0	-	-	-	-
SET5019C2309C	0.58	-	150,224	0.55	XIAOMI41C2308	-	-	-	-	0	-	-	-	-
SET5019P2306A	0.07	(0.01)	166,312	0.07	XIAOMI41C2310	0.23	(0.04)	12,000	0.23	0	-	-	-	-
SET5019P2306B	0.01	(0.01)	100	0.01	XIAOMI41P2308	0.15	0.01	24,000	0.16	0	-	-	-	-
SET5019P2306C	0.01	-	801	0.01	ZIJIN28C2306A	-	-	-	-	0	-	-	-	-
SET5019P2306D	-	-	-	-	ZIJIN28C2308A	-	-	-	-	0	-	-	-	-
SET5019P2306E	-	-	-	-	ZIJIN28C2312A	0.34	(0.01)	24,000	0.34	0	-	-	-	-
SET5019P2309A	0.38	(0.01)	1,321,944	0.40	ZIJIN41C2306A	-	-	-	-	0	-	-	-	-
SET5019P2309B	0.26	-	879,260	0.27	ZIJIN41C2312A	0.39	(0.02)	24,000	0.38	0	-	-	-	-
SET5019P2309C	0.51	(0.49)	177,473	0.54	0	-	-	-	-	0	-	-	-	-
SET5024C2306A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5024C2306B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5024C2306C	0.04	(0.03)	960	0.04	0	-	-	-	-	0	-	-	-	-
SET5024C2309A	0.63	(0.01)	146,725	0.60	0	-	-	-	-	0	-	-	-	-
SET5024P2306A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5024P2306B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5024P2306C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5024P2309A	0.46	(0.03)	91,871	0.48	0	-	-	-	-	0	-	-	-	-
SET5027C2306A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2306B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2306C	0.07	(0.03)	64,477	0.07	0	-	-	-	-	0	-	-	-	-
SET5027C2306D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2309A	0.48	-	142,536	0.45	0	-	-	-	-	0	-	-	-	-
SET5027C2309T	0.09	-	50	0.09	0	-	-	-	-	0	-	-	-	-
SET5027P2306A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2306B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2309T	0.12	-	100	0.12	0	-	-	-	-	0	-	-	-	-
SET5028C2306A	0.01	(0.01)	44	0.01	0	-	-	-	-	0	-	-	-	-
SET5028C2306B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2306C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2306D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2309A	0.22	(0.01)	78,928	0.21	0	-	-	-	-	0	-	-	-	-
SET5028C2309B	0.59	(0.01)	1,557,423	0.57	0	-	-	-	-	0	-	-	-	-
SET5028C2309C	0.08	(0.01)	1	0.08	0	-	-	-	-	0	-	-	-	-
SET5028C2309L	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2312A	0.84	(0.01)	4	0.84	0	-	-	-	-	0	-	-	-	-
SET5028P2306A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028P2306B	-	-	-	-	0	-	-	-	-	0	-	-	-	-

Main Board Quotation

Issue Date :

Monday June 19, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A5-W2	0.30	(0.02)	782,583	00 0.3	-	-	-	-	-	-	-	-	-	-
A5-W3	0.15	-	602,370	00 0.1	-	-	-	-	-	-	-	-	-	-
ABM-W1	0.36	0.03	818	00 0.3	-	-	-	-	-	-	-	-	-	-
BC-W1	0.03	-	480	00 0.0	-	-	-	-	-	-	-	-	-	-
BE8-W1	9.50	(0.60)	1,542	00 9.5	-	-	-	-	-	-	-	-	-	-
BM-W2	-	-	-	00 0.0	-	-	-	-	-	-	-	-	-	-
BM-W3	1.87	(0.02)	7,142	00 1.9	-	-	-	-	-	-	-	-	-	-
BROOK-W6	0.09	0.01	13,903	00 0.0	-	-	-	-	-	-	-	-	-	-
BROOK-W7	0.11	-	2,494	00 0.1	-	-	-	-	-	-	-	-	-	-
CHEWA-W2	0.06	0.01	1,533	00 0.0	-	-	-	-	-	-	-	-	-	-
CHO-W3	0.05	-	47,930	00 0.0	-	-	-	-	-	-	-	-	-	-
CIG-W9	0.07	-	7,340	00 0.0	-	-	-	-	-	-	-	-	-	-
COLOR-W2	0.12	-	7	00 0.1	-	-	-	-	-	-	-	-	-	-
CPANEL-W1	3.56	(0.04)	699	00 3.5	-	-	-	-	-	-	-	-	-	-
DIMET-W4	-	-	-	00 0.0	-	-	-	-	-	-	-	-	-	-
DITTO-W1	9.55	-	100	00 9.5	-	-	-	-	-	-	-	-	-	-
DOD-W2	0.04	-	40,983	00 0.0	-	-	-	-	-	-	-	-	-	-
ECF-W4	0.09	-	79,248	00 0.0	-	-	-	-	-	-	-	-	-	-
EFORL-W6	0.04	0.01	744	00 0.0	-	-	-	-	-	-	-	-	-	-
FLOYD-W1	0.14	-	2,351	00 0.1	-	-	-	-	-	-	-	-	-	-
GLORY-W1	1.70	0.07	11,391	00 1.7	-	-	-	-	-	-	-	-	-	-
HEALTH-W2	0.07	(0.01)	592	00 0.0	-	-	-	-	-	-	-	-	-	-
ICN-W1	1.76	-	35	00 1.7	-	-	-	-	-	-	-	-	-	-
IIG-W1	3.18	(0.12)	218	00 3.2	-	-	-	-	-	-	-	-	-	-
IP-W1	0.71	(0.03)	4,342	00 0.7	-	-	-	-	-	-	-	-	-	-
JCKH-W1	0.03	-	115	00 0.0	-	-	-	-	-	-	-	-	-	-
JSP-W1	0.79	(0.02)	7,147	00 0.7	-	-	-	-	-	-	-	-	-	-
K-W2	0.25	(0.01)	3,642	00 0.2	-	-	-	-	-	-	-	-	-	-
KUN-W1	0.04	(0.01)	15,511	00 0.0	-	-	-	-	-	-	-	-	-	-
KWM-W1	-	-	-	00 0.0	-	-	-	-	-	-	-	-	-	-
LEO-W1	0.90	0.07	29,417	00 0.9	-	-	-	-	-	-	-	-	-	-
LIT-W2	0.36	0.01	4,648	00 0.3	-	-	-	-	-	-	-	-	-	-
MBAX-W2	1.02	-	272	00 1.0	-	-	-	-	-	-	-	-	-	-
META-W5	0.01	-	26,440	00 0.0	-	-	-	-	-	-	-	-	-	-
META-W6	0.01	-	10,000	00 0.0	-	-	-	-	-	-	-	-	-	-
MVP-W1	-	-	-	00 0.0	-	-	-	-	-	-	-	-	-	-
NDR-W2	0.20	(0.01)	1,268	00 0.2	-	-	-	-	-	-	-	-	-	-
NEWS-W7	0.01	-	534	00 0.0	-	-	-	-	-	-	-	-	-	-
OTO-W1	1.93	0.81	474,659	00 1.6	-	-	-	-	-	-	-	-	-	-
PACO-W1	0.17	(0.01)	1,474	00 0.1	-	-	-	-	-	-	-	-	-	-
PLANET-W1	0.17	0.05	19,099	00 0.1	-	-	-	-	-	-	-	-	-	-
PPM-W2	0.08	-	9,935	00 0.0	-	-	-	-	-	-	-	-	-	-
PROEN-W1	0.74	(0.09)	16,951	00 0.7	-	-	-	-	-	-	-	-	-	-
PROS-W1	0.38	0.01	7,508	00 0.3	-	-	-	-	-	-	-	-	-	-
PSTC-W2	0.19	0.01	5,349	00 0.1	-	-	-	-	-	-	-	-	-	-
RWI-W3	0.05	(0.01)	19,650	00 0.0	-	-	-	-	-	-	-	-	-	-
SAAM-W2	0.33	(0.01)	3,523	00 0.3	-	-	-	-	-	-	-	-	-	-
SENX-W1	0.06	-	10,610	00 0.0	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.25	-	7,824	00 0.2	-	-	-	-	-	-	-	-	-	-
SIMAT-W5	0.19	(0.01)	8,317	00 0.2	-	-	-	-	-	-	-	-	-	-
STOWER-W4	0.01	-	10	00 0.0	-	-	-	-	-	-	-	-	-	-
TM-W1	0.43	-	1,092	00 0.4	-	-	-	-	-	-	-	-	-	-
TMI-W2	0.45	0.45	484,340	00 0.4	-	-	-	-	-	-	-	-	-	-
TNDT-W1	0.14	-	15,939	00 0.1	-	-	-	-	-	-	-	-	-	-
TPS-W1	1.90	0.03	5,698	00 1.8	-	-	-	-	-	-	-	-	-	-
TVDH-W3	0.11	-	20,279	00 0.1	-	-	-	-	-	-	-	-	-	-
UBIS-W1	0.07	(0.01)	2,433	00 0.0	-	-	-	-	-	-	-	-	-	-
UREKA-W2	-	-	-	00 0.0	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SGF-P1	-	-	-	00 0.0	-	-	-	-	-	-	-	-	-	-