

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday September 21, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPU1	-	-	-	-	SCB01C2312A	0.15	(0.03)	41,049	0.15	IVL11C2312A	-	-	-	-
SAFARI	-	-	-	-	SCB01C2402A	0.16	(0.03)	14,611	0.18	IVL11C2403T	0.17	0.01	47,368	0.17
WORLD	-	-	-	-	SCB01P2310A	0.02	0.01	5	0.02	IVL13C2311A	0.01	-	200	0.01
Agribusiness	-	-	-	-	SCB01P2401A	0.23	0.01	33,958	0.23	IVL13C2401A	0.06	-	2,145	0.06
EE	0.34	0.01	11,373	0.33	SCB01P2402X	0.45	0.02	18,378	0.44	IVL13C2402A	0.10	0.01	32,157	0.10
EE-W1	0.06	-	5,569	0.06	SCB06C2310A	-	-	-	-	IVL13C2403A	0.18	(0.82)	45,287	0.19
GPPT	10.70	0.20	19,219	10.63	SCB13C2310A	0.03	(0.02)	6,804	0.04	IVL13P2401A	0.30	(0.02)	20,486	0.30
LEE	2.34	0.02	966	2.32	SCB13C2312A	0.13	(0.02)	39,275	0.13	IVL19C2310A	-	-	-	-
MAX	-	-	-	-	SCB13C2401A	0.11	(0.01)	76,824	0.12	IVL19C2312A	0.02	(0.01)	15,005	0.02
NER	4.70	0.02	29,905	4.71	SCB13P2311A	-	-	-	-	IVL19C2401A	0.10	-	4,595	0.09
PPPM	0.07	-	24,685	0.07	SCB13P2312A	0.13	0.01	2,248	0.13	IVL19C2402A	0.17	0.02	32,710	0.16
PPPM-W4	0.07	-	518	0.07	SCB13P2402A	0.39	0.03	75,524	0.38	IVL41C2311A	-	-	-	-
STA	16.30	(0.20)	55,403	16.30	SCB16C2311A	0.13	(0.03)	1,040	0.13	IVL41C2312A	-	-	-	-
STA01C2311A	0.03	-	1	0.03	SCB19C2309A	-	-	-	-	IVL41C2401A	-	-	-	-
STA01C2401A	0.42	(0.03)	14,807	0.42	SCB19C2312A	0.14	(0.03)	13,768	0.16	IVL41C2402A	0.15	0.01	111,950	0.15
STA01C2402A	0.29	(0.02)	62,371	0.29	SCB19C2401A	0.13	(0.02)	2,363	0.13	PATO	9.00	(0.20)	1,593	8.98
STA01P2402X	0.46	0.01	22,100	0.46	SCB19P2309A	-	-	-	-	PMTA	-	-	-	-
STA11C2402T	0.30	(0.02)	40,109	0.31	SCB19P2402A	0.37	0.03	25,852	0.36	PTTG	33.75	0.25	86,216	33.88
STA13C2310A	-	-	-	-	SCB41C2311A	0.09	(0.02)	3,002	0.10	PTTG01C2310A	-	-	-	-
STA13C2311A	0.08	(0.01)	18,450	0.09	SCB41C2401A	0.12	(0.02)	4,500	0.13	PTTG01C2311A	-	-	-	-
STA13C2401A	0.38	(0.03)	38,260	0.39	TCAP	49.00	0.25	6,967	49.00	PTTG01C2401A	0.10	-	2,200	0.10
STA13P2401A	0.25	0.01	35,902	0.25	TCAP-P	-	-	-	-	PTTG01C2402T	-	-	-	-
STA19C2401A	0.18	(0.02)	3,882	0.19	TCAP-Q	-	-	-	-	PTTG01C2403A	0.19	-	58,156	0.19
STA19C2401B	0.41	(0.03)	81,349	0.42	TCAP11C2402T	0.20	0.01	27,343	0.20	PTTG01P2311A	0.11	(0.01)	11,251	0.11
TEGH	3.06	0.04	5,629	3.05	TCAP13C2310A	-	-	-	-	PTTG01P2401A	0.46	(0.01)	24,760	0.46
TFM	7.60	(0.05)	20	7.60	TCAP13C2312A	-	-	-	-	PTTG06C2310A	-	-	-	-
TRUBB	1.31	-	12,063	1.31	TCAP19C2310A	0.03	-	130	0.03	PTTG06C2401A	-	-	-	-
TRUBB-W2	0.14	(0.01)	8,410	0.14	TCAP19C2311A	-	-	-	-	PTTG11C2312T	-	-	-	-
UPOIC	6.30	-	59	6.30	TISCO	100.00	0.25	18,497	99.98	PTTG11P2402A	0.63	(0.04)	2,111	0.63
UVAN	8.25	0.10	1,853	8.20	TISCO-P	-	-	-	-	PTTG13C2310A	-	-	-	-
VPO	0.85	0.02	3,678	0.84	TISCO-Q	-	-	-	-	PTTG13C2312A	0.05	-	40	0.05
Banking	-	-	-	-	TISCO013C2312A	-	-	-	-	PTTG13C2402A	0.12	-	43,432	0.13
BAY	32.25	0.75	4,672	31.91	TISCO019C2311A	-	-	-	-	PTTG13P2312A	0.31	(0.02)	13,310	0.30
BBL	165.00	(1.50)	44,301	165.36	TISCO019C2402A	-	-	-	-	PTTG19C2310A	-	-	-	-
BBL06C2309A	-	-	-	-	TTB	1.70	-	1,267,115	1.70	PTTG19C2310B	-	-	-	-
BBL06C2311A	0.27	(0.02)	24,024	0.28	TTB-W1	0.72	-	54,395	0.72	PTTG19C2310C	-	-	-	-
BBL11C2311T	0.16	(0.01)	14,778	0.16	TTB01C2310A	-	-	-	-	PTTG19C2402A	0.18	-	55,556	0.18
BBL11P2311T	-	-	-	-	TTB01C2311X	-	-	-	-	PTTG41C2310A	-	-	-	-
BBL11P2402A	0.57	0.02	51,399	0.56	TTB01C2402A	0.27	-	13,951	0.27	PTTG41C2310A	-	-	-	-
BBL13C2311A	0.05	(0.02)	2,220	0.05	TTB01P2312A	0.09	-	85	0.09	PTTG41C2311A	-	-	-	-
BBL13C2312A	0.29	(0.02)	20,986	0.29	TTB06C2401A	-	-	-	-	PTTG41C2402A	0.12	-	8,001	0.12
BBL13P2312A	0.08	-	4	0.08	TTB13C2310A	0.05	(0.01)	1,000	0.05	PTTG41C2403A	3.02	(0.02)	352	3.04
BBL13P2312B	0.24	0.01	2,365	0.24	TTB13C2401A	0.19	(0.01)	9,748	0.19	SUTHA	4.94	0.08	6	4.86
BBL19C2310A	-	-	-	-	TTB13P2401A	0.25	-	1,118	0.25	TPA	4.08	0.04	271	4.05
BBL19C2401A	0.18	(0.02)	9,877	0.18	TTB19C2310A	0.05	(0.01)	2,009	0.05	UAC	-	-	-	-
BBL41C2310A	-	-	-	-	TTB19C2402A	0.23	(0.01)	26,902	0.23	UP	-	-	-	-
BBL41C2311A	0.16	(0.03)	4,500	0.17	Construction Ma	-	-	-	-	Commerce	-	-	-	-
BBL41C2312A	0.16	(0.02)	1,000	0.17	CCP	0.35	0.01	2,362	0.34	B52	1.50	-	21	1.46
BBL41C2402A	0.32	(0.02)	19,605	0.32	COTTO	2.10	-	3,254	2.08	BEAUTY	0.59	0.01	45,089	0.59
CIMBT	0.71	-	28,137	0.71	DCC	1.76	0.01	77,354	1.76	BIG	0.59	0.01	2,534	0.58
KBANK	127.00	(1.00)	80,889	127.43	DCON	0.50	0.02	50,158	0.49	BJC	31.75	-	16,004	31.89
KBANK01C2311X	-	-	-	-	DCON-W3	0.13	-	83,470	0.13	COM7	32.00	0.25	85,804	31.88
KBANK01C2312A	0.15	(0.01)	8,825	0.16	DRT	8.15	-	919	8.14	COM701C2311A	0.21	(0.01)	56,727	0.21
KBANK01C2401A	0.26	(0.01)	37,841	0.27	EPG	6.75	0.10	24,178	6.69	COM701C2401A	0.22	-	53,395	0.22
KBANK01P2311A	0.14	-	7,172	0.14	EPG13C2312A	0.11	-	3,202	0.11	COM701P2310A	-	-	-	-
KBANK01P2402X	0.46	0.01	31,475	0.45	EPG19C2401A	-	-	-	-	COM701P2401A	-	-	-	-
KBANK06C2311A	-	-	-	-	GEL	0.21	(0.01)	43,442	0.21	COM701P2402X	0.38	-	24,038	0.38
KBANK06C2312A	0.22	(0.01)	40,394	0.23	GEL-W5	-	-	-	-	COM706C2309A	-	-	-	-
KBANK13C2310A	-	-	-	-	PPP	1.89	0.01	529	1.89	COM706C2312A	0.26	0.01	69,600	0.26
KBANK13C2311A	0.06	-	1,986	0.06	Q-CON	13.50	(0.20)	7,391	13.58	COM711C2312A	-	-	-	-
KBANK13C2312A	0.14	(0.01)	31,994	0.15	SCC	306.00	3.00	11,244	305.42	COM713C2311A	-	-	-	-
KBANK13C2402A	0.31	(0.69)	43,825	0.32	SCC01C2310A	-	-	-	-	COM713C2401A	0.23	-	55,572	0.23
KBANK13P2311A	-	-	-	-	SCC01C2312T	-	-	-	-	COM713P2312A	-	-	-	-
KBANK13P2401A	0.35	0.01	101,461	0.34	SCC01C2402A	0.21	0.02	21,502	0.21	COM713P2402A	0.32	(0.01)	74,856	0.33
KBANK16C2310A	-	-	-	-	SCC06C2309A	-	-	-	-	COM719C2311A	0.29	(0.02)	2,098	0.28
KBANK16C2312A	0.18	(0.01)	1,158	0.19	SCC06C2310A	-	-	-	-	COM719C2401A	0.26	-	50,984	0.26
KBANK19C2310A	0.01	(0.02)	100	0.01	SCC11C2310T	-	-	-	-	COM719P2312A	-	-	-	-
KBANK19C2311A	-	-	-	-	SCC13C2310A	-	-	-	-	COM719P2402A	0.24	-	4,721	0.25
KBANK19C2312A	0.15	(0.01)	6,259	0.16	SCC13C2401A	0.16	0.01	16,916	0.16	COM741C2311A	0.29	(0.02)	100	0.29
KBANK19C2402A	0.30	(0.70)	43,172	0.31	SCC19C2312A	-	-	-	-	COM741C2312A	0.21	-	32,220	0.21
KBANK19P2309A	-	-	-	-	SCC19C401A	0.19	0.01	16,915	0.19	COM741C401A	0.16	-	11,200	0.16
KBANK41C2310A	-	-	-	-	SCC19C401A	135.00	0.50	228	134.94	CPALL	61.75	1.00	175,682	61.39
KBANK41C2311A	0.12	-	400	0.12	SCP	5.10	-	378	5.11	CPALL01C2312A	0.09	0.01	901	0.08
KBANK41C2401A	0.23	(0.01)	20,400	0.24	SKN	4.40	0.02	119	4.38	CPALL01C2401A	0.22	0.03	82,871	0.21
KKP	55.75	0.25	17,883	55.96	STECH	1.93	(0.03)	2,062	1.94	CPALL01P2310A	0.02	0.01	860	0.02
KKP-W5	0.64	0.03	43,854	0.66	TASCO	16.30	0.10	23,504	16.35	CPALL01P2401A	0.24	(0.03)	35,103	0.26
KKP-W6	2.96	0.06	632	2.95	TASCO06C2312/	0.07	(0.01)	10	0.07	CPALL06C2310A	-	-	-	-
KKP01C2310A	-	-	-	-	TASCO19C2311/	-	-	-	-	CPALL06C2312A	0.13	0.01	4,150	0.12

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC13C2310A	-	-	-	-	ADVANC01C2311	0.16	-	6,684	0.15	SVOA	2.14	0.02	3,744	2.14
CRC13C2310B	-	-	-	-	ADVANC01C2401	0.26	(0.01)	65,484	0.27	SYMC	9.10	0.55	15,133	8.97
CRC13C2312A	0.11	-	20,070	0.11	ADVANC01P2311	-	-	-	-	SYNEX	12.80	(0.10)	4,753	12.84
CRC13C2402A	0.21	0.01	85,312	0.21	ADVANC01P2401	0.30	(0.01)	12,090	0.31	THCOM	14.90	-	36,983	14.97
CRC13P2312A	0.12	(0.01)	4,424	0.12	ADVANC06C2301	0.23	-	11,912	0.23	TKC	25.75	0.50	2,010	25.46
CRC19C2311A	-	-	-	-	ADVANC06C2401	0.21	-	48,050	0.21	TRUE01C2310A	7.65	0.10	1,433,451	7.64
CRC19C2401A	0.19	-	27,179	0.19	ADVANC1C2311	0.43	-	27,957	0.43	TRUE01C2311A	-	-	-	-
CS	1.10	0.01	2,319	1.09	ADVANC1C2401	-	-	-	-	TRUE01C2402A	0.35	0.02	227,290	0.35
DOHOME	11.50	0.60	254,978	11.22	ADVANC1C2311	-	-	-	-	TRUE01P2311A	0.03	(0.01)	715	0.03
DOHOME01C2311A	0.02	-	233	0.01	ADVANC1C2401	0.21	-	27,291	0.22	TRUE01P2402X	0.21	(0.02)	56,625	0.22
DOHOME01C2312A	0.66	0.13	12,878	0.56	ADVANC1P2311	-	-	-	-	TRUE06C2309A	-	-	-	-
DOHOME01C2401A	0.25	0.06	122,756	0.20	ADVANC1P2401	0.25	(0.01)	26,885	0.25	TRUE06C2312A	0.40	0.02	45,201	0.40
DOHOME01P2401A	0.11	(0.04)	173,212	0.13	ADVANC19C2311	-	-	-	-	TRUE08C2310A	-	-	-	-
DOHOME06C2311A	-	-	-	-	ADVANC19C2311	-	-	-	-	TRUE11C2311A	0.26	0.01	109,303	0.25
DOHOME06C2401A	0.22	0.05	181,300	0.19	ADVANC41C2311	0.02	(0.02)	1,000	0.02	TRUE11P2401A	0.22	(0.01)	42,653	0.22
DOHOME11C2309A	-	-	-	-	ADVANC41C2311	0.12	-	3,400	0.12	TRUE13C2310A	-	-	-	-
DOHOME11C2403T	0.26	0.04	93,706	0.24	ADVANC41C2401	0.21	0.01	10,000	0.21	TRUE13C2311A	0.20	0.02	29,312	0.19
DOHOME13C2310A	-	-	-	-	ADVANC41C2401	0.30	-	52,250	0.31	TRUE13C2402A	0.37	0.02	160,913	0.37
DOHOME13C2311A	0.07	0.01	37	0.04	AIT	4.74	-	6,423	4.73	TRUE13P2310A	-	-	-	-
DOHOME13C2311B	0.53	(0.04)	5	0.53	AIT-W2	2.66	0.04	2,572	2.64	TRUE13P2312A	0.09	(0.01)	727	0.09
DOHOME13C2312A	0.24	0.06	168,802	0.20	ALT	1.91	-	256	1.92	TRUE19C2310A	-	-	-	-
DOHOME13P2312A	0.09	(0.04)	24,692	0.11	AMR	2.26	-	1,549	2.24	TRUE19C2310B	0.11	-	10,402	0.12
DOHOME19C2311A	-	-	-	-	BLISS	-	-	-	-	TRUE19C2311A	0.33	(0.02)	680	0.33
DOHOME19C2311B	0.15	0.04	50,542	0.14	DIF	9.30	-	60,505	9.30	TRUE19C2402A	0.28	0.02	91,608	0.28
DOHOME19C2312A	0.65	0.02	5	0.65	DTCENT	1.59	-	20,820	1.57	TRUE19P2312A	0.06	(0.01)	350	0.06
DOHOME19C2401A	0.20	0.04	175,404	0.18	FORTH	31.50	-	8,015	31.60	TRUE19P2402A	0.19	(0.02)	26,452	0.20
FN	1.94	(0.05)	1,420	1.94	FORTH01C2310	-	-	-	-	TRUE41C2310A	-	-	-	-
FTE	1.66	0.01	3,245	1.67	FORTH01C2311	0.24	-	30,265	0.25	TRUE41C2311A	0.13	0.01	40,000	0.12
GLOBAL	17.70	0.80	175,998	17.62	FORTH01C2401	0.21	(0.01)	24,246	0.22	TRUE41C2311B	0.29	0.03	16,226	0.29
GLOBAL01C2312A	0.10	0.03	401	0.09	FORTH01P2310	-	-	-	-	TRUE41C2402A	0.31	0.01	52,600	0.31
GLOBAL01C2401A	0.38	0.08	71,233	0.36	FORTH01P2312	0.19	(0.01)	19,162	0.19	TWZ	0.05	-	29,910	0.04
GLOBAL06C2312A	0.25	0.04	89,115	0.24	FORTH01P2401	0.42	(0.01)	7,186	0.42	TWZ-W6	-	-	-	-
GLOBAL13C2310A	-	-	-	-	FORTH06C2309	-	-	-	-	TWZ-W7	0.01	-	20	0.01
GLOBAL13C2311A	0.07	0.02	11,386	0.06	FORTH06C2312	0.17	-	34,454	0.18	Electronic Componer	-	-	-	-
GLOBAL13C2311B	0.22	0.06	102,959	0.20	FORTH13C2311	0.19	(0.01)	25,529	0.20	CCET	1.77	(0.01)	11,329	1.77
GLOBAL19C2311A	-	-	-	-	FORTH13C2401	0.21	(0.01)	15,430	0.22	DELTA	104.50	(1.50)	108,116	104.55
GLOBAL19C2311B	0.20	0.05	35,615	0.20	FORTH13P2301	0.37	-	24,002	0.36	DELTA01C2311A	0.28	(0.03)	160,123	0.28
GLOBAL19C2401A	0.20	0.05	48,485	0.20	FORTH19C2310	0.07	-	5,042	0.07	DELTA01C2312A	0.17	(0.02)	158,482	0.17
GLOBAL41C2310A	-	-	-	-	FORTH19C2402	0.25	0.01	30,371	0.25	DELTA01C2401A	0.31	(0.03)	140,088	0.31
HMPRO	12.90	(0.10)	489,767	12.92	GABLE	5.35	(0.05)	79,416	5.35	DELTA13C2311A	0.07	-	696	0.07
HMPRO01C2310A	-	-	-	-	HUMAN	10.50	0.10	6,474	10.43	DELTA13C2401A	0.48	0.01	341,278	0.48
HMPRO01C2402A	0.12	(0.01)	6,804	0.13	IILINK	7.55	0.05	8,746	7.48	DELTA13C2402A	0.08	(0.02)	121,500	0.08
HMPRO11C2310T	-	-	-	-	INET	4.68	0.12	10,408	4.59	DELTA06C2401A	0.28	(0.01)	164,765	0.28
HMPRO13C2312A	-	-	-	-	INET-W2	0.26	(0.05)	9,909	0.27	DELTA08C2310A	0.48	(0.33)	960	0.49
HMPRO19C2401A	-	-	-	-	INSET	2.08	0.02	17,619	2.07	DELTA13C2310A	0.01	-	4,534	0.01
HMPRO41C2311A	-	-	-	-	INSET-W1	0.03	0.01	49,917	0.03	DELTA13C2312A	0.11	(0.02)	164,646	0.12
HMPRO41C2402A	0.15	(0.02)	24,529	0.15	INTUCH	74.25	0.75	21,369	73.94	DELTA13C2401A	0.22	(0.02)	177,886	0.23
ICC	42.00	(1.25)	169	42.78	INTUCH01C2311	-	-	-	-	DELTA13C2401B	0.66	(0.03)	702	0.66
ILM	24.90	0.50	5,099	24.97	INTUCH01C2401	0.49	0.02	21,536	0.49	DELTA13C2402A	0.36	(0.02)	257,481	0.36
IT	4.10	-	1,139	4.06	INTUCH11C2311	0.18	0.01	14,777	0.17	DELTA13P2311A	0.01	(0.01)	13,277	0.01
KAMART	13.00	0.20	20,974	12.96	INTUCH13C2311	-	-	-	-	DELTA13P2311B	0.05	(0.01)	500	0.05
LOXLEY	1.85	0.01	627	1.84	INTUCH13C2401	0.30	0.01	20,840	0.30	DELTA13P2312A	0.26	-	96,988	0.26
MC	13.80	-	12,450	13.87	INTUCH13P2311	-	-	-	-	DELTA13P2401A	0.70	0.02	272,414	0.70
MEGA	45.75	1.75	49,152	45.38	INTUCH19C2401	0.29	0.02	68,869	0.28	DELTA16C2309A	-	-	-	-
MEGA01C2312A	0.50	0.08	42,917	0.46	ITEL	2.60	(0.04)	36,594	2.62	DELTA19C2310A	0.06	(0.02)	7,055	0.06
MEGA01C2402A	0.47	0.07	43,833	0.44	ITEL-W4	0.09	(0.01)	751	0.09	DELTA19C2312A	0.15	-	2,686	0.15
MEGA06C2401A	0.40	(0.60)	31,244	0.34	JAS	2.14	(0.02)	189,262	2.15	DELTA19C2402A	0.30	(0.02)	164,386	0.30
MEGA11C2401T	0.59	0.08	92,134	0.54	JAS19C2312A	-	-	-	-	DELTA19P2310A	0.01	(0.01)	6,863	0.01
MEGA13C2311A	-	-	-	-	JAS19C2310A	0.51	(0.12)	170	0.55	DELTA19P2311A	0.15	-	3	0.02
MEGA13C2311B	0.44	0.09	5,022	0.45	JAS19C2401A	1.01	(0.01)	30	1.01	DELTA19P2312A	0.20	0.01	36,752	0.20
MEGA13C2401A	0.41	0.06	91,601	0.39	JASIF	6.90	-	42,570	6.88	DELTA19P2402A	0.67	0.02	90,863	0.66
MEGA19C2311A	0.18	0.04	16,110	0.17	JMART	22.80	(0.10)	142,189	22.91	DELTA41C2310A	-	-	-	-
MEGA19C2401A	0.36	0.06	67,066	0.32	JMART-W4	11.60	0.50	16	11.83	DELTA41C2401A	0.11	(0.02)	6,011	0.11
MIDA	0.47	-	903	0.47	JMART-W5	2.82	(0.04)	543	2.86	DELTA41C2401A	0.36	(0.02)	69,491	0.36
MIDA-W3	0.01	-	108,715	0.01	JMART01C2310	0.07	(0.02)	54,532	0.08	HANA	58.75	-	79,651	58.90
MOSHI	56.00	1.00	9,387	56.43	JMART01C2311	0.85	(0.01)	27,432	0.85	HANA01C2311A	0.66	(0.01)	13,048	0.66
RS	15.10	0.10	6,775	15.01	JMART01C2311F	0.67	(0.02)	20,854	0.68	HANA01C2312A	0.62	(0.01)	21,992	0.62
RS-W4	0.60	0.01	3,019	0.60	JMART01C2401	0.62	(0.02)	75,194	0.63	HANA01C2401A	0.35	(0.01)	233,616	0.35
RSP	2.44	0.04	286	2.40	JMART01C2402	0.15	-	2,105	0.16	HANA01P2311A	-	-	-	-
SABUY	7.75	-	219,591	7.76	JMART01P2311	0.04	-	4	0.04	HANA01P2312A	0.09	-	1,300	0.09
SABUY-W1	-	-	-	-	JMART01P2401	0.29	(0.01)	49,220	0.29	HANA01P2401X	0.48	(0.01)	89,267	0.48
SABUY-W2	2.74	0.02	24,260	2.78	JMART01P2401F	0.55	(0.01)	34,010	0.55	HANA06C2309A	-	-	-	-
SABUY01C2311A	0.06	(0.01)	7,327	0.06	JMART06C231									

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday September 21, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE06C2311A	0.37	0.01	91,274	0.35	BGRIM19C2402F	0.14	-	195,125	0.15	GULF01C2402A	0.23	0.03	148,107	0.22
KCE06C2312A	0.78	(0.01)	7,000	0.78	BGRIM41C2311	-	-	-	-	GULF01C2402T	0.18	0.01	9,610	0.18
KCE13C2310A	0.08	0.01	14,786	0.07	BGRIM41C2312	-	-	-	-	GULF01P2311A	-	-	-	-
KCE13C2311A	0.62	(0.01)	10,300	0.62	BGRIM41C2401	0.10	0.01	17,860	0.10	GULF01P2312A	0.17	(0.03)	70,058	0.18
KCE13C2401A	0.58	0.02	115,582	0.56	BGRIM41C2402	0.15	-	49,601	0.16	GULF01P2402X	0.49	(0.06)	6,614	0.51
KCE13C2401B	0.36	0.02	90,876	0.34	BIOTEC	0.63	(0.01)	28,750	0.64	GULF06C2309A	-	-	-	-
KCE13P2312A	0.04	(0.01)	2,000	0.04	BIOTEC-P	-	-	-	-	GULF06C2311A	0.15	0.03	43,150	0.14
KCE13P2401A	0.13	(0.01)	4,808	0.13	BIOTEC-Q	-	-	-	-	GULF11C2401T	0.33	0.02	48,927	0.32
KCE13P2402A	0.36	(0.01)	32,053	0.36	BIOTEC-W2	0.20	-	19,611	0.20	GULF11P2312A	0.15	(0.01)	12,622	0.16
KCE16C2309A	-	-	-	-	BPP	14.10	0.10	4,174	14.11	GULF13C2310A	-	-	-	-
KCE16C2401A	0.43	0.02	4,858	0.41	BRRGIF	3.04	(0.08)	1,519	3.01	GULF13C2311A	0.12	0.03	46,224	0.10
KCE19C2311A	-	-	-	-	CKP	3.44	-	18,215	3.44	GULF13C2312A	0.08	0.01	20,598	0.08
KCE19C2401A	0.48	0.03	111,272	0.46	CPK01C2401A	0.23	-	3,330	0.23	GULF13C2402A	0.22	0.02	172,628	0.21
KCE19P2312A	-	-	-	-	CPK13C2312A	0.14	0.01	6,220	0.13	GULF13P2312A	0.11	(0.03)	16,282	0.12
KCE19P2401A	0.31	(0.03)	39,739	0.32	CPK19C2401A	0.20	-	7,474	0.20	GULF13P2401A	0.33	(0.05)	98,477	0.35
KCE41C2310A	-	-	-	-	CV	1.08	-	38,370	1.08	GULF19P2310A	-	-	-	-
KCE41C2311A	-	-	-	-	DEMCO	3.02	0.04	696	3.00	GULF16C2309A	-	-	-	-
KCE41C2312A	0.63	(0.01)	1,400	0.61	DEMCO-W7	0.31	0.01	5,294	0.31	GULF16C2311A	-	-	-	-
KCE41C2401A	0.26	-	3,850	0.26	EA	55.75	(0.25)	137,245	55.81	GULF19C2310A	-	-	-	-
KCE41C2401B	0.32	0.02	20,803	0.30	EA01C2310A	0.02	-	1,062	0.01	GULF19C2311A	-	-	-	-
KCE41C2402A	0.44	0.03	66,205	0.42	EA01C2311A	-	-	-	-	GULF19C2401A	0.20	0.02	91,288	0.19
METCO	230.00	(1.00)	18	230.56	EA01C2311B	-	-	-	-	GULF19P2310A	-	-	-	-
SMT	5.05	0.13	25,362	5.02	EA01C2312A	0.17	(0.02)	39,687	0.18	GULF19P2312A	0.13	(0.01)	20,000	0.14
SMT-W3	1.05	0.06	15,795	1.04	EA01C2401A	0.14	-	64,892	0.14	GULF41C2310A	-	-	-	-
SVI	7.65	-	5,608	7.66	EA01C2402A	0.30	(0.02)	128,556	0.30	GULF41C2310B	-	-	-	-
TEAM	5.70	0.45	48,371	5.58	EA01P2310A	0.21	(0.01)	46,824	0.21	GULF41C2311A	-	-	-	-
Energy & Utilities	-	-	-	-	EA01P2311A	0.15	(0.01)	38,477	0.15	GULF41C2311B	-	-	-	-
7UP	0.50	0.01	88,635	0.50	EA01P2401X	0.76	0.01	20,624	0.76	GULF41C2401A	0.17	0.03	12,500	0.16
ACC	0.79	-	7,888	0.80	EA06C2309B	-	-	-	-	GULF41P2310A	-	-	-	-
ACE	1.62	0.01	41,353	1.62	EA06C2311A	0.15	(0.02)	67,000	0.15	GULF41P2311A	0.20	(0.07)	19,254	0.22
ACE13C2311A	0.01	-	100	0.01	EA11C2311T	0.03	0.01	100	0.03	GUNKUL	3.48	0.04	182,409	3.49
ACE19C2401A	-	-	-	-	EA11C2401T	0.23	(0.01)	61,109	0.23	GUNKUL01C2311A	0.10	0.01	6,905	0.09
ACE19C2402A	0.27	0.01	48,074	0.27	EA13C2310A	-	-	-	-	GUNKUL01C2401A	0.32	0.01	35,053	0.33
AGE	2.20	-	5,496	2.20	EA13C2310B	-	-	-	-	GUNKUL06C2312A	-	-	-	-
AI	4.80	0.04	243	4.78	EA13C2311A	0.07	-	19,463	0.07	GUNKUL08C2309A	-	-	-	-
AIE	1.64	0.01	17,849	1.66	EA13C2401A	0.11	(0.01)	47,420	0.12	GUNKUL11C2401T	0.30	0.01	60,418	0.31
AKR	0.86	(0.01)	12,422	0.87	EA13C2402A	0.29	(0.01)	79,527	0.29	GUNKUL11L3C2310A	-	-	-	-
AKR-W2	0.11	-	3,455	0.11	EA13P2310A	-	-	-	-	GUNKUL13C2311A	0.07	0.01	1	0.07
BAFS	28.00	-	2,249	27.97	EA13P2401A	0.68	0.01	43,928	0.68	GUNKUL13C2312A	0.32	0.03	26,836	0.32
BANPU	7.65	-	515,744	7.65	EA16C2309A	-	-	-	-	GUNKUL19C2401A	0.24	0.02	16,748	0.23
BANPU-W5	-	-	-	-	EA16C2311A	0.11	(0.02)	708	0.12	GUNKUL19C2310A	-	-	-	-
BANPU01C2310A	-	-	-	-	EA19C2310A	-	-	-	-	GUNKUL19C2310B	-	-	-	-
BANPU01C2311A	-	-	-	-	EA19C2311A	0.04	-	50	0.04	GUNKUL19C2403A	0.34	0.01	24,496	0.35
BANPU01C2311X	-	-	-	-	EA19C2311B	0.11	(0.02)	2,038	0.11	IFEC	-	-	-	-
BANPU01C2401A	0.05	-	3,421	0.05	EA19C2401A	0.15	(0.01)	16,553	0.15	IRPC	2.06	(0.02)	505,263	2.07
BANPU01C2401T	-	-	-	-	EA19C2402A	0.29	(0.01)	105,708	0.30	IRPC01C2310A	0.01	-	30,001	0.01
BANPU01C2402A	0.14	-	14,569	0.14	EA19P2312A	0.21	-	27,266	0.21	IRPC01C2312A	0.04	-	25	0.04
BANPU01C2402B	0.20	-	40,456	0.20	EA19P2402A	0.59	-	29,115	0.59	IRPC01C2402A	0.11	(0.01)	24,025	0.12
BANPU01P2310A	0.13	(0.01)	20,520	0.13	EA41C2310A	-	-	-	-	IRPC06C2309A	-	-	-	-
BANPU01P2311A	0.08	-	400	0.08	EA41C2310B	-	-	-	-	IRPC06C2401A	0.07	(0.01)	1,000	0.07
BANPU01P2401A	0.63	(0.01)	12,237	0.63	EA41C2311A	0.06	(0.01)	213	0.06	IRPC11C2402T	0.13	(0.02)	8,400	0.13
BANPU01P2402X	0.49	0.01	15,374	0.49	EA41C2312A	0.18	(0.01)	51,201	0.18	IRPC13C2310A	-	-	-	-
BANPU06C2309B	-	-	-	-	EA41C2401A	0.07	(0.01)	1	0.07	IRPC13C2312A	-	-	-	-
BANPU06C2401A	0.10	-	32	0.10	EA41C2402A	0.16	-	58,515	0.16	IRPC13C2402A	0.15	-	80,379	0.15
BANPU06C2402A	0.16	-	9,508	0.16	EGATIF	5.90	(0.05)	5,467	4.34	IRPC13C2402A	0.12	(0.01)	8,818	0.12
BANPU11C2310T	-	-	-	-	EGCO	125.50	-	6,705	125.57	IRPC19C2401A	-	-	-	-
BANPU11C2312T	0.17	-	17,266	0.17	EGCO01C2401A	0.24	-	9,904	0.35	KBSPIF	8.80	-	701	8.81
BANPU11P2309A	-	-	-	-	EGCO01P2401A	0.35	-	18,694	0.35	LANNA	15.80	0.10	3,764	15.72
BANPU13C2310A	-	-	-	-	EGCO13C2310A	-	-	-	-	MDX	3.10	(0.06)	505	3.13
BANPU13C2312A	0.06	-	134	0.06	EGCO13C2312A	0.15	(0.01)	20,431	0.16	NOVA	11.30	(0.10)	175	11.30
BANPU13C2402A	0.15	(0.01)	8,796	0.16	EGCO13P2312A	0.27	(0.01)	8,178	0.27	OR	19.00	0.20	90,611	18.81
BANPU13P2312A	0.43	0.01	12,404	0.43	EGCO19C2401A	0.16	-	7,074	0.16	OR01C2310A	-	-	-	-
BANPU19C2310A	-	-	-	-	EP	3.00	(0.02)	469	3.00	OR01C2310A	-	-	-	-
BANPU19C2312A	-	-	-	-	EP-W4	0.25	-	4	0.23	OR01C2312A	-	-	-	-
BANPU19C2401A	-	-	-	-	ESSO	9.80	-	46,401	9.81	OR01C2402A	0.15	-	80,379	0.15
BANPU19C2401B	0.19	-	57,503	0.19	ESSO13C2312A	-	-	-	-	OR01P2312A	0.28	(0.02)	17,948	0.30
BANPU19P2401A	0.38	-	456	0.38	ESSO19C2312A	-	-	-	-	OR06C2310A	-	-	-	-
BANPU41C2310A	-	-	-	-	ETC	3.00	0.08	42,016	2.95	OR06C2402A	0.16	-	92	0.15
BANPU41C2311A	-	-	-	-	GPSC	48.25	1.00	66,986	48.00	OR06C2402A	-	-	-	-
BANPU41C2312A	0.05	(0.02)	200	0.05	GPSC01C2311A	-	-	-	-	OR13C2312A	-	-	-	-
BANPU41C2401A	0.17	-	21,965	0.17	GPSC01C2312A	0.07	0.02	1	0.07	OR13C2402A	0.13	0.01	22,744	0.12
BANPU41P2311A	0.11	-	1,000	0.11	GPSC01C2402A	0.16	-	58,515	0.16	OR13P2402A	0.32	(0.02)	9,174	0.34
BGGI	4.60	-	2,190	4.62	GPSC01C2402B	0.25	0.01	77,370	0.25	OR19C2311A	-	-	-	-
BCP	40.00	-	47,585	39.92	GPSC01P2311A	0.41	(0.05)	21,683	0.40	OR19C2401A	0.13	0.01	1,145	0.13
BCP01C2312A	0.35	-	18,017	0.34	GPSC01P2312A	0.36	(0.05)	25,006	0.38	PCC	3.28	0.04	10,653	3.27
BCP01P2312A	-	-	-	-	GPSC06C2310A	-	-	-	-	PRIME	1.35	0.03	204,680	1.34
BCP01P2402X	0.30	0.01	7,603	0.30	GPSC06C2401A	-	-	-	-	PTG	9.50	0.15	97,906	9

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday September 21, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT13C2402A	0.11	0.01	36,241	0.10	TOP41C2311A	0.11	(0.02)	60,102	0.11	FNS	3.20	0.02	416	3.20
PTT13P2311A	0.09	-	26,322	0.09	TOP41C2312A	0.08	(0.01)	3,401	0.08	FSX	2.98	0.04	1,661	2.97
PTT13P2402A	0.27	0.01	49,463	0.27	TPIPP	3.30	(0.02)	12,465	3.32	GBX	0.83	-	4,116	0.83
PTT19C2401A	0.10	-	290	0.10	TSE	2.08	0.02	6,996	2.07	GL	-	-	-	-
PTT19C2402A	0.17	(0.83)	240	0.17	TTW	9.00	-	27,604	8.93	HENG	2.46	0.04	13,615	2.45
PTTTEP	165.50	-	67,370	165.37	UBE	0.98	0.01	10,076	0.97	IFS	2.86	(0.02)	396	2.87
PTTTEP01C2311X	0.24	(0.01)	26,118	0.23	WHAUP	3.94	-	7,761	3.94	JMT	46.25	-	62,148	46.22
PTTTEP01C2312T	0.50	-	25,012	0.50	WP	3.68	-	353	3.69	JMT-W4	2.92	-	138	2.91
PTTTEP01C2401A	0.45	(0.01)	34,980	0.44	Media & Publishi	-	-	-	-	JMT01C2311A	0.16	(0.01)	30,548	0.16
PTTTEP01P2311X	0.02	-	3,000	0.02	AMARIN	4.56	(0.04)	615	4.60	JMT01C2312A	0.41	(0.03)	24,298	0.41
PTTTEP01P2401A	0.26	(0.01)	10,708	0.27	AQUA	0.39	-	13,663	0.39	JMT01C2401A	0.32	-	64,002	0.32
PTTTEP01P2402X	0.63	(0.01)	17,748	0.64	AQUA-W3	0.01	(0.01)	233	0.01	JMT01P2310A	-	-	-	-
PTTTEP06C2311A	0.36	-	50,206	0.35	AS	10.20	(0.30)	9,206	10.30	JMT01P2310A	-	-	-	-
PTTTEP11C2310T	-	-	-	-	AS-W2	-	-	-	-	JMT01P2401A	0.34	(0.01)	36,416	0.34
PTTTEP11C2403T	0.65	-	41,973	0.65	BEC	7.30	(0.50)	85,259	7.46	JMT06C2312A	0.44	(0.02)	28,911	0.44
PTTTEP11P2402A	0.39	-	26,908	0.40	BEC01C2312A	0.15	(0.07)	22,363	0.18	JMT11C2402T	0.37	-	73,774	0.37
PTTTEP13C2310A	0.23	-	31,665	0.22	BEC01P2312A	0.30	0.07	56,259	0.28	JMT13C2311A	0.25	0.01	34,430	0.24
PTTTEP13C2401A	0.34	-	30,537	0.33	BEC06C2312A	0.07	(0.02)	2,222	0.08	JMT13C2311B	0.51	(0.03)	5	0.51
PTTTEP13P2311A	-	-	-	-	BEC19C2401A	0.14	(0.04)	11,067	0.17	JMT13C2401A	0.29	-	44,456	0.29
PTTTEP13P2312A	0.18	-	17,770	0.19	FE	-	-	-	-	JMT13P2310A	-	-	-	-
PTTTEP13P2402A	0.52	(0.01)	16,830	0.53	GPI	1.60	(0.01)	3,090	1.59	JMT13P2312A	-	-	-	-
PTTTEP16C2311A	0.39	(0.01)	1,852	0.39	GRAMMY	9.20	-	23	9.20	JMT13P2401A	0.23	-	6,444	0.23
PTTTEP19C2309A	-	-	-	-	JKN	1.19	-	60,250	1.19	JMT16C2311A	0.46	(0.02)	3,656	0.46
PTTTEP19C2312A	0.34	(0.01)	37,346	0.34	MACO	0.56	0.02	67,066	0.55	JMT19C2311A	0.28	-	28,609	0.28
PTTTEP19P2311A	-	-	-	-	MACO-W3	0.07	0.01	5,350	0.06	JMT19C2312A	0.53	0.01	1,184	0.53
PTTTEP19P2402A	0.48	(0.01)	24,345	0.49	MAJOR	13.20	(0.10)	7,718	13.23	JMT19C2401A	0.30	-	77,079	0.29
PTTTEP41C2310A	-	-	-	-	MATCH	1.59	0.01	249	1.59	JMT19P2312A	-	-	-	-
PTTTEP41C2311A	0.41	(0.12)	1,000	0.41	MATI	-	-	-	-	JMT41C2311A	0.29	(0.02)	3,000	0.29
PTTTEP41C2312A	0.38	(0.01)	1,940	0.39	MCOT	3.22	0.04	312	3.19	JMT41C2311B	0.57	(0.05)	3,000	0.57
PTTTEP41C2401A	0.38	-	38,398	0.37	MONO	1.02	-	25,876	1.03	JMT41C2401A	0.27	-	56,400	0.26
PTTTEP41P2310A	-	-	-	-	MPIC	1.52	0.02	22,979	1.54	KCAR	8.30	-	618	8.27
PTTTEP41P2311A	-	-	-	-	NATION	0.08	-	20,175	0.08	KGI	4.56	-	7,096	4.56
PTTTEP41P2312A	0.27	0.01	1,500	0.27	ONEE	4.26	(0.06)	91,390	4.25	KTC	46.25	0.50	22,771	46.15
PTTTEP41P2402A	0.72	0.01	10,000	0.72	ONEE13C2311A	0.01	-	55	0.01	KTC01C2311A	0.02	-	65	0.02
QTC	4.06	(0.04)	222	4.05	ONEE19C2401A	-	-	-	-	KTC01C2312A	0.16	-	52,535	0.16
RATCH	32.25	0.25	61,798	32.00	PLANB	8.85	-	70,343	8.91	KTC01P2311A	0.20	(0.02)	7,416	0.20
RATCH01C2403A	0.18	-	38,481	0.17	PLANB-W1	1.87	(0.11)	7,458	1.92	KTC01P2402X	0.50	-	5,357	0.50
RATCH11C2311A	0.03	(0.01)	1	0.03	PLANB06C2401A	0.28	-	23,200	0.29	KTC06C2310A	-	-	-	-
RATCH11P2402A	0.49	-	24,249	0.49	PLANB11P2309A	-	-	-	-	KTC06C2401A	0.19	0.01	6,998	0.18
RATCH13C2310A	-	-	-	-	PLANB11P2402A	0.56	(0.01)	46,398	0.54	KTC11C2311A	-	-	-	-
RATCH13C2312A	0.07	-	4,473	0.07	PLANB13C2310A	-	-	-	-	KTC13C2310A	-	-	-	-
RATCH13C2402A	0.16	-	151,953	0.15	PLANB13C2311A	0.21	-	93,360	0.22	KTC13C2311A	-	-	-	-
RATCH19C2310A	-	-	-	-	PLANB13C2401A	0.21	-	15,666	0.22	KTC13C2312A	0.12	(0.02)	5,606	0.12
RATCH19C2311A	-	-	-	-	PLANB19C2401A	0.28	(0.01)	69,869	0.29	KTC13P2312A	0.14	(0.02)	17,430	0.15
RATCH19C2402A	0.17	-	17,113	0.16	POST	-	-	-	-	KTC19C2310A	0.01	-	53,600	0.01
RPC	0.71	-	3,948	0.71	PRAKIT	11.30	-	5	11.22	KTC19C2310B	-	-	-	-
SCG	3.74	(0.08)	874	3.74	PTECH	11.40	-	8	11.41	KTC19C2312A	0.13	-	2,545	0.13
SCI	0.82	-	12,458	0.85	SE-ED	2.24	(0.02)	152	2.24	KTC19C2402A	0.27	-	46,204	0.27
SCN	1.51	0.03	4,187	1.51	TKS	8.35	(0.15)	18,204	8.34	KTC41C2311A	0.07	0.01	500	0.07
SCN-W2	0.19	-	3	0.19	VGI	2.58	0.02	92,068	2.58	KTC41C2401A	0.20	0.01	31,201	0.20
SEAOL	3.34	-	8,158	3.33	VGI-W3	0.15	0.01	14,403	0.14	MFC	20.40	0.10	50	20.34
SGP	8.15	0.05	1,109	8.15	VGI01C2310A	-	-	-	-	MICRO	3.00	(0.04)	702	2.98
SKE	0.54	(0.01)	3,751	0.54	VGI01C2311A	-	-	-	-	ML	0.97	(0.01)	1,000	0.97
SKE-W1	0.11	-	233	0.10	VGI01C2311X	-	-	-	-	ML-W3	0.02	-	1,250	0.02
SOLAR	0.74	0.01	62,729	0.75	VGI01C2401A	-	-	-	-	MST	10.90	-	58	10.83
SOLAR-W1	0.06	-	1,190	0.05	VGI01C2402A	0.22	0.01	30,520	0.22	MTC	38.50	0.25	96,149	38.21
SPCG	12.40	0.10	1,914	12.40	VGI01P2311A	0.26	(0.02)	12,278	0.26	MTC01C2311A	-	-	-	-
SPRC	8.60	(0.15)	292,671	8.63	VGI01P2401X	0.22	(0.02)	23,318	0.22	MTC01C2312A	0.16	-	53,044	0.16
SPRC01C2310A	-	-	-	-	VGI01G2309A	-	-	-	-	MTC01P2311A	0.13	(0.01)	30,134	0.15
SPRC01C2311A	0.07	(0.01)	443	0.07	VGI06C2401A	0.09	-	1,500	0.09	MTC01P2402X	0.52	(0.02)	15,717	0.54
SPRC01C2401A	0.24	(0.03)	52,118	0.25	VGI13C2310A	-	-	-	-	MTC06C2401A	0.34	0.01	61,810	0.32
SPRC01C2402A	0.20	(0.03)	25,107	0.21	VGI13C2312A	0.08	-	9,746	0.08	MTC11C2310A	-	-	-	-
SPRC01P2401A	0.47	0.03	30,025	0.46	VGI13C2401A	0.18	-	33,185	0.18	MTC11P2309A	-	-	-	-
SPRC06C2310A	0.02	(0.01)	5,162	0.02	VGI13P2312A	0.25	(0.01)	14,692	0.25	MTC11P2401A	0.43	(0.01)	56,775	0.44
SPRC06C2401A	0.21	(0.01)	10,551	0.21	VGI19C2310A	-	-	-	-	MTC13C2310A	-	-	-	-
SPRC11C2309A	-	-	-	-	VGI19C2312A	-	-	-	-	MTC13C2311A	0.09	-	36,292	0.09
SPRC11C2401T	0.24	(0.02)	50,642	0.25	VGI19C2402A	0.21	-	60,222	0.22	MTC13C2312A	0.24	-	29,797	0.23
SPRC13C2310A	-	-	-	-	WORK	14.50	0.40	1,723	14.42	MTC13P2312A	0.13	(0.01)	5,932	0.14
SPRC13C2312A	0.24	(0.03)	43,368	0.25	Finance & Securi	-	-	-	-	MTC19C2309A	-	-	-	-
SPRC13C2401A	0.16	(0.02)	40,448	0.17	AEONTS	165.00	3.00	871	164.33	MTC19C2312A	0.16	0.01	24,199	0.16
SPRC13P2312A	0.25	0.02	34,992	0.24	AEONTS28C230!	-	-	-	-	MTC19C2312B	0.31	0.01	104,886	0.29
SPRC19C2310A	-	-	-	-	AMANAH	2.50	0.04	8,823	2.49	MTC41C2310A	-	-	-	-
SPRC19C2310B	-	-	-	-	ASAP	2.26	-	2,139	2.21	MTC41C2311A	0.17	(0.01)	9,800	0.16
SPRC19C2312A	0.25	(0.03)	105,286	0.26	ASK	24.10	-	961	24.15	MTC41C2311B	-	-	-	-
SPRC19C2401A	0.16	(0.02)	12,784	0.17	ASP	2.86	-	8,822	2.86	MTC41C2401A	0.12	-	14,800	0.12
SSP	6.80	0.10	4,427	6.69	BAM	10.80	0.20	126,637	10.80	MTC41C2402A	0.23	0.01	83,890	0.22
SSP-W2	0.41	0.01	415	0.40	BAM01C2310A	-	-	-</td						

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday September 21, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWAD19P2309A	-	-	-	-	CPF19C2402A	0.22	0.04	109,108	0.19	BCH19C2402A	0.28	(0.01)	65,612	0.28
SAWAD19P2312A	0.17	(0.02)	14,435	0.19	CPI	2.78	(0.02)	3,052	2.78	BDMS	26.50	-	1,315,549	26.24
SAWAD41C2311A	-	-	-	-	F&D	29.25	0.25	1	29.25	BDMS01C2311A	-	-	-	-
SAWAD41C2311B	-	-	-	-	GLOCON	0.44	-	33,904	0.44	BDMS01C2402A	0.11	-	30,054	0.11
SAWAD41C2312A	0.20	-	62,102	0.20	GLOCON-W5	0.05	-	10,171	0.04	BDMS01P2311A	0.08	(0.01)	10,886	0.09
SAWAD41C2401A	-	-	-	-	HTC	17.20	-	3,342	17.29	BDMS06C2402A	0.15	-	400	0.15
SAWAD41C2402A	0.24	0.01	139,016	0.23	IUCHI	16.30	0.40	125,246	16.37	BDMS11C2310T	-	-	-	-
SCAP	4.16	(0.02)	3,622	4.20	ITC	21.30	-	140,427	21.27	BDMS13C2310A	-	-	-	-
SGC	1.92	(0.01)	156,176	1.93	JDF	2.42	0.06	877	2.40	BDMS13C2312A	0.08	-	6,614	0.08
SM	1.41	0.02	772	1.40	KBS	6.05	(0.10)	6,944	6.11	BDMS13P2402A	0.25	-	24,648	0.26
TH	1.44	0.10	253,229	1.41	KCG	11.00	0.40	22,610	10.87	BDMS19C2310A	-	-	-	-
TH-W3	0.62	0.05	9,963	0.60	KSL	2.96	-	44,258	2.98	BDMS19C2312A	-	-	-	-
THANI	3.18	-	40,089	3.19	KTIS	3.86	-	184	3.88	BDMS41C2312A	0.08	-	2,800	0.08
THANI13C2311A	-	-	-	-	LST	4.92	(0.02)	422	4.92	BDMS41C2402A	0.14	-	4,200	0.13
THANI13C2401A	0.19	-	15,250	0.19	M	47.25	1.00	16,210	47.05	BH	258.00	1.00	12,614	258.13
TIDLOR	21.60	0.20	215,770	21.39	NRF	5.05	-	60,218	5.04	BH-P	-	-	-	-
TIDLOR01C2310A	-	-	-	-	NSL	23.60	-	5,928	23.52	BH-Q	-	-	-	-
TIDLOR01C2310X	-	-	-	-	OSP	26.75	(0.50)	179,324	26.68	BH01C2310A	0.04	0.02	1	0.04
TIDLOR01C2401A	0.28	0.01	150,913	0.25	OSP01C2312A	0.07	(0.02)	84,757	0.07	BH01C2401A	0.59	(0.01)	16,358	0.59
TIDLOR01P2310A	0.15	(0.03)	65,813	0.17	OSP06C2401A	0.12	(0.03)	960	0.12	BH01C2402A	0.39	-	6,361	0.41
TIDLOR01P2401A	0.38	(0.02)	78,057	0.41	OSP11C2312T	-	-	-	-	BH01P2312X	0.07	(0.01)	289	0.07
TIDLOR01P2402X	0.81	(0.04)	19,597	0.85	OSP13C2312A	0.05	(0.02)	7,520	0.05	BH01P2401A	0.23	(0.01)	22,974	0.23
TIDLOR06C2309B	-	-	-	-	OSP19C2312A	0.10	(0.03)	17,000	0.10	BH01P2402X	0.60	-	16,129	0.60
TIDLOR06C2312A	0.24	-	31,428	0.23	OSP41C2311A	-	-	-	-	BH06C2312A	0.38	(0.01)	29,000	0.39
TIDLOR11P2309A	0.08	(0.02)	46,220	0.10	OSP41C2312A	0.09	(0.02)	30,498	0.09	BH06C2401A	0.77	0.03	6,100	0.78
TIDLOR13C2311A	-	-	-	-	OSP41C2401A	0.08	(0.01)	10,000	0.09	BH13C2310A	-	-	-	-
TIDLOR13C2311B	-	-	-	-	PB	68.75	(0.50)	9	69.22	BH13C2312A	-	-	-	-
TIDLOR13C2312A	0.25	0.01	124,494	0.24	PLUS	8.00	0.10	36,962	8.04	BH13C2401A	0.33	-	58,443	0.33
TIDLOR13P2312A	0.27	(0.02)	11,655	0.29	PM	8.60	(0.05)	1,018	8.63	BH13P2401A	0.13	-	1,024	0.13
TIDLOR16C2311A	0.27	(0.01)	7,368	0.27	PQS	3.02	-	4,336	3.01	BH13P2402A	0.39	(0.01)	21,590	0.40
TIDLOR19C2309A	-	-	-	-	PRG	12.10	0.10	1,365	12.09	BH19C2310A	0.06	(0.01)	4,298	0.07
TIDLOR19C2311A	-	-	-	-	PRG-W1	8.55	(0.05)	77	8.55	BH19C2312A	-	-	-	-
TIDLOR19C2312A	0.18	-	71,602	0.17	PRG-W2	-	-	-	-	BH19C2401A	0.36	-	101,160	0.36
TIDLOR19C2401A	0.36	0.01	90,250	0.35	PRG-W3	6.45	0.05	10	6.45	BH41C2311A	0.24	(0.01)	14,324	0.24
TIDLOR19P2401A	0.55	(0.02)	17,116	0.56	RBF	11.40	0.30	22,206	11.36	BH41C2312A	0.71	(0.03)	3,000	0.71
TIDLOR41C2311A	-	-	-	-	RBF01C2401A	0.17	0.02	58,456	0.16	BH41C2312B	0.25	-	93,298	0.25
TIDLOR41C2311B	0.12	-	13,502	0.11	RBF06C2310A	0.09	0.01	14,300	0.08	CHG	3.22	-	73,812	3.22
TIDLOR41C2401A	0.13	-	70	0.13	RBF08C2309A	-	-	-	-	CHG01C2310A	-	-	-	-
TIDLOR41C2402A	0.36	0.02	214,430	0.34	RBF13C2310A	0.06	0.02	5,015	0.05	CHG01C2311A	0.09	-	6,511	0.09
TK	6.45	(0.10)	5,684	6.45	RBF13C2312A	0.14	0.01	19,502	0.14	CHG01C2401A	0.30	0.01	39,233	0.30
TNITY	5.70	0.20	399	5.59	RBF19C2310A	-	-	-	-	CHG01P2311A	0.05	(0.01)	20	0.05
UOBKH	5.05	-	2	5.05	RBF19C2401A	0.17	0.02	1	0.17	CHG01P2402X	0.28	-	10,848	0.28
XPG	1.51	0.03	490,433	1.51	SAPPE	82.50	2.50	11,399	82.29	CHG06C2310A	-	-	-	-
XPG-W4	4.42	0.02	14,673	4.48	SAUCE	39.00	-	17	38.85	CHG06C2401A	0.23	0.01	15,137	0.23
Food & Beverage	-	-	-	-	SNNP	20.90	0.20	24,882	20.89	CHG11C2310A	-	-	-	-
AAI	3.62	0.02	90,274	3.66	SNNP01C2312A	0.06	(0.01)	1	0.06	CHG13C2310A	-	-	-	-
APURE	4.72	0.02	5,697	4.72	SNNP01C2401A	0.24	0.01	28,861	0.24	CHG13C2311A	-	-	-	-
APURE-W3	0.77	(0.01)	490	0.76	SNNP06C2401A	0.23	0.01	57,921	0.23	CHG13C2312A	-	-	-	-
ASIAN	7.40	0.05	10,207	7.35	SNNP13C2311A	-	-	-	-	CHG13P2401A	-	-	-	-
BR	2.60	0.02	4,430	2.58	SNNP13C2312A	0.17	0.01	24,990	0.17	CHG19C2311A	-	-	-	-
BR-W1	0.15	0.01	3,557	0.14	SNNP19C2311A	-	-	-	-	CMR	2.34	0.02	210	2.33
BRR	5.65	(0.05)	1,760	5.68	SNNP19C2312A	-	-	-	-	EKH	7.95	0.10	9,485	7.91
BRR-W2	0.82	(0.01)	6,319	0.83	SNNP19C2402A	0.31	-	58,613	0.31	EKH-W1	1.88	0.03	2,152	1.88
BTG	23.60	0.70	11,767	23.37	SNP	17.50	0.20	249	17.37	KDH	96.50	(0.75)	15	96.50
CBG	81.25	1.00	32,228	81.04	SORKON	4.74	0.04	1,133	4.69	LPH	4.98	(0.02)	739	4.98
CBG01C2310A	0.05	-	45,765	0.05	SSC	-	-	-	-	M-CHAI	72.50	-	360	72.32
CBG01C2311A	0.61	0.03	20,426	0.59	SSF	8.10	-	3	8.10	NEW	90.25	(9.75)	1	90.25
CBG01C2401A	0.57	0.02	30,732	0.56	SST	5.80	-	8	5.78	NTV	39.50	-	142	39.50
CBG01C2401X	0.29	0.02	47,523	0.29	SUN	5.10	0.05	21,306	5.06	PHG	12.70	0.10	2,564	12.60
CBG01C2402A	0.48	0.01	41,941	0.47	TC	6.60	0.05	1,176	6.60	PR9	17.30	0.20	7,348	17.37
CBG01P2310A	-	-	-	-	TFG	3.82	0.06	18,718	3.81	PRINC	5.00	0.02	10,765	4.98
CBG01P2311A	0.01	-	70	0.01	TFG-W3	0.30	0.01	268	0.29	RAM	43.00	(0.25)	114	43.08
CBG01P2401A	0.25	(0.03)	31,270	0.26	TFMAMA	197.50	1.50	50	196.76	RJH	28.75	0.25	434	28.54
CBG01P2401X	0.64	(0.05)	44,105	0.66	TIPOCO	9.15	0.05	4,686	9.18	RPH	6.60	0.05	5,279	6.58
CBG06C2309A	-	-	-	-	TKN	13.10	0.20	66,750	13.15	SKR	11.60	0.10	1,259	11.51
CBG06C2310A	0.25	0.02	43,532	0.24	TU	14.40	0.30	168,379	14.33	THG	67.25	0.50	2,393	67.08
CBG06C2401A	0.32	0.02	31,300	0.32	TU01C2311X	0.15	0.02	21,791	0.14	THG19C2401A	0.17	-	2,060	0.17
CBG13C2310A	0.05	-	150	0.05	TU01C2401A	0.32	0.03	50,120	0.30	VIBHA	2.26	0.02	9,457	2.26
CBG13C2310B	0.43	0.04	31	0.43	TU01P2311X	-	-	-	-	VIBHA-W4	0.15	-	12,231	0.15
CBG13C2401A	0.49	0.03	126,417	0.48	TU06C2310A	-	-	-	-	VIH	7.85	-	3,186	7.76
CBG13C2401B	0.35	0.02	46,230	0.34	TU06C2312A	0.21	0.02	36,547	0.20	WPH	6.05	0.05	1,514	6.04
CBG13P2310A	-	-	-	-	TU11C2311T	-	-	-	-	Tourism & Leisure	-	-	-	-
CBG13P2312A	0.09	(0.02)	4,831	0.10	TU11C2402T	0.27	0.02	37,091	0.26	ASIA	6.75	(0.15)	106	6.86
CBG19C2402A	0.52	(0.04)	22,752	0.53	TU13C2310A	-	-	-	-	BEYOND	12.90	(0.10)	440	12.97
CBG16C2312A	0.37	0.01	4,390	0.35	TU13C2311A	0.08	0.01	42,044	0.08	BEYOND-W2	3.90	0.06	2	3.86
CBG19C2310A	0.15	0.01	62,164	0.13	TU13C2312A	0.25	0.03	26,311	0.24	CENTEL	47.50	(0.25)	25,301	47.81
CBG19C2310B	-	-	-	-	TU									

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday September 21, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ERW13C2311A	-	-	-	-	CSC-P	-	-	-	-	AP19C2401A	0.15	0.01	6,414	0.15
ERW13C2401A	0.28	0.01	12,737	0.26	CSC-Q	-	-	-	-	APEX	-	-	-	-
ERW19C2311A	-	-	-	-	NEP	0.23	0.03	2,331	0.21	ASW	8.65	(0.05)	1,453	8.70
ERW19C2401A	0.30	0.01	2,394	0.29	PJW	4.02	(0.02)	3,116	4.03	ASW-W1	0.09	(0.01)	875	0.09
ERW19C2401B	0.22	0.03	21,440	0.20	PJW-W1	1.26	0.05	10	1.26	ASW-W2	0.24	(0.01)	1,253	0.24
GRAND	0.21	-	31,818	0.20	PTL	13.60	(0.10)	11,251	13.60	AWC	3.96	0.02	399,750	3.96
LRH	38.50	0.50	180	37.49	SCGP	40.50	1.50	211,651	40.21	AWC01C2310A	-	-	-	-
MANRIN	-	-	-	-	SCGP01C2310A	-	-	-	-	AWC01C2312A	0.05	-	493	0.05
MINT	31.25	0.50	159,288	31.27	SCGP01C2312A	0.27	0.05	36,178	0.26	AWC01C2401A	0.21	-	58,993	0.21
MINT-W9	1.98	0.02	5,836	2.01	SCGP01C2312X	0.12	0.04	6,844	0.10	AWC01P2402X	0.52	(0.01)	15,990	0.51
MINT01C2312A	0.08	0.01	535	0.08	SCGP01C2402A	0.26	0.05	53,725	0.24	AWC06C2312A	-	-	-	-
MINT01C2403A	0.20	0.02	54,163	0.20	SCGP01P2312A	0.12	(0.04)	22,236	0.14	AWC13C2310A	-	-	-	-
MINT01P2311A	0.12	(0.03)	10,816	0.12	SCGP01P2402X	0.32	(0.06)	15,643	0.34	AWC13C2311A	0.02	0.01	1,231	0.02
MINT06C2309A	-	-	-	-	SCGP06C2309A	-	-	-	-	AWC13C2312A	0.04	-	4,274	0.04
MINT06C2402A	0.15	(0.01)	12,100	0.14	SCGP06C2311A	-	-	-	-	AWC13C2401A	0.18	-	21,188	0.19
MINT11C2310T	-	-	-	-	SCGP06C2401A	0.27	0.06	82,381	0.25	AWC13P2401A	0.47	(0.04)	27,636	0.49
MINT11P2309A	-	-	-	-	SCGP11C2311T	-	-	-	-	AWC19C2312A	-	-	-	-
MINT13C2311A	-	-	-	-	SCGP11C2312T	0.21	0.04	75,350	0.20	AWC19C2312B	0.07	-	1	0.07
MINT13C2312A	0.09	0.01	24,318	0.10	SCGP11P2309A	-	-	-	-	AWC19C2401A	0.22	-	63,259	0.21
MINT13C2403A	0.21	(0.79)	64,390	0.20	SCGP11P2312A	0.20	(0.03)	12,666	0.21	BLAND	0.78	(0.01)	31,151	0.78
MINT13P2312A	0.11	(0.02)	4,248	0.11	SCGP13C2310A	-	-	-	-	BRI	8.45	-	5,512	8.41
MINT19C2312A	-	-	-	-	SCGP13C2311A	0.14	0.04	97,280	0.13	ROCK	1.79	(0.01)	39	1.78
MINT41C2310A	-	-	-	-	SCGP13C2402A	0.21	0.04	87,918	0.20	CGD	0.34	-	93,457	0.34
MINT41C2401A	0.12	0.02	31,000	0.12	SCGP19C2310A	-	-	-	-	CI	0.61	0.01	1,136	0.61
MINT41P2310A	-	-	-	-	SCGP19C2311A	0.13	0.04	64,666	0.12	CMC	1.29	(0.02)	4,043	1.26
OHTL	480.00	-	12	480.33	SCGP19C2401A	0.21	0.04	18,757	0.20	CPN	65.75	0.50	50,178	65.38
ROH	2.92	(0.12)	852	2.95	SCGP19C2402A	0.33	0.06	96,618	0.31	CPN01C2312X	-	-	-	-
SHANG	51.75	-	16	51.61	SCGP41C2310A	-	-	-	-	CPN01C2403A	0.39	-	33,162	0.39
SHR	2.72	(0.02)	17,752	2.73	SCGP41C2311A	0.09	0.03	21	0.06	CPN01P2312A	-	-	-	-
VRANDA	6.70	0.05	10	6.68	SCGP41C2312A	0.31	0.07	51,691	0.29	CPN06C2311A	-	-	-	-
Home & Office Prod.	-	-	-	-	SCGP41C2401A	0.19	0.04	23,730	0.18	CPN11C2311T	-	-	-	-
AJA	0.21	0.01	33,958	0.20	SFLEX	3.52	0.10	53,462	3.48	CPN11P2312A	0.29	(0.01)	42,972	0.30
AJA-W3	0.07	-	19,824	0.07	SFLEX-W2	0.27	0.02	23,229	0.27	CPN13C2310A	-	-	-	-
AJA-W4	0.05	-	7,822	0.05	SITTHAI	1.19	-	12,611	1.20	CPN13C2311A	0.07	0.01	1,001	0.06
DTCI	-	-	-	-	SLP	0.42	(0.03)	2,531	0.41	CPN13C2402A	0.28	0.01	68,367	0.27
FANCY	0.56	-	491	0.56	SMPC	11.30	-	1,123	11.21	CPN13P2312A	0.18	(0.02)	24,425	0.20
FTI	2.10	0.02	6,713	2.08	SPACK	2.20	-	1,392	2.18	CPN19C2311A	0.07	-	700	0.07
KYE	295.00	(2.00)	3	293.00	TCOAT	-	-	-	-	CPN19C2401A	0.23	0.01	71,544	0.22
L&E	1.50	0.02	71	1.49	TFI	0.11	-	53,594	0.10	CPN41C2311A	-	-	-	-
MODERN	2.82	(0.08)	651	2.81	TFI-W1	-	-	-	-	CPN41C2312A	0.21	0.01	61,171	0.20
OGC	24.30	(0.20)	38	24.36	THIP	26.00	-	49	25.78	ESTAR	0.30	-	4,943	0.30
ROCK	9.50	1.10	443	9.36	TMD	24.40	(0.10)	20	24.40	EVER	0.19	0.01	17,857	0.18
SBNEXT	2.06	(0.02)	33,818	2.09	TOPP	-	-	-	-	EVER-W4	-	-	-	-
SBNEXT-W2	0.35	(0.02)	71,228	0.36	TPAC	15.80	0.10	301	15.62	FPT	15.00	(0.10)	46	15.04
SIAM	1.46	0.03	630	1.45	TPBI	3.12	(0.04)	201	3.13	GLAND	2.00	0.03	1	2.00
TCMC	1.67	-	4,631	1.69	TPP	17.40	0.10	2	17.30	J	3.08	(0.02)	2,946	3.09
Insurance	-	-	-	-	Personal Product	-	-	-	-	J-W2	0.71	(0.01)	10	0.68
AYUD	38.00	0.25	136	38.08	APCO	5.85	-	1,239	5.77	J-W3	0.65	0.07	80	0.65
BKI	315.00	-	70	314.66	BIZ	3.56	(0.06)	2,045	3.57	JCK	0.29	-	12,037	0.29
BLA	27.25	(0.25)	24,803	27.18	BLC	5.45	0.10	5,792	5.43	KC	0.10	-	26,401	0.10
BLA01C2403A	0.26	(0.01)	25,490	0.26	DDD	11.60	0.20	27	11.53	LALIN	8.60	-	485	8.62
BLA13C2310A	-	-	-	-	JCT	80.50	(1.25)	14	80.80	LH	8.05	-	386,916	8.05
BLA13C2312A	-	-	-	-	KISS	5.65	0.05	2,643	5.62	LH13C2310A	-	-	-	-
BLA13C2402A	0.24	(0.01)	37,667	0.24	NV	2.54	-	1,034	2.53	LH13C2402A	0.18	-	12,668	0.18
BLA13P2402A	0.21	0.01	9,100	0.20	OCC	-	-	-	-	LH19C2310A	-	-	-	-
BLA19C2311A	0.08	-	1	0.08	S&J	-	-	-	-	LH19C2401A	0.12	-	405	0.12
BLA19C2401A	-	-	-	-	STGT	6.75	0.05	53,323	6.71	LPN	4.14	-	2,202	4.15
BLA19C2402A	0.25	(0.01)	35,309	0.25	STGT01C2310A	0.01	-	200	0.01	MBK	18.30	0.10	6,681	18.31
BUI	19.50	-	42	19.49	STGT01C2401A	0.17	-	34,942	0.17	MBK-W1	17.90	0.30	71	17.85
CHARAN	27.00	0.25	3	27.00	STGT01P2402X	0.48	(0.03)	14,041	0.50	MBK-W2	16.90	(0.10)	2	16.90
INSURE	-	-	-	-	STGT06C2401A	0.16	0.01	9,300	0.15	MBK-W3	-	-	-	-
KWI	0.62	0.01	8,590	0.62	STGT11C2311T	-	-	-	-	MBK-W4	15.80	0.10	33	15.80
MTI	116.50	(2.50)	8	116.69	STGT13C2311A	0.04	-	3,000	0.04	MBK13C2401A	0.24	-	6,883	0.25
NKI	29.50	-	11	30.86	STGT13C2312A	0.11	-	27,995	0.11	MBK19C2403A	0.33	-	8,938	0.34
SMK	-	-	-	-	STGT13P2312A	0.28	(0.01)	7,408	0.28	MJD	1.38	0.03	21	1.38
TGH	-	-	-	-	STGT19C2401A	0.12	-	2,000	0.12	MK	2.56	-	271	2.55
THRE	0.93	0.02	3,121	0.92	STHAI	-	-	-	-	NCH	1.17	0.01	4,595	1.17
THREL	3.48	0.02	2,200	3.48	TNR	8.55	-	28	8.55	NNCL	2.10	(0.02)	1,813	2.12
TIPH	39.75	-	2,472	39.75	TOG	12.00	0.10	2,737	12.00	NOBLE	4.10	0.02	6,510	4.09
TIPH11C2309A	-	-	-	-	Professional Ser	-	-	-	-	NOBLE-W2	0.06	-	27,000	0.05
TIPH13C2310A	-	-	-	-	BWG	0.75	0.04	803,385	0.73	NUSA	0.50	0.01	31,072	0.49
TIPH19C2311A	-	-	-	-	BWG-W5	0.01	(0.01)	157,008	0.01	NUSA-W5	0.12	0.02	40,014	0.11
TLI	12.90	(0.20)	125,896	12.98	GENCO	0.57	(0.01)	4,953	0.58	NVD	1.98	0.03	6,740	1.96
TLI01C2312A	0.16	(0.02)	37,754	0.17	PROTR	7.55	(0.15)	9,834	7.61	ORI	10.10	0.10	34,832	10.07
TLI01C2401A	0.33	(0.03)	18,747	0.35	SISB	35.25	1.25	32,673	35.21	ORI13C2312A	0.09	(0.01)	1	0.09
TLI01P2312A	-	-	-	-	SO	8.35	0.05	460	8.31	ORI19C2401A	-	-	-	-
TLI06C2312X	0.35	0.02	15,682	0.34	WAVE	0.17	(0.01)	925,870	0.17	PACE	-	-	-	-
TLI06C2402A	0.13	(0.02)	41,724	0.14	WAVE-W2	0.08	0.02	29,278	0.06	PEACE	4.04	0.04	301	4.01
TLI13C2311A	0.11	(0.03)	10,000	0.12	WAVE-W3	0.08	-	54,630	0.07	PF	0.33	-	76,025	0.33
TLI13C2312A	0.29	(0.03)	700	0.30	Property Develo	-	-	-	-	PIN	4.06	-		

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday September 21, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SIRI	1.81	0.01	2,436,833	1.81	BTS01C2310T	-	-	-	-	HTECH	2.40	0.02	258	2.38
SIRI01C2312A	0.06	-	10	0.06	BTS01C2402A	0.20	0.01	27,679	0.19	KKC	0.22	-	116	0.22
SIRI01C2401A	0.26	-	43,612	0.26	BTS01P2310A	-	-	-	-	PK	1.40	(0.03)	1,082	1.39
SIRI01P2401A	0.27	(0.01)	18,073	0.27	BTS01P2401A	0.22	(0.02)	28,372	0.23	PSP	9.45	(0.05)	144,233	9.51
SIRI06C2312B	0.33	0.01	32,480	0.33	BTS06C2401A	0.22	(0.78)	92,000	0.22	SNC	10.30	0.10	2,204	10.26
SIRI06C2401A	-	-	-	-	BTS13C2311A	0.05	(0.01)	5,001	0.05	STARK	-	-	-	-
SIRI13C2311A	0.17	0.01	5,038	0.16	BTS13C2402A	0.18	0.01	18,174	0.17	STARK-W1	-	-	-	-
SIRI13C2312A	0.08	-	810	0.07	BTS13P2312A	0.13	(0.01)	4,328	0.13	TCJ	3.74	(0.02)	15	3.66
SIRI13C2401A	0.25	-	35,075	0.25	BTS19C2401A	-	-	-	-	TPCS	17.00	-	62	17.01
SIRI13P2311A	0.18	-	5,006	0.18	BTS19C2401B	0.21	0.01	24,712	0.20	VARO	5.85	-	271	5.80
SIRI13P2401A	0.24	(0.01)	4,896	0.24	BTSGIF	3.50	0.04	27,506	3.48	Property Fund & REI	-	-	-	-
SIRI19C2312A	0.21	-	98,172	0.21	DMT	12.50	0.20	11,640	12.41	AIMCG	4.80	0.02	1,051	4.81
SIRI19C2312B	-	-	-	-	III	12.80	-	24,606	12.80	AIMIRT	10.50	0.20	1,925	10.49
SIRI19P2401A	0.25	(0.01)	39,260	0.25	KEX	7.65	0.05	10,464	7.67	ALLY	6.40	0.05	529	6.40
SIRI41C2312A	0.27	(0.02)	32,000	0.27	KEX01C2311A	0.01	-	4	0.01	AMATAR	6.65	-	302	6.51
SIRI41C2401A	0.18	-	5,000	0.18	KEX01P2311A	0.44	(0.02)	7,251	0.43	B-WORK	5.45	0.05	2,039	5.40
SPALI	20.80	(0.10)	37,230	20.80	KEX06C2310A	-	-	-	-	BAREIT	9.30	(0.40)	24,731	9.40
SPALI11C2311A	-	-	-	-	KEX06C2312A	-	-	-	-	BKCKP	10.00	(0.30)	1,768	10.04
SPALI13C2310A	-	-	-	-	KEX08C2309A	-	-	-	-	BOFFICE	5.45	-	7,934	5.46
SPALI13C2401A	0.25	(0.02)	11,989	0.25	KEX13C2310A	-	-	-	-	CPNCG	6.70	-	2,360	6.69
SPALI19C2311A	-	-	-	-	KEX13C2311A	-	-	-	-	CPNREIT	10.70	-	4,700	10.71
UV	2.36	-	4,988	2.35	KEX19C2310A	-	-	-	-	CPTGF	5.50	-	1,917	5.41
WHA	5.30	0.10	206,487	5.28	KEX19C2401A	0.05	(0.01)	7	0.05	CTARAF	4.60	(0.12)	7,411	4.55
WHA01C2312A	0.42	0.05	6,582	0.40	KIAT	0.44	-	16,156	0.44	DREIT	5.75	-	1,265	5.70
WHA01C2401A	0.14	0.01	15,144	0.13	KWC	-	-	-	-	ERWPFT	6.85	0.05	328	6.85
WHA06C2312A	-	-	-	-	MENA	2.02	0.02	65,158	2.02	FTREIT	10.40	-	16,246	10.39
WHA06C2402A	0.19	0.01	28,296	0.19	NOK	-	-	-	-	FUTUREPF	11.50	-	167	11.48
WHA11P2309A	-	-	-	-	NYT	4.70	0.10	142,767	4.69	GAHREIT	8.40	-	52	8.42
WHA13C2310A	-	-	-	-	PORT	1.31	-	557	1.32	GOREIT	9.15	(0.05)	155	9.16
WHA13C2401A	0.14	0.01	7,547	0.14	PORT-W3	0.02	-	244	0.02	GVREIT	6.20	-	1,167	6.20
WHA13P2402A	0.24	(0.02)	4,858	0.25	PRM	6.90	0.10	31,996	6.88	HPF	4.68	-	340	4.68
WHA19C2310A	-	-	-	-	PSL	10.10	0.10	154,754	10.15	HYDROGEN	9.90	-	94	9.80
WHA19C2311A	-	-	-	-	PSL01C2312A	0.07	(0.01)	2,137	0.07	IMPACT	13.00	-	5,578	13.00
WHA19C2401A	0.18	0.02	51,668	0.18	PSL01C2401A	0.51	0.02	10,701	0.52	INETREIT	8.75	-	2,552	8.65
WHA41C2311A	-	-	-	-	PSL06C2309A	-	-	-	-	KPNPF	-	-	-	-
WHA41C2312A	0.13	0.01	13,929	0.13	PSL06C2311A	-	-	-	-	KTBSTM	6.75	(0.05)	58	6.77
WIN	0.73	0.02	2,396	0.73	PSL06C2312A	-	-	-	-	LHHOTEL	10.70	0.40	21,480	10.74
Paper & Printing Mat	-	-	-	-	PSL13C2310A	-	-	-	-	LHHP	6.35	0.05	953	6.35
UTP	12.00	0.20	2,224	11.99	PSL13C2310B	0.06	-	50,969	0.06	LHSC	9.95	0.15	626	9.94
Fashion	-	-	-	-	PSL13C2312A	0.35	(0.02)	985	0.37	LIPF	12.90	(0.10)	8,406	12.98
AFC	6.50	(0.05)	48	6.46	PSL13C2402A	0.19	-	36,812	0.19	LUXF	6.80	-	254	6.80
AURA	18.00	0.10	5,372	17.95	PSL13P2402A	0.28	(0.01)	32,890	0.28	M-II	7.25	(0.15)	82	7.29
BTNC	31.00	(0.25)	52	30.75	PSL19C2310A	-	-	-	-	M-PAT	3.60	0.12	2	3.47
CPH	19.20	-	209	19.26	PSL19C2311A	0.19	-	9,219	0.20	M-STOR	6.50	-	26	6.50
CPL	2.12	-	1,153	2.13	PSL19C2402A	0.22	0.02	40,188	0.21	MIPF	-	-	-	-
NC	6.55	0.10	5,194	6.59	RCL	22.40	0.30	20,965	22.39	MIT	1.24	0.02	62	1.21
PAF	1.35	0.06	18,667	1.37	RCL01C2311A	0.02	(0.01)	60	0.02	MJLF	3.66	(0.02)	349	3.68
PDJ	2.20	0.02	1,398	2.17	RCL01C2402A	0.41	0.02	31,885	0.41	MNIT	1.83	0.03	46	1.81
PG	8.50	(0.05)	700	8.45	RCL01P2402X	0.59	(0.02)	6,438	0.60	MNIT2	4.92	(0.18)	10	4.92
SABINA	26.75	0.25	5,230	26.70	RCL06C2309A	-	-	-	-	MNRF	2.86	-	50	2.86
SAWANG	-	-	-	-	RCL13C2312A	0.17	-	16,406	0.17	POPF	6.80	0.10	3,607	6.70
SUC	31.75	(0.25)	59	31.86	RCL13C2402A	0.40	0.01	124,993	0.41	PPF	10.30	-	1,146	10.21
TNL	36.50	-	421	36.87	RCL19C2402A	0.30	0.01	30,044	0.30	PROSPECT	8.85	0.10	1,214	8.77
TR	44.00	-	132	44.00	SINO	2.08	0.15	3,621,340	2.02	QHHR	6.35	(0.15)	2,646	6.41
TTI	25.75	0.25	1	25.75	SJWD	15.70	0.20	26,199	15.68	QHOP	2.76	0.02	1	2.76
TTT	-	-	-	-	SJWD08C2310A	0.12	-	10,688	0.12	QHFP	5.80	-	928	5.80
UPF	44.00	0.25	4	43.63	SJWD13C2312A	0.12	-	-	-	SIRUP	7.05	(0.35)	5	7.05
WACOAL	33.25	-	11	33.25	SJWD13C2402A	0.28	0.01	61,039	0.28	SPRIME	4.94	0.04	632	4.91
WFX	2.56	-	946	2.54	SJWD19C2401A	0.25	0.02	26,380	0.24	SRIANWA	5.75	(0.05)	369	5.78
Transportation & Log	-	-	-	-	TFIF	7.20	-	8,358	7.19	SSPF	6.00	-	46	6.00
AAV	2.70	0.02	237,029	2.70	THAI	-	-	-	-	SSTRT	5.35	-	335	5.35
AAV01C2402A	0.14	-	4,350	0.14	TSTE	9.95	-	30	9.90	TIF1	8.75	0.05	985	8.63
AAV06C2309A	-	-	-	-	TTA	6.55	0.05	89,532	6.56	TLHPF	7.00	(0.15)	173	7.00
AAV06C2401A	-	-	-	-	WICE	8.50	0.10	8,221	8.47	TNPF	1.62	(0.18)	5,383	1.47
AAV13C2310A	0.01	(0.03)	50	0.01	Automotive	-	-	-	-	TPRIME	7.75	-	40	7.75
AAV13C2312A	0.12	-	4,050	0.12	3K-BAT	-	-	-	-	TTLPF	21.70	(0.20)	356	21.73
AAV13C2401A	0.12	-	6,041	0.11	ACG	1.52	0.03	396	1.49	TU-PF	-	-	-	-
AAV19C2312A	-	-	-	-	AH	35.00	-	11,303	34.80	URBNPF	-	-	-	-
AOT	70.00	0.25	170,954	70.01	CWT	1.89	(0.01)	1,790	1.90	WHABT	8.80	-	203	8.72
AOT01C2311A	0.04	(0.03)	125	0.05	CWT-W5	-	-	-	-	WHAIR	6.55	0.05	1,086	6.51
AOT01C2401A	0.21	-	38,046	0.22	CWT-W6	0.05	-	5,104	0.05	WHART	10.00	(0.10)	12,526	10.01
AOT01P2401A	0.35	(0.01)	31,979	0.35	EASON	1.34	0.05	31,328	1.32	Steel and Metal Prod	-	-	-	-
AOT06C2309A	-	-	-	-	GYT	-	-	-	-	Z5	3.02	(0.02)	52	3.03
AOT06C2312A	0.18	-	7,333	0.18	HFT	4.48	0.02	143	4.45	AMC	3.18	0.02	772	3.15
AOT11C2310T	-	-	-	-	IHL	2.30	0.06	1,038	2.26	BSBM	0.73	0.01	21,120	0.72
AOT11P2312A	0.31	(0.02)	25,110	0.31	INGRS	0.66	(0.01)	30,539	0.66	CEN	2.66	0.02	677	2.66
AOT13C2310A	-	-	-	-	IRC	13.60	0.10	173	13.59	CEN-W5	0.49	(0.06)	3,255	0.51
AOT13C2312A	0.10	-	130	0.10	MGC	7.90	0.30	7,472	7.79	CITY	2.28	(0.04)	367	2.29
AOT13C2402A	0.29	-	45,830	0.29	NEX	12.80	0.10	27,374	12.75	CSP	1.10	0.03	150	1.10
AOT13P2401A	0.32	(0.02)	6,250	0.32	NEX06C2309A	-	-	-	-	GJS	0.27	0.01	33,709	0.26
AOT19C2310A	-	-	-	-	NEX06C2310A	0.04	(0.01)	2						

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday September 21, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CK	21.30	0.40	11,457	21.29	BYDCOM28C231	0.11	(0.03)	1,014	0.11	JD28C2309A	0.01	(0.03)	3	0.01
CK01C2312A	0.27	0.03	12,039	0.27	BYDCOM28C240	0.28	(0.04)	12,098	0.28	JD28C2312A	0.08	(0.01)	6,002	0.08
CK06C2310A	0.06	0.01	965	0.06	BYDCOM28P231	0.21	0.02	2,033	0.22	JD28C2402A	0.23	(0.02)	5,070	0.23
CK11C2311A	0.12	0.01	35,666	0.12	BYDCOM41C231	-	-	-	-	KUAISH28C2310A	-	-	-	-
CK13C2310A	-	-	-	-	BYDCOM41C231	0.85	(0.08)	1	0.85	CATHAY28C2310A	-	-	-	-
CK13C2401A	0.17	0.02	15,038	0.17	BYDCOM41C231	0.16	(0.03)	4,000	0.16	LENVO28C2310A	-	-	-	-
CK19C2311A	0.14	0.02	12,974	0.14	BYDCOM41C240	0.46	(0.07)	1,383	0.45	LENVO28C2310B	-	-	-	-
CNT	1.29	0.01	133	1.28	BYDCOM41P231	0.13	0.03	1	0.13	LENVO28P2402A	0.31	-	6,584	0.31
EMC	0.10	-	38,879	0.10	BYDCOM41P240	0.40	0.04	12,002	0.41	LENOV041C2309A	0.01	(0.05)	2	0.01
EMC-W6	-	-	-	-	CATHAY28C230	-	-	-	-	MCA5041C2312A	0.24	(0.06)	2	0.24
ITD	1.43	0.04	51,216	1.42	CATHAY28C231	-	-	-	-	MCA5041P2312A	-	-	-	-
NWR	0.53	-	14,958	0.54	CATHAY41C231	-	-	-	-	MEITU28C2311A	0.13	(0.03)	2,028	0.13
PLE	0.52	(0.01)	2,079	0.53	CATHAY41C231	-	-	-	-	MEITU28C2401A	0.19	(0.02)	27,212	0.18
PREB	6.70	0.15	703	6.65	CATHAY41C240	-	-	-	-	MEITU28P2401A	0.28	0.02	12,028	0.28
PYLON	2.86	0.04	2,646	2.85	CHMOBI28C240	0.48	(0.01)	16,472	0.50	MEITU41C2309A	-	-	-	-
RT	0.89	(0.01)	8,541	0.90	CBANK41C230	-	-	-	-	MEITU41C2401A	0.19	(0.03)	16,000	0.19
RT-W1	0.23	-	26	0.22	CBANK41C231	-	-	-	-	NDX28C2312A	0.19	(0.10)	35,048	0.20
SEAFCO	3.28	0.02	3,445	3.24	CBANK41C231	-	-	-	-	NDX28C2403A	0.25	(0.08)	58,505	0.25
SQ	1.16	0.01	20,510	1.17	CBANK41C240	-	-	-	-	NDX28P2312A	0.22	0.04	29,110	0.21
SRICHA	6.35	(0.05)	506	6.31	CNOOC28C2312	0.27	(0.02)	12,028	0.28	NDX28P2312B	0.52	0.09	520	0.52
STEC	10.10	0.35	81,116	10.00	DJ128C2312A	0.25	(0.03)	237	0.25	NDX41C2312A	0.14	(0.07)	1,647	0.14
STEC01C2401A	0.10	0.01	2,367	0.10	DJ128C2312B	0.14	(0.03)	4,919	0.15	NDX41C2312B	0.30	(0.11)	20	0.30
STEC01C2401X	0.07	0.01	700	0.07	DJ128P2312A	0.56	0.02	6	0.57	NDX41P2312B	0.46	0.09	7,794	0.45
STEC01P2401A	0.20	(0.04)	21,585	0.21	DJ128P2312B	0.38	0.01	6,614	0.38	NTES41C2310A	-	-	-	-
STEC06C2312A	-	-	-	-	DJ128P2312B	-	-	-	-	NTES41C2312A	0.21	(0.05)	4,000	0.21
STEC13C2312A	-	-	-	-	DJ141C2312A	-	-	-	-	PINGAN28C2312A	0.09	(0.01)	121	0.10
STEC13C2312B	0.10	0.01	3,808	0.10	DJ141C2312B	0.56	(0.05)	2,021	0.56	PINGAN28P2311A	0.29	(0.04)	19,268	0.29
STEC13C2401A	0.09	0.02	4,192	0.09	DJ141P2312A	0.32	0.02	441	0.32	PINGAN41C2312A	-	-	-	-
STEC13C2402A	0.20	(0.80)	30,345	0.20	DJ141P2312A	-	-	-	-	PINGAN41C2310A	-	-	-	-
STEC13P2312A	-	-	-	-	DJ141P2312B	-	-	-	-	PINGAN41C2310A	-	-	-	-
STEC19C2312A	0.28	0.05	61,023	0.25	GEELY28C2309A	-	-	-	-	PINGAN41C2312A	-	-	-	-
STEC19C2401A	0.13	0.01	3,012	0.12	GEELY28C2401A	0.17	(0.02)	1,014	0.17	SET5001C2309F	0.01	-	982	0.01
STEC28C2309A	-	-	-	-	GEELY28P2312A	-	-	-	-	SET5001C2310A	0.07	0.02	31,434	0.06
STI	4.14	0.02	588	4.07	GEELY41C2310A	-	-	-	-	SET5001C2310Y	0.02	-	36	0.02
STPI	3.54	-	5,432	3.58	GEELY41C2401A	0.23	(0.03)	5,000	0.23	SET5001C2312A	0.21	0.01	52,371	0.21
SYNTEC	1.68	0.03	10,019	1.68	HAIDIL28C2310	-	-	-	-	SET5001C2312B	0.18	0.01	32,198	0.18
TEAMG	6.45	0.15	26,516	6.44	HAIDIL28C2310I	0.18	(0.05)	2,028	0.18	SET5001C2312F	0.20	-	146,601	0.20
TEAMG-W1	0.57	0.02	6,343	0.57	HAIDIL28C2402	-	-	-	-	SET5001C2312X	0.06	(0.01)	14,139	0.06
TEKA	2.80	0.02	2,481	2.80	HAIDIL41C2309	-	-	-	-	SET5001P2309F	0.02	-	1,000	0.02
TOPOLY	1.06	(0.01)	3,245	1.05	HAIDIL41C2312	-	-	-	-	SET5001P2310A	0.01	-	13,319	0.01
TRC	0.47	-	26,452	0.47	HAIDIL41C2403	0.19	-	2,000	0.19	SET5001P2310X	0.02	0.01	300	0.02
TRITN	0.15	-	8,845	0.15	HKEX28C2309A	-	-	-	-	SET5001P2312A	0.56	(0.04)	314,368	0.58
TRITN-W5	0.01	-	63,591	0.01	HKEX28C2309B	-	-	-	-	SET5001P2312F	0.51	(0.02)	281,157	0.52
TRITN-W6	0.02	-	4	0.02	HKEX28C2311A	-	-	-	-	SET5001P2312X	0.20	(0.02)	35,023	0.21
TTCL	4.16	(0.02)	5,631	4.17	HKEX28C2401A	0.25	-	1,014	0.26	SET5006C2309A	-	-	-	-
UNIQ	3.06	-	3,092	3.04	HKEX41C2309A	-	-	-	-	SET5006C2310A	0.18	0.01	900	0.18
WGE	0.89	(0.04)	1,071	0.90	HKEX41C2311A	-	-	-	-	SET5006C2311A	0.57	(0.43)	212,472	0.55
Unit Trust	-	-	-	-	HKEX41C2401A	0.37	-	26,000	0.37	SET5006P2309A	-	-	-	-
SCBSET	-	-	-	-	HSBC28C2312A	0.09	(0.01)	21	0.11	SET5006P2310A	0.25	(0.05)	114,726	0.27
ETF	-	-	-	-	HSBC28C2401A	0.25	(0.02)	22,168	0.25	SET5006P2311A	0.87	(0.13)	295,960	0.90
IDIV	10.29	0.05	292	10.25	HSBC28P2312A	-	-	-	-	SET5008C2309A	-	-	-	-
ABFTH	-	-	-	-	HSBC28P2312B	-	-	-	-	SET5008C2309B	-	-	-	-
BMSCG	10.12	(0.09)	52	10.13	HSBC41C2311A	-	-	-	-	SET5008P2309A	0.01	-	23	0.01
BMSCITH	10.43	0.04	787	10.38	HSBC41C2401A	-	-	-	-	SET5008P2309B	-	-	-	-
BSET100	9.85	0.03	2,386	9.84	HSCE128C2309A	-	-	-	-	SET5011C2309A	0.01	(0.01)	80	0.01
CHINA	5.87	0.01	38	5.87	HSCE128C2309B	0.19	(0.13)	4	0.19	SET5011C2312A	0.30	0.01	43,230	0.29
EBANK	5.30	-	2,019	5.23	HSCE128C2310A	0.10	(0.04)	2	0.11	SET5011P2309A	0.66	(0.03)	40,591	0.69
ENGY	5.36	0.02	163	5.36	HSCE128C2311A	0.32	(0.09)	6	0.33	SET5011P2312A	-	-	-	-
ENY	5.15	0.02	3	5.10	HSCE128P2309A	-	-	-	-	SET5013C2309A	-	-	-	-
GLD	2.80	(0.02)	2,810	2.81	HSCE128P2309B	0.03	(0.01)	8	0.03	SET5013C2309B	-	-	-	-
TDEX	9.09	0.02	2,312	9.08	HSCE128P2310A	0.73	0.10	20,000	0.73	SET5013C2309C	-	-	-	-
UBOT	11.36	(0.17)	38	11.44	HSCE128P2311A	-	-	-	-	SET5013C2309D	-	-	-	-
UHERO	6.86	(0.09)	104	6.85	HSI28C2309A	0.01	-	72	0.01	SET5013C2309E	-	-	-	-
Warrant Foreign	-	-	-	-	HSI28C2309B	0.01	-	41,287	0.01	SET5013C2309F	-	-	-	-
AIAC28C2309A	-	-	-	-	HSI28C2309C	0.01	-	5,003	0.01	SET5013C2311A	0.91	-	21,552	0.90
AIAC28C2312A	-	-	-	-	HSI28C2309D	0.02	(0.03)	126,221	0.02	SET5013C2312A	0.13	0.01	750,771	0.12
AIAC28C2401A	0.13	(0.02)	3,082	0.13	HSI28C2310A	0.03	(0.01)	29,390	0.03	SET5013C2312B	0.07	-	183,617	0.07
AIAC28P2312A	0.46	0.03	3,549	0.46	HSI28C2310B	0.05	(0.03)	206,024	0.06	SET5013C2312C	0.18	0.01	1,150,733	0.17
AI441C2309A	-	-	-	-	HSI28C2310C	0.02	-	3,660	0.01	SET5013C2312D	0.27	0.01	2,340,116	0.26
AI441C2311A	-	-	-	-	HSI28C2310D	0.14	(0.08)	359,550	0.16	SET5013C2312E	0.36	(0.64)	3,931,283	0.35
AI441C2401A	0.16	(0.02)	2,000	0.16	HSI28C2310E	0.36	(0.14)	1,430,970	0.39	SET5013P2309A	-	-	-	-
ALIHEA28C2310A	-	-	-	-	HSI28C2311A	0.06	(0.02)	480,354	0.06	SET5013P2309B	-	-	-	-
ALIHEA28C2402A	0.20	(0.04)	3,042	0.20	HSI28C2311B	0.23	(0.07)	33,933	0.24	SET5013P2309C	-	-	-	-
ALIHEA41C2310A	-	-	-	-	HSI28C2311D	0.39	(0.12)	129,598	0.41	SET5013P2309D	-	-	-	-
BABA28C2309A	-	-	-	-	HSI28C2311E	0.13	(0.05)	18,130	0.14	SET5013P2309E	-	-	-	-
BABA28C2309B	-	-	-	-	HSI28C2312A	0.28	(0.06)	51,968	0.28	SET5013P2311A	1.23	(0.01)	20,570	1.24
BABA28C2310A	0.04	(0.01)	2,500	0.04	HSI28C2312B	0.69	(0.14)	357,224	0.71	SET5013P2312A	0.40	(0.03)</td		

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday September 21, 2023

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Thursday September 21, 2023