

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 30, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPU1	-	-	-	-	SCB	99.25	(0.50)	95,001	99.34	IVL01C2402B	-	-	-	-
SAFARI	-	-	-	-	SCB01C2312A	0.02	-	66	0.01	IVL01C2403A	0.08	(0.02)	57,001	0.09
WORLD	-	-	-	-	SCB01C2402A	0.02	-	1	0.02	IVL01C2403B	0.41	(0.11)	41,563	0.43
Agribusiness	-	-	-	-	SCB01C2403A	0.09	(0.01)	2,160	0.09	IVL01P2401X	0.24	(0.01)	978	0.23
EE	0.29	-	18,798	0.29	SCB01C2404A	0.53	(0.03)	19,151	0.54	IVL06C2402A	-	-	-	-
EE-W1	0.03	-	2,376	0.03	SCB01C2405A	0.22	(0.78)	41,530	0.22	IVL06C2402B	-	-	-	-
GPPT	10.80	(0.10)	14,859	10.86	SCB01P2401A	0.08	(0.01)	20	0.08	IVL06C2403A	0.33	(0.04)	22,600	0.34
LEE	2.16	(0.04)	441	2.17	SCB01P2402X	0.36	0.01	19,479	0.36	IVL06C2404A	0.12	(0.01)	59,099	0.12
MAX	-	-	-	-	SCB06C2402A	-	-	-	-	IVL11C2312A	-	-	-	-
NER	4.60	(0.08)	44,501	4.63	SCB06C2403A	0.36	(0.02)	60,800	0.36	IVL11C2403T	-	-	-	-
PPPM	0.05	(0.01)	22,844	0.05	SCB11C2403A	0.15	-	3,968	0.15	IVL13C2402A	-	-	-	-
PPPM-W4	-	-	-	-	SCB13C2312A	-	-	-	-	IVL13C2403A	0.05	(0.01)	1,100	0.05
STA	15.30	(0.50)	64,363	15.31	SCB13C2401A	0.01	-	510	0.01	IVL13C2403B	0.09	(0.02)	459	0.09
STA01C2401A	0.08	(0.03)	28,363	0.08	SCB13C2402A	-	-	-	-	IVL13C2403C	0.34	(0.12)	38,753	0.35
STA01C2402A	0.06	(0.03)	8,260	0.07	SCB13C2403A	0.28	(0.02)	100,346	0.28	IVL13P2401A	0.19	0.04	33,115	0.17
STA01C2404A	0.35	(0.07)	11,885	0.35	SCB13C2404A	0.18	(0.01)	13,577	0.18	IVL19C2312A	-	-	-	-
STA01P2402X	0.21	0.03	24,768	0.21	SCB13P2312A	-	-	-	-	IVL19C2401A	-	-	-	-
STA06C2401A	0.09	-	2,459	0.09	SCB13P2402A	0.24	0.01	126,359	0.24	IVL19C2402A	0.05	(0.01)	210	0.05
STA11C2402T	0.10	(0.03)	4,040	0.10	SCB16C2311A	-	-	-	-	IVL19C2403A	0.10	(0.02)	17,450	0.11
STA13C2401A	0.09	(0.03)	12,220	0.09	SCB19C2312A	-	-	-	-	IVL19C2403B	0.31	(0.04)	20,582	0.32
STA13P2401A	0.05	0.02	1,000	0.05	SCB19C2401A	0.01	(0.01)	750	0.01	IVL41C2312A	-	-	-	-
STA19C2401A	0.04	(0.01)	1,095	0.04	SCB19C2402A	-	-	-	-	IVL41C2401A	-	-	-	-
STA19C2401B	0.13	(0.03)	7,950	0.13	SCB19C2403A	0.29	(0.03)	30,444	0.30	IVL41C2402A	-	-	-	-
TEGH	2.42	(0.02)	12,626	2.42	SCB19C2404A	0.19	(0.01)	12,065	0.20	IVL41C2403A	0.11	(0.02)	19,901	0.11
TFM	6.25	(0.05)	26	6.25	SCB19P2402A	0.22	-	8,158	0.22	IVL41C2404A	-	-	-	-
TRUBB	1.18	(0.03)	14,126	1.19	SCB41C2401A	-	-	-	-	NFC	3.16	(0.08)	102	3.19
TRUBB-W2	0.09	-	2,460	0.08	SCB41C2402A	-	-	-	-	PATO	9.40	-	11	9.41
UPOIC	6.25	(0.05)	13	6.27	SCB41C2403A	0.13	(0.01)	2,044	0.13	PMTA	8.50	(0.30)	18	8.13
UVAN	8.30	0.05	3,003	8.25	SCB41C2404A	0.46	(0.07)	9,100	0.47	PTTG C	-	-	-	-
VPO	0.73	(0.03)	2,746	0.74	TCAP	48.00	(0.75)	28,758	48.22	PTTG C	38.50	-	126,529	38.38
Banking	-	-	-	-	TCAP-P	-	-	-	-	PTTG C	-	-	-	-
BAY	27.75	(0.50)	6,943	27.87	TCAP-Q	-	-	-	-	PTTG C	-	-	-	-
BBL	151.00	-	100,764	150.50	TCAP1C2402T	0.11	(0.01)	2,200	0.11	PTTG C	0.21	-	22,640	0.20
BBL06C2403A	0.18	(0.02)	33,360	0.19	TCAP13C2312A	-	-	-	-	PTTG C	0.36	(0.02)	9,698	0.35
BBL11C2311T	-	-	-	-	TCAP13C2403A	0.11	(0.03)	27,556	0.13	PTTG C	-	-	-	-
BBL11C2404A	0.17	-	6,000	0.17	TCAP19C2403A	0.13	(0.02)	2,308	0.14	PTTG C	0.18	0.01	18,521	0.18
BBL11P2311T	-	-	-	-	TISCO	97.25	(0.25)	24,500	97.35	PTTG C	0.20	(0.02)	87,200	0.20
BBL11P2402A	0.48	0.01	12,057	0.47	TISCO-P	-	-	-	-	PTTG C	0.26	0.01	11,243	0.26
BBL13C2312A	-	-	-	-	TISCO-Q	-	-	-	-	PTTG C	-	-	-	-
BBL13C2403A	0.09	(0.01)	2,956	0.09	TISCO13C2312A	-	-	-	-	PTTG C	0.36	(0.01)	8,460	0.35
BBL13C2404A	0.23	(0.01)	4,971	0.23	TISCO19C2402A	-	-	-	-	PTTG C	0.26	0.01	11,243	0.26
BBL13P2312A	-	-	-	-	TTB	1.54	(0.03)	3,550,435	1.54	PTTG C	-	-	-	-
BBL13P2312B	-	-	-	-	TTB-W1	0.60	(0.03)	36,797	0.60	PTTG C	0.11	(0.01)	41,486	0.11
BBL13P2404A	0.57	-	15,238	0.58	TTB01C2402A	0.05	(0.01)	1	0.05	PTTG C	0.25	(0.01)	77,520	0.24
BBL19C2401A	0.01	-	1,300	0.01	TTB01C2404A	0.16	(0.03)	12,496	0.16	PTTG C	-	-	-	-
BBL19C2403A	-	-	-	-	TTB01P2312A	0.02	0.01	100	0.02	PTTG C	0.18	0.01	29,219	0.18
BBL19C2404A	0.24	(0.01)	36,871	0.24	TTB06C2401A	-	-	-	-	PTTG C	0.18	(0.01)	33,740	0.17
BBL41C2312A	-	-	-	-	TTB13C2401A	-	-	-	-	PTTG C	-	-	-	-
BBL41C2402A	-	-	-	-	TTB13C2404A	0.15	(0.02)	12,713	0.15	PTTG C	0.12	(0.01)	3,000	0.12
BBL41C2403A	-	-	-	-	TTB13P2401A	0.09	-	2,224	0.09	PTTG C	-	-	-	-
BBL41C2404A	0.20	(0.01)	4,211	0.20	TTB19C2402A	-	-	-	-	PTTG C	0.31	(0.01)	20,000	0.30
BBL41C2405A	0.35	-	43,420	0.35	TTB19C2404A	-	-	-	-	SUTHA	2.32	(0.02)	190	2.32
CIMBT	0.58	(0.01)	9,209	0.59	Construction Mat	-	-	-	-	TPA	4.60	0.04	34	4.67
KBANK	128.00	(3.50)	229,670	129.01	CCP	0.34	(0.01)	10,560	0.34	UAC	3.68	(0.02)	649	3.67
KBANK01C2312A	0.01	-	1,700	0.01	COTTO	2.16	(0.02)	49,749	2.16	UP	-	-	-	-
KBANK01C2401A	0.06	(0.03)	400	0.06	DCC	1.57	0.02	75,488	1.54	Commerce	-	-	-	-
KBANK01C2403A	0.23	(0.05)	51,262	0.26	DCON	0.42	(0.01)	17,874	0.42	B52	1.23	(0.03)	142	1.27
KBANK01P2402X	0.11	(0.01)	885	0.11	DCON-W3	0.08	-	11,870	0.08	BEAUTY	0.45	(0.02)	116,959	0.46
KBANK01P2404X	0.57	0.06	99,794	0.56	DRT	8.00	(0.05)	3,230	7.97	BIG	0.50	-	12,675	0.49
KBANK06C2312A	-	-	-	-	EPG	7.10	(0.25)	36,915	7.16	BJC	26.25	0.75	97,988	25.72
KBANK06C2404A	0.24	(0.06)	132,430	0.26	EPG13C2312A	-	-	-	-	COM7	22.90	0.10	318,783	22.61
KBANK13C2312A	0.01	-	490	0.01	EPG19C2401A	-	-	-	-	COM701C2401A	-	-	-	-
KBANK13C2402A	0.10	(0.04)	108,788	0.11	GEL	0.19	(0.01)	9,144	0.19	COM701C2403W	-	-	-	-
KBANK13P2401A	0.04	(0.01)	5	0.04	GEL-W5	0.04	-	7,779	0.04	COM701C2404A	0.08	-	1,734	0.07
KBANK13P2404A	0.38	0.05	106,377	0.37	PPP	1.86	-	112	1.78	COM701C2404B	0.55	-	45,284	0.53
KBANK16C2312A	-	-	-	-	Q-CON	14.20	(0.10)	3,247	14.28	COM701P2401A	0.14	(0.01)	77,453	0.16
KBANK19C2312A	0.01	(0.05)	1,900	0.01	SCC	287.00	(3.00)	45,079	287.55	COM701P2402X	0.67	(0.02)	94,828	0.71
KBANK19C2402A	0.09	(0.04)	6,079	0.10	SCC01C2312T	-	-	-	-	COM706C2312A	-	-	-	-
KBANK19C2404A	0.21	(0.05)	25,342	0.23	SCC01C2402A	0.02	-	2,000	0.02	COM706C2403A	0.39	(0.01)	346,190	0.37
KBANK19P2404A	0.35	0.05	50,195	0.31	SCC01C2403X	0.14	(0.01)	47,684	0.14	COM711C2312A	-	-	-	-
KBANK41C2401A	-	-	-	-	SCC01P2403X	0.36	0.02	25,897	0.35	COM711C2404A	0.09	(0.01)	3,000	0.09
KBANK41C2402A	0.12	(0.05)	73,563	0.13	SCC13C2401A	-	-	-	-	COM711C2404B	0.09	(0.01)	3,000	0.09
KKP	47.75	(1.75)	65,454	48.18	SCC13C2403A	0.10	(0.02)	5,468	0.10	COM713C2401A	-	-	-	-
KKP-W5	0.19	(0.03)	8,708	0.19	SCC13P2403A	0.25	0.01	12,012	0.25	COM713C2403A	0.03	-	1,000	0.03
KKP-W6	1.74	(0.04)	190	1.73	SCC19C2312A	-	-	-	-	COM713C2404A	-	-	-	-
KKP01C2401A	-	-	-	-	SCC19C2401A	-	-	-	-	COM713C2404B	0.31	-	178,877	0.29
KKP01C2405A	0.29	(0.06)	43,454	0.31	SCC19C2403A	0.15	(0.01)	20,311	0.15	COM713P2312A	0.02	-	1,000	0.02
KKP11C2312T	-	-	-	-	SCCC	131.50	-	384	131.67	COM713P2402A	-	-	-	-
KKP11C2403A	0.10	(0.02)	9,909	0.11	SCP	5.20	(0.20)	1,176	5.23	COM713				

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 30, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL13C2404A	0.11	-	77,146	0.11	SABUY13C2404F	0.22	(0.05)	7,671	0.24	JMART19C2403A	0.18	(0.02)	15,022	0.19
CPALL13P2401A	0.49	(0.02)	8	0.57	SABUY19C2312F	0.01	-	7,500	0.01	JMART19C2404A	0.43	(0.02)	164,605	0.44
CPALL13P2404A	0.51	(0.01)	25,081	0.54	SABUY19C2402F	0.03	(0.01)	6	0.03	JMART19P2312A	-	-	-	-
CPALL19C2312A	-	-	-	-	SABUY19C2403F	0.09	(0.02)	7,570	0.09	JMART19P2401A	0.44	0.01	34,059	0.44
CPALL19C2401A	-	-	-	-	SABUY19C2404F	0.21	(0.03)	25,619	0.23	JMART19P2404A	0.43	-	73,790	0.44
CPALL19C2402A	-	-	-	-	SCM	3.62	(0.02)	541	3.62	JMART41C2401A	-	-	-	-
CPALL19C2403A	0.06	(0.04)	1	0.06	SCM-W1	-	-	-	-	JMART41C2401C	-	-	-	-
CPALL19C2404A	0.11	(0.01)	22,878	0.10	SCM-W2	1.03	0.01	30	1.03	JMART41C2403A	0.29	(0.01)	59,600	0.29
CPALL19C2404B	0.18	(0.82)	109,942	0.17	SINGER	12.10	(0.20)	260,043	12.14	JMART41C2403B	-	-	-	-
CPALL19P2404A	0.34	(0.02)	8,857	0.38	SINGER13C2312	0.09	(0.03)	139,350	0.10	JMART41C2404A	0.74	0.01	4,000	0.76
CPALL41C2312A	-	-	-	-	SINGER19C2401	0.54	(0.04)	13,106	0.56	JMART41C2404B	0.57	(0.01)	22,400	0.56
CPALL41C2401A	-	-	-	-	SPC	62.00	-	10	62.00	JMART41P2405A	0.61	0.01	16,020	0.61
CPALL41C2403A	-	-	-	-	SPI	69.00	0.50	21	69.00	JTS	55.00	(4.00)	57,150	56.94
CPALL41C2403B	0.05	(0.03)	40	0.05	SVT	2.08	(0.06)	4,589	2.12	MFEC	6.25	(0.10)	573	6.30
CPALL41C2404A	0.16	-	239,118	0.15	TAN	12.80	(0.90)	44,266	12.97	MSC	8.75	(0.05)	56	8.63
PAKXT	27.00	1.50	356,808	26.22	Information & Ci	-	-	-	-	PT	8.05	(0.05)	5,316	8.05
CPW	2.28	(0.06)	1,496	2.30	ADVANC	218.00	-	60,755	217.93	SAMART	4.44	(0.06)	6,070	4.43
CRC	37.75	(1.00)	132,268	37.97	ADVANC01C231:	0.01	-	2,847	0.01	SAMART-W3	0.04	(0.01)	4,159	0.04
CRC01C2312A	-	-	-	-	ADVANC01C240:	0.07	-	2,017	0.07	SAMTEL	3.04	(0.06)	682	3.03
CRC01C2403A	0.11	(0.03)	54,898	0.11	ADVANC01C240:	0.27	(0.01)	1,846	0.27	SAMTEL-W1	0.10	(0.01)	86	0.09
CRC01C2404A	0.26	(0.03)	12,654	0.28	ADVANC01P240:	-	-	-	-	SDC	0.04	(0.01)	43,108	0.04
CRC01P2312A	-	-	-	-	ADVANC01P240:	-	-	-	-	SIS	21.10	-	5,647	21.13
CRC01P2404X	0.31	0.02	22,013	0.31	ADVANC06C240:	-	-	-	-	SKY	26.25	(0.75)	19,922	26.49
CRC06C2312A	-	-	-	-	ADVANC06C240:	-	-	-	-	SVOA	1.95	0.01	1,110	1.92
CRC06C2402A	0.11	(0.01)	19,492	0.12	ADVANC11P240:	-	-	-	-	SYMC	7.90	(0.15)	6,245	8.04
CRC11C2404A	0.19	(0.03)	19,662	0.20	ADVANC13C240	0.02	(0.01)	50	0.02	SYNEX	10.20	-	14,871	10.09
CRC13C2312A	-	-	-	-	ADVANC13C240:	0.22	-	21,257	0.22	THCOM	12.30	(0.20)	41,646	12.33
CRC13C2402A	-	-	-	-	ADVANC13P240:	0.06	(0.01)	150	0.06	TKC	14.20	0.70	52,168	13.90
CRC13C2403A	0.14	(0.03)	60,108	0.16	ADVANC13P240:	0.33	-	1,000	0.34	TRUE01C2402A	-	-	-	-
CRC13P2312A	-	-	-	-	ADVANC19C231:	-	-	-	-	TRUE01C2403A	0.06	(0.04)	8,685	0.07
CRC13P2404A	0.29	0.03	54,368	0.27	ADVANC19C240:	-	-	-	-	TRUE01C2404A	0.17	(0.06)	14,045	0.20
CRC19C2401A	-	-	-	-	ADVANC19C240:	-	-	-	-	TRUE01P2402X	0.38	0.07	8,008	0.35
CRC19C2404A	0.21	(0.04)	15,995	0.22	ADVANC41C240:	-	-	-	-	TRUE01P2404X	0.25	0.05	40,454	0.24
CSS	0.80	-	5,340	0.81	ADVANC41C240:	0.11	-	50	0.11	TRUE06C2312A	-	-	-	-
DOHOME	12.30	-	74,987	12.10	ADVANC41C240:	0.26	-	4,699	0.26	TRUE06C2401A	-	-	-	-
DOHOME01C2312A	0.20	(0.03)	510	0.19	AIT	3.88	(0.06)	25,170	3.85	TRUE06C2403A	0.10	(0.03)	43,977	0.11
DOHOME01C2401A	0.13	(0.01)	49,007	0.12	AIT-W2	1.67	(0.10)	5,220	1.66	TRUE11C2311A	-	-	-	-
DOHOME01C2404A	0.26	0.01	36,643	0.24	ALT	1.67	(0.01)	501	1.65	TRUE11C2405A	0.19	(0.06)	14,013	0.21
DOHOME01P2401A	-	-	-	-	AMR	1.25	-	654	1.24	TRUE11P2401A	0.37	0.06	9	0.37
DOHOME06C2311A	-	-	-	-	BLISS	-	-	-	-	TRUE13C2402A	-	-	-	-
DOHOME06C2312A	-	-	-	-	DIF	8.35	-	39,693	8.33	TRUE13C2403A	0.06	(0.03)	175	0.07
DOHOME06C2401A	0.13	(0.02)	65,410	0.13	DTCENT	1.34	(0.02)	21,598	1.33	TRUE13C2403B	0.10	(0.05)	25,606	0.11
DOHOME11C2403T	0.23	0.01	21,848	0.21	FORTH	20.20	(0.70)	22,491	20.52	TRUE13P2312A	-	-	-	-
DOHOME13C2312A	-	-	-	-	FORTH01C2401	-	-	-	-	TRUE13P2404A	0.24	0.04	28,794	0.22
DOHOME13P2312A	0.29	-	74,220	0.27	FORTH01C2402	-	-	-	-	TRUE19C2402A	-	-	-	-
DOHOME19C2312A	-	-	-	-	FORTH01C2403	0.24	(0.05)	21,817	0.26	TRUE19C2402B	-	-	-	-
DOHOME19C2401A	0.11	(0.01)	20,310	0.10	FORTH01C2404	0.43	(0.57)	13,946	0.45	TRUE19C2404A	0.14	(0.04)	21,562	0.15
DOHOME19C2404A	0.32	(0.01)	66,276	0.31	FORTH01P2401	0.74	0.07	25,783	0.69	TRUE19P2402A	0.27	0.01	455	0.27
FN	1.70	0.01	2	1.70	FORTH06C2312	-	-	-	-	TRUE41C2402A	-	-	-	-
FTE	1.48	(0.02)	3,056	1.46	FORTH13C2401	-	-	-	-	TRUE41C2403A	-	-	-	-
GLOBAL	16.80	(0.30)	195,795	16.69	FORTH13C2403	0.03	(0.02)	3,914	0.03	TRUE41C2404A	0.10	(0.03)	3,010	0.10
GLOBAL01C2312A	-	-	-	-	FORTH13C2403I	0.17	(0.03)	19,309	0.19	TRUE41C2404B	0.17	(0.06)	23,147	0.05
GLOBAL01C2401A	0.06	(0.03)	35,604	0.08	FORTH13C2404	0.35	(0.06)	75,418	0.39	TWZ	0.05	-	49,955	0.05
GLOBAL01C2404A	0.38	(0.04)	66,845	0.38	FORTH13P2401	-	-	-	-	TWZ-W6	-	-	-	-
GLOBAL06C2312A	-	-	-	-	FORTH19C2402	-	-	-	-	TWZ-W7	-	-	-	-
GLOBAL06C2403A	0.23	(0.05)	286,510	0.26	FORTH19C2402I	-	-	-	-	Electronic Componer	-	-	-	-
GLOBAL13C2403A	0.17	(0.02)	78,705	0.17	FORTH19C2404	0.42	(0.06)	70,591	0.47	CCET	1.51	(0.01)	11,711	1.52
GLOBAL19C2401A	-	-	-	-	GABLE	4.10	(0.06)	12,619	4.15	DELTA	77.75	0.75	202,226	77.51
GLOBAL19C2402A	0.09	(0.02)	2,708	0.10	HUMAN	10.80	-	20,542	10.82	DELTA01C2312A	0.01	(0.01)	1,150	0.01
GLOBAL19C2403A	0.35	(0.03)	18,514	0.35	ICN	2.76	(0.02)	4,411	2.76	DELTA01C2401A	0.02	-	2,049	0.01
HMPRO	11.80	(0.10)	457,452	11.82	ICN-W1	-	-	-	-	DELTA01C2402A	0.03	-	5,569	0.03
HMPRO01C2402A	-	-	-	-	ILINK	7.25	(0.05)	4,271	7.25	DELTA01C2403A	0.25	-	130,935	0.25
HMPRO01C2404A	0.11	(0.01)	29,070	0.11	INET	3.94	(0.06)	2,616	3.96	DELTA01C2403B	0.76	0.02	82,110	0.75
HMPRO13C2312A	-	-	-	-	INSET	1.96	(0.03)	31,543	1.97	DELTA01C2404A	0.59	0.02	242,466	0.58
HMPRO13C2403A	0.08	(0.01)	10,678	0.08	INTUCH	69.75	(1.00)	69,046	69.87	DELTA01P2312A	0.27	(0.06)	128,687	0.28
HMPRO19C2401A	-	-	-	-	INTUCH01C240:	0.14	(0.02)	12,200	0.15	DELTA01P2402A	0.85	(0.03)	137,016	0.86
HMPRO19C2404A	0.17	-	50	0.17	INTUCH01C240:	0.40	(0.04)	25,388	0.42	DELTA06C2401A	0.01	(0.01)	102	0.01
HMPRO41C2402A	-	-	-	-	INTUCH11C2311	-	-	-	-	DELTA06C2402A	0.35	0.01	267,770	0.35
HMPRO41C2404A	0.17	(0.01)	3,820	0.17	INTUCH13C2401	-	-	-	-	DELTA13C2312A	-	-	-	-
ICC	41.75	-	8	40.31	INTUCH13C2404	0.33	(0.04)	55,505	0.35	DELTA13C2403A	0.17	-	183,250	0.17
ILM	23.50	-	1,680	23.34	INTUCH19C2401	-	-	-	-	DELTA13C2403B	0.32	0.01	254,814	0.31
IT	3.24	(0.06)	682	3.26	INTUCH19C2404	0.31	(0.03)	45,098	0.32	DELTA13C2404A	0.53	0.01	282,071	0.53
KAMART	11.60	(0.70)	66,755	11.78	ITEL	2.32	(0.02)	29,548	2.32	DELTA13P2403A	0.02	-	6,050	0.02
LOXLEY	1.47	(0.03)	891	1.47	ITEL-W4	0.05	-	29,339	0.04	DELTA13C2403A	0.17	-	183,250	0.17
MC	11.30	-	16,623	11.23	JAS	2.32	0.38	5,951,756	2.20	DELTA13C2403B	0.32	0.01	254,814	0.31
MEGA	39.75	(0.75)	21,222	39.83	JAS13C2312A	0.79	0.44	14,456	0.65	DELTA13C2404A	0.53	0.01	282,071	0.53
MEGA01C2312A	-	-	-	-	JAS19C2401A	1.02	0.38	17,454	0.90	DELTA13P2401A	0.75	(0.04)	305	0.78

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 30, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HANA06C2401A	-	-	-	-	BBDI	4.00	(0.06)	3,342	4.00	EA19P2403A	0.23	0.04	29,433	0.22
HANA06C2404A	0.39	0.01	156,900	0.38	BCP	43.50	(0.75)	67,685	43.60	EA41C2312A	-	-	-	-
HANA13C2312A	-	-	-	-	BCP01C2312A	0.11	(0.05)	7,202	0.12	EA41C2401A	0.03	-	1	0.03
HANA13C2401A	0.01	-	1,000	0.01	BCP01C2403A	0.28	(0.03)	10,239	0.28	EA41C2402A	-	-	-	-
HANA13C2403A	0.08	0.01	4,633	0.08	BCP01P2312A	-	-	-	-	EA41C2403A	0.11	(0.04)	9,000	0.11
HANA13C2404A	0.18	-	79,776	0.18	BCP01P2402X	-	-	-	-	EA41C2403B	0.15	(0.06)	93,636	0.16
HANA13C2404B	0.34	-	106,032	0.34	BCP01P2404X	0.43	0.02	11,594	0.43	EA41C2404A	0.44	(0.08)	10,200	0.45
HANA13P2312A	-	-	-	-	BCP13C2312A	-	-	-	-	EA41P2405A	0.47	0.04	28,118	0.47
HANA13P2401A	0.31	(0.02)	42,164	0.32	BCP13C2403A	0.26	(0.03)	28,053	0.27	EASTW	4.16	(0.04)	2,407	4.17
HANA13P2403A	-	-	-	-	BCP13P2401A	-	-	-	-	EGATIF	5.70	(0.05)	4,221	5.70
HANA13P2404A	0.36	(0.02)	42,856	0.38	BCP13P2404A	0.24	0.02	21,115	0.23	EGCO	129.00	(5.00)	193,837	129.22
HANA16C2312A	-	-	-	-	BCP19C2312A	-	-	-	-	EGCO01C2401A	-	-	-	-
HANA19C2312A	-	-	-	-	BCP19C2404A	0.40	(0.04)	28,650	0.43	EGCO01C2404A	0.44	(0.12)	21,705	0.47
HANA19C2401A	-	-	-	-	BCPG	8.90	-	22,941	8.74	EGCO01P2401A	0.03	-	70	0.03
HANA19C2403A	0.08	-	3,100	0.08	BCPG01C2402A	0.02	-	1	0.02	EGCO13C2312A	-	-	-	-
HANA19C2404A	0.20	0.01	30,425	0.20	BCPG13C2401A	-	-	-	-	EGCO13C2403A	0.23	(0.09)	56,476	0.26
HANA19C2404B	0.35	0.01	64,987	0.35	BCPG19C2401B	-	-	-	-	EGCO13P2312A	-	-	-	-
HANA19P2401A	0.26	(0.02)	14,023	0.26	BCPG19C2401B	-	-	-	-	EGCO19C2401A	-	-	-	-
HANA41C2401A	-	-	-	-	BGRIM	25.25	(1.50)	960,024	25.35	EGCO19C2403A	0.31	(0.09)	43,762	0.35
HANA41C2403A	-	-	-	-	BGRIM01C2312A	-	-	-	-	EP	2.60	(0.06)	2,288	2.59
HANA41C2404A	0.16	-	12,152	0.16	BGRIM01C2402P	0.02	-	852	0.01	EP-W4	0.13	(0.06)	217	0.15
HANA41C2405A	0.50	0.01	97,700	0.49	BGRIM01C2403A	0.03	(0.04)	350	0.04	ETC	2.70	(0.04)	8,165	2.71
HANA41P2405A	0.49	(0.01)	12,008	0.49	BGRIM01C2403T	0.48	(0.24)	8,521	0.56	GPSC	45.50	(2.25)	198,154	45.86
KCE	52.50	(0.25)	33,079	52.51	BGRIM01C2404P	0.13	(0.06)	145,544	0.14	GPSC01C2312A	-	-	-	-
KCE01C2312A	0.27	(0.02)	2	0.27	BGRIM01P2402P	0.55	0.12	17,420	0.49	GPSC01C2402A	0.03	(0.01)	45,297	0.02
KCE01C2401A	0.25	(0.02)	25,376	0.25	BGRIM01P2404P	0.31	0.06	43,392	0.29	GPSC01C2402B	-	-	-	-
KCE01C2401W	0.17	-	32,810	0.17	BGRIM06C2312L	-	-	-	-	GPSC01C2403A	0.18	(0.07)	26,112	0.19
KCE01C2402A	0.14	(0.02)	33,164	0.15	BGRIM06C2402P	-	-	-	-	GPSC01C2403B	0.53	(0.14)	11,499	0.56
KCE01C2403A	0.42	(0.02)	26,135	0.42	BGRIM06C2402F	-	-	-	-	GPSC01C2404A	0.36	(0.11)	37,897	0.39
KCE01P2312A	-	-	-	-	BGRIM06C2403	-	-	-	-	GPSC01P2312A	0.03	0.02	504	0.03
KCE01P2401X	-	-	-	-	BGRIM06C2404P	0.13	(0.05)	151,133	0.15	GPSC01P2403X	0.20	0.04	31,687	0.19
KCE01P2403X	0.37	-	43,114	0.37	BGRIM11C2403J	0.05	(0.02)	2,002	0.06	GPSC01P2404X	0.34	0.07	72,989	0.32
KCE06C2311A	-	-	-	-	BGRIM11P2312J	0.50	0.10	102	0.43	GPSC06C2401A	-	-	-	-
KCE06C2312A	0.51	-	14,572	0.53	BGRIM13C2401P	-	-	-	-	GPSC06C2402A	0.09	(0.05)	14,000	0.10
KCE06C2402A	0.18	(0.01)	109,940	0.19	BGRIM13C2402P	0.01	(0.01)	3	0.01	GPSC06C2403A	0.38	(0.12)	90,156	0.42
KCE11C2405A	0.45	(0.02)	13,470	0.46	BGRIM13C2403J	0.03	(0.01)	10,000	0.03	GPSC11C2311A	-	-	-	-
KCE13C2401A	0.27	(0.02)	3,080	0.28	BGRIM13C2403T	0.08	(0.04)	59,621	0.09	GPSC11C2403A	0.26	(0.09)	8,600	0.29
KCE13C2401B	0.11	(0.01)	27,924	0.11	BGRIM13C2403Z	0.32	(0.18)	6,646	0.39	GPSC13C2401A	-	-	-	-
KCE13C2404A	0.43	(0.01)	200,968	0.43	BGRIM13P2401J	0.41	0.11	1,632	0.38	GPSC13C2402A	-	-	-	-
KCE13P2312A	-	-	-	-	BGRIM13P2404P	0.24	0.06	94,012	0.22	GPSC13C2403A	0.15	(0.07)	120,399	0.17
KCE13P2401A	-	-	-	-	BGRIM19C2402P	-	-	-	-	GPSC13C2403B	0.26	(0.10)	126,950	0.28
KCE13P2402A	0.09	-	1,122	0.09	BGRIM19C2402T	-	-	-	-	GPSC13P2403A	0.11	0.03	26,183	0.11
KCE13P2403A	0.36	-	22,113	0.36	BGRIM19C2403J	0.10	(0.04)	15,464	0.12	GPSC13P2404A	0.39	0.07	140,403	0.37
KCE16C2401A	0.14	(0.01)	1,992	0.14	BGRIM19C2403T	0.32	(0.18)	416	0.34	GPSC19C2401A	-	-	-	-
KCE19C2401A	0.19	(0.01)	36,189	0.20	BGRIM41C2312J	-	-	-	-	GPSC19C2402A	-	-	-	-
KCE19C2402A	0.16	-	81,372	0.16	BGRIM41C2401P	-	-	-	-	GPSC19C2402B	0.10	(0.05)	49,020	0.11
KCE19C2404A	0.36	(0.02)	58,688	0.37	BGRIM41C2402J	-	-	-	-	GPSC19C2403A	0.25	(0.10)	39,465	0.28
KCE19P2312A	-	-	-	-	BGRIM41C2403J	-	-	-	-	GPSC19P2404A	0.18	0.04	15,364	0.16
KCE19P2401A	-	-	-	-	BGRIM41C2403Z	-	-	-	-	GPSC41C2312A	-	-	-	-
KCE19P2404A	0.63	(0.02)	41,412	0.63	BGRIM41C2404P	0.35	(0.16)	65	0.39	GPSC41C2404A	-	-	-	-
KCE41C2312A	-	-	-	-	BGRIM41C2404F	-	-	-	-	GPSC41C2402A	-	-	-	-
KCE41C2401A	0.13	-	3,046	0.13	BGRIM41C2405P	0.19	(0.07)	114,762	0.22	GPSC41C2403A	0.30	(0.12)	13,405	0.34
KCE41C2401B	-	-	-	-	BIOTEC	0.51	(0.02)	39,986	0.51	GPSC41C2404A	-	-	-	-
KCE41C2402A	0.20	(0.01)	20,800	0.20	BIOTEC-P	-	-	-	-	GPSC41C2405A	0.27	(0.08)	52,901	0.30
KCE41C2404A	0.40	(0.01)	71,700	0.41	BIOTEC-Q	-	-	-	-	GREEN	0.75	0.01	78	0.72
METCO	231.00	1.00	37	231.89	BIOTEC-W2	0.14	-	87,190	0.13	GULF	46.00	(0.25)	177,280	45.58
SMT	3.76	(0.06)	26,722	3.78	BPP	14.60	(0.20)	4,888	14.57	GULF01C2312A	0.01	-	2,009	0.01
SMT-W3	0.39	(0.01)	187	0.41	BRRGIF	3.06	0.04	2,426	3.05	GULF01C2312W	-	-	-	-
SVI	7.00	(0.05)	5,526	7.02	BSRC	8.40	(0.05)	22,888	8.42	GULF01C2312X	-	-	-	-
TEAM	4.84	0.04	12,699	4.80	BSRC01C2403A	-	-	-	-	GULF01C2402A	0.05	(0.01)	840	0.05
Energy & Utilities	-	-	-	-	BSRC13C2312A	-	-	-	-	GULF01C2402T	-	-	-	-
7UP	0.39	(0.01)	190,658	0.39	BSRC13C2403A	-	-	-	-	GULF01C2403A	0.17	(0.02)	34,790	0.16
ACC	0.49	(0.01)	28,119	0.49	BSRC19C2312A	-	-	-	-	GULF01C2405A	0.32	(0.68)	32,782	0.29
ACE	1.48	(0.05)	440,454	1.49	BSRC19C2403A	-	-	-	-	GULF01P2312A	-	-	-	-
ACE13C2402A	0.05	(0.02)	702	0.06	CKP	3.14	(0.06)	32,455	3.15	GULF01P2402X	0.21	-	14,896	0.24
ACE19C2401A	-	-	-	-	CKP01C2401A	-	-	-	-	GULF01P2403X	0.16	0.01	14,184	0.16
ACE19C2402A	-	-	-	-	CKP13C2312A	-	-	-	-	GULF06C2311A	-	-	-	-
AGE	1.96	(0.03)	4,809	1.97	CKP19C2401A	-	-	-	-	GULF06C2402A	0.13	(0.02)	88,113	0.13
AI	4.34	-	594	4.29	CV	0.50	(0.03)	75,862	0.50	GULF11C2401T	0.16	(0.02)	13,241	0.15
AIE	1.25	-	1,912	1.26	DEMCO	2.58	(0.02)	170	2.57	GULF11P2312A	-	-	-	-
AKR	0.79	(0.02)	11,386	0.79	DEMCO-W7	0.11	(0.01)	2,139	0.12	GULF13C2312A	-	-	-	-
AKR-W2	0.07	(0.01)	251	0.06	EA	44.50	(1.75)	217,479	44.72	GULF13C2402A	-	-	-	-
BAFS	24.40	0.10	3,899	24.24	EA01C2312A	0.02	-	6	0.02	GULF13C2403A	0.17	(0.02)	219,796	0.15
BANPU	7.45	(0.25)	2,279,107	7.51	EA01C2401A	0.01	-	1,000	0.01	GULF13P2312A	-	-	-	-
BANPU01C2401A	-	-	-	-	EA01C2402A	-	-	-	-	GULF13P2401A	0.07	-	18,504	0.08
BANPU01C2401T	-	-	-	-	EA01C2403A	0.06	(0.02)	21,584	0.06	GULF16C2311A	-	-	-	-
BANPU01C2402A	-	-	-	-	EA01C2403B	0.19	(0.05)	55,236	0.20	GULF19C2401A	-	-	-	-
BANPU01C2402B	0.05	(0.03)	892	0.06										

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 30, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IRPC06C2401A	-	-	-	-	SCN	1.54	(0.03)	3,835	1.55	VGI-W3	0.08	(0.01)	70,384	0.08
IRPC11C2402T	-	-	-	-	SCN-W2	0.15	-	1,001	0.14	VGI01C2401A	0.01	(0.01)	200	0.01
IRPC13C2312A	-	-	-	-	SEAOIL	2.98	-	1,126	2.96	VGI01C2402A	-	-	-	-
IRPC13C2402A	-	-	-	-	SGP	8.60	0.45	9,328	8.40	VGI01C2403A	0.06	(0.03)	1,000	0.06
IRPC19C2401A	-	-	-	-	SKE	0.44	(0.02)	4,603	0.45	VGI01C2403B	0.14	(0.04)	45,855	0.15
IRPC19C2404A	0.16	(0.01)	5,483	0.16	SKE-W1	0.05	0.01	608	0.05	VGI01C2404A	0.46	(0.08)	7,839	0.49
JR	5.20	-	469	5.17	SOLAR	0.68	(0.01)	8,547	0.68	VGI01P2401X	0.29	0.06	613	0.29
KBSPIF	8.80	(0.10)	919	8.78	SOLAR-W1	0.01	-	3	0.01	VGI06C2401A	-	-	-	-
LANNA	15.00	0.10	8,735	14.80	SPCG	12.20	(0.20)	5,869	12.32	VGI06C2403A	-	-	-	-
MDX	2.92	(0.08)	523	2.99	SPRC	8.20	(0.10)	208,809	8.19	VGI13C2312A	-	-	-	-
NOVA	11.20	-	1,428	11.23	SPRC01C2401A	-	-	-	-	VGI13C2401A	-	-	-	-
OR	19.90	(0.20)	682,735	19.90	SPRC01C2402A	-	-	-	-	VGI13C2403A	-	-	-	-
OR01C2312A	0.02	-	15	0.01	SPRC01C2403A	0.21	(0.03)	47,254	0.22	VGI13C2403B	0.11	(0.03)	70,772	0.12
OR01C2402A	0.07	(0.01)	35	0.07	SPRC01P2401A	0.16	0.01	40,563	0.16	VGI13C2403C	0.37	(0.08)	300	0.39
OR01C2403A	0.27	(0.04)	27,812	0.27	SPRC06C2401A	-	-	-	-	VGI13P2312A	-	-	-	-
OR01P2312A	-	-	-	-	SPRC06C2402A	0.15	(0.02)	34,999	0.17	VGI19C2312A	-	-	-	-
OR06C2402A	0.09	(0.02)	28,500	0.10	SPRC11C2401T	-	-	-	-	VGI19C2402A	0.01	(0.02)	200	0.01
OR06C2403A	0.27	(0.04)	80,400	0.27	SPRC13C2312A	-	-	-	-	VGI19C2402B	-	-	-	-
OR11C2404A	0.34	(0.04)	10,340	0.34	SPRC13C2401A	-	-	-	-	VGI19C2403A	0.14	(0.03)	35,967	0.15
OR13C2312A	-	-	-	-	SPRC13C2403A	0.18	(0.01)	64,328	0.18	WORK	11.00	(0.10)	600	11.02
OR13C2402A	-	-	-	-	SPRC13C2404A	0.34	(0.02)	124,342	0.34	ZAA	1.20	(0.04)	43,862	1.24
OR13C2403A	0.22	-	30,490	0.20	SPRC13P2312A	-	-	-	-	Finance & Securities	-	-	-	-
OR13C2404A	-	-	-	-	SPRC19C2312A	-	-	-	-	AEONTS	158.50	3.00	2,521	157.55
OR13P2402A	0.04	(0.01)	402	0.05	SPRC19C2401A	-	-	-	-	AMANAH	2.06	(0.06)	12,954	2.09
OR19C2401A	-	-	-	-	SPRC19C2403A	0.14	(0.02)	13,822	0.14	ASAP	2.22	(0.18)	2,345	2.29
OR19C2403A	0.32	(0.04)	10,424	0.31	SPRC19C2404A	0.35	(0.02)	56,329	0.36	ASK	19.40	(0.50)	38,565	19.48
OR19C2404A	0.27	(0.03)	70,342	0.27	SSP	7.25	0.10	14,470	7.15	ASP	2.76	-	5,210	2.76
PCC	2.84	(0.02)	5,546	2.82	SSP-W2	0.29	0.01	446	0.29	BAM	8.25	(0.10)	82,257	8.27
PRIME	0.60	(0.02)	173,596	0.62	SUPER	0.44	0.02	464,297	0.43	BAM01C2312A	0.01	-	2,250	0.01
PTG	8.40	(0.15)	75,195	8.46	SUPEREIF	6.80	(0.05)	530	6.79	BAM01C2403A	0.02	-	1	0.02
PTG01C2401A	0.01	-	2	0.02	SUSCO	4.28	(0.22)	292,773	4.34	BAM01C2404A	0.17	(0.01)	20,174	0.17
PTG01C2403A	0.07	(0.01)	7,890	0.07	TAE	1.00	(0.01)	1,160	1.01	BAM06C2312A	-	-	-	-
PTG01P2404A	0.28	(0.03)	38,177	0.31	TCC	0.54	(0.02)	4,205	0.54	BAM11C2401T	-	-	-	-
PTG01P2403X	0.36	0.02	27,324	0.35	TCC-W5	0.22	-	1,993	0.21	BAM11C2405A	0.34	(0.01)	11,433	0.34
PTG06C2401A	-	-	-	-	TGE	2.00	-	95,808	1.95	BAM13C2401A	0.01	(0.01)	95	0.01
PTG06C2402A	0.09	(0.01)	75,500	0.10	TOP	51.50	0.25	91,677	51.36	BAM13C2403A	0.08	(0.01)	6,836	0.08
PTG11C2311A	-	-	-	-	TOP01C2312A	-	-	-	-	BAM19C2401A	-	-	-	-
PTG11C2405A	0.39	(0.03)	57,682	0.42	TOP01C2401A	-	-	-	-	BAM19C2404A	0.20	(0.01)	32,679	0.20
PTG13C2312A	-	-	-	-	TOP01C2402A	0.21	-	20,028	0.21	BYD	4.62	(0.06)	127,934	4.66
PTG13C2402A	-	-	-	-	TOP01C2404A	0.38	-	26,416	0.37	BYD06C2402A	-	-	-	-
PTG13C2403A	0.09	(0.01)	39,035	0.10	TOP01P2401A	-	-	-	-	BYD13C2401A	-	-	-	-
PTG13C2403B	0.27	(0.03)	150,139	0.30	TOP01P2404X	0.41	(0.02)	20,256	0.42	BYD13C2402A	-	-	-	-
PTG13P2401A	0.17	0.02	21,380	0.16	TOP06C2401A	-	-	-	-	BYD13C2403A	-	-	-	-
PTG19C2312A	-	-	-	-	TOP06C2402A	0.29	(0.01)	101,200	0.30	BYD13C2403B	0.11	(0.01)	29,940	0.11
PTG19C2402A	-	-	-	-	TOP11C2311A	-	-	-	-	BYD13C2403C	0.40	(0.03)	80,898	0.43
PTG19C2404A	0.31	(0.02)	107,747	0.33	TOP11C2405A	0.47	0.01	20,000	0.46	BYD19C2401A	-	-	-	-
PTG41C2312A	-	-	-	-	TOP11P2401A	0.19	-	8,574	0.19	BYD19C2402A	-	-	-	-
PTG41C2402A	-	-	-	-	TOP13C2401A	0.01	(0.02)	5,200	0.01	BYD19C2403A	-	-	-	-
PTT	34.75	(0.25)	839,658	34.81	TOP13C2402A	0.20	-	33,466	0.20	BYD19C2404A	0.56	(0.02)	69,274	0.58
PTT01C2401A	0.05	(0.01)	6,550	0.05	TOP13C2404A	0.45	-	61,798	0.44	CGH	0.73	0.01	3,315	0.72
PTT01C2403A	0.17	(0.01)	7,924	0.17	TOP13P2401A	-	-	-	-	FNS	3.38	-	589	3.37
PTT01P2312A	-	-	-	-	TOP13P2404A	0.27	0.01	13,530	0.26	GL	-	-	-	-
PTT01P2403X	-	-	-	-	TOP19C2401A	-	-	-	-	HENG	1.94	(0.03)	12,170	1.95
PTT01P2405X	0.26	(0.74)	1,695	0.26	TOP19C2403A	0.32	-	44,215	0.31	IHS	2.72	(0.04)	3,404	2.71
PTT06C2312A	0.14	-	14,000	0.15	TOP41C2312A	-	-	-	-	JMT	26.00	(0.75)	134,615	26.13
PTT11C2404A	0.18	(0.01)	7,854	0.18	TOP41C2401A	0.08	(0.01)	3,000	0.08	JMT-EW4	2.00	(0.04)	40,509	2.02
PTT13C2402A	0.07	-	4,500	0.07	TOP41C2404A	0.37	(0.02)	17,400	0.38	JMT-W4	1.48	(0.06)	14,820	1.49
PTT13C2403A	0.15	(0.02)	12,360	0.15	TPIPP	3.32	-	44,963	3.32	JMT-WX4	2.04	-	1,206	0.03
PTT13P2402A	0.06	-	8,049	0.06	TSE	1.79	(0.01)	12,141	1.78	JMT-WY4	0.04	-	11,691	0.01
PTT19C2401A	-	-	-	-	TTW	8.85	(0.05)	48,090	8.89	JMT-Y4	5.50	(0.10)	24,652	5.52
PTT19C2403A	0.15	(0.01)	13,436	0.15	UBE	0.77	(0.02)	35,261	0.78	JMT-Z4	3.38	-	35,404	2.80
PTTEP01C2312T	0.10	(0.02)	163,771	151.72	WAHUP	4.06	-	71,543	4.03	JMT1C2404A	0.56	(0.02)	69,274	0.58
PTTEP01C2401A	0.02	(0.02)	60,773	0.10	WP	3.92	(0.02)	118	3.94	JMT1C2405A	0.73	0.01	3,315	0.72
PTTEP01C2403A	0.20	(0.03)	36	0.02	Media & Publishi	-	-	-	-	JMT01C2312A	-	-	-	-
PTTEP01C2403A	0.20	(0.03)	40,901	0.21	AMARIN	4.04	(0.02)	46	4.02	JMT01C2312B	0.01	-	2,001	0.01
PTTEP01C2404A	0.35	(0.02)	31,185	0.36	AQUA	0.35	(0.02)	234,507	0.36	JMT01C2401A	-	-	-	-
PTTEP01C2404T	0.25	(0.02)	56,435	0.25	AQUA-W3	0.01	(0.01)	12,347	0.01	JMT01C2403A	0.08	(0.02)	9,823	0.09
PTTEP01P2401A	-	-	-	-	AS	7.60	0.25	4,452	7.61	JMT01P2401A	0.27	(0.03)	73,987	0.27
PTTEP01P2402X	0.45	0.02	41,907	0.44	AS-W2	3.74	0.04	191	3.77	JMT01P2401B	1.17	0.12	5,807	1.10
PTTEP01P2403X	0.87	0.03	13,653	0.85	BEC	5.25	(0.30)	36,187	5.35	JMT01P2403A	0.45	0.03	53,546	0.44
PTTEP06C2401A	-	-	-	-	BEC01C2312A	-	-	-	-	JMT01P2404X	0.44	0.02	33,206	0.43
PTTEP06C2403A	0.20	(0.02)	98,693	0.22	BEC01P2312A	-	-	-	-	JMT06C2312A	-	-	-	-
PTTEP11C2403T	0.24	(0.03)	27,025	0.25	BEC06C2312A	-	-	-	-	JMT06C2402A	-	-	-	-
PTTEP11P2402A	0.26	0.01	44,910	0.25	BEC19C2401A	-	-	-	-	JMT06C2403A	0.08	(0.01)	50	0.08
PTTEP13C2401A	-	-	-	-	FE	-	-	-	-	JMT06C2404A	0.23	(0.02)	184,401	0.23
PTTEP13C2403A	0.18	(0.02)	48,559	0.19	GPI	1.56	0.01	3,783	1.55	JMT1C2402T	0.01	-	9,000	0.01
PTTEP13C2404A	0.37	(0.03)	100,802	0.38	GRAMMY	7.15	(0.20)	18	7.16	JMT13C2401A	-	-	-	-
PTTEP13P2312A	0.01	-	638	0.01	JKN	0.56	(0							

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC01C2312A	-	-	-	-	TIDLOR19C2403	0.45	(0.05)	18,284	0.46	OSP13C2312A	-	-	-	-
KTC01C2402A	0.14	(0.02)	7,560	0.15	TIDLOR19C2404	0.39	(0.03)	74,416	0.40	OSP13C2403A	0.04	(0.01)	5,000	0.04
KTC01P2402X	0.19	0.01	35,906	0.18	TIDLOR19P2401	0.07	0.01	4,100	0.07	OSP13C2403B	0.23	(0.03)	19,896	0.23
KTC06C2401A	-	-	-	-	TIDLOR41C2401	-	-	-	-	OSP19C2312A	-	-	-	-
KTC1C2311A	-	-	-	-	TIDLOR41C2402	0.22	(0.04)	23,600	0.22	OSP19C2404A	0.29	(0.03)	12,286	0.30
KTC1C2405A	0.33	(0.02)	7,947	0.34	TIDLOR41C2403	0.49	(0.04)	96,840	0.50	OSP41C2312A	-	-	-	-
KTC1P2405A	0.54	0.02	10,800	0.53	TK	5.25	(0.05)	1,426	5.26	OSP41C2401A	-	-	-	-
KTC13C2312A	0.01	-	250	0.01	TNITY	4.44	(0.02)	257	4.44	OSP41C2402A	-	-	-	-
KTC13C2402A	0.12	-	11,987	0.13	UOBKH	4.78	(0.04)	15	4.82	PB	69.25	(0.50)	9	69.31
KTC13P2312A	-	-	-	-	XPG	1.01	(0.01)	324,616	1.01	PLUS	6.15	(0.15)	3,479	6.23
KTC19C2312A	-	-	-	-	XPG-W4	2.00	-	2,036	2.00	PM	7.65	0.05	1,696	7.69
KTC19C2402A	0.12	(0.03)	27,050	0.14	Food & Beverage	-	-	-	-	PQS	2.50	(0.08)	1,416	2.54
KTC41C2401A	-	-	-	-	AAI	3.90	0.08	233,954	3.86	PRG	10.30	-	14	10.25
KTC41C2403A	0.18	(0.03)	86,430	0.18	APURE	4.56	(0.18)	6,543	4.64	PRG-W1	-	-	-	-
MFC	19.50	-	23	19.57	APURE-W3	0.72	(0.01)	924	0.70	PRG-W2	-	-	-	-
MICRO	2.00	(0.02)	1,803	1.98	ASTAN	6.50	-	19,394	6.49	PRG-W3	-	-	-	-
ML	0.88	-	499	0.89	BR	2.54	(0.04)	4,345	2.55	RBF	13.20	(0.10)	39,768	13.29
ML-W3	0.01	-	21,502	0.01	BR-W1	0.14	(0.01)	972	0.14	RBF01C2401A	0.14	(0.02)	84,722	0.15
MST	10.70	-	10	10.66	BRR	5.05	-	657	5.05	RBF13C2312A	0.07	(0.02)	14,529	0.08
MTC	43.75	(1.00)	227,413	43.64	BRR-W2	0.54	0.01	104	0.54	RBF19C2401A	0.16	(0.01)	27,291	0.16
MTC01C2312A	-	-	-	-	BIG	23.80	-	43,190	23.71	SAPPE	73.75	1.25	5,183	72.67
MTC01C2402A	0.29	(0.05)	33,860	0.28	BIG01C2403A	0.32	-	36,344	0.31	SAUCE	38.50	0.25	17	38.34
MTC01C2403A	0.56	(0.07)	8,826	0.55	BIG06C2402A	0.30	(0.04)	40,873	0.33	SNPN01C2312A	16.40	-	30,893	16.35
MTC01C2404A	0.33	(0.04)	38,383	0.32	BIG13C2403A	0.29	(0.01)	71,243	0.29	SNPN01C2401A	0.01	-	1	0.01
MTC01P2402X	0.13	0.01	12,613	0.13	CBG	81.75	(0.75)	53,194	81.90	SNPN13C2403B	-	-	-	-
MTC01P2404X	0.45	0.04	28,947	0.45	CBG01C2401A	0.13	(0.03)	38,316	0.14	SNPN19C2312A	-	-	-	-
MTC06C2401A	0.38	(0.06)	19,750	0.38	CBG01C2401X	-	-	-	-	SNPN01C2403B	0.18	(0.01)	19,324	0.18
MTC11C2403A	-	-	-	-	CBG01C2402A	0.16	(0.02)	32,745	0.16	SNPN06C2401A	-	-	-	-
MTC11P2401A	0.12	0.01	24,960	0.12	CBG01C2403A	0.92	(0.09)	3,468	1.00	SNPN13C2312A	-	-	-	-
MTC13C2312A	0.08	(0.08)	2,602	0.08	CBG01C2403W	0.51	(0.02)	64,708	0.52	SNPN13C2403A	0.05	(0.04)	2,000	0.05
MTC13C2403A	0.48	(0.06)	1,030	0.49	CBG01C2404A	0.63	(0.04)	52,133	0.64	SNPN13C2403B	0.14	-	50,623	0.14
MTC13C2404A	0.32	(0.04)	56,645	0.31	CBG01C2404T	0.52	(0.02)	42,066	0.53	SNPN19C2402A	-	-	-	-
MTC13P2312A	-	-	-	-	CBG01P2401A	0.02	-	2,000	0.02	SNPN19C2402A	-	-	-	-
MTC13P2404A	0.22	0.02	29,150	0.22	CBG01P2401X	0.09	0.01	30	0.09	SNPN19C2403A	0.15	(0.02)	9,486	0.15
MTC19C2312A	-	-	-	-	CBG01P2404X	0.47	-	33,434	0.47	SNP	16.90	-	34	16.67
MTC19C2312B	-	-	-	-	CBG06C2401A	-	-	-	-	SORKON	4.30	(0.04)	440	4.29
MTC19C2403A	-	-	-	-	CBG06C2402A	0.39	(0.04)	200,084	0.41	SSC	34.00	0.25	23	33.77
MTC19C2403B	0.35	(0.05)	48,722	0.34	CBG11C2404A	0.96	(0.02)	7,042	0.95	SSF	-	-	-	-
MTC19C2404A	0.30	(0.04)	71,950	0.29	CBG11P2404A	0.52	0.01	15,850	0.52	SST	4.54	0.06	4	4.49
MTC19P2404A	0.37	0.03	33,616	0.38	CBG13C2401A	0.10	(0.02)	40,212	0.11	SUN	4.62	(0.10)	17,023	4.66
MTC41C2401A	-	-	-	-	CBG13C2401B	0.06	(0.01)	470	0.06	TC	5.90	(0.35)	9,964	5.90
MTC41C2402A	0.22	(0.05)	17,165	0.22	CBG13C2403A	0.49	(0.03)	154,172	0.49	TFG	3.12	(0.16)	244,011	3.13
MTC41C2403A	0.46	(0.08)	1,000	0.47	CBG13C2403B	0.85	(0.06)	6,082	0.89	TFG-W3	-	-	-	-
MTC41C2404A	0.40	(0.05)	12,000	0.39	CBG13P2312A	-	-	-	-	TFMAMA	215.00	2.00	18	213.78
NCAP	2.74	(0.08)	127,169	2.78	CBG13P2401A	0.07	-	18,632	0.06	TIPOCO	9.00	0.05	2,407	8.96
NCAP-W1	-	-	-	-	CBG13P2404A	0.45	0.01	84,755	0.45	TKN	9.20	(0.20)	75,186	9.30
PL	2.16	(0.04)	64	2.18	CBG16C2312A	-	-	-	-	TU	14.70	(0.20)	276,290	14.76
S11	3.80	-	48	3.79	CBG19C2401A	0.16	(0.03)	29,284	0.17	TU01C2401A	0.14	(0.03)	26,496	0.15
SAK	4.04	(0.10)	32,527	4.08	CBG19C2401B	0.04	(0.01)	100	0.04	TU01C2404A	0.32	(0.03)	45	0.34
SAWAD	44.25	(0.75)	65,730	44.37	CBG19C2402A	0.19	(0.02)	31,118	0.21	TU06C2312A	0.06	(0.01)	2,000	0.06
SAWAD-W2	1.32	0.03	112	1.29	CBG19C2403A	0.59	(0.04)	151,887	0.61	TU11C2311T	-	-	-	-
SAWAD01C2312W	0.01	-	98	0.01	CBG19C2403B	0.90	(0.03)	11	0.90	TU11C2402T	0.17	(0.02)	15,366	0.18
SAWAD01C2401A	0.02	(0.01)	200	0.02	CBG19P2312A	-	-	-	-	TU13C2312A	0.03	(0.01)	1,158	0.03
SAWAD01C2402A	0.08	(0.02)	17,819	0.09	CBG19P2401A	0.09	-	20	0.09	TU13C2404A	0.29	(0.02)	26,510	0.29
SAWAD01C2403W	0.24	(0.02)	66,939	0.25	CBG19P2404A	0.59	0.03	61,029	0.58	TU13P2312A	-	-	-	-
SAWAD01P2312A	0.02	-	2	0.02	CBG41C2312A	-	-	-	-	TU14C2403A	0.22	(0.02)	47,096	0.23
SAWAD01P2403X	0.23	0.01	41,524	0.23	CBG41C2402A	-	-	-	-	TU41C2401A	-	-	-	-
SAWAD01P2404X	0.47	0.02	19,448	0.47	CBG41C2403A	0.44	(0.03)	79,892	0.44	TU41C2402A	-	-	-	-
SAWAD06C2312A	-	-	-	-	CBG41C2403B	0.98	(0.08)	2,000	1.01	TVO	21.10	(0.30)	7,555	21.02
SAWAD06C2402A	0.19	(0.04)	56,800	0.19	CBG41C2404A	0.74	(0.08)	33,201	0.80	TWPC	3.94	(0.04)	1,128	3.96
SAWAD11C2401X	0.07	(0.02)	2,020	0.07	CFRESH	1.76	-	4,043	1.75	W	0.86	0.01	12,579	0.85
SAWAD13C2312A	-	-	-	-	CH	2.40	-	1,446	2.38	W-W5	0.01	-	210	0.01
SAWAD13C2402A	0.06	(0.01)	100	0.06	CHOTI	-	-	-	-	ZEN	9.90	(0.05)	286	9.78
SAWAD13C2403A	0.16	(0.03)	40,576	0.17	CM	2.16	-	299	2.16	Health Care Services	-	-	-	-
SAWAD13P2403A	0.20	-	21,651	0.20	COCOCO	8.10	(0.15)	91,579	8.16	AHC	17.70	-	123	17.79
SAWAD16C2312A	-	-	-	-	CPF	19.90	0.20	206,033	19.67	BCH	21.40	(0.30)	145,678	21.44
SAWAD19C2402A	0.09	(0.02)	2,610	0.10	CPF01C2402A	0.06	-	1	0.06	BCH01C2401A	0.22	(0.04)	25,282	0.23
SAWAD19C2403A	0.24	(0.02)	131,029	0.24	CPF01C2404A	0.33	0.02	39,993	0.30	BCH01C2404A	0.40	(0.03)	18,854	0.41
SAWAD19P2312A	0.01	-	6	0.01	CPF01P2404X	0.28	-	24,330	0.28	BCH01P2402X	0.03	-	1,050	0.04
SAWAD19P2404A	0.39	0.02	49,645	0.39	CPF06C2401A	-	-	-	-	BCH06C2401A	0.21	(0.03)	83,280	0.22
SAWAD41C2312A	-	-	-	-	CPF06C2402A	0.15	(0.02)	40,122	0.16	BCH11C2402T	0.39	(0.04)	26,424	0.40
SAWAD41C2401A	-	-	-	-	CPF11P2402A	0.28	0.01	26,824	0.28	BCH13C2312A	-	-	-	-
SAWAD41C2402A	-	-	-	-	CPF13C2312A	-	-	-	-	BCH13C2404A	0.34	(0.02)	61,786	0.35
SAWAD41C2403A	0.24	(0.02)	41,610	0.24	CPF13C2403A	0.13	0.01	26,520	0.12	CPF13P2312A	-	-	-	-
SAWAD41P2405A														

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 30, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BH06C2401A	0.08	0.02	949	0.08	MINT13C2403B	0.07	-	2,000	0.07	SCGP06C2401A	-	-	-	-
BH06C2404A	0.34	(0.66)	125,200	0.34	MINT13C2404A	0.14	(0.01)	47,207	0.14	SCGP06C2403A	0.25	(0.02)	141,900	0.26
BH11C2404A	0.13	0.01	10,010	0.13	MINT13P2312A	-	-	-	-	SCGP11C2311T	-	-	-	-
BH13C2312A	-	-	-	-	MINT13P2404A	0.20	(0.02)	14,798	0.22	SCGP11C2312T	-	-	-	-
BH13C2401A	0.01	-	1,510	0.01	MINT19C2312A	-	-	-	-	SCGP11C2405A	0.31	(0.03)	9,450	0.31
BH13C2404A	0.11	0.02	37,620	0.11	MINT19C2403A	-	-	-	-	SCGP11P2312A	-	-	-	-
BH13C2404B	0.23	0.04	252,498	0.23	MINT19C2404A	0.16	-	45,751	0.15	SCGP13C2402A	-	-	-	-
BH13P2401A	-	-	-	-	MINT41C2401A	-	-	-	-	SCGP13C2403A	0.14	(0.02)	75,283	0.14
BH13P2402A	0.33	(0.07)	49,018	0.34	MINT41C2402A	-	-	-	-	SCGP13C2403B	0.27	(0.02)	64,348	0.27
BH19C2312A	-	-	-	-	MINT41C2403A	-	-	-	-	SCGP13P2312A	-	-	-	-
BH19C2401A	-	-	-	-	MINT41C2404A	0.14	0.02	14,200	0.12	SCGP19C2401A	-	-	-	-
BH19C2404A	0.11	0.01	2,796	0.11	OHTL	-	-	-	-	SCGP19C2402A	0.11	(0.01)	13,530	0.11
BH19C2404B	0.25	0.04	249,878	0.25	ROH	2.70	-	4	2.66	SCGP19C2403A	0.25	(0.01)	36,408	0.26
BH41C2312A	-	-	-	-	SHANG	48.50	(0.25)	66	47.81	SCGP41C2312A	-	-	-	-
BH41C2312B	0.02	0.01	1	0.02	SHR	2.56	-	28,992	2.55	SCGP41C2401A	0.02	-	500	0.02
BH41C2403A	0.08	0.01	12	0.07	VRANDA	5.40	(0.10)	491	5.38	SCGP41C2402A	-	-	-	-
BH41C2404A	0.21	0.04	69,632	0.20	Home & Office P	-	-	-	-	SCGP41C2403A	0.20	(0.02)	69,914	0.21
BH41P2405A	0.43	(0.05)	16,000	0.44	AJA	0.17	-	7,448	0.16	SCGP41C2404A	0.31	(0.03)	18,100	0.31
CHG	2.82	(0.08)	436,717	2.83	AJA-W3	0.04	-	1,458	0.04	SFLEX	3.52	(0.08)	42,928	3.55
CHG01C2401A	-	-	-	-	AJA-W4	0.04	-	56	0.04	SFLEX-W2	0.20	-	1,004	0.20
CHG01C2404A	0.12	(0.02)	34,100	0.12	DTCI	-	-	-	-	SITHAI	1.10	(0.01)	12,793	1.11
CHG01P2402X	0.22	0.02	22,380	0.21	FANCY	0.39	0.01	374	0.38	SLP	0.38	(0.01)	1,180	0.38
CHG06C2401A	-	-	-	-	FTI	2.12	-	6,310	2.10	SMPC	10.60	(0.10)	1,570	10.60
CHG11C2404A	0.13	(0.02)	6,607	0.13	KYE	285.00	(1.00)	2	284.50	SPACK	1.91	-	1,762	1.91
CHG13C2312A	-	-	-	-	L&E	1.32	(0.05)	519	1.31	TCOAT	-	-	-	-
CHG13C2403A	0.05	(0.02)	10	0.05	MODERN	2.48	-	2,191	2.48	TFI	0.09	-	10,401	0.08
CHG13C2404A	0.23	(0.04)	32,626	0.24	OGC	-	-	-	-	TFI-W1	0.02	-	13,006	0.02
CHG13P2401A	0.04	0.01	50	0.04	ROCK	8.00	-	1	8.00	THIP	26.00	-	91	26.02
CHG19C2403A	0.10	(0.01)	458	0.10	SBNEXT	1.08	-	14,207	1.06	TMD	24.00	-	96	24.00
CHG19C2404A	0.18	(0.82)	929	0.19	SBNEXT-W2	0.25	-	1,706	0.24	TOPP	-	-	-	-
CMR	2.02	(0.04)	1,165	2.03	SIAM	1.40	(0.01)	891	1.39	TPAC	14.80	(0.10)	1,151	14.72
EKH	7.35	(0.05)	2,388	7.38	TCMC	1.35	(0.03)	2,632	1.37	TPBI	3.02	-	362	3.03
EKH-W1	1.33	(0.06)	1,711	1.32	Insurance	-	-	-	-	TPP	14.80	0.20	1	14.80
KDH	93.75	(0.75)	6	94.00	AYUD	35.00	0.50	6	34.54	Personal Products	-	-	-	-
LPH	4.88	(0.02)	1,285	4.87	BKI	305.00	-	170	303.64	APCO	5.10	(0.05)	2,425	5.10
M-CHAI	55.00	0.50	561	54.25	BLA	19.70	(0.30)	27,270	19.76	BIZ	3.34	0.02	671	3.29
NEW	-	-	-	-	BLA01C2403A	0.02	-	300	0.02	BLC	4.36	(0.02)	57,190	4.36
NTV	37.00	-	236	36.88	BLA01C2404A	0.16	(0.02)	28,502	0.16	DDD	9.80	0.05	203	9.71
PHG	12.10	(0.10)	3,486	12.06	BLA01P2404X	0.85	0.06	6,926	0.83	JCT	79.75	-	4	79.75
PR9	15.20	-	9,543	15.17	BLA13C2312A	-	-	-	-	KISS	4.44	0.02	2,710	4.45
PRINC	4.22	-	4,973	4.19	BLA13C2402A	-	-	-	-	NAM	5.55	(0.20)	12,386	5.62
RAM	33.25	(0.50)	26,833	33.67	BLA13C2403A	0.08	(0.02)	4,760	0.08	NV	1.75	(0.08)	10,672	1.73
RJH	27.25	(0.75)	1,045	27.58	BLA13C2404A	0.26	(0.03)	23,251	0.28	OC	10.00	0.80	1	10.00
RPH	6.35	(0.10)	7,007	6.40	BLA13P2402A	0.38	0.02	18,957	0.38	S&J	53.00	(0.75)	10	52.93
SAFE	16.70	-	15,637	16.67	BLA19C2401A	-	-	-	-	STGT	6.10	(0.30)	63,706	6.12
SKR	10.30	(0.10)	1,032	10.30	BLA19C2402A	-	-	-	-	STGT01C2401A	-	-	-	-
THG	61.50	(0.75)	3,525	61.98	BLA19C2403A	0.10	(0.01)	12,025	0.10	STGT01C2403W	0.13	(0.04)	14,930	0.13
THG19C2401A	-	-	-	-	BUI	19.10	(0.10)	42	19.27	STGT01P2402X	0.30	0.06	15,241	0.29
VIBHA	1.78	(0.08)	777,987	1.78	CHARAN	23.30	-	1	23.30	STGT06C2401A	-	-	-	-
VIBHA-W4	0.11	-	3,232	0.11	INSURE	110.00	(5.00)	2	110.50	STGT11C2311T	-	-	-	-
VIH	7.40	(0.05)	871	7.40	KWI	0.45	(0.04)	16,667	0.45	STGT13C2312A	-	-	-	-
WPH	5.50	(0.05)	4,478	5.55	MTI	109.00	(1.00)	166	109.90	STGT13C2403A	0.11	(0.04)	34,370	0.12
Tourism & Leisure	-	-	-	-	TIPIH	29.50	(0.25)	10,974	29.47	STGT13P2312A	0.02	(0.02)	40	0.02
ASIA	6.80	(0.05)	583	6.79	SMK	-	-	-	-	STGT19C2401A	-	-	-	-
BEYOND	11.80	(0.10)	247	11.75	TGH	16.00	-	1	16.00	STGT19C2404A	0.24	(0.05)	13,534	0.24
BEYOND-W2	2.20	(0.10)	34	2.15	THRE	0.81	0.02	5,191	0.80	SITHAI	-	-	-	-
CENTEL	42.25	-	17,991	42.19	THREL	2.78	-	2,625	2.77	TOG	11.20	(0.20)	1,198	11.33
CENTEL01C2401A	-	-	-	-	TIPIH	29.50	(0.25)	10,974	29.47	Professional Service	-	-	-	-
CENTEL01C2403W	0.12	-	35,920	0.12	TIPIH13C2404A	0.15	(0.03)	2,480	0.17	BWG	0.56	(0.02)	175,980	0.57
CENTEL01P2401A	0.18	(0.01)	35,847	0.18	TIPIH19C2404A	-	-	-	-	GENCO	0.53	0.01	1,278	0.52
CENTEL01P2404X	0.50	0.01	7,043	0.50	TLI	9.75	(0.35)	207,955	9.85	PRO	-	-	-	-
CENTEL06C2401A	-	-	-	-	TLI01C2312A	-	-	-	-	PRT	5.10	(0.10)	6,147	5.13
CENTEL11C2311T	-	-	-	-	TLI01C2401A	-	-	-	-	SISB	31.50	0.25	8,125	31.14
CENTEL11C2402T	0.10	(0.02)	4,404	0.10	TLI01C2404A	0.06	(0.02)	2,300	0.06	SO	7.45	(0.15)	96	7.47
CENTEL11P2311A	-	-	-	-	TLI01P2312A	0.03	(0.01)	600	0.03	WAVE	0.15	(0.01)	25,022	0.16
CENTEL13C2312A	-	-	-	-	TLI01P2403X	0.59	0.05	11,337	0.57	WAVE-W3	0.06	-	3,121	0.06
CENTEL13C2401A	-	-	-	-	TLI06C2312A	-	-	-	-	Property Developmei	-	-	-	-
CENTEL13P2401A	-	-	-	-	TLI13C2312A	-	-	-	-	A	5.00	-	12	4.98
CENTEL19C2404A	0.34	-	10,732	0.34	TLI13C2402A	-	-	-	-	AKS	0.01	-	24,232	0.01
CENTEL19C2403A	-	-	-	-	TLI13C2403A	-	-	-	-	AKS-W5	0.01	-	5	0.01
CENTEL19P2404A	0.16	-	60,308	0.16	TLI13C2404A	0.09	(0.02)	70,186	0.10	AMATA	25.00	0.30	65,302	25.03
CENTEL41C2312A	-	-	-	-	TLI13P2401A	0.16	0.03	27,683	0.15	AMATA001C2402A	0.03	-	200	0.03
CENTEL41C2401A	-	-	-	-	TLI19C2401A	-	-	-	-	AMATA001C2404A	0.12	0.01	5,414	0.12
CENTEL41C2403A	0.15	(0.01)	15,000	0.15	TLI19C2404A	0.12	(0.03)	23,664	0.14	AMATA001C2404B	0.47	0.04	17,769	0.46
CENTEL41C2405A	0.29	-	32,410	0.29	TLI14C2312A	-	-	-	-	AMATA001P2402A	0.12	(0.01)	700	0.12
CSR	-	-	-	-	TLI41C2312B	-	-	-	-	AMATA006C2311A	-	-	-	-
DUSIT	7.30	(0.20)	5,163	7.40	TLI41C2401A	-	-	-	-	AMATA13C2312A	-	-	-	-
ERW	5.25	-	78,817	5.22	TLI41C2404A	-	-	-	-	AMATA13C2401A	-	-	-	-
ERW-W3	2.16	(0.10)	712	2.16	TLI41C2404B	0.14	(0.03)	33,388	0.15	AMATA13C2403A	0.10	0.01	8,470	0.10
ERW01C2312A	-	-	-	-	TQM	27.75	0.25	5,084	27.32	AMATA13C2404A	0.41	0.03	28,561	0.41
ERW01C2402A	0.09	-	17,											

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :										Thursday November 30, 2023				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AWC13C2312A	-	-	-	-	SIRI19C2312A	-	-	-	-	AOT41C2402A	-	-	-	-
AWC13C2401A	0.02	-	2	0.02	SIRI19C2312B	-	-	-	-	AOT41C2403A	-	-	-	-
AWC13C2403A	0.13	0.01	15,846	0.12	SIRI19C2403A	0.23	(0.05)	37,318	0.25	AOT41C2404A	0.10	0.02	9,610	0.08
AWC13C2404A	0.27	0.02	26,113	0.25	SIRI19P2401A	0.07	-	30	0.07	AOT41C2405A	0.22	0.01	62,452	0.23
AWC13P2401A	0.21	-	13,582	0.21	SIRI41C2312A	-	-	-	-	AOT41P2405A	0.69	(0.03)	28,000	0.70
AWC19C2312A	0.01	-	2,000	0.01	SIRI41C2401A	-	-	-	-	ASIMAR	1.34	0.04	19,115	1.37
AWC19C2312B	-	-	-	-	SIRI41C2402A	0.14	(0.02)	1,000	0.14	B	0.12	-	57,286	0.13
AWC19C2401A	-	-	-	-	SIRI41C2403A	0.36	(0.06)	12,800	0.38	B-W7	0.01	-	100	0.01
AWC19C2403A	0.25	0.02	95,383	0.23	SPALI1	17.60	(0.20)	110,733	17.65	B-W8	0.01	(0.01)	42,628	0.01
BLAND	0.70	(0.03)	227,183	0.71	SPALI11C2311A	-	-	-	-	BA	14.20	-	51,277	14.27
BRI	8.15	(0.10)	8,123	8.18	SPALI11C2404A	0.22	(0.02)	20,611	0.23	BEM	7.80	0.05	840,484	7.69
BROCK	1.71	0.01	7	1.72	SPALI13C2401A	-	-	-	-	BEM01C2312A	-	-	-	-
CGD	0.33	(0.01)	18,294	0.34	SPALI19C2403A	0.04	(0.01)	16,667	0.04	BEM01C2403A	-	-	-	-
CI	0.50	-	2,636	0.50	UV	2.10	0.04	15,864	2.10	BEM06C2312A	-	-	-	-
CI-W2	0.02	-	2,904	0.02	WHA	5.00	0.10	1,273,415	5.00	BEM11P2311A	-	-	-	-
CMC	1.23	0.01	1,262	1.23	WHA01C2312A	-	-	-	-	BEM13C2401A	-	-	-	-
CPN	67.75	1.25	122,790	67.49	WHA01C2401A	-	-	-	-	BEM13C2403A	0.10	-	34,289	0.08
CPN01C2312X	-	-	-	-	WHA01C2403A	0.10	0.01	50,696	0.10	BEM19C2402A	-	-	-	-
CPN01C2403A	0.23	0.01	71,477	0.22	WHA01C2404A	0.51	0.09	21,994	0.46	BEM19C2402B	-	-	-	-
CPN01C2404A	0.49	0.04	29,328	0.47	WHA01P2403X	0.16	(0.02)	23,990	0.17	BTS	7.25	0.15	1,023,544	7.19
CPN01P2312A	-	-	-	-	WHA06C2312A	-	-	-	-	BTS-W7	0.06	-	13,625	0.05
CPN11C2311T	-	-	-	-	WHA06C2402A	-	-	-	-	BTS-W8	0.12	-	9,037	0.13
CPN11C2404A	0.50	-	17,136	0.50	WHA13C2401A	-	-	-	-	BTS01C2402A	0.06	(0.02)	9,700	0.06
CPN11P2312A	-	-	-	-	WHA13C2403A	0.09	0.02	11,550	0.08	BTS01P2401A	0.04	-	5	0.04
CPN13C2402A	0.10	0.01	23,620	0.10	WHA13C2404A	0.50	0.08	50,806	0.47	BTS06C2401A	0.05	(0.03)	6,025	0.07
CPN13C2403A	0.32	0.04	67,468	0.30	WHA13C2404B	0.16	0.02	35,658	0.15	BTS13C2402A	0.05	-	6,120	0.05
CPN13P2312A	-	-	-	-	WHA13P2402A	0.12	(0.02)	27,404	0.12	BTS13P2312A	-	-	-	-
CPN19C2401A	-	-	-	-	WHA19C2401A	-	-	-	-	BTS19C2401A	0.03	(0.03)	40	0.03
CPN19C2403A	0.43	0.05	78,749	0.41	WHA19C2402A	-	-	-	-	BTS19C2401B	0.04	(0.06)	3,910	0.05
CPN41C2312A	-	-	-	-	WHA19C2404A	0.16	0.02	14,133	0.16	BTSGIF	3.30	-	19,755	3.28
CPN41C2402A	0.20	-	49,526	0.21	WHA19C2404B	0.46	0.07	94,288	0.42	DMT	12.30	(0.10)	5,021	12.37
CPN41C2404A	0.53	0.03	22,000	0.51	WHA41C2312A	-	-	-	-	ETL	1.14	(0.04)	19,656	1.15
CPN41C2405A	0.46	0.03	81,203	0.44	WHA41C2402A	-	-	-	-	III	10.40	0.40	19,696	10.30
ESTAR	0.25	-	10,579	0.25	WHA41C2404A	0.28	0.04	9,730	0.26	KEX	3.90	(0.18)	122,352	3.94
EVER	0.17	-	46,550	0.17	WHA41C2404B	0.15	-	5,000	0.15	KEX06C2312A	-	-	-	-
FPT	15.20	-	26	15.19	WIN	0.59	(0.02)	943	0.59	KEX19C2401A	-	-	-	-
GLAND	1.95	-	11	1.95	Paper & Printing	-	-	-	-	KIAT	0.37	-	9,231	0.37
J	2.36	(0.06)	4,113	2.38	UTP	11.10	(0.20)	725	11.22	KWC	-	-	-	-
J-W2	-	-	-	-	Fashion	-	-	-	-	MENA	2.20	(0.02)	86,463	2.21
J-W3	0.44	(0.06)	16	0.44	AFC	4.94	(0.06)	187	4.90	NOK	-	-	-	-
JCK	0.27	-	82,998	0.27	AURA	14.40	(0.40)	33,893	14.54	NYT	3.80	(0.02)	36,393	3.83
KC	0.12	-	6,210	0.11	AURA01C2403A	-	-	-	-	PORT	1.04	(0.01)	546	1.03
LALIN	8.05	(0.05)	533	8.12	AURA13C2403A	-	-	-	-	PORT-W3	0.01	-	1	0.01
LH	7.70	-	525,167	7.70	BTNC	20.00	-	24	20.00	PRM	5.10	(0.05)	51,669	5.07
LH13C2402A	-	-	-	-	CPH	14.10	(0.40)	668	14.49	PSL	8.45	0.25	280,699	8.53
LH19C2401A	-	-	-	-	CPL	1.41	(0.03)	1,839	1.42	PSL01C2312A	-	-	-	-
LPN	3.90	(0.02)	1,464	3.90	NC	4.90	(0.10)	4,495	4.98	PSL01C2401A	0.04	-	180	0.04
MBK	15.30	(0.20)	14,475	15.41	PAF	1.13	0.01	562	1.13	PSL01C2403A	-	-	-	-
MBK-W2	14.00	0.20	1	14.00	PDJ	1.87	(0.03)	2,889	1.88	PSL01P2405A	0.38	(0.62)	37,510	0.40
MBK-W3	-	-	-	-	PG	8.90	0.10	400	8.88	PSL01P2403X	0.40	(0.05)	49,948	0.39
MBK-W4	12.90	(0.10)	3	12.90	SABINA	26.75	0.25	3,133	26.67	PSL06C2311A	-	-	-	-
MBK13C2401A	-	-	-	-	SAWANG	-	-	-	-	PSL06C2312A	-	-	-	-
MBK19C2403A	-	-	-	-	SUC	30.75	0.25	117	30.37	PSL13C2312A	-	-	-	-
MJD	1.28	0.01	125	1.27	TNL	35.00	-	51	34.21	PSL13C2402A	-	-	-	-
MK	2.18	-	249	2.17	TR	43.00	0.25	33	42.89	PSL13C2403A	0.14	0.03	85,342	0.15
NCH	1.01	(0.01)	1,885	1.02	TTI	-	-	-	-	PSL13C2404A	0.43	0.06	184,178	0.45
NNCL	1.98	-	579	1.97	TTT	45.00	1.00	5	43.75	PSL13P2402A	0.23	(0.05)	45,865	0.23
NOBLE	3.86	(0.04)	2,515	3.86	UPF	-	-	-	-	PSL19C2402A	0.05	-	400	0.05
NOBLE-W2	0.01	-	151	0.01	WACOAL	29.00	(1.25)	6	29.00	PSL19C2403A	0.18	0.03	26,620	0.18
NUSA	0.35	(0.01)	559,601	0.36	WFX	2.02	(0.04)	1,464	2.05	PSL19C2404A	0.46	0.05	113,889	0.48
NUSA-W5	0.07	(0.01)	312,432	0.07	Transportation 8	-	-	-	-	RCL	19.40	(0.50)	38,970	19.61
NVD	1.93	-	408	1.85	AAV	1.91	(0.05)	391,646	1.93	RCL01C2402A	-	-	-	-
NVD-W3	-	-	-	-	AAV01C2402A	0.01	(0.01)	491	0.01	RCL01P2402X	0.49	0.04	30,004	0.47
ORI	8.75	-	36,973	8.74	AAV01C2403A	-	-	-	-	RCL13C2312A	-	-	-	-
ORI13C2312A	-	-	-	-	AAV06C2401A	-	-	-	-	RCL13C2402A	0.07	-	8,048	0.07
ORI19C2401A	-	-	-	-	AAV13C2312A	-	-	-	-	RCL13C2404A	0.34	(0.04)	31,686	0.36
ORI19C2404A	0.31	(0.01)	8,860	0.31	AAV13C2401A	0.01	-	1	0.01	RCL19C2402A	-	-	-	-
ORN	0.91	(0.03)	118,204	0.92	AAV13C2403A	0.02	(0.01)	200	0.02	SAV	14.20	(0.30)	24,838	14.16
PACE	-	-	-	-	AAV13C2403B	-	-	-	-	SINO	1.31	(0.04)	118,325	1.31
PEACE	3.30	-	320	3.28	AAV13C2404A	0.26	(0.05)	48,221	0.30	SJWD	14.40	(0.20)	30,267	14.26
PF	0.31	0.01	38,644	0.30	AAV13C2404B	0.12	(0.02)	38,056	0.13	SJWD13C2312A	-	-	-	-
PIN	4.52	(0.02)	29,630	4.54	AAV19C2312A	-	-	-	-	SJWD13C2402A	0.06	-	1,998	0.06
PLAT	3.00	-	1,502	2.98	AAV19C2402A	-	-	-	-	SJWD19C2401A	0.04	(0.02)	610	0.04
POLAR	-	-	-	-	AAV19C2403A	-	-	-	-	TFIFIF	6.50	-	21,559	6.52
PRECHA	0.91	-	494	0.91	ATOT	59.50	0.50	589,340	59.53	THAI	-	-	-	-
PRIN	2.94	0.06	14	2.89	ATO01C2401A	0.02	-	60	0.02	TSTE	-	-	-	-
PSH	12.20	(0.20)	3,767	12.24	ATO01C2403A	0.04	0.01	23,241	0.03	TTA	5.25	(0.10)	525,560	5.31
QH	2.16	(0.02)	323,506	2.16	ATO01C2404A	0.12	0.01	96,128	0.12	WICE	5.40	(0.10)	6,666	5.41
QH19C2401A	-	-	-	-	ATO01C2405A	0.35	(0.65)	25,185	0.34	Automotive	-	-	-	-
RABBIT	0.52	(0.02)	238,104	0.53	ATO01P2401A	0.33	(0.04)</							

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :								Thursday November 30, 2023						
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STANLY	175.00	(1.50)	307	175.91	SSSC	2.94	(0.02)	92	2.93	BABA41C2404A	-	-	-	-
TKT	1.60	(0.06)	1,947	1.62	TGPRO	0.14	-	8,103	0.14	BABA41C2406A	-	-	-	-
TNPC	1.22	(0.02)	6,795	1.24	THE	1.20	-	89	1.20	BABA41P2312A	-	-	-	-
TRU	3.38	-	178	3.35	TMT	6.30	0.15	607	6.27	BABA41P2403A	0.55	-	185	0.55
TSC	14.70	-	235	14.61	TSTH	0.82	(0.01)	18,917	0.82	BIDU28C2312A	-	-	-	-
Industrial Materials	-	-	-	-	TWP	2.04	(0.02)	461	2.04	BIDU28C2403A	-	-	-	-
ALLA	1.40	0.01	63	1.39	TYCN	2.62	-	140	2.56	BIDU28P2401A	-	-	-	-
ASEFA	3.70	0.02	8	3.72	Construction Ser	-	-	-	-	BIDU41C2312A	-	-	-	-
CPT	0.61	(0.01)	6,242	0.60	APCS	3.70	0.04	27	3.69	BIDU41C2403A	0.16	(0.01)	6	0.16
CRANE	0.94	(0.01)	5,121	0.95	BJCHI	1.10	(0.01)	8,298	1.11	BIDU41C2403B	0.48	(0.02)	9	0.48
CTW	-	-	-	-	BKD	1.60	0.01	86	1.56	BIDU41P2403A	0.60	(0.17)	322	0.62
FMT	33.75	(0.25)	6	33.79	CIVIL	2.08	(0.02)	2,277	2.07	BYDCOM28C2311A	-	-	-	-
HTECH	2.14	(0.02)	1,888	2.11	CK	20.90	(0.70)	23,377	21.09	BYDCOM28C2401A	0.03	(0.02)	1	0.03
KKC	0.19	-	155	0.18	CK01C2312A	-	-	-	-	BYDCOM28C2404A	0.12	-	10	0.12
PK	0.99	(0.01)	543	0.98	CK01C2403A	0.21	(0.06)	79,185	0.23	BYDCOM28P2311A	-	-	-	-
PSP	3.94	0.04	114,881	3.92	CK11C2311A	-	-	-	-	BYDCOM28P2401A	-	-	-	-
SNC	8.70	(0.10)	1,944	8.74	CK13C2401A	0.01	(0.01)	6	0.01	BYDCOM41C2312A	-	-	-	-
STARK	-	-	-	-	CK13C2403A	0.18	(0.03)	31,244	0.19	BYDCOM41C2401A	-	-	-	-
STARK-W1	-	-	-	-	CK19C2404A	0.29	(0.05)	17,789	0.31	BYDCOM41C2404A	-	-	-	-
TCJ	3.26	0.14	12	3.21	CNT	1.05	0.01	578	1.02	BYDCOM41P2401A	-	-	-	-
TPCS	17.00	(0.10)	11	17.00	EMC	0.08	(0.01)	22,863	0.08	CATHAY28C2311A	-	-	-	-
VARO	4.00	(0.20)	696	4.04	ITD	1.15	(0.02)	93,228	1.16	CATHAY41C2311A	-	-	-	-
Property Fund & REI	-	-	-	-	NWR	0.44	(0.01)	12,162	0.45	CATHAY41C2403A	-	-	-	-
AIMCG	4.26	(0.02)	541	4.25	PLE	0.46	(0.01)	9,485	0.46	CATHAY41C2404A	-	-	-	-
AIMIRT	10.80	0.20	2,199	10.80	PREB	6.25	-	13	6.26	CATHAY28C2403A	-	-	-	-
ALLY	6.45	0.05	859	6.36	PYLON	2.48	-	3,882	2.47	CATHAY28C2404A	-	-	-	-
AMATAR	6.35	(0.05)	227	6.35	RT	0.80	(0.01)	20,562	0.81	CATHAY41C2311A	-	-	-	-
B-WORK	4.86	-	2,790	4.85	RT-W1	0.17	-	58	0.16	CATHAY41C2403A	-	-	-	-
BAREIT	9.90	0.05	4,692	9.88	SEAFCO	2.70	-	517	2.68	CATHAY41C2404A	-	-	-	-
BKKCP	9.40	(0.05)	101	9.38	SQ	1.09	0.01	7,000	1.08	CHMOBI28C2401A	-	-	-	-
BOFFICE	4.98	-	4,185	4.96	SRICHA	5.20	0.10	62	5.10	CHMOBI28C2404A	0.28	0.04	10	0.28
CPNCG	6.30	-	6,989	6.27	STEC	8.95	(0.20)	43,140	9.04	CMBANK41C2311A	-	-	-	-
CPNREIT	10.90	-	21,534	10.92	STEC01C2401A	-	-	-	-	CMBANK41C2401A	-	-	-	-
CGTF	4.96	-	4,122	4.95	STEC01C2401X	0.01	-	50	0.01	CMBANK41C2404A	-	-	-	-
CTARAF	4.56	(0.02)	2,631	4.51	STEC01C2402A	-	-	-	-	CNOOC28C2312A	-	-	-	-
DREIT	5.15	-	94	5.18	STEC01C2403A	0.21	(0.04)	35,989	0.23	CNOOC28C2404A	-	-	-	-
ERWPF	7.10	(0.05)	460	7.09	STEC01P2401A	-	-	-	-	DIJ28C2312A	-	-	-	-
FTREIT	10.00	(0.10)	14,970	10.04	STEC06C2312A	-	-	-	-	DIJ28C2312B	-	-	-	-
FUTUREPF	11.70	0.10	108	11.66	STEC13C2312A	-	-	-	-	DIJ28C2312C	-	-	-	-
GAHREIT	8.10	(0.05)	69	8.01	STEC13C2312B	-	-	-	-	DIJ28C2403A	-	-	-	-
GOREIT	8.80	-	208	8.80	STEC13C2401A	-	-	-	-	DIJ28C2403B	0.75	0.01	9,120	0.74
GVREIT	5.95	0.05	6,425	5.90	STEC13C2402A	-	-	-	-	DIJ28C2403C	-	-	-	-
HPF	4.70	0.02	507	4.69	STEC13C2403A	0.16	(0.03)	29,896	0.18	DIJ28P2312A	-	-	-	-
HYDROGEN	-	-	-	-	STEC13P2312A	-	-	-	-	DIJ28P2312B	-	-	-	-
IMPACT	12.50	0.20	4,230	12.39	STEC19C2312A	-	-	-	-	DIJ28P2403A	0.31	(0.01)	304	0.31
INETREIT	9.15	(0.10)	320	9.18	STEC19C2401A	-	-	-	-	DIJ28P2403B	0.09	(0.02)	2,000	0.09
KPNPF	-	-	-	-	STEC19C2403A	0.18	(0.03)	39,577	0.19	DIJ41C2312A	-	-	-	-
KTBTSMR	6.40	0.15	464	6.32	STI	3.58	(0.02)	347	3.59	DIJ41C2312B	-	-	-	-
LHHOTEL	10.90	-	9,847	10.82	STPI	2.90	(0.08)	5,932	2.92	DIJ41C2312C	-	-	-	-
LHPF	6.70	0.60	399	6.12	SYNTEC	1.55	(0.02)	4,745	1.56	DIJ41C2403A	1.47	0.10	74	1.46
LHSC	9.75	0.05	1,284	9.47	TEAMG	4.72	(0.14)	18,965	4.80	DIJ41C2403B	0.47	0.01	2	0.47
LPF	13.00	(0.10)	12,508	13.06	TEAMG-W1	0.41	-	1,924	0.41	DIJ41P2312A	-	-	-	-
LUXF	7.10	-	19	6.96	TEKA	2.70	-	357	2.69	DIJ41P2312B	-	-	-	-
M-II	7.45	-	106	7.43	TOPOLY	0.67	-	532	0.67	DIJ41P2403A	0.27	(0.02)	1,041	0.27
M-PAT	-	-	-	-	TRC	0.43	(0.02)	155,923	0.43	GEELY28C2401A	-	-	-	-
M-STOR	7.00	-	4	7.00	TRITN	0.13	-	69,151	0.13	GEELY28C2403A	0.14	(0.03)	1,000	0.14
MIPF	-	-	-	-	TRITN-W5	-	-	-	-	GEELY28P2312A	-	-	-	-
MIT	1.14	(0.02)	32	1.14	TRITN-W6	0.02	0.01	2	0.02	GEELY28P2404A	-	-	-	-
MJLF	3.64	(0.04)	931	3.64	TTCL	3.72	(0.02)	10,802	3.71	GEELY41C2401A	-	-	-	-
MNIT	2.18	0.04	2,237	2.17	UNIQ	2.90	0.02	1,616	2.88	GEELY41C2404A	-	-	-	-
MNIT2	5.40	0.05	100	5.39	WGE	0.78	(0.01)	220	0.80	HAIDLIL28C2402A	-	-	-	-
MNRF	2.76	(0.14)	100	2.76	Unit Trust	-	-	-	-	HAIDLIL28C2403A	-	-	-	-
POPF	5.95	(0.05)	1,822	5.95	SCBSET	-	-	-	-	HAIDLIL28C2404A	-	-	-	-
PPF	-	-	-	-	ETF	-	-	-	-	HAIDLIL41C2312A	-	-	-	-
PROSPECT	8.65	0.05	2,467	8.61	1DIV	9.83	(0.11)	3,616	9.87	HAIDLIL41C2403A	-	-	-	-
QHHR	6.00	(0.05)	308	5.99	ABFTH	-	-	-	-	HAIDLIL41C2404A	0.20	-	200	0.20
QHOP	-	-	-	-	BMSCG	9.19	(0.09)	27	9.18	HKEX28C2311A	-	-	-	-
QHPF	5.65	0.05	2,971	5.63	BMSCITH	9.64	(0.06)	529	9.66	HKEX28C2401A	-	-	-	-
SIRIP	-	-	-	-	BSET100	8.97	(0.12)	239	9.02	HKEX28C2404A	0.24	(0.01)	2	0.24
SPRIME	4.86	(0.02)	352	4.86	CHINA	5.56	0.02	741	5.57	HKEX41C2311A	-	-	-	-
SRI PANWA	5.05	0.05	1,135	5.03	EBANK	5.00	-	15	5.01	HKEX41C2401A	-	-	-	-
SSPF	4.96	0.08	6	4.89	ENGY	5.20	(0.09)	3	5.20	HKEX41C2404A	0.27	(0.73)	100	0.27
SSTRT	5.35	-	298	5.30	ENY	5.00	(0.05)	1	5.00	HSBC28C2312A	-	-	-	-
TIF1	-	-	-	-	GLD	2.88	0.02	13,174	2.88	HSBC28C2401A	0.08	(0.01)	2	0.08
TLHPF	6.95	-	15	6.86	TDEX	8.41	(0.06)	15,721	8.41	HSBC28C2403A	0.28	(0.03)	1	0.28
TNPF	-	-	-	-	UBOT	11.93	0.12	24	11.59	HSBC28P2312A	-	-	-	-
TPRIME	6.75	(0.05)	38	6.75	UHERO	7.11	0.01	27	7.11	HSBC28P2312B	0.05	-	14	0.03
TTLPF	19.60	-	202	19.53	Warrant Foreign	-	-	-	-	HSBC28P2404A	-	-	-	-
TU-PF	0.60	0.05	149	0.60	AIA28C2312A	-	-	-	-	HSBC41C2311A	-	-	-	-
URBNPF	1.61	(0.09)	10	1.61	AIA28C2401A	-	-	-	-	HSBC41C2401A	-	-	-	-
WHABT	8.30	-	605	8.30	AIA28C2403A	0.31	(0.03)	660	0.30	HSBC41C2403A	-	-	-	-
WHAIR	5.70	-	3,533	5.70	AIA28P2312A	-	-	-	-	HSCE128C2311A	-	-	-	-
WHART	9.80	(0.10)	18,201	9.84	AIA41C2311A	-	-	-	-	HSCE128C2312A	-	-	-	-
Steel and Metal Prod	-	-	-	-	AIA41C2401A	-	-	-	-	HSCE128C2312B	0.07	(0.01)	501	0.07
ZS	3.04	(0.02)	1,214	3.04	AIA41C2403A	0.								

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :										Thursday November 30, 2023				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28C2312A	0.02	-	1,539	0.02	SET5001P2401B	0.29	0.03	25,992	0.29	SET5041C2312F	-	-	-	-
HSI28C2312B	0.07	0.01	330,371	0.06	SET5001P2403A	0.37	0.03	145,995	0.36	SET5041C2312G	-	-	-	-
HSI28C2312C	0.04	-	14,016	0.04	SET5001P2403B	0.34	0.02	55,097	0.34	SET5041C2312H	-	-	-	-
HSI28C2312D	0.22	(0.02)	679,498	0.24	SET5001P2403F	0.40	0.03	199,195	0.40	SET5041C2312I	-	-	-	-
HSI28C2401A	0.03	(0.01)	90,229	0.04	SET5001P2403G	0.61	0.08	56,300	0.60	SET5041C2403A	0.06	(0.03)	6,191	0.06
HSI28C2401B	0.35	(0.01)	389,728	0.36	SET5001P2404T	0.46	0.03	22,899	0.45	SET5041C2403B	0.11	(0.01)	4,194	0.11
HSI28C2401C	0.20	-	19,424	0.20	SET5006C2311A	-	-	-	-	SET5041C2403C	0.20	(0.03)	646,653	0.21
HSI28C2401D	0.08	(0.01)	21,104	0.09	SET5006C2312A	-	-	-	-	SET5041C2403D	0.20	(0.04)	513,153	0.21
HSI28C2401E	0.66	(0.01)	2,462,427	0.68	SET5006C2312B	0.02	(0.02)	1,566	0.02	SET5041C2403E	0.32	(0.04)	9,924,849	0.32
HSI28C2402A	0.14	-	29,957	0.14	SET5006C2401A	0.29	(0.06)	2,531,168	0.32	SET5041P2312A	0.47	0.16	12	0.45
HSI28C2402B	0.09	-	2,338	0.08	SET5006P2311A	-	-	-	-	SET5041P2312B	1.09	0.14	2,070	0.97
HSI28C2402C	0.39	0.01	23,881	0.40	SET5006P2312A	0.37	0.04	1,454,781	0.32	SET5041P2312C	0.67	0.02	40	0.67
HSI28C2403A	0.24	-	34,713	0.25	SET5006P2312B	0.23	0.02	2,331,554	0.21	SET5041P2312D	0.25	0.08	189	0.25
HSI28P2311A	-	-	-	-	SET5006P2401A	0.32	0.01	1,722,860	0.32	SET5041P2312E	-	-	-	-
HSI28P2311B	-	-	-	-	SET5011C2312A	-	-	-	-	SET5041P2403A	0.73	0.03	735,496	0.72
HSI28P2311C	-	-	-	-	SET5011C2312B	0.10	-	40	0.10	SET5041P2403B	0.46	0.03	964,965	0.45
HSI28P2312A	0.12	(0.01)	308	0.12	SET5011P2312A	0.95	0.11	100	0.95	SPX28C2312A	0.01	(0.01)	127	0.01
HSI28P2312B	0.38	-	716,997	0.37	SET5011P2312B	0.10	-	40	0.10	SPX28C2312B	-	-	-	-
HSI28P2312C	-	-	-	-	SET5013C2311A	-	-	-	-	SPX28C2312C	-	-	-	-
HSI28P2401A	0.44	-	23,115	0.43	SET5013C2312A	0.01	-	300	0.01	SPX28C2403A	-	-	-	-
HSI28P2401B	0.17	(0.03)	4,184	0.17	SET5013C2312B	-	-	-	-	SPX28P2403B	0.32	(0.02)	607	0.32
HSI28P2401C	0.09	-	1,318	0.09	SET5013C2312C	-	-	-	-	SPX28P2312A	-	-	-	-
HSI28P2401D	0.94	0.02	3,419,053	0.92	SET5013C2312D	0.01	-	31	0.01	SPX28P2312B	-	-	-	-
HSI28P2402A	0.32	0.01	5,666	0.30	SET5013C2312E	-	-	-	-	SPX28P2403A	0.24	(0.01)	6	0.24
HSI28P2402B	1.44	0.03	780,083	1.41	SET5013C2312F	-	-	-	-	SPX41C2312A	-	-	-	-
HSI28P2403A	0.68	(0.01)	3,579	0.67	SET5013C2312G	0.01	-	10	0.01	SPX41C2312B	-	-	-	-
HSTECH28C2311A	-	-	-	-	SET5013C2312H	-	-	-	-	SPX41C2403A	0.88	(0.02)	2,192	0.88
HSTECH28C2311B	-	-	-	-	SET5013C2312I	-	-	-	-	SPX41C2403B	0.44	(0.02)	604	0.43
HSTECH28C2311C	-	-	-	-	SET5013C2312J	0.01	-	10	0.01	SPX41P2312A	-	-	-	-
HSTECH28C2401A	-	-	-	-	SET5013C2312K	0.01	-	711	0.01	SPX41P2312B	-	-	-	-
HSTECH28C2401B	0.33	(0.04)	307	0.35	SET5013C2312L	0.01	-	64,349	0.01	SPX41P2403A	0.27	-	176	0.27
HSTECH28C2401C	0.10	(0.01)	1	0.10	SET5013C2312N	0.02	-	157,315	0.02	SUNNY28C2311A	-	-	-	-
HSTECH28P2311A	-	-	-	-	SET5013C2312N	0.04	(0.01)	1,022,169	0.04	SUNNY28C2401A	-	-	-	-
HSTECH28P2311B	-	-	-	-	SET5013C2403A	0.20	(0.04)	3,496,306	0.22	SUNNY28C2402A	-	-	-	-
HSTECH28P2311C	-	-	-	-	SET5013C2403B	0.30	(0.05)	3,680,130	0.32	SUNNY41C2312A	-	-	-	-
HSTECH28P2401A	-	-	-	-	SET5013C2403C	0.36	(0.06)	4,280,675	0.38	SUNNY41C2403A	-	-	-	-
HSTECH28P2401B	-	-	-	-	SET5013C2405A	0.89	(0.11)	531	0.89	TENCEN28C2311A	-	-	-	-
HSTECH28P2401C	1.00	0.16	1	1.00	SET5013P2311A	-	-	-	-	TENCEN28C2312A	-	-	-	-
ICBC28C2312A	-	-	-	-	SET5013P2312A	0.52	0.07	24,955	0.53	TENCEN28C2401A	-	-	-	-
ICBC28C2401A	-	-	-	-	SET5013P2312B	0.74	0.12	1,448	0.75	TENCEN28C2403A	-	-	-	-
ICBC28C2404A	-	-	-	-	SET5013P2312C	1.32	0.22	152	1.30	TENCEN28C2403B	-	-	-	-
JD28C2312A	-	-	-	-	SET5013P2312D	0.26	0.03	302,921	0.26	TENCEN28C2403C	-	-	-	-
JD28C2402A	-	-	-	-	SET5013P2312E	0.10	0.01	488,096	0.11	TENCEN28P2311A	-	-	-	-
JD28C2403A	-	-	-	-	SET5013P2312F	0.05	0.01	835	0.04	TENCEN28P2401A	-	-	-	-
JD28C2403B	-	-	-	-	SET5013P2312G	0.07	-	19,309	0.07	TENCEN28P2404A	-	-	-	-
KUAISH28C2401A	-	-	-	-	SET5013P2403A	0.38	0.03	1,795,363	0.37	TENCEN41C2312A	-	-	-	-
KUAISH28C2403A	-	-	-	-	SET5013P2403B	0.57	0.05	3,416,433	0.55	TENCEN41C2401A	-	-	-	-
KUAISH28C2404A	-	-	-	-	SET5013P2403C	0.77	0.06	3,801,211	0.75	TENCEN41C2403A	-	-	-	-
LENOVO28C2402A	-	-	-	-	SET5013P2405A	1.25	0.25	2,254	1.24	TENCEN41P2401A	-	-	-	-
LENOVO28C2404A	-	-	-	-	SET5016C2312A	-	-	-	-	TRIPDC41C2312A	-	-	-	-
MCA5041C2312A	-	-	-	-	SET5016C2312B	-	-	-	-	TRIPDC41C2403A	-	-	-	-
MCA5041P2312A	0.28	(0.01)	1,049	0.28	SET5016C2312C	-	-	-	-	XIAOMI28C2311A	-	-	-	-
MCA5041P2403A	-	-	-	-	SET5016P2312B	0.08	-	1,508	0.10	XIAOMI28C2403A	0.66	(0.03)	20	0.67
MEITUA28C2311A	-	-	-	-	SET5019C2312A	0.01	-	537	0.01	XIAOMI41C2312A	0.22	0.02	5,869	0.22
MEITUA28C2401A	-	-	-	-	SET5019C2312B	-	-	-	-	XIAOMI41C2403A	0.37	-	23	0.39
MEITUA28C2403A	0.07	0.01	1	0.07	SET5019C2312C	0.01	-	1	0.01	XIAOMI41C2404A	0.22	0.01	8	0.22
MEITUA28P2401A	-	-	-	-	SET5019C2312D	-	-	-	-	ZIJIN28C2312A	-	-	-	-
MEITUA41C2401A	-	-	-	-	SET5019C2312E	0.01	-	7	0.01	ZIJIN28C2403A	-	-	-	-
MEITUA41C2403A	0.10	(0.01)	1,000	0.10	SET5019C2312F	0.01	(0.01)	1,100	0.01	ZIJIN41C2312A	-	-	-	-
NDX28C2312A	-	-	-	-	SET5019C2312G	0.03	(0.02)	863,610	0.03	ZIJIN41C2403A	-	-	-	-
NDX28C2403A	-	-	-	-	SET5019C2403A	0.20	(0.03)	435,896	0.21	0	-	-	-	-
NDX28C2403B	0.72	(0.02)	52	0.72	SET5019C2403B	0.34	(0.05)	899,560	0.36	0	-	-	-	-
NDX28C2406A	1.13	0.05	50	1.13	SET5019P2312A	0.70	0.07	10	0.70	0	-	-	-	-
NDX28P2312A	-	-	-	-	SET5019P2312B	-	-	-	-	0	-	-	-	-
NDX28P2312B	-	-	-	-	SET5019P2312C	1.62	0.12	1,487	1.52	0	-	-	-	-
NDX28P2403A	0.20	(0.01)	103	0.20	SET5019P2312D	0.24	0.03	873,031	0.23	0	-	-	-	-
NDX28P2403B	-	-	-	-	SET5019P2312E	0.16	0.02	643,742	0.16	0	-	-	-	-
NDX41C2312A	-	-	-	-	SET5019P2403A	0.29	0.02	574,712	0.28	0	-	-	-	-
NDX41C2312B	-	-	-	-	SET5019P2403B	0.71	0.05	577,950	0.69	0	-	-	-	-
NDX41C2403A	0.84	(0.01)	994	0.83	SET5019P2403C	0.52	0.04	410,153	0.48	0	-	-	-	-
NDX41C2403B	0.84	(0.01)	10	0.84	SET5027C2312A	-	-	-	-	0	-	-	-	-
NDX41C2403C	0.35	0.01	1,543	0.35	SET5027C2312B	-	-	-	-	0	-	-	-	-
NDX41P2312A	-	-	-	-	SET5027C2312C	-	-	-	-	0	-	-	-	-
NDX41P2403A	0.23	0.01	67	0.23	SET5027C2312E	-	-	-	-	0	-	-	-	-
NDX41P2403B	-	-	-	-	SET5027C2403A	0.15	(0.02)	176,146	0.15	0	-	-	-	-
NTES41C2312A	-	-	-	-	SET5027C2403B	0.27	(0.06)	211,421	0.30	0	-	-	-	-
NTES41C2404A	-	-	-	-	SET5027C2403T	-	-	-	-	0	-	-	-	-
PINGAN28C2312A	-	-	-	-	SET5027C2406T	0.15	(0.85)	23,640	0.17	0	-	-	-	-
PINGAN28C2401A	-	-	-	-	SET5027P2312A	0.43	0.07	1,026,144	0.41	0	-	-	-	-
PINGAN28C2403A	-	-	-</td											

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Issue Date :

Thursday November 30, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust	-	-	-	-	UBIS-W1	0.01	-	505	00 0.0	KGEN	0.86	(0.01)	86,534	00 0.8
AU	9.10	(0.15)	12,052	00 9.0	UEC	1.48	(0.03)	6,449	00 1.4	KGEN-W2	0.32	0.01	10,379	00 0.3
JCKH	0.04	-	103,480	00 0.0	UKEM	0.79	-	14,073	00 0.7	KK	1.91	(0.02)	112	00 1.9
JCKH-W1	0.01	-	245	00 0.0	UREKA	0.65	(0.03)	154,202	00 0.6	KLINIQ	36.75	0.50	11,406	00 37.2
JCKH-W2	0.01	(0.01)	6,697	00 0.0	YUASA	12.30	0.20	18	00 12.2	KOOL	0.39	(0.01)	5,469	00 0.3
KASET	1.37	0.04	474	00 1.3	ZIGA	2.24	(0.12)	154,574	00 2.2	KTMS	2.38	0.02	396	00 2.3
MUD	2.14	-	102	00 2.0	Property	-	-	-	-	LDC	0.61	(0.01)	4,397	00 0.6
NTSC	12.90	(1.00)	716	00 13.0	24CS	0.93	(0.03)	7,530	00 0.9	LEO	4.78	(0.02)	6,873	00 4.7
TACC	4.22	(0.04)	12,712	00 4.2	A5	2.98	(0.16)	24,999	00 3.0	LEO-W1	0.50	(0.05)	538	00 0.5
TMILL	3.84	(0.02)	183	00 3.8	A5-W2	0.10	(0.01)	9,151	00 0.1	MASTER	53.75	(0.50)	11,673	00 54.3
WINNER	2.18	-	5,848	00 2.1	A5-W3	0.07	(0.01)	5,873	00 0.0	MCA	1.46	(0.05)	45,072	00 1.4
XO	27.50	-	10,191	00 27.5	ALL	-	-	-	-	MEB	31.75	0.25	1,684	00 31.7
Consumer Products	-	-	-	-	ARIN	3.26	(0.10)	485	00 3.2	MORE	0.18	0.01	14,117	00 0.1
ALPHAX	0.48	-	90,860	00 0.4	ARROW	6.15	(0.05)	192	00 6.1	MVP	1.33	(0.05)	10,910	00 1.3
BGT	0.75	(0.01)	1,238	00 0.7	BC	0.87	(0.01)	505	00 0.8	NCL	0.96	(0.05)	19,357	00 0.9
DOD	3.80	-	1,961	00 3.7	BLESS	0.58	-	775	00 0.5	NEWS	0.01	-	104,079	00 0.0
DOD-W2	-	-	-	00 0.0	BSM	2.64	0.02	24	00 2.6	NEWS-W7	-	-	-	00 0.0
ECF	1.01	(0.02)	4,827	00 1.0	BTW	0.30	(0.01)	5,396	00 0.2	OTO	1.03	(0.10)	527,360	00 1.0
ECF-W4	0.04	-	1,177	00 0.0	CAZ	3.40	0.02	288	00 3.4	OTO-W1	0.57	(0.07)	28,294	00 0.6
EFORL	0.26	(0.01)	98,347	00 0.2	CHEWA	0.51	(0.01)	79	00 0.5	PHOL	2.70	(0.02)	1,134	00 2.6
EFORL-W6	0.07	0.01	3,477	00 0.0	CHEWA-W2	-	-	-	-	PICO	4.98	-	3	00 4.9
HPT	0.57	(0.01)	19,513	00 0.5	CPANEL	6.10	0.15	1,304	00 6.0	PLT	0.82	(0.01)	14,950	00 0.8
IP	8.65	-	3,805	00 8.5	CPANEL-W1	2.22	(0.22)	9	00 2.1	QLT	2.90	(0.02)	15,075	00 2.9
IP-W2	0.51	-	1,526	00 0.5	CRD	0.46	(0.01)	704	00 0.4	RP	1.53	0.28	191,417	00 1.4
ITTHI	1.25	-	2,069	00 1.2	DHOUSE	0.83	-	1,537	00 0.8	SE	0.82	(0.01)	2,039	00 0.8
JSP	1.98	(0.01)	915	00 1.9	DIMET	0.26	-	25,289	00 0.2	SLM	-	-	-	00 0.0
JSP-W1	0.16	-	12	00 0.1	DPAIN	3.32	(0.06)	4,668	00 3.3	SONIC	1.68	(0.01)	5,390	00 1.6
JUBILE	17.60	(0.40)	323	00 17.6	FLOYD	1.13	0.01	1,811	00 1.1	SPA	11.90	-	6,178	00 11.9
MOONG	1.99	0.01	2,932	00 1.9	FLOYD-W1	0.04	-	917	00 0.0	THMUI	0.58	(0.03)	63	00 0.5
NPK	13.50	(0.50)	3	00 13.5	HYDRO	0.33	(0.01)	1,667	00 0.3	TNDT	0.31	0.01	6,042	00 0.3
SMD	4.96	(0.04)	667	00 4.9	IND	0.88	(0.03)	2,710	00 0.8	TNDT-W1	0.08	-	860	00 0.0
TM	1.97	-	177	00 1.9	JAK	1.27	-	113	00 1.2	TNH	36.00	(0.25)	338	00 35.8
TM-W1	0.24	-	511	00 0.2	K	0.98	(0.01)	318	00 0.9	TNP	2.92	(0.04)	5,399	00 2.9
WARRIX	6.35	(0.15)	14,946	00 6.3	K-W2	-	-	-	-	TPL	1.44	(0.04)	4,056	00 1.4
WINMED	3.00	(0.02)	358	00 2.9	KUN	1.61	-	84	00 1.5	TRP	17.10	(0.60)	67,466	00 17.3
Financials	-	-	-	-	KUN-W1	0.01	-	1	00 0.0	TURTLE	-	-	-	00 0.0
ACAP	-	-	-	00 0.0	KUN-W2	0.05	-	3,578	00 0.0	TVDH	0.34	-	6,270	00 0.3
AF	1.00	-	51	00 0.9	META	0.21	(0.01)	30,162	00 0.2	TVDH-W3	0.06	-	721	00 0.0
AIRA	-	-	-	00 0.0	PPS	0.39	-	16,184	00 0.3	TVT	0.43	-	2,494	00 0.4
ASN	1.90	(0.08)	139	00 1.9	PRI	21.40	-	11,638	00 21.3	UBA	1.07	(0.03)	780	00 1.0
BROOK	0.39	(0.01)	95,360	00 0.3	PROS	0.88	0.01	513	00 0.8	VL	0.84	-	16,096	00 0.8
BROOK-W6	0.05	(0.02)	81,268	00 0.0	PROS-W1	0.13	(0.01)	2,563	00 0.1	YGG	7.45	(0.05)	20,987	00 7.3
BROOK-W7	0.14	-	3,181	00 0.1	PROUD	1.62	(0.02)	3,213	00 1.6	Technology	-	-	-	-
GCAP	0.53	(0.03)	13,472	00 0.5	PSG	0.66	0.01	211,181	00 0.6	APP	2.74	0.02	2,767	00 2.6
KCC	4.14	(0.06)	727	00 4.1	SENX	0.56	-	1,486	00 0.5	BBIK	92.25	(2.50)	2,386	00 92.7
LIT	1.00	-	635	00 0.9	SENX-W1	0.02	-	1	00 0.0	BE8	30.50	-	8,132	00 30.3
LIT-W2	0.18	0.01	30	00 0.1	SK	0.59	(0.02)	2,470	00 0.5	BE8-W1	4.64	(0.16)	17	00 4.6
MITSIB	0.97	(0.02)	4,457	00 0.9	SMART	0.95	0.02	45,922	00 0.9	BVG	4.02	(0.08)	9,196	00 4.0
SGF	0.44	-	9,611	00 0.4	SSS	-	-	-	-	COMAN	3.90	-	82	00 3.8
SGF-P1	-	-	-	00 0.0	STC	0.66	(0.03)	2,543	00 0.6	DITTO	25.25	(0.75)	17,775	00 25.4
SGF-Q1	-	-	-	00 0.0	SVR	1.58	0.01	2,765	00 1.5	DITTO-W1	4.70	0.02	1	00 4.7
TQR	6.85	(0.05)	281	00 6.9	TAPAC	1.26	(0.05)	704	00 1.2	I2	1.93	(0.03)	13,019	00 1.9
Industrials	-	-	-	-	THANA	1.82	(0.01)	109	00 1.8	IIIG	10.50	(0.40)	1,942	00 10.5
ADB	0.94	(0.01)	312	00 0.9	TIGER	0.98	(0.02)	744	00 0.9	IIIG-W1	3.10	(0.70)	59	00 3.1
BM	2.94	0.02	3,968	00 2.9	TITLE	3.06	0.02	1,860	00 3.0	IRCP	0.66	-	3,674	00 0.6
BM-W3	1.70	(0.01)	785	00 1.7	YONG	2.00	(0.02)	13,112	00 2.0	ITNS	3.12	(0.04)	316	00 3.1
CHO	2.22	(0.18)	31,458	00 2.1	Resources	-	-	-	-	NETBAY	18.40	(0.30)	1,193	00 18.5
CHO-W3	0.03	-	2,855	00 0.0	ABM	1.50	-	1,449	00 1.5	PLANET	0.82	-	13,905	00 0.8
CHOW	1.45	-	860	00 1.4	ABM-W1	0.23	0.03	142	00 0.2	PROEN	3.00	0.02	27,363	00 3.0
CIG	0.10	(0.01)	448,968	00 0.1	GTV	0.17	(0.01)	17,933	00 0.1	PROEN-W1	0.04	(0.01)	47,586	00 0.0
CIG-W10	-	-	-	00 0.0	PSTC	0.76	(0.01)	8,917	00 0.7	READY	11.50	(0.10)	383	00 11.4
CIG-W9	0.08	-	5,594	00 0.0	PSTC-W2	0.06	-	2,214	00 0.0	SECURE	12.70	(0.60)	594	00 12.8
COLOR	1.34	-	132	00 1.3	PTC	1.76	(0.03)	2,635	00 1.7	SICT	6.95	(0.10)	3,161	00 6.9
COLOR-W2	0.03	(0.01)	1,323	00 0.0	SAAM	7.70	(0.05)	103	00 7.6	SIMAT	2.06	(0.04)	7,899	00 2.0
CPR	4.12	(0.08)	375	00 4.1	SAAM-W2	0.25	-	1,299	00 0.2	SIMAT-W3	0.23	0.01	52	00 0.2
FPI	2.32	0.02	1,345	00 2.3	SR	0.64	(0.04)	420	00 0.7	SIMAT-W5	0.55	0.02	210	00 0.5
GTB	0.66	(0.01)	132	00 0.6	STOWER	0.16	-	22,292	00 0.1	SPVI	3.68	(0.02)	1,082	00 3.6
KCM	0.37	(0.01)	825	00 0.3	STOWER-W4	-	-	-	-	SRS	12.30	0.20	24,256	00 12.5
KJL	8.30	(0.10)	5,516	00 8.3	TAKUNI	1.61	-	526,497	00 1.6	TBN	15.10	(0.70)	3,017	00 15.4
KUMWEL	1.76	(0.05)	352	00 1.8	TPCH	6.15	(0.05)	897	00 6.1	TPS	2.84	(0.06)	1,525	00 2.8
KWM	1.21	(0.04)	9,540	00 1.2	TRT	2.30	-	705	00 2.2	TPS-W1	1.60	(0.20)	215	00 1.6
MBAX	3.14	(0.02)	355	00 3.1	UMS	0.55	(0.04)	7	00 0.5	VCOM	3.76	(0.02)	117	00 3.7
MBAX-W2	0.19	-	7	00 0.1	Services	-	-	-	-	-	-	-	-	
MGT	2.30	-	147	00 2.2	ADD	6.35	(0.20)	121	00 6.3	-	-	-	-	
MTW	2.36	(0.16)	202,209	00 2.3	AKP	1.04	(0.04)	11,192	00 1.0	-	-	-	-	
NDR	1.26	(0.02)	238	00 1.2	AMA	4.02	(0.06)	1,693	00 4.0	-	-	-	-	
NDR-W2	0.04	-	65	00 0.0	AMARC	1.26	-	216	00 1.2	-	-	-	-	
PACO	1.60	(0.02)	1,000	00 1.6	ARIP	0.79	(0.01)	9,580	00 0.8	-	-	-	-	
PACO-W1	0.19	(0.01)	1,703	00 0.1	ATP30	0.96	(0.01)	5,569	00 0.9	-</td				