

Main Board Quotation

Issue Date :

Tuesday December 19, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5013C2403A	0.18	-	648,269	0.19	SPX41C2312A	-	-	-	-	0	-	-	-	-
SET5013C2403B	0.29	-	222,700	0.29	SPX41C2312B	-	-	-	-	0	-	-	-	-
SET5013C2403C	0.35	-	294,136	0.35	SPX41C2403A	1.30	0.04	201	1.30	0	-	-	-	-
SET5013C2403D	0.48	-	1,858,954	0.48	SPX41C2403B	-	-	-	-	0	-	-	-	-
SET5013C2403E	0.60	0.01	488,045	0.59	SPX41P2312A	-	-	-	-	0	-	-	-	-
SET5013C2405A	0.90	-	368	0.90	SPX41P2312B	-	-	-	-	0	-	-	-	-
SET5013P2312A	0.05	(0.03)	17,444	0.06	SPX41P2403A	0.13	-	2,000	0.13	0	-	-	-	-
SET5013P2312B	0.07	(0.05)	1,657	0.08	SPX41P2403B	-	-	-	-	0	-	-	-	-
SET5013P2312C	0.39	(0.05)	2,500	0.42	SPX41P2403C	0.51	(0.49)	19,810	0.51	0	-	-	-	-
SET5013P2312D	0.01	(0.01)	20,542	0.01	SUNNY28C2401	-	-	-	-	0	-	-	-	-
SET5013P2312E	-	-	-	-	SUNNY28C2402	0.43	(0.01)	7,098	0.43	0	-	-	-	-
SET5013P2312F	0.01	-	4	0.01	SUNNY41C2312	-	-	-	-	0	-	-	-	-
SET5013P2312G	-	-	-	-	SUNNY41C2403	-	-	-	-	0	-	-	-	-
SET5013P2403A	0.20	(0.02)	751,618	0.21	SUNNY41C2405	-	-	-	-	0	-	-	-	-
SET5013P2403B	0.30	(0.02)	1,358,029	0.31	TENCEN28C231	-	-	-	-	0	-	-	-	-
SET5013P2403C	0.46	(0.02)	1,775,412	0.47	TENCEN28C240	-	-	-	-	0	-	-	-	-
SET5013P2405A	1.18	(0.01)	21,462	1.19	TENCEN28C240	0.11	0.01	107	0.11	0	-	-	-	-
SET5016C2312A	-	-	-	-	TENCEN28C240	0.21	(0.02)	12,168	0.21	0	-	-	-	-
SET5016C2312B	-	-	-	-	TENCEN28C240	0.39	-	15,210	0.40	0	-	-	-	-
SET5016C2312C	-	-	-	-	TENCEN28P240	-	-	-	-	0	-	-	-	-
SET5016P2312A	-	-	-	-	TENCEN28P240	0.16	-	6,084	0.16	0	-	-	-	-
SET5016P2312B	-	-	-	-	TENCEN41C231	0.17	(0.15)	2	0.18	0	-	-	-	-
SET5019C2312A	0.01	-	200	0.01	TENCEN41C240	-	-	-	-	0	-	-	-	-
SET5019C2312B	0.01	-	6,000	0.01	TENCEN41C240	-	-	-	-	0	-	-	-	-
SET5019C2312C	0.02	0.01	60	0.02	TENCEN41C240	-	-	-	-	0	-	-	-	-
SET5019C2312D	-	-	-	-	TENCEN41P240	-	-	-	-	0	-	-	-	-
SET5019C2312E	-	-	-	-	TENCEN41P240	0.47	0.01	6	0.46	0	-	-	-	-
SET5019C2312F	0.01	-	100	0.01	TRIPDC41C2312	-	-	-	-	0	-	-	-	-
SET5019C2312G	0.01	-	2,297	0.01	TRIPDC41C2403	-	-	-	-	0	-	-	-	-
SET5019C2403A	0.19	-	167,794	0.19	XIAOMI28C2403	0.73	0.04	20,400	0.73	0	-	-	-	-
SET5019C2403B	0.34	0.01	752,449	0.34	XIAOMI28C2404	0.23	0.02	19,176	0.24	0	-	-	-	-
SET5019C2403C	0.44	-	233,747	0.44	XIAOMI41C2312	-	-	-	-	0	-	-	-	-
SET5019P2312A	0.21	(0.05)	13,365	0.22	XIAOMI41C2403	0.42	0.01	2	0.44	0	-	-	-	-
SET5019P2312B	0.33	(0.05)	788	0.33	XIAOMI41C2404	0.24	0.02	18	0.23	0	-	-	-	-
SET5019P2312C	0.89	(0.07)	656	0.91	XIAOMI41P2404	0.21	(0.03)	2	0.22	0	-	-	-	-
SET5019P2312D	0.02	-	4,018	0.02	ZIJIN28C2312A	-	-	-	-	0	-	-	-	-
SET5019P2312E	0.01	(0.01)	3	0.02	ZIJIN28C2403A	-	-	-	-	0	-	-	-	-
SET5019P2403A	0.17	(0.01)	334,728	0.18	ZIJIN41C2312A	-	-	-	-	0	-	-	-	-
SET5019P2403B	0.46	(0.03)	402,217	0.47	ZIJIN41C2403A	-	-	-	-	0	-	-	-	-
SET5019P2403C	0.33	(0.01)	683,460	0.34	0	-	-	-	-	0	-	-	-	-
SET5027C2312A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2312B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2312C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2312D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2312E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2403A	0.13	0.01	548	0.12	0	-	-	-	-	0	-	-	-	-
SET5027C2403B	0.24	-	600	0.24	0	-	-	-	-	0	-	-	-	-
SET5027C2403C	0.43	-	567,990	0.43	0	-	-	-	-	0	-	-	-	-
SET5027C2403T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2406T	0.16	0.01	893	0.16	0	-	-	-	-	0	-	-	-	-
SET5027P2312A	0.01	(0.01)	8,359	0.01	0	-	-	-	-	0	-	-	-	-
SET5027P2312B	0.11	(0.06)	5,303	0.13	0	-	-	-	-	0	-	-	-	-
SET5027P2312C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2403A	0.24	(0.02)	453,492	0.25	0	-	-	-	-	0	-	-	-	-
SET5027P2403T	0.43	(0.01)	364,078	0.43	0	-	-	-	-	0	-	-	-	-
SET5027P2406T	0.16	(0.01)	4,948	0.16	0	-	-	-	-	0	-	-	-	-
SET5028C2312A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2312B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2312C	0.01	-	600	0.01	0	-	-	-	-	0	-	-	-	-
SET5028C2312D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2312E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2403A	0.04	-	1	0.04	0	-	-	-	-	0	-	-	-	-
SET5028C2403B	0.08	-	1,250	0.08	0	-	-	-	-	0	-	-	-	-
SET5028C2403C	0.26	-	427,541	0.26	0	-	-	-	-	0	-	-	-	-
SET5028C2406A	0.62	0.01	261,318	0.61	0	-	-	-	-	0	-	-	-	-
SET5028P2312A	0.04	(0.02)	3,410	0.04	0	-	-	-	-	0	-	-	-	-
SET5028P2312B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028P2312C	0.01	-	1	0.01	0	-	-	-	-	0	-	-	-	-
SET5028P2403A	1.10	(0.09)	31	1.10	0	-	-	-	-	0	-	-	-	-
SET5028P2403B	0.54	(0.03)	21,023	0.56	0	-	-	-	-	0	-	-	-	-
SET5028P2406A	0.51	(0.02)	482,396	0.53	0	-	-	-	-	0	-	-	-	-
SET5041C2312A	0.02	-	31	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2312B	0.01	(0.05)	350	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2312C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312E	0.05	0.03	2	0.04	0	-	-	-	-	0	-	-	-	-
SET5041C2312F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312H	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312I	0.01	(0.03)	1	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2403A	0.05	(0.01)	4,500	0.05	0	-	-	-	-	0	-	-	-	-
SET5041C2403B	0.10	-	42	0.10	0	-	-	-	-	0	-	-	-	-
SET5041C2403C	0.20	-	145,942	0.19	0	-	-	-	-	0	-	-	-	-
SET5041C2403D	0.19	-	4,700	0.19	0	-	-	-	-	0	-	-	-	-
SET5041C2403E	0.30	-	909,161	0.30	0	-	-	-	-	0	-	-	-	-
SET5041C2403F	0.36	-	2,489,360	0.36	0	-	-	-	-	0	-	-	-	-
SET5041C2403G	0.60	0.02	39,995	0.60	0	-	-	-	-	0	-	-	-	-
SET5041P2312A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2312B	0.37	(0.12)	900	0.37	0	-	-	-	-	0	-	-	-	-
SET5041P2312C	0.10	(0.09)	200	0.10	0	-	-	-	-	0	-	-	-	-
SET5041P2312D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2312E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2403A	0.55	(0.01)	1,905,337	0.55	0	-	-	-	-	0	-	-	-	-
SET5041P2403B	0.30	(0.02)	3,640,206	0.31	0	-	-	-	-	0	-	-	-	-
SPX28C2312A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2312B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2312C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2403A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2403B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28P2312A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28P2312B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28P2403A	0.11	(0.04)	547	0.11	0	-	-	-	-	0	-	-	-	-
SPX28P2403B	0.28	(0.02)	2	0.28	0	-	-	-	-	0	-	-	-	-

