

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday December 20, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPUI	-	-	-	-	SCB06C2402A	-	-	-	-	IVL13C2403B	0.16	0.06	52,324	0.15
SAFARI	-	-	-	-	SCB06C2403A	-	-	-	-	IVL13C2403C	-	-	-	-
WORLD	-	-	-	-	SCB11C2403A	0.16	0.01	7,700	0.16	IVL13P2401A	0.03	(0.01)	77	0.03
Agribusiness	-	-	-	-	SCB13C2401A	0.01	-	1	0.01	IVL19C2401A	-	-	-	-
EE	0.27	-	8,957	0.28	SCB13C2402A	0.03	-	70	0.03	IVL19C2402A	0.08	0.02	2,180	0.07
EE-W1	0.03	0.01	3,970	0.03	SCB13C2403A	0.29	0.03	537	0.28	IVL19C2403A	0.18	0.06	35,974	0.16
GPPT	11.30	0.50	48,768	11.10	SCB13C2404A	0.19	0.01	21,720	0.19	IVL19C2403B	0.54	0.14	272	0.54
LEE	2.26	0.08	467	2.24	SCB13P2402A	0.08	(0.01)	20,270	0.08	IVL41C2401A	-	-	-	-
MAX	0.01	-	102,204	0.01	SCB19C2401A	0.01	-	68	0.01	IVL41C2402A	0.07	0.03	24	0.06
NER	4.64	-	25,821	4.66	SCB19C2402A	-	-	-	-	IVL41C2403A	0.20	0.07	47,347	0.19
PPPM	0.06	-	2,437	0.05	SCB19C2403A	-	-	-	-	IVL41C2404A	0.72	0.14	270	0.72
PPPM-W4	-	-	-	-	SCB19C2404A	0.21	0.01	10,442	0.21	IVL41C2406A	0.28	(0.72)	22,000	0.27
STA	14.90	0.10	51,880	15.03	SCB19P2402A	-	-	-	-	NFC	3.24	0.02	472	3.19
STA01C2401A	-	-	-	-	SCB41C2401A	-	-	-	-	PATO	9.55	0.05	19	9.54
STA01C2402A	0.03	-	500	0.03	SCB41C2402A	-	-	-	-	PMTA	-	-	-	-
STA01C2404A	0.27	-	56,280	0.28	SCB41C2403A	0.14	0.01	32,002	0.14	PTTGC	40.50	0.75	164,898	40.62
STA01P2402X	0.15	(0.02)	16,588	0.14	SCB41C2404A	-	-	-	-	PTTGC01C2401A	-	-	-	-
STA06C2401A	-	-	-	-	TCAP	48.50	(0.25)	6,538	48.63	PTTGC01C2402T	0.13	0.03	312	0.12
STA11C2402T	-	-	-	-	TCAP-P	-	-	-	-	PTTGC01C2403A	0.24	0.04	44,482	0.24
STA13C2401A	0.03	0.01	400	0.03	TCAP-Q	-	-	-	-	PTTGC01C2403B	0.42	0.04	33,619	0.42
STA13P2401A	-	-	-	-	TCAP11C2402T	-	-	-	-	PTTGC01P2401A	-	-	-	-
STA19C2401A	-	-	-	-	TCAP13C2403A	-	-	-	-	PTTGC01P2404X	0.11	(0.01)	901	0.09
STA19C2401B	0.05	-	55	0.05	TCAP19C2403A	-	-	-	-	PTTGC06C2401A	-	-	-	-
TEGH	2.44	-	2,629	2.46	TISCO	97.75	(0.50)	29,412	98.02	PTTGC06C2402A	0.26	0.04	82,516	0.26
TFM	6.30	0.05	251	6.28	TISCO-P	-	-	-	-	PTTGC11C2312T	-	-	-	-
TRUBB	1.17	(0.01)	5,282	1.19	TISCO-Q	-	-	-	-	PTTGC11C2404A	0.45	0.08	3,261	0.40
TRUBB-W2	0.05	(0.01)	2,385	0.06	TISCO19C2402A	0.03	-	22	0.03	PTTGC11P2402A	0.15	(0.03)	900	0.15
UPOIC	6.25	-	38	6.24	TTB	1.58	0.01	1,399,972	1.58	PTTGC13C2402A	0.11	0.02	146,306	0.12
UVAN	8.20	-	1,964	8.20	TTB-W1	0.63	0.03	18,482	0.63	PTTGC13C2403A	0.29	0.03	173,242	0.30
VPO	0.69	0.02	3,605	0.67	TTB01C2402A	0.16	0.01	24,510	0.16	PTTGC19C2402A	0.18	0.02	30,835	0.19
Banking	-	-	-	-	TTB01C2404A	-	-	-	-	PTTGC41C2401A	0.11	0.03	1,100	0.09
BAY	27.50	(0.25)	3,043	27.72	TTB06C2401A	-	-	-	-	PTTGC41C2402A	0.13	0.03	3,000	0.13
BBL	151.00	(1.00)	51,281	151.38	TTB13C2401A	-	-	-	-	PTTGC41C2403A	-	-	-	-
BBL06C2403A	0.14	(0.02)	85,853	0.15	TTB13C2404A	0.14	-	12,576	0.14	PTTGC41C2404A	0.52	0.10	1,401	0.47
BBL11C2404A	0.15	-	2	0.15	TTB13P2401A	-	-	-	-	PTTGC41C2404A	0.37	0.04	11,270	0.38
BBL11P2402A	0.35	0.01	8,010	0.34	TTB19C2402A	-	-	-	-	PTTGC41C2405A	0.29	0.05	31,708	0.28
BBL13C2403A	0.05	(0.02)	5,491	0.06	TTB19C2404A	-	-	-	-	SUTHA	2.38	0.02	442	2.39
BBL13C2404A	0.17	(0.01)	24,736	0.18	Construction Ma	-	-	-	-	TPA	-	-	-	-
BBL13C2405A	0.36	(0.01)	43,335	0.37	CCP	0.36	-	19,134	0.36	UAC	3.68	(0.02)	1,581	3.68
BBL13P2404A	0.48	0.01	22,867	0.47	DCC	1.40	(0.01)	195,758	1.41	UP	-	-	-	-
BBL19C2401A	0.01	-	100	0.01	DCON	0.42	0.01	2,161	0.41	Commerce	-	-	-	-
BBL19C2403A	-	-	-	-	DCON-W3	0.07	-	12,504	0.07	B52	1.19	0.01	5	1.19
BBL19C2404A	0.20	(0.01)	410	0.20	DRT	8.10	-	952	8.10	BEAUTY	0.45	-	29,651	0.44
BBL19C2405A	0.38	(0.01)	56,212	0.38	EPG	8.20	0.15	102,254	8.12	BIG	0.50	0.01	12,245	0.49
BBL41C2402A	-	-	-	-	EPG13C2312A	-	-	-	-	BJC	25.50	0.50	97,874	25.46
BBL41C2403A	-	-	-	-	EPG19C2401A	0.13	0.02	21,354	0.12	COM7	22.80	0.10	141,259	22.90
BBL41C2404A	0.16	(0.01)	5,000	0.16	GEL	0.20	0.01	48,076	0.19	COM701C2401A	-	-	-	-
BBL41C2405A	0.30	(0.02)	42,050	0.31	GEL-W5	0.03	(0.01)	3,001	0.04	COM701C2403W	-	-	-	-
CIMBT	0.60	0.01	6,731	0.60	PPP	1.86	(0.01)	520	1.85	COM701C2404A	-	-	-	-
KBANK	131.00	0.50	56,555	130.96	Q-CON	14.70	-	2,542	14.74	COM701C2404B	0.47	0.01	28,536	0.48
KBANK01C2401A	-	-	-	-	SCC	297.00	1.00	28,668	296.14	COM701P2401A	0.06	(0.02)	20	0.06
KBANK01C2403A	0.22	0.01	31,370	0.22	SCC01C2402A	-	-	-	-	COM701P2402X	0.60	(0.03)	12,012	0.59
KBANK01C2405A	0.36	0.01	20,894	0.36	SCC01C2403A	0.13	-	42,022	0.13	COM701P2404X	0.42	(0.02)	7,622	0.42
KBANK01P2402X	-	-	-	-	SCC01C2405A	0.47	0.01	12,972	0.46	COM706C2312A	-	-	-	-
KBANK01P2404X	0.43	(0.02)	4,287	0.43	SCC01P2403X	0.22	(0.02)	13,243	0.23	COM706C2403A	0.33	0.01	39,904	0.33
KBANK06C2312A	-	-	-	-	SCC13C2401A	-	-	-	-	COM711C2312A	-	-	-	-
KBANK06C2404A	0.24	-	28,196	0.24	SCC13C2403A	0.08	-	7,964	0.08	COM711C2404A	-	-	-	-
KBANK13C2402A	0.08	0.01	1	0.08	SCC13P2403A	0.13	(0.02)	2,112	0.13	COM713C2401A	-	-	-	-
KBANK13C2405A	0.31	-	108,070	0.31	SCC19C2401A	-	-	-	-	COM713C2403A	0.02	-	2,000	0.02
KBANK13P2401A	0.01	(0.01)	50	0.01	SCC19C2403A	0.14	-	8,136	0.14	COM713C2404A	0.06	-	4,620	0.06
KBANK13P2404A	0.26	(0.01)	32,473	0.26	SCC19C2405A	0.41	(0.59)	38,080	0.40	COM713C2404B	0.25	0.02	73,119	0.25
KBANK16C2312A	-	-	-	-	SCCC	133.00	0.50	339	133.01	COM713C2405A	0.42	0.01	68,883	0.43
KBANK19C2402A	-	-	-	-	SGD	9.80	(1.70)	875,324	10.11	COM713P2402A	0.49	(0.02)	30,305	0.48
KBANK19C2404A	0.19	-	2,884	0.19	SCP	5.20	0.05	45	5.18	COM713P2404A	0.34	(0.02)	40,222	0.34
KBANK19C2405A	0.35	0.01	33,314	0.35	SKN	4.24	-	27	4.24	COM719C2404A	-	-	-	-
KBANK19P2404A	0.23	(0.01)	14,060	0.23	STECH	1.52	-	1,906	1.51	COM719C2404B	-	-	-	-
KBANK41C2401A	-	-	-	-	TASCO	16.00	-	42,417	16.09	COM719C2404B	0.32	0.01	37,619	0.33
KBANK41C2402A	0.09	-	3,000	0.09	TASCO01P2403	0.11	-	11,757	0.11	COM719P2402A	0.34	(0.02)	6,935	0.33
KBANK41C2405B	0.38	-	8,000	0.38	TASCO01P2405	0.36	(0.01)	6,547	0.36	COM741C2401A	-	-	-	-
KKP	50.00	-	8,698	50.24	TASCO06C2312J	-	-	-	-	COM741C2403A	-	-	-	-
KKP-W5	0.24	0.03	130,569	0.27	TASCO06C2403J	-	-	-	-	COM741C2404A	-	-	-	-
KKP-W6	1.71	(0.02)	4,435	1.73	TASCO13C2403J	0.10	-	8,397	0.10	COM741C2404B	0.38	-	48,937	0.39
KKP01C2401A	-	-	-	-	TASCO19C2401J	-	-	-	-	CPALL01C2401A	-	-	-	-
KKP01C2405A	-	-	-	-	TASCO19C2401J	-	-	-	-	CPALL01C2405A	0.40	0.03	26,143	0.38
KKP01C2405A	0.32	(0.01)	6,536	0.33	TASCO19C2404J	0.15	(0.01)	21,984	0.16	CPALL01P2401A	0.01	-	1	0.01
KPK11C2312T	-	-	-	-	TOA	22.50	0.20	9,682	22.44	CPALL06C2405A	0.32	0.03	105,586	0.30
KPK11C2403A	-	-	-	-	TP1PL	1.38	-	20,115	1.38	CPALL11C2403A	0.20	0.01	26,246	0.20
KPK13C2403A	-	-	-	-	UMI	1.01	(0.01)	1,732	1.00	CPALL11C2405A	0.40	0.03	26,143	0.38
KPK13C2405A	0.30	0.01	12,883	0.30	VNG	3.70								

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday December 20, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC	40.00	0.25	47,493	39.78	ADVANC19C240-	0.19	(0.01)	2,501	0.19	TRUE06C2401A	-	-	-	-
CRC01C2401A	-	-	-	-	ADVANC41C240-	-	-	-	-	TRUE06C2403A	-	-	-	-
CRC01C2403A	0.13	-	15,244	0.12	ADVANC41C240-	0.23	0.01	2,000	0.23	TRUE11C2405A	0.15	0.04	18,350	0.15
CRC01C2404A	0.28	(0.02)	43,941	0.29	AIT	3.70	-	14,833	3.73	TRUE11P2401A	0.39	(0.05)	5	0.39
CRC01P2404X	0.23	-	11,724	0.23	AIT-W2	-	-	-	-	TRUE13C2402A	0.01	-	100	0.01
CRC06C2312A	-	-	-	-	ALT	1.61	(0.01)	1,581	1.61	TRUE13C2403A	-	-	-	-
CRC06C2402A	0.10	0.03	4,000	0.09	AMR	1.28	0.03	126,667	1.30	TRUE13C2403B	0.06	0.01	7,814	0.06
CRC11C2404A	0.23	0.02	21,363	0.22	BLISS	-	-	-	-	TRUE13C2405A	0.18	0.05	104,943	0.18
CRC13C2402A	-	-	-	-	DIF	7.40	-	291,671	7.35	TRUE13P2404A	0.23	(0.07)	71,616	0.24
CRC13C2403A	0.16	0.01	31,180	0.15	DTCENT	1.47	-	35,662	1.49	TRUE19C2402A	-	-	-	-
CRC13P2404A	0.18	-	14,767	0.19	FORTH	21.40	0.90	24,973	21.35	TRUE19C2402B	-	-	-	-
CRC19C2401A	-	-	-	-	FORTH01C2401J	0.02	0.01	1	0.02	TRUE19C2404A	0.09	0.01	57,441	0.09
CRC19C2404A	0.23	(0.01)	78,968	0.23	FORTH01C2402J	0.01	(0.02)	10	0.01	TRUE19C2405A	0.26	0.06	240,114	0.25
CSS	0.78	-	6,356	0.78	FORTH01C2403J	0.24	0.04	31,599	0.24	TRUE19P2402A	-	-	-	-
DOHOME	11.80	-	33,127	11.76	FORTH01C2404J	0.46	0.06	32,939	0.44	TRUE41C2402A	-	-	-	-
DOHOME01C2401A	-	-	-	-	FORTH01P2401J	0.45	(0.08)	1,327	0.47	TRUE41C2404A	-	-	-	-
DOHOME01C2404A	0.18	(0.01)	11,574	0.18	FORTH06C2312J	-	-	-	-	TRUE41C2404B	0.11	0.03	5,500	0.11
DOHOME01P2401A	-	-	-	-	FORTH13C2401J	-	-	-	-	TRUE41C2406A	0.28	(0.72)	236,000	0.27
DOHOME06C2312A	-	-	-	-	FORTH13C2403J	0.03	0.01	2,100	0.03	TWZ	0.04	-	49,284	0.05
DOHOME06C2401A	0.06	-	3,200	0.06	FORTH13C2403I	0.16	0.03	29,574	0.15	TWZ-W6	-	-	-	-
DOHOME11C2403T	0.16	-	7,832	0.16	FORTH13C2404J	0.37	0.06	52,716	0.37	TWZ-W7	0.01	-	1	0.01
DOHOME13C2404A	0.20	(0.01)	10,623	0.20	FORTH13P2401J	0.35	(0.34)	200	0.35	Electronic Componer	-	-	-	-
DOHOME19C2401A	-	-	-	-	FORTH19C2402J	-	-	-	-	CCET	2.34	0.10	307,391	2.29
DOHOME19C2404A	0.25	(0.01)	49,537	0.25	FORTH19C2404J	0.45	0.06	39,893	0.45	DELTA01C2401A	89.75	(0.50)	125,954	90.05
FN	-	-	-	-	FORTH19C2404I	4.18	-	12,591	4.23	DELTA01C2403A	0.35	(0.02)	66,725	0.36
FTE	1.51	0.01	423	1.50	HUMAN	10.80	(0.10)	6,036	10.86	DELTA01C2403B	1.07	(0.03)	1,375	1.09
GLOBAL	16.90	(0.20)	41,044	17.05	ICN	2.58	-	1,825	2.58	DELTA01C2404A	0.85	(0.02)	56,392	0.86
GLOBAL01C2401A	-	-	-	-	ILINK	7.10	-	1,614	7.08	DELTA01P2402A	0.40	(0.01)	34,282	0.40
GLOBAL01C2404A	0.33	(0.03)	17,489	0.36	INET	3.90	0.08	2,703	3.91	DELTA06C2401A	-	-	-	-
GLOBAL06C2312A	-	-	-	-	INSET	2.32	0.16	298,437	2.28	DELTA06C2401B	-	-	-	-
GLOBAL13C2403A	0.13	(0.01)	15,386	0.14	INTUCH	71.00	(0.25)	39,944	71.28	DELTA06C2401B	-	-	-	-
GLOBAL19C2401A	-	-	-	-	INTUCH01C2404J	0.11	(0.01)	17,538	0.12	DELTA06C2402A	0.54	(0.03)	199,732	0.56
GLOBAL19C2402A	-	-	-	-	INTUCH01C2405J	0.39	(0.01)	11,909	0.40	DELTA13C2401A	-	-	-	-
GLOBAL19C2403A	0.30	(0.02)	7,198	0.32	INTUCH01C2405I	-	-	-	-	DELTA13C2401B	-	-	-	-
HMPRO	11.80	0.10	170,544	11.80	INTUCH13C2401J	-	-	-	-	DELTA13C2402A	0.02	-	2,502	0.01
HMPRO01C2402A	-	-	-	-	INTUCH13C2404J	0.30	(0.01)	84,971	0.32	DELTA13C2403A	0.24	(0.02)	70,041	0.25
HMPRO01C2404A	0.09	-	7,325	0.09	INTUCH19C2401J	-	-	-	-	DELTA13C2403B	0.46	(0.03)	201,317	0.48
HMPRO13C2403A	-	-	-	-	INTUCH19C2404J	0.28	(0.01)	7,115	0.29	DELTA13C2404A	0.80	(0.03)	228,435	0.81
HMPRO19C2401A	-	-	-	-	ITEL	2.28	-	90,186	2.28	DELTA13P2401A	0.19	-	600	0.19
HMPRO19C2404A	0.14	0.01	36,321	0.14	ITEL-W4	0.03	0.01	7,369	0.02	DELTA13P2403A	0.32	(0.01)	65,667	0.19
HMPRO41C2402A	-	-	-	-	JAS	2.02	0.40	6,357,118	1.94	DELTA19C2402A	0.02	-	240,461	0.32
HMPRO41C2404A	0.14	0.01	27,424	0.14	JAS13C2312A	1.63	1.26	2,506	0.96	DELTA41C2402A	0.18	(0.02)	50	0.18
ICC	-	-	-	-	JAS19C2401A	1.59	0.72	10,548	1.42	DELTA41C2404A	0.60	(0.02)	43,262	0.61
ILM	23.90	0.20	7,213	24.02	JASIF	5.85	0.10	54,774	5.79	DELTA19C2402B	0.10	(0.01)	2,673	0.10
IT	3.10	-	226	3.10	JMART	17.80	(0.40)	150,510	18.08	DELTA19C2403A	0.25	(0.02)	8,553	0.26
KAMART	12.50	(0.20)	84,831	12.66	JMART-W4	5.70	0.05	35	5.87	DELTA19C2404A	0.57	(0.02)	84,629	0.59
LOXLEY	1.27	0.01	2,564	1.29	JMART-W5	1.74	(0.12)	100	1.81	DELTA19P2402A	0.36	-	21,646	0.36
MC	12.70	0.20	11,688	12.74	JMART01C2401J	-	-	-	-	DELTA41C2401A	0.63	(0.37)	24,994	0.62
MEGA	39.75	0.50	12,207	39.89	JMART01C2402J	-	-	-	-	DELTA41C2402A	0.18	(0.02)	50	0.18
MEGA01C2402A	-	-	-	-	JMART01C2402E	-	-	-	-	DELTA41C2403A	0.60	(0.02)	43,262	0.61
MEGA01C2404A	0.31	0.02	21,861	0.30	JMART01C2403J	0.31	(0.04)	87,650	0.34	DELTA41C2403B	0.52	1.00	172,916	52.45
MEGA06C2401A	-	-	-	-	JMART01C2404J	0.56	(0.05)	44,328	0.59	HANA	0.01	-	1,500	0.01
MEGA11C2401T	0.16	0.02	9,644	0.15	JMART01P2401J	-	-	-	-	HANA01C2403A	0.11	0.01	100,835	0.11
MEGA13C2401A	-	-	-	-	JMART01P2401E	0.23	0.02	119,009	0.20	HANA01C2403B	0.28	0.03	89,830	0.27
MEGA13C2405A	0.28	0.01	18,328	0.29	JMART01P2404J	0.44	0.02	24,838	0.42	HANA01C2404A	0.61	0.04	86,147	0.60
MEGA19C2401A	-	-	-	-	JMART06C2312E	-	-	-	-	HANA01P2401X	0.02	(0.04)	2	0.02
MEGA19C2404A	0.24	0.01	16,961	0.24	JMART06C2402J	0.24	(0.04)	72,265	0.28	HANA01P2403X	0.39	(0.04)	198,670	0.41
MIDA	0.47	-	2,708	0.47	JMART13C2401J	-	-	-	-	HANA01P2404X	0.18	(0.02)	65,799	0.18
MIDA-W3	0.01	-	1	0.01	JMART13C2402J	-	-	-	-	HANA06C2312A	-	-	-	-
MOSHI	52.75	0.25	7,206	52.76	JMART13C2403J	0.11	(0.01)	44,986	0.12	HANA06C2404A	0.68	0.05	130,824	0.63
RS	13.60	(0.10)	7,360	13.72	JMART13C2404J	0.34	(0.03)	139,910	0.36	HANA13C2404A	0.15	0.02	88,215	0.15
RS-W4	0.17	0.01	20,704	0.17	JMART13C2404E	0.65	(0.04)	1,189	0.68	HANA13C2404B	0.34	0.03	254,905	0.33
RSP	2.30	-	2,068	2.32	JMART13P2401J	-	-	-	-	HANA13C2404B	0.60	0.04	151,944	0.58
SABUY	6.05	(0.60)	1,177,170	6.38	JMART13P2401E	0.03	(0.03)	210	0.03	HANA13P2401A	0.20	0.01	400	0.02
SABUY-W1	4.36	(0.16)	460	4.03	JMART13P2404J	0.39	0.02	34,892	0.37	HANA13P2403A	0.40	(0.05)	121,350	0.41
SABUY-W2	1.54	(0.42)	583,266	1.80	JMART19C2401J	-	-	-	-	HANA13P2404A	0.15	0.02	93,604	0.15
SABUYY01C2402A	0.05	(0.06)	17,780	0.08	JMART19C2403J	0.14	(0.02)	12,915	0.16	HANA19C2401A	-	-	-	-
SABUYY01C2403A	1.04	(0.35)	3,644	1.28	JMART19C2404J	0.38	(0.04)	164,856	0.41	HANA19C2403A	-	-	-	-
SABUYY06C2404A	0.31	(0.14)	63,827	0.36	JMART41C2401J	-	-	-	-	HANA19C2404A	0.40	(0.05)	121,350	0.41
SABUYY13C2402A	0.03	(0.04)	119,348	0.05	JMART41C2401C	0.21	0.02	23,302	0.18	HANA19C2404A	0.15	(0.01)	93,604	0.15
SABUYY13C2403A	0.19	(0.09)	368,464	0.23	JMART41C2403J	0.24	(0.02)	74,502	0.26	HANA19C2404A	0.35	0.02	187,993	0.35
SABUYY13C2404A	0.36	(0.17)	248,372	0.42	JMART41C2403E	-	-	-	-	HANA19C2404B	0.62	0.04	49,257	0.61
SABUYY19C2402A	0.03	(0.03)	7,154	0.06	JMART41C2404J	0.75	(0.05)	1,000	0.76	HANA19P2401A	-	-	-	-
SABUYY19C2403A	0.15	(0.08)	276,598	0.19	JMART41C2404E	0.54	(0.02)	11,200	0.56	HANA41C2401A	-	-	-	-
SABUYY19C2404A	0.33	(0.17)	159,185	0.38	JMART41C2405J	0.41	(0.04)	80,860	0.45	HANA41C2403A	-	-	-	-
SABUYY19C														

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday December 20, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE19P2401A	-	-	-	-	BGRIM41C2404/	-	-	-	-	GULF01C2402A	-	-	-	-
KCE19P2404A	0.44	(0.01)	75,999	0.44	BGRIM41C2404E	-	-	-	-	GULF01C2402T	0.08	(0.02)	5	0.08
KCE41C2401A	0.12	(0.01)	700	0.11	BGRIM41C2405/	0.26	(0.01)	80,030	0.26	GULF01C2403A	0.12	-	22,742	0.12
KCE41C2401B	-	-	-	-	BIOTEC	0.50	-	15,921	0.50	GULF01C2405A	0.27	0.01	37,904	0.27
KCE41C2402A	0.19	(0.01)	15,801	0.19	BIOTEC-P	-	-	-	-	GULF01P2402X	0.14	(0.02)	25,058	0.14
KCE41C2404A	0.44	-	18,600	0.44	BIOTEC-Q	-	-	-	-	GULF01P2403X	0.11	(0.01)	1,400	0.11
METCO	239.00	1.00	45	238.38	BIOTEC-W2	0.15	-	26,912	0.15	GULF01P2405X	0.31	(0.01)	23,120	0.30
SMT	3.72	0.06	51,088	3.73	BPP	14.40	0.10	5,011	14.33	GULF06C2402A	0.09	(0.01)	113,198	0.10
SMT-W3	0.48	-	13,696	0.52	BRRGIF	3.06	(0.02)	251	3.07	GULF11C2401T	0.11	-	2,400	0.11
SVI	7.00	0.05	6,346	7.04	BSRC	8.45	0.25	21,861	8.35	GULF11P2321A	-	-	-	-
TEAM	5.35	-	6,360	5.38	BSRC01C2403A	-	-	-	-	GULF13C2402A	-	-	-	-
Energy & Utilities	-	-	-	-	BSRC13C2403A	0.03	(0.01)	20	0.03	GULF13C2403A	0.12	0.01	50,267	0.12
7UP	0.40	-	99,083	0.40	BSRC19C2403A	-	-	-	-	GULF13C2405A	0.25	(0.75)	264,920	0.26
ACC	0.47	0.02	21,963	0.46	CKP	3.42	0.12	71,534	3.36	GULF13P2401A	-	-	-	-
ACE	1.46	-	55,973	1.47	CKP01C2401A	-	-	-	-	GULF13P2405A	0.28	(0.01)	252,535	0.27
ACE13C2402A	0.02	-	6,271	0.02	CKP19C2401A	-	-	-	-	GULF19C2401A	-	-	-	-
ACE19C2401A	-	-	-	-	CV	0.50	0.01	57,587	0.50	GULF19C2402A	-	-	-	-
ACE19C2402A	-	-	-	-	DEMCO	2.48	0.02	1,019	2.47	GULF19C2404A	0.25	0.01	65,896	0.26
AGE	1.95	-	1,837	1.94	DEMCO-W7	0.10	0.01	3,302	0.09	GULF19P2404A	0.18	(0.01)	13,348	0.18
AI	4.30	0.04	2,010	4.31	EA	44.75	0.50	53,696	44.87	GULF41C2401A	-	-	-	-
AIE	1.29	0.05	64,125	1.34	EA01C2401A	0.01	-	2,401	0.01	GULF41C2402A	-	-	-	-
AKR	0.80	-	19,343	0.80	EA01C2402A	-	-	-	-	GULF41C2403A	0.20	0.01	50,100	0.20
AKR-W2	0.07	0.01	5,687	0.06	EA01C2403A	0.03	(0.01)	2,500	0.03	GULF41C2405A	0.22	0.01	71,626	0.22
BAFS	23.90	(0.20)	1,435	23.94	EA01C2403B	0.15	0.02	41,296	0.15	GULF41P2402A	-	-	-	-
BANPU	6.60	0.20	582,433	6.56	EA01C2405A	0.32	0.02	31,028	0.32	GULF41P2405A	0.36	(0.02)	20,000	0.36
BANPU01C2401A	0.01	-	16	0.01	EA01P2401X	0.71	(0.10)	3,759	0.71	GUNKUL	2.64	0.04	541,168	2.65
BANPU01C2401T	-	-	-	-	EA01P2403X	-	-	-	-	GUNKUL01C2401A	0.01	(0.01)	4,750	0.01
BANPU01C2402A	-	-	-	-	EA01P2404X	0.46	(0.02)	13,604	0.45	GUNKUL01P2404X	0.27	0.01	34,264	0.27
BANPU01C2402B	0.02	0.01	200	0.02	EA06C2401A	-	-	-	-	GUNKUL01P2404X	0.19	(0.02)	19,766	0.20
BANPU01C2404A	0.08	0.01	891	0.07	EA06C2402A	-	-	-	-	GUNKUL06C2312A	-	-	-	-
BANPU01C2405A	0.19	0.03	37,467	0.18	EA06C2404A	0.24	0.02	40,230	0.24	GUNKUL11C2401T	-	-	-	-
BANPU01P2401A	0.43	(0.13)	4,918	0.47	EA11C2401T	-	-	-	-	GUNKUL11C2404A	0.27	-	23,563	0.27
BANPU01P2402X	0.37	(0.08)	6,450	0.40	EA11C2403A	0.13	(0.01)	3,003	0.13	GUNKUL13C2401A	-	-	-	-
BANPU01P2404X	0.71	(0.08)	3,167	0.75	EA13C2401A	-	-	-	-	GUNKUL13C2403A	0.09	-	12,405	0.10
BANPU06C2401A	-	-	-	-	EA13C2402A	-	-	-	-	GUNKUL13C2404A	0.25	-	179,101	0.25
BANPU06C2402A	-	-	-	-	EA13C2403A	0.03	-	900	0.03	GUNKUL13P2404A	0.17	(0.01)	8,880	0.17
BANPU06C2403A	0.07	0.02	3,100	0.06	EA13C2403B	0.06	(0.01)	47	0.05	GUNKUL11C2403A	-	-	-	-
BANPU11C2312T	-	-	-	-	EA13C2403C	0.09	-	21,219	0.09	GUNKUL11C2403B	0.15	0.01	31,768	0.15
BANPU11C2404A	-	-	-	-	EA13C2405A	0.26	0.02	40,835	0.26	GUNKUL19C2405A	0.31	0.03	46,475	0.30
BANPU11P2403A	-	-	-	-	EA13P2401A	-	-	-	-	IFEC	-	-	-	-
BANPU13C2402A	-	-	-	-	EA13P2402A	0.25	(0.04)	15,867	0.25	IRPC	2.06	0.02	688,735	2.07
BANPU13C2403A	-	-	-	-	EA13P2403A	0.16	(0.02)	8,346	0.16	IRPC01C2402A	-	-	-	-
BANPU13C2404A	0.06	-	1,487	0.06	EA19C2401A	-	-	-	-	IRPC06C2401A	-	-	-	-
BANPU13C2405A	0.18	0.02	49,356	0.17	EA19C2402A	-	-	-	-	IRPC11C2402T	-	-	-	-
BANPU13P2404A	-	-	-	-	EA19C2402B	-	-	-	-	IRPC13C2402A	-	-	-	-
BANPU13P2405A	0.26	(0.03)	10,139	0.26	EA19C2403A	-	-	-	-	IRPC19C2401A	-	-	-	-
BANPU19C2401A	-	-	-	-	EA19C2403B	0.14	0.01	13,613	0.14	IRPC19C2404A	0.17	0.02	10,230	0.16
BANPU19C2401B	-	-	-	-	EA19C2405A	0.30	0.01	89,394	0.31	JR	5.20	-	440	5.17
BANPU19C2403A	-	-	-	-	EA19P2402A	-	-	-	-	KBSPIF	8.95	0.05	307	8.88
BANPU19C2404A	0.07	(0.01)	20	0.07	EA19P2403A	0.15	(0.02)	5,876	0.15	LANNA	14.90	0.20	10,100	14.83
BANPU19C2405A	0.15	0.02	42,548	0.15	EA1C2401A	0.02	-	1	0.02	MDX	2.72	(0.04)	514	2.73
BANPU19C2405B	0.24	0.03	47,311	0.23	EA41C2402A	-	-	-	-	NOVA	10.60	(0.10)	56	10.64
BANPU19P2401A	0.12	(0.05)	9,488	0.12	EA41C2403A	-	-	-	-	OR	20.00	-	65,229	20.05
BANPU19P2404A	-	-	-	-	EA41C2403B	0.12	0.01	7,000	0.12	OR01C2402A	-	-	-	-
BANPU41C2401A	-	-	-	-	EA41C2404A	0.41	(0.01)	10,166	0.41	OR01C2403A	0.23	(0.02)	4,705	0.24
BANPU41C2403A	-	-	-	-	EA41C2405A	0.30	0.01	70,875	0.31	OR01P2405X	0.45	(0.01)	3,095	0.45
BANPU41C2405A	0.18	0.02	37,472	0.18	EA41P2405A	0.43	(0.02)	4,000	0.43	OR06C2402A	0.07	0.01	1	0.07
BBGI	4.06	0.06	2,652	4.06	EASTW	4.14	0.02	1,737	4.13	OR06C2403A	0.24	-	16,313	0.25
BCP	44.25	1.75	68,780	43.86	EGATIF	5.60	(0.10)	16,610	5.62	OR11C2404A	0.32	-	7,570	0.33
BCP01C2403A	0.35	(0.05)	7,649	0.36	EGCO01C2404A	0.37	0.06	17,779	0.34	OR13C2402A	-	-	-	-
BCP13C2403A	0.22	0.05	36,535	0.21	EGCO01P2401A	-	-	-	-	OR13P2402A	-	-	-	-
BCP13P2401A	-	-	-	-	EGCO13C2403A	0.16	0.02	16,152	0.15	OR19C2401A	-	-	-	-
BCP13P2404A	0.17	(0.03)	16,871	0.18	EGCO13C2405A	0.42	0.06	89,769	0.40	OR19C2403A	0.27	(0.02)	2,518	0.27
BCP19C2404A	0.39	0.06	35,028	0.37	EGCO19C2401A	-	-	-	-	OR19C2404A	0.24	-	16,355	0.24
BCPG	8.55	(0.05)	15,218	8.59	EGCO19C2403A	0.23	0.04	27,192	0.22	PCC	2.94	(0.02)	1,097	2.95
BCPG01C2402A	0.02	-	1	0.02	EP	2.64	0.02	740	2.62	PRIME	0.60	-	255,448	0.61
BCPG13C2401A	-	-	-	-	EP-W4	0.14	0.02	26	0.12	PTG	8.60	(0.15)	111,800	8.69
BCPG19C2401A	-	-	-	-	ETC	2.68	0.04	4,210	2.67	PTG01C2401A	-	-	-	-
BCPG19C2401B	-	-	-	-	GPS	48.50	0.25	54,201	48.61	PTG01C2403A	-	-	-	-
BGRIM	27.75	-	111,126	27.81	GPSC01C2402A	0.02	-	4,869	0.02	PTG01C2404A	0.29	(0.02)	26,709	0.29
BGRIM01C2402A	-	-	-	-	GPSC01C2402B	-	-	-	-	PTG01P2403X	0.25	0.02	28,272	0.24
BGRIM01C2403A	-	-	-	-	GPSC01C2403A	0.22	0.01	17,686	0.22	PTG06C2401A	-	-	-	-
BGRIM01C2403B	0.74	0.04	11,031	0.73	GPSC01C2403B	0.65	0.01	11,748	0.66	PTG06C2402A	0.08	(0.01)	2,500	0.08
BGRIM01C2404A	0.19	0.01	198,365	0.19	GPSC01C2404A	0.44	-	13,758	0.45	PTG11C2405A	0.40	(0.03)	21,796	0.42
BGRIM01P2402X	0.27	(0.02)	3,678	0.27	GPSC01P2403X	0.09	(0.01)	8,630	0.10	PTG13C2402A	-	-	-	-
BGRIM01P2404X	0.18	-	29,168	0.18	GPSC01P2404X	0.20	(0.02)	13,091	0.20	PTG13C2403A	0.08	(0.01)	6,255	0.09
BGRIM06C2401A	-	-	-	-	GPSC06C2401A	-	-	-	-	PTG13P2403B	0.26	(0.03)	54,376	0.29
BGRIM06C2402A	-	-	-	-	GPSC06C2402A	0.11	-	9,721						

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTEP01P2401A	0.02	(0.02)	8	0.02	AS	7.80	0.25	13,585	7.91	JMT01P2403A	0.36	0.02	28,765	0.35
PTTEP01P2402X	0.37	(0.03)	9,616	0.37	AS-W2	4.08	0.32	393	4.01	JMT01P2404X	0.38	0.02	21,184	0.37
PTTEP01P2403X	0.85	(0.03)	3,258	0.85	BEC	5.15	(0.05)	11,192	5.22	JMT06C2312A	-	-	-	-
PTTEP01P2405X	0.39	(0.01)	14,521	0.39	BEC06C2312A	-	-	-	-	JMT06C2402A	0.01	-	700	0.01
PTTEP06C2401A	-	-	-	-	BEC19C2401A	-	-	-	-	JMT06C2403A	-	-	-	-
PTTEP06C2403A	0.12	-	36,324	0.12	FE	1.57	(0.01)	4,046	1.56	JMT06C2404A	0.20	(0.01)	87,207	0.22
PTTEP06C2405A	0.50	(0.01)	86,458	0.51	GPI	6.60	(0.15)	108	6.68	JMT11C2402T	-	-	-	-
PTTEP11C2403T	0.16	-	9,180	0.16	GRAMMY	0.53	(0.02)	205,588	0.54	JMT11C2405A	0.23	(0.02)	18,000	0.24
PTTEP11P2402A	0.22	(0.01)	7,120	0.22	JKN	0.59	-	15,533	0.59	JMT13C2401A	-	-	-	-
PTTEP13C2401A	-	-	-	-	MACO	0.59	-	15,533	0.59	JMT13C2403A	-	-	-	-
PTTEP13C2403A	0.10	-	13,394	0.10	MACO-W3	0.05	-	47,661	0.05	JMT13C2403B	0.03	-	12,426	0.02
PTTEP13C2404A	0.25	-	22,030	0.26	MAJOR	15.20	0.40	20,008	15.05	JMT13C2404A	0.12	(0.01)	35,944	0.13
PTTEP13C2405A	0.47	0.01	55,397	0.47	MATCH	1.37	0.01	395	1.39	JMT13C2404B	-	-	-	-
PTTEP13P2402A	0.25	(0.02)	16,299	0.25	MATI	7.90	0.40	3	7.77	JMT13C2405A	0.24	(0.02)	92,465	0.25
PTTEP13P2405A	0.28	-	10,596	0.28	MCOT	3.32	-	7	3.28	JMT13P2401A	-	-	-	-
PTTEP19C2403A	-	-	-	-	MONO	1.05	0.15	1,120,185	1.04	JMT13P2403A	0.32	0.01	15,593	0.30
PTTEP19C2403B	-	-	-	-	NATION	0.06	-	4,719	0.06	JMT19C2401A	-	-	-	-
PTTEP19C2404A	0.16	(0.01)	42,412	0.17	NATION-W4	0.01	-	10,061	0.01	JMT19C2403A	-	-	-	-
PTTEP19C2404B	0.35	-	96,234	0.36	ONEE	3.90	-	204,997	3.96	JMT19C2403B	-	-	-	-
PTTEP19P2402A	0.17	(0.02)	8,334	0.17	ONEE19C2401A	-	-	-	-	JMT19C2404A	0.10	(0.02)	18,514	0.11
PTTEP41C2401A	-	-	-	-	PLANB	8.85	0.15	110,741	8.85	JMT19C2404B	-	-	-	-
PTTEP41C2403A	-	-	-	-	PLANB-W1	2.10	0.06	2,148	2.01	JMT19C2404C	0.22	(0.01)	67,146	0.23
PTTEP41C2404A	0.18	-	4,000	0.18	PLANB06C2401A	-	-	-	-	JMT19P2403A	-	-	-	-
PTTEP41C2405A	0.45	(0.01)	33,602	0.47	PLANB11C2403A	0.27	0.01	11,126	0.27	JMT19P2403B	0.35	0.02	14,562	0.34
PTTEP41P2402A	-	-	-	-	PLANB11P2402A	-	-	-	-	JMT41C2401A	-	-	-	-
PTTEP41P2403A	-	-	-	-	PLANB13C2401A	-	-	-	-	JMT41C2402A	-	-	-	-
PTTEP41P2405A	0.41	-	15	0.41	PLANB13C2403A	0.22	0.02	57,108	0.21	JMT41C2403A	-	-	-	-
QTC	4.00	(0.10)	101	4.01	PLANB19C2401A	-	-	-	-	JMT41C2403B	-	-	-	-
RATCH	30.75	0.75	46,283	30.67	PLANB19C2403A	0.18	0.01	87,495	0.18	JMT41C2404A	0.21	(0.02)	33,448	0.22
RATCH01C2403A	-	-	-	-	POST	-	-	-	-	KCAR	7.80	0.05	553	7.76
RATCH01C2405A	0.17	0.02	17,611	0.17	PRAKIT	11.20	0.10	19	11.20	KGI	4.50	0.02	10,271	4.50
RATCH11P2402A	-	-	-	-	PTECH	12.00	0.70	25	12.79	KTC	46.50	0.50	33,089	46.41
RATCH13C2402A	-	-	-	-	SE-ED	-	-	-	-	KTC01C2402A	-	-	-	-
RATCH13C2405A	0.11	0.01	30,195	0.10	TKS	6.85	-	2,157	6.79	KTC01C2405A	0.30	0.01	47,363	0.30
RATCH13P2404A	0.26	(0.03)	17,936	0.26	VGI	1.89	0.01	428,281	1.92	KTC01P2402X	0.13	-	14,528	0.13
RATCH19C2402A	-	-	-	-	VGI-W3	0.07	-	48,899	0.08	KTC06C2401A	-	-	-	-
RATCH19C2405A	0.18	0.01	8,317	0.17	VGI01C2401A	-	-	-	-	KTC11C2405A	0.29	0.02	41,261	0.28
RPC	0.60	(0.01)	9,305	0.61	VGI01C2402A	-	-	-	-	KTC11P2405A	0.50	(0.02)	5,400	0.51
SCG	3.46	-	22	3.48	VGI01C2403A	0.02	(0.01)	20,002	0.03	KTC13C2402A	-	-	-	-
SCI	0.61	(0.02)	1,423	0.62	VGI01C2403B	0.09	0.01	1,100	0.09	KTC13C2405A	0.31	0.02	144,638	0.31
SCN	1.63	0.05	14,591	1.61	VGI01C2404A	0.30	-	65,399	0.33	KTC19C2402A	0.07	(0.01)	250	0.07
SCN-W2	0.15	-	3,015	0.15	VGI01P2401X	0.27	(0.03)	7,142	0.24	KTC19C2405A	0.35	0.01	120,941	0.35
SEAOL	2.90	-	939	2.93	VGI06C2401A	-	-	-	-	KTC41C2401A	-	-	-	-
SGP	8.30	-	303	8.26	VGI06C2403A	0.01	(0.03)	2	0.01	KTC41C2403A	0.13	0.01	8,000	0.13
SKE	0.44	-	5,934	0.44	VGI13C2401A	-	-	-	-	KTC41C2405A	0.38	0.02	49,600	0.38
SKE-W1	0.05	0.01	141	0.04	VGI13C2403A	0.03	0.01	1	0.03	MFC	19.50	-	47	19.31
SOLAR	0.67	0.01	10,020	0.67	VGI13C2403B	0.06	-	11,160	0.06	MICRO	1.97	-	3,978	1.98
SOLAR-W1	-	-	-	-	VGI13C2403C	0.20	-	88,428	0.22	ML	0.78	0.01	127,223	0.77
SPCG	12.30	(0.20)	2,005	12.34	VGI19C2402A	-	-	-	-	ML-W3	-	-	-	-
SPRC	8.40	0.30	207,905	8.33	VGI19C2402B	-	-	-	-	MST	10.70	-	323	10.73
SPRC01C2401A	-	-	-	-	VGI19C2403A	0.09	(0.01)	9,835	0.10	MTC	44.25	0.75	56,669	44.15
SPRC01C2402A	-	-	-	-	VGI19C2405A	0.36	0.01	50,878	0.39	MTC01C2402A	0.23	0.02	36,417	0.22
SPRC01C2403A	0.19	0.03	32,295	0.19	WORK	10.90	(0.10)	719	10.89	MTC01C2403A	0.53	0.04	4,737	0.54
SPRC01P2401A	0.05	(0.02)	5,800	0.05	ZAA	1.32	0.01	349,348	1.43	MTC01C2404A	0.30	0.02	122,975	0.29
SPRC06C2401A	0.02	0.01	1,000	0.02	Finance & Secur	-	-	-	-	MTC01P2402X	0.07	(0.02)	100	0.07
SPRC06C2402A	0.14	0.03	89,061	0.13	AEONTS	156.00	0.50	594	155.96	MTC01P2404X	0.36	(0.04)	31,297	0.38
SPRC11C2401T	-	-	-	-	AMANAH	2.10	0.02	1,190	2.10	MTC06C2401A	-	-	-	-
SPRC13C2401A	0.02	0.01	2,500	0.02	ASAP	3.14	(0.06)	63,045	3.20	MTC06C2404A	0.31	0.02	127,091	0.29
SPRC13C2403A	0.16	0.03	20,288	0.15	ASK	19.70	(0.10)	3,938	19.66	MTC11C2403A	-	-	-	-
SPRC13C2404A	0.33	0.06	61,868	0.31	ASP	2.80	0.02	8,418	2.78	MTC11P2401A	-	-	-	-
SPRC13P2405A	0.23	(0.03)	8,880	0.23	BAM	8.10	0.10	77,875	8.09	MTC13C2403A	0.43	(0.04)	11	0.43
SPRC19C2401A	-	-	-	-	BAM01C2403A	0.02	-	10	0.02	MTC13C2404A	0.28	0.01	80,133	0.28
SPRC19C2403A	0.12	0.01	3,889	0.11	BAM01C2404A	0.12	-	8,781	0.12	MTC13P2404A	0.16	(0.02)	10,637	0.16
SPRC19C2404A	0.34	0.06	24,953	0.33	BAM06C2312A	-	-	-	-	MTC19C2403B	0.32	0.04	87,508	0.30
SSP	7.70	0.30	36,929	7.59	BAM11C2401T	-	-	-	-	MTC19C2404A	0.26	-	212,075	0.27
SSP-W2	0.29	0.01	37,851	0.32	BAM11C2405A	0.27	-	1,455	0.28	MTC19P2404A	0.28	(0.03)	13,378	0.29
SUPER	0.41	-	94,477	0.42	BAM13C2401A	-	-	-	-	MTC41C2401A	-	-	-	-
SUPEREIF	6.00	-	458	6.00	BAM13C2403A	0.04	-	700	0.04	MTC41C2404A	-	-	-	-
SUSCO	4.78	0.12	169,465	4.74	BAM13C2405A	0.23	0.01	3,439	0.24	MTC41C2402A	0.17	0.01	61,092	0.17
TAE	1.00	-	1,365	1.00	BAM19C2401A	-	-	-	-	MTC41C2403A	0.44	(0.03)	2,500	0.44
TCC	0.54	-	11,107	0.52	BAM19C2404A	0.14	-	3,288	0.14	MTC41C2404A	0.37	0.01	57,800	0.37
TCC-W5	0.21	-	3,000	0.20	BAM19C2405A	0.24	-	2,296	0.24	NCAP	2.72	-	95,545	2.75
TGE	2.10	0.06	115,664	2.11	BYD	4.68	(0.06)	77,192	4.72	NCAP-W1	-	-	-	-
TOP	54.50	1.25	132,087	54.01	BYD06C2402A	-	-	-	-	PL	2.16	-	200	2.16
TOP01C2401A	0.02	0.01	100	0.02	BYD06C2404A	0.16	(0.01)	54,986	0.17	S11	3.86	(0.06)	84	3.85
TOP01C2402A	0.23	0.02	71,904	0.21	BYD13C2401A	-	-	-	-	SAK	4.20	0.10	16,654	4.16
TOP														

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday December 20, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SGC	1.49	(0.05)	168,804	1.53	ICHI	14.60	(0.30)	56,776	14.72	BH01C2405A	0.33	(0.03)	29,280	0.33
SM	1.16	0.01	112	1.16	ITC	20.00	-	43,267	20.03	BH01P2401A	0.06	0.01	19,988	0.06
TH	1.09	0.02	96,034	1.11	JDF	2.18	-	751	2.18	BH01P2402X	0.63	0.02	8,667	0.62
TH-W3	0.37	0.02	11,181	0.40	KBS	5.45	-	1,552	5.45	BH01P2405X	0.48	0.03	21,573	0.47
THANI13C2401A	2.62	0.02	280,414	2.57	KCG	8.90	0.05	21,161	8.89	BH06C2312A	-	-	-	-
THANI13C2401A	-	-	-	-	KSL	2.58	-	9,297	2.60	BH06C2401A	0.02	(0.01)	1	0.02
THANI13C2403A	0.04	(0.01)	21	0.04	KTIS	3.76	(0.02)	195	3.77	BH06C2404A	0.24	(0.02)	31,201	0.24
THANI13C2401A	-	-	-	-	LST	4.96	0.04	311	4.92	BH11C2404A	-	-	-	-
THANI19C2403A	-	-	-	-	M	38.75	(0.25)	2,915	38.99	BH13C2401A	-	-	-	-
TIDLOR	23.10	0.50	138,567	23.03	MALEE	10.70	(0.30)	58,391	10.76	BH13C2404A	0.05	(0.02)	7,111	0.06
TIDLOR01C2401A	-	-	-	-	NRF	5.25	(0.05)	51,592	5.29	BH13C2404B	0.13	(0.02)	18,955	0.14
TIDLOR01C2403A	0.34	0.03	40,278	0.34	NSL	18.30	-	4,967	18.30	BH13C2405A	0.28	(0.02)	24,021	0.28
TIDLOR01P2401A	-	-	-	-	OSP	21.50	-	85,711	21.52	BH13P2401A	-	-	-	-
TIDLOR01P2402X	0.17	(0.03)	18,810	0.17	OSPO1C2403A	-	-	-	-	BH13P2402A	0.27	0.02	23,584	0.27
TIDLOR01P2404X	0.55	(0.04)	18,039	0.55	OSPO1C2404A	0.19	-	23,372	0.19	BH19C2401A	-	-	-	-
TIDLOR06C2312A	-	-	-	-	OSPO6C2401A	-	-	-	-	BH19C2404A	0.06	(0.01)	500	0.06
TIDLOR06C2403A	0.53	0.06	63,922	0.50	OSPI1C2312T	-	-	-	-	BH19C2404B	0.16	(0.01)	4,193	0.16
TIDLOR11C2403A	0.53	0.05	9,220	0.52	OSPI1C2403A	-	-	-	-	BH19C2404C	0.23	(0.01)	80,249	0.23
TIDLOR13C2403A	0.30	0.02	84,728	0.30	OSPI1C2403B	0.09	(0.01)	4,784	0.10	BH41C2403A	-	-	-	-
TIDLOR13P2404A	0.23	(0.02)	20,316	0.23	OSPI1C2405A	0.37	(0.01)	15,315	0.38	BH41C2404A	0.12	(0.01)	6,000	0.12
TIDLOR16C2402A	-	-	-	-	OSPI19C2404A	0.17	-	5,145	0.17	BH41C2405A	0.24	(0.03)	32,578	0.25
TIDLOR19C2401A	-	-	-	-	OSPI41C2401A	-	-	-	-	BH41P2405A	0.44	0.01	12,001	0.45
TIDLOR19C2403A	0.39	0.04	109,768	0.38	OSPI41C2402A	-	-	-	-	CHG	2.94	-	102,436	2.93
TIDLOR19C2404A	0.34	0.03	28,528	0.33	PB	69.75	0.25	10	69.60	CHG01C2401A	0.02	-	71	0.02
TIDLOR19P2401A	-	-	-	-	PLUS	6.35	0.15	6,470	6.34	CHG01C2404A	0.12	-	12,014	0.12
TIDLOR41C2401A	-	-	-	-	PM	7.55	(0.05)	3,794	7.58	CHG01C2405A	0.28	0.01	7,596	0.28
TIDLOR41C2402A	0.16	0.03	20,000	0.16	PQS	2.70	0.10	6,505	2.68	CHG01P2402X	0.11	(0.01)	12,132	0.11
TIDLOR41C2403A	0.43	0.03	74,658	0.43	PRG	10.20	(0.20)	238	10.08	CHG06C2401A	-	-	-	-
TK	5.05	0.05	1,175	5.03	PRG-W1	6.90	0.35	7	6.42	CHG11C2404A	0.13	-	6,610	0.13
TNITY	4.02	(0.06)	2,607	4.04	PRG-W2	-	-	-	-	CHG13C2403A	-	-	-	-
UOBKH	4.82	0.04	7	4.81	PRG-W3	-	-	-	-	CHG13C2404A	0.24	-	35,545	0.23
XPG	1.07	0.02	565,561	1.07	RBF	13.30	(0.10)	39,090	13.42	CHG13P2401A	-	-	-	-
XPG-W4	1.71	(0.09)	2,013	1.80	RBF01C2401A	0.09	(0.01)	11,507	0.10	CHG19C2403A	-	-	-	-
Food & Beverage	-	-	-	-	RBF13C2312A	-	-	-	-	CHG19C2404A	0.19	-	13,411	0.19
AAI	3.88	0.06	236,882	3.88	RBF19C2401A	0.11	(0.02)	7,098	0.12	CMR	2.00	-	747	1.99
APURE	4.60	0.06	1,493	4.57	SAPPE	84.00	6.75	16,603	81.69	EKH	7.25	(0.05)	8,346	7.30
APURE-W3	0.78	0.08	1,426	0.72	SAUCE	38.75	(0.50)	165	39.01	EKH-W1	1.44	(0.04)	187	1.43
ASIAN	6.90	0.10	17,957	6.86	SNNP	17.20	0.20	30,647	17.24	KDH	-	-	-	-
BR	2.62	0.02	7,566	2.56	SNNP01C2401A	-	-	-	-	LPH	4.92	0.02	259	4.90
BR-W1	0.17	-	7,743	0.19	SNNP01C2403A	-	-	-	-	M-CHAI	61.75	(0.25)	570	63.00
BRR	4.22	0.02	1,257	4.23	SNNP01C2403B	0.20	0.02	19,995	0.20	NEW	-	-	-	-
BRR-W2	0.45	-	770	0.46	SNNP06C2401A	-	-	-	-	NTV	36.75	-	130	36.93
BTG	22.70	0.10	7,804	22.88	SNNP13C2403A	-	-	-	-	PHG	12.40	0.10	3,206	12.36
BTG01C2403A	0.18	-	19,861	0.18	SNNP13C2403B	0.14	0.01	16,608	0.14	PR9	15.00	0.10	4,693	15.00
BTG06C2402A	0.18	0.01	21,515	0.18	SNNP19C2402A	-	-	-	-	PRINC	4.34	0.08	3,895	4.35
BTG13C2403A	0.16	0.01	9,214	0.16	SNNP19C2403A	0.15	0.01	4,294	0.15	RAM	32.50	(0.25)	3,006	32.67
CBG	80.50	(0.75)	24,351	81.38	SNP	16.80	0.20	305	16.64	RJH	26.00	(1.00)	7,223	26.59
CBG01C2401A	0.03	(0.01)	403	0.03	SORKON	4.24	-	1,403	4.22	RPH	6.50	0.05	920	6.44
CBG01C2401X	-	-	-	-	SSC	-	-	-	-	SAFE	18.00	0.50	9,969	17.87
CBG01C2402A	0.08	(0.01)	2,014	0.09	SSF	7.60	(0.05)	9	7.60	SKR	10.10	-	4,130	10.07
CBG01C2403A	0.79	(0.03)	2,726	0.82	SST	4.96	(0.02)	5	4.98	THG	55.50	(0.75)	3,114	55.46
CBG01C2403W	0.35	(0.04)	24,940	0.38	SUN	4.80	0.04	16,049	4.83	THG19C2401A	-	-	-	-
CBG01C2404A	0.49	(0.04)	55,543	0.53	TC	6.15	0.05	321	6.13	VIBHA	1.78	-	31,094	1.79
CBG01C2404T	0.45	(0.02)	34,267	0.48	TFG	3.44	0.04	24,191	3.41	VIBHA-W4	0.11	0.01	1,201	0.10
CBG01P2401A	0.01	-	200	0.01	TFG-W3	0.16	(0.01)	2,338	0.13	VIH	7.35	(0.05)	606	7.33
CBG01P2401X	-	-	-	-	TFMAMA	222.00	(1.00)	67	222.25	WPH	6.20	0.15	18,698	6.21
CBG01P2404X	0.42	0.01	18,873	0.40	TIPCO	9.05	-	5,982	9.05	Tourism & Leisure	-	-	-	-
CBG01P2405X	0.84	-	19,008	0.83	TKN	9.65	(0.05)	69,178	9.68	ASIA	6.40	-	48	6.40
CBG06C2401A	-	-	-	-	TU	14.30	(0.30)	239,354	14.46	BEYOND	11.70	(0.10)	1,286	11.60
CBG06C2402A	0.26	(0.02)	94,299	0.29	TU01C2401A	0.05	(0.02)	35,331	0.06	BEYOND-W2	1.97	(0.02)	6	1.89
CBG11C2404A	0.86	(0.04)	22,200	0.89	TU01C2404A	0.24	(0.04)	32,918	0.26	CENTEL	43.50	-	18,804	43.65
CBG11P2404A	0.46	0.02	5,200	0.44	TU06C2312A	-	-	-	-	CENTEL01C2401A	0.01	-	10	0.01
CBG13C2401A	0.02	-	9,754	0.02	TU11C2402T	0.12	(0.01)	12,022	0.13	CENTEL01C2403W	0.11	-	2,726	0.11
CBG13C2401B	-	-	-	-	TU13C2404A	0.21	(0.03)	22,246	0.23	CENTEL01C2405A	0.35	0.03	10,461	0.35
CBG13C2403A	0.34	(0.03)	86,579	0.37	TU19C2403A	0.15	(0.02)	2,497	0.16	CENTEL01P2404X	0.38	(0.03)	7,854	0.38
CBG13C2403B	0.67	(0.05)	77,023	0.72	TU41C2401A	-	-	-	-	CENTEL06C2401A	-	-	-	-
CBG13P2401A	0.01	(0.01)	151	0.01	TU41C2402A	0.07	(0.03)	1,000	0.07	CENTEL11C2402T	-	-	-	-
CBG13P2404A	0.37	0.01	56,945	0.36	TU41C2403A	0.15	(0.02)	27,800	0.16	CENTEL13C2403A	0.12	0.01	11,867	0.12
CBG16C2312A	-	-	-	-	TVO	21.10	(0.10)	9,846	21.09	CENTEL13C2404A	0.14	(0.01)	17,100	0.15
CBG19C2401A	0.04	(0.02)	1,179	0.04	TWPC	3.76	0.04	1,680	3.73	CENTEL14C2403A	0.30	0.01	20,515	0.31
CBG19C2402A	0.09	(0.02)	7,365	0.11	W-W5	0.01	-	307	0.01	CENTEL13P2401A	-	-	-	-
CBG19C2403A	0.44	(0.03)	97,169	0.47	ZEN	9.35	0.10	75	9.38	CENTEL13P2404A	0.24	(0.02)	9,840	0.24
CBG19C2403B	0.72	(0.05)	75	0.75	Health Care Serv	-	-	-	-	CENTEL19C2403A	0.15	-	3,751	0.15
CBG19P2401A	-	-	-	-	AHC	18.00	0.20	22	17.90	CENTEL41C2401A	-	-	-	-
CBG19P2404A	0.49	0.02	45,259	0.47	BCH	21.70	(0.10)	100,097	21.66	CENTEL41C2403A	0.14	(0.01)	17,100	0.15
CBG41C2401A	-	-	-	-	BCH01C2401A	0.13	(0.02)	23,534	0.13	CENTEL41C2405A	0.30	0.01	24,688	0.30
CBG41C2402A	-	-	-	-	BCH01C2404A	0.37	(0.01)	16,808	0.37	CSR				

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday December 20, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT13C2404A	0.12	0.01	36,660	0.12	SCGP13P2405A	0.24	-	32,824	0.24	CPN01C2404A	0.38	(0.02)	13,634	0.39
MINT13P2404A	0.16	(0.02)	4,024	0.16	SCGP19C2401A	-	-	-	-	CPN11C2404A	0.43	(0.02)	34,592	0.44
MINT19C2403A	-	-	-	-	SCGP19C2402A	-	-	-	-	CPN11P2312A	-	-	-	-
MINT19C2404A	0.14	0.01	67,946	0.14	SCGP19C2403A	0.14	-	68,435	0.15	CPN13C2402A	-	-	-	-
MINT41C2401A	-	-	-	-	SCGP41C2401A	-	-	-	-	CPN13C2403A	0.20	(0.01)	61,870	0.21
MINT41C2402A	-	-	-	-	SCGP41C2402A	-	-	-	-	CPN19C2401A	-	-	-	-
MINT41C2403A	-	-	-	-	SCGP41C2403A	0.10	-	22,400	0.10	CPN19C2403A	0.30	(0.02)	87,298	0.31
MINT41C2404A	0.10	-	57,200	0.11	SCGP41C2404A	0.18	(0.01)	32,110	0.19	CPN41C2402A	0.11	(0.04)	7,000	0.12
MINT41C2405A	0.20	0.01	37,500	0.21	SFLEX	3.60	0.04	19,327	3.59	CPN41C2404A	0.41	(0.02)	32,900	0.42
OHTL	-	-	-	-	SFLEX-W2	0.20	0.02	210	0.20	CPN41C2405A	0.35	(0.03)	24,400	0.36
ROH	2.66	0.02	5	2.66	SITTHAI	1.10	0.01	2,829	1.09	ESTAR	0.26	0.01	6,472	0.25
SHANG	48.25	(0.50)	5	48.20	SLP	0.39	0.01	628	0.39	EVER	0.16	-	9,847	0.16
SHR	2.36	(0.04)	57,770	2.40	SMPC	10.00	-	2,287	10.01	FPT	15.10	0.10	81	15.08
VRANDA	5.20	(0.10)	1,759	5.20	SPACK	1.97	0.04	5,315	1.96	GLAND	1.89	0.07	70	1.84
Home & Office Prod.	-	-	-	-	TCOAT	24.60	(1.90)	10	24.60	J	2.04	(0.04)	6,863	2.07
AJA	0.17	-	48,183	0.17	TFI	0.09	0.01	199	0.09	J-W2	-	-	-	-
AJA-W3	0.06	-	2,090	0.05	TFI-W1	-	-	-	-	J-W3	0.38	(0.08)	16	0.38
AJA-W4	0.05	-	2,029	0.04	THIP	28.50	0.25	367	28.20	JCK	0.28	-	7,925	0.28
DTCI	-	-	-	-	TMD	24.00	-	3	24.00	KC	0.11	-	5,568	0.11
FANCY	0.42	0.01	5,203	0.41	TOPP	-	-	-	-	LALIN	7.95	(0.05)	402	7.96
FTI	2.14	0.02	6,273	2.13	TPAC	16.20	(0.20)	241	16.27	LH	7.85	0.15	342,532	7.85
KYE	286.00	(2.00)	8	286.88	TPBI	2.94	-	693	2.93	LH13C2402A	-	-	-	-
L&E	1.26	(0.01)	674	1.23	TPP	13.90	0.10	1	13.90	LH19C2401A	-	-	-	-
MODERN	2.50	-	2,784	2.48	Personal Product	-	-	-	-	LPN	3.86	-	5,712	3.86
OGC	-	-	-	-	APCO	5.20	0.10	497	5.13	MBK	15.80	-	5,119	15.77
ROCK	-	-	-	-	BIZ	3.20	(0.04)	501	3.21	MBK-W2	14.10	(0.20)	5	14.10
SBNEXT	1.31	(0.13)	150,058	1.37	BLC	4.78	(0.10)	73,992	4.83	MBK-W3	13.60	(0.10)	3	13.60
SBNEXT-W2	0.19	(0.03)	203,157	0.20	DDD	9.85	0.10	380	9.77	MBK-W4	13.60	0.10	2	13.55
SIAM	1.38	(0.01)	1,114	1.38	JCT	79.75	-	17	79.75	MBK13C2401A	-	-	-	-
TCMC	1.39	0.02	1,683	1.40	KISS	4.46	(0.04)	2,675	4.45	MBK19C2403A	-	-	-	-
Insurance	-	-	-	-	NAM	6.10	(0.05)	25,137	6.13	MJD	1.37	0.03	626	1.33
AYUD	33.75	0.50	1,046	33.50	NV	1.61	(0.01)	7,643	1.60	MK	2.10	-	983	2.10
BKI	303.00	-	230	302.82	OCC	-	-	-	-	NCH	1.01	(0.01)	5,471	1.00
BLA	19.90	0.30	14,964	19.96	S&J	52.50	(0.75)	15	52.80	NNCL	1.92	-	1,723	1.91
BLA01C2403A	0.02	-	2,950	0.02	STGT	6.65	0.10	41,342	6.66	NOBLE	3.90	(0.02)	2,582	3.91
BLA01C2404A	0.13	-	15,494	0.14	STGT01C2401A	0.01	(0.01)	45	0.01	NOBLE-W2	-	-	-	-
BLA01P2404X	0.71	(0.05)	3,585	0.72	STGT01P2403W	0.17	0.01	21,085	0.17	NUSA	0.30	0.01	43,731	0.30
BLA13C2402A	-	-	-	-	STGT01P2402X	0.12	(0.01)	19,660	0.12	NUSA-W5	0.04	-	79,741	0.05
BLA13P2402A	-	-	-	-	STGT06C2401A	-	-	-	-	NVD	1.91	-	10	1.91
BLA13C2404A	0.23	0.01	8,376	0.23	STGT13C2403A	0.14	0.01	17,482	0.14	NVD-W3	0.06	-	19	0.06
BLA13P2402A	0.28	(0.03)	11,339	0.28	STGT19C2401A	-	-	-	-	ORI	8.30	(0.05)	68,587	8.32
BLA19C2401A	-	-	-	-	STGT19C2404A	0.30	0.01	7,457	0.30	ORII19C2401A	-	-	-	-
BLA19C2402A	-	-	-	-	STHAI	-	-	-	-	ORII19C2404A	0.21	(0.01)	12,899	0.22
BLA19C2403A	-	-	-	-	TNR	9.90	-	105	9.92	ORN	0.96	0.02	193,647	0.96
BUI	19.20	-	23	19.17	TOG	11.50	-	1,355	11.53	PACE	-	-	-	-
CHARAN	24.00	0.30	3	23.67	Professional Ser	-	-	-	-	PEACE	3.20	-	1,240	3.18
INSURE	-	-	-	-	BWG	0.59	0.04	218,068	0.57	PF	0.31	0.01	21,502	0.30
KWI	0.56	0.13	50,756	0.53	GENCO	0.53	0.02	2,568	0.52	PIN	4.68	0.06	60,097	4.66
MTI	111.50	0.50	34	111.43	PRO	-	-	-	-	PLAT	3.00	-	4,853	3.00
NKI	27.75	(0.50)	132	27.60	PRTR	5.45	0.05	16,842	5.52	POLAR	-	-	-	-
SMK	-	-	-	-	SISB	34.75	-	7,099	34.44	PRECHA	0.90	(0.01)	5,488	0.91
TGH	-	-	-	-	SO	7.15	-	435	7.19	PRIN	2.94	0.02	4	2.93
THRE	0.78	-	15,939	0.77	WAVE	0.16	-	183,074	0.16	PSH	12.10	-	2,561	12.18
THREL	2.60	0.12	5,323	2.59	WAVE-W3	0.07	0.01	59,124	0.07	QH	2.18	-	115,650	2.18
TIPH	29.50	0.50	5,623	29.34	Property Develop	-	-	-	-	QH19C2401A	-	-	-	-
TIPH13C2404A	0.13	-	14,238	0.13	A	5.00	-	14	4.99	RABBIT	0.51	-	431,720	0.52
TIPH19C2404A	0.10	(0.01)	1	0.10	AKS	0.01	-	10,576	0.01	RABBIT-P	0.48	(0.01)	158,510	0.49
TLI	9.75	(0.05)	128,253	9.78	AKS-W5	0.01	-	1	0.01	RABBIT-Q	-	-	-	-
TLI01C2401A	-	-	-	-	AMATA	26.00	-	35,130	26.20	RICHY	0.59	-	947	0.60
TLI01C2404A	-	-	-	-	AMATA01C2402	-	-	-	-	RML	0.43	-	1,023	0.42
TLI01P2403X	0.54	0.01	12,037	0.53	AMATA01C2404	0.14	0.01	31,906	0.13	ROJNA	5.75	-	8,985	5.78
TLI06C2312A	-	-	-	-	AMATA01C2404I	0.54	0.02	5,036	0.53	S	0.92	0.02	102,499	0.91
TLI06C2402A	-	-	-	-	AMATA01P2402	0.05	(0.01)	6,800	0.05	SA	6.90	(0.10)	606	6.96
TLI13C2402A	-	-	-	-	AMATA13C2401	-	-	-	-	SA-W1	0.10	-	105	0.09
TLI13C2403A	0.03	-	1	0.03	AMATA13C2403	0.10	0.01	9,074	0.10	SAMCO	1.17	-	283	1.18
TLI13C2404A	-	-	-	-	AMATA13C2404	0.43	(0.01)	1,000	0.44	SC	3.14	0.04	52,744	3.14
TLI13C2405A	0.36	(0.01)	71,476	0.37	AMATA13P2402	0.02	(0.01)	30	0.02	SENA	2.34	0.06	4,271	2.32
TLI13P2401A	0.07	-	6,485	0.07	AMATA19C2402	-	-	-	-	SENA-W1	0.01	-	12,794	0.01
TLI19C2401A	-	-	-	-	AMATA19C2404	-	-	-	-	SIRI	1.72	-	341,121	1.72
TLI19C2404A	0.11	0.01	2,590	0.11	AMATA19C2405	0.20	0.01	31,603	0.20	SIRI01C2401A	0.01	(0.01)	1	0.01
TLI41C2401A	-	-	-	-	AMATAV	5.55	(0.05)	78	5.55	SIRI01C2403A	-	-	-	-
TLI41C2404A	-	-	-	-	ANAN	0.77	-	19,460	0.77	SIRI01P2401A	-	-	-	-
TLI41C2404B	0.12	-	3,000	0.12	AP	10.80	(0.10)	100,128	10.83	SIRI06C2312B	-	-	-	-
TLI41C2405A	0.43	(0.02)	27,429	0.45	AP11C2404A	0.15	(0.01)	3,300	0.16	SIRI06C2401A	-	-	-	-
TQM	28.50	-	4,543	28.60	AP19C2401A	-	-	-	-	SIRI13C2401A	-	-	-	-
TQM13C2403A	-	-	-	-	APEX	-	-	-	-	SIRI13C2403A	0.15	(0.01)	28,101	0.16
TQM19C2404A	-	-	-	-	ASW	8.40	0.10	5,695	8.36	SIRI13P2401A	-	-	-	-
TSI	0.18	-	61	0.18	ASW-W1	0.03	-	2,502	0.04	SIRI19C2403A	0.22	-	16,341	0.22
TVH	7.45	(0.10)	1,152	7.49	ASW-W2	0.10	(0.01)	25	0.09	SIRI19P2401A	-	-	-	-
Packaging	-	-	-	-	AWC	3.56	-	355,698	3.58	SIRI41C2401A	-	-	-	-
AJ	6.80	-	489	6.80	AWC01C2401A	0.01	(0.01)	15,000	0.01	SIRI41C2402A	0.10	-	4,000	0.10
ALUCON	-	-	-	-	AWC01C2403A	-	-	-	-	SIRI41C2403A	-	-	-	-
BGC	7.40	(0.40)	10,616	7.55	AWC01C2404A	0.21	-	28,431	0.22					

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday December 20, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA19C2404B	0.40	0.02	6,790	0.39	KEX06C2312A	-	-	-	-	DREIT	4.92	-	1,202	4.96
WHA41C2402A	-	-	-	-	KEX19C2401A	-	-	-	-	ERWPWF	7.35	0.30	10,498	7.17
WHA41C2404A	-	-	-	-	KIAT	0.37	-	1,268	0.38	FTREIT	9.75	(0.05)	14,774	9.82
WHA41C2404B	0.13	-	50	0.13	KWC	-	-	-	-	FUTUREPF	11.80	0.10	5,726	11.68
WIN	0.56	0.01	2,734	0.56	MENA	2.40	0.06	96,125	2.42	GAHREIT	7.30	(0.15)	718	7.41
Paper & Printing Mat	-	-	-	-	NOK	-	-	-	-	GROREIT	8.65	(0.05)	70	8.69
UTP	11.70	0.10	646	11.57	NYT	4.36	(0.02)	25,126	4.36	GVREIT	5.60	0.15	7,828	5.54
Fashion	-	-	-	-	PORT	1.03	-	2,484	1.03	HPF	4.62	-	809	4.62
AFC	4.92	(0.02)	7	4.93	PORT-W3	-	-	-	-	HYDROGEN	9.15	0.05	61	9.03
AURA	15.10	0.20	14,479	15.05	PRM	5.20	0.05	95,305	5.18	IMPACT	12.10	0.30	2,472	11.92
AURA01C2403A	-	-	-	-	PSL	8.55	0.05	136,362	8.54	INETREIT	9.55	0.15	744	9.45
AURA13C2403A	-	-	-	-	PSL01C2401A	0.01	(0.01)	2,338	0.01	KPNPF	-	-	-	-
BTNC	22.00	0.50	22	21.70	PSL01C2403A	-	-	-	-	KTBSTMR	6.25	(0.10)	152	6.27
CPH	12.70	(0.20)	1,838	12.88	PSL01C2405A	0.35	(0.01)	28,409	0.35	LHHOTEL	11.10	(0.10)	3,414	11.13
CPL	1.42	0.04	3,217	1.39	PSL01P2403X	0.32	(0.01)	23,059	0.33	LHPF	6.05	0.05	5	6.05
NC	5.00	0.02	39,303	5.30	PSL06C2312A	-	-	-	-	LHSC	9.50	-	903	9.50
PAF	1.11	0.02	6,799	1.13	PSL06C2404A	0.31	(0.01)	198,466	0.30	LPF	13.20	(0.10)	14,930	13.21
PDJ	1.88	(0.01)	1,203	1.89	PSL13C2402A	-	-	-	-	LUXF	7.10	0.10	171	7.00
PG	8.95	-	8	8.91	PSL13C2403A	0.11	0.01	32,598	0.10	M-II	7.40	0.05	4	7.40
SABINA	27.00	0.25	4,102	26.98	PSL13C2404A	0.40	0.01	58,404	0.40	M-PAT	3.50	0.16	2	3.45
SAWANG	-	-	-	-	PSL13P2402A	0.14	(0.01)	7,569	0.15	M-STOR	6.95	0.05	7	6.91
SUC	30.25	0.25	143	30.22	PSL19C2402A	-	-	-	-	MIPF	-	-	-	-
TNL	34.75	-	3	34.83	PSL19C2403A	0.14	-	11,976	0.14	MIT	1.15	0.01	9	1.14
TR	42.50	(0.50)	3	42.58	PSL19C2404A	0.43	-	125,727	0.41	MILF	3.46	(0.02)	32	3.44
TTI	-	-	-	-	PSL41C2405A	0.33	(0.67)	153,000	0.32	MNIT	-	-	-	-
TTT	-	-	-	-	RCL	22.50	0.60	122,972	22.28	MNIT2	-	-	-	-
UPF	35.00	0.50	22	33.30	RCL01C2402A	0.09	0.01	10,012	0.09	MNRF	2.80	0.04	80	2.80
WACOAL	-	-	-	-	RCL01C2405A	0.59	0.06	39,354	0.57	POPF	5.60	(0.10)	3,400	5.63
WFX	1.99	(0.01)	1,644	1.99	RCL01P2402X	0.14	(0.04)	45,660	0.15	PPF	10.10	-	26	10.03
Transportation & Log	-	-	-	-	RCL13C2402A	0.11	0.02	38,636	0.10	PROSPECT	8.60	-	1,613	8.47
AAV	1.97	0.02	241,749	1.97	RCL13C2404A	0.57	0.06	95,095	0.55	QHHR	6.00	(0.05)	14	6.00
AAV01C2402A	0.02	-	1	0.02	RCL19C2402A	0.07	0.01	20,142	0.07	QHOP	-	-	-	-
AAV01C2403A	-	-	-	-	SAV	14.10	(0.10)	9,280	14.07	QHFP	5.60	-	1,697	5.61
AAV06C2401A	-	-	-	-	SINO	1.46	(0.03)	191,962	1.48	SIRIP	6.30	0.05	1	6.30
AAV13C2401A	0.01	-	2	0.02	SJWD	14.50	0.10	50,882	14.67	SPRIME	4.86	0.02	388	4.84
AAV13C2403A	0.02	-	1	0.02	SJWD13C2402A	0.03	(0.01)	1,521	0.03	SRIPANWA	5.10	-	505	5.10
AAV13C2403B	-	-	-	-	SJWD19C2401A	-	-	-	-	SSPF	4.78	-	2	4.78
AAV13C2404A	0.25	(0.02)	50,105	0.25	TFIF	6.45	-	15,930	6.48	SSTRT	5.30	(0.10)	212	5.30
AAV13C2404B	0.11	-	23,896	0.11	THAI	-	-	-	-	TIF1	8.75	0.05	1	8.75
AAV19C2402A	-	-	-	-	TSTE	9.55	(0.15)	12	9.54	TLHPF	-	-	-	-
AAV19C2403A	-	-	-	-	TTA	5.95	0.05	87,715	5.94	TNPFF	1.79	0.18	5	1.79
ANI	6.90	0.40	603,513	6.77	WICE	5.85	0.10	7,976	5.83	TPRIME	-	-	-	-
AOT	59.50	(0.75)	464,859	59.75	Automotive	-	-	-	-	TTLPF	18.60	(0.10)	122	18.65
AOT01C2401A	-	-	-	-	3K-BAT	43.25	(1.50)	2	43.13	TU-PF	0.52	0.01	50	0.52
AOT01C2403A	0.02	(0.01)	2,953	0.02	ACG	1.27	0.07	139	1.22	URBNPF	1.76	0.07	1	1.76
AOT01C2404A	0.11	-	53,025	0.10	AH	27.00	-	24,303	27.04	WHABT	8.35	0.05	4	8.35
AOT01C2405A	0.32	(0.03)	89,143	0.33	CWT	1.50	0.02	938	1.49	WHAIR	5.40	0.10	3,369	5.32
AOT01P2401A	0.14	0.02	44,496	0.13	CWT-W6	-	-	-	-	WHART	9.70	(0.15)	17,321	9.78
AOT01P2404X	0.60	0.03	13,045	0.58	EASON	1.32	0.04	22,259	1.30	Steel and Metal Prod	-	-	-	-
AOT01P2405X	0.40	0.01	21,715	0.40	GYT	183.00	3.00	2	183.00	2S	3.02	(0.02)	594	3.02
AOT06C2312A	-	-	-	-	HFT	4.40	0.02	147	4.40	AMC	3.26	0.02	2,372	3.25
AOT06C2402A	-	-	-	-	IHL	2.70	0.06	1,370	2.67	BSBM	0.70	-	1,990	0.70
AOT06C2404A	0.19	(0.02)	61,728	0.20	INGRS	0.49	-	15,798	0.49	CEN	2.56	(0.02)	12,636	2.56
AOT11C2403A	-	-	-	-	IRC	13.60	-	13	13.65	CEN-W5	-	-	-	-
AOT11P2312A	-	-	-	-	MGC	5.95	(0.05)	3,502	5.99	CITY	2.28	0.02	89	2.28
AOT13C2402A	-	-	-	-	NEX	10.30	(0.20)	48,897	10.43	CSP	0.92	(0.01)	449	0.91
AOT13C2403A	-	-	-	-	NEX06C2402A	-	-	-	-	GJS	0.21	(0.01)	2,332	0.21
AOT13C2404A	0.08	(0.01)	17,914	0.08	NEX13C2401A	0.01	-	40	0.01	GSTEEL	-	-	-	-
AOT13C2404B	0.18	(0.02)	35,656	0.19	NEX13C2403A	0.08	(0.01)	401	0.08	INOX	0.56	0.01	3,436	0.56
AOT13C2405A	0.27	(0.03)	86,461	0.28	NEX13C2403B	0.50	0.06	200	0.50	LHK	4.30	-	255	4.31
AOT13P2401A	0.07	0.01	2,050	0.07	NEX13C2405A	0.23	(0.01)	31,418	0.23	MCS	6.45	-	1,254	6.46
AOT13P2404A	-	-	-	-	NEX19C2401A	-	-	-	-	MILL	0.36	-	16,141	0.36
AOT13P2404B	0.23	0.02	57,333	0.23	NEX19C2402A	-	-	-	-	MILL-W6	0.01	-	80	0.01
AOT19C2401A	-	-	-	-	NEX19C2404A	0.18	-	8,425	0.18	MILL-W7	0.04	-	13,549	0.04
AOT19C2402A	-	-	-	-	PCSGH	5.05	(0.10)	963	5.05	PAP	2.52	-	681	2.51
AOT19C2403A	0.03	-	5,169	0.03	POLY	8.80	(0.10)	14	8.81	PERM	0.89	0.01	458	0.89
AOT19C2404A	0.08	-	6,601	0.07	SAT	17.80	-	4,934	17.78	SAM	0.37	-	3,539	0.36
AOT19C2404B	0.12	(0.01)	25,921	0.12	SPG	-	-	-	-	SMIT	4.44	(0.02)	1,531	4.44
AOT19C2404C	0.23	(0.03)	28,565	0.25	STANLY	184.00	0.50	74	183.45	SSSC	2.92	-	89	2.92
AOT19P2404A	0.33	0.03	82,479	0.32	TKT	1.67	(0.03)	2,527	1.70	TGPRO	0.14	0.01	14,094	0.13
AOT41C2402A	-	-	-	-	TNPC	1.26	0.02	1,192	1.27	THE	1.19	0.04	203	1.18
AOT41C2403A	-	-	-	-	TRU	3.38	(0.02)	308	3.38	TMT	6.15	0.05	382	6.13
AOT41C2404A	0.06	(0.03)	158	0.08	TSC	15.00	0.20	265	14.90	TSTH	0.82	-	3,583	0.82
AOT41C2405A	0.20	(0.02)	26,474	0.21	Industrial Materi	-	-	-	-	TWP	2.04	-	120	2.01
AOT41P2405A	0.64	0.03	12,400	0.64	ALLA	1.42	-	1,366	1.42	TYCN	2.56	-	15	2.57
ASIMAR	1.34	-	376	1.36	ASEFA	3.70	0.02	721	3.70	Construction Service	-	-	-	-
B	0.12	0.01	29,363	0.11	CPT	0.65	0.01	4,007	0.64	APCS	3.70	0.06	805	3.67
B-W7	0.01	-	100	0.01	CRANE	0.96	-	7,006	0.96	BJCHI	1.10	0.02	3,303	1.09
B-W8	0.02	-	38,692	0.01	CTW	4.62	0.12	26	4.61	BKD	1.65	0.01	1,256	1.59
BA	14.40	(0.10)	8,600	14.43	FMT	34.00	-	10	33.85	CIVIL	2.04	(0.02)	3,224	2.00
BEM	8.05	-	140,970	8.05	HTECH	2.20	0.02	1,067	2.21	CK	21.10	0.30	20,199	20.91
BEM01C2403A	-	-	-	-	KKC	0.17	-	2,650	0.16	CK01C2403A	0.17	0.03	12,976</td	

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday December 20, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STEC06C2312A	-	-	-	-	DJI28C2403C	-	-	-	-	ICBC28C2401A	-	-	-	-
STEC13C2401A	-	-	-	-	DJI28P2312A	-	-	-	-	ICBC28C2404A	0.13	(0.02)	3,042	0.13
STEC13C2402A	-	-	-	-	DJI28P2312B	-	-	-	-	JD28C2312A	-	-	-	-
STEC13C2403A	-	-	-	-	DJI28P2403A	0.10	-	9,370	0.10	JD28C2402A	0.04	(0.05)	9	0.04
STEC13C2405A	0.34	0.01	36,138	0.34	DJI28P2403B	0.03	-	1	0.03	JD28C2403A	-	-	-	-
STEC19C2401A	-	-	-	-	DJI28P2403C	0.30	(0.03)	3,606	0.29	JD28C2403B	0.36	0.06	5,070	0.37
STEC19C2403A	0.10	-	5,345	0.10	DJ14C2312A	-	-	-	-	KUAISH28C2401A	-	-	-	-
STI	3.60	0.02	927	3.58	DJ14C2312B	-	-	-	-	KUAISH28C2403A	-	-	-	-
STPI	3.20	-	8,891	3.24	DJ14C2312C	-	-	-	-	KUAISH28C2404A	0.22	(0.01)	11,285	0.22
SYNTEC	1.64	0.02	6,270	1.63	DJ14C2403A	-	-	-	-	LENOVO28C2402A	0.77	0.03	58,112	0.78
TEAMG	5.40	0.58	208,992	5.46	DJ14C2403B	0.89	0.08	14	0.89	LENOVO28C2404A	0.31	0.01	5,070	0.32
TEAMG-W1	0.60	0.20	419,529	0.67	DJ14P2312A	-	-	-	-	MCA5041C2312A	-	-	-	-
TEKA	2.62	0.02	153	2.65	DJ14P2312B	-	-	-	-	MCA5041C2403A	0.11	(0.01)	1,497	0.11
TPOLY	0.58	0.01	2,094	0.56	DJ14P2403A	0.08	(0.02)	2	0.08	MCA5041C2406A	-	-	-	-
TRC	0.31	(0.01)	78,722	0.31	DJ14P2403B	0.23	(0.03)	100	0.23	MCA5041P2312A	-	-	-	-
TRITN	0.13	-	92,653	0.13	DJ14P2403C	0.48	(0.52)	213	0.48	MCA5041P2403A	1.57	0.03	61	1.57
TRITN-W5	-	-	-	-	GEELY28C2401A	-	-	-	-	MCA5041P2406A	-	-	-	-
TRITN-W6	0.02	0.01	9,482	0.01	GEELY28C2403A	-	-	-	-	MEITU28C2401A	-	-	-	-
TTCL	3.68	0.04	3,314	3.70	GEELY28C2406A	0.31	0.01	40,000	0.31	MEITU28C2403A	-	-	-	-
UNIQ	2.92	0.02	708	2.92	GEELY28P2312A	0.19	(0.02)	8,112	0.19	MEITU28C2404A	0.17	-	14,996	0.17
WGE	0.78	-	875	0.77	GEELY28P2404A	0.54	(0.03)	8,112	0.53	MEITU28P2401A	0.87	(0.03)	35,070	0.86
Unit Trust	-	-	-	-	GEELY41C2401A	-	-	-	-	MEITU28P2405A	0.72	(0.01)	45,322	0.71
SCBSET	-	-	-	-	GEELY41C2404A	-	-	-	-	MEITU41C2401A	-	-	-	-
ETF	-	-	-	-	GEELY41C2406A	-	-	-	-	MEITU41C2403A	-	-	-	-
1DIV	9.97	0.08	740	9.92	HAIDL28C2402	-	-	-	-	MEITU41C2405A	-	-	-	-
ABFTH	-	-	-	-	HAIDL28C2403	-	-	-	-	MEITU41P2404A	0.67	(0.06)	6	0.66
BMSCG	-	-	-	-	HAIDL28C2404	-	-	-	-	NDX28C2312A	-	-	-	-
BMSCTH	9.80	0.10	474	9.78	HAIDL28C2406	0.23	(0.01)	40,000	0.24	NDX28C2403A	0.31	-	1,115	0.32
BSET100	9.19	0.06	420	9.18	HAIDL41C2312	-	-	-	-	NDX28C2403B	1.02	0.04	101	1.03
CHINA	5.29	(0.01)	217	5.29	HAIDL41C2403	-	-	-	-	NDX28C2406A	1.54	0.05	30	1.54
EBANK	5.03	-	4	5.03	HAIDL41C2404	0.10	(0.03)	1,000	0.10	NDX28P2312A	-	-	-	-
ENGY	5.22	0.01	3	5.24	HKEX28C2401A	-	-	-	-	NDX28P2312B	-	-	-	-
ENY	5.04	0.08	227	5.00	HKEX28C2404A	0.14	-	20	0.14	NDX28P2403A	0.08	(0.01)	7	0.08
GLD	2.88	0.02	1,528	2.87	HKEX41C2401A	-	-	-	-	NDX28P2403B	-	-	-	-
TDEX	8.56	0.07	2,571	8.54	HKEX41C2404A	-	-	-	-	NDX28P2403C	0.32	(0.01)	1,100	0.32
UBOT	12.60	-	213	12.60	HSBC28C2312A	-	-	-	-	NDX41C2312A	-	-	-	-
UHERO	7.20	0.11	6	7.20	HSBC28C2401A	-	-	-	-	NDX41C2312B	-	-	-	-
Warrant Foreign	-	-	-	-	HSBC28C2403A	0.27	0.02	4,056	0.28	NDX41C2403A	1.19	0.06	1	1.19
AIA28C2312A	-	-	-	-	HSBC28P2312A	-	-	-	-	NDX41C2403B	0.53	0.01	192	0.53
AIA28C2401A	-	-	-	-	HSBC28P2312B	0.04	-	1	0.04	NDX41C2403C	-	-	-	-
AIA28C2403A	0.24	0.01	9,126	0.24	HSBC28P2404A	-	-	-	-	NDX41P2312A	-	-	-	-
AIA28P2312A	-	-	-	-	HSBC41C2401A	-	-	-	-	NDX41P2312B	-	-	-	-
AIA28P2405A	0.25	(0.01)	11,014	0.24	HSBC41C2403A	-	-	-	-	NDX41P2403A	-	-	-	-
AIA41C2401A	-	-	-	-	HSCE128C2312A	-	-	-	-	NDX41P2403B	-	-	-	-
AIA41C2403A	-	-	-	-	HSCE128C2312B	-	-	-	-	NDX41P2403C	-	-	-	-
ALIHEA28C2402A	-	-	-	-	HSCE128C2401A	-	-	-	-	NDX41P2403D	0.45	(0.55)	5	0.45
ALIHEA28C2406A	0.23	(0.02)	11,154	0.25	HSCE128C2401B	-	-	-	-	NTES41C2312A	-	-	-	-
BABA28C2312A	0.07	0.02	6,000	0.07	HSCE128C2402A	0.56	0.05	2	0.56	NTES41C2404A	0.23	(0.01)	2	0.23
BABA28C2312B	-	-	-	-	HSCE128P2312A	-	-	-	-	PINGAN28C2312A	-	-	-	-
BABA28C2312C	-	-	-	-	HSCE128P2401A	0.89	(0.06)	104	0.90	PINGAN28C2401A	-	-	-	-
BABA28C2401A	-	-	-	-	HSCE128P2401B	-	-	-	-	PINGAN28C2403A	0.04	(0.02)	20	0.04
BABA28C2403A	0.05	0.01	5,120	0.05	HSCE128P2402A	-	-	-	-	PINGAN28C2404A	-	-	-	-
BABA28C2403B	-	-	-	-	HSI06C2401A	0.07	-	53,455	0.07	PINGAN28C2406A	0.22	-	60,000	0.22
BABA28C2404A	0.10	-	10,000	0.10	HSI06C2401B	0.03	(0.01)	4,400	0.04	PINGAN28P2403A	0.44	-	12,168	0.43
BABA28C2406A	0.27	0.03	70,010	0.28	HSI06C2401B	0.20	0.01	31,717	0.21	PINGAN41C2312A	-	-	-	-
BABA28P2312A	-	-	-	-	HSI06C2402A	0.20	(0.01)	8,762	0.22	PINGAN41C2403A	-	-	-	-
BABA28P2403A	0.37	(0.06)	26,824	0.37	HSI06C2402B	0.49	(0.01)	7,879,512	0.55	PINGAN41C2404A	-	-	-	-
BABA41C2312A	0.10	0.02	1,000	0.10	HSI06C2402C	0.78	-	1,872,659	0.83	PINGAN41C2404B	-	-	-	-
BABA41C2312B	-	-	-	-	HSI06P2401A	0.58	(0.03)	8,015,630	0.53	PINGAN41P2404A	-	-	-	-
BABA41C2403A	-	-	-	-	HSI06P2401B	0.97	(0.04)	2,454,608	0.91	SET5001C2312F	0.02	-	249	0.01
BABA41C2403B	-	-	-	-	HSI06P2401C	0.34	(0.02)	4,640,179	0.30	SET5001C2401A	0.02	-	2,820	0.01
BABA41C2404A	0.33	0.04	8	0.35	HSI06P2402A	1.00	0.09	903,202	0.95	SET5001C2401B	0.12	0.01	26,781	0.12
BABA41C2406A	0.44	0.17	1	0.44	HSI06P2402B	0.28	(0.02)	2,651	0.27	SET5001C2403A	0.27	0.01	74,511	0.28
BABA41P2312A	-	-	-	-	HSI28C2312A	0.01	(0.01)	66	0.01	SET5001C2403B	0.17	0.01	14,082	0.17
BABA41P2403A	0.48	(0.07)	2	0.47	HSI28C2312B	0.01	-	81,712	0.01	SET5001C2403F	0.53	0.02	208,480	0.54
BABA41P2404A	0.26	(0.04)	31	0.25	HSI28C2312C	0.01	-	1	0.01	SET5001C2403G	0.32	0.03	22,584	0.32
BABA41P2405A	0.37	(0.06)	26,824	0.37	HSI28C2401B	0.11	(0.02)	375,403	0.12	SET5001P2401A	0.26	(0.06)	14,718	0.27
BABA41P2406A	0.05	-	40	0.06	HSI28C2402D	0.71	-	276,528	0.75	SET5006C2312A	0.01	-	1	0.01
BIDU41C2312A	-	-	-	-	HSI28C2404D	0.11	-	352,410	0.12	SET5006C2312B	-	-	-	-
BIDU41C2403A	-	-	-	-	HSI28C2405B	1.04	-	11,747	1.09	SET5006C2401A	0.24	0.02	839,264	0.24
BIDU41C2403B	-	-	-	-	HSI28C2405C	0.05	-	52,014	0.05	SET5006P2312A	0.01	(0.03)	713	0.01
BIDU41P2403A	0.65	(0.03)	2	0.65	HSI28C2402B	0.03	(0.01)	201	0.03	SET5001P2403G	0.28	(0.04)	10,672	0.28
BYDCOM28C2401A	-	-	-	-	HSI28C2402C	0.18	-	32,412	0.20	SET5001P2404T	0.34	(0.01)	16,030	0.33
BYDCOM28C2404A	0.06	-	40	0.06	HSI28C2402D	0.71	-	276,528	0.75	SET5006C2312A	0.01	-	1	0.01
BYDCOM28C2405A	0.25	(0.01)	15,070	0.25	HSI28C2403A	0.11	-	352,410	0.12	SET5006C2312B	-	-	-	-
BYDCOM28P2401A	0.54	-	11,159	0.53	HSI28C2403B	1.04	-	11,747	1.09	SET5006C2401A	0.24	0.02	50,722	0.20
BYDCOM28P2405A	0.35	0.01	1,014	0.35	HSI28C2404A	0.42	-	45,579	0.45	SET5006P2312A	0.01	(0.03)	2,908	0.13
BYDCOM41C2312A	-	-	-	-	HSI28P2312A	0.02	(0.01)	4,827	0.02	SET5006P2312B	-	-	-	-
BYDCOM41C2312B	-	-	-	-	HSI28P2312B	0.25	(0.04)	898,733	0.22	SET5006P2401A	0.10	(0.03)	488	0.10
BYDCOM41C2404A	-	-	-	-	HSI28P2312C	-	-	-	-	SET5011C2312A	0.			

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday December 20, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5013C2403E	0.66	0.06	773,972	0.67	SPX41P2312A	-	-	-	-	0	-	-	-	-
SET5013C2405A	0.92	0.02	774	0.92	SPX41P2312B	-	-	-	-	0	-	-	-	-
SET5013P2312A	0.02	(0.03)	5,110	0.03	SPX41P2403A	0.11	(0.02)	120	0.11	0	-	-	-	-
SET5013P2312B	0.03	(0.04)	3,531	0.04	SPX41P2403B	-	-	-	-	0	-	-	-	-
SET5013P2312C	0.24	(0.15)	4,778	0.23	SPX41P2403C	0.46	(0.05)	24,815	0.46	0	-	-	-	-
SET5013P2312D	0.01	-	3,001	0.01	SUNNY28C2401	0.06	(0.01)	30	0.06	0	-	-	-	-
SET5013P2312E	0.01	-	250	0.01	SUNNY28C2402	0.42	(0.01)	17,098	0.43	0	-	-	-	-
SET5013P2312F	-	-	-	-	SUNNY41C2312	-	-	-	-	0	-	-	-	-
SET5013P2312G	0.01	-	1	0.01	SUNNY41C2403	-	-	-	-	0	-	-	-	-
SET5013P2403A	0.18	(0.02)	692,342	0.18	SUNNY41C2405	0.44	(0.03)	2	0.45	0	-	-	-	-
SET5013P2403B	0.26	(0.04)	1,458,876	0.26	TENCEN28C231	-	-	-	-	0	-	-	-	-
SET5013P2403C	0.40	(0.06)	2,321,487	0.40	TENCEN28C240	-	-	-	-	0	-	-	-	-
SET5013P2405A	1.17	(0.01)	4,428	1.17	TENCEN28C240	0.11	-	9,126	0.11	0	-	-	-	-
SET5016C2312A	-	-	-	-	TENCEN28C240	0.21	-	22,318	0.22	0	-	-	-	-
SET5016C2312B	-	-	-	-	TENCEN28C240	0.41	0.02	26,724	0.41	0	-	-	-	-
SET5016C2312C	-	-	-	-	TENCEN28P240	-	-	-	-	0	-	-	-	-
SET5016P2312A	-	-	-	-	TENCEN28P240	0.15	(0.01)	21,154	0.15	0	-	-	-	-
SET5016P2312B	-	-	-	-	TENCEN41C231	0.20	0.03	410	0.20	0	-	-	-	-
SET5019C2312A	-	-	-	-	TENCEN41C240	-	-	-	-	0	-	-	-	-
SET5019C2312C	0.01	(0.01)	17	0.01	TENCEN41C240	0.38	(0.02)	2	0.40	0	-	-	-	-
SET5019C2312D	-	-	-	-	TENCEN41P240	-	-	-	-	0	-	-	-	-
SET5019C2312E	-	-	-	-	TENCEN41P240	-	-	-	-	0	-	-	-	-
SET5019C2312F	-	-	-	-	TRIPDC41C2312	-	-	-	-	0	-	-	-	-
SET5019C2312G	0.01	-	1,500	0.01	TRIPDC41C2403	0.30	-	1,000	0.30	0	-	-	-	-
SET5019C2403A	0.20	0.01	268,288	0.22	XIAOMI28C2403	0.71	(0.02)	39,392	0.72	0	-	-	-	-
SET5019C2403B	0.37	0.03	353,923	0.38	XIAOMI28C2404	0.22	(0.01)	7,267	0.23	0	-	-	-	-
SET5019C2403C	0.48	0.04	364,478	0.50	XIAOMI41C2312	-	-	-	-	0	-	-	-	-
SET5019P2312A	0.14	(0.07)	51,498	0.14	XIAOMI41C2403	0.43	0.01	371	0.43	0	-	-	-	-
SET5019P2312B	0.21	(0.12)	62,299	0.22	XIAOMI41C2404	0.23	(0.01)	4	0.24	0	-	-	-	-
SET5019P2312C	0.70	(0.19)	1,042	0.69	XIAOMI41P2404	0.22	0.01	2	0.22	0	-	-	-	-
SET5019P2312D	0.01	(0.01)	51	0.01	ZIJIN28C2312A	0.07	(0.06)	2	0.07	0	-	-	-	-
SET5019P2312E	0.01	-	12,941	0.01	ZIJIN28C2403A	-	-	-	-	0	-	-	-	-
SET5019P2403A	0.15	(0.02)	27,949	0.16	ZIJIN41C2312A	-	-	-	-	0	-	-	-	-
SET5019P2403B	0.41	(0.05)	812,821	0.40	ZIJIN41C2403A	0.20	0.07	2	0.21	0	-	-	-	-
SET5019P2403C	0.29	(0.04)	460,208	0.29	0	-	-	-	-	0	-	-	-	-
SET5027C2312A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2312B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2312C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2312D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2312E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2403A	0.14	0.01	10,624	0.13	0	-	-	-	-	0	-	-	-	-
SET5027C2403B	0.27	0.03	630	0.26	0	-	-	-	-	0	-	-	-	-
SET5027C2403C	0.48	0.05	264,832	0.49	0	-	-	-	-	0	-	-	-	-
SET5027C2403T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2406T	0.18	0.02	110,648	0.17	0	-	-	-	-	0	-	-	-	-
SET5027P2312A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2312B	0.06	(0.05)	575	0.06	0	-	-	-	-	0	-	-	-	-
SET5027P2312C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2403A	0.21	(0.03)	114,985	0.22	0	-	-	-	-	0	-	-	-	-
SET5027P2403T	0.38	(0.05)	412,867	0.37	0	-	-	-	-	0	-	-	-	-
SET5027P2406T	0.15	(0.01)	10,076	0.14	0	-	-	-	-	0	-	-	-	-
SET5028C2312A	0.01	-	3,850	0.01	0	-	-	-	-	0	-	-	-	-
SET5028C2312B	0.01	-	3,150	0.01	0	-	-	-	-	0	-	-	-	-
SET5028C2312C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2312D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2312E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2403A	0.04	-	11	0.04	0	-	-	-	-	0	-	-	-	-
SET5028C2403B	0.09	0.01	3,664	0.09	0	-	-	-	-	0	-	-	-	-
SET5028C2403C	0.28	0.02	373,250	0.29	0	-	-	-	-	0	-	-	-	-
SET5028C2406A	0.66	0.04	544,482	0.67	0	-	-	-	-	0	-	-	-	-
SET5028P2312A	0.02	(0.02)	5,010	0.02	0	-	-	-	-	0	-	-	-	-
SET5028P2312B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028P2312C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028P2403A	0.99	(0.11)	93	1.00	0	-	-	-	-	0	-	-	-	-
SET5028P2403B	0.50	(0.04)	8,988	0.50	0	-	-	-	-	0	-	-	-	-
SET5028P2406A	0.48	(0.03)	425,620	0.48	0	-	-	-	-	0	-	-	-	-
SET5041C2312A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312H	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2312I	0.01	-	1	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2403A	0.06	0.01	120	0.05	0	-	-	-	-	0	-	-	-	-
SET5041C2403B	0.11	0.01	4,349	0.11	0	-	-	-	-	0	-	-	-	-
SET5041C2403C	0.22	0.02	219,046	0.22	0	-	-	-	-	0	-	-	-	-
SET5041C2403D	0.21	0.02	125,263	0.22	0	-	-	-	-	0	-	-	-	-
SET5041C2403E	0.34	0.04	1,105,406	0.33	0	-	-	-	-	0	-	-	-	-
SET5041C2403F	0.41	0.05	951,516	0.42	0	-	-	-	-	0	-	-	-	-
SET5041C2403G	0.68	0.08	2,175	0.67	0	-	-	-	-	0	-	-	-	-
SET5041P2312A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2312B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2312C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2312D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2312E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2403A	0.48	(0.07)	946,274	0.49	0	-	-	-	-	0	-	-	-	-
SET5041P2403B	0.26	(0.04)	521,362	0.26	0	-	-	-	-	0	-	-	-	-
SPX28C2312A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2312B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2312C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2403A	0.57	0.04	20	0.57	0	-	-	-	-	0	-	-	-	-
SPX28P2312A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28P2312B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28P2403A	0.11	-	1,653	0.10	0	-	-	-	-	0	-	-	-	-
SPX28P2403B	0.26	(0.02)	3,452	0.26	0	-	-	-	-	0	-	-	-	-
SPX41C2312A	-	-	-	-	0	-	-	-	-	0				

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Wednesday December 20, 2023

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust	-	-	-	-	UBIS-W1	-	-	00	0.0	KGEN	0.89	(0.01)	176,474	00 0.9
AU	9.10	0.05	4,703	00 9.1	UEC	1.51	0.03	10,766	00 1.5	KGEN-W2	0.33	(0.01)	37,448	00 0.3
JCKH	0.05	0.01	169,617	00 0.0	UKEM	0.81	0.01	48,514	00 0.7	KK	1.88	(0.02)	583	00 1.8
JCKH-W1	0.01	-	310	00 0.0	UREKA	0.59	(0.01)	57,781	00 0.6	KLINIQ	40.75	(0.50)	5,516	00 40.8
JCKH-W2	-	-	-	00 0.0	YUASA	11.30	0.20	6	00 11.2	KOOL	0.37	(0.01)	26,791	00 0.3
KASET	1.39	-	151	00 1.3	ZIGA	2.66	0.04	251,441	00 2.6	KTMS	2.24	0.02	2,452	00 2.2
MUD	2.10	(0.08)	59	00 2.1	Property	-	-	-	-	LDC	0.58	(0.01)	14,187	00 0.5
NTSC	13.10	-	296	00 13.0	24CS	1.22	(0.13)	180,416	00 1.2	LEO	4.34	0.08	4,244	00 4.3
TACC	4.36	(0.10)	16,533	00 4.4	A5	3.08	-	15,546	00 3.1	LEO-W1	0.44	0.02	68,109	00 0.4
TMILL	3.88	0.04	457	00 3.8	A5-W2	0.09	-	23,411	00 0.0	MASTER	54.25	(0.75)	8,660	00 54.8
WINNER	2.18	0.02	780	00 2.1	A5-W3	0.08	-	7,671	00 0.0	MCA	2.18	0.06	516,337	00 2.1
XO	28.00	-	25,234	00 28.3	ALL	-	-	-	00 0.0	MEB	33.00	1.25	3,156	00 32.3
Consumer Products	-	-	-	-	ARIN	3.40	(0.06)	31	00 3.4	MORE	0.12	-	57,541	00 0.1
ALPHAX	0.51	(0.01)	84,435	00 0.5	ARROW	6.10	(0.10)	164	00 6.1	MVP	1.40	0.02	10,014	00 1.4
BGT	0.74	0.02	1,884	00 0.7	BC	0.96	-	1,020	00 0.9	NCL	0.88	0.01	21,016	00 0.8
DOD	3.68	-	2,608	00 3.6	BLESS	0.64	(0.02)	15,508	00 0.6	NEWS	0.01	-	161,961	00 0.0
ECF	1.01	(0.01)	7,580	00 1.0	BSM	2.60	-	104	00 2.5	NEWS-W7	0.01	-	5	00 0.0
ECF-W4	0.04	-	1,995	00 0.0	BTW	0.30	(0.01)	1,345	00 0.3	OTO	0.88	(0.04)	404,730	00 0.9
EFORL	0.25	(0.01)	69,081	00 0.2	CAZ	3.38	-	2,311	00 3.3	OTO-W1	0.47	(0.03)	34,912	00 0.5
EFORL-W6	0.05	(0.01)	945	00 0.0	CHEWA	0.50	0.01	1,476	00 0.4	PHOL	2.58	(0.02)	1,044	00 2.5
HPT	0.59	0.01	23,846	00 0.5	CHEWA-W2	-	-	-	00 0.0	PICO	4.98	0.02	34	00 4.8
IP	8.95	0.05	3,082	00 8.9	CPANEL	6.60	-	630	00 6.5	PLT	0.84	-	26,287	00 0.8
IP-W2	0.54	(0.01)	39,580	00 0.5	CPANEL-W1	2.22	0.18	16	00 2.1	QLT	2.76	(0.02)	2,008	00 2.8
ITTHI	1.34	-	4,939	00 1.3	CRD	0.43	-	270	00 0.4	RP	1.48	-	3,795	00 1.4
JSP	2.04	0.02	9,482	00 2.0	DHOUSE	0.73	-	311	00 0.7	SE	0.85	0.01	4,636	00 0.8
JSP-W1	0.16	(0.01)	18,570	00 0.1	DIMET	0.25	-	1,073	00 0.2	SLM	-	-	00 0.0	
JUBILE	17.90	0.50	942	00 17.4	DPAIN	3.30	0.04	1,215	00 3.2	SONIC	1.81	0.07	42,607	00 1.8
MGI	16.90	1.40	1,083,091	00 17.6	FLOYD	1.15	0.03	1,152	00 1.1	SPA	12.00	0.10	3,927	00 11.9
MOONG	1.97	(0.01)	2,989	00 1.9	FLOYD-W1	0.02	-	1,273	00 0.0	THMUI	0.58	(0.01)	1,269	00 0.5
NPK	15.50	0.20	2	00 15.7	HYDRO	0.34	0.03	6,979	00 0.3	TNDT	0.29	-	1,961	00 0.2
SMD	5.60	0.20	10,848	00 5.6	IND	0.83	(0.01)	2,811	00 0.8	TNDT-W1	0.08	0.01	451	00 0.0
TM	1.99	0.03	56	00 1.9	JAK	1.29	(0.01)	43	00 1.2	TNH	37.75	-	848	00 37.7
TM-W1	0.23	0.01	100	00 0.2	K	1.23	0.08	44,783	00 1.2	TNP	2.92	0.06	1,132	00 2.9
WARRIX	6.60	0.10	12,142	00 6.5	K-W2	0.34	0.02	40,775	00 0.3	TPL	1.43	(0.03)	2,356	00 1.4
WINMED	2.94	(0.02)	870	00 2.9	KUN	1.75	(0.01)	21	00 1.7	TRP	15.90	-	23,645	00 15.7
Financials	-	-	-	-	KUN-W1	0.01	-	1,507	00 0.0	TURTLE	7.20	(0.20)	5	00 7.2
ACAP	-	-	-	00 0.0	KUN-W2	0.05	-	3,408	00 0.0	TVDH	0.37	-	15,083	00 0.3
AF	0.79	0.01	2,967	00 0.7	META	0.20	-	16,804	00 0.1	TVDH-W3	0.06	-	992	00 0.0
AIRA	-	-	-	00 0.0	PPS	0.39	0.02	14,526	00 0.3	TVT	0.40	-	10,327	00 0.4
ASN	1.88	(0.04)	488	00 1.8	PRI	21.30	0.60	4,744	00 21.2	UBA	1.01	(0.03)	13,626	00 1.0
BROOK	0.48	(0.02)	371,783	00 0.4	PROS	0.76	-	811	00 0.7	VL	0.90	-	31,234	00 0.9
BROOK-W6	0.11	(0.01)	50,763	00 0.1	PROS-W1	0.12	(0.01)	801	00 0.1	YGG	7.20	0.05	7,775	00 7.1
BROOK-W7	0.16	-	4,377	00 0.1	PROUD	1.53	-	3,568	00 1.5	Technology	-	-	-	-
GCAP	0.53	(0.01)	32,337	00 0.5	PSG	0.71	0.03	496,514	00 0.7	APP	2.60	0.04	1,638	00 2.6
KCC	4.16	0.16	639	00 4.0	SENX	0.58	0.01	8,797	00 0.5	BBIK	93.50	1.25	3,254	00 93.2
LIT	1.00	-	422	00 0.9	SENX-W1	0.02	-	4	00 0.0	BE8	30.00	0.75	10,141	00 30.1
LIT-W2	0.21	(0.01)	677	00 0.2	SK	0.61	-	1,609	00 0.6	BE8-W1	4.52	0.04	22	00 4.3
MITSIB	0.99	-	4,725	00 0.9	SMART	1.05	(0.02)	47,621	00 1.0	BVG	4.32	0.08	103,955	00 4.5
SGF	0.43	0.01	158,884	00 0.4	SSS	-	-	-	00 0.0	COMAN	3.48	-	268	00 3.4
SGF-P1	-	-	-	00 0.0	STC	0.68	(0.01)	4,978	00 0.6	DITTO	27.75	3.15	67,424	00 27.0
SGF-Q1	-	-	-	00 0.0	SVR	1.53	(0.02)	10,461	00 1.5	DITTO-W1	4.82	0.26	1,139	00 4.8
TQR	6.65	-	232	00 6.6	TAPAC	1.39	0.02	114	00 1.3	I2	2.12	0.02	66,197	00 2.1
Industrials	-	-	-	-	THANA	1.77	0.02	760	00 1.7	IIG	10.50	(0.30)	943	00 10.6
ADB	0.95	0.01	703	00 0.9	TIGER	0.98	(0.07)	323	00 0.9	IIG-W1	3.38	(0.14)	11	00 3.6
BM	2.98	0.04	461	00 2.9	TITLE	3.58	-	5,821	00 3.5	IRCP	0.65	0.02	9,779	00 0.6
BM-W3	1.73	-	7	00 1.7	YONG	2.00	-	5,122	00 2.0	ITNS	3.04	(0.12)	880	00 3.0
CHO	0.51	(0.03)	156,487	00 0.5	Resources	-	-	-	-	NETBAY	20.30	1.90	70,774	00 20.5
CHO-W3	0.01	(0.01)	6,254	00 0.0	ABM	1.56	(0.04)	1,331	00 1.5	PLANET	0.87	(0.01)	4,722	00 0.8
CHOW	1.42	0.02	1,045	00 1.4	ABM-W1	0.22	(0.01)	3,712	00 0.2	PROEN	2.84	0.02	8,360	00 2.8
CIG	0.11	-	347,989	00 0.1	GTV	0.19	-	411,338	00 0.1	PROEN-W1	0.03	-	1,437	00 0.0
CIG-W10	-	-	-	00 0.0	PSTC	0.84	0.02	15,729	00 0.8	READY	11.40	-	224	00 11.2
CIG-W9	0.07	-	68	00 0.0	PSTC-W2	0.07	(0.01)	7,462	00 0.0	SECURE	12.80	0.10	301	00 12.7
COLOR	1.33	-	269	00 1.2	PTC	2.04	(0.02)	8,683	00 2.0	SICT	7.05	0.05	4,715	00 7.0
COLOR-W2	0.03	-	41	00 0.0	SAAM	7.80	0.05	175	00 7.7	SIMAT	1.83	0.01	6,093	00 1.8
CPR	4.02	(0.02)	708	00 4.0	SAAM-W2	0.26	0.02	3,846	00 0.2	SIMAT-W3	0.18	-	99	00 0.1
FPI	2.34	-	511	00 2.3	SR	0.62	-	288	00 0.6	SIMAT-W5	0.38	0.03	712	00 0.3
GTB	0.66	0.01	119	00 0.6	STOWER	0.15	0.01	2,096	00 0.1	SPVI	3.70	-	1,384	00 3.7
KCM	0.34	0.01	911	00 0.3	STOWER-W4	-	-	-	00 0.0	TBN	14.70	-	1,374	00 14.7
KJL	8.25	0.35	5,333	00 8.2	TAKUNI	1.56	-	20,063	00 1.5	TPS	2.90	-	347	00 2.9
KUMWEL	1.74	-	407	00 1.7	TPCH	5.90	0.05	667	00 5.8	TPS-W1	-	-	-	-
KWM	1.27	0.03	43,386	00 1.3	TRT	2.34	0.06	2,852	00 2.3	VCOM	3.86	0.02	1,100	00 3.8
MBAX	3.16	0.06	711	00 3.1	UMS	0.55	-	282	00 0.5	-	-	-	-	
MBAX-W2	0.17	(0.03)	1,093	00 0.1	Services	-	-	-	-	-	-	-	-	
MGT	2.20	(0.02)	449	00 2.1	ADD	6.40	(0.10)	336	00 6.2	-	-	-	-	
MTW	2.24	(0.02)	26,490	00 2.2	AKP	1.06	0.01	476	00 1.0	-	-	-	-	
NDR	1.14	(0.01)	1,319	00 1.1	AMA	3.98	-	3,287	00 4.0	-	-	-	-	
NDR-W2	0.03	-	8,396	00 0.0	AMARC	1.24	-	1,366	00 1.2	-	-	-	-	
PACO	1.61	-	1,136	00 1.6	ARIP	0.80	-	3,119	00 0.8	-	-	-	-	
PACO-W1	0.18	-	215	00 0.1	ATP30	0.95	-	4,323	00 0.9	-	-	-	-	
PDG														