

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPUI	-	-	-	-	SCB01P2402X	0.08	(0.01)	15,582	0.08	IVL06C2404A	0.17	(0.03)	36,890	0.19
SAFARI	-	-	-	-	SCB01P2405X	0.38	(0.03)	22,439	0.39	IVL11C2403T	0.09	-	4,000	0.09
WORLD	-	-	-	-	SCB06C2402A	-	-	-	-	IVL13C2401A	-	-	-	-
Agribusiness	-	-	-	-	SCB06C2403A	-	-	-	-	IVL13C2402A	-	-	-	-
EE	0.29	0.01	12,146	0.29	SCB11C2403A	0.17	0.01	16,350	0.16	IVL13C2403A	0.06	(0.01)	7,356	0.07
EE-W1	0.03	0.01	26,566	0.03	SCB13C2401A	-	-	-	-	IVL13C2403B	0.11	(0.02)	62,704	0.12
GPFT	11.70	(0.10)	9,907	11.57	SCB13C2402A	0.02	-	1,200	0.02	IVL13P2401A	-	-	-	-
LEE	2.34	-	363	2.35	SCB13C2403A	0.27	0.04	353	0.25	IVL13P2405A	0.19	0.01	7,572	0.18
NER	5.20	(0.10)	100,819	5.18	SCB13C2404A	0.20	0.02	473,069	0.19	IVL19C2401A	0.01	-	200	0.01
PPPM	0.06	0.01	17,705	0.05	SCB13P2402A	0.02	(0.05)	1	0.02	IVL19C2402A	0.05	(0.01)	301	0.05
PPPM-W4	0.02	-	4,009	0.01	SCB19C2401A	-	-	-	-	IVL19C2403A	0.14	(0.02)	28,303	0.16
STA	17.10	-	23,683	17.03	SCB19C2402A	-	-	-	-	IVL19C2405A	0.17	(0.03)	39,180	0.20
STA01C2401A	-	-	-	-	SCB19C2403A	-	-	-	-	IVL41C2401A	-	-	-	-
STA01C2402A	-	-	-	-	SCB19C2404A	0.22	0.02	108,732	0.21	IVL41C2402A	0.02	(0.02)	1,512	0.02
STA01C2404A	0.44	-	13,414	0.44	SCB19P2402A	-	-	-	-	IVL41C2403A	0.15	(0.03)	27,161	0.17
STA01P2402X	-	-	-	-	SCB41C2401A	-	-	-	-	IVL41C2404A	-	-	-	-
STA06C2401A	-	-	-	-	SCB41C2402A	-	-	-	-	IVL41C2406A	0.25	(0.01)	12,867	0.26
STA11C2402T	0.10	-	2,020	0.10	SCB41C2403A	0.14	0.01	37,067	0.14	NFC	3.24	0.14	1,578	3.28
STA13C2401A	0.02	(0.02)	1	0.02	SCB41C2404A	-	-	-	-	PATO	9.60	(0.10)	103	9.61
STA13C2405A	0.46	0.01	43,245	0.45	SCB41C2405A	0.33	0.03	19,200	0.32	PTMA	-	-	-	-
STA13P2401A	-	-	-	-	SCB41C2405B	0.34	0.02	27,756	0.33	PTTGC	37.25	(0.25)	105,184	37.18
STA19C2401A	0.01	-	10,476	0.01	TCAP	49.75	0.25	15,379	49.71	PTTGC01C2401A	-	-	-	-
STA19C2401B	0.03	(0.02)	1	0.03	TCAP-P	-	-	-	-	PTTGC01C2402T	0.05	(0.01)	1	0.05
TEGH	2.88	-	14,900	2.90	TCAP-Q	-	-	-	-	PTTGC01C2403A	0.09	(0.01)	8,594	0.10
TFM	6.80	0.20	711	6.74	TCAP11C2402T	-	-	-	-	PTTGC01C2403B	0.21	(0.01)	7,944	0.22
TRUBB	1.30	(0.01)	21,232	1.30	TCAP13C2403A	0.08	-	8,896	0.08	PTTGC01P2405X	0.36	-	15,053	0.36
TRUBB-W2	0.15	(0.01)	21,396	0.15	TCAP19C2403A	-	-	-	-	PTTGC01C2405A	0.18	(0.01)	22,883	0.18
UPOIC	6.25	-	142	6.29	TISCO	100.00	0.25	15,007	100.20	PTTGC01C2405A	-	-	-	-
UVAN	8.50	0.20	12,214	8.42	TISCO-P	-	-	-	-	PTTGC01P2404X	0.13	-	13,360	0.13
VPO	0.76	0.03	4,255	0.75	TISCO-Q	-	-	-	-	PTTGC06C2401A	-	-	-	-
Banking	-	-	-	-	TISCO13C2405A	0.27	(0.73)	3,060	0.27	PTTGC11C2404A	0.25	(0.01)	1,700	0.26
BAY	28.50	0.25	4,959	28.51	TISCO19C2402A	0.01	(0.01)	15,310	0.01	PTTGC11P2402A	0.19	-	2,700	0.19
BBL	155.50	1.00	99,971	155.57	TTB	1.67	0.01	1,370,085	1.67	PTTGC13C2402A	-	-	-	-
BBL06C2403A	0.14	-	43,128	0.14	TTB-W1	0.71	0.01	28,611	0.71	PTTGC13C2403A	0.12	(0.01)	54,230	0.13
BBL11C2404A	0.15	0.01	13,048	0.16	TTB01C2402A	-	-	-	-	PTTGC13P2404A	0.12	(0.01)	5,512	0.12
BBL11C2406A	0.45	0.01	25,500	0.46	TTB01C2404A	0.19	-	16,529	0.19	PTTGC19C2402A	-	-	-	-
BBL11P2402A	0.20	(0.02)	15,000	0.20	TTB06C2401A	0.01	-	10	0.01	PTTGC41C2404A	0.18	(0.02)	22,900	0.18
BBL13C2403A	0.05	0.01	4,646	0.05	TTB13C2401A	-	-	-	-	PTTGC41C2405A	0.14	(0.01)	26,702	0.14
BBL13C2404A	0.17	-	32,883	0.18	TTB13C2404A	0.17	-	24,488	0.18	PTTGC41C2406A	-	-	-	-
BBL13C2405A	0.39	0.02	149,068	0.38	TTB13P2401A	-	-	-	-	PTTGC41C2407A	-	-	-	-
BBL13P2404A	0.33	(0.02)	29,164	0.34	TTB19C2402A	-	-	-	-	PTTGC41C2408A	-	-	-	-
BBL19C2401A	-	-	-	-	TTB19C2404A	0.17	0.01	9,680	0.17	PTTGC41C2409A	0.25	(0.02)	2,500	0.26
BBL19C2403A	-	-	-	-	Construction Ma	-	-	-	-	PTTGC41C2409B	0.18	(0.02)	26,702	0.14
BBL19C2404A	0.20	0.03	13,702	0.19	CCP	0.39	0.02	59,328	0.39	PTTGC41C2405A	0.14	(0.01)	4	1.19
BBL19C2405A	0.39	0.01	70,245	0.39	DCC	1.62	0.08	169,905	1.61	SUTHA	2.42	-	194	2.42
BBL41C2402A	-	-	-	-	DCON	0.48	0.04	284,024	0.46	TPA	4.42	-	14	4.42
BBL41C2403A	-	-	-	-	DCON-W3	0.09	-	304,842	0.09	UAC	3.78	(0.02)	1,890	3.78
BBL41C2404A	0.16	0.01	21,600	0.16	DRT	8.25	0.05	2,146	8.20	UP	-	-	-	-
BBL41C2405A	0.34	0.02	104,802	0.33	EPG	8.45	0.10	73,861	8.43	Commerce	-	-	-	-
CIMBT	0.63	0.01	26,045	0.63	EPG19C2401A	0.10	(0.02)	2,220	0.10	B52	1.20	0.01	4	1.19
KBANK	136.00	1.50	144,460	135.32	GEL	0.20	-	7,283	0.20	BEAUTY	0.58	(0.02)	402,290	0.58
KBANK01C2401A	-	-	-	-	GEL-W5	0.04	(0.01)	20,529	0.04	BIG	0.57	0.02	46,723	0.57
KBANK01C2403A	0.24	0.02	74,672	0.23	PPP	1.82	0.06	174	1.81	BJC	28.00	0.50	102,691	27.65
KBANK01C2405A	0.41	0.03	27,742	0.39	Q-CON	15.20	(0.10)	5,351	15.32	COM7	25.75	(0.25)	118,126	25.67
KBANK01P2402X	-	-	-	-	SCC	301.00	(2.00)	10,845	300.94	COM701C2401A	-	-	-	-
KBANK01P2404X	0.29	(0.03)	9,718	0.31	SCC01C2402A	0.01	(0.01)	40	0.01	COM701C2403W	-	-	-	-
KBANK06C2404A	0.27	0.02	39,698	0.26	SCC01C2403A	0.11	(0.02)	26,041	0.11	COM701C2404A	0.10	(0.01)	5,493	0.11
KBANK13C2402A	-	-	-	-	SCC01C2405A	0.46	(0.02)	18,175	0.46	COM701C2404B	0.68	(0.03)	7,794	0.68
KBANK13C2405A	0.35	0.03	211,552	0.34	SCC01P2403X	-	-	-	-	COM701P2401A	-	-	-	-
KBANK13P2401A	-	-	-	-	SCC13C2401A	-	-	-	-	COM701P2402X	0.30	0.02	9,514	0.28
KBANK13P2404A	0.15	(0.03)	26,293	0.16	SCC13C2403A	-	-	-	-	COM701P2404X	0.23	0.01	23,432	0.23
KBANK19C2402A	-	-	-	-	SCC13C2405A	0.33	(0.03)	19,722	0.34	COM706C2403A	-	-	-	-
KBANK19C2404A	0.20	0.01	140,295	0.19	SCC13P2403A	-	-	-	-	COM711C2404A	0.12	(0.01)	7,250	0.12
KBANK19C2405A	0.39	0.03	21,906	0.37	SCC19C2401A	0.10	(0.02)	7,558	0.11	COM713C2401A	0.01	-	1	0.01
KBANK19P2404A	-	-	-	-	SCC19C2405A	0.39	(0.02)	4,540	0.40	COM713C2403A	0.09	-	-	-
KBANK41C2401A	-	-	-	-	SCC19C2405B	-	-	-	-	COM713C2404A	-	-	-	-
KBANK41C2402A	0.07	0.01	50	0.06	SCCC	138.00	-	411	137.84	COM713C2404B	0.39	(0.03)	25	0.39
KBANK41C2405A	0.35	0.02	29,200	0.33	SCGD	10.30	0.30	223,768	10.38	COM713C2405A	0.64	(0.03)	7,542	0.64
KBANK41C2405B	0.44	0.05	14,810	0.43	SCP	5.60	0.05	329	5.57	COM713C2405B	0.20	(0.01)	74,083	0.20
KKP	50.50	0.25	16,796	50.34	SKN	4.60	-	3,677	4.56	COM713P2402A	0.20	-	4,912	0.20
KKP-W5	0.38	(0.02)	70,915	0.40	STECH	1.63	0.03	15,227	1.63	COM713P2404A	0.18	-	12,014	0.19
KKP-W6	1.88	(0.05)	10,042	1.90	TASCO	16.80	-	55,398	16.91	COM719C2401A	-	-	-	-
KKP01C2401A	0.01	(0.01)	5	0.01	TASCO01C2403/	0.12	-	3,600	0.13	COM719C2404A	0.11	(0.01)	18,986	0.11
KKP01C2405A	0.31	0.01	18,578	0.30	TASCO01C2405/	0.31	(0.01)	14,374	0.32	COM719C2404B	-	-	-	-
KKP11C2403A	-	-	-	-	TASCO01P2405/	0.26	(0.01)	14,994	0.26	COM719P2402A	0.10	0.01	19,304	0.10
KKP11C2406A	0.34	0.01	9											

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL19P2404A	0.12	-	7,542	0.12	ADVANC06C240	-	-	-	-	TRUE01C2403A	-	-	-	-
CPALL41C2401A	-	-	-	-	ADVANC06C2404	0.21	(0.05)	7,907	0.23	TRUE01C2404A	-	-	-	-
CPALL41C2403A	-	-	-	-	ADVANC1P240	0.16	0.02	7,661	0.16	TRUE01C2405A	0.14	(0.01)	75,401	0.14
CPALL41C2403B	-	-	-	-	ADVANC13C240	-	-	-	-	TRUE01P2402X	0.37	(0.01)	3,842	0.37
CPALL41C2404A	0.17	(0.02)	20,001	0.18	ADVANC13C240	0.11	(0.03)	10,635	0.12	TRUE01P2404X	0.25	-	6,692	0.25
CPAXT	29.00	0.25	103,929	29.04	ADVANC13P240	-	-	-	-	TRUE06C2401A	-	-	-	-
CPW	2.60	0.02	2,221	2.60	ADVANC13P240	0.25	0.02	12,266	0.24	TRUE06C2403A	-	-	-	-
CRC	39.50	0.25	47,970	39.25	ADVANC19C240	-	-	-	-	TRUE11P2405A	0.11	-	3,030	0.11
CRC01C2401A	-	-	-	-	ADVANC19C240	0.12	(0.01)	100	0.12	TRUE11P2401A	-	-	-	-
CRC01C2403A	-	-	-	-	ADVANC19C240	0.21	(0.04)	5,415	0.21	TRUE13C2402A	-	-	-	-
CRC01C2404A	0.25	-	22,386	0.24	ADVANC41C240	-	-	-	-	TRUE13C2403B	-	-	-	-
CRC01P2404X	0.20	-	12,655	0.21	ADVANC41C240	-	-	-	-	TRUE13C2405A	0.13	-	21,504	0.13
CRC06C2402A	0.05	(0.05)	2,552	0.05	ADVANC41C240	0.14	(0.03)	29,100	0.15	TRUE13P2404A	0.22	(0.01)	12,593	0.23
CRC11C2404A	0.18	-	14,870	0.17	AIT	3.92	0.02	15,377	3.93	TRUE19C2402A	-	-	-	-
CRC13C2402A	-	-	-	-	AIT-W2	-	-	-	-	TRUE19C2402B	-	-	-	-
CRC13C2403A	0.11	-	23,043	0.11	ALT	1.66	0.04	4,078	1.64	TRUE19C2404A	0.06	-	3,284	0.06
CRC13C2405A	0.24	(0.76)	58,500	0.23	AMR	1.81	0.02	308,956	1.89	TRUE19C2405A	0.21	-	570	0.21
CRC13P2404A	0.15	(0.01)	14,134	0.16	BLISS	-	-	-	-	TRUE19P2402A	-	-	-	-
CRC19C2401A	-	-	-	-	DIF	8.85	0.45	479,129	8.72	TRUE41C2402A	-	-	-	-
CRC19C2404A	0.18	-	74,866	0.18	DTCENT	1.73	(0.08)	119,261	1.79	TRUE41C2403A	-	-	-	-
CSS	0.87	0.02	26,562	0.87	FORTH	22.50	(0.90)	27,507	22.88	TRUE41C2404A	-	-	-	-
DOHOME	11.80	(0.10)	47,015	11.77	FORTH01C2401	0.01	(0.02)	1,106	0.01	TRUE41C2404B	0.08	-	1,320	0.08
DOHOME01C2401A	-	-	-	-	FORTH01C2402	-	-	-	-	TRUE41C2406A	0.22	(0.01)	2,000	0.22
DOHOME01C2404A	0.16	(0.01)	5,776	0.16	FORTH01C2403	0.24	(0.07)	12,244	0.26	TWZ	0.04	-	439,677	0.04
DOHOME01P2401A	-	-	-	-	FORTH01C2404	0.50	(0.09)	22,572	0.55	TWZ-W6	-	-	-	-
DOHOME06C2401A	-	-	-	-	FORTH01P2401	-	-	-	-	TWZ-W7	-	-	-	-
DOHOME11C2403T	0.14	(0.01)	2,591	0.14	FORTH13C2401	-	-	-	-	Electronic Componer	-	-	-	-
DOHOME13C2404A	0.17	(0.01)	350	0.17	FORTH13C2403	-	-	-	-	CCET	2.06	(0.02)	92,191	2.12
DOHOME19C2401A	-	-	-	-	FORTH13C2403I	0.14	(0.04)	40,125	0.16	DELTA	84.25	(2.75)	219,721	85.73
DOHOME19C2404A	0.23	-	42,774	0.23	FORTH13C2404	0.39	(0.08)	23,443	0.40	DELTA01C2401A	-	-	-	-
FN	1.69	(0.01)	36	1.69	FORTH13P2401	-	-	-	-	DELTA01C2402A	0.01	-	638	0.01
FTE	1.55	0.04	18,250	1.54	FORTH19C2402	-	-	-	-	DELTA01C2403A	0.19	(0.03)	58,402	0.21
GLOBAL	16.60	-	67,063	16.54	FORTH19C2402I	-	-	-	-	DELTA01C2403B	0.72	(0.11)	46,118	0.79
GLOBAL01C2401A	-	-	-	-	FORTH19C2404	0.48	(0.08)	78,975	0.53	DELTA01C2404A	0.58	-	-	-
GLOBAL01C2404A	0.26	-	12,552	0.25	GABLE	4.76	0.20	133,461	4.68	DELTA01C2404B	0.40	(0.05)	118,468	0.64
GLOBAL06C2403A	0.15	-	4,533	0.15	HUMAN	10.50	-	11,764	10.56	DELTA01P2402A	0.37	0.04	50,036	0.34
GLOBAL13C2403A	0.08	-	3,000	0.08	ICN	2.90	0.02	8,150	2.92	DELTA01P2404A	0.81	0.06	153,373	0.77
GLOBAL19C2401A	-	-	-	-	ILINK	7.30	0.05	8,694	7.29	DELTA01P2404B	-	-	-	-
GLOBAL19C2402A	-	-	-	-	INET	4.50	0.04	1,918	4.50	DELTA06C2401A	-	-	-	-
GLOBAL19C2403A	0.21	(0.01)	36,978	0.21	INSET	2.30	(0.02)	23,552	2.31	DELTA06C2401B	-	-	-	-
HMPRO	12.10	(0.10)	121,289	12.14	INTUCH	71.00	(0.25)	26,974	70.92	DELTA06C2402A	0.32	(0.05)	224,232	0.37
HMPRO01C2402A	-	-	-	-	INTUCH01C240	-	-	-	-	DELTA13C2401A	-	-	-	-
HMPRO01C2404A	-	-	-	-	INTUCH01C2405	0.34	(0.01)	26,848	0.34	DELTA13C2401B	-	-	-	-
HMPRO13C2403A	-	-	-	-	INTUCH13C2401	-	-	-	-	DELTA13C2402A	0.01	-	71	0.01
HMPRO13C2405A	0.18	-	240	0.18	INTUCH13C2404	0.24	(0.01)	30,470	0.24	DELTA13C2403A	0.11	(0.03)	107,261	0.13
HMPRO19C2401A	0.01	(0.01)	427	0.01	INTUCH19C2401	0.01	-	3	0.01	DELTA13C2403B	0.23	(0.06)	233,050	0.26
HMPRO19C2404A	-	-	-	-	INTUCH19C2404	0.23	(0.01)	13,964	0.23	DELTA13C2404A	0.51	(0.09)	402,576	0.56
HMPRO41C2402A	-	-	-	-	ITEL	2.46	-	99,459	2.47	DELTA13P2401A	0.04	0.01	2,630	0.04
HMPRO41C2404A	0.14	(0.01)	22,244	0.14	ITEL-W4	0.04	-	17,053	0.04	DELTA13P2403A	0.15	0.02	70,765	0.14
HMPRO41C2406A	0.22	(0.02)	10,100	0.23	JAS	2.16	0.04	372,524	2.14	DELTA13P2403B	0.27	0.03	108,622	0.26
ICC	44.75	1.00	57	44.38	JAS19C2401A	1.79	0.11	56	1.79	DELTA13P2404A	0.90	0.08	548,360	0.85
ILM	24.20	0.30	1,550	24.17	JASIF	6.75	0.30	110,838	6.63	DELTA19C2402A	-	-	-	-
IT	3.22	(0.02)	922	3.23	JMART	18.20	(0.30)	141,270	18.43	DELTA19C2402B	0.02	(0.01)	305	0.03
KAMART	13.50	-	36,678	13.53	JMART-W4	6.15	(0.05)	199	6.14	DELTA19C2403A	0.11	(0.03)	9,660	0.13
LOXLEY	1.40	0.01	1,184	1.39	JMART-W5	2.46	0.20	12,580	2.59	DELTA19C2404A	0.34	(0.07)	59,992	0.38
MC	13.70	0.10	30,563	13.74	JMART01C2401	0.01	-	439	0.01	DELTA19P2402A	0.31	0.04	20,656	0.29
MEGA	41.00	(1.25)	20,855	41.36	JMART01C2402	-	-	-	-	DELTA19P2404A	0.62	0.05	82,868	0.59
MEGA01C2402A	-	-	-	-	JMART01C2402F	-	-	-	-	DELTA41C2401A	-	-	-	-
MEGA01C2404A	0.31	(0.04)	10,421	0.32	JMART01C2403	0.27	(0.03)	70,914	0.29	DELTA41C2402A	0.06	(0.03)	2,681	0.07
MEGA06C2401A	-	-	-	-	JMART01C2404	0.52	(0.04)	67,944	0.55	DELTA41C2403A	0.36	(0.08)	77,830	0.40
MEGA11C2401T	0.14	(0.03)	4,000	0.15	JMART01P2401	0.01	-	3,420	0.01	DELTA41C2405A	0.33	(0.04)	44,546	0.36
MEGA13C2401A	-	-	-	-	JMART01P2401F	0.01	(0.02)	100	0.01	HANA	51.00	(1.75)	230,257	51.21
MEGA13C2405A	0.29	(0.05)	28,556	0.30	JMART01P2404	0.34	-	9,364	0.34	HANA01C2401A	-	-	-	-
MEGA19C2401A	-	-	-	-	JMART06C2402	0.21	(0.02)	63,781	0.23	HANA01C2403A	0.05	(0.02)	7,442	0.06
MEGA19C2404A	0.24	(0.03)	14,745	0.25	JMART13C2401	-	-	-	-	HANA01C2403B	0.17	(0.05)	43,336	0.19
MIDA	0.58	0.01	72,807	0.59	JMART13C2402	-	-	-	-	HANA01C2404A	0.46	(0.09)	36,515	0.48
MIDA-W3	0.01	-	18,771	0.01	JMART13C2403	0.08	(0.01)	15,812	0.09	HANA01C2405A	0.38	(0.06)	55,695	0.39
MOSHI	52.00	(1.50)	14,786	52.53	JMART13C2404	0.32	(0.02)	107,781	0.34	HANA01P2401X	-	-	-	-
RS	13.50	(0.20)	7,773	13.53	JMART13C2404F	0.64	(0.03)	41,598	0.66	HANA01P2403X	0.34	0.05	250,513	0.32
RS-W4	0.17	-	29,314	0.18	JMART13P2401	-	-	-	-	HANA01P2404X	0.15	0.02	40,779	0.15
RSP	2.42	(0.02)	1,164	2.41	JMART13P2404	-	-	-	-	HANA01P2405X	0.64	0.05	40,774	0.63
SABUY	5.20	0.10	383,388	5.30	JMART13P2404F	0.29	-	21,315	0.28	HANA06C2401A	-	-	-	-
SABUY-W1	3.48	0.08	579	3.47	JMART19C2401	-	-	-	-	HANA06C2404A	0.56	(0.09)	840	0.56
SABUY-W2	1.34	0.04	248,912	1.39	JMART19C2403	0.11	(0.01)	18,892	0.12	HANA13C2401A	-	-	-	-
SABUY1C2402A	0.01	-	1,978	0.01	JMART19C2404	0.36	(0.02)	90,058	0.38	HANA13C2403A	0.08	(0.03)	26,828	0.08
SABUY1C2403A	0.46	0.04	1,427	0.47	JMART19P2401	-	-	-	-	HANA13C2404A	0.2			

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE13C2401A	-	-	-	-	BGRIM13P2401F	-	-	-	-	GPSC13C2402A	-	-	-	-
KCE13C2401B	-	-	-	-	BGRIM13P2404F	0.10	0.03	4,030	0.10	GPSC13C2403A	0.14	(0.06)	193,639	0.15
KCE13C2404A	0.26	(0.05)	193,182	0.29	BGRIM19C2402F	-	-	-	-	GPSC13C2403B	0.27	(0.09)	54,014	0.31
KCE13P2401A	-	-	-	-	BGRIM19C2402F	-	-	-	-	GPSC13P2403A	-	-	-	-
KCE13P2402A	-	-	-	-	BGRIM19C2403F	0.08	(0.04)	88,380	0.10	GPSC13P2404A	0.17	0.02	54,226	0.16
KCE13P2403A	0.18	0.02	34,567	0.17	BGRIM19C2403F	-	-	-	-	GPSC19C2401A	-	-	-	-
KCE16C2401A	-	-	-	-	BGRIM19C2404F	0.18	(0.05)	83,646	0.20	GPSC19C2402A	-	-	-	-
KCE19C2401A	-	-	-	-	BGRIM41C2401F	-	-	-	-	GPSC19C2402B	0.06	(0.02)	6,500	0.07
KCE19C2402A	0.04	(0.02)	3,001	0.04	BGRIM41C2402F	-	-	-	-	GPSC19C2403A	0.26	(0.09)	20,139	0.28
KCE19C2404A	0.23	(0.04)	34,403	0.25	BGRIM41C2403F	-	-	-	-	GPSC19C2405A	0.27	(0.07)	84,269	0.30
KCE19P2401A	-	-	-	-	BGRIM41C2403F	0.08	(0.04)	16,000	0.09	GPSC19P2404A	0.05	-	10	0.05
KCE19P2404A	0.48	0.05	89,712	0.44	BGRIM41C2404F	-	-	-	-	GPSC41C2401A	-	-	-	-
KCE41C2401A	-	-	-	-	BGRIM41C2404F	-	-	-	-	GPSC41C2402A	-	-	-	-
KCE41C2401B	-	-	-	-	BGRIM41C2405F	0.21	(0.06)	6,665	0.20	GPSC41C2403A	0.40	(0.01)	3,200	0.40
KCE41C2402A	0.06	(0.02)	1	0.06	BGRIM41C2405F	0.14	(0.04)	172,450	0.15	GPSC41C2404A	0.64	(0.06)	1,600	0.65
KCE41C2404A	0.26	(0.05)	60,784	0.28	BIOTEC	0.51	(0.02)	39,228	0.52	GPSC41C2405A	0.30	(0.07)	67,002	0.32
METCO	247.00	1.00	62	247.29	BIOTEC-P	-	-	-	-	GREEN	0.73	(0.01)	8,076	0.73
SMT	3.72	(0.08)	34,353	3.74	BIOTEC-Q	-	-	-	-	GULF	44.75	(0.50)	135,554	44.68
SMT-W3	0.45	(0.03)	10,148	0.46	BIOTEC-W2	0.17	-	94,920	0.17	GULF01C2402A	-	-	-	-
SVI	6.95	-	7,691	6.91	BPP	14.70	0.10	2,321	14.64	GULF01C2402T	-	-	-	-
TEAM	5.35	-	1,485	5.39	BRRGIF	3.12	0.04	1,615	3.10	GULF01C2403A	-	-	-	-
Energy & Utilities	-	-	-	-	BSRC	8.50	0.05	13,477	8.47	GULF01C2405A	0.20	(0.03)	40,131	0.21
7UP	0.41	(0.01)	127,762	0.42	BSRC01C2403A	-	-	-	-	GULF01P2402X	0.10	-	5,400	0.10
ACC	0.44	-	33,924	0.45	BSRC13C2403A	-	-	-	-	GULF01P2403X	-	-	-	-
ACE	1.56	(0.01)	68,164	1.57	BSRC19C2403A	-	-	-	-	GULF01P2405X	0.30	-	11,662	0.29
ACE13C2402A	-	-	-	-	CKP	3.58	(0.08)	64,707	3.62	GULF06C2402A	-	-	-	-
ACE13C2407A	0.33	(0.01)	49,311	0.35	CKP01C2401A	-	-	-	-	GULF11C2401T	-	-	-	-
ACE19C2401A	0.01	-	10,008	0.01	CKP01C2407A	0.48	(0.04)	4,426	0.50	GULF13C2402A	-	-	-	-
ACE19C2402A	0.02	(0.01)	15,554	0.02	CKP13C2407A	0.44	(0.03)	6,476	0.45	GULF13C2403A	0.07	(0.01)	63,916	0.06
ACE19C2407A	0.38	(0.01)	35,377	0.39	CKP19C2401A	-	-	-	-	GULF13C2405A	0.19	(0.02)	107,937	0.19
AGE	2.06	0.06	14,735	2.07	CKP19C2407A	0.43	(0.06)	79,585	0.46	GULF13P2401A	-	-	-	-
AI	4.38	0.02	1,880	4.38	CV	0.50	(0.01)	62,001	0.50	GULF13P2405A	0.25	-	161,856	0.25
AIE	1.40	(0.01)	10,037	1.42	DEMCO	2.62	0.06	3,618	2.63	GULF19C2401A	-	-	-	-
AKR	0.87	-	8,612	0.87	DEMCO-W7	0.18	0.08	181,578	0.19	GULF19C2402A	0.03	(0.02)	4,500	0.03
AKR-W2	0.07	-	10,636	0.07	EA	45.00	(1.25)	100,790	45.34	GULF19C2404A	0.17	(0.02)	43,468	0.18
BAFS	25.75	0.25	8,716	25.17	EA01C2401A	0.01	-	11,199	0.01	GULF19P2404A	0.16	-	5,544	0.16
BANPU	6.70	-	226,124	6.71	EA01C2402A	0.01	(0.01)	200	0.01	GULF41C2401A	-	-	-	-
BANPU01C2401A	0.01	-	598	0.01	EA01C2403A	0.02	(0.01)	12,000	0.02	GULF41C2402A	-	-	-	-
BANPU01C2401T	-	-	-	-	EA01C2403B	0.11	(0.03)	20,738	0.11	GULF41C2403A	0.13	(0.02)	12,000	0.13
BANPU01C2402A	-	-	-	-	EA01C2405A	0.27	(0.05)	56,164	0.29	GULF41C2405A	0.17	(0.02)	14,299	0.17
BANPU01C2402B	0.02	-	5,000	0.02	EA01P2401X	-	-	-	-	GULF41C2405B	0.22	(0.03)	16,000	0.23
BANPU01C2404A	0.06	(0.01)	623	0.06	EA01P2403X	0.32	0.04	14,038	0.30	GULF41P2402A	-	-	-	-
BANPU01C2405A	0.19	0.01	5,974	0.18	EA01P2404X	0.40	0.04	32,566	0.38	GULF41P2405A	-	-	-	-
BANPU01P2401A	0.14	(0.04)	7,940	0.14	EA06C2401A	-	-	-	-	GUNKUL	2.84	(0.04)	415,545	2.84
BANPU01P2402X	0.24	(0.02)	1,148	0.24	EA06C2402A	-	-	-	-	GUNKUL01C2401A	-	-	-	-
BANPU01P2404X	-	-	-	-	EA06C2404A	0.22	(0.02)	28,811	0.24	GUNKUL01C2404A	0.33	(0.03)	37,433	0.33
BANPU01P2405X	0.28	(0.01)	7,571	0.29	EA11C2401T	-	-	-	-	GUNKUL01P2404X	-	-	-	-
BANPU06C2401A	-	-	-	-	EA11C2403A	0.10	(0.02)	13,013	0.11	GUNKUL11C2401T	-	-	-	-
BANPU06C2402A	-	-	-	-	EA11C2405A	0.27	(0.05)	12,170	0.30	GUNKUL11C2404A	0.33	(0.02)	2,400	0.33
BANPU06C2403A	-	-	-	-	EA13C2401A	-	-	-	-	GUNKUL13C2401A	-	-	-	-
BANPU11C2404A	-	-	-	-	EA13C2402A	-	-	-	-	GUNKUL13C2403A	0.11	(0.01)	11,086	0.11
BANPU11P2403A	-	-	-	-	EA13C2403A	-	-	-	-	GUNKUL13C2404A	0.31	(0.02)	13,488	0.31
BANPU13C2402A	-	-	-	-	EA13C2403B	-	-	-	-	GUNKUL13P2404A	0.09	-	4,340	0.09
BANPU13C2403A	-	-	-	-	EA13C2403C	0.07	(0.01)	15	0.07	GUNKUL19C2403A	-	-	-	-
BANPU13C2404A	0.06	-	500	0.06	EA13C2405A	0.22	(0.04)	98,255	0.24	GUNKUL19C2403B	0.18	(0.01)	15,328	0.18
BANPU13C2405A	0.17	-	15,387	0.17	EA13P2401A	-	-	-	-	GUNKUL19C2405A	0.36	(0.01)	7,780	0.36
BANPU13P2404A	-	-	-	-	EA13P2402A	0.13	0.01	5,170	0.13	IFEC	-	-	-	-
BANPU13P2405A	-	-	-	-	EA13P2403A	0.10	-	4,165	0.10	IRPC	2.06	-	104,118	2.06
BANPU19C2401A	-	-	-	-	EA19C2401A	-	-	-	-	IRPC01C2402A	-	-	-	-
BANPU19C2401B	-	-	-	-	EA19C2402A	-	-	-	-	IRPC06C2401A	-	-	-	-
BANPU19C2403A	-	-	-	-	EA19C2402B	-	-	-	-	IRPC11C2402T	-	-	-	-
BANPU19C2404A	-	-	-	-	EA19C2403A	0.04	(0.01)	6,719	0.04	IRPC13C2402A	-	-	-	-
BANPU19C2405A	-	-	-	-	EA19C2403B	0.11	(0.01)	10,546	0.11	IRPC13C2405A	0.14	-	8,053	0.14
BANPU19C2405B	0.23	(0.01)	2,281	0.23	EA19C2405A	0.27	(0.05)	60,502	0.30	IRPC19C2401A	-	-	-	-
BANPU19P2401A	-	-	-	-	EA19P2402A	0.31	(0.07)	1	0.31	IRPC19C2404A	0.14	-	48,877	0.14
BANPU19P2404A	-	-	-	-	EA19P2403A	-	-	-	-	JR	5.30	(0.05)	1,767	5.30
BANPU41C2401A	-	-	-	-	EA41C2401A	-	-	-	-	KBSP1F	9.10	0.10	83	9.07
BANPU41C2403A	-	-	-	-	EA41C2402A	-	-	-	-	LANNA	15.30	-	2,376	15.36
BANPU41C2405A	-	-	-	-	EA41C2403A	-	-	-	-	MDX	3.02	-	2,164	3.05
BBDGI	4.38	0.14	8,715	4.39	EA1C2403B	0.09	(0.02)	6,000	0.10	NOVA	11.30	0.30	33,740	11.30
BCP	40.00	(0.50)	50,048	40.06	EA41C2404A	0.37	(0.06)	10,100	0.40	OR	19.40	(0.20)	55,063	19.42
BCP01C2403A	0.10	-	401	0.09	EA41C2405A	0.27	(0.05)	21,888	0.29	OR01C2402A	-	-	-	-
BCP01P2402X	0.02	(0.01)	1,191	0.02	EA41P2405A	0.40	0.01	12,000	0.39	OR01C2403A	0.14	(0.02)	28,957	0.14
BCP01P2404X	0.45	-	14,077	0.45	EASTW	4.30	0.02	1,385	4.30	OR01C2405A	0.28	(0.02)	20,277	0.28
BCP13C2403A	0.08	(0.01)	862	0.08	EGATIF	6.00	0.10	11,425	5.96	OR1P2405X	0.46	0.01	6,760	0.46
BCP13C2405A	0.25	(0.02)	47,044	0.25	EGCO	130.50	(0.50)	8,163	130.91	OR06C2402A	-	-	-	-
BCP13P2401A	-	-	-	-	EGCO01C2401A	-	-	-	-	OR06C2403A	0.15	(0.01)	1,670	0.15
BCP13P2404A	0.22	0.01</td												

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG19C2407A	0.46	-	60,886	0.46	TOP01P2401A	-	-	-	-	BYD13C2401A	-	-	-	-
PTG41C2402A	-	-	-	-	TOP01P2404X	0.24	(0.01)	195,917	0.25	BYD13C2402A	-	-	-	-
PTT	35.25	(0.25)	202,929	35.41	TOP06C2401A	-	-	-	-	BYD13C2403A	-	-	-	-
PTT01C2401A	0.01	-	252	0.01	TOP06C2402A	0.25	0.01	26,950	0.23	BYD13C2403B	0.08	-	210	0.07
PTT01C2403A	0.13	-	5,500	0.13	TOP11C2405A	0.49	0.02	7,400	0.47	BYD13C2403C	0.30	(0.03)	78,925	0.32
PTT01C2405A	0.19	-	6,519	0.19	TOP11P2401A	-	-	-	-	BYD13C2405A	0.19	(0.01)	39,174	0.20
PTT01P2403X	0.03	0.01	10	0.03	TOP13C2401A	-	-	-	-	BYD19C2401A	-	-	-	-
PTT01P2405X	0.18	-	1,632	0.18	TOP13C2402A	0.11	-	15,736	0.11	BYD19C2402A	-	-	-	-
PTT11C2404A	-	-	-	-	TOP13C2404A	0.44	0.02	52,004	0.42	BYD19C2403A	-	-	-	-
PTT13C2402A	0.02	(0.01)	55	0.02	TOP13P2401A	-	-	-	-	BYD19C2404A	0.49	(0.03)	55,562	0.51
PTT13C2403A	0.11	-	3,021	0.11	TOP13P2404A	0.11	(0.02)	2,006	0.12	CGH	0.75	(0.01)	22,656	0.77
PTT13P2402A	-	-	-	-	TOP19C2401A	-	-	-	-	CGH-W4	0.02	-	17,871	0.01
PTT13P2405A	0.15	0.01	2,828	0.15	TOP19C2403A	0.25	-	5,986	0.25	CHASE	1.94	(0.05)	415,252	1.99
PTT19C2401A	-	-	-	-	TOP19C2405A	0.30	0.02	33,828	0.29	CHAYO	5.75	(0.20)	86,349	5.82
PTT19C2402A	-	-	-	-	TOP41C2401A	-	-	-	-	CHAYO-W3	0.74	(0.05)	140,793	0.77
PTT19C2404A	-	-	-	-	TOP41C2404A	0.37	(0.01)	800	0.37	ECL	1.46	(0.02)	31,666	1.48
PTTEP	151.00	1.50	99,988	150.52	TOP41C2405A	0.31	0.01	37,800	0.30	ECL-W4	0.04	-	6,001	0.04
PTTEP01C2401A	-	-	-	-	TPIPP	3.44	0.02	43,110	3.42	FNS	4.04	(0.12)	7,620	4.08
PTTEP01C2403A	0.09	0.01	200	0.09	TSE	1.76	0.05	65,285	1.75	FSX	2.62	-	3,874	2.60
PTTEP01C2404A	0.24	0.02	37,767	0.23	TTW	9.50	-	19,581	9.48	GBX	0.76	(0.01)	6,781	0.76
PTTEP01C2404T	0.18	-	25,451	0.18	UBE	0.87	0.05	390,266	0.89	GL	-	-	-	-
PTTEP01C2405A	0.56	0.03	18,617	0.54	WAUP	3.98	-	11,635	3.97	HENG	2.10	(0.12)	157,630	2.16
PTTEP01P2401A	-	-	-	-	WP	4.06	(0.04)	357	4.07	IFS	2.72	-	1,249	2.72
PTTEP01P2402X	0.19	(0.04)	14,475	0.20	Media & Publishi	-	-	-	-	JMT	28.25	(0.50)	161,436	28.63
PTTEP01P2403X	0.65	(0.07)	1,084	0.68	AMARIN	4.22	(0.02)	310	4.20	JMT-W4	2.66	(0.10)	131,616	3.02
PTTEP01P2405X	0.30	(0.02)	7,364	0.31	AQUA	0.36	0.01	114,751	0.37	JMT01C2401A	0.01	(0.01)	900	0.01
PTTEP06C2401A	-	-	-	-	AQUA-W3	0.01	-	23,520	0.01	JMT01P2403A	0.06	(0.01)	500	0.06
PTTEP06C2403A	0.11	-	25,902	0.11	AS	7.90	-	1,739	7.83	JMT01C2404A	0.25	(0.02)	82,341	0.26
PTTEP06C2405A	0.53	0.03	80,386	0.52	AS-W2	-	-	-	-	JMT01C2405A	0.35	(0.03)	88,543	0.37
PTTEP11C2403T	0.14	-	6,060	0.14	BEC	5.15	(0.05)	15,177	5.16	JMT01P2401A	0.49	0.01	3,562	0.44
PTTEP11C2406A	0.49	0.02	31,381	0.48	BEC19C2401A	-	-	-	-	JMT01P2403A	0.21	0.01	78,037	0.20
PTTEP11P2402A	0.13	(0.01)	2,040	0.13	FE	-	-	-	-	JMT01P2404X	0.26	0.01	39,446	0.25
PTTEP13C2401A	0.01	-	400	0.01	GPI	1.72	0.05	5,885	1.72	JMT06C2402A	0.01	-	13	0.01
PTTEP13C2403A	0.08	0.01	19,500	0.08	GRAMMY	6.15	0.05	528	6.19	JMT06C2403A	-	-	-	-
PTTEP13C2404A	0.24	0.01	28,182	0.23	JKN	0.49	(0.01)	48,322	0.49	JMT06C2404A	0.23	(0.02)	120,472	0.25
PTTEP13C2405A	0.47	0.03	48,378	0.46	MAJOR	14.90	(0.10)	25,513	14.91	JMT11C2402T	-	-	-	-
PTTEP13P2402A	0.11	(0.02)	7,976	0.11	MATCH	1.48	0.02	930	1.48	JMT11C2405A	0.27	(0.02)	37,749	0.28
PTTEP13P2405A	0.19	(0.02)	5,053	0.20	MATT	7.20	(0.45)	14	7.17	JMT13C2401A	-	-	-	-
PTTEP19C2403A	0.04	-	100	0.04	MCOT	3.20	0.02	401	3.22	JMT13C2403A	0.01	(0.01)	2,815	0.01
PTTEP19C2403B	-	-	-	-	MONO	1.13	(0.01)	154,110	1.16	JMT13C2403B	0.03	-	2,003	0.02
PTTEP19C2404A	0.15	0.01	137,966	0.15	NATION	0.04	(0.01)	465,897	0.04	JMT13C2404A	0.14	(0.01)	23,608	0.14
PTTEP19C2404B	0.33	0.01	36,694	0.32	NATION-W4	0.01	-	14,590	0.01	JMT13C2404B	0.74	(0.06)	500	0.74
PTTEP19P2402A	0.05	(0.05)	9,500	0.05	ONEE	4.56	0.20	216,298	4.44	JMT13C2405A	0.28	(0.02)	127,603	0.30
PTTEP41C2401A	-	-	-	-	ONEE19C2401A	-	-	-	-	JMT13P2401A	-	-	-	-
PTTEP41C2403A	-	-	-	-	PLANB	8.80	(0.05)	140,956	8.77	JMT13P2403A	0.18	0.01	32,948	0.17
PTTEP41C2404A	0.17	0.01	6,500	0.16	PLANB-W1	1.89	(0.01)	4,496	1.90	JMT19C2401A	-	-	-	-
PTTEP41C2405A	0.46	0.02	21,789	0.45	PLANB06C2401A	-	-	-	-	JMT19C2403A	-	-	-	-
PTTEP41C2405B	0.43	0.02	80,860	0.43	PLANB11C2403A	0.24	(0.01)	16,160	0.23	JMT19C2403B	-	-	-	-
PTTEP41P2402A	0.31	(0.13)	4,800	0.32	PLANB11P2402A	0.20	-	6,800	0.20	JMT19C2404A	0.12	(0.01)	22,905	0.12
PTTEP41P2403A	-	-	-	-	PLANB13C2401A	-	-	-	-	JMT19C2404B	-	-	-	-
PTTEP41P2405A	0.30	(0.03)	4,008	0.30	PLANB13C2403A	0.17	(0.01)	37,300	0.16	JMT19C2404C	0.25	(0.01)	117,013	0.27
PTTEP41P2406A	0.54	(0.04)	5,612	0.55	PLANB19C2401A	-	-	-	-	JMT19P2403A	0.74	(0.32)	11	0.74
QTC	4.08	-	313	4.09	PLANB19C2403A	0.13	(0.01)	32,366	0.13	JMT19P2403B	0.20	0.01	57,311	0.19
RATCH	32.00	(0.25)	28,392	31.98	POST	-	-	-	-	JMT41C2401A	-	-	-	-
RATCH01C2403A	0.03	-	3,000	0.03	PRAKIT	11.00	(0.20)	293	11.01	JMT41C2402A	-	-	-	-
RATCH01C2405A	0.19	-	18,798	0.19	PTECH	-	-	-	-	JMT41C2403A	-	-	-	-
RATCH11P2402A	0.25	(0.01)	1,600	0.25	ROCTEC	0.60	-	105,819	0.60	JMT41C2403B	-	-	-	-
RATCH13C2402A	0.01	-	10,000	0.01	ROCTEC-W3	0.06	0.01	5,537	0.05	JMT41C2404A	0.24	(0.02)	94,890	0.25
RATCH13C2405A	0.12	(0.01)	23,850	0.12	SE-ED	2.28	-	6	2.25	JMT41C2405A	0.32	(0.03)	71,600	0.34
RATCH13P2404A	0.18	-	29,708	0.17	TKS	7.20	0.15	6,279	7.20	KCAR	7.95	-	1,483	7.94
RATCH19C2402A	-	-	-	-	VGI	2.12	(0.06)	336,231	2.14	KGI	4.80	0.02	16,587	4.79
RATCH19C2405A	-	-	-	-	VGI-W3	0.10	0.01	49,100	0.10	KTC	44.50	-	23,393	44.61
RPC	0.67	(0.01)	11,023	0.68	VGI01C2401A	0.01	-	4,000	0.01	KTC01C2402A	-	-	-	-
SCG	3.52	-	153	3.53	VGI01C2402A	-	-	-	-	KTC01C2405A	0.21	0.01	20,063	0.21
SCI	0.67	0.01	14,994	0.69	VGI01C2403A	0.05	(0.01)	204	0.05	KTC01P2402X	0.10	-	7,200	0.10
SCN	1.71	-	2,531	1.70	VGI01C2403B	0.12	(0.04)	96,107	0.14	KTC06C2401A	-	-	-	-
SCN-W2	0.16	-	5,178	0.15	VGI01C2404A	0.45	(0.09)	17,515	0.50	KTC11C2405A	0.21	(0.01)	3,752	0.21
SEAOL	3.04	0.06	5,301	3.03	VGI01P2401X	0.01	-	9,006	0.01	KTC11P2405A	0.52	(0.01)	1,800	0.52
SGP	8.20	(0.10)	2,302	8.23	VGI06C2401A	-	-	-	-	KTC13C2402A	-	-	-	-
SKE	0.48	0.01	37,734	0.48	VGI06C2403A	-	-	-	-	KTC13C2405A	0.20	-	39,248	0.20
SKE-W1	0.08	-	50,944	0.09	VGI13C2401A	-	-	-	-	KTC19C2402A	-	-	-	-
SOLAR	0.71	-	13,783	0.71	VGI13C2403A	0.03	(0.02)	6,098	0.03	KTC19C2405A	0.24	-	53,577	0.24
SOLAR-W1	-	-	-	-	VGI13C2403B	0.09	(0.02)	213,247	0.10	KTC41C2401A	-	-	-	-
SPCG	12.30	(0.10)	5,592	12.40	VGI13C2403C	0.34	(0.04)	143	0.37	KTC41C2403A	-	-	-	-
SPRC	8.45	-	216,387	8.55	VGI13P2405A	0.26	0.02	68,337	0.25	KTC41C2405A	0.26	(0.01)	7	

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PL	2.18	-	112	2.20	CBG19C2403B	0.69	(0.04)	30	0.69	TU13C2404A	0.21	(0.02)	7,164	0.22
S11	3.92	0.02	70	3.91	CBG19C2405A	0.48	(0.05)	36,953	0.50	TU19C2403A	0.14	(0.01)	25,278	0.14
SAK	4.46	(0.10)	59,334	4.62	CBG19P2401A	-	-	-	-	TU41C2401A	-	-	-	-
SAWAD	41.75	(0.25)	41,976	41.91	CBG19P2404A	0.36	0.04	29,515	0.34	TU41C2402A	-	-	-	-
SAWAD-W2	1.76	0.02	2,842	1.81	CBG41C2401A	-	-	-	-	TU41C2403A	0.14	(0.02)	6,000	0.15
SAWAD01C2401A	0.01	-	5	0.01	CBG41C2402A	0.03	(0.01)	20	0.03	TVO	21.90	0.10	2,809	21.81
SAWAD01C2402A	0.02	-	5	0.02	CBG41C2403A	0.26	(0.05)	82,440	0.28	TWPC	4.16	0.10	4,169	4.19
SAWAD01C2403W	0.09	(0.01)	4,800	0.09	CBG41C2403B	0.87	(0.14)	1,600	0.88	W	0.77	0.03	44,713	0.76
SAWAD01C2405A	0.23	-	1,030	0.23	CBG41C2404A	0.59	(0.09)	18,501	0.64	W-W5	0.01	-	575	0.01
SAWAD01P2401X	-	-	-	-	CFRESH	1.86	(0.04)	18,559	1.89	ZEN	9.20	(0.20)	1,124	9.25
SAWAD01P2403X	0.18	-	5,270	0.18	CH	2.62	0.16	202,038	2.82	Health Care Services	-	-	-	-
SAWAD01P2404X	0.45	0.01	4,124	0.44	CHOTTI	123.00	-	1	123.00	AHC	18.00	-	116	17.99
SAWAD06C2402A	-	-	-	-	CM	2.26	0.02	4,635	2.29	BCH	22.50	(0.20)	106,654	22.52
SAWAD11C2401X	-	-	-	-	COCOCO	8.50	(0.05)	174,586	8.62	BCH01C2401A	-	-	-	-
SAWAD13C2402A	-	-	-	-	CPF	19.30	-	99,257	19.28	BCH01C2404A	0.40	(0.03)	14,891	0.42
SAWAD13C2403A	0.04	-	1,310	0.04	CPF01C2402A	-	-	-	-	BCH01P2402X	-	-	-	-
SAWAD13C2405A	0.19	-	13,164	0.19	CPF01C2404A	0.18	(0.01)	14,925	0.18	BCH06C2401A	0.05	(0.03)	600	0.06
SAWAD13P2403A	0.14	(0.01)	20,606	0.14	CPF01P2404X	0.22	(0.02)	69,758	0.22	BCH11C2402T	-	-	-	-
SAWAD19C2402A	-	-	-	-	CPF06C2401A	-	-	-	-	BCH13C2404A	0.33	(0.02)	45,866	0.34
SAWAD19C2403A	0.07	(0.02)	3	0.08	CPF06C2402A	-	-	-	-	BCH19C2402A	0.22	(0.03)	14,934	0.22
SAWAD19C2405A	0.27	(0.01)	86,368	0.28	CPF1P2402A	0.18	(0.01)	6,060	0.19	BDMS	27.50	0.25	327,160	27.38
SAWAD19P2404A	0.33	0.01	15,167	0.32	CPF13C2403A	0.04	-	4,336	0.04	BDMS01C2402A	-	-	-	-
SAWAD41C2401A	-	-	-	-	CPF13C2404A	0.16	-	57,933	0.16	BDMS01C2403A	0.08	(0.01)	14,474	0.08
SAWAD41C2402A	-	-	-	-	CPF13P2405A	0.27	-	18,678	0.27	BDMS01C2405A	0.22	-	10,940	0.22
SAWAD41C2403A	-	-	-	-	CPF19C2402A	-	-	-	-	BDMS01P2403X	0.06	-	44	0.06
SAWAD41C2405A	0.28	(0.02)	31,200	0.29	CPF19C2404A	0.23	(0.01)	33,408	0.24	BDMS06C2402A	-	-	-	-
SAWAD41C2405B	0.23	(0.01)	5,912	0.23	CPI	2.60	-	997	2.61	BDMS13C2402A	-	-	-	-
SAWAD41P2405A	-	-	-	-	F&D	30.25	(0.25)	2	30.25	BDMS13C2404A	0.15	-	11,556	0.15
SCAP	3.70	-	2,861	3.69	GLOCON	0.39	0.02	134,008	0.39	BDMS13P2402A	-	-	-	-
SGC	1.57	(0.06)	278,273	1.60	GLOCON-W5	0.01	-	598	0.01	BDMS19C2403A	0.08	-	1,500	0.08
SM	1.38	0.07	96,278	1.42	HTC	16.70	0.10	1,705	16.61	BDMS19C2405A	0.21	-	25,696	0.21
TH	1.30	(0.13)	575,087	1.37	ICHI	16.20	0.10	60,070	16.19	BDMS41C2402A	-	-	-	-
TH-W3	0.59	(0.04)	46,414	0.63	ICHI10C2405A	0.34	-	21,469	0.34	BDMS41C2404A	0.15	(0.01)	8,000	0.15
THANI	2.76	-	89,443	2.77	ICHI13C2405A	0.28	(0.01)	21,328	0.28	BDMS41C2405A	0.22	-	900	0.22
THANI13C2401A	-	-	-	-	ICHI19C2405A	0.31	(0.01)	10,002	0.30	BH	227.00	3.00	43,862	227.59
THANI13C2403A	-	-	-	-	ITC	20.70	-	57,968	20.71	BH-P	-	-	-	-
THANI13C2407A	0.29	-	20,981	0.30	ITC01C2405A	0.35	(0.02)	22,746	0.36	BH-Q	-	-	-	-
THANI19C2401A	-	-	-	-	JDF	2.28	(0.04)	21,371	2.41	BH01C2401A	0.01	-	20	0.01
THANI19C2403A	-	-	-	-	KBS	5.65	0.05	3,249	5.66	BH01C2402A	-	-	-	-
THANI19C2407A	0.32	(0.01)	18,927	0.33	KCG	9.20	(0.25)	33,534	9.27	BH01C2404A	0.24	0.02	53,450	0.25
TIDLOR	23.50	(0.20)	139,482	23.61	KSL	2.78	0.02	24,370	2.80	BH01C2405A	0.40	0.02	47,942	0.40
TIDLOR01C2401A	-	-	-	-	KTIS	3.84	-	253	3.84	BH01P2401A	-	-	-	-
TIDLOR01C2403A	0.31	(0.03)	24,996	0.32	LST	5.00	-	1,670	5.00	BH01P2402X	-	-	-	-
TIDLOR01C2405A	0.50	(0.02)	21,043	0.51	M	40.00	(0.25)	1,963	40.09	BH01P2405X	0.32	(0.04)	27,126	0.32
TIDLOR01P2401A	-	-	-	-	MALEE	10.30	(0.50)	67,731	10.48	BH06C2401A	0.01	-	1	0.01
TIDLOR01P2402X	0.07	(0.01)	566	0.07	NRF	5.30	(0.20)	56,399	5.36	BH06C2404A	0.29	0.02	102,706	0.29
TIDLOR01P2404X	0.44	0.01	11,572	0.44	NSL	18.90	-	2,469	18.81	BH11C2404A	-	-	-	-
TIDLOR06C2403A	-	-	-	-	OSP	22.60	0.20	123,552	22.50	BH13C2401A	-	-	-	-
TIDLOR11C2403A	0.53	(0.08)	3,360	0.54	OSP01C2403A	-	-	-	-	BH13C2404A	0.06	-	2,520	0.07
TIDLOR13C2403A	0.27	(0.03)	91,686	0.29	OSP01C2404A	0.21	-	41,658	0.21	BH13C2404B	0.16	0.01	66,464	0.17
TIDLOR13P2404A	0.15	(0.01)	18,140	0.16	OSP01C2406A	0.49	0.01	48,668	0.48	BH13C2405A	0.32	0.02	84,032	0.33
TIDLOR16C2402A	-	-	-	-	OSP06C2401A	-	-	-	-	BH13P2401A	-	-	-	-
TIDLOR19C2401A	-	-	-	-	OSP13C2403A	0.01	-	5,000	0.01	BH13P2402A	0.08	(0.02)	8,152	0.08
TIDLOR19C2403A	0.35	(0.02)	31,392	0.36	OSP13C2403B	0.09	-	22,565	0.09	BH19C2401A	-	-	-	-
TIDLOR19C2404A	0.31	(0.01)	33,728	0.32	OSP13C2405A	0.43	0.02	52,815	0.42	BH19C2404A	0.07	0.01	1,000	0.07
TIDLOR19P2401A	-	-	-	-	OSP19C2404A	0.18	-	39,880	0.18	BH19C2404B	0.18	0.02	8,704	0.18
TIDLOR41C2401A	-	-	-	-	OSP41C2401A	-	-	-	-	BH19C2404C	0.26	0.02	111,517	0.26
TIDLOR41C2402A	0.11	(0.02)	48,219	0.12	OSP41C2402A	-	-	-	-	BH41C2403A	-	-	-	-
TIDLOR41C2403A	0.42	(0.03)	29,200	0.43	PB	69.25	(0.25)	8	69.34	BH41C2404A	0.15	0.02	13,880	0.15
TK	5.65	0.05	340	5.65	PLUS	6.35	-	9,321	6.43	BH41C2405A	0.30	0.02	91,768	0.31
TNITY	4.12	(0.06)	4,106	4.17	PM	8.25	0.05	1,080	8.19	BH41P2405A	0.33	(0.03)	17,003	0.33
UOBKH	5.00	0.04	613	4.96	PQS	3.08	0.04	69,948	3.17	CHG	3.18	(0.04)	159,051	3.16
XPG	1.25	(0.05)	598,228	1.27	PRG	10.60	-	54	10.73	CHG01C2401A	0.01	-	4,200	0.01
XPG-W4	3.78	(0.02)	4,833	3.76	PRG-W1	-	-	-	-	CHG01C2404A	0.17	(0.02)	2,599	0.17
Food & Beverage	-	-	-	-	PRG-W2	-	-	-	-	CHG01C2405A	0.38	(0.02)	9,358	0.37
AAI	4.34	(0.22)	463,935	4.44	PRG-W3	7.00	0.65	107	7.49	CHG01P2402X	-	-	-	-
APURE	4.76	0.02	4,132	4.75	RBF	13.70	(0.60)	156,212	13.92	CHG06C2401A	-	-	-	-
APURE-W3	0.79	-	4,802	0.80	RBF01C2401A	0.03	(0.05)	47,640	0.05	CHG11C2404A	0.18	(0.02)	9,017	0.18
ASIAN	7.05	(0.25)	29,544	7.19	RBF01C2405A	0.18	(0.07)	85,261	0.21	CHG13C2403A	-	-	-	-
BR	2.70	-	939	2.68	RBF13C2405A	0.18	(0.04)	203,756	0.20	CHG13C2404A	0.33	(0.03)	13,002	0.32
BR-W1	0.17	(0.01)	20,945	0.19	RBF19C2401A	0.09	(0.02)	7,224	0.09	CHG19C2403A	-	-	-	-
BRR	4.60	-	2,563	4.61	RBF19C2405A	0.21	(0.04)	121,514	0.23	CHG19C2404A	0.12	(0.01)	2,948	0.12
BRR-W2	0.64	(0.04)	7,956	0.68	SAPPE	89.00	(3.25)	8,055	89.63	CHG19C2404B	0.26	(0.03)	21,419	0.27
BTG	23.70	(0.20)	15,068	23.80	SAPPE01C2405A	0.69	(0.16)	12,435	0.80	CMR	2.08	0.04	1,885	2.06
BTG01C2403A	0.18	(0.01)	33,040	0.19	SAUCE	39.25	0.25	69	38.84	EKH	7.50	(0		

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CENTEL01P2401A	-	-	-	-	TLI01C2406A	0.11	-	26,813	0.11	A	4.98	(0.02)	51	4.98
CENTEL01P2404X	0.27	-	12,208	0.27	TLI01C2406B	0.41	0.02	24,232	0.40	AKS	0.01	-	45,220	0.01
CENTEL06C2401A	-	-	-	-	TLI01P2403X	0.49	(0.03)	7,294	0.51	AKS-W5	-	-	-	-
CENTEL11C2402T	-	-	-	-	TLI06C2402A	-	-	-	-	AMATA	25.25	0.25	29,999	25.28
CENTEL13C2401A	-	-	-	-	TLI13C2402A	-	-	-	-	AMATA01C2402A	0.01	(0.03)	50	0.01
CENTEL13C2403A	0.12	(0.02)	28,458	0.12	TLI13C2403A	0.02	-	11	0.02	AMATA01C2404A	-	-	-	-
CENTEL13C2405A	0.35	(0.02)	84,414	0.35	TLI13C2404A	-	-	-	-	AMATA01C2404B	0.39	0.01	350	0.39
CENTEL13P2401A	-	-	-	-	TLI13C2405A	0.32	0.03	57,438	0.31	AMATA01P2402A	-	-	-	-
CENTEL13P2404A	0.15	-	17,015	0.15	TLI13P2401A	-	-	-	-	AMATA13C2401A	0.02	-	3	0.01
CENTEL19C2403A	0.16	(0.01)	18,974	0.16	TLI19C2401A	-	-	-	-	AMATA13C2403A	0.05	-	3,400	0.05
CENTEL19C2405A	0.33	(0.67)	52,231	0.33	TLI19C2404A	0.09	0.02	300	0.09	AMATA13C2404A	0.31	0.02	8,605	0.31
CENTEL41C2401A	-	-	-	-	TLI19C2405A	0.13	0.01	17,450	0.13	AMATA13C2405A	0.16	(0.84)	2,469	0.16
CENTEL41C2403A	0.16	(0.01)	27,200	0.16	TLI41C2404A	-	-	-	-	AMATA13P2402A	-	-	-	-
CENTEL41C2405A	0.34	(0.02)	43,622	0.34	TLI41C2404B	0.10	(0.02)	6,000	0.10	AMATA19C2402A	0.02	(0.03)	1,000	0.02
CSR	70.00	0.25	5	69.85	TLI41C2405A	0.40	0.03	61,820	0.39	AMATA19C2404A	-	-	-	-
DUSIT	8.65	(0.15)	4,041	8.72	TLI41C2405B	0.13	-	-	-	AP11C2404A	11.40	(0.30)	124,779	11.48
ERW	5.25	(0.05)	182,512	5.25	TQM	30.00	(0.50)	6,692	30.47	AMATAV	5.60	0.05	354	5.55
ERW-W3	2.18	(0.06)	1,404	2.22	TQM13C2403A	0.05	0.01	6,610	0.05	ANAN	0.83	0.02	160,055	0.84
ERW01C2402A	-	-	-	-	TQM13C2407A	0.31	(0.02)	47,523	0.33	ASW	8.35	-	1,530	8.34
ERW01C2405A	0.19	(0.01)	151,185	0.19	TQM19C2404A	0.10	(0.01)	20,791	0.11	ASW-W1	0.06	-	1,579	0.05
ERW01P2402X	0.06	-	15,440	0.06	TQM19C2407A	0.32	(0.03)	69,247	0.35	ASW-W2	0.09	-	105	0.09
ERW06C2401A	-	-	-	-	TSI	0.18	-	128	0.18	AWC	4.14	0.10	1,526,593	4.12
ERW06C2402A	-	-	-	-	TVH	9.05	(0.30)	217	9.16	AWC01C2403A	-	-	-	-
ERW13C2401A	-	-	-	-	Packaging	-	-	-	-	AWC01C2404A	0.44	0.04	41,296	0.43
ERW13C2404A	0.13	(0.01)	10,280	0.14	AJ	6.70	0.05	279	6.74	AWC01P2402X	0.03	(0.02)	29,921	0.03
ERW19C2401A	-	-	-	-	ALUCON	177.50	(1.50)	2	177.50	AWC06C2403A	0.18	0.03	47,941	0.17
ERW19C2401B	-	-	-	-	BGC	7.95	-	977	7.97	AWC06C2404A	0.43	0.05	88,086	0.39
ERW19C2405A	0.17	(0.01)	59,746	0.18	CSC	45.00	-	11	45.00	AWC11C2403A	0.37	0.05	42,860	0.35
GRAND	0.15	-	22,166	0.15	CSC-P	-	-	-	-	AWC13C2401A	-	-	-	-
LRH	38.00	0.75	81	37.73	CSC-Q	-	-	-	-	AWC13C2403A	0.17	0.03	54,720	0.17
MANRIN	-	-	-	-	NEP	0.21	0.01	300	0.20	AWC13C2404A	0.37	0.05	266,785	0.35
MINT	29.25	(0.25)	62,892	29.25	PJW	3.78	-	2,655	3.76	AWC13C2405A	0.62	0.07	48,894	0.59
MINT-W9	0.38	(0.09)	137,683	0.43	PJW-W1	0.90	(0.02)	560	0.90	AWC19C2401A	-	-	-	-
MINT01C2403A	-	-	-	-	PTL	11.00	-	3,468	10.94	AWC19C2403A	-	-	-	-
MINT01C2404A	0.14	(0.01)	14,718	0.14	SCGP	35.25	(1.00)	149,437	35.39	AWC19C2404A	0.17	0.03	54,720	0.17
MINT01P2404X	-	-	-	-	SCGP01C2402A	-	-	-	-	AWC19C2405A	0.62	0.07	48,894	0.59
MINT06C2402A	-	-	-	-	SCGP01C2403A	0.07	(0.01)	54,370	0.08	AWC19C2405A	-	-	-	-
MINT11C2403A	0.08	(0.02)	6,000	0.08	SCGP01C2405A	0.21	(0.03)	24,482	0.21	AWC19C2407A	-	-	-	-
MINT13C2403A	0.02	-	599	0.02	SCGP01P2402X	0.14	0.02	24,571	0.14	AWC19C2408A	-	-	-	-
MINT13C2403B	0.06	(0.01)	18,172	0.06	SCGP01P2405A	0.28	0.02	29,075	0.28	AWC19C2409A	0.33	0.04	80,531	0.32
MINT13C2404A	0.15	-	17,597	0.15	SCGP06C2401A	-	-	-	-	AWC19C2409B	0.62	0.05	321	0.57
MINT13P2404A	-	-	-	-	SCGP06C2403A	-	-	-	-	BLAND	0.72	0.01	76,656	0.71
MINT19C2403A	0.09	(0.01)	2,000	0.09	SCGP11C2405A	0.16	(0.02)	33,937	0.16	BRI	8.90	(0.05)	20,001	8.93
MINT19C2404A	0.17	(0.01)	85,985	0.17	SCGP13C2402A	-	-	-	-	ROCK	1.73	0.03	10	1.71
MINT41C2401A	-	-	-	-	SCGP13C2403A	-	-	-	-	CGD	0.35	0.01	38,392	0.34
MINT41C2402A	-	-	-	-	SCGP13C2403B	0.08	(0.03)	21,093	0.10	CI	0.55	0.02	8,662	0.55
MINT41C2403A	-	-	-	-	SCGP13P2405A	0.23	0.02	34,701	0.22	CI-W2	0.04	0.02	41,316	0.03
MINT41C2404A	0.14	(0.01)	51,102	0.14	SCGP19C2401A	-	-	-	-	CMC	1.23	(0.01)	207	1.24
MINT41C2405A	0.26	(0.01)	7,776	0.26	SCGP19C2402A	-	-	-	-	CPN	66.50	(1.50)	156,914	66.82
OHTL	436.00	16.00	4	434.50	SCGP19C2403A	0.09	(0.01)	49	0.09	CPN01C2403A	-	-	-	-
ROH	2.68	0.04	98	2.67	SCGP19C2405A	0.19	(0.03)	41,499	0.19	CPN01C2404A	0.33	(0.05)	27,797	0.34
SHANG	48.25	-	1	48.25	SCGP41C2401A	-	-	-	-	CPN11C2404A	0.40	(0.05)	10,358	0.41
SHR	2.52	0.02	65,413	2.53	SCGP41C2402A	-	-	-	-	CPN13C2402A	-	-	-	-
VRANDA	5.10	0.05	7,304	5.14	SCGP41C2403A	-	-	-	-	CPN13C2403A	0.14	(0.04)	113,493	0.15
Home & Office Prod.	-	-	-	-	SCGP41C2404A	0.12	(0.04)	26,540	0.14	CPN19C2401A	-	-	-	-
AJA	0.19	-	84,710	0.19	SFLX	3.72	0.14	110,212	3.69	CPN19C2403A	0.23	(0.05)	79,307	0.24
AJA-W3	0.06	(0.01)	20,625	0.07	SFLX-W2	0.24	0.02	67,804	0.26	CPN41C2402A	-	-	-	-
AJA-W4	0.05	-	10,191	0.05	SITHAI	1.16	-	13,512	1.17	CPN41C2404A	0.35	(0.05)	50,451	0.37
DTCI	31.00	(0.75)	2	30.13	SLP	0.44	0.04	15,475	0.43	CPN41C2405A	0.31	(0.05)	48,657	0.32
FANCY	0.44	0.01	1,803	0.43	SMPC	9.85	0.05	4,577	9.88	ESTAR	0.26	(0.01)	19,372	0.26
FTI	2.16	-	4,951	2.16	SPACK	2.24	(0.08)	13,007	2.29	EVER	0.17	(0.01)	31,064	0.17
KYE	289.00	(2.00)	2	289.50	TCOAT	-	-	-	-	FPT	15.30	0.10	72	15.30
L&E	1.38	0.03	254	1.36	TFI	0.09	0.01	39,775	0.09	GLAND	1.78	(0.01)	604	1.78
MODERN	2.54	-	124	2.51	TFI-W1	0.03	-	29,516	0.03	J	2.14	(0.08)	5,410	2.14
OGC	-	-	-	-	THIP	29.75	(0.50)	165	29.93	J-W2	0.40	(0.20)	36	0.42
ROCK	-	-	-	-	TMD	24.10	(0.60)	15	24.19	J-W3	0.61	0.04	86	0.50
SBNEXT	1.26	(0.01)	113,427	1.29	TOPP	-	-	-	-	JCK	0.28	0.01	53,842	0.28
SBNEXT-W2	0.19	0.01	107,191	0.20	TPAC	16.90	-	1,540	16.87	KC	0.11	-	18,678	0.11
SIAM	1.41	-	829	1.40	TPBI	3.14	-	2,990	3.15	LALIN	8.10	0.05	2,880	8.05
TCMC	1.44	0.04	14,084	1.45	TPP	-	-	-	-	LH	8.05	(0.15)	222,396	8.10
Insurance	-	-	-	-	Personal Product	-	-	-	-	LH13C2402A	-	-	-	-
AYUD	34.00	-	12	33.60	APCO	5.50	0.10	2,585	5.58	LH19C2401A	-	-	-	-
BKI	310.00	1.00	131	308.97	BIZ	3.46	(0.02)	279	3.46	LPN	4.00	-	7,528	4.00
BLA	21.10	0.30	14,410	21.04	BLC	5.15	(0.20)	176,733	5.35	MBK	16.20	(0.20)	7,914	16.32
BLA01C2403A	-	-	-	-	DDD	10.80	-	712	10.66	MBK-W2	-	-	-	-
BLA01C2404A	0.15	0.01	10,008	0.14	JCT	80.25	(0.25)	1	80.25	MBK-W3	14.10	-	4	14.20
BLA01P2404X	0.51	(0.04)	4,154	0.52	KISS	5.00	-	12,950	5.02	MBK-W4	13.80	0.20	2	13.80
BLA13C2402A	-													

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Issue Date : Friday January 05, 2024					
															Securities	Close	Change	Volume (Lot)	Average Price	
QH19C2401A	-	-	-	-	AOT11C2403A	0.09	0.01	360	0.09	CWT-W6	-	-	-	-	EASON	1.35	-	11,249	1.35	
RABBIT	0.53	(0.01)	445,602	0.53	AOT13C2402A	-	-	-	-	GYT	190.00	4.00	7	188.50						
RABBIT-P	0.52	-	8,714	0.52	AOT13C2403A	0.03	-	200	0.03	HFT	4.72	-	4,569	4.72						
RABBIT-Q	-	-	-	-	AOT13C2404A	0.11	(0.01)	76,203	0.11	IHL	2.68	(0.02)	749	2.67						
RICHY	0.64	0.02	2,760	0.63	AOT13C2404B	0.24	(0.02)	55,970	0.24	INGRS	0.51	0.01	28,474	0.51						
RML	0.42	-	7,744	0.41	AOT13C2405A	0.38	(0.02)	84,875	0.39	IRC	14.10	0.10	92	14.08						
ROJNA	6.15	0.05	32,437	6.15	AOT13P2401A	-	-	-	-	MGC	5.60	-	20,721	5.70						
S	0.94	(0.01)	111,920	0.94	AOT13P2404A	0.27	-	13,945	0.27	NEX	10.30	(0.30)	41,404	10.51						
SA	6.95	(0.20)	963	7.04	AOT13P2404B	0.09	(0.01)	2,179	0.09	NEX06C2402A	-	-	-	-						
SA-W1	0.11	-	17,252	0.12	AOT19C2401A	-	-	-	-	NEX13C2401A	-	-	-	-						
SAMCO	1.24	0.03	911	1.23	AOT19C2402A	-	-	-	-	NEX13C2403A	-	-	-	-						
SC	3.42	(0.02)	60,749	3.41	AOT19C2403A	-	-	-	-	NEX13C2403B	-	-	-	-						
SENA	2.58	-	3,946	2.58	AOT19C2404A	0.09	(0.01)	54,319	0.10	NEX13C2405A	0.20	(0.02)	7,078	0.20						
SENA-W1	0.02	0.01	33,444	0.01	AOT19C2404B	0.16	(0.01)	20,780	0.16	NEX19C2401A	-	-	-	-						
SIRI	1.86	(0.02)	1,203,501	1.86	AOT19C2404C	0.33	(0.02)	30,737	0.33	NEX19C2402A	-	-	-	-						
SIRI01C2401A	-	-	-	-	AOT19P2404A	0.15	-	235	0.14	SIRI01C2403A	0.25	(0.03)	25,833	0.26	AOT41C2402A	-	-	-	-	
SIRI01C2403A	0.25	(0.03)	25,833	0.26	AOT41C2403A	-	-	-	-	SIRI01C2404A	0.14	(0.02)	14,132	0.15	AOT41C2404A	-	-	-	-	
SIRI01P2401A	-	-	-	-	AOT41C2404B	0.10	-	4,000	0.10	SIRI06C2401A	5.10	-	346	5.10	AOT41C2405A	0.23	(0.03)	6,333	0.25	
SIRI06C2401A	-	-	-	-	AOT41C2405A	0.28	(0.03)	8,037	0.29	SAT	8.55	-	7	8.64						
SIRI13C2401A	-	-	-	-	AOT41C2405B	0.35	-	20,456	0.35	SPG	18.50	-	7,206	18.51						
SIRI13C2403A	0.20	(0.02)	64,094	0.20	AOT41P2405A	0.44	0.01	4,065	0.44	STANLY	192.50	0.50	266	192.36						
SIRI13P2401A	-	-	-	-	AOT41P2405B	-	-	-	-	SIRI13C2404A	1.41	(0.02)	14,132	0.15	AOT41P2405B	-	-	-	-	
SIRI19C2403A	0.27	(0.03)	32,961	0.28	ASIMAR	1.41	-	4,923	1.43	TKT	1.93	(0.06)	5,886	1.96						
SIRI19P2401A	-	-	-	-	B	0.13	-	18,090	0.13	TNP	1.45	(0.02)	4,203	1.47						
SIRI41C2401A	-	-	-	-	B-W7	-	-	-	-	TRU	3.52	0.02	2,234	3.51						
SIRI41C2402A	0.13	(0.02)	14,560	0.13	B-W8	0.01	-	37,408	0.01	TSC	15.80	0.30	822	15.71						
SIRI41C2403A	0.49	(0.01)	1,600	0.48	BA	15.20	(0.10)	12,482	15.20	Industrial Materials	-	-	-	-						
SIRI41C2405A	0.42	(0.02)	50,035	0.42	BEM	8.05	(0.10)	297,849	8.09	ALLA	1.52	(0.02)	5,929	1.53						
SPALI	18.90	(0.30)	119,182	18.90	BEM01C2403A	-	-	-	-	ASEFA	3.84	0.02	1,278	3.79						
SPALI11C2404A	0.25	(0.03)	6,333	0.25	BEM01C2405A	0.23	(0.02)	12,996	0.25	CPT	0.65	-	2,437	0.64						
SPALI13C2401A	-	-	-	-	BEM13C2401A	-	-	-	-	CRANE	1.10	(0.02)	37,155	1.11						
SPALI13C2405A	0.31	(0.03)	42,228	0.32	BEM13C2403A	0.07	-	710	0.08	CTW	4.72	0.04	158	4.72						
SPALI19C2403A	-	-	-	-	BEM19C2402A	-	-	-	-	FMT	35.25	-	12	35.48						
UV	2.30	0.08	55,277	2.32	BEM19C2402B	-	-	-	-	HTECH	2.36	-	221	2.35						
WHA	5.15	0.05	336,019	5.15	BEM19C2405A	0.22	(0.03)	44,109	0.23	KKC	0.20	-	574	0.20						
WHA01C2401A	0.01	(0.01)	477	0.01	BTS	7.30	(0.15)	268,871	7.33	PK	1.01	-	540	0.99						
WHA01C2403A	0.07	-	4,800	0.07	BTS-W7	0.04	(0.01)	6,498	0.04	PSP	4.74	(0.08)	173,117	4.78						
WHA01C2404A	0.45	0.02	1,328	0.45	BTS-W8	0.13	(0.01)	2,912	0.13	SNC	8.95	(0.15)	4,120	9.02						
WHA01C2405A	0.14	(0.02)	16,572	0.15	BTOS01C2402A	-	-	-	-	STARK	-	-	-	-						
WHA01P2403X	0.07	(0.01)	2,408	0.07	BTOS01P2401A	-	-	-	-	STARK-W1	-	-	-	-						
WHA06C2402A	-	-	-	-	BTSGIF	3.48	0.06	92,295	3.46	TCJ	3.12	(0.04)	148	3.14						
WHA13C2401A	-	-	-	-	DMT	13.30	(0.20)	16,862	13.30	TPCS	-	-	-	-						
WHA13C2403A	0.04	(0.02)	11	0.04	BTSL13C2405A	0.19	(0.03)	20,325	0.20	VARO	4.10	0.04	256	4.10						
WHA13C2404A	-	-	-	-	BTSL13P2405A	0.23	0.02	20,592	0.23	Property Fund & REIT	-	-	-	-						
WHA13C2404B	0.12	-	14,336	0.12	BTSL19C2401A	-	-	-	-	AIMCG	3.98	-	2,200	3.98						
WHA13P2402A	-	-	-	-	BTSL19C2401B	-	-	-	-	AIMIRT	11.00	0.30	7,627	10.86						
WHA19C2401A	-	-	-	-	BTSGIF	3.48	0.06	92,295	3.46	AMATAR	6.50	-	20,996	6.41						
WHA19C2402A	-	-	-	-	DMT	13.30	(0.20)	16,862	13.30	BOFFICE	5.40	-	14,680	5.41						
WHA19C2404A	0.13	(0.01)	27,928	0.14	ETL	1.57	(0.13)	221,763	1.66	CPNCG	6.65	0.15	3,497	6.58						
WHA19C2404B	-	-	-	-	III	9.80	(0.10)	21,329	9.81	CPNREIT	11.90	0.20	15,277	11.81						
WHA41C2402A	-	-	-	-	KEX	5.55	(0.20)	118,640	5.65	D-REIT	12.40	-	814	12.24						
WHA41C2404B	0.13	0.01	22,150	0.13	KIAT	0.40	0.01	16,528	0.39	DRIT	10.50	(0.10)	17,802	10.59						
WIN	0.56	(0.02)	5,846	0.57	KWC	-	-	-	-	ERWPF	7.90	0.05	4,290	7.81						
Paper & Printing Mat	-	-	-	-	MENA	2.42	(0.12)	121,135	2.48	ERWPFI	5.30	0.15	2,458	5.26						
UTP	12.10	0.10	1,351	12.00	NOK	-	-	-	-	ERWPF	7.90	0.05	4,290	7.81						
Fashion	-	-	-	-	NYT	4.30	(0.16)	38,993	4.36	ERWPF	7.90	0.05	4,290	7.81						
AFC	5.10	-	20	5.00	PORT	1.08	-	3,194	1.09	ERWPF	7.90	0.05	4,290	7.81						
AURA	15.60	-	11,628	15.46	PRM	5.45	(0.15)	81,593	5.51	ERWPF	7.90	0.05	4,290	7.81						
AURA01C2403A	-	-	-	-	PSL	8.70	(0.35)	313,970	8.85	ERWPF	7.90	0.05	4,290	7.81						
AURA13C2403A	-	-	-	-	PSL01C2401A	0.01	-	5	0.01	ERWPF	7.90	0.05	4,290	7.81						
BTNC	22.80	0.10	19	22.67	PSL01C2403A	-	-	-	-	ERWPF	7.90	0.05	4,290	7.81						
CPH	13.70	-	1,512	13.81	PSL01C2405A	0.34	(0.07)	40,109	0.37	ERWPF	7.90	0.05	4,290	7.81						
CPL	1.46	(0.03)	15,048	1.53	PSL01C2407A	0.45	(0.07)	30,969	0.48	ERWPF	7.90	0.05	4,290	7.81						
NC	5.00	(0.05)	2,590	5.05	PSL01P2403X	0.24	0.03	34,196	0.23	ERWPF	7.90	0.05	4,290	7.81						
PAF	1.18	(0.03)	2,389	1.21	PSL06C2404A	0.30	(0.06)	54,164	0.34	ERWPF	7.90	0.05	4,290	7.81						
PDJ	1.91	-	1,692	1.92	PSL13C2402A	-	-	-	-	ERWPF	7.90	0.05	4,290	7.81						
PG	-	-	-	-	PSL13C240															

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHART	10.40	0.10	62,515	10.44	BABA28C2403A	0.04	-	1,015	0.04	HSI28C2402D	0.54	(0.07)	3,165,737	0.56
Steel and Metal Prod	-	-	-	-	BABA28C2403B	-	-	-	-	HSI28C2402E	0.24	(0.05)	158,239	0.25
2S	3.12	0.04	1,728	3.08	BABA28C2404A	0.22	(0.05)	50,038	0.22	HSI28C2402F	1.04	(0.07)	4,661,664	1.06
AMC	3.36	0.02	2,771	3.33	BABA28C2404B	0.24	(0.06)	60,262	0.24	HSI28C2403A	0.07	-	310,036	0.07
BSBM	0.72	0.01	1,209	0.72	BABA28C2406A	0.21	(0.04)	176	0.21	HSI28C2403B	0.88	(0.08)	4,766,149	0.91
CEN	2.54	-	11,016	2.54	BABA28P2403A	0.35	0.05	16,084	0.35	HSI28C2404A	0.32	(0.04)	225,411	0.34
CEN-W5	0.38	(0.01)	3,406	0.39	BABA28P2404A	0.28	0.09	65,000	0.28	HSI28P2401A	0.25	0.02	266,291	0.24
CITY	2.28	0.02	262	2.26	BABA41C2403A	-	-	-	-	HSI28P2401B	0.05	-	12	0.05
CSP	1.00	-	268	1.00	BABA41C2403B	-	-	-	-	HSI28P2401C	-	-	-	-
GJS	0.24	0.01	16,857	0.23	BABA41C2404A	0.27	(0.06)	16	0.27	HSI28P2401D	0.88	0.08	3,939,167	0.85
GSTEEL	-	-	-	-	BABA41C2406A	-	-	-	-	HSI28P2402A	0.20	0.01	11,036	0.19
INOX	0.59	-	5,561	0.60	BABA41P2403A	-	-	-	-	HSI28P2402B	1.54	0.09	4,895,553	1.52
LHK	4.44	(0.02)	1,380	4.46	BABA41P2404A	0.25	0.03	516	0.24	HSI28P2402C	0.56	0.04	145,408	0.56
MCS	6.60	0.10	3,424	6.56	BIDU28C2403A	-	-	-	-	HSI28P2402D	0.84	0.05	4,819,577	0.83
MILL	0.38	(0.01)	20,865	0.38	BIDU28C2403B	0.34	0.01	41,174	0.35	HSI28P2403A	0.63	0.03	9,456	0.61
MILL-W6	0.01	-	6,010	0.01	BIDU28P2401A	0.15	(0.01)	8,112	0.15	HSI28P2403B	0.20	-	4,851	0.21
MILL-W7	0.07	-	58,772	0.06	BIDU28P2406A	0.30	(0.01)	13,042	0.30	HSI28P2404A	0.34	0.03	119,049	0.33
PAP	2.70	0.02	1,105	2.70	BIDU41C2403A	-	-	-	-	HSI28H2401A	0.36	(0.07)	208	0.41
PERM	0.92	-	1,575	0.92	BIDU41C2403B	0.40	-	2	0.41	HSI28H2401B	-	-	-	-
SAM	0.40	0.01	6,629	0.40	BIDU41P2403A	-	-	-	-	HSI28H2401C	-	-	-	-
SMIT	4.60	0.02	743	4.59	BYDCOM28C240	-	-	-	-	HSI28H2403A	0.90	(0.10)	6	0.93
SSSC	3.00	0.02	799	2.97	BYDCOM28C240	0.07	-	7	0.07	HSI28H2403B	0.39	(0.01)	201	0.39
TGPRO	0.15	0.01	7,288	0.15	BYDCOM28C240	0.28	(0.02)	4,056	0.29	HSI28H2401A	-	-	-	-
THE	1.18	0.01	851	1.16	BYDCOM28P240	0.31	0.02	12,168	0.30	HSI28H2401B	-	-	-	-
TMT	6.25	0.05	951	6.20	BYDCOM28P240	0.27	0.01	4,056	0.27	HSI28H2401C	-	-	-	-
TSTH	0.85	-	2,771	0.85	BYDCOM41C240	-	-	-	-	HSI28H2403A	-	-	-	-
TWP	2.08	(0.02)	93	2.04	BYDCOM41C240	0.07	(0.28)	1,000	0.07	HSI28H2403B	-	-	-	-
TYCN	2.54	(0.10)	363	2.56	BYDCOM41C240	-	-	-	-	ICBC28C2401A	-	-	-	-
Construction Service	-	-	-	-	BYDCOM41P240	-	-	-	-	ICBC28C2404A	0.14	-	2,028	0.14
APCS	3.72	-	59	3.73	BYDCOM41P240	-	-	-	-	JD28C2402A	-	-	-	-
BJCHI	1.18	0.06	42,974	1.20	BYDCOM41P240	0.27	-	31	0.27	JD28C2403A	0.13	(0.06)	1,014	0.14
BKD	1.70	0.01	259	1.68	CATHAY28C240	-	-	-	-	JD28C2403B	0.31	(0.03)	8,112	0.31
CIVIL	2.16	0.06	19,852	2.16	CATHAY28C240	0.20	(0.01)	2,532	0.19	KUAISH28C2401A	-	-	-	-
CK	22.50	0.30	74,707	22.43	CATHAY41C240	-	-	-	-	KUAISH28C2403A	-	-	-	-
CK01C2403A	0.21	0.02	65,961	0.21	CATHAY41C240	-	-	-	-	KUAISH28C2404A	0.13	(0.02)	4,542	0.13
CK13C2401A	-	-	-	-	CHMOBI28C240	-	-	-	-	LENOVO28C2402A	-	-	-	-
CK13C2403A	0.14	0.01	24,821	0.14	CHMOBI28C240	0.28	0.06	8,112	0.27	LENOVO28C2404A	0.26	(0.08)	10,647	0.27
CK13C2405A	0.38	(0.62)	30,326	0.38	CMBANK41C240	-	-	-	-	MCA5041C2403A	-	-	-	-
CK19C2404A	0.30	0.03	20,504	0.29	CMBANK41C240	-	-	-	-	MCA5041C2406A	0.65	(0.03)	1,214	0.64
CNT	1.08	(0.02)	36,535	1.15	CMBANK41C240	-	-	-	-	MCA5041P2403A	-	-	-	-
EMC	0.10	-	1,182	0.09	CNOOC28C240	0.22	0.03	6,084	0.22	MCA5041P2406A	-	-	-	-
ITD	0.97	0.02	291,932	0.97	DJI28C2403A	-	-	-	-	MEITU28C2401A	-	-	-	-
NWR	0.38	0.02	112,002	0.37	DJI28C2403B	-	-	-	-	MEITU28C2403A	-	-	-	-
PLE	0.52	0.01	11,619	0.51	DJI28C2403C	-	-	-	-	MEITU28C2404A	0.13	-	20,256	0.14
PREB	6.60	0.05	1,449	6.54	DJI28C2406B	-	-	-	-	MEITU28P2401A	-	-	-	-
PYLON	2.76	-	10,745	2.79	DJI28P2403A	0.06	(0.01)	200	0.06	MEITU28P2405A	0.74	(0.01)	28,112	0.75
RT	0.77	-	81,710	0.78	DJI28P2403B	-	-	-	-	MEITU28P2406A	0.39	-	60,000	0.38
RT-W1	0.09	0.02	106,638	0.11	DJI28P2403C	0.26	0.01	1,037	0.26	MEITU41C2401A	-	-	-	-
SEAFCO	2.74	0.06	12,840	2.72	DJI28P2403D	-	-	-	-	MEITU41C2403A	-	-	-	-
SQ	1.19	(0.01)	7,240	1.19	DJI41C2403A	-	-	-	-	MEITU41C2405A	0.20	0.03	126	0.20
SRICHA	5.45	-	2,636	5.51	DJI41C2403B	0.66	(0.03)	10	0.66	MEITU41P2404A	0.65	(0.01)	4	0.66
STEC	9.35	0.30	138,399	9.28	DJI41P2403A	-	-	-	-	NDX28C2403A	0.12	(0.03)	244	0.12
STEC01C2401A	-	-	-	-	DJI41P2403B	0.18	(0.01)	10,376	0.18	NDX28C2403B	0.55	(0.07)	100	0.55
STEC01C2401X	-	-	-	-	DJI41P2403C	0.39	0.01	12,341	0.37	NDX28C2406A	1.03	(0.11)	721	1.04
STEC01C2402A	-	-	-	-	GEELY28C2401A	-	-	-	-	NDX28C2406B	0.31	(0.04)	860	0.31
STEC01C2403A	0.16	0.03	33,042	0.15	GEELY28C2403A	-	-	-	-	NDX28P2403A	0.07	0.01	5,600	0.07
STEC01P2401A	-	-	-	-	GEELY28C2406A	0.37	0.01	3,006	0.37	NDX28P2403B	-	-	-	-
STEC13C2401A	-	-	-	-	GEELY28P2404A	0.39	(0.02)	6,591	0.39	NDX28P2403C	0.38	0.05	3,920	0.37
STEC13C2402A	-	-	-	-	GEELY41C2401A	-	-	-	-	NDX41C2403A	0.75	(0.09)	3,451	0.75
STEC13C2403A	0.10	0.02	13,644	0.10	GEELY41C2404A	-	-	-	-	NDX41C2403B	0.65	(0.11)	430	0.65
STEC13C2405A	0.43	0.06	35,165	0.41	GEELY41C2406A	-	-	-	-	NDX41C2403C	0.23	(0.05)	101	0.23
STEC19C2401A	-	-	-	-	HAIIDL28C2402	0.02	-	1	0.02	NDX41P2403A	-	-	-	-
STEC19C2403A	0.12	0.02	7,220	0.12	HAIIDL28C2403	-	-	-	-	NDX41P2403B	-	-	-	-
STEC19C2407A	0.53	0.05	17,030	0.51	HAIIDL28C2404	-	-	-	-	NDX41P2403C	0.28	0.02	12,517	0.28
STI	3.80	0.02	7,230	3.85	HAIIDL28C2406	0.20	0.01	5,070	0.20	NDX41P2403D	0.55	0.06	163,187	0.55
STPI	3.42	0.02	12,335	3.42	HAIIDL41C2403	-	-	-	-	NTES41C2404A	-	-	-	-
SYNTEC	1.67	0.03	18,673	1.65	HAIIDL41C2404	-	-	-	-	PINGAN28C2401A	-	-	-	-
TEAMG	5.95	(0.15)	32,940	6.03	HKEX28C2401A	-	-	-	-	PINGAN28C2403A	-	-	-	-
TEAMG-W1	0.80	(0.03)	49,425	0.82	HKEX28C2404A	-	-	-	-	PINGAN28C2404A	-	-	-	-
TEKA	2.62	-	9,833	2.70	HKEX41C2401A	-	-	-	-	PINGAN28C2404B	-	-	-	-
TPOLY	0.70	0.07	17,775	0.70	HKEX41C2404A	-	-	-	-	PINGAN28P2403A	0.37	-	10,140	0.36
TRC	0.33	-	67,998	0.33	HSBC28C2401A	0.06	0.02	4	0.06	PINGAN41C2403A	-	-	-	-
TRITN	0.13	-	57,813	0.13	HSBC28C2403A	0.31	0.02	4,067	0.31	PINGAN41C2404B	-	-	-	-
TRITN-W5	0.01	-	110	0.01	HSBC28P2404A	-	-	-	-	PINGAN41C2404B	-	-	-	-
TRITN-W6	0.01	-	5	0.01	HSBC41C2401A	-	-	-	-	PINGAN41P2404A	-	-	-	-
TTCL	3.70	(0.02)	4,553	3.70	HSBC41C2403A	-	-	-	-	SET5001C2401A	0.01	-	45,721	0.01
UNIQ	3.12	0.06	6,521	3.09	HSCE128C2401A	-	-	-	-	SET5001C2401B	0.02	(0.03)	2,925	0.03
WGE	0.72	(0.01)	984	0.73	HSCE128C2401B	-	-	-	-					

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday January 05, 2024

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust	-	-	-	-	UBIS-W1	-	-	-	0.0	KGEN	0.98	(0.03)	144,733	00 1.0
AU	9.45	-	6,154	00 9.5	UEC	1.50	-	23,695	00 1.5	KGEN-W2	0.42	(0.04)	26,585	00 0.4
JCKH	0.03	(0.01)	29,160	00 0.0	UKEM	0.87	0.02	177,584	00 0.8	KK	2.00	(0.02)	39	00 2.0
JCKH-W1	0.01	-	10	00 0.0	UREKA	0.64	-	133,908	00 0.6	KLINIQ	42.00	(1.25)	9,960	00 42.4
JCKH-W2	0.01	(0.01)	2,000	00 0.0	YUASA	11.60	(0.10)	79	00 11.7	KOOL	0.40	-	30,321	00 0.4
KASET	1.43	-	573	00 1.4	ZIGA	3.00	(0.06)	133,583	00 3.0	KTMS	2.80	(0.02)	3,853	00 2.8
MUD	2.04	(0.04)	214	00 2.0	Property	-	-	-	-	LDC	0.66	-	43,459	00 0.6
NTSC	16.10	1.60	1,996	00 15.8	24CS	1.50	(0.06)	86,548	00 1.5	LEO	4.94	0.10	21,212	00 4.9
TACC	4.52	0.08	40,047	00 4.5	A5	3.22	(0.22)	49,756	00 3.3	LEO-W1	0.56	(0.01)	144,809	00 0.6
TMILL	3.86	-	158	00 3.8	A5-W2	0.10	0.01	71,981	00 0.0	MASTER	58.00	(0.75)	11,670	00 58.5
WINNER	2.22	0.04	2,301	00 2.2	A5-W3	0.08	(0.01)	32,565	00 0.0	MCA	2.58	(0.12)	255,455	00 2.6
XO	25.25	(0.25)	15,638	00 25.4	ALL	-	-	-	0.0	MEB	33.00	(1.00)	5,660	00 34.1
Consumer Products	-	-	-	-	ARIN	3.38	(0.02)	1,726	00 3.4	MORE	0.10	-	56,304	00 0.1
ALPHAX	0.64	-	355,908	00 0.6	ARROW	6.55	0.20	636	00 6.5	MVP	1.54	(0.04)	30,275	00 1.5
BGT	0.83	0.03	4,622	00 0.8	BC	1.02	0.04	12,700	00 1.0	NCL	0.89	(0.02)	9,488	00 0.9
DOD	3.74	-	11,706	00 3.7	BLESS	0.66	0.01	27,051	00 0.6	NEWS	0.02	-	266,647	00 0.0
ECF	1.03	0.01	12,184	00 1.0	BSM	2.60	0.02	636	00 2.5	NEWS-W7	0.01	-	2 00 0.0	
ECF-W4	0.04	-	9,712	00 0.0	BTW	0.33	0.01	12,334	00 0.3	OTO	0.92	0.03	293,833	00 0.9
EFORL	0.27	-	91,488	00 0.2	CAZ	3.62	0.04	4,051	00 3.6	OTO-W1	0.49	-	72,802	00 0.5
EFORL-W6	0.07	-	764	00 0.0	CHEWA	0.50	-	4,309	00 0.4	PHOL	2.70	-	1,258	00 2.6
HPT	0.64	-	41,314	00 0.6	CHEWA-W2	0.01	-	87	00 0.0	PICO	4.96	-	30	00 4.9
IP	9.30	(0.05)	3,455	00 9.3	CPANEL	7.15	-	654	00 7.1	PLT	0.98	0.01	599,370	00 1.0
IP-W2	0.58	(0.03)	24,913	00 0.5	CPANEL-W1	2.46	0.36	6	00 2.2	QLT	2.94	(0.04)	2,099	00 2.9
ITTHI	2.34	0.55	892,744	00 2.1	CRD	0.46	0.04	8,750	00 0.4	RP	1.51	0.01	42,794	00 1.5
JSP	2.34	(0.20)	9,852	00 2.4	DHOUSE	0.70	(0.02)	2,347	00 0.7	SE	0.97	0.07	41,690	00 0.9
JSP-W1	0.30	(0.05)	84,646	00 0.3	DIMET	0.27	-	11,373	00 0.2	SLM	-	-	0 00 0.0	
JUBILE	18.00	0.20	677	00 17.9	DPAIN	3.58	(0.04)	20,154	00 3.6	Sonic	2.02	0.11	133,906	00 1.9
MGI	19.50	(0.20)	18,203	00 19.5	FLOYD	1.21	0.02	361	00 1.1	SPA	12.40	0.20	14,832	00 12.3
MOONG	2.12	0.02	3,282	00 2.1	FLOYD-W1	0.06	-	13,095	00 0.0	THMUI	0.62	0.02	945	00 0.6
NPK	17.50	0.50	6	00 17.1	HYDRO	0.30	0.01	130	00 0.2	TNDT	0.31	-	35,089	00 0.3
SMD	7.20	-	3,939	00 7.1	IND	0.92	0.02	31,965	00 0.9	TNDT-W1	0.10	0.02	18,491	00 0.0
TM	2.04	0.04	575	00 2.0	JAK	1.32	(0.03)	364	00 1.3	TNH	37.50	(0.25)	398	00 37.6
TM-W1	0.29	0.02	1,040	00 0.2	K	1.31	0.09	43,233	00 1.2	TNP	3.06	-	5,264	00 3.0
WARRIX	6.50	-	88,954	00 6.5	K-W2	0.40	0.07	102,841	00 0.3	TPL	1.69	0.29	404,486	00 1.7
WINMED	3.04	0.02	3,344	00 3.0	KUN	1.76	(0.01)	823	00 1.7	TRP	17.60	(0.40)	22,893	00 17.7
Financials	-	-	-	-	KUN-W1	0.02	-	9,582	00 0.0	TURTLE	6.60	(0.25)	24	00 6.7
ACAP	-	-	00 0.0	-	KUN-W2	0.09	0.01	29,370	00 0.0	TVDH	0.37	0.01	9,822	00 0.3
AF	0.93	0.03	728	00 0.9	META	0.21	-	3,591	00 0.2	TVDH-W3	0.09	0.01	1,606	00 0.0
AIRA	1.83	(0.07)	7	00 1.8	PPS	0.42	0.03	36,933	00 0.4	TVT	0.43	0.01	7,128	00 0.4
ASN	1.82	(0.03)	2,141	00 1.8	PRI	24.00	(0.80)	8,867	00 24.3	UBA	1.17	0.08	52,855	00 1.1
BROOK	0.59	0.01	270,927	00 0.5	PROS	1.01	0.24	31,226	00 0.9	VL	0.93	-	23,302	00 0.9
BROOK-W6	0.23	0.01	83,452	00 0.2	PROS-W1	0.42	0.24	560,604	00 0.3	YGG	7.15	(0.10)	3,118	00 7.2
BROOK-W7	0.28	0.01	28,885	00 0.2	PROUD	1.60	0.01	2,347	00 1.6	Technology	-	-	-	-
GCAP	0.62	(0.02)	27,519	00 0.6	PSG	0.67	(0.01)	143,927	00 0.6	APP	2.72	(0.02)	7,349	00 2.7
KCC	4.64	0.06	2,113	00 4.6	SENX	0.54	-	10,570	00 0.5	BBIK	88.00	(2.50)	8,513	00 88.7
LIT	1.15	0.07	10,197	00 1.1	SENX-W1	0.02	-	1	00 0.0	BE8	30.75	(0.50)	19,122	00 31.3
LIT-W2	0.31	0.01	28,362	00 0.3	SK	0.66	0.05	89,469	00 0.6	BE8-W1	4.44	(0.06)	338	00 4.8
MITSIB	1.01	(0.01)	8,070	00 1.0	SMART	1.16	0.04	149,595	00 1.1	BVG	4.62	0.02	55,266	00 4.7
SGF	0.48	(0.03)	42,065	00 0.4	SS	-	-	0 00 0.0	COMAN	3.56	-	84	00 3.5	
SGF-P1	-	-	00 0.0	-	STC	0.68	(0.01)	1,487	00 0.6	DITTO	27.75	(0.50)	11,836	00 28.0
SGF-Q1	-	-	00 0.0	-	SVR	1.64	(0.02)	165,225	00 1.7	DITTO-W1	5.10	(0.05)	106	00 5.1
TQR	7.40	-	3,757	00 7.3	TAPAC	-	-	0 00 0.0	I2	2.22	(0.16)	72,071	00 2.2	
Industrials	-	-	-	-	THANA	1.91	(0.02)	805	00 1.9	IIIG	11.50	0.10	2,003	00 11.6
ADB	1.08	0.01	6,394	00 1.0	TIGER	1.01	(0.01)	871	00 1.0	IIIG-W1	3.66	(0.44)	133	00 3.7
BM	3.04	0.12	17,626	00 3.0	TITLE	3.92	-	9,893	00 3.9	IRCP	0.72	-	10,449	00 0.7
BM-W3	1.74	0.03	1,394	00 1.7	YONG	2.14	(0.04)	19,067	00 2.1	ITNS	3.08	(0.02)	28,462	00 3.1
CHO	0.43	-	36,942	00 0.4	Resources	-	-	-	-	NETBAY	24.10	(0.40)	18,548	00 24.4
CHO-W3	0.01	-	48,145	00 0.0	ABM	1.60	0.01	1,702	00 1.5	PLANET	0.80	(0.01)	3,320	00 0.8
CHOW	1.49	(0.01)	2,492	00 1.5	ABM-W1	0.25	-	1,270	00 0.2	PROEN	3.68	0.16	230,523	00 3.6
CIG	0.11	(0.01)	222,366	00 0.1	GTV	0.21	0.01	48,462	00 0.2	PROEN-W1	0.21	(0.04)	316,850	00 0.2
CIG-W10	0.09	0.02	31	00 0.0	PSTC	0.89	(0.02)	38,701	00 0.9	READY	12.10	-	423	00 12.2
CIG-W9	0.08	0.01	21,954	00 0.0	PSTC-W2	0.10	0.01	61,794	00 0.0	SECURE	13.30	-	795	00 13.3
COLOR	1.43	0.05	2,414	00 1.4	PTC	2.30	(0.10)	9,372	00 2.2	SICT	7.10	-	2,620	00 7.0
COLOR-W2	0.06	-	90,375	00 0.0	SAAM	7.45	(0.20)	3,094	00 7.5	SIMAT	1.88	0.02	10,262	00 1.8
CPR	4.16	0.04	2,241	00 4.1	SAAM-W2	0.26	-	2,466	00 0.2	SIMAT-W3	0.30	-	9,046	00 0.3
FPI	2.50	-	737	00 2.4	SR	0.69	0.06	882	00 0.6	SIMAT-W5	0.50	(0.04)	2,548	00 0.5
GTB	0.68	(0.01)	446	00 0.6	STOWER	0.14	-	2,075	00 0.1	SPVI	4.14	-	1,916	00 4.1
KCM	0.38	0.01	5,403	00 0.3	STOWER-W4	-	-	0 00 0.0	SRS	10.30	(0.30)	22,059	00 10.5	
KJL	8.65	(0.05)	7,107	00 8.7	TAKUNI	1.64	(0.04)	71,180	00 1.6	TBN	13.90	(0.40)	4,930	00 13.9
KUMWEL	1.80	0.04	1,900	00 1.7	TPCH	6.15	(0.05)	693	00 6.1	TPS	2.98	(0.02)	1,385	00 2.9
KWM	1.37	(0.04)	15,370	00 1.3	TRT	2.50	(0.02)	1,203	00 2.5	TPS-W1	1.87	0.07	184	00 1.8
MBAX	3.56	0.12	2,308	00 3.5	UMS	0.71	0.04	152	00 0.7	VCOM	3.70	(0.08)	5,349	00 3.7
MBAX-W2	0.38	-	43,506	00 0.3	Services	-	-	-	-	-	-	-	-	
MGT	2.62	0.06	3,803	00 2.6	ADD	6.00	0.05	514	00 6.1	-	-	-	-	
MTW	2.04	(0.04)												