

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPUI	-	-	-	-	SCB06C2402A	-	-	-	-	IVL13C2402A	-	-	-	-
SAFARI	-	-	-	-	SCB06C2403A	-	-	-	-	IVL13C2403A	-	-	-	-
WORLD	-	-	-	-	SCB11C2403A	0.15	-	2,152	0.15	IVL13C2403B	0.06	(0.03)	118,604	0.08
Agribusiness	-	-	-	-	SCB13C2401A	-	-	-	-	IVL13C2403C	0.31	(0.06)	5,732	0.35
EE	0.28	-	4,377	0.28	SCB13C2402A	-	-	-	-	IVL13P2401A	-	-	-	-
EE-W1	0.03	(0.01)	21,263	0.03	SCB13C2403A	-	-	-	-	IVL19C2402A	0.03	(0.01)	44	0.03
GFPT	11.80	(0.10)	8,041	11.78	SCB13C2404A	0.18	0.01	148,451	0.18	IVL19C2403A	0.09	(0.02)	42,930	0.10
LEE	2.36	0.02	533	2.32	SCB13P2402A	-	-	-	-	IVL19C2403B	-	-	-	-
NER	5.10	-	61,046	5.13	SCB19C2401A	-	-	-	-	IVL19C2405A	0.22	0.01	14,013	0.21
PPPM	0.06	0.01	31,956	0.05	SCB19C2402A	-	-	-	-	IVL19C2406A	-	-	-	-
PPPM-W4	0.02	-	1	0.02	SCB19C2403A	-	-	-	-	IVL19C2407A	0.14	(0.01)	32,151	0.15
STA	17.00	0.20	37,622	17.13	SCB19C2404A	0.20	0.01	27,580	0.20	IVL41C2402A	-	-	-	-
STA01C2401A	0.01	-	500	0.01	SCB19P2402A	-	-	-	-	IVL41C2403A	0.11	(0.02)	14,050	0.12
STA01C2402A	-	-	-	-	SCB41C2402A	-	-	-	-	IVL41C2404A	-	-	-	-
STA01C2404A	0.42	0.01	24,142	0.44	SCB41C2403A	0.13	(0.01)	39,002	0.13	IVL41C2406A	0.20	(0.02)	26,181	0.21
STA01P2402X	-	-	-	-	SCB41C2404A	-	-	-	-	NFC	3.30	-	1,168	3.41
STA06C2401A	-	-	-	-	SCB41C2405A	0.31	(0.02)	12,000	0.31	PATO	9.65	-	50	9.46
STA11C2402T	0.10	-	2,020	0.10	SCB41C2405B	0.32	0.02	35,600	0.32	PMTA	8.65	0.20	2	8.65
STA13C2401A	0.01	(0.01)	298	0.01	TCAP	49.25	(0.25)	13,841	49.51	PTTGC	36.50	0.25	70,336	36.55
STA13C2405A	0.44	0.02	85,846	0.46	TCAP-P	-	-	-	-	PTTGC01C2401A	-	-	-	-
STA13P2401A	-	-	-	-	TCAP-Q	-	-	-	-	PTTGC01C2402T	0.04	(0.01)	1,001	0.04
STA19C2401A	-	-	-	-	TCAP11C2402T	-	-	-	-	PTTGC01C2403B	0.07	-	963	0.07
STA19C2401B	-	-	-	-	TCAP13C2403A	0.07	(0.01)	4,428	0.07	PTTGC01C2405A	0.15	-	44,377	0.16
TEGH	2.86	0.08	8,984	2.81	TCAP19C2403A	-	-	-	-	PTTGC01P2404X	0.14	(0.01)	25,325	0.14
TFM	6.60	(0.10)	64	6.58	TISCO	100.50	(0.50)	21,921	100.61	PTTGC01P2405X	0.39	(0.01)	15,369	0.39
TRUBB	1.29	-	25,977	1.30	TISCO-P	-	-	-	-	PTTGC06C2401A	-	-	-	-
TRUBB-W2	0.13	0.01	19,764	0.14	TISCO-Q	-	-	-	-	PTTGC11C2404A	0.22	0.01	2,530	0.22
UPOIC	6.25	0.05	10	6.25	TISCO13C2405A	0.26	(0.01)	5,142	0.26	PTTGC11P2402A	0.21	-	8,320	0.21
UVAN	8.55	0.10	5,326	8.51	TISCO19C2402A	0.02	-	10	0.02	PTTGC11P2404X	0.14	-	1,000	0.02
VPO	0.74	(0.01)	6,402	0.75	TTB	1.66	0.03	1,192,595	1.65	PTTGC13C2402A	0.02	-	17,050	0.10
Banking	-	-	-	-	TTB-W1	0.69	0.01	6,829	0.69	PTTGC13P2404A	0.13	(0.01)	22,610	0.13
BAY	28.25	-	1,161	28.44	TTB08C12402A	0.03	0.01	1,000	0.03	PTTGC13P2405A	0.12	-	14,011	0.12
BBL	154.50	-	58,495	154.63	TTB01C2404A	0.17	-	8,093	0.17	PTTGC13P2404A	0.24	-	18,423	0.24
BBL06C2403A	0.13	(0.01)	6	0.13	TTB06C2401A	-	-	-	-	PTTGC13P2405A	0.25	-	5,732	0.25
BBL11C2404A	-	-	-	-	TTB13C2401A	-	-	-	-	PTTGC13P2406A	0.26	(0.74)	55,698	0.26
BBL11C2406A	0.42	(0.01)	15,226	0.44	TTB13C2404A	0.15	-	7,728	0.15	PTTGC14C2402A	-	-	-	-
BBL11P2402X	0.19	(0.01)	17,615	0.19	TTB13P2401A	-	-	-	-	PTTGC14C2403A	0.21	-	2,553	0.21
BBL13C2403A	0.03	(0.02)	200	0.03	TTB19C2402A	-	-	-	-	PTTGC14C2404A	0.15	-	21,000	0.16
BBL13C2404A	0.15	(0.01)	39,808	0.16	TTB19C2404A	0.15	0.01	7,588	0.15	PTTGC14C2405A	0.12	-	14,011	0.12
BBL13C2405A	0.35	(0.01)	40,957	0.35	Construction Ma	-	-	-	-	PTTGC14C2406A	-	-	-	-
BBL13P2404A	0.32	(0.01)	16,810	0.33	CCP	0.39	(0.01)	37,465	0.40	SUTHA	2.44	0.02	6	2.44
BBL19C2401A	-	-	-	-	DCC	1.59	(0.01)	74,132	1.60	TPA	4.42	0.04	56	4.42
BBL19C2403A	-	-	-	-	DCON	0.48	(0.01)	33,397	0.49	UAC	3.78	-	425	3.76
BBL19C2404A	-	-	-	-	DCON-W3	0.10	(0.01)	110,530	0.11	UP	-	-	-	-
BBL19C2405A	0.36	(0.01)	33,121	0.37	DRT	8.25	(0.05)	1,653	8.29	Commerce	-	-	-	-
BBL41C2402A	-	-	-	-	EPG	8.20	(0.10)	36,926	8.26	B52	1.17	0.01	21	1.15
BBL41C2403A	-	-	-	-	EPG19C2401A	0.05	(0.05)	1,600	0.05	BEAUTY	0.60	0.01	336,480	0.60
BBL41C2404A	-	-	-	-	GEL	0.20	-	72,391	0.21	BIG	0.55	-	2,223	0.54
BBL41C2405A	0.31	-	26,620	0.32	GEL-W5	0.04	-	1,000	0.04	BJC	26.25	(0.50)	48,709	26.61
CIMBT	0.62	(0.01)	3,898	0.63	PPP	1.93	0.12	1,035	1.92	COM7	24.80	(0.20)	91,401	25.09
KBANK	132.50	0.50	121,499	132.81	Q-CON	14.40	(0.40)	12,841	14.58	COM701C2401A	-	-	-	-
KBANK01C2401A	-	-	-	-	SCC	298.00	-	12,376	299.01	COM701C2403W	-	-	-	-
KBANK01C2403A	0.17	(0.01)	18,333	0.18	SCC01C2402A	0.01	-	4,700	0.01	COM701C2404A	0.08	(0.01)	520	0.08
KBANK01C2405A	0.33	(0.02)	27,709	0.34	SCC01C2403A	-	-	-	-	COM701C2404B	0.64	0.04	1,937	0.64
KBANK01P2402X	-	-	-	-	SCC01C2405A	0.43	-	14,757	0.43	COM701C2405A	0.16	(0.02)	102,301	0.17
KBANK01P2404X	0.33	(0.01)	31,395	0.33	SCC01P2403X	0.14	(0.01)	3,388	0.14	COM701P2401A	-	-	-	-
KBANK06C2404A	0.21	-	11,460	0.22	SCC13C2401A	-	-	-	-	COM701P2402X	0.32	-	18,423	0.30
KBANK13C2402A	0.03	(0.02)	303	0.03	SCC13C2403A	-	-	-	-	COM701P2404X	0.25	0.01	58,192	0.24
KBANK13C2405A	0.27	(0.01)	64,164	0.29	SCC13C2405A	0.30	-	29,768	0.30	COM706C2403A	-	-	-	-
KBANK13P2401A	-	-	-	-	SCC13P2403A	-	-	-	-	COM711C2404A	0.11	-	7,000	0.11
KBANK13P2404A	0.17	(0.01)	46,090	0.17	SCC19C2401A	-	-	-	-	COM713C2403A	-	-	-	-
KBANK19C2402A	0.02	(0.04)	1	0.02	SCC19C2403A	-	-	-	-	COM713C2404A	0.07	-	2,200	0.07
KBANK19C2404A	0.15	(0.01)	9,030	0.15	SCC19C2405A	0.35	-	36,532	0.36	COM713C2405A	0.30	(0.03)	2,430	0.33
KBANK19C2405A	0.31	0.01	52,122	0.32	SCCC	137.50	(0.50)	256	137.92	COM713C2406A	0.56	0.02	250	0.57
KBANK19P2404A	0.14	-	7,795	0.14	SCGD	10.40	(0.20)	71,425	10.53	COM713C2405B	0.16	(0.01)	18,901	0.18
KBANK41C2402A	0.05	(0.01)	100	0.05	SCP	5.60	-	148	5.55	COM713C2406B	-	-	-	-
KBANK41C2405A	0.28	(0.03)	12,000	0.28	SKN	4.66	-	807	4.63	COM713P2402A	0.23	0.01	820	0.22
KBANK41C2405B	-	-	-	-	STECH	1.73	-	12,457	1.74	COM713P2404A	0.21	0.01	15,554	0.19
KKP	50.75	0.25	25,493	50.93	TASCO	16.30	(0.30)	101,057	16.43	COM719C2401A	-	-	-	-
KKP-W5	0.32	(0.03)	286,110	0.42	TASCO01C2403/	0.09	(0.02)	21,622	0.09	COM719C2404A	0.10	-	36,446	0.10
KKP-W6	1.86	0.01	14,493	1.92	TASCO01C2405/	0.26	(0.03)	24,104	0.27	COM719C2404B	0.40	(0.02)	2,134	0.40
KKP01C2401A	-	-	-	-	TASCO01P2405/	0.29	0.02	13,914	0.28	COM719P2402A	0.12	-	13,182	0.10
KKP01C2405A	0.31	-	20,798	0.32	TASCO06C2403/	-	-	-	-	COM741C2403A	-	-	-	-
KKP11C2403A	0.33	(0.01)	22,870	0.35	TASCO19C2401/	-	-	-	-	COM741C2404B	0.54	(0.18)	9,600	0.54
KKP11P2405A	0.35	(0.01)	9,610	0.34	TASCO19C2404/	0.13	(0.02)	70,524	0.15	COM741C2405A	0.18	(0.01)	25,300	0.20
KKP13C2403A	-	-	-	-	TOA	23.20	(0.20)	5,042	23.44	CPALL01C2404A	0.15	(0.02)	13,344	0.17
KKP13C2405A	0.27	0.01												

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL1C2404A	0.14	(0.02)	14,400	0.15	ADVANC11P240	0.14	(0.02)	2,201	0.15	TRUE06C2403A	-	-	-	-
CPAXT	27.75	(1.25)	125,560	28.08	ADVANC13C240	0.01	-	300	0.01	TRUE11C2405A	-	-	-	-
CPW	2.46	(0.08)	2,525	2.51	ADVANC13C240	0.12	0.01	17,358	0.11	TRUE11P2401A	-	-	-	-
CRC	39.25	0.25	37,499	39.27	ADVANC13C240	0.22	0.02	47,628	0.21	TRUE13C2402A	-	-	-	-
CRC01C2401A	0.01	-	50	0.01	ADVANC13P240	0.02	(0.01)	100	0.02	TRUE13C2403A	-	-	-	-
CRC01C2403A	-	-	-	-	ADVANC13P240	0.22	(0.02)	2,158	0.23	TRUE13C2403B	-	-	-	-
CRC01C2404A	0.24	0.01	5,379	0.24	ADVANC19C240	-	-	-	-	TRUE13C2405A	0.12	(0.01)	25,620	0.13
CRC01P2404X	0.19	(0.01)	3,878	0.19	ADVANC19C240	-	-	-	-	TRUE13P2404A	0.22	-	10,679	0.22
CRC06C2402A	0.05	-	2,532	0.05	ADVANC19C240	0.22	0.01	64,212	0.22	TRUE19C2402A	-	-	-	-
CRC11C2404A	0.18	0.01	2,120	0.18	ADVANC41C240	-	-	-	-	TRUE19C2402B	-	-	-	-
CRC13C2402A	-	-	-	-	ADVANC41C240	0.15	0.01	14,000	0.15	TRUE19C2404A	0.06	-	3,716	0.06
CRC13C2403A	0.09	-	4,370	0.10	AIT	3.86	-	9,508	3.87	TRUE19C2405A	0.21	0.01	6,451	0.21
CRC13C2405A	0.22	0.01	13,013	0.23	AIT-W2	-	-	-	-	TRUE19P2402A	-	-	-	-
CRC13P2404A	0.14	(0.01)	8,640	0.14	ALT	1.63	0.01	7,597	1.67	TRUE41C2402A	-	-	-	-
CRC19C2401A	-	-	-	-	AMR	1.62	(0.12)	68,453	1.70	TRUE41C2403A	-	-	-	-
CRC19C2404A	0.18	0.01	20,757	0.18	BLISS	-	-	-	-	TRUE41C2404A	-	-	-	-
CSS	1.11	0.26	605,911	1.03	DIF	8.35	(0.05)	75,756	8.40	TRUE41C2404B	-	-	-	-
DOHOME	11.40	(0.20)	61,672	11.50	DTCENT	1.73	(0.04)	122,735	1.79	TRUE41C2406A	0.23	0.01	11,200	0.23
DOHOME01C2401A	0.01	(0.03)	103	0.01	FORTH	21.80	(0.40)	13,726	22.16	TWZ	0.04	-	65,245	0.04
DOHOME01C2404A	0.13	(0.02)	27,668	0.13	FORTH01C2401	-	-	-	-	TWZ-W6	-	-	-	-
DOHOME01P2401A	-	-	-	-	FORTH01C2402	-	-	-	-	TWZ-W7	-	-	-	-
DOHOME06C2401A	-	-	-	-	FORTH01C2403	0.19	(0.02)	24,650	0.21	Electronic Componer	-	-	-	-
DOHOME11C2403T	0.11	(0.02)	2,380	0.11	FORTH01C2404	0.43	(0.05)	10,738	0.45	CCET	2.18	0.14	290,766	2.15
DOHOME13C2404A	0.14	(0.01)	37,112	0.15	FORTH01P2401	-	-	-	-	DELTA	85.25	0.75	166,497	86.19
DOHOME19C2401A	-	-	-	-	FORTH13C2401	-	-	-	-	DETA01C2401A	-	-	-	-
DOHOME19C2404A	0.19	(0.02)	8,351	0.21	FORTH13C2403	-	-	-	-	DETA01C2402A	0.01	-	2,059	0.01
FN	1.65	(0.04)	1,430	1.63	FORTH13C2403I	0.10	(0.02)	11,303	0.12	DETA01C2403A	0.17	-	113,969	0.18
FTE	1.55	(0.02)	2,943	1.55	FORTH13C2404	0.32	(0.04)	31,727	0.35	DETA01C2403B	0.73	0.02	30,664	0.76
GLOBAL	16.30	(0.10)	60,714	16.36	FORTH19C2402	-	-	-	-	DETA01C2404B	0.40	0.02	132,488	0.41
GLOBAL01C2401A	-	-	-	-	FORTH19C2402I	-	-	-	-	DETA01C2404B	0.59	0.01	118,540	0.62
GLOBAL01C2404A	0.22	(0.01)	12,824	0.23	FORTH19C2404	0.42	(0.03)	21,713	0.44	DETA01C2404B	0.40	0.02	132,488	0.41
GLOBAL06C2403A	0.12	(0.02)	29,433	0.14	GABLE	4.76	0.04	75,479	4.83	DETA01P2402A	0.31	(0.02)	63,873	0.30
GLOBAL13C2403A	0.06	(0.01)	11,880	0.06	HUMAN	10.90	0.40	8,809	10.81	DETA01P2404A	0.76	(0.03)	168,905	0.74
GLOBAL13C2406A	0.26	(0.74)	24,360	0.28	ICN	2.90	-	9,703	2.93	DETA06C2401B	-	-	-	-
GLOBAL19C2401A	-	-	-	-	ILINK	7.35	0.10	35,330	7.58	DETA06C2402A	0.31	0.01	103,942	0.34
GLOBAL19C2402A	-	-	-	-	INET	4.52	0.06	6,689	4.50	DETA13C2401B	-	-	-	-
GLOBAL19C2403A	0.18	(0.02)	14,059	0.19	INSET	2.42	(0.02)	62,179	2.44	DETA13C2402A	-	-	-	-
HMPRO	11.90	(0.20)	113,713	12.00	INTUCH	71.75	0.75	35,725	71.66	DETA13C2403A	0.10	-	72,430	0.11
HMPRO01C2402A	-	-	-	-	INTUCH01C240	-	-	-	-	DETA13C2403B	0.22	-	184,257	0.24
HMPRO01C2404A	-	-	-	-	INTUCH01C240	0.35	0.01	42,998	0.35	DETA13C2404A	0.52	0.01	393,252	0.55
HMPRO01C2406A	-	-	-	-	INTUCH13C240	-	-	-	-	DETA13P2404A	-	-	-	-
HMPRO13C2403A	-	-	-	-	INTUCH13C240	0.25	0.02	35,702	0.24	DETA13P2405A	0.12	(0.01)	39,205	0.12
HMPRO13C2405A	0.15	(0.01)	1,340	0.16	INTUCH19C240	-	-	-	-	DETA13P2403B	0.23	(0.02)	144,894	0.22
HMPRO19C2401A	-	-	-	-	INTUCH19C240	0.24	0.01	84,928	0.23	DETA13P2404A	0.81	(0.04)	503,208	0.78
HMPRO19C2404A	0.12	(0.02)	30,000	0.13	ITEL	2.46	0.02	105,130	2.51	DETA19C2402A	-	-	-	-
HMPRO41C2402A	-	-	-	-	ITEL-W4	0.04	-	32,102	0.04	DETA19C2402B	0.02	(0.01)	190	0.03
HMPRO41C2404A	0.13	(0.01)	4,500	0.15	JAS	2.20	0.06	384,310	2.19	DETA19C2403A	0.11	-	14,492	0.12
HMPRO41C2406A	0.21	(0.01)	2,051	0.22	JAS19C2401A	1.82	0.07	2	1.82	DETA19C2404A	0.35	-	42,492	0.37
ICC	-	-	-	-	JASIF	6.45	(0.15)	27,335	6.50	DETA19P2402A	0.26	(0.03)	21,298	0.25
ILM	23.90	-	2,370	23.70	JMART	17.60	(0.10)	85,367	17.80	DETA19P2404A	0.57	(0.03)	90,524	0.55
IT	3.16	(0.04)	351	3.19	JMART-W4	5.85	(0.05)	274	5.93	DETA41C2403A	0.37	0.01	76,300	0.40
KAMART	14.00	0.30	64,848	13.90	JMART-W5	2.26	(0.18)	1,396	2.40	DETA41C2405A	0.33	0.01	41,800	0.35
LOXLEY	1.45	0.06	17,083	1.46	JMART01C2401	-	-	-	-	HANA01C2401A	51.50	(0.25)	110,310	52.40
MC	14.00	0.20	23,794	13.95	JMART01C2402	-	-	-	-	HANA01C2403A	-	-	-	-
MEGA	42.25	0.75	18,143	41.98	JMART01C2402E	-	-	-	-	HANA01C2404A	-	-	-	-
MEGA01C2402A	-	-	-	-	JMART01C2403	0.23	-	25,848	0.24	HANA01C2403A	0.06	-	1,488	0.06
MEGA01C2404A	0.35	0.03	21,157	0.34	JMART01C2404	0.45	(0.02)	38,014	0.47	HANA01C2403B	0.17	(0.01)	93,317	0.20
MEGA06C2401A	-	-	-	-	JMART01C2405	0.32	(0.02)	39,501	0.34	HANA01C2404A	0.48	(0.01)	22,342	0.51
MEGA11C2401T	0.16	0.02	15,200	0.15	JMART01P2401	-	-	-	-	HANA01C2405A	0.38	(0.01)	66,274	0.41
MEGA13C2401A	0.01	-	50	0.01	JMART01P2401E	0.01	-	100	0.01	HANA01P2401X	0.01	-	560	0.01
MEGA13C2405A	0.33	0.03	39,100	0.32	JMART01P2404	0.36	(0.01)	20,394	0.35	HANA01P2403X	0.29	(0.01)	25,013	0.27
MEGA19C2401A	-	-	-	-	JMART06C2402	0.15	(0.02)	23,332	0.17	HANA01P2404X	0.13	(0.01)	25,329	0.13
MEGA19C2404A	0.27	0.02	23,940	0.26	JMART13C2401	-	-	-	-	HANA01P2405X	0.60	(0.01)	71,646	0.57
MIDA	0.58	0.01	33,136	0.57	JMART13C2402	-	-	-	-	HANA06C2401A	-	-	-	-
MIDA-W3	0.01	-	1,000	0.01	JMART13C2403	0.06	-	7,871	0.06	HANA06C2404A	0.62	0.02	200	0.62
MOSHI	49.50	(1.75)	27,451	49.75	JMART13C2404	0.26	(0.01)	27,523	0.28	HANA06C2405A	0.39	0.01	45,729	0.42
RS	13.40	-	10,310	13.54	JMART13C2404E	0.55	(0.01)	35,402	0.57	HANA13C2401A	-	-	-	-
RS-W4	0.18	0.01	28,304	0.18	JMART13P2404	0.31	-	21,524	0.30	HANA13C2403A	0.08	(0.01)	13,874	0.09
RSP	2.42	0.02	1,035	2.40	JMART19C2401	-	-	-	-	HANA13C2404A	0.24	(0.01)	187,652	0.26
SABUY	5.10	(0.10)	120,614	5.18	JMART19C2403	0.31	(0.02)	99,744	0.32	HANA13P2401A	0.47	(0.01)	101,529	0.51
SABUY-W1	3.36	(0.02)	34	3.38	JMART19C2404	0.31	(0.02)	-	-	HANA13P2401A	-	-	-	-
SABUY-W2	1.31	(0.06)	57,707	1.35	JMART19P2401	-	-	-	-	HANA13P2403A	0.27	(0.01)	76,846	0.25
SABUYY01C2402A	0.01	-	16,440	0.01	JMART19P2404	0.28	-	13,736	0.28	HANA13P2404A	0.11	(0.01)	27,471	0.10
SABUYY01C2403A	0.41	(0.02)	1,808	0.44	JMART41C2403	0.16	(0.02)	16,000	0.17	HANA19C2401A	-	-	-	-
SABUYY01C2404A	0.16	(0.01)	27,961	0.18	JMART41C2403E	-	-	-	-	HANA19C2403A	-	-	-	-
SABUYY06														

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE19C2401A	-	-	-	-	BGRIM41C2402J	-	-	-	-	GPSC19C2405A	0.21	(0.04)	20,497	0.24
KCE19C2402A	0.03	(0.01)	26,061	0.03	BGRIM41C2403J	-	-	-	-	GPSC19P2404A	-	-	-	-
KCE19C2404A	0.22	(0.02)	198,315	0.25	BGRIM41C2403T	-	-	-	-	GPSC41C2402A	-	-	-	-
KCE19P2401A	-	-	-	-	BGRIM41C2404J	-	-	-	-	GPSC41C2403A	0.29	(0.03)	3,400	0.29
KCE19P2404A	0.46	0.02	63,929	0.43	BGRIM41C2404T	-	-	-	-	GPSC41C2404A	0.50	(0.14)	1,600	0.50
KCE41C2402A	-	-	-	-	BGRIM41C2405J	0.16	(0.02)	176,593	0.18	GPSC41C2405A	0.24	(0.03)	27,960	0.25
KCE41C2404A	0.25	(0.02)	87,654	0.28	BGRIM41C2405T	0.10	(0.01)	185,225	0.11	GREEN	0.87	0.04	16,549	0.87
METCO	247.00	-	16	246.94	BIOTEC	0.52	(0.01)	24,180	0.52	GULF	44.00	(0.25)	86,529	44.25
SMT	3.78	0.10	76,392	3.78	BIOTEC-P	-	-	-	-	GULF01C2402A	-	-	-	-
SMT-W3	0.45	0.02	64,219	0.48	BIOTEC-Q	-	-	-	-	GULF01C2402T	-	-	-	-
SVI	6.90	-	5,537	6.92	BIOTEC-W2	0.17	-	55,998	0.17	GULF01C2403A	0.06	-	5,125	0.06
TEAM	5.10	-	5,146	5.19	BPP	14.40	(0.10)	3,413	14.44	GULF01C2405A	0.19	(0.01)	51,895	0.19
Energy & Utilities	-	-	-	-	BRRGIF	3.10	-	921	3.10	GULF01P2402X	0.09	-	10,286	0.09
7UP	0.42	-	226,435	0.42	BSRC	8.35	(0.20)	8,183	8.42	GULF01P2403X	-	-	-	-
ACC	0.44	0.01	39,571	0.43	BSRC01C2403A	-	-	-	-	GULF01P2405X	0.30	-	14,461	0.30
ACE	1.56	(0.01)	125,277	1.59	BSRC13C2403A	-	-	-	-	GULF06C2402A	-	-	-	-
ACE13C2402A	0.01	(0.01)	1	0.01	BSRC19C2403A	-	-	-	-	GULF11C2401T	-	-	-	-
ACE13C2407A	0.33	(0.02)	70,078	0.36	CKP	3.50	(0.02)	15,106	3.51	GULF11C2407T	0.32	(0.68)	16,213	0.32
ACE19C2401A	0.01	-	4,001	0.01	CKP01C2401A	-	-	-	-	GULF13C2402A	-	-	-	-
ACE19C2402A	-	-	-	-	CKP01C2407A	0.43	(0.02)	2,122	0.44	GULF13C2403A	0.06	-	6,626	0.06
ACE19C2407A	0.37	(0.01)	54,384	0.40	CKP13C2407A	0.39	(0.01)	1,364	0.39	GULF13C2405A	0.16	(0.01)	96,010	0.17
AGE	2.06	(0.02)	5,503	2.07	CKP19C2401A	-	-	-	-	GULF13P2401A	-	-	-	-
AI	4.42	0.02	1,726	4.41	CKP19C2407A	0.38	(0.02)	17,347	0.40	GULF13P2405A	0.26	0.01	224,818	0.25
AIE	1.39	-	19,538	1.42	CV	0.51	0.01	86,480	0.50	GULF19C2401A	-	-	-	-
AKR	0.87	(0.01)	26,375	0.89	DEMCO	2.56	-	8,006	2.61	GULF19C2402A	-	-	-	-
AKR-W2	0.08	0.01	56,980	0.08	DEMCO-W7	0.27	0.10	287,371	0.31	GULF19C2404A	0.16	-	84,923	0.17
BAFS	25.25	0.25	3,671	25.18	EA	43.25	(1.25)	157,522	43.73	GULF19P2404A	0.16	-	7,842	0.16
BANPU	6.50	(0.15)	856,205	6.56	EA01C2401A	0.01	-	6,419	0.01	GULF41C2402A	-	-	-	-
BANPU01C2401A	-	-	-	-	EA01C2402A	0.01	(0.01)	100	0.01	GULF41C2403A	0.11	(0.01)	35,000	0.11
BANPU01C2401T	-	-	-	-	EA01C2403A	-	-	-	-	GULF41C2405A	0.15	(0.01)	15,000	0.15
BANPU01C2402A	0.01	(0.01)	26	0.01	EA01C2403B	-	-	-	-	GULF41C2405B	0.19	(0.01)	68,524	0.20
BANPU01C2402B	-	-	-	-	EA01C2405A	0.21	(0.05)	59,460	0.24	GULF41P2402A	-	-	-	-
BANPU01C2404A	0.05	(0.01)	2,042	0.05	EA01P2401X	-	-	-	-	GULF41P2405A	0.37	(0.01)	8,000	0.37
BANPU01C2405A	0.15	(0.02)	11,037	0.16	EA01P2403X	0.39	0.06	15,860	0.34	GUNKUL	2.78	(0.04)	314,679	2.81
BANPU01P2401A	-	-	-	-	EA01P2404X	0.45	0.04	46,735	0.42	GUNKUL01C2401A	-	-	-	-
BANPU01P2402X	0.27	0.04	2,426	0.26	EA06C2401A	-	-	-	-	GUNKUL01C2404A	0.30	(0.02)	47,264	0.31
BANPU01P2404X	0.68	0.06	760	0.64	EA06C2402A	-	-	-	-	GUNKUL01P2404X	-	-	-	-
BANPU01P2405X	0.32	0.03	25,418	0.31	EA06C2404A	0.15	(0.04)	50,489	0.17	GUNKUL11C2401T	-	-	-	-
BANPU06C2401A	-	-	-	-	EA11C2401T	-	-	-	-	GUNKUL11C2404A	0.31	(0.01)	3,800	0.32
BANPU06C2402A	-	-	-	-	EA11C2403A	-	-	-	-	GUNKUL13C2401A	-	-	-	-
BANPU06C2403A	0.04	(0.01)	400	0.04	EA11C2405A	0.20	(0.04)	7,529	0.23	GUNKUL13C2403A	0.09	(0.01)	11,578	0.09
BANPU11C2404A	-	-	-	-	EA13C2401A	-	-	-	-	GUNKUL13C2404A	0.28	(0.01)	38,136	0.29
BANPU11C2406A	0.23	(0.77)	3,380	0.24	EA13C2402A	-	-	-	-	GUNKUL13P2404A	0.09	-	12,160	0.09
BANPU11P2403A	-	-	-	-	EA13C2403A	-	-	-	-	GUNKUL19C2403A	-	-	-	-
BANPU13C2402A	-	-	-	-	EA13C2403B	-	-	-	-	GUNKUL19C2403B	0.15	(0.02)	40,759	0.16
BANPU13C2403A	-	-	-	-	EA13C2403C	0.04	(0.03)	4,001	0.05	GUNKUL19C2405A	0.33	(0.02)	33,964	0.35
BANPU13C2404A	0.04	(0.02)	24,309	0.05	EA13C2405A	0.16	(0.04)	194,668	0.18	IFEC	-	-	-	-
BANPU13C2405A	0.13	(0.03)	8,475	0.14	EA13P2401A	-	-	-	-	IRPC	2.00	(0.02)	241,336	2.02
BANPU13P2404A	-	-	-	-	EA13P2402A	0.16	0.04	43,378	0.14	IRPC01C2402A	-	-	-	-
BANPU13P2405A	0.22	0.02	37,141	0.22	EA13P2403A	0.13	0.03	17,695	0.11	IRPC01C2406A	0.17	0.01	24,060	0.17
BANPU19C2401A	-	-	-	-	EA19C2401A	-	-	-	-	IRPC06C2401A	-	-	-	-
BANPU19C2401B	-	-	-	-	EA19C2402A	-	-	-	-	IRPC11C2402T	-	-	-	-
BANPU19C2403A	-	-	-	-	EA19C2402B	-	-	-	-	IRPC13C2402A	-	-	-	-
BANPU19C2404A	0.05	(0.02)	300	0.05	EA19C2403A	0.03	(0.01)	2,000	0.03	IRPC13C2405A	0.13	0.01	100	0.13
BANPU19C2405A	0.12	(0.02)	6,560	0.13	EA19C2403B	0.06	(0.02)	4,500	0.07	IRPC19C2401A	-	-	-	-
BANPU19C2405B	0.19	(0.03)	13,085	0.21	EA19C2405A	0.20	(0.06)	36,217	0.22	IRPC19C2404A	0.12	-	112	0.12
BANPU19P2401A	-	-	-	-	EA19P2402A	-	-	-	-	JR	5.30	-	735	5.29
BANPU19P2404A	-	-	-	-	EA19P2403A	0.11	0.02	4,646	0.10	KBSPIF	9.10	-	203	9.06
BANPU41C2403A	-	-	-	-	EA41C2402A	-	-	-	-	LANNA	15.30	0.10	3,881	15.26
BANPU41C2405A	0.14	(0.03)	10,901	0.16	EA41C2403A	-	-	-	-	MDX	3.04	0.02	522	3.03
BBGI	4.32	0.02	2,182	4.30	EA41C2403B	-	-	-	-	NOVA	11.30	0.10	240	11.30
BCP	41.00	-	51,858	40.79	EA41C2404A	0.29	(0.06)	13,928	0.32	OR1C2402A	19.30	0.10	107,038	19.40
BCP01C2403A	0.10	(0.01)	24,144	0.10	EA41C2405A	0.21	(0.04)	69,387	0.23	OR01C2402A	-	-	-	-
BCP01C2405A	0.31	(0.01)	19,378	0.31	EA41P2405A	0.44	0.03	8,000	0.44	OR01C2403A	0.12	-	55,334	0.13
BCP01P2402X	-	-	-	-	EASTW	4.18	(0.06)	4,502	4.20	OR01C2405A	0.26	(0.01)	31,742	0.27
BCP01P2404X	0.40	-	16,170	0.41	EATGATIF	5.90	-	3,579	5.93	OR01P2405X	0.46	(0.02)	9,611	0.46
BCP13C2403A	0.09	-	396	0.08	EGCO	128.50	(0.50)	11,333	129.00	OR06C2402A	-	-	-	-
BCP13C2405A	0.27	(0.01)	9,800	0.27	EGCO01C2401A	-	-	-	-	OR06C2403A	0.13	-	27,592	0.14
BCP13P2401A	-	-	-	-	EGCO01C2404A	0.30	(0.02)	8,938	0.31	OR11C2404A	0.23	0.01	20,000	0.23
BCP13P2404A	0.19	-	20,291	0.19	EGCO01P2401A	-	-	-	-	OR13C2402A	-	-	-	-
BCP19C2404A	0.22	(0.01)	19,174	0.22	EGCO13C2403A	0.11	-	8,230	0.11	OR13C2403A	0.07	-	10,046	0.08
BCPG	8.40	(0.10)	43,315	8.49	EGCO13C2405A	0.35	(0.02)	28,968	0.37	OR13C2404A	0.20	0.01	29,869	0.21
BCPG01C2402A	0.02	-	6	0.02	EGCO19C2401A	-	-	-	-	OR13P2402A	-	-	-	-
BCPG13C2401A	-	-	-	-	EGCO19C2403A	0.16	(0.01)	7,383	0.16	OR19C2401A	-	-	-	-
BCPG19C2401B	-	-	-	-	EP	2.66	0.02	1,854	2.63	OR19C2403A	0.15	0.02	7,178	0.15
BCPG19C2401B	-	-	-	-	EP-W4	0.18	0.02	13,822	0.21	OR19C2404A	0.14	0.01	38,175	0.14
BGRIM	25.75	(0.50)	208,026	26.03	ETC	2.68	(0.04)</td							

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT13C2402A	-	-	-	-	TOP13C2404A	0.37	(0.01)	21,199	0.38	BYD19C2401A	0.01	-	300	0.01
PTT13C2403A	0.10	(0.01)	70,406	0.10	TOP13P2401A	-	-	-	-	BYD19C2402A	-	-	-	-
PTT13P2402A	-	-	-	-	TOP13P2404A	0.12	-	2,508	0.12	BYD19C2403A	0.04	(0.01)	2,200	0.04
PTT13P2405A	0.14	-	12,575	0.14	TOP19C2401A	-	-	-	-	BYD19C2404A	0.42	(0.04)	38,468	0.45
PTT19C2401A	-	-	-	-	TOP19C2403A	0.21	(0.01)	6,665	0.21	CGH	0.75	-	6,223	0.75
PTT19C2402A	-	-	-	-	TOP19C2405A	0.25	(0.01)	5,741	0.25	CGH-W4	0.02	-	5,221	0.01
PTT19C2404A	0.12	(0.02)	1,540	0.12	TOP41C2404A	0.33	(0.01)	800	0.33	CHASE	2.02	0.04	276,065	2.00
PTTEP	150.00	1.00	134,813	148.83	TOP41C2405A	0.26	(0.01)	17,700	0.26	CHAYO	5.65	-	27,102	5.71
PTTEP01C2401A	0.01	-	635	0.01	TPIPP	3.40	(0.04)	12,352	3.42	CHAYO-W3	0.78	0.01	195,590	0.81
PTTEP01C2403A	0.07	(0.02)	662	0.07	TSE	1.82	0.05	60,742	1.81	ECL	1.43	(0.02)	12,096	1.44
PTTEP01C2404A	0.22	0.01	46,093	0.20	TTW	9.40	(0.15)	21,718	9.48	ECL-W4	0.03	-	8,359	0.03
PTTEP01C2404T	0.17	0.01	25,269	0.16	UBE	0.91	0.04	157,168	0.91	FNS	3.92	(0.02)	2,548	3.96
PTTEP01C2405A	0.52	0.01	26,485	0.49	WHAUP	3.98	(0.04)	55,835	4.03	FSX	2.58	(0.04)	6,445	2.62
PTTEP01P2401A	0.01	-	49	0.01	WP	3.98	(0.02)	91	3.99	GBX	0.77	0.01	1,078	0.77
PTTEP01P2402X	0.18	(0.03)	28,379	0.20	Media & Publishi	-	-	-	-	HENG	2.06	0.02	47,015	2.07
PTTEP01P2403X	0.74	0.03	1,268	0.74	AMARIN	4.18	-	111	4.20	IFS	2.74	-	720	2.76
PTTEP01P2405X	0.30	(0.02)	39,262	0.32	AQUA	0.36	-	19,822	0.35	JMT	27.25	(0.50)	93,859	27.67
PTTEP06C2401A	-	-	-	-	AQUA-W3	0.01	-	142	0.01	JMT-W4	2.64	(0.10)	18,981	2.82
PTTEP06C2403A	0.09	-	19,920	0.09	AS	7.90	-	2,117	7.92	JMT01C2401A	0.01	-	815	0.01
PTTEP06C2405A	0.50	0.02	116,608	0.46	AS-W2	-	-	-	-	JMT01C2403A	0.05	(0.01)	1,020	0.06
PTTEP11C2403T	0.13	(0.01)	10,100	0.13	BEC	4.98	(0.07)	16,523	5.02	JMT01C2404A	0.21	(0.02)	10,211	0.22
PTTEP11C2406A	0.45	-	22,300	0.43	BEC19C2401A	-	-	-	-	JMT01C2405A	0.30	(0.01)	37,572	0.32
PTTEP11P2402A	0.14	0.01	7,140	0.14	FE	-	-	-	-	JMT01P2401A	-	-	-	-
PTTEP13C2401A	-	-	-	-	GPI	1.74	0.02	1,394	1.73	JMT01P2401A	-	-	-	-
PTTEP13C2403A	0.06	(0.01)	2,716	0.06	GRAMMY	6.25	(0.05)	295	6.29	JMT01P2403A	0.24	0.02	49,604	0.22
PTTEP13C2404A	0.21	(0.01)	24,068	0.20	JKN	0.47	(0.02)	35,988	0.48	JMT01P2404X	0.28	0.01	13,190	0.27
PTTEP13C2405A	0.43	0.01	100,114	0.40	MAJOR	14.70	0.10	9,978	14.73	JMT06C2402A	-	-	-	-
PTTEP13P2402A	0.10	(0.01)	13,878	0.11	MATCH	1.51	(0.01)	18	1.52	JMT06C2403A	-	-	-	-
PTTEP13P2405A	0.19	(0.01)	11,448	0.20	MATI	7.70	0.30	63	7.60	JMT06C2404A	0.20	(0.02)	36,828	0.21
PTTEP19C2403A	0.03	(0.01)	5,520	0.03	MCOT	3.24	0.04	5	3.24	JMT11C2402T	-	-	-	-
PTTEP19C2403B	-	-	-	-	MONO	1.16	0.03	124,218	1.16	JMT11C2405A	0.25	-	27,321	0.25
PTTEP19C2404A	0.13	-	36,042	0.12	NATION	0.05	-	30,609	0.05	JMT13C2403A	0.02	-	300	0.02
PTTEP19C2404B	0.29	0.01	72,668	0.27	NATION-W4	0.01	-	30	0.01	JMT13C2403B	-	-	-	-
PTTEP19P2402A	0.05	-	300	0.05	ONEE	4.34	0.02	45,468	4.34	JMT13C2404A	0.11	(0.01)	23,928	0.12
PTTEP1C2403A	-	-	-	-	ONEE19C2401A	-	-	-	-	JMT13C2404B	-	-	-	-
PTTEP41C2404A	0.15	-	14,000	0.14	PLANB	8.80	0.15	114,030	8.78	JMT13C2405A	0.24	(0.02)	30,211	0.25
PTTEP41C2405A	0.43	0.01	129,806	0.40	PLANB-W1	1.86	0.01	7,300	1.90	JMT13P2401A	-	-	-	-
PTTEP41C2405B	0.40	-	56,000	0.38	PLANB06C2401A	-	-	-	-	JMT13P2403A	0.19	0.01	14,729	0.18
PTTEP41P2402A	0.30	(0.03)	10,570	0.31	PLANB11C2403A	0.23	0.02	9,410	0.23	JMT19C2401A	-	-	-	-
PTTEP41P2403A	0.83	-	600	0.83	PLANB11P2402A	0.18	(0.02)	6,700	0.18	JMT19C2403A	-	-	-	-
PTTEP41P2405A	0.31	-	18,000	0.33	PLANB13C2401A	-	-	-	-	JMT19C2403B	-	-	-	-
PTTEP41P2406A	0.54	(0.02)	22,400	0.57	PLANB13C2403A	0.16	0.02	33,741	0.16	JMT19C2404A	0.10	-	6,118	0.11
QTC	4.08	-	409	4.08	PLANB19C2401A	-	-	-	-	JMT19C2404B	-	-	-	-
RATCH	31.25	(0.25)	28,694	31.46	PLANB19C2403A	0.12	-	18,651	0.12	JMT19C2404C	0.21	(0.02)	90,971	0.23
RATCH01C2403A	-	-	-	-	POST	-	-	-	-	JMT19P2403A	-	-	-	-
RATCH01C2405A	0.17	(0.01)	8,493	0.17	PRAKIT	11.00	(0.20)	116	11.02	JMT41C2403B	0.22	0.02	13,587	0.21
RATCH11P2402A	0.26	-	800	0.26	PTECH	12.80	(0.10)	1	12.80	JMT41C2402A	0.01	(0.02)	2,250	0.01
RATCH13C2402A	-	-	-	-	ROCTEC	0.61	0.01	72,229	0.60	JMT41C2403A	-	-	-	-
RATCH13C2405A	0.11	(0.01)	9,428	0.11	ROCTEC-W3	0.05	-	9,670	0.05	JMT41C2403B	-	-	-	-
RATCH13P2404A	0.18	-	5,244	0.18	SE-ED	2.26	0.02	1	2.26	JMT41C2404A	0.20	(0.02)	36,027	0.21
RATCH19C2402A	-	-	-	-	TKS	7.05	(0.05)	2,528	7.08	JMT41C2405A	0.28	(0.02)	31,650	0.29
RATCH19C2405A	0.17	(0.02)	7,090	0.18	VGI	2.04	(0.12)	492,957	2.11	KCAR	7.80	(0.05)	268	7.85
RPC	0.67	0.02	60,497	0.68	VGI-W3	0.09	(0.01)	115,740	0.10	KGI	4.76	(0.04)	16,010	4.78
SCG	3.46	-	46	3.50	VGI01C2401A	-	-	-	-	KTC	44.50	0.50	32,864	44.59
SCI	0.82	0.04	113,609	0.86	VGI01C2402A	-	-	-	-	KTC01C2402A	-	-	-	-
SCN	1.70	(0.02)	8,283	1.70	VGI01C2403A	0.03	(0.03)	13,746	0.04	KTC01C2405A	0.20	0.01	12,841	0.21
SCN-W2	0.15	(0.01)	8,999	0.16	VGI01C2403B	0.10	(0.05)	116,257	0.12	KTC01P2402X	0.08	(0.02)	6,000	0.09
SEAOIL	2.96	(0.08)	2,526	2.99	VGI01C2404A	0.40	(0.13)	7,479	0.45	KTC06C2401A	-	-	-	-
SGP	8.15	(0.10)	2,205	8.19	VGI01C2405A	0.15	(0.04)	42,172	0.18	KTC11C2405A	0.20	0.01	5,324	0.21
SKE	0.47	(0.01)	12,552	0.48	VGI01P2401X	0.01	-	4,000	0.01	KTC11P2405A	0.51	(0.03)	2,130	0.51
SKE-W1	0.07	-	7,731	0.08	VGI01P2405X	0.40	0.06	25,822	0.36	KTC13C2402A	-	-	-	-
SOLAR	0.67	(0.02)	15,023	0.68	VGI06C2401A	-	-	-	-	KTC13C2405A	0.20	0.02	15,183	0.20
SOLAR-W1	-	-	-	-	VGI06C2403A	-	-	-	-	KTC19C2402A	-	-	-	-
SPCG	12.40	0.10	1,830	12.33	VGI06C2405A	0.12	(0.04)	16,652	0.15	KTC19C2405A	0.24	0.02	12,553	0.24
SPRC	8.15	(0.25)	248,182	8.25	VGI13C2401A	-	-	-	-	KTC41C2403A	-	-	-	-
SPRC01C2401A	0.01	-	420	0.01	VGI13C2403A	0.03	-	141	0.03	KTC41C2405A	0.26	0.02	27,484	0.26
SPRC01C2402A	-	-	-	-	VGI13C2403B	0.07	(0.02)	48,816	0.09	MFC	21.00	-	269	20.93
SPRC01C2403A	0.11	(0.03)	58,747	0.12	VGI13C2403C	0.24	(0.13)	9,336	0.24	MICRO	3.00	(0.04)	23,030	3.10
SPRC01C2405A	0.23	(0.05)	51,728	0.26	VGI13C2405A	0.14	(0.86)	60,951	0.17	ML	0.82	(0.01)	3,330	0.81
SPRC01P2401A	-	-	-	-	VGI13P2405A	0.28	0.05	54,433	0.25	ML-W3	0.01	-	195	0.01
SPRC06C2401A	-	-	-	-	VGI19C2402A	-	-	-	-	MST	11.00	-	261	11.02
SPRC11C2401T	-	-	-	-	VGI19C2403A	0.10	(0.04)	27,076	0.13	MTC	44.75	-	135,366	44.93
SPRC13C2401A	-	-	-	-	VGI19C2405A	-	-	-	-	MTC01C2402A	0.15	(0.01)	35,706	0.16
SPRC13C2403A	0.08	(0.03)	28,092	0.10	VGI19C2405B	0.14	(0.04)	47,434	0.16	MTC01C2403A	0.51	-	3,790	0.51
SPRC13C2404A	0.23	(0.04)	93,657	0.26	WORK	11.00	(0.10)	1,023	11.02	MTC01P2402X</				

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWAD01P2401X	0.01	-	1,030	0.01	CHOTI	129.00	3.00	2	129.00	Health Care Services	-	-	-	-
SAWAD01P2403X	0.17	(0.01)	14,820	0.17	CM	2.22	(0.06)	2,424	2.23	AHC	17.90	(0.10)	79	17.95
SAWAD01P2404X	0.44	(0.01)	6,932	0.43	COCOCO	8.20	(0.20)	141,572	8.39	BCH	22.40	-	106,750	22.36
SAWAD06C2402A	-	-	-	-	CPF	18.80	(0.10)	97,195	18.80	BCH01C2401A	-	-	-	-
SAWAD11C2401X	-	-	-	-	CPF01C2402A	-	-	-	-	BCH01C2404A	0.39	-	13,675	0.39
SAWAD11P2406A	0.49	(0.51)	6,880	0.48	CPF01C2404A	0.14	(0.01)	12,101	0.14	BCH01P2402X	-	-	-	-
SAWAD13C2402A	-	-	-	-	CPF01P2404X	0.26	0.02	11,223	0.25	BCH06C2401A	0.01	(0.04)	200	0.01
SAWAD13C2403A	-	-	-	-	CPF06C2401A	-	-	-	-	BCH11C2402T	-	-	-	-
SAWAD13C2405A	0.17	(0.01)	61,853	0.18	CPF06C2402A	-	-	-	-	BCH13C2404A	0.30	(0.01)	7,000	0.30
SAWAD13P2403A	0.13	-	13,741	0.13	CPF1P2402A	0.21	-	9,090	0.21	BCH19C2402A	0.19	(0.01)	6,728	0.19
SAWAD19C2402A	-	-	-	-	CPF13C2403A	-	-	-	-	BDMS	27.50	-	251,517	27.58
SAWAD19C2403A	0.08	0.01	1,200	0.08	CPF13C2404A	0.12	(0.01)	10,024	0.13	BDMS01C2402A	-	-	-	-
SAWAD19C2405A	0.26	-	47,120	0.27	CPF13P2405A	0.30	0.01	18,214	0.30	BDMS01C2403A	0.08	-	3,600	0.08
SAWAD19P2404A	0.32	-	12,674	0.32	CPF19C2402A	-	-	-	-	BDMS01C2405A	0.22	-	12,463	0.22
SAWAD1C2402A	-	-	-	-	CPF19C2404A	0.19	-	3,586	0.19	BDMS01P2403X	-	-	-	-
SAWAD41C2403A	-	-	-	-	CPI	2.64	0.02	1,372	2.65	BDMS06C2402A	-	-	-	-
SAWAD41C2405A	0.27	(0.01)	17,400	0.28	F&D	-	-	-	-	BDMS13C2402A	-	-	-	-
SAWAD41C2405B	0.21	(0.01)	31,094	0.22	GLOCON	0.39	0.01	37,960	0.39	BDMS13C2404A	0.14	(0.01)	6,786	0.14
SAWAD41P2405A	0.39	-	8,000	0.39	GLOCON-W5	0.01	-	590	0.01	BDMS13P2402A	-	-	-	-
SCAP	3.60	(0.06)	2,176	3.64	HTC	16.00	(0.40)	10,706	16.12	BDMS19C2403A	-	-	-	-
SGC	1.53	(0.02)	111,753	1.56	ICHI	15.70	(0.20)	81,414	15.77	BDMS19C2405A	0.20	-	7,341	0.20
SM	1.35	(0.04)	26,031	1.42	ICHI01C2405A	0.28	(0.03)	8,548	0.29	BDMS41C2402A	-	-	-	-
TH	1.33	0.01	78,501	1.33	ICHI13C2405A	0.22	(0.02)	7,996	0.24	BDMS41C2404A	0.15	0.01	2,000	0.15
TH-W3	0.61	-	14,187	0.62	ICHI19C2405A	0.26	(0.02)	10,008	0.27	BDMS41C2405A	0.22	0.02	2,030	0.23
THANI	2.74	(0.02)	80,942	2.73	ITC	20.40	(0.10)	27,974	20.63	BH	228.00	2.00	29,056	227.03
THANI11C2401A	-	-	-	-	ITC01C2405A	0.34	-	17,875	0.35	BH1-P	-	-	-	-
THANI11C2403A	-	-	-	-	JDF	2.30	0.06	7,556	2.29	BH-Q	-	-	-	-
THANI11C2407A	0.27	(0.01)	5,373	0.27	KBS	5.65	0.05	1,268	5.61	BH01C2401A	-	-	-	-
THANI19C2401A	-	-	-	-	KCG	9.30	(0.15)	35,339	9.47	BH01C2402A	0.02	-	1,005	0.01
THANI19C2403A	-	-	-	-	KSL	2.78	-	7,123	2.78	BH01C2404A	0.24	0.01	13,442	0.23
THANI19C2407A	0.31	-	8,236	0.31	KTIS	3.86	-	462	3.87	BH01C2405A	0.40	0.01	33,523	0.38
TIDLOR	23.50	0.10	121,263	23.57	LST	5.05	0.05	337	5.02	BH01P2401A	-	-	-	-
TIDLOR01C2401A	-	-	-	-	M	39.25	(0.25)	10,322	39.37	BH01P2402X	0.32	(0.04)	1,666	0.32
TIDLOR01C2403A	0.29	-	44,857	0.30	MALEE	9.90	(0.20)	29,793	10.01	BH01P2405X	0.31	(0.02)	8,546	0.32
TIDLOR01C2405A	0.49	0.01	23,380	0.49	NRF	5.15	-	56,646	5.22	BH06C2401A	-	-	-	-
TIDLOR01P2401A	0.01	(0.01)	1,497	0.01	NSL	19.20	0.30	7,359	19.06	BH06C2404A	0.29	0.01	38,325	0.28
TIDLOR01P2402X	-	-	-	-	OSP	21.50	(1.10)	254,464	21.99	BH11C2404A	-	-	-	-
TIDLOR01P2404X	0.43	(0.01)	22,997	0.42	OSP01C2403A	-	-	-	-	BH13C2401A	-	-	-	-
TIDLOR06C2403A	-	-	-	-	OSP01C2404A	0.14	(0.07)	28,164	0.19	BH13C2404A	0.06	0.01	2,100	0.06
TIDLOR11C2403A	0.50	(0.02)	2,520	0.51	OSP01C2406A	0.39	(0.10)	19,816	0.44	BH13C2404B	0.15	-	8,755	0.14
TIDLOR13C2403A	0.26	0.01	62,765	0.26	OSP06C2401A	-	-	-	-	BH13C2405A	0.32	0.01	43,877	0.31
TIDLOR13P2404A	0.15	-	25,722	0.15	OSP13C2403A	0.01	-	20,000	0.01	BH13P2401A	-	-	-	-
TIDLOR16C2402A	-	-	-	-	OSP13C2403B	0.05	(0.04)	5,562	0.07	BH13P2402A	-	-	-	-
TIDLOR19C2401A	-	-	-	-	OSP13C2405A	0.31	(0.11)	42,100	0.37	BH19C2401A	-	-	-	-
TIDLOR19C2403A	0.33	-	27,353	0.34	OSP19C2404A	0.14	(0.04)	2,905	0.18	BH19C2404A	-	-	-	-
TIDLOR19C2404A	0.30	0.01	78,301	0.30	OSP41C2402A	-	-	-	-	BH19C2404B	0.17	0.01	5,194	0.17
TIDLOR19P2401A	-	-	-	-	PB	69.75	0.50	14	69.66	BH19C2404C	0.26	0.02	26,261	0.24
TIDLOR41C2402A	0.09	(0.01)	15,001	0.10	PLUS	6.85	0.50	39,661	6.85	BH41C2403A	-	-	-	-
TIDLOR41C2403A	0.41	0.01	67,662	0.42	PM	8.20	-	813	8.19	BH41C2404A	0.14	-	4,535	0.14
TK	5.50	-	1,652	5.47	PQS	3.08	(0.02)	4,476	3.09	BH41C2405A	0.30	0.01	30,400	0.29
TNITY	4.06	(0.04)	2,955	4.07	PRG	10.70	-	7	10.70	BH41P2405A	0.32	(0.03)	8,000	0.33
UOBKH	5.00	-	57	4.99	PRG-W1	7.90	0.45	1	7.90	CHG	3.18	-	240,514	3.16
XPG	1.28	-	307,190	1.28	PRG-W2	-	-	-	-	CHG01C2401A	0.01	(0.01)	58	0.01
XPG-W4	3.94	0.04	1,285	3.92	PRG-W3	8.45	1.55	204	7.17	CHG01C2404A	0.17	-	10,376	0.16
Food & Beverage	-	-	-	-	RBF	14.10	0.10	37,639	14.07	CHG01C2405A	0.37	-	9,231	0.36
AAI	4.16	(0.14)	317,656	4.24	RBF01C2401A	0.02	(0.03)	19,800	0.02	CHG01P2402X	-	-	-	-
APURE	4.74	0.04	7,604	4.76	RBF01C2405X	0.22	0.01	28,333	0.22	CHG06C2401A	-	-	-	-
APURE-W3	0.78	(0.02)	38,377	0.81	RBF01P2405X	0.37	(0.02)	17,852	0.37	CHG11C2404A	0.18	0.01	21,127	0.17
ASIAN	6.95	(0.05)	15,696	7.01	RBF13C2405A	0.20	0.01	35,728	0.20	CHG13C2403A	-	-	-	-
BR	2.70	0.02	5,377	2.69	RBF13P2405A	0.31	(0.69)	12,628	0.30	CHG13C2404A	0.32	-	30,675	0.30
BR-W1	0.19	0.02	13,060	0.19	RBF19C2401A	0.06	(0.03)	502	0.06	CHG19C2403A	0.12	0.01	3,318	0.10
BRR	4.48	-	2,154	4.50	RBF19C2405A	0.24	0.01	31,506	0.24	CHG19C2404A	0.25	(0.01)	14,816	0.24
BRR-W2	0.60	(0.03)	3,345	0.63	SAPPE	89.25	-	4,069	89.80	CMR	2.08	-	655	2.08
BIG	23.60	(0.10)	10,268	23.59	SAPPE01C2405A	0.70	(0.02)	7,831	0.73	EKH	7.40	(0.05)	5,614	7.41
BIG01C2403A	0.16	(0.01)	27,453	0.17	SAUCE	38.75	(0.25)	16	38.92	EKH-W1	1.49	(0.01)	862	1.50
BIG06C2402A	0.16	(0.02)	20,691	0.18	SNNP	17.40	(0.30)	25,526	17.59	KDH	-	-	-	-
BIG13C2403A	0.13	(0.01)	18,665	0.13	SNNP01C2401A	0.01	-	500	0.01	LPH	5.05	(0.10)	1,886	5.02
CBG	78.75	(2.50)	49,468	79.78	SNNP01C2403A	-	-	-	-	M-CHAI	62.50	0.50	203	62.39
CBG01C2401A	-	-	-	-	SNNP01C2403B	0.16	(0.03)	12,474	0.17	NEW	-	-	-	-
CBG01C2401X	-	-	-	-	SNNP06C2401A	-	-	-	-	NTV	37.50	-	106	37.50
CBG01C2402A	0.02	(0.02)	12	0.02	SNNP13C2403A	-	-	-	-	PHG	12.90	(0.10)	1,272	12.87
CBG01C2403A	0.53	(0.14)	2,225	0.60	SNNP13C2403B	0.10	(0.01)	24,702	0.11	PR9	16.40	0.40	5,177	16.26
CBG01C2403W	0.21	(0.06)	38,720	0.23	SNNP19C2402A	0.01	-	785	0.01	PRINC	4.34	(0.14)	10,306	4.39
CBG01C2404A	0.35	(0.09)	51,625	0.39	SNNP19C2403A	0.12	(0.01)	9,092	0.12	RAM	33.75	(0.25)	1,359	33.82
CBG01C2404T	0.38	(0.06)	35,747	0.40	SNP	16.50	-	124	16.37	RJH	27.25	-	297	27.30
CBG01P2401A	-	-	-	-	SORK									

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CENTEL41C2403A	0.12	(0.04)	11,000	0.13	TLI41C2405A	0.32	-	22,510	0.34	AMATA19C2402A	-	-	-	-
CENTEL41C2405A	0.28	(0.04)	26,080	0.30	TLI41C2405B	0.11	-	3,149	0.11	AMATA19C2404A	0.18	(0.02)	11,059	0.19
CSR	-	-	-	-	TQM	30.00	0.25	4,725	29.93	AMATA19C2405A	0.13	(0.01)	9,126	0.13
DUSIT	8.75	(0.20)	5,672	8.84	TQM13C2403A	0.04	(0.01)	30	0.04	AMATAV	5.45	-	248	5.51
ERW	5.05	(0.05)	178,002	5.09	TQM13C2407A	0.31	0.01	168,669	0.31	ANAN	0.82	(0.02)	56,044	0.83
ERW-W3	2.06	(0.02)	356	2.07	TQM19C2404A	-	-	-	-	AP	11.60	0.20	93,459	11.51
ERW01C2402A	-	-	-	-	TQM19C2407A	0.33	0.01	51,683	0.33	AP11C2404A	0.19	0.01	6,300	0.18
ERW01C2405A	0.16	(0.01)	76,845	0.16	TSI	0.17	-	578	0.17	AP19C2401A	-	-	-	-
ERW01P2402X	0.07	-	8,000	0.06	TVH	8.35	(0.45)	828	8.39	APEX	-	-	-	-
ERW06C2401A	-	-	-	-	Packaging	-	-	-	-	ASW	8.35	(0.05)	108	8.34
ERW06C2402A	-	-	-	-	AJ	6.60	(0.05)	455	6.68	ASW-W1	0.05	-	3,187	0.05
ERW13C2401A	-	-	-	-	ALUCON	-	-	-	-	ASW-W2	0.08	-	2,389	0.07
ERW13C2404A	0.10	(0.01)	24,803	0.11	BGC	7.75	(0.20)	2,035	7.83	AWC	4.10	(0.02)	629,981	4.10
ERW19C2401A	-	-	-	-	CSC	45.00	-	11	45.00	AWC01C2401A	0.01	-	3,450	0.01
ERW19C2401B	-	-	-	-	CSC-P	-	-	-	-	AWC01C2403A	0.17	(0.02)	17,019	0.18
ERW19C2405A	0.15	-	5,808	0.15	CSC-Q	-	-	-	-	AWC01C2404A	0.42	(0.01)	9,084	0.42
GRAND	0.14	(0.01)	6,708	0.14	NEP	0.20	(0.01)	616	0.19	AWC01P2402X	0.03	(0.01)	1,061	0.03
LRH	38.25	0.50	69	37.59	PJW	3.74	-	1,357	3.75	AWC06C2403A	0.16	(0.01)	25,309	0.17
MANRIN	30.00	1.00	61	27.85	PJW-W1	0.91	0.01	201	0.90	AWC06C2404A	0.40	(0.02)	37,128	0.40
MINT	28.25	(0.75)	298,151	28.45	PTL	11.00	-	3,723	10.91	AWC11C2403A	0.33	(0.02)	4,620	0.34
MINT-W9	0.25	0.04	808,307	0.36	SCGP	35.00	(0.25)	85,611	34.88	AWC13C2401A	-	-	-	-
MINT01C2403A	-	-	-	-	SCGP01C2402A	-	-	-	-	AWC13C2403A	0.14	(0.02)	11,655	0.14
MINT01C2404A	0.10	(0.02)	127,799	0.11	SCGP01C2403A	-	-	-	-	AWC13C2404A	0.34	(0.01)	111,486	0.34
MINT01P2404X	0.14	0.02	4,400	0.13	SCGP01C2405A	0.18	(0.01)	46,405	0.18	AWC13C2405A	0.58	(0.03)	80	0.58
MINT06C2402A	-	-	-	-	SCGP01P2402X	0.14	-	30,020	0.14	AWC13P2401A	-	-	-	-
MINT11C2403A	-	-	-	-	SCGP01P2405A	0.29	(0.01)	21,710	0.29	AWC19C2401A	-	-	-	-
MINT13C2403A	-	-	-	-	SCGP06C2401A	-	-	-	-	AWC19C2403A	0.29	(0.03)	2,316	0.30
MINT13C2403B	-	-	-	-	SCGP06C2403A	-	-	-	-	AWC19C2405A	-	-	-	-
MINT13C2404A	0.11	(0.03)	48,818	0.13	SCGP11C2405A	0.15	-	9,700	0.16	AWC19C2406A	0.33	(0.01)	116,863	0.33
MINT13P2404A	0.11	0.02	12,324	0.10	SCGP13C2402A	-	-	-	-	BLAND	0.72	0.01	7,981	0.71
MINT19C2403A	0.07	(0.02)	2,000	0.07	SCGP13C2403A	-	-	-	-	BRI	8.80	-	12,964	8.84
MINT19C2404A	0.13	(0.03)	67,825	0.15	SCGP13C2403B	0.07	(0.01)	37,421	0.07	BROCK	1.72	(0.01)	4	1.72
MINT41C2402A	-	-	-	-	SCGP13C2405A	0.16	(0.01)	72,986	0.16	CGD	0.34	(0.01)	25,358	0.35
MINT41C2403A	-	-	-	-	SCGP13P2405A	0.24	0.01	84,382	0.24	CI	0.62	0.04	58,411	0.62
MINT41C2404A	0.11	(0.02)	68,502	0.12	SCGP19C2401A	-	-	-	-	CI-W2	0.03	(0.01)	264,275	0.05
MINT41C2405A	0.21	(0.04)	29,339	0.22	SCGP19C2402A	-	-	-	-	CMC	1.24	(0.01)	449	1.23
OHTL	440.00	(18.00)	10	450.00	SCGP19C2403A	0.07	-	20	0.07	CPN	66.50	1.00	55,492	66.43
ROH	2.68	(0.02)	73	2.63	SCGP19C2405A	0.17	-	50,880	0.17	CPN01C2403A	-	-	-	-
SHANG	48.00	(0.25)	55	48.26	SCGP41C2402A	-	-	-	-	CPN01C2404A	0.31	0.03	26,856	0.30
SHR	2.44	-	45,456	2.46	SCGP41C2403A	-	-	-	-	CPN11C2404A	0.38	0.02	3,914	0.38
VRANDA	5.00	(0.10)	754	5.01	SCGP41C2404A	0.11	(0.01)	35,740	0.11	CPN13C2402A	-	-	-	-
Home & Office Prod.	-	-	-	-	SCGP41C2405A	0.18	(0.01)	94,350	0.18	CPN13C2403A	0.13	0.02	40,643	0.13
AJA	0.19	-	71,448	0.19	SFLEX	3.64	-	18,370	3.65	CPN13C2405A	0.32	0.02	77,967	0.32
AJA-W3	0.06	(0.01)	46,944	0.06	SFLEX-W2	0.24	-	22,144	0.27	CPN19C2401A	-	-	-	-
AJA-W4	0.06	-	63,221	0.05	SITTHAI	1.15	(0.02)	6,579	1.16	CPN19C2403A	0.22	0.03	74,437	0.21
DTCI	-	-	-	-	SLP	0.43	0.01	12,985	0.45	CPN41C2402A	-	-	-	-
FANCY	0.48	0.02	3,313	0.47	SMPC	9.85	-	3,529	9.87	CPN41C2404A	0.34	0.03	22,339	0.34
FTI	2.16	-	4,525	2.14	SPACK	2.20	(0.04)	7,023	2.23	CPN41C2405A	0.30	0.03	18,210	0.30
KYE	288.00	-	12	287.25	TCOAT	-	-	-	-	ESTAR	0.26	-	5,378	0.26
L&E	1.37	(0.01)	74	1.39	TFI	0.10	-	291	0.10	EVER	0.18	0.01	15,828	0.17
MODERN	2.54	-	50	2.54	TFI-W1	0.04	-	2,325	0.04	FPT	-	-	-	-
OGC	23.90	-	5	23.90	THIP	30.00	-	93	30.18	GLAND	1.77	(0.01)	235	1.76
ROCK	-	-	-	-	TMD	24.20	0.10	1	24.20	J	2.08	(0.02)	2,009	2.09
SBNEXT	1.21	(0.02)	28,637	1.23	TOPP	-	-	-	-	J-W2	0.43	0.01	50	0.43
SBNEXT-W2	0.18	-	22,225	0.18	TPAC	16.80	-	651	16.79	J-W3	0.66	0.05	50	0.62
SIAM	1.42	0.03	5,010	1.42	TPBI	3.18	(0.02)	1,057	3.19	JCK	0.28	-	34,135	0.27
TCMC	1.41	(0.01)	3,386	1.42	TPP	14.70	(0.50)	22	15.08	KC	0.11	(0.01)	2,708	0.11
Insurance	-	-	-	-	Personal Product	-	-	-	-	LALIN	8.05	-	1,869	8.06
AYUD	34.00	-	52	34.14	APCO	5.35	(0.10)	436	5.41	LH13C2402A	-	-	-	-
BKI	311.00	2.00	180	309.94	BIZ	3.34	(0.04)	179	3.35	LH19C2401A	-	-	-	-
BLA	20.70	-	6,389	20.81	BLC	5.15	(0.35)	164,375	5.38	LPN	4.00	(0.02)	2,848	4.00
BLA01C2403A	-	-	-	-	DDD	10.60	(0.10)	362	10.67	MBK	16.10	(0.10)	4,667	16.16
BLA01C2404X	0.13	-	5,186	0.13	JCT	80.25	(0.50)	5	80.55	MBK-W2	-	-	-	-
BLA13C2402A	0.054	(0.01)	4,008	0.53	KISS	5.10	-	7,850	5.14	MBK-W3	-	-	-	-
BLA13C2402A	0.01	-	69	0.01	NAM	6.70	(0.05)	19,914	6.78	MBK-W4	-	-	-	-
BLA13C2403A	-	-	-	-	NV	1.67	0.03	81,858	1.76	MBK13C2401A	-	-	-	-
BLA13C2404A	0.24	0.01	39,293	0.24	OCC	9.90	(0.10)	2	10.20	MBK13C2403A	-	-	-	-
BLA13P2402A	0.13	-	11,236	0.12	S&J	52.75	(2.00)	16	53.67	MBK19C2403A	-	-	-	-
BLA19C2402A	-	-	-	-	STGT	7.30	0.05	72,690	7.35	MJD	1.36	(0.01)	1	1.36
BLA19C2402A	0.01	(0.02)	200	0.01	STGT01C2401A	-	-	-	-	MK	2.22	-	397	2.23
BLA19C2403A	-	-	-	-	STGT01C2403W	0.25	0.02	17,093	0.25	NCH	1.12	0.03	8,410	1.11
BUI	20.60	-	55	20.69	STGT01P2402X	-	-	-	-	NNCL	1.98	0.01	1,818	1.97
CHARAN	23.90	-	3	23.97	STGT06C2401A	0.01	-	7,430	0.01	NOBLE	3.92	(0.04)	9,654	3.92
INSURE	-	-	-	-	STGT13C2403A	0.19	0.01	65,368	0.20	NOBLE-W2	-	-	-	-
KWI	0.69	0.16	103,372	0.64	STGT19C2401A	-	-	-	-	NUSA	0.39	0.03	175,161	0.39
MTI	-	-	-	-	STGT19C2404A	0.39	0.01	16,265	0.40	NUSA-W5	0.07	0.01	195,556	0.07
NKI	-	-	-	-	STHAI	-	-	-	-	NVD	1.96	-	21	1.96
SMK	-	-	-	-	TNR	9.60	0.05	154	9.60	NVD-W3	0.10	-	4,481	0.08
TGH	-	-	-	-	TOG	12.10	0.20	1,721	12.03	ORI	8.90	(0.10)	35,553	8.94
THRE	0.7													

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SC	3.38	(0.02)	47,617	3.39	AOT19C2403A	-	-	-	-	IRC	14.20	-	131	14.20
SENA	2.56	0.02	4,397	2.55	AOT19C2404A	0.07	(0.01)	580	0.09	MGC	5.40	(0.15)	9,736	5.46
SENA-W1	0.02	-	3,049	0.01	AOT19C2404B	0.15	-	3,000	0.15	NEX	10.00	(0.30)	46,387	10.11
SIRI	1.85	(0.01)	414,933	1.86	AOT19C2404C	0.30	-	2,458	0.31	NEX06C2402A	-	-	-	-
SIRI01C2401A	0.01	-	702	0.01	AOT19C2406A	0.33	(0.67)	4,600	0.33	NEX13C2403A	-	-	-	-
SIRI01C2403A	0.24	(0.02)	9,724	0.25	AOT19P2404A	0.15	-	12,847	0.14	NEX13C2403B	-	-	-	-
SIRI01C2406A	0.37	(0.01)	10,099	0.38	AOT41C2402A	-	-	-	-	NEX13C2405A	0.16	(0.03)	14,344	0.17
SIRI01P2401A	-	-	-	-	AOT41C2403A	-	-	-	-	NEX19C2401A	-	-	-	-
SIRI06C2401A	-	-	-	-	AOT41C2404A	-	-	-	-	NEX19C2402A	-	-	-	-
SIRI13C2401A	-	-	-	-	AOT41C2405A	0.26	(0.01)	24,086	0.27	NEX19C2404A	0.13	(0.01)	10,088	0.14
SIRI13C2403A	0.18	(0.01)	28,360	0.20	AOT41C2405B	0.34	-	16,400	0.33	PCSGH	5.35	0.10	1,104	5.34
SIRI13P2401A	-	-	-	-	AOT41P2405A	0.45	-	5,001	0.44	POLY	8.65	(0.15)	216	8.53
SIRI19C2403A	0.26	(0.01)	25,644	0.27	ASIMAR	1.38	(0.02)	2,262	1.41	SAT	18.50	-	8,379	18.52
SIRI19P2401A	-	-	-	-	B	0.12	-	291,861	0.12	SPG	-	-	-	-
SIRI41C2402A	0.11	(0.01)	4,800	0.12	B-W7	-	-	-	-	STANLY	196.00	1.00	284	195.36
SIRI41C2403A	-	-	-	-	B-W8	0.02	-	27,309	0.01	TTK	1.92	0.01	4,801	1.94
SIRI41C2405A	0.40	(0.02)	20,400	0.41	BA	15.50	0.40	30,925	15.46	TNPC	1.43	(0.03)	18,709	1.49
SPALI	18.90	-	37,052	18.84	BEM	7.95	(0.05)	62,697	7.98	TRU	3.52	0.04	3,623	3.52
SPALI11C2404A	0.24	(0.01)	1,860	0.24	BEM01C2403A	-	-	-	-	TSC	15.90	0.10	835	15.93
SPALI13C2401A	-	-	-	-	BEM01C2405A	-	-	-	-	Industrial Materials	-	-	-	-
SPALI13C2405A	0.29	(0.02)	12,202	0.30	BEM13C2401A	-	-	-	-	ALLA	1.56	-	8,401	1.57
SPALI19C2403A	-	-	-	-	BEM13C2403A	0.05	(0.02)	1,500	0.05	ASEFA	3.80	(0.02)	721	3.79
UV	2.24	(0.04)	8,403	2.24	BEM19C2402A	-	-	-	-	CPT	0.64	(0.01)	494	0.64
WHA	4.94	(0.02)	1,155,423	4.97	BEM19C2402B	-	-	-	-	CRANE	1.18	0.08	43,623	1.14
WHA01C2401A	0.01	-	5,550	0.01	BEM19C2405A	0.21	-	4,614	0.22	CTW	4.72	0.02	7	4.71
WHA01C2403A	-	-	-	-	BTS	7.30	0.05	63,419	7.28	FMT	35.50	0.25	14	35.29
WHA01C2404A	0.37	-	2,175	0.37	BTS-W7	0.04	(0.01)	9,506	0.04	HTECH	2.30	-	909	2.30
WHA01C2405A	0.11	(0.01)	14,264	0.12	BTS-W8	0.14	-	13,719	0.14	KKC	0.18	-	474	0.18
WHA01P2403X	0.09	0.01	2,100	0.09	BT501C2402A	-	-	-	-	PSF	4.72	(0.06)	180,563	4.80
WHA06C2402A	-	-	-	-	BT501C2405A	0.22	0.01	3,416	0.22	STARK-W1	-	-	-	-
WHA13C2401A	-	-	-	-	BT501P2401A	-	-	-	-	TCJ	3.24	0.10	7	3.23
WHA13C2403A	-	-	-	-	BT501P2405X	0.27	(0.73)	1,480	0.27	TPCS	-	-	-	-
WHA13C2404A	0.30	(0.23)	67,094	0.31	BT506C2401A	-	-	-	-	VARO	4.00	(0.08)	71	4.03
WHA13C2404B	0.09	(0.01)	11,347	0.09	BT513C2402A	-	-	-	-	Property Fund & REI	-	-	-	-
WHA13P2402A	-	-	-	-	BT513C2405A	0.18	-	100	0.18	AIMCG	3.90	(0.02)	1,090	3.91
WHA19C2401A	-	-	-	-	BT513P2405A	0.23	-	5,864	0.23	AIMIRT	11.00	0.10	2,240	10.94
WHA19C2402A	-	-	-	-	BT519C2401A	-	-	-	-	ALLY	6.35	-	2,284	6.34
WHA19C2404A	0.10	(0.01)	12,087	0.11	BT519C2401B	-	-	-	-	AMATAR	6.40	(0.05)	836	6.42
WHA19C2404B	0.26	(0.01)	17,195	0.27	BTSGIF	3.48	(0.04)	68,755	3.50	B-WORK	4.82	-	5,259	4.82
WHA41C2402A	-	-	-	-	DMT	13.30	0.20	16,680	13.23	BAREIT	10.10	0.10	1,426	10.09
WHA41C2404A	0.20	(0.06)	8,300	0.20	ETL	1.53	-	158,171	1.56	BKKCP	9.45	(0.05)	292	9.45
WHA41C2404B	0.09	(0.01)	12,053	0.09	III	9.70	(0.10)	28,508	9.71	BOFFICE	5.30	-	304	5.33
WIN	0.62	0.02	29,667	0.62	KEX	5.85	(0.20)	186,263	6.06	CPNCG	5.30	0.05	1,494	5.28
Paper & Printing Mat	-	-	-	-	KEX19C2401A	0.01	-	724	0.01	CPNREIT	11.60	0.10	5,131	11.52
UTP	11.80	(0.10)	926	11.94	KIAT	0.39	-	4,271	0.39	CPTGF	5.50	0.05	1,027	5.33
Fashion	-	-	-	-	KWC	-	-	-	-	CTARAF	4.36	0.02	170	4.33
AFC	5.00	(0.05)	52	5.07	MENA	2.28	(0.02)	55,691	2.32	ERWP	7.80	(0.05)	1,027	7.83
AURA	15.20	(0.20)	5,498	15.26	NOK	-	-	-	-	FTREIT	10.50	(0.20)	15,354	10.58
AURA01C2403A	-	-	-	-	NYT	4.26	(0.04)	14,784	4.30	FUTUREPF	12.50	-	9	12.50
AURA13C2403A	-	-	-	-	PORT	1.14	0.05	9,540	1.13	GAHREIT	7.50	-	279	7.49
BTNC	22.00	-	7	22.10	PRM	5.35	(0.05)	63,892	5.37	GOREIT	8.70	(0.10)	673	8.71
CPH	13.50	(0.10)	815	13.66	PSL	8.30	(0.45)	199,535	8.42	HPF	4.66	-	5,600	6.17
CPL	1.46	(0.01)	3,423	1.47	PSL01C2401A	-	-	-	-	HYDROGEN	-	-	-	-
NC	4.92	(0.04)	4,246	4.98	PSL01C2403A	0.01	(0.01)	960	0.01	IMPACT	12.50	(0.50)	1,434	12.62
PAF	1.21	0.01	10,045	1.23	PSL01C2405A	0.26	(0.08)	15,483	0.28	INETREIT	9.65	-	1,082	9.65
PDJ	1.92	0.04	14,011	1.90	PSL01C2407A	0.37	(0.08)	14,888	0.39	KPNPF	-	-	-	-
PG	9.00	-	92	8.95	PSL01P2403X	0.29	0.06	42,345	0.27	KTBSM	6.95	0.10	130	6.91
SABINA	26.25	(0.25)	2,367	26.42	PSL06C2404A	0.23	(0.07)	124,668	0.26	LHHOTEL	12.10	(0.30)	14,389	12.14
SAWANG	-	-	-	-	PSL13C2402A	-	-	-	-	LHPF	6.00	-	311	6.00
SUC	32.25	-	237	32.06	PSL13C2403A	0.05	(0.03)	241	0.05	LHSC	10.00	(0.20)	95	10.01
TNL	35.00	-	25	34.85	PSL13C2404A	0.29	(0.09)	70,626	0.32	LPF	13.60	(0.10)	3,976	13.67
TR	43.00	0.50	2	43.00	PSL13C2407A	0.32	(0.08)	28,249	0.34	LUXF	6.90	(0.20)	56	6.98
TTI	25.00	(3.00)	2	27.00	PSL13P2402A	0.08	0.01	9,132	0.07	M-II	7.35	-	45	7.36
TTT	46.00	(1.25)	5	46.25	PSL19C2402A	-	-	-	-	M-PAT	3.60	-	2	3.45
UPF	35.25	0.25	1	35.25	PSL19C2403A	0.08	(0.04)	2,937	0.09	M-STOR	6.95	-	2	6.95
WACOAL	31.75	0.50	1	31.75	PSL19C2404A	0.33	(0.09)	160,403	0.37	MIPF	-	-	-	-
WFX	2.22	0.10	18,117	2.21	PSL19C2407A	0.37	(0.08)	39,328	0.39	MIT	1.14	-	180	1.14
Transportation & Loc	-	-	-	-	PSL41C2405A	0.24	(0.08)	54,382	0.27	MJLF	3.72	-	226	3.68
AAV	2.10	0.02	249,397	2.10	RCL	24.40	(2.60)	173,726	24.82	MNIT2	-	-	-	-
AAV01C2402A	0.02	0.01	1,003	0.02	RCL01C2402A	0.09	(0.18)	67,785	0.11	MNRF	2.78	(0.02)	320	2.78
AAV01C2403A	0.01	(0.02)	40	0.01	RCL01C2405A	0.77	(0.41)	6,347	0.84	POPF	6.60	0.05	438	6.54
AAV01C2405A	0.18	0.01	31,478	0.18	RCL01C2405B	0.15	(0.11)	81,278	0.17	PPF	10.30	-	73	10.30
AAV06C2401A	-	-	-	-	RCL01P2402X	0.03	-	1,489	0.02	PROSPECT	8.60	0.05	1,135	8.61
AAV13C2403A	0.02	-	1	0.02	RCL13C2402A	0.12	(0.25)	19,732	0.12	QHOP	2.80	0.10	1	2.80
AAV13C2403B	0.02	-	182	0.02	RCL13C2404A	0.73	(0.42)	16,170	0.77	QHPF	5.95	0.05	2,581	5.95
AAV13C2404A	0.28	(0.02)	1,541	0.28	RCL13C2405A	0.16	(0.09)	108,036	0.17	QHRT	6.30	-	81	6.28
AAV13C2404B	0.12	-	22,165	0.12	RCL13P2405A	0.35	(0.65)	11,752	0.33	PROSPER	8.60	0.05	1,086	8.61
AAV19C2402A	-	-	-	-	RCL19C2402A	0.08	(0.16)	11,887	0.09	QHRT	6.30	-	81	

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CITY	2.24	(0.04)	1,311	2.25	BABA41C2403A	-	-	-	-	HSI28C2402D	0.37	(0.01)	3,244,036	0.40
CSP	1.01	(0.02)	176	1.01	BABA41C2403B	-	-	-	-	HSI28C2402E	0.15	-	177,799	0.16
GJS	0.24	0.01	8,264	0.23	BABA41C2404A	0.22	(0.01)	8	0.23	HSI28C2402F	0.77	-	5,363,303	0.82
GSTEEL	-	-	-	-	BABA41C2406A	0.25	(0.06)	1	0.25	HSI28C2403A	0.04	(0.01)	46,483	0.05
INOX	0.60	-	8,369	0.61	BABA41P2403A	-	-	-	-	HSI28C2403B	0.69	0.01	4,336,822	0.74
LHK	4.44	-	595	4.43	BABA41P2404A	0.28	-	6	0.28	HSI28C2404A	0.24	-	242,013	0.25
MCS	6.55	-	1,791	6.55	BIDU28C2403A	-	-	-	-	HSI28P2401A	0.35	(0.02)	389,315	0.31
MILL	0.37	(0.01)	13,685	0.38	BIDU28C2403B	0.30	0.01	8,112	0.31	HSI28P2401B	0.06	(0.01)	25,883	0.05
MILL-W6	0.01	-	9	0.01	BIDU28P2401A	0.14	(0.02)	27,098	0.15	HSI28P2401C	-	-	-	-
MILL-W7	0.05	(0.01)	14,181	0.05	BIDU28P2406A	0.31	-	22,168	0.31	HSI28P2401D	1.14	(0.02)	5,213,126	1.06
PAP	2.70	(0.02)	133	2.71	BIDU41C2403A	-	-	-	-	HSI28P2402A	0.25	(0.01)	35,471	0.25
PERM	0.93	(0.01)	2,225	0.94	BIDU41C2403B	-	-	-	-	HSI28P2402B	1.85	(0.03)	3,181,261	1.76
SAM	0.40	0.01	2,624	0.39	BIDU41P2403A	0.51	0.01	2	0.51	HSI28P2402C	0.70	(0.03)	3,254,800	0.66
SMIT	4.58	-	294	4.59	BYDCOM28C240	-	-	-	-	HSI28P2402D	1.05	-	4,208,447	0.97
SSSC	2.96	-	443	2.96	BYDCOM28C240	0.06	-	93	0.06	HSI28P2403A	0.76	(0.02)	31,810	0.72
TGPRO	0.14	-	2,874	0.14	BYDCOM28C240	0.28	0.03	2,028	0.28	HSI28P2403B	0.26	-	9,851	0.24
THE	1.20	0.02	1,791	1.19	BYDCOM28P240	0.27	(0.09)	9,126	0.27	HSI28P2404A	0.41	(0.01)	11,560	0.38
TMT	6.15	-	73	6.19	BYDCOM28P240	-	-	-	-	HSTECH28C2401A	-	-	-	-
TSTH	0.84	(0.01)	2,698	0.85	BYDCOM41C240	-	-	-	-	HSTECH28C2401B	-	-	-	-
TWP	2.12	0.02	25	2.09	BYDCOM41C240	-	-	-	-	HSTECH28C2401C	-	-	-	-
TYCN	2.56	0.02	790	2.58	BYDCOM41C240	-	-	-	-	HSTECH28C2403A	-	-	-	-
Construction Service	-	-	-	-	BYDCOM41P240	0.33	(0.09)	3	0.32	HSTECH28C2403B	0.26	-	100	0.26
APCS	3.66	(0.06)	1,407	3.64	BYDCOM41P240	-	-	-	-	HSTECH28P2401A	-	-	-	-
BJCHI	1.18	-	2,572	1.19	BYDCOM41P240	0.27	-	2	0.27	HSTECH28P2401B	0.64	0.03	140,006	0.63
BKD	1.70	-	772	1.68	CATHAY28C240:	-	-	-	-	HSTECH28P2401C	-	-	-	-
CIVIL	2.18	0.04	2,362	2.14	CATHAY28C240:	0.20	0.02	2,539	0.18	HSTECH28P2403A	-	-	-	-
CK	22.80	0.20	52,817	22.63	CATHAY41C240:	-	-	-	-	HSTECH28P2403B	-	-	-	-
CK01C2403A	0.20	(0.01)	44,490	0.21	CATHAY41C240:	0.26	(0.04)	40	0.26	ICBC28C2401A	-	-	-	-
CK13C2401A	-	-	-	-	CHMOBI28C240	-	-	-	-	ICBC28C2404A	-	-	-	-
CK13C2403A	0.14	(0.01)	20,772	0.14	CHMOBI28C240	0.27	-	25,350	0.27	JD28C2402A	-	-	-	-
CK13C2405A	0.39	0.01	23,760	0.38	CBANK41C240	-	-	-	-	JD28C2403A	-	-	-	-
CK19C2404A	0.30	(0.01)	24,107	0.30	CBANK41C240	-	-	-	-	JD28C2403B	0.22	(0.01)	17,098	0.21
CNT	1.18	0.08	10,813	1.14	CBANK41C240	-	-	-	-	KUAISH28C2401A	-	-	-	-
EMC	0.10	-	31,863	0.09	CNOOC28C2404	0.21	(0.02)	13,182	0.22	KUAISH28C2403A	-	-	-	-
ITD	0.83	(0.02)	500,997	0.84	DJI28C2403A	2.68	0.04	2,500	2.68	KUAISH28C2404A	0.10	(0.03)	19,211	0.10
NWR	0.34	(0.01)	130,714	0.34	DJI28C2403B	-	-	-	-	LENOVO28C2402A	-	-	-	-
PLE	0.55	0.02	13,891	0.54	DJI28C2403C	-	-	-	-	LENOVO28C2404A	0.32	0.08	3,949	0.33
PREB	6.55	-	174	6.59	DJI28C2406B	0.80	(0.04)	17	0.80	MCA5041C2403A	0.05	(0.06)	2,000	0.05
PYLON	2.72	0.02	3,562	2.72	DJI28P2403A	0.05	(0.01)	1,208	0.05	MCA5041C2406A	0.60	0.02	1,724	0.59
RT	0.85	0.08	157,480	0.82	DJI28P2403B	-	-	-	-	MCA5041P2403A	-	-	-	-
RT-W1	0.13	0.05	452,539	0.12	DJI28P2403C	0.23	(0.04)	2,190	0.22	MCA5041P2406A	-	-	-	-
SEAFCO	2.66	(0.04)	2,351	2.69	DJI28P2403D	0.43	(0.05)	907	0.43	MCA5041P2406A	-	-	-	-
SQ	1.18	-	13,612	1.19	DJI41C2403A	-	-	-	-	MEITU28C2403A	0.02	(0.02)	129	0.02
SRICHA	5.40	-	437	5.38	DJI41C2403B	0.70	0.09	26	0.70	MEITU28C2404A	0.07	(0.02)	10,025	0.07
STEC	9.45	0.20	97,576	9.37	DJI41P2403A	-	-	-	-	MEITU28P2401A	-	-	-	-
STEC01C2401A	-	-	-	-	DJI41P2403B	0.15	(0.02)	2,420	0.15	MEITU28P2405A	0.98	0.10	123,742	0.95
STEC01C2401X	-	-	-	-	DJI41P2403C	0.34	(0.06)	724	0.33	MEITU28P2406A	0.52	0.06	230,000	0.50
STEC01C2402A	-	-	-	-	GEELY28C2401A	-	-	-	-	MEITU41C2401A	-	-	-	-
STEC01C2403A	0.16	0.02	80,100	0.16	GEELY28C2403A	-	-	-	-	MEITU41C2403A	-	-	-	-
STEC01P2401A	-	-	-	-	GEELY28C2406A	0.33	0.02	9,018	0.33	MEITU41C2405A	-	-	-	-
STEC13C2401A	-	-	-	-	GEELY28P2404A	0.43	(0.03)	30,140	0.42	MEITU41C2405B	0.25	(0.07)	2	0.26
STEC13C2402A	0.01	-	10,000	0.01	GEELY41C2401A	-	-	-	-	MEITU41P2404A	0.92	0.13	30	0.89
STEC13C2403A	-	-	-	-	GEELY41C2404A	-	-	-	-	NDX28C2403A	0.16	0.05	1,268	0.16
STEC13C2405A	0.44	0.04	49,620	0.42	GEELY41C2406A	-	-	-	-	NDX28C2403B	-	-	-	-
STEC19C2401A	-	-	-	-	HAIDIL28C2402	-	-	-	-	NDX28C2406A	1.25	0.23	51	1.26
STEC19C2403A	0.12	0.01	4,415	0.11	HAIDIL28C2403	-	-	-	-	NDX28C2406B	-	-	-	-
STEC19C2407A	0.55	0.04	55,921	0.53	HAIDIL28C2404	-	-	-	-	NDX28P2403A	0.04	(0.02)	1,101	0.04
STI	3.84	-	2,196	3.83	HAIDIL28C2406	0.17	-	2,028	0.17	NDX28P2403B	-	-	-	-
STPI	3.36	(0.08)	7,574	3.39	HAIDIL41C2403	-	-	-	-	NDX28P2403C	0.25	(0.13)	610	0.25
SYNTEC	1.67	(0.01)	6,236	1.67	HAIDIL41C2404	-	-	-	-	NDX28P2403D	-	-	-	-
TEAMG	5.90	(0.15)	30,709	5.98	HAIDIL41C2405	-	-	-	-	NDX41C2403A	0.91	0.18	19,916	0.95
TEAMG-W1	0.80	(0.03)	32,809	0.81	HKEX28C2401A	-	-	-	-	NDX41C2403B	0.86	0.21	106	0.88
TEKA	2.74	0.12	3,168	2.68	HKEX28C2404A	0.08	-	225	0.08	NDX41C2403C	0.31	0.09	1,408	0.31
TPOLY	0.70	-	576	0.70	HKEX41C2401A	-	-	-	-	NDX41P2403A	-	-	-	-
TRC	0.32	(0.01)	41,938	0.32	HKEX41C2404A	-	-	-	-	NDX41P2403B	-	-	-	-
TRITN	0.13	-	135,589	0.13	HKEX41C2405A	0.20	-	100	0.20	NDX41P2403C	-	-	-	-
TRITN-W5	0.01	-	30	0.01	HSCB28C2401A	-	-	-	-	NDX41P2403D	0.40	(0.14)	99,206	0.37
TRITN-W6	0.01	-	4,083	0.01	HSCB28C2403A	0.34	0.04	13,042	0.34	NTES41C2404A	-	-	-	-
TTCL	3.70	0.02	1,009	3.67	HSCEI28P2404A	-	-	-	-	NTES41C2405A	0.28	(0.72)	150	0.29
UNIQ	3.02	-	4,432	3.01	HSCEI28P2401A	-	-	-	-	PINGAN28C2401A	-	-	-	-
WGE	0.76	0.02	529	0.75	HSCEI28P2403A	-	-	-	-	PINGAN28C2403A	-	-	-	-
Unit Trust	-	-	-	-	HSCEI28C2405A	-	-	-	-	PINGAN28C2404A	-	-	-	-
SCBSET	-	-	-	-	HSCEI28C2401A	-	-	-	-	PINGAN28C2406A	0.17	-	5,082	0.17
ETF	-	-	-	-	HSCEI28C2401B	-	-	-	-	PINGAN28P2403A	0.46	0.01	13,182	0.45
IDIV	10.10	(0.04)	310	10.11	HSCEI28C2402A	0.27	(0.01)	105	0.27	PINGAN41C2403A	-	-	-	-
ABFTH	1,243.00	6.00	1	1,243.00	HSCEI28P2401A	1.07	-	80,014	1.06	PINGAN41C2404A	-	-	-	-
BMSCG	9.58	(0.10)	18	9.61	HSCEI28P2401B	-	-	-	-	PINGAN41C2404B	-	-	-	-
BMSCITH	9.83	-	381	9.87	HSCEI28P2402A	-	-	-	-	PINGAN41P2404A	0.23	-	1	0.23
BSET100	9.17	(0.03)	157	9.24	HSI06C2401A	0.01	-	24	0.01	SET5001				

Asia Plus Securities Company Limited

Main Board Quotation

Issue Date :

Tuesday January 09, 2024

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
													Issue Date :	
Warrant - MAI														
Agro & Food Indust	-	-	-	-	UBIS-W1	0.01	-	200	00 0.0	KGEN	0.99	0.03	94,292	00 0.9
AU	9.50	(0.15)	13,451	00 9.6	UEC	1.49	(0.02)	13,547	00 1.5	KGEN-W2	0.43	0.01	18,309	00 0.4
JCKH	0.04	0.01	6,173	00 0.0	UKEM	0.87	-	39,444	00 0.8	KK	2.02	0.02	12	00 1.9
JCKH-W1	-	-	-	00 0.0	UREKA	0.62	(0.01)	30,179	00 0.6	KLINIQ	40.75	(1.00)	7,387	00 41.1
JCKH-W2	-	-	-	00 0.0	YUASA	-	-	-	00 0.0	KOOL	0.39	(0.01)	12,455	00 0.3
KASET	1.44	0.02	555	00 1.4	ZIGA	3.16	0.08	369,620	00 3.1	KTMS	2.76	(0.04)	11,895	00 2.8
MUD	2.02	(0.02)	230	00 2.0	Property	-	-	-	00 0.0	LDC	0.66	(0.02)	9,479	00 0.6
NTSC	16.40	(0.40)	344	00 15.9	24CS	1.52	(0.04)	132,943	00 1.5	LEO	4.92	(0.13)	9,409	00 4.9
TACC	4.46	(0.06)	13,799	00 4.5	A5	3.18	(0.04)	11,710	00 3.2	LEO-W1	0.57	(0.04)	30,643	00 0.6
TMILL	3.86	-	209	00 3.8	A5-W2	0.08	(0.01)	5,512	00 0.0	MASTER	57.75	0.75	5,949	00 57.8
WINNER	2.22	-	300	00 2.2	A5-W3	0.09	0.01	17,249	00 0.0	MCA	2.50	(0.08)	125,238	00 2.5
XO	25.00	(0.25)	9,647	00 25.1	ALL	-	-	-	00 0.0	MEB	32.75	0.25	1,489	00 32.6
Consumer Products	-	-	-	-	ARIN	3.56	0.06	110	00 3.5	MORE	0.10	(0.01)	78,242	00 0.1
ALPHAX	0.65	-	499,522	00 0.6	ARROW	6.65	0.05	158	00 6.5	MVP	1.61	0.07	1,229,970	00 1.7
BGT	0.80	(0.02)	2,131	00 0.8	BC	1.08	0.01	8,962	00 1.0	NCL	0.86	(0.02)	8,811	00 0.8
DOD	3.72	-	3,843	00 3.7	BLESS	0.68	0.02	121,328	00 0.7	NEWS	0.01	(0.01)	1,174,550	00 0.0
ECF	1.02	-	8,396	00 1.0	BSM	2.60	-	633	00 2.6	NEWS-W7	0.01	-	9	00 0.0
ECF-W4	0.05	-	481	00 0.0	BTW	0.34	(0.02)	29,496	00 0.3	OTO	0.85	(0.05)	198,274	00 0.8
EFORL	0.27	-	56,593	00 0.2	CAZ	3.68	0.08	3,324	00 3.6	OTO-W1	0.46	(0.03)	7,324	00 0.4
EFORL-W6	0.07	-	716	00 0.0	CHEWA	0.50	(0.01)	4,265	00 0.5	PHOL	2.70	-	1,454	00 2.6
HPT	0.64	(0.02)	44,523	00 0.6	CHEWA-W2	-	-	-	00 0.0	PICO	-	-	-	00 0.0
IP	9.25	0.10	922	00 9.1	CPANEL	6.95	(0.20)	1,356	00 6.9	PLT	0.97	-	159,856	00 0.9
IP-W2	0.60	0.02	16,898	00 0.6	CPANEL-W1	-	-	-	00 0.0	QLT	3.06	(0.02)	2,951	00 3.0
ITTHI	2.66	0.44	1,654,771	00 2.5	CRD	0.46	-	138	00 0.4	RP	1.54	(0.02)	13,405	00 1.5
JSP	2.38	-	2,189	00 2.4	DHOUSE	0.70	(0.01)	1,318	00 0.7	SE	0.95	0.01	40,031	00 0.9
JSP-W1	0.28	(0.01)	19,197	00 0.2	DIMET	0.27	0.01	57,574	00 0.2	SLM	-	-	-	00 0.0
JUBILE	17.70	(0.10)	736	00 17.7	DPAIN	3.80	-	10,924	00 3.8	SONIC	1.98	(0.01)	72,840	00 2.0
MGI	19.00	(0.50)	23,035	00 19.0	FLOYD	1.17	-	2,186	00 1.1	SPA	12.30	(0.20)	17,594	00 12.4
MOONG	2.06	(0.02)	924	00 2.0	FLOYD-W1	0.07	0.01	44,100	00 0.0	THMUI	0.68	0.03	9,189	00 0.6
NPK	14.90	(1.60)	49	00 15.0	HYDRO	0.30	-	1,951	00 0.2	TNDT	0.35	0.02	66,738	00 0.3
SMD	7.15	0.05	3,247	00 7.0	IND	0.93	(0.02)	4,715	00 0.9	TNDT-W1	0.13	-	49,415	00 0.1
TM	2.00	-	880	00 2.0	JAK	1.35	-	1	00 1.3	TNH	37.00	-	31	00 36.8
TM-W1	0.26	0.01	18,547	00 0.3	K	1.26	0.01	1,347	00 1.2	TNP	3.14	0.04	11,621	00 3.1
WARRIX	6.30	(0.10)	19,238	00 6.3	K-W2	0.35	(0.01)	33,447	00 0.3	TPL	1.77	0.13	449,576	00 1.7
WINMED	3.04	(0.02)	978	00 3.0	KUN	1.75	0.05	280	00 1.7	TRP	16.60	(0.80)	37,913	00 17.0
Financials	-	-	-	-	KUN-W1	0.01	(0.01)	1,714	00 0.0	TURTLE	-	-	-	00 0.0
ACAP	-	-	-	00 0.0	KUN-W2	0.09	(0.01)	8,239	00 0.0	TVHD	0.36	0.01	1,412	00 0.3
AF	0.93	0.03	322	00 0.9	META	0.20	0.01	23,248	00 0.1	TVHD-W3	0.07	(0.01)	1,411	00 0.0
AIRA	-	-	-	00 0.0	PPS	0.40	(0.02)	7,101	00 0.4	TVT	0.42	(0.01)	1,809	00 0.4
ASN	1.85	-	68	00 1.8	PRI	23.50	(0.30)	5,484	00 23.7	UBA	1.19	0.03	328,210	00 1.3
BROOK	0.60	0.01	777,039	00 0.6	PROS	1.59	0.27	191,983	00 1.5	VL	0.92	(0.02)	10,583	00 0.9
BROOK-W6	0.23	-	191,225	00 0.2	PROS-W1	0.52	(0.12)	614,531	00 0.5	YGG	7.00	(0.10)	8,215	00 7.0
BROOK-W7	0.29	0.02	43,931	00 0.2	PROUD	1.58	-	1,733	00 1.5	Technology	-	-	-	00 0.0
GCAP	0.59	(0.03)	36,984	00 0.6	PSG	0.67	0.01	49,965	00 0.6	APP	2.72	-	1,217	00 2.7
KCC	4.84	0.44	8,522	00 4.7	SENX	0.53	(0.01)	2,017	00 0.5	BBIK	86.00	(1.00)	1,356	00 86.7
LIT	1.17	(0.01)	2,854	00 1.1	SENX-W1	0.02	-	928	00 0.0	BE8	29.75	(0.50)	9,632	00 30.3
LIT-W2	0.31	(0.02)	12,817	00 0.3	SK	0.70	0.05	70,105	00 0.6	BE8-W1	4.96	0.08	137	00 5.0
MITSIB	1.00	-	3,115	00 1.0	SMART	1.13	(0.01)	43,277	00 1.1	BVG	4.46	-	14,282	00 4.5
SGF	0.48	0.01	14,458	00 0.4	SSS	-	-	-	00 0.0	COMAN	3.52	(0.06)	19,755	00 3.4
SGF-P1	-	-	-	00 0.0	STC	0.68	-	1,990	00 0.6	DTTO	27.25	(0.50)	10,203	00 27.5
SGF-Q1	-	-	-	00 0.0	SVR	1.68	0.03	40,145	00 1.7	DTTO-W1	5.00	(0.10)	223	00 5.1
TQR	7.25	-	74	00 7.3	TAPAC	-	-	-	00 0.0	I2	2.22	0.06	25,332	00 2.2
Industrials	-	-	-	-	THANA	1.92	(0.02)	6,667	00 1.9	IIIG	11.30	(0.10)	242	00 11.4
ADB	1.08	(0.03)	3,764	00 1.1	TIGER	1.00	(0.01)	172	00 1.0	IIIG-W1	3.34	(0.36)	60	00 3.6
BM	3.00	(0.02)	14,324	00 2.9	TITLE	3.92	-	3,790	00 3.9	IRCP	0.75	0.04	138,412	00 0.7
BM-W3	1.69	(0.01)	295	00 1.6	YONG	2.22	(0.04)	22,652	00 2.2	ITNS	3.08	(0.04)	4,302	00 3.0
CHO	0.42	-	9,623	00 0.4	Resources	-	-	-	00 0.0	NETBAY	23.90	(0.30)	8,698	00 24.1
CHO-W3	0.01	-	2,364	00 0.0	ABM	1.60	0.02	1,124	00 1.5	PLANET	0.78	(0.01)	4,904	00 0.7
CHOW	1.51	-	186	00 1.4	ABM-W1	0.24	(0.01)	9,484	00 0.2	PROEN	3.68	(0.20)	65,387	00 3.7
CIG	0.12	0.01	42,974	00 0.1	GTV	0.21	0.01	803,712	00 0.2	PROEN-W1	0.19	(0.07)	162,535	00 0.2
CIG-W10	-	-	-	00 0.0	PSTC	0.88	-	5,873	00 0.8	READY	11.90	(0.10)	1,152	00 12.2
CIG-W9	0.08	-	13,100	00 0.0	PSTC-W2	0.08	(0.01)	87,365	00 0.0	SECURE	13.50	0.40	2,302	00 13.3
COLOR	1.39	(0.04)	27	00 1.3	PTC	2.24	(0.04)	5,347	00 2.2	SICT	6.95	(0.10)	4,929	00 7.0
COLOR-W2	0.06	(0.01)	8,938	00 0.0	SAAM	7.55	-	2,286	00 7.5	SIMAT	1.84	(0.04)	6,902	00 1.8
CP	4.24	-	3,954	00 4.2	SAAM-W2	0.26	-	4,443	00 0.2	SIMAT-W3	0.29	(0.01)	783	00 0.3
FPI	2.56	0.04	3,103	00 2.5	SR	0.70	-	166	00 0.6	SIMAT-W5	0.51	(0.01)	294	00 0.5
GTB	0.67	(0.02)	776	00 0.6	STOWER	0.14	-	28,543	00 0.1	SPVI	3.92	(0.12)	2,749	00 4.0
KCM	0.38	0.01	1,745	00 0.3	STOWER-W4	-	-	-	00 0.0	SRS	10.90	0.70	40,960	00 11.1
KJL	8.30	(0.15)	2,284	00 8.3	TAKUNI	1.62	(0.02)	46,601	00 1.6	TBN	14.00	0.10	3,041	00 14.1
KUMWEL	1.78	0.01	4,249	00 1.8	TPCH	6.15	0.05	389	00 6.0	TPS	2.96	-	1,904	00 2.9
KWM	1.37	0.03	93,174	00 1.4	TRT	2.58	0.08	921	00 2.5	TPS-W1	1.85	(0.04)	1,168	00 1.8
MBAX	3.48	(0.04)	575	00 3.5	UMS	0.68	0.01	163	00 0.6	VCOM	3.64	(0.02)	4,416	00 3.6
MBAX-W2	0.30	(0.05)	22,339	00 0.3	Services	-	-	-	00 0.0	-	-	-	-	-
MGT	2.62	(0.04)	2,589	00 2.6	ADD	5.95	(0.15)	364	00 6.0	-	-	-	-	-
MTW	2.06	(0.02)	35,713	00 2.1	AKP	1.09	(0.04)	11,334						