

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB01C2403A	-	-	-	-	IVL19C2403B	-	-	-	-
WORLD	-	-	-	-	SCB01C2404A	0.25	(0.03)	6,414	0.27	IVL19C2405A	-	-	-	-
Agribusiness	-	-	-	-	SCB01C2405A	0.13	(0.03)	28,116	0.14	IVL19C2406A	0.40	0.03	211,242	0.41
EE	0.31	-	4,725	0.31	SCB01P2405X	0.33	0.03	22,190	0.31	IVL41C2403A	-	-	-	-
EE-W1	0.03	-	1,846	0.03	SCB06C2402A	-	-	-	-	IVL41C2404A	0.19	0.02	96,000	0.19
GFPT	11.30	0.10	7,205	11.30	SCB06C2403A	-	-	-	-	IVL41C2406A	0.11	0.01	16,000	0.11
LEE	2.34	-	336	2.31	SCB11C2403A	-	-	-	-	IVL41C2406B	0.43	0.03	17,028	0.44
NER	5.30	-	40,517	5.31	SCB13C2403A	-	-	-	-	NFC	2.94	(0.06)	166	2.94
PPPM	0.06	-	9,826	0.06	SCB13C2404A	0.06	(0.01)	4,022	0.06	PATO	9.45	(0.05)	1	9.45
PPPM-W4	0.01	(0.01)	9,128	0.01	SCB13C2406A	0.18	(0.04)	259,749	0.20	PMTA	8.80	(0.10)	10	8.80
STA	16.40	0.10	10,240	16.40	SCB13P2406A	0.24	0.02	109,100	0.22	PTTGC	35.75	0.50	107,575	35.99
STA01C2404A	0.22	-	5,104	0.22	SCB19C2403A	-	-	-	-	PTTGC01C2403A	-	-	-	-
STA11C2402T	-	-	-	-	SCB19C2404A	-	-	-	-	PTTGC01C2405A	-	-	-	-
STA11C2407T	0.33	-	3,300	0.33	SCB19C2406A	0.17	(0.03)	121,867	0.18	PTTGC01C2406A	0.24	0.01	36,689	0.25
STA13C2405A	0.27	0.01	29,451	0.27	SCB41C2403A	-	-	-	-	PTTGC01P2404X	-	-	-	-
STA19C2406A	0.27	0.01	38,245	0.27	SCB41C2404A	-	-	-	-	PTTGC01P2405X	0.31	(0.02)	16,462	0.30
TEGH	3.00	0.04	10,287	3.00	SCB41C2405A	0.16	(0.01)	70,300	0.17	PTTGC06C2402A	-	-	-	-
TFM	6.60	0.15	5	6.60	SCB41C2405B	0.14	(0.04)	40,480	0.16	PTTGC11C2404A	0.14	0.02	5,300	0.14
TRUBB	1.26	0.02	16,371	1.26	TCAP	50.50	0.50	18,289	50.43	PTTGC11P2402A	0.07	(0.02)	2,420	0.07
TRUBB-W2	0.10	0.01	3,307	0.10	TCAP-P	-	-	-	-	PTTGC13C2403A	0.01	(0.01)	610	0.01
UPOIC	6.35	0.05	82	6.31	TCAP-Q	-	-	-	-	PTTGC13P2404A	0.15	-	54,670	0.16
UVAN	8.60	0.05	2,774	8.59	TCAP11C2402T	-	-	-	-	PTTGC41C2406A	0.18	0.01	76,331	0.19
VPO	0.94	(0.02)	27,422	0.95	TCAP13C2403A	-	-	-	-	PTTGC41C2404A	-	-	-	-
Banking	-	-	-	-	TCAP19C2403A	-	-	-	-	PTTGC41C2405A	-	-	-	-
BAY	26.50	-	2,897	26.64	TISCO	99.50	0.25	13,886	99.47	PTTGC41C2406A	0.16	0.01	71,306	0.16
BBL	142.00	-	43,012	141.98	TISCO-P	-	-	-	-	PTTGC41C2407B	0.31	0.03	13,851	0.30
BBL06C2403A	-	-	-	-	TISCO-Q	-	-	-	-	SUTHA	2.46	0.02	12	2.46
BBL11C2404A	-	-	-	-	TISCO13C2405A	-	-	-	-	TPA	4.10	0.02	24	4.10
BBL11C2405A	0.26	(0.01)	9,160	0.26	TISCO19C2408A	0.30	-	1,000	0.30	UP	3.82	0.02	8,449	3.90
BBL11C2406A	0.16	(0.01)	1,820	0.16	TTB	1.81	(0.03)	2,581,613	1.82	Commerce	-	-	-	-
BBL11P2402A	0.09	-	4,060	0.08	TTB-W1	0.86	(0.01)	6,035	0.86	ADVICE	4.70	(0.35)	646,800	4.82
BBL13C2403A	-	-	-	-	TTB801C2404A	0.19	(0.03)	21,914	0.21	B52	1.10	(0.03)	23	1.11
BBL13C2404A	-	-	-	-	TTB801C2406A	0.42	(0.03)	10,598	0.44	BEAUTY	0.76	(0.04)	827,199	0.78
BBL13C2405A	0.08	(0.01)	10,175	0.08	TTB813C2404A	0.18	(0.02)	5,192	0.18	BIG	0.53	-	5,518	0.53
BBL13C2406A	0.24	-	12,960	0.24	TTB819C2404A	0.18	(0.03)	23,597	0.19	BJC	24.50	(0.10)	129,912	24.53
BBL13P2404A	0.32	(0.01)	13,734	0.32	Construction Ma	-	-	-	-	COM7	22.40	-	98,240	22.45
BBL19C2403A	-	-	-	-	CCP	0.43	-	214,517	0.44	COM701C2403W	-	-	-	-
BBL19C2404A	-	-	-	-	DCC	1.95	0.01	104,724	1.94	COM701C2404A	-	-	-	-
BBL19C2405A	-	-	-	-	DCON	0.52	-	75,928	0.52	COM701C2404B	0.19	-	89,842	0.19
BBL19C2406A	0.22	(0.02)	48,338	0.23	DOON-W3	0.12	-	30,597	0.12	COM701C2405A	-	-	-	-
BBL19P2406A	0.38	0.01	4,430	0.37	DRT	8.25	-	1,078	8.25	COM701C2406X	0.23	(0.01)	53,838	0.23
BBL41C2403A	-	-	-	-	EPG	7.55	(0.10)	15,517	7.58	COM701P2404X	0.23	-	40,000	0.23
BBL41C2404A	-	-	-	-	GEL	0.21	(0.01)	6,499	0.21	COM701C2407A	0.49	-	83,737	0.50
BBL41C2405A	-	-	-	-	GEL-W5	0.04	-	9,059	0.04	COM711C2404A	0.40	-	59,368	0.41
BBL41C2406A	0.16	(0.01)	4,000	0.17	PPP	1.85	(0.01)	118	1.83	COM711C2406A	0.41	(0.01)	85,242	0.41
BBL41C2406B	0.35	0.02	2,000	0.35	Q-CON	16.20	-	5,380	16.20	COM711P2404X	0.23	-	18,670	0.23
BBL41C2407A	0.34	(0.01)	11,738	0.34	SCC	265.00	(2.00)	11,948	265.93	COM711P2406X	0.44	-	36,746	0.44
CIMBT	0.59	-	5,277	0.60	SCC01C2403A	0.01	-	50	0.01	COM706C2403A	0.10	(0.01)	18,060	0.10
CREDIT	29.00	1.50	65,760	28.50	SCC01C2405A	-	-	-	-	COM711C2404A	-	-	-	-
KBANK	120.50	(0.50)	71,012	120.94	SCC01C2407A	0.25	(0.02)	41,848	0.26	COM711C2406A	0.35	(0.01)	41,310	0.36
KBANK01C2403A	-	-	-	-	SCC01P2403X	0.15	0.01	36,014	0.14	COM711P2406A	0.46	-	34,800	0.45
KBANK01C2405A	0.09	-	1,576	0.09	SCC13C2403A	-	-	-	-	COM713C2403A	-	-	-	-
KBANK01C2406A	0.22	-	21,594	0.22	SCC13C2405A	-	-	-	-	COM713C2404A	-	-	-	-
KBANK01P2404X	-	-	-	-	SCC13C2407A	0.24	(0.01)	5,180	0.24	COM713C2404B	0.06	(0.01)	1	0.06
KBANK01P2406X	0.40	-	15,899	0.39	SCC13P2403A	-	-	-	-	COM713C2405A	0.20	(0.01)	17,432	0.21
KBANK06C2404A	0.02	(0.02)	1,000	0.02	SCC19C2403A	-	-	-	-	COM713C2405B	-	-	-	-
KBANK06C2406A	0.17	-	23,642	0.17	SCC19C2405A	-	-	-	-	COM713C2406A	0.41	(0.01)	85,242	0.41
KBANK13C2405A	0.06	-	200	0.06	SCC19C2406A	0.19	(0.01)	4,740	0.20	COM713P2404A	0.19	(0.01)	23,758	0.19
KBANK13C2406A	0.14	-	22,114	0.14	SCCC	140.50	-	2,601	140.41	COM719C2404A	-	-	-	-
KBANK13C2407A	0.28	(0.01)	40,638	0.29	SCGD	9.10	-	5,638	9.14	COM719C2404B	0.11	-	18,670	0.11
KBANK13P2404A	0.14	(0.01)	28,116	0.14	SCP	5.30	-	378	5.31	COM719C2406A	0.30	(0.01)	27,310	0.31
KBANK13P2406A	0.46	-	36,005	0.45	SKN	4.72	-	1,157	4.72	COM719C2407A	0.49	-	83,737	0.50
KBANK19C2404A	0.07	0.01	130	0.07	STECH	1.73	(0.01)	1,089	1.73	COM719P2404A	0.40	(0.01)	49,599	0.40
KBANK19C2405A	0.07	0.01	1,404	0.21	TASCO	16.40	0.10	26,807	16.40	COM741C2403A	-	-	-	-
KBANK19P2404A	0.15	-	12,797	0.14	TASCO01C2403/	0.18	-	18,304	0.18	COM741C2404B	0.14	-	40,000	0.14
KBANK41C2405A	-	-	-	-	TASCO01P2405/	-	-	-	-	COM741C2405A	-	-	-	-
KBANK41C2406A	-	-	-	-	TASCO06C2403/	-	-	-	-	COM741C2406A	0.37	-	157,711	0.38
KBANK41C2406A	0.23	(0.01)	50	0.24	TASCO13C2403/	-	-	-	-	CPALL01C2403A	53.75	-	164,357	54.06
KKP	49.50	0.25	19,472	49.68	TASCO19C2404/	-	-	-	-	CPALL01C2404A	-	-	-	-
KKP-W5	-	-	-	-	TASCO41C2406/	0.18	0.01	10,000	0.18	CPALL01C2405A	-	-	-	-
KKP-W6	1.67	0.01	3,193	1.67	TOA	21.60	-	6,367	21.63	CPALL01C2405A	0.23	-	42,060	0.24
KKP01C2405A	0.19	-	25,740	0.19	TPIPL	1.40	-	21,964	1.41	CPALL01P2404X	0.24	(0.02)	16,116	0.23
KKP11C2403A	-	-	-	-	UMI	1.05	-	5,610	1.05	CPALL01P2405X	0.14	(0.01)	24,622	0.14
KKP11C2406A	0.24	0.01	19,320	0.24	VNG	3.66	-	336	3.65	CPALL06C2402A	-	-	-	-
KKP11P2405A	0.29	(0.01)	15,310	0.28	WIK	1.57	0.06	48,086	1.57	CPALL06C2405A	0.13	(0.01)	27,417	0.14
KKP13C2403A	-	-	-	-	WINDOW	1.42	(0.03)	1,185,688	1.50	CPALL11C2403A	-	-	-	-
KKP13C2405A	0.14	-	19,887	0										

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC06C2402A	-	-	-	-	DTCENT	1.80	(0.03)	85,244	1.84	DELTA13C2403A	0.01	-	15	0.01
CRC11C2404A	0.06	0.01	2	0.05	FORTH	18.10	0.10	11,984	18.32	DELTA13C2403B	0.01	-	4,500	0.01
CRC13C2403A	-	-	-	-	FORTH01C2403/	-	-	-	-	DELTA13C2404A	0.20	0.01	87,552	0.21
CRC13C2405A	-	-	-	-	FORTH01C2404/	-	-	-	-	DELTA13C2405A	0.37	0.01	165,642	0.37
CRC13C2407A	0.19	0.02	81,729	0.18	FORTH01C2407	0.46	0.01	10,953	0.47	DELTA13P2403A	0.01	-	60	0.01
CRC13P2404A	0.14	(0.02)	30,586	0.15	FORTH13C2403/	-	-	-	-	DELTA13P2403B	0.02	(0.02)	400	0.02
CRC19C2404A	-	-	-	-	FORTH13C2403I	0.01	-	300	0.01	DELTA13P2404A	0.36	(0.03)	37,470	0.36
CRC19C2406A	0.24	0.02	22,014	0.24	FORTH13C2404/	0.05	0.01	2,539	0.05	DELTA13P2405A	0.37	(0.03)	104,450	0.37
CSS	1.15	(0.03)	205,785	1.18	FORTH13C2406/	0.33	-	23,893	0.35	DELTA19C2403A	-	-	-	-
DOHOME	11.20	-	12,328	11.27	FORTH19C2404/	-	-	-	-	DELTA19C2404A	0.12	-	7,042	0.13
DOHOME01C2404A	-	-	-	-	FORTH19C2407/	0.46	0.01	6,670	0.47	DELTA19C2406A	0.45	-	26,480	0.47
DOHOME01C2406A	0.18	-	5,794	0.19	GABLE	4.16	(0.02)	3,138	4.16	DELTA19P2404A	0.34	(0.02)	17,951	0.34
DOHOME11C2403T	-	-	-	-	HUMAN	11.90	(0.10)	35,790	11.94	DELTA41C2403A	0.08	-	100	0.08
DOHOME11C2406A	0.21	0.01	2,121	0.21	ICN	2.90	-	5,044	2.90	DELTA41C2404B	0.21	-	4,040	0.21
DOHOME13C2404A	0.06	(0.01)	700	0.06	ILINK	7.55	0.05	2,826	7.52	DELTA41C2405A	0.17	-	12,502	0.17
DOHOME13C2406A	0.26	-	4,162	0.27	INET	4.66	0.08	2,136	4.59	DELTA41C2406A	0.53	(0.01)	127,489	0.56
DOHOME19C2404A	0.12	-	1,146	0.12	INSET	2.70	-	35,726	2.71	DELTA41P2406A	-	-	-	-
DOHOME19C2406A	0.26	0.01	4,287	0.26	INTUCH	72.75	-	9,900	72.88	HANA	49.00	(1.25)	99,135	50.18
DOHOME41C2406A	0.16	0.01	6,000	0.16	INTUCH01C240:	-	-	-	-	HANA01C2403A	-	-	-	-
DOHOME41C2406B	0.22	-	8,000	0.23	INTUCH01C240I	0.26	-	7,477	0.26	HANA01C2403B	-	-	-	-
FN	1.54	0.01	609	1.54	INTUCH13C240:	0.13	-	10,843	0.13	HANA01C2404A	0.21	(0.04)	67,754	0.25
FTE	1.63	-	799	1.63	INTUCH19C240:	0.14	(0.01)	2,564	0.14	HANA01C2405A	0.19	(0.03)	32,102	0.23
GLOBAL	16.30	(0.10)	57,377	16.36	ITEL	2.46	(0.02)	114,141	2.49	HANA01C2406A	0.41	(0.04)	102,926	0.46
GLOBAL01C2404A	0.11	(0.01)	38,229	0.11	ITEL-W4	0.02	-	9,541	0.02	HANA01P2403X	-	-	-	-
GLOBAL01C2407A	0.34	(0.01)	23,438	0.35	JAS	2.12	(0.02)	145,313	2.13	HANA01P2404X	-	-	-	-
GLOBAL06C2403A	-	-	-	-	JASIF	6.20	0.05	44,157	6.20	HANA01P2405X	0.48	0.04	36,071	0.44
GLOBAL13C2403A	-	-	-	-	JMART	15.90	0.70	292,003	16.04	HANA06C2404A	0.32	(0.06)	73,352	0.37
GLOBAL13C2406A	0.19	(0.01)	26,305	0.20	JMART-W4	3.00	0.14	1,904	3.09	HANA06C2405A	0.20	(0.03)	112,433	0.24
GLOBAL19C2403A	-	-	-	-	JMART-W5	1.91	0.07	1,381	1.94	HANA11C2407A	0.37	(0.02)	46,158	0.40
GLOBAL19C2407A	0.35	(0.02)	95,234	0.36	JMART01C2403/	-	-	-	-	HANA13C2403A	-	-	-	-
GLOBAL41C2406A	0.20	(0.01)	104,616	0.21	JMART01C2404/	0.15	0.03	93,507	0.15	HANA13C2404A	0.08	(0.02)	41,081	0.10
HMPRO	10.90	(0.10)	108,787	10.97	JMART01C2405/	0.11	0.03	86,001	0.12	HANA13C2404B	0.22	(0.04)	134,138	0.27
HMPRO01C2404A	-	-	-	-	JMART01C2406/	0.41	0.06	181,480	0.41	HANA13P2403A	-	-	-	-
HMPRO01C2406A	-	-	-	-	JMART01P2404/	0.27	(0.06)	4,621	0.27	HANA13P2404A	-	-	-	-
HMPRO11C2407T	0.15	-	3,711	0.15	JMART06C2402/	-	-	-	-	HANA13P2406A	0.42	0.03	69,605	0.39
HMPRO13C2403A	-	-	-	-	JMART06C2405/	0.20	0.04	66,988	0.21	HANA19C2403A	-	-	-	-
HMPRO13C2405A	0.05	0.01	1	0.05	JMART13C2403/	-	-	-	-	HANA19C2404A	0.10	(0.02)	60,455	0.11
HMPRO13C2407A	0.17	-	14,113	0.17	JMART13C2404/	0.08	0.02	9,605	0.09	HANA19C2404B	0.25	(0.04)	117,078	0.30
HMPRO19C2404A	-	-	-	-	JMART13C2404E	0.23	0.04	221,931	0.24	HANA19C2407A	0.37	(0.04)	127,016	0.41
HMPRO41C2404A	-	-	-	-	JMART13P2404/	0.22	(0.07)	84,091	0.22	HANA19P2405A	0.42	0.03	40,242	0.38
HMPRO41C2406A	-	-	-	-	JMART19C2403/	-	-	-	-	HANA41C2403A	-	-	-	-
HMPRO41C2407A	0.15	(0.01)	15,620	0.16	JMART19C2404/	0.11	0.02	22,495	0.12	HANA41C2404A	0.09	(0.01)	3,000	0.10
ICC	45.25	(1.75)	15	46.52	JMART19C2406/	0.26	0.04	92,492	0.26	HANA41C2405A	0.43	(0.07)	6,600	0.53
ILM	22.00	(0.10)	565	22.10	JMART19C2406E	0.37	0.06	328,616	0.39	HANA41C2405B	0.29	(0.05)	91,929	0.34
IT	3.12	(0.02)	699	3.16	JMART19P2404/	0.23	(0.06)	106,620	0.22	HANA41C2406A	0.26	(0.04)	36,265	0.30
KAMART	14.50	(0.20)	52,199	14.72	JMART41C2403/	-	-	-	-	HANA41P2405A	-	-	-	-
LOXLEY	1.41	-	463	1.42	JMART41C2403E	-	-	-	-	HANA41P2406A	-	-	-	-
MC	14.10	-	26,561	13.99	JMART41C2404/	0.25	0.05	283,710	0.27	KCE	45.00	(0.50)	73,911	45.64
MEGA	41.50	-	3,961	41.49	JMART41C2404E	0.15	0.04	64,000	0.15	KCE01C2403A	0.02	(0.01)	1,001	0.01
MEGA01C2404A	0.21	(0.01)	23,275	0.21	JMART41C2405/	0.14	0.04	61,400	0.14	KCE01C2405A	-	-	-	-
MEGA13C2405A	0.20	(0.01)	3,400	0.21	JMART41P2405/	-	-	-	-	KCE01C2406A	0.25	(0.01)	51,651	0.27
MEGA19C2404A	0.15	-	2,604	0.15	JTS	89.75	2.75	61,953	90.34	KCE01P2403X	0.09	(0.01)	23,834	0.08
MIDA	0.53	0.02	12,241	0.53	MFEC	7.00	-	489	7.00	KCE01P2405X	0.70	0.01	9,572	0.66
MIDA-W3	0.01	-	115	0.01	MSC	8.60	0.10	381	8.47	KCE01P2406X	0.52	0.01	22,349	0.50
MOSHI	55.50	(0.50)	10,966	55.58	PT	8.90	0.05	2,960	8.84	KCE06C2402A	-	-	-	-
RS	13.70	0.10	12,076	13.64	SAMART	5.90	(0.05)	21,425	5.92	KCE06C2406A	0.17	(0.02)	63,872	0.19
RS-W4	0.04	0.01	3,253	0.04	SAMART-W3	0.04	(0.01)	17,182	0.04	KCE11C2405A	0.14	0.01	3,180	0.14
RS-W5	5.90	-	4,332	5.89	SAMTEL	2.68	-	3,647	2.68	KCE13C2404A	0.04	-	219	0.04
RSP	2.44	0.02	1,652	2.44	SAMTEL-W1	0.08	-	206	0.08	KCE13C2406A	0.17	(0.01)	34,706	0.19
SABUY	5.10	-	38,124	5.13	SDC	0.05	-	104,378	0.05	KCE13C2407A	0.31	(0.02)	160,330	0.33
SABUY-W1	2.88	(0.02)	84	2.89	SIS	22.40	0.20	3,432	22.59	KCE14C2404A	-	-	-	-
SABUY-W2	0.85	-	22,019	0.87	SKY	31.00	2.25	122,165	30.63	KCE14C2404E	0.47	(0.53)	18,790	0.45
SABUY01C2403A	0.09	(0.01)	37,885	0.10	SOVA	1.90	0.02	7,283	1.90	KCE19C2404A	0.04	(0.02)	310	0.04
SABUY01C2404A	0.08	0.01	100	0.08	SYMC	7.60	0.15	18,970	7.57	KCE19C2406A	0.18	0.01	13,522	0.18
SABUY06C2404A	-	-	-	-	SYNEX	10.90	0.20	6,841	10.92	KCE19C2406B	0.22	(0.01)	78,620	0.24
SABUY13C2403A	0.01	-	10	0.01	THCOM	12.70	0.10	101,798	12.77	KCE19P2404A	0.47	(0.12)	5,816	0.46
SABUY13C2404A	0.09	-	11,150	0.09	TKC	14.70	-	8,828	14.88	KCE41C2404A	-	-	-	-
SABUY13C2407A	0.12	-	25,602	0.12	TRUE	6.35	-	278,567	6.37	KCE41C2405A	0.08	0.01	100	0.08
SABUY13C2407B	0.21	-	33,594	0.22	TRUE01C2403A	0.24	-	9,200	0.24	KCE41C2406A	0.15	(0.01)	24,510	0.16
SABUY19C2403A	-	-	-	-	TRUE01C2404A	0.14	-	8,891	0.14	KCE41C2406B	0.24	(0.02)	138,004	0.27
SABUY19C2404A	0.09	(0.01)	300	0.09	TRUE01C2405A	0.28	(0.01)	33,640	0.28	METCO	229.00	-	22	229.09
SABUY19C2405A	0.27	(0.01)	17,314	0.27	TRUE01P2404X	0.03	-	540	0.03	SMT	3.36	-	6,283	3.39
SABUY19C2407A	0.24	-	26,600	0.25	TRUE01P2406X	0.24	-	55,284	0.24	SMT-W3	0.22	-	15,353	0.22
SCM	4.06</td													

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANPU13P2404A	-	-	-	-	EA41C2404A	0.10	-	12,000	0.11	PTG01C2403A	-	-	-	-
BANPU13P2405A	0.23	-	49,190	0.23	EA41C2405A	-	-	-	-	PTG01C2404A	0.17	0.01	20,572	0.17
BANPU19C2403A	-	-	-	-	EA41C2406A	0.22	-	32,600	0.23	PTG01C2407A	0.33	0.02	15,817	0.32
BANPU19C2404A	-	-	-	-	EA41P2405A	-	-	-	-	PTG01P2403X	-	-	-	-
BANPU19C2405A	-	-	-	-	EASTW	4.02	-	1,299	4.03	PTG06C2402A	-	-	-	-
BANPU19C2405B	0.07	-	115	0.07	EGATIF	6.00	-	1,670	6.02	PTG11C2405A	0.38	0.02	300	0.38
BANPU19C2407A	0.16	-	42,103	0.16	EGCO	129.50	(0.50)	4,503	130.16	PTG13C2403A	-	-	-	-
BANPU19P2404A	-	-	-	-	EGCO01C2404A	0.17	(0.01)	3,710	0.19	PTG13C2403B	0.11	0.01	22,076	0.11
BANPU19P2406A	0.30	(0.01)	4,422	0.31	EGCO13C2403A	-	-	-	-	PTG13C2407A	0.29	0.02	65,879	0.29
BANPU41C2403A	-	-	-	-	EGCO13C2405A	0.24	(0.01)	20,257	0.24	PTG19C2404A	0.19	0.01	28,701	0.19
BANPU41C2405A	-	-	-	-	EGCO19C2403A	-	-	-	-	PTG19C2407A	0.34	0.02	81,075	0.33
BANPU41C2406A	0.13	-	11,267	0.13	EP	2.78	(0.04)	1,219	2.78	PTT	35.00	0.25	275,006	34.96
BANPU41C2407A	0.15	-	35,429	0.15	EP-W4	0.15	(0.01)	500	0.15	PTT01C2403A	-	-	-	-
BBGI	4.06	0.02	2,113	4.06	ETC	2.68	0.08	40,201	2.70	PTT01C2405A	0.12	(0.01)	9,850	0.12
BCP	43.00	(0.25)	40,014	43.07	GPSC	52.25	-	53,010	52.31	PTT01P2403X	-	-	-	-
BCP01C2403A	-	-	-	-	GPSC01C2403A	0.11	-	27,329	0.11	PTT01P2405X	0.12	(0.01)	3,010	0.12
BCP01C2405A	0.27	(0.02)	8,574	0.27	GPSC01C2403B	0.71	-	1,650	0.71	PTT11C2404A	0.08	0.01	2,000	0.08
BCP01P2404X	0.18	-	14,863	0.18	GPSC01C2404A	-	-	-	-	PTT13C2403A	0.02	(0.01)	20,750	0.02
BCP13C2403A	-	-	-	-	GPSC01C2405A	0.27	(0.01)	27,469	0.28	PTT13C2406A	0.17	-	61,524	0.17
BCP13C2405A	0.24	(0.01)	16,954	0.24	GPSC01P2403X	-	-	-	-	PTT13P2405A	-	-	-	-
BCP13P2404A	-	-	-	-	GPSC01P2404X	-	-	-	-	PTT19C2404A	0.06	(0.02)	6,000	0.06
BCP19C2404A	0.19	(0.01)	11,910	0.19	GPSC01P2405X	0.18	(0.01)	3,728	0.18	PTT19C2406A	0.18	-	21,127	0.18
BCPG	8.25	0.05	42,123	8.32	GPSC06C2402A	-	-	-	-	PTT41C2407A	0.24	0.01	5,500	0.24
BCPG19C2406A	0.21	-	10,644	0.22	GPSC06C2403A	-	-	-	-	PTTPE	154.50	1.50	37,356	153.82
BGRIM	28.75	(0.25)	66,174	28.99	GPSC06C2404A	0.28	(0.01)	33,608	0.28	PTTPE01C2403A	-	-	-	-
BGRIM01C2403A	-	-	-	-	GPSC11C2403A	0.31	(0.02)	12,960	0.31	PTTPE01C2404A	0.14	0.01	13,950	0.14
BGRIM01C2403B	0.52	(0.06)	1,377	0.53	GPSC11P2405A	0.17	-	8,108	0.17	PTTPE01C2404T	-	-	-	-
BGRIM01C2404A	0.14	(0.01)	40,631	0.15	GPSC13C2403A	-	-	-	-	PTTPE01C2405A	0.45	0.03	56,705	0.43
BGRIM01C2406A	0.24	(0.02)	35,294	0.25	GPSC13C2403B	0.23	(0.02)	455	0.23	PTTPE01P2403X	-	-	-	-
BGRIM01P2404X	-	-	-	-	GPSC13C2406A	0.34	-	44,641	0.34	PTTPE01P2405X	0.14	(0.01)	10,067	0.14
BGRIM01P2406X	0.15	-	25,807	0.15	GPSC13P2403A	-	-	-	-	PTTPE01P2406X	0.55	(0.01)	14,556	0.55
BGRIM06C2402A	-	-	-	-	GPSC13P2404A	-	-	-	-	PTTPE06C2403A	-	-	-	-
BGRIM06C2402B	-	-	-	-	GPSC13P2407A	0.28	-	37,828	0.28	PTTPE06C2405A	0.45	0.01	79,218	0.43
BGRIM06C2403A	-	-	-	-	GPSC19C2403A	-	-	-	-	PTTPE11C2403T	-	-	-	-
BGRIM06C2404A	0.15	(0.02)	31,084	0.15	GPSC19C2405A	0.27	-	110,946	0.27	PTTPE11C2406A	0.44	0.01	18,708	0.42
BGRIM11C2403A	-	-	-	-	GPSC19P2404A	-	-	-	-	PTTPE11P2402A	-	-	-	-
BGRIM11C2405A	0.19	(0.01)	4,840	0.19	GPSC19P2406A	0.18	(0.01)	7	0.18	PTTPE11P2406A	0.42	-	11,070	0.42
BGRIM13C2403A	0.02	-	1,154	0.02	GPSC41C2404A	-	-	-	-	PTTPE13C2404A	0.13	-	2,040	0.13
BGRIM13C2403C	-	-	-	-	GPSC41C2405A	0.31	(0.01)	45,722	0.31	PTTPE13C2405A	0.36	0.02	43,340	0.35
BGRIM13C2404A	0.14	(0.02)	32,953	0.15	GPSC41P2406A	0.27	-	12,000	0.27	PTTPE13P2405A	-	-	-	-
BGRIM13C2407A	0.16	(0.01)	30,850	0.17	GREEN	1.27	-	24,976	1.28	PTTPE13P2406A	0.29	(0.01)	7,620	0.29
BGRIM13P2404A	-	-	-	-	GULF	43.75	0.25	80,066	43.83	PTTPE19C2403A	-	-	-	-
BGRIM13P2406A	0.14	-	8,862	0.14	GULF01C2403A	-	-	-	-	PTTPE19C2403B	-	-	-	-
BGRIM19C2403A	0.06	-	4,000	0.06	GULF01C2405A	0.12	0.01	2,390	0.11	PTTPE19C2404A	-	-	-	-
BGRIM19C2403B	-	-	-	-	GULF01C2406A	0.24	0.01	62,965	0.23	PTTPE19C2404B	0.18	0.01	5,270	0.17
BGRIM19C2404A	0.18	(0.02)	18,084	0.19	GULF01P2403X	-	-	-	-	PTTPE19C2406A	0.42	0.02	56,566	0.41
BGRIM19C2407A	0.22	(0.01)	9,000	0.23	GULF01P2405X	0.19	(0.02)	27,878	0.19	PTTPE41C2403A	-	-	-	-
BGRIM19P2406A	0.16	0.01	4,982	0.16	GULF06C2402A	-	-	-	-	PTTPE41C2404A	-	-	-	-
BGRIM41C2403A	-	-	-	-	GULF11C2407T	0.27	0.01	1,600	0.27	PTTPE41C2405A	0.34	0.02	51,800	0.33
BGRIM41C2403B	-	-	-	-	GULF13C2403A	-	-	-	-	PTTPE41C2405B	0.33	(0.01)	32,000	0.32
BGRIM41C2404A	-	-	-	-	GULF13C2405A	0.09	0.01	1,663	0.09	PTTPE41P2403A	-	-	-	-
BGRIM41C2404B	-	-	-	-	GULF13C2406A	0.20	-	12,758	0.20	PTTPE41P2405A	-	-	-	-
BGRIM41C2405A	0.24	-	4,250	0.24	GULF13P2405A	0.15	(0.01)	39,250	0.15	PTTPE41P2406A	-	-	-	-
BGRIM41C2405B	0.15	(0.01)	8,050	0.15	GULF19C2404A	-	-	-	-	QTC	4.32	0.02	830	4.30
BGRIM41C2407A	0.21	-	28,000	0.21	GULF19C2406A	0.19	-	112,784	0.19	RATCH	29.75	(0.25)	25,724	29.95
BIOTEC	0.46	-	27,688	0.46	GULF19P2404A	-	-	-	-	RATCH01C2403A	-	-	-	-
BIOTEC-P	-	-	-	-	GULF14C2403A	-	-	-	-	RATCH01C2405A	0.08	-	5,000	0.08
BIOTEC-Q	-	-	-	-	GULF14C2405A	-	-	-	-	RATCH11P2402A	-	-	-	-
BIOTEC-W2	0.14	-	3,673	0.13	GULF41C2405B	-	-	-	-	RATCH13C2405A	0.04	(0.02)	4	0.04
BPP	14.30	(0.10)	4,934	14.35	GULF41C2406A	0.21	-	65,980	0.21	RPC	0.64	(0.01)	4,922	0.65
BRRGIF	3.36	-	415	3.34	GULF41P2405A	0.30	(0.02)	30,000	0.31	SCG	3.56	(0.02)	118	3.51
BSRC	9.35	(0.10)	11,008	9.40	GUNKUL	3.12	0.04	209,343	3.11	SCI	1.01	0.24	413,183	0.95
BSRC01C2403A	-	-	-	-	GUNKUL01C2404	0.37	0.02	7,268	0.36	SCN	1.55	-	7,368	1.53
BSRC13C2403A	-	-	-	-	GUNKUL01P2404	0.33	0.01	11,884	0.33	SEAOIL	2.94	-	1,576	2.92
CKP	4.06	(0.10)	61,422	4.09	GUNKUL11C2404	-	-	-	-	SGP	8.00	-	492	7.98
CKP01C2407A	0.65	(0.07)	17,184	0.66	GUNKUL13C2404	-	-	-	-	SKE	0.47	-	4,886	0.46
CKP13C2407A	-	-	-	-	GUNKUL13C2405	0.29	0.01	29,033	0.29	SKE-W1	0.06	(0.01)	263	0.06
CV	0.64	-	1,542,871	0.65	GUNKUL13P2404	-	-	-	-	SOLAR	0.75	(0.01)	16,961	0.76
DEMCO	2.40	-	733	2.40	GUNKUL13P2405	0.35	(0.02)	25,421	0.36	SPCG	12.20	-	637	12.22
DEMCO-W7	0.21	-	628	0.20	GUNKUL19C2404	-	-	-	-	SPRC	8.25	-	113,120	8.25
EA	40.00	0.25	55,581	40.13	GUNKUL19C2404	0.14	0.01	11,636	0.14	SPRC01C2403A	-	-	-	-
EA01C2403A	-	-	-	-	GUNKUL19C2404	0.43	0.02	502	0.42	SPRC01C2405A	0.15	(0.02)	27,602	0.15
EA01C2405A	0.08	0.01	55	0.07	IRPC	1.97	0.01	170,641	1.98	SPRC06C2402A	-	-	-	-
EA01C2406A	0.13	-	13,515	0.14	IRPC01C2406A	-	-	-	-	SPRC06C2405A	0.20	(0.03)	31,062	0.21
EA01C2406B	0.24	0.01	28,919	0.24	IRPC11C2402T	-	-	-	-	SPRC11C2406A	0.24	(0.02)	10,880	0.24
EA01P2403X	-	-	-	-	IRPC13C2405A	-	-	-	-	SPRC13C2403A	0.02	(0.02)	222</td	

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP13P2404A	-	-	-	-	HENG	1.89	0.04	36,657	1.89	SAWAD41C2403A	-	-	-	-
TOP19C2403A	0.12	-	5,292	0.12	IFS	2.76	(0.02)	146	2.76	SAWAD41C2405A	0.14	0.01	28,000	0.14
TOP19C2405A	0.22	(0.01)	43,480	0.23	JMT	24.90	2.20	905,477	24.58	SAWAD41C2405B	-	-	-	-
TOP41C2404A	-	-	-	-	JMT-W4	2.02	0.10	102,649	2.19	SAWAD41C2406A	0.31	0.02	7,000	0.31
TOP41C2405A	0.25	-	30,000	0.25	JMT01C2403A	-	-	-	-	SAWAD41C2406B	0.28	0.01	38,000	0.28
TPIPP	3.40	(0.02)	9,280	3.41	JMT01C2404A	0.06	0.02	6,659	0.06	SCAP	3.30	-	1,558	3.30
TSE	2.04	0.02	4,098	2.02	JMT01C2405A	0.13	0.04	156,413	0.13	SGC	1.43	0.04	181,785	1.44
TTW	9.95	0.10	37,282	9.88	JMT01C2406A	0.72	0.20	187,120	0.68	SM	1.31	(0.01)	3,599	1.32
UBE	0.92	(0.01)	83,879	0.94	JMT01P2403A	0.12	(0.13)	82,152	0.14	TH	1.19	0.01	87,215	1.20
WAHUP	3.98	(0.04)	13,556	4.00	JMT01P2404X	0.22	(0.09)	8,338	0.24	TH-W3	0.49	0.02	6,312	0.49
WP	3.80	0.02	71	3.78	JMT06C2402A	-	-	-	-	THANI	2.52	-	14,446	2.54
Media & Publishing	-	-	-	-	JMT06C2403A	0.01	-	250	0.01	THANI13C2403A	0.01	(0.01)	11	0.01
AMARIN	4.18	(0.02)	144	4.18	JMT06C2404A	-	-	-	-	THANI13C2407A	0.15	-	2,026	0.15
AQUA	0.35	-	16,634	0.35	JMT06C2406A	0.76	0.21	89,629	0.72	THANI19C2403A	0.01	(0.01)	50	0.01
AQUA-W3	0.01	-	1	0.01	JMT11C2402T	-	-	-	-	THANI19C2407A	0.18	-	2,380	0.18
AS	7.60	(0.10)	3,280	7.62	JMT11C2405A	0.12	0.04	42,005	0.12	TIDLOR	23.00	-	58,697	23.02
BEC	4.68	-	8,609	4.70	JMT11C2407A	0.88	0.23	51,651	0.82	TIDLOR01C2403A	0.06	(0.01)	3,002	0.07
FE	-	-	-	-	JMT13C2403A	0.01	-	1	0.01	TIDLOR01C2405A	0.30	(0.01)	43,315	0.30
GPI	1.81	0.04	3,138	1.79	JMT13C2403B	-	-	-	-	TIDLOR01P2404X	0.28	-	26,596	0.28
GRAMMY	6.05	(0.05)	144	6.10	JMT13C2404A	0.03	0.01	2,550	0.03	TIDLOR06C2403A	0.25	(0.01)	43,644	0.25
JKN	1.02	(0.02)	117,941	1.02	JMT13C2404B	0.22	0.10	174,279	0.20	TIDLOR11C2403A	0.30	(0.01)	18,020	0.30
MAJOR	14.00	(0.20)	31,376	13.93	JMT13C2405A	0.10	0.02	98,093	0.10	TIDLOR11P2404A	0.32	(0.03)	5,240	0.32
MATCH	1.47	0.02	499	1.46	JMT13C2406A	0.63	0.19	520,738	0.59	TIDLOR13C2403A	0.05	(0.01)	2,553	0.05
MATI	7.95	0.20	12	7.68	JMT13P2403A	0.06	(0.09)	205,936	0.08	TIDLOR13C2406A	0.38	(0.01)	49,878	0.38
MCOT	3.04	-	8	3.03	JMT13P2406A	0.50	(0.15)	494,732	0.51	TIDLOR13P2404A	0.06	(0.01)	30	0.06
MONO	0.89	-	147,552	0.88	JMT19C2403A	-	-	-	-	TIDLOR16C2402A	-	-	-	-
NATION	0.04	-	11,965	0.04	JMT19C2403B	-	-	-	-	TIDLOR19C2403A	0.09	-	18,900	0.09
NATION-W4	-	-	-	-	JMT19C2404A	0.03	0.01	1,631	0.03	TIDLOR19C2404A	0.13	-	14,256	0.13
ONEE	4.40	-	58,324	4.39	JMT19C2404B	0.23	0.09	229,974	0.22	TIDLOR19C2406A	0.39	0.01	13,126	0.38
PLANB	9.00	(0.05)	40,545	9.03	JMT19C2404C	0.10	0.04	40,792	0.09	TIDLOR41C2403A	0.18	-	3,040	0.18
PLANB-W1	1.77	-	632	1.81	JMT19C2406A	0.71	0.19	380,492	0.69	TIDLOR41C2406A	0.45	0.03	52,000	0.45
PLANB11C2403A	0.15	(0.01)	13,519	0.15	JMT19P2403A	0.77	(0.69)	3,394	0.82	TK	5.50	(0.05)	537	5.47
PLANB11P2402A	-	-	-	-	JMT19P2403B	0.12	(0.13)	224,759	0.13	TNTY	6.00	0.10	14,939	5.87
PLANB13C2403A	0.06	-	500	0.06	JMT41C2403A	0.01	(0.12)	12	0.02	UOBKH	4.76	(0.04)	74	4.78
PLANB19C2403A	-	-	-	-	JMT41C2403B	-	-	-	-	XPG	1.19	-	808,774	1.20
POST	-	-	-	-	JMT41C2404A	0.06	-	29	0.06	XPG-W4	2.30	0.02	5,955	2.35
PRAKIT	11.20	-	260	11.17	JMT41C2405A	0.12	0.03	107,500	0.12	Food & Beverage	-	-	-	-
PTECH	-	-	-	-	JMT41C2406A	0.44	0.14	199,978	0.42	APURE	4.56	0.04	78	4.54
ROCTEC	0.58	0.03	35,606	0.57	JMT41C2406B	0.74	0.23	295,140	0.68	APURE-W3	0.66	0.01	61	0.65
ROCTEC-W3	0.05	-	12,157	0.04	KCAR	7.85	-	384	7.85	ASIAN	7.10	0.10	37,877	7.14
SE-ED	2.26	-	10	2.26	KGI	4.72	-	6,120	4.73	BTG	2.62	(0.02)	2,480	2.60
TKS	6.75	-	1,328	6.77	KTC	43.75	-	8,995	43.88	BTG01C2403A	-	-	-	-
VGI	1.75	0.07	1,089,862	1.73	KTC01C2405A	0.11	-	11,390	0.11	BTG01C2404A	0.39	0.01	13,126	0.38
VGI-W3	0.08	-	28,506	0.09	KTC01C2407A	0.28	-	7,326	0.28	BR-W1	0.15	(0.01)	987	0.16
VGI01C2403A	-	-	-	-	KTC01P2406X	0.40	-	2,392	0.40	BRR	4.38	0.02	1,371	4.36
VGI01C2403B	-	-	-	-	KTC11C2405A	0.13	-	1,000	0.13	BRR-W2	0.52	(0.01)	919	0.53
VGI01C2404A	0.07	0.01	18,930	0.07	KTC11P2405A	0.41	(0.01)	3,180	0.41	BTG	21.60	0.10	7,738	21.69
VGI01C2405A	0.03	-	4	0.03	KTC13C2405A	0.10	-	2,092	0.10	BTG01C2403W	-	-	-	-
VGI01C2406A	0.25	0.04	134,947	0.24	KTC13C2407A	0.26	-	7,356	0.26	BTG06C2402A	-	-	-	-
VGI01P2405X	0.50	(0.06)	46,598	0.52	KTC13P2407A	0.32	(0.01)	3,220	0.32	BTG13C2403A	-	-	-	-
VGI06C2403A	-	-	-	-	KTC19C2405A	0.14	(0.01)	20,737	0.14	CBG	72.50	1.75	52,009	72.08
VGI06C2405A	-	-	-	-	KTC19C2407A	0.26	(0.74)	5,475	0.26	CBG01C2403A	-	-	-	-
VGI13C2403A	-	-	-	-	KTC41C2403A	-	-	-	-	CBG01C2403W	-	-	-	-
VGI13C2403B	-	-	-	-	KTC41C2405A	0.15	(0.01)	16,000	0.15	CBG01C2404A	0.08	0.02	536	0.08
VGI13C2403C	-	-	-	-	MFC	20.40	0.10	218	20.31	CBG01C2404T	0.17	-	46,374	0.16
VGI13C2405A	0.04	0.02	8,004	0.03	MICRO	2.20	-	1,884	2.21	CBG01C2406A	0.31	0.04	65,071	0.29
VGI13C2406A	0.24	0.04	84,227	0.23	ML	0.73	-	272	0.73	CBG01P2404X	0.30	(0.06)	37,212	0.33
VGI13C2407A	0.37	0.05	99,892	0.34	ML-W3	-	-	-	-	CBG01P2405X	0.78	(0.09)	23,367	0.83
VGI13P2405A	0.36	(0.04)	55,059	0.37	MST	10.90	0.20	2	10.90	CBG06C2402A	-	-	-	-
VGI19C2403A	-	-	-	-	MTC	44.75	-	46,151	44.81	CBG06C2405A	0.21	0.03	60,988	0.19
VGI19C2405A	0.14	0.03	26,632	0.13	MTC01C2403A	0.31	-	10,150	0.31	CBG11C2404A	0.38	0.05	42,520	0.36
VGI19C2405B	0.04	0.01	1,010	0.04	MTC01C2404A	0.15	-	7,259	0.16	CBG11P2404A	0.34	(0.06)	16,780	0.36
VGI19C2407A	0.33	0.05	154,312	0.32	MTC01C2406A	0.36	-	49,826	0.36	CBG13C2403A	-	-	-	-
VGI41C2405A	-	-	-	-	MTC01P2404X	0.14	(0.01)	3,476	0.14	CBG13C2403B	0.08	0.01	5,483	0.08
WORK	10.50	0.10	974	10.33	MTC01P2406X	0.49	(0.02)	6,731	0.49	CBG13C2406A	0.30	0.05	98,633	0.28
ZAA	1.48	0.05	76,640	1.49	MTC06C2404A	0.16	-	37,428	0.16	CBG13P2404A	0.21	(0.05)	44,055	0.22
Finance & Securities	-	-	-	-	MTC11C2403A	-	-	-	-	CBG19C2403A	0.01	(0.01)	100	0.01
AEONTS	152.00	(1.50)	1,070	152.98	MTC11C2406A	0.29	-	2,120	0.29	CBG19C2403B	-	-	-	-
AMANAH	2.22	0.04	7,456	2.22	MTC13C2403A	0.18	(0.01)	9,242	0.18	CBG19C2405A	0.13	0.03	37,671	0.12
ASAP	3.36	(0.02)	35,190	3.39	MTC13C2404A	0.13	(0.01)	20,374	0.14	CBG19C2406A	0.30	0.04	107,787	0.29
ASK	19.40	(0.10)	10,484	19.44	MTC13C2406A	0.34	(0.01)	24,299	0.34	CBG19P2404A	0.31	(0.07)	66,670	0.34
ASP	2.84	0.02	3,236	2.82	MTC13P2404A	-	-	-	-	CBG41C2403A	-	-	-	-
BAM	8.40	(0.05)	94,667	8.44	MTC13P2406A	0.28	(0.01)	4,008	0.28	CBG41C2403B	0.16	0.03	12,000	0.15
BAM01C2404A	0.02	-	1	0.02	MTC19C2403A	-	-	-	-	CBG41C2404A	0.14	0.03	19,000	

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
JDF	2.20	0.02	433	2.18	BDMS41C2404A	0.11	-	3,000	0.11	MINT13P2407A	0.24	(0.03)	16,694	0.25
KBS	5.70	-	1,403	5.70	BDMS41C2405A	0.19	(0.01)	2,020	0.18	MINT19C2403A	-	-	-	-
KCG	8.45	0.05	5,347	8.46	BH	246.00	3.00	5,621	244.87	MINT19C2404A	0.15	0.03	9,626	0.13
KSL	2.62	0.04	9,569	2.61	BH-P	-	-	-	-	MINT19C2406A	0.18	0.02	13,394	0.17
KTIS	3.76	(0.06)	266	3.81	BH-Q	-	-	-	-	MINT41C2403A	-	-	-	-
LST	5.40	0.05	699	5.37	BH01C2404A	0.25	0.02	12,602	0.24	MINT41C2404A	0.12	-	4,000	0.11
M	37.25	-	2,214	37.17	BH01C2405A	0.48	0.03	1,433	0.45	MINT41C2405A	0.28	0.04	3,540	0.25
MALEE	9.20	(0.10)	13,495	9.20	BH01P2405X	-	-	-	-	MINT41C2406A	0.22	0.04	16,358	0.19
NRF	5.05	(0.05)	9,345	5.09	BH01P2406X	0.33	(0.02)	9,467	0.34	OHTL	-	-	-	-
NSL	20.10	(0.10)	6,616	20.12	BH06C2404A	0.32	0.01	13,527	0.31	ROH	2.60	0.02	8	2.61
OSP	20.90	0.40	132,770	20.60	BH11C2404A	-	-	-	-	SHANG	49.50	(0.25)	25	49.37
OSP01C2403A	-	-	-	-	BH11C2406A	0.42	(0.01)	2,650	0.42	SHR	2.36	0.02	35,301	2.36
OSP01C2404A	0.04	(0.02)	400	0.04	BH13C2404A	-	-	-	-	VRANDA	5.05	0.05	388	5.03
OSP01C2406A	0.23	0.03	42,703	0.21	BH13C2404B	0.14	0.01	10,222	0.13	Home & Office Prod.	-	-	-	-
OSP13C2403A	-	-	-	-	BH13C2405A	0.35	0.03	16,531	0.34	AJA	0.26	(0.01)	214,256	0.27
OSP13C2403B	-	-	-	-	BH13P2406A	0.20	(0.02)	4,354	0.21	AJA-W3	0.09	-	56,206	0.09
OSP13C2405A	0.16	-	20,870	0.14	BH19C2404A	-	-	-	-	AJA-W4	0.10	-	100,290	0.10
OSP19C2404A	-	-	-	-	BH19C2404B	0.16	-	7,920	0.15	DTCI	-	-	-	-
PB	69.00	0.25	14	69.00	BH19C2404C	0.26	0.02	9,490	0.25	FANCY	0.46	0.02	119,131	0.49
PLUS	6.45	0.05	2,826	6.49	BH41C2403A	0.03	(0.02)	4	0.03	FTI	2.14	-	5,469	2.12
PM	7.50	-	1,805	7.51	BH41C2404A	0.14	0.01	18,000	0.13	KYE	320.00	(1.00)	7	320.29
POMPU1	0.43	(0.03)	304,365	0.43	BH41C2405A	-	-	-	-	L&E	1.19	(0.03)	496	1.20
PQS	2.86	-	1,510	2.85	BH41P2405A	-	-	-	-	MODERN	2.34	(0.02)	1,129	2.35
PRG	10.60	(0.10)	65	10.67	BH41P2406A	0.21	(0.01)	8,000	0.22	OGC	24.20	(0.20)	1	24.20
PRG-W1	-	-	-	-	CHG	2.98	(0.02)	170,284	2.98	ROCK	-	-	-	-
PRG-W2	-	-	-	-	CHG01C2404A	-	-	-	-	SBNEXT	1.04	0.02	15,937	1.04
PRG-W3	6.05	(0.85)	1	6.05	CHG01C2405A	0.18	(0.01)	9,846	0.18	SBNEXT-W2	0.16	-	15,392	0.16
RBF	12.60	(0.10)	44,203	12.59	CHG11C2404A	-	-	-	-	SIAM	1.30	(0.03)	3,699	1.32
RBF01C2405A	-	-	-	-	CHG13C2403A	-	-	-	-	TCMC	1.43	0.01	3,484	1.44
RBF01C2406A	0.19	-	25,757	0.19	CHG13C2404A	0.11	(0.01)	8,085	0.11	Insurance	-	-	-	-
RBF01P2405X	-	-	-	-	CHG13C2406A	0.11	-	6,562	0.11	AYUD	33.50	(0.25)	39	33.54
RBF13C2405A	-	-	-	-	CHG13P2406A	0.32	(0.01)	6,672	0.32	BKI	312.00	2.00	57	311.23
RBF13C2406A	0.17	-	40,404	0.17	CHG19C2403A	0.01	(0.03)	58	0.01	BLA	19.30	(0.20)	3,121	19.44
RBF13P2405A	0.29	-	55,344	0.29	CHG19C2404A	0.09	-	4,653	0.09	BLA01C2403A	-	-	-	-
RBF19C2405A	-	-	-	-	CMR	2.08	-	311	2.10	BLA01C2404A	-	-	-	-
RBF19P2406A	0.30	-	24,018	0.31	EKH	7.45	-	3,804	7.50	BLA01P2404X	0.48	0.01	2,573	0.47
SAPPE	88.00	0.25	2,750	88.15	EKH-W1	1.37	-	151	1.38	BLA13C2403A	-	-	-	-
SAPP01C2405A	0.43	0.01	4,132	0.43	KDH	93.25	0.25	21	93.73	BLA13C2404A	0.06	(0.01)	10	0.06
SAPP13C2406A	0.35	(0.01)	26,574	0.36	LPH	4.94	-	344	4.91	BLA19C2403A	-	-	-	-
SAUCE	39.75	0.50	30	39.46	M-CHAI	64.00	2.00	160	63.76	BUI	19.80	(0.10)	7	19.54
SNNP	19.60	0.40	26,391	19.50	NEW	-	-	-	-	CHARAN	23.40	(0.50)	21	23.50
SNNP01C2403A	-	-	-	-	NTV	37.25	(0.25)	859	37.27	INSURE	-	-	-	-
SNNP01C2403B	0.16	0.02	40,840	0.15	PHG	13.10	-	555	13.18	KWI	0.69	0.02	4,703	0.68
SNNP01C2407A	0.35	0.02	28,414	0.35	PR9	17.80	-	8,868	17.73	MTI	110.50	(1.50)	35	110.83
SNNP13C2403A	-	-	-	-	PRINC	4.48	-	2,438	4.49	NKI	27.25	-	318	27.05
SNNP13C2403B	-	-	-	-	RAM	31.50	(0.75)	696	31.58	SMK	-	-	-	-
SNNP13C2406A	0.36	0.03	37,666	0.35	RJH	26.25	0.25	324	26.17	TGH	-	-	-	-
SNNP19C2403A	-	-	-	-	RPH	6.50	-	1,100	6.47	THRE	0.87	0.01	26,396	0.86
SNNP19C2407A	0.36	0.03	21,413	0.34	SAFE	20.00	0.40	6,800	19.86	THREL	2.10	(0.02)	19,104	2.12
SNP	15.80	-	599	15.80	SKR	10.20	0.10	684	10.17	TIPH	30.25	-	3,964	30.04
SORKON	4.18	-	1,200	4.17	THG	47.25	(0.25)	1,280	47.57	TIPH13C2404A	-	-	-	-
SSC	33.25	(0.25)	3	33.75	VIBHA	1.80	(0.01)	12,754	1.81	TIPH13C2407A	0.19	-	1,760	0.19
SSF	-	-	-	-	VIBHA-W4	0.07	(0.01)	87,593	0.07	TIPH19C2404A	0.05	-	1	0.05
SST	5.10	(0.05)	2	5.13	VIH	7.90	-	167	7.89	TIPH19C2407A	0.24	(0.01)	9,224	0.24
SUN	5.30	(0.10)	7,446	5.33	WPH	6.65	(0.05)	7,118	6.67	TLI	8.65	0.10	115,453	8.64
TC	6.20	(0.05)	3,841	6.18	Tourism & Leisu	-	-	-	-	TLI01C2404A	-	-	-	-
TFG	3.64	0.02	6,773	3.63	ASIA	6.65	(0.10)	52	6.69	TLI01C2406A	-	-	-	-
TFG-W3	0.03	-	3,732	0.02	BEYOND	13.20	-	121	13.01	TLI01C2406B	0.15	0.01	40,298	0.14
TFMAMA	229.00	(1.00)	15	229.40	BEYOND-W2	3.12	(0.04)	11	3.07	TLI01P2403X	0.62	(0.06)	3,252	0.63
TIPCO	9.45	(0.10)	1,985	9.50	CENTEL	42.50	-	12,698	42.69	TLI06C2402A	-	-	-	-
TKN	10.70	(0.10)	26,733	10.73	CENTEL01C2403	-	-	-	-	TLI13C2403A	0.02	-	1	0.02
TKN01C2405A	0.49	(0.03)	1,500	0.51	CENTEL01C2405	0.18	-	7,212	0.18	TLI13C2404A	-	-	-	-
TKN01C2405B	0.19	(0.01)	21,233	0.20	CENTEL01P2404	0.19	(0.01)	704	0.19	TLI13C2405A	0.08	0.01	110	0.08
TKN01P2405X	0.15	(0.01)	34,263	0.15	CENTEL11C2402	-	-	-	-	TLI13C2407A	0.29	0.01	24,426	0.29
TKN13C2405A	-	-	-	-	CENTEL13C2403	-	-	-	-	TLI19C2404A	-	-	-	-
TKN13C2406A	0.21	(0.01)	5,052	0.21	CENTEL13C2405	0.15	-	9,024	0.15	TLI41C2404A	-	-	-	-
TKN13P2406A	0.18	-	8,488	0.17	CENTEL13P2404	-	-	-	-	TLI41C2404B	-	-	-	-
TKN19C2406A	0.19	(0.01)	10,900	0.20	CENTEL19C2402	-	-	-	-	TLI41C2405A	0.12	0.01	2,840	0.12
TU	15.70	-	84,970	15.71	CENTEL19C2405	0.14	(0.01)	500	0.14	TLI41C2405B	-	-	-	-
TU01C2404A	0.27	-	9,439	0.27	CENTEL41C2403	-	-	-	-	TLI41C2406A	0.28	0.03	78,080	0.27
TU01P2407X	0.29	-	4,170	0.29	CENTEL41C2405	0.14	-	6,600	0.14	TQM	27.75	0.25	2,578	27.79
TU11C2402T	-	-	-	-	CENTEL41C2406	0.23	-	27,042	0.23	TQM13C2403A	-	-	-	-
TU11C2407T	0.28	-	11,220	0.28	CSR	69.00	-	5	69.00	TQM13C2407A	0.19	-	8,838	0.19
TU13C2404A	0.21	(0.01)	16,579	0.21	DUSIT	9.05	0.45	6,937	8.92	TQM19C2404A	-	-	-	-
TU13P2406A	0.23	-	2,890	0.23	ERW	4.70	(0.14)	330,868	4.75	TQM19C2407A	0.21	-	12,864	0.21
TU19C2403A	0.11	-	6,453	0.11	ERW-W3	1.76	(0.07)	382	1.79	TSI	0.18	-	204	0.17
TU41C2403A	0.11	(0.01)	532	0.11	ERW01C2405A	0.06	(0.02)	1,000	0.06	TVH	8.30	-	105	8.25
TU41C2407A	0.25	-	12,000	0.25	ERW06C2402A	-	-	-	-	Packaging	-	-	-	-

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCGP19C2406A	0.15	-	15,362	0.15	CPN11C2404A	0.19	0.01	14,780	0.19	BTNC	21.50	(0.30)	9	21.23
SCGP41C2403A	-	-	-	-	CPN13C2403A	-	-	-	-	CPH	13.70	-	160	13.76
SCGP41C2404A	0.01	(0.01)	660	0.01	CPN13C2405A	0.11	(0.01)	32,390	0.12	CPL	1.41	(0.02)	978	1.41
SCGP41C2405A	-	-	-	-	CPN13C2407A	0.35	-	32,663	0.35	NC	3.70	(0.26)	10,140	3.73
SCGP41C2406A	0.15	-	14,211	0.15	CPN19C2403A	-	-	-	-	PAF	1.51	(0.01)	3,032	1.52
SFLEX	3.46	0.06	28,441	3.42	CPN19C2407A	0.29	-	60,089	0.30	PDJ	1.89	(0.01)	177	1.90
SFLEX-W2	0.19	-	511	0.19	CPN41C2404A	0.11	-	36,000	0.11	PG	9.10	-	6	9.11
SITTHAI	1.17	(0.01)	4,190	1.18	CPN41C2405A	0.11	(0.01)	2,000	0.11	SABINA	28.00	0.25	1,602	27.93
SLP	0.46	0.06	84,113	0.47	CPN41C2406A	-	-	-	-	SAWANG	-	-	-	-
SMPC	9.30	-	906	9.30	ESTAR	0.25	(0.01)	11,043	0.25	SUC	31.75	-	108	31.78
SPACK	2.14	-	3,220	2.14	EVER	0.17	0.01	1,693	0.17	TNL	35.50	-	3	35.33
TCOAT	-	-	-	-	FPT	15.30	0.20	10,570	15.18	TR	41.50	0.75	3	41.25
TFI	0.10	0.01	6,465	0.09	GLAND	1.64	(0.01)	394	1.64	TTI	25.00	(0.25)	7	24.91
TFI-W1	-	-	-	-	J	2.08	0.09	63,382	2.16	TTT	46.00	(0.25)	3	46.17
THIP	28.75	0.25	107	28.71	J-W2	0.22	0.09	31,536	0.25	UPF	-	-	-	-
TMD	24.50	(0.10)	27	24.42	J-W3	0.47	0.11	600	0.44	WACOAL	-	-	-	-
TOPP	-	-	-	-	JCK	0.26	(0.01)	80,939	0.26	WFX	2.04	(0.02)	883	2.04
TPAC	18.20	0.50	1,063	18.03	KC	0.10	-	22,124	0.10	Transportation & Loc	-	-	-	-
TPBI	3.38	-	608	3.36	LALIN	7.95	-	1,167	7.98	AAV	2.34	-	331,515	2.33
TPP	-	-	-	-	LH	7.65	0.05	121,567	7.61	AAV01C2403A	-	-	-	-
Personal Products	-	-	-	-	LH19C2406A	0.15	-	20,000	0.15	AAV01C2405A	0.24	-	17,723	0.23
APCO	5.30	-	639	5.29	LPN	3.84	0.02	580	3.83	AAV11C2406A	0.26	-	10,682	0.25
BIZ	3.30	(0.04)	669	3.31	MBK	16.30	-	4,154	16.39	AAV13C2403A	-	-	-	-
BLC	4.82	(0.12)	54,529	4.86	MBK-W2	14.80	0.10	77	14.80	AAV13C2403B	-	-	-	-
DDD	9.80	(0.30)	171	9.97	MBK-W3	14.30	(0.10)	78	14.30	AAV13C2404A	-	-	-	-
JCT	-	-	-	-	MBK-W4	13.80	0.10	77	13.80	AAV13C2404B	0.16	-	37,449	0.16
KISS	5.00	(0.10)	4,347	5.04	MBK19C2403A	-	-	-	-	AAV19C2403A	-	-	-	-
NAM	6.05	0.05	4,060	6.08	MJD	1.27	-	890	1.27	AAV19C2405A	0.36	0.04	10	0.36
NV	1.72	(0.03)	12,901	1.74	MK	2.20	(0.02)	741	2.20	ANI	5.60	0.30	47,557	5.55
OCC	-	-	-	-	NCH	1.07	(0.01)	3,540	1.07	AOT	63.25	(2.00)	325,853	63.52
S&J	53.00	0.50	4	53.00	NNCL	1.96	(0.01)	439	1.96	AOT01C2403A	-	-	-	-
STGT	6.95	-	29,876	7.01	NOBLE	3.82	0.06	6,988	3.82	AOT01C2404A	0.06	(0.03)	584	0.06
STGT01C2403W	-	-	-	-	NUSA	0.42	(0.02)	295,845	0.43	AOT01C2405A	0.32	(0.07)	49,521	0.33
STGT01C2407A	0.28	(0.01)	15,688	0.29	NUSA-W5	0.09	0.01	432,802	0.08	AOT01P2404X	0.19	0.03	18,289	0.19
STGT13C2403A	-	-	-	-	NVD	1.92	-	173	1.90	AOT01P2405X	0.14	0.01	26,026	0.14
STGT13C2407A	0.26	(0.01)	20,447	0.27	NVD-W3	-	-	-	-	AOT06C2402A	-	-	-	-
STGT19C2404A	0.25	-	45,701	0.26	ORI	8.45	-	19,555	8.45	AOT06C2404A	0.14	(0.05)	7,628	0.14
STHAI	-	-	-	-	ORI19C2404A	-	-	-	-	AOT11C2403A	-	-	-	-
TNR	9.50	0.05	65	9.49	ORN	1.38	(0.03)	675,091	1.40	AOT11C2407A	0.28	(0.06)	13,364	0.29
TOG	12.20	0.20	617	12.15	PACE	-	-	-	-	AOT13C2403A	-	-	-	-
Professional Service	-	-	-	-	PEACE	3.18	0.02	128	3.17	AOT13C2404A	0.04	(0.02)	12,054	0.04
BWG	0.58	(0.02)	351,922	0.59	PF	0.29	-	42,994	0.29	AOT13C2404B	0.11	(0.03)	2,348	0.11
GENCO	0.54	-	1,811	0.53	PIN	4.94	(0.06)	30,330	4.97	AOT13C2405A	0.23	(0.08)	83,331	0.24
PRO	-	-	-	-	PLAT	3.08	0.10	28,909	3.05	AOT13P2404A	0.11	0.03	8,399	0.11
PRTR	4.86	0.10	5,182	4.83	POLAR	-	-	-	-	AOT13P2404B	-	-	-	-
SISB	38.25	(0.25)	5,264	38.33	PRECHA	1.11	(0.01)	8,065	1.12	AOT19C2403A	-	-	-	-
SISB13C2405A	0.20	(0.02)	15,894	0.21	PRIN	2.94	(0.02)	5	2.94	AOT19C2404A	0.02	(0.03)	100	0.02
SO	7.50	(0.10)	1,221	7.31	PSH	12.20	-	5,390	12.23	AOT19C2404B	-	-	-	-
WAVE	0.17	0.01	21,028	0.16	QH	2.20	-	88,133	2.20	AOT19C2404C	0.16	(0.08)	13,036	0.17
WAVE-W3	0.07	-	9,839	0.07	RABBIT	0.47	-	103,112	0.47	AOT19C2406A	0.21	(0.08)	27,517	0.22
Property Developme	-	-	-	-	RABBIT-P	0.47	(0.01)	33,161	0.47	AOT19C2406B	0.39	(0.11)	23,151	0.41
A	4.92	0.02	10	4.91	RABBIT-Q	-	-	-	-	AOT19P2404A	-	-	-	-
AKS	0.01	-	937,586	0.01	RICHY	0.68	-	25,001	0.69	AOT19P2407A	0.41	(0.59)	2,906	0.40
AKS-W5	0.01	-	4	0.01	RML	0.54	(0.03)	83,325	0.55	AOT41C2403A	-	-	-	-
AMATA	22.30	-	27,214	22.40	ROJNA	6.05	0.05	5,513	5.99	AOT41C2404A	-	-	-	-
AMATA01C2404A	-	-	-	-	S	0.83	-	23,745	0.84	AOT41C2405A	0.18	(0.06)	32,001	0.19
AMATA01C2404B	0.44	-	21,368	0.45	SA-W1	0.08	-	1	0.08	AOT41C2405B	0.23	(0.07)	8,500	0.23
AMATA01C2407A	0.42	-	29,420	0.42	SAMCO	1.19	0.01	1,493	1.19	AOT41C2406A	0.40	(0.08)	346	0.40
AMATA13C2403A	-	-	-	-	SC	3.40	0.10	121,347	3.39	AOT41P2405A	0.30	0.04	652	0.31
AMATA13C2404A	-	-	-	-	SENA	2.44	(0.02)	1,646	2.43	ASIMAR	1.66	(0.05)	29,016	1.70
AMATA13C2405A	0.04	(0.01)	1,100	0.04	SENA-W1	0.01	-	35	0.01	B	0.12	0.01	70,490	0.12
AMATA13C2406A	0.29	-	72,500	0.29	SIRI	1.78	-	228,520	1.78	B-W7	0.01	-	1	0.01
AMATA19C2404A	-	-	-	-	SIRI01C2403A	-	-	-	-	BA	0.01	-	9,701	0.01
AMATA19C2405A	-	-	-	-	SIRI01C2406A	0.22	(0.01)	4,916	0.22	BEM	7.45	0.05	186,134	7.45
AMATA19C2407A	0.40	(0.01)	108,158	0.41	SIRI13C2403A	0.02	(0.02)	34	0.02	BEM01C2403A	-	-	-	-
AMATA41C2407A	0.44	(0.01)	44,000	0.45	SIRI13C2403B	0.07	-	1	0.07	BEM01C2405A	0.08	0.01	50	0.08
AMATAV	5.15	-	675	5.16	SIRI19C2407A	0.34	(0.02)	2,298	0.34	BEM13C2403A	-	-	-	-
ANAN	0.89	-	66,683	0.90	SIRI19C2407B	0.22	(0.01)	2,000	0.23	BEM19C2405A	-	-	-	-
AP	11.00	0.10	32,414	10.94	SIRI41C2405A	0.25	(0.01)	18,000	0.26	BTS	5.95	0.05	263,574	5.95
AP11C2404A	0.09	-	1,000	0.09	SPALI	19.70	0.20	43,306	19.67	BTS-W7	0.03	-	60,178	0.02
APEX	-	-	-	-	SPALI11C2404A	0.21	0.01	12,070	0.21	BTS-W8	0.11	(0.01)	14,506	0.11
ASW	8.35	(0.05)	866	8.39	SPALI13C2405A	0.26	0.01	62,669	0.26	BTS01C2405A	-	-	-	-
ASW-W1	0.02	-	6,778	0.03	SPALI19C2403A	-	-	-	-	BTS01C2407A	0.20	0.01	14,250	0.20
ASW-W2	0.05	-	4,458	0.05	UV	2.22	-	12,017	2.24	BTS01P2405X	0.50	(0.02)	4,498	0.50
AWC	4.12	0.12	927,839	4.11	WHA	4.90	(0.02)	389,059	4.91	BTS01P2407X	0.26	(0.01)	738	0.26
AWC01C2403A	-	-	-	-	WHA01C2403A	-	-	-	-	BTS13C2405A	0.02	0.01	5,113	0.02
AWC01C2404A	0.28	0.05	53,406	0.27	WHA01C2404A	0.19	-	21,802	0.19	BTS13C2407A	0.16	0.01	43,817	0.16
AWC01C2406A	0.37	0.04	42,752	0.37	WHA01C2405A	-	-	-	-	BTS13P2405A	-	-	-	-
AWC01P2405X	0.29	(0.04)	50,788	0.29	WHA01C2406A	0.37								

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PSL19C2404A	0.26	0.05	75,719	0.23	LUXF	7.15	-	271	7.11	SCBSET	-	-	-	-
PSL19C2407A	0.33	0.06	20,989	0.31	M-II	-	-	-	-	ETF	-	-	-	-
PSL41C2405A	0.18	0.04	161,000	0.15	M-PAT	-	-	-	-	1DIV	9.83	0.03	125	9.85
RCL	25.50	0.50	17,561	25.55	M-STOR	-	-	-	-	ABFTH	-	-	-	-
RCL01C2405A	0.73	0.01	1,200	0.73	MIPF	-	-	-	-	BMSCG	9.21	(0.19)	139	9.21
RCL01C2405B	0.13	0.02	28,361	0.13	MIT	0.94	0.01	13,296	1.00	BMSCITH	9.63	-	391	9.65
RCL01P2405X	0.24	(0.03)	2,779	0.25	MJLF	3.78	-	223	3.78	BSET100	9.00	0.05	482	9.00
RCL06C2405A	0.12	-	13,506	0.12	MNIT	2.02	(0.06)	492	1.91	CHINA	5.28	(0.01)	4,958	5.24
RCL11C2407A	0.17	-	10,309	0.17	MNIT2	4.80	0.02	138	4.53	EBANK	4.94	0.02	26	4.95
RCL13C2404A	0.67	0.02	1	0.67	MNRF	2.72	0.02	91	2.71	ENGY	5.20	0.02	13	5.20
RCL13C2405A	0.14	0.01	6,090	0.13	POPF	6.20	-	481	6.20	GLD	2.92	-	1,057	2.91
RCL13C2407A	-	-	-	-	PPF	10.20	-	1	10.20	TDEX	8.17	-	1,199	8.17
RCL13P2405A	0.19	(0.02)	13,626	0.19	PROSPECT	8.60	-	2,231	8.60	UBOT	13.36	0.42	27	13.35
RCL19C2405A	-	-	-	-	QHHR	6.65	-	102	6.50	UHERO	7.28	(0.04)	195	7.25
RCL19C2405B	0.16	0.02	29,924	0.16	QHOP	3.04	0.02	428	3.02	Warrant Foreign	-	-	-	-
RCL19P2406A	0.13	-	38,613	0.13	QHPF	5.70	0.05	2,609	5.65	AIA28C2403A	-	-	-	-
RCL41C2406A	0.23	(0.02)	7,636	0.23	SIRIP	-	-	-	-	AIA28C2406A	-	-	-	-
RCL41C2406A	0.12	-	1,000	0.13	SIRIME	4.78	-	3,910	4.77	AIA28C2407A	-	-	-	-
RCL41C2407A	0.19	0.01	57,775	0.19	SIRIPANWA	4.50	(0.02)	293	4.51	ALIHEA41C2406A	-	-	-	-
SAV	16.40	(0.20)	10,476	16.56	SSPF	5.35	0.15	19	5.33	AIA41C2403A	-	-	-	-
SINO	1.77	-	104,746	1.77	SSTRT	5.30	-	82	5.30	AIA41C2406A	-	-	-	-
SJWD	15.30	0.30	48,667	15.22	TIF1	-	-	-	-	ALIHEA28C2402A	-	-	-	-
SJWD13C2407A	0.31	0.02	64,045	0.30	TLHPF	6.95	0.30	532	6.75	ALIHEA28C2406A	-	-	-	-
TFIF	6.95	0.05	9,826	6.90	TNPF	1.80	0.08	1	1.80	ALIHEA28C2407A	-	-	-	-
THAI	-	-	-	-	TPRIME	6.40	(0.05)	235	6.42	ALIHEA41C2406A	-	-	-	-
TSTE	9.40	0.30	24	9.09	TTLPF	17.90	-	19	17.90	BABA28C2403A	-	-	-	-
TTA	6.85	0.15	123,902	6.81	TU-PF	0.62	0.02	151	0.63	BABA28C2403B	-	-	-	-
WICE	5.95	0.05	2,483	5.91	URBNPF	1.70	0.06	212	1.60	BABA28C2404A	-	-	-	-
Automotive	-	-	-	-	WHABT	8.40	(0.05)	321	8.42	BABA28C2404B	-	-	-	-
3K-BAT	-	-	-	-	WHAIR	5.30	-	4,249	5.33	BABA28C2406A	0.22	0.02	381	0.21
ACG	1.29	0.06	364	1.28	WHART	9.80	(0.10)	22,163	9.87	BABA28C2406B	-	-	-	-
AH	26.50	0.50	10,877	26.37	Steel and Metal	-	-	-	-	BABA28P2403A	-	-	-	-
CWT	1.51	-	7,609	1.51	2S	3.06	(0.02)	557	3.03	BABA28P2404A	-	-	-	-
CWT-W6	-	-	-	-	AMC	3.34	0.08	2,155	3.31	BABA41C2403A	-	-	-	-
EASON	1.38	(0.06)	133,249	1.35	BSBM	0.69	-	786	0.70	BABA41C2403B	-	-	-	-
GYT	191.00	2.00	3	191.17	CEN	2.28	-	181	2.28	BABA41C2404A	-	-	-	-
HFT	4.42	0.04	663	4.41	CEN-W5	0.44	(0.01)	100	0.44	BABA41C2404B	-	-	-	-
IHL	2.52	0.02	592	2.50	CITY	2.14	(0.02)	850	2.15	BABA41C2406A	-	-	-	-
INGRS	0.57	-	4,549	0.56	CSP	1.09	(0.01)	460	1.09	BABA41C2406B	-	-	-	-
IRC	13.70	0.30	346	13.61	GJS	0.23	-	41,467	0.23	BABA41P2403A	-	-	-	-
MGC	5.15	-	935	5.15	GSTEEL	-	-	-	-	BABA41P2404A	-	-	-	-
NEX	10.10	0.20	19,059	10.08	INOX	0.57	-	1,976	0.57	BABA41P2403B	-	-	-	-
NEX06C2402A	-	-	-	-	LHK	4.26	(0.02)	734	4.25	BIDU28C2403B	-	-	-	-
NEX13C2403A	-	-	-	-	MCS	6.40	0.05	690	6.35	BIDU28C2407A	-	-	-	-
NEX13C2403B	0.08	-	624	0.08	MILL	0.35	-	9,235	0.36	BIDU28P2406A	-	-	-	-
NEX13C2405A	0.11	0.01	500	0.11	MILL-W6	-	-	-	-	BIDU41C2403A	-	-	-	-
NEX19C2404A	-	-	-	-	MILL-W7	0.05	(0.01)	3,003	0.05	BIDU41C2403B	-	-	-	-
PCSGH	5.15	0.05	305	5.15	PAP	2.52	0.04	156	2.52	BIDU41C2407A	-	-	-	-
POLY	8.60	0.05	503	8.59	PERM	0.92	-	1,522	0.91	BIDU41P2403A	-	-	-	-
SAT	18.10	0.10	7,626	18.08	SAM	0.41	-	13,168	0.41	BYDCOM28C2404A	-	-	-	-
SPG	-	-	-	-	SMIT	4.48	(0.06)	2,134	4.49	BYDCOM28C2405A	0.12	0.01	1	0.12
STANLY	215.00	1.00	276	215.29	SSSC	2.96	-	363	2.95	BYDCOM28C2407A	-	-	-	-
TKT	1.83	(0.01)	563	1.83	TGPRO	0.14	(0.01)	16,247	0.14	BYDCOM28P2405A	-	-	-	-
TNPC	1.41	(0.03)	4,046	1.43	THE	1.26	0.03	107	1.27	BYDCOM41C2404A	-	-	-	-
TRU	3.66	0.02	317	3.63	TMT	5.80	0.05	268	5.80	BYDCOM41C2405A	-	-	-	-
TSC	14.80	(0.10)	114	14.80	TSTH	0.80	-	5,587	0.80	BYDCOM41C2406A	-	-	-	-
Industrial Materials	-	-	-	-	TWP	2.02	0.04	95	2.00	BYDCOM41P2404A	-	-	-	-
ALLA	1.56	0.03	25,463	1.58	TYCN	-	-	-	-	BYDCOM41P2405A	-	-	-	-
ASEFA	3.80	0.02	979	3.79	Construction Ser	-	-	-	-	CATHAY28C2403A	-	-	-	-
CPT	0.67	-	1,228	0.67	APCS	3.60	0.06	552	3.59	CATHAY28C2404A	-	-	-	-
CRANE	1.05	(0.01)	64,375	1.06	BJCHII	1.17	0.01	2,010	1.17	CATHAY28C2407A	-	-	-	-
CTW	4.52	(0.06)	23	4.53	BKD	1.60	-	291	1.60	CATHAY41C2403A	-	-	-	-
FMT	35.50	0.25	41	35.42	CIVIL	2.02	(0.02)	2,574	2.02	CATHAY41C2404A	-	-	-	-
HTECH	2.40	-	1,401	2.39	CK	22.10	0.70	35,186	22.08	CHMOB28C2404A	-	-	-	-
KKC	0.20	0.01	322	0.19	CK01C2403A	0.03	(0.06)	1	0.03	CMBANK41C2404A	-	-	-	-
PK	1.07	-	1,405	1.06	CK01C2407A	0.42	0.06	39,689	0.41	CMBANK41C2406A	-	-	-	-
PSP	5.40	(0.25)	197,570	5.60	CK11C2407A	0.36	0.05	22,945	0.33	CNOOC28C2404A	-	-	-	-
SNC	8.60	0.10	483	8.55	CK13C2403A	-	-	-	-	DJI28C2403A	-	-	-	-
STARK	-	-	-	-	CK13C2405A	0.20	0.04	4,892	0.20	DJI28C2403B	-	-	-	-
STARK-W1	-	-	-	-	CK19C2404A	0.15	0.02	17,666	0.15	DJI28C2406A	0.27	0.03	500	0.27
TCJ	3.06	0.02	31	3.06	CNT	1.11	(0.01)	6,969	1.13	DJI28C2406B	0.79	0.03	184	0.80
TPCS	16.80	(0.30)	4	16.65	EMC	0.08	(0.01)	3,488	0.08	DJI28P2403A	-	-	-	-
VARO	3.66	-	43	3.66	ITD	0.72	0.01	258,023	0.73	DJI28P2403B	-	-	-	-
Property Fund & REI	-	-	-	-	NWR	0.34	(0.01)	61,104	0.35	DJI28P2403C	-	-	-	-
AIMCG	3.70	0.06	691	3.67	PLE	0.56	0.01	4,892	0.57	DJI28P2403D	0.07	-	50	0.07
AIMIRT	10.50	(0.10)	3,678	10.58	PREB	6.40	-	415	6.42	DJI28P2406A	0.41	(0.01)	2,742	0.40
ALLY	5.45	(0.05)	19,366	5.48	PYLON	2.66	0.04	1,488	2.62	DJI41C2403A	-	-	-	-
AMATAR	6.40	-	401	6.40	RT	0.90	0.03	204,995	0.91	DJI41C2403B	-	-	-	-
B-WORK	4.48	0.02	1,764	4.48	RT-W1	0.06	0.01	163,457	0.07	DJI41C2406A	0.83	0.02	1	0.83
BAREIT	10.00	(0.10)	3,300	10.10	SEAFCO	2.66	0.08	14,017	2.65	DJI41P2403A	-	-	-	-
BKKCP	9.40	0.05	14	9.40	SQ	1.18	-	4,052	1.18	DJI41P2403B	-	-	-	-
BOFFICE	5.20	-	5,539	5.19	SRICHA	8.30	(0.15)	2,438	8.31	DJI41P2403C	0.07	(0.01)	600	0.07
CPNCG	6.55	(0.45)	5,898	6.62	STEC	9.30	0.70	201,987	9.13	DJI41P2406A	-	-	-	-
CPNREIT														

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSBC28C2406A	-	-	-	-	MEITUA41P2404	-	-	-	-	SET5027C2403A	-	-	-	-
HSBC28P2404A	-	-	-	-	MEITUA41P2404	-	-	-	-	SET5027C2403B	-	-	-	-
HSBC28P2407A	-	-	-	-	NDX28C2403A	0.19	(0.05)	2,072	0.18	SET5027C2403C	-	-	-	-
HSBC41C2403A	-	-	-	-	NDX28C2403B	1.20	(0.15)	1	1.20	SET5027C2403D	-	-	-	-
HSBC41C2405A	-	-	-	-	NDX28C2406A	2.04	(0.12)	51	2.04	SET5027C2403E	0.10	-	125,630	0.11
HSBC41P2406A	-	-	-	-	NDX28C2406B	0.64	(0.08)	230	0.65	SET5027C2403T	-	-	-	-
HSCEI28C2402A	-	-	-	-	NDX28C2406C	0.87	(0.10)	679	0.89	SET5027C2406A	0.52	0.02	207,473	0.54
HSCEI28C2403A	-	-	-	-	NDX28C2406D	0.41	(0.05)	18	0.42	SET5027C2406T	0.05	-	2,006	0.05
HSCEI28C2404A	-	-	-	-	NDX28P2403A	-	-	-	-	SET5027C2409T	0.23	-	159,370	0.24
HSCEI28P2402A	-	-	-	-	NDX28P2403B	-	-	-	-	SET5027P2403A	0.07	(0.04)	700	0.07
HSCEI28P2403A	-	-	-	-	NDX28P2403C	-	-	-	-	SET5027P2403B	0.24	(0.03)	222,170	0.23
HSCEI28P2404A	-	-	-	-	NDX28P2403D	-	-	-	-	SET5027P2403T	0.26	(0.04)	11,368	0.27
HSI06C2402A	-	-	-	-	NDX28P2406A	0.21	0.02	15,917	0.20	SET5027P2406A	0.29	(0.03)	121,586	0.30
HSI06C2402B	-	-	-	-	NDX28P2406B	0.43	0.01	73	0.44	SET5027P2406T	0.11	(0.02)	9,691	0.12
HSI06C2402C	0.07	0.01	8,115	0.07	NDX41C2403A	1.66	(0.13)	1,109	1.66	SET5028C2403A	-	-	-	-
HSI06C2402D	0.21	0.03	3,810	0.20	NDX41C2403B	1.59	(0.23)	200	1.62	SET5028C2403B	-	-	-	-
HSI06C2403A	0.14	0.04	260	0.14	NDX41C2403C	0.54	(0.07)	472	0.54	SET5028C2403C	-	-	-	-
HSI06C2403B	-	-	-	-	NDX41C2406A	1.18	(0.14)	1,137	1.22	SET5028C2403D	0.44	0.03	140,381	0.47
HSI06C2403C	0.32	0.02	2,226	0.33	NDX41P2403A	-	-	-	-	SET5028C2406A	0.30	0.01	380,207	0.31
HSI06C2403D	-	-	-	-	NDX41P2403B	-	-	-	-	SET5028P2403A	0.84	(0.04)	136,618	0.81
HSI06C2404A	0.19	0.02	1,304	0.19	NDX41P2403C	-	-	-	-	SET5028P2403B	0.32	(0.03)	67,617	0.32
HSI06C2404B	-	-	-	-	NDX41P2403D	-	-	-	-	SET5028P2406A	0.43	(0.02)	472,593	0.43
HSI06C2404C	-	-	-	-	NDX41P2406A	0.30	0.02	2,868	0.29	SET5041C2403A	0.01	(0.01)	528	0.01
HSI06C2404D	-	-	-	-	NDX41P2406B	0.42	0.02	10,028	0.41	SET5041C2403B	-	-	-	-
HSI06C2405A	0.49	0.01	260	0.46	NTES41C2404A	-	-	-	-	SET5041C2403C	-	-	-	-
HSI06P2402A	-	-	-	-	NTES41C2405A	-	-	-	-	SET5041C2403D	-	-	-	-
HSI06P2402B	-	-	-	-	PINGAN28C2403	-	-	-	-	SET5041C2403E	-	-	-	-
HSI06P2402C	-	-	-	-	PINGAN28C2404	-	-	-	-	SET5041C2403F	0.02	(0.03)	30	0.02
HSI06P2403A	-	-	-	-	PINGAN28C2406	-	-	-	-	SET5041C2403G	-	-	-	-
HSI06P2403B	-	-	-	-	PINGAN28C2407	-	-	-	-	SET5041C2403H	0.15	-	105,188	0.15
HSI06P2403C	0.20	(0.05)	241	0.20	PINGAN28P2403	-	-	-	-	SET5041C2403I	0.20	-	4,933,904	0.21
HSI06P2403D	0.11	(0.01)	13	0.11	PINGAN28P2406	-	-	-	-	SET5041C2406A	0.17	-	8,280	0.17
HSI06P2404A	-	-	-	-	PINGAN41C2403	-	-	-	-	SET5041C2406B	0.62	0.01	300	0.64
HSI06P2404B	-	-	-	-	PINGAN41C2404	-	-	-	-	SET5041C2406C	0.33	0.02	130,429	0.32
HSI06P2404C	-	-	-	-	PINGAN41C2406	-	-	-	-	SET5041P2403A	0.34	(0.03)	5,932,644	0.34
HSI06P2404D	-	-	-	-	PINGAN41C2406	-	-	-	-	SET5041P2403B	-	-	-	-
HSI06P2405A	-	-	-	-	PINGAN41C2406	-	-	-	-	SET5041P2406A	0.60	(0.03)	1,163,797	0.58
HSI28C2402A	0.02	-	411	0.01	SET5001C2403A	0.02	-	5,829	0.02	SPX28C2403A	-	-	-	-
HSI28C2402B	-	-	-	-	SET5001C2403B	0.01	-	3,010	0.01	SPX28C2403B	0.69	(0.07)	318	0.70
HSI28C2402C	0.01	-	1,635	0.01	SET5001C2403F	0.08	(0.01)	4,765	0.09	SPX28C2406A	0.98	(0.05)	2,050	0.98
HSI28C2402D	0.06	0.01	5,459	0.05	SET5001C2403C	0.02	0.01	549	0.02	SPX28P2403B	-	-	-	-
HSI28C2402E	0.04	0.01	7,753	0.03	SET5001C2404A	0.06	-	94	0.06	SPX28P2403C	-	-	-	-
HSI28C2402F	0.23	0.03	1,254	0.23	SET5001C2404T	0.24	0.01	14,790	0.24	SPX41C2403A	0.15	-	105,188	0.15
HSI28C2403A	0.02	-	301	0.02	SET5001C2405A	0.32	0.01	51,630	0.33	SPX41C2403B	0.17	-	8,280	0.17
HSI28C2403B	0.34	0.03	1,177	0.34	SET5001C2406A	0.47	0.01	67,825	0.48	SPX41C2403C	0.62	0.01	300	0.64
HSI28C2403C	-	-	-	-	SET5001C2406F	0.47	0.02	110,555	0.47	SPX41C2406A	0.33	0.02	130,429	0.32
HSI28C2403D	-	-	-	-	SET5001C2406T	0.46	0.01	5,574	0.46	SPX41P2403A	0.34	(0.03)	5,932,644	0.34
HSI28C2403E	0.65	0.02	152	0.65	SET5001P2403A	0.04	(0.01)	2,218	0.04	SPX41P2403B	-	-	-	-
HSI28C2403F	-	-	-	-	SET5001P2403B	-	-	-	-	SPX41P2406A	0.15	(0.02)	211	0.15
HSI28C2404A	0.12	0.02	8,870	0.11	SET5001P2403F	0.07	(0.01)	115	0.07	SPX41P2406B	0.60	(0.03)	1,163,797	0.58
HSI28C2404B	-	-	-	-	SET5001P2403G	0.06	(0.01)	2,426	0.05	SPX41P2406C	0.31	0.01	1,237	0.30
HSI28C2404C	0.42	0.02	18,075	0.42	SET5001P2403H	0.29	(0.03)	27,421	0.28	SPX41P2406D	0.49	-	3	0.49
HSI28C2404D	-	-	-	-	SET5001P2404A	0.25	(0.03)	29,137	0.25	SUNNY28C2402A	-	-	-	-
HSI28C2405A	0.16	0.01	10,890	0.15	SET5001P2404T	0.27	(0.01)	9,931	0.27	SUNNY28C2406A	-	-	-	-
HSI28C2406A	0.42	0.02	924	0.41	SET5001P2405A	0.21	(0.01)	9,902	0.21	SUNNY28C2407A	-	-	-	-
HSI28P2402A	0.07	(0.02)	751	0.07	SET5001P2406A	0.44	(0.01)	55,841	0.43	SUNNY41C2403A	-	-	-	-
HSI28P2402B	-	-	-	-	SET5001P2406F	0.45	(0.03)	114,197	0.45	SUNNY41C2405A	-	-	-	-
HSI28P2402C	0.49	(0.04)	390	0.49	SET5001P2406T	0.34	(0.01)	9,205	0.34	SUNNY41C2406A	-	-	-	-
HSI28P2402D	0.88	(0.18)	8	0.88	SET5006C2402A	0.01	(0.02)	100	0.01	TENCEN28C2403A	-	-	-	-
HSI28P2403A	0.70	0.03	43	0.68	SET5006C2403A	-	-	-	-	TENCEN28C2403B	-	-	-	-
HSI28P2403B	0.20	-	105	0.19	SET5006C2403B	0.10	-	50,072	0.10	TENCEN28C2403C	-	-	-	-
HSI28P2403C	0.38	-	14	0.38	SET5006C2403C	0.26	0.01	33,492	0.26	TENCEN28C2405A	-	-	-	-
HSI28P2403D	1.12	(0.27)	20	1.12	SET5006P2402A	-	-	-	-	TENCEN28C2405B	-	-	-	-
HSI28P2404A	-	-	-	-	SET5006P2403A	0.22	(0.04)	38,683	0.23	TENCEN28P2404A	-	-	-	-
HSI28P2405A	0.38	(0.01)	1	0.38	SET5006P2403C	-	-	-	-	TENCEN41C2403A	-	-	-	-
HSI28P2406A	0.35	-	21	0.36	SET5013C2403A	0.01	-	155,782	0.01	TENCEN41C2405A	-	-	-	-
HSTECH28C2403A	-	-	-	-	SET5013C2403B	0.02	-	30,721	0.02	TENCEN41C2406A	-	-	-	-
HSTECH28C2403B	-	-	-	-	SET5013C2403C	0.02	-	32,456	0.02	TENCEN41P2405A	-	-	-	-
HSTECH28C2404A	-	-	-	-	SET5013C2403D	0.04	-	16,876	0.05	TRIPDC41C2403A	-	-	-	-
HSTECH28P2403A	-	-	-	-	SET5013C2403E	0.05	0.01	30,594	0.05	XIAOMI128C2403A	-	-	-	-
HSTECH28P2403B	-	-	-	-	SET5013C2403F	0.05	0.01	3,180	0.05	XIAOMI128C2404A	-	-	-	-
HSTECH28P2404A	-	-	-	-	SET5013C2403G	0.04	(0.01)	27,050	0.05	XIAOMI128C2407A	-	-	-	-
ICBC28C2404A	-	-	-	-	SET5013C2403H	0.12	-	1,003,036	0.13	XIAOMI41C2403A	-	-	-	-
ICBC28C2407A	-	-	-	-	SET5013C2403I	0.20	-	1,865,889	0.22	XIAOMI41C2404A	-	-	-	-
JD28C2402A	-	-	-	-	SET5013C2403J	0.29	0.01	2,515,529	0.31	XIAOMI41C2406A	-	-	-	-
JD28C2403A	-	-	-	-	SET5013C2405A	0.81	-	158	0.81	XIAOMI41P2404A	-	-	-	-
JD28C2403B	0.01	(0.06)	3	0.01	SET5013C2406A	0.48	0.01	1,398,762	0.50</td					

## **Asia Plus Securities Company Limited**

## Main Board Quotation

**Issue Date :**

## Daily Quotation

Tuesday February 13, 2024

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price			
													Issue Date :				
<strong>Warrant - MAI</strong>																	
Agro & Food Indust	-	-	-	-	UBIS-W1	-	-	-	0.0	JPARK	6.95	(0.10)	61,361	00	7.0		
AU	8.85	0.15	4,518	00	8.7	UEC	1.85	-	33,463	00	1.8	KGEN	0.88	(0.02)	48,718	00	0.8
JCKH	0.04	-	84,427	00	0.0	UKEM	0.84	-	70,948	00	0.8	KGEN-W2	0.32	(0.01)	4,467	00	0.3
JCKH-W1	-	-	-	00	0.0	UREKA	0.68	0.02	598,735	00	0.6	KK	1.97	0.03	95	00	1.9
JCKH-W2	0.02	0.01	1,000	00	0.0	YUASA	10.70	(0.10)	126	00	10.7	KLINIQ	41.00	-	3,604	00	41.3
KASET	1.40	0.02	79	00	1.3	ZIGA	3.22	-	329,338	00	3.2	KOOL	0.40	-	23,717	00	0.4
MUD	1.98	(0.01)	62	00	1.9	Property	-	-	-	-	-	KTMS	2.78	0.04	849	00	2.7
NTSC	15.80	-	20	00	15.7	24CS	1.72	(0.08)	177,761	00	1.7	LDC	0.77	0.03	77,225	00	0.7
TACC	4.60	0.10	20,692	00	4.5	A5	3.26	-	9,131	00	3.2	LEO-W1	0.34	-	2,087	00	0.3
TMILL	3.84	(0.04)	3,097	00	3.8	A5-W2	0.04	-	30,033	00	0.0	MASTER	64.75	(1.75)	19,549	00	65.1
WINNER	2.16	0.02	564	00	2.1	A5-W3	0.08	0.01	8,750	00	0.0	MCA	4.00	0.08	898,836	00	3.9
XO	22.90	0.80	21,827	00	22.8	ALL	-	-	-	00	0.0	MEB	35.00	(0.50)	776	00	35.3
Consumer Products	-	-	-	-	ARIN	3.30	-	495	00	3.2	MORE	0.10	-	26,409	00	0.0	
ALPHAX	0.56	0.01	143,251	00	0.5	ARROW	6.60	0.05	12	00	6.6	MVP	1.61	0.07	364,282	00	1.6
BGT	0.85	-	1,056	00	0.8	BC	1.39	(0.04)	4,399	00	1.4	NCL	0.90	(0.09)	197,572	00	0.8
DOD	3.54	-	1,204	00	3.5	BLESS	0.72	0.01	41,175	00	0.7	NEWS	0.03	-	596,796	00	0.0
ECF	1.00	-	6,676	00	0.9	BSM	2.60	-	3	00	2.6	NEWS-W7	0.01	-	6,112	00	0.0
ECF-W4	0.02	-	7,838	00	0.0	BTW	0.33	-	378	00	0.3	OTO	0.84	0.01	270,851	00	0.8
EFORL	0.25	-	94,234	00	0.2	CAZ	3.54	0.04	1,227	00	3.5	OTO-W1	0.45	-	31,692	00	0.4
EFORL-W6	0.06	(0.01)	1,186	00	0.0	CHEWA	0.62	(0.02)	61,798	00	0.6	PHOL	2.72	-	1,339	00	2.7
HPT	0.59	0.01	30,584	00	0.5	CHEWA-W2	-	-	-	00	0.0	PICO	4.98	-	4	00	4.9
IP	8.70	-	1,395	00	8.7	CPANEL	7.15	0.05	168	00	7.1	PLT	0.94	-	30,364	00	0.9
IP-W2	0.50	0.01	2,297	00	0.5	CPANEL-W1	1.99	0.10	4	00	1.9	QLT	2.90	-	763	00	2.8
ITTHI	2.56	(0.04)	92,439	00	2.5	CRD	0.57	0.02	35,412	00	0.5	RP	1.61	(0.04)	13,075	00	1.6
JSP	2.28	(0.02)	2,417	00	2.2	DHOUSE	0.67	(0.01)	16,698	00	0.6	SE	0.95	0.01	5,360	00	0.9
JSP-W1	0.24	-	4,141	00	0.2	DIMET	0.26	(0.01)	3,814	00	0.2	SLM	-	-	0	00	0.0
JUBILE	17.10	0.10	207	00	17.0	DPAIN	3.12	-	2,655	00	3.1	TNH	36.75	0.50	59	00	36.7
MGI	30.00	(0.25)	5,223	00	29.8	FLOYD	1.20	0.02	1,788	00	1.1	SPA	13.30	0.30	19,948	00	13.3
MOONG	2.10	0.02	1,041	00	2.1	FLOYD-W1	0.02	-	1,470	00	0.0	THMUI	0.62	-	10,478	00	0.6
NPK	15.10	(0.40)	1	00	15.1	HYDRO	0.32	-	2,014	00	0.3	TNDT	0.35	-	3,881	00	0.3
SMD	6.70	(0.10)	6,394	00	6.7	IND	0.95	0.02	2,278	00	0.9	TNDT-W1	0.12	0.01	1,071	00	0.1
TM	1.98	(0.02)	175	00	1.9	JAK	1.29	-	7	00	1.2	TNTH	36.75	0.50	59	00	36.7
TM-W1	0.23	0.01	20	00	0.2	K	1.30	0.06	10,216	00	1.2	TNP	3.14	0.04	963	00	3.1
WARRIX	5.25	0.05	6,014	00	5.2	K-W2	0.41	0.02	13,097	00	0.4	TPL	1.50	(0.02)	12,643	00	1.5
WINMED	3.06	(0.02)	316	00	3.0	KUN	1.69	0.02	4	00	1.6	TRP	15.50	0.10	6,154	00	15.4
Financials	-	-	-	-	KUN-W1	0.01	-	1	00	0.0	TURTLE	7.20	(0.75)	204	00	7.2	
ACAP	-	-	-	00	0.0	KUN-W2	0.09	-	11,741	00	0.0	TVDH	0.36	-	10,210	00	0.3
AF	0.83	-	42	00	0.8	META	0.20	0.01	4,920	00	0.1	TVDH-W3	0.07	-	757	00	0.0
AIRA	-	-	-	00	0.0	META-W7	0.01	-	19,911	00	0.0	TVDH-W4	0.09	-	4,264	00	0.0
ASN	1.80	(0.01)	46	00	1.8	PPS	0.40	(0.02)	11,844	00	0.4	APP	2.66	0.02	2,028	00	2.6
BROOK	0.56	0.02	963,159	00	0.5	PRI	21.10	0.10	2,331	00	21.1	APP	0.71	(0.02)	63,137	00	0.7
BROOK-W6	0.18	0.01	68,535	00	0.1	PROS	1.54	0.01	5,131	00	1.5	BBIK	94.25	1.75	2,531	00	94.5
BROOK-W7	0.34	0.05	36,803	00	0.3	PROS-W1	0.40	(0.01)	7,845	00	0.4	UBA	1.18	-	3,249	00	1.1
GCAP	0.55	0.01	45,217	00	0.5	PROUD	1.57	0.01	737	00	1.5	VL	1.37	0.05	256,479	00	1.3
KCC	4.06	0.02	2,568	00	4.0	PSG	0.65	(0.01)	30,923	00	0.6	YGG	7.30	0.10	69,144	00	7.3
LIT	1.08	(0.01)	2,215	00	1.0	SENX	0.72	-	91,800	00	0.7	Technology	-	-	-	-	-
LIT-W2	0.26	(0.02)	140	00	0.2	SENX-W1	0.02	-	21,511	00	0.0	APP	2.66	0.02	32,606	00	2.6
MITSIB	1.01	-	363	00	1.0	SK	0.76	(0.01)	14,675	00	0.7	IIG	9.55	(0.05)	871	00	9.4
SGF	0.45	(0.01)	12,541	00	0.4	SMART	1.59	0.05	107,336	00	1.5	IIIG-W1	2.38	(0.02)	110	00	2.4
SGF-P1	-	-	-	00	0.0	SSS	-	-	-	00	0.0	IRCP	0.75	0.01	26,791	00	0.7
SGF-Q1	-	-	-	00	0.0	STC	0.72	-	960	00	0.7	ITNS	2.80	0.10	1,439	00	2.7
TQR	7.25	(0.05)	202	00	7.2	SVR	1.55	0.01	13,090	00	1.5	NETBAY	24.00	-	5,563	00	24.1
Industrials	-	-	-	-	TAPAC	-	-	-	00	0.0	PLANET	0.80	(0.01)	1,052	00	0.8	
ADB	1.05	-	1,073	00	1.0	THANA	1.96	(0.01)	1,241	00	1.9	PROEN	2.40	-	14,111	00	2.4
BM	2.94	(0.02)	1,836	00	2.9	TIGER	0.98	-	261	00	0.9	PROEN-W1	0.02	-	5,012	00	0.0
BM-W3	1.75	0.09	41	00	1.7	TITLE	4.62	(0.02)	3,306	00	4.5	SECURE	10.60	(0.20)	597	00	10.7
CHO	0.21	-	77,409	00	0.2	YONG	2.10	(0.02)	5,992	00	2.1	SICL	13.80	(0.10)	482	00	13.7
CHO-W3	-	-	-	00	0.0	Resources	-	-	-	-	-	SIMAT	5.85	0.20	4,352	00	5.8
CHOW	1.63	0.02	4,584	00	1.6	ABM	1.47	-	1,071	00	1.4	SIMAT-W3	1.74	(0.01)	1,126	00	1.7
CIG	0.09	-	192,615	00	0.0	ABM-W1	0.21	-	63	00	0.2	SIMAT-W5	0.23	-	210	00	0.2
CIG-W10	-	-	-	00	0.0	GTV	0.19	-	107,643	00	0.1	SPVI	3.70	(0.04)	1,641	00	0.3
CIG-W9	0.05	(0.01)	21,650	00	0.0	PSTC	0.72	0.02	325,810	00	0.7	SRS	11.20	(0.10)	5,543	00	11.2
COLOR	1.40	0.07	8,290	00	1.4	PSTC-W2	0.08	(0.01)	128,826	00	0.0	TBN	13.20	0.10	601	00	13.1
COLOR-W2	0.04	-	46,707	00	0.0	PTC	2.12	0.02	2,622	00	2.1	TPS	3.02	0.02	5,580	00	3.0
CPR	4.20	-	173	00	4.1	SAAM	7.65	(0.05)	546	00	7.7	TPS-W1	1.83	0.02	268	00	1.8
FPI	2.74	-	1,582	00	2.7	SAAM-W2	0.23	0.01	3	00	0.2	VCOM	3.38	(0.04)	473	00	3.4
GTB	0.67	(0.01)	303	00	0.6	SR	0.65	0.01	275	00	0.6	-	-	-	-	-	-
KCM	0.39	(0.01)	4,374	00	0.3	STOWER	0.14	-	3,713	00	0.1	-	-	-	-	-	-
KJL	7.90	(0.10)	2,164	00	7.9	STOWER-W4	-	-	-	00	0.0	-	-	-	-	-	-
KUMWEL	1.82	(0.01)	864	00	1.8	TAKUNI	1.53	0.01	29,934	00	1.5	-	-	-	-	-	-
KWM	1.																