

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KTB41C2406B	0.12	0.01	9,000	0.12	IVL11C2403T	-	-	-	-
WORLD	-	-	-	-	KTB41C2407A	0.17	-	32,790	0.16	IVL13C2403B	-	-	-	-
Agribusiness	-	-	-	-	LHFG	1.03	0.01	35,662	1.03	IVL13C2403C	-	-	-	-
EE	0.25	(0.01)	19,679	0.24	SCB	113.50	1.00	41,486	113.00	IVL13C2406A	0.05	0.01	5,355	0.05
EE-W1	0.01	(0.01)	5,521	0.01	SCB01C2403A	-	-	-	-	IVL13C2406B	0.21	0.02	65,104	0.22
GFPT	11.80	-	3,845	11.81	SCB01C2404A	0.38	0.01	494	0.35	IVL13C2407A	0.45	0.04	78,607	0.45
LEE	2.34	-	1,187	2.31	SCB01C2405A	0.23	0.01	4,774	0.23	IVL13P2405A	0.15	(0.02)	14,344	0.15
NER	5.85	0.15	50,034	5.82	SCB01C2407A	0.45	0.01	1,315	0.45	IVL19C2405A	0.04	-	2,000	0.04
PPPM	0.05	-	1,146	0.05	SCB01P2405X	0.11	(0.01)	15,000	0.11	IVL19C2406A	0.24	0.03	58,383	0.24
PPPM-W4	0.01	-	50	0.01	SCB01P2407X	0.27	-	439	0.27	IVL19C2407A	0.12	0.01	17,320	0.13
STA	19.80	0.50	245,308	19.93	SCB06C2403A	-	-	-	-	IVL41C2403A	-	-	-	-
STA01C2404A	0.49	0.06	11,252	0.48	SCB11C2403A	-	-	-	-	IVL41C2404A	-	-	-	-
STA01C2407A	0.36	0.04	65,811	0.36	SCB13C2404A	-	-	-	-	IVL41C2406A	-	-	-	-
STA01P2407X	0.44	(0.05)	24,773	0.44	SCB13C2406A	0.31	0.01	43,486	0.30	IVL41C2406B	0.24	0.03	42,194	0.24
STA11C2407T	0.58	0.06	47,160	0.57	SCB13P2406A	0.06	-	401	0.06	IVL41C2407A	0.31	0.04	22,000	0.31
STA13C2405A	-	-	-	-	SCB13P2407A	0.25	-	3,312	0.25	NFC	2.98	0.06	90	2.92
STA13C2407A	0.43	0.05	224,887	0.43	SCB19C2404A	-	-	-	-	PATO	9.85	-	133	9.81
STA13P2407A	0.23	(0.02)	65,090	0.24	SCB19C2406A	0.31	0.01	1,771	0.30	PMTA	8.95	0.10	207	8.92
STA19C2406A	0.51	0.05	55,450	0.50	SCB19C2407A	0.27	-	33,600	0.27	PTTG	37.75	0.75	57,564	37.63
TEGH	3.24	0.12	30,621	3.20	SCB19P2407A	0.19	(0.02)	150	0.19	PTTG01C2403A	-	-	-	-
TFM	7.05	0.25	463	6.94	SCB41C2403A	-	-	-	-	PTTG01C2403B	-	-	-	-
TRUBB	1.35	0.05	169,339	1.34	SCB41C2404A	-	-	-	-	PTTG01C2404A	-	-	-	-
TRUBB-W2	0.13	0.02	63,301	0.13	SCB41C2405A	0.26	-	1	0.26	PTTG01C2406A	0.29	0.03	21,300	0.29
UPOIC	6.10	(0.05)	320	6.17	SCB41C2405B	-	-	-	-	PTTG01C2407A	0.22	0.02	14,009	0.22
UVAN	8.35	0.10	5,002	8.31	SCB41C2407A	0.33	0.01	7,700	0.32	PTTG01P2404X	-	-	-	-
VPO	0.77	(0.01)	8,908	0.78	SCB41C2407B	0.29	0.01	5,000	0.28	PTTG11C2404A	0.15	0.02	23,870	0.15
Banking	-	-	-	-	SCB41P2406A	-	-	-	-	PTTG13C2406A	0.18	0.02	49,764	0.18
BAY	26.50	-	3,125	26.53	TCAP	49.75	-	15,474	49.73	PTTG13P2404A	-	-	-	-
BBL	142.00	-	33,364	142.09	TCAP-P	-	-	-	-	PTTG19C2406A	0.21	0.02	18,557	0.21
BBL06C2403A	-	-	-	-	TCAP-Q	-	-	-	-	PTTG41C2403A	-	-	-	-
BBL11C2404A	-	-	-	-	TISCO	101.50	1.00	41,972	101.05	PTTG41C2404A	-	-	-	-
BBL11C2405A	0.16	-	18,733	0.17	TISCO-P	-	-	-	-	PTTG41C2405A	-	-	-	-
BBL11C2406A	-	-	-	-	TISCO-Q	-	-	-	-	PTTG41C2406A	-	-	-	-
BBL11P2407A	0.35	-	1,060	0.35	TISCO13C2405A	0.11	-	400	0.11	PTTG41C2406A	0.18	0.02	4,100	0.17
BBL13C2404A	-	-	-	-	TISCO19C2408A	0.27	0.01	4,800	0.27	PTTG41C2407B	0.35	0.02	2,000	0.35
BBL13C2405A	-	-	-	-	TTB	1.86	0.01	630,283	1.87	SUTHA	2.56	0.12	30	2.57
BBL13C2406A	0.17	-	2,478	0.17	TTB-W1	0.91	-	2,462	0.91	TPA	4.12	0.22	23	4.11
BBL13P2404A	0.14	(0.01)	5,508	0.13	TTB01C2404A	0.13	0.01	4,232	0.13	UAC	3.64	-	541	3.62
BBL19C2404A	0.01	(0.03)	400	0.01	TTB01C2406A	0.41	0.01	6,961	0.42	UP	16.30	-	56	16.37
BBL19C2405A	0.05	(0.01)	200	0.05	TTB13C2404A	0.12	0.01	35,544	0.12	Commerce	-	-	-	-
BBL19C2406A	0.14	(0.01)	7,314	0.14	TTB19C2404A	0.13	-	20,922	0.14	ADVICE	4.10	-	65,661	4.12
BBL19P2406A	0.25	-	2,574	0.24	Construction Ma	-	-	-	-	B52	1.06	0.01	133	1.04
BBL41C2403A	-	-	-	-	CCP	0.38	0.02	18,540	0.37	BEAUTY	0.60	-	80,791	0.60
BBL41C2404A	-	-	-	-	DCC	1.88	0.01	66,295	1.89	BIG	0.48	-	21,639	0.48
BBL41C2405A	-	-	-	-	DCON	0.51	-	8,427	0.51	BJC	25.25	0.75	135,987	25.08
BBL41C2406A	0.10	(0.03)	110	0.10	DCON-W3	0.09	(0.01)	17,472	0.10	COM7	19.40	0.50	76,491	19.34
BBL41C2406B	0.22	(0.01)	2	0.22	DRT	7.90	0.05	3,266	7.90	COM701C2403W	-	-	-	-
BBL41C2407A	0.25	(0.01)	6,166	0.25	EPG	7.15	0.05	11,384	7.16	COM701C2404A	0.02	0.01	1	0.02
BBL41C2407B	0.27	-	7,501	0.26	GEL	0.18	(0.01)	34,640	0.19	COM701C2404B	-	-	-	-
BBL41P2406A	0.22	-	6	0.22	GEL-W5	0.03	-	759	0.03	COM701C2405A	-	-	-	-
CIMBT	0.58	-	15,050	0.58	PPP	1.73	0.03	77	1.73	COM701C2406A	0.15	0.02	18,000	0.14
CREDIT	27.25	0.50	9,381	26.86	Q-CON	18.30	0.50	29,786	17.98	COM701C2407A	0.34	0.03	20,502	0.34
KBANK	123.50	1.50	56,791	122.67	SSC	269.00	4.00	10,601	268.28	COM701P2404X	-	-	-	-
KBANK01C2403A	-	-	-	-	SCC01C2403A	-	-	-	-	COM701P2404X	0.51	(0.06)	175	0.51
KBANK01C2405A	0.06	(0.01)	1,140	0.06	SCC01C2405A	0.06	0.01	2	0.06	COM706C2403A	-	-	-	-
KBANK01C2406A	0.18	-	12,602	0.18	SCC01C2407A	0.21	0.03	23,924	0.20	COM706C2407A	0.29	0.02	23,018	0.28
KBANK01C2407A	0.34	0.03	11,001	0.32	SCC01P2403X	-	-	-	-	COM711C2404A	-	-	-	-
KBANK01P2404X	0.13	(0.04)	3,940	0.14	SCC13C2405A	-	-	-	-	COM711C2406A	0.16	0.02	11,620	0.16
KBANK01P2406X	0.25	(0.03)	9,981	0.27	SCC13C2407A	0.18	0.01	38,332	0.18	COM711P2404A	0.54	(0.06)	5,033	0.57
KBANK06C2404A	-	-	-	-	SCC13P2403A	-	-	-	-	COM713C2404A	0.01	-	2,000	0.01
KBANK06C2405A	-	-	-	-	SCC19C2406A	0.13	0.01	45,321	0.13	COM713C2405A	0.06	0.02	810	0.05
KBANK13C2406A	0.11	-	9,001	0.10	SCCC	139.50	(1.50)	574	139.67	COM713C2405B	-	-	-	-
KBANK13C2407A	0.26	0.02	70,486	0.24	SCGD	7.65	0.25	13,670	7.58	COM713C2406A	0.15	0.02	19,934	0.14
KBANK13P2404A	-	-	-	-	SCP	6.15	0.05	2,292	6.15	COM713C2407A	0.30	0.03	40,771	0.30
KBANK13P2406A	0.29	(0.02)	15,228	0.30	SKN	4.68	-	494	4.68	COM713P2404A	0.21	(0.04)	550	0.25
KBANK19C2404A	-	-	-	-	STECH	1.56	(0.02)	2,114	1.54	COM713P2407A	0.37	(0.63)	22,258	0.38
KBANK19C2405A	-	-	-	-	TASCO	16.00	0.10	11,837	15.94	COM719C2404A	-	-	-	-
KBANK19C2406A	0.17	0.02	32,000	0.16	TASCO19C2403/	0.22	-	2,000	0.22	COM719C2404B	-	-	-	-
KBANK19P2404A	-	-	-	-	TASCO19C2405/	0.16	0.01	1,000	0.16	COM719C2406A	0.12	0.01	6,490	0.12
KBANK41C2405A	-	-	-	-	TASCO01C2408/	0.25	(0.01)	6,310	0.25	COM719C2407A	0.24	0.02	40,124	0.23
KBANK41C2405B	-	-	-	-	TASCO01P2405/	-	-	-	-	COM719P2406A	0.47	(0.06)	21,061	0.48
KBANK41C2406A	0.18	0.01	33,613	0.17	TASCO06C2403/	0.22	-	2,000	0.22	COM741C2404A	-	-	-	-
KKP	54.00	(0.50)	29,567	54.00	TASCO19C2404/	-	-	-	-	COM741C2404B	-	-	-	-
KKP-W5	-	-	-	-	TASCO19C2407/	0.22	-	700	0.22	COM741C2405A	-	-	-	-
KKP-W6	1.71	(0.01)	2,448	1.71	TASCO41C2406/	0.16	-	5,042	0.16	COM741C2406A	0.14	0.02	6,240	0.13
KKP01C2405A	0.25	(0.03)	14,595	0.25	TOA	20.60	0.10	34,593	20.49	COM741C2407A	0.26	0.03	56,000	0

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL41C2405A	0.15	(0.02)	34,000	0.15	ADVANC11C2404	0.18	-	2,700	0.18	TRUE13P2407B	0.24	(0.01)	27,641	0.25
CPALL41C2406A	0.38	(0.04)	4,000	0.37	ADVANC13C2404	-	-	-	-	TRUE19C2404A	0.21	-	9,664	0.20
CPALL41C2407A	0.37	(0.04)	2,000	0.37	ADVANC13C2404	0.07	-	302	0.07	TRUE19C2405A	-	-	-	-
CPALL41C2407B	-	-	-	-	ADVANC13C2404	0.22	-	2,218	0.22	TRUE19C2407A	0.47	0.02	2,566	0.45
CPALL41C2407C	0.19	(0.01)	19,868	0.19	ADVANC13P2404	0.03	(0.69)	13	0.03	TRUE19C2407B	0.29	-	40,635	0.29
CPAXT	34.00	0.75	82,377	33.66	ADVANC13P2404	0.31	(0.69)	2	0.32	TRUE41C2403A	-	-	-	-
CPW	2.32	0.04	1,050	2.32	ADVANC19C2404	-	-	-	-	TRUE41C2404A	0.12	0.01	30,125	0.11
CRC	36.25	-	59,512	36.41	ADVANC19C2404	-	-	-	-	TRUE41C2404B	-	-	-	-
CRC01C2403A	-	-	-	-	ADVANC19C2404	0.25	-	502	0.26	TRUE41C2406A	0.72	(0.03)	4,000	0.72
CRC01C2404A	-	-	-	-	ADVANC19C2404	-	-	-	-	TRUE41C2406B	-	-	-	-
CRC01C2404A	0.27	-	9,921	0.27	ADVANC19C2404	-	-	-	-	TRUE41C2407A	0.04	-	111,669	0.04
CRC01P2404X	0.07	(0.01)	400	0.07	ADVANC19C2404	-	-	-	-	Twink	-	-	-	-
CRC11C2404A	0.04	-	3	0.04	AIT	4.60	(0.06)	18,436	4.65	Electronic Componer	-	-	-	-
CRC13C2403A	-	-	-	-	ALT	1.53	-	833	1.51	CCET	2.68	0.10	213,287	2.68
CRC13C2405A	-	-	-	-	AMR	1.28	0.03	14,944	1.28	DELTA	70.25	2.75	221,107	69.88
CRC13C2407A	0.18	(0.01)	30,168	0.19	BLISS	-	-	-	-	DELTA01C2403A	-	-	-	-
CRC13P2404A	-	-	-	-	DIF	7.75	(0.10)	89,280	7.79	DELTA01C2403B	-	-	-	-
CRC19C2404A	-	-	-	-	DITTO	23.50	0.20	7,983	23.50	DELTA01C2404A	0.03	-	23,873	0.03
CRC19C2406A	0.24	(0.01)	41,698	0.24	DITTO-W1	4.78	0.06	223	4.74	DELTA01C2404B	0.02	(0.01)	259	0.02
CRC41C2407A	0.22	(0.01)	2,600	0.23	DTCENT	1.63	0.02	39,147	1.63	DELTA01C2406A	0.15	0.03	79,445	0.15
CSS	0.91	-	21,968	0.91	FORTH	16.20	0.40	7,248	16.13	DELTA01C2407A	0.46	0.06	337,828	0.45
DOHOME	11.40	0.20	38,213	11.44	FORTH01C2403	-	-	-	-	DELTA01P2404A	0.44	(0.14)	115,744	0.45
DOHOME01C2404A	-	-	-	-	FORTH01C2404	-	-	-	-	DELTA01P2406X	0.60	(0.09)	57,503	0.62
DOHOME01C2406A	0.19	0.02	15,634	0.19	FORTH01C2407	0.23	0.02	11,267	0.23	DELTA06C2405A	0.08	0.01	39	0.08
DOHOME11C2403T	-	-	-	-	FORTH13C2404	0.01	(0.02)	5,000	0.01	DELTA06C2406A	0.39	0.06	123,649	0.36
DOHOME11C2406A	0.21	0.02	57,326	0.21	FORTH13C2406	0.15	-	14,396	0.15	DELTA11C2406A	0.24	0.04	41,683	0.23
DOHOME13C2404A	-	-	-	-	FORTH19C2404	-	-	-	-	DELTA13C2404A	0.01	-	6,439	0.01
DOHOME13C2406A	0.31	0.03	2,000	0.31	FORTH19C2407	0.25	0.02	8,720	0.24	DELTA13C2405A	0.06	0.01	38,243	0.06
DOHOME13C2407A	0.18	0.02	26,495	0.18	GABLE	4.78	0.04	63,721	4.83	DELTA13C2407A	0.32	0.06	189,303	0.31
DOHOME19C2404A	0.10	0.01	6,996	0.11	HUMAN	11.90	0.20	4,318	11.84	DELTA13C2407B	0.61	0.09	594,892	0.60
DOHOME19C2406A	0.28	0.03	13,215	0.28	ICN	2.68	0.02	2,062	2.70	DELTA13P2404A	0.25	(0.12)	170,390	0.27
DOHOME19C2407A	0.21	0.02	94,646	0.21	ILINK	7.55	-	7,864	7.54	DELTA13P2405A	0.38	(0.10)	213,347	0.40
DOHOME41C2406A	0.16	0.02	11,400	0.16	INET	4.64	-	1,216	4.63	DELTA13P2407A	0.57	(0.09)	145,260	0.58
DOHOME41C2406B	0.24	0.02	12,000	0.24	INSET	2.44	0.04	26,364	2.41	DELTA19C2404A	0.01	(0.01)	1,000	0.01
FN	1.44	(0.01)	177	1.42	INTUCH	70.00	0.50	23,796	69.84	DELTA19C2406A	0.16	0.02	44,200	0.16
FTE	1.69	0.01	10,943	1.69	INTUCH01C2404	-	-	-	-	DELTA19C2407A	0.32	0.05	69,794	0.32
GLOBAL	16.70	0.20	36,522	16.63	INTUCH01C2405	0.13	-	10,176	0.13	DELTA19C2407B	0.46	(0.54)	72,782	0.45
GLOBAL01C2404A	0.09	0.01	3,041	0.09	INTUCH13C2404	-	-	-	-	DELTA19P2404A	0.32	(0.11)	117,352	0.34
GLOBAL01C2407A	0.40	-	5,243	0.40	INTUCH13C2408	0.41	(0.59)	23,113	0.41	DELTA19P2407A	0.56	(0.07)	45,484	0.57
GLOBAL01C2408A	0.30	0.01	16,877	0.30	INTUCH19C2404	-	-	-	-	DELTA41C2403A	-	-	-	-
GLOBAL06C2403A	-	-	-	-	ITEL	2.46	0.02	70,033	2.45	DELTA41C2404B	-	-	-	-
GLOBAL13C2406A	0.23	0.02	35,381	0.22	ITEL-W4	0.02	-	1,494	0.02	DELTA41C2405A	0.04	-	50	0.04
GLOBAL19C2407A	0.43	0.02	10,384	0.42	JAS	1.98	(0.01)	174,721	1.99	DELTA41C2406A	0.16	0.03	22,580	0.15
GLOBAL19C2407B	0.25	0.01	32,404	0.25	JMART	14.60	0.80	134,854	14.47	DELTA41C2407A	0.32	0.05	42,436	0.31
GLOBAL41C2406A	0.23	0.02	26,570	0.22	JMART-W4	1.45	0.27	1,195	1.47	DELTA41C2407B	0.48	0.08	148,468	0.46
HMPRO	11.20	-	163,486	11.19	JMART-W5	1.63	0.09	842	1.63	DELTA41P2406A	1.00	(0.16)	9,472	1.00
HMPRO01C2404A	-	-	-	-	JMART01C2403	-	-	-	-	HANA	39.25	1.50	162,227	38.85
HMPRO01C2406A	-	-	-	-	JMART01C2404	-	-	-	-	HANA01C2403A	-	-	-	-
HMPRO01C2407A	0.19	-	27,744	0.19	JMART01C2405	0.02	-	50	0.02	HANA01C2403B	-	-	-	-
HMPRO11C2407T	0.14	-	23,247	0.14	JMART01C2406	0.21	0.04	54,024	0.20	HANA01C2404A	-	-	-	-
HMPRO13C2405A	-	-	-	-	JMART01C2407	0.35	0.07	78,983	0.34	HANA01C2405A	0.02	0.01	2,060	0.02
HMPRO13C2407A	0.15	-	24,274	0.15	JMART01P2404	0.18	(0.07)	31,427	0.19	HANA01C2406A	0.08	0.01	7,843	0.08
HMPRO19C2404A	-	-	-	-	JMART06C2405	0.09	0.03	4	0.08	HANA01C2407A	0.21	0.04	46,503	0.20
HMPRO19C2407A	0.19	-	29,054	0.18	JMART13C2404	0.01	-	9,730	0.01	HANA01C2407B	0.41	0.05	78,478	0.38
HMPRO41C2404A	-	-	-	-	JMART13C2404E	0.06	0.02	611	0.06	HANA01P2403X	-	-	-	-
HMPRO41C2406A	0.07	(0.01)	10	0.07	JMART13C2407	0.20	0.04	69,887	0.19	HANA01P2404X	0.10	(0.05)	51,043	0.10
HMPRO41C2407A	-	-	-	-	JMART13C2408	0.42	0.07	110,439	0.41	HANA01P2405X	0.81	(0.14)	4,370	0.85
ICC	44.50	(2.25)	87	44.78	JMART13P2404	0.14	(0.07)	43,400	0.15	HANA01P2407X	0.54	(0.08)	10,152	0.56
ILM	22.00	0.20	4,834	21.95	JMART19C2404	-	-	-	-	HANA06C2404A	0.03	0.01	2,580	0.03
IT	3.34	0.10	2,504	3.32	JMART19C2406	0.13	0.02	28,144	0.13	HANA06C2405A	0.03	0.02	424	0.02
KAMART	13.90	-	51,178	13.95	JMART19C2406E	0.20	0.05	60,256	0.19	HANA06C2407A	0.38	0.06	36,820	0.34
LOXLEY	1.57	0.02	13,629	1.58	JMART19P2404	0.16	(0.08)	71,334	0.17	HANA11C2407A	0.09	0.03	83	0.09
MC	14.70	0.20	11,760	14.57	JMART41C2403	-	-	-	-	HANA13C2404A	-	-	-	-
MEGA	41.25	0.50	10,871	40.82	JMART41C2403E	-	-	-	-	HANA13C2404B	0.01	-	1,861	0.01
MEGA01C2404A	0.14	0.01	23,200	0.13	JMART41C2404	-	-	-	-	HANA13C2407A	0.08	0.01	16,707	0.08
MEGA13C2405A	0.14	-	11,647	0.14	JMART41C2404E	-	-	-	-	HANA13C2407B	0.15	0.03	91,948	0.14
MEGA19C2404A	-	-	-	-	JMART41C2405/	-	-	-	-	HANA13C2407C	0.36	0.06	184,341	0.33
MIDA	0.50	-	7,782	0.50	JMART41C2407	0.28	0.06	53,170	0.27	HANA13P2404A	0.06	(0.05)	27,778	0.08
MIDA-W3	0.01	-	5	0.01	JMART41P2405/	-	-	-	-	HANA13P2406A	-	-	-	-
MOSHI	58.50	-	5,899	58.23	JTS	77.00	1.00	20,363	77.33	HANA13P2407A	0.56	(0.13)	22,200	0.57
MOSHI13C2407A	0.39	(0.01)	3,256	0.38	MFEC	6.75	0.05	1,180	6.75	HANA13P2407B	0.26	(0.04)	56,426	0.28
RS	13.40	0.30	8,305	13.28	MSC	8.40	0.10	157	8.31	HANA19C2404A	0.02	0.01	11	0.02
RS-W4	0.03	-	47,843	0.02	PT	8.45	-	4,664	8.40	HANA19C2404B	-	-	-	-
RS-W5	5.25	0.10	2,529	5.26	SAMART	5.95	(0.05)	23,453	5.97	HANA19C240				

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE13P2403A	-	-	-	-	BGRIM41C2405F	-	-	-	-	GULF13C2405A	0.06	0.02	23,510	0.06
KCE13P2407A	-	-	-	-	BGRIM41C2407F	0.15	0.03	33,000	0.14	GULF13C2406A	0.18	0.04	105,944	0.17
KCE13P2407B	0.36	(0.05)	12,207	0.37	BGRIM41C2408F	0.26	0.04	39,000	0.24	GULF13P2405A	0.06	(0.02)	50	0.06
KCE19C2404A	-	-	-	-	BIOTEC	0.41	-	2,751	0.41	GULF19C2404A	0.05	0.02	44	0.04
KCE19C2406A	-	-	-	-	BIOTEC-P	-	-	-	-	GULF19C2406A	0.19	0.05	22,224	0.17
KCE19C2406B	0.06	0.01	7,130	0.06	BIOTEC-Q	-	-	-	-	GULF19P2404A	-	-	-	-
KCE19C2407A	0.17	0.03	21,850	0.16	BIOTEC-W2	0.10	-	2,259	0.10	GULF41C2403A	-	-	-	-
KCE19C2408A	0.33	0.05	84,045	0.31	BPP	14.10	-	3,235	14.10	GULF41C2405A	-	-	-	-
KCE19P2404A	-	-	-	-	BRRGIF	3.34	-	1,015	3.32	GULF41C2405B	-	-	-	-
KCE19P2407A	0.31	(0.04)	12,906	0.32	BSRC	9.60	0.15	18,898	9.62	GULF41C2406A	0.21	0.06	39,400	0.20
KCE41C2404A	-	-	-	-	BSRC01C2403A	-	-	-	-	GULF41P2405A	0.18	(0.07)	6,000	0.19
KCE41C2405A	-	-	-	-	CKP	3.86	0.08	65,883	3.82	GUNKUL	2.80	0.10	266,088	2.78
KCE41C2406A	-	-	-	-	CKP01C2407A	0.43	0.02	6,370	0.42	GUNKUL01C2404A	0.10	0.02	26,097	0.10
KCE41C2406B	0.06	0.01	937	0.06	CKP13C2407A	0.41	0.03	16,426	0.40	GUNKUL01C2407A	0.16	0.02	40,399	0.15
KCE41C2407A	0.17	0.03	10,000	0.17	CKP19C2407A	0.41	0.04	37,970	0.40	GUNKUL01P2404X	-	-	-	-
KCE41C2407B	0.25	0.03	53,900	0.24	CV	0.54	-	170,338	0.54	GUNKUL01P2407X	0.48	(0.06)	13,681	0.49
KCE41P2407A	-	-	-	-	CV-W1	0.13	0.13	356,293	0.16	GUNKUL11C2404A	0.16	0.02	17,960	0.16
METCO	225.00	2.00	18	224.78	DEMCO	2.22	-	636	2.20	GUNKUL13C2404A	-	-	-	-
SMT	2.92	0.02	13,426	2.93	DEMCO-W7	0.18	-	9,339	0.19	GUNKUL13C2407A	0.13	0.02	18,320	0.13
SMT-W3	0.06	(0.01)	1,103	0.07	EA	35.50	1.25	132,146	35.07	GUNKUL13C2407B	0.30	0.04	50,766	0.29
SVI	6.20	0.20	15,639	6.12	EA01C2403A	-	-	-	-	GUNKUL13P2404A	-	-	-	-
TEAM	4.40	0.02	3,433	4.43	EA01C2403B	-	-	-	-	GUNKUL13P2407A	0.41	(0.06)	32,913	0.42
Energy & Utilities	-	-	-	-	EA01C2405A	0.02	-	220	0.02	GUNKUL13C2405A	0.19	0.03	62,852	0.18
7UP	0.39	-	52,619	0.39	EA01C2406A	0.03	-	1,350	0.03	IFEC	-	-	-	-
ACC	0.43	-	28,803	0.43	EA01C2406B	0.07	0.01	150	0.07	IRPC	1.91	0.01	186,376	1.91
ACE	1.47	(0.01)	15,914	1.48	EA01C2407A	0.14	0.03	22,950	0.13	IRPC01C2406A	-	-	-	-
ACE13C2407A	0.15	(0.01)	6,920	0.16	EA01C2407B	0.26	0.04	56,634	0.24	IRPC13C2405A	0.03	-	2,232	0.03
ACE19C2407A	0.19	(0.01)	8,808	0.19	EA01P2403X	-	-	-	-	IRPC13C2407A	0.26	0.01	12,132	0.26
AGE	2.32	0.04	29,761	2.30	EA01P2404X	0.54	(0.15)	4,206	0.58	IRPC19C2404A	-	-	-	-
AI	4.22	0.02	942	4.21	EA01P2406X	0.28	(0.07)	30,062	0.30	JR	4.58	(0.04)	1,560	4.58
AIE	1.33	0.02	2,962	1.34	EA06C2404A	-	-	-	-	KBSPIF	8.55	(0.05)	416	8.58
AKR	0.99	(0.01)	29,671	0.99	EA06C2406A	-	-	-	-	LANNA	15.90	0.10	15,963	15.86
AKR-W2	0.06	(0.01)	3,145	0.07	EA11C2403A	-	-	-	-	MDX	2.88	0.06	747	2.88
BAFS	23.30	0.80	5,700	22.99	EA11C2405A	-	-	-	-	NOVA	10.30	(0.10)	194	10.33
BANPU	5.65	0.20	521,870	5.60	EA11C2408A	0.20	0.03	22,860	0.19	OR	18.00	0.20	52,146	17.99
BANPU01C2404A	0.02	0.01	1	0.02	EA13C2403B	-	-	-	-	OR01C2403A	-	-	-	-
BANPU01C2405A	0.02	-	1	0.02	EA13C2403C	0.01	-	990	0.01	OR01C2405A	-	-	-	-
BANPU01C2406A	0.04	0.01	240	0.04	EA13C2405A	-	-	-	-	OR01C2407A	0.23	0.02	12,387	0.22
BANPU01C2407A	0.12	0.01	32,374	0.12	EA13C2406A	0.03	-	700	0.03	OR01P2405X	0.34	(0.03)	1,315	0.34
BANPU01P2404X	0.79	(0.13)	568	0.81	EA13C2406B	0.05	-	4,788	0.05	PTG01C2403A	-	-	-	-
BANPU01P2405X	0.33	(0.05)	950	0.35	EA13C2407A	0.16	0.04	104,607	0.14	OR11C2404A	-	-	-	-
BANPU01P2407X	0.24	(0.04)	10,828	0.24	EA13C2408A	0.28	0.05	167,705	0.27	OR13C2404A	-	-	-	-
BANPU06C2403A	-	-	-	-	EA13P2403A	-	-	-	-	OR13C2407A	0.18	0.01	8,597	0.18
BANPU06C2407A	0.14	0.02	22,876	0.13	EA13P2406A	-	-	-	-	OR19C2404A	0.02	-	1	0.02
BANPU11C2404A	-	-	-	-	EA13P2407A	0.26	(0.04)	29,379	0.27	OR19C2407A	0.21	0.01	6,382	0.21
BANPU11C2406A	0.05	(0.01)	50	0.05	EA19C2405A	-	-	-	-	PCC	3.12	0.02	3,874	3.12
BANPU11P2403A	-	-	-	-	EA19C2406A	-	-	-	-	PRIME	0.57	0.01	75,611	0.57
BANPU13C2404A	0.01	-	1	0.01	EA19C2406B	0.12	0.03	7,044	0.10	PTG	8.95	0.15	33,163	8.96
BANPU13C2405A	0.01	-	1,106	0.01	EA19C2407A	0.25	0.05	213,225	0.23	PTG01C2403A	-	-	-	-
BANPU13C2406A	0.04	0.01	2,399	0.04	EA41C2403A	-	-	-	-	PTG01C2404A	0.14	0.02	6,306	0.14
BANPU13C2407A	0.12	0.02	14,141	0.12	EA41C2403B	-	-	-	-	PTG01C2407A	0.35	0.03	7,060	0.35
BANPU13C2408A	0.24	0.04	37,542	0.22	EA41C2404A	-	-	-	-	PTG01P2403X	-	-	-	-
BANPU13P2404A	-	-	-	-	EA41C2405A	-	-	-	-	PTG11C2405A	-	-	-	-
BANPU13P2405A	0.18	(0.05)	10,238	0.21	EA41C2406A	0.07	0.01	2	0.07	PTG13C2403A	-	-	-	-
BANPU19C2405A	-	-	-	-	EA41C2408A	0.28	0.05	52,256	0.26	PTG13C2407A	0.31	0.02	24,317	0.30
BANPU19C2405B	-	-	-	-	EA41P2405A	-	-	-	-	PTG19C2404A	0.15	0.01	10,523	0.15
BANPU19C2407A	-	-	-	-	EASTW	3.52	0.06	6,152	3.51	PTG19C2407A	0.35	0.03	10,040	0.34
BANPU19P2404A	0.17	0.03	31,830	0.16	EGATIF	5.85	-	3,481	5.81	PTT	34.00	(0.50)	455,096	33.99
BANPU19P2406A	-	-	-	-	EGCO	120.50	3.50	14,459	118.85	PTT01C2403A	-	-	-	-
BANPU19P2406A	0.32	(0.02)	565	0.32	EGCO01C2404A	0.02	0.01	1,389	0.02	PTT01C2405A	0.09	(0.01)	707	0.09
BANPU1C2403A	-	-	-	-	EGCO13C2405A	0.06	0.01	1,350	0.06	PTT01C2407A	0.18	(0.01)	1,864	0.18
BANPU1C2405A	-	-	-	-	EGCO13C2407A	0.33	0.05	39,647	0.30	PTT01P2403X	-	-	-	-
BANPU1C2406A	-	-	-	-	EGCO19C2408A	0.36	0.04	20,431	0.35	PTT01P2405X	0.06	-	40	0.06
BANPU1C2407A	-	-	-	-	EP	2.60	(0.10)	272	2.62	PTT11C2404A	-	-	-	-
BANPU41C2407B	0.15	0.02	17,700	0.14	EP-W4	0.11	(0.01)	6	0.11	PTT13C2406A	0.13	(0.02)	33,378	0.13
BBDGI	4.04	-	939	4.03	ETC	2.82	-	10,781	2.82	PTT13P2405A	-	-	-	-
BCP	42.75	-	38,679	42.65	GPSC	55.00	2.25	133,377	54.64	PTT13P2408A	0.23	0.01	4,041	0.23
BCP01C2403A	-	-	-	-	GPSC01C2404X	-	-	-	-	PTT19C2404A	-	-	-	-
BCP01C2405A	0.21	(0.02)	23,672	0.21	GPSC01C2403B	-	-	-	-	PTT19C2406A	0.16	(0.01)	1	0.16
BCP01P2404X	-	-	-	-	GPSC01C2404A	0.47	0.13	13,668	0.44	PTT41C2407A	-	-	-	-
BCP13C2405A	0.20	0.01	38,736	0.19	GPSC01C2405A	0.29	0.08	43,022	0.27	PTT41C2407B	0.17	(0.02)	1,100	0.18
BCP13P2404A	-	-	-	-	GPSC01C2407A	0.45	0.09	48,875	0.43	PTT41C2408C	0.16	(0.01)	5,300	0.16
BCP19C2404A	0.13	(0.01)	34,844	0.13	GPSC01P2403X	-	-	-	-	PTTEP01P2403X	152.50	1.00	68,531	152.04
BCPG	7.35	0.10	22,837	7.30	GPSC01P2404X	-	-	-	-	PTTEP01C2404A	-	-	-	-
BCPG19C2406A	-	-	-	-	GPSC01P2405X	-	-	-	-	PTTEP01C2404A	0.07	-	200	0.07
BGRIM	28.50	1.00	173,010	28.18	GPSC01P2407X	0.22	(0.05)	13,220	0.23	PTTEP0				

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTEP41P2407A	0.47	(0.02)	12,000	0.48	VGI13C2403B	0.01	-	15,827	0.01	MICRO	2.18	0.06	3,030	2.19
QTC	4.00	-	1,134	4.00	VGI13C2403C	-	-	-	-	ML	0.58	-	6,274	0.58
RATCH	29.00	0.50	65,248	28.97	VGI13C2405A	0.01	-	710	0.01	ML-W3	-	-	-	-
RATCH01C2403A	-	-	-	-	VGI13C2406A	0.07	-	4,394	0.07	MST	10.10	-	250	10.10
RATCH01C2405A	-	-	-	-	VGI13C2407A	0.13	-	36,710	0.13	MTC01C2403A	46.75	1.00	113,496	46.85
RATCH13C2405A	-	-	-	-	VGI13C2407B	0.29	-	41,948	0.29	MTC01C2404A	0.11	0.02	41,847	0.11
RATCH13P2404A	0.07	(0.01)	10	0.07	VGI13P2405A	0.50	-	12,014	0.50	MTC01C2406A	0.36	0.04	22,081	0.36
RATCH19C2405A	0.05	-	2	0.05	VGI19C2405A	-	-	-	-	MTC01C2407A	0.34	0.02	220,075	0.35
RPC	0.64	0.01	37,380	0.64	VGI19C2405B	-	-	-	-	MTC01P2404X	-	-	-	-
SCG	3.52	(0.02)	56	3.53	VGI19C2407A	0.12	(0.02)	23,266	0.12	MTC01P2406X	0.33	(0.04)	14,798	0.33
SCI	0.85	0.02	19,616	0.85	VGI19C2407B	0.29	0.01	34,576	0.29	MTC06C2404A	0.12	0.02	57,046	0.12
SCN	1.17	(0.04)	48,471	1.18	VGI14C2405A	-	-	-	-	MTC11C2403A	-	-	-	-
SCN-W2	0.07	(0.02)	4,312	0.07	VGI14C2407A	0.13	-	28,000	0.13	MTC11C2406A	0.28	0.03	11,880	0.28
SCN-W3	0.11	(0.08)	557,628	0.14	WORK	9.90	0.15	5,223	9.95	MTC13C2403A	-	-	-	-
SEA01L	3.08	0.02	3,340	3.07	ZAA	1.28	0.04	68,450	1.28	MTC13C2404A	0.10	0.02	13,194	0.10
SGP	8.00	-	451	7.97	Finance & Securi	-	-	-	-	MTC13C2406A	0.34	0.03	84,978	0.34
SKE	0.51	-	11,791	0.52	AEONTS	147.00	1.00	658	146.62	MTC13P2404A	-	-	-	-
SKE-W1	0.09	-	1,214	0.09	AMANAH	2.30	0.04	9,883	2.28	MTC13P2406A	0.16	(0.02)	41,065	0.16
SOLAR	0.68	0.02	9,321	0.67	ASAP	2.94	0.16	14,107	2.91	MTC19C2404A	-	-	-	-
SPCG	12.60	0.10	10,653	12.52	ASK	17.50	0.50	15,830	17.38	PL	2.04	-	264	2.03
SPRC	8.80	0.05	112,682	8.80	ASP	2.76	0.02	10,694	2.74	SAWAD-W2	1.07	0.08	487	1.05
SPRC01C2403A	-	-	-	-	BAM	8.90	-	174,918	8.93	SAWAD01C2403W	-	-	-	-
SPRC01C2405A	0.15	-	17,153	0.15	BAM01C2403A	-	-	-	-	SAWAD01C2405A	0.04	0.01	6,000	0.04
SPRC06C2405A	0.22	-	17,325	0.22	BAM01C2404A	-	-	-	-	SAWAD01C2406A	0.14	0.03	51,864	0.13
SPRC11C2406A	0.26	-	19,321	0.26	BAM01C2406A	0.29	(0.01)	46,345	0.30	SAWAD01P2403X	-	-	-	-
SPRC13C2404A	0.13	0.01	21,606	0.13	BAM11C2405A	0.23	-	9,020	0.23	SAWAD01P2407X	0.53	(0.08)	16,477	0.55
SPRC13P2405A	0.03	(0.04)	15	0.03	BAM13C2403A	-	-	-	-	SAWAD13C2403A	0.32	0.06	122,710	0.31
SPRC19C2404A	0.12	(0.01)	57,426	0.13	BAM13C2405A	0.13	-	50,221	0.14	SAWAD13P2403A	-	-	-	-
SSP	7.80	0.10	2,976	7.78	BAM13C2408A	0.36	-	85,246	0.37	SAWAD13P2407A	0.18	0.04	83,896	0.17
SSP-W2	0.24	0.02	1,556	0.23	BAM19C2404A	-	-	-	-	SAWAD19C2404A	0.11	(0.06)	18,984	0.12
SUPER	0.30	-	314,356	0.30	BAM19C2405A	0.15	-	19,718	0.15	SAWAD41C2403A	-	-	-	-
SUPEREIF	6.35	(0.05)	2,341	6.35	BYD	4.08	(0.14)	227,182	4.14	SAWAD41C2405A	0.04	0.01	6,000	0.04
SUSCO	4.78	0.10	81,638	4.76	BYD06C2404A	-	-	-	-	SAWAD41C2406A	0.14	0.03	51,864	0.13
TAE	1.00	0.01	1,673	1.00	BYD13C2403B	-	-	-	-	SAWAD41C2407A	0.09	0.02	12,432	0.08
TCC	0.51	-	533	0.51	BYD13C2403C	0.01	(0.01)	5,507	0.01	SAWAD41C2408A	0.28	0.05	75,685	0.27
TCC-W5	0.21	0.01	1,505	0.21	BYD13C2405A	0.04	(0.01)	18,503	0.04	SAWAD41P2403X	-	-	-	-
TGE	3.58	(0.36)	303,276	3.72	BYD13C2406A	0.23	(0.04)	55,545	0.24	SAWAD41P2404X	0.22	(0.10)	47,372	0.25
TOP	57.50	0.75	55,804	57.43	BYD19C2404A	-	-	-	-	SAWAD41P2407X	0.53	(0.08)	160,346	0.30
TOP01C2404A	-	-	-	-	BYD19C2407A	0.33	(0.05)	70,254	0.35	SAWAD11P2406A	0.37	(0.10)	30,900	0.40
TOP01C2405A	0.33	0.02	14,262	0.32	CGH	0.65	(0.03)	58,352	0.65	SAWAD13C2405A	-	-	-	-
TOP01C2407A	0.53	0.03	13,159	0.52	CGH-W4	0.01	-	1	0.01	SAWAD13C2406A	0.09	0.02	12,432	0.08
TOP01P2404X	-	-	-	-	CHASE	1.93	0.18	769,683	1.94	SAWAD13C2407A	0.18	0.04	83,896	0.17
TOP01P2406X	0.16	(0.01)	10,630	0.16	CHAYO	5.25	0.10	40,390	5.27	SAWAD13C2408A	0.32	0.06	122,710	0.31
TOP11C2405A	-	-	-	-	CHAYO-W3	0.57	0.02	26,805	0.58	SAWAD13P2403A	-	-	-	-
TOP11C2407A	0.42	0.03	5,476	0.42	ECL	1.40	0.01	6,540	1.39	SAWAD13P2407A	0.32	(0.06)	28,678	0.33
TOP11P2406A	0.20	(0.01)	2,080	0.20	ECL-W4	0.01	(0.01)	16,415	0.01	SAWAD19C2405A	-	-	-	-
TOP13C2404A	-	-	-	-	FNS	3.50	(0.02)	2,190	3.50	SAWAD19C2406A	0.18	0.05	36,067	0.16
TOP13C2407A	0.44	0.03	63,256	0.44	FSX	2.32	0.06	244	2.29	SAWAD19C2408A	0.32	0.07	160,346	0.30
TOP13P2404A	-	-	-	-	GBX	0.73	(0.01)	5,930	0.74	SAWAD19P2404A	0.11	(0.06)	18,984	0.12
TOP13P2408A	0.40	(0.02)	11,866	0.40	GL	-	-	-	-	SAWAD41C2403A	-	-	-	-
TOP19C2405A	0.28	0.02	28,670	0.27	HENG	1.82	0.03	44,739	1.82	SAWAD41C2405A	-	-	-	-
TOP41C2404A	0.46	(0.12)	4,000	0.48	IFS	2.72	(0.02)	833	2.72	SAWAD41C2405B	-	-	-	-
TOP41C2405A	-	-	-	-	JMT	22.70	1.40	305,805	22.36	SAWAD41C2406A	0.18	0.05	33,500	0.16
TPIPP	3.42	0.02	7,935	3.40	JMT-W4	1.49	0.02	15,605	1.56	SAWAD41C2406B	0.16	0.04	34,312	0.15
TSE	1.31	(0.03)	70,059	1.31	JMT01C2403A	-	-	-	-	SAWAD41C2407A	0.18	0.04	26,644	0.17
TTW	9.10	-	8,568	9.11	JMT01C2404A	-	-	-	-	SAWAD41P2405A	0.31	(0.06)	410	0.32
UBE	0.81	0.03	43,581	0.80	JMT01C2405A	0.04	-	348	0.04	SCAP	2.86	-	3,870	2.81
WHAUP	4.06	0.06	39,759	4.05	JMT01C2406A	0.37	0.09	136,343	0.35	SGC	1.41	0.07	171,730	1.41
WP	4.36	0.02	6,562	4.33	JMT01C2407A	0.17	0.03	31,104	0.16	SM	1.35	0.01	9,255	1.34
Media & Publishing	-	-	-	-	JMT01P2403A	-	-	-	-	TH	1.08	-	47,018	1.09
AMARIN	4.94	(0.02)	6,444	4.95	JMT01P2404X	0.18	(0.08)	51,135	0.20	TH-W3	0.36	-	3,228	0.37
AQUA	0.35	-	11,056	0.34	JMT01P2406X	0.47	(0.10)	71,381	0.49	THANI	2.18	0.04	105,555	2.20
AQUA-W3	0.01	-	501	0.01	JMT06C2403A	-	-	-	-	THANI13C2407A	0.11	0.01	1,776	0.11
AS	6.85	-	1,503	6.87	JMT06C2404A	-	-	-	-	THANI19C2407A	-	-	-	-
BEC	4.50	0.18	58,602	4.49	JMT06C2406A	0.46	0.11	57,084	0.39	TIDLOR	22.30	0.80	184,896	22.19
FE	-	-	-	-	JMT11C2405A	-	-	-	-	TIDLOR01C2404A	-	-	-	-
GPI	1.87	(0.01)	1,682	1.87	JMT11C2407A	0.55	0.11	62,666	0.51	TIDLOR01C2405A	0.16	0.03	14,594	0.16
GRAMMY	5.65	-	46	5.65	JMT11P2406A	0.53	(0.12)	37,898	0.57	TIDLOR01C2407A	0.29	0.05	44,289	0.28
JKN	-	-	-	-	JMT13C2404B	0.01	-	2,000	0.01	TIDLOR01P2404X	0.17	(0.07)	47,447	0.18
MAJOR	14.40	0.10	37,947	14.34	JMT13C2405A	0.03	0.01	6	0.03	TIDLOR06C2403A	0.04	0.01	13	0.04
MATCH	1.46	-	1,060	1.48	JMT13C2406A	0.04	0.02	2,381	0.03	TIDLOR11C2403A	0.12	0.03	7,820	0.12
MATI	7.65	(0.05)	1	7.65	JMT13C2406A	0.32	0.08	127,232	0.30	TIDLOR11P2406A	0.26	(0.05)	19,360	0.27
MCOT	3.20	(0.06)	308	3.24	JMT13C2407A	0.14	0.03	51,468	0.13	TIDLOR13C2406A	0.24	0.04	31,210	0.24
MONO	0.76	(0.01)	94,906	0.77	JMT13C2408A	0.64	0.13	124,763	0.60	TIDLOR13P2404A	-	-	-	-
NATION	0.04	-	5,770	0.04	JMT									

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG01C2407A	0.23	0.04	37,794	0.24	SSF	7.65	(0.05)	22	7.70	NEW	-	-	-	-
CBG01P2404X	0.29	(0.09)	28,062	0.29	SST	5.20	-	1	5.20	NTV	37.75	0.25	284	37.66
CBG01P2405X	0.89	(0.13)	4,570	0.87	SUN	5.95	0.05	49,883	6.02	PHG	14.30	-	2,617	14.36
CBG06C2405A	-	-	-	-	TC	6.00	0.10	2,362	5.96	PR9	19.00	0.20	8,344	19.02
CBG11C2404A	0.15	0.04	16,729	0.14	TFG	3.42	0.08	12,137	3.40	PRINC	4.16	-	6,271	4.15
CBG11P2404A	0.34	(0.08)	19,200	0.34	TFG-W3	0.01	-	547	0.01	RAM	31.50	0.50	381	31.22
CBG13C2403B	-	-	-	-	TFMAMA	238.00	(1.00)	6	237.17	RJH	26.00	0.25	453	25.79
CBG13C2406A	0.09	0.02	5,162	0.09	TIPO	9.85	-	3,771	9.85	SAFE	20.50	0.90	29,609	20.24
CBG13C2407A	0.22	0.03	102,815	0.23	TKN	10.20	-	55,352	10.32	SKR	10.10	-	1,171	10.07
CBG13C2408A	0.49	0.07	138,602	0.50	TKN01C2405A	0.30	-	9,258	0.33	THG	43.75	0.50	5,885	44.02
CBG13P2404A	0.16	(0.06)	56,705	0.16	TKN01C2405B	0.11	-	23,448	0.12	VIBHA	1.91	0.02	29,934	1.91
CBG19C2405A	-	-	-	-	TKN01P2405X	0.10	(0.01)	1,601	0.09	VIBHA-W4	0.04	-	16,184	0.04
CBG19C2406A	0.10	0.01	14,490	0.11	TKN13C2405A	-	-	-	-	VIH	8.20	0.05	2,442	8.20
CBG19C2407A	0.20	0.02	89,089	0.21	TKN13C2406A	0.14	-	25,439	0.15	WPH	7.60	(0.05)	14,082	7.55
CBG19C2408A	0.42	(0.58)	70,124	0.41	TKN13P2406A	0.14	-	12,180	0.13	Tourism & Leisure	-	-	-	-
CBG19P2404A	0.27	(0.09)	29,460	0.28	TKN19C2406A	0.14	0.01	12,329	0.14	ASIA	6.45	(0.10)	12	6.47
CBG19P2407A	0.72	(0.10)	86,929	0.71	TU	14.40	(0.10)	184,681	14.37	BEYOND	11.50	(0.20)	3,665	11.59
CBG41C2403A	-	-	-	-	TU01C2404A	0.08	(0.01)	10,310	0.09	BEYOND-W2	2.14	(0.06)	64	2.15
CBG41C2403B	-	-	-	-	TU01C2407A	0.11	-	9,848	0.12	CENTEL	43.00	0.25	30,324	43.07
CBG41C2404A	-	-	-	-	TU01P2407X	0.31	-	7,328	0.31	CENTEL01C2403W	-	-	-	-
CBG41C2406A	0.10	-	8,000	0.10	TU11C2407T	0.16	(0.01)	22,300	0.17	CENTEL01C2405A	0.12	-	35,160	0.12
CBG41C2407A	0.20	0.03	53,970	0.21	TU13C2404A	-	-	-	-	CENTEL01C2408A	0.31	0.01	18,850	0.31
CBG41C2407B	0.42	0.06	83,840	0.43	TU13C2408A	0.22	(0.02)	39,122	0.23	CENTEL01P2404X	-	-	-	-
CFRESH	1.71	0.01	3,255	1.70	TU13P2406A	0.24	-	17,910	0.23	CENTEL13C2405A	-	-	-	-
CH	2.50	-	1,198	2.51	TU19C2407A	0.22	(0.01)	104,912	0.22	CENTEL13C2407A	0.24	0.01	44,057	0.24
CHOTI	-	-	-	-	TU41C2403A	-	-	-	-	CENTEL13P2404A	-	-	-	-
CM	2.20	(0.02)	932	2.22	TU41C2407A	0.12	-	13,200	0.12	DUSIT	8.90	0.15	1,482	8.82
COOCOCO	10.70	(0.10)	239,009	10.91	TVO	21.10	-	3,697	21.09	ERW	4.64	(0.06)	107,964	4.65
CPF	18.30	(0.20)	94,458	18.38	TPWC	3.62	(0.02)	653	3.64	ERW-W3	1.65	-	6,139	1.63
CPF01C2404A	-	-	-	-	W	0.81	-	29,606	0.80	ERTEL1C2403A	-	-	-	-
CPF01C2407A	0.22	(0.02)	5,657	0.23	W-W5	0.01	-	50	0.01	ERTEL1C2405A	0.08	-	1	0.08
CPF01P2404X	-	-	-	-	W-W6	0.55	0.09	232	0.52	ERTEL1C2406A	0.17	-	16,253	0.18
CPF01P2408T	0.36	0.01	6,625	0.35	ZEN	8.50	(0.30)	3,720	8.54	CSR	67.75	0.25	1	67.75
CPF11P2407T	0.33	0.01	8,650	0.32	Health Care Serv	-	-	-	-	DUSIT	8.90	0.15	1,482	8.82
CPF13C2403A	-	-	-	-	AHC	18.00	-	44	17.91	ERW	4.64	(0.06)	107,964	4.65
CPF13C2404A	-	-	-	-	BCH	21.60	(0.30)	89,717	21.68	ERW-W3	1.65	-	6,139	1.63
CPF13C2406A	0.19	(0.02)	8,503	0.20	BCH01C2404A	0.09	(0.02)	1,400	0.09	ERW01C2405A	-	-	-	-
CPF13P2405A	0.11	(0.01)	17,002	0.11	BCH01C2407A	0.26	(0.03)	2,366	0.26	ERW13C2404A	-	-	-	-
CPF19C2404A	-	-	-	-	BCH01P2407X	0.39	0.01	7,154	0.38	ERW13C2406A	-	-	-	-
CPI	2.62	0.02	6,026	2.64	BCH11C2407A	0.35	(0.03)	9,345	0.36	ERW13C2407A	0.33	(0.02)	12,904	0.34
F&D	28.00	(0.25)	50	28.00	BCH13C2404A	-	-	-	-	ERW19C2405A	-	-	-	-
GLOCON	0.29	0.01	37,051	0.28	BCH13C2407A	0.22	(0.03)	19,543	0.23	ERW41C2406A	-	-	-	-
GLOCON-W5	-	-	-	-	BCH13P2406A	0.24	0.01	7,852	0.24	GRAND	0.15	0.01	40,859	0.14
HTC	17.50	0.10	4,918	17.45	BCH19C2406A	0.14	(0.03)	2,346	0.15	LRH	-	-	-	-
ICHI	18.50	0.60	124,323	18.39	BCH41C2407A	0.25	(0.03)	7,500	0.25	MANRIN	32.50	0.25	1	32.50
ICHI01C2405A	0.42	0.07	7,311	0.39	BDMS	29.00	(0.25)	346,914	28.99	MINT	32.75	0.75	98,445	32.37
ICHI13C2405A	0.37	0.07	55,109	0.36	BDMS01C2403A	-	-	-	-	MINT01C2403A	-	-	-	-
ICHI19C2405A	0.35	0.05	28,231	0.33	BDMS01C2405A	0.19	(0.01)	12,732	0.19	MINT01C2404A	0.09	0.01	4,700	0.09
ITC	19.00	0.70	95,375	18.84	BDMS01C2408A	0.21	-	4,051	0.21	MINT01C2406A	0.29	0.03	3,746	0.28
ITC01C2405A	-	-	-	-	BDMS01P2403X	-	-	-	-	MINT01C2408A	0.23	0.03	12,698	0.21
ITC13C2406A	0.14	0.03	11,970	0.14	BDMS01P2407X	0.16	-	7,288	0.16	MINT01P2404X	-	-	-	-
JDF	2.58	0.16	33,132	2.57	BDMS13C2404A	0.07	(0.01)	9,709	0.07	MINT01P2406X	0.15	(0.01)	3,652	0.16
KBS	6.00	(0.05)	9,732	6.03	BDMS13C2408A	0.21	(0.01)	8,484	0.21	MINT06C2405A	0.14	0.03	36,910	0.12
KCG	9.10	(0.10)	73,000	9.27	BDMS13P2407A	0.18	-	8,430	0.18	MINT11C2403A	-	-	-	-
KSL	2.36	-	18,022	2.36	BDMS19C2405A	0.17	(0.01)	2,548	0.17	MINT11C2406A	0.27	0.02	12,230	0.26
KTIS	3.58	(0.06)	348	3.55	BDMS19C2407A	0.17	(0.01)	3,957	0.17	MINT13C2403B	-	-	-	-
LST	5.05	0.05	3,245	5.01	BDMS41C2404A	-	-	-	-	MINT13C2404A	0.11	0.02	29,394	0.09
M	36.25	0.25	9,928	36.07	BDMS41C2405A	0.19	(0.01)	2,000	0.19	MINT13C2406A	0.27	0.03	2,001	0.27
MALEE	12.20	0.30	48,691	12.18	BDMS41C2407A	-	-	-	-	MINT13C2407A	0.20	0.02	21,436	0.19
NRF	5.15	0.05	37,018	5.14	BDMS41C2408A	0.18	(0.01)	6,710	0.18	MINT13P2404A	-	-	-	-
NSL	21.70	-	4,291	21.59	BH	230.00	1.00	16,922	229.37	MINT13P2407A	0.14	(0.02)	8,287	0.15
OSP	19.70	0.50	123,978	19.64	BH-P	-	-	-	-	MINT19C2404A	0.15	0.02	8,484	0.13
OSP01C2403A	-	-	-	-	BHQ-Q	-	-	-	-	MINT19C2406A	0.20	0.01	32,355	0.20
OSP01C2404A	-	-	-	-	BH01C2404A	-	-	-	-	MINT41C2403A	-	-	-	-
OSP01C2406A	0.10	0.02	9,364	0.10	BH01C2405A	0.21	-	42,603	0.20	MINT41C2404A	0.12	0.02	22,804	0.11
OSP13C2403B	-	-	-	-	BH01C2408A	0.39	-	19,561	0.39	MINT41C2405A	-	-	-	-
OSP13C2405A	0.05	0.01	2,050	0.05	BH01P2405X	-	-	-	-	MINT41C2406A	0.24	0.02	8,000	0.22
OSP19C2404A	-	-	-	-	BH01P2406X	0.34	(0.01)	13,001	0.35	OHTL	-	-	-	-
PB	67.75	(0.25)	14	68.00	BH06C2404A	-	-	-	-	ROH	2.40	0.02	29	2.36
PLUS	7.05	0.10	12,873	7.05	BH11C2404A	-	-	-	-	SHANG	48.50	0.50	2	48.38
PM	7.20	-	4,650	7.21	BH11C2406A	0.23	-	15,840	0.23	SHR	2.68	0.14	365,764	2.68
PQS	2.82	-	5,634	2.74	BH13C2404A	-	-	-	-	VRANDA	5.00	0.02	1,136	4.99
PRG	10.30	0.10	43	10.30	BH13C2404B	0.02	-	600	0.02	Home & Office Prod.	-	-	-	-
PRG-W1	7.00	(1.95)	4	7.09	BH13C2405A	0.11	-	46,108	0.11	AJA	0.26	(0.08)	4,629,262	0.28
PRG-W2	-	-	-	-	BH13C2407A	0.35	0.01	60,955	0.34	AJA-W3	0.09	(0.04)	1,073,763	0.10
PRG-W3	-	-	-	-	BH13P2406A	0.19	(0.02)	16,054						

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NKI	26.00	(0.50)	500	26.00	STGT13C2407B	0.35	0.02	50,873	0.35	ORI	6.95	-	104,159	7.01
SMK	-	-	-	-	STGT13P2407A	0.38	(0.02)	34,802	0.38	ORI13C2407A	0.17	-	16,150	0.18
TGH	16.70	0.30	7	16.47	STGT19C2404A	0.63	0.01	75	0.62	ORI19C2404A	-	-	-	-
THRE	0.86	0.01	15,490	0.86	STGT19C2407A	0.41	0.02	31,942	0.42	ORN	1.34	0.03	358,478	1.34
THREL	2.02	0.14	33,383	1.99	STHAI	-	-	-	-	PACE	-	-	-	-
TIPH	28.00	0.25	3,767	27.80	TNR	9.35	0.20	50	9.15	PEACE	3.22	-	28	3.19
TIPH13C2404A	-	-	-	-	TOG	12.00	0.10	2,288	11.93	PF	0.28	-	13,924	0.28
TIPH13C2407A	0.10	(0.01)	2,482	0.10	Professional Ser	-	-	-	-	PIN	7.45	-	360,411	7.63
TIPH19C2404A	0.02	-	1	0.02	BWG	0.58	(0.01)	333,029	0.58	PLAT	3.00	(0.02)	3,332	3.00
TIPH19C2407A	0.15	0.01	10,170	0.14	Genco	0.53	-	434	0.52	POLAR	-	-	-	-
TLI	9.30	(0.05)	142,861	9.33	PRO	-	-	-	-	PRECHA	1.03	0.03	536	1.02
TLI01C2404A	0.02	0.01	15,208	0.01	PRTR	4.30	0.12	39,842	4.38	PRIN	2.82	-	4	2.75
TLI01C2406A	0.03	0.01	2	0.03	SISB	43.75	0.75	9,518	43.22	PSH	11.50	-	3,514	11.53
TLI01C2406B	0.17	(0.01)	16,529	0.18	SISB13C2405A	0.38	0.04	400	0.37	QH	2.18	0.02	160,123	2.17
TLI01C2408A	0.38	(0.01)	16,366	0.39	SISB13C2407A	0.31	0.03	23,855	0.29	RABBIT	0.42	-	143,353	0.43
TLI01P2403X	-	-	-	-	SO	6.80	(0.05)	288	6.75	RABBIT-P	0.43	-	24,755	0.43
TLI13C2403A	-	-	-	-	WAVE	0.17	-	240,500	0.18	RABBIT-Q	-	-	-	-
TLI13C2404A	-	-	-	-	WAVE-W3	0.07	-	58,141	0.07	RICHY	0.58	(0.02)	8,091	0.58
TLI13C2405A	-	-	-	-	Property Develop	-	-	-	-	RML	0.50	-	45,763	0.51
TLI13C2407A	0.36	(0.01)	37,041	0.37	A	4.98	-	16	4.99	ROJNA	6.50	0.10	78,082	6.52
TLI19C2404A	-	-	-	-	AKS	0.01	-	77,098	0.01	S	0.90	0.04	135,026	0.89
TLI19C2407A	0.34	(0.02)	27,526	0.35	AKS-W5	-	-	-	-	SA	7.15	0.05	294	7.09
TLI41C2404A	-	-	-	-	AMATA	23.50	0.30	66,238	23.57	SA-W1	0.08	-	2	0.08
TLI41C2404B	-	-	-	-	AMATA01C2404	-	-	-	-	SAMCO	1.17	(0.01)	1,217	1.17
TLI41C2405A	0.13	(0.01)	16,485	0.14	AMATA01C2404I	-	-	-	-	SC	3.42	(0.02)	26,522	3.41
TLI41C2405B	-	-	-	-	AMATA01C2407	0.48	0.03	13,542	0.49	SENA	2.80	0.04	28,719	2.79
TLI41C2406A	0.35	-	11,888	0.36	AMATA11C2407	0.46	0.02	19,801	0.47	SENA-W1	-	-	-	-
TQM	27.00	0.25	7,096	27.00	AMATA13C2403	0.01	-	13,009	0.01	SIRI	1.82	(0.01)	784,505	1.82
TQM13C2403A	-	-	-	-	AMATA13C2404	-	-	-	-	SIRI01C2403A	-	-	-	-
TQM13C2407A	-	-	-	-	AMATA13C2405	-	-	-	-	SIRI01C2406A	0.18	-	1,065	0.18
TQM19C2404A	-	-	-	-	AMATA13C2406	0.30	0.02	67,324	0.31	SIRI13C2407A	0.30	-	12,607	0.30
TQM19C2407A	0.16	0.01	2,028	0.16	AMATA19C2404	-	-	-	-	SIRI19C2407A	0.30	(0.01)	35,776	0.30
TSI	0.15	(0.02)	10,308	0.15	AMATA19C2405	-	-	-	-	SIRI41C2403A	-	-	-	-
TVH	8.50	0.10	59	8.39	AMATA19C2407	0.44	0.01	18,568	0.45	SIRI41C2405A	0.21	-	3,300	0.21
Packaging	-	-	-	-	AMATA41C2407	0.50	0.01	6,022	0.49	SPALI	20.80	0.20	23,652	20.69
AJ	5.90	-	321	5.88	AMATA41C2407I	0.35	0.03	30,200	0.35	SPALI11C2404A	0.20	-	3,220	0.20
ALUCON	175.00	0.50	15	174.90	AMATAV	5.45	(0.10)	2,070	5.51	SPALI13C2405A	0.27	0.02	20,826	0.26
BGC	7.30	-	1,740	7.24	ANAN	0.90	-	25,551	0.90	SPALI19C2408A	0.31	0.01	24,038	0.31
CSC	44.75	-	39	44.89	AP	10.40	-	129,604	10.39	UV	2.06	(0.02)	2,895	2.06
CSC-P	-	-	-	-	AP11C2404A	-	-	-	-	WHA	4.80	0.08	395,795	4.78
CSC-Q	-	-	-	-	APEX	-	-	-	-	WHA01C2403A	-	-	-	-
NEP	0.21	(0.01)	13,906	0.21	ASW	8.20	0.05	8,467	8.20	WHA01C2404A	0.06	-	2,000	0.06
PJW	2.98	0.02	1,592	2.99	ASW-W1	-	-	-	-	WHA01C2405A	-	-	-	-
PJW-W1	0.23	-	2,798	0.23	ASW-W2	0.04	0.01	423	0.03	WHA01C2406A	0.24	0.03	16,978	0.23
PTL	10.20	0.20	3,082	10.14	AWC	3.84	0.06	733,023	3.84	WHA01P2403X	-	-	-	-
SCGP	28.25	0.75	99,903	28.34	AWC01C2403A	-	-	-	-	WHA01P2407X	0.44	(0.04)	7,308	0.45
SCGP01C2403A	-	-	-	-	AWC01C2404A	0.07	-	261	0.07	WHA11C2407A	0.37	0.03	4,771	0.36
SCGP01C2405A	-	-	-	-	AWC01C2406A	0.19	0.02	13,506	0.19	WHA13C2403A	-	-	-	-
SCGP01C2406A	0.05	-	2,011	0.05	AWC01P2405X	0.30	(0.03)	11,602	0.30	WHA13C2404A	0.04	0.01	250	0.04
SCGP01C2408A	0.13	0.02	4,451	0.13	AWC06C2403A	-	-	-	-	WHA13C2404B	-	-	-	-
SCGP01P2405A	0.47	(0.07)	3,768	0.46	AWC06C2404A	-	-	-	-	WHA13C2406A	0.22	0.03	49,233	0.21
SCGP01P2408X	0.27	(0.03)	6,710	0.26	AWC11C2403A	-	-	-	-	WHA13P2407A	0.46	(0.04)	23,846	0.47
SCGP06C2403A	-	-	-	-	AWC13C2404A	-	-	-	-	WHA19C2404A	-	-	-	-
SCGP06C2406A	-	-	-	-	AWC13C2405A	0.19	0.02	52,593	0.19	WHA19C2404B	0.03	(0.04)	6	0.03
SCGP11C2405A	0.03	-	1	0.03	AWC19C2405A	0.22	0.03	116,430	0.22	WHA19C2406A	0.25	0.03	34,590	0.24
SCGP11C2407T	0.11	0.02	2,000	0.11	AWC19C2406A	0.11	0.01	39,733	0.11	WHA41C2404A	-	-	-	-
SCGP13C2403B	-	-	-	-	AWC41C2405A	0.04	0.01	3	0.04	WHA41C2404B	-	-	-	-
SCGP13C2405A	-	-	-	-	AWC41C2406A	0.15	0.02	61,305	0.15	WHA41C2406A	0.27	0.03	32,430	0.26
SCGP13C2406A	0.04	0.01	17,234	0.04	BLAND	0.69	-	12,134	0.69	WHA41C2406B	0.24	0.02	8,000	0.23
SCGP13C2407A	0.13	0.03	37,788	0.13	BRI	7.10	0.15	22,139	7.01	WHA41C2407A	0.31	0.03	12,116	0.30
SCGP13P2405A	-	-	-	-	BROCK	1.68	(0.03)	47	1.63	WIN	0.66	-	473	0.67
SCGP13P2408A	0.23	(0.03)	25,000	0.22	CGD	0.35	0.01	16,736	0.35	Paper & Printing Mat	-	-	-	-
SCGP19C2404A	-	-	-	-	CI	0.59	(0.02)	2,207	0.60	UTP	11.90	0.10	3,580	11.87
SCGP19C2406A	-	-	-	-	CI-W2	0.02	-	1,051	0.02	Fashion	-	-	-	-
SCGP19C2407A	0.14	0.02	40,402	0.15	CMC	1.22	0.03	2,180	1.19	AFC	4.88	0.04	21	4.78
SCGP41C2403A	-	-	-	-	CPN	65.50	0.50	59,672	65.17	AURA	14.40	0.50	14,318	14.23
SCGP41C2404A	-	-	-	-	CPN01C2403A	-	-	-	-	CPN01C2404A	-	-	-	-
SCGP41C2405A	-	-	-	-	CPN01C2404A	-	-	-	-	CPN01C2405A	-	-	-	-
SCGP41C2406A	-	-	-	-	CPN01C2407A	0.36	0.01	33,970	0.35	BTNC	20.40	(0.10)	6	20.23
SCGP41C2407A	0.12	0.02	10,100	0.12	CPN11C2404A	0.15	-	2,060	0.15	CPL	13.60	-	505	13.55
SFLEX	3.34	0.08	14,937	3.33	CPN13C2405A	-	-	-	-	CPL	1.39	0.01	1,945	1.40
SFLEX-W2	0.20	0.01	407	0.19	CPN13C2407A	0.34	0.02	37,821	0.33	NC	4.50	(0.06)	18,288	4.57
SITTHAI	1.18	-	6,636	1.19	CPN19C2407A	0.28	0.01	91,299	0.28	PAF	1.37	0.03	289	1.37
SLP	0.42	-	14	0.42	CPN41C2404A	-	-	-	-	PDJ	1.99	0.06	6,376	1.97
SMPC	8.10	0.05	1,236	8.06	CPN41C2405A	-	-	-	-	PG	9.10	(0.15)	1	9.10
SPACK	2.02	0.05	1,014	1.99	CPN41C2406A	0.30	0.02	30,731	0.28	SABINA	25.50	0.25	3,935	25.54
TCOAT	-	-	-	-	ESTAR	0.25	-	7,558	0.25	SAWANG	-	-	-	-
TFI	0.08	(0.01)	8,542	0.09	EVER	0.16	0.01	2,144	0.16	SUC	32.75	0.50	126	32.47
TFI-W1	-	-	-	-	FPT	15.								

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT06C2404A	-	-	-	-	ACG	1.28	0.03	286	1.28	Z5	3.06	-	264	3.06
AOT11C2403A	-	-	-	-	AH	23.50	0.30	10,242	23.42	AMC	3.30	0.02	5,263	3.29
AOT11C2407A	0.31	0.05	10,170	0.29	CWT	1.34	0.01	1,036	1.33	BSBM	0.70	-	702	0.70
AOT13C2403A	-	-	-	-	EASON	1.24	0.03	22,632	1.23	CEN	2.16	0.04	128	2.16
AOT13C2404A	0.01	(0.01)	4,600	0.01	GYT	182.00	2.00	13	180.38	CEN-W5	0.29	-	1	0.29
AOT13C2404B	0.06	(0.02)	314	0.06	HFT	4.08	(0.08)	3,408	4.13	CITY	2.12	(0.02)	1,774	2.12
AOT13C2405A	0.24	0.05	81,760	0.22	IHL	2.06	0.02	1,717	2.03	CSP	1.00	-	243	1.00
AOT13P2404A	-	-	-	-	INGRS	0.52	0.01	14,018	0.51	GJS	0.22	-	2,751	0.22
AOT13P2404B	-	-	-	-	IRC	13.10	0.20	22	13.10	GSTEEL	-	-	-	-
AOT13P2407A	0.17	(0.03)	4,376	0.18	MGC	5.40	0.20	6,880	5.36	INOX	0.49	0.01	16,804	0.48
AOT19C2404A	-	-	-	-	NEX	9.90	(0.10)	47,013	9.96	LHK	3.88	0.02	634	3.87
AOT19C2404B	-	-	-	-	NEX13C2403B	0.01	(0.07)	35	0.01	MCS	6.60	(0.05)	2,622	6.61
AOT19C2404C	0.14	0.04	4,442	0.13	NEX13C2405A	0.06	(0.01)	1	0.06	MILL	-	-	-	-
AOT19C2406A	0.22	0.04	14,633	0.22	NEX13C2407A	0.18	(0.01)	16,646	0.19	MILL-W6	-	-	-	-
AOT19C2406B	0.43	0.05	1,060	0.42	NEX19C2404A	-	-	-	-	MILL-W7	-	-	-	-
AOT19P2404A	-	-	-	-	PCSGH	5.05	0.05	297	5.06	PAP	2.30	-	223	2.31
AOT19P2407A	0.20	(0.06)	8,478	0.22	POLY	7.80	(0.20)	199	7.82	PERM	0.91	-	1,890	0.90
AOT41C2403A	-	-	-	-	SAT	17.20	0.10	9,338	17.13	SAM	0.37	(0.01)	1,872	0.37
AOT41C2404A	-	-	-	-	SPG	15.90	0.30	30	15.90	SMIT	4.48	-	24	4.49
AOT41C2405A	0.19	0.04	16,561	0.17	STANLY	225.00	(1.00)	373	225.14	SSSC	3.08	-	441	3.06
AOT41C2405B	0.23	0.04	10,400	0.22	TKT	1.69	(0.03)	220	1.69	TGPRO	0.11	-	40,053	0.11
AOT41C2406A	0.42	0.07	5,002	0.41	TNPC	1.23	-	457	1.22	THE	1.19	-	210	1.17
AOT41P2405A	-	-	-	-	TRU	3.34	-	408	3.32	TMT	5.60	0.05	688	5.57
ASIMAR	1.59	-	5,341	1.60	TSC	14.40	0.10	82	14.35	TSTH	0.72	-	2,057	0.73
B	0.12	-	231,813	0.12	Industrial Materi	-	-	-	-	TWP	2.04	0.04	144	2.01
B-W7	-	-	-	-	ALLA	1.88	0.02	25,881	1.88	TYCN	2.42	(0.08)	520	2.45
B-W8	0.01	-	8,640	0.01	ASEFA	3.92	0.04	476	3.89	Construction Service	-	-	-	-
BA	15.70	-	29,388	15.72	CPT	0.70	0.02	7,283	0.69	APCS	3.60	0.18	476	3.56
BEM	8.10	-	365,318	8.06	CRANE	0.94	-	9,789	0.93	BJCHI	1.20	0.01	6,872	1.20
BEM01C2403A	-	-	-	-	CTW	4.40	(0.08)	663	4.42	BKD	1.60	0.04	308	1.55
BEM01C2405A	-	-	-	-	FMT	34.50	(4.50)	513	34.19	CIVIL	2.04	0.02	3,654	2.02
BEM13C2407A	0.19	-	50,194	0.18	HTECH	2.28	-	1,349	2.29	CK	23.80	0.50	60,952	23.64
BEM19C2405A	-	-	-	-	KKC	-	-	-	-	CK01C2403A	-	-	-	-
BTS	5.10	0.05	505,103	5.08	PK	0.98	0.05	3,795	0.97	CK01C2407A	0.51	0.05	33,039	0.48
BTS-W7	0.01	(0.01)	6,022	0.02	PSP	5.30	-	44,091	5.34	CK11C2407A	0.42	0.04	5,545	0.40
BTS-W8	0.08	-	15,044	0.08	SNC	7.25	0.05	559	7.20	CK13C2405A	0.22	0.03	81,227	0.20
BTS01C2405A	-	-	-	-	STARK	-	-	-	-	CK19C2404A	0.14	0.02	12,918	0.13
BTS01C2407A	0.06	0.01	1	0.06	STARK-W1	-	-	-	-	CNT	1.07	0.01	5,606	1.06
BTS01C2408A	0.17	0.01	14,660	0.17	TCJ	3.00	(0.04)	1	3.00	EMC	0.07	(0.01)	3,609	0.07
BTS01P2405X	0.82	(0.05)	408	0.83	TPCS	16.50	-	1	16.50	ITD	-	-	-	-
BTS01P2407X	0.37	(0.03)	2,728	0.37	VARO	3.16	(0.02)	93	3.18	NL	2.54	(0.04)	118,502	2.56
BTS13C2405A	0.01	-	1	0.01	Property Fund &	-	-	-	-	NWR	0.33	0.01	37,520	0.33
BTS13C2407A	-	-	-	-	AIMCG	3.64	0.02	1,863	3.62	PLE	0.50	(0.01)	10,806	0.50
BTS13C2407B	0.15	0.01	9,430	0.15	AIMIRT	10.60	-	3,525	10.60	PREB	6.25	0.05	300	6.25
BTS13P2405A	-	-	-	-	ALLY	5.70	-	17,898	5.68	PYLON	2.56	0.02	3,223	2.54
BTS13P2407A	-	-	-	-	AMATAR	6.45	0.05	354	6.40	RT	0.73	-	15,751	0.73
BTS19C2406A	0.01	-	4,000	0.01	B-WORK	4.48	0.04	1,082	4.44	RT-W1	0.02	-	4,440	0.01
BTS19C2407A	-	-	-	-	BAREIT	10.00	(0.10)	6,388	10.07	SEAFCO	2.70	-	13,348	2.71
BTS19C2407B	0.16	-	28,362	0.17	BKKCP	9.20	-	71	9.17	SQ	1.13	-	932	1.12
BTS41C2407A	-	-	-	-	BOFFICE	4.88	-	4,499	4.87	SRICHA	8.80	(0.40)	15,625	9.44
BTSGIF	3.54	-	2,348	3.55	CPNCG	6.30	-	4,201	6.28	STEC	10.20	0.50	120,044	10.16
DMT	11.90	0.10	6,627	11.97	CPNREIT	9.95	(0.05)	26,321	9.99	SYNTEC	1.80	0.02	2,750	1.80
ETL	1.65	(0.13)	566,613	1.71	CGTGF	5.30	-	770	5.30	TEANG	4.78	0.06	3,019	4.77
III	9.30	-	18,038	9.28	CTARAF	4.54	-	553	4.50	TEANG-W1	0.57	0.03	2,414	0.53
KEX	5.45	(0.05)	6,968	5.45	DREIT	5.10	-	783	5.10	TEKA	2.14	(0.02)	146	2.15
KIAT	0.40	-	3,551	0.39	ERWPF	8.50	(0.05)	249	8.50	TPOLY	0.94	0.07	501,945	0.97
KWC	280.00	6.00	1	280.00	FTREIT	9.95	(0.05)	26,321	9.99	TRITN-W5	0.01	-	1	0.01
MENA	1.88	0.02	62,117	1.90	FUTUREPPF	11.50	0.20	1,016	11.50	TRITN-W6	0.01	-	3	0.01
NOK	-	-	-	-	GAHREIT	7.10	-	21	7.08	TEI	3.36	0.02	943	3.34
NYT	4.64	(0.08)	63,806	4.68	GROREIT	8.80	-	46	8.87	STI	3.26	0.02	4,396	3.18
PORT	1.35	(0.01)	1,992	1.36	GVREIT	5.35	-	31,178	5.32	STPI	3.20	0.01	167,101	0.32
PRM	6.95	(0.05)	118,992	6.91	HPF	4.72	0.02	661	4.70	TRC	0.32	0.01	147,067	0.13
PSL	8.50	0.15	64,035	8.54	HYDROGEN	9.50	0.10	100	9.50	TRITN	0.14	0.01	11,837	3.59
PSL01C2403A	-	-	-	-	IMPACT	11.90	-	4,042	11.90	TRITN-W5	0.01	-	-	-
PSL01C2405A	0.12	0.01	10,594	0.13	INETREIT	9.00	-	5,682	8.99	TRITN-W6	0.01	-	3	0.01
PSL01C2407A	0.26	0.01	18,159	0.27	KPNPF	3.68	-	21	3.68	TTCL	3.62	-	11,654	0.21
PSL01P2403X	-	-	-	-	KTBTSMR	6.35	0.05	122	6.31	UNIQ	3.34	0.04	4,473	3.34
PSL06C2404A	-	-	-	-	LHHOTEL	11.90	0.10	7,945	11.92	WGE	0.67	-	87	0.68
PSL13C2404A	0.11	0.01	11,406	0.12	LHPF	6.05	(0.05)	229	6.07	Unit Trust	-	-	-	-
PSL13C2407A	0.22	0.01	23,570	0.23	LHSC	9.85	-	4,126	9.81	SCBSET	-	-	-	-
PSL19C2404A	0.17	0.02	4,622	0.18	LPF	13.10	-	15,724	13.10	ETF	-	-	-	-
PSL19C2407A	0.28	0.02	10,325	0.29	LUXF	7.00	0.05	662	6.95	1DIV	9.77	0.09	184	9.75
PSL41C2405A	0.11	0.01	16,000	0.12	M-II	7.20	(0.10)	680	7.20	ABFTH	-	-	-	-
RCL	21.30	0.40	30,427	21.16	M-PAT	-	-	-	-	BMSCITH	9.46	0.11	13	9.40
RCL01C2405A	0.18	0.02	17,075	0.17	M-STOR	7.15	-	110	7.12	BSET100	8.98	0.07	330	8.96
RCL01C2407A	0.08	0.01	916	0.08	MIT	0.84	(0.01)	58	0.85	CHINA	5.67	0.03	549	5.65
RCL01C2408A	0.36	0.02	71,352	0.36	MJLF	3.80	0.02	817	3.85	ENGY	5.19	0.07	285	5.17
RCL01P2405X	0.39	(0.03)	8,551	0.40	MNIT	2.30	-	126	2.29	ENY	5.00	(0.01)	27	5.00
RCL06C2405A	0.03	(0.02)	1	0.03	MNIT2	4.98	-	3	4.93	GLD	3.08	-	5,772	3.07
RCL11C2407A	0.06	-	150	0.06	MNRF	-	-	-	-	TDEX</td				

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BABA41C2403B	-	-	-	-	HISI06P2403D	-	-	-	-	NTES41C2405A	0.46	0.11	52,000	0.45
BABA41C2404A	0.10	0.02	26,000	0.11	HISI06P2404A	0.33	(0.06)	6,474,466	0.31	PINGAN28C2403A	0.01	-	5,000	0.01
BABA41C2404B	0.19	0.02	20,003	0.20	HISI06P2404B	0.09	(0.02)	510	0.09	PINGAN28C2404A	-	-	-	-
BABA41C2406A	-	-	-	-	HISI06P2404C	-	-	-	-	PINGAN28C2406A	0.21	0.03	21,049	0.22
BABA41C2406B	0.49	-	20,700	0.49	HISI06P2404D	0.16	(0.03)	6,951,752	0.15	PINGAN28C2407A	0.49	0.06	10	0.49
BABA41P2403A	0.24	0.01	6,000	0.25	HISI06P2405A	0.48	(0.11)	10,038	0.49	PINGAN28P2403A	0.19	(0.03)	12,168	0.18
BABA41P2404A	-	-	-	-	HISI06P2405B	0.24	(0.02)	416,271	0.22	PINGAN28P2406A	0.13	(0.01)	2,028	0.13
BABA41P2407A	0.26	(0.01)	32,000	0.26	HISI06P2405C	0.89	(0.11)	3	0.88	PINGAN41C2403A	-	-	-	-
BIDU28C2403A	-	-	-	-	HISI06P2406A	0.36	(0.05)	685,019	0.38	PINGAN41C2404A	-	-	-	-
BIDU28C2403B	-	-	-	-	HISI06P2406B	0.55	(0.07)	3	0.55	PINGAN41C2404B	0.11	-	20,262	0.12
BIDU28C2407A	0.21	0.01	6,000	0.21	HISI06P2406C	0.80	(0.20)	2,895	0.79	PINGAN41C2406A	0.34	0.06	1	0.34
BIDU28P2406A	0.45	(0.02)	6,114	0.44	HISI28C2403A	0.01	-	12,351	0.01	PINGAN41C2406B	0.29	0.05	6,020	0.29
BIDU41C2403A	-	-	-	-	HISI28C2403B	0.27	0.04	5,275,430	0.29	PINGAN41P2404A	-	-	-	-
BIDU41C2403B	-	-	-	-	HISI28C2403C	0.08	0.01	196,798	0.09	SET5001C2403A	-	-	-	-
BIDU41C2407A	0.22	0.02	20,050	0.22	HISI28C2403D	0.04	0.01	45,405	0.03	SET5001C2403B	-	-	-	-
BIDU41P2403A	-	-	-	-	HISI28C2403E	0.67	0.07	6,196,893	0.72	SET5001C2403F	0.02	0.01	24	0.01
BYDCOM28C2404A	-	-	-	-	HISI28C2403F	1.37	0.22	290	1.36	SET5001C2403G	0.02	0.01	3	0.02
BYDCOM28C2405A	0.08	0.01	10	0.08	HISI28C2404A	0.07	-	164,155	0.08	SET5001C2404A	0.01	(0.01)	31	0.01
BYDCOM28C2407A	0.28	(0.02)	37,182	0.29	HISI28C2404B	0.19	0.02	75,162	0.20	SET5001C2404T	0.12	0.03	8,792	0.12
BYDCOM28P2405A	0.32	-	20,773	0.31	HISI28C2404C	0.41	0.05	3,946,530	0.43	SET5001C2405A	0.17	0.03	14,243	0.16
BYDCOM41C2404A	-	-	-	-	HISI28C2404D	0.84	0.08	596,276	0.88	SET5001C2406A	0.29	0.06	42,428	0.27
BYDCOM41C2405A	-	-	-	-	HISI28C2405A	0.14	0.02	47,285	0.14	SET5001C2406F	0.30	0.05	156,999	0.29
BYDCOM41C2406A	0.17	(0.05)	140,630	0.17	HISI28C2405B	0.47	0.04	3,293,116	0.48	SET5001C2406T	0.39	0.05	15,435	0.37
BYDCOM41P2404A	-	-	-	-	HISI28C2405C	0.25	0.01	4,564	0.26	SET5001P2403A	-	-	-	-
BYDCOM41P2405A	0.32	-	32,000	0.32	HISI28C2405D	0.74	0.05	518,689	0.78	SET5001P2403B	-	-	-	-
CATHAY28C2403A	-	-	-	-	HISI28C2406A	0.45	0.04	1,959,168	0.46	SET5001P2403F	-	-	-	-
CATHAY28C2404A	-	-	-	-	HISI28P2403A	0.20	(0.06)	3,668,200	0.19	SET5001P2403G	0.01	-	2,123	0.01
CATHAY28C2407A	0.34	(0.01)	8,535	0.34	HISI28P2403B	0.02	-	7,025	0.01	SET5001P2403H	0.06	(0.09)	10,532	0.09
CATHAY41C2403A	-	-	-	-	HISI28P2403C	0.05	(0.02)	186,036	0.05	SET5001P2404A	0.09	(0.08)	13,482	0.12
CATHAY41C2404A	0.22	(0.02)	20,001	0.22	HISI28P2403D	0.57	(0.11)	7,881,689	0.55	SET5001P2404T	0.19	(0.08)	5,976	0.20
CHMOBI28C2404A	0.18	-	37,405	0.19	HISI28P2404A	0.13	(0.02)	49,036	0.13	SET5001P2405A	0.13	(0.05)	8,007	0.14
CMBANK1C2404A	-	-	-	-	HISI28P2404B	0.37	(0.06)	2,849,778	0.36	SET5001P2406A	0.31	(0.11)	37,497	0.35
CMBANK1C2406A	-	-	-	-	HISI28P2404C	0.73	(0.08)	949,931	0.70	SET5001P2406F	0.32	(0.09)	116,136	0.34
CNOOC28C2404A	-	-	-	-	HISI28P2404D	0.06	(0.02)	505	0.07	SET5001P2406T	0.31	(0.05)	26,443	0.33
CNOOC28C2408A	0.52	0.12	35,406	0.50	HISI28P2405A	0.19	(0.02)	16,382	0.19	SET5006C2403A	-	-	-	-
DJI28C2403A	2.98	0.12	2	2.97	HISI28P2405B	0.41	(0.04)	2,406,276	0.40	SET5006C2403B	-	-	-	-
DJI28C2403B	0.33	(0.01)	2,800	0.33	HISI28P2405C	0.73	(0.06)	403,309	0.69	SET5006C2403C	0.06	-	8	0.06
DJI28C2403C	-	-	-	-	HISI28P2406A	0.18	(0.03)	17,228	0.18	SET5006C2404A	0.32	0.06	113,273	0.27
DJI28C2406B	0.63	0.03	26	0.63	HISI28P2406B	0.61	(0.05)	4,125,096	0.60	SET5006P2403A	-	-	-	-
DJI28C2406C	0.25	0.01	520	0.25	HSTECH28C2404:	0.43	0.02	515	0.47	SET5006P2403C	-	-	-	-
DJI28P2403A	-	-	-	-	HSTECH28C2404:	0.06	(0.03)	100	0.06	SET5006P2404A	0.27	(0.09)	110,476	0.32
DJI28P2403B	-	-	-	-	HSTECH28C2404:	0.98	0.08	201	0.97	SET5013C2403A	0.01	-	1	0.01
DJI28P2403C	-	-	-	-	HSTECH28C2404:	0.44	0.04	300	0.44	SET5013C2403B	-	-	-	-
DJI28P2403D	-	-	-	-	HSTECH28P2404:	-	-	-	-	SET5013C2403D	-	-	-	-
DJI28P2406A	0.27	(0.02)	25	0.27	HSTECH28P2404:	-	-	-	-	SET5013C2403E	-	-	-	-
DJI28P2406B	0.44	(0.04)	501	0.45	HSTECH28P2404:	-	-	-	-	SET5013C2403F	-	-	-	-
DJI41C2403A	-	-	-	-	HSTECH28P2404:	-	-	-	-	SET5013C2403G	-	-	-	-
DJI41C2403B	-	-	-	-	ICBC28C2404A	0.14	0.01	1,014	0.15	SET5013C2403H	0.01	-	4	0.01
DJI41C2406A	-	-	-	-	ICBC28C2407A	-	-	-	-	SET5013C2403I	0.02	-	177,369	0.02
DJI41P2403A	-	-	-	-	JD28C2403A	-	-	-	-	SET5013C2403J	0.03	0.01	604,268	0.03
DJI41P2403B	-	-	-	-	JD28C2403B	-	-	-	-	SET5013C2403K	-	-	-	-
DJI41P2403C	-	-	-	-	JD28C2406A	0.40	(0.04)	28,224	0.41	SET5013C2405A	0.79	0.03	473	0.78
DJI41P2406A	-	-	-	-	JD41C2406A	0.53	(0.03)	44,006	0.54	SET5013C2406A	0.30	0.07	1,984,559	0.28
DJI41P2406B	0.48	(0.04)	22	0.49	KUAISH28C2403	-	-	-	-	SET5013C2406C	0.36	0.08	1,720,200	0.34
GEELY28C2403A	-	-	-	-	KUAISH28C2404	-	-	-	-	SET5013C2406D	0.23	0.05	910,986	0.22
GEELY28C2406A	0.31	0.02	12,168	0.32	KUAISH28C2406E	0.17	0.02	12,675	0.17	SET5013C2406F	0.51	0.12	1,647,950	0.47
GEELY28P2404A	0.23	(0.04)	7,014	0.23	KUAISH28C2407	0.49	0.05	28,308	0.48	SET5013C2406G	0.75	0.16	253,515	0.69
GEELY41C2404A	-	-	-	-	KUAISH41C2406	0.30	-	78,000	0.30	SET5013C2410A	0.22	0.04	333,630	0.22
GEELY41C2406A	0.23	0.01	23,000	0.24	LENOVO28C2404	-	-	-	-	SET5013P2403A	-	-	-	-
HAIDLIL28C2403A	-	-	-	-	LENOVO28C2404	0.50	0.01	19,588	0.50	SET5013P2403B	-	-	-	-
HAIDLIL28C2404A	-	-	-	-	LENOVO41C2404	0.27	-	26,000	0.27	SET5013P2403C	0.02	(0.02)	36,893	0.02
HAIDLIL28C2406A	0.17	0.02	4,056	0.17	MCA5041C2403/	-	-	-	-	SET5013P2403D	0.02	(0.01)	8,737	0.02
HAIDLIL1C2403A	-	-	-	-	MCA5041C2406/	0.76	0.02	45	0.75	SET5013P2403E	0.06	(0.05)	1,682,940	0.06
HAIDLIL1C2404A	-	-	-	-	MCA5041P2403/	-	-	-	-	SET5013P2403F	0.01	(0.01)	100	0.01
HAIDLIL1C2405A	0.17	(0.01)	40,000	0.17	MCA5041P2406/	-	-	-	-	SET5013P2405A	1.12	(0.04)	129	1.13
HKEK28C2404A	-	-	-	-	MEITU28C2404:	0.01	-	200	0.01	SET5013P2406A	0.25	(0.07)	1,844,152	0.26
HKEK28C2407A	-	-	-	-	MEITU28C2404:	0.49	-	42,422	0.50	SET5013P2406B	0.32	(0.10)	3,317,488	0.34
HKEK41C2404A	-	-	-	-	MEITU28C2404:	1.07	(0.01)	17,238	1.10	SET5019C2403A	0.02	-	501	0.02
HKEK41C2405A	-	-	-	-	MEITU28C2405:	0.41	(0.01)	54,504	0.40	SET5019C2403B	-	-	-	-
HKEK41C2406A	0.16	0.01	20,000	0.16	MEITU28P2404:	0.18	(0.01)	6,000	0.18	SET5019C2403C	-	-	-	-
HSBC41C2403A	-	-	-	-	MEITU41C2404:	-	-	-	-	SET5019C2403D	-	-	-	-
HSBC41C2404A	0.40	0.01	8,080	0.41	MEITU41C2404:	-	-	-	-	SET5019C2403E	-	-	-	-
HSBC28P2404A	-	-	-	-	MEITU41C2405:	0.45	0.05	196,200	0.45					

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday March 08, 2024

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust	-	-	-	-	UBIS	2.02	0.03	3,559	00 2.0	JPARK	6.75	0.10	77,806	00 6.7
AU	9.05	0.50	26,589	00 8.9	UEC	1.65	0.05	6,699	00 1.6	KGEN	0.80	0.01	15,884	00 0.7
JCKH	0.04	-	96,210	00 0.0	UKEM	0.81	(0.01)	22,664	00 0.8	KGEN-W2	0.33	0.03	17,062	00 0.3
JCKH-W1	-	-	-	00 0.0	UREKA	0.57	0.01	21,571	00 0.5	KK	1.94	(0.02)	47	00 1.9
JCKH-W2	-	-	-	00 0.0	YUASA	11.00	0.10	23	00 10.9	KLINIQ	39.25	0.50	9,040	00 39.2
KASET	1.25	0.01	339	00 1.2	ZIGA	3.08	0.04	129,192	00 3.0	KOOL	0.41	-	190,319	00 0.4
MUD	1.78	-	37	00 1.7	Property	-	-	-	-	KTMS	2.62	-	1,096	00 2.5
NTSC	15.70	(0.20)	270	00 15.8	24CS	1.36	-	7,709	00 1.3	LDC	0.70	0.01	2,666	00 0.6
TACC	4.76	0.06	15,495	00 4.7	A5	3.50	0.06	35,885	00 3.4	LEO	4.58	0.06	1,496	00 4.5
TMILL	3.80	-	680	00 3.8	A5-W2	0.03	-	23,577	00 0.0	LEO-W1	0.15	(0.04)	4,362	00 0.1
WINNER	2.26	0.04	1,027	00 2.2	A5-W3	0.07	-	25,014	00 0.0	MASTER	73.50	0.50	17,337	00 73.6
XO	22.90	-	9,956	00 23.0	ALL	-	-	-	00 0.0	MCA	2.98	(0.10)	229,410	00 3.1
Consumer Products	-	-	-	-	ARIN	3.18	0.08	161	00 3.1	MEB	34.00	0.75	4,653	00 33.7
ALPHAX	0.46	(0.01)	112,535	00 0.4	ARROW	6.40	-	20	00 6.4	MORE	0.08	-	17,231	00 0.0
BGT	0.80	0.01	101	00 0.7	BC	1.38	0.03	113	00 1.3	MVP	1.41	0.01	11,317	00 1.4
DOD	3.32	0.02	1,967	00 3.3	BLESS	0.62	-	2,122	00 0.6	NCL	0.76	0.01	5,274	00 0.7
ECF	0.98	0.01	144,266	00 0.9	BSM	2.60	-	1,321	00 2.5	NEWS	0.02	-	1,178,121	00 0.0
ECF-W4	0.01	-	5,200	00 0.0	BTW	0.28	-	7,301	00 0.2	NEWS-W7	0.01	-	6,300	00 0.0
EFORL	0.21	(0.01)	42,358	00 0.2	CAZ	3.80	0.04	5,771	00 3.8	PEER	0.58	(0.03)	134,375	00 0.5
EFORL-W6	0.04	-	10	00 0.0	CHEWA	0.52	-	525	00 0.5	PEER-W1	0.31	(0.01)	3,502	00 0.3
EURO	7.30	0.30	22,709	00 7.1	CPANEL	6.15	(0.10)	675	00 6.1	PHOL	2.68	0.06	1,641	00 2.6
HPT	0.67	0.08	187,552	00 0.6	CPANEL-W1	2.02	0.15	18	00 1.9	PICO	4.86	-	11	00 4.8
IP	8.30	(0.20)	3,324	00 8.4	CRD	0.50	-	1,821	00 0.4	PLT	0.82	0.01	10,690	00 0.8
IP-W2	0.42	-	9,478	00 0.4	DHOUSE	0.60	-	2,164	00 0.6	QLT	2.84	0.06	694	00 2.8
ITTHI	2.02	0.02	21,209	00 2.0	DIMET	0.26	-	15,653	00 0.2	RP	1.36	(0.01)	203	00 1.3
JSP	2.20	-	855	00 2.1	DPAIN	2.56	0.08	4,404	00 2.5	SE	0.94	-	2,219	00 0.9
JSP-W1	0.13	-	2,537	00 0.1	FLOYD	1.18	(0.04)	1,334	00 1.1	SLM	-	-	-	00 0.0
JUBILE	16.30	(0.10)	1,388	00 16.2	FLOYD-W1	0.04	-	3,948	00 0.0	SONIC	1.70	0.01	4,957	00 1.7
MGI	36.25	(9.75)	100,404	00 36.7	HYDRO	0.26	-	232	00 0.2	SPA	13.80	0.10	15,551	00 13.8
MOONG	2.24	(0.02)	388	00 2.2	HYDRO-W2	-	-	-	00 0.0	THMUI	0.59	-	2,633	00 0.5
NPK	-	-	-	00 0.0	IND	0.95	0.03	1,524	00 0.9	TNDT	0.23	-	4,089	00 0.2
SMD	6.90	-	1,858	00 6.8	JAK	1.29	(0.01)	318	00 1.2	TNDT-W1	0.05	-	314	00 0.0
TM	1.87	(0.02)	402	00 1.8	K	1.29	(0.01)	1,519	00 1.2	TNH	34.50	0.25	362	00 34.5
TM-W1	0.18	(0.01)	287	00 0.1	K-W2	0.37	-	43	00 0.3	TNP	3.22	0.08	3,572	00 3.2
WARRIX	5.40	0.05	24,759	00 5.4	KUN	1.65	0.01	121	00 1.6	TPL	1.54	0.01	19,197	00 1.5
WINMED	2.94	(0.02)	901	00 2.9	KUN-W1	0.01	-	1	00 0.0	TRP	14.00	(0.40)	11,156	00 14.1
Financials	-	-	-	-	KUN-W2	0.08	0.01	48	00 0.0	TURTLE	7.30	(0.10)	1	00 7.3
ACAP	-	-	-	00 0.0	META	0.16	0.02	83,186	00 0.1	TVDH	0.36	-	6,168	00 0.3
AF	0.77	0.01	308	00 0.7	META-W7	0.01	-	214	00 0.0	TVDH-W3	0.06	-	349	00 0.0
AIRA	1.80	(0.01)	30	00 1.8	PANEL	2.74	(0.18)	120,099	00 2.8	TVDH-W4	0.07	(0.01)	2,551	00 0.0
ASN	1.80	(0.05)	61	00 1.8	PPS	0.39	-	8,556	00 0.3	TVT	0.54	(0.14)	231,279	00 0.5
BROOK	0.65	0.03	1,230,300	00 0.6	PRI	18.40	(0.80)	16,610	00 18.8	UBA	1.12	0.02	5,150	00 1.1
BROOK-W6	0.14	0.01	78,112	00 0.1	PROS	1.18	-	9,413	00 1.1	VL	1.08	(0.02)	18,488	00 1.0
BROOK-W7	0.29	(0.04)	93,582	00 0.3	PROS-W1	0.30	0.01	7,014	00 0.3	YGG	7.20	-	52,773	00 7.1
GCAP	0.51	0.01	8,909	00 0.4	PROUD	1.68	-	495	00 1.6	Technology	-	-	-	-
KCC	3.16	0.08	3,707	00 3.1	PSG	0.71	0.01	152,966	00 0.7	APP	2.54	0.02	3,489	00 2.5
LIT	0.97	0.01	871	00 0.9	SENX	0.52	(0.01)	6,468	00 0.5	BBIK	103.50	-	4,024	00 102.9
LIT-W2	0.14	-	325	00 0.1	SENX-W1	0.01	(0.01)	14,689	00 0.0	BE8	26.75	(0.25)	8,556	00 27.0
MITSIB	0.87	-	799	00 0.8	SK	0.96	(0.01)	53,313	00 0.9	BE8-W1	5.05	0.15	47	00 4.8
SGF	0.40	-	712	00 0.3	SMART	1.09	-	142,724	00 1.0	BVG	4.48	0.02	13,064	00 4.5
SGF-P1	-	-	-	00 0.0	SSS	-	-	-	00 0.0	COMAN	3.48	-	409	00 3.4
SGF-Q1	-	-	-	00 0.0	STC	0.67	0.02	2,084	00 0.6	I2	2.18	0.12	53,430	00 2.1
TQR	7.05	-	25	00 7.0	SVR	1.48	-	3,465	00 1.4	IIIG	7.45	0.10	1,023	00 7.5
Industrials	-	-	-	-	TAPAC	-	-	-	00 0.0	IIIG-W1	1.92	(0.18)	82	00 1.8
ADB	0.92	(0.01)	3,300	00 0.9	THANA	1.75	0.01	172	00 1.7	IRCP	0.69	0.02	2,191	00 0.6
BM	2.92	-	14,807	00 2.9	TIGER	0.96	-	6	00 0.9	ITNS	2.38	(0.10)	5,359	00 2.3
BM-W3	1.67	0.07	131	00 1.5	TITLE	4.28	0.02	585	00 4.2	NAT	6.55	(0.15)	101,707	00 6.6
CHO	0.16	-	165,732	00 0.1	YONG	2.08	0.02	19,525	00 2.0	NETBAY	21.00	0.10	3,040	00 21.1
CHO-W3	-	-	-	00 0.0	Resources	-	-	-	00 0.0	PLANET	0.73	0.01	287	00 0.7
CHOW	1.70	(0.01)	1,185	00 1.7	ABM	1.36	0.03	253	00 1.3	PROEN	2.36	0.20	180,722	00 2.3
CIG	0.08	-	167,331	00 0.0	ABM-W1	0.13	(0.02)	131	00 0.1	PROEN-W1	-	-	-	00 0.0
CIG-W10	-	-	-	00 0.0	GTV	0.14	-	222,739	00 0.1	READY	11.20	(0.10)	819	00 11.2
CIG-W9	0.06	-	19	00 0.0	PSTC	0.52	-	57,999	00 0.5	SECURE	14.10	-	1,052	00 14.0
COLOR	1.33	(0.02)	38	00 1.3	PSTC-W2	0.06	0.01	3,269	00 0.0	SICT	5.40	0.05	11,155	00 5.4
COLOR-W2	0.02	0.01	7,002	00 0.0	PTC	2.04	0.04	1,340	00 2.0	SIMAT	1.45	0.01	4,100	00 1.4
CPR	4.10	0.02	775	00 4.0	SAAM	7.65	(0.10)	229	00 7.6	SIMAT-W3	0.20	0.01	11	00 0.1
FPI	2.46	0.02	1,210	00 2.4	SAAM-W2	0.14	(0.01)	1,155	00 0.1	SIMAT-W5	0.24	(0.02)	1,756	00 0.2
GTB	0.72	0.02	3,664	00 0.7	SR	0.57	(0.02)	950	00 0.5	SPVI	3.12	0.02	767	00 3.0
KCM	0.37	-	9,570	00 0.3	STOWER	0.12	(0.01)	58,555	00 0.1	SRS	9.25	0.15	1,848	00 9.1
KJL	7.50	0.10	2,735	00 7.5	STOWER-W4	-	-	-	00 0.0	TBN	12.40	0.30	1,530	00 12.3
KUMWEL	1.78	-	56	00 1.7	TAKUNI	1.28	-	19,868	00 1.2	TPS	4.24	0.22	249,352	00 4.1
KWM	1.52	0.05	21,397	00 1.5	TPCH	6.70	0.10	10,057	00 6.6	TPS-W1	2.98	0.24	11,910	00 2.8
MBAX	2.94	0.04	346	00 2.9	TRT	2.90	-	2,536	00 2.8	VCOM	3.54	(0.04)	1,877	00 3.5
MBAX-W2	0.18	-	115	00 0.1	UMS	0.57	(0.02)	11	00 0.5	-	-	-	-	-
MGT	2.52	(0.02)	343	00 2.5	Services	-	-	-	00 0.0	-	-	-	-	-
MTW	2.50	0.04	12,697	00 2.4	ADD	5.60	0.05	43	0					