

Main Board Quotation

Issue Date :

Thursday March 14, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KTBI19P2406A	-	-	-	-	IVL13C2407A	0.60	0.09	34,190	0.54
WORLD	-	-	-	-	KTBI19C2404A	-	-	-	-	IVL13C2408A	0.15	(0.85)	235,528	0.15
Agribusiness	-	-	-	-	KTBI19C2406A	-	-	-	-	IVL13P2405A	0.09	(0.02)	21,629	0.10
EE	0.26	-	4,762	0.26	KTBI19C2406B	0.11	0.01	22,640	0.10	IVL19C2405A	-	-	-	-
EE-W1	0.02	-	64,876	0.01	KTBI19C2407A	0.15	-	11,900	0.15	IVL19C2406A	0.32	0.04	18,686	0.30
GFPT	12.40	0.20	39,375	12.33	LHFG	1.01	-	11,633	1.01	IVL19C2407A	0.15	-	6,598	0.14
LEE	2.36	-	1,660	2.38	SCB	115.00	1.50	143,802	114.17	IVL41C2404A	0.08	0.01	8,093	0.07
NER	6.20	0.20	190,739	6.17	SCB01C2404A	0.39	0.06	8,443	0.35	IVL41C2406A	0.08	-	16,062	0.08
PPPM	0.06	-	1,483	0.05	SCB01C2405A	0.25	0.04	22,044	0.23	IVL41C2406B	0.33	0.02	34,100	0.30
PPPM-W4	-	-	-	-	SCB01C2407A	0.48	0.03	3,592	0.46	IVL41C2407A	0.40	0.02	26,215	0.37
STA	21.30	1.50	672,512	20.74	SCB01P2405X	0.08	(0.01)	10,000	0.08	NFC	3.30	0.18	17,681	3.38
STA01C2404A	0.68	0.23	18,566	0.60	SCB01P2407X	0.24	(0.01)	2,315	0.24	PATO	9.90	0.10	292	9.85
STA01C2407A	0.48	0.13	76,690	0.43	SCB06C2403A	-	-	-	-	PMTA	9.25	0.40	1	9.25
STA01P2407X	0.31	(0.11)	182,103	0.34	SCB11C2403A	0.04	(0.03)	233	0.04	PTTGC	40.25	1.25	204,831	39.76
STA11C2407T	0.71	0.15	11,993	0.63	SCB13C2404A	-	-	-	-	PTTGC01C2405A	0.13	0.03	10,526	0.12
STA13C2405A	0.77	0.22	3,200	0.72	SCB13C2406A	0.31	0.03	110,458	0.30	PTTGC01C2406A	0.41	0.07	34,256	0.37
STA13C2407A	0.57	0.15	448,115	0.52	SCB13P2406A	-	-	-	-	PTTGC01C2407A	0.30	0.04	20,609	0.27
STA13P2407A	0.15	(0.06)	209,589	0.17	SCB13P2407A	0.20	(0.03)	10,664	0.21	PTTGC01P2404X	-	-	-	-
STA19C2406A	0.67	0.18	31,023	0.58	SCB19C2404A	-	-	-	-	PTTGC01P2405X	-	-	-	-
STA19C2408A	0.53	0.14	314,678	0.47	SCB19C2406A	0.33	0.03	9,218	0.30	PTTGC11C2404A	0.22	0.05	10	0.22
TEGH	3.58	0.24	185,521	3.50	SCB19C2407A	0.28	0.02	34,247	0.27	PTTGC13C2406A	0.26	0.05	112,164	0.23
TFM	6.90	(0.10)	476	6.93	SCB19P2407A	0.17	(0.03)	4,676	0.18	PTTGC13P2404A	-	-	-	-
TRUBB	1.64	0.25	1,565,874	1.61	SCB41C2404A	-	-	-	-	PTTGC19C2406A	0.29	0.05	114,789	0.26
TRUBB-W2	0.17	0.05	574,353	0.16	SCB41C2405A	0.27	0.03	8,000	0.25	PTTGC41C2404A	0.10	0.03	6,000	0.10
UPOIC	6.35	0.20	252	6.27	SCB41C2405B	0.26	0.03	8,000	0.24	PTTGC41C2405A	-	-	-	-
UVAN	8.60	0.20	7,879	8.57	SCB41C2407A	0.34	0.04	16,000	0.32	PTTGC41C2406A	0.27	0.05	10,432	0.26
VPO	0.90	0.01	229,657	0.93	SCB41C2407B	0.28	0.01	5,000	0.27	PTTGC41C2407B	0.50	0.08	4,000	0.48
Banking	-	-	-	-	SCB41C2408A	0.29	(0.71)	22,110	0.27	SUTHA	2.52	0.04	316	2.60
BAY	26.50	-	977	26.51	SCB41P2406A	-	-	-	-	TPA	3.94	(0.06)	27	3.95
BBL	140.00	-	46,578	140.12	TCAP	50.00	0.25	26,233	49.97	UAC	3.62	-	341	3.61
BBL06C2403A	-	-	-	-	TCAP-P	-	-	-	-	UP	16.70	0.20	40	16.72
BBL11C2404A	-	-	-	-	TCAP-Q	-	-	-	-	Commerce	-	-	-	-
BBL11C2405A	0.12	-	2,650	0.12	TISCO	100.50	0.50	25,635	100.19	ADVCE	4.22	0.04	42,140	4.20
BBL11C2406A	0.09	-	200	0.09	TISCO-P	-	-	-	-	B52	1.04	-	391	1.02
BBL11P2407A	0.36	(0.01)	2,120	0.36	TISCO-Q	-	-	-	-	BEAUTY	0.65	(0.01)	256,479	0.65
BBL13C2404A	-	-	-	-	TISCO13C2405A	-	-	-	-	BIG	0.48	(0.02)	39,384	0.48
BBL13C2405A	-	-	-	-	TISCO19C2408A	0.25	0.01	3,508	0.24	BJC	26.00	0.50	73,940	25.84
BBL13C2406A	0.13	-	11,948	0.13	TTB	1.84	(0.01)	600,655	1.84	COM7	19.10	0.10	67,906	19.11
BBL13C2408A	0.31	-	14,920	0.31	TTB-W1	0.87	(0.01)	12,147	0.87	COM701C2404A	-	-	-	-
BBL13P2404A	0.12	(0.01)	12,144	0.12	TTB01C2404A	-	-	-	-	COM701C2404B	-	-	-	-
BBL19C2404A	-	-	-	-	TTB01C2406A	0.38	-	3,384	0.38	COM701C2405A	-	-	-	-
BBL19C2405A	-	-	-	-	TTB13C2404A	-	-	-	-	COM701C2406A	0.12	-	31,326	0.12
BBL19C2406A	0.10	-	27,858	0.11	TTB19C2404A	-	-	-	-	COM701C2407A	0.30	-	54,929	0.30
BBL19P2406A	0.24	(0.02)	233	0.24	Construction Ma	-	-	-	-	COM701P2404X	0.24	(0.02)	14,526	0.24
BBL41C2404A	-	-	-	-	CCP	0.37	-	17,032	0.37	COM701P2406X	0.52	(0.02)	3,574	0.52
BBL41C2405A	-	-	-	-	DCC	1.92	(0.03)	43,404	1.93	COM706C2403A	-	-	-	-
BBL41C2406A	-	-	-	-	DCON	0.49	-	17,858	0.49	COM706C2407A	-	-	-	-
BBL41C2406B	0.16	0.01	8,015	0.16	DCON-W3	0.10	-	7,055	0.10	COM711C2404A	-	-	-	-
BBL41C2407A	0.20	(0.01)	17,600	0.20	DRT	7.85	-	2,778	7.85	COM711C2406A	0.13	(0.01)	1,660	0.13
BBL41C2407B	0.21	(0.01)	8,000	0.22	EPG	7.05	(0.10)	17,013	7.04	COM711P2406A	-	-	-	-
BBL41C2408A	0.28	(0.72)	10,100	0.28	GEL	0.20	0.01	4,648	0.19	COM713C2404A	-	-	-	-
BBL41P2406A	-	-	-	-	GEL-W5	0.04	0.01	5,001	0.03	COM713C2404B	-	-	-	-
CIMBT	0.58	(0.01)	6,415	0.58	PPP	1.84	0.09	932	1.85	COM713C2405A	-	-	-	-
CREDIT	27.75	-	516	27.64	Q-CON	18.50	0.30	13,878	18.35	COM713C2405B	-	-	-	-
KBANK	125.00	1.50	170,169	124.25	SCC	270.00	-	22,080	268.16	COM713C2406A	0.12	-	40,658	0.12
KBANK01C2405A	0.05	-	9,010	0.05	SCC01C2405A	0.05	-	10,000	0.05	COM713C2407A	0.26	-	63,268	0.26
KBANK01C2406A	0.19	0.02	21,487	0.18	SCC01C2407A	0.19	(0.01)	31,388	0.18	COM713P2404A	-	-	-	-
KBANK01C2407A	0.35	0.02	30,420	0.33	SCC11C2408A	0.35	-	11,774	0.34	COM713P2407A	0.37	(0.01)	40,710	0.37
KBANK01P2404X	0.09	(0.02)	3,510	0.10	SCC13C2405A	-	-	-	-	COM719C2404A	-	-	-	-
KBANK01P2406X	0.22	(0.02)	14,091	0.23	SCC13C2407A	0.16	(0.02)	88,076	0.16	COM719C2404B	-	-	-	-
KBANK01P2408X	0.29	(0.02)	7,953	0.29	SCC19C2405A	-	-	-	-	COM719C2406A	0.10	(0.01)	466	0.10
KBANK06C2404A	-	-	-	-	SCC19C2406A	0.12	-	14,378	0.11	COM719C2407A	0.21	-	43,560	0.21
KBANK06C2406A	0.14	0.01	39,246	0.13	SCCC	141.50	(1.50)	561	142.08	COM719P2406A	0.47	(0.02)	19,776	0.47
KBANK13C2405A	0.03	0.01	7,361	0.03	SGGD	8.10	-	8,947	8.08	COM741C2404A	-	-	-	-
KBANK13C2406A	0.10	-	3,331	0.09	SCP	6.00	0.10	2,171	5.98	COM741C2404B	-	-	-	-
KBANK13C2407A	0.26	0.02	60,826	0.25	SKN	4.44	(0.04)	610	4.46	COM741C2405A	-	-	-	-
KBANK13P2404A	-	-	-	-	STEGH	1.57	0.02	880	1.56	COM741C2406A	0.11	(0.01)	24,037	0.11
KBANK13P2406A	0.23	(0.03)	14,243	0.24	TASCO	15.80	-	31,485	15.85	COM741C2407A	0.22	-	36,561	0.22
KBANK19C2404A	-	-	-	-	TASCO01C2405/	0.12	(0.02)	1,578	0.13	CPALL	57.25	(0.25)	265,916	57.39
KBANK19C2405A	-	-	-	-	TASCO01C2408/	0.24	(0.01)	10,797	0.24	CPALL01C2404A	-	-	-	-
KBANK19C2406A	0.16	0.01	10,346	0.16	TASCO01P2405/	-	-	-	-	CPALL01C2405A	0.28	(0.02)	16,261	0.29
KBANK19C2408A	0.31	0.03	60,292	0.30	TASCO06C2403/	-	-	-	-	CPALL01C2407A	0.27	-	40,761	0.28
KBANK19P2404A	-	-	-	-	TASCO13C2407/	0.19	-	3,069	0.20	CPALL01P2404X	-	-	-	-
KBANK41C2405A	-	-	-	-	TASCO19C2404/	-	-	-	-	CPALL01P2405X	0.03	(0.01)	1	0.03
KBANK41C2405B	-	-	-	-	TASCO19C2407/	0.20	-	3,450	0.20	CPALL01P2408X	0.43	(0.01)	5,788	0.43
KBANK41C2406A	0.18	0.02	22,149	0.17	TASCO41C2406/	0.13	-	2,025	0.14	CPALL06C2405A	0.13	(0.02)	7,731	0.14
KBANK41P2406A	0.17	(0.02)	4,000	0.18	TOA	20.60	0.20	16,828	20.60	CPALL11C2403A	-	-	-	-
KKP	53.00	(0.25)	20,699	52.98	TOA13C2407A	0.37	(0.01)	5	0.37	CPALL11C2405A	0.22	(0.01)	76,181	0.23
KKP-W5	-	-	-	-	TPIPL	1.39	0.01	16,087	1.38	CPALL13C2404A	-	-	-	-
KKP-W6	1.71	-	861	1.71	UMI	1.05	-	1,672	1.06	CPALL13C2405A	0.10	-	3,491	0.09
KKP01C2405A	0.20	(0.01)	8,768	0.20	VNG	3.66	-	757	3.67	CPALL13C2407A	0.31	(0.02)	40,562	0.32
KKP11C2403A	-	-	-	-	WIJK	1.53	0.03	3,681	1.53	CPALL13P2404A	-	-	-	-
KKP11C2406A	0.27	(0.01)	8,420	0.27	WINDOW	1.23	0.03	28,699	1.22	CPALL13P2408A	0.31	(0.01)	7,516	0.31
KKP11P2405A	0.12	(0.03)	1	0.12	Petrochemicals &	-	-	-	-	CPALL19C2404A	-	-	-	-
KKP13C2405A	0.12	(0.01)	9,883	0.13	BCT	61.00	-	34	60.21	CPALL19C2406A	-	-	-	-
KKP19C2406A	0.26	(0.03)	5,252	0.27	CMAN	1.99	0.03	10,311	1.99	CPALL19C2407A	0.26	(0.02)	69,046	0.27
KTBI	16.00	0.10	277,559	15.94	GC	5.35	(0.05)	273	5.35	CPALL19C2408A	0.22	(0.01)	26,998	0.23
KTBI-P	-	-	-	-	GGC	7.80	0.05	73	7.80	CPALL19P2404A	-	-	-	

Main Board Quotation

Issue Date :

Thursday March 14, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC13C2405A	-	-	-	-	ALT	1.53	-	1,770	1.53	DELTA01C2406A	0.12	-	44,721	0.11
CRC13C2407A	0.19	0.03	27,065	0.18	AMR	1.38	0.03	83,896	1.38	DELTA01C2407A	0.39	(0.01)	52,460	0.38
CRC13P2404A	-	-	-	-	BLISS	-	-	-	-	DELTA01C2407B	0.62	-	37,489	0.58
CRC19C2404A	-	-	-	-	DIF	7.75	(0.05)	113,469	7.76	DELTA01P2404A	0.38	(0.03)	39,453	0.41
CRC19C2406A	0.24	0.03	26,857	0.23	DITTO	23.30	0.30	9,047	23.27	DELTA01P2406X	0.60	(0.01)	128,414	0.62
CRC41C2407A	0.23	0.03	13,541	0.21	DITTO-W1	-	-	-	-	DELTA06C2405A	-	-	-	-
CSS	1.00	0.02	186,698	1.01	DTCENT	1.62	(0.02)	28,830	1.62	DELTA06C2406A	0.32	(0.01)	34,374	0.31
DOHOME	11.30	-	33,210	11.41	FORTH	15.60	-	2,513	15.61	DELTA11C2406A	0.19	(0.01)	11,000	0.18
DOHOME01C2404A	-	-	-	-	FORTH01C2404A	0.01	(0.08)	2	0.02	DELTA13C2404A	-	-	-	-
DOHOME01C2406A	0.17	-	16,089	0.18	FORTH01C2407A	0.20	-	1,100	0.20	DELTA13C2405A	0.04	(0.01)	7,884	0.04
DOHOME06C2407A	0.23	(0.77)	48,796	0.22	FORTH13C2404A	-	-	-	-	DELTA13C2407A	0.27	-	61,322	0.25
DOHOME11C2403T	-	-	-	-	FORTH13C2406A	0.12	-	3,612	0.13	DELTA13C2407B	0.53	-	62,240	0.50
DOHOME11C2406A	0.19	-	23,700	0.19	FORTH19C2404A	-	-	-	-	DELTA13C2407C	0.38	0.01	37,532	0.36
DOHOME13C2404A	-	-	-	-	FORTH19C2407A	0.22	-	2,430	0.22	DELTA13P2404A	0.18	(0.02)	27,043	0.20
DOHOME13C2406A	-	-	-	-	GABLE	4.96	0.10	33,498	4.94	DELTA13P2405A	0.35	(0.02)	71,687	0.37
DOHOME13C2407A	0.16	-	109,048	0.17	HUMAN	12.40	0.10	11,114	12.30	DELTA13P2407A	0.57	-	57,529	0.58
DOHOME19C2404A	0.09	-	35,330	0.09	ICN	2.66	-	4,455	2.67	DELTA19C2404A	0.01	-	800	0.01
DOHOME19C2406A	0.25	(0.01)	18,537	0.27	ILINK	7.40	-	15,030	7.37	DELTA19C2406A	0.13	-	25,218	0.12
DOHOME19C2407A	0.19	-	91,604	0.20	INET	4.86	0.12	12,842	4.82	DELTA19C2407A	0.27	-	13,196	0.26
DOHOME41C2406A	0.15	0.01	6,000	0.15	INSET	2.46	-	27,161	2.45	DELTA19C2407B	0.39	(0.01)	18,406	0.38
DOHOME41C2406B	0.23	-	8,000	0.22	INTUCH	70.00	(0.50)	28,155	69.96	DELTA19P2404A	0.28	(0.03)	35,432	0.30
FN	1.35	(0.07)	916	1.37	INTUCH01C2405A	0.11	(0.02)	10,749	0.11	DELTA19P2407A	0.55	(0.02)	16,344	0.57
FTE	1.72	0.02	11,445	1.72	INTUCH13C2404A	-	-	-	-	DELTA41C2404B	-	-	-	-
GLOBAL	16.80	0.10	43,380	16.77	INTUCH13C2405A	0.39	(0.03)	15,836	0.39	DELTA41C2405A	-	-	-	-
GLOBAL01C2404A	0.07	-	4,801	0.07	INTUCH19C2404A	-	-	-	-	DELTA41C2406A	0.11	(0.01)	20,000	0.11
GLOBAL01C2407A	0.40	0.01	24,357	0.40	ITEL	2.40	-	22,193	2.39	DELTA41C2407A	0.26	(0.01)	22,006	0.25
GLOBAL01C2408A	0.30	0.01	24,829	0.30	ITEL-W4	0.01	-	7,909	0.01	DELTA41C2407B	0.41	-	75,530	0.38
GLOBAL06C2403A	-	-	-	-	JAS	2.02	0.04	257,759	1.99	DELTA41P2406A	1.05	0.03	16,740	1.04
GLOBAL11C2408A	0.32	-	9,000	0.32	JMART	15.20	0.40	70,210	15.02	HANA	38.25	(0.50)	82,613	38.32
GLOBAL13C2406A	0.22	0.01	56,650	0.22	JMART-W4	1.90	0.19	2,135	1.84	HANA01C2404A	-	-	-	-
GLOBAL13C2407A	0.43	0.01	8,337	0.42	JMART-W5	1.56	(0.03)	188	1.58	HANA01C2405A	-	-	-	-
GLOBAL19C2407B	0.25	-	10,432	0.25	JMART01C2404A	0.01	(0.01)	6,000	0.01	HANA01C2406A	0.07	-	15,369	0.07
GLOBAL41C2406A	0.22	0.01	25,200	0.22	JMART01C2405A	0.03	-	140	0.03	HANA01C2407A	0.18	(0.01)	19,854	0.18
HMPRO	11.10	0.10	102,613	11.06	JMART01C2406A	0.23	0.02	46,759	0.22	HANA01C2407B	0.38	(0.02)	13,265	0.39
HMPRO01C2404A	-	-	-	-	JMART01C2407A	0.39	0.03	43,431	0.37	HANA01P2404X	-	-	-	-
HMPRO01C2406A	0.05	(0.01)	400	0.05	JMART01P2404A	0.11	(0.03)	27,104	0.12	HANA01P2405X	-	-	-	-
HMPRO01C2407A	0.17	-	20,604	0.16	JMART06C2405A	-	-	-	-	HANA01P2407X	0.54	(0.01)	20	0.55
HMPRO11C2407T	0.13	(0.01)	4,415	0.13	JMART13C2404A	0.01	-	124	0.01	HANA01P2408X	-	-	-	-
HMPRO13C2405A	-	-	-	-	JMART13C2404E	0.06	(0.01)	6,755	0.06	HANA06C2404A	-	-	-	-
HMPRO13C2407A	0.13	-	12,450	0.13	JMART13C2407A	0.22	0.02	49,532	0.21	HANA06C2405A	-	-	-	-
HMPRO19C2404A	-	-	-	-	JMART13C2408A	0.47	0.04	60,828	0.45	HANA06C2407A	0.35	(0.02)	35,178	0.34
HMPRO19C2407A	0.17	0.01	9,149	0.16	JMART13P2404A	0.08	(0.01)	906	0.08	HANA11C2407A	-	-	-	-
HMPRO41C2404A	-	-	-	-	JMART13P2408A	0.48	(0.03)	34,348	0.50	HANA13C2404A	-	-	-	-
HMPRO41C2406A	-	-	-	-	JMART19C2404A	-	-	-	-	HANA13C2404B	0.01	-	40	0.01
HMPRO41C2407A	0.12	0.01	23,500	0.11	JMART19C2406A	0.14	(0.01)	26,882	0.14	HANA13C2407A	0.07	(0.01)	300	0.07
ICC	44.25	0.50	83	44.45	JMART19C2406E	0.22	0.02	56,798	0.21	HANA13C2407B	0.13	(0.01)	21,309	0.13
ILM	21.80	(0.10)	2,446	21.72	JMART19C2408A	0.37	0.02	122,506	0.36	HANA13C2407C	0.32	(0.02)	52,735	0.33
IT	3.46	(0.02)	122	3.46	JMART19P2404A	0.10	(0.02)	18,582	0.10	HANA13C2408A	0.26	(0.74)	32,818	0.25
KAMART	14.40	0.30	65,110	14.42	JMART41C2404A	-	-	-	-	HANA13P2404A	0.04	(0.02)	1,132	0.04
LOXLEY	1.53	(0.04)	3,107	1.51	JMART41C2404E	-	-	-	-	HANA13P2406A	-	-	-	-
MC	14.10	-	31,878	13.99	JMART41C2405A	-	-	-	-	HANA13P2407A	0.55	0.02	22,373	0.54
MEGA	41.00	(0.25)	5,404	41.11	JMART41C2407A	0.31	0.02	58,650	0.30	HANA13P2407B	0.25	-	11,290	0.25
MEGA01C2404A	0.10	(0.02)	38,998	0.11	JMART41P2405A	0.41	-	10,000	0.41	HANA13P2408A	0.44	(0.56)	49,454	0.44
MEGA13C2405A	0.12	(0.01)	1,482	0.12	JTS	78.50	0.25	9,395	78.49	HANA19C2404A	-	-	-	-
MEGA19C2404A	-	-	-	-	MFEC	6.95	0.10	2,066	6.92	HANA19C2404B	-	-	-	-
MIDA	0.49	(0.01)	6,965	0.50	MSC	8.30	0.05	110	8.18	HANA19C2407A	-	-	-	-
MIDA-W3	-	-	-	-	PT	8.10	-	2,997	8.10	HANA19C2407B	0.16	(0.01)	8,142	0.16
MOSHI	57.50	(1.00)	22,237	56.91	SAMART	5.95	0.05	17,763	5.90	HANA19C2407C	0.30	(0.02)	17,879	0.31
MOSHI13C2407A	0.34	(0.03)	23,902	0.33	SAMART-W3	0.02	-	27,260	0.02	HANA19P2405A	-	-	-	-
RS	13.00	-	3,051	12.97	SAMTEL	2.66	0.04	1,606	2.63	HANA19P2407A	0.32	0.01	57,056	0.32
RS-W4	0.03	0.01	33,209	0.02	SAMTEL-W1	0.01	-	80	0.01	HANA41C2404A	-	-	-	-
RS-W5	5.05	0.07	783	5.05	SDC	0.05	-	530,993	0.05	HANA41C2405A	-	-	-	-
RSP	2.42	0.02	2,066	2.39	SIS	23.40	(0.20)	2,062	23.34	HANA41C2405B	-	-	-	-
SABUY	4.90	0.02	32,558	4.90	SKY	26.50	0.75	20,682	26.30	HANA41C2406A	-	-	-	-
SABUY-W1	2.62	(0.06)	688	2.67	SVOA	1.77	0.02	4,880	1.76	HANA41C2407A	0.09	(0.01)	6,400	0.10
SABUY-W2	0.43	0.01	17,912	0.45	SYMC	8.15	0.35	48,160	8.10	HANA41C2407B	0.27	(0.02)	24,650	0.27
SABUY01C2404A	-	-	-	-	SYNEX	10.70	0.60	16,983	10.52	HANA41P2405A	0.36	0.01	2,800	0.36
SABUY06C2404A	-	-	-	-	THCOM	13.70	(0.10)	132,043	13.70	HANA41P2406A	-	-	-	-
SABUY13C2404A	-	-	-	-	TKC	13.70	(0.10)	3,011	13.68	KCE	38.50	(0.50)	100,973	38.55
SABUY13C2407A	-	-	-	-	TRUE	8.10	0.25	1,404,416	8.04	KCE01C2405A	0.01	-	1,120	0.01
SABUY13C2407B	0.13	(0.01)	15,381	0.14	TRUE01C2404A	0.46	0.09	13,039	0.44	KCE01C2406A	0.06	(0.01)	3,170	0.06
SABUY19C2404A	-	-	-	-	TRUE01C2405A	0.76	0.10	7,826	0.74	KCE01C2407A	0.17	(0.02)	13,089	0.18
SABUY19C2405A	0.14	(0.01)	9,446	0.14	TRUE01C2407A	0.59	0.07	16,531	0.57	KCE01C2408A	0.33	(0.02)	86,697	0.34
SABUY19C2407A	0.17	(0.01)	9,384	0.17	TRUE01C2407B	0.42	0.04	25,840	0.42	KCE01P2405X	0.90	0.03	4,701	0.89
SCM	3.98	0.02	8,181	4.00	TRUE01P2404X	-	-	-	-	KCE01P2406X	0.67	0.02	6,406	0.66
SCM-W2	1.89	0.03	828	1.91	TRUE01P2406X	0.04	(0.02)	556	0.04	KCE01P2407X	0.42	0.02	19,366	0.42
SINGER	10.40	0.20	57,560	10.36	TRUE01P2407X	0.15	(0.03)	17,714	0.15	KCE06C2406A	-	-	-	-
SPC	61.00	(0.50)	21	61.27	TRUE06C2403A	-	-	-	-	KCE11C2405A	-	-	-	-
SPI	68.00	(1.25)	11	68.11	TRUE11C2405A	-	-	-	-	KCE11C2408A	0.29	(0.02)	6,350	0.30
SVT	1.90	0.01	6,506	1.91	TRUE11C2406A	-	-	-	-	KCE13C2404A	-	-	-	-
TAN	15.90	-	14,913	16.08	TRUE13C2405A	0.75	0.14	1	0.75	KCE13C2406A	0.03	(0.01)	606	0.03
Information & Commr	-	-	-	-	TRUE13C2407A	0.53	0.08	23	0.51	KCE13C2407A	0.08	(0.01)	7,240	0.08
3BBIF	5.80	(0.10)	31,803	5.83	TRUE13C2407B	0.38	0.05	38,245	0.37	KCE13C2407B	0.16	(0.02)	43,057	0.16
ADVANC	209.00	1.00	34,806	208.91	TRUE13P2404A	-	-	-	-	KCE13C2408A	0.28	(0.02)	80,630	0.28
ADVANC01C2404A	0.01	(0.03)	10	0.01	TRUE13P2407A	0.06	-	1,189	0.05	KCE13P2407A	-	-	-	-
ADVANC01C2407A	0.15	(0.01)	1,922	0.15	TRUE13P2407B	0.16	(0.03)	39,219	0.16	KCE13P2407B	0.35	0.01	60,898	0.35
ADVANC01C2408A	0													

Main Board Quotation

Issue Date :

Thursday March 14, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SVI	6.05	(0.05)	10,717	6.03	EA06C2404A	-	-	-	-	OR13C2404A	0.02	(0.02)	1	0.02
TEAM	4.34	(0.02)	5,124	4.33	EA06C2406A	-	-	-	-	OR13C2407A	0.19	0.02	15,885	0.18
Energy & Utilities	-	-	-	-	EA11C2403A	-	-	-	-	OR19C2404A	0.02	-	1	0.02
7UP	0.41	-	83,429	0.40	EA11C2405A	-	-	-	-	OR19C2407A	0.23	0.03	27,109	0.22
ACC	0.44	0.01	33,477	0.43	EA11C2408A	0.21	0.02	15,410	0.21	PCC	3.04	(0.02)	5,127	3.04
ACE	1.48	0.02	30,047	1.48	EA13C2405A	0.01	-	77	0.01	PRIME	0.61	0.04	404,839	0.61
ACE13C2407A	0.15	0.01	6,740	0.15	EA13C2406A	-	-	-	-	PTG	8.95	0.10	77,511	8.92
ACE19C2407A	0.18	0.01	13,736	0.18	EA13C2406B	0.05	0.01	157	0.05	PTG01C2404A	0.10	-	22,903	0.11
AGE	2.02	(0.02)	11,022	2.03	EA13C2407A	0.16	0.03	73,500	0.16	PTG01C2407A	0.32	-	13,296	0.32
AI	4.30	0.02	1,444	4.28	EA13C2408A	0.30	0.03	92,057	0.29	PTG11C2405A	-	-	-	-
AIE	1.38	0.03	19,150	1.38	EA13P2406A	-	-	-	-	PTG13C2407A	0.29	0.02	40,271	0.28
AKR	0.99	-	31,393	0.98	EA13P2407A	0.21	(0.03)	10,175	0.23	PTG19C2404A	0.13	0.01	28,021	0.12
AKR-W2	0.05	-	7,364	0.05	EA19C2405A	-	-	-	-	PTG19C2407A	0.33	0.01	8,899	0.33
BAFS	24.20	0.20	3,557	24.07	EA19C2406A	-	-	-	-	PTT	34.75	0.50	642,626	34.56
BANPU	5.70	0.15	587,385	5.69	EA19C2406B	0.12	0.01	4,558	0.12	PTT01C2405A	0.09	0.01	5,800	0.09
BANPU01C2404A	0.02	-	120	0.02	EA19C2407A	0.26	0.02	93,941	0.25	PTT01C2407A	0.20	0.03	8,128	0.19
BANPU01C2405A	-	-	-	-	EA41C2404A	-	-	-	-	PTT01P2405X	0.04	(0.03)	212	0.04
BANPU01C2406A	0.04	0.01	4,700	0.04	EA41C2405A	0.01	(0.02)	1,000	0.01	PTT01P2408X	0.21	(0.02)	2,192	0.22
BANPU01C2407A	0.13	0.02	17,444	0.13	EA41C2406A	0.06	0.01	2	0.06	PTT11C2404A	-	-	-	-
BANPU01C2408A	0.25	0.01	20,523	0.25	EA41C2407A	0.15	0.03	32,700	0.14	PTT13C2406A	0.15	0.02	68,727	0.14
BANPU01P2404X	0.72	(0.07)	419	0.72	EA41C2408A	0.31	0.04	12,001	0.30	PTT13P2405A	-	-	-	-
BANPU01P2405X	0.29	(0.06)	1,070	0.29	EA41P2405A	-	-	-	-	PTT13P2408A	0.20	(0.02)	9,142	0.20
BANPU01P2407X	0.22	(0.02)	2,136	0.22	EASTW	3.54	0.04	2,854	3.54	PTT19C2404A	-	-	-	-
BANPU06C2403A	-	-	-	-	EGATIF	5.80	-	1,034	5.83	PTT19C2406A	0.16	0.02	800	0.16
BANPU06C2407A	0.14	0.02	19,880	0.13	EGCO	115.50	-	16,251	115.08	PTT41C2407A	0.22	-	3,000	0.22
BANPU11C2404A	-	-	-	-	EGCO01C2404A	-	-	-	-	PTT41C2407B	0.19	0.03	1,000	0.19
BANPU11C2406A	-	-	-	-	EGCO13C2405A	-	-	-	-	PTT41C2408C	0.18	0.02	4,800	0.18
BANPU11C2410T	0.25	0.01	5,950	0.26	EGCO13C2407A	0.28	(0.01)	18,611	0.28	PTTEP	153.00	3.00	98,589	152.05
BANPU11P2403A	-	-	-	-	EGCO19C2408A	0.33	-	33,916	0.32	PTTEP01C2404A	-	-	-	-
BANPU13C2404A	-	-	-	-	EP	2.66	0.02	363	2.65	PTTEP01C2404T	0.06	-	105	0.06
BANPU13C2405A	0.02	-	1	0.02	EP-W4	0.13	-	29	0.12	PTTEP01C2405A	0.35	0.05	27,862	0.33
BANPU13C2406A	0.04	-	4,061	0.04	ETC	2.96	0.04	76,004	2.95	PTTEP01C2407A	0.36	0.05	24,407	0.34
BANPU13C2407A	0.13	0.02	11,457	0.12	GPSC	54.50	(0.25)	45,629	54.70	PTTEP01P2405X	-	-	-	-
BANPU13C2408A	0.24	0.01	31,038	0.23	GPSC01C2404A	0.39	(0.01)	9,298	0.40	PTTEP01P2406X	0.32	(0.06)	16,480	0.34
BANPU13P2404A	-	-	-	-	GPSC01C2405A	0.24	(0.02)	31,883	0.25	PTTEP06C2403A	-	-	-	-
BANPU13P2405A	0.15	(0.04)	7,739	0.15	GPSC01C2407A	0.41	(0.02)	19,723	0.42	PTTEP06C2405A	0.36	0.02	46,896	0.36
BANPU19C2404A	-	-	-	-	GPSC01P2404X	-	-	-	-	PTTEP11C2403T	-	-	-	-
BANPU19C2405A	-	-	-	-	GPSC01P2405X	-	-	-	-	PTTEP11C2406A	0.40	0.04	6,001	0.39
BANPU19C2405B	-	-	-	-	GPSC01P2407X	0.21	-	25,026	0.21	PTTEP11P2406A	0.24	(0.04)	9,480	0.26
BANPU19C2407A	-	-	-	-	GPSC06C2403A	-	-	-	-	PTTEP13C2404A	-	-	-	-
BANPU19C2407B	0.17	0.03	29,493	0.16	GPSC06C2404A	-	-	-	-	PTTEP13C2405A	0.26	0.04	69,851	0.25
BANPU19P2404A	-	-	-	-	GPSC11C2403A	-	-	-	-	PTTEP13P2405A	-	-	-	-
BANPU19P2406A	0.27	(0.01)	400	0.27	GPSC11C2408T	0.44	-	36,470	0.45	PTTEP13P2406A	-	-	-	-
BANPU41C2405A	-	-	-	-	GPSC11P2405A	0.06	(0.05)	100	0.06	PTTEP13P2408A	0.45	(0.05)	4,882	0.46
BANPU41C2406A	-	-	-	-	GPSC13C2406A	0.33	(0.02)	102,841	0.34	PTTEP19C2404A	-	-	-	-
BANPU41C2407A	-	-	-	-	GPSC13P2404A	-	-	-	-	PTTEP19C2404B	-	-	-	-
BANPU41C2407B	0.15	0.01	7,000	0.15	GPSC13P2407A	0.13	-	26,855	0.13	PTTEP19C2406A	0.33	0.05	85,939	0.30
BBGI	4.38	0.16	10,266	4.35	GPSC19C2405A	0.22	(0.03)	200,847	0.24	PTTEP19C2407A	0.27	0.04	16,368	0.26
BCP	44.25	1.25	87,248	43.97	GPSC19P2404A	-	-	-	-	PTTEP41C2404A	-	-	-	-
BCP01C2405A	0.25	0.04	30,146	0.24	GPSC19P2406A	-	-	-	-	PTTEP41C2405A	0.21	0.03	4,000	0.21
BCP01P2404X	0.03	(0.01)	430	0.04	GPSC19P2407A	0.20	-	9,073	0.20	PTTEP41C2405B	0.22	0.03	10,000	0.21
BCP13C2405A	0.22	0.04	51,985	0.21	GPSC41C2404A	-	-	-	-	PTTEP41C2406A	0.26	0.04	16,005	0.24
BCP13P2404A	-	-	-	-	GPSC41C2405A	0.29	(0.05)	200	0.29	PTTEP41P2405A	-	-	-	-
BCP19C2404A	0.15	0.03	15,342	0.14	GPSC41C2406A	0.33	(0.04)	17,000	0.32	PTTEP41P2406A	-	-	-	-
BCPG	7.25	(0.05)	29,989	7.28	GPSC41C2408A	0.32	(0.68)	30,000	0.32	PTTEP41P2407A	0.45	(0.06)	2,000	0.46
BCPG19C2406A	-	-	-	-	GPSC41P2406A	0.12	-	6,000	0.12	QTC	4.00	-	233	4.00
BGRIM	28.00	(0.25)	142,111	28.23	GREEN	1.17	0.01	182,233	1.18	RATCH	29.25	(0.25)	31,549	29.28
BGRIM01C2404A	0.05	(0.01)	13,098	0.06	GULF	45.25	0.50	114,831	44.88	RATCH01C2405A	-	-	-	-
BGRIM01C2406A	0.15	-	44,929	0.16	GULF01C2405A	0.09	0.01	10,000	0.09	RATCH13C2405A	-	-	-	-
BGRIM01C2407A	0.26	(0.01)	42,066	0.27	GULF01C2406A	0.24	0.02	20,883	0.22	RATCH13P2404A	0.04	-	202	0.04
BGRIM01P2404X	-	-	-	-	GULF01C2408A	0.32	0.02	43,535	0.30	RATCH19C2405A	-	-	-	-
BGRIM01P2406X	0.10	-	4,000	0.10	GULF01P2405X	-	-	-	-	RPC	0.69	0.01	6,155	0.68
BGRIM06C2403A	-	-	-	-	GULF11C2407T	0.30	0.02	19,345	0.28	SCG	3.50	-	45	3.47
BGRIM06C2404A	-	-	-	-	GULF13C2405A	0.06	-	26	0.06	SCI	0.99	-	105,610	1.00
BGRIM11C2403A	-	-	-	-	GULF13C2406A	0.19	0.02	167,686	0.18	SCN	1.14	-	11,839	1.15
BGRIM11C2405A	0.11	(0.03)	11,540	0.12	GULF13P2405A	-	-	-	-	SCN-W2	0.07	-	26,394	0.06
BGRIM13C2404A	-	-	-	-	GULF13P2408A	0.26	(0.01)	52,656	0.27	SCN-W3	0.10	-	97,130	0.10
BGRIM13C2407A	0.11	-	97,082	0.12	GULF19C2404A	0.04	(0.01)	60,010	0.03	SEAOil	2.96	(0.12)	7,005	2.92
BGRIM13C2407B	0.27	0.01	23	0.26	GULF19C2406A	0.19	0.02	50,415	0.19	SGP	7.90	(0.10)	846	7.86
BGRIM13P2404A	-	-	-	-	GULF19P2404A	-	-	-	-	SKE	0.52	(0.01)	10,049	0.52
BGRIM13P2406A	0.09	0.01	3,224	0.09	GULF41C2405A	-	-	-	-	SKE-W1	0.10	0.01	599	0.09
BGRIM19C2404A	0.08	(0.01)	10,224	0.09	GULF41C2405B	-	-	-	-	SOLAR	0.68	-	11,297	0.68
BGRIM19C2407A	0.16	(0.01)	139,009	0.17	GULF41C2406A	0.20	0.01	28,400	0.19	SPCG	12.20	-	4,335	12.11
BGRIM19P2406A	-	-	-	-	GULF41P2405A	-	-	-	-	SPRC	9.10	0.35	334,822	9.03
BGRIM41C2404A	-	-	-	-	GUNKUL	2.84	0.06	147,650	2.82	SPRC01C2405A	0.17	0.05	29,193	0.16
BGRIM41C2404B	-	-	-	-	GUNKUL01C240	0.09	0.01	4,602	0.08	SPRC06C2405A	0.26	0.06	39,916	0.24
BGRIM41C2405A	0.14	(0.03)	14,005	0.15	GUNKUL01C240	0.16	0.02	5,540	0.15	SPRC11C2406A	0.29	0.04	7,691	0.28
BGRIM41C2405B	0.07	(0.01)	4,000	0.08	GUNKUL01P240	-	-	-	-	SPRC13C2404A	0.14	0.04	61,483	0.13
BGRIM41C2407A	0.13	(0.02)	28,808	0.14	GUNKUL01P240	0.45	(0.02)	3,652	0.47	SPRC13C2408A	0.40	0.07	42,023	0.37
BGRIM41C2408B	0.23	(0.02)	19,220	0.25	GUNKUL11C240	0.16	0.01	5,770	0.15	SPRC13P2405A	0.02	(0.01)	80	0.02
BIOTEC	0.43	0.04	164,111	0.44	GUNKUL13C240	-	-	-	-	SPRC19C2404A	0.15	0.05	27,768	0.14
BIOTEC-P	-	-	-	-	GUNKUL13C240	0.13	0.01	8,348	0.13	SPRC19C2408A	0.36	(0.64)	16,226	0.35
BIOTEC-Q	-	-	-	-	GUNKUL13C240	0.31	0.03	19,178	0.30	SSP	7.65	(0.15)	5,695	7.69
BIOTEC-W2	0.11	0.02	226,714	0.11	GUNKUL13P240	-	-	-	-	SSP-W2	0.18	(0.02)	8,471	0.17
BPP	14.40	0.20	5,042	14.31	GUNKUL13P240	0.38	(0.02)	8,169	0.39	SUPER	0.31	-	231,593	0.31
BRRGIF	3.32	-	1,032	3.32	GUNKUL19C240	0.19	0.02	51,269	0.18	SUPEREIF	6.15	(0.10)	1,337	6.16
BSRC	9.90	0.25	82,792	9.88	IF									

Main Board Quotation

Issue Date :

Thursday March 14, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP13P2404A	-	-	-	-	JMT01C2406A	0.38	0.03	33,422	0.36	TIDLOR01C2407A	0.28	0.01	28,306	0.28
TOP13P2408A	0.35	(0.03)	9,175	0.35	JMT01C2407A	0.17	0.01	27,757	0.17	TIDLOR01P2404X	0.12	(0.02)	7,444	0.12
TOP19C2405A	0.31	0.05	16,714	0.30	JMT01C2408A	0.76	0.05	25,959	0.72	TIDLOR06C2403A	-	-	-	-
TOP41C2404A	-	-	-	-	JMT01P2404X	0.12	(0.03)	11,524	0.13	TIDLOR11C2403A	0.09	(0.01)	4,000	0.08
TOP41C2405A	0.32	0.04	1,440	0.31	JMT01P2406X	0.40	(0.04)	13,372	0.41	TIDLOR11P2406A	0.23	(0.02)	5,330	0.24
TPIPP	3.32	-	7,948	3.31	JMT06C2403A	-	-	-	-	TIDLOR13C2406A	0.24	0.01	14,899	0.23
TSE	1.30	0.02	25,920	1.29	JMT06C2404A	-	-	-	-	TIDLOR13P2404A	-	-	-	-
TTW	9.10	(0.05)	7,264	9.13	JMT06C2406A	0.48	0.04	66,372	0.45	TIDLOR19C2404A	-	-	-	-
UBE	0.82	0.01	64,558	0.82	JMT11C2405A	-	-	-	-	TIDLOR19C2406A	0.23	0.02	32,420	0.22
WHAUP	4.04	0.02	24,741	4.02	JMT11C2407A	0.55	-	200	0.55	TIDLOR19P2407A	0.34	(0.02)	10,308	0.34
WP	4.30	(0.04)	491	4.34	JMT11P2406A	0.46	(0.03)	21,220	0.47	TIDLOR41C2406A	0.26	0.01	22,800	0.26
Media & Publishing	-	-	-	-	JMT13C2404A	0.01	-	25	0.01	TIDLOR41C2407A	0.28	0.01	14,000	0.27
AMARIN	4.96	-	12,691	4.96	JMT13C2404B	0.03	-	5,002	0.02	TIDLOR41C2407B	0.23	0.01	12,001	0.23
AQUA	0.35	-	5,859	0.35	JMT13C2405A	0.03	(0.01)	10,003	0.03	TK	5.10	-	647	5.03
AQUA-W3	0.01	-	201	0.01	JMT13C2406A	0.33	0.02	62,885	0.32	TNITY	4.24	0.16	6,963	4.21
AS	6.90	0.05	722	6.85	JMT13C2407A	0.14	0.01	29,610	0.14	UOBKH	4.82	(0.02)	88	4.84
BEC	4.60	0.10	45,354	4.56	JMT13C2408A	0.67	0.04	86,559	0.64	XPG	1.33	(0.01)	763,801	1.34
FE	-	-	-	-	JMT13P2406A	0.41	(0.04)	40,527	0.43	XPG-W4	3.22	(0.08)	5,078	3.32
GPI	1.89	-	1,838	1.89	JMT19C2404A	-	-	-	-	Food & Beverage	-	-	-	-
GRAMMY	5.65	(0.05)	55	5.68	JMT19C2404B	-	-	-	-	AAI	4.16	0.06	34,828	4.16
JKN	-	-	-	-	JMT19C2404C	-	-	-	-	APURE	4.48	0.04	2,971	4.48
MAJOR	14.60	0.20	64,773	14.55	JMT19C2406A	0.43	0.04	159,899	0.41	APURE-W3	0.48	(0.02)	568	0.48
MATCH	1.48	0.03	383	1.47	JMT19P2407A	0.31	(0.01)	5,516	0.31	ASIAN	6.75	0.05	1,677	6.75
MATI	7.20	0.05	6	7.23	JMT41C2404A	-	-	-	-	BR	2.58	0.02	2,249	2.56
MCOT	3.18	0.02	28	3.19	JMT41C2405A	-	-	-	-	BR-W1	0.13	0.01	17,035	0.12
MONO	0.77	-	42,359	0.77	JMT41C2406A	0.19	0.01	32,800	0.18	BRR	4.40	0.02	870	4.39
NATION	0.04	-	34,459	0.03	JMT41C2406B	0.38	0.03	112,400	0.36	BRR-W2	0.48	0.01	496	0.49
NATION-W4	-	-	-	-	JMT41C2407A	0.13	0.01	36,000	0.12	BTG	21.40	(0.10)	6,784	21.39
ONEE	5.15	0.15	169,913	5.13	KCAR	6.55	0.05	658	6.53	CBG	65.25	(0.25)	20,767	65.58
PLANB	8.60	0.10	50,098	8.55	KGI	4.84	0.02	13,698	4.82	CBG01C2404A	0.01	-	1,035	0.01
PLANB-W1	0.94	0.04	1,611	0.93	KTC	46.00	-	19,220	45.91	CBG01C2404T	-	-	-	-
PLANB11C2403A	-	-	-	-	KTC01C2405A	-	-	-	-	CBG01C2406A	-	-	-	-
PLANB11P2408A	0.54	(0.01)	2,530	0.54	KTC01C2407A	0.29	-	23,121	0.29	CBG01C2407A	0.20	(0.01)	21,345	0.21
PLANB13C2407A	0.24	0.01	11,675	0.24	KTC01P2406X	0.22	(0.01)	7,920	0.23	CBG01C2408A	0.46	(0.01)	19,168	0.48
PLANB19C2408A	0.26	0.02	18,641	0.25	KTC11C2405A	0.11	0.01	3,180	0.11	CBG01P2404X	0.23	(0.02)	6,936	0.23
POST	-	-	-	-	KTC11P2405A	0.23	-	6,360	0.23	CBG01P2405X	0.82	(0.02)	1,218	0.82
PRAKIT	11.70	-	262	11.78	KTC13C2405A	-	-	-	-	CBG01P2408X	0.61	-	6,973	0.60
PTECH	7.65	(0.60)	276	7.79	KTC13C2407A	0.27	-	16,379	0.26	CBG06C2405A	-	-	-	-
ROCTEC	0.71	0.03	446,547	0.70	KTC13P2407A	0.17	(0.01)	10,190	0.18	CBG11C2404A	0.11	(0.02)	4,240	0.12
ROCTEC-W3	0.03	-	264,618	0.03	KTC19C2405A	0.11	(0.01)	7,600	0.11	CBG11C2408A	0.40	(0.01)	15,680	0.41
ROCTEC-W5	0.04	0.01	184,506	0.04	KTC19C2407A	0.27	-	32,794	0.26	CBG11P2404A	0.29	(0.01)	2,400	0.29
SE-ED	-	-	-	-	KTC41C2405A	0.12	-	18,210	0.11	CBG13C2406A	0.07	(0.01)	820	0.07
TKS	6.30	(0.05)	3,967	6.34	MFC	21.00	-	15	20.98	CBG13C2407A	0.20	(0.01)	27,936	0.21
VGI	1.72	0.11	5,357,769	1.69	MICRO	2.42	0.02	2,542	2.41	CBG13C2408A	0.45	(0.02)	97,918	0.47
VGI-W3	0.07	-	74,313	0.08	ML	0.62	0.03	5,744	0.62	CBG13P2404A	0.11	-	30,900	0.10
VGI01C2404A	0.02	-	5	0.02	ML-W3	-	-	-	-	CBG13P2408A	0.53	0.01	37,232	0.52
VGI01C2405A	0.03	0.02	40	0.03	MST	10.00	0.05	53	10.00	CBG19C2405A	-	-	-	-
VGI01C2406A	0.15	0.05	156,487	0.13	MTC	46.50	0.50	58,321	46.40	CBG19C2406A	-	-	-	-
VGI01C2407A	0.34	0.09	263,918	0.30	MTC01C2404A	0.07	(0.01)	3,358	0.07	CBG19C2407A	0.18	(0.01)	15,562	0.19
VGI01C2407B	0.57	0.15	56,074	0.51	MTC01C2406A	0.32	-	22,522	0.31	CBG19C2408A	0.38	(0.02)	82,842	0.40
VGI01P2405X	0.40	(0.16)	255,603	0.42	MTC01C2407A	0.33	0.02	154,191	0.32	CBG19P2404A	0.21	(0.01)	12,101	0.20
VGI06C2403A	-	-	-	-	MTC01P2404X	-	-	-	-	CBG19P2407A	0.69	-	44,629	0.67
VGI06C2405A	-	-	-	-	MTC01P2406X	0.31	(0.03)	9,020	0.32	CBG41C2404A	-	-	-	-
VGI13C2405A	0.02	0.01	9,389	0.01	MTC06C2404A	-	-	-	-	CBG41C2406A	-	-	-	-
VGI13C2406A	0.15	0.05	213,149	0.14	MTC11C2403A	-	-	-	-	CBG41C2407A	0.18	(0.01)	13,976	0.19
VGI13C2407A	0.26	0.08	318,566	0.24	MTC11C2406A	0.25	-	6,600	0.25	CBG41C2407B	0.38	(0.03)	45,608	0.40
VGI13C2407B	0.52	0.12	235,865	0.48	MTC13C2404A	-	-	-	-	CBG41C2408A	0.40	(0.60)	42,000	0.42
VGI13P2405A	0.26	(0.09)	306,526	0.28	MTC13C2406A	0.31	0.02	95,801	0.30	CFRESH	1.70	0.01	2,319	1.70
VGI19C2405A	0.07	0.03	8,873	0.06	MTC13P2404A	-	-	-	-	CH	2.54	0.04	840	2.52
VGI19C2405B	-	-	-	-	MTC13P2406A	0.15	(0.01)	37,662	0.15	CHOTI	-	-	-	-
VGI19C2407A	0.24	0.07	714,800	0.23	MTC19C2404A	0.04	(0.06)	4	0.04	CM	2.28	0.02	1,576	2.26
VGI19C2407B	0.52	0.13	83,560	0.45	MTC19C2406A	0.32	0.01	175,505	0.32	COCOCO	10.70	0.10	224,879	10.74
VGI41C2405A	-	-	-	-	MTC19P2404A	-	-	-	-	CPF	18.90	0.10	59,768	18.82
VGI41C2407A	0.26	0.08	179,538	0.23	MTC41C2404A	0.11	-	39,162	0.10	CPF01C2404A	-	-	-	-
WORK	9.85	(0.05)	1,479	9.92	MTC41C2405A	0.13	0.01	50,068	0.13	CPF01C2407A	0.26	0.01	8,003	0.25
ZAA	1.39	0.15	302,802	1.34	MTC41C2408A	0.36	(0.64)	45,554	0.35	CPF01P2404X	-	-	-	-
Finance & Securities	-	-	-	-	NCAP	2.34	0.08	54,159	2.32	CPF01P2408T	0.32	(0.01)	970	0.32
AEONTS	146.50	-	127	146.70	PL	2.04	-	1,432	2.02	CPF11P2407T	0.28	(0.01)	1,020	0.28
AMANAHA	2.14	(0.18)	18,204	2.11	S11	2.86	(0.04)	984	2.87	CPF13C2404A	-	-	-	-
ASAP	2.92	-	12,230	2.90	SAK	4.96	0.22	55,348	4.92	CPF13C2406A	0.23	-	10,486	0.22
ASK	17.40	0.20	2,299	17.30	SAWAD	40.00	0.50	41,577	39.94	CPF13P2405A	-	-	-	-
ASP	2.70	(0.04)	26,085	2.71	SAWAD-W2	1.03	0.02	178	1.05	CPF19C2404A	-	-	-	-
BAM	9.45	-	255,180	9.44	SAWAD01C2405	-	-	-	-	CPI	2.54	(0.08)	8,217	2.55
BAM01C2404A	0.03	(0.02)	10	0.03	SAWAD01C2406	0.15	0.01	31,868	0.15	F&D	30.00	2.00	4	29.06
BAM01C2406A	0.39	-	61,206	0.38	SAWAD01C2408	0.31	0.02	28,120	0.31	GLOCON	0.28	-	16,753	0.27
BAM11C2405A	0.29	(0.01)	33,494	0.30	SAWAD01P2404	0.14	(0.03)	26,444	0.14	GLOCON-W5	-	-	-	-
BAM13C2405A	0.18	-	27,334	0.18	SAWAD01P2407	0.47	(0.02)	6,407	0.48	HTC	17.70	0.30	5,386	17.58
BAM13C2408A	0.45	(0.01)	54,743	0.44	SAWAD11P2406	0.33	(0.02)	5,300	0.33	ICHI	18.20	0.40	76,438	18.05
BAM19C2404A	-	-	-	-	SAWAD13C2405	-	-	-	-	ICHI01C2405A	0.35	0.04	13,485	0.32
BAM19C2405A	0.20	-	80,778	0.20	SAWAD13C2406	0.09	0.01	1	0.09	ICHI13C2405A	0.30	0.04	35,652	0.28
BYD	4.18	0.06	220,341	4.23	SAWAD13C2407	0.20	0.01	49,059	0.20	ICHI19C2405A	0.30	0.04	25,947	0.28
BYD06C2404A	-	-	-	-	SAWAD13C2408	0.35	0.02	58,337	0.35	ITC	19.30	(0.10)	12,081	19.28
BYD13C2405A	0.05	-	2,000	0.05	SAWAD13P2407	0.27	(0.01)	10,516	0.28	ITC01C2405A	-	-	-	-
BYD13C2406A	0.24	0.02	52,779	0.25	SAWAD19C2405	-	-	-	-	ITC13C2406A	0.15	(0.01)	1,931	0.15
BYD19C2404A	-	-	-	-	SAWAD19C2406	0.19	0.01	18,664	0.19	JDF	2.56	(0.02)	6,287	2.54
BYD19C2407A	0.35	0.02	86,933	0.37	SAWAD19C2408	0.34	0.01	46,028	0.34	KBS	5.55	0.05	2,769	5.55
CGH	0.64	-	21,338											

Main Board Quotation

Issue Date :

Thursday March 14, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PLUS	7.10	(0.10)	7,098	7.13	BH13C2407A	0.36	0.04	65,194	0.36	KYE	316.00	3.00	18	314.72
PM	7.15	(0.05)	7,344	7.13	BH13P2406A	0.15	(0.02)	15,530	0.16	L&E	1.21	0.02	550	1.20
PQS	2.84	-	887	2.82	BH19C2404A	-	-	-	-	MODERN	2.26	0.04	4,117	2.23
PRG	10.40	0.10	26	10.41	BH19C2404B	-	-	-	-	OGC	23.40	(0.10)	8	23.40
PRG-W1	-	-	-	-	BH19C2404C	-	-	-	-	ROCK	9.65	0.65	5	9.76
PRG-W2	-	-	-	-	BH19C2407A	0.16	0.02	10,120	0.16	SBNEXT	0.79	0.01	57,588	0.82
PRG-W3	-	-	-	-	BH41C2404A	-	-	-	-	SBNEXT-W2	0.12	0.01	118,210	0.12
RBF	11.20	-	39,680	11.19	BH41C2405A	0.12	0.01	8,000	0.13	SIAM	1.21	-	8,026	1.20
RBF01C2405A	-	-	-	-	BH41C2406B	0.16	0.03	27,583	0.16	TCMC	1.42	0.03	3,752	1.41
RBF01C2406A	-	-	-	-	BH41C2408A	0.36	0.04	46,724	0.34	Insurance	-	-	-	-
RBF01C2407A	0.13	-	119,587	0.13	BH41P2405A	0.10	(0.02)	20,000	0.11	AYUD	35.00	-	42	35.02
RBF01P2405X	0.47	(0.01)	10,782	0.47	BH41P2406A	-	-	-	-	BKI	314.00	1.00	122	313.49
RBF01P2407X	0.37	-	20,815	0.37	CHG	2.90	(0.02)	169,297	2.91	BLA	18.30	0.10	8,599	18.28
RBF13C2405A	-	-	-	-	CHG01C2404A	-	-	-	-	BLA01C2404A	-	-	-	-
RBF13C2406A	0.04	-	900	0.04	CHG01C2405A	0.08	(0.01)	18,465	0.08	BLA01P2404X	0.36	(0.05)	200	0.36
RBF13C2407A	0.11	-	4,284	0.11	CHG11C2404A	-	-	-	-	BLA13C2404A	-	-	-	-
RBF13C2408A	0.19	(0.81)	31,412	0.19	CHG13C2404A	-	-	-	-	BLA13C2407A	0.21	-	120	0.22
RBF13P2405A	0.31	(0.01)	2,333	0.31	CHG13C2406A	-	-	-	-	BLA19C2408A	0.33	0.01	5,288	0.34
RBF19C2405A	-	-	-	-	CHG13C2407A	0.20	(0.02)	8,922	0.20	BUI	21.30	-	94	21.34
RBF19P2406A	0.35	0.01	21,442	0.35	CHG13P2406A	0.25	-	17,442	0.25	CHARAN	24.00	-	9	24.00
SAPPE	94.25	0.75	4,616	93.87	CHG19C2404A	-	-	-	-	INSURE	117.00	6.50	13	113.88
SAPPE01C2405A	0.38	(0.01)	2,574	0.38	CMR	2.08	-	677	2.07	KWI	0.63	0.02	5,192	0.62
SAPPE13C2406A	0.36	0.02	14,012	0.34	EKH	7.80	0.15	11,009	7.77	MTI	109.50	-	14	109.75
SAUCE	42.00	0.25	48	42.01	EKH-W1	1.52	0.02	6,473	1.52	NKI	26.25	(0.25)	68	26.28
SNNP	17.00	(0.10)	34,339	17.01	KDH	92.50	0.25	1	92.50	SMK	-	-	-	-
SNNP01C2407A	0.11	(0.02)	4,050	0.12	LPH	4.60	0.04	320	4.60	TGH	-	-	-	-
SNNP13C2406A	0.10	(0.01)	4,879	0.11	M-CHAI	68.00	(0.50)	379	67.99	THRE	0.87	0.02	9,493	0.86
SNNP19C2407A	0.11	(0.02)	20	0.12	NEW	38.00	-	-	-	THREL	2.26	0.10	69,965	2.24
SNP	15.10	-	183	15.04	NTV	38.00	0.25	284	37.90	TIPH	30.50	1.00	12,482	30.56
SORKON	4.22	(0.02)	1,132	4.20	PHG	14.80	0.20	5,425	14.78	TIPH13C2404A	-	-	-	-
SSC	-	-	-	-	PR9	19.30	0.10	12,612	19.25	TIPH13C2407A	0.15	0.02	32,126	0.15
SSF	7.70	0.10	2	7.70	PRINC	4.00	-	16,307	4.00	TIPH19C2404A	0.02	-	1	0.02
SST	5.25	-	5	5.23	RAM	32.25	0.25	458	31.98	TIPH19C2407A	0.21	0.03	30,278	0.22
SUN	5.95	0.15	24,519	5.90	RJH	25.75	0.25	833	25.76	TLI	9.55	(0.05)	53,597	9.57
TC	5.85	0.10	1,347	5.77	RPH	6.40	-	3,532	6.34	TLI01C2404A	-	-	-	-
TFG	3.42	(0.02)	10,393	3.40	SAFE	20.10	0.10	7,641	20.20	TLI01C2406A	-	-	-	-
TFG-W3	0.01	-	1	0.01	SKR	10.10	0.10	1,314	10.10	TLI01C2406B	0.19	(0.01)	9,114	0.20
TFMAMA	212.00	(9.00)	35	215.34	THG	43.25	0.50	1,899	43.37	TLI01C2408A	0.42	-	7,075	0.42
TIPCO	10.30	-	7,910	10.28	VIBHA	1.95	0.01	20,666	1.95	TLI13C2404A	-	-	-	-
TKN	10.50	0.30	244,837	10.27	VIBHA-W4	0.04	0.01	11,342	0.03	TLI13C2405A	-	-	-	-
TKN01C2405A	0.32	0.03	16,752	0.30	VIH	8.00	(0.10)	5,202	8.00	TLI13C2407A	0.39	(0.02)	17,533	0.39
TKN01C2405B	0.12	0.02	38,782	0.11	WPH	8.15	0.55	38,588	8.08	TLI19C2404A	-	-	-	-
TKN01C2408A	0.22	0.02	40,446	0.21	Tourism & Leisu	-	-	-	-	TLI19C2407A	0.38	(0.01)	15,466	0.38
TKN01P2405X	0.07	(0.01)	8,834	0.08	ASIA	6.40	(0.10)	2	6.48	TLI41C2404A	-	-	-	-
TKN13C2405A	-	-	-	-	BEYOND	11.60	0.10	981	11.68	TLI41C2404B	-	-	-	-
TKN13C2406A	0.15	0.02	97,208	0.14	BEYOND-W2	1.63	0.22	554	1.60	TLI41C2405A	0.14	(0.01)	14,000	0.15
TKN13P2406A	0.11	(0.02)	72,590	0.12	CENTEL	43.75	0.50	9,676	43.61	TLI41C2405B	-	-	-	-
TKN19C2406A	0.14	0.02	36,043	0.13	CENTEL01C2405	0.12	-	1,600	0.12	TLI41C2406A	0.38	-	1,000	0.38
TU	14.30	0.20	243,337	14.24	CENTEL01C240E	0.31	-	30,689	0.31	TQM	26.25	-	5,180	26.38
TU01C2404A	0.06	-	1,000	0.06	CENTEL01P2404	-	-	-	-	TQM13C2407A	-	-	-	-
TU01C2407A	0.10	-	3,120	0.10	CENTEL13C2405	-	-	-	-	TQM19C2404A	-	-	-	-
TU01P2407X	0.30	(0.02)	8,034	0.30	CENTEL13C2407	0.25	0.02	54,557	0.24	TQM19C2407A	-	-	-	-
TU11C2407T	0.15	-	14,000	0.15	CENTEL13P2404	-	-	-	-	TSI	0.14	(0.01)	7,187	0.14
TU13C2404A	0.03	(0.01)	5	0.03	CENTEL19C2405	-	-	-	-	TVH	8.70	0.10	527	8.66
TU13C2408A	0.20	0.01	11,262	0.20	CENTEL19C240E	0.28	(0.01)	34,745	0.28	Packaging	-	-	-	-
TU13P2406A	0.23	(0.01)	1,156	0.23	CENTEL41C2405	-	-	-	-	AJ	5.95	(0.05)	139	5.90
TU19C2407A	0.20	-	8,615	0.20	CENTEL41C240E	0.18	0.01	12,000	0.17	ALUCON	179.00	-	1	179.00
TU41C2407A	0.11	0.01	4,000	0.11	CENTEL41C240E	0.32	0.02	14,200	0.32	BGC	7.20	(0.05)	3,190	7.18
TVO	20.60	-	2,493	20.61	CSR	-	-	-	-	CSC	43.00	(2.25)	129	43.15
TWPC	3.58	0.02	1,184	3.58	DUSIT	8.90	(0.10)	2,263	8.93	CSC-P	-	-	-	-
W	0.72	(0.02)	59,154	0.72	ERW	4.64	0.02	139,635	4.65	CSC-Q	-	-	-	-
W-W5	0.01	-	2	0.01	ERW-W3	1.59	0.01	10,746	1.60	NEP	0.21	(0.01)	135	0.20
W-W6	0.39	0.06	116	0.39	ERW01C2405A	-	-	-	-	PJW	3.10	0.02	4,423	3.10
ZEN	8.40	0.05	2,951	8.36	ERW13C2404A	-	-	-	-	PJW-W1	0.23	(0.02)	6,462	0.24
Health Care Services	-	-	-	-	ERW13C2406A	-	-	-	-	PTL	10.00	(0.20)	16,072	10.01
AHC	17.90	(0.10)	118	17.87	ERW13C2407A	0.31	0.01	33,921	0.31	SCGP	30.00	-	112,985	30.08
BCH	21.80	0.20	62,564	21.67	ERW19C2405A	-	-	-	-	SCGP01C2405A	0.03	-	10,010	0.02
BCH01C2404A	-	-	-	-	ERW41C2406A	-	-	-	-	SCGP01C2406A	-	-	-	-
BCH01C2407A	0.25	-	18,763	0.24	GRAND	0.14	(0.01)	1,616	0.14	SCGP01C2408A	0.17	-	38,158	0.18
BCH01P2407X	0.36	(0.01)	4,163	0.36	LRH	41.00	(0.25)	4	41.00	SCGP01P2405A	0.34	(0.01)	1,426	0.33
BCH11C2407A	0.34	(0.01)	5,051	0.34	MANRIN	-	-	-	-	SCGP01P2408X	0.20	-	3,976	0.20
BCH13C2404A	0.03	(0.01)	750	0.03	MINT	33.50	1.00	141,688	33.08	SCGP06C2403A	-	-	-	-
BCH13C2407A	0.21	(0.01)	7,130	0.21	MINT01C2404A	0.10	0.03	20,997	0.10	SCGP06C2406A	0.09	0.05	10	0.09
BCH13P2406A	0.21	(0.01)	10,408	0.22	MINT01C2406A	0.32	0.05	7,809	0.30	SCGP11C2405A	-	-	-	-
BCH19C2406A	0.13	(0.02)	7,215	0.13	MINT01C2408A	0.24	0.03	16,009	0.23	SCGP11C2407T	0.14	(0.01)	9,220	0.15
BCH41C2407A	0.25	0.01	16,200	0.24	MINT01P2404X	-	-	-	-	SCGP13C2405A	-	-	-	-
BDMS	29.00	-	295,780	29.02	MINT01P2406X	0.12	(0.02)	2,400	0.13	SCGP13C2406A	-	-	-	-
BDMS01C2405A	0.18	(0.02)	563	0.19	MINT06C2405A	0.15	0.04	16,376	0.13	SCGP13C2407A	0.17	-	59,980	0.17
BDMS01C2408A	0.20	-	6,316	0.20	MINT11C2403A	-	-	-	-	SCGP13P2405A	-	-	-	-
BDMS01P2407X	0.15	-	1,000	0.15	MINT11C2406A	0.30	0.04	5,770	0.28	SCGP13P2408A	0.16	(0.01)	17,249	0.17
BDMS13C2404A	-	-	-	-	MINT13C2404A	0.11	0.03	14,036	0.10	SCGP19C2405A	-	-	-	-
BDMS13C2408A	0.20	(0.01)	4,474	0.20	MINT13C2406A	0.30	0.05	5,000	0.29	SCGP19C2406A	-	-	-	-
BDMS13P2407A	0.17	-	2,000	0.17	MINT13C2407A	0.22	0.04	29,877	0.20	SCGP19C2407A	0.19	(0.01)	53,182	0.21
BDMS19C2405A	-	-	-	-	MINT13P2404A	-	-	-	-	SCGP41C2404A	-	-	-	-
BDMS19C2407A	0.16	(0.01)	5,406	0.16	MINT13P2407A	0.11	(0.02)	1,970	0.12	SCGP41C2405A	-	-	-	-
BDMS41C2404A	0.10	(0.01)	2,745	0.10	MINT19C2404A	0.17	0.05	2,498	0.15	SCGP41C2406A	-	-	-	-
BDMS41C2405A	-	-	-	-	MINT19C2406A	0.24	0.04	9,778	0.21	SCGP41C2407A	0.17	-	33,862	0.17
BDMS41C2407A	-	-	-	-	MINT41C2404A	0.13	0.02	14,400	0.11	SFLEX	3.34	-	9,273	3.29
BDMS41C2408A	0.17	-	7,000	0.17	MINT41C2405A	-	-	-	-	SFLEX-W2	0.19	-	1,159	0.19
BH	230.00	5.00	32,408	228.67	MINT41C2406A	0.26								

Main Board Quotation

Issue Date :

Thursday March 14, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
APCO	5.00	0.02	588	4.99	LHI9C2406A	-	-	-	-	AOT01C2405A	0.35	0.02	19,887	0.34
BIZ	3.32	0.02	1,078	3.29	LPN	3.56	-	3,672	3.54	AOT01C2407A	0.37	0.02	23,255	0.36
BLC	5.15	-	12,590	5.14	MBK	16.10	-	8,133	16.00	AOT01P2404X	-	-	-	-
DDD	8.40	0.25	999	8.34	MBK-W2	14.40	(0.10)	321	14.40	AOT01P2405X	-	-	-	-
JCT	78.75	(3.50)	79	77.78	MBK-W3	13.80	-	44	13.84	AOT01P2407X	0.23	(0.02)	6,007	0.24
KISS	5.60	0.10	5,872	5.54	MBK-W4	13.40	(0.20)	18	13.49	AOT06C2404A	0.10	-	11,564	0.10
NAM	5.35	-	1,411	5.39	MJD	1.25	-	11	1.25	AOT11C2403A	-	-	-	-
NV	1.64	0.01	17,841	1.65	MK	2.12	0.08	55	2.12	AOT11C2407A	0.30	0.02	6,703	0.29
OCC	-	-	-	-	NCH	1.00	(0.01)	5,010	1.00	AOT13C2404A	0.01	(0.01)	2,610	0.01
S&J	53.25	(0.25)	28	53.38	NNCL	1.92	-	2,752	1.91	AOT13C2404B	0.04	-	4	0.04
STGT	9.65	0.20	158,669	9.65	NOBLE	3.70	-	3,321	3.72	AOT13C2405A	0.22	0.02	73,013	0.21
STGT01C2407A	0.87	0.06	14,922	0.88	NUSA	0.44	0.02	161,525	0.43	AOT13P2404A	-	-	-	-
STGT01C2407B	0.55	0.05	38,650	0.54	NUSA-W5	0.11	0.01	107,866	0.11	AOT13P2404B	-	-	-	-
STGT01P2407X	0.17	(0.01)	5,808	0.17	NVD	1.89	-	132	1.88	AOT13P2407A	0.15	(0.01)	6,322	0.15
STGT13C2407A	0.86	0.06	60	0.86	NVD-W3	0.02	-	532	0.02	AOT19C2404A	-	-	-	-
STGT13C2407B	0.53	0.04	112,776	0.52	ORI	7.20	0.10	65,993	7.12	AOT19C2404B	-	-	-	-
STGT13P2407A	0.24	(0.03)	80,476	0.25	ORI13C2407A	0.19	0.01	15,796	0.18	AOT19C2404C	0.11	0.01	5,063	0.11
STGT19C2404A	-	-	-	-	ORI19C2404A	-	-	-	-	AOT19C2406A	0.21	0.01	48,668	0.21
STGT19C2407A	0.63	0.05	501	0.65	ORN	1.35	0.02	184,181	1.35	AOT19C2406B	0.44	0.04	232	0.43
STHAI	-	-	-	-	PACE	-	-	-	-	AOT19P2404A	-	-	-	-
TNR	9.20	(0.10)	120	9.16	PEACE	3.56	0.24	153	3.51	AOT19P2407A	0.18	(0.02)	14,158	0.18
TOG	11.90	-	1,540	11.98	PF	0.28	-	82,312	0.27	AOT41C2404A	0.01	-	1,000	0.01
Professional Service	-	-	-	-	PIN	7.85	0.15	93,712	7.81	AOT41C2405A	0.17	0.01	32,000	0.16
BWG	0.57	0.03	1,488,179	0.57	PLAT	3.02	-	3,382	3.00	AOT41C2405B	0.21	0.01	22,501	0.20
GENCO	0.52	(0.01)	6,590	0.51	POLAR	-	-	-	-	AOT41C2406A	0.39	0.02	7,020	0.38
PRO	-	-	-	-	PRECHA	1.14	(0.01)	50,534	1.15	AOT41P2405A	-	-	-	-
PRTR	4.48	(0.02)	13,311	4.46	PRIN	2.88	(0.02)	1	2.88	ASIMAR	1.64	0.01	6,515	1.65
SISB	43.50	0.75	20,382	43.33	PSH	11.60	-	4,195	11.61	B	0.12	-	34,471	0.12
SISB13C2405A	-	-	-	-	QH	2.18	0.02	182,951	2.17	B-W7	-	-	-	-
SISB13C2407A	0.28	0.02	47,828	0.28	RABBIT	0.45	-	701,362	0.46	B-W8	0.01	-	68,950	0.01
SO	6.85	-	331	6.76	RABBIT-P	0.46	-	39,728	0.46	BA	16.30	0.20	37,381	16.19
WAVE	0.18	0.01	400,690	0.18	RABBIT-Q	-	-	-	-	BEM	8.30	0.15	459,960	8.20
WAVE-W3	0.08	0.02	300,996	0.08	RICHY	0.59	(0.01)	8,038	0.58	BEM01C2405A	0.14	0.01	10,544	0.14
Property Development	-	-	-	-	RML	0.48	(0.02)	29,371	0.49	BEM01C2408A	0.34	0.03	23,386	0.31
A	5.00	0.02	25	5.00	ROJNA	6.60	(0.05)	28,377	6.59	BEM13C2407A	0.24	0.03	74,793	0.21
AKS	0.01	-	33,631	0.01	S	0.91	-	14,518	0.91	BEM19C2405A	-	-	-	-
AKS-W5	-	-	-	-	SA	7.05	(0.05)	6,421	7.01	BEM19C2408A	0.31	0.04	99,165	0.27
AMATA	23.40	(0.30)	79,388	23.46	SA-W1	0.08	-	11	0.08	BTS	5.40	-	1,002,730	5.35
AMATA01C2404A	-	-	-	-	SAMCO	1.15	-	5,771	1.14	BTS-W7	0.02	(0.01)	82,425	0.02
AMATA01C2404B	-	-	-	-	SC	3.46	0.02	25,633	3.45	BTS-W8	0.10	-	40,186	0.10
AMATA01C2407A	0.45	(0.03)	13,747	0.46	SENA	2.84	0.02	9,376	2.82	BTS01C2405A	-	-	-	-
AMATA11C2407A	0.45	(0.02)	27,010	0.44	SENA-W1	-	-	-	-	BTS01C2407A	0.08	-	3,911	0.07
AMATA13C2404A	-	-	-	-	SIRI	1.82	(0.02)	2,209,076	1.83	BTS01C2408A	0.22	0.01	54,006	0.21
AMATA13C2405A	-	-	-	-	SIRI01C2406A	0.17	(0.01)	12,220	0.17	BTS01P2405X	0.63	(0.01)	1,120	0.65
AMATA13C2406A	0.27	(0.03)	58,484	0.27	SIRI13C2407A	0.28	(0.02)	18,372	0.28	BTS01P2407X	0.30	0.01	12,930	0.31
AMATA19C2404A	-	-	-	-	SIRI19C2407A	0.29	(0.01)	4,139	0.29	BTS13C2405A	-	-	-	-
AMATA19C2405A	-	-	-	-	SIRI41C2405A	0.19	(0.02)	9,200	0.19	BTS13C2407A	0.05	(0.01)	185	0.05
AMATA19C2407A	0.41	(0.04)	20,343	0.41	SPALI	21.00	-	19,640	21.00	BTS13C2407B	0.20	-	48,131	0.19
AMATA41C2407A	-	-	-	-	SPALI11C2404A	-	-	-	-	BTS13P2405A	0.51	(0.20)	2	0.53
AMATA41C2407B	0.32	(0.03)	33,600	0.32	SPALI13C2405A	0.26	-	2,042	0.26	BTS13P2407A	0.25	(0.02)	36,332	0.27
AMATAV	5.50	(0.05)	264	5.52	SPALI19C2408A	0.32	-	2,614	0.32	BTS19C2406A	-	-	-	-
ANAN	0.88	-	5,170	0.89	UV	2.06	0.02	6,344	2.07	BTS19C2407A	-	-	-	-
AP	10.40	-	108,896	10.35	WHA	4.82	0.02	238,466	4.81	BTS19C2407B	0.22	0.01	51,126	0.21
AP11C2404A	-	-	-	-	WHA01C2404A	-	-	-	-	BTS41C2407A	-	-	-	-
APEX	-	-	-	-	WHA01C2405A	-	-	-	-	BTS5GIF	3.56	(0.02)	16,271	3.57
ASW	8.15	-	9,162	8.14	WHA01C2406A	0.22	-	23,177	0.22	DMT	12.00	-	11,657	11.95
ASW-W1	0.01	-	22,499	0.01	WHA01P2407X	0.41	(0.02)	6,520	0.42	ETL	1.58	0.05	148,958	1.57
ASW-W2	0.02	(0.01)	42,674	0.02	WHA11C2407A	0.36	(0.01)	7,540	0.35	III	9.25	0.10	33,726	9.16
AWC	3.90	0.04	643,446	3.87	WHA13C2404A	0.02	(0.01)	20	0.02	KEX	5.45	-	10,969	5.49
AWC01C2404A	-	-	-	-	WHA13C2404B	-	-	-	-	KIAT	0.39	0.01	12,852	0.38
AWC01C2406A	0.20	0.01	74,026	0.18	WHA13C2406A	0.20	-	12,228	0.20	KWC	-	-	-	-
AWC01P2405X	0.24	(0.03)	10,141	0.27	WHA13P2407A	0.42	(0.01)	12,897	0.43	MENA	1.88	0.04	44,138	1.87
AWC06C2403A	-	-	-	-	WHA19C2404A	-	-	-	-	NOK	-	-	-	-
AWC06C2404A	-	-	-	-	WHA19C2404B	-	-	-	-	NYT	4.72	0.04	48,889	4.74
AWC11C2403A	-	-	-	-	WHA19C2406A	0.24	0.01	33,349	0.23	PORT	1.52	0.03	56,677	1.55
AWC11C2408A	0.35	0.01	54,075	0.34	WHA41C2404A	-	-	-	-	PRM	7.10	0.15	158,679	7.10
AWC13C2404A	-	-	-	-	WHA41C2404B	-	-	-	-	PSL	8.70	0.35	151,003	8.62
AWC13C2405A	0.19	0.02	58,165	0.18	WHA41C2406A	0.25	-	23,800	0.25	PSL01C2405A	0.12	0.03	12,884	0.10
AWC19C2405A	0.23	0.02	130,281	0.20	WHA41C2406B	0.23	0.01	21,187	0.22	PSL01C2407A	0.28	0.05	16,958	0.26
AWC19C2406A	0.11	0.01	3,688	0.11	WHA41C2407A	0.30	-	18,400	0.29	PSL06C2404A	-	-	-	-
AWC41C2405A	-	-	-	-	WIN	0.65	0.01	3,685	0.65	PSL13C2404A	0.11	(0.01)	7,596	0.11
AWC41C2406A	0.15	0.01	89,467	0.13	Paper & Printing	-	-	-	-	PSL13C2407A	0.24	0.05	34,130	0.22
BLAND	0.69	0.01	20,597	0.68	UTP	11.40	(0.10)	954	11.50	PSL19C2404A	0.18	0.06	29,276	0.15
BRI	7.05	0.05	28,617	7.01	Fashion	-	-	-	-	PSL19C2407A	0.30	0.05	39,843	0.28
BROCK	1.64	-	146	1.61	AFC	6.05	1.37	5,116	5.98	RCL1C2405A	0.10	-	14,000	0.10
CGD	0.36	-	32,012	0.35	AURA	14.60	0.30	5,853	14.46	RCL	20.80	-	25,915	20.75
CI	0.62	0.03	10,213	0.61	BTNC	20.50	0.20	9	20.47	RCL01C2405A	0.16	-	15,151	0.16
CI-W2	0.01	-	40,890	0.01	CPH	13.50	0.30	7,121	13.88	RCL01C2405B	-	-	-	-
CMC	1.16	(0.02)	5,015	1.15	CPL	1.51	0.08	21,071	1.49	RCL01C2407A	-	-	-	-
CPN	65.00	-	104,288	64.70	NC	4.36	(0.08)	8,927	4.36	RCL01C2408A	0.35	-	15,965	0.35
CPN01C2404A	-	-	-	-	PAF	1.59	0.12	254,948	1.62	RCL01P2405X	0.36	-	3,376	0.37
CPN01C2407A	0.39	0.06	30,633	0.38	PDJ	1.99	0.02	626	1.99	RCL06C2405A	0.02	(0.01)	9	0.02
CPN11C2404A	0.17	0.04	4,240	0.16	PG	9.10	-	88	9.17	RCL11C2407A	-	-	-	-
CPN13C2405A	-	-	-	-	SABINA	26.00	0.75	13,212	25.75	RCL13C2404A	0.07	(0.02)	240	0.07
CPN13C2407A	0.36	0.05	63,219	0.36	SAWANG	-	-	-	-	RCL13C2405A	-	-	-	-
CPN19C2407A	0.30	0.05	93,517	0.30	SUC	32.50	0.25	195	32.49	RCL13C2407A	0.20	-	19,652	0.20
CPN41C2404A	0.05	(0.05)	100	0.05	TNL	34.00	(0.50)	20	34.05	RCL13C2408A	0.40	-	10,726	0.40
CPN41C2405A	-	-	-	-	TR	41.75	0.25	41	41.07	RCL13P2405A	0.26	-	4,356	0.27
CPN41C2406A	0.32	0.06	32,804	0.30	TTI	-	-	-	-	RCL19C2405A	0.11	-	10,538	0.11
ESTAR	0.25	-	246	0.25	TTT	49.50	0.25	8	49.41	RCL19C2405B				

Main Board Quotation

Issue Date :

Thursday March 14, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TTA	7.20	0.30	213,277	7.10	WHAIR	5.85	0.05	3,294	5.84	BABA28P2407A	0.23	0.02	11,154	0.23
WICE	5.70	(0.10)	9,525	5.70	WHART	9.80	0.05	19,356	9.71	BABA41C2403A	0.01	(0.01)	150	0.01
Automotive	-	-	-	-	Steel and Metal I	-	-	-	-	BABA41C2403B	-	-	-	-
3K-BAT	-	-	-	-	2S	3.04	-	739	3.04	BABA41C2404A	0.11	(0.02)	50,000	0.12
ACG	1.24	-	57	1.24	AMC	3.34	0.02	3,066	3.32	BABA41C2404B	0.22	(0.04)	10,000	0.22
AH	22.50	(0.40)	18,643	22.35	BSBM	0.69	(0.01)	1,080	0.70	BABA41C2406A	0.24	0.04	7	0.24
CWT	1.44	0.08	8,436	1.42	CEN	2.16	(0.02)	32	2.14	BABA41C2406B	0.55	(0.03)	3	0.56
EASON	1.25	(0.02)	25,936	1.26	CEN-W5	0.28	(0.04)	2,365	0.25	BABA41P2403A	0.15	0.02	10,000	0.15
GYT	182.50	0.50	10	182.95	CITY	2.12	(0.02)	5,531	2.12	BABA41P2404A	-	-	-	-
HFT	4.04	0.06	28,333	4.04	CSP	1.00	-	1,080	1.00	BABA41P2407A	0.21	0.01	50,000	0.21
IHL	2.02	(0.08)	606	2.05	GJS	0.22	-	7,058	0.22	BIDU28C2403A	-	-	-	-
INGRS	0.49	(0.02)	11,459	0.50	GSTEEL	-	-	-	-	BIDU28C2403B	-	-	-	-
IRC	13.00	(0.20)	75	13.10	INOX	0.49	-	10,308	0.49	BIDU28C2407A	0.29	(0.01)	16,326	0.29
MGC	5.90	-	14,550	5.86	LHK	4.02	-	313	4.01	BIDU28P2406A	0.31	-	7,098	0.31
NEX	9.95	0.15	29,667	9.90	MCS	6.50	(0.25)	6,818	6.45	BIDU41C2403A	-	-	-	-
NEX13C2405A	0.05	-	10	0.05	MILL	-	-	-	-	BIDU41C2403B	-	-	-	-
NEX13C2407A	0.18	0.01	3,502	0.18	MILL-W6	-	-	-	-	BIDU41C2407A	0.31	-	10,000	0.31
NEX19C2404A	-	-	-	-	MILL-W7	-	-	-	-	BIDU41P2403A	-	-	-	-
PCSGH	5.05	-	240	5.05	PAP	2.26	(0.02)	541	2.26	BYDCOM28C2404A	-	-	-	-
POLY	8.10	0.05	47	8.00	PERM	0.91	0.01	4,592	0.90	BYDCOM28C2405A	0.21	0.04	11,016	0.21
SAT	16.80	(0.10)	28,223	16.75	SAM	0.40	0.02	16,497	0.39	BYDCOM28C2407A	0.57	0.04	47,112	0.58
SPG	15.30	(0.30)	1	15.30	SMIT	4.50	0.02	971	4.48	BYDCOM28P2405A	0.13	(0.02)	29,266	0.13
STANLY	226.00	(7.00)	1,149	226.50	SSSC	3.06	-	266	3.06	BYDCOM41C2404A	-	-	-	-
TKT	1.71	0.01	466	1.72	TGPRO	0.13	-	9,525	0.13	BYDCOM41C2405A	0.15	0.05	40,000	0.16
TNPC	1.33	0.10	34,934	1.35	THE	1.17	(0.05)	208	1.19	BYDCOM41C2406A	-	-	-	-
TRU	3.38	-	330	3.37	TMT	5.55	(0.05)	642	5.58	BYDCOM41P2404A	-	-	-	-
TSC	14.80	0.40	220	14.51	TSTH	0.71	-	7,288	0.70	BYDCOM41P2405A	0.13	(0.01)	40,000	0.13
Industrial Materials	-	-	-	-	TWP	1.98	0.02	14	1.96	CATHAY28C2403A	-	-	-	-
ALLA	1.81	(0.01)	18,500	1.82	TYCN	2.44	-	194	2.38	CATHAY28C2404A	0.18	(0.08)	65,050	0.18
ASEFA	3.90	(0.02)	1,061	3.85	Construction Ser	-	-	-	-	CATHAY28C2407A	0.47	(0.14)	5,000	0.47
CPT	0.73	0.02	2,501	0.72	APCS	3.42	(0.04)	700	3.43	CATHAY41C2403A	-	-	-	-
CRANE	0.99	(0.01)	30,703	1.00	BJCHI	1.12	(0.01)	6,243	1.12	CATHAY41C2404A	0.34	(0.08)	1	0.34
CTW	4.46	-	12	4.46	BKD	1.54	-	1,016	1.54	CHMOBI28C2404A	0.13	-	5,070	0.13
FMT	34.00	-	59	34.23	CIVIL	2.02	-	1,243	2.01	CMBANK41C2404A	-	-	-	-
HTECH	2.32	0.02	398	2.26	CK	23.90	0.10	38,933	23.86	CMBANK41C2406A	-	-	-	-
KKC	-	-	-	-	CK01C2407A	0.52	0.01	38,966	0.50	CNOOC28C2404A	-	-	-	-
PK	0.96	-	651	0.94	CK11C2407A	0.42	0.01	400	0.43	CNOOC28C2408A	0.46	0.03	53,404	0.46
PSP	5.65	0.05	77,798	5.54	CK13C2405A	0.20	-	21,555	0.20	DJI28C2403A	-	-	-	-
SNC	7.40	0.20	1,558	7.33	CK19C2404A	0.12	-	2,554	0.12	DJI28C2403B	0.22	(0.02)	1,001	0.21
STARK	-	-	-	-	CNT	1.40	-	461,148	1.37	DJI28C2403C	-	-	-	-
STARK-W1	-	-	-	-	EMC	0.07	-	113,367	0.06	DJI28C2406B	0.73	0.06	1,506	0.72
TCJ	2.92	(0.10)	218	2.94	ITD	-	-	-	-	DJI28C2406C	0.28	0.01	60	0.28
TPCS	-	-	-	-	NL	2.48	-	68,892	2.46	DJI28P2403A	-	-	-	-
VARO	3.70	0.50	6,029	3.71	NWR	0.33	-	99,704	0.34	DJI28P2403B	-	-	-	-
Property Fund & REIT	-	-	-	-	PLE	0.50	(0.03)	25,378	0.51	DJI28P2403C	-	-	-	-
AIMCG	3.54	(0.02)	1,117	3.55	PREB	6.30	-	713	6.28	DJI28P2403D	-	-	-	-
AIMIRT	10.40	(0.10)	3,553	10.39	PYLON	2.50	-	24,329	2.47	DJI28P2406A	0.21	(0.01)	300	0.21
ALLY	5.80	-	1,810	5.76	RT	0.67	(0.01)	42,637	0.68	DJI28P2406B	0.36	(0.03)	510	0.36
AMATAR	6.40	(0.05)	2,041	6.40	RT-W1	0.01	-	534	0.01	DJI41C2403A	-	-	-	-
B-WORK	4.54	-	1,031	4.52	SEAFCO	2.60	(0.02)	18,393	2.58	DJI41C2403B	0.05	(0.05)	1	0.05
BAREIT	10.00	-	6,108	10.00	SQ	1.17	0.01	9,039	1.17	DJI41C2406A	0.73	0.03	110	0.73
BKCCP	9.15	-	135	9.10	SRICHA	8.90	-	940	8.84	DJI41P2403A	-	-	-	-
BOFFICE	4.90	0.02	133	4.90	STEC	10.40	(0.20)	27,805	10.43	DJI41P2403B	0.01	(0.01)	200	0.01
CPNCG	6.15	(0.05)	7,235	6.16	STEC13C2405A	0.38	(0.04)	26	0.38	DJI41P2403C	-	-	-	-
CPNREIT	11.10	(0.10)	33,519	11.07	STEC19C2407A	0.62	0.06	110	0.62	DJI41P2406A	0.22	(0.07)	765	0.22
CPTGF	5.30	-	217	5.30	STI	3.32	(0.02)	287	3.31	DJI41P2406B	0.41	(0.02)	42,052	0.41
CTARAF	4.42	(0.12)	180	4.43	STPI	3.38	0.16	20,015	3.35	GEELY28C2403A	-	-	-	-
DREIT	4.90	-	579	4.91	SYNTEC	1.83	0.02	10,009	1.83	GEELY28C2406A	0.37	(0.01)	7,655	0.36
ERWPF	8.50	(0.05)	95	8.50	TEAMG	4.80	0.04	8,645	4.81	GEELY28P2404A	0.17	-	5,000	0.17
FTREIT	10.20	-	8,586	10.18	TEAMG-W1	0.55	-	2,535	0.55	GEELY41C2404A	-	-	-	-
FUTUREPF	11.50	-	436	11.50	TEKA	2.22	0.10	1,250	2.23	GEELY41C2406A	0.28	(0.03)	10,000	0.28
GAHREIT	7.10	-	629	7.06	TPOLY	1.53	0.10	904,973	1.57	HAIDIL28C2403A	-	-	-	-
GROREIT	8.85	(0.05)	12	8.85	TRC	0.31	(0.01)	23,333	0.31	HAIDIL28C2404A	-	-	-	-
GVREIT	5.30	(0.05)	7,923	5.34	TRITN	0.14	-	26,638	0.14	HAIDIL28C2406A	0.41	0.04	42,136	0.38
HPF	4.72	-	233	4.70	TRITN-W5	0.01	-	1	0.01	HAIDIL41C2403A	-	-	-	-
HYDROGEN	-	-	-	-	TRITN-W6	0.01	-	11	0.01	HAIDIL41C2404A	-	-	-	-
IMPACT	12.10	-	2,795	12.01	TTCL	3.66	0.02	3,516	3.64	HAIDIL41C2405A	-	-	-	-
INETREIT	8.90	(0.10)	4,908	8.95	UNIQ	3.36	0.02	4,005	3.36	HKEX28C2404A	-	-	-	-
KPNPF	3.68	-	1	3.68	WGE	0.71	(0.01)	651	0.71	HKEX28C2406A	0.20	(0.04)	7,098	0.20
KBSTMR	6.45	-	1,423	6.45	Unit Trust	-	-	-	-	HKEX28C2407A	-	-	-	-
LHHOTEL	11.70	(0.10)	1,101	11.80	SCBSET	-	-	-	-	HKEX41C2404A	-	-	-	-
LHPF	6.00	(0.10)	481	6.00	ETF	-	-	-	-	HKEX41C2405A	-	-	-	-
LHSC	9.80	-	6,887	9.76	1DIV	9.82	0.06	109	9.80	HKEX41C2406A	0.26	(0.03)	30,000	0.25
LPF	13.20	-	13,669	13.20	ABFTH	-	-	-	-	HSBC28C2403A	-	-	-	-
LUXF	7.00	-	210	6.95	BMSCG	9.60	0.09	315	9.60	HSBC28C2406A	0.39	(0.03)	2,041	0.39
M-II	7.00	(0.10)	703	7.04	BMSCITH	9.83	0.08	1,083	9.80	HSBC28P2404A	-	-	-	-
M-PAT	-	-	-	-	BSET100	9.08	0.11	344	9.04	HSBC28P2407A	-	-	-	-
M-STOR	7.20	0.05	58	7.14	CHINA	5.75	0.05	860	5.73	HSBC41C2403A	-	-	-	-
MIPF	13.00	1.60	115	13.00	ENGY	5.26	0.04	73	5.23	HSBC41C2405A	-	-	-	-
MIT	0.79	0.02	185	0.78	ENY	5.12	0.13	4	5.13	HSBC41C2407A	-	-	-	-
MJLF	3.66	0.02	245	3.62	GLD	3.10	0.01	2,335	3.09	HSBC41P2406A	-	-	-	-
MNIT	2.28	0.12	12	2.28	TDEX	8.23	0.06	3,820	8.22	HSCEI28C2403A	0.50	(0.08)	10,000	0.50
MNIT2	4.96	0.16	40	4.97	UBOT	14.24	(0.14)	2	14.20	HSCEI28C2404A	1.11	(0.08)	40,000	1.13
MNRF	2.78	(0.02)	438	2.74	UHERO	7.49	0.14	27	7.40	HSCEI28C2405A	0.55	(0.03)	810,002	0.56
POPF	6.30	0.05	1,517	6.28	Warrant Foreign	-	-	-	-	HSCEI28P2403A	-	-	-	-
PPF	10.20	-	52	10.20	AIA28C2403A	-	-	-	-	HSCEI28P2404A	-	-	-	-
PROSPECT	8.60	-	2,027	8.60	AIA28C2406A	0.22	(0.09)	22,168	0.22	HSCEI28P2405A	0.31	0.02	2	0.31
QHHR	6.55	-	930	6.55	AIA28P2405A	0.17	0.05	3,360	0.18	H5IO6C2403A	0.14	(0.06)	8,046,286	0.14
QHOP	3.14	0.04	230	3.09	AIA41C2403A	-	-	-	-	H5IO6C2403B	0.07	(0.05)	141,730	0.08
QHPP	4.90	(0.02)	9,573	4.89	AIA41C2406A	0.22	(0.11)	51,658	0.22	H5IO6C2403C	0.35	(0.13)	4,416,803	0.35
SIRIP	7.10	(0.80)	69	7.10	AIA41P2407A	0.28	0.07	150,000	0.29	H5IO6C2403D	-	-	-	-
SPRIME	4.52	-	1,622	4.52	ALIH28C2406	-	-	-	-	H5IO6C2404A	0.26	(0.04)	7,671,341	0.25
SRIPANWA	4.68	(0.06)	388	4.71	ALIH28C2407	0.23	(0.02)	4,056	0.24	H5IO6C2404B				

Main Board Quotation

Issue Date :

Thursday March 14, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
H5106C2406D	0.30	(0.03)	702,325	0.32	NDX41C2406B	0.39	(0.02)	4,466	0.38	SET5027C2406B	0.19	0.04	107,697	0.18
H5106P2403A	0.05	0.01	107,306	0.05	NDX41P2403A	0.01	-	40	0.01	SET5027C2406C	0.36	0.06	233,618	0.33
H5106P2403B	0.01	-	200	0.01	NDX41P2403B	-	-	-	-	SET5027C2406D	0.68	0.12	82,942	0.62
H5106P2403C	-	-	-	-	NDX41P2403C	-	-	-	-	SET5027C2406T	-	-	-	-
H5106P2403D	-	-	-	-	NDX41P2403D	-	-	-	-	SET5027C2409T	0.21	0.03	21,100	0.19
H5106P2404A	0.14	0.01	8,385,878	0.14	NDX41P2406A	0.15	0.01	300	0.15	SET5027P2403A	-	-	-	-
H5106P2404B	-	-	-	-	NDX41P2406B	0.25	0.01	37,325	0.25	SET5027P2403B	0.01	(0.01)	15	0.01
H5106P2404C	0.38	0.02	4,271,710	0.35	NTES41C2404A	-	-	-	-	SET5027P2403T	-	-	-	-
H5106P2404D	0.06	-	11,225	0.06	NTES41C2405A	0.50	(0.04)	70,000	0.51	SET5027P2406A	0.14	(0.03)	218,718	0.15
H5106P2405A	0.31	0.03	6,960,903	0.31	PINGAN28C2403E	-	-	-	-	SET5027P2406B	0.29	(0.07)	285,064	0.34
H5106P2405B	0.12	0.01	188,805	0.12	PINGAN28C2404E	-	-	-	-	SET5027P2406T	0.05	(0.01)	10,451	0.05
H5106P2405C	0.62	0.04	6,189	0.65	PINGAN28C2406E	0.24	(0.03)	3,475	0.26	SET5028C2403A	-	-	-	-
H5106P2406A	0.24	0.02	1,176,059	0.24	PINGAN28C2407E	0.56	(0.02)	507	0.56	SET5028C2403B	-	-	-	-
H5106P2406B	0.38	0.03	551,173	0.36	PINGAN28P2403E	0.10	(0.01)	2,028	0.10	SET5028C2403C	-	-	-	-
H5106P2406C	0.56	0.03	43,668	0.54	PINGAN28P2406E	-	-	-	-	SET5028C2403D	0.09	0.02	30,434	0.08
H5128C2403A	0.01	-	1,457	0.01	PINGAN41C2403E	-	-	-	-	SET5028C2406A	0.23	0.02	207,240	0.21
H5128C2403B	0.45	(0.11)	15,173,282	0.45	PINGAN41C2404E	-	-	-	-	SET5028C2409A	0.53	0.05	321,251	0.49
H5128C2403C	0.12	(0.06)	5,067,238	0.13	PINGAN41C2404F	-	-	-	-	SET5028P2403A	0.41	(0.13)	24,215	0.43
H5128C2403D	0.04	-	5,398	0.04	PINGAN41C2406E	-	-	-	-	SET5028P2403B	0.05	(0.04)	3,408	0.07
H5128C2403E	1.09	(0.13)	1,644	1.07	PINGAN41C2406F	-	-	-	-	SET5028P2406A	0.25	(0.03)	204,077	0.26
H5128C2403F	1.90	(0.18)	1,936	1.90	PINGAN41C2407E	-	-	-	-	SET5028P2409A	0.46	(0.05)	309,283	0.49
H5128C2404A	0.11	(0.02)	115,055	0.12	SET5001C2403F	0.02	-	163	0.02	SET5041C2403A	0.02	0.01	11	0.02
H5128C2404B	0.28	(0.05)	5,995,880	0.28	SET5001C2403G	-	-	-	-	SET5041C2403B	0.02	0.01	11	0.02
H5128C2404C	0.60	(0.08)	6,730,590	0.61	SET5001C2404A	0.01	-	11,341	0.02	SET5041C2403C	-	-	-	-
H5128C2404D	1.20	(0.11)	1,000	1.20	SET5001C2404T	0.12	0.02	1,636	0.12	SET5041C2403D	-	-	-	-
H5128C2405A	0.19	(0.03)	66,715	0.20	SET5001C2405A	0.18	0.04	23,613	0.16	SET5041C2403E	-	-	-	-
H5128C2405B	0.64	(0.08)	145,995	0.65	SET5001C2406A	0.30	0.05	21,819	0.28	SET5041C2403F	0.01	-	1,500	0.01
H5128C2405C	0.37	(0.04)	7,324,606	0.37	SET5001C2406F	0.33	0.03	91,210	0.30	SET5041C2403G	-	-	-	-
H5128C2405D	1.08	(0.04)	20	1.09	SET5001P2406T	0.42	0.04	27,076	0.40	SET5041C2403H	-	-	-	-
H5128C2406A	0.60	(0.06)	4,222,160	0.62	SET5001C2407A	0.49	0.08	35,193	0.44	SET5041C2403I	-	-	-	-
H5128C2406B	1.02	(0.05)	1,103	1.02	SET5001P2403F	-	-	-	-	SET5041C2406A	0.11	0.01	5,899	0.11
H5128C2406C	0.40	(0.05)	3,364,618	0.40	SET5001P2403G	0.01	-	779	0.01	SET5041C2406B	0.42	0.07	185,806	0.37
H5128P2403A	0.04	-	424,094	0.04	SET5001P2403H	0.02	(0.01)	400	0.02	SET5041C2406C	0.21	0.04	280	0.16
H5128P2403B	0.02	0.01	700	0.01	SET5001P2404A	0.05	(0.02)	1,180	0.05	SET5041C2406D	0.23	0.03	35,260	0.20
H5128P2403C	0.01	(0.01)	6,403	0.01	SET5001P2404T	0.13	(0.05)	3,965	0.15	SET5041C2406E	0.53	0.08	453,226	0.45
H5128P2403D	0.21	0.03	8,707,793	0.22	SET5001P2405A	0.09	(0.02)	3,238	0.09	SET5041C2409A	0.27	0.03	86,292	0.25
H5128P2404A	0.05	(0.01)	61,733	0.06	SET5001P2406A	0.25	(0.05)	17,717	0.27	SET5041P2403A	0.05	(0.03)	590	0.05
H5128P2404B	0.19	0.02	116,841	0.19	SET5001P2406F	0.24	(0.04)	135,086	0.26	SET5041P2403B	-	-	-	-
H5128P2404C	0.43	0.04	7,525,765	0.44	SET5001P2406T	0.27	(0.04)	1,136	0.29	SET5041P2403C	-	-	-	-
H5128P2404D	-	-	-	-	SET5006C2403A	0.01	-	1	0.01	SET5041P2406A	0.37	(0.06)	284,851	0.42
H5128P2405A	0.12	-	12,677	0.12	SET5006C2403B	-	-	-	-	SET5041P2406B	0.31	(0.07)	30,070	0.35
H5128P2405B	0.26	0.02	30,564	0.26	SET5006C2403C	-	-	-	-	SET5041P2409A	0.41	(0.04)	154,678	0.45
H5128P2405C	0.48	0.05	1,779,336	0.48	SET5006C2404A	0.32	0.03	34,192	0.29	SPX28C2403A	-	-	-	-
H5128P2406A	0.12	0.01	26,454	0.12	SET5006C2406A	0.25	(0.75)	83,392	0.22	SPX28C2403B	-	-	-	-
H5128P2406B	0.42	0.03	4,195,257	0.42	SET5006P2403A	-	-	-	-	SPX28C2406A	1.23	0.01	22	1.22
H5128P2406C	0.25	0.02	5,361	0.25	SET5006P2403C	-	-	-	-	SPX28C2406B	0.68	0.02	2	0.68
HSTECH28C2403A	0.73	(0.10)	3,686	0.72	SET5006P2404A	0.18	(0.05)	6	0.20	SPX28P2403A	-	-	-	-
HSTECH28C2403B	0.10	(0.08)	10,431	0.10	SET5006P2406A	0.17	(0.83)	38,768	0.19	SPX28P2403B	-	-	-	-
HSTECH28C2404A	-	-	-	-	SET5013C2403A	-	-	-	-	SPX28P2403C	-	-	-	-
HSTECH28C2405A	0.61	(0.06)	2,206	0.62	SET5013C2403B	0.01	-	1	0.01	SPX28P2406A	0.10	-	100	0.10
HSTECH28P2403A	-	-	-	-	SET5013C2403C	-	-	-	-	SPX28P2406B	-	-	-	-
HSTECH28P2403B	-	-	-	-	SET5013C2403D	-	-	-	-	SPX41C2403A	-	-	-	-
HSTECH28P2404A	-	-	-	-	SET5013C2403E	-	-	-	-	SPX41C2403B	-	-	-	-
HSTECH28P2405A	0.29	0.02	6,718	0.29	SET5013C2403F	0.01	-	4	0.01	SPX41C2406A	1.33	0.03	1,102	1.32
ICB28C2404A	-	-	-	-	SET5013C2403G	-	-	-	-	SPX41C2406B	-	-	-	-
ICB28C2407A	-	-	-	-	SET5013C2403H	0.01	-	966	0.01	SPX41P2403A	-	-	-	-
JD28C2403A	-	-	-	-	SET5013C2403I	0.02	0.01	15,001	0.01	SPX41P2403B	-	-	-	-
JD28C2403B	-	-	-	-	SET5013C2403J	0.02	0.01	108,917	0.02	SPX41P2403C	-	-	-	-
JD28C2406A	0.74	(0.01)	4,937	0.75	SET5013C2405A	0.80	0.02	172	0.81	SPX41P2406A	0.12	(0.02)	1	0.12
JD28C2408A	0.96	(0.01)	10,000	0.98	SET5013C2406A	0.35	0.06	2,448,641	0.32	SPX41P2406B	0.20	(0.01)	302	0.20
JD41C2406A	0.96	(0.04)	1	0.96	SET5013C2406B	0.41	0.05	1,877,486	0.38	SUNNY28C2406A	-	-	-	-
KUAIISH28C2403A	-	-	-	-	SET5013C2406C	0.27	0.05	780,041	0.24	SUNNY28C2407A	0.17	(0.04)	1,019	0.17
KUAIISH28C2404A	-	-	-	-	SET5013C2406E	0.57	0.07	1,316,601	0.51	SUNNY28C2408A	0.37	(0.05)	50,000	0.37
KUAIISH28C2406A	0.22	(0.01)	1,014	0.22	SET5013C2406E	0.86	0.11	339,224	0.79	SUNNY41C2403A	-	-	-	-
KUAIISH28C2407A	0.64	(0.07)	6,084	0.64	SET5013C2410A	0.25	0.03	552,872	0.24	SUNNY41C2405A	-	-	-	-
KUAIISH41C2406A	0.44	(0.06)	50,000	0.43	SET5013P2403A	-	-	-	-	SUNNY41C2406A	-	-	-	-
LENOVO28C2404A	-	-	-	-	SET5013P2403B	-	-	-	-	SUNNY41C2407A	0.42	(0.07)	60,000	0.41
LENOVO28C2407A	0.48	(0.06)	12,668	0.48	SET5013P2403C	-	-	-	-	TENCEN28C2403A	-	-	-	-
LENOVO41C2406A	0.25	(0.05)	40,005	0.25	SET5013P2403D	-	-	-	-	TENCEN28C2403B	-	-	-	-
MCA5041C2403A	0.01	-	1,000	0.01	SET5013P2403E	0.01	(0.01)	116,767	0.02	TENCEN28C2403C	-	-	-	-
MCA5041C2406A	0.87	(0.02)	72	0.87	SET5013P2403F	0.01	-	45	0.01	TENCEN28C2405A	0.10	(0.01)	5,000	0.10
MCA5041P2403A	-	-	-	-	SET5013P2405A	1.09	(0.03)	68	1.09	TENCEN28C2405B	0.28	(0.02)	17,897	0.28
MCA5041P2406A	0.35	0.02	5	0.35	SET5013P2406A	0.18	(0.04)	1,201,514	0.19	TENCEN28P2404A	-	-	-	-
MEITU28C2403A	-	-	-	-	SET5013P2406B	0.22	(0.05)	940,498	0.24	TENCEN41C2403A	-	-	-	-
MEITU28C2404A	0.20	(0.05)	130,000	0.20	SET5013P2406C	0.30	(0.07)	2,625,642	0.33	TENCEN41C2405A	-	-	-	-
MEITU28C2406A	0.70	(0.06)	12,028	0.75	SET5013P2406D	0.39	(0.09)	1,578,003	0.43	TENCEN41C2406A	0.25	(0.05)	60,000	0.25
MEITU28C2407A	1.47	(0.13)	2	1.51	SET5019C2403A	-	-	-	-	TENCEN41P2405A	0.45	0.02	90,000	0.45
MEITU28P2405A	0.26	0.03	40,280	0.25	SET5019C2403B	-	-	-	-	TRIPDC41C2403A	-	-	-	-
MEITU28P2406A	-	-	-	-	SET5019C2403C	-	-	-	-	TRIPDC41C2407A	0.54	(0.04)	50,100	0.53
MEITU41C2403A	-	-	-	-	SET5019C2403D	0.01	-	84	0.01	XIAOMI28C2403A	0.15	(0.07)	71,298	0.16
MEITU41C2405A	0.27	(0.04)	100,000	0.27	SET5019C2403E	-	-	-	-	XIAOMI28C2404A	-	-	-	-
MEITU41C2405B	0.65	(0.11)	10,000	0.70	SET5019C2403F	-	-	-	-	XIAOMI28C2407A	0.33	(0.02)	12,265	0.33
MEITU41C2406A	1.19	0.46	2	1.18	SET5019C2406A	0.16	0.02	86,537	0.14	XIAOMI41C2403A	-	-	-	-
MEITU41C2406B	1.69	(0.04)	1	1.69	SET5019C2406B	-	-	-	-					

Main Board Quotation

Issue Date :

Thursday March 14, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust	-	-	-	-	UBIS	2.00	0.02	2,432	00 1.9	JPARK	6.80	-	118,983	00 6.7
AU	9.35	0.25	45,147	00 9.1	UEC	1.57	(0.02)	3,827	00 1.5	KGEN	0.84	0.04	15,648	00 0.8
JCHK	0.04	-	1,541	00 0.0	UKEM	0.84	-	8,504	00 0.8	KGEN-W2	0.35	0.01	6,571	00 0.3
JCHK-W1	-	-	-	00 0.0	UREKA	0.60	-	53,801	00 0.6	KK	1.94	0.01	21	00 1.9
JCHK-W2	-	-	-	00 0.0	YUASA	10.80	-	10	00 10.7	KLINIQ	41.00	0.25	10,407	00 41.3
KASET	1.28	0.04	519	00 1.2	ZIGA	3.04	-	74,016	00 3.0	KOOL	0.39	(0.01)	16,723	00 0.3
MUD	1.78	(0.01)	89	00 1.7	Property	-	-	-	-	KTMS	2.56	(0.06)	1,074	00 2.5
NTSC	15.40	(0.60)	129	00 15.4	24CS	1.36	(0.03)	30,007	00 1.3	LDC	0.66	(0.01)	5,452	00 0.6
TACC	5.00	0.20	77,170	00 4.9	A5	3.12	(0.06)	8,815	00 3.1	LEO	4.42	(0.02)	870	00 4.4
TMILL	3.84	0.08	1,767	00 3.7	A5-W2	0.03	-	415	00 0.0	LEO-W1	0.12	0.02	2,643	00 0.1
WINNER	2.20	0.02	1,027	00 2.1	A5-W3	0.07	-	4,470	00 0.0	MASTER	77.75	3.00	19,668	00 76.3
XO	27.00	-	36,124	00 27.0	ALL	-	-	-	00 0.0	MCA	3.18	0.06	132,920	00 3.1
Consumer Products														
ALPHAX	0.64	0.09	638,366	00 0.6	ARIN	3.12	-	1,119	00 3.0	MEB	33.75	-	1,615	00 33.7
BGT	0.77	(0.01)	500	00 0.7	ARROW	6.55	-	71	00 6.5	MORE	0.09	-	3,885	00 0.0
DOD	3.30	-	842	00 3.2	BC	1.33	0.01	1,385	00 1.3	MVP	1.34	(0.04)	27,187	00 1.3
ECF	0.96	(0.01)	24,027	00 0.9	BLESS	0.65	0.02	23,310	00 0.6	NCL	0.90	(0.06)	225,701	00 0.9
ECF-W4	-	-	-	00 0.0	BSM	2.58	-	1,460	00 2.5	NEWS	0.02	-	4,118,361	00 0.0
EFORL	0.22	0.01	9,482	00 0.2	BTW	0.29	-	8,248	00 0.2	NEWS-W7	0.01	-	311	00 0.0
EFORL-W6	0.05	0.01	441	00 0.0	CAZ	3.62	0.02	1,387	00 3.6	PEER	0.60	0.01	110,631	00 0.6
EURO	7.45	0.10	6,202	00 7.4	CHEWA	0.54	0.03	18,126	00 0.5	PEER-W1	0.29	(0.01)	4,825	00 0.2
HPT	0.67	(0.01)	84,393	00 0.6	CPANEL	6.10	-	1,570	00 6.0	PHOL	2.72	-	1,610	00 2.7
IP	8.45	0.10	1,366	00 8.4	CPANEL-W1	2.00	0.02	118	00 1.9	PICO	4.84	(0.02)	10	00 4.8
IP-W2	0.41	-	2,688	00 0.4	CRD	0.50	-	1,306	00 0.5	PLT	0.85	0.02	12,086	00 0.8
ITTHI	2.14	0.02	11,604	00 2.1	DHOUSE	0.60	-	1,436	00 0.5	QLT	2.80	(0.16)	2,562	00 2.8
JSP	2.24	-	1,693	00 2.1	DMET	0.25	(0.01)	17,094	00 0.2	RP	1.43	0.04	3,666	00 1.4
JSP-W1	0.15	-	11,362	00 0.1	DPAINTE	2.58	-	688	00 2.5	SE	0.92	-	1,552	00 0.9
JUBILE	16.30	-	742	00 16.2	FLOYD	1.24	0.01	470	00 1.2	SLM	-	-	-	00 0.0
MGI	42.50	-	11,314	00 41.7	FLOYD-W1	0.03	0.01	1,307	00 0.0	SONIC	1.69	-	19,109	00 1.6
MOONG	2.22	0.02	937	00 2.2	HYDRO	0.27	(0.01)	2,934	00 0.2	SPA	14.00	-	11,080	00 13.9
NPK	16.90	0.40	5	00 16.7	HYDRO-W2	0.05	-	1,301	00 0.0	THMUI	0.59	-	757	00 0.5
SMD	6.80	(0.05)	1,530	00 6.7	IND	1.00	0.02	72,966	00 1.0	TNDT	0.23	0.01	7,262	00 0.2
TM	1.94	0.03	632	00 1.9	JAK	1.29	0.03	53	00 1.2	TNDT-W1	0.05	-	150	00 0.0
TM-W1	0.18	0.01	34	00 0.1	K	1.29	0.01	36	00 1.2	TNH	35.25	0.50	4	00 35.0
WARRIX	5.60	0.10	25,974	00 5.4	K-W2	0.39	0.01	9,997	00 0.3	TNP	3.28	0.08	5,507	00 3.2
WINMED	2.84	(0.02)	1,567	00 2.8	KUN	1.61	(0.01)	1,200	00 1.5	TPL	1.53	(0.01)	15,955	00 1.5
Financials														
ACAP	-	-	-	00 0.0	KUN-W1	0.01	-	1	00 0.0	TRP	14.50	(0.30)	12,385	00 14.4
AF	0.79	(0.02)	395	00 0.7	KUN-W2	0.08	-	614	00 0.0	TURTLE	8.00	0.40	100	00 7.8
AIRA	1.76	0.02	12	00 1.7	META	0.16	0.01	3,894	00 0.1	TVDH	0.36	0.01	2,484	00 0.3
ASN	1.88	0.10	784	00 2.0	META-W7	0.01	-	300	00 0.0	TVDH-W3	0.06	0.01	2	00 0.0
BROOK	0.65	(0.01)	244,628	00 0.6	PANEL	2.78	0.14	98,236	00 2.7	TVDH-W4	0.08	-	8,244	00 0.0
BROOK-W6	0.12	(0.01)	35,122	00 0.1	PPS	0.45	(0.02)	28,797	00 0.4	TVT	0.59	-	53,684	00 0.5
BROOK-W7	0.30	-	27,164	00 0.3	PRI	17.60	(0.20)	5,250	00 17.8	UBA	1.13	0.01	1,516	00 1.1
GCAP	0.51	-	19,576	00 0.5	PROS	1.80	0.03	161,994	00 1.7	VL	1.07	(0.03)	27,839	00 1.0
KCC	3.20	(0.06)	5,505	00 3.1	PROS-W1	0.51	0.02	107,438	00 0.5	YGG	7.40	0.05	30,464	00 7.3
LIT	0.96	-	2,365	00 0.9	PROUD	0.78	0.08	7,025	00 1.7	Technology	-	-	-	-
LIT-W2	0.13	-	2,260	00 0.1	PSG	0.70	-	91,220	00 0.6	APP	2.60	0.06	9,213	00 2.5
MTSIB	0.85	0.02	679	00 0.8	SENX	0.65	0.01	45,587	00 0.6	BBIK	107.50	2.50	5,356	00 105.7
SGF	0.43	0.04	55,295	00 0.4	SENX-W1	0.02	0.01	1,053	00 0.0	BE8	27.75	0.50	8,598	00 27.5
SGF-P1	-	-	-	00 0.0	SK	0.88	(0.01)	31,500	00 0.8	BE8-W1	4.80	(0.10)	112	00 4.7
SGF-Q1	-	-	-	00 0.0	SMART	1.01	(0.03)	472,675	00 0.9	BVG	4.72	0.24	19,541	00 4.6
TQR	7.25	0.05	1,026	00 7.3	STC	0.64	(0.01)	2,353	00 0.6	COMAN	3.48	0.02	5,788	00 3.2
Industrials														
ADB	0.92	-	3,170	00 0.9	SVR	1.49	-	2,090	00 1.4	I2	2.18	0.02	6,538	00 2.1
BM	2.88	-	1,765	00 2.8	TAPAC	-	-	-	00 0.0	IIG	9.20	0.20	8,118	00 9.1
BM-W3	1.60	-	1	00 1.6	THANA	1.75	(0.01)	2,381	00 1.7	IIG-W1	2.18	0.14	453	00 2.0
CHO	0.15	-	208,983	00 0.1	TIGER	0.92	0.04	2,126	00 0.9	IRCP	0.67	(0.02)	6,778	00 0.6
CHO-W3	-	-	-	00 0.0	TITLE	4.22	(0.02)	1,088	00 4.2	ITNS	2.44	(0.04)	1,281	00 2.4
CHOW	1.81	0.09	16,943	00 1.8	WELL	-	-	-	00 0.0	NAT	6.40	0.25	100,192	00 6.3
CIG	0.08	-	31,514	00 0.0	YONG	2.08	0.02	5,412	00 2.0	NETBAY	21.00	-	5,143	00 20.9
CIG-W10	-	-	-	00 0.0	Resources	-	-	-	-	PLANET	0.71	-	2,720	00 0.7
CIG-W9	0.05	-	8,524	00 0.0	ABM	1.36	(0.02)	335	00 1.3	PROEN	2.72	0.14	143,159	00 2.6
COLOR	1.35	0.03	1,409	00 1.3	ABM-W1	-	-	-	00 0.0	PROEN-W1	-	-	-	00 0.0
COLOR-W2	0.01	(0.01)	1,727	00 0.0	GTV	0.14	-	46,683	00 0.1	READY	11.00	0.20	87	00 10.9
CPR	4.12	0.06	4,995	00 4.1	PSTC	0.51	0.01	56,594	00 0.5	SECURE	13.50	-	1,108	00 13.4
FPI	2.42	0.04	1,738	00 2.4	PSTC-W2	0.06	0.01	8,479	00 0.0	SICT	5.30	0.05	2,248	00 5.2
GTB	0.73	0.02	1,047	00 0.7	PTC	2.02	0.04	2,369	00 2.0	SIMAT	1.41	0.01	5,281	00 1.3
KCM	0.39	0.01	5,949	00 0.3	SAAM	7.80	0.05	3,538	00 7.7	SIMAT-W3	0.20	(0.02)	3	00 0.2
KJL	7.90	0.25	11,170	00 7.8	SAAM-W2	0.16	0.01	1,480	00 0.1	SIMAT-W5	0.22	-	212	00 0.2
KUMWEL	1.80	(0.04)	884	00 1.8	SR	0.67	-	431	00 0.6	SPVI	3.06	0.02	1,058	00 3.0
KWM	1.56	0.01	33,378	00 1.5	STOWER	0.11	-	42,744	00 0.1	SRS	9.05	-	3,144	00 9.0
MBAX	3.00	-	620	00 2.9	STOWER-W4	-	-	-	00 0.0	TBN	12.10	0.10	902	00 12.0
MBAX-W2	0.17	0.01	388	00 0.1	TAKUNI	1.12	(0.15)	259,573	00 1.1	TPS	4.40	0.10	50,576	00 4.3
MGT	2.66	-	7,318	00 2.6	TPCH	7.55	(0.10)	7,451	00 7.6	TPS-W1	3.02	(0.02)	787	00 3.0
MTW	2.52	(0.02)	18,415	00 2.5	TRT	3.08	0.16	17,278	00 3.0	VCOM	3.26	(0.02)	1,381	00 3.2
NDR	1.64	0.38	30,666	00 1.5	UMS	0.62	0.06	5	00 0.6	-	-	-	-	-
NDR-W2	0.01	-	207,790	00 0.0	Services	-	-	-	-	-	-	-	-	-
PACO	1.84	0.02	1,922	00 1.8	ADD	5.55	-	861	00 5.5	-	-	-	-	-
PACO-W1	0.21	(0.02)	7,811	00 0.2	AKP	1.13	0.02	5,138	00 1.1	-	-	-	-	-
PDG	2.58	0.10	859	00 2.5	AMA	4.46	(0.04)	1,098	00 4.4	-	-	-	-	-
PIMO	1.55	0.04	6,954	00 1.5	AMARC	1.46	0.02	2,473	00 1.4					