

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SAFARI	2.40	180367	-	-	-	-	-	-	-	-	-	0
WORLD	2.10	180367	-	-	-	-	-	-	-	-	-	0
Agribusiness												
EE	0.26	180367	0.25	0.26	0.25	0.25	0.25	0.26	(0.01)	10,354	259	0.25
EE-W1	0.01	180367	0.01	0.02	0.01	0.01	0.01	0.02	-	1,892	2	0.01
GFPT	12.20	180367	12.30	12.40	12.20	12.20	12.20	12.30	-	32,837	40,357	12.29
LEE	2.46	180367	2.46	2.46	2.44	2.46	2.44	2.46	-	4,709	1,156	2.455
NER	6.30	180367	6.30	6.35	6.20	6.25	6.25	6.30	(0.05)	72,557	45,386	6.255
PPPM	0.05	180367	0.05	0.05	0.04	0.05	0.04	0.05	-	30,019	125	0.041
PPPM-W4	0.01	180367	-	-	-	-	-	0.02	-	-	-	0
STA	21.00	180367	20.90	21.10	20.60	20.80	20.80	20.90	(0.20)	140,777	293,884	20.875
STA01C2404A	0.61	180367	-	0.63	0.63	0.63	0.55	0.59	0.02	10	1	0.63
STA01C2407A	0.43	180367	0.43	0.44	0.40	0.41	0.41	0.42	(0.02)	60,660	2,538	0.418
STA01P2407X	0.32	180367	-	0.33	0.31	0.32	0.32	0.33	-	53,423	1,707	0.319
STA11C2407T	0.70	180367	-	-	-	-	0.64	0.66	-	-	-	0
STA13C2405A	0.68	180367	-	-	-	-	0.66	0.69	-	-	-	0
STA13C2407A	0.52	180367	0.52	0.53	0.48	0.49	0.49	0.50	(0.03)	89,322	4,492	0.502
STA13C2408A	1.00	180367	-	0.95	0.93	0.94	0.94	0.95	(0.66)	94,838	3,257	0.343
STA13P2407A	0.15	180367	-	0.16	0.15	0.15	0.15	0.16	-	57,036	878	0.153
STA19C2406A	0.61	180367	0.61	0.61	0.58	0.61	0.59	0.60	-	11,072	648	0.585
STA19C2408A	0.49	180367	-	0.48	0.45	0.47	0.46	0.47	(0.02)	171,709	7,987	0.465
TEGH	3.56	180367	3.52	3.52	3.38	3.40	3.40	3.42	(0.16)	73,067	25,077	3.432
TFM	6.90	180367	6.65	6.95	6.60	6.95	6.60	6.95	0.05	225	150	6.655
TRUBB	1.82	180367	1.83	1.84	1.74	1.74	1.74	1.77	(0.08)	411,769	73,746	1.779
TRUBB-W2	0.18	180367	0.20	0.20	0.16	0.16	0.16	0.17	(0.02)	115,757	2,056	0.177
UPOIC	6.25	180367	-	6.30	6.20	6.25	6.25	6.30	-	594	370	6.225
UVAN	8.55	180367	8.55	8.65	8.55	8.60	8.55	8.60	0.05	4,561	3,922	8.598
VPO	0.86	180367	0.86	0.87	0.82	0.82	0.82	0.83	(0.04)	26,968	2,249	0.833
Banking												
BAY	26.50	180367	26.75	26.75	26.50	26.50	26.50	26.75	-	617	1,636	26.512
BBL	139.00	180367	139.00	140.00	138.50	140.00	139.50	140.00	1.00	45,698	637,248	139.447
BBL06C2403A	0.02	180367	-	-	-	-	-	0.02	-	-	-	0
BBL11C2404A	0.01	180367	-	-	-	-	0.01	0.03	-	-	-	0
BBL11C2405A	0.12	180367	-	0.10	0.10	0.10	0.10	0.11	(0.02)	3,180	32	0.1
BBL11C2406A	0.07	180367	-	0.08	0.07	0.08	0.08	0.09	0.01	506	4	0.079
BBL11P2407A	0.39	180367	-	0.36	0.35	0.35	0.34	0.35	(0.04)	8,480	303	0.356
BBL13C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
BBL13C2405A	0.02	180367	-	0.01	0.01	0.01	0.01	0.02	(0.01)	21,500	22	0.01
BBL13C2406A	0.11	180367	-	0.11	0.11	0.11	0.11	0.12	-	7,752	85	0.11
BBL13C2408A	0.28	180367	-	0.29	0.27	0.29	0.29	0.30	0.01	20,959	584	0.278
BBL13P2404A	0.10	180367	-	-	-	-	0.08	0.09	-	-	-	0
BBL19C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
BBL19C2405A	0.03	180367	-	-	-	-	0.02	0.03	-	-	-	0
BBL19C2406A	0.08	180367	-	0.10	0.09	0.10	0.09	0.10	0.02	303	3	0.09
BBL19C2408A	0.29	180367	-	0.29	0.28	0.29	0.29	0.31	-	25,368	731	0.288
BBL19P2406A	0.25	180367	-	0.24	0.23	0.23	0.23	0.24	(0.02)	17,734	420	0.236
BBL41C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
BBL41C2405A	0.05	180367	-	-	-	-	0.01	0.03	-	-	-	0
BBL41C2406A	0.07	180367	-	-	-	-	0.06	0.08	-	-	-	0
BBL41C2406B	0.13	180367	-	0.14	0.13	0.14	0.14	0.15	0.01	16,300	225	0.138
BBL41C2407A	0.18	180367	-	0.19	0.18	0.19	0.19	0.20	0.01	16,700	304	0.182
BBL41C2407B	0.20	180367	-	0.20	0.19	0.20	0.20	0.21	-	15,000	287	0.191
BBL41C2408A	0.26	180367	-	0.27	0.25	0.27	0.27	0.28	0.01	15,000	389	0.259
BBL41P2406A	0.23	180367	-	-	-	-	0.20	0.21	-	-	-	0
CIMBT	0.58	180367	0.59	0.59	0.58	0.58	0.58	0.59	-	7,255	421	0.58
CREDIT	27.00	180367	27.00	27.25	26.75	27.25	27.00	27.25	0.25	648	1,757	27.116
KBANK	124.00	180367	124.50	126.00	124.50	124.50	124.50	125.00	0.50	142,065	1,775,771	124.997
KBANK01C2405A	0.05	180367	-	-	-	-	0.04	0.05	-	-	-	0
KBANK01C2406A	0.17	180367	-	0.18	0.16	0.16	0.16	0.17	(0.01)	27,055	465	0.172
KBANK01C2407A	0.33	180367	-	0.34	0.32	0.32	0.32	0.33	(0.01)	26,040	853	0.327
KBANK01P2404X	0.09	180367	0.05	0.05	0.05	0.05	0.06	0.07	(0.04)	35	-	0.05
KBANK01P2406X	0.21	180367	-	0.20	0.19	0.20	0.20	0.21	(0.01)	30,284	591	0.195
KBANK01P2408X	0.27	180367	-	0.27	0.26	0.27	0.27	0.28	-	18,256	485	0.265
KBANK06C2404A	0.02	180367	-	0.01	0.01	0.01	-	-	(0.01)	1	-	0.01
KBANK06C2406A	0.12	180367	-	0.13	0.13	0.13	-	0.01	0.01	36,904	480	0.13
KBANK13C2405A	0.03	180367	-	0.03	0.03	0.03	0.02	0.03	-	1	-	0.03
KBANK13C2406A	0.10	180367	-	0.10	0.10	0.10	0.09	0.10	-	1,470	15	0.1
KBANK13C2407A	0.23	180367	0.24	0.26	0.24	0.24	0.24	0.25	0.01	114,578	2,891	0.252
KBANK13P2404A	0.05	180367	-	-	-	-	-	0.02	-	-	-	0
KBANK13P2406A	0.22	180367	-	0.21	0.20	0.21	0.21	0.22	(0.01)	34,780	712	0.204
KBANK19C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
KBANK19C2405A	0.04	180367	-	-	-	-	0.02	0.03	-	-	-	0
KBANK19C2406A	0.14	180367	-	0.16	0.15	0.15	0.14	0.15	0.01	15,192	231	0.152
KBANK19C2408A	0.29	180367	-	0.30	0.28	0.28	0.28	0.29	(0.01)	150,618	4,388	0.291
KBANK19P2404A	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
KBANK41C2405A	0.04	180367	-	0.03	0.03	0.03	0.02	0.04	(0.01)	1	-	0.03
KBANK41C2405B	0.04	180367	-	0.05	0.04	0.04	0.03	0.05	-	101	-	0.04
KBANK41C2406A	0.16	180367	0.16	0.18	0.16	0.16	0.16	0.17	-	47,031	777	0.165
KBANK41P2406A	0.17	180367	-	0.17	0.16	0.16	0.16	0.17	(0.01)	4,000	66	0.165
KKP	51.00	180367	51.00	52.00	51.00	51.75	51.50	51.75	0.75	24,536	126,574	51.586
KKP-W6	1.68	180367	1.67	1.71	1.67	1.69	1.69	1.70	0.01	1,423	241	1.691
KKP01C2405A	0.13	180367	-	0.14	0.13	0.14	0.14	0.15	0.01	13,192	179	0.135
KKP11C2403A	0.09	180367	-	-	-	-	0.01	0.03	-	-	-	0
KKP11C2406A	0.21	180367	-	0.23	0.21	0.22	0.22	0.23	0.01	18,660	399	0.213
KKP11P2405A	0.15	180367	-	0.14	0.14	0.14	0.13	0.14	(0.01)	3,320	46	0.14
KKP13C2405A	0.08	180367	-	0.09	0.08	0.08	0.08	0.09	-	203	2	0.08
KKP19C2406A	0.19	180367										

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
KTBA1C2406B	0.11	180367	-	-	-	-	0.11	0.12	-	-	-	0
KTBA1C2407A	0.16	180367	-	0.16	0.15	0.16	0.16	0.17	-	16,380	250	0.152
LHFG	1.00	180367	1.01	1.02	1.00	1.01	1.00	1.01	0.01	15,284	1,542	1.009
SCB	114.50	180367	114.50	116.00	114.50	115.50	115.50	116.00	1.00	90,301	1,041,588	115.346
SCB01C2404A	0.36	180367	-	-	-	-	0.35	0.39	-	-	-	0
SCB01C2405A	0.22	180367	-	0.23	0.22	0.23	0.23	0.24	0.01	9,111	205	0.224
SCB01C2407A	0.46	180367	-	0.48	0.47	0.48	0.48	0.49	0.02	7,906	374	0.472
SCB01P2405X	0.07	180367	-	0.06	0.05	0.06	0.05	0.06	(0.01)	5,301	32	0.059
SCB01P2407X	0.21	180367	-	0.20	0.20	0.20	0.20	0.21	(0.01)	6,203	124	0.2
SCB06C2403A	0.20	180367	-	-	-	-	-	-	-	-	-	0
SCB11C2403A	0.04	180367	-	-	-	-	0.03	0.04	-	-	-	0
SCB13C2404A	0.07	180367	-	-	-	-	0.04	0.05	-	-	-	0
SCB13C2406A	0.30	180367	-	0.31	0.30	0.31	0.31	0.32	0.01	81,126	2,485	0.306
SCB13P2406A	0.04	180367	-	-	-	-	0.03	0.04	-	-	-	0
SCB13P2407A	0.19	180367	-	0.18	0.18	0.18	0.18	0.19	(0.01)	6,114	110	0.18
SCB19C2404A	0.11	180367	-	-	-	-	0.09	0.10	-	-	-	0
SCB19C2406A	0.30	180367	-	-	-	-	0.32	0.33	-	-	-	0
SCB19C2407A	0.27	180367	-	0.29	0.28	0.29	0.29	0.30	0.02	57,274	1,629	0.284
SCB19P2407A	0.16	180367	-	-	-	-	0.14	0.15	-	-	-	0
SCB41C2404A	0.46	180367	-	-	-	-	0.34	0.37	-	-	-	0
SCB41C2405A	0.25	180367	-	-	-	-	0.27	0.28	-	-	-	0
SCB41C2405B	0.25	180367	0.25	0.25	0.24	0.25	0.25	0.27	-	4,000	97	0.242
SCB41C2407A	0.34	180367	0.34	0.34	0.33	0.34	0.34	0.35	-	6,000	201	0.335
SCB41C2407B	0.28	180367	-	0.30	0.29	0.30	0.30	0.32	0.02	9,000	267	0.296
SCB41C2408A	0.27	180367	0.29	0.29	0.28	0.29	0.29	0.30	0.02	13,300	378	0.283
SCB41P2406A	0.07	180367	-	-	-	-	0.04	0.06	-	-	-	0
TCAP	50.25	180367	50.00	50.50	50.00	50.25	50.00	50.25	-	12,671	63,631	50.218
TCAP-P	560.00	180367	-	-	-	-	-	-	-	-	-	0
TCAP-Q	-	101743	-	-	-	-	-	-	-	-	-	0
TISCO	100.00	180367	99.75	100.50	99.50	100.00	99.75	100.00	-	30,478	304,178	99.802
TISCO-P	1,346.00	180367	-	-	-	-	-	-	-	-	-	0
TISCO-Q	8.00	180367	-	-	-	-	-	-	-	-	-	0
TISCO13C2405A	0.08	180367	-	-	-	-	0.06	0.07	-	-	-	0
TISCO19C2408A	0.23	180367	-	0.23	0.23	0.23	0.23	0.24	-	1,224	28	0.23
TTB	1.85	180367	1.84	1.85	1.83	1.84	1.84	1.85	(0.01)	575,119	105,998	1.843
TTB-W1	0.90	180367	0.89	0.90	0.88	0.89	0.88	0.89	(0.01)	1,807	161	0.889
TTB01C2404A	0.07	180367	-	0.07	0.06	0.06	0.06	0.07	(0.01)	2,401	16	0.065
TTB01C2406A	0.37	180367	-	0.36	0.35	0.35	0.35	0.37	(0.02)	3,019	107	0.354
TTB13C2404A	0.06	180367	-	0.06	0.06	0.06	0.05	0.07	-	12	-	0.06
TTB19C2404A	0.08	180367	-	0.08	0.08	0.08	0.07	0.08	-	1	-	0.08
Construction Materia												
CCP	0.38	180367	0.38	0.38	0.37	0.37	0.37	0.38	(0.01)	10,240	388	0.379
DCC	1.91	180367	1.90	1.93	1.90	1.91	1.91	1.92	-	55,551	10,637	1.914
DCON	0.49	180367	0.49	0.49	0.48	0.49	0.48	0.49	-	9,745	471	0.483
DCON-W3	0.09	180367	0.09	0.09	0.08	0.09	0.08	0.09	-	6,374	57	0.088
DRT	7.85	180367	7.80	7.90	7.80	7.85	7.80	7.85	-	2,149	1,689	7.86
EPG	7.05	180367	7.05	7.05	6.95	7.05	7.05	7.10	-	6,900	4,846	7.023
GEL	0.20	180367	0.20	0.20	0.19	0.19	0.19	0.20	(0.01)	3,529	68	0.191
GEL-W5	0.04	180367	-	0.04	0.03	0.03	0.02	0.03	(0.01)	15,833	48	0.03
PPP	1.90	180367	1.90	1.95	1.89	1.90	1.89	1.91	-	133	25	1.908
Q-CON	17.30	180367	17.50	18.10	17.40	17.80	17.80	17.90	0.50	13,548	24,211	17.87
SCC	268.00	180367	268.00	268.00	265.00	265.00	265.00	266.00	(3.00)	13,393	356,300	266.034
SCC01C2405A	0.04	180367	-	-	-	-	0.03	0.04	-	-	-	0
SCC01C2407A	0.17	180367	0.16	0.16	0.15	0.15	0.15	0.16	(0.02)	21,896	349	0.159
SCC11C2408A	0.32	180367	0.33	0.33	0.29	0.30	0.29	0.30	(0.02)	8,233	253	0.306
SCC13C2405A	0.01	180367	0.01	0.01	0.01	0.01	0.01	0.02	-	658	1	0.01
SCC13C2407A	0.14	180367	-	0.14	0.14	0.14	0.13	0.14	-	4,517	63	0.14
SCC19C2405A	0.05	180367	-	-	-	-	0.02	0.03	-	-	-	0
SCC19C2406A	0.09	180367	-	-	-	-	0.08	0.09	-	-	-	0
SCCC	144.00	180367	142.50	144.00	141.00	143.00	143.00	143.50	(1.00)	1,566	22,368	142.833
SCGD	7.95	180367	8.00	8.00	7.85	7.90	7.90	8.00	(0.05)	7,779	6,156	7.913
SCP	6.00	180367	-	6.00	5.90	5.95	5.90	5.95	(0.05)	1,120	666	5.948
SKN	4.46	180367	4.48	4.52	4.48	4.48	4.46	4.48	0.02	208	93	4.48
STECH	1.63	180367	1.63	1.66	1.61	1.65	1.63	1.65	0.02	1,800	294	1.634
TASCO	15.80	180367	15.80	15.90	15.80	15.80	15.80	15.90	-	10,445	16,549	15.843
TASCO01C2405A	0.13	180367	-	-	-	-	0.10	0.11	-	-	-	0
TASCO01C2408A	0.25	180367	-	0.23	0.23	0.23	0.22	0.23	(0.02)	550	13	0.23
TASCO01P2405X	0.06	180367	-	-	-	-	0.05	0.06	-	-	-	0
TASCO06C2403A	0.08	180367	-	-	-	-	-	-	-	-	-	0
TASCO13C2407A	0.18	180367	-	0.19	0.19	0.19	0.18	0.20	0.01	1,033	20	0.19
TASCO19C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
TASCO19C2407A	0.21	180367	-	0.19	0.19	0.19	0.18	0.19	(0.02)	820	16	0.19
TASCO41C2406A	0.13	180367	-	-	-	-	0.12	0.13	-	-	-	0
TOA	21.10	180367	21.20	21.20	20.70	20.70	20.70	20.80	(0.40)	5,248	10,957	20.878
TOA13C2407A	0.40	180367	-	0.37	0.36	0.36	0.36	0.37	(0.04)	2	-	0.365
TPIPL	1.38	180367	1.38	1.38	1.37	1.38	1.37	1.38	-	25,087	3,453	1.375
UMI	1.04	180367	1.04	1.06	1.03	1.03	1.03	1.04	(0.01)	1,820	189	1.038
VNG	3.66	180367	3.62	3.66	3.62	3.66	3.64	3.66	-	221	80	3.641
WIKI	1.51	180367	1.52	1.53	1.51	1.51	1.51	1.52	-	1,551	235	1.516
WINDOW	1.19	180367	1.20	1.23	1.19	1.20	1.19	1.20	0.01	44,168	5,326	1.205
Petrochemicals & Che												
BCT	60.50	180367	61.00	61.00	60.00	61.00	59.25	61.00	0.50	5	30	60.7
CMAN	2.00	180367	2.02	2.04	2.00	2.02	2.00	2.02	0.02	5,034	1,016	2.018
GC	5.40	180367	5.35	5.40	5.35	5.40	5.35	5.40	-	358	192	5.363
GGC	7.90	180367	-	8.00	7.85	7.85	7.85	8.00	(0.05)	74	58	7.9
GIFT	5.10	180367	5.10	5.15	4.94	5.10	5.05	5.10	-	43,372	21,945	5.059
GIFT-W2	2.00	180367	2.00	2.08	1.98	2.02	2.02	2.04	0.02	14,423	2,901	2.011
IVL	24.60	180367	24.70	25.00	24.30	24.40	24.40	24.50	(0.20)	199,220	489,833	24.587
IVL01C2405A	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
IVL01C2406A	0.22	180367	-	0.21	0.19	0.20	0.20	0.21	(0.02)	20,585	411	0.199
IVL01C2406B	0.10	180367	-	0.11	0.09	0.09	0.09	0.10	(0.01)	17,666	172	0.097
IVL01C2408A	0.49	180367	0.52	0.52	0.45	0.46	0.46	0.48	(0.03)	4,663	217	0.465
IVL01P2405X	0.11	180367	-	0.12	0.11	0.12	0.12	0.13	0.01	31,766	375	0.118
IVL01P2407X	0.26	180367	-	0.27	0.24	0.26	0.26	0.27	-	25,617	632	0.246
IVL06C2404A	0.01	180367	-	-	-	-	-	0.11	-	-	-	0
IVL06C2406A	0.38	180367	0.39	0.41	0.36	0.36	0.33	0.37	(0.02)	43,121	1,710	0.396
IVL11C2403T	0.03	180367	-	-	-	-	0.01	0.03	-	-	-	0
IVL13C2406A	0.06	180367	-	0.04	0.04	0.04	0.04	0.05	(0.02)	200	1	0.04
IVL13C2406B	0.22	180367	-	0.24	0.19	0.20	0.20	0.22	(0.02)	52,847	1,184	0.223
IVL13C2407A	0.48	180367	-	0.52	0.45	0.45	0.45	0.48	(0.03)	69,610	3,328	0.478
IVL13C2408A	0.13	180367	-	0.14	0.12	0.12	0.12	0.13	(0.01)	21,325	274	0.128

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
NFC	3.14	180367	3.12	3.64	3.10	3.32	3.32	3.34	0.18	14,291	4,933	3.451
PATO	9.95	180367	9.20	9.30	9.00	9.05	9.00	9.05	(0.90)	1,279	1,158	9.056
PMTA	9.30	180367	-	-	-	-	8.85	9.50	-	-	-	0
PTTGC	39.25	180367	39.25	40.00	38.50	39.00	38.75	39.00	(0.25)	151,103	589,532	39.015
PTTGC01C2405A	0.09	180367	-	0.10	0.07	0.08	0.08	0.09	(0.01)	35,354	321	0.09
PTTGC01C2406A	0.34	180367	-	0.37	0.31	0.31	0.31	0.32	(0.03)	17,226	557	0.323
PTTGC01C2407A	0.25	180367	0.26	0.27	0.23	0.23	0.23	0.24	(0.02)	15,906	385	0.242
PTTGC01P2404X	0.10	180367	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01P2405X	0.07	180367	-	-	-	-	0.07	0.09	-	-	-	0
PTTGC11C2404A	0.17	180367	-	0.19	0.15	0.15	0.15	0.16	(0.02)	45,050	695	0.154
PTTGC13C2406A	0.21	180367	-	0.22	0.19	0.19	0.19	0.20	(0.02)	53,008	1,083	0.204
PTTGC13P2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC19C2406A	0.24	180367	-	0.26	0.22	0.23	0.23	0.24	(0.01)	40,770	999	0.245
PTTGC41C2404A	0.09	180367	-	-	-	-	0.05	0.07	-	-	-	0
PTTGC41C2405A	0.08	180367	-	-	-	-	0.05	0.07	-	-	-	0
PTTGC41C2406A	0.22	180367	-	-	-	-	0.20	0.22	-	-	-	0
PTTGC41C2407B	0.50	180367	-	0.45	0.39	0.39	0.40	0.43	(0.11)	4,000	169	0.422
SUTHA	2.70	180367	2.70	2.86	2.70	2.70	2.70	2.76	-	35	9	2.71
TPA	4.12	180367	4.62	4.62	4.14	4.32	4.32	4.34	0.20	730	315	4.321
UAC	3.66	180367	3.68	3.74	3.62	3.70	3.68	3.70	0.04	1,206	447	3.706
UP	16.90	180367	-	16.90	16.90	16.90	16.50	16.90	-	10	17	16.9
Commerce												
ADVCE	4.30	180367	4.32	4.44	4.30	4.36	4.34	4.36	0.06	110,826	48,548	4.38
B52	1.01	180367	1.00	1.03	1.00	1.01	1.00	1.01	-	491	50	1.014
BEAUTY	0.63	180367	0.63	0.68	0.63	0.65	0.64	0.65	0.02	665,704	43,929	0.659
BIG	0.49	180367	0.48	0.49	0.48	0.48	0.48	0.49	(0.01)	2,774	133	0.48
BJC	25.50	180367	25.50	25.75	24.70	25.25	25.25	25.50	(0.25)	115,536	290,053	25.104
COM7	19.00	180367	19.00	19.10	18.80	18.80	18.80	18.90	(0.20)	43,870	83,150	18.956
COM701C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
COM701C2404B	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
COM701C2405A	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
COM701C2406A	0.10	180367	-	0.10	0.09	0.09	0.09	0.10	(0.01)	17,758	176	0.099
COM701C2407A	0.28	180367	-	0.28	0.26	0.26	0.26	0.27	(0.02)	33,764	910	0.269
COM701P2404X	0.22	180367	-	0.23	0.21	0.23	0.23	0.24	0.01	4,134	89	0.215
COM701P2406X	0.51	180367	-	0.53	0.50	0.53	0.53	0.54	0.02	1,312	66	0.504
COM706C2403A	0.10	180367	-	-	-	-	-	-	-	-	-	0
COM706C2407A	0.25	180367	-	0.25	0.25	0.25	0.22	-	-	5,402	135	0.25
COM711C2404A	0.03	180367	-	-	-	-	0.01	0.03	-	-	-	0
COM711C2406A	0.12	180367	-	0.11	0.11	0.11	0.10	0.11	(0.01)	787	9	0.11
COM711P2406A	0.54	180367	-	-	-	-	0.55	0.57	-	-	-	0
COM713C2404A	0.01	180367	-	0.01	0.01	0.01	0.01	0.02	-	200	-	0.01
COM713C2404B	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
COM713C2405A	0.03	180367	-	0.02	0.02	0.02	0.02	0.03	(0.01)	12,826	26	0.02
COM713C2405B	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
COM713C2406A	0.10	180367	-	0.10	0.10	0.10	0.09	0.10	-	694	7	0.1
COM713C2407A	0.24	180367	-	0.24	0.23	0.23	0.22	0.23	(0.01)	28,055	669	0.238
COM713P2404A	0.19	180367	-	-	-	-	0.20	0.22	-	-	-	0
COM713P2407A	0.36	180367	-	0.37	0.35	0.37	0.37	0.38	0.01	32,790	1,174	0.358
COM719C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
COM719C2404B	0.04	180367	-	-	-	-	0.01	0.02	-	-	-	0
COM719C2406A	0.09	180367	-	-	-	-	0.08	0.09	-	-	-	0
COM719C2407A	0.19	180367	-	0.19	0.18	0.18	0.18	0.19	(0.01)	10,158	190	0.187
COM719P2406A	0.46	180367	-	0.48	0.44	0.48	0.48	0.49	0.02	5,477	249	0.454
COM741C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
COM741C2404B	0.11	180367	-	-	-	-	0.01	0.02	-	-	-	0
COM741C2405A	0.06	180367	-	-	-	-	0.01	0.02	-	-	-	0
COM741C2406A	0.10	180367	-	0.10	0.09	0.09	0.09	0.10	(0.01)	2,055	19	0.094
COM741C2407A	0.21	180367	0.20	0.21	0.19	0.19	0.19	0.20	(0.02)	39,533	794	0.2
COM741C2408A	0.34	180367	-	0.34	0.32	0.32	0.31	0.32	(0.02)	56,013	1,865	0.333
CPALL	56.25	180367	56.25	56.75	56.00	56.25	56.25	56.50	-	225,053	1,271,040	56.477
CPALL01C2404A	0.03	180367	-	0.03	0.03	0.03	0.02	0.03	-	1	-	0.03
CPALL01C2405A	0.22	180367	0.22	0.24	0.22	0.22	0.22	0.23	-	41,979	949	0.226
CPALL01C2407A	0.22	180367	0.22	0.24	0.22	0.22	0.22	0.23	-	24,884	562	0.225
CPALL01P2404X	0.04	180367	-	0.03	0.03	0.03	0.03	0.04	(0.01)	1	-	0.03
CPALL01P2405X	0.03	180367	-	0.03	0.03	0.03	0.02	0.03	-	1	-	0.03
CPALL01P2408X	0.46	180367	-	0.45	0.43	0.43	0.45	0.46	(0.03)	2,652	117	0.443
CPALL06C2405A	0.10	180367	-	0.10	0.09	0.09	0.07	-	(0.01)	8,001	76	0.095
CPALL11C2403A	0.01	180367	-	-	-	-	0.02	0.03	-	-	-	0
CPALL11C2405A	0.19	180367	0.19	0.19	0.17	0.17	0.17	0.18	(0.02)	33,701	619	0.183
CPALL13C2404A	0.05	180367	-	0.01	0.01	0.01	-	0.01	(0.04)	5	-	0.01
CPALL13C2405A	0.06	180367	-	0.06	0.06	0.06	0.05	0.06	-	200	1	0.06
CPALL13C2407A	0.26	180367	-	0.27	0.25	0.25	0.25	0.26	(0.01)	30,744	797	0.259
CPALL13P2404A	0.01	180367	-	0.02	0.02	0.02	0.01	0.02	0.01	2	-	0.02
CPALL13P2408A	0.33	180367	-	0.33	0.32	0.33	0.33	0.34	-	8,572	278	0.324
CPALL19C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2404B	0.09	180367	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2406A	0.22	180367	0.22	0.23	0.20	0.21	0.21	0.22	(0.01)	31,222	685	0.219
CPALL19C2407A	0.19	180367	-	0.19	0.18	0.18	0.18	0.19	(0.01)	7,949	144	0.181
CPALL19P2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19P2408A	0.13	180367	-	-	-	-	0.13	0.14	-	-	-	0
CPALL41C2404A	0.08	180367	-	-	-	-	0.01	0.03	-	-	-	0
CPALL41C2405A	0.08	180367	-	0.08	0.08	0.08	0.07	0.08	-	2,000	16	0.08
CPALL41C2406A	0.28	180367	-	0.25	0.25	0.25	0.25	0.27	(0.03)	2,000	50	0.25
CPALL41C2407A	0.28	180367	-	-	-	-	0.27	0.29	-	-	-	0
CPALL41C2407B	0.25	180367	0.25	0.25	0.23	0.23	0.23	0.24	(0.02)	10,000	241	0.241
CPALL41C2407C	0.13	180367	0.13	0.14	0.13	0.13	0.13	0.14	-	12,339	162	0.131
CPALL41C2408A	0.24											

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
DOHOME13C2407A	0.16	180367	0.16	0.17	0.14	0.14	0.14	0.15	(0.02)	35,514	540	0.152
DOHOME19C2404A	0.08	180367	-	-	-	-	0.06	0.07	-	-	-	0
DOHOME19C2406A	0.26	180367	-	0.26	0.24	0.24	0.23	0.24	(0.02)	2,227	55	0.247
DOHOME19C2407A	0.19	180367	0.19	0.19	0.17	0.17	0.17	0.18	(0.02)	56,760	1,056	0.186
DOHOME41C2406A	0.14	180367	-	0.13	0.12	0.12	0.12	0.13	(0.02)	4,167	53	0.127
DOHOME41C2406E	0.23	180367	0.21	0.21	0.20	0.21	0.19	0.20	(0.02)	8,000	166	0.207
FN	1.37	180367	-	1.37	1.36	1.37	1.36	1.37	-	7	1	1.362
FTE	1.72	180367	1.72	1.72	1.69	1.69	1.69	1.71	(0.03)	4,362	741	1.698
GLOBAL	17.00	180367	17.00	17.20	16.90	16.90	16.90	17.00	(0.10)	26,237	44,640	17.013
GLOBAL01C2404A	0.09	180367	-	0.07	0.07	0.07	0.05	0.08	(0.02)	1,680	12	0.07
GLOBAL01C2407A	0.40	180367	0.41	0.42	0.40	0.40	0.40	0.41	-	22,676	935	0.412
GLOBAL01C2408A	0.31	180367	-	0.32	0.30	0.30	0.30	0.31	(0.01)	12,063	380	0.314
GLOBAL06C2403A	0.09	180367	-	-	-	-	-	-	-	-	-	0
GLOBAL11C2408A	0.34	180367	-	0.35	0.33	0.33	0.32	0.33	(0.01)	23,500	794	0.337
GLOBAL13C2406A	0.22	180367	-	0.24	0.22	0.22	0.21	0.22	-	17,050	379	0.222
GLOBAL19C2407A	0.43	180367	-	-	-	-	0.43	0.44	-	-	-	0
GLOBAL19C2407B	0.26	180367	-	0.27	0.26	0.26	0.25	0.26	-	7,218	188	0.26
GLOBAL41C2406A	0.22	180367	-	0.23	0.22	0.22	0.21	0.22	-	21,000	470	0.223
HMPRO	11.00	180367	10.90	11.00	10.80	10.80	10.80	10.90	(0.20)	185,121	201,556	10.887
HMPRO01C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO01C2406A	0.05	180367	-	-	-	-	0.02	0.03	-	-	-	0
HMPRO01C2407A	0.16	180367	-	0.15	0.15	0.15	0.14	0.15	(0.01)	7,498	112	0.15
HMPRO11C2407T	0.13	180367	-	0.11	0.11	0.11	0.10	0.11	(0.02)	7,560	83	0.11
HMPRO13C2405A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO13C2407A	0.12	180367	-	0.11	0.10	0.10	0.10	0.11	(0.02)	17,141	188	0.109
HMPRO19C2404A	0.04	180367	-	-	-	-	0.01	0.02	-	-	-	0
HMPRO19C2407A	0.15	180367	0.15	0.15	0.14	0.14	0.14	0.15	(0.01)	13,082	195	0.149
HMPRO41C2404A	0.01	180367	-	-	-	-	0.01	0.03	-	-	-	0
HMPRO41C2406A	0.07	180367	-	-	-	-	0.04	0.06	-	-	-	0
HMPRO41C2407A	0.11	180367	0.10	0.10	0.09	0.09	0.09	0.10	(0.02)	8,491	84	0.098
ICC	45.00	180367	-	45.00	45.00	45.00	45.00	45.25	-	21	95	45
ILM	21.60	180367	21.60	21.80	21.10	21.20	21.20	21.30	(0.40)	4,821	10,347	21.463
IT	3.38	180367	-	3.42	3.32	3.40	3.36	3.40	0.02	425	142	3.345
KAMART	15.20	180367	15.00	15.10	14.60	14.60	14.60	14.70	(0.60)	93,511	138,637	14.825
LOXLEY	1.48	180367	1.49	1.52	1.48	1.52	1.52	1.53	0.04	2,334	350	1.501
MC	13.90	180367	13.90	14.00	13.50	13.50	13.50	13.60	(0.40)	37,296	51,078	13.695
MEGA	41.00	180367	41.00	41.25	40.50	40.75	40.50	40.75	(0.25)	8,897	36,388	40.898
MEGA01C2404A	0.09	180367	-	0.09	0.08	0.08	0.08	0.09	(0.01)	4,344	35	0.08
MEGA13C2405A	0.11	180367	-	0.11	0.10	0.10	0.10	0.11	(0.01)	3,658	37	0.101
MEGA19C2404A	0.10	180367	-	-	-	-	0.04	0.05	-	-	-	0
MIDA	0.50	180367	0.49	0.51	0.49	0.49	0.49	0.50	(0.01)	3,639	181	0.498
MIDA-W3	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
MOSHI	57.50	180367	57.50	57.75	57.00	57.00	57.00	57.50	(0.50)	3,044	17,435	57.275
MOSHI13C2407A	0.34	180367	-	0.33	0.32	0.32	0.31	0.32	(0.02)	1,679	54	0.323
RS	13.00	180367	13.00	13.10	12.90	13.10	13.00	13.10	0.10	5,435	7,074	13.015
RS-W4	0.02	180367	-	0.03	0.01	0.02	0.01	0.02	-	29,270	59	0.02
RS-W5	5.10	180367	5.10	5.25	5.10	5.15	5.15	5.20	0.05	1,352	700	5.174
RSP	2.38	180367	-	2.38	2.34	2.36	2.34	2.38	(0.02)	2,519	591	2.348
SABUY	4.80	180367	4.80	4.82	4.74	4.82	4.80	4.82	0.02	52,170	24,884	4.769
SABUY-W1	2.72	180367	-	2.92	2.80	2.92	2.70	2.90	0.20	772	222	2.873
SABUY-W2	0.41	180367	-	0.41	0.38	0.40	0.39	0.40	(0.01)	12,830	509	0.396
SABUY01C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
SABUY06C2404A	0.03	180367	-	-	-	-	-	-	-	-	-	0
SABUY13C2404A	0.01	180367	-	0.01	0.01	0.01	0.01	0.03	-	5,050	5	0.01
SABUY13C2407A	0.08	180367	-	0.06	0.06	0.06	0.06	0.07	(0.02)	10,582	63	0.06
SABUY13C2407B	0.12	180367	-	0.12	0.12	0.12	0.11	0.12	-	11,000	132	0.12
SABUY19C2404A	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
SABUY19C2405A	0.11	180367	-	0.11	0.11	0.11	0.11	0.12	-	12,040	132	0.11
SABUY19C2407A	0.16	180367	-	0.15	0.15	0.15	0.15	0.16	(0.01)	9,248	139	0.15
SCM	3.96	180367	-	3.98	3.92	3.92	3.90	3.92	(0.04)	11	4	3.949
SCM-W2	1.86	180367	-	1.86	1.86	1.86	1.86	1.87	-	8	1	1.86
SINGER	10.20	180367	10.20	10.30	10.00	10.10	10.00	10.10	(0.10)	27,591	27,882	10.105
SPC	61.25	180367	-	61.75	61.50	61.75	61.25	61.75	0.50	2	12	61.625
SPI	67.00	180367	-	69.00	69.00	69.00	64.50	68.25	2.00	1	7	69
SVT	1.91	180367	-	1.94	1.89	1.92	1.90	1.92	0.01	1,498	285	1.905
TAN	16.30	180367	16.40	16.70	16.10	16.40	16.30	16.40	0.10	22,082	36,317	16.446
Information & Commun												
3BBIF	5.75	180367	5.75	5.80	5.75	5.80	5.75	5.80	0.05	54,219	31,291	5.771
ADVANC	209.00	180367	210.00	212.00	209.00	210.00	210.00	211.00	1.00	81,093	1,708,510	210.685
ADVANC01C2404A	0.02	180367	0.02	0.02	0.02	0.02	0.01	0.02	-	100	-	0.02
ADVANC01C2407A	0.14	180367	-	0.16	0.14	0.14	0.14	0.15	-	28,962	433	0.149
ADVANC01C2408A	0.30	180367	-	0.32	0.29	0.30	0.30	0.32	-	15,486	482	0.311
ADVANC01P2404X	0.09	180367	-	0.01	0.01	0.01	0.01	0.02	(0.08)	23	-	0.01
ADVANC01P2408X	0.32	180367	-	0.31	0.28	0.30	0.30	0.31	(0.02)	16,079	477	0.296
ADVANC06C2405A	0.07	180367	-	-	-	-	-	-	-	-	-	0
ADVANC11C2407A	0.15	180367	-	0.16	0.15	0.16	0.15	0.16	0.01	34,400	542	0.157
ADVANC13C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
ADVANC13C2405A	0.04	180367	-	-	-	-	0.03	0.04	-	-	-	0
ADVANC13C2407A	0.17	180367	0.18	0.20	0.17	0.19	0.18	0.19	0.02	28,580	536	0.187
ADVANC13P2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
ADVANC13P2408A	0.30	180367	-	0.30	0.28	0.29	0.29	0.30	(0.01)	41,066	1,180	0.287
ADVANC19C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
ADVANC19C2405A	0.04	180367	-	0.04	0.04	0.04	0.04	0.05	-	30	-	0.04
ADVANC19C2407A	0.20	180367	-	0.22	0.20	0.21	0.21					

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous Price	Date	Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
INTUCH01C2405A	0.11	180367	-	-	-	-	0.10	0.11	-	-	-	0
INTUCH13C2404A	0.12	180367	-	-	-	-	0.01	0.02	-	-	-	0
INTUCH13C2408A	0.37	180367	-	0.39	0.37	0.38	0.38	0.39	0.01	23,559	907	0.384
INTUCH19C2404A	0.09	180367	-	-	-	-	0.02	0.03	-	-	-	0
ITEL	2.52	180367	2.52	2.62	2.50	2.62	2.60	2.62	0.10	224,137	57,680	2.573
ITEL-W4	0.02	180367	-	0.03	0.02	0.02	0.02	0.03	-	4,670	9	0.02
JAS	1.99	180367	1.99	2.04	1.98	1.98	1.98	1.99	(0.01)	251,545	50,422	2.004
JMART	14.50	180367	14.50	14.70	14.20	14.30	14.20	14.30	(0.20)	51,629	74,480	14.426
JMART-W4	1.90	180367	-	1.77	1.45	1.70	1.50	1.75	(0.20)	2,358	348	1.477
JMART-W5	1.50	180367	-	1.57	1.43	1.54	1.51	1.54	0.04	120	19	1.556
JMART01C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
JMART01C2405A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
JMART01C2406A	0.17	180367	-	0.17	0.15	0.15	0.15	0.16	(0.02)	47,152	768	0.162
JMART01C2407A	0.32	180367	-	0.31	0.29	0.29	0.29	0.30	(0.03)	22,704	684	0.301
JMART01P2404X	0.11	180367	-	0.12	0.11	0.12	0.12	0.13	0.01	16,746	191	0.113
JMART01P2408A	0.53	180367	-	0.54	0.51	0.54	0.54	0.55	0.01	18,798	984	0.523
JMART06C2405A	0.07	180367	-	-	-	-	-	0.10	-	-	-	0
JMART13C2404A	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
JMART13C2404B	0.03	180367	-	0.02	0.02	0.02	0.02	0.03	(0.01)	1,000	2	0.02
JMART13C2407A	0.17	180367	-	0.17	0.16	0.16	0.16	0.17	(0.01)	8,474	140	0.165
JMART13C2408A	0.40	180367	-	0.39	0.36	0.36	0.36	0.37	(0.04)	31,605	1,201	0.379
JMART13P2404A	0.07	180367	-	0.07	0.07	0.07	0.07	0.08	-	2,594	18	0.07
JMART13P2408A	0.52	180367	-	0.53	0.51	0.53	0.53	0.54	0.01	23,453	1,229	0.523
JMART19C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
JMART19C2406A	0.13	180367	-	-	-	-	0.10	0.11	-	-	-	0
JMART19C2406B	0.17	180367	-	0.16	0.16	0.16	0.15	0.16	(0.01)	9,314	149	0.16
JMART19C2408A	0.32	180367	-	0.32	0.30	0.30	0.29	0.30	(0.02)	24,642	756	0.306
JMART19P2404A	0.10	180367	-	0.11	0.10	0.11	0.11	0.12	0.01	11,702	128	0.109
JMART41C2404A	0.08	180367	-	-	-	-	0.02	0.04	-	-	-	0
JMART41C2404B	0.05	180367	-	-	-	-	0.01	0.03	-	-	-	0
JMART41C2405A	0.09	180367	-	-	-	-	0.01	0.03	-	-	-	0
JMART41C2407A	0.25	180367	0.25	0.25	0.24	0.24	0.23	0.24	(0.01)	42,200	1,026	0.243
JMART41P2405A	0.41	180367	-	-	-	-	0.44	0.45	-	-	-	0
JTS	68.25	180367	67.00	70.25	65.75	66.75	66.75	67.00	(1.50)	24,481	166,216	67.895
MFEC	6.95	180367	6.95	7.00	6.95	7.00	6.95	7.00	0.05	607	425	6.997
MSC	8.20	180367	8.25	8.30	8.25	8.30	8.25	8.35	0.10	52	43	8.299
PT	8.10	180367	8.10	8.15	8.05	8.15	8.10	8.15	0.05	2,050	1,662	8.106
SAMART	6.25	180367	6.30	6.45	6.20	6.40	6.40	6.45	0.15	82,867	52,657	6.354
SAMART-W3	0.02	180367	0.02	0.03	0.01	0.02	0.02	0.03	-	23,262	61	0.026
SAMTEL	2.74	180367	2.74	2.94	2.74	2.88	2.88	2.90	0.14	60,873	17,476	2.87
SAMTEL-W1	0.01	180367	-	0.05	0.01	0.02	0.02	0.03	0.01	90,178	257	0.028
SDC	0.05	180367	0.05	0.05	0.04	0.05	0.04	0.05	-	24,125	111	0.046
SIS	26.75	180367	26.50	27.25	25.75	26.00	26.00	26.25	(0.75)	15,945	42,329	26.546
SKY	25.75	180367	25.75	26.00	25.25	25.75	25.75	26.00	-	13,377	34,127	25.512
SVOA	1.74	180367	-	1.75	1.72	1.75	1.73	1.75	0.01	2,619	455	1.737
SYMC	8.00	180367	-	8.45	8.00	8.35	8.25	8.35	0.35	15,848	13,110	8.272
SYNEX	11.10	180367	10.70	11.20	10.70	11.20	11.10	11.20	0.10	9,919	10,853	10.942
THCOM	13.50	180367	13.60	13.70	13.50	13.60	13.50	13.60	0.10	43,372	59,038	13.612
TKC	13.60	180367	13.60	13.70	13.50	13.50	13.50	13.60	(0.10)	1,166	1,588	13.621
TRUE	8.00	180367	8.00	8.00	7.85	7.95	7.95	8.00	(0.05)	567,851	450,126	7.926
TRUE01C2404A	0.40	180367	-	0.39	0.35	0.37	0.37	0.39	(0.03)	7,090	262	0.368
TRUE01C2405A	0.71	180367	-	0.70	0.66	0.68	0.68	0.70	(0.03)	18,976	1,284	0.676
TRUE01C2407A	0.55	180367	-	0.54	0.51	0.53	0.53	0.54	(0.02)	6,416	335	0.522
TRUE01C2407B	0.38	180367	-	0.39	0.37	0.38	0.38	0.39	-	19,835	754	0.38
TRUE01C2408A	0.29	180367	-	0.29	0.27	0.28	0.28	0.29	(0.01)	40,065	1,112	0.277
TRUE01P2404X	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
TRUE01P2406X	0.04	180367	-	0.03	0.03	0.03	0.03	0.04	(0.01)	1,000	3	0.03
TRUE01P2407X	0.15	180367	-	0.15	0.15	0.15	0.15	0.16	-	8,812	132	0.15
TRUE01P2408X	0.37	180367	-	0.38	0.36	0.37	0.37	0.38	-	15,630	586	0.374
TRUE06C2403A	0.07	180367	-	-	-	-	-	-	-	-	-	0
TRUE11C2405A	0.35	180367	-	-	-	-	0.47	0.49	-	-	-	0
TRUE11C2406A	0.38	180367	-	-	-	-	0.79	0.82	-	-	-	0
TRUE13C2405A	0.68	180367	-	-	-	-	0.64	0.66	-	-	-	0
TRUE13C2407A	0.49	180367	-	-	-	-	0.46	0.47	-	-	-	0
TRUE13C2407B	0.35	180367	-	0.34	0.32	0.33	0.33	0.34	(0.02)	29,545	968	0.327
TRUE13P2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
TRUE13P2407A	0.05	180367	-	0.05	0.05	0.05	0.05	0.06	-	1,000	5	0.05
TRUE13P2407B	0.15	180367	-	0.16	0.16	0.16	0.16	0.17	0.01	5,452	87	0.16
TRUE19C2404A	0.34	180367	-	-	-	-	0.27	0.29	-	-	-	0
TRUE19C2405A	0.41	180367	-	-	-	-	0.82	0.87	-	-	-	0
TRUE19C2407A	0.47	180367	-	-	-	-	0.56	0.61	-	-	-	0
TRUE19C2407B	0.38	180367	-	0.38	0.36	0.37	0.37	0.38	(0.01)	16,681	615	0.368
TRUE19P2408A	0.20	180367	-	0.21	0.19	0.20	0.20	0.21	-	15,279	317	0.207
TRUE41C2404A	0.16	180367	-	0.16	0.14	0.14	0.14	0.16	(0.02)	2,000	30	0.15
TRUE41C2404B	0.44	180367	-	-	-	-	0.45	0.48	-	-	-	0
TRUE41C2406A	0.90	180367	-	-	-	-	0.88	0.91	-	-	-	0
TRUE41C2406B	0.71	180367	-	0.69	0.69	0.69	0.69	0.71	(0.02)	6,000	414	0.69
TRUE41C2407A	0.49	180367	-	0.46	0.45	0.46	0.46	0.48	(0.03)	8,000	366	0.457
TRUE41C2407B	0.27	180367	-	0.27	0.26	0.26	0.26	0.27	(0.01)	33,000	866	0.262
TRUE41P2408A	0.32	180367	-	-	-	-	0.31	0.32	-	-	-	0
TWZ	0.04	180367	0.04	0.04	0.03	0.04	0.03	0.04	-	22,974	76	0.032
Electronic Component												
CCET	2.56	180367	2.54	2.56	2.50	2.52	2.50	2.52	(0.04)	50,797	12,868	2.533
DELTA	68.25	180367	67.50	68.00	66.75	66.75	66.75	67.00	(1.50)	87,978	590,336	67.1
DELTA01C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
DELTA01C2404B	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
DELTA01C2406A	0.10	180367	0.09	0.09	0.08	0.09	0.08	0.09	(0.01)	2,798	24	0.087
DELTA01C2407A	0.36	180367	-	0.35	0.32	0.32	0.32	0.33	(0.04)	141,039	4,793	0.339
DELTA01C2407B	0.55	180367	-	0.55	0.50	0.51	0.50	0.51	(0.04)	52,313	2,727	0.521
DELTA01P2404A	0.35	180367	-	0.37	0.34	0.37	0.37	0.38	0.02	154,900	5,484	0.354
DELTA01P2406X	0.58	180367	0.60	0.61	0.59	0.61	0.61	0.62	0.03	61,658	3,723	0.603
DELTA06C2405A	0.06	180367	0.05	0.05	0.05	0.05	-	-	(0.01)	500	3	0.05
DELTA06C2406A	0.30	180367	-	0.29	0.27	0.27	0.25	-	(0.03)	11,234	318	0.283
DELTA11C2406A	0.18	180367	-	0.16	0.16	0.16	0.15	0.16	(0.02)	2,209	35	0.16
DELTA13C2404A	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
DELTA13C2405A	0.03	180367	-	0.02	0.02	0.02	0.02	0.03	(0.01)	14,635	29	0.02
DELTA13C2407A	0.24	180367	0.23	0.24	0.21	0.21	0.21	0.22	(0.03)	69,914	1,540	0.22
DELTA13C2407B	0.49	180367	-	0.47	0.43	0.43	0.43	0.44	(0.06)	72,161	3,272	0.453
DELTA13C2407C	0.34	180367	-	0.33	0.30	0.30	0.30	0.31	(0.04)	86,256	2,704	0.313
DELTA13P2404A	0.12	180367	-	0.13	0.11	0.13	0.13	0.15	0.01	43,713	525	0.12
DELTA13P2405A	0.32	180367	-	0.35	0.32	0.34	0.34	0.37	0.02	94,536	3,190	0.337
DELTA13P2407A	0.55	180367	0.57	0.58	0.55	0.58	0.58	0.59	0.03	166,568	9,459	0.567
DELTA19C2404A	0.01	180367	-	0.01	0.01	0.						

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
DELTA41C2405A	0.03	180367	-	0.02	0.01	0.02	0.01	0.02	(0.01)	3,500	4	0.01
DELTA41C2406A	0.11	180367	-	0.09	0.08	0.09	0.08	0.09	(0.02)	40	-	0.087
DELTA41C2407A	0.24	180367	-	0.22	0.21	0.22	0.21	0.22	(0.02)	22,405	493	0.22
DELTA41C2407B	0.37	180367	-	0.37	0.34	0.34	0.33	0.34	(0.03)	68,482	2,396	0.349
DELTA41P2406A	1.00	180367	-	1.04	1.02	1.03	1.04	1.06	0.03	8,350	864	1.034
HANA	38.50	180367	38.25	38.50	37.50	37.75	37.75	38.00	(0.75)	78,621	298,848	38.011
HANA01C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
HANA01C2405A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
HANA01C2406A	0.07	180367	-	0.06	0.06	0.06	0.05	0.06	(0.01)	894	5	0.06
HANA01C2407A	0.17	180367	-	0.17	0.15	0.15	0.15	0.16	(0.02)	28,527	455	0.159
HANA01C2407B	0.37	180367	-	0.36	0.34	0.34	0.34	0.35	(0.03)	20,280	720	0.355
HANA01P2404X	0.05	180367	-	-	-	-	0.06	0.07	-	-	-	0
HANA01P2405X	0.73	180367	-	0.78	0.74	0.78	0.78	0.80	0.05	3,954	299	0.755
HANA01P2407X	0.50	180367	-	0.53	0.51	0.53	0.53	0.55	0.03	3,042	158	0.518
HANA01P2408X	0.32	180367	-	0.33	0.32	0.33	0.33	0.34	0.01	47,574	1,549	0.325
HANA06C2404A	0.02	180367	-	-	-	-	0.01	0.03	-	-	-	0
HANA06C2405A	0.02	180367	-	-	-	-	-	-	-	-	-	0
HANA06C2407A	0.34	180367	0.34	0.34	0.31	0.31	-	0.36	(0.03)	60,255	1,963	0.325
HANA11C2407A	0.07	180367	-	-	-	-	0.07	0.08	-	-	-	0
HANA13C2404A	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
HANA13C2404B	0.01	180367	-	0.01	0.01	0.01	0.01	0.02	-	20	-	0.01
HANA13C2407A	0.07	180367	-	0.06	0.06	0.06	0.06	0.07	(0.01)	800	5	0.06
HANA13C2407B	0.13	180367	-	0.12	0.11	0.11	0.11	0.12	(0.02)	40,327	471	0.116
HANA13C2407C	0.32	180367	0.31	0.31	0.29	0.29	0.29	0.30	(0.03)	36,223	1,105	0.305
HANA13C2408A	0.25	180367	0.24	0.24	0.22	0.22	0.22	0.23	(0.03)	113,715	2,660	0.233
HANA13P2404A	0.04	180367	-	-	-	-	0.03	0.05	-	-	-	0
HANA13P2406A	0.74	180367	-	-	-	-	0.69	0.75	-	-	-	0
HANA13P2407A	0.51	180367	-	0.55	0.52	0.55	0.55	0.58	0.04	13,856	729	0.526
HANA13P2407B	0.24	180367	-	0.25	0.24	0.25	0.25	0.27	0.01	22,262	541	0.243
HANA13P2408A	0.41	180367	-	0.43	0.42	0.43	0.43	0.44	0.02	46,800	1,988	0.424
HANA19C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
HANA19C2404B	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
HANA19C2407A	0.09	180367	-	0.08	0.08	0.08	0.07	0.08	(0.01)	2	-	0.08
HANA19C2407B	0.16	180367	-	0.14	0.14	0.14	0.13	0.14	(0.02)	5,562	78	0.14
HANA19C2407C	0.30	180367	0.30	0.30	0.27	0.27	0.27	0.28	(0.03)	41,818	1,190	0.284
HANA19P2405A	0.96	180367	-	-	-	-	0.72	0.77	-	-	-	0
HANA19P2407A	0.30	180367	-	0.31	0.30	0.31	0.31	0.32	0.01	30,811	942	0.305
HANA41C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
HANA41C2405A	0.06	180367	-	-	-	-	0.03	0.05	-	-	-	0
HANA41C2405B	0.07	180367	-	-	-	-	0.01	0.03	-	-	-	0
HANA41C2406A	0.08	180367	-	-	-	-	0.02	0.04	-	-	-	0
HANA41C2407A	0.08	180367	-	0.08	0.08	0.08	0.08	0.09	-	125	1	0.08
HANA41C2407B	0.27	180367	0.26	0.26	0.24	0.24	0.24	0.25	(0.03)	28,299	723	0.255
HANA41P2405A	0.37	180367	-	-	-	-	0.36	0.37	-	-	-	0
HANA41P2406A	0.77	180367	-	-	-	-	0.76	0.78	-	-	-	0
KCE	38.75	180367	38.75	39.25	38.50	38.75	38.75	39.00	-	39,809	154,502	38.81
KCE01C2405A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
KCE01C2406A	0.06	180367	-	-	-	-	0.04	0.05	-	-	-	0
KCE01C2407A	0.17	180367	-	0.17	0.16	0.16	0.16	0.17	(0.01)	5,811	98	0.168
KCE01C2408A	0.33	180367	0.34	0.34	0.33	0.33	0.33	0.34	-	33,128	1,099	0.331
KCE01P2405X	0.83	180367	-	0.82	0.80	0.80	0.82	0.84	(0.03)	2,520	206	0.818
KCE01P2406X	0.63	180367	-	0.62	0.61	0.62	0.62	0.64	(0.01)	3,298	204	0.619
KCE01P2407X	0.39	180367	-	0.39	0.38	0.38	0.38	0.39	(0.01)	426	16	0.38
KCE06C2406A	0.04	180367	-	0.04	0.03	0.04	-	0.04	-	1,001	3	0.03
KCE11C2405A	0.14	180367	-	-	-	-	0.02	0.04	-	-	-	0
KCE11C2408A	0.30	180367	-	0.30	0.29	0.30	0.29	0.30	-	6,490	191	0.294
KCE13C2404A	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
KCE13C2406A	0.04	180367	-	0.03	0.03	0.03	0.03	0.04	(0.01)	205	1	0.03
KCE13C2407A	0.08	180367	-	0.08	0.08	0.08	0.07	0.08	-	4,510	36	0.08
KCE13C2407B	0.16	180367	-	0.16	0.15	0.15	0.15	0.16	(0.01)	8,925	142	0.158
KCE13C2408A	0.28	180367	-	0.29	0.28	0.28	0.28	0.29	-	129,543	3,639	0.28
KCE13P2407A	0.71	180367	-	-	-	-	0.56	0.59	-	-	-	0
KCE13P2407B	0.33	180367	-	0.33	0.32	0.32	0.32	0.33	(0.01)	2,538	82	0.321
KCE19C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2406A	0.04	180367	-	-	-	-	0.03	0.04	-	-	-	0
KCE19C2406B	0.05	180367	-	-	-	-	0.04	0.05	-	-	-	0
KCE19C2407A	0.14	180367	-	0.15	0.15	0.15	0.14	0.15	0.01	3,989	60	0.15
KCE19C2408A	0.30	180367	-	0.30	0.29	0.29	0.29	0.30	(0.01)	20,338	604	0.297
KCE19P2404A	0.88	180367	-	-	-	-	0.59	0.65	-	-	-	0
KCE19P2407A	0.28	180367	-	0.28	0.27	0.27	0.27	0.29	(0.01)	69,111	1,914	0.276
KCE41C2404A	0.01	180367	-	-	-	-	0.01	0.03	-	-	-	0
KCE41C2405A	0.02	180367	-	-	-	-	0.01	0.03	-	-	-	0
KCE41C2406A	0.02	180367	-	-	-	-	0.02	0.04	-	-	-	0
KCE41C2406B	0.05	180367	-	-	-	-	0.04	0.05	-	-	-	0
KCE41C2407A	0.14	180367	-	0.14	0.14	0.14	0.14	0.15	-	20,000	280	0.14
KCE41C2407B	0.22	180367	-	0.23	0.22	0.22	0.22	0.23	-	64,700	1,428	0.22
KCE41P2407A	0.55	180367	-	-	-	-	0.54	0.56	-	-	-	0
METCO	223.00	180367	-	223.00	223.00	223.00	223.00	224.00	-	12	268	223
SMT	2.84	180367	2.84	2.86	2.82	2.84	2.84	2.86	-	7,917	2,244	2.834
SMT-W3	0.06	180367	0.05	0.05	0.04	0.04	0.04	0.05	(0.02)	6,695	33	0.049
SVI	6.15	180367	6.15	6.15	6.05	6.05	6.05	6.10	(0.10)	4,355	2,651	6.088
TEAM	4.38	180367	4.36	4.60	4.32	4.44	4.44	4.48	0.06	15,633	7,020	4.49
Energy & Utilities												
7UP	0.40	180367	0.40	0.40	0.39	0.39	0.39	0.40	(0.01)	19,582	769	0.392
ACC	0.43	180367	0.45	0.45	0.43	0.44	0.43	0.44	0.01	13,696	603	0.439
ACE	1.47	180367	1.46	1.46	1.44	1.44	1.44	1.45	(0.03)	22,157	3,216	1.451
ACE13C2407A	0.13	180367	-	0.13	0.12	0.13	0.12	0.13	-	710	9	0.12
ACE19C2407A	0.16	180367	-									

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
BANPU13C2405A	0.02	180367	-	0.01	0.01		0.01	0.01	0.02	(0.01)	1,210	1	0.01
BANPU13C2406A	0.04	180367	-	-	-		-	0.03	0.04	-	-	-	0
BANPU13C2407A	0.13	180367	-	0.12	0.12		0.12	0.11	0.12	(0.01)	10,000	120	0.12
BANPU13C2408A	0.24	180367	-	0.26	0.24		0.24	0.24	0.25	-	22,401	551	0.245
BANPU13P2404A	0.38	180367	-	-	-		-	0.36	0.42	-	-	-	0
BANPU13P2405A	0.14	180367	-	0.13	0.12		0.13	0.13	0.14	(0.01)	9,332	117	0.125
BANPU19C2404A	0.01	180367	-	0.01	0.01		0.01	0.01	0.02	-	1,150	1	0.01
BANPU19C2405A	0.04	180367	-	-	-		-	0.01	0.02	-	-	-	0
BANPU19C2405B	0.03	180367	-	-	-		-	0.02	0.03	-	-	-	0
BANPU19C2407A	0.10	180367	-	0.10	0.08		0.09	0.09	0.10	(0.01)	33	-	0.09
BANPU19C2407B	0.16	180367	-	0.17	0.15		0.16	0.16	0.17	-	74,188	1,191	0.16
BANPU19P2404A	0.56	180367	-	-	-		-	0.35	0.41	-	-	-	0
BANPU19P2406A	0.24	180367	-	0.24	0.23		0.24	0.24	0.25	-	12,165	288	0.236
BANPU41C2405A	0.01	180367	-	-	-		-	0.01	0.02	-	-	-	0
BANPU41C2406A	0.04	180367	-	-	-		-	0.04	0.06	-	-	-	0
BANPU41C2407A	0.08	180367	-	0.08	0.08		0.08	0.07	0.08	-	6,000	48	0.08
BANPU41C2407B	0.15	180367	-	0.16	0.15		0.15	0.15	0.16	-	19,200	292	0.152
BBGI	4.42	180367	4.52	4.56	4.44		4.52	4.52	4.54	0.10	5,562	2,513	4.517
BCP	43.50	180367	44.00	44.25	42.75		42.75	42.75	43.00	(0.75)	79,432	345,451	43.49
BCP01C2405A	0.20	180367	-	0.22	0.17		0.17	0.17	0.18	(0.03)	29,333	574	0.195
BCP01P2404X	0.02	180367	-	-	-		-	0.02	0.03	-	-	-	0
BCP13C2405A	0.18	180367	-	0.19	0.15		0.15	0.14	0.15	(0.03)	37,130	653	0.175
BCP13P2404A	0.01	180367	-	-	-		-	0.01	0.02	-	-	-	0
BCP19C2404A	0.12	180367	-	0.12	0.09		0.09	0.09	0.10	(0.03)	13,492	144	0.107
BCPG	7.10	180367	7.10	7.20	7.05		7.10	7.10	7.15	-	47,118	33,556	7.121
BCPG19C2406A	0.06	180367	-	-	-		-	0.05	0.06	-	-	-	0
BGRIM	28.25	180367	28.25	29.25	28.25		28.50	28.50	28.75	0.25	95,607	275,760	28.843
BGRIM01C2404A	0.05	180367	-	0.06	0.05		0.06	0.05	0.06	0.01	4,600	27	0.057
BGRIM01C2406A	0.15	180367	0.15	0.19	0.15		0.16	0.16	0.17	0.01	50,422	847	0.167
BGRIM01C2407A	0.27	180367	0.27	0.32	0.27		0.28	0.28	0.29	0.01	37,655	1,092	0.289
BGRIM01P2404X	0.01	180367	-	-	-		-	0.01	0.02	-	-	-	0
BGRIM01P2406X	0.09	180367	-	0.08	0.07		0.08	0.08	0.09	(0.01)	9,742	69	0.071
BGRIM06C2403A	0.06	180367	-	-	-		-	-	-	-	-	-	0
BGRIM06C2404A	0.07	180367	-	-	-		-	-	0.09	-	-	-	0
BGRIM11C2403A	0.08	180367	-	-	-		-	0.01	0.03	-	-	-	0
BGRIM11C2405A	0.11	180367	0.11	0.13	0.11		0.12	0.12	0.13	0.01	19,508	236	0.12
BGRIM13C2404A	0.06	180367	-	-	-		-	0.04	0.05	-	-	-	0
BGRIM13C2407A	0.11	180367	-	0.12	0.11		0.12	0.11	0.12	0.01	11,461	135	0.117
BGRIM13C2407B	0.23	180367	-	0.26	0.25		0.25	0.24	0.27	0.02	2,073	54	0.259
BGRIM13P2404A	0.02	180367	-	0.01	0.01		0.01	-	0.01	(0.01)	100	-	0.01
BGRIM13P2406A	0.09	180367	-	0.08	0.07		0.08	0.08	0.09	(0.01)	1,177	9	0.075
BGRIM19C2404A	0.08	180367	-	0.10	0.10		0.10	0.08	0.09	0.02	5,646	56	0.1
BGRIM19C2407A	0.16	180367	0.16	0.19	0.16		0.17	0.17	0.18	0.01	25,112	430	0.171
BGRIM19P2406A	0.10	180367	-	-	-		-	0.09	0.10	-	-	-	0
BGRIM41C2404A	0.08	180367	-	0.10	0.10		0.10	0.07	0.09	0.02	4,000	40	0.1
BGRIM41C2404B	0.33	180367	-	-	-		-	0.37	0.42	-	-	-	0
BGRIM41C2405A	0.15	180367	0.17	0.17	0.16		0.17	0.15	0.16	0.02	14,508	245	0.168
BGRIM41C2405B	0.06	180367	-	0.09	0.08		0.08	0.07	0.08	0.02	2,001	16	0.08
BGRIM41C2407A	0.14	180367	-	0.16	0.15		0.16	0.14	0.15	0.02	20,400	322	0.158
BGRIM41C2408B	0.26	180367	-	0.29	0.24		0.27	0.25	0.26	0.01	7,640	202	0.264
BIOTEC	0.42	180367	0.42	0.42	0.40		0.40	0.40	0.41	(0.02)	15,802	639	0.404
BIOTEC-P	10.00	180367	-	-	-		-	-	-	-	-	-	0
BIOTEC-Q	10.00	180367	-	-	-		-	-	-	-	-	-	0
BIOTEC-W2	0.11	180367	0.11	0.11	0.10		0.10	0.10	0.11	(0.01)	8,329	83	0.1
BPP	14.50	180367	14.50	14.90	14.50		14.70	14.70	14.80	0.20	13,369	19,732	14.759
BRRGIF	3.36	180367	-	3.34	3.34		3.34	3.32	3.34	(0.02)	117	39	3.34
BSRC	9.75	180367	9.90	10.20	9.85		10.10	10.00	10.10	0.35	90,122	90,623	10.055
CKP	3.98	180367	4.00	4.02	3.92		3.94	3.94	3.96	(0.04)	39,413	15,634	3.966
CKP01C2407A	0.48	180367	-	0.48	0.44		0.45	0.45	0.46	(0.03)	5,620	258	0.459
CKP13C2407A	0.46	180367	-	0.47	0.43		0.43	0.43	0.44	(0.03)	8,199	368	0.448
CKP19C2407A	0.46	180367	-	0.46	0.42		0.43	0.43	0.44	(0.03)	40,013	1,790	0.447
CV	0.56	180367	0.55	0.56	0.54		0.54	0.54	0.55	(0.02)	171,668	9,388	0.546
CV-W1	0.20	180367	0.20	0.21	0.18		0.19	0.19	0.20	(0.01)	81,977	1,615	0.196
DEMCO	2.90	180367	2.94	3.02	2.80		2.82	2.82	2.86	(0.08)	35,293	10,244	2.902
DEMCO-W7	0.51	180367	0.51	0.53	0.37		0.43	0.43	0.44	(0.08)	299,791	13,243	0.441
EA	35.25	180367	35.00	36.00	35.00		35.25	35.25	35.50	-	58,849	209,281	35.563
EA01C2405A	0.02	180367	-	-	-		-	0.01	0.02	-	-	-	0
EA01C2406A	0.02	180367	-	0.02	0.02		0.02	0.02	0.03	-	550	1	0.02
EA01C2406B	0.07	180367	-	-	-		-	0.05	0.06	-	-	-	0
EA01C2407A	0.12	180367	-	0.13	0.11		0.11	0.11	0.12	(0.01)	25,040	318	0.127
EA01C2407B	0.24	180367	-	0.25	0.23		0.23	0.23	0.24	(0.01)	28,068	679	0.241
EA01P2404X	0.49	180367	-	0.48	0.44		0.48	0.48	0.50	(0.01)	3,950	178	0.451
EA01P2406X	0.25	180367	-	0.25	0.23		0.25	0.25	0.26	-	10,508	246	0.233
EA06C2404A	0.01	180367	-	-	-		-	-	-	-	-	-	0
EA06C2406A	0.06	180367	-	-	-		-	-	-	-	-	-	0
EA11C2403A	0.01	180367	-	-	-		-	0.01	0.03	-	-	-	0
EA11C2405A	0.01	180367	-	-	-		-	0.01	0.03	-	-	-	0
EA11C2408A	0.18	180367	-	0.20	0.19		0.19	0.18	0.19	0.01	23,041	457	0.198
EA13C2405A	0.01	180367	-	-	-		-	-	0.01	-	-	-	0
EA13C2406A	0.02	180367	-	0.02	0.02		0.02	0.02	0.03	-	500	1	0.02
EA13C2406B	0.04	180367	-	0.04	0.04		0.04	0.03	0.04	-	1,000	4	0.04
EA13C2407A	0.13	180367	-	0.15	0.13		0.13	0.13	0.14	-	38,830	523	0.134
EA13C2408A	0.26	180367	0.25	0.27	0.25		0.26	0.25	0.26	-	38,129		

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
EP	2.72	180367	-	2.74	2.68	2.68	2.68	2.72	(0.04)	1,348	363	2.692
EP-W4	0.14	180367	-	0.16	0.13	0.14	0.14	0.16	-	4,563	66	0.145
ETC	2.98	180367	2.94	2.98	2.92	2.96	2.94	2.96	(0.02)	4,640	1,369	2.95
GPSC	54.75	180367	54.50	56.50	54.50	56.25	56.00	56.25	1.50	110,766	620,186	55.99
GPSC01C2404A	0.38	180367	-	0.50	0.37	0.48	0.48	0.50	0.10	13,333	603	0.452
GPSC01C2405A	0.23	180367	-	0.28	0.22	0.28	0.28	0.29	0.05	48,602	1,287	0.264
GPSC01C2407A	0.40	180367	-	0.47	0.41	0.46	0.46	0.47	0.06	25,929	1,157	0.446
GPSC01P2404X	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01P2405X	0.06	180367	-	-	-	-	0.03	0.04	-	-	-	0
GPSC01P2407X	0.20	180367	-	0.18	0.16	0.16	0.16	0.17	(0.04)	20,264	329	0.162
GPSC06C2403A	0.34	180367	-	-	-	-	-	-	-	-	-	0
GPSC06C2404A	0.29	180367	-	-	-	-	-	-	-	-	-	0
GPSC11C2403A	0.28	180367	-	-	-	-	0.37	0.39	-	-	-	0
GPSC11C2408T	0.44	180367	-	0.50	0.44	0.49	0.49	0.50	0.05	37,066	1,756	0.473
GPSC11P2405A	0.06	180367	-	-	-	-	0.05	0.06	-	-	-	0
GPSC13C2406A	0.34	180367	-	0.40	0.32	0.39	0.39	0.40	0.05	152,110	5,688	0.373
GPSC13P2404A	0.05	180367	-	-	-	-	0.01	0.02	-	-	-	0
GPSC13P2407A	0.12	180367	-	0.12	0.09	0.10	0.10	0.11	(0.02)	14,002	146	0.104
GPSC19C2405A	0.23	180367	-	0.28	0.22	0.27	0.27	0.29	0.04	43,034	1,137	0.264
GPSC19P2404A	0.05	180367	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19P2406A	0.07	180367	-	-	-	-	0.05	0.06	-	-	-	0
GPSC19P2407A	0.19	180367	-	0.18	0.15	0.16	0.16	0.17	(0.03)	13,838	229	0.165
GPSC41C2404A	0.69	180367	-	-	-	-	0.96	0.99	-	-	-	0
GPSC41C2405A	0.28	180367	-	0.34	0.31	0.34	0.34	0.35	0.06	20,400	679	0.332
GPSC41C2406A	0.31	180367	-	0.36	0.33	0.36	0.36	0.38	0.05	12,000	418	0.348
GPSC41C2408A	0.32	180367	0.32	0.37	0.32	0.37	0.37	0.38	0.05	44,271	1,570	0.354
GPSC41P2406A	0.11	180367	-	-	-	-	0.08	0.09	-	-	-	0
GREEN	1.08	180367	1.08	1.14	1.06	1.09	1.09	1.10	0.01	54,373	6,005	1.104
GULF	45.00	180367	45.25	45.50	44.75	44.75	44.75	45.00	(0.25)	71,066	319,789	44.998
GULF01C2405A	0.08	180367	-	-	-	-	0.07	0.08	-	-	-	0
GULF01C2406A	0.21	180367	-	0.22	0.20	0.21	0.20	0.21	-	19,487	426	0.218
GULF01C2408A	0.30	180367	-	0.31	0.29	0.29	0.29	0.30	(0.01)	21,005	647	0.307
GULF01P2405X	0.06	180367	-	-	-	-	0.04	0.05	-	-	-	0
GULF01P2408X	0.31	180367	-	0.31	0.30	0.31	0.31	0.32	-	9,168	276	0.301
GULF11C2407T	0.29	180367	0.28	0.29	0.27	0.27	0.27	0.28	(0.02)	16,362	461	0.281
GULF13C2405A	0.05	180367	-	0.05	0.05	0.05	0.04	0.05	-	4,239	21	0.05
GULF13C2406A	0.17	180367	-	0.18	0.16	0.16	0.16	0.17	(0.01)	163,643	2,925	0.178
GULF13P2405A	0.04	180367	-	-	-	-	0.02	0.03	-	-	-	0
GULF13P2408A	0.25	180367	-	0.26	0.24	0.26	0.26	0.27	0.01	30,396	751	0.246
GULF19C2404A	0.03	180367	-	0.03	0.02	0.03	0.02	0.03	-	101	-	0.029
GULF19C2406A	0.18	180367	-	0.19	0.17	0.17	0.16	0.17	(0.01)	107,307	1,909	0.177
GULF19P2404A	0.12	180367	-	-	-	-	0.01	0.02	-	-	-	0
GULF41C2405A	0.08	180367	-	-	-	-	0.04	0.06	-	-	-	0
GULF41C2405B	0.08	180367	-	-	-	-	0.06	0.08	-	-	-	0
GULF41C2406A	0.19	180367	-	0.19	0.17	0.17	0.17	0.18	(0.02)	28,000	524	0.187
GULF41C2408A	0.23	180367	0.23	0.24	0.23	0.23	0.22	0.23	-	59,150	1,408	0.238
GULF41P2405A	0.18	180367	-	-	-	-	0.14	0.15	-	-	-	0
GUNKUL	2.90	180367	2.90	2.94	2.88	2.88	2.88	2.90	(0.02)	115,295	33,439	2.9
GUNKUL01C2404A	0.10	180367	-	0.12	0.12	0.12	0.08	0.10	0.02	1,000	12	0.12
GUNKUL01C2407A	0.17	180367	-	0.17	0.16	0.16	0.16	0.17	(0.01)	4,704	78	0.166
GUNKUL01P2404X	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL01P2407X	0.41	180367	-	0.41	0.39	0.41	0.41	0.42	-	4,880	194	0.397
GUNKUL11C2404A	0.17	180367	0.17	0.18	0.17	0.17	0.16	0.17	-	3,185	55	0.171
GUNKUL13C2404A	0.07	180367	-	-	-	-	0.06	0.07	-	-	-	0
GUNKUL13C2407A	0.14	180367	-	0.14	0.14	0.14	0.13	0.14	-	8,052	113	0.14
GUNKUL13C2407B	0.33	180367	-	0.33	0.31	0.31	0.31	0.32	(0.02)	12,802	415	0.323
GUNKUL13P2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL13P2407A	0.33	180367	-	0.33	0.32	0.33	0.33	0.34	-	8,672	282	0.325
GUNKUL19C2405A	0.21	180367	-	0.21	0.19	0.19	0.19	0.20	(0.02)	3,024	60	0.196
IFEC	0.35	180367	-	-	-	-	-	-	-	-	-	0
IRPC	1.92	180367	1.92	1.96	1.91	1.93	1.92	1.93	0.01	450,816	87,540	1.941
IRPC01C2406A	0.05	180367	-	0.05	0.05	0.05	0.04	0.05	-	18,362	92	0.05
IRPC13C2405A	0.03	180367	-	0.03	0.03	0.03	0.02	0.03	-	1	-	0.03
IRPC13C2407A	0.24	180367	-	0.27	0.24	0.24	0.24	0.25	-	48,220	1,208	0.25
IRPC19C2404A	0.07	180367	-	-	-	-	0.02	0.03	-	-	-	0
JR	4.42	180367	4.68	4.68	4.38	4.42	4.42	4.44	-	3,118	1,397	4.482
KBSPIF	8.50	180367	8.45	8.50	8.40	8.40	8.40	8.45	(0.10)	2,408	2,027	8.418
LANNA	14.40	180367	14.40	14.40	14.20	14.30	14.20	14.30	(0.10)	7,902	11,301	14.301
MDX	3.86	180367	4.06	5.05	4.02	5.05	5.00	5.00	1.19	569,389	263,868	4.634
NOVA	10.20	180367	-	10.10	10.00	10.00	10.10	10.20	(0.20)	4	4	10.05
OR	18.40	180367	18.30	18.40	18.00	18.00	18.00	18.10	(0.40)	133,921	242,766	18.127
OR01C2405A	0.05	180367	-	-	-	-	0.03	0.04	-	-	-	0
OR01C2407A	0.24	180367	-	0.22	0.20	0.20	0.20	0.21	(0.04)	52,868	1,132	0.214
OR01P2405X	0.25	180367	-	0.28	0.25	0.28	0.28	0.29	0.03	6,998	182	0.26
OR06C2403A	0.12	180367	-	-	-	-	-	-	-	-	-	0
OR11C2404A	0.05	180367	-	-	-	-	0.03	0.04	-	-	-	0
OR13C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
OR13C2407A	0.19	180367	-	0.19	0.18	0.18	0.16	0.17	(0.01)	8,101	146	0.18
OR19C2404A	0.02	180367	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
OR19C2407A	0.23	180367	-	0.22	0.19	0.19	0.19	0.20	(0.04)	14,591	305	0.209
PCC	3.12	180367	3.14	3.14	3.06	3.06	3.06	3.10	(0.06)	2,285	706	3.088
PRIME	0.59	180367	0.60	0.60	0.57	0.57	0.57	0.58	(0.02)	54,501	3,160	0.579
PTG	8.80	180367	8.80	8.85	8.75	8.75	8.75	8.80	(0.05)	44,478	39,150	8.802
PTG01C2404A	0.08	180367	-	0.07	0.07	0.07	0.06	0.07	(0.01)	3,000	21	0.07
PTG01C2407A	0.30	180367	0.30	0.30	0.28	0.28	0.28	0.29	(0.02)	8,676	251	0.289
PTG11C2405A	0.38	180367	-	-	-	-						

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
PTTEP	154.00	180367	154.50	155.00	153.50		154.50	154.00	154.50	0.50	105,924	1,635,352	154.389
PTTEP01C2404A	0.04	180367	-	-	-	-	-	0.04	0.05	-	-	-	0
PTTEP01C2404T	0.06	180367	-	-	-	-	-	0.06	0.07	-	-	-	0
PTTEP01C2405A	0.34	180367	-	0.36	0.33	0.35	0.35	0.35	0.36	0.01	9,047	315	0.348
PTTEP01C2407A	0.36	180367	0.37	0.37	0.35	0.36	0.36	0.36	0.37	-	7,372	264	0.358
PTTEP01P2405X	0.06	180367	-	-	-	-	-	0.02	0.03	-	-	-	0
PTTEP01P2406X	0.29	180367	-	0.28	0.27	0.27	0.27	0.27	0.28	(0.02)	3,686	103	0.279
PTTEP06C2403A	0.02	180367	-	-	-	-	-	-	-	-	-	-	0
PTTEP06C2405A	0.39	180367	-	0.40	0.39	0.40	0.40	-	-	0.01	27,710	1,102	0.397
PTTEP11C2403T	0.04	180367	-	-	-	-	-	0.01	0.03	-	-	-	0
PTTEP11C2406A	0.41	180367	0.42	0.42	0.41	0.42	0.42	0.42	0.43	0.01	2,252	94	0.418
PTTEP11P2406A	0.23	180367	-	0.22	0.22	0.22	0.22	0.21	0.22	(0.01)	2,120	47	0.22
PTTEP13C2404A	0.03	180367	-	0.03	0.03	0.03	0.03	0.03	0.04	-	40	-	0.03
PTTEP13C2405A	0.25	180367	-	0.27	0.24	0.26	0.26	0.26	0.27	0.01	46,277	1,192	0.257
PTTEP13P2405A	0.03	180367	-	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP13P2406A	0.16	180367	-	-	-	-	-	0.11	0.12	-	-	-	0
PTTEP13P2408A	0.42	180367	-	0.41	0.41	0.41	0.41	0.40	0.41	(0.01)	5,514	226	0.41
PTTEP19C2404A	0.02	180367	-	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP19C2404B	0.10	180367	-	-	-	-	-	0.04	0.05	-	-	-	0
PTTEP19C2406A	0.32	180367	-	0.33	0.32	0.33	0.33	0.33	0.34	0.01	59,533	1,958	0.328
PTTEP19C2407A	0.27	180367	-	0.27	0.27	0.27	0.27	0.27	0.28	-	5,298	143	0.27
PTTEP41C2404A	0.07	180367	-	-	-	-	-	0.01	0.03	-	-	-	0
PTTEP41C2405A	0.22	180367	-	0.21	0.21	0.21	0.21	0.21	0.22	(0.01)	10,000	210	0.21
PTTEP41C2405B	0.23	180367	0.23	0.23	0.22	0.23	0.23	0.23	0.24	-	2,000	45	0.225
PTTEP41C2406A	0.27	180367	0.27	0.27	0.26	0.27	0.27	0.27	0.28	-	10,172	272	0.267
PTTEP41P2405A	0.04	180367	-	-	-	-	-	0.01	0.03	-	-	-	0
PTTEP41P2406A	0.21	180367	-	-	-	-	-	0.18	0.19	-	-	-	0
PTTEP41P2407A	0.41	180367	-	0.40	0.39	0.39	0.39	0.39	0.40	(0.02)	8,000	318	0.397
QTC	4.04	180367	4.08	4.08	4.04	4.06	4.04	4.04	4.06	0.02	36	15	4.057
RATCH	28.50	180367	28.50	28.75	28.25	28.25	28.25	28.25	28.50	(0.25)	23,183	65,876	28.415
RATCH01C2405A	0.06	180367	-	-	-	-	-	0.01	0.02	-	-	-	0
RATCH13C2405A	0.01	180367	-	-	-	-	-	-	0.01	-	-	-	0
RATCH13C2408A	0.18	180367	-	0.17	0.16	0.16	0.16	0.16	0.17	(0.02)	6,721	114	0.169
RATCH13P2404A	0.03	180367	-	-	-	-	-	0.03	0.04	-	-	-	0
RATCH19C2405A	0.04	180367	-	-	-	-	-	0.03	0.04	-	-	-	0
RATCH19C2408A	1.00	180367	-	-	-	-	-	0.16	0.17	-	-	-	0
RPC	0.69	180367	0.69	0.69	0.67	0.67	0.67	0.67	0.69	(0.02)	7,607	519	0.682
SCG	3.50	180367	3.50	3.50	3.42	3.44	3.44	3.44	3.46	(0.06)	87	30	3.455
SCI	0.87	180367	0.88	1.03	0.87	0.95	0.95	0.95	0.96	0.08	99,332	9,682	0.974
SCN	1.14	180367	1.13	1.21	1.13	1.15	1.15	1.15	1.16	0.01	73,985	8,648	1.168
SCN-W2	0.07	180367	0.06	0.07	0.06	0.06	0.06	0.06	0.07	(0.01)	1,543	9	0.06
SCN-W3	0.09	180367	0.09	0.11	0.09	0.09	0.09	0.09	0.10	-	265,478	2,567	0.096
SEAOL	3.04	180367	3.06	3.12	3.06	3.08	3.06	3.06	3.08	0.04	9,749	3,004	3.081
SGP	7.90	180367	-	8.00	7.85	7.95	7.95	7.95	8.00	0.05	2,068	1,644	7.948
SKE	0.51	180367	0.52	0.52	0.50	0.51	0.51	0.51	0.52	-	20,584	1,055	0.512
SKE-W1	0.09	180367	-	0.10	0.09	0.09	0.09	0.09	0.10	-	2,377	21	0.09
SOLAR	0.71	180367	0.70	0.72	0.70	0.71	0.70	0.70	0.71	-	16,679	1,176	0.705
SPCG	12.00	180367	12.00	12.10	11.90	12.00	12.00	12.00	12.10	-	1,008	1,210	12.003
SPRC	8.90	180367	9.10	9.20	8.90	8.95	8.95	8.95	9.00	0.05	217,085	196,517	9.052
SPRC01C2405A	0.13	180367	-	0.15	0.12	0.12	0.12	0.12	0.13	(0.01)	28,644	406	0.141
SPRC01C2408A	0.33	180367	0.34	0.34	0.31	0.31	0.31	0.31	0.32	(0.02)	37,390	1,220	0.326
SPRC06C2405A	0.22	180367	-	0.25	0.21	0.22	0.20	0.22	0.22	-	35,260	832	0.235
SPRC11C2406A	0.29	180367	-	0.29	0.25	0.25	0.25	0.25	0.26	(0.04)	11,821	327	0.276
SPRC13C2404A	0.09	180367	-	0.12	0.09	0.09	0.09	0.09	0.10	-	53,094	597	0.112
SPRC13C2408A	0.34	180367	-	0.40	0.35	0.35	0.35	0.35	0.36	0.01	78,345	2,944	0.375
SPRC13P2405A	0.02	180367	-	-	-	-	-	0.01	0.02	-	-	-	0
SPRC19C2404A	0.11	180367	-	0.13	0.10	0.10	0.10	0.10	0.11	(0.01)	35,575	410	0.115
SPRC19C2408A	0.31	180367	-	0.36	0.32	0.32	0.32	0.32	0.33	0.01	36,819	1,263	0.343
SSP	7.75	180367	7.80	7.80	7.65	7.65	7.65	7.65	7.70	(0.10)	8,532	6,558	7.685
SSP-W2	0.18	180367	0.20	0.20	0.17	0.17	0.17	0.17	0.19	(0.01)	9,028	162	0.179
SUPER	0.31	180367	0.31	0.31	0.30	0.30	0.30	0.30	0.31	(0.01)	88,007	2,696	0.306
SUPEREIF	6.05	180367	6.05	6.10	5.95	6.00	5.95	5.95	6.00	(0.05)	3,182	1,917	6.026
SUSCO	4.54	180367	4.54	4.60	4.54	4.56	4.56	4.56	4.58	0.02	53,724	24,552	4.57
TAE	1.05	180367	-	1.06	1.00	1.03	1.03	1.03	1.04	(0.02)	4,001	413	1.033
TCC	0.52	180367	0.52	0.52	0.51	0.52	0.51	0.51	0.52	-	2,922	149	0.51
TCC-W5	0.19	180367	-	0.20	0.19	0.20	0.19	0.19	0.20	0.01	802	16	0.196
TGE	3.46	180367	3.48	3.54	3.34	3.34	3.34	3.34	3.36	(0.12)	71,185	24,541	3.447
TGE-W1	2.48	180367	2.48	2.48	2.24	2.24	2.24	2.24	2.30	(0.24)	67,465	16,020	2.374
TOP	59.00	180367	60.00	60.75	59.50	59.50	59.50	59.25	59.50	0.50	146,682	882,838	60.187
TOP01C2404A	0.33	180367	0.40	0.43	0.36	0.37	0.36	0.36	0.37	0.04	8,030	327	0.407
TOP01C2405A	0.34	180367	-	0.42	0.36	0.36	0.36	0.36	0.37	0.02	19,424	766	0.394
TOP01C2407A	0.57	180367	-	0.66	0.59	0.59	0.59	0.59	0.60	0.02	10,173	640	0.629
TOP01P2404X	0.02	180367	-	-	-	-	-	0.01	0.02	-	-	-	0
TOP01P2406X	0.11	180367	-	-	-	-	-	0.10	0.11	-	-	-	0
TOP01P2408X	0.46	180367	0.43	0.44	0.41	0.44	0.44	0.44	0.45	(0.02)	11,856	511	0.43
TOP11C2405A	0.53	180367	-	-	-	-	-	0.67	0.70	-	-	-	0
TOP11C2407A	0.45	180367	-	0.50	0.48	0.50	0.46	0.46	0.48	0.05	2,760	137	0.495
TOP11P2406A	0.15	180367	-	0.14	0.13	0.14	0.14	0.14	0.15</				

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous			Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date											
MATCH	1.48	180367	1.53	1.53	1.49	1.49	1.48	1.49	0.01		362	55	1.508
MATI	7.05	180367	-	7.25	7.20	7.25	7.15	7.30	0.20		50	36	7.214
MCOT	3.20	180367	3.18	3.18	3.14	3.18	3.16	3.18	(0.02)		237	75	3.163
MONO	0.76	180367	0.76	0.76	0.74	0.75	0.74	0.75	(0.01)		73,993	5,538	0.748
NATION	0.03	180367	0.03	0.04	0.03	0.04	0.03	0.04	0.01		48,567	164	0.033
NATION-W4	0.01	180367	-	-	-	-	-	0.01	-		-	-	0
ONEE	5.00	180367	5.05	5.15	4.92	5.05	5.00	5.05	0.05		163,382	81,943	5.015
PLANB	8.30	180367	8.25	8.50	8.25	8.45	8.40	8.45	0.15		101,598	85,377	8.403
PLANB-W1	0.79	180367	-	0.88	0.75	0.79	0.79	0.81	-		19,088	1,552	0.812
PLANB11C2403A	0.01	180367	-	-	-	-	0.01	0.03	-		-	-	0
PLANB11P2408A	0.57	180367	0.58	0.58	0.53	0.54	0.54	0.55	(0.03)		8,260	459	0.555
PLANB13C2407A	0.19	180367	-	0.21	0.19	0.21	0.21	0.22	0.02		19,783	392	0.197
PLANB19C2408A	0.21	180367	-	0.23	0.21	0.22	0.22	0.23	0.01		13,232	288	0.217
POST	1.10	180367	-	-	-	-	-	-	-		-	-	0
PRAKIT	11.50	180367	11.60	11.80	11.60	11.60	11.60	11.80	0.10		679	791	11.656
PTECH	7.90	180367	-	-	-	-	7.50	7.90	-		-	-	0
ROCTEC	0.71	180367	0.71	0.73	0.70	0.70	0.70	0.71	(0.01)		254,736	17,993	0.706
ROCTEC-W3	0.03	180367	-	0.03	0.02	0.02	0.02	0.03	(0.01)		7,718	16	0.02
ROCTEC-W5	0.03	180367	0.03	0.04	0.03	0.03	0.03	0.04	-		50,005	163	0.032
SE-ED	2.22	180367	-	2.26	2.22	2.26	2.22	2.28	0.04		7	2	2.225
TKS	6.45	180367	6.25	6.40	6.25	6.30	6.25	6.30	(0.15)		1,589	1,004	6.319
VGI	1.71	180367	1.72	1.79	1.63	1.63	1.63	1.64	(0.08)		4,039,334	684,708	1.695
VGI-W3	0.07	180367	0.07	0.08	0.07	0.07	0.07	0.08	-		72,360	545	0.075
VGI01C2404A	0.01	180367	-	0.02	0.02	0.02	0.01	0.02	0.01		101	-	0.02
VGI01C2405A	0.02	180367	-	0.03	0.01	0.01	0.01	0.03	(0.01)		2	-	0.02
VGI01C2406A	0.14	180367	0.13	0.17	0.09	0.09	0.09	0.10	(0.05)		159,944	1,954	0.122
VGI01C2407A	0.33	180367	0.33	0.39	0.24	0.24	0.24	0.25	(0.09)		214,236	6,474	0.302
VGI01C2407B	0.53	180367	-	0.63	0.43	0.43	0.42	0.43	(0.10)		61,253	2,942	0.48
VGI01P2405X	0.39	180367	-	0.46	0.33	0.46	0.46	0.47	0.07		165,534	6,924	0.418
VGI06C2403A	0.01	180367	-	-	-	-	-	-	-		-	-	0
VGI06C2405A	0.02	180367	-	-	-	-	-	-	-		-	-	0
VGI13C2405A	0.02	180367	-	-	-	-	-	0.01	-		-	-	0
VGI13C2406A	0.13	180367	0.14	0.17	0.10	0.10	0.10	0.11	(0.03)		131,165	1,712	0.13
VGI13C2407A	0.25	180367	0.25	0.30	0.18	0.18	0.18	0.19	(0.07)		280,892	6,457	0.229
VGI13C2407B	0.51	180367	0.51	0.60	0.40	0.40	0.40	0.41	(0.11)		49,803	2,241	0.449
VGI13P2405A	0.25	180367	0.24	0.31	0.20	0.31	0.31	0.32	0.06		195,735	5,387	0.275
VGI19C2405A	0.05	180367	-	0.07	0.04	0.04	0.03	0.04	(0.01)		1,055	6	0.054
VGI19C2405B	0.04	180367	-	-	-	-	0.01	0.02	-		-	-	0
VGI19C2407A	0.22	180367	0.22	0.28	0.17	0.17	0.17	0.18	(0.05)		349,333	7,358	0.21
VGI19C2407B	0.51	180367	-	0.57	0.41	0.41	0.40	0.41	(0.10)		28,832	1,268	0.439
VGI41C2405A	0.03	180367	-	-	-	-	0.01	0.03	-		-	-	0
VGI41C2407A	0.26	180367	-	0.30	0.19	0.19	0.19	0.20	(0.07)		189,069	4,491	0.237
WORK	9.30	180367	9.25	9.30	9.20	9.20	9.20	9.30	(0.10)		1,016	941	9.258
ZAA	1.29	180367	1.29	1.35	1.28	1.32	1.31	1.32	0.03		19,490	2,558	1.312
Finance & Securities													
AEONTS	146.00	180367	146.00	147.50	145.50	147.50	147.00	147.50	1.50		2,410	35,278	146.381
AMANAH	2.24	180367	2.22	2.24	2.20	2.22	2.22	2.24	(0.02)		10,016	2,224	2.22
ASAP	3.04	180367	3.10	3.14	3.04	3.04	3.04	3.06	-		17,602	5,421	3.079
ASK	17.10	180367	17.10	17.40	17.10	17.30	17.30	17.40	0.20		3,799	6,557	17.259
ASP	2.70	180367	2.72	2.72	2.68	2.70	2.68	2.70	-		5,372	1,449	2.697
BAM	9.60	180367	9.60	9.65	9.45	9.50	9.50	9.55	(0.10)		101,639	96,706	9.514
BAM01C2404A	0.03	180367	-	-	-	-	0.02	0.04	-		-	-	0
BAM01C2406A	0.40	180367	-	0.39	0.37	0.37	0.37	0.39	(0.03)		19,333	717	0.37
BAM11C2405A	0.31	180367	0.30	0.31	0.29	0.29	0.29	0.30	(0.02)		15,252	447	0.293
BAM13C2405A	0.19	180367	-	0.18	0.17	0.18	0.17	0.18	(0.01)		22,185	381	0.171
BAM13C2408A	0.47	180367	-	0.46	0.45	0.46	0.45	0.46	(0.01)		22,499	1,016	0.451
BAM19C2404A	0.05	180367	-	-	-	-	0.05	0.06	-		-	-	0
BAM19C2405A	0.21	180367	-	0.21	0.19	0.19	0.19	0.20	(0.02)		29,081	555	0.19
BYD	3.82	180367	3.80	4.00	3.80	3.86	3.86	3.88	0.04		130,008	50,967	3.92
BYD06C2404A	0.04	180367	-	-	-	-	-	-	-		-	-	0
BYD13C2405A	0.04	180367	-	0.03	0.02	0.02	0.01	0.02	(0.02)		3,002	6	0.02
BYD13C2406A	0.14	180367	-	0.17	0.14	0.14	0.14	0.15	-		38,697	607	0.156
BYD19C2404A	0.06	180367	-	-	-	-	0.02	0.03	-		-	-	0
BYD19C2407A	0.23	180367	-	0.27	0.23	0.24	0.24	0.25	0.01		26,835	682	0.254
CGH	0.67	180367	0.67	0.68	0.66	0.66	0.66	0.67	(0.01)		9,496	633	0.666
CGH-W4	0.01	180367	-	0.01	0.01	0.01	-	0.01	-		2,001	2	0.01
CHASE	1.81	180367	1.81	1.81	1.77	1.77	1.77	1.79	(0.04)		50,562	9,028	1.785
CHAYO	5.25	180367	5.25	5.30	5.20	5.20	5.20	5.25	(0.05)		25,741	13,543	5.261
CHAYO-W3	0.59	180367	-	0.63	0.57	0.57	0.57	0.58	(0.02)		40,349	2,408	0.596
ECL	1.42	180367	1.43	1.43	1.40	1.40	1.40	1.41	(0.02)		6,912	974	1.408
ECL-W4	0.01	180367	-	0.01	0.01	0.01	-	0.01	-		1,120	1	0.01
FNS	3.32	180367	3.34	3.34	3.28	3.28	3.28	3.30	(0.04)		878	291	3.311
FSX	2.48	180367	2.50	2.56	2.48	2.50	2.48	2.50	0.02		458	115	2.517
GBX	0.75	180367	0.75	0.75	0.73	0.74	0.74	0.75	(0.01)		3,172	236	0.745
GL	0.65	180367	-	-	-	-	-	-	-		-	-	0
HENG	1.84	180367	1.85	1.85	1.82	1.83	1.83	1.84	(0.01)		10,986	2,020	1.838
IFS	2.72	180367	-	2.72	2.72	2.72	2.70	2.72	-		300	82	2.72
JMT	22.30	180367	22.30	22.40	22.00	22.00	22.00	22.10	(0.30)		128,936	285,926	22.175
JMT-W4	1.35	180367	1.36	1.38	1.29	1.29	1.29	1.33	(0.06)		2,479	330	1.33
JMT01C2404A	0.02	180367	-	0.01	0.01	0.01	0.01	0.02	(0.01)		20	-	0.01
JMT01C2405A	0.04	180367	0.03	0.03</									

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
JMT19P2407A	0.33	180367	0.33	0.33	0.33	0.33	0.34	0.35	-	16,916	558	0.33
JMT41C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
JMT41C2405A	0.03	180367	-	-	-	-	0.02	0.04	-	-	-	0
JMT41C2406A	0.15	180367	-	0.14	0.14	0.14	0.13	0.14	(0.01)	8,000	112	0.14
JMT41C2406B	0.29	180367	-	0.29	0.26	0.26	0.26	0.27	(0.03)	42,700	1,192	0.279
JMT41C2407A	0.11	180367	-	0.10	0.10	0.10	0.09	0.10	(0.01)	8,000	80	0.1
KCAR	6.25	180367	6.30	6.35	6.25	6.35	6.30	6.35	0.10	2,030	1,277	6.293
KGI	4.80	180367	4.82	4.82	4.80	4.80	4.80	4.82	-	6,030	2,900	4.809
KTC	44.75	180367	44.75	45.50	44.75	44.75	44.75	45.00	-	14,020	62,987	44.926
KTC01C2405A	0.08	180367	-	-	-	-	0.05	0.06	-	-	-	0
KTC01C2407A	0.23	180367	-	0.24	0.23	0.23	0.23	0.24	-	12,042	286	0.237
KTC01P2406X	0.24	180367	-	0.23	0.23	0.23	0.24	0.25	(0.01)	3,504	81	0.23
KTC11C2405A	0.11	180367	-	-	-	-	0.08	0.09	-	-	-	0
KTC11P2405A	0.24	180367	0.24	0.24	0.23	0.24	0.24	0.25	-	1,590	37	0.233
KTC13C2405A	0.06	180367	-	-	-	-	0.04	0.05	-	-	-	0
KTC13C2407A	0.22	180367	-	0.23	0.22	0.22	0.21	0.22	-	23,344	521	0.223
KTC13P2407A	0.18	180367	-	0.18	0.18	0.18	0.18	0.19	-	15,035	271	0.18
KTC19C2405A	0.09	180367	-	0.09	0.09	0.09	0.08	0.09	-	30,000	270	0.09
KTC19C2407A	0.22	180367	0.22	0.23	0.22	0.23	0.22	0.23	0.01	972	22	0.224
KTC41C2405A	0.09	180367	-	-	-	-	0.07	0.08	-	-	-	0
MFC	21.00	180367	21.00	21.00	20.90	21.00	20.90	21.00	-	399	837	20.969
MICRO	2.28	180367	2.28	2.30	2.20	2.28	2.24	2.30	-	2,184	494	2.261
ML	0.65	180367	0.66	0.68	0.65	0.65	0.65	0.66	-	5,461	361	0.66
ML-W3	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
MST	9.90	180367	9.95	10.00	9.95	9.95	9.95	10.00	0.05	85	85	9.951
MTC	46.75	180367	46.75	47.25	46.25	46.25	46.25	46.50	(0.50)	40,593	189,494	46.681
MTC01C2404A	0.07	180367	-	-	-	-	0.05	0.06	-	-	-	0
MTC01C2406A	0.30	180367	-	0.32	0.29	0.29	0.28	0.29	(0.01)	23,526	718	0.305
MTC01C2407A	0.32	180367	-	0.33	0.30	0.30	0.30	0.31	(0.02)	13,310	428	0.321
MTC01P2404X	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
MTC01P2406X	0.29	180367	-	0.30	0.28	0.30	0.30	0.31	0.01	9,867	285	0.288
MTC06C2404A	0.09	180367	-	-	-	-	-	-	-	-	-	0
MTC11C2403A	0.33	180367	-	-	-	-	0.27	0.30	-	-	-	0
MTC11C2406A	0.24	180367	-	0.25	0.23	0.23	0.23	0.24	(0.01)	9,130	226	0.247
MTC13C2404A	0.10	180367	-	-	-	-	0.04	0.05	-	-	-	0
MTC13C2406A	0.31	180367	-	0.31	0.28	0.28	0.28	0.29	(0.03)	28,485	858	0.301
MTC13P2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
MTC13P2406A	0.13	180367	-	0.14	0.13	0.14	0.14	0.15	0.01	1,260	17	0.131
MTC19C2404A	0.04	180367	-	-	-	-	0.03	0.04	-	-	-	0
MTC19C2406A	0.32	180367	-	0.33	0.30	0.30	0.30	0.31	(0.02)	49,986	1,637	0.327
MTC19P2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
MTC41C2404A	0.11	180367	-	0.10	0.08	0.09	0.08	0.09	(0.02)	20,320	185	0.091
MTC41C2405A	0.13	180367	-	0.13	0.11	0.11	0.11	0.12	(0.02)	14,000	174	0.124
MTC41C2408A	0.36	180367	0.37	0.37	0.34	0.34	0.34	0.35	(0.02)	37,959	1,365	0.359
NCAP	2.20	180367	2.22	2.24	2.20	2.22	2.22	2.24	0.02	10,987	2,440	2.22
PL	2.02	180367	-	2.04	2.02	2.02	2.02	2.04	-	2,938	594	2.02
S11	2.84	180367	2.86	2.88	2.84	2.86	2.86	2.88	0.02	97	28	2.857
SAK	4.84	180367	4.82	4.94	4.82	4.88	4.86	4.88	0.04	10,402	5,072	4.876
SAWAD	39.25	180367	39.00	40.00	39.00	40.00	39.75	40.00	0.75	51,416	204,145	39.704
SAWAD-W2	1.07	180367	-	1.08	1.02	1.02	1.02	1.08	(0.05)	269	28	1.041
SAWAD01C2405A	0.03	180367	-	-	-	-	0.03	0.04	-	-	-	0
SAWAD01C2406A	0.12	180367	-	0.13	0.12	0.13	0.13	0.14	0.01	8,554	105	0.122
SAWAD01C2408A	0.27	180367	-	0.29	0.27	0.29	0.29	0.30	0.02	39,605	1,104	0.278
SAWAD01P2404X	0.15	180367	-	0.13	0.11	0.11	0.11	0.12	(0.04)	14,170	173	0.121
SAWAD01P2407X	0.48	180367	-	0.47	0.44	0.44	0.44	0.45	(0.04)	7,891	358	0.454
SAWAD11P2406A	0.34	180367	-	0.33	0.32	0.32	0.31	0.32	(0.02)	9,540	308	0.323
SAWAD13C2405A	0.02	180367	-	-	-	-	0.02	0.03	-	-	-	0
SAWAD13C2406A	0.09	180367	-	0.08	0.08	0.08	0.08	0.09	(0.01)	585	5	0.08
SAWAD13C2407A	0.17	180367	-	0.19	0.17	0.19	0.19	0.20	0.02	56,632	1,013	0.178
SAWAD13C2408A	0.31	180367	-	0.34	0.31	0.34	0.34	0.35	0.03	63,699	2,078	0.326
SAWAD13P2407A	0.28	180367	-	0.28	0.27	0.27	0.26	0.27	(0.01)	7,544	209	0.277
SAWAD19C2405A	0.06	180367	-	-	-	-	0.05	0.06	-	-	-	0
SAWAD19C2406A	0.18	180367	-	0.18	0.16	0.18	0.17	0.18	-	35,769	590	0.164
SAWAD19C2408A	0.31	180367	-	0.33	0.31	0.33	0.33	0.35	0.02	58,298	1,909	0.327
SAWAD19P2404A	0.06	180367	-	0.05	0.05	0.05	0.04	0.05	(0.01)	1,690	8	0.05
SAWAD41C2405A	0.07	180367	-	-	-	-	0.04	0.06	-	-	-	0
SAWAD41C2405B	0.10	180367	-	-	-	-	0.03	0.05	-	-	-	0
SAWAD41C2406A	0.16	180367	0.17	0.18	0.16	0.18	0.18	0.19	0.02	72,400	1,216	0.167
SAWAD41C2406B	0.16	180367	-	0.16	0.15	0.16	0.16	0.17	-	36,000	567	0.157
SAWAD41C2407A	0.17	180367	-	0.19	0.17	0.19	0.19	0.20	0.02	24,000	420	0.174
SAWAD41P2405A	0.28	180367	-	0.27	0.27	0.27	0.25	0.26	(0.01)	8,000	216	0.27
SCAP	2.88	180367	2.84	2.88	2.84	2.88	2.86	2.88	-	145	42	2.87
SGC	1.40	180367	1.41	1.43	1.40	1.40	1.40	1.41	-	36,580	5,157	1.409
SM	1.35	180367	-	1.35	1.34	1.34	1.34	1.35	(0.01)	7,268	979	1.346
TH	1.07	180367	1.08	1.11	1.07	1.09	1.09	1.10	0.02	43,841	4,790	1.092
TH-W3	0.38	180367	0.39	0.44	0.38	0.41	0.39	0.41	0.03	19,781	811	0.41
THANI	2.22	180367	2.24	2.30	2.24	2.28	2.28	2.30	0.06	83,306	18,904	2.269
THANI13C2407A	0.07	180367	-	-	-	-	0.09	0.10	-	-	-	0
THANI19C2407A	0.11	180367	-	-	-	-	0.12	0.13	-	-	-	0
TIDLOR	22.40	180367	22.20	22.50	22.10	22.30	22.30	22.40	(0.10)	44,194	98,694	22.332
TIDLOR01C2405A	0.12	180367	0.12	0.12	0.11	0.11	0.11	0.12	(0.01)	14,580	165	0.113
TIDLOR01C2407A	0.26	180367	-	0.26	0.25	0.25	0.25	0.26	(0.01)	17,265	439	0.254
TIDLOR01P2404X	0.10	180367	-	0.10	0.10	0.10	0.10	0.11	-	19,596	196	0.1
TIDLOR06C2403A												

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ASIAN	6.75	180367	6.75	6.80	6.65	6.75	6.75	6.80	-	6,063	4,082	6.733
BR	2.58	180367	2.58	2.58	2.54	2.56	2.54	2.56	(0.02)	3,247	831	2.558
BR-W1	0.14	180367	-	0.14	0.12	0.13	0.13	0.14	(0.01)	1,223	15	0.124
BRR	4.40	180367	4.40	4.60	4.40	4.54	4.52	4.54	0.14	4,705	2,125	4.516
BRR-W2	0.49	180367	0.53	0.57	0.50	0.50	0.49	0.50	0.01	3,855	202	0.522
BTG	21.40	180367	21.40	22.20	21.40	22.00	22.00	22.10	0.60	32,131	70,441	21.923
CBG	64.00	180367	64.25	64.50	63.50	63.75	63.50	63.75	(0.25)	18,986	121,340	63.91
CBG01C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
CBG01C2404T	0.04	180367	-	-	-	-	0.01	0.02	-	-	-	0
CBG01C2406A	0.07	180367	-	0.05	0.05	0.05	0.05	0.06	(0.02)	5,060	25	0.05
CBG01C2407A	0.17	180367	-	0.17	0.15	0.15	0.15	0.16	(0.02)	15,307	244	0.159
CBG01C2408A	0.40	180367	0.39	0.41	0.39	0.39	0.38	0.39	(0.01)	7,288	293	0.402
CBG01P2404X	0.24	180367	-	0.24	0.21	0.24	0.24	0.25	-	16,976	399	0.234
CBG01P2405X	0.82	180367	-	0.87	0.82	0.87	0.87	0.89	0.05	6,629	571	0.862
CBG01P2408X	0.62	180367	-	0.64	0.61	0.64	0.64	0.65	0.02	8,248	523	0.633
CBG06C2405A	0.05	180367	-	-	-	-	-	-	-	-	-	0
CBG11C2404A	0.09	180367	-	-	-	-	0.08	0.09	-	-	-	0
CBG11C2408A	0.36	180367	-	0.36	0.34	0.34	0.34	0.35	(0.02)	8,670	304	0.35
CBG11P2404A	0.30	180367	-	0.31	0.28	0.31	0.31	0.32	0.01	3,200	97	0.301
CBG13C2406A	0.06	180367	-	0.06	0.04	0.04	0.04	0.05	(0.02)	7,722	39	0.05
CBG13C2407A	0.17	180367	0.17	0.18	0.16	0.16	0.16	0.17	(0.01)	38,907	630	0.161
CBG13C2408A	0.39	180367	-	0.41	0.37	0.38	0.38	0.39	(0.01)	55,519	2,144	0.386
CBG13P2404A	0.09	180367	-	0.09	0.09	0.09	0.09	0.10	-	1	-	0.09
CBG13P2408A	0.53	180367	-	0.56	0.53	0.55	0.54	0.55	0.02	52,293	2,868	0.548
CBG19C2405A	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
CBG19C2406A	0.09	180367	-	-	-	-	0.06	0.07	-	-	-	0
CBG19C2407A	0.15	180367	-	0.15	0.14	0.14	0.14	0.15	(0.01)	6,812	99	0.145
CBG19C2408A	0.33	180367	-	0.34	0.31	0.32	0.32	0.33	(0.01)	13,950	450	0.322
CBG19P2404A	0.20	180367	-	0.21	0.18	0.20	0.20	0.21	-	9,241	179	0.193
CBG19P2407A	0.70	180367	-	0.73	0.69	0.73	0.73	0.74	0.03	890	63	0.703
CBG41C2404A	0.06	180367	-	-	-	-	0.01	0.03	-	-	-	0
CBG41C2406A	0.06	180367	-	-	-	-	0.05	0.07	-	-	-	0
CBG41C2407A	0.16	180367	-	0.16	0.15	0.15	0.14	0.15	(0.01)	8,198	128	0.156
CBG41C2407B	0.33	180367	0.33	0.34	0.31	0.32	0.32	0.33	(0.01)	67,015	2,171	0.323
CBG41C2408A	0.35	180367	0.35	0.36	0.33	0.34	0.34	0.35	(0.01)	34,910	1,198	0.343
CFRESH	1.70	180367	1.70	1.70	1.69	1.70	1.69	1.70	-	1,355	229	1.692
CH	2.52	180367	2.52	2.52	2.48	2.50	2.48	2.50	(0.02)	4,642	1,161	2.501
CHOTI	109.00	180367	-	-	-	-	107.00	112.50	-	-	-	0
CM	2.28	180367	2.30	2.36	2.28	2.34	2.32	2.34	0.06	1,056	244	2.31
COCOCO	10.80	180367	10.90	11.10	10.80	10.80	10.80	10.90	-	199,383	217,741	10.92
CPF	18.80	180367	18.60	18.90	18.60	18.70	18.60	18.70	(0.10)	52,630	98,535	18.722
CPF01C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
CPF01C2407A	0.24	180367	-	0.23	0.22	0.22	0.22	0.23	(0.02)	20,754	460	0.221
CPF01P2404X	0.08	180367	-	-	-	-	0.02	0.03	-	-	-	0
CPF01P2408T	0.31	180367	-	0.32	0.31	0.32	0.32	0.33	0.01	12,336	393	0.318
CPF11P2407T	0.27	180367	-	0.27	0.27	0.27	0.27	0.28	-	1,140	31	0.27
CPF13C2404A	0.06	180367	-	-	-	-	0.01	0.02	-	-	-	0
CPF13C2406A	0.21	180367	-	0.21	0.20	0.20	0.20	0.21	(0.01)	11,150	226	0.202
CPF13P2405A	0.07	180367	-	0.06	0.06	0.06	0.05	0.06	(0.01)	200	1	0.06
CPF19C2404A	0.07	180367	-	-	-	-	0.03	0.04	-	-	-	0
CPI	2.60	180367	2.62	2.62	2.58	2.58	2.58	2.60	(0.02)	957	248	2.587
F&D	28.25	180367	-	28.25	28.00	28.00	28.00	28.25	(0.25)	13	36	28.019
GLOCON	0.27	180367	0.26	0.27	0.26	0.27	0.26	0.27	-	19,800	522	0.263
GLOCON-W5	0.01	180367	-	-	-	-	-	-	-	-	-	0
HTC	18.00	180367	18.10	18.10	17.70	17.80	17.70	17.80	(0.20)	4,093	7,320	17.884
ICHI	17.90	180367	17.90	17.90	17.70	17.80	17.80	17.90	(0.10)	30,803	54,789	17.787
ICHI01C2405A	0.29	180367	-	0.28	0.27	0.27	0.27	0.28	(0.02)	1,760	48	0.272
ICHI13C2405A	0.25	180367	-	0.25	0.22	0.24	0.24	0.25	(0.01)	5,711	134	0.235
ICHI19C2405A	0.25	180367	-	0.25	0.23	0.24	0.24	0.25	(0.01)	8,389	202	0.24
ITC	19.20	180367	19.20	19.30	19.10	19.20	19.20	19.30	-	30,610	58,775	19.201
ITC01C2405A	0.06	180367	0.06	0.06	0.06	0.06	0.05	0.06	-	1,000	6	0.06
ITC13C2406A	0.13	180367	-	0.13	0.13	0.13	0.13	0.14	-	8,734	114	0.13
JDF	2.56	180367	2.58	2.70	2.56	2.64	2.62	2.64	0.08	27,022	7,170	2.653
KBS	5.65	180367	5.65	5.70	5.60	5.60	5.55	5.60	(0.05)	4,410	2,491	5.647
KCG	9.25	180367	9.20	9.35	9.20	9.30	9.30	9.35	0.05	18,058	16,786	9.295
KSL	2.34	180367	2.34	2.38	2.32	2.36	2.34	2.36	0.02	14,824	3,501	2.361
KTIS	3.60	180367	-	3.60	3.58	3.60	3.58	3.60	-	12	4	3.583
LST	5.20	180367	5.20	5.25	5.15	5.20	5.15	5.20	-	1,420	737	5.188
M	36.25	180367	36.25	36.75	36.00	36.00	36.00	36.25	(0.25)	9,248	33,585	36.316
MALEE	13.60	180367	13.70	13.80	12.90	13.00	13.00	13.10	(0.60)	61,601	81,668	13.257
NRF	5.25	180367	5.20	5.25	5.10	5.10	5.10	5.15	(0.15)	90,350	46,578	5.155
NSL	21.40	180367	-	21.40	21.20	21.40	21.30	21.40	-	1,682	3,589	21.338
OSP	20.40	180367	20.40	20.40	19.90	20.10	20.00	20.10	(0.30)	107,890	216,993	20.112
OSP01C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
OSP01C2406A	0.10	180367	-	0.10	0.09	0.09	0.09	0.10	(0.01)	8,249	82	0.099
OSP01C2408A	0.46	180367	0.45	0.45	0.40	0.41	0.41	0.42	(0.05)	22,474	925	0.411
OSP01P2408X	0.35	180367	-	0.37	0.35	0.36	0.36	0.37	0.01	15,639	567	0.362
OSP13C2405A	0.07	180367	-	0.04	0.04	0.04	0.03	0.04	(0.03)	2,010	8	0.04
OSP13C2408A	0.38	180367	-	0.35	0.31	0.33	0.33	0.34	(0.05)	49,431	1,634	0.33
OSP19C2404A	0.09	180367	-	-	-	-	0.01	0.02	-	-	-	0
PB	66.75	180367	67.00	67.00	66.75	67.00	66.50	67.00	0.25	15	100	66.833
PLUS	8.10	180367	8.10	8.20	7.85	7.85	7.85	8.00	(0.25)	54,253	43,483	8.014
PM	7.10	180367	7.10	7.10	7.05	7.10	7.05	7.10	-	1,880	1,330	7.076
PQS	2											

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SAPPE01C2405A	0.33	180367	-	0.35	0.33	0.34	0.33	0.34	0.01	222	8	0.34
SAPPE13C2406A	0.32	180367	-	0.34	0.31	0.31	0.31	0.32	(0.01)	19,791	640	0.323
SAUCE	42.75	180367	43.00	43.00	42.00	42.75	42.50	42.75	-	29	123	42.482
SNNP	16.90	180367	17.00	17.00	16.70	16.70	16.60	16.70	(0.20)	24,088	40,464	16.798
SNNP01C2407A	0.10	180367	-	0.10	0.10	0.10	0.09	0.10	-	5	-	0.1
SNNP13C2406A	0.10	180367	-	0.08	0.08	0.08	0.08	0.09	(0.02)	100	1	0.08
SNNP19C2407A	0.11	180367	-	-	-	-	0.09	0.10	-	-	-	0
SNP	15.10	180367	15.00	15.10	14.90	15.00	14.90	15.00	(0.10)	194	291	14.974
SORKON	4.24	180367	-	4.28	4.24	4.26	4.24	4.26	0.02	190	81	4.251
SSC	36.00	180367	-	34.50	34.50	34.50	34.75	36.50	(1.50)	1	3	34.5
SSF	7.85	180367	7.80	7.80	7.80	7.80	7.70	7.80	(0.05)	1	1	7.8
SST	5.25	180367	-	5.30	5.30	5.30	5.25	5.30	0.05	1	1	5.3
SUN	5.90	180367	5.95	6.00	5.85	5.95	5.95	6.00	0.05	18,787	11,161	5.94
TC	5.80	180367	-	5.90	5.80	5.80	5.80	5.85	-	367	213	5.802
TFG	3.38	180367	3.36	3.40	3.34	3.38	3.38	3.40	-	8,913	3,002	3.368
TFG-W3	0.01	180367	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
TFMAMA	212.00	180367	-	214.00	213.00	213.00	213.00	214.00	1.00	4	86	213.75
TIPCO	10.20	180367	10.20	10.20	10.10	10.10	10.10	10.20	(0.10)	5,811	5,890	10.136
TKN	10.70	180367	10.70	10.90	10.50	10.50	10.50	10.60	(0.20)	99,554	106,234	10.671
TKN01C2405A	0.36	180367	-	0.35	0.29	0.29	0.29	0.31	(0.07)	12,679	411	0.324
TKN01C2405B	0.13	180367	-	0.12	0.10	0.10	0.10	0.11	(0.03)	31,208	344	0.11
TKN01C2408A	0.24	180367	-	0.24	0.22	0.22	0.21	0.22	(0.02)	37,870	873	0.23
TKN01P2405X	0.05	180367	-	-	-	-	0.05	0.06	-	-	-	0
TKN13C2405A	0.51	180367	-	-	-	-	0.26	0.30	-	-	-	0
TKN13C2406A	0.16	180367	-	0.17	0.15	0.15	0.14	0.15	(0.01)	31,315	481	0.153
TKN13P2406A	0.09	180367	0.09	0.09	0.08	0.08	0.10	0.11	(0.01)	2,010	18	0.089
TKN19C2406A	0.15	180367	-	0.15	0.13	0.13	0.13	0.14	(0.02)	102,034	1,490	0.146
TU	14.30	180367	14.40	14.50	14.30	14.40	14.40	14.50	0.10	90,442	130,253	14.401
TU01C2404A	0.06	180367	-	0.05	0.05	0.05	0.05	0.06	(0.01)	3,200	16	0.05
TU01C2407A	0.10	180367	-	0.10	0.10	0.10	0.09	0.10	-	1	-	0.1
TU01C2408A	0.24	180367	0.24	0.24	0.24	0.24	0.24	0.25	-	12,794	307	0.24
TU01P2407X	0.30	180367	-	0.27	0.27	0.27	0.27	0.28	(0.03)	4,262	115	0.27
TU11C2407T	0.15	180367	-	-	-	-	0.15	0.16	-	-	-	0
TU13C2404A	0.03	180367	-	-	-	-	0.02	0.03	-	-	-	0
TU13C2408A	0.21	180367	-	0.21	0.20	0.20	0.20	0.21	(0.01)	250	5	0.208
TU13P2406A	0.21	180367	-	-	-	-	0.20	0.21	-	-	-	0
TU19C2407A	0.21	180367	-	0.20	0.20	0.20	0.20	0.21	(0.01)	12,136	243	0.2
TU41C2407A	0.10	180367	0.11	0.11	0.11	0.11	0.11	0.12	0.01	5,020	55	0.11
TVO	20.10	180367	20.10	20.20	20.00	20.00	20.00	20.10	(0.10)	6,823	13,681	20.051
TWPC	3.58	180367	3.58	3.66	3.58	3.64	3.64	3.66	0.06	512	185	3.621
W	0.72	180367	0.72	0.74	0.71	0.73	0.72	0.73	0.01	21,799	1,580	0.724
W-W5	0.01	180367	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
W-W6	0.39	180367	-	0.45	0.39	0.39	0.35	0.43	-	353	14	0.401
ZEN	8.35	180367	-	8.40	8.15	8.25	8.20	8.25	(0.10)	2,868	2,363	8.24
Health Care Services												
AHC	17.90	180367	-	18.20	18.00	18.20	18.00	18.20	0.30	214	385	18.01
BCH	22.10	180367	22.10	22.20	21.90	22.00	21.90	22.00	(0.10)	62,842	138,779	22.083
BCH01C2404A	0.09	180367	-	0.08	0.08	0.08	0.06	0.07	(0.01)	2	-	0.08
BCH01C2407A	0.26	180367	0.26	0.27	0.25	0.26	0.25	0.26	-	37,393	966	0.258
BCH01P2407X	0.31	180367	-	0.32	0.30	0.32	0.32	0.33	0.01	9,132	286	0.312
BCH11C2407A	0.37	180367	-	0.37	0.35	0.36	0.35	0.36	(0.01)	12,680	458	0.361
BCH13C2404A	0.03	180367	0.03	0.03	0.03	0.03	0.02	0.03	-	10,100	30	0.03
BCH13C2407A	0.23	180367	-	0.23	0.22	0.23	0.22	0.23	-	13,552	309	0.228
BCH13P2406A	0.17	180367	-	0.17	0.17	0.17	0.17	0.18	-	12,724	216	0.17
BCH19C2406A	0.14	180367	-	0.15	0.14	0.14	0.14	0.15	-	3,676	53	0.143
BCH41C2407A	0.27	180367	-	0.27	0.27	0.27	0.26	0.27	-	8,010	216	0.27
BDMS	29.00	180367	29.00	29.00	28.75	28.75	28.75	29.00	(0.25)	114,043	328,695	28.822
BDMS01C2405A	0.17	180367	-	0.17	0.15	0.15	0.15	0.17	(0.02)	1,950	30	0.153
BDMS01C2408A	0.19	180367	-	-	-	-	0.18	0.19	-	-	-	0
BDMS01P2407X	0.14	180367	-	-	-	-	0.14	0.15	-	-	-	0
BDMS13C2404A	0.07	180367	-	-	-	-	0.03	0.05	-	-	-	0
BDMS13C2408A	0.19	180367	-	0.18	0.18	0.18	0.18	0.20	(0.01)	60	1	0.18
BDMS13P2407A	0.17	180367	-	0.17	0.17	0.17	0.17	0.18	-	139	2	0.17
BDMS19C2405A	0.16	180367	-	-	-	-	0.13	0.14	-	-	-	0
BDMS19C2407A	0.16	180367	-	-	-	-	0.15	0.16	-	-	-	0
BDMS41C2404A	0.10	180367	-	-	-	-	0.07	0.09	-	-	-	0
BDMS41C2405A	0.19	180367	-	-	-	-	0.15	0.16	-	-	-	0
BDMS41C2407A	0.21	180367	-	0.18	0.18	0.18	0.18	0.19	(0.03)	70	1	0.18
BDMS41C2408A	0.17	180367	-	-	-	-	0.16	0.17	-	-	-	0
BH	231.00	180367	230.00	234.00	230.00	232.00	231.00	232.00	1.00	36,415	844,493	231.907
BH-P	22.80	180367	-	-	-	-	23.70	-	-	-	-	0
BH-Q	23.40	180367	-	-	-	-	29.25	-	-	-	-	0
BH01C2404A	0.07	180367	-	-	-	-	0.03	0.04	-	-	-	0
BH01C2405A	0.20	180367	-	0.22	0.19	0.20	0.20	0.21	-	31,029	628	0.202
BH01C2408A	0.40	180367	0.41	0.43	0.40	0.41	0.41	0.42	0.01	33,312	1,366	0.409
BH01P2405X	0.05	180367	-	0.04	0.04	0.04	0.04	0.05	(0.01)	666	3	0.04
BH01P2406X	0.26	180367	-	0.25	0.23	0.24	0.24	0.25	(0.02)	8,508	208	0.244
BH06C2404A	0.11	180367	-	-	-	-	-	-	-	-	-	0
BH11C2404A	0.08	180367	-	-	-	-	0.02	0.04	-	-	-	0
BH11C2406A	0.24	180367	-	0.26	0.24	0.24	0.24	0.25	-	8,480	211	0.249
BH13C2404A	0.01	180367	-	0.01	0.01	0.01	0.01	0.02	-	202	-	0.01
BH13C2404B	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
BH13C2405A	0.10	180367	-	0.11	0.10	0.10	0.10	0.11	-	47,482	483	0.101
BH13C2407A	0.36	180367	-	0.39	0.36	0.37	0.37	0.38	0.01	83,192	3,087	0.371
BH13P2406A	0.14	180367	-	0.13	0.13	0.13	0.13	0.14	(0.01)	9,086	118	

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous						Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date	Open	High	Low								
CHG13P2406A	0.23	180367	-	0.24	0.23	0.24	0.24	0.26	0.01	-	14,547	339	0.233
CHG19C2404A	0.07	180367	-	-	-	-	0.01	0.02	-	-	-	-	0
CHG19C2408A	0.22	180367	-	0.21	0.21	0.21	0.20	0.21	(0.01)	-	2,358	50	0.21
CMR	2.08	180367	2.10	2.10	2.04	2.04	2.04	2.08	(0.04)	-	241	50	2.073
EKH	7.80	180367	7.85	7.85	7.80	7.85	7.80	7.85	0.05	-	2,241	1,757	7.838
EKH-W1	1.48	180367	-	1.51	1.50	1.51	1.51	1.52	0.03	-	303	45	1.5
KDH	96.50	180367	93.00	94.00	92.00	92.00	92.00	94.75	(4.50)	-	7	65	93.428
LPH	4.72	180367	4.72	4.72	4.70	4.70	4.70	4.72	(0.02)	-	185	87	4.706
M-CHAI	67.50	180367	-	67.50	67.25	67.25	67.00	67.25	(0.25)	-	19	128	67.263
NEW	110.00	180367	-	-	-	-	83.00	110.00	-	-	-	-	0
NTV	38.25	180367	36.50	37.00	36.25	37.00	36.75	37.00	(1.25)	-	381	1,399	36.706
PHG	14.60	180367	14.60	14.60	14.40	14.40	14.30	14.40	(0.20)	-	4,137	5,972	14.436
PR9	19.50	180367	19.50	19.50	19.30	19.50	19.40	19.50	-	-	9,115	17,705	19.424
PRINC	4.02	180367	4.04	4.10	4.02	4.08	4.06	4.08	0.06	-	3,509	1,424	4.059
RAM	30.50	180367	30.50	30.75	30.25	30.25	30.25	30.50	(0.25)	-	673	2,044	30.377
RJH	25.50	180367	25.75	25.75	25.25	25.50	25.25	25.50	-	-	297	757	25.501
RPH	6.30	180367	6.30	6.35	6.30	6.30	6.25	6.30	-	-	2,903	1,831	6.307
SAFE	20.30	180367	20.30	20.70	20.30	20.60	20.50	20.60	0.30	-	15,564	32,017	20.571
SKR	10.20	180367	10.10	10.40	10.10	10.20	10.20	10.30	-	-	2,797	2,845	10.172
THG	43.00	180367	43.00	43.50	41.25	41.25	41.00	41.25	(1.75)	-	9,040	38,068	42.11
VIBHA	2.02	180367	2.02	2.04	1.99	2.00	2.00	2.02	(0.02)	-	118,265	23,682	2.002
VIBHA-W4	0.05	180367	0.05	0.06	0.05	0.05	0.05	0.06	-	-	272,822	1,375	0.05
VIH	7.75	180367	7.75	7.75	7.65	7.75	7.70	7.75	-	-	5,656	4,343	7.679
WPH	8.15	180367	8.15	8.35	7.95	8.15	8.15	8.20	-	-	14,954	12,227	8.176
Tourism & Leisure													
ASIA	6.55	180367	-	6.55	6.55	6.55	6.50	6.60	-	-	15	10	6.55
BEYOND	11.70	180367	11.70	12.30	11.70	11.80	11.70	11.80	0.10	-	1,325	1,569	11.84
BEYOND-W2	1.66	180367	-	1.90	1.70	1.75	1.70	1.75	0.09	-	425	76	1.783
CENTEL	42.75	180367	42.75	43.00	42.25	42.75	42.75	43.00	-	-	12,612	53,904	42.74
CENTEL01C2405A	0.09	180367	-	-	-	-	0.08	0.09	-	-	-	-	0
CENTEL01C2408A	0.27	180367	0.27	0.28	0.26	0.27	0.27	0.28	-	-	5,890	161	0.272
CENTEL01P2404X	0.07	180367	-	-	-	-	0.03	0.04	-	-	-	-	0
CENTEL13C2405A	0.08	180367	-	-	-	-	0.06	0.07	-	-	-	-	0
CENTEL13C2407A	0.21	180367	-	0.21	0.20	0.20	0.20	0.21	(0.01)	-	38,217	785	0.205
CENTEL13P2404A	0.08	180367	-	-	-	-	0.01	0.02	-	-	-	-	0
CENTEL19C2405A	0.08	180367	-	-	-	-	0.06	0.07	-	-	-	-	0
CENTEL19C2408A	0.25	180367	0.25	0.26	0.24	0.25	0.24	0.25	-	-	23,965	602	0.251
CENTEL41C2405A	0.09	180367	-	-	-	-	0.05	0.07	-	-	-	-	0
CENTEL41C2406A	0.14	180367	0.14	0.15	0.13	0.13	0.14	0.15	(0.01)	-	10,115	148	0.146
CENTEL41C2408A	0.28	180367	0.27	0.28	0.26	0.27	0.27	0.28	(0.01)	-	22,020	597	0.27
CSR	67.75	180367	-	-	-	-	65.25	67.50	-	-	-	-	0
DUSIT	9.00	180367	8.95	9.10	8.95	9.05	9.00	9.05	0.05	-	388	350	9.024
ERW	4.60	180367	4.62	4.62	4.56	4.60	4.58	4.60	-	-	74,752	34,327	4.592
ERW-W3	1.56	180367	-	1.57	1.50	1.54	1.54	1.56	(0.02)	-	2,212	342	1.545
ERW01C2405A	0.04	180367	-	-	-	-	0.02	0.03	-	-	-	-	0
ERW13C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	-	0
ERW13C2406A	0.07	180367	-	-	-	-	0.05	0.06	-	-	-	-	0
ERW13C2407A	0.28	180367	-	0.28	0.27	0.28	0.28	0.29	-	-	126,221	3,489	0.276
ERW19C2405A	0.06	180367	-	-	-	-	0.02	0.03	-	-	-	-	0
ERW41C2406A	0.09	180367	-	-	-	-	0.05	0.07	-	-	-	-	0
GRAND	0.14	180367	0.15	0.15	0.14	0.15	0.14	0.15	0.01	-	5,549	79	0.142
LRH	41.25	180367	-	41.00	40.75	41.00	40.50	41.00	(0.25)	-	2	8	40.875
MANRIN	32.25	180367	32.25	32.25	32.25	32.25	32.25	33.50	-	-	169	545	32.25
MINT	33.00	180367	32.75	33.00	32.75	33.00	32.75	33.00	-	-	27,664	91,115	32.936
MINT01C2404A	0.07	180367	-	-	-	-	0.06	0.07	-	-	-	-	0
MINT01C2406A	0.28	180367	-	0.27	0.27	0.27	0.27	0.29	(0.01)	-	4,000	108	0.27
MINT01C2408A	0.22	180367	0.22	0.22	0.22	0.22	0.22	0.23	-	-	1	-	0.22
MINT01P2404X	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	-	0
MINT01P2406X	0.11	180367	-	-	-	-	0.11	0.12	-	-	-	-	0
MINT06C2405A	0.11	180367	-	-	-	-	-	-	-	-	-	-	0
MINT11C2403A	0.06	180367	-	-	-	-	0.02	0.04	-	-	-	-	0
MINT11C2406A	0.27	180367	-	-	-	-	0.27	0.28	-	-	-	-	0
MINT13C2404A	0.08	180367	-	-	-	-	0.07	0.09	-	-	-	-	0
MINT13C2406A	0.27	180367	-	-	-	-	0.25	0.28	-	-	-	-	0
MINT13C2407A	0.19	180367	-	-	-	-	0.19	0.20	-	-	-	-	0
MINT13P2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	-	0
MINT13P2407A	0.11	180367	-	0.11	0.11	0.11	0.11	0.12	-	-	30	-	0.11
MINT19C2404A	0.13	180367	-	-	-	-	0.12	0.14	-	-	-	-	0
MINT19C2406A	0.20	180367	-	0.20	0.20	0.20	0.20	0.21	-	-	800	16	0.2
MINT41C2404A	0.09	180367	-	-	-	-	0.09	0.11	-	-	-	-	0
MINT41C2405A	0.32	180367	-	-	-	-	0.33	0.35	-	-	-	-	0
MINT41C2406A	0.23	180367	-	-	-	-	0.23	0.24	-	-	-	-	0
MINT41C2408A	0.16	180367	0.16	0.16	0.16	0.16	0.16	0.17	-	-	6,256	100	0.16
OHTL	406.00	180367	-	428.00	404.00	428.00	410.00	424.00	22.00	-	9	374	415.111
ROH	2.50	180367	-	-	-	-	2.42	2.50	-	-	-	-	0
SHANG	48.50	180367	-	-	-	-	47.50	48.50	-	-	-	-	0
SHR	2.64	180367	2.66	2.66	2.60	2.60	2.60	2.62	(0.04)	-	50,636	13,275	2.621
VRANDA	5.55	180367	-	5.55	5.45	5.55	5.45	5.55	-	-	1,934	1,062	5.491
Home & Office Produc													
AJA	0.29	180367	0.29	0.30	0.29	0.30	0.29	0.30	0.01	-	212,094	6,274	0.295
AJA-W3	0.10	180367	0.10	0.11	0.10	0.11	0.10	0.11	0.01	-	42,537	462	0.108
AJA-W4	0.13	180367	0.13	0.13	0.12	0.13	0.13	0.14	-	-	25,106	326	0.13
DTCI	40.50	180367	-	38.00	34.00	34.00	32.25	34.00	(6.50)	-	17	60	35.558
FANCY	0.45	180367	0.46	0.48	0.45	0.47	0.46	0.47	0.02	-	25,469	1,200	0.4

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BUI	21.50	180367	20.90	21.50	20.80	20.90	20.90	21.00	(0.60)	313	657	20.986
CHARAN	24.00	180367	-	23.90	23.70	23.70	23.50	23.90	(0.30)	17	40	23.752
INSURE	116.50	180367	-	-	-	-	111.00	118.50	-	-	-	0
KWI	0.60	180367	0.63	0.68	0.60	0.62	0.62	0.63	0.02	14,405	921	0.639
MTI	112.00	180367	111.00	111.00	109.00	109.50	109.50	110.00	(2.50)	57	627	109.973
NKI	26.50	180367	-	26.50	26.50	26.50	26.25	26.75	-	8	21	26.5
SMK	0.80	180367	-	-	-	-	-	-	-	-	-	0
TGH	16.50	180367	-	16.50	16.50	16.50	16.40	16.60	-	5	8	16.5
THRE	0.89	180367	0.89	0.91	0.88	0.89	0.89	0.90	-	30,928	2,764	0.893
THREL	2.24	180367	2.26	2.26	2.18	2.18	2.18	2.20	(0.06)	17,686	3,931	2.222
TIPH	30.75	180367	31.00	31.25	30.75	31.25	31.00	31.25	0.50	7,920	24,638	31.107
TIPH13C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
TIPH13C2407A	0.15	180367	-	0.16	0.16	0.16	0.16	0.17	0.01	1,760	28	0.16
TIPH19C2404A	0.02	180367	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
TIPH19C2407A	0.21	180367	0.22	0.23	0.22	0.22	0.23	0.24	0.01	7,184	160	0.223
TLI	9.35	180367	9.30	9.45	9.25	9.30	9.25	9.30	(0.05)	100,021	93,357	9.334
TLI01C2404A	0.02	180367	-	0.01	0.01	0.01	0.01	0.02	(0.01)	5,000	5	0.01
TLI01C2406A	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
TLI01C2406B	0.16	180367	-	0.15	0.14	0.14	0.14	0.15	(0.02)	8,780	126	0.143
TLI01C2408A	0.36	180367	-	0.37	0.35	0.35	0.35	0.36	(0.01)	8,083	288	0.356
TLI13C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
TLI13C2405A	0.07	180367	-	-	-	-	0.05	0.06	-	-	-	0
TLI13C2407A	0.34	180367	-	0.34	0.32	0.32	0.32	0.33	(0.02)	20,151	658	0.326
TLI19C2404A	0.07	180367	-	-	-	-	0.01	0.02	-	-	-	0
TLI19C2407A	0.33	180367	0.32	0.33	0.31	0.31	0.31	0.32	(0.02)	19,396	618	0.318
TLI41C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
TLI41C2404B	0.01	180367	-	-	-	-	0.01	0.03	-	-	-	0
TLI41C2405A	0.11	180367	0.10	0.11	0.10	0.10	0.10	0.11	(0.01)	23,990	244	0.101
TLI41C2405B	0.06	180367	-	-	-	-	0.02	0.04	-	-	-	0
TLI41C2406A	0.29	180367	-	0.31	0.30	0.31	0.30	0.32	0.02	4,000	122	0.305
TQM	26.75	180367	26.75	27.00	26.50	27.00	26.75	27.00	0.25	1,526	4,089	26.796
TQM13C2407A	0.12	180367	-	-	-	-	0.13	0.14	-	-	-	0
TQM19C2404A	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
TQM19C2407A	0.15	180367	-	-	-	-	0.16	0.17	-	-	-	0
TSI	0.15	180367	0.14	0.15	0.14	0.14	0.14	0.15	(0.01)	370	5	0.144
TVH	8.60	180367	-	8.75	8.60	8.70	8.65	8.75	0.10	240	209	8.695
Packaging												
AJ	5.95	180367	-	5.95	5.85	5.90	5.85	5.90	(0.05)	542	319	5.885
ALUCON	181.00	180367	-	-	-	-	178.50	180.00	-	-	-	0
BGC	7.30	180367	7.30	7.35	7.25	7.30	7.25	7.30	-	187	136	7.295
CSC	43.00	180367	43.75	43.75	43.50	43.50	43.25	43.75	0.50	7	31	43.571
CSC-P	150.00	180367	-	-	-	-	-	-	-	-	-	0
CSC-Q	76.00	180367	-	-	-	-	-	-	-	-	-	0
NEP	0.21	180367	-	0.22	0.21	0.22	0.21	0.22	0.01	35	1	0.21
PJW	3.06	180367	3.08	3.16	3.06	3.08	3.08	3.10	0.02	6,496	2,015	3.102
PJW-W1	0.24	180367	0.24	0.27	0.23	0.23	0.23	0.24	(0.01)	45,886	1,150	0.25
PTL	9.95	180367	10.00	10.10	9.90	9.95	9.90	9.95	-	9,279	9,269	9.988
SCGP	29.75	180367	29.75	30.00	29.25	29.50	29.50	29.75	(0.25)	88,159	260,325	29.529
SCGP01C2405A	0.03	180367	-	-	-	-	0.02	0.03	-	-	-	0
SCGP01C2406A	0.08	180367	-	0.05	0.05	0.05	0.05	0.06	(0.03)	2,000	10	0.05
SCGP01C2408A	0.16	180367	0.16	0.16	0.15	0.15	0.15	0.16	(0.01)	14,559	220	0.151
SCGP01P2405A	0.34	180367	-	0.34	0.32	0.34	0.34	0.36	-	1,704	57	0.334
SCGP01P2408X	0.20	180367	-	0.21	0.20	0.20	0.20	0.21	-	7,233	145	0.2
SCGP06C2403A	0.11	180367	-	-	-	-	-	-	-	-	-	0
SCGP06C2406A	0.09	180367	-	-	-	-	-	0.16	-	-	-	0
SCGP11C2405A	0.03	180367	-	-	-	-	0.01	0.03	-	-	-	0
SCGP11C2407T	0.13	180367	-	0.14	0.13	0.13	0.13	0.14	-	6,520	85	0.131
SCGP13C2405A	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SCGP13C2406A	0.04	180367	-	-	-	-	0.04	0.05	-	-	-	0
SCGP13C2407A	0.15	180367	-	0.16	0.14	0.15	0.14	0.15	-	29,659	444	0.149
SCGP13P2405A	0.28	180367	-	-	-	-	0.19	0.22	-	-	-	0
SCGP13P2408A	0.16	180367	-	0.18	0.16	0.17	0.17	0.18	0.01	32,553	554	0.17
SCGP19C2405A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2406A	0.04	180367	-	-	-	-	0.06	0.07	-	-	-	0
SCGP19C2407A	0.19	180367	-	0.18	0.17	0.17	0.17	0.18	(0.02)	87,583	1,519	0.173
SCGP41C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
SCGP41C2405A	0.03	180367	-	-	-	-	0.01	0.03	-	-	-	0
SCGP41C2406A	0.03	180367	-	-	-	-	0.04	0.06	-	-	-	0
SCGP41C2407A	0.16	180367	-	0.16	0.14	0.15	0.15	0.16	(0.01)	23,300	351	0.15
SFLEX	3.28	180367	3.28	3.28	3.16	3.16	3.16	3.18	(0.12)	11,701	3,753	3.207
SFLEX-W2	0.17	180367	0.18	0.18	0.17	0.17	0.17	0.18	-	970	17	0.173
SiTHAI	1.20	180367	1.21	1.22	1.19	1.21	1.20	1.21	0.01	7,260	875	1.205
SLP	0.43	180367	0.42	0.45	0.42	0.43	0.43	0.44	-	2,662	118	0.444
SMPC	8.75	180367	8.75	8.85	8.75	8.75	8.75	8.80	-	1,120	985	8.794
SPACK	2.10	180367	2.10	2.14	2.06	2.08	2.08	2.10	(0.02)	1,449	303	2.087
TCOAT	23.70	180367	-	-	-	-	23.80	25.00	-	-	-	0
TFI	0.10	180367	-	0.10	0.09	0.10	0.09	0.10	-	287	3	0.098
TFI-W1	0.04	180367	-	0.04	0.03	0.04	0.03	0.04	-	3	-	0.036
THIP	30.25	180367	-	30.25	30.00	30.25	30.00	30.25	-	156	470	30.139
TMD	23.70	180367	23.80	23.80	23.80	23.80	23.80	23.90	0.10	4	10	23.8
TOPP	166.00	180367	-	-	-	-	147.50	169.50	-	-	-	0
TPAC	14.90	180367	14.90	15.70	14.80	15.70	15.60	15.70	0.80	3,144	4,747	15.097
TPBI	4.04	180367	4.06	4.06	3.98	4.02	3.98	4.02	(0.02)	1,660	664	4
TPP	14.60	180367	-	14.60	14.60	14.60	14.50	14.70	-	5	7	14.6
Personal Products												
APCO	5.00	180367	5.00	5.00	4.92	4.96	4.96	4.98	(0.04)	3,653	1,822	4.988
BIZ	3.32	180367	3.34	3.36	3.30	3.30	3.30	3.32	(0.02)	780	260	3.337
BLC	5.05	180367	5.05	5.25	5.05	5.15	5.10	5.15	0.10	27,226	14,047	5.159
DDD	8.50	180367	-	8.55	8.30	8.40	8.30	8.50	(0.10)	444	370	8.338
JCT	78.75	180367	79.00	79.00	79.00	79.00	79.00	79.25	0.25	10	79	79
KISS	6.00	180367	6.00	6.05	5.85	6.00	6.00	6.05	-	12,156	7,223	5.942
NAM	5.40	180367	5.40	5.40	5.20	5.35	5.30	5.35	(0.05)	4,305	2,274	5.282
NV	1.61	180367	1.61	1.63	1.58	1.60	1.60	1.62	(0.01)	3,082	495	1.607
OCC	10.20	180367	-	-	-	-	10.00	10.50	-	-	-	0
S&J	52.50	180367	-	53.25	53.00	53.00	52.50	53.50	0.50	7	37	53.178
STGT	9.45	180367	9.45	9.65	9.40	9.40	9.40	9.45	(0.05)	75,537	71,730	9.496
STGT01C2407A	0.81	180367	0.79	0.85	0.79	0.79	0.77	0.79	(0.02)	4,482	367	0.818
STGT01C2407B	0.48	180367	0.48	0.52	0.47	0.48	0.47	0.48	-	19,852	973	0.489
STGT01P2407X	0.17	180367	0.17	0.17	0.16	0.17	0.17	0.18	-	15,386	252	0.163
STGT13C2407A	0.78	180367	-	-	-	-	0.75	0.78	-	-	-	0
STGT13C2407B	0.47	180367	0.48	0.51	0.46	0.46	0.46	0.47	(0.01)	50,059	2,419	0.483
STGT13C2408A	1.00	180367	-	0.17	0.16	0.16	0.15	0.16	(0.84)	40,360	654	0.162
STGT13P2407A	0.25	180367	-	0.25	0.23	0.25	0.25	0.26	-	23,424	566	0.241

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous Price	Previous Date	Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
STGT19C2404A	0.63	180367	-	-	-	-	0.80	0.85	-	-	-	0
STGT19C2407A	0.58	180367	-	0.60	0.55	0.55	0.55	0.56	(0.03)	15,247	853	0.559
STHAI	0.01	180367	-	-	-	-	-	-	-	-	-	0
TNR	9.05	180367	-	9.15	8.95	8.95	8.90	8.95	(0.10)	29	26	9.005
TOG	11.90	180367	11.90	11.90	11.80	11.90	11.80	11.90	-	1,625	1,924	11.838
Professional Service												
BWG	0.59	180367	0.60	0.60	0.58	0.59	0.59	0.60	-	341,332	20,174	0.591
GENCO	0.53	180367	0.52	0.53	0.52	0.52	0.51	0.52	(0.01)	3,827	199	0.52
PRO	0.35	180367	-	-	-	-	-	-	-	-	-	0
PRTR	4.44	180367	4.42	4.56	4.42	4.50	4.50	4.52	0.06	5,946	2,676	4.5
SISB	44.25	180367	44.50	45.00	44.00	44.25	44.00	44.25	-	12,532	55,670	44.422
SISB13C2405A	0.36	180367	-	0.37	0.37	0.37	0.36	0.38	0.01	8	-	0.37
SISB13C2407A	0.30	180367	-	0.31	0.29	0.29	0.29	0.30	(0.01)	44,929	1,332	0.296
SO	6.80	180367	6.80	6.90	6.75	6.85	6.75	6.85	0.05	596	406	6.814
WAVE	0.16	180367	0.16	0.16	0.15	0.15	0.15	0.16	(0.01)	731,031	11,290	0.154
WAVE-W3	0.06	180367	0.06	0.06	0.05	0.06	0.05	0.06	-	181,430	1,066	0.058
Property Development												
A	5.00	180367	-	5.00	5.00	5.00	4.98	5.00	-	10	5	5
AKS	0.01	180367	0.01	0.01	0.01	0.01	-	0.01	-	6,603	7	0.01
AKS-W5	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
AMATA	23.80	180367	23.70	23.80	23.50	23.60	23.60	23.70	(0.20)	54,427	128,679	23.642
AMATA01C2404A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
AMATA01C2404B	0.06	180367	-	-	-	-	0.02	0.03	-	-	-	0
AMATA01C2407A	0.47	180367	0.47	0.47	0.44	0.44	0.44	0.45	(0.03)	34,710	1,537	0.442
AMATA11C2407A	0.46	180367	-	0.44	0.42	0.42	0.43	0.44	(0.04)	20,400	892	0.437
AMATA13C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
AMATA13C2405A	0.03	180367	-	-	-	-	0.02	0.03	-	-	-	0
AMATA13C2406A	0.29	180367	0.28	0.28	0.26	0.27	0.27	0.28	(0.02)	18,578	502	0.27
AMATA19C2404A	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
AMATA19C2405A	0.05	180367	-	-	-	-	0.03	0.04	-	-	-	0
AMATA19C2407A	0.44	180367	-	0.42	0.40	0.41	0.41	0.42	(0.03)	31,509	1,309	0.415
AMATA41C2407A	0.50	180367	-	0.48	0.46	0.46	0.47	0.49	(0.04)	8,000	377	0.471
AMATA41C2407B	0.34	180367	-	0.33	0.32	0.32	0.32	0.33	(0.02)	38,000	1,241	0.326
AMATAV	5.55	180367	-	5.55	5.50	5.55	5.50	5.55	-	230	127	5.54
ANAN	0.89	180367	0.89	0.89	0.88	0.88	0.88	0.89	(0.01)	14,018	1,235	0.881
AP	10.20	180367	10.30	10.30	10.00	10.00	10.00	10.10	(0.20)	295,899	299,062	10.106
AP11C2404A	0.08	180367	-	-	-	-	0.02	0.03	-	-	-	0
APEX	0.04	180367	-	-	-	-	-	-	-	-	-	0
ASW	8.10	180367	-	8.10	8.00	8.10	8.05	8.10	-	2,648	2,131	8.046
ASW-W1	0.01	180367	-	0.01	0.01	0.01	-	0.01	-	2	-	0.01
ASW-W2	0.02	180367	-	0.02	0.02	0.02	0.01	0.02	-	400	1	0.02
AWC	3.92	180367	3.90	3.92	3.84	3.88	3.86	3.88	(0.04)	432,296	167,345	3.871
AWC01C2404A	0.06	180367	-	-	-	-	0.04	0.05	-	-	-	0
AWC01C2406A	0.19	180367	-	0.18	0.17	0.17	0.17	0.18	(0.02)	12,192	209	0.171
AWC01P2405X	0.21	180367	-	0.23	0.21	0.22	0.22	0.23	0.01	11,630	262	0.225
AWC06C2403A	0.07	180367	-	-	-	-	-	-	-	-	-	0
AWC06C2404A	0.07	180367	-	-	-	-	-	-	-	-	-	0
AWC11C2403A	0.10	180367	-	-	-	-	0.02	0.03	-	-	-	0
AWC11C2408A	0.35	180367	-	0.34	0.32	0.33	0.33	0.34	(0.02)	25,420	825	0.324
AWC13C2404A	0.05	180367	-	-	-	-	0.01	0.02	-	-	-	0
AWC13C2405A	0.18	180367	-	0.17	0.15	0.16	0.16	0.17	(0.02)	49,079	796	0.162
AWC19C2405A	0.22	180367	0.21	0.22	0.18	0.19	0.19	0.20	(0.03)	143,891	2,769	0.192
AWC19C2406A	0.10	180367	0.10	0.10	0.09	0.09	0.09	0.10	(0.01)	7,854	75	0.095
AWC41C2405A	0.04	180367	-	-	-	-	0.02	0.04	-	-	-	0
AWC41C2406A	0.15	180367	0.13	0.14	0.12	0.13	0.13	0.14	(0.02)	48,898	633	0.129
BLAND	0.68	180367	0.69	0.69	0.68	0.69	0.68	0.69	0.01	28,558	1,961	0.686
BRI	7.05	180367	7.10	7.10	7.00	7.00	7.00	7.05	(0.05)	7,956	5,605	7.045
BROCK	1.64	180367	-	1.64	1.63	1.63	1.59	1.63	(0.01)	4	1	1.632
CGD	0.35	180367	-	0.36	0.34	0.36	0.35	0.36	0.01	20,824	733	0.352
CI	0.63	180367	-	0.64	0.60	0.61	0.60	0.61	(0.02)	2,252	139	0.617
CI-W2	0.01	180367	0.01	0.02	0.01	0.02	0.01	0.02	0.01	2,699	3	0.01
CMC	1.23	180367	1.23	1.26	1.22	1.24	1.23	1.24	0.01	5,080	630	1.24
CPN	64.00	180367	64.00	64.50	63.75	64.00	64.00	64.25	-	80,108	513,012	64.04
CPN01C2404A	0.03	180367	-	0.02	0.02	0.02	0.02	0.03	(0.01)	6,000	12	0.02
CPN01C2407A	0.34	180367	-	0.34	0.33	0.33	0.33	0.34	(0.01)	17,895	595	0.332
CPN11C2404A	0.13	180367	-	0.13	0.13	0.13	0.13	0.14	-	11,660	152	0.13
CPN13C2405A	0.08	180367	-	-	-	-	0.05	0.06	-	-	-	0
CPN13C2407A	0.32	180367	-	0.32	0.31	0.31	0.30	0.31	(0.01)	64,881	2,025	0.312
CPN19C2407A	0.26	180367	-	0.27	0.26	0.26	0.26	0.27	-	77,242	2,034	0.263
CPN41C2404A	0.05	180367	-	-	-	-	0.02	0.04	-	-	-	0
CPN41C2405A	0.08	180367	-	-	-	-	0.05	0.07	-	-	-	0
CPN41C2406A	0.27	180367	-	0.27	0.26	0.26	0.26	0.27	(0.01)	33,500	878	0.262
ESTAR	0.25	180367	0.25	0.26	0.25	0.26	0.25	0.26	0.01	1,314	33	0.254
EVER	0.15	180367	0.16	0.16	0.15	0.15	0.15	0.16	-	3,793	58	0.152
FPT	15.10	180367	-	15.10	15.10	15.10	15.00	15.10	-	1	2	15.1
GLAND	1.62	180367	-	1.62	1.62	1.62	1.61	1.64	-	1	-	1.62
J	1.90	180367	1.90	1.93	1.86	1.88	1.87	1.88	(0.02)	3,161	593	1.877
J-W2	0.07	180367	-	0.07	0.03	0.07	0.04	0.07	-	90	1	0.062
J-W3	0.21	180367	-	0.23	0.23	0.23	0.22	0.23	0.02	1	-	0.23
J-W4	0.36	180367	-	0.36	0.33	0.33	0.32	0.33	(0.03)	655	22	0.336
JCK	0.26	180367	0.26	0.27	0.25	0.27	0.26	0.27	0.01	25,047	651	0.26
KC	0.10	180367	0.09	0.10	0.09	0.10	0.09	0.10	-	3,896	35	0.09
LALIN	7.70	180367	7.75	7.75	7.65	7.70	7.65	7.70	-	421	324	7.707
LH	7.05	180367	7.05	7.05	6.95	7.00	6.95	7.00	(0.05)	490,980	342,839	6.982
LH13C2408A	0.22	180367	-	0.21	0.21	0.21	0.21	0.22	(0.01)	3,032	64	0.21
LH19C2406A	0.05	180367	-	-	-	-	0.04	0.05	-	-	-	0
LH19C2408A	0.20	180367	-	0.19	0.19	0.19	0.19	0.20	(0.01)	800	15	0.19
LPN	3.52	180367	3.52	3.56	3.52	3.54	3.52	3.54	0.02	11,270	3,986	3.537
MBK	16.10	180367	16.20	16.20	16.10	16.20	16.10	16.20	0.10	17,584	28,390	16.145
MBK-W2	14.40	180367	-	14.50	14.40	14.50	14.40	14.90	0.10	1,856	2,686	14.472
MBK-W3	13.90	180367	-	14.00	13.90	13.90	13.90	14.10	-	21	29	13.99
MBK-W4	13.30	180367	-	13.40	13.40	13.40	13.40	14.00	0.10	2	3	13.4
MJD	1.27	180367	-	1.29	1.27	1.27	1.26	1.27	-	1,825	232	1.271
MK	2.06	180367	2.06	2.10	2.06	2.08	2.08	2.10	0.02	245	51	2.081
NCH	1.00	180367	1.01	1.01	1.00	1.01	1.00	1.01	0.01	290	29	1.004
NNCL	1.97	180367	1.95	2.06	1.95	2.04	2.02	2.04	0.07	35,318	7,109	2.012
NOBLE	3.72	180367	3.72	3.72	3.70	3.70	3.68	3.70	(0.02)	4,736	1,753	3.702
NUSA	0.42	180367	0.43	0.43	0.40	0.42	0.41	0.42	-	217,790	9,004	0.413
NUSA-W5	0.09	180367	-	0.11	0.10	0.10	0.10	0.11	0.01	48,350	484	0.1
NVD	1.92	180367	-	1.94	1.80	1.80	1.80	1.93	(0.12)	2,015	376	1.865
NVD-W3	0.02	180367	-	0.02	0.01	0.02	0.01	0.02	-	681	1	0.017
ORI	7.20	180367	7.20	7.20	7.00	7.05	7.05	7.10	(0.15)	73,762	52,064	7.058
ORI13C2407A	0.18	180367	-	0.17	0.16	0.16	0.16	0.17	(0.02)	52,320	858	0.164

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ORI19C2404A	0.04	180367	-	-	-	-	0.01	0.02	-	-	-	0
ORN	1.33	180367	1.33	1.36	1.32	1.32	1.32	1.33	(0.01)	135,535	18,116	1.336
PACE	0.03	180367	-	-	-	-	-	-	-	-	-	0
PEACE	3.28	180367	-	3.32	3.20	3.32	3.20	3.30	0.04	146	47	3.224
PF	0.28	180367	0.28	0.28	0.26	0.27	0.27	0.28	(0.01)	191,226	5,164	0.27
PIN	7.80	180367	7.80	7.95	7.50	7.50	7.45	7.50	(0.30)	77,368	59,178	7.648
PLAT	2.98	180367	-	3.00	2.98	2.98	2.98	3.00	-	3,472	1,035	2.982
POLAR	0.68	180367	-	-	-	-	-	-	-	-	-	0
PRECHA	1.12	180367	1.12	1.23	1.08	1.09	1.09	1.10	(0.03)	83,414	9,634	1.154
PRIN	2.84	180367	-	2.82	2.80	2.80	2.80	2.86	(0.04)	410	115	2.8
PSH	11.90	180367	11.90	11.90	11.70	11.80	11.80	11.90	(0.10)	3,393	4,004	11.802
QH	2.20	180367	2.20	2.20	2.18	2.18	2.18	2.20	(0.02)	69,722	15,213	2.181
RABBIT	0.42	180367	0.42	0.43	0.41	0.41	0.41	0.42	(0.01)	235,753	9,871	0.418
RABBIT-P	0.43	180367	-	0.44	0.42	0.42	0.42	0.43	(0.01)	16,696	719	0.43
RABBIT-Q	4.00	180367	-	-	-	-	-	-	-	-	-	0
RICHY	0.58	180367	-	0.59	0.58	0.58	0.58	0.59	-	2,444	142	0.58
RML	0.55	180367	0.55	0.57	0.53	0.55	0.55	0.56	-	124,975	6,856	0.548
ROJNA	7.05	180367	7.05	7.50	7.05	7.50	7.45	7.50	0.45	429,567	314,388	7.318
S	0.90	180367	0.90	0.90	0.85	0.86	0.85	0.86	(0.04)	92,125	8,028	0.871
SA	7.15	180367	-	7.15	7.00	7.15	7.10	7.15	-	3,047	2,134	7.002
SA-W1	0.08	180367	-	-	-	-	0.07	0.08	-	-	-	0
SAMCO	1.15	180367	-	1.16	1.14	1.14	1.14	1.16	(0.01)	1,570	180	1.144
SC	3.46	180367	3.46	3.46	3.42	3.42	3.42	3.44	(0.04)	28,718	9,854	3.431
SENA	2.86	180367	2.86	2.88	2.82	2.82	2.82	2.84	(0.04)	10,215	2,912	2.85
SENA-W1	0.01	180367	-	-	-	-	-	-	-	-	-	0
SIRI	1.72	180367	1.72	1.73	1.70	1.70	1.70	1.71	(0.02)	890,025	152,016	1.708
SIRI01C2406A	0.15	180367	-	0.14	0.13	0.13	0.13	0.14	(0.02)	3,610	50	0.137
SIRI13C2407A	0.27	180367	-	0.26	0.25	0.25	0.25	0.26	(0.02)	31,454	813	0.258
SIRI19C2407A	0.28	180367	-	0.27	0.26	0.26	0.26	0.27	(0.02)	10,476	280	0.267
SIRI41C2405A	0.18	180367	-	0.17	0.17	0.17	0.16	0.17	(0.01)	4,000	68	0.17
SPALI	20.60	180367	20.70	20.90	20.70	20.90	20.80	20.90	0.30	20,724	43,151	20.821
SPALI11C2404A	0.20	180367	-	0.19	0.19	0.19	0.18	0.19	(0.01)	60	1	0.19
SPALI13C2405A	0.20	180367	-	0.21	0.21	0.21	0.22	0.23	0.01	1,220	26	0.21
SPALI19C2408A	0.27	180367	-	0.29	0.28	0.29	0.30	0.31	0.02	2,524	72	0.285
UV	2.12	180367	2.12	2.20	2.10	2.14	2.14	2.16	0.02	6,827	1,469	2.151
WHA	4.78	180367	4.76	4.78	4.70	4.76	4.76	4.78	(0.02)	724,492	343,765	4.744
WHA01C2404A	0.06	180367	-	0.02	0.02	0.02	0.02	0.03	(0.04)	500	1	0.02
WHA01C2405A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
WHA01C2406A	0.19	180367	-	0.18	0.17	0.18	0.18	0.19	(0.01)	45,726	805	0.176
WHA01P2407X	0.41	180367	-	0.43	0.41	0.41	0.41	0.42	-	59,528	2,501	0.42
WHA11C2407A	0.33	180367	-	0.32	0.31	0.32	0.32	0.33	(0.01)	7,860	249	0.316
WHA13C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
WHA13C2404B	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
WHA13C2406A	0.18	180367	-	0.18	0.16	0.17	0.17	0.18	(0.01)	83,733	1,382	0.165
WHA13P2407A	0.42	180367	-	0.44	0.42	0.42	0.42	0.43	-	50,378	2,162	0.429
WHA19C2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
WHA19C2404B	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
WHA19C2406A	0.21	180367	-	0.20	0.19	0.20	0.20	0.21	(0.01)	73,468	1,427	0.194
WHA41C2404A	0.04	180367	-	-	-	-	0.02	0.04	-	-	-	0
WHA41C2404B	0.01	180367	-	0.02	0.02	0.02	0.01	0.02	0.01	1	-	0.02
WHA41C2406A	0.22	180367	-	0.21	0.19	0.21	0.21	0.22	(0.01)	60,039	1,214	0.202
WHA41C2406B	0.20	180367	-	0.19	0.17	0.19	0.19	0.20	(0.01)	49,960	914	0.182
WHA41C2407A	0.27	180367	-	0.27	0.25	0.26	0.26	0.27	(0.01)	23,400	599	0.256
WIN	0.66	180367	-	0.68	0.65	0.67	0.66	0.67	0.01	10,111	668	0.66
Paper & Printing Mat												
UTP	11.30	180367	11.40	11.40	11.20	11.30	11.30	11.40	-	1,252	1,417	11.314
Fashion												
AFC	5.25	180367	5.25	5.30	5.15	5.15	5.15	5.20	(0.10)	257	135	5.265
AURA	14.20	180367	14.10	14.30	13.90	14.00	14.00	14.10	(0.20)	11,826	16,601	14.038
BTNC	20.30	180367	20.30	20.30	20.30	20.30	20.20	20.40	-	1	2	20.3
CPH	13.20	180367	13.30	14.00	13.30	13.50	13.40	13.50	0.30	8,228	11,321	13.758
CPL	1.46	180367	1.45	1.70	1.44	1.50	1.50	1.51	0.04	189,042	30,640	1.62
NC	4.32	180367	4.40	4.58	4.32	4.36	4.36	4.38	0.04	24,350	10,775	4.425
PAF	1.59	180367	1.60	1.62	1.47	1.49	1.49	1.51	(0.10)	31,558	4,804	1.522
PDJ	2.00	180367	2.00	2.30	1.99	2.06	2.06	2.08	0.06	59,152	12,932	2.186
PG	9.20	180367	-	-	-	-	9.15	9.25	-	-	-	0
SABINA	26.00	180367	26.00	26.00	25.25	25.50	25.50	25.75	(0.50)	6,053	15,526	25.649
SAWANG	13.90	180367	-	15.10	13.70	13.70	13.60	14.50	(0.20)	2	3	14.4
SUC	32.50	180367	-	32.75	32.50	32.75	32.25	32.75	0.25	56	182	32.504
TNL	33.50	180367	-	34.00	34.00	34.00	33.50	34.00	0.50	1	3	34
TR	41.25	180367	-	-	-	-	40.75	41.00	-	-	-	0
TTI	27.75	180367	-	-	-	-	24.10	27.50	-	-	-	0
TTT	50.00	180367	-	50.00	49.75	50.00	48.75	49.75	-	2	10	49.875
UPF	38.00	180367	-	38.50	38.00	38.50	38.25	38.50	0.50	2	8	38.25
WACOAL	30.75	180367	-	-	-	-	30.25	31.00	-	-	-	0
WFX	1.95	180367	1.97	2.02	1.94	1.94	1.94	1.96	(0.01)	4,164	820	1.97
Transportation & Log												
AAV	2.42	180367	2.40	2.44	2.38	2.40	2.40	2.42	(0.02)	344,554	82,957	2.407
AAV01C2405A	0.20	180367	0.19	0.19	0.16	0.19	0.17	0.19	(0.01)	77,203	1,388	0.179
AAV11C2406A	0.25	180367	0.24	0.25	0.23	0.24	0.23	0.24	(0.01)	39,238	919	0.234
AAV13C2404A	0.18	180367	-	-	-	-	0.16	0.20	-	-	-	0
AAV13C2404B	0.09	180367	-	0.08	0.07	0.07	0.07	0.08	(0.02)	10,027	74	0.073
AAV13C2408A	0.21	180367	-	0.21	0.20	0.21	0.20	0.21	-	48,727	997	0.204
AAV19C2405A	0.27	180367	-	-	-	-	0.27	0.32	-	-	-	0
AAV19C2408A	1.00	180367	-	0.21	0.20	0.21	0.20	0.21	(0.79)	9,960	200	0.2
ANI	4.98	180367	4.98	5.05	4.94	4.94	4.94	4.98	(0.04)	19,014	9,462	4.976
AOT	66.0											

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AOT19C2404B	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
AOT19C2404C	0.09	180367	-	-	-	-	0.05	0.06	-	-	-	0
AOT19C2406A	0.18	180367	-	0.18	0.15	0.15	0.15	0.16	(0.03)	37,503	599	0.159
AOT19C2406B	0.42	180367	-	0.34	0.33	0.34	0.33	0.34	(0.08)	2,970	100	0.335
AOT19P2404A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
AOT19P2407A	0.18	180367	0.18	0.20	0.18	0.20	0.19	0.20	0.02	24,030	467	0.194
AOT41C2404A	0.01	180367	-	0.01	0.01	0.01	0.01	0.02	-	1,000	1	0.01
AOT41C2405A	0.14	180367	-	0.13	0.12	0.12	0.11	0.12	(0.02)	11,700	144	0.123
AOT41C2405B	0.20	180367	0.15	0.15	0.14	0.14	0.14	0.15	(0.06)	12,402	178	0.143
AOT41C2406A	0.37	180367	-	0.35	0.30	0.30	0.30	0.32	(0.07)	4,444	135	0.304
AOT41P2405A	0.19	180367	-	-	-	-	0.13	0.14	-	-	-	0
ASIMAR	1.70	180367	1.61	1.65	1.61	1.64	1.62	1.64	(0.06)	3,760	612	1.628
B	0.12	180367	0.12	0.12	0.11	0.12	0.11	0.12	-	107,950	1,288	0.119
B-W8	0.01	180367	0.01	0.02	0.01	0.01	0.01	0.02	-	20,160	22	0.01
BA	16.00	180367	15.90	16.10	15.80	15.90	15.90	16.00	(0.10)	11,197	17,797	15.894
BEM	8.20	180367	8.15	8.25	8.10	8.20	8.20	8.25	-	331,407	271,155	8.181
BEM01C2405A	0.12	180367	-	-	-	-	0.11	0.13	-	-	-	0
BEM01C2408A	0.31	180367	-	0.32	0.30	0.32	0.31	0.32	0.01	18,746	589	0.314
BEM01P2405X	0.35	180367	0.36	0.36	0.34	0.34	0.34	0.36	(0.01)	4,470	159	0.355
BEM13C2407A	0.21	180367	-	0.21	0.21	0.21	0.21	0.22	-	19,678	413	0.21
BEM19C2405A	0.10	180367	0.09	0.09	0.09	0.09	0.09	0.10	(0.01)	1,664	15	0.09
BEM19C2408A	0.27	180367	0.27	0.28	0.26	0.27	0.27	0.28	-	35,403	966	0.272
BTS	5.40	180367	5.45	5.50	5.35	5.35	5.35	5.40	(0.05)	714,803	386,232	5.403
BTS-W7	0.02	180367	0.02	0.02	0.01	0.02	0.01	0.02	-	116,285	117	0.01
BTS-W8	0.10	180367	0.10	0.10	0.09	0.09	0.09	0.10	(0.01)	12,110	116	0.096
BTS01C2405A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
BTS01C2407A	0.08	180367	-	0.07	0.07	0.07	0.06	0.07	(0.01)	410	3	0.07
BTS01C2408A	0.21	180367	0.22	0.22	0.20	0.20	0.20	0.21	(0.01)	44,172	965	0.218
BTS01P2405X	0.58	180367	-	0.60	0.54	0.60	0.60	0.63	0.02	2,046	118	0.574
BTS01P2407X	0.26	180367	-	0.28	0.26	0.28	0.28	0.29	0.02	6,182	168	0.271
BTS13C2405A	0.01	180367	-	0.01	0.01	0.01	-	0.01	-	6	-	0.01
BTS13C2407A	0.06	180367	-	-	-	-	0.05	0.06	-	-	-	0
BTS13C2407B	0.19	180367	0.20	0.20	0.18	0.18	0.18	0.19	(0.01)	57,762	1,106	0.191
BTS13P2405A	0.43	180367	-	-	-	-	0.48	0.54	-	-	-	0
BTS13P2407A	0.24	180367	-	0.25	0.23	0.25	0.25	0.28	0.01	12,718	302	0.237
BTS19C2406A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
BTS19C2407A	0.09	180367	-	0.09	0.09	0.09	0.08	0.09	-	30	-	0.09
BTS19C2407B	0.21	180367	0.22	0.22	0.20	0.20	0.20	0.21	(0.01)	44,874	981	0.218
BTS41C2407A	0.06	180367	-	-	-	-	0.06	0.07	-	-	-	0
BTSIGIF	3.56	180367	3.58	3.58	3.54	3.56	3.56	3.58	-	25,210	8,974	3.559
DMT	11.90	180367	12.00	12.00	11.80	11.80	11.80	11.90	(0.10)	16,089	19,109	11.876
ETL	1.56	180367	1.57	1.57	1.46	1.48	1.48	1.49	(0.08)	121,895	18,566	1.523
III	9.10	180367	9.25	9.25	9.15	9.20	9.15	9.20	0.10	13,894	12,780	9.198
KEX	5.45	180367	5.45	5.50	5.45	5.50	5.45	5.50	0.05	24,145	13,256	5.49
KIAT	0.38	180367	0.39	0.39	0.38	0.39	0.38	0.39	0.01	3,097	120	0.386
KWC	285.00	180367	-	-	-	-	273.00	289.00	-	-	-	0
MENA	1.84	180367	1.85	1.86	1.82	1.82	1.82	1.83	(0.02)	41,054	7,545	1.837
NOK	1.04	180367	-	-	-	-	-	-	-	-	-	0
NYT	4.74	180367	4.74	4.78	4.70	4.70	4.70	4.72	(0.04)	18,465	8,735	4.73
PORT	1.60	180367	1.58	1.68	1.58	1.65	1.65	1.66	0.05	52,694	8,578	1.627
PRM	7.35	180367	7.40	7.40	7.25	7.30	7.25	7.30	(0.05)	70,743	51,820	7.325
PSL	8.40	180367	8.45	8.50	8.35	8.40	8.35	8.40	-	40,007	33,641	8.408
PSL01C2405A	0.08	180367	-	-	-	-	0.07	0.08	-	-	-	0
PSL01C2407A	0.22	180367	-	0.22	0.22	0.22	0.22	0.23	-	7,600	167	0.22
PSL06C2404A	0.08	180367	-	-	-	-	-	-	-	-	-	0
PSL13C2404A	0.10	180367	-	-	-	-	0.05	0.07	-	-	-	0
PSL13C2407A	0.19	180367	0.18	0.19	0.18	0.19	0.18	0.19	-	19,160	362	0.188
PSL19C2404A	0.11	180367	-	0.11	0.11	0.11	0.11	0.12	-	6,166	68	0.11
PSL19C2407A	0.25	180367	-	0.26	0.24	0.24	0.24	0.25	(0.01)	4,047	99	0.244
PSL41C2405A	0.08	180367	-	-	-	-	0.07	0.08	-	-	-	0
RCL	19.50	180367	19.50	19.70	19.20	19.30	19.30	19.40	(0.20)	54,650	105,838	19.366
RCL01C2405A	0.08	180367	-	0.07	0.07	0.07	0.07	0.08	(0.01)	1,001	7	0.07
RCL01C2405B	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
RCL01C2407A	0.05	180367	-	-	-	-	0.04	0.05	-	-	-	0
RCL01C2408A	0.25	180367	-	0.25	0.22	0.23	0.23	0.24	(0.02)	18,198	429	0.235
RCL01P2405X	0.45	180367	-	0.48	0.44	0.47	0.47	0.48	0.02	13,750	641	0.466
RCL06C2405A	0.02	180367	-	0.01	0.01	0.01	-	0.03	(0.01)	1,390	1	0.01
RCL11C2407A	0.06	180367	-	0.05	0.05	0.05	0.04	0.05	(0.01)	50	-	0.05
RCL13C2404A	0.07	180367	-	-	-	-	0.02	0.03	-	-	-	0
RCL13C2405A	0.03	180367	-	-	-	-	-	0.01	-	-	-	0
RCL13C2407A	0.14	180367	-	0.13	0.12	0.13	0.12	0.13	(0.01)	18,857	237	0.125
RCL13C2408A	0.29	180367	-	0.29	0.27	0.29	0.27	0.28	-	19,469	552	0.283
RCL13P2405A	0.32	180367	-	0.33	0.31	0.33	0.33	0.34	0.01	15,970	517	0.323
RCL19C2405A	0.08	180367	-	-	-	-	0.05	0.06	-	-	-	0
RCL19C2405B	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
RCL19C2406A	0.03	180367	-	-	-	-	0.02	0.03	-	-	-	0
RCL19C2408A	0.27	180367	-	0.28	0.25	0.26	0.26	0.27	(0.01)	19,390	509	0.262
RCL19P2406A	0.41	180367	-	0.43	0.40	0.43	0.43	0.44	0.02	22,898	970	0.423
RCL41C2406A	0.06	180367	-	-	-	-	0.01	0.03	-	-	-	0
RCL41C2407A	0.05	180367	-	-	-	-	0.03	0.05	-	-	-	0
RCL41C2408A	0.24	180367	-	0.24	0.22	0.22	0.22	0.23	(0.02)	46,980	1,069	0.227
SAV	17.90	180367	18.00	18.40	17.90	18.10	18.10	18.20	0.20	48,324	88,065	18.223
SINO	1.42	180367	1.42	1.43	1.40	1.40	1.40	1.42	(0.02)	9,345	1,323	1.415
SJWD	15.90	180367	15.90	16.50	15.90	16.40	16.40	16.50	0.50	36,485	59,496	16.307
SJWD13C2407A	0.28	180367	0.29	0.33	0.28	0.32	0.32	0.33	0.04	26,521	822	0.309
TFFIF	6.70	180367	6.65	6.75	6.65	6.75	6.70	6.75	0.05	33,541	22,473	6.7
THAI	3.32	180367	-	-	-	-	-	-	-	-	-	0
TSTE	9.95	180367	-	10.10	9.95	9.95	9.90	10.00	-	12	12	10.004
TTA	6.80	180367	6.80	6.85	6.65	6.65	6.65	6.70	(0.15)	84,529	56,893	6.73
WICE	5.70	180367	5.75	5.75	5.60	5.65	5.60	5.65	(0.05)	3,960	2,242	5.662
Automotive												
3K-BAT	32.25	180367	-	-	-	-	32.50	34.50	-	-	-	0
ACG	1.26	180367	1.26	1.26	1.26	1.26	1.21	1.26	-	1	-	1.26
AH	22.30	180367	22.20	22.50	22.20	22.30	22.30	22.40	-	6,196	13,852	22.356
CWT	1.45	180367	1.46	1.46	1.44	1.45	1.45	1.46	-	2,003	291	1.451
EASON	1.26	180367	1.26	1.28	1.25	1.25	1.25	1.26	(0.01)	18,351	2,314	1.261
GYT	182.50	180367	-	182.00	180.00	180.00	179.50	181.50	(2.50)	8	145	180.812
HFT	4.00	180367	4.00	4.04	4.00	4.00	4.00	4.02	-	3,610	1,446	4.006
IHL	2.12	180367	2.20	2.20	2.10	2.14	2.10	2.14	0.02	798	169	2.122
INGRS	0.53	180367	0.53	0.54	0.51	0.52	0.51	0.52	(0.01)	20,921	1,100	0.525
IRC	12.90	180367	12.90	13.00	12.90	12.90	12.90	13.00	-	224	289	

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
NEX13C2405A	0.05	180367	-	-	-	-	0.03	0.04	-	-	-	0
NEX13C2407A	0.16	180367	-	0.17	0.16	0.16	0.16	0.17	-	64,413	1,094	0.169
NEX19C2404A	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
PCSGH	5.05	180367	5.10	5.10	5.00	5.00	5.00	5.05	(0.05)	350	177	5.06
POLY	8.15	180367	-	8.20	8.05	8.15	8.10	8.20	-	319	260	8.148
SAT	16.80	180367	16.90	16.90	16.70	16.80	16.80	16.90	-	11,885	19,978	16.809
SPG	15.70	180367	-	-	-	-	15.20	15.70	-	-	-	0
STANLY	211.00	180367	211.00	214.00	209.00	210.00	209.00	211.00	(1.00)	737	15,553	211.035
TKT	1.99	180367	2.00	2.04	1.88	1.94	1.92	1.94	(0.05)	25,010	4,877	1.95
TNPC	1.27	180367	1.29	1.34	1.27	1.28	1.28	1.30	0.01	4,465	582	1.303
TRU	3.38	180367	3.40	3.48	3.38	3.40	3.40	3.42	0.02	5,898	2,008	3.404
TSC	14.70	180367	-	14.80	14.60	14.70	14.60	14.80	-	33	49	14.766
Industrial Materials												
ALLA	1.84	180367	1.85	1.88	1.85	1.87	1.86	1.87	0.03	15,377	2,872	1.867
ASEFA	3.92	180367	3.90	3.92	3.90	3.92	3.90	3.92	-	200	78	3.914
CPT	0.71	180367	0.69	0.71	0.69	0.70	0.69	0.70	(0.01)	2,905	203	0.697
CRANE	0.97	180367	0.98	1.00	0.97	0.97	0.97	0.98	-	12,408	1,221	0.984
CTW	4.42	180367	-	-	-	-	4.42	4.48	-	-	-	0
FMT	34.50	180367	-	34.50	34.25	34.50	34.25	34.50	-	30	103	34.283
HTECH	2.30	180367	-	2.30	2.26	2.30	2.26	2.30	-	631	144	2.279
KKC	0.19	180367	-	-	-	-	0.18	-	-	-	-	0
PK	0.98	180367	1.01	1.06	0.97	0.99	0.99	1.00	0.01	16,063	1,651	1.028
PSP	5.35	180367	5.30	5.40	5.25	5.25	5.25	5.30	(0.10)	9,946	5,253	5.281
SNC	7.30	180367	7.30	7.30	7.25	7.30	7.25	7.30	-	392	285	7.261
STARK	0.02	180367	-	-	-	-	-	-	-	-	-	0
STARK-W1	0.01	180367	-	-	-	-	-	-	-	-	-	0
TCJ	3.04	180367	-	3.20	3.04	3.16	3.04	3.16	0.12	258	79	3.074
TPCS	16.50	180367	-	-	-	-	16.50	16.80	-	-	-	0
VARO	3.50	180367	-	3.96	3.36	3.42	3.44	3.48	(0.08)	1,459	514	3.522
Property Fund & REIT												
AIMCG	3.54	180367	3.56	3.56	3.56	3.56	3.54	3.56	0.02	2,754	980	3.56
AIMIRT	10.30	180367	10.40	10.40	10.30	10.40	10.30	10.40	0.10	2,167	2,253	10.397
ALLY	5.80	180367	5.80	5.85	5.80	5.85	5.80	5.85	0.05	3,451	2,002	5.8
AMATAR	6.45	180367	-	6.45	6.40	6.40	6.40	6.45	(0.05)	11	7	6.422
B-WORK	4.52	180367	4.52	4.52	4.46	4.52	4.48	4.52	-	1,021	459	4.49
BAREIT	10.10	180367	10.10	10.10	10.00	10.00	10.00	10.10	(0.10)	4,517	4,561	10.098
BKKCP	9.15	180367	9.10	9.10	9.00	9.05	9.00	9.10	(0.10)	950	859	9.039
BOFFICE	4.90	180367	-	4.94	4.90	4.90	4.88	4.90	-	5,282	2,595	4.913
CPNCG	6.10	180367	6.10	6.10	6.00	6.00	6.00	6.05	(0.10)	4,228	2,561	6.057
CPNREIT	11.20	180367	11.10	11.30	11.00	11.30	11.20	11.30	0.10	15,222	16,989	11.16
CPTGF	5.20	180367	5.20	5.25	5.20	5.25	5.20	5.25	0.05	140	73	5.216
CTARAF	4.42	180367	-	4.46	4.42	4.46	4.42	4.46	0.04	415	184	4.422
DREIT	4.88	180367	4.86	4.92	4.86	4.90	4.86	4.90	0.02	232	113	4.868
ERWPF	8.55	180367	8.50	8.55	8.50	8.55	8.50	8.55	-	56	48	8.532
FTREIT	10.10	180367	-	10.10	9.95	10.10	10.00	10.10	-	16,232	16,275	10.026
FUTUREPF	11.40	180367	11.50	11.60	11.40	11.60	11.50	11.60	0.20	2,024	2,330	11.512
GAHREIT	7.05	180367	-	7.10	7.05	7.05	7.00	7.05	-	330	233	7.056
GROREIT	8.85	180367	8.80	8.90	8.80	8.80	8.80	9.00	(0.05)	138	122	8.809
GVREIT	5.35	180367	-	5.45	5.30	5.35	5.30	5.35	-	15,818	8,475	5.357
HPF	4.64	180367	4.64	4.64	4.62	4.62	4.62	4.64	(0.02)	116	54	4.631
HYDROGEN	9.40	180367	-	-	-	-	9.05	9.35	-	-	-	0
IMPACT	12.00	180367	-	12.10	12.00	12.10	12.00	12.10	0.10	1,469	1,764	12.007
INETREIT	8.85	180367	8.95	8.95	8.85	8.90	8.90	8.95	0.05	1,150	1,028	8.935
KPNPF	3.64	180367	-	3.60	3.58	3.58	3.50	3.68	(0.06)	57	20	3.594
KTBSTMR	6.45	180367	-	6.50	6.30	6.35	6.35	6.45	(0.10)	1,328	856	6.444
LHHOTEL	11.80	180367	11.70	11.80	11.70	11.70	11.70	11.80	(0.10)	5,780	6,817	11.793
LHPF	6.05	180367	-	6.05	6.05	6.05	6.05	6.10	-	539	326	6.05
LHSC	9.80	180367	9.90	9.90	9.75	9.80	9.80	9.85	-	3,558	3,491	9.81
LPF	13.30	180367	13.20	13.40	13.20	13.40	13.30	13.40	0.10	4,677	6,228	13.316
LUXF	7.05	180367	-	7.05	7.05	7.05	6.95	7.05	-	11	8	7.05
M-II	6.70	180367	6.65	6.70	6.50	6.50	6.45	6.50	(0.20)	492	323	6.573
M-PAT	3.38	180367	-	-	-	-	2.88	3.34	-	-	-	0
M-STOR	7.00	180367	-	-	-	-	6.90	7.00	-	-	-	0
MIPF	13.00	180367	-	-	-	-	10.60	16.90	-	-	-	0
MIT	0.82	180367	0.83	0.84	0.82	0.83	0.83	0.84	0.01	610	51	0.829
MJLF	3.60	180367	-	3.62	3.56	3.62	3.56	3.62	0.02	361	130	3.595
MNIT	2.38	180367	-	2.34	2.10	2.28	2.18	2.28	(0.10)	1,544	343	2.219
MNIT2	4.80	180367	-	4.80	4.80	4.80	4.80	4.90	-	2	1	4.8
MNRF	2.80	180367	-	2.86	2.74	2.86	2.74	2.84	0.06	2	1	2.8
POPF	6.30	180367	6.30	6.30	6.25	6.30	6.25	6.30	-	93	58	6.256
PPF	10.30	180367	-	-	-	-	10.20	10.30	-	-	-	0
PROSPECT	8.60	180367	-	8.60	8.55	8.60	8.55	8.60	-	811	696	8.587
QHHR	6.55	180367	6.60	6.60	6.55	6.60	6.50	6.60	0.05	2,186	1,433	6.554
QHOP	3.14	180367	-	-	-	-	3.08	3.12	-	-	-	0
QHPF	4.86	180367	4.86	4.86	4.80	4.80	4.80	4.82	(0.06)	8,681	4,192	4.828
SIRIP	8.05	180367	-	-	-	-	7.25	8.00	-	-	-	0
SPRIME	4.42	180367	4.42	4.44	4.42	4.44	4.42	4.44	0.02	461	204	4.425
SRIPANWA	4.58	180367	4.74	4.74	4.58	4.58	4.56	4.58	-	398	184	4.612
SSPF	5.50	180367	-	5.55	5.15	5.55	5.25	5.50	0.05	3	2	5.4
SSTRT	5.05	180367	-	5.10	5.05	5.05	5.05	5.10	-	100	51	5.054
TIF1	8.40	180367	-	8.40	8.35	8.35	8.30	8.35	(0.05)	49	41	8.374
TLHPF	5.05	180367	-	4.96	4.86	4.86	4.84	4.86	(0.19)	261	128	4.911
TNPF	1.69	180367	-	1.68	1.68	1.68	1.68	1.78	(0.01)	1	-	1.68
TPRIME	6.25	180367	-	6.25	6.25	6.25	6.25	6.30	-	223	139	6.25
TTLPF	17.10	180367	17.10	17.10	17.10	17.10	17.10	17.30	-	7	12	17.1
TU-PF	0.77	180367	-	0.79	0.79	0.79	0.72					

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
MILL	0.27	180367	0.27	0.30	0.27	0.28	0.28	0.29	0.01	100,718	2,810	0.279
MILL-W6	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
MILL-W7	0.04	180367	0.04	0.04	0.03	0.03	0.03	0.04	(0.01)	14,521	57	0.039
PAP	2.52	180367	-	2.64	2.46	2.50	2.48	2.50	(0.02)	3,934	1,005	2.554
PERM	1.02	180367	1.02	1.16	1.02	1.03	1.03	1.05	0.01	718,787	79,090	1.1
SAM	0.54	180367	0.55	0.62	0.55	0.57	0.57	0.58	0.03	280,991	16,614	0.591
SMIT	4.50	180367	4.46	4.50	4.46	4.50	4.46	4.50	-	423	189	4.473
SSSC	3.06	180367	-	3.10	3.06	3.08	3.06	3.08	0.02	1,158	358	3.088
TGPRO	0.15	180367	0.15	0.15	0.13	0.13	0.13	0.15	(0.02)	34,091	478	0.14
THE	1.23	180367	-	1.23	1.15	1.22	1.17	1.22	(0.01)	473	56	1.173
TMT	5.75	180367	5.70	5.80	5.70	5.75	5.75	5.80	-	1,493	861	5.765
TSTH	0.81	180367	0.81	0.88	0.81	0.82	0.82	0.83	0.01	173,303	14,688	0.847
TWP	2.00	180367	2.00	2.28	2.00	2.06	2.06	2.08	0.06	3,073	654	2.126
TYCN	2.54	180367	-	2.54	2.46	2.50	2.50	2.54	(0.04)	247	61	2.479
Construction Service												
APCS	3.30	180367	-	3.36	3.26	3.26	3.26	3.28	(0.04)	803	263	3.277
BJCHI	1.11	180367	1.11	1.12	1.11	1.11	1.11	1.12	-	4,586	509	1.11
BKD	1.52	180367	-	1.55	1.52	1.54	1.52	1.54	0.02	49	7	1.523
CIVIL	2.16	180367	2.16	2.24	2.10	2.18	2.16	2.18	0.02	15,197	3,306	2.175
CK	24.00	180367	24.00	24.10	23.60	23.70	23.70	23.80	(0.30)	48,084	114,683	23.85
CK01C2407A	0.50	180367	-	0.51	0.47	0.47	0.47	0.48	(0.03)	34,243	1,669	0.487
CK11C2407A	0.42	180367	-	-	-	-	0.39	0.41	-	-	-	0
CK13C2405A	0.19	180367	-	0.19	0.16	0.16	0.16	0.17	(0.03)	38,447	669	0.174
CK19C2404A	0.11	180367	-	0.10	0.09	0.09	0.09	0.10	(0.02)	9,402	92	0.097
CNT	1.90	180367	1.80	1.80	1.53	1.70	1.69	1.70	(0.20)	160,310	26,533	1.655
EMC	0.06	180367	0.07	0.07	0.06	0.07	0.06	0.07	0.01	36,534	219	0.06
ITD	0.85	180367	-	-	-	-	0.83	0.89	-	-	-	0
NL	2.48	180367	2.52	2.56	2.46	2.46	2.46	2.48	(0.02)	69,888	17,512	2.505
NWR	0.34	180367	0.34	0.34	0.32	0.33	0.32	0.33	(0.01)	102,195	3,361	0.328
PLE	0.57	180367	0.57	0.59	0.56	0.57	0.57	0.58	-	82,391	4,801	0.582
PREB	6.30	180367	6.35	6.40	6.25	6.30	6.30	6.35	-	915	577	6.307
PYLON	2.54	180367	2.40	2.44	2.40	2.42	2.42	2.44	(0.12)	11,998	2,895	2.413
RT	0.68	180367	0.65	0.67	0.64	0.67	0.66	0.67	(0.01)	25,501	1,673	0.656
RT-W1	0.01	180367	-	0.01	0.01	0.01	-	0.01	-	600	1	0.01
SEAFCO	2.64	180367	2.64	2.70	2.60	2.64	2.62	2.64	-	44,419	11,777	2.651
SQ	1.17	180367	1.13	1.14	1.12	1.13	1.12	1.13	(0.04)	3,962	448	1.129
SRICHA	8.85	180367	8.70	8.95	8.70	8.80	8.80	8.90	(0.05)	487	431	8.848
STEC	10.70	180367	10.80	10.90	10.70	10.70	10.70	10.80	-	22,439	24,174	10.773
STEC13C2405A	0.46	180367	-	-	-	-	0.41	0.45	-	-	-	0
STEC19C2407A	0.65	180367	-	-	-	-	0.62	0.68	-	-	-	0
STI	3.26	180367	3.24	3.28	3.24	3.28	3.26	3.28	0.02	360	117	3.251
STPI	3.34	180367	3.36	3.40	3.34	3.40	3.38	3.40	0.06	13,130	4,441	3.382
SYNTEC	1.83	180367	1.83	1.89	1.82	1.87	1.87	1.88	0.04	41,533	7,756	1.867
TEAMG	4.88	180367	4.92	5.35	4.92	5.15	5.15	5.20	0.27	136,686	71,242	5.212
TEAMG-W1	0.59	180367	0.61	0.83	0.61	0.70	0.70	0.71	0.11	446,576	33,888	0.758
TEKA	2.14	180367	2.14	2.18	2.12	2.14	2.14	2.18	-	1,047	225	2.144
TPOLY	1.51	180367	1.52	1.67	1.45	1.45	1.45	1.48	(0.06)	595,888	94,590	1.587
TRC	0.31	180367	0.31	0.34	0.30	0.33	0.33	0.34	0.02	504,225	16,457	0.326
TRITN	0.13	180367	0.14	0.14	0.13	0.13	0.13	0.14	-	93,332	1,214	0.13
TRITN-W5	0.01	180367	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
TRITN-W6	0.01	180367	-	0.01	0.01	0.01	-	0.01	-	2	-	0.01
TTCL	3.68	180367	3.68	3.70	3.66	3.66	3.66	3.70	(0.02)	2,621	962	3.668
UNIQ	3.46	180367	3.42	3.56	3.42	3.50	3.50	3.52	0.04	5,845	2,048	3.503
WGE	0.73	180367	0.71	0.73	0.71	0.73	0.72	0.73	-	607	43	0.714
Unit Trust												
SCBSET	7.54	180367	-	-	-	-	6.40	-	-	-	-	0
ETF												
1DIV	9.79	180367	-	9.81	9.77	9.79	9.78	9.80	-	91	89	9.797
ABFTH	1,245.00	180367	-	-	-	-	1,263.00	1,293.00	-	-	-	0
BMSCG	9.58	180367	9.54	9.61	9.53	9.60	9.53	9.54	0.02	56	53	9.538
BMSCITH	9.83	180367	9.76	9.84	9.76	9.77	9.77	9.79	(0.06)	350	343	9.797
BSET100	9.01	180367	9.05	9.07	9.00	9.05	9.00	9.03	0.04	170	154	9.045
CHINA	5.78	180367	5.73	5.78	5.73	5.77	5.75	5.77	(0.01)	326	188	5.767
ENGY	5.24	180367	5.25	5.29	5.25	5.28	5.25	5.28	0.04	62	33	5.281
ENY	5.05	180367	5.15	5.15	5.13	5.13	5.09	5.15	0.08	5	3	5.142
GLD	3.10	180367	3.10	3.12	3.10	3.11	3.10	3.11	0.01	1,628	507	3.113
TDEX	8.21	180367	8.20	8.23	8.20	8.22	8.21	8.22	0.01	819	673	8.212
UBOT	14.16	180367	-	14.17	14.09	14.17	14.15	14.17	0.01	23	32	14.129
UHERO	7.38	180367	-	7.43	7.34	7.34	7.34	7.41	(0.04)	15	11	7.346
Warrant Foreign												
AIA28C2403A	0.04	180367	-	-	-	-	-	0.20	-	-	-	0
AIA28C2406A	0.13	180367	-	0.10	0.10	0.10	0.10	0.11	(0.03)	14,014	140	0.1
AIA28P2405A	0.20	180367	-	0.32	0.32	0.32	-	0.32	0.12	5	-	0.32
AIA41C2403A	0.10	180367	-	-	-	-	-	-	-	-	-	0
AIA41C2406A	0.12	180367	-	-	-	-	-	-	-	-	-	0
AIA41P2407A	0.38	180367	-	0.44	0.44	0.44	-	0.45	0.06	10,000	440	0.44
ALIHEA28C2406A	0.07	180367	-	-	-	-	-	-	-	-	-	0
ALIHEA28C2407A	0.26	180367	-	0.25	0.24	0.24	0.05	-	(0.02)	4,028	100	0.247
ALIHEA41C2406A	0.26	180367	-	-	-	-	-	-	-	-	-	0
BABA28C2403A	0.01	180367	-	-	-	-	-	0.03	-	-	-	0
BABA28C2403B	0.04	180367	-	-	-	-	-	-	-	-	-	0
BABA28C2404A	0.13	180367	-	-	-	-	0.01	-	-	-	-	0
BABA28C2404B	0.10	180367	-	-	-	-	0.01	-	-	-	-	0
BABA28C2406A	0.18	180367	-	0.17	0.16	0.16	0.08	0.17	(0.02)	14,823	237	0.16
BABA28C2406B	0.30	180367	-	0.29	0.28	0.29	0.27	0.32	(0.01)	5,006	142	0.283
BABA28C2407A	0.44	180367	-	0.41	0.40	0.41	0.12	-	(0.03)	124,821	5,043	0.403
BABA28P2403A	0.10	180367	-	-	-	-	-	-	-	-	-	0
BABA28P2404A	0.10	180367	-	-	-	-	-	-	-	-	-	0
BABA28P2407A	0.24	180367	-	-	-	-	-	-	-	-	-	0
BABA41C2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
BABA41C2403B	0.02	180367	-	-	-	-	-	-	-	-	-	0
BABA41C2404A	0.11	180367	-	0.07	0.07	0.07	-	-	(0.04)	99	1	0.07
BABA41C2404B	0.16	180367	-	0.13	0.13	0.13	0.03	-	(0.03)	1,270	17	0.13
BABA41C2406A	0.21	180367	-	-	-	-	0.02	0.25	-	-	-	0
BABA41C2406B	0.47	180367	-	0.43	0.43	0.43	0.08	-	(0.04)	100	4	0.43
BABA41P2403A	0.17	180367	-	0.19	0.19	0.19	-	0.02	0.02	10,000	190	0.19
BABA41P2404A	0.16	180367	-	-	-	-	-	-	-	-	-	0
BABA41P2407A	0.23	180367	-	0.24	0.24	0.24	0.24	-	0.01	10,000	240	0.24
BIDU28C2403A	0.04	180367	-	0.01	0.01	0.01	-	-	(0.03)	510	1	0.01
BIDU28C2403B	0.10	180367	-	-	-	-	-	-	-	-	-	0
BIDU28C2407A	0.28	180367	-	0.27	0.26	0.26	0.06	-	(0.02)	2,148	57	0.267
BIDU28P2406A	0.32	180367	-	0.30	0.30	0.30	0.01	-	(0.02)	14,196	426	0.3
BIDU41C2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BIDU41C2403B	0.12	180367	-	-	-	-	-	-	-	-	-	0
BIDU41C2407A	0.28	180367	-	0.28	0.27	0.27	-	-	(0.01)	10,000	275	0.275
BIDU41P2403A	0.41	180367	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2404A	0.01	180367	-	-	-	-	-	-	-	-	-	0
BYDCOM28C2405A	0.20	180367	-	0.21	0.20	0.20	-	-	-	6,087	124	0.203
BYDCOM28C2407A	0.62	180367	-	0.61	0.59	0.59	0.39	0.61	(0.03)	19,266	1,147	0.595
BYDCOM28P2405A	0.11	180367	-	0.11	0.11	0.11	0.01	-	-	6,084	67	0.11
BYDCOM41C2404A	0.07	180367	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41C2405A	0.17	180367	-	0.15	0.15	0.15	0.10	0.18	(0.02)	30,000	450	0.15
BYDCOM41C2406A	0.39	180367	-	-	-	-	0.01	-	-	-	-	0
BYDCOM41P2404A	0.83	180367	-	-	-	-	-	-	-	-	-	0
BYDCOM41P2405A	0.10	180367	-	0.11	0.11	0.11	-	-	0.01	20,000	220	0.11
CATHAY28C2403A	0.02	180367	-	-	-	-	-	-	-	-	-	0
CATHAY28C2404A	0.15	180367	-	0.13	0.12	0.12	-	-	(0.03)	25,000	305	0.122
CATHAY28C2407A	0.41	180367	-	-	-	-	0.01	-	-	-	-	0
CATHAY41C2403A	0.02	180367	-	-	-	-	-	-	-	-	-	0
CATHAY41C2404A	0.34	180367	-	-	-	-	-	-	-	-	-	0
CATHAY41C2407A	0.20	180367	-	0.19	0.19	0.19	-	-	(0.01)	5,000	95	0.19
CHMOBI28C2404A	0.10	180367	-	-	-	-	-	2.00	-	-	-	0
CHMOBI28C2409A	0.29	180367	-	0.29	0.29	0.29	0.01	-	-	10,100	293	0.29
CMBANK41C2404A	0.14	180367	-	-	-	-	-	-	-	-	-	0
CMBANK41C2406A	0.37	180367	-	-	-	-	-	-	-	-	-	0
CNOOC28C2404A	0.61	180367	-	-	-	-	0.02	-	-	-	-	0
CNOOC28C2408A	0.40	180367	-	0.48	0.44	0.45	-	-	0.05	30,298	1,368	0.451
DJI28C2403A	3.02	180367	-	-	-	-	-	-	-	-	-	0
DJI28C2403B	0.22	180367	-	-	-	-	-	-	-	-	-	0
DJI28C2403C	0.01	180367	-	-	-	-	-	-	-	-	-	0
DJI28C2406B	0.56	180367	-	0.57	0.57	0.57	0.56	0.57	0.01	10	1	0.57
DJI28C2406C	0.21	180367	-	0.21	0.20	0.20	0.20	0.21	(0.01)	513	11	0.209
DJI28P2403A	0.04	180367	-	-	-	-	-	-	-	-	-	0
DJI28P2403B	0.01	180367	-	-	-	-	-	-	-	-	-	0
DJI28P2403C	0.07	180367	-	-	-	-	-	-	-	-	-	0
DJI28P2403D	0.11	180367	-	-	-	-	-	-	-	-	-	0
DJI28P2406A	0.23	180367	-	0.22	0.21	0.21	0.21	0.22	(0.02)	250	5	0.218
DJI28P2406B	0.39	180367	-	-	-	-	0.38	0.39	-	-	-	0
DJI41C2403A	2.36	180367	-	-	-	-	-	-	-	-	-	0
DJI41C2403B	0.05	180367	-	-	-	-	-	-	-	-	-	0
DJI41C2406A	0.63	180367	-	0.59	0.59	0.59	0.57	0.58	(0.04)	1	-	0.59
DJI41P2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
DJI41P2403B	0.01	180367	-	-	-	-	-	-	-	-	-	0
DJI41P2403C	0.01	180367	-	-	-	-	-	-	-	-	-	0
DJI41P2406A	0.26	180367	-	-	-	-	0.24	0.25	-	-	-	0
DJI41P2406B	0.45	180367	-	0.43	0.43	0.43	0.44	0.45	(0.02)	13	1	0.43
GEELY28C2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
GEELY28C2406A	0.38	180367	-	0.38	0.38	0.38	-	-	-	16,084	611	0.38
GEELY28P2404A	0.15	180367	-	0.14	0.14	0.14	-	-	(0.01)	2,028	28	0.14
GEELY41C2404A	0.06	180367	-	-	-	-	-	-	-	-	-	0
GEELY41C2406A	0.29	180367	-	0.29	0.29	0.29	-	-	-	10,000	290	0.29
HAIDIL28C2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
HAIDIL28C2404A	0.09	180367	-	0.12	0.12	0.12	-	-	0.03	10,000	120	0.12
HAIDIL28C2406A	0.42	180367	-	0.45	0.41	0.43	0.42	0.48	0.01	21,300	923	0.433
HAIDIL41C2403A	0.03	180367	-	-	-	-	-	-	-	-	-	0
HAIDIL41C2404A	0.12	180367	-	0.14	0.12	0.12	-	-	-	10,000	130	0.13
HAIDIL41C2405A	0.38	180367	-	-	-	-	0.01	-	-	-	-	0
HKEX28C2404A	0.06	180367	-	-	-	-	-	-	-	-	-	0
HKEX28C2406A	0.17	180367	-	0.15	0.14	0.14	0.13	0.15	(0.03)	19,496	275	0.141
HKEX28C2407A	0.34	180367	-	0.29	0.29	0.29	0.28	-	(0.05)	10,000	290	0.29
HKEX41C2404A	0.12	180367	-	-	-	-	-	-	-	-	-	0
HKEX41C2405A	0.10	180367	-	-	-	-	-	-	-	-	-	0
HKEX41C2406A	0.21	180367	-	0.17	0.17	0.17	-	-	(0.04)	50,000	850	0.17
HSBC28C2403A	0.05	180367	-	-	-	-	-	-	-	-	-	0
HSBC28C2406A	0.41	180367	-	0.40	0.40	0.40	0.01	-	(0.01)	2,028	81	0.4
HSBC28P2404A	0.05	180367	-	-	-	-	-	-	-	-	-	0
HSBC28P2407A	0.15	180367	-	-	-	-	-	-	-	-	-	0
HSBC41C2403A	0.12	180367	-	-	-	-	-	-	-	-	-	0
HSBC41C2405A	0.10	180367	-	-	-	-	-	-	-	-	-	0
HSBC41C2407A	0.14	180367	-	-	-	-	-	-	-	-	-	0
HSBC41P2406A	0.12	180367	-	-	-	-	-	-	-	-	-	0
HSCEI28C2403A	0.37	180367	-	-	-	-	0.27	0.28	-	-	-	0
HSCEI28C2404A	1.01	180367	-	0.91	0.90	0.90	0.89	0.90	(0.11)	40,000	3,625	0.906
HSCEI28C2405A	0.49	180367	-	0.46	0.42	0.43	0.42	0.43	(0.06)	420,003	18,295	0.435
HSCEI28P2403A	0.23	180367	-	-	-	-	0.06	0.07	-	-	-	0
HSCEI28P2404A	0.08	180367	-	0.09	0.09	0.09	0.09	0.10	0.01	1	-	0.09
HSCEI28P2405A	0.36	180367	-	-	-	-	0.34	0.35	-	-	-	0
HSI06C2403A	0.06	180367	-	0.04	0.02	0.03	0.02	0.03	(0.03)	87,928	285	0.032
HSI06C2403B	0.03	180367	0.02	0.02	0.01	0.01	-	0.02	(0.02)	25,025	26	0.01
HSI06C2403C	0.18	180367	0.11	0.13	0.08	0.10	0.08	0.11	(0.08)	2,038,400	20,480	0.1
HSI06C2403D	1.07	180367	-	-	-	-	0.06	-	-	-	-	0
HSI06C2404A	0.17	180367	0.14	0.15	0.12	0.12	0.12	0.13	(0.05)	3,296,685	44,629	0.135
HSI06C2404B	1.48	180367	-	-	-	-	0.05	-	-	-	-	0
HSI06C2404C	0.57	180367	-	0.54	0.54	0.54	0.52	-	(0.03)	50	3	0.54
HSI06C2404D	1.62	180367	-	-	-	-	0.05	-	-	-	-	0
HSI06C2404E	0.36	180367	-	0.32	0.28	0.29	0.28	0.29	(0.07)	6,641,997	198,756	0.299
HSI06C2405A	0.79	180367	-	0.59	0.57	0.57	0.55	1.00	(0.22)	3	-	0.576
HSI06C2405B	1.13	180367	-	-	-	-	0.08	-	-	-	-	0
HSI06C2405C	0.36	180367	-	0.33	0.29	0.29	-	0.37	(0.07)	4,120,274	126,713	0.307
HSI06C2405D	0.18	180367	0.16	0.18	0.14	0.14	0.14	0.15	(0.04)	756,878	11,524	0.152
HSI06C2406A	0.93	180367	-	0.91	0.86	0.86	0.85	-	(0.07)	37	3	0.875
HSI06C2406B	0.36	180367	0.33	0.33	0.30	0.30	0.29	0.32	(0.06)	4,365	135	0.31
HSI06C2406C	0.55	180367	-	0.43	0.38	0.39	0.39	-	(0.16)	1,840	75	0.409
HSI06C2406D	0.25	180367	-	0.23	0.20	0.21	0.20	0.22	(0.04)	746,342	16,084	0.215
HSI06P2403A	0.05	180367	-	0.06	0.05	0.06	0.05	0.07	0.01	50,724	298	0.058
HSI06P2403B	0.01	180367	-	0.01	0.01	0.01	-	0.01	-	26	-	0.01
HSI06P2403C	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
HSI06P2403D	0.02	180367	-	-	-	-	-	-	-	-	-	0
HSI06P2404A	0.16	180367	0.18	0.20	0.18	0.20	0.19	0.21	0.04	5,574,730	106,904	0.191
HSI06P2404B	0.04	180367	0.04	0.05	0.04	0.05	0.03	0.05	0.01	16,725	67	0.04
HSI06P2404C	0.43	180367	0.46	0.50	0.45	0.49	-	0.51	0.06	22,056	1,061	0.48
HSI06P2404D	0.07	180367	-	0.09	0.08	0.08	0.07	0.09	0.01	438	4	0.08
HSI06P2405A	0.34	180367	0.37	0.40	0.36	0.40	0.37	0.42	0.06	554,696	20,093	0.362
HSI06P2405B	0.14	180367	-	0.17	0.15	0.16	0.14	0.17	0.02	5,492,536	85,369	0.155
HSI06P2405C	0.69	180367	-	-	-	-	0.01	-	-	-	-	0
HSI06P2406A	0.26	180367	-	0.29	0.27	0.29	0.28	0.30	0.03	1,348,198	39,018	0.289

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSI06P2406B	0.42	180367	-	0.47	0.45	0.47	0.08	-	0.05	4,497	208	0.461
HSI06P2406C	0.60	180367	-	0.70	0.64	0.68	0.08	0.70	0.08	12,877	878	0.681
HSI28C2403A	0.01	180367	-	0.01	0.01	0.01	0.01	0.02	-	4,017	4	0.01
HSI28C2403B	0.26	180367	0.27	0.27	0.15	0.15	0.15	0.16	(0.11)	5,924,709	97,935	0.165
HSI28C2403C	0.05	180367	0.04	0.04	0.03	0.03	0.02	0.03	(0.02)	3,498	12	0.034
HSI28C2403D	0.01	180367	-	0.01	0.01	0.01	0.01	0.02	-	7,019	7	0.01
HSI28C2403E	0.82	180367	-	0.73	0.62	0.62	0.60	0.65	(0.20)	1,782	118	0.664
HSI28C2403F	1.64	180367	-	1.50	1.42	1.42	1.39	1.44	(0.22)	34	5	1.478
HSI28C2404A	0.07	180367	-	0.06	0.05	0.06	0.05	0.06	(0.01)	35,636	214	0.059
HSI28C2404B	0.20	180367	0.21	0.21	0.15	0.15	0.15	0.16	(0.05)	88,809	1,505	0.169
HSI28C2404C	0.46	180367	0.45	0.45	0.37	0.37	0.37	0.38	(0.09)	3,780,434	143,549	0.379
HSI28C2404D	0.99	180367	-	-	-	0.37	0.84	0.88	-	-	-	0
HSI28C2405A	0.14	180367	0.13	0.13	0.11	0.12	0.11	0.12	(0.02)	58,751	720	0.122
HSI28C2405B	0.53	180367	-	0.49	0.45	0.45	0.45	0.46	(0.08)	1,732,923	80,376	0.463
HSI28C2405C	0.29	180367	0.29	0.29	0.23	0.23	0.23	0.24	(0.06)	19,532	467	0.238
HSI28C2405D	0.88	180367	-	0.84	0.76	0.76	0.76	0.77	(0.12)	68,514	5,315	0.775
HSI28C2406A	0.52	180367	0.50	0.50	0.43	0.44	0.44	0.45	(0.08)	1,286,786	58,061	0.451
HSI28C2406B	0.86	180367	-	0.87	0.74	0.74	0.74	0.75	(0.12)	22,994	1,742	0.757
HSI28C2406C	0.34	180367	0.33	0.33	0.29	0.29	0.28	0.29	(0.05)	55,128	1,648	0.298
HSI28P2403A	0.04	180367	-	0.05	0.03	0.05	0.04	0.05	0.01	8,016	37	0.046
HSI28P2403B	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
HSI28P2403C	0.01	180367	-	0.01	0.01	0.01	0.01	0.02	-	3,252	3	0.01
HSI28P2403D	0.22	180367	0.24	0.31	0.24	0.29	0.29	0.30	0.07	4,398,458	126,065	0.286
HSI28P2404A	0.06	180367	-	0.07	0.06	0.07	0.07	0.08	0.01	43,175	302	0.069
HSI28P2404B	0.21	180367	0.23	0.25	0.22	0.25	0.24	0.25	0.04	79,164	1,928	0.243
HSI28P2404C	0.48	180367	0.54	0.57	0.51	0.57	0.57	0.58	0.09	1,161,683	64,396	0.554
HSI28P2404D	0.04	180367	-	-	-	-	0.03	0.04	-	-	-	0
HSI28P2405A	0.13	180367	-	0.15	0.13	0.14	0.14	0.15	0.01	26,872	376	0.139
HSI28P2405B	0.27	180367	0.28	0.30	0.28	0.30	0.30	0.31	0.03	10,501	309	0.293
HSI28P2405C	0.52	180367	-	0.61	0.55	0.59	0.59	0.60	0.07	810,910	47,396	0.584
HSI28P2405D	1.10	180367	-	-	-	-	1.09	1.13	-	-	-	0
HSI28P2406A	0.14	180367	0.14	0.15	0.14	0.15	0.14	0.15	0.01	9,410	135	0.143
HSI28P2406B	0.44	180367	0.46	0.51	0.46	0.50	0.50	0.51	0.06	1,026,976	50,945	0.496
HSI28P2406C	0.25	180367	-	0.27	0.25	0.27	0.27	0.28	0.02	560	15	0.267
HSI28P2406D	0.78	180367	-	0.90	0.83	0.87	0.87	0.88	0.09	24,141	2,044	0.846
HSTECH28C2403A	0.71	180367	-	0.64	0.60	0.61	0.60	0.61	(0.10)	12	1	0.609
HSTECH28C2403B	0.08	180367	-	0.05	0.05	0.05	0.04	0.05	(0.03)	80	-	0.05
HSTECH28C2404A	1.18	180367	-	-	-	-	1.15	1.17	-	-	-	0
HSTECH28C2405A	0.60	180367	-	-	-	-	0.52	0.53	-	-	-	0
HSTECH28P2403A	0.20	180367	-	-	-	-	0.03	0.04	-	-	-	0
HSTECH28P2403B	1.53	180367	-	-	-	-	0.67	0.70	-	-	-	0
HSTECH28P2404A	0.03	180367	-	-	-	-	0.02	0.04	-	-	-	0
HSTECH28P2405A	0.28	180367	-	0.31	0.31	0.31	0.31	0.32	0.03	600	19	0.31
ICBC28C2404A	0.13	180367	-	-	-	-	-	-	-	-	-	0
ICBC28C2407A	0.41	180367	-	-	-	-	-	-	-	-	-	0
JD28C2403A	0.13	180367	-	-	-	-	-	-	-	-	-	0
JD28C2403B	0.15	180367	-	-	-	-	-	-	-	-	-	0
JD28C2406A	0.81	180367	-	0.77	0.73	0.74	0.08	-	(0.07)	10,140	756	0.746
JD28C2408A	1.05	180367	-	0.98	0.95	0.95	0.08	-	(0.10)	5,001	475	0.95
JD41C2406A	1.07	180367	-	-	-	-	-	-	-	-	-	0
KUAIISH28C2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
KUAIISH28C2404A	0.09	180367	-	-	-	-	-	0.11	-	-	-	0
KUAIISH28C2406A	0.26	180367	-	-	-	-	-	-	-	-	-	0
KUAIISH28C2407A	0.71	180367	-	0.72	0.71	0.71	-	-	-	2,028	145	0.715
KUAIISH41C2406A	0.53	180367	-	0.52	0.48	0.48	-	-	(0.05)	30,000	1,495	0.498
LENOVO28C2404A	0.11	180367	-	-	-	-	-	-	-	-	-	0
LENOVO28C2407A	0.47	180367	-	0.47	0.44	0.44	-	-	(0.03)	9,126	412	0.451
LENOVO28C2407B	0.29	180367	-	0.28	0.27	0.27	-	-	(0.02)	40,000	1,090	0.272
LENOVO41C2406A	0.23	180367	-	0.22	0.21	0.21	-	-	(0.02)	30,000	640	0.213
MCA5041C2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
MCA5041C2406A	0.97	180367	-	-	-	-	0.92	0.93	-	-	-	0
MCA5041P2403A	1.29	180367	-	-	-	-	-	-	-	-	-	0
MCA5041P2406A	0.35	180367	-	-	-	-	0.30	0.31	-	-	-	0
MEITU28C2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
MEITU28C2404A	0.15	180367	-	0.13	0.12	0.12	-	-	(0.03)	40,000	515	0.128
MEITU28C2406A	0.62	180367	-	0.59	0.56	0.59	0.08	-	(0.03)	2,028	115	0.567
MEITU28C2407A	1.37	180367	-	-	-	-	-	-	-	-	-	0
MEITU28P2405A	0.27	180367	-	0.30	0.29	0.30	-	-	0.03	7,098	211	0.297
MEITU28P2406A	0.12	180367	-	0.13	0.13	0.13	-	-	0.01	507	7	0.13
MEITU41C2403A	0.10	180367	-	-	-	-	-	-	-	-	-	0
MEITU41C2405A	0.21	180367	0.19	0.19	0.18	0.19	-	-	(0.02)	130,150	2,443	0.187
MEITU41C2405B	0.58	180367	-	0.55	0.53	0.53	-	-	(0.05)	20,000	1,075	0.537
MEITU41C2406A	1.19	180367	-	-	-	-	0.19	-	-	-	-	0
MEITU41C2406B	1.44	180367	-	-	-	-	0.44	-	-	-	-	0
MEITU41C2407A	1.03	180367	-	-	-	-	-	-	-	-	-	0
MEITU41P2404A	0.18	180367	-	0.17	0.15	0.15	-	-	(0.03)	10,000	160	0.16
MEITU41P2406A	0.15	180367	-	-	-	-	-	-	-	-	-	0
MEITU41P2407A	0.54	180367	-	0.58	0.57	0.58	-	-	0.04	30,000	1,725	0.575
NDX28C2403A	0.06	180367	-	-	-	-	-	-	-	-	-	0
NDX28C2403B	0.80	180367	-	-	-	-	-	-	-	-	-	0
NDX28C2406A	1.82	180367	-	1.87	1.80	1.87	1.82	1.86	0.05	21	4	1.803
NDX28C2406B	0.43	180367	-	-	-	-	0.43	0.45	-	-	-	0
NDX28C2406C	0.69	180367	-	0.71	0.69	0.71	0.69	0.70	0.02	3,016	208	0.69
NDX28C2406D	0.27	180367	0.27	0.27	0.26	0.26	0.26	0.27	(0.01)	186	5	0.269
NDX28P2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
NDX28P2403B	0.01	180367	-	-	-	-	-	-	-	-	-	0
NDX28P2403C	0.04	180367	-	-	-	-	-	-	-	-	-	0
NDX28P2403D	0.04	180367	-	-	-	-	-	-	-	-	-	0
NDX28P2406A	0.11	180367	-	-	-	-	0.10	0.13	-	-	-	0
NDX28P2406B	0.24	180367	-	0.23	0.23	0.23	0.22	0.23	(0.01)	1,725	40	0.23
NDX28P2406C	0.46	180367	-	0.46	0.46	0.46	0.45	0.46	-	90	4	0.46
NDX41C2403A	1.84	180367	-	-	-	-	-	-	-	-	-	0
NDX41C2403B	1.21	180367	-	-	-	-	-	-	-	-	-	0
NDX41C2403C	0.06	180367	-	-	-	-	-	-	-	-	-	0
NDX41C2406A	0.93	180367	-	0.97	0.93	0.97	0.93	0.94	0.04	6,216	580	0.933
NDX41C2406B	0.30	180367	-	0.31	0.30	0.30	0.29	0.30	-	714	22	0.305
NDX41P2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
NDX41P2403B	0.02	180367	-	-	-	-	-	-	-	-	-	0
NDX41P2403C	0.09	180367	-	-	-	-	-	-	-	-	-	0
NDX41P2403D	0.01	180367	-	-	-	-	-	-	-	-	-	0
NDX41P2406A	0.17	180367	-	0.17	0.17	0.17	0.16	0.17	-	65	1	0.17
NDX41P2406B	0.28	180367	-	0.27	0.26	0.26	0.26	0.27	(0.02)	17,307	458	0.264
NTES41C2404A	0.22	180367	-	-	-	-	-	-	-	-	-	0

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
NTES41C2405A	0.41	180367	-	0.37	0.34	0.35	-	-	(0.06)	30,000	1,045	0.348
PINGAN28C2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
PINGAN28C2404A	0.10	180367	-	-	-	-	-	2.00	-	-	-	0
PINGAN28C2406A	0.19	180367	-	-	-	-	-	-	-	-	-	0
PINGAN28C2407A	0.48	180367	0.45	0.45	0.45	0.45	0.02	-	(0.03)	2	-	0.45
PINGAN28P2403A	0.10	180367	-	0.13	0.13	0.13	-	-	0.03	6,084	79	0.13
PINGAN28P2406A	0.09	180367	-	-	-	-	-	-	-	-	-	0
PINGAN41C2403A	0.11	180367	-	-	-	-	-	-	-	-	-	0
PINGAN41C2404A	0.07	180367	-	-	-	-	-	-	-	-	-	0
PINGAN41C2404B	0.20	180367	-	-	-	-	-	-	-	-	-	0
PINGAN41C2406A	0.32	180367	-	-	-	-	-	-	-	-	-	0
PINGAN41C2406B	0.41	180367	-	-	-	-	-	-	-	-	-	0
PINGAN41P2404A	0.13	180367	-	-	-	-	-	-	-	-	-	0
SET5001C2403F	0.01	180367	0.02	0.02	0.01	0.02	0.01	0.02	0.01	736	1	0.014
SET5001C2403G	0.01	180367	0.02	0.02	0.02	0.02	0.01	0.02	0.01	1,106	2	0.02
SET5001C2404A	0.01	180367	0.02	0.02	0.01	0.01	0.01	0.02	-	6,065	7	0.011
SET5001C2404T	0.10	180367	-	0.08	0.08	0.08	0.07	0.08	(0.02)	1,130	9	0.08
SET5001C2405A	0.14	180367	0.13	0.13	0.11	0.11	0.11	0.12	(0.03)	15,287	194	0.126
SET5001C2406A	0.24	180367	0.23	0.24	0.22	0.22	0.21	0.22	(0.02)	4,735	106	0.223
SET5001C2406F	0.27	180367	0.25	0.27	0.24	0.24	0.24	0.25	(0.03)	136,232	3,456	0.253
SET5001C2406T	0.38	180367	-	0.39	0.36	0.37	0.36	0.37	(0.01)	9,372	359	0.383
SET5001C2407A	0.40	180367	0.38	0.40	0.36	0.36	0.35	0.36	(0.04)	66,887	2,618	0.391
SET5001P2403F	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5001P2403G	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5001P2403H	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5001P2404A	0.05	180367	-	0.04	0.03	0.04	0.04	0.05	(0.01)	151	1	0.039
SET5001P2404T	0.14	180367	-	0.13	0.13	0.13	0.14	0.15	(0.01)	4,023	52	0.13
SET5001P2405A	0.08	180367	0.08	0.08	0.07	0.08	0.08	0.09	-	5,283	41	0.078
SET5001P2406A	0.25	180367	0.26	0.26	0.24	0.26	0.26	0.27	0.01	12,419	314	0.253
SET5001P2406F	0.25	180367	0.26	0.27	0.23	0.26	0.26	0.27	0.01	146,426	3,769	0.257
SET5001P2406T	0.28	180367	-	0.29	0.27	0.29	0.29	0.30	0.01	24,767	698	0.282
SET5001P2407A	0.45	180367	0.46	0.47	0.43	0.47	0.47	0.48	0.02	127,278	5,789	0.454
SET5006C2403A	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5006C2403B	0.01	180367	-	-	-	-	-	-	-	-	-	0
SET5006C2403C	0.04	180367	-	-	-	-	-	-	-	-	-	0
SET5006C2404A	0.25	180367	-	0.25	0.20	0.21	0.21	-	(0.04)	105,357	2,520	0.239
SET5006C2406A	0.21	180367	-	0.21	0.18	0.19	0.17	0.23	(0.02)	39,477	799	0.202
SET5006P2403A	0.11	180367	-	-	-	-	-	-	-	-	-	0
SET5006P2403C	0.04	180367	-	-	-	-	-	-	-	-	-	0
SET5006P2404A	0.18	180367	-	0.20	0.17	0.19	-	0.21	0.01	16,814	287	0.17
SET5006P2406A	0.18	180367	-	0.20	0.17	0.20	-	-	0.02	44,800	784	0.174
SET5013C2403A	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403B	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403C	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403D	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403E	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403F	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403G	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403H	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013C2403I	0.01	180367	0.01	0.01	0.01	0.01	-	0.01	-	1	-	0.01
SET5013C2403J	0.01	180367	-	0.01	0.01	0.01	-	0.01	-	2,000	2	0.01
SET5013C2405A	0.80	180367	-	0.78	0.78	0.78	0.78	0.79	(0.02)	72	6	0.78
SET5013C2406A	0.27	180367	0.25	0.29	0.22	0.23	0.23	0.24	(0.04)	2,238,116	55,676	0.248
SET5013C2406B	0.32	180367	0.29	0.35	0.27	0.28	0.28	0.29	(0.04)	2,630,286	79,372	0.301
SET5013C2406C	0.20	180367	0.19	0.22	0.17	0.18	0.18	0.19	(0.02)	612,009	12,067	0.197
SET5013C2406D	0.46	180367	0.44	0.49	0.39	0.41	0.41	0.42	(0.05)	1,848,754	80,281	0.434
SET5013C2406E	0.70	180367	0.65	0.73	0.60	0.62	0.62	0.63	(0.08)	402,641	26,412	0.655
SET5013C2410A	0.22	180367	-	0.22	0.20	0.20	0.20	0.21	(0.02)	1,142,703	23,758	0.207
SET5013P2403A	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013P2403B	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013P2403C	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013P2403D	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013P2403E	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013P2403F	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5013P2405A	1.10	180367	1.12	1.12	1.11	1.11	1.10	1.12	0.01	69	8	1.111
SET5013P2406A	0.19	180367	0.20	0.22	0.17	0.20	0.20	0.21	0.01	771,166	14,985	0.194
SET5013P2406B	0.23	180367	0.25	0.27	0.22	0.25	0.25	0.26	0.02	722,096	17,789	0.246
SET5013P2406C	0.32	180367	0.34	0.37	0.29	0.34	0.34	0.35	0.02	1,973,892	65,502	0.331
SET5013P2406D	0.41	180367	0.45	0.47	0.38	0.44	0.44	0.45	0.03	1,444,978	63,221	0.437
SET5013P2406E	1.00	180367	0.67	0.71	0.59	0.67	0.67	0.68	(0.33)	415,139	27,699	0.667
SET5019C2403A	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2403B	0.02	180367	-	0.01	0.01	0.01	0.01	0.02	(0.01)	90	-	0.01
SET5019C2403C	0.03	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2403D	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2403E	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2403F	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2406A	0.14	180367	0.12	0.14	0.12	0.12	0.11	0.12	(0.02)	169,345	2,167	0.127
SET5019C2406B	0.13	180367	-	-	-	-	0.11	0.12	-	-	-	0
SET5019C2406C	0.20	180367	-	0.20	0.17	0.18	0.17	0.18	(0.02)	256,268	4,711	0.183
SET5019C2406E	0.23	180367	0.21	0.24	0.19	0.20	0.20	0.21	(0.03)	232,470	5,066	0.217
SET5019C2406F	0.46	180367	-	0.48	0.39	0.41	0.41	0.42	(0.05)	121,012	5,200	0.429
SET5019P2403A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019P2403B	0.01	180367	-	0.01	0.01	0.01	0.01	0.02	-	15,000	15	0.01
SET5019P2403C	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019P2403D	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5019P2403E	0.04	180367	-	0.04	0.03	0.04	0.03	0.04	-	1,050	3	0.032
SET5019P2406A	0.33	180367	-	0.36	0.32	0.35	0.35	0.36	0.02	272,971	9,401	0.344
SET5019P2406B	0.21	180367	-	0.24	0.20	0.22	0.22	0.23	0.01	356,187	7,741	0.217
SET5019P2406C	0.15	180367	0.17	0.18	0.15	0.17	0.17	0.18	0.02	295,529	4,915	0.166
SET5019P2406D	0.36	180367	0.38	0.41	0.34	0.40	0.39	0.40	0.04	373,719	14,237	0.38
SET5027C2403A	0.01	180367	-	0.01	0.01	0.01	-	0.01	-	609	1	0.01
SET5027C2403B	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403C	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403D	0.05	180367	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403E	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5027C2403T	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5027C2406A	0.28	180367	0.26	0.30	0.23	0.24	0.24	0.25	(0.04)	195,530	5,034	0.257
SET5027C2406B	0.14	180367	-	0.14	0.11	0.11	0.11	0.12	(0.03)	219,196	2,747	0.125
SET5027C2406C	0.27	180367	0.25	0.29	0.23	0.24	0.23	0.24	(0.03)	96,735	2,430	0.251
SET5027C2406D	0.54	180367	0.49	0.57	0.44	0.47	0.47	0.48	(0.07)	128,969	6,349	0.492
SET5027C2406T	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5027C2409T	0.18	180367	0.17	0.17	0.17	0.17	0.16	0.17	(0.01)	55,050	936	0.17
SET5027P2403A	0.02	180367	-	-	-	-	-	0.01	-	-	-	0

Main Board Quotation

Issue Date

Tuesday March 19, 2024

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET5027P2403B	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5027P2403T	0.02	180367	-	0.01	0.01	0.01	0.01	0.02	(0.01)	838	1	0.01
SET5027P2406A	0.14	180367	0.15	0.16	0.14	0.15	0.15	0.16	0.01	14,023	221	0.157
SET5027P2406B	0.31	180367	0.34	0.36	0.30	0.33	0.34	0.35	0.02	190,284	6,301	0.331
SET5027P2406T	0.06	180367	-	0.05	0.05	0.05	0.05	0.06	(0.01)	2,569	13	0.05
SET5028C2403A	0.01	180367	-	-	-	-	-	0.01	-	-	-	0
SET5028C2403B	0.02	180367	-	-	-	-	-	0.01	-	-	-	0
SET5028C2403C	0.04	180367	-	-	-	-	-	0.03	-	-	-	0
SET5028C2403D	0.03	180367	-	0.05	0.05	0.05	0.01	0.06	0.02	11	-	0.05
SET5028C2406A	0.19	180367	0.18	0.19	0.17	0.18	0.17	0.18	(0.01)	213,193	3,823	0.179
SET5028C2409A	0.48	180367	-	0.48	0.44	0.44	0.44	0.45	(0.04)	445,487	20,518	0.46
SET5028P2403A	0.45	180367	0.50	0.53	0.41	0.50	0.50	0.52	0.05	1,416	70	0.49
SET5028P2403B	0.03	180367	-	0.04	0.03	0.04	0.04	0.05	0.01	90	-	0.031
SET5028P2406A	0.25	180367	0.26	0.26	0.24	0.26	0.26	0.27	0.01	384,905	9,801	0.254
SET5028P2409A	0.49	180367	-	0.51	0.47	0.50	0.50	0.51	0.01	344,362	17,155	0.498
SET5041C2403A	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403B	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403C	0.02	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403D	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403E	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403F	0.01	180367	-	-	-	-	0.01	0.02	-	-	-	0
SET5041C2403G	0.02	180367	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2403H	0.02	180367	-	-	-	-	0.01	0.03	-	-	-	0
SET5041C2403I	0.05	180367	-	-	-	-	0.01	0.04	-	-	-	0
SET5041C2406A	0.10	180367	-	0.09	0.08	0.08	0.08	0.09	(0.02)	971	8	0.084
SET5041C2406B	0.33	180367	0.30	0.34	0.27	0.28	0.28	0.29	(0.05)	125,840	3,790	0.301
SET5041C2406C	0.15	180367	-	0.16	0.14	0.14	0.13	0.14	(0.01)	4,751	75	0.156
SET5041C2406D	0.20	180367	-	0.18	0.16	0.16	0.16	0.17	(0.04)	102,080	1,803	0.176
SET5041C2406E	0.42	180367	0.39	0.44	0.36	0.37	0.37	0.38	(0.05)	169,379	6,518	0.384
SET5041C2409A	0.23	180367	0.22	0.24	0.21	0.21	0.21	0.22	(0.02)	163,080	3,665	0.224
SET5041P2403A	0.05	180367	-	-	-	-	0.04	0.07	-	-	-	0
SET5041P2403B	0.07	180367	-	-	-	-	0.01	0.04	-	-	-	0
SET5041P2403C	0.02	180367	-	-	-	-	0.01	0.04	-	-	-	0
SET5041P2406A	0.40	180367	0.41	0.44	0.38	0.42	0.42	0.43	0.02	188,487	7,546	0.4
SET5041P2406B	0.33	180367	0.36	0.38	0.31	0.35	0.35	0.37	0.02	881,078	31,147	0.353
SET5041P2409A	0.43	180367	-	0.46	0.43	0.45	0.45	0.46	0.02	310,748	13,584	0.437
SPX28C2403A	1.52	180367	-	-	-	-	-	-	-	-	-	0
SPX28C2403B	0.66	180367	-	-	-	-	-	-	-	-	-	0
SPX28C2406A	1.04	180367	-	1.09	1.09	1.09	1.06	1.07	0.05	2	-	1.09
SPX28C2406B	0.68	180367	-	0.57	0.57	0.57	0.55	0.56	(0.11)	16	1	0.57
SPX28P2403A	0.04	180367	-	-	-	-	-	-	-	-	-	0
SPX28P2403B	0.04	180367	-	-	-	-	-	-	-	-	-	0
SPX28P2403C	0.04	180367	-	-	-	-	-	-	-	-	-	0
SPX28P2406A	0.10	180367	-	-	-	-	0.10	0.11	-	-	-	0
SPX28P2406B	0.19	180367	-	0.19	0.19	0.19	0.18	0.19	-	1,500	29	0.19
SPX41C2403A	2.44	180367	-	-	-	-	-	-	-	-	-	0
SPX41C2403B	0.74	180367	-	-	-	-	-	-	-	-	-	0
SPX41C2406A	1.15	180367	-	1.17	1.17	1.17	1.17	1.18	0.02	1,000	117	1.17
SPX41C2406B	0.43	180367	-	-	-	-	0.42	0.43	-	-	-	0
SPX41P2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
SPX41P2403B	0.01	180367	-	-	-	-	-	-	-	-	-	0
SPX41P2403C	0.01	180367	-	-	-	-	-	-	-	-	-	0
SPX41P2406A	0.13	180367	-	-	-	-	0.12	0.13	-	-	-	0
SPX41P2406B	0.22	180367	-	0.22	0.22	0.22	0.21	0.22	-	24	1	0.22
SUNNY28C2406A	0.04	180367	-	-	-	-	-	-	-	-	-	0
SUNNY28C2407A	0.20	180367	-	0.18	0.18	0.18	-	-	(0.02)	5,000	90	0.18
SUNNY28C2408A	0.44	180367	-	0.42	0.41	0.41	-	-	(0.03)	70,000	2,895	0.413
SUNNY41C2403A	0.09	180367	-	-	-	-	-	-	-	-	-	0
SUNNY41C2405A	0.09	180367	-	-	-	-	0.01	0.09	-	-	-	0
SUNNY41C2406A	0.43	180367	-	0.42	0.39	0.39	-	-	(0.04)	10,000	405	0.405
SUNNY41C2407A	0.50	180367	-	0.46	0.46	0.46	-	-	(0.04)	30,000	1,380	0.46
TENCEN28C2403A	0.01	180367	-	-	-	-	-	-	-	-	-	0
TENCEN28C2403B	0.04	180367	-	-	-	-	-	-	-	-	-	0
TENCEN28C2403C	0.02	180367	-	-	-	-	-	-	-	-	-	0
TENCEN28C2405A	0.10	180367	-	-	-	-	-	-	-	-	-	0
TENCEN28C2405B	0.29	180367	-	0.27	0.24	0.24	0.16	5.80	(0.05)	82,000	2,111	0.257
TENCEN28P2404A	0.10	180367	-	-	-	-	-	-	-	-	-	0
TENCEN41C2403A	0.10	180367	-	-	-	-	-	-	-	-	-	0
TENCEN41C2405A	0.08	180367	-	-	-	-	0.01	-	-	-	-	0
TENCEN41C2406A	0.26	180367	-	0.23	0.22	0.22	0.04	-	(0.04)	90,000	2,000	0.222
TENCEN41P2405A	0.42	180367	-	0.47	0.46	0.47	-	-	0.05	50,000	2,325	0.465
TRIPDC41C2403A	0.75	180367	-	-	-	-	-	-	-	-	-	0
TRIPDC41C2407A	0.51	180367	-	0.50	0.48	0.48	0.45	-	(0.03)	30,000	1,480	0.493
XIAOMI28C2403A	0.18	180367	0.20	0.20	0.20	0.20	-	0.20	0.02	1	-	0.2
XIAOMI28C2404A	0.03	180367	-	0.06	0.06	0.06	-	0.06	0.03	1	-	0.06
XIAOMI28C2407A	0.35	180367	-	0.36	0.34	0.34	0.14	-	(0.01)	33,462	1,191	0.356
XIAOMI41C2403A	0.11	180367	-	-	-	-	-	-	-	-	-	0
XIAOMI41C2404A	0.05	180367	-	0.04	0.04	0.04	0.01	-	(0.01)	10	-	0.04
XIAOMI41C2405A	0.32	180367	-	0.33	0.33	0.33	-	-	0.01	10,000	330	0.33
XIAOMI41C2406A	0.29	180367	-	0.29	0.28	0.28	0.08	-	(0.01)	10,910	311	0.284
XIAOMI41P2404A	0.13	180367	-	0.13	0.12	0.13	-	-	-	30,000	385	0.128
ZIJIN28C2403A	0.45	180367	-	-	-	-	-	-	-	-	-	0
ZIJIN28C2407A	1.21	180367	-	-	-	-	-	-	-	-	-	0
ZIJIN28C2408A	0.45	180367	-	0.42	0.40	0.41	0.11	-	(0.04)	23,322	960	0.411
ZIJIN41C2403A	0.34	180367	-	-	-	-	-	-	-	-	-	0
ZIJIN41C2407A	0.57	180367	-	-	-	-	-	-	-	-	-	0
ZIJIN41C2407B	0.33	180367	-	0.30	0.29	0.29	-	-	(0.04)	40,000	1,180	0.295

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										