

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday March 27, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KTB13C2406A	0.03	-	6	0.03	IVL01C2406A	0.16	-	69,977	0.16
WORLD	-	-	-	-	KTB13C2406B	0.13	-	42,696	0.13	IVL01C2406B	-	-	-	-
Agribusiness	-	-	-	-	KTB13C2408A	0.28	(0.01)	67,206	0.29	IVL01C2408A	0.42	(0.01)	34,236	0.43
EE	0.26	-	10,406	0.25	KTB13P2404A	-	-	-	-	IVL01P2405X	-	-	-	-
EE-W1	0.02	0.01	26,400	0.01	KTB13P2406A	-	-	-	-	IVL01P2407X	0.24	-	16,012	0.24
GPTT	12.30	0.30	46,201	12.29	KTB19C2404A	0.01	-	130	0.01	IVL06C2404A	-	-	-	-
LEE	2.40	-	1,177	2.41	KTB19C2406A	0.13	(0.01)	23,323	0.13	IVL06C2406A	0.32	-	97,935	0.33
NER	6.15	0.05	34,793	6.15	KTB19C2408A	0.29	(0.01)	20,777	0.30	IVL11C2403T	-	-	-	-
PPPM	0.04	-	23,189	0.04	KTB19P2406A	-	-	-	-	IVL13C2406A	-	-	-	-
PPPM-W4	-	-	-	-	KTB41C2404A	-	-	-	-	IVL13C2406B	0.16	(0.01)	5,144	0.17
STA	20.10	0.20	63,836	20.12	KTB41C2406A	-	-	-	-	IVL13C2407A	0.41	-	51,698	0.42
STA01C2404A	-	-	-	-	KTB41C2406B	0.13	(0.02)	13,000	0.13	IVL13C2408A	0.11	-	4,298	0.11
STA01C2407A	0.31	0.01	12,990	0.32	KTB41C2407A	0.19	(0.01)	28,607	0.20	IVL13P2405A	-	-	-	-
STA01P2407X	0.33	(0.02)	14,705	0.33	LHFG	0.99	-	85,960	0.99	IVL13P2408A	0.48	(0.01)	28,468	0.47
STA01P2408X	0.42	(0.02)	12,784	0.41	SCB	114.50	-	44,215	114.76	IVL19C2405A	-	-	-	-
STA11C2407T	0.55	-	7,980	0.55	SCB01C2404A	-	-	-	-	IVL19C2406A	0.21	0.01	14,462	0.21
STA13C2405A	-	-	-	-	SCB01C2405A	0.18	-	3,070	0.19	IVL19C2407A	0.12	0.01	10,000	0.12
STA13C2407A	0.39	0.01	43,434	0.39	SCB01C2407A	0.43	-	1,098	0.44	IVL41C2404A	-	-	-	-
STA13C2408A	0.26	-	61,274	0.27	SCB01C2408A	0.43	0.01	2,114	0.43	IVL41C2406A	-	-	-	-
STA13P2407A	0.16	(0.01)	10,265	0.16	SCB01P2405X	-	-	-	-	IVL41C2406B	0.18	(0.01)	30,800	0.18
STA13P2408A	0.46	(0.03)	25,000	0.47	SCB01P2407X	0.18	(0.01)	2,486	0.18	IVL41C2407A	0.27	-	62,950	0.27
STA19C2406A	0.48	0.02	33,618	0.49	SCB11C2403A	-	-	-	-	NFC	3.18	0.06	492	3.12
STA19C2408A	0.37	-	52,861	0.38	SCB13C2404A	-	-	-	-	PATO	9.10	-	19	9.06
STA41C2408A	0.32	0.01	20,400	0.32	SCB13C2406A	0.27	0.01	40,448	0.27	PMTA	9.10	(0.25)	5	9.10
TEGH	3.20	0.02	17,717	3.21	SCB13P2406A	-	-	-	-	PTTGC	38.50	-	50,955	38.59
TFM	6.85	0.05	27	6.85	SCB13P2407A	0.17	-	19,248	0.17	PTTGC01C2405A	-	-	-	-
TRUBB	1.61	(0.02)	165,779	1.64	SCB19C2404A	-	-	-	-	PTTGC01C2406A	0.26	(0.01)	16,452	0.27
TRUBB-W2	0.14	-	39,431	0.15	SCB19C2406A	0.26	(0.01)	466	0.26	PTTGC01P2404X	-	-	5,796	0.21
UPOIC	6.25	(0.05)	114	6.30	SCB19C2407A	-	-	-	-	PTTGC01P2405X	-	-	-	-
UVAN	8.40	-	3,271	8.44	SCB19P2407A	0.13	(0.01)	7,492	0.13	PTTGC11C2404A	0.12	-	3,320	0.12
VPO	0.81	-	8,504	0.82	SCB41C2404A	-	-	-	-	PTTGC13C2406A	0.15	(0.01)	47,646	0.16
Banking	-	-	-	-	SCB41C2405A	-	-	-	-	PTTGC13P2404A	-	-	-	-
BAY	26.75	-	904	26.77	SCB41C2405B	0.19	-	2,000	0.19	PTTGC19C2406A	0.19	(0.01)	49,213	0.19
BBL	139.00	(1.00)	37,508	139.04	SCB41C2407A	0.30	-	3,000	0.30	PTTGC19C2406B	-	-	-	-
BBL11C2404A	-	-	-	-	SCB41C2407B	0.25	-	4,000	0.25	PTTGC41C2404A	-	-	-	-
BBL11C2405A	-	-	-	-	SCB41C2408A	0.26	(0.01)	6,000	0.26	PTTGC41C2405A	-	-	-	-
BBL11C2406A	0.07	(0.01)	11	0.07	SCB41P2406A	-	-	-	-	PTTGC41C2406A	0.16	-	24,000	0.17
BBL11P2407A	0.32	0.01	6,360	0.32	TCAP	51.50	0.25	9,285	51.33	PTTGC41C2407A	0.16	-	8,000	0.16
BBL13C2404A	-	-	-	-	TCAP-P	-	-	-	-	PTTGC41C2407B	-	-	-	-
BBL13C2405A	-	-	-	-	TCAP-Q	-	-	-	-	SUTHA	2.72	(0.08)	182	2.84
BBL13C2406A	0.09	(0.01)	60	0.09	TISCO	99.75	0.25	15,610	99.69	TPA	4.26	(0.06)	53	4.27
BBL13C2408A	0.25	(0.01)	335	0.25	TISCO-P	-	-	-	-	UAC	3.62	(0.02)	2,350	3.62
BBL13P2404A	-	-	-	-	TISCO-Q	-	-	-	-	UP	17.50	0.10	114	17.50
BBL13P2408A	0.39	0.01	4,575	0.39	TISCO013C2405A	0.04	(0.04)	300	0.04	Commerce	4.40	0.22	248,176	4.35
BBL19C2404A	-	-	-	-	TISCO019C2408A	0.21	-	1,600	0.21	ADVICE	4.40	0.22	248,176	4.35
BBL19C2405A	-	-	-	-	TTB	1.84	-	992,118	1.85	B52	0.90	(0.07)	175	0.93
BBL19C2406A	-	-	-	-	TTB-W1	0.88	-	150	0.88	BEAUTY	0.68	0.06	1,308,475	0.67
BBL19C2408A	0.25	(0.02)	23,444	0.25	TTB01C2404A	-	-	-	-	BIG	0.49	0.01	2,936	0.48
BBL19P2406A	0.20	(0.01)	5,053	0.20	TTB01C2406A	0.32	-	7,777	0.33	BJC	24.70	0.20	56,268	24.64
BBL41C2404A	-	-	-	-	TTB13C2404A	-	-	-	-	COM7	19.20	0.20	125,160	19.21
BBL41C2405A	-	-	-	-	TTB19C2404A	-	-	-	-	COM701C2404A	-	-	-	-
BBL41C2406A	0.03	(0.02)	500	0.03	Construction Ma	-	-	-	-	COM701C2404B	-	-	-	-
BBL41C2406B	0.10	(0.02)	3,000	0.10	CCP	0.36	-	10,205	0.36	COM701C2405A	-	-	-	-
BBL41C2407A	0.15	(0.02)	3,030	0.15	DCC	1.94	0.02	63,488	1.92	COM701C2406A	0.08	0.02	382	0.08
BBL41C2407B	-	-	-	-	DCON	0.46	-	2,065	0.47	COM701C2407A	0.26	0.01	32,382	0.26
BBL41C2408A	0.23	(0.01)	4,000	0.23	DCON-W3	0.08	0.01	4,016	0.08	COM701C2408A	0.40	0.02	27,806	0.40
BBL41P2406A	-	-	-	-	DRT	7.85	-	398	7.86	COM701P2404X	0.11	(0.03)	15,896	0.11
CIMBT	0.58	-	2,838	0.58	EPG	6.90	(0.10)	12,704	6.94	COM701P2408X	0.34	(0.02)	6,991	0.34
CREDIT	26.25	0.25	3,504	26.27	GEL	0.19	(0.01)	22,095	0.19	COM706C2403A	-	-	-	-
KBANK	124.50	(0.50)	44,944	124.79	GEL-W5	0.03	0.01	462	0.03	COM706C2407A	0.24	0.01	58,291	0.24
KBANK01C2405A	0.02	(0.01)	101	0.03	PPP	1.84	(0.01)	788	1.86	COM706C2407B	-	-	-	-
KBANK01C2406A	-	-	-	-	Q-CON	16.70	0.40	14,716	16.50	COM711C2404A	-	-	-	-
KBANK01C2407A	0.30	(0.01)	4,548	0.31	SCC	259.00	5.00	33,128	257.11	COM711C2406A	0.10	0.01	6,640	0.10
KBANK01P2404X	-	-	-	-	SCC01C2405A	-	-	-	-	COM71P2406A	-	-	-	-
KBANK01P2406X	0.16	-	4,338	0.16	SCC01C2407A	0.10	0.01	5,954	0.10	COM713C2404A	-	-	-	-
KBANK01P2408X	0.24	-	49,185	0.24	SCC01C2408A	0.44	0.05	125,761	0.42	COM713C2404B	-	-	-	-
KBANK06C2404A	-	-	-	-	SCC11C2408A	0.23	0.03	16,248	0.22	COM713C2405A	-	-	-	-
KBANK06C2406A	0.10	(0.01)	8,344	0.10	SCC13C2405A	-	-	-	-	COM713C2405B	-	-	-	-
KBANK13C2405A	-	-	-	-	SCC13C2407A	0.08	0.01	5,121	0.08	COM713C2406A	0.09	0.03	210	0.09
KBANK13C2406A	0.07	(0.01)	2,000	0.08	SCC13C2408A	0.31	0.04	62,761	0.29	COM713C2407A	0.23	0.01	20	0.23
KBANK13C2407A	0.22	-	2,700	0.22	SCC13P2408A	0.28	(0.04)	25,274	0.28	COM713C2408A	0.37	0.02	54,533	0.37
KBANK13P2404A	-	-	-	-	SCC19C2405A	-	-	-	-	COM713P2404A	-	-	-	-
KBANK13P2406A	0.17	(0.02)	2,631	0.17	SCC19C2406A	0.05	(0.01)	2,000	0.05	COM713P2407A	0.31	(0.03)	61,436	0.31
KBANK19C2404A	-	-	-	-	SCCC	141.50	2.00	644	140.65	COM719C2404A	-	-	-	-
KBANK19C2405A	-	-	-	-	SCGD	8.50	0.10	26,979	8.48	COM719C2404B	-	-	-	-
KBANK19C2406A	-	-	-	-	SCP	5.90	-	985	5.90	COM719C2406A	-	-	-	-
KBANK19C2408A	0.26	-	10	0.26	SKN	4.52	0.02	209	4.50	COM719C2407A	0.18	0.01	13,698	0.18
KBANK19P2404A	-	-	-	-	STECH	1.58	-	493	1.58	COM719C2408A	0.38	0.03	95,219	0.37
KBANK41C2405A	-	-	-	-	TASCO	16.20	0.10	27,143	16.15	COM719P2406A	0.38	(0.03)	20,670	0.38
KBANK41C2405B	-	-												

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday March 27, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL19C2407A	0.12	-	8,514	0.12	ADVANC01C240	-	-	-	-	TRUE13C2407A	-	-	-	-
CPALL19P2404A	-	-	-	-	ADVANC01C240I	0.24	-	24,578	0.24	TRUE13C2407B	0.32	0.01	66,028	0.33
CPALL19P2408A	-	-	-	-	ADVANC01P240	-	-	-	-	TRUE13P2404A	-	-	-	-
CPALL41C2404A	-	-	-	-	ADVANC01P240I	0.31	(-0.01)	1,669	0.31	TRUE13P2407A	0.04	-	1,700	0.04
CPALL41C2405A	-	-	-	-	ADVANC06C240	-	-	-	-	TRUE13P2407B	0.13	(-0.01)	98,171	0.13
CPALL41C2406A	0.15	(-0.01)	3,136	0.15	ADVANC11C240	-	-	-	-	TRUE19C2404A	-	-	-	-
CPALL41C2407A	0.18	(-0.01)	4,800	0.18	ADVANC13C240	-	-	-	-	TRUE19C2405A	-	-	-	-
CPALL41C2407B	-	-	-	-	ADVANC13C240I	-	-	-	-	TRUE19C2407A	-	-	-	-
CPALL41C2407C	-	-	-	-	ADVANC13C240	0.13	-	19,843	0.13	TRUE19C2407B	0.36	0.01	32,692	0.37
CPALL41C2408A	0.16	-	6,100	0.16	ADVANC13P240	-	-	-	-	TRUE19P2408A	0.17	(-0.01)	32,096	0.17
CPAXT	31.75	0.25	22,965	31.53	ADVANC13P240I	0.30	(-0.01)	5,490	0.30	TRUE41C2404A	0.09	(-0.01)	21,348	0.11
CPW	2.26	(-0.02)	1,025	2.26	ADVANC19C240	-	-	-	-	TRUE41C2404B	-	-	-	-
CRC	36.00	(0.25)	42,328	36.11	ADVANC19C240I	0.02	-	70	0.02	TRUE41C2406A	-	-	-	-
CRC01C2404A	-	-	-	-	ADVANC19C240	0.15	-	9,545	0.15	TRUE41C2406B	-	-	-	-
CRC01C2407A	0.21	(-0.01)	8,643	0.22	ADVANC41C240	0.01	(-0.01)	150	0.01	TRUE41C2407A	0.45	0.01	12,000	0.47
CRC01P2404X	-	-	-	-	ADVANC41C240I	-	-	-	-	TRUE41C2407B	0.25	-	56,000	0.26
CRC11C2404A	-	-	-	-	ADVANC41C240	0.11	-	8,140	0.11	TRUE41P2408A	0.29	(-0.02)	1,900	0.29
CRC13C2405A	-	-	-	-	AIT	4.96	0.06	46,578	4.97	TWZ	0.04	-	31,358	0.04
CRC13C2407A	0.14	(-0.01)	14,966	0.15	ALT	1.45	(-0.03)	2,221	1.45	Electronic Componer	-	-	-	-
CRC13P2404A	-	-	-	-	AMR	1.25	(-0.01)	5,777	1.25	CCET	2.48	0.08	142,288	2.47
CRC19C2404A	-	-	-	-	BLISS	-	-	-	-	DELTA	73.50	(-0.50)	59,689	73.65
CRC19C2406A	0.19	(-0.01)	61,520	0.19	DIF	7.55	0.05	67,129	7.53	DELTA01C2404A	0.02	-	11	0.01
CRC19C2408A	0.16	(-0.01)	18,717	0.17	DITTO	23.70	-	10,531	23.80	DELTA01C2404B	-	-	-	-
CRC41C2407A	0.18	(-0.01)	8,000	0.18	DITTO-W1	-	-	-	-	DELTA01C2406A	0.11	(-0.01)	14,694	0.12
CSS	0.94	0.01	18,509	0.94	DTCENT	1.48	-	11,274	1.48	DELTA01C2407A	0.44	(-0.03)	24,151	0.45
DOHOME	11.00	0.10	75,761	11.00	FORTH	15.70	(-0.10)	18,741	15.77	DELTA01C2407B	0.70	(-0.03)	39,910	0.71
DOHOME01C2404A	-	-	-	-	FORTH01C2404I	-	-	-	-	DELTA01P2404A	0.06	(-0.02)	4,180	0.06
DOHOME01C2406A	0.11	-	59,119	0.11	FORTH01C2407I	0.16	(-0.01)	22,665	0.17	DELTA01P2406X	0.37	(-0.01)	43,867	0.37
DOHOME06C2407A	0.16	-	33,798	0.16	FORTH13C2404	-	-	-	-	DELTA06C2405A	-	-	-	-
DOHOME11C2403T	-	-	-	-	FORTH13C2406I	0.10	(-0.01)	13,730	0.10	DELTA06C2406A	0.39	(-0.02)	120,685	0.39
DOHOME11C2406A	0.14	0.01	16,562	0.12	FORTH13C2408I	0.35	(-0.01)	21,767	0.35	DELTA11C2406A	0.21	(-0.01)	16,500	0.21
DOHOME13C2404A	-	-	-	-	FORTH19C2404I	-	-	-	-	DELTA13C2404A	-	-	-	-
DOHOME13C2406A	0.20	-	30,086	0.20	FORTH19C2407I	0.19	(-0.01)	24,190	0.19	DELTA13C2405A	0.03	-	5,025	0.03
DOHOME13C2407A	0.12	0.01	66,631	0.12	GABLE	5.05	0.23	157,130	4.96	DELTA13C2407A	0.31	(-0.01)	67,067	0.31
DOHOME19C2404A	-	-	-	-	HUMAN	11.70	(-0.10)	797	11.79	DELTA13C2407B	0.62	(-0.03)	76,117	0.63
DOHOME19C2406A	0.19	-	52,846	0.19	ICN	2.56	(-0.02)	2,231	2.58	DELTA13C2407C	0.45	(-0.02)	155,306	0.45
DOHOME19C2407A	0.15	0.01	29,596	0.14	ILINK	7.35	-	3,542	7.35	DELTA13P2404A	-	-	-	-
DOHOME41C2406A	0.09	-	48,910	0.09	INET	5.15	0.10	13,613	5.14	DELTA13P2405A	0.12	-	37,993	0.12
DOHOME41C2406B	0.15	0.01	35,000	0.14	INSET	2.34	0.06	11,891	2.31	DELTA13P2407A	0.37	-	71,711	0.37
FN	1.27	(-0.02)	1,425	1.22	INTUCH	69.25	(-0.25)	11,214	69.23	DELTA19C2404A	-	-	-	-
FTE	1.71	(-0.02)	1,190	1.72	INTUCH01C2405	-	-	-	-	DELTA19C2406A	0.15	-	4,574	0.15
GLOBAL	16.90	0.40	109,232	16.63	INTUCH13C2404	-	-	-	-	DELTA19C2407A	0.32	(-0.01)	35,525	0.32
GLOBAL01C2404A	-	-	-	-	INTUCH13C2408	0.32	(-0.01)	29,597	0.32	DELTA19C2407B	0.48	(-0.01)	33,672	0.49
GLOBAL01C2407A	0.36	0.04	17,114	0.34	INTUCH19C2404	-	-	-	-	DELTA19P2404A	-	-	-	-
GLOBAL01C2408A	0.27	0.03	43,516	0.26	ITEL	2.56	0.04	60,773	2.56	DELTA19P2407A	0.38	(-0.01)	9,019	0.38
GLOBAL11C2408A	0.31	0.04	42,100	0.28	ITEL-W4	0.02	0.01	837	0.02	DELTA41C2404B	-	-	-	-
GLOBAL13C2406A	0.18	0.02	32,994	0.17	JAS	2.30	0.02	863,112	2.31	DELTA41C2405A	0.01	(-0.01)	54	0.01
GLOBAL19C2407A	0.39	0.03	19,673	0.37	JMART	14.70	(-0.10)	44,279	14.72	DELTA41C2406A	0.13	(-0.01)	7,726	0.13
GLOBAL19C2407B	0.23	0.03	38,103	0.21	JMART-W4	1.63	(-0.07)	445	1.58	DELTA41C2407A	0.31	(-0.01)	36,202	0.31
GLOBAL41C2406A	0.17	0.02	39,004	0.16	JMART-W5	1.50	(-0.06)	220	1.50	DELTA41C2407B	0.49	(-0.02)	72,466	0.50
HMPRO	10.90	0.20	195,238	10.84	JMART01C2404I	0.01	-	1	0.01	DELTA41P2406A	0.71	(-0.02)	21,361	0.70
HMPRO01C2404A	-	-	-	-	JMART01C2405I	0.01	(-0.01)	1	0.01	HANA	39.50	(-0.25)	105,173	39.70
HMPRO01C2406A	-	-	-	-	JMART01C2406I	0.15	(-0.01)	12,260	0.15	HANA01C2404A	-	-	-	-
HMPRO01C2407A	0.13	0.01	12,826	0.13	JMART01C2407I	0.29	(-0.02)	38,314	0.29	HANA01C2406A	0.06	-	120	0.06
HMPRO11C2407T	-	-	-	-	JMART01P2404I	-	-	-	-	HANA01C2407A	0.17	(-0.02)	17,555	0.18
HMPRO13C2405A	0.02	-	2	0.02	JMART01P2408I	0.47	0.01	9,956	0.46	HANA01C2407B	0.01	(-0.01)	8,562	0.54
HMPRO13C2407A	0.10	0.01	17,494	0.10	JMART06C2405I	-	-	-	-	HANA01P2407X	0.42	0.01	7,902	0.42
HMPRO19C2404A	-	-	-	-	JMART13C2404I	-	-	-	-	HANA01P2408X	0.26	0.01	7,361	0.26
HMPRO19C2407A	0.13	0.01	19,244	0.13	JMART13C2404E	-	-	-	-	HANA06C2404A	-	-	-	-
HMPRO41C2404A	-	-	-	-	JMART13C2407I	0.16	(-0.01)	30,612	0.17	HANA06C2405A	0.55	(-0.01)	8,562	0.54
HMPRO41C2406A	-	-	-	-	JMART13C2408I	0.38	(-0.01)	34,095	0.38	HANA01P2407X	0.42	0.01	7,902	0.42
HMPRO41C2407A	0.08	-	2,000	0.08	JMART13P2404I	-	-	-	-	HANA01P2408X	0.26	0.01	7,361	0.26
HMPRO41C2408A	0.17	0.01	8,900	0.16	JMART13P2408I	0.47	0.01	51,813	0.47	HANA06C2404A	-	-	-	-
ICC	46.50	-	6	46.50	JMART19C2404I	-	-	-	-	HANA06C2407A	0.36	(-0.02)	93,694	0.36
ILM	21.20	(-0.20)	2,184	21.35	JMART19C2406I	0.10	(-0.01)	9,912	0.10	HANA11C2404A	-	-	-	-
IT	3.52	0.10	1,345	3.50	JMART19C2406E	0.15	(-0.02)	55,144	0.16	HANA13C2404A	-	-	-	-
KAMART	15.90	1.10	412,476	16.19	JMART19C2408I	0.31	(-0.01)	34,758	0.31	HANA13C2404B	-	-	-	-
LOXLEY	1.50	-	1,079	1.50	JMART19P2404I	-	-	-	-	HANA13C2407A	0.06	(-0.01)	1,463	0.07
MC	13.20	(0.10)	20,325	13.22	JMART41C2404I	-	-	-	-	HANA13C2407B	0.13	-	27,048	0.13
MEGA	41.50	0.25	5,617	41.51	JMART41C2404E	-	-	-	-	HANA13C2407C	0.33	(-0.02)	34,108	0.34
MEGA01C2404A	0.05	(-0.02)	201	0.05	JMART41C2405I	-	-	-	-	HANA13C2408A	0.26	(-0.01)	88,897	0.27
MEGA13C2405A	0.09	0.01	5,550	0.09	JMART41C2407I	0.24	(-0.01)	10,000	0.24	HANA13P2404A	-	-	-	-
MEGA19C2404A	-	-	-	-	JMART41P2405A	-	-	-	-	HANA13P2406A	0.51	(-0.23)	1	0.51
MIDA	0.49	-	22,521	0.48	JTS	59.75	(-2.50)	16,962	60.89	HANA13P2407A	0.42	-	19,700	0.41
MIDA-W3	-	-	-	-	MFEC	6.90	0.05	824	6.92	HANA13P2407B	0.19	0.01	16,267	0.19
MOSHI	56.25	(0.25)	4,361	56.23	MSC	8.20	0.05	28	8.19	HANA13P2408A	0.35	0.01	25,564	0.35
MOSHI13C2407A	0.26	(-0.01)	32,784	0.27	PT	7.95	0.15							

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday March 27, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE13C2404A	-	-	-	-	BGRIM41C2405/	0.10	-	7,602	0.10	GULF41C2408A	0.17	(0.02)	24,873	0.18
KCE13C2406A	-	-	-	-	BGRIM41C2405I	-	-	-	-	GULF41C2405A	-	-	-	-
KCE13C2407A	0.09	0.01	1,000	0.09	BGRIM41C2407/	0.11	-	38,000	0.11	GUNKUL	2.78	-	109,597	2.77
KCE13C2407B	0.18	0.01	73,363	0.18	BGRIM41C2408E	0.20	-	8,703	0.21	GUNKUL01C2404A	-	-	-	-
KCE13C2408A	0.33	0.02	89,079	0.32	BIOTEC	0.39	(0.01)	10,611	0.39	GUNKUL01C2407A	0.12	(0.02)	103	0.12
KCE13P2407A	0.44	(0.02)	32,006	0.44	BIOTEC-P	-	-	-	-	GUNKUL01P2404X	-	-	-	-
KCE13P2407B	0.24	(0.01)	26,585	0.25	BIOTEC-Q	-	-	-	-	GUNKUL01P2407X	0.44	-	3,082	0.44
KCE19C2404A	-	-	-	-	BIOTEC-W2	0.11	-	505	0.10	GUNKUL11C2404A	0.10	(0.01)	1,060	0.10
KCE19C2406A	-	-	-	-	BPP	14.80	(0.10)	3,501	14.89	GUNKUL13C2404A	-	-	-	-
KCE19C2406B	-	-	-	-	BRRGIF	3.42	(0.04)	220	3.44	GUNKUL13C2407A	-	-	-	-
KCE19C2407A	0.17	0.01	29,270	0.16	BSRC	9.85	-	20,190	9.85	GUNKUL13C2407B	0.25	0.01	14,644	0.25
KCE19C2408A	0.35	0.02	72,988	0.33	BSRC13C2408A	-	-	-	-	GUNKUL13P2404A	-	-	-	-
KCE19P2404A	-	-	-	-	CKP	4.20	0.08	160,760	4.16	GUNKUL13P2407A	0.36	-	9,265	0.36
KCE19P2407A	0.20	(0.01)	11,298	0.21	CKP01C2407A	0.57	0.08	2,996	0.53	GUNKUL19C2405A	0.13	-	24,988	0.13
KCE41C2404A	-	-	-	-	CKP13C2407A	0.52	0.01	2,000	0.51	IFEC	-	-	-	-
KCE41C2405A	-	-	-	-	CKP19C2407A	0.53	0.02	5,471	0.52	IRPC	1.91	-	123,457	1.91
KCE41C2406A	-	-	-	-	CV	0.55	0.02	352,817	0.55	IRPC01C2406A	-	-	-	-
KCE41C2406B	-	-	-	-	CV-W1	0.30	0.08	701,322	0.28	IRPC13C2405A	-	-	-	-
KCE41C2407A	0.16	-	34,400	0.16	DEMCO	3.30	0.04	28,902	3.31	IRPC13C2407A	-	-	-	-
KCE41C2407B	0.26	0.01	111,850	0.25	DEMCO-W7	1.07	0.02	538,761	1.12	IRPC19C2404A	-	-	-	-
KCE41P2407A	-	-	-	-	EA	34.75	(0.25)	66,565	34.55	JR	4.40	(0.08)	3,626	4.41
KCE41P2408B	-	-	-	-	EA01C2405A	-	-	-	-	KBSPIF	8.45	0.15	331	8.42
METCO	223.00	1.00	10	222.60	EA01C2406A	0.02	-	500	0.02	LANNA	14.10	0.10	2,722	14.07
SMT	3.12	(0.02)	14,386	3.14	EA01C2406B	0.03	-	1,090	0.03	MDX	3.88	(0.02)	78,112	3.94
SMT-W3	0.08	(0.02)	67,946	0.09	EA01C2407A	0.09	(0.01)	3,100	0.09	NOVA	10.00	(0.10)	257	10.03
SVI	6.25	0.05	1,552	6.21	EA01C2407B	0.20	(0.01)	17,678	0.19	OR	17.80	(0.10)	141,992	17.80
TEAM	4.24	-	1,656	4.24	EA01P2404X	0.44	(0.02)	526	0.46	OR01C2405A	-	-	-	-
Energy & Utilities	-	-	-	-	EA01P2406X	0.23	-	8,996	0.24	OR01C2407A	0.16	(0.01)	31,558	0.16
7UP	0.40	0.01	36,077	0.39	EA06C2404A	-	-	-	-	OR01P2405X	0.25	-	18,368	0.25
ACC	0.57	-	219,289	0.58	EA06C2406A	-	-	-	-	OR11C2404A	-	-	-	-
ACE	1.44	-	33,508	1.45	EA11C2403A	-	-	-	-	OR13C2404A	-	-	-	-
ACE13C2407A	0.10	(0.01)	6,232	0.11	EA11C2405A	-	-	-	-	OR13C2407A	0.13	(0.01)	35,993	0.13
ACE19C2407A	-	-	-	-	EA11C2408A	0.16	-	11,740	0.15	OR19C2404A	0.02	-	1	0.02
AGE	1.96	-	3,526	1.96	EA13C2405A	-	-	-	-	OR19C2407A	0.16	(0.01)	64,864	0.16
AI	4.18	-	1,767	4.19	EA13C2406A	-	-	-	-	PCC	3.08	0.02	1,113	3.06
AIE	1.34	0.02	2,540	1.33	EA13C2406B	0.02	-	2,300	0.02	PRIME	0.59	0.04	164,550	0.58
AKR	1.01	-	16,818	1.01	EA13C2407A	0.10	(0.01)	19,878	0.10	PTG	8.60	(0.05)	66,792	8.62
AKR-W2	0.04	(0.02)	23,781	0.05	EA13C2408A	0.22	(0.01)	57,357	0.21	PTG01C2404A	-	-	-	-
BAFS	23.30	(0.20)	480	23.37	EA13P2406A	0.27	-	7,078	0.28	PTG01C2407A	0.24	(0.01)	7,045	0.24
BANPU	5.60	0.05	199,830	5.57	EA13P2407A	0.22	-	5,406	0.23	PTG11C2405A	-	-	-	-
BANPU01C2404A	0.01	-	100	0.01	EA19C2405A	-	-	-	-	PTG13C2407A	0.19	(0.01)	27,322	0.20
BANPU01C2405A	-	-	-	-	EA19C2406A	-	-	-	-	PTG19C2404A	-	-	-	-
BANPU01C2406A	-	-	-	-	EA19C2406B	0.07	(0.01)	506	0.07	PTG19C2407A	0.25	-	11,586	0.25
BANPU01C2407A	-	-	-	-	EA19C2407A	0.18	(0.01)	22,580	0.18	PTT	33.75	0.25	66,808	33.68
BANPU01C2408A	0.21	0.01	7,564	0.20	EA41C2404A	-	-	-	-	PTT01C2405A	-	-	-	-
BANPU01P2404X	-	-	-	-	EA41C2405A	-	-	-	-	PTT01P2407A	0.13	-	449	0.13
BANPU01P2405X	0.26	(0.03)	792	0.26	EA41C2406A	0.03	(0.01)	765	0.03	PTT01P2405X	-	-	-	-
BANPU01P2407X	0.21	(0.01)	2,014	0.21	EA41C2407A	-	-	-	-	PTT01P2408X	-	-	-	-
BANPU06C2407A	0.10	-	9,140	0.10	EA41C2408A	0.22	-	15,157	0.22	PTT11C2404A	-	-	-	-
BANPU11C2404A	-	-	-	-	EA41C2408B	0.16	(0.01)	14,000	0.16	PTT13C2406A	0.09	-	14,164	0.09
BANPU11C2406A	-	-	-	-	EA41P2405A	-	-	-	-	PTT13P2405A	-	-	-	-
BANPU11C2410T	0.22	0.01	4,440	0.22	EASTW	3.50	(0.02)	903	3.52	PTT13P2408A	-	-	-	-
BANPU11P2403A	-	-	-	-	EGATIF	5.90	-	383	5.87	PTT19C2404A	-	-	-	-
BANPU13C2404A	-	-	-	-	EGCO	115.50	1.00	6,461	115.10	PTT19C2406A	-	-	-	-
BANPU13C2405A	-	-	-	-	EGCO01C2404A	0.01	-	20	0.01	PTT41C2407A	-	-	-	-
BANPU13C2406A	-	-	-	-	EGCO13C2405A	-	-	-	-	PTT41C2407B	-	-	-	-
BANPU13C2407A	-	-	-	-	EGCO13C2407A	-	-	-	-	PTT41C2408C	0.13	-	15	0.12
BANPU13C2407B	0.09	0.01	4,001	0.08	EGCO13C2407B	0.24	0.01	13,272	0.24	PTT41C2408D	-	-	-	-
BANPU13C2408A	0.20	0.01	5,514	0.19	EGCO19C2408A	0.29	0.01	13,670	0.28	PTTEP	151.00	-	28,797	151.26
BANPU13P2404A	-	-	-	-	EP	2.64	(0.02)	602	2.64	PTTEP01C2404A	0.02	-	250	0.02
BANPU13P2405A	0.12	(0.02)	1,050	0.12	EP-W4	0.13	(0.01)	3,597	0.14	PTTEP01C2404T	0.01	(0.01)	21	0.01
BANPU19C2404A	-	-	-	-	ETC	2.78	-	3,343	2.77	PTTEP01C2405A	0.22	(0.01)	10,117	0.23
BANPU19C2405A	-	-	-	-	GPSC	53.00	(0.75)	48,567	53.28	PTTEP01C2407A	0.27	(0.01)	17,211	0.28
BANPU19C2405B	-	-	-	-	GPSC01C2404A	0.18	(0.05)	18,886	0.20	PTTEP01P2405X	-	-	-	-
BANPU19C2407A	0.08	0.01	1	0.08	GPSC01C2405A	0.13	(0.02)	57,527	0.14	PTTEP01P2406X	0.27	(0.01)	9,916	0.28
BANPU19C2407B	0.13	-	13,365	0.13	GPSC01C2407A	0.29	(0.04)	19,428	0.31	PTTEP06C2405A	0.29	-	29,446	0.29
BANPU19P2404A	-	-	-	-	GPSC01P2404X	-	-	-	-	PTTEP11C2403T	-	-	-	-
BANPU19P2406A	-	-	-	-	GPSC01P2405X	-	-	-	-	PTTEP11C2406A	0.32	(0.02)	13,500	0.33
BANPU14C2405A	-	-	-	-	GPSC01P2407X	0.19	0.01	5,286	0.19	PTTEP11P2406A	0.21	(0.01)	2,120	0.21
BANPU14C2407A	-	-	-	-	GPSC06C2404A	0.11	(0.11)	41,587	0.12	PTTEP13C2404A	0.01	(0.02)	4,104	0.01
BANPU14C2407B	0.12	0.01	11,000	0.11	GPSC11C2408T	0.37	(0.01)	14,972	0.38	PTTEP13P2405A	0.01	-	15,000	0.01
BBDI	4.86	0.16	9,327	4.86	GPSC11P2405A	-	-	-	-	PTTEP13P2406A	0.11	(0.01)	80	0.11
BCP	44.50	0.50	39,094	44.83	GPSC13C2406A	0.22	(0.04)	68,079	0.24	PTTEP13P2408A	0.42	-	14,216	0.42
BCP01C2405A	0.18	0.01	30,600	0.19	GPSC13P2404A	-	-	-	-	PTTEP19C2404A	-	-	-	-
BCP01P2404X	0.30	0.02	31,145	0.30	GPSC13P2407A	0.12	-	14,040	0.12	PTTEP19C2404B	-	-	-	-
BCP01P2404X	-	-	-	-	GPSC19C2405A	0.13	(0.02)	83,734	0.14	PTTEP19C2406A	0.22	(0.01)	9,400	0.23
BCP13C2405A	0.17	-	53,345	0.19	GPSC19C2408A	0.22	(0.02)	138,347	0.23	PTTEP19C2407A	0.19	(0.01)	7,002	0.20
BCP13P2404A	-	-	-	-	GPSC19P2404A	-	-	-	-	PTTEP41C2404A	-	-	-	-
BCP13P2408A	0.40	(0.01)	34,489	0.38	GPSC19P2406A	-	-	-	-	PTTEP41C2405A	0.11	(0.02)	7,000	0.12
BCP19C2404A	0.08	-												

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday March 27, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPCG	11.60	(0.10)	3,401	11.68	WORK	9.20	-	525	9.25	MTC13P2408A	0.36	(0.04)	101,050	0.37
SPRC	8.75	0.10	58,193	8.71	ZAA	1.23	(0.02)	4,335	1.25	MTC19C2404A	-	-	-	-
SPRC01C2405A	0.07	(0.01)	2,500	0.07	Finance & Secur	149.50	2.50	2,864	149.27	MTC19C2406A	0.27	0.03	82,738	0.26
SPRC01C2408A	0.25	0.01	18,412	0.25	AEONTS	2.34	-	7,185	2.34	MTC19P2404A	-	-	-	-
SPRC06C2405A	0.15	-	30,731	0.15	AMANAH	3.08	(0.02)	11,255	3.12	MTC41C2404A	0.04	(0.01)	1,000	0.04
SPRC11C2406A	0.20	0.01	23,000	0.20	ASAP	17.20	-	8,600	17.18	MTC41C2405A	-	-	-	-
SPRC13C2404A	-	-	-	-	ASK	2.68	-	7,713	2.68	MTC41C2408A	0.34	0.03	45,067	0.33
SPRC13C2408A	0.29	0.01	20,752	0.29	ASP	10.10	-	51,860	10.05	NCAP	2.20	0.02	22,918	2.21
SPRC13P2405A	-	-	-	-	BAM	0.03	-	1	0.03	PL	2.02	0.02	3,607	2.00
SPRC19C2404A	0.03	(0.04)	500	0.03	BAM01C2404A	0.49	0.02	1,350	0.48	SAK	4.96	0.08	27,036	4.98
SPRC19C2408A	0.26	0.01	23,772	0.25	BAM01C2406A	0.36	-	2	0.36	SAWAD	42.75	-	44,598	42.84
SSP	8.05	0.15	26,177	8.09	BAM11C2405A	0.23	(0.01)	2,665	0.22	SAWAD-W2	1.03	(0.03)	614	1.04
SSP-W2	0.24	-	83,915	0.26	BAM13C2405A	0.56	(0.01)	2,711	0.55	SAWAD01C2405A	-	-	-	-
SUPER	0.30	-	488,507	0.30	BAM13C2408A	0.19	-	5,088	0.18	SAWAD01C2406A	0.18	(0.01)	34,952	0.18
SUPEREIF	6.05	(0.05)	3,270	6.06	BAM13C2408B	0.18	-	4,809	0.64	SAWAD01C2408A	0.38	(0.01)	18,684	0.38
SUSCO	4.42	(0.02)	42,749	4.43	BAM19C2404A	0.06	-	1	0.06	SAWAD01P2404X	0.01	(0.01)	211	0.01
TAE	1.02	0.01	1,541	1.02	BAM19C2405A	0.25	(0.04)	1,276	0.25	SAWAD01P2407X	0.32	-	12,235	0.32
TCC	0.51	-	2,041	0.50	BAM19C2408A	0.19	(0.81)	2,322	0.19	SAWAD11P2406A	0.20	(0.01)	2,650	0.20
TCC-W5	0.20	-	367	0.19	BYD	3.66	(0.02)	44,252	3.67	SAWAD13C2405A	-	-	-	-
TGE	3.24	0.04	37,326	3.27	BYD06C2404A	-	-	-	-	SAWAD13C2406A	0.12	-	7,984	0.12
TGE-W1	2.24	0.06	14,751	2.26	BYD13C2405A	-	-	-	-	SAWAD13C2407A	0.25	(0.01)	41,172	0.25
TOP	58.75	(0.25)	50,459	59.09	BYD13C2406A	0.09	(0.01)	2,173	0.09	SAWAD13C2408A	0.46	(0.01)	20	0.46
TOP01C2404A	0.22	(0.11)	1	0.22	BYD19C2404A	-	-	-	-	SAWAD19C2405A	-	-	-	-
TOP01C2405A	0.27	(0.02)	15,770	0.29	BYD19C2407A	0.17	(0.01)	16,824	0.17	SAWAD19P2407A	0.17	-	2,224	0.17
TOP01C2407A	0.52	(0.02)	13,908	0.54	CGH	0.65	-	4,809	0.64	SAWAD41C2405B	-	-	-	-
TOP01C2408A	0.32	(0.01)	35,099	0.33	CGH-W4	0.01	-	1	0.01	SAWAD41C2406A	0.25	(0.01)	75,526	0.26
TOP01P2404X	-	-	-	-	CHASE	1.80	-	51,722	1.80	SAWAD19C2408A	0.44	(0.01)	700	0.45
TOP01P2406X	0.08	(0.01)	1,000	0.08	CHAYO	5.10	0.05	23,038	5.11	SAWAD19P2404A	0.01	(0.01)	9,780	0.01
TOP01P2408X	0.41	(0.01)	59,727	0.42	CHAYO-W3	0.55	-	7,075	0.56	SAWAD41C2405B	-	-	-	-
TOP11C2405A	-	-	-	-	ECL	1.46	-	195,150	1.47	THANI	2.24	0.02	76,967	2.23
TOP11C2407A	0.41	(0.01)	11,040	0.42	ECL-W4	0.01	-	7,006	0.01	THANI13C2407A	0.08	0.01	330	0.07
TOP11P2406A	-	-	-	-	FNS	3.28	(0.04)	1,400	3.28	THANI19C2408A	0.23	(0.01)	16,000	0.23
TOP13C2404A	-	-	-	-	FSX	2.54	(0.02)	1,747	2.54	THIDLOR01C2407A	0.26	-	12,501	0.26
TOP13C2407A	0.44	-	10	0.44	GBX	0.74	-	596	0.75	THIDLOR41P2405A	-	-	-	-
TOP13C2408A	0.29	0.01	47,108	0.29	GL	-	-	-	-	SCAP	2.90	0.02	845	2.88
TOP13P2404A	-	-	-	-	HENG	1.83	0.01	8,130	1.84	SGC	1.38	(0.02)	25,689	1.39
TOP13P2408A	0.31	0.01	6,061	0.30	IFS	2.68	-	601	2.68	SM	1.36	0.01	1,791	1.35
TOP19C2405A	0.22	(0.02)	36,263	0.23	JMT	21.90	(0.20)	63,878	22.03	TH	1.08	0.03	40,672	1.08
TOP19C2408A	0.27	(0.01)	2,038	0.28	JMT-W4	1.13	(0.07)	3,773	1.18	TH-W3	0.39	0.02	9,160	0.39
TOP41C2404A	-	-	-	-	JMT11C2404A	-	-	-	-	THIDLOR01C2405A	-	-	-	-
TOP41C2405A	0.25	(0.01)	9,850	0.26	JMT11C2405A	-	-	-	-	THIDLOR11C2403A	-	-	-	-
TOP41C2408A	0.36	-	19,500	0.36	JMT01C2406A	0.21	(0.02)	44,848	0.22	THIDLOR11P2406A	0.18	(0.02)	1,590	0.19
TPIPP	3.32	0.02	6,502	3.31	JMT01C2407A	0.12	-	16,513	0.12	THIDLOR11P2407A	0.23	-	29,400	0.23
TSE	1.23	0.03	29,013	1.22	JMT01C2408A	0.55	(0.03)	29,454	0.57	TIIDLOR01C2405A	-	-	-	-
TTW	9.00	(0.05)	7,333	9.00	JMT01P2404X	-	-	-	-	TIIDLOR01C2407A	0.22	-	24,157	0.22
UBE	0.77	(0.01)	12,411	0.78	JMT01P2406X	0.41	0.01	21,086	0.40	TIIDLOR11C2403A	-	-	-	-
WAHUP	4.04	(0.02)	11,982	4.05	JMT06C2404A	-	-	-	-	TIIDLOR11C2408A	-	-	-	-
WP	4.28	(0.04)	206	4.29	JMT06C2406A	0.32	(0.02)	42,646	0.33	TIIDLOR11P2406A	0.18	(0.02)	28,180	0.18
Media & Publishing	-	-	-	-	JMT11C2405A	-	-	-	-	TIIDLOR11C2408A	0.42	(0.58)	25,838	0.41
AMARIN	4.98	-	166	4.98	JMT11C2407A	0.39	(0.04)	22,400	0.41	TIIDLOR41C2406A	0.20	0.01	20,000	0.20
AQUA	0.34	(0.01)	39,244	0.33	JMT11P2406A	0.46	-	17,340	0.45	TIIDLOR41C2407B	0.18	-	-	-
AQUA-W3	0.01	-	201	0.01	JMT13C2404A	-	-	-	-	TK	5.05	0.05	666	5.00
AS	6.95	0.10	1,352	6.93	JMT13C2404B	-	-	-	-	TNITY	4.42	(0.06)	6,274	4.43
BEC	5.05	0.25	62,293	4.98	JMT13C2405A	-	-	-	-	UOBKH	4.82	0.02	52	4.82
FE	180.00	(9.00)	1	180.00	JMT13C2406A	0.19	(0.02)	30,057	0.21	XPG	1.42	(0.06)	1,812,594	1.40
GPI	1.87	(0.02)	5,102	1.88	JMT13C2407A	0.10	(0.01)	15,680	0.10	XPG-W4	-	-	-	-
GRAMMY	5.65	(0.05)	59	5.69	JMT13C2408A	0.49	(0.02)	35,451	0.50	Food & Beverage	-	-	-	-
JKN	-	-	-	-	JMT13P2406A	0.42	0.01	40,045	0.41	APURE	4.52	0.16	212,776	4.47
MAJOR	14.70	-	56,535	14.76	JMT19C2404A	-	-	-	-	APURE-W3	4.58	0.06	4,707	4.59
MATCH	1.48	-	9	1.48	JMT19C2404B	-	-	-	-	THAN11C2404A	0.38	0.07	525,046	0.43
MATI	-	-	-	-	JMT19C2404C	-	-	-	-	THAN11C2405A	-	-	-	-
MCOT	3.16	0.06	174	3.08	JMT19C2406A	0.27	(0.02)	44,404	0.28	TIIDLOR41C2406A	0.23	-	-	-
MONO	0.76	(0.01)	52,795	0.77	JMT19C2408A	0.48	(0.52)	35,322	0.49	TIIDLOR41C2407A	0.23	-	5,198	0.13
NATION	0.03	-	64,894	0.03	JMT19P2407A	0.32	0.01	10,686	0.31	TIIDLOR41C2408A	0.18	-	-	-
NATION-W4	-	-	-	-	JMT41C2404A	-	-	-	-	TIIDLOR41C2409A	0.38	0.07	29,400	0.38
ONEE	5.15	0.05	39,231	5.14	JMT41C2405A	-	-	-	-	TIIDLOR41C2409B	0.38	0.07	28,610	0.71
PLANB	8.60	(0.05)	49,323	8.65	JMT41C2406A	0.10	(0.01)	7,000	0.10	ASIAN	6.50	0.10	19,138	6.47
PLANB-W1	0.91	0.05	14,008	0.92	JMT41C2406B	0.21	(0.02)	24,000	0.23	BR	2.58	-	4,183	2.58
PLANB11C2403A	-	-	-	-	JMT41C2407A	0.08	-	188	0.08	BR-W1	0.13	0.01	5,198	0.13
PLANB11C2408A	0.36	0.01	14,340	0.35	JMT41C2408A	0.44	(0.02)	38,751	0.45	BTG	22.40	0.10	9,098	22.37
PLANB11P2408A	0.47	(0.01)	2,300	0.48	KCAR	6.30	0.05	486	6.26	BRR-W2	0.67	(0.03)	28,610	0.71
PLANB13C2407A	0.22	-	6,588	0.22	KGI	4.80	-	6,772	4.79	CBG	1.42	(0.06)	1,812,594	1.40
PLANB19C2408A	0.24	-	9,029	0.23	KTC	46.25	0.25	33,395	46.02	CBG	63.75	(0.25)	44,612	64.23
POST	-	-	-	-	KTC01C2405A	0.05	(0.01)	11,600	0.05	CBG01C2404A	-	-	-	-
PRAKIT	11.80	-	156	11.70	KTC01C2407A	0.26	0.01	48,186	0.25	CBG01C2404T	-	-	-	-
PTECH	7.35	(0.25)	11	7.46	KTC01P2406X	0.18	-	7,414	0.18	CBG01C2406A	-	-	-	-
ROCTEC	0.71	-	61,537	0.71	KTC11C2405A	-	-	-	-	CBG01C2407A	0.13	(0.01)	39,788	0.14
ROCTEC-W3	0.03	0.01</												

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CHOTI	98.50	(14.50)	57	99.59	TU19C2407A	0.21	-	85,266	0.22	CENTEL13C2405A	-	-	-	-
CM	2.36	-	424	2.36	TU41C2407A	0.11	-	11,500	0.11	CENTEL13C2407A	0.23	0.01	34,147	0.23
COCOCO	10.90	0.30	122,325	10.84	TU41C2408A	0.23	-	20,900	0.23	CENTEL13P2404A	-	-	-	-
CPF	18.40	-	30,257	18.51	TVO	19.10	-	4,002	19.12	CENTEL19C2405A	0.06	(0.01)	5,330	0.06
CPF01C2404A	-	-	-	-	TWPC	3.64	-	244	3.62	CENTEL19C2408A	0.28	-	123,396	0.27
CPF01C2407A	0.17	(0.02)	7,238	0.19	W	0.77	0.04	82,387	0.76	CENTEL41C2405A	-	-	-	-
CPF01P2404X	-	-	-	-	W-W5	0.01	-	6	0.01	CENTEL41C2406A	0.15	-	90,082	0.14
CPF01P2408T	0.32	-	1,422	0.31	W-W6	0.50	0.07	878	0.48	CENTEL41C2408A	0.30	-	8,200	0.30
CPF11C2408A	0.24	0.01	6,060	0.24	ZEN	7.90	0.05	423	7.90	CSR	-	-	-	-
CPF11P2407T	0.26	(0.02)	1,020	0.26	Health Care Serv	-	-	-	-	DUSIT	9.25	0.20	4,207	9.25
CPF13C2404A	-	-	-	-	AHC	18.10	(0.10)	20	18.11	ERW	4.64	0.06	47,087	4.61
CPF13C2406A	0.14	(0.02)	28,603	0.15	BCH	20.60	(0.10)	68,678	20.68	ERW-W3	1.60	(0.10)	1,025	1.57
CPF13P2405A	-	-	-	-	BCH01C2404A	-	-	-	-	ERW01C2405A	-	-	-	-
CPF19C2404A	-	-	-	-	BCH01C2407A	0.14	(0.01)	2,800	0.14	ERW13C2404A	-	-	-	-
CPI	2.54	-	948	2.52	BCH01P2407X	0.39	-	1,392	0.39	ERW13C2406A	-	-	-	-
F&D	28.00	-	5	28.00	BCH11C2407A	0.23	(0.01)	6,769	0.23	ERW13C2407A	0.26	0.01	10,683	0.25
GLOCON	0.26	(0.02)	29,151	0.26	BCH13C2404A	-	-	-	-	ERW19C2405A	-	-	-	-
GLOCON-W5	-	-	-	-	BCH13C2407A	-	-	-	-	ERW19C2406A	-	-	-	-
HTC	17.20	-	5,514	17.21	BCH13P2406A	0.22	-	2,347	0.22	GRAND	0.15	-	5,385	0.14
ICHI	17.10	0.20	57,617	17.13	BCH19C2406A	-	-	-	-	LRH	-	-	-	-
ICHI10C2405A	0.16	0.01	31,800	0.17	BCH41C2407A	0.15	(0.03)	10,000	0.16	MANRIN	32.50	-	3	32.50
ICHI13C2405A	0.13	-	17,794	0.14	BDMS	28.50	-	212,670	28.44	MINT	33.00	0.50	63,368	33.03
ICHI19C2405A	0.15	0.01	4,540	0.15	BDMS01C2405A	-	-	-	-	MINT01C2404A	0.03	(0.01)	5,000	0.03
ITC	20.20	0.50	58,142	20.08	BDMS01P2408A	0.16	-	10,675	0.16	MINT01C2406A	0.25	0.01	6,699	0.25
ITC01C2405A	-	-	-	-	BDMS13P2407X	0.14	0.01	1,576	0.14	MINT01P2404X	0.09	(0.01)	2,000	0.09
ITC13C2406A	0.15	0.01	21,484	0.15	BDMS13C2404A	-	-	-	-	MINT06C2405A	0.08	-	1,000	0.08
JDF	2.48	0.02	1,949	2.47	BDMS13C2408A	0.16	(0.01)	5,500	0.16	MINT11C2403A	-	-	-	-
KBS	5.85	(0.05)	1,721	5.85	BDMS13P2407A	0.15	(0.01)	6,018	0.16	MINT11C2406A	-	-	-	-
KCG	9.70	0.15	26,885	9.61	BDMS19C2405A	0.10	(0.02)	8,434	0.10	MINT11C2408A	0.21	-	14,040	0.22
KSL	2.34	-	14,336	2.35	BDMS19C2407A	-	-	-	-	MINT13C2404A	-	-	-	-
KTIS	3.56	-	166	3.55	BDMS41C2404A	-	-	-	-	MINT13C2406A	-	-	-	-
LST	4.92	0.02	1,186	4.90	BDMS541C2405A	0.11	(0.01)	6,000	0.11	MINT13C2408A	-	-	-	-
M	35.50	(0.50)	5,801	35.69	BDMS541C2407A	-	-	-	-	MINT13C2406A	0.25	(0.02)	20	0.25
MALEE	14.60	0.20	72,511	14.68	BDMS541C2408A	0.14	-	4,000	0.14	MINT13C2407A	0.17	0.01	21,472	0.17
NRF	5.10	-	19,377	5.10	BH	224.00	(1.00)	25,594	223.78	MINT13P2404A	-	-	-	-
NSL	22.40	1.40	27,699	21.83	BH-P	-	-	-	-	MINT19C2406A	0.09	(0.01)	7,244	0.09
OSP	20.60	0.20	118,099	20.52	BH-Q	-	-	-	-	MINT19C2407A	-	-	-	-
OSP01C2404A	-	-	-	-	BH01C2404A	-	-	-	-	MINT19C2406A	0.19	0.02	12,472	0.19
OSP01C2406A	-	-	-	-	BH01C2405A	0.11	-	12,469	0.11	MINT41C2404A	-	-	-	-
OSP01C2408A	0.43	0.01	25,347	0.42	BH01C2408A	0.31	(0.01)	12,717	0.31	MINT41C2405A	-	-	-	-
OSP01P2408X	0.31	(0.01)	7,814	0.31	BH01P2405X	-	-	-	-	MINT41C2406A	0.20	0.01	200	0.20
OSP13C2405A	-	-	-	-	BH01P2406X	0.27	0.01	5,097	0.27	MINT41C2408A	0.15	0.02	13,400	0.14
OSP13C2408A	0.36	0.02	75,518	0.34	BH06C2404A	-	-	-	-	OHTL	-	-	-	-
OSP19C2404A	-	-	-	-	BH11C2404A	-	-	-	-	ROH	2.44	(0.08)	244	2.42
PB	69.75	(0.25)	3	69.25	BH11C2406A	0.17	-	14,670	0.17	SHANG	-	-	-	-
PLUS	8.60	0.75	115,529	8.56	BH13C2404A	-	-	-	-	SHR	2.70	0.14	97,912	2.66
PM	7.10	-	27,721	7.10	BH13C2404B	-	-	-	-	VRANDA	5.60	0.10	1,542	5.55
PQS	3.02	0.08	20,000	3.02	BH13C2405A	0.04	-	6,300	0.04	Home & Office Prod.	-	-	-	-
PRG	10.50	0.20	22	10.44	BH13C2407A	0.27	-	50,558	0.27	AJA	0.28	-	345,347	0.28
PRG-W1	-	-	-	-	BH13P2406A	0.13	(0.01)	9,548	0.14	AJA-W3	0.09	-	39,466	0.09
PRG-W2	-	-	-	-	BH19C2404A	-	-	-	-	AJA-W4	0.13	-	11,343	0.12
PRG-W3	-	-	-	-	BH19C2404B	-	-	-	-	DTCI	30.25	(5.75)	20	30.35
RBF	11.50	-	27,066	11.57	BH19C2404C	-	-	-	-	FANCY	0.45	0.01	748	0.44
RBF01C2405A	-	-	-	-	BH19C2407A	0.10	-	6,402	0.10	FTI	2.18	0.02	5,436	2.16
RBF01C2406A	-	-	-	-	BH19C2408A	0.26	(0.01)	3,422	0.27	KYE	317.00	1.00	1	317.00
RBF01C2407A	0.13	-	11,671	0.13	BH41C2404A	-	-	-	-	L&E	1.30	(0.02)	1,127	1.32
RBF01P2405X	0.33	(0.01)	6,489	0.32	BH41C2405A	-	-	-	-	MODERN	2.26	(0.02)	1,461	2.26
RBF01P2407X	0.29	(0.01)	9,114	0.29	BH41C2406B	0.10	-	4,500	0.10	OGC	25.00	-	34	25.00
RBF11C2405A	-	-	-	-	BH41C2408A	0.27	(0.01)	28,482	0.27	ROCK	11.30	-	1	11.30
RBF13C2406A	-	-	-	-	BH41P2405A	-	-	-	-	SBNEXT	0.75	0.02	12,799	0.74
RBF13C2407A	0.10	(0.01)	20,146	0.10	BH41P2406A	-	-	-	-	SBNEXT-W2	0.11	0.01	16,337	0.10
RBF13C2408A	0.19	(0.01)	39,040	0.20	BKG1	3.56	0.18	2,682,245	3.63	SIAM	1.25	0.01	1,361	1.24
RBF13P2405A	0.20	(0.01)	38,433	0.20	CHG	2.90	(0.02)	69,008	2.91	TCMC	1.40	0.01	304	1.38
RBF19C2405A	-	-	-	-	CHG01C2404A	-	-	-	-	Insurance	-	-	-	-
RBF19P2404A	0.22	-	19,165	0.23	CHG01C2405A	-	-	-	-	AYUD	36.25	-	7	36.36
SAPPE	90.50	(2.25)	5,397	91.36	CHG11C2404A	-	-	-	-	BKI	306.00	(4.00)	1,231	305.68
SAPPE01C2405A	0.17	(0.05)	250	0.19	CHG13C2404A	-	-	-	-	BLA01P2404X	-	-	-	-
SAPPE13C2406A	0.21	(0.05)	26,260	0.23	CHG13C2406A	-	-	-	-	BLA13C2404A	-	-	-	-
SAUCE	42.00	(1.00)	171	42.10	CHG13C2407A	0.18	-	7,471	0.18	BLA13C2407A	0.15	(0.01)	5,008	0.15
SNNP	17.60	0.70	51,302	17.41	CHG13P2406A	0.21	0.01	8,703	0.20	BLA19C2408A	0.27	-	11,712	0.27
SNNP01C2407A	0.10	0.03	649	0.11	CHG19C2404A	-	-	-	-	BUI	20.80	-	7	20.80
SNNP13C2406A	0.10	0.03	140	0.10	CHG19C2408A	0.20	-	4,022	0.20	CHARAN	23.50	(0.40)	15	23.51
SNNP19C2407A	0.11	0.03	157	0.11	CMR	2.02	-	1,121	2.02	INSURE	113.00	(3.50)	17	115.18
SNP	14.80	(0.10)	95	14.75	EKH	7.75	0.05	1,475	7.73	KWI	0.59	(0.01)	2,397	0.59
SORKON	4.28	-	1,091	4.29	EKH-W1	1.45	(0.01)	1,677	1.46	KNI	110.00	(0.50)	3	110.00
SSC	-	-	-	-	KDH	93.00	(1.00)	6	93.08	MTI	110.00	(0.50)	2	110.00
SSF	7.65	(0.20)	91	7.62	LPH	4.74	(0.02)	721	4.75	NKI	26.25	-	2	26.25
SST	5.30	0.05	1	5.30	M-CHAI	66.00	(0.50)	198	66.15	SMK	-	-	-	-
SUN	5.75	0.10	17,172	5.73	NEW	105.00	-	1	105.00	TGH	-	-	-	-
TC</td														

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday March 27, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TQM	26.75	0.75	3,529	26.64	AMATA19C2404	-	-	-	-	SIRI01C2406A	0.12	0.02	15,557	0.13
TQM13C2407A	-	-	-	-	AMATA19C2405	-	-	-	-	SIRI13C2407A	0.25	0.04	146,633	0.25
TQM19C2404A	-	-	-	-	AMATA19C2407	0.38	0.03	13,390	0.38	SIRI19C2407A	0.25	0.03	133,727	0.26
TQM19C2407A	0.14	0.02	4,870	0.14	AMATA41C2407	0.45	0.02	6,010	0.45	SIRI41C2405A	0.15	0.03	38,000	0.15
TSI	0.14	(0.01)	1,201	0.14	AMATA41C2407I	0.29	0.01	8,224	0.30	SPALI	21.10	0.10	35,604	21.12
TVH	8.70	0.20	32	8.66	AMATAV	5.40	(0.10)	1,441	5.43	SPALI11C2404A	0.15	-	2,070	0.15
Packaging	-	-	-	-	ANAN	0.86	-	11,405	0.87	SPALI13C2405A	0.20	0.01	17,794	0.20
AJ	5.90	0.05	318	5.92	AP	10.90	-	180,551	10.93	SPALI19C2408A	0.29	0.01	11,149	0.28
ALUCON	-	-	-	-	AP11C2404A	-	-	-	-	UV	2.08	-	3,368	2.08
BGC	7.10	0.10	2,373	7.03	APEX	-	-	-	-	WHA	4.78	-	490,127	4.81
CSC	-	-	-	-	ASW	8.05	-	1,048	8.01	WHA01C2404A	-	-	-	-
CSC-P	-	-	-	-	ASW-W1	0.01	-	50	0.01	WHA01C2405A	-	-	-	-
CSC-Q	-	-	-	-	ASW-W2	0.02	-	1,501	0.01	WHA01C2406A	0.16	-	14,674	0.17
NEP	0.21	-	10	0.21	AWC	4.12	0.06	698,005	4.10	WHA01C2408A	0.38	-	11,554	0.39
PJW	3.04	(0.02)	1,201	3.05	AWC01C2404A	-	-	-	-	WHA01P2407X	0.37	(0.01)	5,908	0.36
PJW-W1	0.28	-	3,424	0.28	AWC01C2406A	0.24	0.02	30,601	0.24	WHA11C2407A	0.37	-	24,408	0.36
PTL	9.85	0.10	729	9.84	AWC01C2408A	0.43	0.02	29,896	0.42	WHA13C2404A	-	-	-	-
SCGP	29.00	(0.25)	82,705	28.97	AWC01P2405X	0.11	(0.02)	9,942	0.11	WHA13C2404B	-	-	-	-
SCGP01C2405A	-	-	-	-	AWC06C2403A	-	-	-	-	WHA13C2406A	0.14	(0.01)	24,538	0.15
SCGP01C2406A	-	-	-	-	AWC06C2404A	0.09	0.02	21,200	0.09	WHA13C2408A	0.37	(0.63)	28,864	0.38
SCGP01C2408A	0.12	(0.01)	121,657	0.12	AWC11C2403A	-	-	-	-	WHA13P2407A	0.37	-	-	-
SCGP01P2405A	0.32	-	6	0.32	AWC11C2408A	0.42	0.03	31,570	0.41	WHA19C2404A	-	-	-	-
SCGP01P2408X	0.20	(0.01)	13,410	0.20	AWC13C2404A	-	-	-	-	WHA19C2404B	-	-	-	-
SCGP06C2406A	-	-	-	-	AWC13C2405A	0.23	0.03	50,075	0.22	WHA19C2406A	0.17	(0.01)	40,408	0.18
SCGP11C2405A	-	-	-	-	AWC19C2405A	0.28	0.02	32,167	0.27	WHA41C2404A	0.01	(0.03)	1	0.01
SCGP11C2407T	-	-	-	-	AWC19C2406A	0.13	0.01	29,747	0.13	WHA41C2404B	-	-	-	-
SCGP13C2405A	-	-	-	-	AWC41C2405A	-	-	-	-	WHA41C2406A	0.19	-	15,900	0.19
SCGP13C2406A	-	-	-	-	AWC41C2406A	0.18	0.02	44,400	0.17	WHA41C2406B	0.17	-	17,100	0.17
SCGP13C2407A	0.11	-	3,650	0.11	AWC41C2408A	0.39	0.02	34,200	0.38	WHA41C2407A	0.24	(0.01)	19,560	0.25
SCGP13P2405A	-	-	-	-	BLAND	0.67	(0.01)	15,834	0.68	WIN	0.63	0.01	9,239	0.61
SCGP13P2408A	0.17	0.01	42,123	0.17	BRI	7.05	-	25,191	7.09	Paper & Printing Mat	-	-	-	-
SCGP19C2405A	-	-	-	-	BROCK	-	-	-	-	UTP	10.90	-	3,766	10.91
SCGP19C2406A	-	-	-	-	CGD	0.36	0.01	26,411	0.35	Fashion	-	-	-	-
SCGP19C2407A	-	-	-	-	CI	0.61	-	3,053	0.62	AFC	4.98	0.08	26	4.90
SCGP41C2404A	-	-	-	-	CI-W2	0.01	-	40	0.01	AURA	14.00	0.20	3,934	13.94
SCGP41C2405A	-	-	-	-	CMC	1.23	-	1,915	1.21	BTNC	19.50	-	8	19.50
SCGP41C2406A	-	-	-	-	CPN	63.50	0.75	48,142	63.44	CPH	13.10	(0.10)	435	13.16
SCGP41C2407A	-	-	-	-	CPN01C2404A	-	-	-	-	CPL	1.44	(0.01)	9,001	1.45
SFLEX	3.22	0.10	39,232	3.23	CPN01C2407A	0.28	0.02	10,945	0.28	NC	3.98	(0.10)	1,396	4.02
SFLEX-W2	0.24	0.05	107,490	0.26	CPN11C2404A	-	-	-	-	UTP	10.90	-	3,766	10.91
SITHAI	1.18	0.01	8,705	1.18	CPN13C2405A	-	-	-	-	Fashion	-	-	-	-
SLP	0.41	-	1,654	0.41	CPN13C2407A	0.26	0.01	41,020	0.26	PAF	4.98	0.08	26	4.90
SMPC	8.80	(0.05)	884	8.82	CPN19C2407A	0.21	0.01	5,460	0.21	PDJ	1.46	0.03	5,436	1.46
SPACK	2.02	-	256	2.03	CPN41C2404A	-	-	-	-	PG	2.08	-	1,794	2.09
TCOAT	-	-	-	-	CPN41C2405A	-	-	-	-	TR	9.30	(0.10)	133	9.23
TFI	0.10	-	931	0.09	CPN41C2406A	0.20	0.02	39,798	0.19	TTI	20.75	-	1	27.75
TFI-W1	0.04	-	760	0.03	CPN41C2407A	0.23	0.02	18,000	0.23	TTT	40.75	(0.50)	1	40.75
THIP	29.75	(0.25)	433	29.60	ESTAR	0.25	-	7,107	0.25	UPF	48.00	-	4	48.00
TMD	23.90	(0.10)	18	23.90	EVER	0.15	(0.01)	10,920	0.15	WACOAL	31.25	(3.00)	6	31.04
TOPP	-	-	-	-	FPT	15.20	0.10	59	15.15	WFX	1.85	-	1,038	1.87
TPAC	15.00	-	715	14.94	GLAND	1.67	-	51	1.68	Transportation & Log	-	-	-	-
TPB1	4.00	0.02	868	3.97	J	1.86	(0.01)	1,085	1.89	AAV	2.42	0.04	277,328	2.40
TPP	16.40	(1.50)	63	16.14	J-W2	0.06	-	252	0.06	AAV01C2405A	0.15	0.01	30,959	0.15
Personal Products														
APCO	4.96	-	511	4.95	J-W4	0.38	0.05	61	0.35	AAV11C2406A	0.22	0.03	34,370	0.21
BIZ	3.42	0.04	513	3.39	JCK	0.24	-	13,775	0.24	AAV13C2404A	-	-	-	-
BLC	5.10	-	16,054	5.08	KC	0.10	0.01	7,556	0.09	AAV13C2404B	0.04	-	800	0.04
DDD	8.40	0.10	210	8.44	LALIN	7.60	-	722	7.61	AAV13C2408A	0.19	0.01	27,942	0.19
JCT	-	-	-	-	LH	7.45	-	548,098	7.42	AAV19C2405A	-	-	-	-
KISS	5.90	0.05	17,736	5.98	LH13C2408A	0.28	-	40,035	0.28	AAV19C2408A	0.19	0.01	29,907	0.19
NAM	5.10	(0.05)	5,842	5.13	LH19C2406A	-	-	-	-	ANI	4.96	(0.04)	7,935	4.98
NV	1.61	0.03	30,117	1.64	LH19C2408A	0.25	0.01	25,476	0.26	AOT	65.50	1.00	135,628	65.25
OCC	-	-	-	-	LPN	3.54	-	3,063	3.53	AOT01C2404A	0.02	0.01	21	0.01
S&J	52.50	-	20	52.53	MBK	17.90	0.30	76,638	17.84	AOT01C2405A	0.24	0.02	25,551	0.23
STGT	8.75	-	84,318	8.78	MBK-W2	16.60	0.50	72	16.14	AOT01C2407A	0.28	0.03	23,990	0.27
STGT01C2407A	0.54	(0.01)	8,063	0.56	MBK-W3	16.00	0.40	32	15.95	AOT01P2404X	-	-	-	-
STGT01C2407B	0.30	(0.02)	40,653	0.32	MBK-W4	15.50	0.40	7	15.27	AOT01P2405X	0.01	(0.02)	1	0.01
STGT01P2407X	0.20	-	5,108	0.19	MJD	1.32	-	991	1.28	AOT01P2407X	0.20	(0.02)	4,476	0.20
STGT01P2408X	0.53	(0.01)	13,428	0.53	MK	2.02	(0.04)	968	2.02	AOT11C2403A	-	-	-	-
STGT13C2407B	0.30	(0.01)	38,618	0.31	NNCL	1.94	-	3,414	1.92	AOT11C2407A	0.22	0.01	4,410	0.22
STGT13C2408A	0.10	-	20,372	0.10	NOBLE	3.72	0.02	24,680	3.73	AOT13C2404A	-	-	-	-
STGT13P2407A	0.29	-	36,185	0.29	NUSA	0.40	(0.01)	254,127	0.40	AOT13C2404B	-	-	-	-
STGT19C2404A	-	-	-	-	NUSA-W5	0.10	-	11,260	0.10	AOT13C2404B	-	-	-	-
STGT19C2407A	0.37	-	20,589	0.38	NVD	1.82	(0.01)	201	1.82	AOT13C2405A	0.11	0.01	28,002	0.10
STGT19C2408A	0.24	-	19,542	0.24	NVD-W3	0.02	-	761	0.01	AOT13P2404A	-	-	-	-
STHAI	-	-	-	-	ORI	7.15	-	31,002	7.17	AOT13P2404B	-	-	-	-
TNR	9.15	0.10	394	9.11	ORI13C2407A	0.16	-	4,310	0.16	AOT13P2407A	0.12	(0.03)	1,992	0.13
TOG	11.80	(0.10)	238	11.87	ORI19C2404A	-	-	-	-	AOT19C2404A	-	-	-	-
Professional Service	-	-	-	-	ORN	1.16	0.01	139,030	1.16	AOT19C2404B	-	-	-	-
BVG	0.55	(0.01)	418,415	0.55	PACE	-	-	-	-	AOT19C2404C	-	-	-	-
GENCO	0.52	0.01	6,463	0.51	PEACE	3.18	(0.08)	47	3.21	AOT19C2406A	0.13</			

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday March 27, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BT5-W8	0.09	-	18,852	0.09	SNC	7.25	0.05	1,087	7.17	CK19C2404A	-	-	-	-
BT501C2405A	-	-	-	-	STARK	-	-	-	-	CK19C2408A	0.29	0.01	56,108	0.28
BT501C2407A	0.09	-	9,000	0.09	STARK-W1	-	-	-	-	CNT	1.60	0.02	13,334	1.58
BT501C2408A	0.25	(0.02)	32,655	0.26	TCJ	3.10	0.10	31	3.07	EMC	0.06	-	44,249	0.06
BT501P2405X	0.38	0.03	3,671	0.37	TPCS	16.40	0.10	2	16.40	ITD	-	-	-	-
BT501P2407X	0.20	0.01	11,417	0.20	VARO	3.34	-	1	3.34	NL	2.56	0.14	149,254	2.49
BT513C2405A	-	-	-	-	Property Fund &	-	-	-	-	NWR	0.33	-	13,034	0.33
BT513C2407A	0.07	-	740	0.07	AIMCG	3.42	-	869	3.40	PLE	0.54	(0.02)	36,213	0.54
BT513C2407B	0.23	(0.02)	65,879	0.23	AIMIRT	10.60	0.10	1,104	10.50	PREB	6.25	0.05	2,194	6.25
BT513P2405A	-	-	-	-	ALLY	5.80	(0.05)	4,082	5.74	PYLON	2.38	(0.04)	11,558	2.39
BT513P2407A	0.17	0.01	10,984	0.17	AMATAR	6.45	(0.05)	17	6.46	RT	0.68	-	25,577	0.68
BT519C2406A	-	-	-	-	B-WORK	4.40	(0.02)	1,985	4.42	RT-W1	0.02	-	8,346	0.01
BT519C2407A	0.11	(0.01)	55,198	0.11	BAREIT	10.10	(0.10)	3,423	10.10	SEAFCO	2.78	0.02	29,211	2.81
BT519C2407B	0.26	(0.01)	54,487	0.25	BKKCP	9.00	-	110	9.00	SQ	1.12	-	1,015	1.11
BT541C2407A	0.08	(0.01)	2,000	0.08	BOFFICE	4.90	0.04	3,147	4.88	SRICHA	8.90	(0.10)	333	8.92
BT541C2408A	0.20	(0.02)	9,500	0.20	CPNCG	5.70	-	5,601	5.73	STEC	10.30	-	14,475	10.29
BTSGIF	3.58	0.02	8,969	3.58	CPNREIT	10.70	-	16,091	10.65	STEC13C2405A	-	-	-	-
DMT	12.10	0.10	31,336	12.12	CTPTGF	5.15	0.05	691	5.07	STEC19C2407A	0.50	(0.01)	2,268	0.49
ETL	1.44	0.02	38,403	1.44	CTARAF	4.42	-	3,618	4.40	STI	3.28	(0.02)	304	3.26
III	9.05	0.15	8,424	9.00	DREIT	4.84	-	676	4.84	STPI	3.22	(0.02)	7,395	3.22
KEX	5.20	0.15	21,818	5.24	ERWPF	8.55	-	1,500	8.55	SYNTEC	1.84	-	6,638	1.84
KIAT	0.38	-	9,872	0.38	FTREIT	9.90	(0.10)	18,553	9.96	TEAMG	4.86	0.04	20,310	4.87
KWC	-	-	-	-	FUTUREPF	11.50	(0.10)	1,166	11.50	TEAMG-W1	0.68	0.04	73,561	0.70
MENA	1.80	(0.01)	41,885	1.79	GAHREIT	7.00	-	89	7.04	TEKA	2.14	(0.02)	1,980	2.16
NOK	-	-	-	-	GOREIT	8.80	-	158	8.79	TPOLY	1.63	(0.03)	610,779	1.72
NYT	4.88	0.10	39,844	4.83	GVREIT	5.35	-	8,384	5.31	TRC	0.31	-	73,935	0.31
PORT	2.00	0.11	126,734	2.04	HPF	4.64	-	37	4.64	TRITN	0.13	-	282,706	0.13
PRM	7.65	0.05	241,486	7.63	HYDROGEN	9.45	0.10	1	9.45	TRITN-W5	-	-	-	-
PSL	7.95	(0.05)	26,687	7.96	IMPACT	11.80	(0.10)	8,808	11.89	TRITN-W6	0.01	-	245	0.01
PSL01C2405A	0.03	(0.05)	100	0.03	INETREIT	8.85	(0.05)	481	8.89	TTCL	3.54	(0.04)	1,254	3.56
PSL01C2407A	0.14	(0.01)	4,779	0.15	KPNPF	3.28	(0.10)	178	3.34	UNIQ	3.52	0.04	1,606	3.49
PSL06C2404A	-	-	-	-	KTBSTM	6.35	-	35	6.35	WGE	0.71	0.01	841	0.69
PSL13C2404A	-	-	-	-	LHHOTEL	11.80	(0.10)	208	11.83	Unit Trust	-	-	-	-
PSL13C2407A	0.12	-	17,376	0.12	LHPF	5.85	(0.10)	2,698	5.74	SCBSET	-	-	-	-
PSL19C2404A	-	-	-	-	lhsc	9.95	0.05	2,813	9.88	ETF	-	-	-	-
PSL19C2407A	0.17	(0.01)	1,256	0.17	LPF	13.20	0.10	5,512	13.18	1DIV	9.74	0.04	72	9.73
PSL41C2405A	-	-	-	-	LUXF	7.10	0.15	212	7.05	ABFTH	-	-	-	-
RCL	18.50	0.10	27,912	18.58	M-II	5.90	(0.10)	377	5.94	BMSCG	9.60	0.06	33	9.54
RCL01C2405B	0.04	-	602	0.04	M-PAT	3.00	(0.04)	1	3.00	BMSCITH	9.72	0.03	273	9.70
RCL01C2405B	-	-	-	-	M-STOR	-	-	-	-	BSET100	9.00	0.06	148	8.99
RCL01C2407A	0.03	-	500	0.03	MIPF	-	-	-	-	CHINA	5.66	(0.07)	613	5.69
RCL01C2408A	0.17	-	4,424	0.17	MIT	0.79	(0.05)	114	0.79	ENGY	5.17	(0.03)	45	5.17
RCL01P2405X	0.51	(0.02)	4,162	0.50	MJLF	3.54	(0.04)	333	3.54	ENY	5.04	-	5	5.04
RCL06C2405A	-	-	-	-	MNIT	2.14	-	1	2.14	GLD	3.19	0.02	2,476	3.18
RCL11C2407A	-	-	-	-	MNIT2	-	-	-	-	TDEX	8.19	0.02	1,307	8.19
RCL13C2404A	-	-	-	-	MNRF	2.82	0.02	3	2.83	UBOT	14.13	0.01	4	14.17
RCL13C2405A	0.01	-	6,000	0.01	POPF	6.30	-	584	6.30	UHERO	7.30	(0.03)	4	7.30
RCL13C2407A	0.08	-	4,110	0.08	PPF	-	-	-	-	Warrant Foreign	-	-	-	-
RCL13C2408A	0.20	-	22,855	0.21	PROSPECT	8.60	-	73	8.59	AIA28C2403A	-	-	-	-
RCL13P2405A	0.35	(0.02)	6,566	0.35	QHHR	6.55	-	570	6.51	AIA28C2406A	0.05	-	3,949	0.05
RCL19C2405A	-	-	-	-	QHOP	-	-	-	-	AIA28C2408A	0.14	(0.04)	15,098	0.14
RCL19C2405B	-	-	-	-	QHPP	4.38	(0.02)	11,758	4.40	AIA28P2405A	0.53	0.17	3,042	0.52
RCL19C2406A	-	-	-	-	SIRIP	7.80	0.70	25	7.68	AIA41C2403A	-	-	-	-
RCL19C2408A	0.19	-	9,720	0.20	SPRIME	4.34	(0.02)	2,484	4.35	AIA41C2406A	-	-	-	-
RCL19P2406A	0.46	(0.02)	7,641	0.45	SRI PANWA	4.74	(0.02)	1,029	4.74	AIA41P2407A	-	-	-	-
RCL41C2406A	-	-	-	-	SSPF	-	-	-	-	ALIHEA28C2406A	-	-	-	-
RCL41C2407A	-	-	-	-	SSTRT	5.05	(0.05)	55	5.10	ALIHEA28C2407A	0.17	(0.01)	1,014	0.17
RCL41C2408A	0.15	-	24,000	0.17	TIF1	7.85	(0.05)	79	7.86	ALIHEA41C2406A	-	-	-	-
SAV	19.40	0.20	58,058	19.35	TLHPF	4.00	(0.12)	388	4.02	ALIHEA28C2403A	-	-	-	-
SINO	1.33	-	15,341	1.34	TNPF	1.68	0.01	5	1.68	BABA28C2403B	-	-	-	-
SJWD	15.60	(0.10)	7,555	15.60	TPRIME	6.25	(0.10)	40	6.25	BABA28C2404A	-	-	-	-
SJWD13C2407A	0.23	(0.01)	13,356	0.23	TTLPF	17.00	-	203	17.00	BABA28C2404B	-	-	-	-
TFFIF	6.55	0.05	22,815	6.54	TU-PF	0.80	-	113	0.80	BABA28C2406A	0.13	(0.02)	10,228	0.13
THAI	-	-	-	-	URBNPF	0.36	(0.05)	5,863	0.38	BABA28C2406B	0.21	(0.04)	4,904	0.21
TSTE	9.90	-	160	9.90	WHABT	7.95	-	142	7.95	BABA28C2407A	0.30	(0.05)	122,313	0.30
TTA	6.70	(0.10)	50,692	6.71	WHAIR	5.95	0.05	1,969	5.95	BABA28P2403A	-	-	-	-
WICE	5.60	0.05	967	5.58	WHART	9.50	(0.10)	13,115	9.52	BABA28P2404A	-	-	-	-
Automotive	-	-	-	-	Steel and Metal	-	-	-	-	BABA28P2407A	0.30	0.04	2,028	0.30
3K-BAT	30.00	(1.25)	9	29.56	ZS	3.08	-	470	3.08	BABA41C2403A	-	-	-	-
ACG	1.20	(0.05)	75	1.21	AMC	3.20	0.04	2,583	3.18	BABA41C2403B	-	-	-	-
AH	22.20	(0.10)	8,128	22.32	BSBM	0.74	(0.01)	8,507	0.75	BABA41C2404A	-	-	-	-
CWT	1.42	-	211	1.41	CEN	2.14	-	51	2.14	BABA41C2404B	0.05	(0.03)	1	0.05
EASON	1.23	0.01	12,335	1.22	CEN-W5	-	-	-	-	BABA41C2406A	0.17	(0.01)	3	0.17
GYT	-	-	-	-	CITY	2.24	(0.04)	200	2.24	BABA41C2406B	0.30	(0.05)	10,003	0.30
HFT	4.08	0.04	985	4.08	CSP	0.96	-	380	0.96	BABA41C2407A	0.25	(0.05)	278	0.24
IHL	2.04	0.02	498	2.00	GJS	0.24	-	11,720	0.23	BABA41P2404A	0.10	(0.06)	1	0.10
INGRS	0.52	-	23,857	0.52	GSTEEL	-	-	-	-	BABA41P2404B	-	-	-	-
IRC	12.70	(0.10)	101	12.60	INOX	0.52	-	13,127	0.52	BABA41P2407A	-	-	-	-
MGC	5.80	0.05	27,266	5.84	LHK	4.00	(0.08)	1,572	4.03	BIDU28C2403A	-	-	-	-
NEX	9.65	(0.05)	20,826	9.67	MCS	6.75	0.05	20,560	6.78	BIDU28C2403B	-	-	-	-
NEX13C2405A	-	-	-	-	MILL	0.27	-	28,884	0.28	BIDU28C2407A	0.23	(0.06)	5,614	0.23
NEX13C2407A	0.14	(0.01)	361	0.14	MILL-W6	-	-	-	-	BIDU28P2406A	0.33	0.09	18,252	0.33
NEX19C2404A	-	-	-	-	MILL-W7	0.03	-	32,001	0.03</					

# Asia Plus Securities Company Limited

## Main Board Quotation

## Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CHMOBI28C2409A	-	-	-	-	HSI28P2405B	0.29	0.04	874,619	0.30	SET5006P2403C	-	-	-	-
CMBANK1C2404A	-	-	-	-	HSI28P2405C	0.61	0.10	1,834,015	0.58	SET5006P2404A	0.13	(0.01)	39,548	0.13
CMBANK1C2406A	-	-	-	-	HSI28P2405D	1.11	0.12	301	1.08	SET5006P2406A	0.16	(0.01)	62,638	0.16
CNOOC28C2404A	-	-	-	-	HSI28P2406A	0.13	0.01	9,012	0.13	SET5013C2403A	-	-	-	-
CNOOC28C2408A	0.40	(0.05)	22,308	0.43	HSI28P2406B	0.49	0.07	4,819,977	0.46	SET5013C2403B	-	-	-	-
DJI28C2406B	-	-	-	-	HSI28P2406C	0.25	0.03	3,852	0.25	SET5013C2403C	-	-	-	-
DJI28C2406C	0.26	0.01	681	0.25	HSI28P2406D	0.90	0.12	348,270	0.90	SET5013C2403D	-	-	-	-
DJI28P2406A	0.14	-	6,000	0.14	HSI28P2407A	0.54	0.08	2,068,254	0.51	SET5013C2403E	-	-	-	-
DJI28P2406B	-	-	-	-	HSTECH28C240:	-	-	-	-	SET5013C2403F	-	-	-	-
DJI41C2406A	-	-	-	-	HSTECH28C240:	-	-	-	-	SET5013C2403G	-	-	-	-
DJI41P2406B	-	-	-	-	HSTECH28C240:	0.39	(0.03)	112	0.39	SET5013C2403H	0.01	-	170	0.01
GEELY28C2403A	-	-	-	-	HSTECH28C240:	0.26	(0.02)	4	0.26	SET5013C2403J	-	-	-	-
GEELY28C2406A	0.42	(0.03)	15,220	0.44	HSTECH28P240:	-	-	-	-	SET5013C2405A	0.76	(0.01)	110	0.77
GEELY28C2408A	0.28	0.01	11,154	0.29	HSTECH28P240:	-	-	-	-	SET5013C2406A	0.17	(0.01)	1,337,300	0.18
GEELY28P2404A	-	-	-	-	HSTECH28P240:	-	-	-	-	SET5013C2406B	0.21	(0.01)	3,046,067	0.22
GEELY41C2404A	-	-	-	-	HSTECH28P240:	-	-	-	-	SET5013C2406C	0.13	(0.01)	140,679	0.14
GEELY41C2406A	0.34	-	10,000	0.35	ICBC28C2404A	-	-	-	-	SET5013C2406D	0.32	(0.01)	2,940,190	0.33
HAILIL28C2403A	-	-	-	-	ICBC28C2407A	-	-	-	-	SET5013C2406E	0.48	(0.01)	850,013	0.50
HAILIL28C2404A	-	-	-	-	JD28C2403A	-	-	-	-	SET5013C2410A	0.19	-	80,726	0.19
HAILIL28C2406A	0.35	(0.01)	15,213	0.36	JD28C2403B	-	-	-	-	SET5013P2403A	-	-	-	-
HAILIL41C2403A	-	-	-	-	JD28C2406A	0.58	(0.12)	7,028	0.59	SET5013P2403B	-	-	-	-
HAILIL41C2404A	-	-	-	-	JD28C2408A	-	-	-	-	SET5013P2403C	-	-	-	-
HAILIL41C2405A	-	-	-	-	JD28C2408B	0.20	(0.04)	26,087	0.20	SET5013P2403D	-	-	-	-
HAILIL41C2407A	0.24	(0.02)	35,000	0.25	JD41C2406A	-	-	-	-	SET5013P2403E	-	-	-	-
HKEX28C2404A	-	-	-	-	JD41C2407A	0.28	(0.03)	5,000	0.28	SET5013P2403F	-	-	-	-
HKEX28C2406A	0.09	(0.02)	2	0.10	KUAISH28C2403	-	-	-	-	SET5013P2405A	1.09	(0.02)	165	1.10
HKEX28C2407A	0.20	(0.03)	5,211	0.21	KUAISH28C2404	-	-	-	-	SET5013P2406A	0.17	(0.01)	472,510	0.18
HKEX41C2404A	-	-	-	-	KUAISH28C2406	-	-	-	-	SET5013P2406B	0.23	0.01	519,507	0.22
HKEX41C2405A	-	-	-	-	KUAISH28C2407	0.51	(0.04)	14,056	0.53	SET5013P2406C	0.30	-	5,863,599	0.29
HKEX41C2406A	-	-	-	-	KUAISH41C2406	0.29	(0.05)	20,000	0.30	SET5013P2406D	0.38	(0.01)	4,646,322	0.37
HSBC28C2403A	-	-	-	-	LENOVO28C240-	-	-	-	-	SET5013P2406E	0.60	(0.01)	1,250,685	0.60
HSBC28C2406A	0.54	(0.02)	4,061	0.54	LENOVO28C240:	0.37	(0.02)	18,112	0.38	SET5019C2403A	-	-	-	-
HSBC28P2404A	-	-	-	-	LENOVO28C240:	0.20	-	5,000	0.20	SET5019C2403B	-	-	-	-
HSBC28P2407A	-	-	-	-	LENOVO041C240	0.14	(0.03)	10,005	0.15	SET5019C2403C	-	-	-	-
HSBC41C2403A	-	-	-	-	MCA5041C2406/	0.76	(0.09)	412	0.85	SET5019C2403D	0.01	-	500	0.01
HSBC41C2405A	-	-	-	-	MCA501P2406/	0.30	0.01	190	0.30	SET5019C2403E	0.01	-	670	0.01
HSBC41C2407A	0.19	-	10,000	0.20	MEITUA28C240:	-	-	-	-	SET5019C2403F	-	-	-	-
HSBC41P2406A	-	-	-	-	MEITUA28C240:	0.10	(0.03)	140,000	0.11	SET5019C2406A	0.10	-	1,352	0.10
HSCIE28C2403A	-	-	-	-	MEITUA28C240:	0.61	(0.10)	20,100	0.63	SET5019C2406B	-	-	-	-
HSCIE28C2404A	0.73	(0.19)	70,015	0.80	MEITUA28C240:	1.34	(0.15)	112	1.41	SET5019C2406C	0.14	-	125,937	0.15
HSCIE28C2405A	0.37	(0.05)	260,304	0.37	MEITUA28C240:	0.28	(0.04)	11,187	0.29	SET5019C2406E	0.16	-	358,542	0.17
HSCIE28P2403A	-	-	-	-	MEITUA28P2405	0.24	0.04	42,448	0.23	SET5019C2406F	0.35	-	397,827	0.36
HSCIE28P2404A	-	-	-	-	MEITUA28P2406	0.10	(0.03)	4,056	0.10	SET5019C2406G	0.24	(0.01)	282,516	0.26
HSCIE28P2405A	0.34	0.06	4	0.34	MEITUA41C240:	-	-	-	-	SET5019P2403A	-	-	-	-
HSI06C2403A	-	-	-	-	MEITUA41C2405	0.18	(0.05)	240	0.19	SET5019P2403B	-	-	-	-
HSI06C2403B	-	-	-	-	MEITUA41C2405	0.53	(0.12)	60,000	0.55	SET5019P2403C	-	-	-	-
HSI06C2403C	-	-	-	-	MEITUA41C2406	-	-	-	-	SET5019P2403D	-	-	-	-
HSI06C2403D	0.73	(0.24)	2	0.73	MEITUA41C2406	-	-	-	-	SET5019P2403E	0.01	-	1,206	0.01
HSI06C2404A	0.05	(0.05)	128,592	0.06	MEITUA41C2407	1.05	(0.11)	2	1.07	SET5019P2406A	0.33	(0.01)	341,265	0.32
HSI06C2404B	0.88	(0.13)	6	0.88	MEITUA41P2404	-	-	-	-	SET5019P2406B	0.21	-	61,550	0.21
HSI06C2404C	0.34	(0.14)	2,026,800	0.39	MEITUA41P2406	-	-	-	-	SET5019P2406C	0.16	-	52,679	0.16
HSI06C2404D	-	-	-	-	MEITUA41P2407	0.49	0.04	40,200	0.49	SET5019P2406D	0.37	(0.01)	600,388	0.36
HSI06C2404E	0.17	(0.09)	7,885,135	0.19	NDX28C2406A	2.16	(0.04)	101	2.14	SET5027C2403A	-	-	-	-
HSI06C2405A	0.43	(0.08)	15	0.45	NDX28C2406B	0.53	(0.05)	58	0.52	SET5027C2403B	-	-	-	-
HSI06C2405B	0.84	(0.10)	115	0.86	NDX28C2406C	0.83	(0.06)	31	0.82	SET5027C2403C	-	-	-	-
HSI06C2405C	0.21	(0.07)	8,101,498	0.22	NDX28C2406D	0.32	(0.03)	62	0.31	SET5027C2403D	-	-	-	-
HSI06C2405D	0.10	(0.02)	3,595,820	0.10	NDX28P2406A	-	-	-	-	SET5027C2403E	-	-	-	-
HSI06C2406A	0.69	(0.18)	2,289	0.71	NDX28P2406B	0.15	-	166	0.15	SET5027C2403T	-	-	-	-
HSI06C2406B	0.22	(0.06)	1,993	0.23	NDX28P2406C	0.34	0.03	39,402	0.33	SET5027C2406A	0.19	(0.02)	32,775	0.19
HSI06C2406C	0.30	(0.07)	4,234	0.31	NDX41C2406A	1.09	(0.05)	505	1.09	SET5027C2406B	0.09	-	100	0.09
HSI06C2406D	0.16	(0.04)	330,639	0.17	NDX41C2406B	0.36	(0.04)	741	0.35	SET5027C2406C	0.18	(0.01)	127,745	0.19
HSI06P2403A	-	-	-	-	NDX41P2406A	0.11	-	21	0.11	SET5027C2406D	0.39	-	198,288	0.40
HSI06P2403B	-	-	-	-	NDX41P2406B	0.19	0.01	1,145	0.19	SET5027C2406E	-	-	-	-
HSI06P2403C	-	-	-	-	NTES41C2404A	-	-	-	-	SET5027C2409T	0.16	-	13,100	0.16
HSI06P2403D	-	-	-	-	NTES41C2405A	0.28	(0.02)	43,400	0.29	SET5027P2403A	-	-	-	-
HSI06P2404A	0.16	0.03	8,170,086	0.15	PINGAN28C2403	-	-	-	-	SET5027P2403B	-	-	-	-
HSI06P2404B	0.03	-	450	0.03	PINGAN28C2404	-	-	-	-	SET5027P2403T	-	-	-	-
HSI06P2404C	0.46	0.09	1,942,168	0.43	PINGAN28C2404	0.10	(0.02)	4,058	0.11	SET5027P2404A	0.13	-	112,825	0.12
HSI06P2404D	0.06	0.02	690	0.05	PINGAN28C2407	-	-	-	-	SET5027P2404B	0.30	(0.01)	118,086	0.30
HSI06P2405A	0.37	0.05	4,111,671	0.35	PINGAN28P2403	-	-	-	-	SET5027P2406T	0.04	(0.01)	2	0.05
HSI06P2405B	0.15	0.03	8,485,940	0.15	PINGAN28P2404	0.15	0.01	999	0.15	SET5027P2409T	0.16	(0.84)	6,321	0.16
HSI06P2405C	0.75	0.05	20	0.75	PINGAN41C2403	-	-	-	-	SET5028C2403A	-	-	-	-
HSI06P2406A	0.28	0.03	619,550	0.27	PINGAN41C2404	-	-	-	-	SET5028C2403B	-	-	-	-
HSI06P2406B	0.50	0.08	6,480	0.47	PINGAN41C2404	-	-	-	-	SET5028C2403C	-	-	-	-
HSI06P2406C	0.73	0.11	3	0.73	PINGAN41C2406	-	-	-	-	SET5028C2403D	-	-	-	-
HSI28C2403A	0.02	-	100	0.02	PINGAN41C2406	0.13	(0.02)	20,485	0.1					

**Asia Plus Securities Company Limited**

## Main Board Quotation

## Daily Quotation

**Issue Date :**

*Wednesday March 27, 2024*

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday March 27, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust	-				UBIS	2.08	(0.08)	17,702	00 2.1	JPARK	5.95	0.10	26,748	00 5.9
AU	9.45	0.30	9,832	00 9.3	UEC	1.62	-	4,192	00 1.6	KGEN	0.88	(0.01)	7,169	00 0.8
JCKH	0.03	-	114,163	00 0.0	UKEM	0.84	0.01	5,067	00 0.8	KGEN-W2	0.37	-	980	00 0.3
JCKH-W1	-	-	-	00 0.0	UREKA	0.58	-	73,185	00 0.5	KK	1.85	(0.02)	52	00 1.8
JCKH-W2	0.02	-	8,881	00 0.0	YUASA	10.80	-	101	00 10.7	KLINIQ	39.25	(0.25)	7,375	00 39.3
KASET	1.29	-	1,178	00 1.2	ZIGA	2.86	(0.04)	46,795	00 2.8	KOOL	0.39	-	28,469	00 0.3
MUD	1.95	0.16	130	00 1.8	Property	-		-		KTMS	2.60	0.04	2,199	00 2.6
NTSC	13.90	(0.20)	81	00 14.0	24CS	1.74	0.09	182,944	00 1.7	LDC	0.64	0.03	1,659	00 0.6
TACC	5.05	(0.05)	14,842	00 5.0	A5	3.22	-	15,830	00 3.2	LEO	4.36	0.08	2,387	00 4.3
TMILL	3.76	0.04	62	00 3.7	A5-W2	0.03	0.01	7,626	00 0.0	LEO-W1	0.29	0.02	64,365	00 0.3
WINNER	2.22	0.02	2,093	00 2.2	A5-W3	0.06	-	558	00 0.0	MASTER	67.25	(1.75)	14,677	00 67.9
XO	26.75	0.75	21,809	00 26.3	ALL	-		-		MCA	2.98	(0.02)	27,059	00 2.9
Consumer Products	-				ARIN	2.92	(0.02)	483	00 2.8	MEB	32.50	-	2,243	00 32.4
ALPHAX	0.79	0.05	951,825	00 0.7	ARROW	6.55	0.15	98	00 6.4	MORE	0.09	0.01	39,916	00 0.0
BGT	0.75	-	555	00 0.7	BC	1.22	(0.01)	1,257	00 1.2	MVP	1.16	(0.01)	39,454	00 1.1
DOD	2.88	0.04	651	00 2.8	BLESS	0.62	0.01	3,051	00 0.6	NCL	0.79	0.01	13,976	00 0.7
ECF	0.95	-	49,590	00 0.9	BSM	2.58	-	12	00 2.5	NEWS	0.02	-	479,541	00 0.0
ECF-W4	-	-	-	00 0.0	BTW	0.29	-	2,058	00 0.2	NEWS-W7	0.01	-	1,959	00 0.0
EFORL	0.19	(0.01)	195,313	00 0.1	CAZ	3.62	0.06	1,609	00 3.6	PEER	0.52	(0.01)	62,309	00 0.5
EFORL-W6	0.03	(0.01)	1,304	00 0.0	CHEWA	0.51	(0.01)	3,833	00 0.5	PEER-W1	0.27	-	9,068	00 0.2
EURO	7.05	0.10	2,633	00 6.9	CPANEL	6.05	(0.05)	283	00 6.0	PHOL	2.72	0.02	933	00 2.7
HPT	0.67	-	166,964	00 0.6	CPANEL-W1	-		-		PICO	-		-	00 0.0
IP	9.30	0.10	4,027	00 9.3	CRD	0.50	-	639	00 0.4	PLT	0.81	(0.02)	27,157	00 0.8
IP-W2	0.46	-	19,540	00 0.4	DHOUSE	0.63	0.01	336	00 0.6	QLT	2.72	-	959	00 2.8
ITTHI	2.28	0.04	55,216	00 2.2	DIMET	0.28	-	5,219	00 0.2	RP	1.47	0.08	104,660	00 1.5
JSP	2.54	0.02	16,879	00 2.5	DPAIN	2.58	-	3,290	00 2.5	SE	0.88	-	2,624	00 0.8
JSP-W1	0.23	0.01	53,585	00 0.2	FLOYD	1.24	(0.01)	2,308	00 1.2	SLM	-		-	00 0.0
JUBILE	16.10	0.10	154	00 16.1	FLOYD-W1	0.02	0.01	23,957	00 0.0	SONIC	1.64	(0.02)	8,145	00 1.6
MGI	37.50	(1.25)	23,251	00 38.7	HYDRO	0.24	(0.01)	231	00 0.2	SPA	12.80	-	2,316	00 12.8
MOONG	2.20	0.04	898	00 2.1	HYDRO-W2	0.04	-	6,925	00 0.0	THMUI	0.58	(0.01)	1,575	00 0.5
NPK	16.50	(0.50)	2	00 16.7	IND	0.93	0.01	1,885	00 0.9	TNDT	0.22	(0.01)	2,378	00 0.2
SMD	6.60	-	598	00 6.6	JAK	1.25	0.05	798	00 1.2	TNDT-W1	0.05	-	355	00 0.0
TM	1.92	-	250	00 1.9	K	1.22	-	618	00 1.1	TNH	36.00	-	182	00 35.7
TM-W1	0.23	0.02	61	00 0.2	K-W2	0.27	(0.02)	1,637	00 0.2	TNP	3.34	0.02	959	00 3.3
WARRIX	6.15	0.15	43,019	00 5.9	KUN	1.62	0.01	260	00 1.6	TPL	1.70	-	106,220	00 1.7
WINMED	2.90	(0.02)	328	00 2.9	KUN-W1	0.01	-	1	00 0.0	TRP	14.00	-	7,492	00 14.0
Financials	-				KUN-W2	0.07	(0.01)	4,013	00 0.0	TURTLE	7.60	0.55	20	00 6.8
ACAP	-	-	-	00 0.0	META	0.14	0.01	68,478	00 0.1	TVDH	0.34	0.01	7,007	00 0.3
AF	0.76	-	1	00 0.7	META-W7	0.01	-	2,011	00 0.0	TVDH-W3	-	-	-	00 0.0
AIRA	-	-	-	00 0.0	PANEL	2.44	0.24	125,206	00 2.3	TVDH-W4	0.07	-	4,241	00 0.0
ASN	1.90	(0.03)	6	00 1.9	PPS	0.47	0.01	18,086	00 0.4	TVT	0.48	-	7,919	00 0.4
BROOK	0.60	(0.02)	546,179	00 0.6	PRI	16.60	0.20	2,339	00 16.5	UBA	1.07	(0.02)	2,199	00 1.0
BROOK-W6	0.08	(0.01)	55,859	00 0.0	PROS	1.41	0.03	14,449	00 1.4	VL	1.11	0.01	71,201	00 1.1
BROOK-W7	0.27	(0.01)	18,562	00 0.2	PROS-W1	0.42	0.01	66,198	00 0.4	YGG	7.30	(0.20)	23,996	00 7.3
GCAP	0.50	(0.01)	12,232	00 0.5	PROUD	1.97	0.08	182,000	00 1.9	Technology	-		-	
KCC	2.98	-	1,211	00 2.9	PSG	0.66	(0.01)	73,165	00 0.6	APP	2.56	-	107	00 2.5
LIT	1.04	(0.01)	608	00 1.0	SENX	0.52	0.01	58,287	00 0.5	BBIK	93.50	(0.50)	4,555	00 93.8
LIT-W2	0.28	(0.01)	15,033	00 0.2	SENX-W1	0.02	0.01	1,294	00 0.0	BE8	27.75	0.25	13,656	00 27.9
MITSIB	0.79	(0.01)	2,486	00 0.7	SK	0.87	(0.01)	99,429	00 0.8	BE8-W1	4.76	0.26	11	00 4.7
SGF	0.39	-	1,083	00 0.3	SMART	1.06	-	78,260	00 1.0	BVG	5.60	0.15	7,342	00 5.5
SGF-P1	-	-	-	00 0.0	STC	0.64	-	765	00 0.6	COMAN	3.48	-	894	00 3.4
SGF-Q1	-	-	-	00 0.0	SVR	1.51	(0.02)	1,641	00 1.5	I2	2.30	-	41,130	00 2.3
TQR	7.05	0.05	453	00 7.1	TAPAC	-		-		IIIG	11.90	1.10	13,571	00 11.3
Industrials	-				THANA	1.73	-	1,953	00 1.7	IIIG-W1	2.08	0.19	52	00 2.0
ADB	0.92	0.02	3	00 0.9	TIGER	0.91	(0.02)	2,544	00 0.9	IRCP	0.67	(0.01)	1,055	00 0.6
BM	2.84	0.02	6,912	00 2.8	TITLE	4.18	-	1,599	00 4.1	ITNS	2.62	-	1,568	00 2.6
BM-W3	1.58	0.03	10	00 1.5	WELL	-		-		NAT	6.25	0.15	264,609	00 6.3
CHO	0.14	(0.01)	33,028	00 0.1	YONG	2.06	0.04	4,707	00 2.0	NETBAY	20.70	-	21,413	00 20.9
CHO-W3	0.01	-	40	00 0.0	Resources	-		-		PLANET	0.70	(0.01)	3,565	00 0.6
CHOW	3.02	0.02	36,425	00 3.0	ABM	1.30	0.05	779	00 1.2	PROEN	2.04	(0.08)	67,453	00 2.1
CIG	0.08	-	65,070	00 0.0	ABM-W1	0.18	0.01	1,246	00 0.1	READY	11.30	0.10	324	00 11.1
CIG-W10	-	-	-	00 0.0	GTV	0.16	0.01	760,676	00 0.1	SECURE	14.00	-	1,498	00 13.8
CIG-W9	0.04	(0.01)	14	00 0.0	PSTC	0.49	-	69,843	00 0.4	SICT	5.30	0.10	720	00 5.2
COLOR	1.33	-	525	00 1.3	PSTC-W2	0.06	0.01	408	00 0.0	SIMAT	1.36	0.03	1,927	00 1.3
COLOR-W2	0.01	(0.01)	10,415	00 0.0	PTC	1.98	0.01	3,217	00 1.9	SIMAT-W3	0.24	-	4,294	00 0.2
CPR	4.40	-	9,242	00 4.4	SAAM	7.95	0.15	2,510	00 7.8	SIMAT-W5	0.16	0.02	206,702	00 0.1
FPI	2.36	(0.02)	1,553	00 2.3	SAAM-W2	0.17	-	17,415	00 0.1	SPVI	3.08	-	2,211	00 3.0
GTB	0.75	0.01	29,591	00 0.7	SR	0.71	-	135	00 0.7	SRS	8.00	(0.15)	2,387	00 8.0
KCM	0.39	-	3,585	00 0.3	STOWER	0.10	-	74,600	00 0.1	TBN	11.90	-	824	00 11.8
KJL	8.05	0.15	22,871	00 8.1	STOWER-W4	-		-		TPS	4.28	(0.02)	14,920	00 4.2
KUMWEL	1.77	(0.02)	434	00 1.7	TAKUNI	1.08	0.02	13,509	00 1.0	TPS-W1	-	-	-	00 0.0
KWM	1.47	(0.01)	11,292	00 1.4	TPCH	7.45	-	2,845	00 7.4	VCOM	3.22	-	2,382	00 3.2
MBAX	3.10	-	645	00 3.0	TRT	3.66	(0.20)	149,015	00 3.8	-	-	-	-	-
MBAX-W2	0.22	-	12,315	00 0.2	UMS	0.60	-	11	00 0.5	-	-	-	-	-
MGT	2.52	(0.02)	209	00 2.5	Services	-		-		-	-	-	-	-
MTW	2.38	0.04	12,149	00 2.3	ADD	5.60	(0.05)	232	00 5.6	-	-	-	-	-
NDR	2.16	0.02	15,586	00 2.2	AKP	1.06	(0.01)	3,006	00 1.0	-	-	-	-	-
NDR-W2	0.01	-	1,410	00 0.0	AMA	4.56	0.24	13,140	00 4.4	-	-	-	-	-
PACO	1.82	-	953	00 1.8	AMARC	1.39	0.01	1,21						