

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KTB13C2404A	-	-	-	-	IVL01C2406A	0.11	(0.02)	52,590	0.11
WORLD	-	-	-	-	KTB13C2406A	-	-	-	-	IVL01C2406B	-	-	-	-
Agribusiness	-	-	-	-	KTB13C2406B	0.13	0.01	2,200	0.13	IVL01C2408A	0.35	(0.03)	58,908	0.36
EE	0.25	-	13,725	0.24	KTB13C2408A	0.30	0.02	20,075	0.28	IVL01P2405X	0.10	-	2,388	0.10
EE-W1	0.01	(0.01)	67,938	0.01	KTB13P2404A	-	-	-	-	IVL01P2407X	0.26	0.01	18,616	0.27
GFPT	12.30	0.10	26,007	12.27	KTB13P2406A	-	-	-	-	IVL06C2404A	-	-	-	-
LEE	2.40	-	2,512	2.40	KTB19C2404A	-	-	-	-	IVL06C2406A	0.27	(0.01)	33,085	0.26
NER	5.95	-	33,314	5.97	KTB19C2406A	-	-	-	-	IVL11C2403T	-	-	-	-
PPPM	0.04	-	16,008	0.03	KTB19C2408A	0.30	-	25,744	0.29	IVL13C2406A	-	-	-	-
PPPM-W4	-	-	-	-	KTB19P2406A	-	-	-	-	IVL13C2406B	0.12	(0.02)	29,553	0.12
STA	19.60	0.10	44,664	19.65	KTB41C2404A	-	-	-	-	IVL13C2407A	0.34	(0.02)	34,599	0.34
STA01C2404A	-	-	-	-	KTB41C2406A	-	-	-	-	IVL13C2408A	0.09	(0.01)	8,412	0.09
STA01C2407A	0.26	(0.01)	16,046	0.27	KTB41C2406B	0.14	-	10,000	0.13	IVL13P2405A	-	-	-	-
STA01P2407X	0.36	(0.01)	11,165	0.35	KTB41C2407A	0.20	-	17,216	0.19	IVL13P2408A	0.53	0.02	26,122	0.52
STA01P2408X	0.44	(0.02)	5,886	0.44	LHFG	1.00	0.01	21,819	0.99	IVL19C2405A	-	-	-	-
STA06C2408A	0.31	-	25,174	0.31	SCB	114.00	-	47,916	114.13	IVL19C2406A	0.15	(0.02)	7,054	0.15
STA11C2407T	0.51	0.01	19,668	0.51	SCB01C2404A	-	-	-	-	IVL19C2407A	0.09	(0.03)	60	0.10
STA13C2405A	0.40	(0.19)	299	0.40	SCB01C2405A	0.16	(0.02)	4,184	0.16	IVL41C2404A	-	-	-	-
STA13C2407A	0.34	0.01	19,453	0.34	SCB01C2407A	0.41	(0.01)	764	0.41	IVL41C2406A	-	-	-	-
STA13C2408A	0.23	0.01	21,177	0.23	SCB01C2408A	0.40	(0.01)	1,133	0.40	IVL41C2406B	0.13	(0.02)	5,712	0.14
STA13P2407A	0.16	(0.01)	11,510	0.17	SCB01P2405X	-	-	-	-	IVL41C2407A	0.22	(0.02)	28,380	0.21
STA13P2408A	0.48	(0.03)	14,160	0.49	SCB01P2407X	-	-	-	-	NFC	3.26	-	546	3.22
STA19C2406A	0.42	0.01	23,427	0.42	SCB11C2403A	-	-	-	-	PATO	9.10	-	14	9.06
STA19C2408A	0.33	-	27,060	0.33	SCB13C2404A	-	-	-	-	PTTGC	38.25	0.25	43,958	38.32
STA41C2408A	0.27	-	46,639	0.28	SCB13C2406A	0.24	(0.01)	20,324	0.24	PTTGC01C2405A	-	-	-	-
TEGH	3.12	-	10,369	3.14	SCB13P2406A	0.03	-	1,780	0.03	PTTGC01C2406A	0.24	(0.01)	17,390	0.24
TFM	6.90	0.05	314	6.82	SCB13P2407A	0.16	(0.01)	2	0.16	PTTGC01C2407A	0.19	-	13,048	0.19
TRUBB	1.60	0.02	74,023	1.60	SCB19C2404A	-	-	-	-	PTTGC01P2404X	-	-	-	-
TRUBB-W2	0.16	0.03	270,302	0.16	SCB19C2406A	0.24	(0.02)	2,316	0.24	PTTGC01P2405X	-	-	-	-
UPOIC	6.25	(0.05)	4	6.25	SCB19C2407A	-	-	-	-	PTTGC11C2404A	0.10	(0.01)	3,320	0.10
UVAN	8.40	0.05	2,402	8.37	SCB19P2407A	-	-	-	-	PTTGC13C2406A	0.14	-	59,116	0.14
VPO	0.80	-	9,096	0.80	SCB41C2404A	-	-	-	-	PTTGC13P2404A	-	-	-	-
Banking	-	-	-	-	SCB41C2405A	0.17	(0.05)	2,000	0.17	PTTGC19C2404A	-	-	-	-
BAY	26.50	-	2,958	26.50	SCB41C2405B	0.15	(0.04)	2,000	0.15	PTTGC19C2405A	0.18	0.01	16,490	0.18
BBL	139.00	-	32,965	139.16	SCB41C2407A	-	-	-	-	PTTGC41C2404A	-	-	-	-
BBL11C2404A	-	-	-	-	SCB41C2407B	-	-	-	-	PTTGC41C2405A	-	-	-	-
BBL11C2405A	-	-	-	-	SCB41C2408A	0.24	(0.02)	6,004	0.24	PTTGC41C2406A	0.14	-	24,736	0.14
BBL11C2406A	0.05	(0.02)	1	0.05	SCB41P2406A	-	-	-	-	PTTGC41C2407A	0.14	(0.01)	22,953	0.15
BBL11P2407A	0.31	-	4,240	0.31	TCAP	51.25	(0.25)	12,170	51.31	PTTGC41C2407B	0.34	(0.06)	8,000	0.34
BBL13C2404A	0.01	(0.01)	30	0.01	TCAP-P	-	-	-	-	SUTHA	2.70	-	91	2.70
BBL13C2405A	-	-	-	-	TCAP-Q	-	-	-	-	TPA	4.30	(0.02)	2	4.30
BBL13C2406A	0.08	(0.01)	355	0.08	TISCO	99.50	0.25	19,581	99.49	UAC	3.60	-	970	3.60
BBL13C2408A	0.24	-	13,224	0.24	TISCO-P	-	-	-	-	UP	17.10	(0.90)	274	17.58
BBL13P2404A	0.01	(0.01)	140	0.01	TISCO-Q	-	-	-	-	Commerce	-	-	-	-
BBL13P2408A	0.38	(0.01)	8,683	0.38	TISCO13C2405A	0.04	-	700	0.04	ADVICE	4.34	(0.04)	65,308	4.37
BBL19C2404A	-	-	-	-	TISCO19C2408A	0.20	(0.01)	37,106	0.20	B52	0.68	(0.25)	1,318	0.73
BBL19C2405A	-	-	-	-	TTB	1.82	-	496,870	1.82	BEAUTY	0.67	-	351,409	0.68
BBL19C2406A	0.06	(0.01)	701	0.06	TTB-W1	0.88	-	801	0.88	BIG	0.49	0.01	1,659	0.48
BBL19C2408A	0.24	(0.01)	33,469	0.24	TTB01C2404A	-	-	-	-	BJC	24.40	-	79,170	24.34
BBL19P2406A	0.18	(0.01)	5,774	0.18	TTB01C2406A	0.29	-	4,791	0.30	COM7	19.10	0.20	101,460	18.86
BBL41C2404A	-	-	-	-	TTB13C2404A	0.01	(0.01)	3,063	0.01	COM701C2404A	-	-	-	-
BBL41C2405A	-	-	-	-	TTB19C2404A	-	-	-	-	COM701C2404B	-	-	-	-
BBL41C2406A	-	-	-	-	CCP	0.37	0.01	6,207	0.36	COM701C2405A	-	-	-	-
BBL41C2406B	-	-	-	-	DCC	1.90	0.01	39,028	1.91	COM701C2407A	0.24	0.01	35,557	0.22
BBL41C2407A	0.14	(0.01)	23,413	0.14	DCON	0.43	(0.03)	153,495	0.44	COM701C2408A	0.38	0.02	49,784	0.35
BBL41C2407B	0.15	(0.01)	17,624	0.16	DCON-W3	0.07	-	291,062	0.07	COM701P2404X	0.09	(0.03)	35,179	0.11
BBL41C2408A	0.22	-	12,900	0.22	DRT	7.90	-	914	7.89	COM701P2406X	0.43	(0.03)	96,266	0.45
BBL41P2406A	0.16	(0.03)	1	0.16	EPG	6.90	0.05	7,088	6.89	COM701P2408X	0.34	(0.02)	18,704	0.36
CREDIT	26.75	0.25	1,098	26.68	GEL	0.19	-	168,456	0.18	COM706C2407A	0.22	0.01	67,552	0.21
KBANK	124.00	-	25,714	124.24	GEL-W5	0.02	(0.01)	961	0.02	COM711C2404A	-	-	-	-
KBANK01C2405A	-	-	-	-	PPP	1.80	-	914	1.84	COM711C2406A	-	-	-	-
KBANK01C2406A	0.13	-	4,480	0.13	Q-CON	15.10	(1.40)	21,416	15.28	COM711C2406B	-	-	-	-
KBANK01C2407A	0.28	-	5,556	0.29	SCC	256.00	1.00	10,731	254.87	COM713C2404A	0.01	-	800	0.01
KBANK01P2404X	-	-	-	-	SCC01C2405A	-	-	-	-	COM713C2404B	-	-	-	-
KBANK01P2406X	-	-	-	-	SCC01C2407A	0.08	-	800	0.08	COM713C2405A	-	-	-	-
KBANK01P2408X	-	-	-	-	SCC01C2408A	0.39	-	5,844	0.39	COM713C2405B	-	-	-	-
KBANK06C2404A	-	-	-	-	SCC11C2408A	0.19	(0.01)	2,116	0.20	COM713C2406A	-	-	-	-
KBANK06C2406A	0.09	(0.01)	3,435	0.09	SCC13C2405A	-	-	-	-	COM713C2407A	0.21	(0.02)	3,276	0.20
KBANK13C2405A	-	-	-	-	SCC13C2407A	0.07	(0.01)	500	0.07	COM713C2408A	0.36	0.02	98,302	0.33
KBANK13C2406A	0.06	(0.01)	351	0.06	SCC13C2408A	0.28	0.01	17,232	0.27	COM713P2404A	-	-	-	-
KBANK13C2407A	0.20	-	19,416	0.21	SCC13P2408A	0.28	(0.01)	6,652	0.29	COM713P2407A	0.30	(0.03)	105,174	0.31
KBANK13P2404A	-	-	-	-	SCC19C2405A	-	-	-	-	COM719C2404A	-	-	-	-
KBANK13P2406A	0.17	-	2,119	0.16	SCC19C2406A	-	-	-	-	COM719C2404B	-	-	-	-
KBANK19C2404A	-	-	-	-	SCCC	139.50	(0.50)	129	139.99	COM719C2406A	-	-	-	-
KBANK19C2405A	-	-	-	-	SCGD	8.35	0.05	14,242	8.32	COM719C2407A	0.17	0.01	31,630	0.15
KBANK19C2406A	0.11	-	3,447	0.11	SCP	5.90	-	2,106	5.90	COM719C2408A	0.35	0.02	35,040	0.33
KBANK19C2408A	0.24	-	10,300	0.24	SKN	4.50	-	1,988	4.45	COM719P2406A	0.38	(0.03)	35,696	0.40
KBANK19P2404A	-	-	-											

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

					Issue Date :				Friday March 29, 2024					
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL19P2404A	-	-	-	-	ADVANC01C240I	0.23	0.01	18,642	0.23	TRUE13C2407B	0.24	(0.02)	60,538	0.25
CPALL19P2408A	-	-	-	-	ADVANC01P240	-	-	-	-	TRUE13P2404A	0.01	-	244	0.01
CPALL41C2404A	-	-	-	-	ADVANC01P240I	0.30	(0.02)	2,118	0.30	TRUE13P2407A	0.05	-	650	0.05
CPALL41C2405A	-	-	-	-	ADVANC06C240I	-	-	-	-	TRUE13P2407B	0.16	-	9,048	0.16
CPALL41C2406A	0.14	(0.01)	5,384	0.14	ADVANC11C240I	-	-	-	-	TRUE19C2404A	-	-	-	-
CPALL41C2407A	0.18	0.01	11,488	0.18	ADVANC13C240I	0.01	-	200	0.01	TRUE19C2405A	-	-	-	-
CPALL41C2407B	0.15	-	4,010	0.15	ADVANC13C240I	-	-	-	-	TRUE19C2407A	-	-	-	-
CPALL41C2407C	-	-	-	-	ADVANC13C240I	0.12	-	19,089	0.12	TRUE19C2407B	0.27	(0.02)	37,916	0.28
CPALL41C2408A	0.15	-	3,320	0.15	ADVANC13P240I	-	-	-	-	TRUE19P2408A	0.22	0.01	57,520	0.21
CPAXT	31.25	-	27,126	31.13	ADVANC13P240I	0.30	(0.01)	6,776	0.30	TRUE41C2404A	-	-	-	-
CPW	2.24	(0.02)	3,754	2.24	ADVANC19C240I	-	-	-	-	TRUE41C2404B	-	-	-	-
CRC	35.75	(0.25)	41,449	35.78	ADVANC19C240I	0.02	-	300	0.02	TRUE41C2406A	-	-	-	-
CRC01C2404A	0.01	(0.01)	21,050	0.01	ADVANC19C240I	-	-	-	-	TRUE41C2407A	-	-	-	-
CRC01C2407A	0.19	(0.01)	8,112	0.19	ADVANC41C240I	-	-	-	-	TRUE41C2407B	0.19	(0.02)	31,378	0.18
CRC01P2404X	-	-	-	-	ADVANC41C240I	-	-	-	-	TRUE41P2408A	0.34	0.02	25,648	0.34
CRC11C2404A	-	-	-	-	AIT	4.92	(0.04)	17,960	4.96	TWZ	0.03	(0.01)	141,582	0.03
CRC13C2405A	-	-	-	-	ALT	1.46	0.01	14,113	1.46	Electronic Componer	-	-	-	-
CRC13P2404A	-	-	-	-	AMR	1.28	(0.01)	17,542	1.29	CCET	2.48	-	65,892	2.48
CRC19C2404A	-	-	-	-	BLISS	-	-	-	-	DELTA	74.50	2.25	150,091	74.25
CRC19C2406A	0.18	(0.01)	5,790	0.18	DIF	7.90	0.35	327,140	7.87	DELTA01C2404A	0.02	-	1,001	0.01
CRC19C2408A	0.15	(0.01)	5,573	0.15	DITTO	23.20	-	9,581	23.21	DELTA01C2404B	-	-	-	-
CRC41C2407A	0.16	(0.01)	36,302	0.16	DITTO-W1	4.00	(0.06)	388	4.01	DELTA01C2406A	0.11	0.02	49,164	0.11
CSS	0.98	0.02	19,260	0.97	DTCENT	1.46	(0.02)	6,704	1.47	DELTA01C2407A	0.46	0.05	83,763	0.46
DOHOME	11.10	0.20	45,466	11.03	FORTH	17.00	0.60	22,462	16.80	DELTA01C2407B	0.72	0.08	82,073	0.70
DOHOME01C2404A	-	-	-	-	FORTH01C2404I	-	-	-	-	DELTA01P2404A	0.02	(0.04)	1,650	0.03
DOHOME01C2406A	0.11	-	3,288	0.11	FORTH01C2407I	0.23	0.03	25,238	0.22	DELTA01P2406X	0.33	(0.06)	111,071	0.33
DOHOME06C2407A	0.17	0.01	27,081	0.17	FORTH13C2404I	-	-	-	-	DELTA06C2405A	-	-	-	-
DOHOME11C2403T	-	-	-	-	FORTH13C2406I	0.15	0.03	23,981	0.14	DELTA06C2406A	0.40	0.05	60,492	0.37
DOHOME11C2406A	0.13	0.01	10,191	0.12	FORTH13C2408I	0.45	0.05	17,215	0.44	DELTA11C2406A	0.21	0.02	22,550	0.20
DOHOME13C2404A	0.02	-	29	0.02	FORTH19C2404I	-	-	-	-	DELTA13C2404A	-	-	-	-
DOHOME13C2406A	0.21	0.01	14,392	0.20	FORTH19C2407I	0.26	0.03	44,071	0.24	DELTA13C2405A	0.03	0.01	20,995	0.03
DOHOME13C2407A	0.12	0.01	10,226	0.12	GABLE	4.92	(0.08)	27,190	4.94	DELTA13C2407B	0.32	0.05	94,541	0.32
DOHOME19C2404A	-	-	-	-	HUMAN	11.50	0.20	9,333	11.39	DELTA13C2407B	0.64	0.08	134,348	0.64
DOHOME19C2406A	0.20	0.01	20,312	0.19	ICN	2.52	(0.06)	10,632	2.57	DELTA13C2407C	0.47	0.07	240,430	0.46
DOHOME19C2407A	0.15	0.01	14,870	0.14	ILINK	7.45	(0.05)	4,203	7.42	DELTA13P2404A	-	-	-	-
DOHOME41C2406A	-	-	-	-	INET	5.00	(0.05)	5,099	5.04	DELTA13P2405A	0.09	(0.04)	74,937	0.10
DOHOME41C2406B	0.15	0.01	24,614	0.14	INSET	2.26	(0.02)	21,001	2.26	DELTA13P2407A	0.34	(0.05)	95,552	0.35
FN	1.21	(0.06)	683	1.22	INTUCH	69.00	0.25	11,218	68.99	DELTA13P2408A	0.73	(0.08)	210,971	0.75
FTE	1.73	0.02	9,089	1.72	INTUCH01C2405I	-	-	-	-	DELTA19C2404A	-	-	-	-
GLOBAL	16.50	(0.20)	22,536	16.54	INTUCH13C2404I	-	-	-	-	DELTA19C2406A	0.15	0.02	36,079	0.15
GLOBAL01C2404A	-	-	-	-	INTUCH13C2408I	0.30	-	6,584	0.31	DELTA19C2407A	0.33	0.03	45,576	0.33
GLOBAL01C2407A	0.33	(0.01)	514	0.33	INTUCH19C2404I	-	-	-	-	DELTA19C2407B	0.50	0.06	30,660	0.50
GLOBAL01C2408A	0.23	(0.02)	10,846	0.25	ITEL	2.60	(0.04)	85,631	2.64	DELTA19P2404A	-	-	-	-
GLOBAL11C2408A	0.28	(0.01)	1,500	0.28	ITEL-W4	0.02	-	9,029	0.02	DELTA19P2407A	0.36	(0.04)	24,087	0.36
GLOBAL13C2406A	0.15	(0.01)	5,510	0.16	JAS	2.30	(0.02)	346,157	2.32	DELTA41C2404B	-	-	-	-
GLOBAL19C2407A	0.35	(0.03)	1,689	0.37	JMART	14.70	(0.10)	40,895	14.78	DELTA41C2405A	0.02	0.01	1,875	0.02
GLOBAL19C2407B	0.19	(0.02)	27,668	0.20	JMART-W4	1.60	(0.16)	1,245	1.71	DELTA41C2406A	0.12	0.01	14,000	0.12
GLOBAL41C2406A	0.14	(0.02)	14,224	0.14	JMART-W5	1.55	-	279	1.53	DELTA41C2407A	0.31	0.04	32,164	0.30
HMPRO	10.60	(0.10)	197,960	10.59	JMART01C2404I	-	-	-	-	DELTA41C2407B	0.51	0.06	141,266	0.49
HMPRO01C2404A	-	-	-	-	JMART01C2405I	-	-	-	-	DELTA41P2406A	0.64	(0.09)	55,658	0.67
HMPRO01C2406A	-	-	-	-	JMART01C2407I	0.14	(0.01)	14,748	0.14	HANA	39.75	0.25	76,876	39.66
HMPRO01C2407A	0.11	(0.01)	10,446	0.11	JMART01C2407I	0.28	(0.02)	21,142	0.29	HANA01C2404A	-	-	-	-
HMPRO11C2407T	-	-	-	-	JMART01P2404I	-	-	-	-	HANA01C2405A	0.02	-	1	0.02
HMPRO13C2405A	-	-	-	-	JMART01P2408I	0.45	-	8,212	0.44	HANA01C2406A	0.05	(0.01)	545	0.05
HMPRO13C2407A	0.08	(0.01)	7,769	0.08	JMART06C2405I	-	-	-	-	HANA01C2407A	0.17	-	27,398	0.17
HMPRO19C2404A	-	-	-	-	JMART13C2404I	-	-	-	-	HANA01C2407B	0.39	0.02	76,724	0.37
HMPRO19C2407A	0.11	(0.02)	6,800	0.11	JMART13C2404I	-	-	-	-	HANA01P2404X	-	-	-	-
HMPRO41C2404A	-	-	-	-	JMART13C2407I	0.15	(0.01)	22,386	0.16	HANA01P2405X	0.50	(0.01)	5,340	0.50
HMPRO41C2406A	-	-	-	-	JMART13C2408I	0.37	(0.02)	76,793	0.38	HANA01P2407X	0.39	(0.02)	7,818	0.40
HMPRO41C2407A	-	-	-	-	JMART13P2404I	-	-	-	-	HANA01P2408X	0.24	(0.01)	11,805	0.25
HMPRO41C2408A	0.14	(0.02)	30,746	0.14	JMART13P2408I	0.45	-	37,283	0.45	HANA06C2404A	-	-	-	-
ICC	46.50	-	20	46.50	JMART19C2404I	-	-	-	-	HANA06C2405A	0.01	-	300	0.01
ILM	21.20	(0.30)	1,085	21.28	JMART19C2406I	0.10	-	14,568	0.10	HANA06C2407A	0.36	-	58,427	0.35
IT	3.60	0.08	1,744	3.58	JMART19C2406I	0.15	(0.01)	51,261	0.16	HANA11C2404A	-	-	-	-
KAMART	15.10	(0.10)	72,832	15.24	JMART19C2408I	0.30	(0.01)	28,346	0.31	HANA13C2404A	-	-	-	-
LOXLEY	1.48	-	5,160	1.48	JMART19P2404I	-	-	-	-	HANA13C2404B	-	-	-	-
MC	13.20	(0.10)	9,722	13.18	JMART41C2404I	-	-	-	-	HANA13C2407A	0.07	-	457	0.07
MEGA	42.00	0.50	14,030	41.71	JMART41C2404I	-	-	-	-	HANA13C2407B	0.13	0.01	10,220	0.13
MEGA01C2404A	-	-	-	-	JMART41C2405I	-	-	-	-	HANA13C2407C	0.34	0.01	42,141	0.34
MEGA13C2405A	-	-	-	-	JMART41C2407I	0.23	(0.01)	15,028	0.24	HANA13C2408A	0.26	-	78,184	0.26
MEGA19C2404A	-	-	-	-	JMART41P2405I	0.36	(0.03)	2,000	0.36	HANA13P2404A	-	-	-	-
MIDA	0.48	0.01	1,598	0.48	JTS	58.00	(1.75)	9,520	58.71	HANA13P2406A	-	-	-	-
MIDA-W3	0.01	-	10	0.01	MFEC	6.90	-	1,054	6.89	HANA13P2407A	0.40	(0.02)	19,096	0.40
MOSHI	55.25	0.25	2,732	55.09	MSC	8.40	-	10	8.38	HANA13P2407B	0.18	-	15,588	0.18
MOSHI13C2407A	0.23	(0.01)	16,145	0.23	PT	7.95	-	4,012	7.90	HANA13P2408A	0.33	(0.02)	28,648	0.34
RS	12.70	(0.20)	25,961	12.78	SAMART	6.85	(0.15)	40,362	6.93	HANA19C2404A	-	-	-	-
RS-W4	0.01	-	1,200	0.01	SAMART-W3	0.02	-	4,549	0.02	HANA19C2404B	0.			

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Friday March 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE13C2404A	-	-	-	-	BGRIM41C2405F	-	-	-	-	GULF41C2408A	0.17	(0.01)	23,546	0.17
KCE13C2406A	-	-	-	-	BGRIM41C2407F	0.11	-	2,936	0.11	GULF41P2405A	-	-	-	-
KCE13C2407A	-	-	-	-	BGRIM41C2408F	0.20	(0.01)	10,000	0.20	GUNKUL	2.80	0.04	289,208	2.83
KCE13C2407B	0.17	0.01	27,441	0.17	BIOTEC	0.39	(0.01)	4,365	0.39	GUNKUL01C2404A	-	-	-	-
KCE13C2408A	0.31	0.01	40,424	0.31	BIOTEC-P	-	-	-	-	GUNKUL01C2407A	-	-	-	-
KCE13P2407A	0.43	(0.03)	19,536	0.43	BIOTEC-Q	-	-	-	-	GUNKUL01P2404X	-	-	-	-
KCE13P2407B	0.24	(0.02)	27,738	0.24	BIOTEC-W2	0.11	-	8,845	0.11	GUNKUL01P2407X	0.41	(0.03)	11,042	0.40
KCE19C2404A	-	-	-	-	BPP	15.00	0.30	9,731	14.87	GUNKUL11C2404A	0.11	0.01	1,440	0.11
KCE19C2406A	-	-	-	-	BRRGIF	3.44	-	263	3.42	GUNKUL13C2404A	-	-	-	-
KCE19C2406B	-	-	-	-	BSRC	10.10	0.10	43,424	10.11	GUNKUL13C2407A	0.10	0.01	6,908	0.10
KCE19C2407A	0.16	-	18,118	0.16	BSRC13C2408A	0.16	0.02	7,915	0.16	GUNKUL13C2407B	0.25	0.02	77,565	0.26
KCE19C2408A	0.32	-	81,273	0.33	CKP	4.10	(0.04)	110,071	4.11	GUNKUL13P2404A	-	-	-	-
KCE19P2407A	0.20	(0.01)	7,110	0.20	CKP01C2407A	0.52	(0.01)	7,538	0.50	GUNKUL13P2407A	0.33	(0.02)	24,795	0.32
KCE41C2404A	-	-	-	-	CKP13C2407A	0.51	(0.01)	6,230	0.49	GUNKUL19C2405A	0.12	(0.01)	32,540	0.13
KCE41C2405A	-	-	-	-	CKP19C2407A	0.51	(0.02)	7,557	0.49	IFEC	-	-	-	-
KCE41C2406A	-	-	-	-	CV	0.60	(0.01)	1,380,795	0.61	IRPC	1.90	-	247,641	1.89
KCE41C2406B	-	-	-	-	CV-W1	0.52	0.09	1,109,303	0.49	IRPC01C2406A	-	-	-	-
KCE41C2407A	0.15	-	19,496	0.15	DEMCO	3.60	0.20	27,802	3.56	IRPC13C2405A	0.02	-	2	0.02
KCE41C2407B	0.25	0.02	48,658	0.25	DEMCO-W7	1.11	0.08	203,430	1.13	IRPC13C2407A	0.19	(0.01)	16,368	0.19
KCE41P2407A	0.44	(0.05)	5,696	0.45	EA	34.25	-	68,091	34.06	IRPC19C2404A	-	-	-	-
KCE41P2408B	-	-	-	-	EA01C2405A	-	-	-	-	JR	4.40	0.02	1,570	4.38
METCO	224.00	1.00	10	223.90	EA01C2406A	0.01	(0.01)	2	0.01	KBSPF	8.55	0.05	166	8.51
SMT	3.06	(0.04)	10,580	3.07	EA01C2406B	-	-	-	-	LANNA	14.00	-	3,498	14.02
SMT-W3	0.06	(0.01)	34,581	0.07	EA01C2407A	-	-	-	-	MDX	3.94	(0.10)	24,304	3.97
SVI	6.35	0.20	12,129	6.37	EA01P2404X	0.46	(0.02)	2,850	0.47	NOVA	9.90	(0.10)	55	9.94
TEAM	4.20	(0.04)	5,326	4.22	EA01P2406X	0.23	(0.01)	17,849	0.24	OR01C2405A	-	-	257,487	17.85
Energy & Utilities	-	-	-	-	EA06C2404A	-	-	-	-	OR01C2407A	0.16	0.01	49,882	0.16
7UP	0.39	(0.01)	62,473	0.39	EA06C2406A	-	-	-	-	OR01P2405X	0.23	(0.04)	15,789	0.23
ACC	0.57	0.01	104,288	0.57	EA11C2403A	-	-	-	-	OR11C2404A	-	-	-	-
ACE	1.43	-	51,238	1.43	EA11C2405A	-	-	-	-	OR13C2404A	-	-	-	-
ACE13C2407A	-	-	-	-	EA11C2408A	0.14	(0.01)	6,079	0.14	OR13C2407A	0.13	0.01	61,245	0.13
ACE19C2407A	-	-	-	-	EA13C2405A	-	-	-	-	OR19C2404A	0.02	-	1	0.02
AGE	1.95	-	6,337	1.95	EA13C2406A	-	-	-	-	OR19C2407A	0.16	0.02	60,760	0.16
AI	4.20	0.02	1,436	4.17	EA13C2406B	-	-	-	-	PCC	3.04	(0.02)	1,000	3.06
AIE	1.32	(0.01)	6,085	1.33	EA13C2407A	0.09	-	22,495	0.09	PRIME	0.57	(0.02)	89,744	0.57
AKR	1.00	(0.01)	20,750	1.00	EA13C2408A	0.18	(0.02)	29,530	0.19	PTG	8.90	0.40	124,965	8.73
AKR-W2	0.05	0.01	1,811	0.05	EA13P2406A	0.28	-	7,798	0.29	PTG01C2404A	-	-	-	-
BAFS	23.50	0.20	857	23.31	EA13P2407A	0.23	0.01	14,277	0.23	PTG01C2407A	0.28	0.06	38,791	0.24
BANPU	5.55	0.05	236,161	5.55	EA19C2405A	-	-	-	-	PTG11C2405A	-	-	-	-
BANPU01C2404A	0.01	-	100	0.01	EA19C2406A	-	-	-	-	PTG13C2407A	0.23	0.05	49,695	0.20
BANPU01C2405A	-	-	-	-	EA19C2406B	-	-	-	-	PTG19C2404A	-	-	-	-
BANPU01C2406A	-	-	-	-	EA19C2407A	0.17	-	7,654	0.16	PTG19C2407A	0.27	0.04	11,842	0.25
BANPU01C2407A	0.07	(0.02)	8,400	0.08	EA41C2404A	-	-	-	-	PTT	34.00	0.50	150,364	33.86
BANPU01C2408A	0.19	(0.01)	7,998	0.19	EA41C2405A	-	-	-	-	PTT01C2405X	0.02	(0.02)	30	0.02
BANPU01P2404X	0.73	(0.05)	268	0.73	EA41C2407A	0.03	-	134	0.03	PTT01C2407A	0.14	0.01	2,260	0.14
BANPU01P2405X	0.25	(0.01)	792	0.25	EA41C2407B	-	-	-	-	PTT01P2408X	-	-	-	-
BANPU01P2407X	0.22	0.01	5,240	0.21	EA41C2408A	0.20	-	16,132	0.19	PTT11C2404A	-	-	-	-
BANPU06C2407A	-	-	-	-	EA41C2408B	0.14	(0.01)	31,404	0.14	PTT11C2408A	-	-	-	-
BANPU11C2404A	-	-	-	-	EA41P2405A	-	-	-	-	PTT13C2406A	0.09	-	3,000	0.09
BANPU11C2406A	-	-	-	-	EA5T	3.50	(0.04)	2,434	3.52	PTT13P2405A	-	-	-	-
BANPU11C2410T	-	-	-	-	EGATIF	5.85	0.05	3,247	5.85	PTT13P2408A	0.20	-	5,011	0.20
BANPU11P2403A	-	-	-	-	EGCO	14.00	1.00	12,086	11.87	PTT19C2404A	-	-	-	-
BANPU13C2404A	-	-	-	-	EGCO01C2404A	0.01	-	1,400	0.01	PTT19C2406A	-	-	-	-
BANPU13C2405A	-	-	-	-	EGCO13C2405A	0.01	(0.01)	2	0.01	PTT41C2407A	-	-	-	-
BANPU13C2406A	-	-	-	-	EGCO13C2407A	0.21	0.01	42,878	0.21	PTT41C2407B	-	-	-	-
BANPU13C2407A	0.07	(0.02)	8,603	0.08	EGCO19C2408A	0.26	0.01	15,577	0.26	PTT41C2408C	0.13	-	1,000	0.13
BANPU13C2408A	0.19	-	5,735	0.19	EP	2.70	0.08	719	2.64	PTTEP	153.00	4.00	68,451	151.93
BANPU13P2404A	-	-	-	-	EP-W4	0.20	0.04	7,198	0.18	PTTEP01C2404A	-	-	-	-
BANPU13P2405A	0.11	(0.01)	2,188	0.11	ETC	2.76	0.02	7,476	2.76	PTTEP01C2404T	-	-	-	-
BANPU19C2404A	-	-	-	-	GPSC	52.75	0.25	59,847	52.32	PTTEP01C2405A	0.22	0.04	10,792	0.21
BANPU19C2405A	-	-	-	-	GPSC01C2404A	0.13	(0.01)	7,396	0.12	PTTEP01C2407A	0.28	0.04	14,630	0.28
BANPU19C2405B	-	-	-	-	GPSC01C2405A	0.10	(0.01)	40,921	0.10	PTTEP01P2405X	-	-	-	-
BANPU19C2407A	-	-	-	-	GPSC01C2407A	0.27	-	9,498	0.26	PTTEP06C2405A	0.30	(0.07)	4,526	0.25
BANPU19C2407B	0.12	(0.01)	300	0.12	GPSC01P2404X	-	-	-	-	PTTEP11C2403T	-	-	-	-
BANPU19P2404A	-	-	-	-	GPSC01P2405X	-	-	-	-	PTTEP11C2406A	0.34	0.05	12,000	0.33
BANPU19P2406A	0.25	-	30	0.25	GPSC01P2407X	0.19	(0.01)	10,058	0.19	PTTEP11P2406A	0.18	(0.05)	5,320	0.20
BANPU41C2406A	-	-	-	-	GPSC06C2404A	0.08	-	10,330	0.07	PTTEP13C2404A	-	-	-	-
BANPU41C2407A	0.04	(0.02)	40	0.04	GPSC11C2408T	0.34	-	17,289	0.33	PTTEP13C2405A	0.16	0.03	44,921	0.15
BANPU41C2407B	0.11	-	14,496	0.11	GPSC11P2405A	-	-	-	-	PTTEP13P2405A	-	-	-	-
BBDI	4.86	(0.02)	5,094	4.86	GPSC13C2406A	0.21	0.01	82,071	0.20	PTTEP13P2406A	-	-	-	-
BCP	45.50	1.00	46,212	45.37	GPSC13P2404A	-	-	-	-	PTTEP13P2408A	0.38	(0.06)	5,598	0.40
BCP01C2405A	0.20	0.02	39,034	0.19	GPSC13P2407A	0.12	-	19,095	0.13	PTTEP19C2404A	0.01	-	200	0.01
BCP01C2408A	0.32	0.02	28,384	0.31	GPSC19C2405A	0.11	-	3,462	0.11	PTTEP19C2404B	-	-	-	-
BCP01P2404X	-	-	-	-	GPSC19C2408A	0.20	-	61,773	0.20	PTTEP19C2406A	0.24	0.05	32,612	0.23
BCP13C2405A	0.19	0.02	28,722	0.19	GPSC19P2404A	-	-	-	-	PTTEP19C2407A	0.21	0.04	14,570	0.20
BCP13P2404A	0.01	-	138	0.01	GPSC19P2406A	-	-	-	-	PTTEP41C2404A	-	-	-	-
BCP13P2408A	0.35	(0.03)	10,369	0.36	GPSC19P2407A	0.19	(0.01)	16,665	0.20	PTTEP41C2405A	-	-	-	-
BCP19C2404A	0.09	0.01	560	0.09	GPSC41C2404A	-	-	-	-	PTTEP41C2405B	0.12	0.02	2,900	0.12
BCP19C2408A	0.29	0.03	86,823	0.29	GPSC41C2405									

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPCG	11.40	-	2,649	11.45	WORK	9.05	(0.15)	1,898	9.08	MTC13P2406A	0.10	(0.01)	200	0.10
SPRC	9.00	0.20	98,001	8.98	ZAA	1.24	-	9,541	1.24	MTC13P2408A	0.34	(0.03)	33,723	0.35
SPRC01C2405A	0.08	-	800	0.08	Finance & Securi	157.50	5.50	7,331	155.45	MTC19C2404A	-	-	-	-
SPRC01C2408A	0.28	0.02	5,412	0.28	AEONTS	0.54	(0.46)	51,173	0.51	MTC19C2406A	0.29	0.02	114,900	0.29
SPRC06C2405A	0.18	0.02	38,766	0.18	AEONTS15C2401	2.28	-	5,997	2.31	MTC19P2404A	-	-	-	-
SPRC11C2406A	0.23	0.01	3,600	0.23	AMANAH	3.18	-	7,990	3.14	MTC41C2404A	-	-	-	-
SPRC13C2404A	-	-	-	-	ASAP	17.20	(0.10)	5,616	17.25	MTC41C2405A	0.09	0.02	9,180	0.10
SPRC13C2408A	0.33	0.03	26,655	0.33	ASK	2.70	-	8,606	2.68	MTC41C2408A	0.35	0.02	55,453	0.34
SPRC13P2405A	-	-	-	-	BAM	9.75	(0.20)	198,676	9.76	NCAP	2.16	(0.02)	15,121	2.19
SPRC19C2404A	-	-	-	-	BAM01C2404A	-	-	-	-	PL	2.02	-	5,727	2.00
SPRC19C2408A	0.30	0.03	29,466	0.29	BAM01C2406A	0.41	(0.08)	1,773	0.41	S11	2.86	0.04	130	2.83
SSP	8.00	(0.10)	8,700	8.05	BAM11C2405A	-	-	-	-	SAK	4.88	0.02	7,364	4.87
SSP-W2	0.31	0.02	209,173	0.32	BAM13C2405A	0.15	(0.07)	32,062	0.16	SAWAD	42.25	-	42,805	42.18
SUPER	0.30	-	71,803	0.30	BAM13C2408A	0.46	(0.06)	2,469	0.47	SAWAD-W2	1.15	0.16	34,661	1.40
SUPEREIF	5.90	(0.15)	3,261	5.95	BAM13C2408B	0.15	(0.02)	29,050	0.16	SAWAD01C2405A	-	-	-	-
SUSCO	4.36	0.02	64,908	4.37	BAM19C2404A	-	-	-	-	SAWAD01C2406A	0.16	0.01	1,122	0.15
TAE	1.01	(0.01)	566	1.02	BAM19C2405A	-	-	-	-	SAWAD01C2408A	0.35	(0.01)	8,164	0.35
TCC	0.50	-	3,560	0.50	BAM19C2405A	0.17	(0.08)	26,593	0.19	SAWAD01P2404X	0.01	-	500	0.01
TCC-W5	0.21	-	33,577	0.22	BAM19C2408A	0.16	(0.03)	61,480	0.17	SAWAD01P2407X	0.32	(0.01)	9,125	0.32
TGE	3.12	(0.08)	24,085	3.16	BYD	3.56	(0.10)	60,789	3.60	SAWAD11P2406A	0.21	-	6,890	0.21
TGE-W1	2.18	0.02	2,455	2.17	BYD06C2404A	-	-	-	-	SAWAD13C2405A	-	-	-	-
TOP	59.50	0.75	60,853	59.45	BYD13C2405A	-	-	-	-	SAWAD13C2406A	0.10	(0.02)	15,118	0.10
TOP01C2404A	-	-	-	-	BYD13C2406A	0.08	(0.01)	1,057	0.08	SAWAD13C2407A	0.22	(0.01)	104,918	0.23
TOP01C2405A	0.28	0.01	11,444	0.28	BYD19C2404A	0.01	-	15,000	0.01	SAWAD13C2408A	0.41	(0.04)	507	0.41
TOP01C2407A	0.55	0.02	2,106	0.53	BYD19C2407A	0.14	(0.03)	12,636	0.16	SAWAD13P2407A	0.18	-	2,750	0.18
TOP01C2408A	0.33	0.02	20,333	0.32	CGH	0.64	(0.01)	7,077	0.64	SAWAD19C2405A	0.06	-	17	0.06
TOP01P2404X	-	-	-	-	CGH-W4	0.01	-	1	0.01	SAWAD19C2406A	0.22	(0.03)	50,736	0.22
TOP01P2406X	-	-	-	-	CHASE	1.80	(0.02)	48,910	1.82	SAWAD19C2408A	0.41	(0.01)	7,488	0.41
TOP01P2408X	0.38	(0.03)	73,575	0.39	CHAYO	4.98	(0.02)	29,901	4.99	SAWAD19P2404A	-	-	-	-
TOP11C2405A	-	-	-	-	CHAYO-W3	0.55	-	8,560	0.56	SAWAD41C2405A	-	-	-	-
TOP11C2407A	0.42	0.01	11,040	0.41	ECL	1.43	0.05	40,134	1.41	SAWAD41C2405B	-	-	-	-
TOP11P2406A	-	-	-	-	ECL-W4	0.01	-	10,012	0.01	SAWAD41C2406A	0.21	(0.01)	11,238	0.21
TOP13C2404A	-	-	-	-	FNS	3.38	0.06	1,216	3.34	SAWAD41C2406B	0.20	(0.02)	31,162	0.20
TOP13C2407A	0.48	0.02	2	0.48	FSX	2.52	-	1,122	2.50	SAWAD41C2407A	0.23	-	24,311	0.23
TOP13C2408A	0.29	0.02	35,685	0.28	GBX	0.75	-	2,555	0.74	SAWAD41P2405A	-	-	-	-
TOP13P2404A	-	-	-	-	GL	-	-	-	-	SCAP	2.92	-	1,285	2.90
TOP13P2408A	0.28	(0.02)	15,381	0.29	HENG	1.80	(0.02)	18,354	1.81	SGC	1.41	0.01	44,173	1.41
TOP19C2405A	0.23	0.02	11,038	0.22	IFS	2.66	(0.02)	335	2.66	SM	1.39	0.01	10,466	1.38
TOP19C2408A	0.28	0.01	19,164	0.27	JMT	22.20	(0.10)	100,306	22.29	TH	1.07	(0.02)	19,220	1.08
TOP19P2408A	0.37	(0.63)	14,860	0.38	JMT-W4	1.28	0.10	19,544	1.30	TH-W3	0.39	-	29,779	0.40
TOP41C2404A	-	-	-	-	JMT01C2404A	-	-	-	-	THANI	2.24	-	11,939	2.24
TOP41C2405A	0.26	0.02	9,000	0.25	JMT01C2405A	0.01	(0.01)	40	0.01	THANI13C2407A	0.07	(0.01)	550	0.07
TOP41C2408A	0.36	0.01	17,212	0.36	JMT01C2406A	0.21	(0.02)	48,304	0.22	THANI19C2407A	-	-	-	-
TPIPP	3.30	-	18,373	3.30	JMT01C2407A	0.11	(0.01)	13,609	0.12	TIDLOR	22.40	0.10	90,058	22.51
TSE	1.21	(0.01)	19,749	1.22	JMT01C2408A	0.57	(0.02)	35,364	0.58	TIDLOR01C2405A	0.08	0.01	200	0.08
TTW	9.05	0.10	7,554	9.02	JMT01P2404X	0.04	(0.01)	201	0.04	TIDLOR01C2407A	0.21	(0.01)	21,268	0.23
UBE	0.77	-	16,696	0.78	JMT01P2406X	0.37	-	18,101	0.37	TIDLOR01P2404X	0.01	(0.04)	30	0.01
WAHUP	4.08	0.06	15,735	4.05	JMT06C2404A	-	-	-	-	TIDLOR11C2403A	-	-	-	-
WP	4.26	(0.04)	129	4.29	JMT06C2406A	0.33	(0.02)	28,728	0.34	TIDLOR11P2406A	0.17	(0.01)	4,240	0.17
Media & Publishing	-	-	-	-	JMT11C2405A	-	-	-	-	TIDLOR13C2406A	0.17	(0.01)	14,936	0.18
AMARIN	5.00	0.02	21,779	4.98	JMT11C2407A	0.42	(0.01)	15,185	0.42	TIDLOR13C2408A	0.41	(0.01)	42,334	0.42
AQUA	0.34	-	10,384	0.33	JMT11P2406A	0.42	-	21,989	0.42	TIDLOR13P2404A	-	-	-	-
AQUA-W3	0.01	-	1	0.01	JMT13C2404A	-	-	-	-	TIDLOR19C2404A	-	-	-	-
AS	6.85	0.05	4,806	6.73	JMT13C2404B	-	-	-	-	TIDLOR19C2406A	0.18	-	16,292	0.18
BEC	4.88	(0.02)	19,459	4.84	JMT13C2405A	0.01	(0.01)	1,000	0.01	TIDLOR19C2408A	0.36	(0.01)	82,433	0.38
FE	-	-	-	-	JMT13C2406A	0.20	(0.01)	37,469	0.20	TIDLOR19P2407A	0.27	(0.01)	23,383	0.27
GPI	1.84	(0.03)	3,330	1.84	JMT13C2407A	0.10	-	1,500	0.10	TIDLOR41C2406A	0.19	-	36,184	0.20
GRAMMY	5.65	-	83	5.75	JMT13C2408A	0.51	(0.01)	69,234	0.52	TIDLOR41C2407A	0.23	-	23,428	0.24
JKN	0.51	(0.23)	352,643	0.52	JMT13P2406A	0.38	-	57,294	0.37	TIDLOR41C2407B	0.19	0.01	6,620	0.19
MAJOR	14.40	(0.20)	29,991	14.43	JMT19C2404A	0.01	-	5,050	0.01	TK	5.05	-	273	5.02
MATCH	1.50	(0.01)	33	1.50	JMT19C2404B	-	-	-	-	TNITY	4.24	(0.06)	2,102	4.28
MATI	-	-	-	-	JMT19C2404C	-	-	-	-	UOBKH	4.74	(0.08)	150	4.77
MCOT	3.10	(0.04)	398	3.12	JMT19C2406A	0.28	(0.01)	32,441	0.28	XPG	1.39	0.01	448,969	1.36
MONO	0.78	0.01	36,639	0.77	JMT19C2408A	0.50	(0.01)	27,934	0.50	XPG-W4	-	-	-	-
NATION	0.03	-	8,016	0.03	JMT19P2407A	0.30	-	25,536	0.30	Food & Beverage	-	-	-	-
NATION-W4	-	-	-	-	JMT41C2404A	-	-	-	-	AAI	4.48	0.08	101,582	4.43
ONEE	4.76	(0.04)	169,164	4.80	JMT41C2405A	0.02	-	111	0.02	APURE	4.48	(0.08)	1,793	4.51
PLANB	8.65	-	48,059	8.60	JMT41C2406A	0.10	(0.01)	4,000	0.10	APURE-W3	0.36	(0.01)	23,628	0.37
PLANB-W1	1.04	0.17	32,870	1.09	JMT41C2406B	0.22	(0.02)	31,696	0.22	ASIAN	6.65	-	27,040	6.74
PLANB11C2403A	-	-	-	-	JMT41C2407A	-	-	-	-	BR	2.60	0.02	1,658	2.58
PLANB11C2408A	0.34	(0.01)	8,080	0.34	JMT41C2408A	0.45	(0.01)	34,965	0.45	BR-W1	0.16	0.03	129,627	0.17
PLANB11P2408A	0.46	(0.01)	7,170	0.47	KCAR	6.25	-	512	6.24	BRR	4.86	(0.06)	3,620	4.90
PLANB13C2407A	0.20	(0.01)	5,595	0.20	KGI	4.78	-	10,246	4.80	BRR-W2	0.69	(0.01)	121,851	0.74
PLANB19C2408A	0.22	(0.01)	3,686	0.23	KTC	45.75	-	12,324	45.87	BTG	21.90	(0.20)	9,395	21.88
POST	-	-	-	-	KTC01C2405A	-	-	-	-	CBG	63.25	(0.25)	31,913	63

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CFRESH	1.73	(0.02)	7,261	1.75	TU13C2404A	-	-	-	-	CENTEL	43.00	(0.25)	8,403	43.13
CH	2.50	-	1,332	2.51	TU13C2408A	0.20	0.01	17,566	0.19	CENTEL01C2405A	-	-	-	-
CHOTI	92.75	(2.25)	30	94.28	TU13P2406A	0.17	-	3,380	0.17	CENTEL01C2408A	0.25	(0.02)	12,411	0.26
CM	2.34	0.02	726	2.33	TU19C2407A	0.19	-	27,857	0.19	CENTEL01P2404X	-	-	-	-
COCOCO	10.80	(0.10)	63,649	10.83	TU41C2407A	-	-	-	-	CENTEL13C2405A	-	-	-	-
CPF	18.50	0.30	65,832	18.38	TU41C2408A	0.21	0.01	29,636	0.21	CENTEL13C2407A	0.19	(0.01)	17,347	0.19
CPF01C2404A	0.01	(0.01)	350	0.01	TVO	18.90	-	7,244	18.85	CENTEL13P2404A	-	-	-	-
CPF01C2407A	0.17	0.01	7,172	0.16	TWPC	3.62	-	245	3.61	CENTEL19C2405A	0.04	(0.02)	100	0.04
CPF01P2404X	-	-	-	-	W	0.75	(0.03)	42,509	0.74	CENTEL19C2408A	0.23	(0.01)	18,565	0.24
CPF01P2408T	-	-	-	-	W-W5	0.40	(0.09)	712	0.40	CENTEL41C2405A	-	-	-	-
CPF11C2408A	0.21	(0.01)	6,310	0.21	ZEN	7.95	0.10	791	7.94	CENTEL41C2408A	0.25	(0.01)	11,748	0.26
CPF11P2407T	-	-	-	-	Health Care Serv	-	-	-	-	CSR	67.50	(0.25)	1	67.50
CPF13C2404A	-	-	-	-	AHC	18.20	0.20	60	18.12	DUSIT	9.65	(0.30)	9,609	9.72
CPF13C2406A	0.14	0.01	3,040	0.13	BCH	20.60	-	61,600	20.64	ERW	4.76	0.06	134,062	4.74
CPF13P2405A	0.04	(0.01)	500	0.04	BCH01C2404A	-	-	-	-	ERW-W3	1.69	0.01	73	1.63
CPF19C2404A	-	-	-	-	BCH01C2407A	-	-	-	-	ERW01C2405A	-	-	-	-
CPF19C2409A	0.28	(0.72)	444	0.28	BCH01P2407X	0.38	(0.01)	6,106	0.37	ERW13C2404A	-	-	-	-
CPI	2.52	(0.02)	1,544	2.52	BCH11C2407A	0.23	-	12,319	0.23	ERW13C2406A	-	-	-	-
F&D	28.00	-	51	28.00	BCH13C2404A	-	-	-	-	ERW13C2407A	0.29	0.01	40,584	0.28
GLOCON	0.26	-	22,118	0.26	BCH13C2407A	-	-	-	-	ERW19C2405A	0.03	(0.03)	2,000	0.03
HTC	17.00	-	4,480	16.91	BCH13P2407A	-	-	-	-	ERW41C2406A	-	-	-	-
ICHI	16.80	0.10	27,502	16.74	BCH13P2406A	0.21	-	2,420	0.21	GRAND	0.15	-	6,313	0.14
ICHI01C2405A	0.12	-	8,500	0.12	BCH19C2406A	-	-	-	-	LRH	41.25	-	87	41.25
ICHI13C2405A	0.10	(0.01)	9,383	0.10	BCH19C2408A	0.26	(0.01)	53,602	0.27	MANRIN	-	-	-	-
ICHI19C2405A	0.11	(0.01)	9,233	0.11	BCH41C2407A	0.15	-	3,620	0.15	MINT	33.25	0.25	74,583	32.99
ITC	20.50	0.40	72,646	20.38	BDMS	28.50	0.25	179,726	28.48	MINT01C2404A	0.02	(0.01)	10,000	0.02
ITC01C2405A	-	-	-	-	BDMS01C2405A	0.12	(0.01)	1,000	0.12	MINT01C2406A	0.24	-	580	0.24
ITC13C2406A	0.16	0.02	4,238	0.15	BDMS01P2407X	0.13	(0.01)	1,007	0.13	MINT01P2404X	-	-	-	-
JDF	2.48	(0.04)	1,323	2.51	BDMS01P2407X	-	-	-	-	MINT01P2406X	-	-	-	-
KBS	5.75	(0.10)	1,284	5.77	BDMS13C2404A	-	-	-	-	MINT06C2405A	-	-	-	-
KCG	9.65	0.05	28,241	9.67	BDMS13C2408A	0.16	-	2,544	0.16	MINT11C2403A	-	-	-	-
KSL	2.36	-	5,862	2.34	BDMS13P2407A	-	-	-	-	MINT11C2403A	-	-	-	-
KTIS	3.56	-	11	3.52	BDMS19C2405A	0.10	-	2,350	0.10	MINT11C2406A	-	-	-	-
LST	4.92	-	262	4.92	BDMS19C2407A	-	-	-	-	MINT11C2408A	-	-	-	-
M	35.25	(0.25)	9,827	35.28	BDMS41C2404A	-	-	-	-	MINT11C2408A	0.21	-	4,040	0.21
MALEE	12.20	0.10	238,684	12.19	BDMS41C2405A	0.10	(0.01)	1,340	0.10	MINT13C2404A	-	-	-	-
NRF	5.20	0.10	98,960	5.17	BDMS41C2407A	0.15	0.01	900	0.15	MINT13C2406A	-	-	-	-
NSL	22.60	0.40	6,039	22.42	BDMS41C2408A	-	-	-	-	MINT13C2407A	0.17	-	23,500	0.17
OSP	20.30	(0.30)	75,220	20.44	BH	224.00	1.00	11,322	224.80	MINT13P2404A	-	-	-	-
OSP01C2404A	-	-	-	-	BH-P	-	-	-	-	MINT13P2407A	-	-	-	-
OSP01C2406A	0.07	(0.02)	490	0.08	BH-Q	-	-	-	-	MINT19C2404A	-	-	-	-
OSP01C2408A	0.39	(0.04)	13,055	0.41	BH01C2404A	-	-	-	-	MINT19C2406A	0.19	0.01	31,254	0.18
OSP01P2408X	0.31	0.01	8,576	0.30	BH01C2405A	0.10	-	3,579	0.11	MINT41C2404A	-	-	-	-
OSP13C2405A	-	-	-	-	BH01C2408A	0.31	0.01	4,877	0.32	MINT41C2405A	-	-	-	-
OSP13C2408A	0.32	(0.02)	23,596	0.33	BH01P2405X	-	-	-	-	MINT41C2406A	0.20	-	1,600	0.19
OSP19C2404A	-	-	-	-	BH01P2406X	0.25	(0.01)	68,901	0.24	MINT41C2408A	0.15	-	14,808	0.14
PB	69.50	(0.25)	55	69.37	BH06C2404A	-	-	-	-	OHTL	428.00	-	1	428.00
PLUS	8.45	0.05	11,457	8.37	BH11C2404A	-	-	-	-	ROH	2.50	0.06	2	2.50
PM	7.15	0.10	5,440	7.10	BH11C2406A	0.16	-	2,060	0.17	SHANG	-	-	-	-
PQS	2.96	(0.04)	6,463	3.01	BH13C2404A	-	-	-	-	SHR	2.70	(0.02)	63,961	2.68
PRG	10.40	(0.20)	10	10.30	BH13C2408A	-	-	-	-	VRANDA	5.65	0.05	471	5.60
PRG-W1	-	-	-	-	BH13C2405A	0.04	-	1,270	0.04	Home & Office Prod.	-	-	-	-
PRG-W2	-	-	-	-	BH13C2407A	0.27	0.01	16,391	0.27	AJA	0.28	-	108,114	0.28
PRG-W3	6.25	(0.10)	3	5.95	BH13P2406A	0.12	(0.01)	13,202	0.12	AJA-W4	0.09	(0.01)	32,324	0.09
RBF	11.30	-	59,266	11.33	BH19C2404A	-	-	-	-	DTCI	28.50	(1.00)	5	28.50
RBF01C2405A	-	-	-	-	BH19C2408A	-	-	-	-	FANCY	0.44	0.01	453	0.43
RBF01C2406A	0.11	(0.01)	48,461	0.11	BH19C2407A	-	-	-	-	FTI	2.16	(0.02)	5,826	2.16
RBF01P2405X	0.35	0.01	8,188	0.34	BH19C2408A	0.26	0.01	46,799	0.27	KYE	-	-	-	-
RBF01P2407X	0.31	-	10,042	0.31	BH41C2404A	-	-	-	-	L&E	1.28	-	444	1.28
RBF13C2405A	-	-	-	-	BH41C2405A	-	-	-	-	MODERN	2.26	-	2,054	2.27
RBF13C2406A	0.03	(0.01)	1,100	0.03	BH41C2406B	-	-	-	-	OGC	24.30	-	98	24.30
RBF13C2407A	0.09	-	16,784	0.09	BH41C2408A	0.28	0.01	5,408	0.28	ROCK	10.80	(0.20)	17	10.82
RBF13C2408A	0.17	-	113,942	0.18	BH41P2405A	-	-	-	-	SBNEXT	0.72	(0.04)	25,039	0.75
RBF13P2405A	0.20	(0.02)	37,250	0.21	BH41P2406A	-	-	-	-	SBNEXT-W2	0.11	0.01	71,952	0.11
RBF19C2405A	-	-	-	-	BKGI	3.38	(0.12)	387,472	3.46	SIAM	1.27	0.03	5,560	1.25
RBF19C2408A	0.20	-	49,475	0.21	CHG	2.92	0.04	130,641	2.91	TCMC	1.39	-	132	1.38
RFB19P2406A	0.28	(0.01)	20,163	0.27	CHG01C2404A	-	-	-	-	Insurance	-	-	-	-
SAPPE	91.50	1.25	1,538	91.20	CHG01C2405A	0.23	-	8,893	0.23	AYUD	36.75	-	38	36.64
SAPPE01C2405A	-	-	-	-	CHG01C2408A	-	-	-	-	BKI	296.00	(3.00)	639	295.44
SAPPE13C2406A	0.21	-	17,431	0.21	CHG11C2404A	-	-	-	-	BLA	17.50	(0.20)	6,059	17.59
SAUCE	41.25	(0.25)	172	41.33	CHG13C2404A	0.01	(0.02)	250	0.01	BLA01C2404A	-	-	-	-
SNNP	17.10	(0.10)	8,134	17.22	CHG13C2406A	-	-	-	-	BLA01P2404X	-	-	-	-
SNNP01C2407A	0.08	(0.02)	1,109	0.08	CHG13C2407A	0.17	(0.01)	6,636	0.17	BLA13C2404A	-	-	-	-
SNNP13C2406A	-	-	-	-	CHG13P2406A	0.18	(0.03)	11,995	0.19	BLA13C2407A	-	-	-	-
SNNP13C2408A	0.26	(0.74)	13,546	0.27	CHG19C2404A	-	-	-	-	BLA19C2408A	0.23	(0.03)	7,352	0.24
SNNP19C2407A	0.09	(0.01)	471	0.10	CHG19C2408A	0.19	-	6,155	0.19	BUI	21.10	0.20	32	21.00
SNP	14.70	0.10	173	14.60	CMR	2.02	-	1,938	2.02	CHARAN	23.40	(0.10)	85	23.43
SORKON	4.28	0.06	123	4.26	EKH	7.70	-	4,361	7.76	INSURE	-	-	-	-
SSC	-	-	-	-	EKH-W1	1.45	-	7,482	1.47	KWI	0.58	(0.02)	2,525	0.58
SSF	7.70	(0.10)	51	7.71</										

# Asia Plus Securities Company Limited

## Main Board Quotation

## Daily Quotation

Issue Date :

Friday March 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TLI41C2405A	-	-	-	-	AMATA11C2407	0.43	0.02	27,200	0.41	SC	3.66	(0.06)	33,810	3.68
TLI41C2405B	-	-	-	-	AMATA13C2404	-	-	-	-	SENA	2.86	-	7,098	2.86
TLI41C2406A	0.20	-	33,638	0.20	AMATA13C2405	-	-	-	-	SIRI	1.71	0.01	253,191	1.71
TLI41C2407A	0.17	(0.01)	9,138	0.17	AMATA13C2406	0.25	0.02	84,767	0.24	SIRI01C2406A	0.11	-	2	0.11
TQM	26.75	-	1,179	26.61	AMATA19C2404	-	-	-	-	SIRI13C2407A	0.23	0.01	2,256	0.23
TQM13C2407A	0.11	-	2,000	0.11	AMATA19C2405	-	-	-	-	SIRI19C2407A	0.24	0.01	3,400	0.23
TQM19C2404A	-	-	-	-	AMATA19C2407	0.40	0.02	25,536	0.38	SIRI41C2405A	-	-	-	-
TQM19C2407A	-	-	-	-	AMATA41C2407	0.46	0.01	21,176	0.44	SPALI	20.90	(0.20)	203,222	20.84
TSI	0.13	-	31,165	0.12	AMATA41C2407I	0.31	0.01	29,662	0.30	SPALI11C2404A	0.12	(0.03)	6,440	0.12
TVH	8.70	-	839	8.75	AMATAV	5.40	-	353	5.43	SPALI13C2405A	0.16	(0.03)	79,302	0.16
Packaging	-	-	-	-	ANAN	0.86	0.01	13,250	0.85	SPALI19C2408A	0.26	(0.02)	23,250	0.26
AJ	5.90	(0.05)	466	5.86	AP	10.80	-	221,069	10.80	UV	2.08	(0.04)	1,400	2.09
ALUCON	178.00	0.50	4	178.00	AP11C2404A	-	-	-	-	WHA	4.76	(0.04)	457,738	4.77
BGC	7.10	-	1,225	7.09	APEX	-	-	-	-	WHA01C2404A	-	-	-	-
CSC	43.75	-	16	43.94	ASW	8.05	-	1,912	8.05	WHA01C2405A	-	-	-	-
CSC-P	-	-	-	-	ASW-W1	-	-	-	-	WHA01C2406A	0.14	(0.02)	21,447	0.14
CSC-Q	-	-	-	-	ASW-W2	0.06	0.04	260,438	0.05	WHA01C2408A	0.36	(0.02)	23,614	0.37
NEP	0.21	-	4,203	0.20	AWC	4.10	(0.02)	585,197	4.10	WHA01P2407X	0.37	0.01	14,613	0.37
PJW	3.04	0.02	727	3.04	AWC01C2404A	-	-	-	-	WHA11C2407A	0.28	(0.03)	6,700	0.29
PJW-W1	0.26	0.02	52,299	0.30	AWC01C2406A	0.22	(0.01)	26,884	0.23	WHA13C2404A	-	-	-	-
PTL	9.70	(0.10)	1,835	9.73	AWC01C2408A	0.41	(0.02)	19,339	0.41	WHA13C2404B	-	-	-	-
SGCP	28.50	(0.25)	106,944	28.28	AWC01P2405X	0.10	-	14,148	0.10	WHA13C2406A	0.13	(0.02)	68,036	0.13
SGCP01C2405A	0.03	-	10,510	0.02	AWC06C2404A	-	-	-	-	WHA13C2408A	0.35	(0.02)	47,374	0.35
SGCP01C2406A	-	-	-	-	AWC11C2403A	-	-	-	-	WHA13P2407A	0.36	0.01	33,042	0.36
SGCP01C2408A	0.10	(0.01)	68,316	0.10	AWC11C2408A	0.40	(0.02)	29,640	0.40	WHA19C2404A	-	-	-	-
SGCP01P2405A	0.38	0.04	5,320	0.38	AWC13C2404A	0.01	-	5,000	0.01	WHA19C2404B	-	-	-	-
SGCP01P2408X	0.21	-	14,063	0.22	AWC13C2405A	0.20	(0.03)	66,302	0.20	WHA19C2406A	0.16	(0.01)	81,327	0.17
SGCP06C2406A	-	-	-	-	AWC19C2405A	0.24	(0.03)	11,930	0.27	WHA41C2404A	-	-	-	-
SGCP11C2405A	-	-	-	-	AWC19C2406A	0.11	(0.01)	12,354	0.12	WHA41C2404B	0.01	(0.01)	1	0.01
SGCP11C2407T	-	-	-	-	AWC41C2405A	-	-	-	-	WHA41C2406A	0.16	(0.02)	40,587	0.16
SGCP13C2405A	-	-	-	-	AWC41C2406A	0.16	(0.02)	28,794	0.17	WHA41C2406B	0.14	(0.02)	4,384	0.15
SGCP13C2406A	-	-	-	-	AWC41C2408A	0.38	(0.01)	16,250	0.39	WHA41C2407A	0.23	(0.02)	65,975	0.23
SGCP13C2407A	0.10	(0.01)	9,400	0.09	BLAND	0.70	0.02	193,741	0.70	WIN	0.63	-	1,532	0.62
SGCP13P2405A	-	-	-	-	BRI	6.80	(0.15)	66,754	6.87	Paper & Printing Mat	-	-	-	-
SGCP13P2408A	0.19	0.02	40,891	0.19	BROCK	1.61	(0.01)	13	1.61	Fashion	11.00	-	1,273	11.01
SGCP19C2405A	-	-	-	-	CGD	0.35	-	17,978	0.34	UTP	-	-	-	-
SGCP19C2406A	-	-	-	-	CI	0.61	(0.01)	444	0.61	AFC	5.30	(0.60)	868	5.38
SGCP19C2407A	0.12	(0.01)	73,918	0.12	CI-W2	0.01	-	100	0.01	AURA	14.00	0.20	9,832	14.06
SCGP41C2404A	-	-	-	-	CMC	1.23	-	410	1.22	BTNC	19.70	0.20	1	19.70
SCGP41C2405A	-	-	-	-	CPN	63.00	0.25	59,019	62.77	CPH	13.10	0.10	455	13.01
SCGP41C2406A	-	-	-	-	CPN01C2404A	-	-	-	-	CPL	1.44	(0.01)	1,748	1.45
SCGP41C2407A	0.09	(0.01)	68,492	0.09	CPN01C2407A	0.25	-	12,144	0.24	NC	3.98	-	1,064	4.01
SFLEX	3.20	0.06	10,455	3.19	CPN11C2404A	-	-	-	-	PAF	1.44	(0.03)	2,539	1.47
SFLEX-W2	0.25	0.03	35,626	0.25	CPN13C2405A	-	-	-	-	PDJ	2.16	0.04	6,434	2.18
SITHAI	1.18	(0.02)	1,534	1.18	CPN13C2407A	0.24	0.01	19,497	0.23	PG	9.40	0.05	1	9.40
SLP	0.40	(0.01)	1,553	0.41	CPN19C2407A	0.19	-	11,536	0.18	SABINA	25.00	0.10	2,932	24.93
SMPC	9.00	0.10	1,979	9.01	CPN41C2404A	-	-	-	-	SAWANG	14.20	0.10	8	14.30
SPACK	1.97	(0.05)	3,741	2.00	CPN41C2405A	-	-	-	-	SUC	32.00	-	387	32.04
TCOAT	25.00	(1.00)	3	24.97	CPN41C2406A	0.17	-	40,284	0.17	TNL	34.50	0.50	21	33.98
TFI	0.09	(0.01)	6,203	0.09	CPN41C2407A	0.21	-	19,327	0.20	TR	41.00	-	10	41.00
TFI-W1	-	-	-	-	ESTAR	0.24	(0.01)	1,986	0.25	TTI	27.75	-	1	27.75
THIP	29.75	(0.25)	13	29.62	EVER	0.16	-	5,519	0.16	TTT	-	-	-	-
TMD	23.90	-	156	23.90	FPT	15.00	(0.20)	21	15.10	UPF	37.50	(0.50)	27	37.88
TOPP	-	-	-	-	GLAND	-	-	-	-	WACOAL	31.00	(1.00)	1	31.00
TPAC	14.70	(0.30)	867	14.75	J	1.89	-	770	1.86	WFX	1.87	(0.01)	321	1.87
TPB	3.94	(0.06)	1,154	3.93	J-W2	0.11	0.03	3,180	0.10	Transportation & Log	-	-	-	-
TPP	15.80	0.90	14	15.46	J-W3	0.30	0.01	3,755	0.31	AAV	2.40	(0.04)	184,151	2.40
Personal Products	-	-	-	-	J-W4	0.39	(0.01)	2,155	0.42	AAV01C2405A	0.14	(0.01)	21,715	0.14
APCO	4.96	-	1,240	4.93	JCK	0.32	0.08	1,422,678	0.30	AAV11C2406A	0.20	(0.03)	20,340	0.20
BIZ	3.40	0.04	388	3.38	KC	0.10	-	13,269	0.09	AAV13C2404A	-	-	-	-
BLC	5.30	-	38,495	5.24	LALIN	7.60	-	406	7.61	AAV13C2404B	0.03	(0.01)	31	0.03
DDD	8.70	0.30	769	8.67	LH	7.40	0.05	685,582	7.34	AAV13C2408A	0.18	(0.02)	43,581	0.18
JCT	78.75	-	3	78.92	LH13C2408A	0.26	-	35,042	0.25	AAV19C2405A	-	-	-	-
KISS	5.80	(0.10)	9,062	5.79	LH19C2406A	-	-	-	-	AAV19C2408A	0.18	(0.02)	13,473	0.18
NAM	4.84	(0.16)	17,795	4.93	LH19C2408A	0.24	0.01	19,273	0.24	ANI	4.80	(0.10)	37,927	4.79
NV	1.59	0.01	2,943	1.59	LPN	3.60	0.06	7,007	3.57	AOT	65.50	0.25	97,771	65.31
OCC	-	-	-	-	MBK	17.80	0.10	9,830	17.75	AOT01C2404A	0.01	-	189	0.01
S&J	-	-	-	-	MBK-W2	16.50	-	10	16.39	AOT01C2405A	0.23	0.01	13,812	0.22
STGT	8.70	0.05	21,860	8.73	MBK-W3	17.30	1.60	2	17.30	AOT01C2407A	0.27	-	14,076	0.27
STGT01C2407A	0.54	0.01	19,725	0.53	MBK-W4	15.30	0.20	3	15.30	AOT01P2404X	0.01	-	1,600	0.01
STGT01C2407B	0.30	-	4,529	0.30	MJD	1.30	(0.02)	2,135	1.27	AOT01P2405X	-	-	-	-
STGT01P2407X	0.19	(0.01)	5,992	0.19	MK	2.00	(0.02)	203	2.03	AOT01P2407X	0.20	-	1	0.20
STGT01P2408X	0.53	(0.02)	6,305	0.52	NCH	0.99	(0.01)	820	0.99	AOT06C2404A	-	-	-	-
STGT13C2407A	-	-	-	-	NNCL	1.93	(0.01)	2,455	1.93	AOT11C2403A	-	-	-	-
STGT13C2407B	0.29	-	20,084	0.30	NOBLE	3.72	0.02	34,709	3.74	AOT11C2407A	0.21	-	9,860	0.21
STGT13C2408A	0.10	-	16,427	0.10	NUSA	0.38	0.01	197,637	0.37	AOT13C2404A	-	-	-	-
STGT13P2407A	0.29	(0.01)	17,777	0.29	NUSA-W5	0.10	0.01	39,897	0.09	AOT13C2404B	-	-	-	-
STGT19C2404A	-	-	-	-	NVD	1.84	-	108	1.82	AOT13C2405A	0.10	-	7,872	0.10
STGT19C2407A	0.35	(0.01)	7,559	0.36	NVD-W3	0.02	0.01	18,935	0.02	AOT13C2408A	0.28	-	34,905	0.27
STGT19C2408A	0.23	0.01	6,573	0.23	OR									

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Friday March 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BEM01P2408X	0.34	(0.02)	507	0.35	CTW	4.68	0.04	2	4.68	BKD	1.47	(0.02)	3,958	1.47
BEM13C2407A	0.16	0.01	10,224	0.16	FMT	34.50	0.25	7	34.61	CIVIL	2.10	(0.02)	1,535	2.10
BEM19C2405A	-	-	-	-	HTECH	2.22	0.02	1,562	2.19	CK	22.90	0.30	49,879	22.73
BEM19C2408A	0.22	0.01	34,862	0.22	KKC	-	-	-	-	CK01C2407A	0.33	0.01	52,689	0.32
BT5	5.65	0.05	1,554,316	5.54	PK	0.99	0.01	13,580	1.00	CK11C2407A	0.29	-	1,870	0.29
BT5-W7	0.01	-	30,540	0.01	PSP	5.45	0.05	20,441	5.49	CK13C2405A	0.08	0.01	60	0.08
BT5-W8	0.09	0.01	19,917	0.09	SNC	7.15	-	777	7.15	CK13C2408A	0.33	0.01	65,599	0.32
BT501C2405A	-	-	-	-	STARK	-	-	-	-	CK19C2408A	0.29	0.01	24,518	0.28
BT501C2407A	-	-	-	-	STARK-W1	-	-	-	-	CNT	1.62	0.01	7,710	1.61
BT501C2408A	0.23	(0.01)	30,469	0.22	TCJ	3.16	(0.02)	167	3.04	EMC	0.06	-	75,531	0.05
BT501P2405X	0.39	(0.01)	3,587	0.43	TPCS	16.20	(0.40)	1	16.20	ITD	-	-	-	-
BT501P2407X	0.20	-	23,400	0.22	VARO	3.26	(0.16)	270	3.28	NL	2.66	(0.08)	317,969	2.74
BTS13C2405A	-	-	-	-	Property Fund &	-	-	-	-	NWR	0.33	-	18,052	0.33
BTS13C2407A	0.06	(0.01)	23,825	0.05	AIMCG	3.54	0.04	82	3.52	PLE	0.55	0.01	59,879	0.54
BTS13C2407B	0.22	-	95,478	0.20	AIMIRT	10.70	-	2,153	10.61	PREB	6.25	-	1,241	6.25
BTS13P2405A	-	-	-	-	ALLY	5.85	0.15	4,254	5.80	PYLON	2.38	(0.02)	2,567	2.38
BTS13P2407A	0.17	(0.01)	28,191	0.19	AMATAR	6.50	0.05	22	6.45	RT	0.67	(0.02)	11,144	0.68
BTS15C2406A	-	-	-	-	B-WORK	4.38	(0.02)	2,255	4.39	RT-W1	0.01	-	4,840	0.01
BTS19C2407A	0.08	(0.02)	2	0.08	BAREIT	10.10	0.10	81	10.05	SEAFCO	2.78	0.02	3,388	2.74
BTS19C2407B	0.24	(0.01)	47,855	0.22	BKKCP	9.00	0.05	105	9.00	SQ	1.13	0.02	6,467	1.12
BT541C2407A	-	-	-	-	BOFFICE	4.94	0.04	2,263	4.92	SRICHA	8.85	-	1,661	8.94
BT541C2408A	0.19	(0.01)	23,268	0.17	CPNCG	5.80	0.10	3,902	5.75	STEC	9.90	0.15	50,665	9.94
BTSGIF	3.60	0.04	13,041	3.58	CPREIT	10.80	0.20	28,741	10.72	STEC13C2405A	-	-	-	-
DMT	12.10	0.10	11,932	12.10	CPTGF	5.25	0.05	91	5.22	STEC19C2407A	0.45	0.03	30,516	0.46
ETL	1.36	(0.02)	57,638	1.36	CTARAF	4.42	(0.02)	341	4.41	STI	3.28	-	410	3.26
III	8.75	0.10	10,541	8.66	DREIT	4.84	0.02	1,394	4.83	STPI	3.20	(0.02)	9,697	3.20
KEX	5.05	-	11,359	5.10	ERWPF	8.55	-	7,662	8.60	SYNTEC	1.87	0.02	5,678	1.86
KIAT	0.38	-	18,928	0.38	FTREIT	10.10	-	3,205	10.03	TEAMG	4.80	(0.06)	11,419	4.83
KWC	-	-	-	-	FUTUREPF	11.60	-	474	11.50	TEAMG-W1	0.66	(0.02)	13,911	0.68
MENA	1.77	-	20,908	1.78	GAHREIT	-	-	-	-	TEKA	2.24	-	45,174	2.45
NOK	-	-	-	-	GOREIT	8.75	(0.05)	355	8.75	TPOLY	1.46	(0.08)	85,978	1.51
NYT	4.88	0.02	29,110	4.85	GVREIT	5.45	0.05	13,767	5.42	TRC	0.30	(0.01)	118,296	0.30
PORT	1.99	0.02	8,369	2.00	HPF	4.64	-	116	4.64	TRITN	0.13	-	38,588	0.13
PRM	7.65	-	128,375	7.65	HYDROGEN	9.40	0.05	275	9.31	TRITN-W6	0.01	-	357	0.01
PSL	7.75	0.10	29,574	7.75	IMPACT	11.90	0.10	7,005	11.81	TRITN-W6	-	-	-	-
PSL01C2405A	-	-	-	-	INETREIT	8.80	-	2,026	8.79	TRITN-W6	-	-	-	-
PSL01C2407A	0.12	0.01	13,386	0.12	KPNPF	3.22	(0.06)	196	3.21	TTCL	3.56	(0.02)	1,877	3.54
PSL06C2404A	-	-	-	-	KTBSTMR	6.50	0.05	81	6.50	UNIQ	3.44	(0.04)	1,668	3.46
PSL13C2404A	-	-	-	-	LHHOTEL	11.90	0.10	5,430	11.80	WGE	0.66	-	1,248	0.67
PSL13C2407A	0.10	-	20,091	0.10	LHPF	5.80	(0.05)	118	5.83	Unit Trust	-	-	-	-
PSL19C2404A	-	-	-	-	LHSC	9.85	(0.05)	1,131	9.85	SCBSET	-	-	-	-
PSL19C2407A	0.14	(0.01)	5,768	0.15	LPF	13.10	-	547	13.11	ETF	-	-	-	-
PSL41C2405A	-	-	-	-	LUXF	-	-	-	-	1DIV	9.68	0.01	105	9.70
RCL	18.10	(0.20)	35,156	18.19	M-II	5.80	-	286	5.80	ABFTH	-	-	-	-
RCL01C2405A	-	-	-	-	M-PAT	3.00	-	1	3.00	BMSCG	9.48	(0.09)	17	9.51
RCL01C2405B	-	-	-	-	M-STOR	7.20	0.05	42	7.17	BMSITH	9.68	0.03	219	9.69
RCL01C2407A	0.03	-	501	0.02	MIPF	-	-	-	-	BSET100	8.99	0.05	153	8.99
RCL01C2408A	0.14	(0.01)	18,930	0.15	MIT	0.83	-	501	0.83	CHINA	5.72	0.03	167	5.73
RCL01P2405X	0.55	0.02	3,663	0.53	MJLF	3.58	0.02	360	3.56	ENGY	5.21	0.06	18	5.18
RCL06C2405A	-	-	-	-	MNIT	-	-	-	-	ENY	5.04	-	12	5.03
RCL11C2407A	-	-	-	-	MNIT2	-	-	-	-	GLD	3.27	0.05	7,217	3.28
RCL13C2404A	-	-	-	-	MNRF	2.80	(0.02)	121	2.78	TDEX	8.16	0.02	1,230	8.18
RCL13C2405A	-	-	-	-	POPF	6.40	0.05	1,258	6.35	UBOT	14.14	-	9	14.14
RCL13C2407A	-	-	-	-	PPF	-	-	-	-	UHERO	7.44	0.12	3	7.43
RCL13C2408A	0.18	(0.01)	2,345	0.18	PROSPECT	8.55	(0.05)	307	8.56	Warrant Foreign	-	-	-	-
RCL13P2405A	0.38	0.02	4,380	0.38	QHHR	6.60	0.05	106	6.55	AI28C2403A	-	-	-	-
RCL19C2405A	-	-	-	-	QHOP	3.26	-	218	3.24	AI28C2406A	0.01	(0.03)	1	0.01
RCL19C2405B	-	-	-	-	QHPF	4.52	0.04	8,428	4.53	AI28C2408A	-	-	-	-
RCL19C2406A	-	-	-	-	SIRIP	7.80	-	5	7.80	AI28P2405A	-	-	-	-
RCL19C2408A	0.17	(0.01)	2,659	0.18	SPRIME	4.40	0.02	2,016	4.39	AI41C2403A	-	-	-	-
RCL19P2406A	0.49	0.01	18,302	0.48	SRI PANWA	4.70	-	820	4.70	AI41C2406A	-	-	-	-
RCL41C2406A	-	-	-	-	SSPF	5.40	0.05	50	5.37	AI41P2407A	-	-	-	-
RCL41C2407A	-	-	-	-	SSTRT	5.05	0.05	30	5.05	ALIHE28C2406A	-	-	-	-
RCL41C2408A	0.14	(0.01)	10,812	0.15	TIF1	7.80	(0.05)	235	7.82	ALIHE28C2407A	-	-	-	-
SAV	18.80	(1.00)	116,984	19.04	TLHPF	3.80	(0.10)	524	3.82	ALIHE41C2406A	-	-	-	-
SINO	1.28	(0.01)	16,949	1.29	TNPF	-	-	-	-	BABA28C2403A	-	-	-	-
SJWD	15.60	0.10	65,751	15.26	TPRIME	6.25	-	259	6.25	BABA28C2403B	-	-	-	-
SJWD13C2407A	0.22	-	51,430	0.19	TTLPF	17.10	0.10	14	17.10	BABA28C2404A	-	-	-	-
TFIF	6.60	0.05	19,649	6.58	TPU-PF	-	-	-	-	BABA28C2404B	-	-	-	-
THAI	-	-	-	-	URBNPF	0.38	-	354	0.37	BABA28C2406A	-	-	-	-
TSTE	9.85	-	30	9.85	WHABT	7.95	-	24	7.92	BABA28C2406B	-	-	-	-
TTA	6.50	(0.05)	40,848	6.50	WHAIR	6.00	0.05	4,809	5.96	BABA28C2407A	-	-	-	-
WICE	5.50	(0.05)	2,372	5.55	WHART	9.45	-	8,014	9.49	BABA28P2403A	-	-	-	-
Automotive	-	-	-	-	Steel and Metal I	-	-	-	-	BABA28P2404A	-	-	-	-
3K-BAT	34.00	2.50	2	33.88	2S	3.06	(0.02)	537	3.07	BABA28P2407A	-	-	-	-
ACG	1.23	(0.01)	280	1.24	AMC	3.28	0.02	4,021	3.24	BABA41C2403A	-	-	-	-
AH	21.10	(0.80)	51,511	21.39	BSBM	0.75	(0.01)	5,747	0.75	BABA41C2403B	-	-	-	-
CWT	1.38	0.01	1,285	1.38	CEN	2.46	0.32	2,934	2.43	BABA41C2404A	-	-	-	-
EASON	1.23	(0.01)	11,035	1.23	CEN-W5	0.38	0.09	115,469	0.39	BABA41C2404B	-	-	-	-
GYT	-	-	-	-	CITY	2.24	0.02	270	2.24	BABA41C2406A	-	-	-	-
HFT	4.12	0.02	2,591	4.13	CSP	1.01	0.01	11,343	1.03	BABA41C2406B	-	-	-	-
IHL	2.02	-	373	2.02	GIS	0.22	(0.01)	55,300	0.23	BABA41C2407A	-	-	-	-
INGRS	0.50	(0.02)	90,384	0.49	GSTEEL	-	-	-	-	BABA41P2403A	-	-	-	-
IRC	12.60	(0.10)	109	12.60	INOX	0.51	0.01	3,622	0.51	BABA41P2404A	-	-	-	-
MGC	5.95</td													

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Friday March 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CATHAY28C2403A	-	-	-	-	HSI28C2406A	0.37	0.01	2,976	0.36	SET5001P2404A	-	-	-	-
CATHAY28C2404A	-	-	-	-	HSI28C2406B	0.66	0.01	942	0.65	SET5001P2404T	0.07	(0.03)	1,130	0.08
CATHAY28C2407A	-	-	-	-	HSI28C2406C	0.22	-	360	0.22	SET5001P2405A	0.04	(0.02)	271	0.05
CATHAY41C2403A	-	-	-	-	HSI28C2407A	0.24	-	132	0.24	SET5001P2406A	0.20	(0.05)	19,680	0.22
CATHAY41C2404A	-	-	-	-	HSI28P2403A	-	-	-	-	SET5001P2406F	0.23	(0.02)	73,427	0.23
CATHAY41C2407A	-	-	-	-	HSI28P2403B	-	-	-	-	SET5001P2406T	0.26	(0.04)	5,990	0.28
CHMOBI28C2404A	-	-	-	-	HSI28P2403C	-	-	-	-	SET5001P2407A	0.42	(0.05)	142,302	0.44
CHMOBI28C2409A	-	-	-	-	HSI28P2403D	-	-	-	-	SET5006C2403A	-	-	-	-
CMBANK41C2404A	-	-	-	-	HSI28P2404A	0.03	(0.01)	1,629	0.03	SET5006C2403B	-	-	-	-
CMBANK41C2406A	-	-	-	-	HSI28P2404B	-	-	-	-	SET5006C2403C	-	-	-	-
CNOOC28C2404A	-	-	-	-	HSI28P2404C	0.39	(0.11)	100	0.39	SET5006C2404A	0.08	-	3,000	0.08
CNOOC28C2408A	-	-	-	-	HSI28P2404D	-	-	-	-	SET5006C2406A	0.12	0.01	48,464	0.12
DJ128C2406B	-	-	-	-	HSI28P2405A	0.10	(0.01)	1	0.10	SET5006P2403A	-	-	-	-
DJ128C2406C	-	-	-	-	HSI28P2405B	0.21	(0.06)	2	0.21	SET5006P2403C	-	-	-	-
DJ128P2406A	-	-	-	-	HSI28P2405C	-	-	-	-	SET5006P2404A	0.11	(0.03)	106,566	0.12
DJ128P2406B	0.18	(0.05)	1	0.18	HSI28P2405D	-	-	-	-	SET5006P2406A	0.16	(0.03)	71,048	0.17
DJ141C2406A	-	-	-	-	HSI28P2406A	0.12	-	307	0.11	SET5013C2403A	-	-	-	-
DJ141P2406B	-	-	-	-	HSI28P2406C	0.21	(0.02)	501	0.21	SET5013C2403B	-	-	-	-
GEELY28C2403A	-	-	-	-	HSI28P2406D	-	-	-	-	SET5013C2403D	-	-	-	-
GEELY28C2406A	-	-	-	-	HSI28P2407A	-	-	-	-	SET5013C2403E	-	-	-	-
GEELY28C2408A	-	-	-	-	HSTECH28C240:	-	-	-	-	SET5013C2403F	-	-	-	-
GEELY28P2404A	-	-	-	-	HSTECH28C240:	-	-	-	-	SET5013C2403G	-	-	-	-
GEELY41C2404A	-	-	-	-	HSTECH28C240:	-	-	-	-	SET5013C2403H	-	-	-	-
GEELY41C2406A	-	-	-	-	HSTECH28C240:	-	-	-	-	SET5013C2403I	-	-	-	-
HAIDL128C2403A	-	-	-	-	HSTECH28C240:	-	-	-	-	SET5013C2403J	-	-	-	-
HAIDL128C2404A	-	-	-	-	HSTECH28P240:	-	-	-	-	SET5013C2405A	0.76	0.01	65	0.76
HAIDL128C2406A	-	-	-	-	HSTECH28P240:	-	-	-	-	SET5013C2406A	0.15	0.02	951,283	0.15
HAIDL141C2403A	-	-	-	-	HSTECH28P240:	-	-	-	-	SET5013C2406B	0.18	0.02	537,493	0.18
HAIDL141C2404A	-	-	-	-	HSTECH28P240:	-	-	-	-	SET5013C2406C	0.11	0.01	75,946	0.11
HAIDL141C2405A	-	-	-	-	ICBC28C2404A	-	-	-	-	SET5013C2406D	0.28	0.03	1,964,002	0.27
HAIDL141C2407A	-	-	-	-	ICBC28C2407A	-	-	-	-	SET5013C2406E	0.43	0.05	1,203,126	0.41
HKEX28C2404A	-	-	-	-	JD28C2403A	-	-	-	-	SET5013C2410A	0.17	0.01	45,511	0.17
HKEX28C2406A	-	-	-	-	JD28C2403B	-	-	-	-	SET5013P2403A	-	-	-	-
HKEX28C2407A	-	-	-	-	JD28C2406A	-	-	-	-	SET5013P2403B	-	-	-	-
HKEX41C2404A	-	-	-	-	JD28C2408A	-	-	-	-	SET5013P2403C	-	-	-	-
HKEX41C2405A	-	-	-	-	JD28C2408B	-	-	-	-	SET5013P2403D	-	-	-	-
HKEX41C2406A	-	-	-	-	JD41C2406A	-	-	-	-	SET5013P2403E	-	-	-	-
HSBC28C2403A	-	-	-	-	JD41C2407A	-	-	-	-	SET5013P2403F	-	-	-	-
HSBC28C2406A	-	-	-	-	KUAISH28C2403	-	-	-	-	SET5013P2404A	1.11	-	250	1.11
HSBC28P2404A	-	-	-	-	KUAISH28C2404	-	-	-	-	SET5013P2404B	0.17	(0.03)	241,933	0.19
HSBC28P2407A	-	-	-	-	KUAISH28C2406	-	-	-	-	SET5013P2406B	0.21	(0.04)	277,594	0.23
HSBC41C2403A	-	-	-	-	KUAISH28C2407	-	-	-	-	SET5013P2406C	0.29	(0.05)	861,647	0.31
HSBC41C2405A	-	-	-	-	KUAISH41C2406	-	-	-	-	SET5013P2406D	0.38	(0.06)	1,729,607	0.40
HSBC41C2407A	-	-	-	-	LENOV028C240	-	-	-	-	SET5013P2406E	0.60	(0.09)	711,896	0.64
HSBC41P2406A	-	-	-	-	LENOV028C240	-	-	-	-	SET5019C2403A	-	-	-	-
HSCE128C2403A	-	-	-	-	LENOVO28C240	-	-	-	-	SET5019C2403B	-	-	-	-
HSCE128C2404A	-	-	-	-	LENOVO41C240	-	-	-	-	SET5019C2403C	-	-	-	-
HSCE128C2405A	-	-	-	-	MCA5041C2406	-	-	-	-	SET5019C2403D	-	-	-	-
HSCE128P2403A	-	-	-	-	MCA5041P2406/	-	-	-	-	SET5019C2403E	-	-	-	-
HSCE128P2404A	-	-	-	-	MEITU28C2403	-	-	-	-	SET5019C2403F	-	-	-	-
HSCE128P2405A	-	-	-	-	MEITU28C2404	-	-	-	-	SET5019C2406A	0.08	-	4,699	0.08
HSI06C2403A	-	-	-	-	MEITU28C2406	-	-	-	-	SET5019C2406B	-	-	-	-
HSI06C2403B	-	-	-	-	MEITU28C2407	-	-	-	-	SET5019C2406C	0.12	-	66,159	0.12
HSI06C2403C	-	-	-	-	MEITU28C2408	-	-	-	-	SET5019C2406E	0.14	0.02	215,897	0.14
HSI06C2403D	-	-	-	-	MEITU28P2405	-	-	-	-	SET5019C2406F	0.31	0.03	365,335	0.30
HSI06C2404A	0.06	-	5,129	0.06	MEITU28P2406	-	-	-	-	SET5019C2406G	0.22	0.03	197,716	0.21
HSI06C2404B	-	-	-	-	MEITU41C240:	-	-	-	-	SET5019P2403A	-	-	-	-
HSI06C2404C	-	-	-	-	MEITU41C2405	-	-	-	-	SET5019P2403B	-	-	-	-
HSI06C2404D	-	-	-	-	MEITU41C2405	-	-	-	-	SET5019P2403C	-	-	-	-
HSI06C2404E	0.21	0.02	509	0.20	MEITU41C2406	-	-	-	-	SET5019P2403D	-	-	-	-
HSI06C2405A	-	-	-	-	MEITU41C2406	-	-	-	-	SET5019P2403E	-	-	-	-
HSI06C2405B	-	-	962	0.22	MEITU41P2404	-	-	-	-	SET5019P2404A	0.34	(0.03)	200,284	0.34
HSI06C2405D	0.09	(0.01)	1,175	0.11	MEITU41P2406	-	-	-	-	SET5019P2406B	0.21	(0.03)	94,206	0.22
HSI06C2405E	-	-	-	-	MEITU41P2407	-	-	-	-	SET5019P2406C	0.17	(0.02)	156,444	0.17
HSI06C2405F	-	-	-	-	NDX28C2406A	-	-	-	-	SET5019P2406D	0.38	(0.04)	59,948	0.40
HSI06C2406A	0.82	0.04	1	0.82	NDX28C2406B	-	-	-	-	SET5027C2403A	-	-	-	-
HSI06C2406B	-	-	-	-	NDX28C2406C	-	-	-	-	SET5027C2403B	-	-	-	-
HSI06C2406C	0.36	0.02	1	0.36	NDX28C2406D	-	-	-	-	SET5027C2403E	-	-	-	-
HSI06C2406D	-	-	-	-	NDX28P2406A	-	-	-	-	SET5027C2403F	-	-	-	-
HSI06C2407A	-	-	-	-	NDX28P2406B	-	-	-	-	SET5027C2404A	-	-	-	-
HSI06P2403A	-	-	-	-	NDX28P2406C	-	-	-	-	SET5027C2404B	0.16	(0.02)	39,451	0.16
HSI06P2403B	-	-	-	-	NDX41C2406A	-	-	-	-	SET5027C2406B	0.07	-	10,490	0.07
HSI06P2403C	-	-	-	-	NDX41C2406B	-	-	-	-	SET5027C2406C	0.15	-	85,476	0.15
HSI06P2403D	-	-	-	-	NDX41P2406A	-	-	-	-	SET5027C2406D	0.34	0.04	111,632	0.32
HSI06P2404A	0.13	0.01	31	0.09	NDX41P2406B	-	-	-	-	SET5027C2407A	0.15	0.01	1	0.15
HSI06P2404B	-	-	-	-	NTES41C2404A	-	-	-	-	SET5027C2407B	-	-	-	-
HSI06P2404C	-	-	-	-	NTES41C2405A	-	-	-	-	SET5027P2403A	-	-	-	-
HSI06P2404D	0.02	(0.01)	150	0.02	PINGAN28C240:	-	-	-	-	SET5027P2403B	-	-	-	-
HSI06P2405A	-	-	-	-	PINGAN28C2404	-	-	-	-	SET5027P2403T	-	-	-	-
HSI06P2405B	0.08	(0.05)	8	0.08	PINGAN28C2406	-	-	-	-	SET5027P2406A	0.14	(0.01)	55,990	0.14
HSI06P2405C	-	-	-	-	PINGAN28C2407	-	-	-	-	SET5027P2406B	0.31	(0.04)	156,660	0.32
HSI06P2405D	-	-	-	-	PINGAN28P2403	-	-	-	-	SET5027P2406T	-	-	-	-
HSI06P2405E	-	-	-	-	PINGAN28P2406	-	-	-	-	SET5027P2409T	0.16	(0.01)	116,000	0.17
HSI06P2406A	0.37	0.08	2	0.34	PINGAN41C2403	-	-	-	-	SET5028C2403A	-	-	-	-
HSI06P2406B	-	-	-	-	PINGAN41C2404	-	-	-	-	SET5028C2403B	-	-	-	-
HSI06P2406C	0.10	(0.53)	1	0.10	PINGAN41C2404	-	-	-	-	SET5028C2403C	-	-	-	-
HSI06P2407A	-	-	-	-	PINGAN41C2406	-	-	-	-	SET5				

**Asia Plus Securities Company Limited**

## Main Board Quotation

## Daily Quotation

**Issue Date :**

*Friday March 29, 2024*

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust	-	-	3,228	00 9.3	UBIS	2.06	0.02	8,984	00 2.0	JPARK	5.80	-	15,060	00 5.8
AU	9.30	-	17,837	00 0.0	UEC	1.68	0.02	6,244	00 1.6	KGEN	0.86	(0.01)	7,243	00 0.8
JCKH	0.04	0.01	10	00 0.0	UKEM	0.83	-	23,914	00 0.8	KGEN-W2	0.36	(0.02)	35,499	00 0.3
JCKH-W1	0.01	-	2	00 0.0	UREKA	0.58	0.01	41,223	00 0.5	KK	1.83	(0.02)	4	00 1.8
JCKH-W2	0.02	-	380	00 1.2	YUASA	10.80	0.20	58	00 10.7	KLINIQ	39.50	0.50	2,857	00 39.2
KASET	1.28	-	16	00 1.7	ZIGA	2.84	0.02	23,631	00 2.8	KOOL	0.40	0.01	5,190	00 0.3
MUD	1.75	(0.15)	22,494	00 4.8	Property	-	-	-	-	KTMS	2.62	-	2,277	00 2.6
NTSC	14.40	0.80	846	00 3.7	24CS	1.68	(0.03)	97,430	00 1.6	LDC	0.63	(0.01)	2,795	00 0.6
TACC	4.90	0.04	1,308	00 2.2	A5	3.28	0.04	9,142	00 3.2	LEO	4.32	(0.04)	388	00 4.3
TMILL	3.70	(0.04)	1,750	00 0.0	A5-W2	0.03	0.01	91,945	00 0.0	LEO-W1	0.32	0.03	110,750	00 0.3
WINNER	2.24	-	1,020	00 0.0	A5-W3	0.08	0.02	162,981	00 0.0	MASTER	67.50	2.00	20,456	00 67.9
XO	26.50	0.25	7,832	00 26.4	ALL	-	-	-	-	MCA	2.96	(0.02)	89,540	00 2.9
Consumer Products	-	-	-	-	ARIN	2.84	0.04	563	00 2.7	MEB	31.50	(0.50)	2,866	00 31.7
ALPHAX	0.79	0.01	217,067	00 0.7	ARROW	6.45	-	288	00 6.4	MORE	0.09	-	3,939	00 0.0
BGT	0.75	0.02	690	00 0.7	BC	1.27	-	8	00 1.2	MVP	1.15	-	13,101	00 1.1
DOD	2.90	0.02	2,386	00 2.8	BLESS	0.62	(0.01)	11,331	00 0.6	NCL	0.77	(0.01)	7,564	00 0.7
ECF	0.94	0.01	74,900	00 0.9	BSM	2.50	(0.06)	113	00 2.4	NEWS	0.02	-	258,847	00 0.0
ECF-W4	0.01	-	360	00 0.0	BTW	0.29	-	2,060	00 0.2	NEWS-W7	0.01	-	1,012	00 0.0
EFORL	0.20	0.01	24,322	00 0.1	CAZ	3.62	-	585	00 3.6	PEER	0.51	(0.03)	195,710	00 0.5
EFORL-W6	0.04	-	2,520	00 0.0	CHEWA	0.51	-	5,174	00 0.5	PEER-W1	0.28	-	10,686	00 0.2
EURO	6.70	(0.35)	19,777	00 6.8	CPANEL	5.90	(0.15)	758	00 5.9	PHOL	2.72	-	704	00 2.7
HPT	0.65	(0.01)	47,408	00 0.6	CPANEL-W1	-	-	-	-	PICO	-	-	-	00 0.0
IP	9.50	0.15	4,249	00 9.4	CRD	0.48	(0.01)	2,691	00 0.4	PLT	0.82	0.01	10,039	00 0.8
IP-W2	0.65	0.17	456,773	00 0.6	DHOUSE	0.63	0.01	1,588	00 0.6	QLT	2.74	-	1,605	00 2.7
ITTHI	2.22	(0.06)	24,919	00 2.2	DIMET	0.28	0.01	14,744	00 0.2	RP	1.49	0.06	5,897	00 1.4
JSP	2.54	0.06	7,333	00 2.5	DPAIN	2.60	0.04	1,131	00 2.6	SE	0.85	-	2,259	00 0.8
JSP-W1	0.24	0.02	46,587	00 0.2	FLOYD	1.23	-	65	00 1.2	SLM	-	-	-	00 0.0
JUBILE	16.30	0.10	1,488	00 16.1	FLOYD-W1	0.01	(0.01)	12,859	00 0.0	SONIC	1.62	-	3,998	00 1.6
MGI	36.25	1.00	45,568	00 37.3	HYDRO	0.24	(0.02)	256	00 0.2	SPA	12.90	-	4,432	00 12.9
MOONG	2.20	(0.02)	416	00 2.1	HYDRO-W2	0.04	-	3,000	00 0.0	THMUI	0.58	(0.02)	105	00 0.5
NPK	15.50	-	5	00 15.5	IND	0.92	(0.03)	1,275	00 0.9	TNDT	0.22	-	768	00 0.2
SMD	6.85	0.20	6,443	00 6.8	JAK	1.25	-	218	00 1.2	TNDT-W1	0.04	(0.01)	5,561	00 0.0
TM	1.94	0.03	741	00 1.8	K	1.22	-	186	00 1.2	TNH	35.50	(0.50)	810	00 35.5
TM-W1	0.25	0.01	31,938	00 0.2	K-W2	0.27	0.01	63,129	00 0.3	TNP	3.32	(0.02)	427	00 3.3
WARRIX	5.80	(0.10)	11,534	00 5.8	KUN	1.60	(0.03)	151	00 1.6	TPL	1.59	(0.12)	55,549	00 1.6
WINMED	2.88	(0.02)	655	00 2.8	KUN-W1	0.01	-	1	00 0.0	TRP	14.00	0.10	2,787	00 14.0
Financials	-	-	-	-	KUN-W2	0.07	-	12,509	00 0.0	TURTLE	7.60	-	1	00 7.6
ACAP	-	-	00 0.0	-	META	0.12	(0.01)	298,446	00 0.1	TVDH	0.34	(0.01)	3,939	00 0.3
AF	0.79	-	339	00 0.7	META-W7	0.01	-	2,010	00 0.0	TVDH-W3	0.04	-	25,154	00 0.0
AIRA	1.94	(0.04)	15	00 1.7	PANEL	2.32	(0.10)	37,960	00 2.3	TVDH-W4	0.08	-	16,169	00 0.0
ASN	2.02	0.04	1,460	00 2.0	PPS	0.47	0.01	9,454	00 0.4	TVT	0.53	0.03	53,553	00 0.5
BROOK	0.59	(0.01)	302,868	00 0.5	PRI	16.80	0.30	4,519	00 16.5	UBA	1.08	(0.01)	1,178	00 1.0
BROOK-W6	0.07	(0.01)	11,978	00 0.0	PROS	1.38	-	2,792	00 1.3	VL	1.11	(0.01)	103,570	00 1.1
BROOK-W7	0.26	(0.01)	6,546	00 0.2	PROS-W1	0.44	0.01	71,668	00 0.4	YGG	7.20	-	42,527	00 7.1
GCAP	0.51	0.01	11,711	00 0.5	PROUD	1.92	(0.01)	28,750	00 1.9	Technology	-	-	-	-
KCC	2.96	-	1,894	00 2.9	PSG	0.66	-	91,938	00 0.6	APP	2.58	0.02	1,159	00 2.5
LIT	1.37	0.32	77,531	00 1.2	SENX	0.53	(0.02)	14,178	00 0.5	BBIK	94.50	1.00	1,794	00 93.6
LIT-W2	0.60	0.32	447,326	00 0.4	SENX-W1	0.01	-	1,727	00 0.0	BE8	26.75	(0.25)	14,698	00 26.6
MITSIB	0.79	(0.01)	1,677	00 0.7	SK	0.85	(0.01)	14,367	00 0.8	BE8-W1	4.80	0.12	44	00 4.7
SGF	0.39	-	1,255	00 0.3	SMART	1.06	-	49,814	00 1.0	BVG	5.25	(0.25)	11,569	00 5.3
SGF-P1	-	-	00 0.0	-	STC	0.64	-	2,472	00 0.6	COMAN	3.50	-	457	00 3.4
SGF-Q1	-	-	00 0.0	-	SVR	1.51	-	2,055	00 1.5	I2	2.24	(0.02)	17,282	00 2.2
TQR	7.00	(0.05)	199	00 6.9	TAPAC	-	-	-	-	IIIG	11.00	(0.80)	10,647	00 11.1
Industrials	-	-	-	-	THANA	1.74	0.01	288	00 1.7	IIIG-W1	1.96	0.02	71	00 1.9
ADB	1.00	0.04	43,353	00 1.0	TIGER	0.82	(0.03)	1,548	00 0.8	IRCP	0.68	-	10,669	00 0.6
BM	2.84	(0.04)	11,695	00 2.8	TITLE	4.12	(0.02)	1,274	00 4.1	ITNS	2.38	(0.24)	14,008	00 2.4
BM-W3	1.59	-	174	00 1.5	WELL	-	-	-	-	NAT	6.10	(0.05)	38,653	00 6.1
CHO	0.13	-	134,226	00 0.1	YONG	2.06	0.02	3,897	00 2.0	NETBAY	20.70	(0.30)	9,203	00 20.7
CHO-W3	0.01	-	50	00 0.0	Resources	-	-	-	-	PLANET	0.68	(0.01)	2,034	00 0.6
CHOW	2.90	(0.10)	8,007	00 2.9	ABM	1.44	(0.04)	12,205	00 1.4	PROEN	2.02	(0.02)	20,048	00 2.0
CIG	0.07	-	94,757	00 0.0	ABM-W1	0.36	0.02	161,838	00 0.3	READY	11.30	-	203	00 11.2
CIG-W10	0.07	0.02	1	00 0.0	GTV	0.15	(0.01)	87,144	00 0.1	SECURE	14.00	-	649	00 14.0
CIG-W9	0.05	-	1,426	00 0.0	PSTC	0.49	-	2,980	00 0.4	SICT	5.25	(0.05)	950	00 5.2
COLOR	1.35	0.01	6,748	00 1.3	PSTC-W2	0.05	(0.01)	14,649	00 0.0	SIMAT	1.35	(0.01)	11,777	00 1.3
COLOR-W2	0.02	-	26,306	00 0.0	PTC	1.99	0.01	3,433	00 1.9	SIMAT-W3	0.27	0.03	16,254	00 0.2
CPR	4.26	(0.02)	2,297	00 4.2	SAAM	8.20	0.20	9,552	00 8.1	SIMAT-W5	0.21	0.04	580,449	00 0.2
FPI	2.38	-	481	00 2.3	SAAM-W2	0.72	0.37	2,288,646	00 0.7	SPVI	3.04	(0.04)	2,308	00 3.0
GTB	0.74	(0.01)	4,100	00 0.7	SR	0.66	(0.01)	231	00 0.6	SRS	8.30	0.25	971	00 8.1
KCM	0.39	-	2,233	00 0.3	STOWER	0.10	-	66,606	00 0.0	TBN	12.30	(0.20)	1,919	00 12.3
KJL	7.90	(0.05)	3,591	00 7.9	STOWER-W4	-	-	-	-	TPS	4.22	0.04	13,060	00 4.1
KUMWEL	1.80	0.02	579	00 1.7	TAKUNI	1.06	(0.01)	11,666	00 1.0	TPS-W1	-	-	-	00 0.0
KWM	1.51	-	6,042	00 1.5	TPCH	7.40	0.05	2,229	00 7.3	VCOM	3.28	(0.04)	724	00 3.3
MBAX	3.22	0.10	6,882	00 3.2	TRT	3.70	(0.14)	27,301	00 3.7	-	-	-	-	-
MBAX-W2	0.43	0.15	1,275,191	00 0.4	UMS	0.59	-	2	00 0.5	-	-	-	-	-
MGT	2.56	-	308	00 2.5	Services	-	-	-	-	-	-	-	-	-
MTW	2.56	0.06	45,909	00 2.5</td										