

Main Board Quotation

Issue Date :

Wednesday April 03, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KTBI3C2406A	0.02	-	350	0.02	IVL01C2406A	0.19	0.01	23,122	0.18
WORLD	-	-	-	-	KTBI3C2406B	0.08	(0.01)	62,169	0.08	IVL01C2406B	0.09	-	4,850	0.09
Agribusiness	-	-	-	-	KTBI3C2408A	0.22	(0.03)	14,280	0.23	IVL01C2408A	0.51	0.02	14,236	0.49
EE	0.23	(0.01)	18,633	0.23	KTBI3P2404A	-	-	-	-	IVL01P2405X	-	-	-	-
EE-W1	0.01	-	31,500	0.01	KTBI3P2406A	-	-	-	-	IVL01P2407X	0.18	(0.01)	31,910	0.19
GFPT	12.30	-	16,671	12.30	KTBI3P2408A	0.31	0.01	46,712	0.31	IVL06C2404A	-	-	-	-
LEE	2.40	-	1,290	2.42	KTBI3P2404A	-	-	-	-	IVL06C2406A	0.38	0.02	2,147	0.37
NER	5.90	(0.10)	33,119	5.94	KTBI9C2406A	0.09	(0.01)	3,500	0.09	IVL13C2406A	-	-	-	-
PPPM	0.03	-	230,472	0.03	KTBI9C2408A	0.23	(0.02)	42,142	0.23	IVL13C2406B	0.19	0.01	209	0.18
PPPM-W4	-	-	-	-	KTBI9P2406A	-	-	-	-	IVL13C2407A	0.48	0.03	6,433	0.46
STA	19.10	(0.40)	68,132	19.29	KTBI9P2404A	-	-	-	-	IVL13C2408A	0.12	-	60,291	0.12
STA01C2404A	-	-	-	-	KTBI9P2406A	-	-	-	-	IVL13P2405A	0.04	(0.02)	210	0.04
STA01C2407A	0.21	(0.04)	36,083	0.23	KTBI9P2408A	0.08	(0.02)	38,908	0.08	IVL13P2408A	0.37	(0.03)	672	0.39
STA01P2407X	0.38	0.03	11,344	0.36	KTBI9P2404A	0.14	(0.02)	21,684	0.14	IVL19C2405A	-	-	-	-
STA01P2408X	0.47	0.03	20,964	0.44	LHFG	1.00	-	21,313	1.00	IVL19C2406A	0.23	0.02	1,200	0.23
STA06C2408A	0.26	(0.04)	12,310	0.29	SCB	112.50	(1.50)	140,651	112.80	IVL19C2407A	0.13	0.01	8,759	0.12
STA11C2407T	0.45	(0.04)	22,237	0.47	SCB01C2404A	0.06	(0.17)	111	0.06	IVL19C2408A	0.46	0.03	6,040	0.42
STA13C2405A	0.37	(0.03)	60	0.38	SCB01C2405A	0.12	(0.04)	7,572	0.13	IVL41C2404A	-	-	-	-
STA13C2407A	0.28	(0.04)	57,575	0.30	SCB01C2407A	0.35	(0.05)	1,274	0.38	IVL41C2406A	0.05	-	380	0.05
STA13C2408A	0.19	(0.03)	28,429	0.20	SCB01C2408A	0.36	(0.03)	3,772	0.37	IVL41C2406B	0.19	(0.02)	500	0.19
STA13P2407A	0.17	0.01	27,300	0.16	SCB01P2405X	-	-	-	-	IVL41C2407A	0.30	(0.01)	1,250	0.29
STA13P2408A	0.51	0.03	58,508	0.49	SCB01P2407X	0.19	0.01	27,150	0.18	NFC	3.10	(0.10)	1,984	3.09
STA19C2406A	0.35	(0.05)	33,909	0.38	SCB13C2404A	-	-	-	-	PATO	8.90	(0.10)	158	8.89
STA19C2408A	0.27	(0.04)	18,866	0.29	SCB13C2406A	0.19	(0.04)	36,947	0.20	PMTA	9.30	-	2	8.95
STA41C2408A	0.23	(0.03)	24,512	0.25	SCB13P2406A	-	-	-	-	PTTGC	41.00	0.75	126,049	40.67
TEGH	2.98	(0.10)	27,419	3.02	SCB13P2407A	0.17	0.01	20,328	0.17	PTTGC01C2405A	0.08	0.01	4,100	0.07
TFM	6.65	(0.15)	309	6.70	SCB19C2404A	-	-	-	-	PTTGC01C2406A	0.35	0.03	24,971	0.35
TRUBB	1.47	(0.01)	109,171	1.50	SCB19C2406A	0.21	(0.02)	33,000	0.21	PTTGC01C2407A	0.28	0.02	21,611	0.27
TRUBB-W2	0.12	(0.01)	70,502	0.14	SCB19C2407A	0.20	(0.01)	2,000	0.20	PTTGC01P2404X	-	-	-	-
UPOIC	6.30	0.10	119	6.29	SCB19P2407A	-	-	-	-	PTTGC01P2405X	-	-	-	-
UVAN	8.45	-	1,989	8.45	SCB41C2404A	-	-	-	-	PTTGC11C2404A	0.17	0.03	15,770	0.15
VPO	0.80	(0.03)	65,256	0.83	SCB41C2405A	0.12	(0.03)	2,050	0.12	PTTGC13C2406A	0.22	0.03	76,561	0.21
Banking	-	-	-	-	SCB41C2405B	0.11	(0.04)	2,380	0.12	PTTGC13P2404A	-	-	-	-
BAY	26.75	-	1,814	26.74	SCB41C2407A	0.24	(0.04)	3,360	0.25	PTTGC13P2408A	0.24	(0.76)	36,076	0.26
BBL	137.00	(1.50)	74,897	137.43	SCB41C2407B	0.20	(0.01)	2,000	0.20	PTTGC19C2406A	0.27	0.03	22,700	0.25
BBL11C2404A	-	-	-	-	SCB41C2408A	0.22	(0.01)	7,128	0.22	PTTGC41C2404A	-	-	-	-
BBL11C2405A	-	-	-	-	SCB41P2406A	-	-	-	-	PTTGC41C2405A	-	-	-	-
BBL11C2406A	-	-	-	-	TCAP	50.00	(0.50)	11,365	50.35	PTTGC41C2406A	-	-	-	-
BBL11P2407A	0.32	0.02	3,580	0.32	TCAP-P	-	-	-	-	PTTGC41C2407A	0.22	0.02	20,228	0.21
BBL13C2404A	-	-	-	-	TCAP-Q	-	-	-	-	PTTGC41C2407B	0.48	0.04	6,000	0.47
BBL13C2405A	-	-	-	-	TISCO	99.25	-	33,654	99.40	SUTHA	2.74	0.04	57	2.75
BBL13C2406A	-	-	-	-	TISCO-P	-	-	-	-	TPA	-	-	-	-
BBL13C2408A	0.19	(0.03)	12,274	0.20	TISCO-Q	-	-	-	-	UAC	3.64	0.04	2,912	3.67
BBL13P2404A	-	-	-	-	TISCO13C2405A	-	-	-	-	UP	16.50	0.10	74	16.49
BBL13P2408A	0.40	0.02	7,363	0.39	TISCO19C2408A	0.19	0.01	1,418	0.19	Commerce	-	-	-	-
BBL19C2404A	-	-	-	-	TTB	1.80	-	3,153,169	1.78	ADVICE	4.24	(0.24)	213,263	4.36
BBL19C2405A	-	-	-	-	TTB-W1	0.81	(0.01)	2,793	0.81	B52	0.69	(0.02)	83	0.65
BBL19C2406A	0.04	(0.02)	24,603	0.04	TTB01C2404A	-	-	-	-	BEAUTY	0.71	0.03	556,888	0.70
BBL19C2408A	0.20	(0.02)	5,728	0.21	TTB01C2406A	0.25	-	10,166	0.24	BIG	0.47	(0.02)	14,951	0.48
BBL19P2406A	0.19	0.01	10,128	0.19	TTB13C2404A	-	-	-	-	BJC	24.70	(0.10)	39,519	24.79
BBL41C2404A	-	-	-	-	TTB19C2404A	0.01	(0.01)	2	0.02	COM7	18.90	(0.30)	68,525	19.08
BBL41C2405A	-	-	-	-	Construction Ma	-	-	-	-	COM701C2404A	-	-	-	-
BBL41C2406A	-	-	-	-	DCC	0.36	-	6,152	0.36	COM701C2404B	-	-	-	-
BBL41C2406B	-	-	-	-	DCP	1.91	(0.01)	41,460	1.92	COM701C2405A	-	-	-	-
BBL41C2407A	0.11	(0.02)	9,000	0.11	DCON	0.43	0.01	5,004	0.43	COM701C2406A	-	-	-	-
BBL41C2407B	0.13	(0.02)	2,952	0.13	DCON-W3	0.07	-	87,541	0.07	COM701C2407A	0.22	(0.02)	20,292	0.22
BBL41C2408A	0.18	(0.02)	3,984	0.18	DRT	7.85	-	2,531	7.83	COM701C2408A	0.35	(0.03)	23,806	0.36
BBL41P2406A	-	-	-	-	EPG	6.80	(0.10)	8,107	6.87	COM701P2404X	-	-	-	-
CIMBT	0.56	(0.02)	25,367	0.56	GEL	0.18	(0.01)	150,717	0.18	COM701P2406X	0.42	0.02	24,029	0.40
CREDIT	27.00	-	2,247	26.83	GEL-W5	0.03	-	5,122	0.03	COM701P2408X	0.34	0.02	6,537	0.32
KBANK	122.50	-	88,698	122.70	PPP	1.79	(0.09)	155	1.79	COM706C2407A	0.21	(0.01)	18,801	0.22
KBANK01C2405A	-	-	-	-	Q-CON	14.80	0.30	9,824	14.86	COM711C2404A	-	-	-	-
KBANK01C2406A	0.11	0.01	2	0.10	SCC	254.00	(5.00)	20,423	255.00	COM711C2406A	-	-	-	-
KBANK01C2407A	0.25	0.01	15,771	0.25	SCC01C2405A	-	-	-	-	COM711P2406A	0.43	0.01	9,860	0.42
KBANK01P2404X	-	-	-	-	SCC01C2407A	0.07	(0.01)	2,040	0.07	COM713C2404A	-	-	-	-
KBANK01P2406X	0.16	-	2,062	0.16	SCC01C2408A	0.38	(0.04)	19,213	0.38	COM713C2404B	-	-	-	-
KBANK01P2408X	0.24	(0.01)	18,204	0.24	SCC11C2408A	0.19	(0.03)	4,850	0.19	COM713C2405A	-	-	-	-
KBANK06C2404A	-	-	-	-	SCC13C2405A	0.01	-	1,000	0.01	COM713C2405B	-	-	-	-
KBANK06C2406A	-	-	-	-	SCC13C2407A	-	-	-	-	COM713C2406A	-	-	-	-
KBANK13C2405A	-	-	-	-	SCC13C2408A	0.25	(0.04)	20,767	0.25	COM713C2407A	0.19	(0.02)	7,567	0.20
KBANK13C2406A	-	-	-	-	SCC13P2408A	0.27	0.02	11,673	0.27	COM713C2408A	0.33	(0.03)	47,039	0.34
KBANK13C2407A	0.17	-	22,793	0.17	SCC19C2405A	-	-	-	-	COM713P2404A	-	-	-	-
KBANK13P2404A	-	-	-	-	SCC19C2406A	-	-	-	-	COM713P2407A	0.29	0.01	26,023	0.28
KBANK13P2406A	0.16	(0.01)	28,906	0.16	SCC19C2408A	0.26	(0.74)	8,438	0.26	COM719C2404A	-	-	-	-
KBANK19C2404A	-	-	-	-	SCCC	137.50	(1.00)	716	138.11	COM719C2404B	-	-	-	-
KBANK19C2405A	-	-	-	-	SCGD	8.05	(0.35)	9,847	8.20	COM719C2406A	-	-	-	-
KBANK19C2406A	0.08	-	6,779	0.07	SCP	6.05	0.05	2,602	6.03	COM719C2407A	0.15	(0.03)	7,198	0.16
KBANK19C2408A	0.20	-	34,985	0.20	SKN	4.50	0.02	642	4.52	COM719C2408A	0.33	(0.02)	54,350	0.34
KBANK19P2404A	0.01	(0.02)	50	0.01	STECH	1.49	(0.05)	9,900	1.49	COM719P2406A	0.36	0.01	15,145	0.35
KBANK41C2405A	-	-	-	-	TASCO	16.00	(0.10)	23,808	16.07	COM741C2404A	-	-	-	-
KBANK41C2405B	-	-	-	-	TASCO01C2405A	-	-	-	-	COM741C2404B	-	-	-	-
KBANK41C2406A	-	-	-	-	TASCO01C2408A	0.21	-	8,735	0.21	COM741C2405A	-	-	-	-
KBANK41C2408A	0.25	0.01	22,752	0.25	TASCO01P2405A	-	-	-	-	COM741C2406A	-	-	-	-
KBANK41P2406A	-	-	-	-	TASCO13C2407A	-	-	-	-	COM741C2407A	0.16	(0.01)	26,680	0.16
KKP	51.75	(0.50)	27,679	51.93	TASCO19C2404A	-	-	-	-	COM741C2408A	0.29	(0.02)	26,424	0.30
KKP-W6	1.66	(0.03)	1,607	1.68	TASCO19C2407A	0.17	-	20,132	0.17	CPALL	55.00	1.00	452,306	55.07
KKP01C2405A	0.08	(0.01)	10,060	0.09	TASCO41C2406A	0.09	(0.01)	6,000	0.10	CPALL01C2404A	-	-	-	-
KKP11C2406A	0.18	(0.01)	9,950	0.19	TOA	21.00	0.10	13,385	20.93	CPALL01C2405A	0.12	0.03	32,163	0.11
KKP11P2405A	-	-	-	-	TOA13C2407A	0.33	0.02	1,800	0.33	CPALL01C2407A	0.15	0.03	27	

Main Board Quotation

Issue Date :

Wednesday April 03, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL19C2407A	0.12	0.03	300	0.12	ADVANC01C240	0.08	-	2,000	0.08	TRUE13C2407A	-	-	-	-
CPALL19P2404A	-	-	-	-	ADVANC01C240	0.21	0.01	37,404	0.21	TRUE13C2407B	0.26	-	23,817	0.26
CPALL19P2408A	-	-	-	-	ADVANC01P240	-	-	-	-	TRUE13P2404A	-	-	-	-
CPALL41C2404A	-	-	-	-	ADVANC01P240	0.31	-	6,405	0.31	TRUE13P2407A	0.03	(0.01)	1	0.03
CPALL41C2405A	-	-	-	-	ADVANC06C240	-	-	-	-	TRUE13P2407B	0.13	-	2,721	0.14
CPALL41C2406A	0.13	0.03	27,268	0.13	ADVANC11C240	-	-	-	-	TRUE19C2404A	-	-	-	-
CPALL41C2407A	0.17	0.03	70,865	0.18	ADVANC13C240	-	-	-	-	TRUE19C2405A	-	-	-	-
CPALL41C2407B	0.14	0.03	8,000	0.15	ADVANC13C240	-	-	-	-	TRUE19C2407A	-	-	-	-
CPALL41C2407C	-	-	-	-	ADVANC13C240	0.10	(0.01)	14,670	0.10	TRUE19C2407B	0.30	-	23,858	0.30
CPALL41C2408A	0.15	0.02	26,950	0.16	ADVANC13P240	-	-	-	-	TRUE19P2408A	0.18	-	22,459	0.18
CPAXT	31.25	0.75	71,447	31.00	ADVANC13P240	0.29	-	21,764	0.30	TRUE41C2404A	-	-	-	-
CPW	2.26	(0.02)	2,027	2.26	ADVANC19C240	-	-	-	-	TRUE41C2404B	-	-	-	-
CRC	35.25	0.50	88,932	35.25	ADVANC19C240	-	-	-	-	TRUE41C2406A	-	-	-	-
CRC01C2404A	0.01	-	1,600	0.01	ADVANC19C240	0.12	(0.01)	10,617	0.12	TRUE41C2406B	-	-	-	-
CRC01C2407A	0.16	0.01	16,543	0.16	ADVANC41C240	-	-	-	-	TRUE41C2407A	0.38	-	9,000	0.38
CRC01P2404X	-	-	-	-	ADVANC41C240	-	-	-	-	TRUE41C2407B	0.20	-	30,908	0.20
CRC11C2404A	0.03	-	1	0.03	ADVANC41C240	0.09	-	100	0.09	TRUE41P2408A	0.30	(0.04)	13,244	0.30
CRC13C2405A	-	-	-	-	AIT	4.70	(0.18)	36,769	4.77	TWZ	0.04	-	48,545	0.03
CRC13C2407A	0.11	0.02	23,766	0.10	ALT	1.48	0.01	1,316	1.49	Electronic Componer	-	-	-	-
CRC13P2404A	-	-	-	-	AMR	1.20	(0.03)	19,239	1.21	CCET	2.48	(0.06)	70,381	2.51
CRC19C2404A	-	-	-	-	BLISS	-	-	-	-	DELTA	74.00	(1.00)	72,512	74.02
CRC19C2406A	0.15	0.02	51,862	0.14	DIF	7.85	(0.05)	80,462	7.90	DELTA01C2404A	-	-	-	-
CRC19C2408A	0.14	0.03	3,987	0.13	DITTO	22.10	(0.80)	17,254	22.48	DELTA01C2404B	-	-	-	-
CRC41C2407A	0.14	0.02	36,444	0.13	DITTO-W1	4.20	0.18	522	3.96	DELTA01C2406A	0.10	(0.01)	6,293	0.10
CSS	0.94	(0.03)	21,140	0.95	DTCENT	1.35	(0.07)	20,308	1.39	DELTA01C2407A	0.42	(0.03)	34,626	0.42
DOHOME	11.20	-	23,491	11.22	FORTH	15.30	(1.10)	29,247	15.74	DELTA01C2407B	0.66	(0.05)	50,153	0.66
DOHOME01C2404A	-	-	-	-	FORTH01C2404	-	-	-	-	DELTA01P2404A	-	-	-	-
DOHOME01C2406A	0.11	-	10,700	0.11	FORTH01C2407	0.13	(0.05)	26,450	0.15	DELTA01P2406X	0.31	0.01	156,278	0.31
DOHOME01C2409A	0.26	(0.74)	7,829	0.26	FORTH13C2404	-	-	-	-	DELTA01P2408X	0.80	(0.20)	28,465	0.80
DOHOME06C2407A	0.17	(0.01)	13,291	0.17	FORTH13C2406	0.08	(0.03)	10,869	0.10	DELTA06C2405A	-	-	-	-
DOHOME11C2406A	0.12	(0.01)	8,790	0.12	FORTH13C2408	0.31	(0.08)	26,194	0.36	DELTA06C2406A	0.36	(0.05)	85,063	0.37
DOHOME13C2404A	0.01	-	38	0.01	FORTH19C2404	-	-	-	-	DELTA11C2406A	0.19	(0.02)	12,650	0.19
DOHOME13C2406A	0.21	-	8,617	0.21	FORTH19C2407	0.16	(0.05)	21,120	0.19	DELTA13C2404A	-	-	-	-
DOHOME13C2407A	0.12	-	8,534	0.12	GABLE	5.00	(0.05)	16,905	5.01	DELTA13C2405A	0.02	-	10,201	0.02
DOHOME19C2404A	-	-	-	-	HUMAN	12.00	0.30	5,632	11.96	DELTA13C2407A	0.28	(0.03)	57,967	0.29
DOHOME19C2406A	0.20	-	14,704	0.20	ICN	2.56	-	3,034	2.59	DELTA13C2407B	0.59	(0.05)	56,268	0.60
DOHOME19C2407A	0.15	-	12,567	0.15	ILINK	7.10	(0.35)	30,409	7.21	DELTA13C2407C	0.43	(0.04)	88,248	0.43
DOHOME41C2406A	0.09	-	2,000	0.09	INET	4.88	(0.08)	5,152	4.93	DELTA13P2404A	-	-	-	-
DOHOME41C2406B	0.14	(0.01)	36,283	0.14	INSET	2.24	(0.02)	14,796	2.26	DELTA13P2405A	0.07	0.01	1	0.07
FN	1.18	0.01	506	1.17	INTUCH	68.00	(0.50)	21,108	68.21	DELTA13P2407A	0.32	0.01	32,596	0.32
FTE	1.70	-	457	1.70	INTUCH01C240	0.02	(0.01)	50	0.02	DELTA13P2408A	0.71	0.02	71,740	0.71
GLOBAL	16.60	(0.10)	19,873	16.67	INTUCH13C240	-	-	-	-	DELTA19C2404A	-	-	-	-
GLOBAL01C2404A	-	-	-	-	INTUCH13C240	0.26	(0.02)	3,097	0.27	DELTA19C2406A	0.13	(0.01)	17,604	0.13
GLOBAL01C2407A	0.30	(0.02)	14,040	0.31	INTUCH19C240	-	-	-	-	DELTA19C2407A	0.30	(0.02)	13,897	0.30
GLOBAL01C2408A	0.24	-	19,318	0.24	ITEL	2.58	(0.08)	90,242	2.63	DELTA19C2407B	0.46	(0.04)	32,902	0.46
GLOBAL11C2408A	0.27	(0.01)	8,250	0.27	ITEL-W4	0.02	(0.01)	2,170	0.02	DELTA19P2404A	-	-	-	-
GLOBAL13C2406A	0.15	-	39,754	0.15	JAS	2.68	0.28	3,248,563	2.62	DELTA19P2407A	0.34	0.01	13,276	0.34
GLOBAL19C2407A	0.36	(0.01)	6,628	0.36	JMART	14.30	(0.40)	71,148	14.52	DELTA41C2404B	-	-	-	-
GLOBAL19C2407B	0.20	-	10,082	0.20	JMART-W4	1.69	(0.02)	279	1.66	DELTA41C2405A	0.01	-	135	0.01
GLOBAL41C2406A	0.14	-	18,188	0.14	JMART-W5	1.50	(0.10)	857	1.62	DELTA41C2406A	0.10	(0.02)	9,904	0.10
HMPRO	10.50	(0.20)	201,294	10.54	JMART01C2404	0.01	-	5,000	0.01	DELTA41C2407A	0.28	(0.04)	28,275	0.29
HMPRO01C2404A	0.01	-	5,000	0.01	JMART01C2405	-	-	-	-	DELTA41C2407B	0.47	(0.04)	56,971	0.47
HMPRO01C2406A	-	-	-	-	JMART01C2406	0.10	(0.02)	29,371	0.12	DELTA41P2406A	0.62	0.02	19,346	0.62
HMPRO01C2407A	-	-	-	-	JMART01C2407	0.23	(0.04)	45,623	0.25	HANA	39.25	(0.75)	72,233	39.43
HMPRO01C2407T	-	-	-	-	JMART01P2404	-	-	-	-	HANA01C2404A	-	-	-	-
HMPRO13C2405A	-	-	-	-	JMART01P2408	0.47	0.03	20,383	0.45	HANA01C2405A	0.01	-	260	0.01
HMPRO13C2407A	-	-	-	-	JMART06C2405	-	-	-	-	HANA01C2406A	-	-	-	-
HMPRO13C2404A	-	-	-	-	JMART13C2404	-	-	-	-	HANA01C2407A	0.16	(0.01)	1,108	0.16
HMPRO19C2407A	0.10	(0.01)	20	0.10	JMART13C2404	0.01	-	450	0.01	HANA01C2407B	0.35	(0.04)	30,405	0.36
HMPRO41C2404A	-	-	-	-	JMART13C2407	0.13	(0.02)	25,464	0.14	HANA01P2404X	-	-	-	-
HMPRO41C2406A	-	-	-	-	JMART13C2408	0.32	(0.04)	49,183	0.35	HANA01P2405X	0.46	-	4,617	0.46
HMPRO41C2407A	-	-	-	-	JMART13P2404	-	-	-	-	HANA01P2407X	0.38	0.01	31,912	0.38
HMPRO41C2408A	0.13	(0.02)	26,704	0.13	JMART13P2408	0.47	0.03	20,959	0.45	HANA01P2408X	-	-	-	-
ICC	46.50	-	8	46.38	JMART19C2404	-	-	-	-	HANA06C2404A	-	-	-	-
ILM	20.70	(0.20)	1,466	20.85	JMART19C2406	-	-	-	-	HANA06C2405A	-	-	-	-
IT	3.70	(0.02)	689	3.73	JMART19C2406	0.12	(0.02)	9,457	0.12	HANA06C2407A	0.33	(0.04)	55,906	0.34
KAMART	13.50	(0.50)	170,913	13.77	JMART19C2408	0.26	(0.03)	40,239	0.28	HANA11C2407A	-	-	-	-
LOXLEY	1.48	(0.02)	7,092	1.48	JMART19P2404	-	-	-	-	HANA13C2404A	-	-	-	-
MC	13.00	-	17,855	13.11	JMART19P2404	-	-	-	-	HANA13C2404B	-	-	-	-
MEGA	43.25	-	11,466	43.29	JMART41C2404	-	-	-	-	HANA13C2407A	0.06	(0.01)	620	0.06
MEGA01C2404A	-	-	-	-	JMART41C2405	-	-	-	-	HANA13C2407B	0.11	(0.01)	857	0.11
MEGA13C2405A	0.09	(0.01)	6,258	0.10	JMART41C2407	0.19	(0.03)	18,944	0.21	HANA13C2407C	0.30	(0.04)	34,030	0.31
MEGA19C2404A	-	-	-	-	JMART41P2405	-	-	-	-	HANA13C2408A	0.24	(0.02)	86,846	0.25
MIDA	0.47	(0.01)	3,137	0.47	JTS	51.75	(0.50)	18,105	51.54	HANA13P2404A	-	-	-	-
MIDA-W3	-	-	-	-	MFEC	6.90	-	794	6.92	HANA13P2406A	-	-	-	-
MOSHI	54.00	(0.25)	13,665	53.88	MSC	8.30	(0.10)	189	8.22	HANA13P2407A	0.38	0.01	13,635	0.38
MOSHI13C2407A	0.20	-	32,208	0.19	PT	7.90	(0.10)	3,071	7.91	HANA13P2407B	0.17	0.01	233	0.17
RS	12.80	(0.30)	4,411	12.84	SAMART	6.70	(0.35)	60,821	6.81	HANA13P2408A	0.33	0.01	1,403	0.33
RS-W4	-	-	-	-	SAMART-W3	0.01	-	28,157	0.01	HANA19C2404A	-	-	-	-
RS-W5	4.98	0.02	6,917	4.97	SAMTEL	3.02	(0.12)	9,871	3.05	HANA19C2404B	-	-	-	-
RSP	2.38	-	348	2.40	SAMTEL-W1	0.01	-	5,023	0.01	HANA19C2407A	-	-	-	-
SABUY	3.24	(1.40)	1,097,968	3.78	SDC	0.06	0.01	328,799	0.05	HANA19C2407B	0.13	(0.03)	22,934	0.14
SABUY-W1	0.78	(1.88)	4,433	1.05	SIS	27.75	-	5,176	27.98	HANA19C2407C	0.28	(0.04)	33,918	0.29
SABUY-W2	0.22	(0.28)	844,039	0.23	SKY	26.00	-	6,191	26.15	HANA19P2405A	-	-	-	-
SABUY01C2404A	0.02	0.01	3,754	0.02	SVOA	1.97	0.03	3,599	1.93	HANA19P2407A	-	-	-	-
SABUY06C2404A	-	-	-	-	SYMC	8.95	0.05	23,423	8.93	HANA41C2404A	-	-	-	-
SABUY13C2404A	0.01	-	3,200	0.01	SYNEX	12.20	0.50	26,515	12.10	HANA41C2405A	-	-	-	-
SABUY13C2407A	0.02	(0.03)	91,382	0.02	THCOM	13.80	(0.40)	195,893	13.99	HANA41C2405B	-	-	-	-
SABUY13C2407B	0.02	(0.07)	90,239	0.03	TKC	13.70	(0.30)	5,861	13.78	HANA41C2406A	-	-	-	-
SABUY19C2404A	-	-	-	-	TRUE	7.80	-	308,567	7.					

Main Board Quotation

Issue Date :

Wednesday April 03, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE11C2405A	-	-	-	-	BGRIM41C2405/	-	-	-	-	GULF41C2406A	0.07	(0.02)	300	0.08
KCE11C2408A	0.30	(0.03)	7,362	0.31	BGRIM41C2405E	-	-	-	-	GULF41C2408A	0.14	(0.01)	13,504	0.15
KCE13C2404A	-	-	-	-	BGRIM41C2407/	-	-	-	-	GULF41P2405A	0.15	(0.03)	10,944	0.14
KCE13C2406A	-	-	-	-	BGRIM41C2408E	0.18	-	6,036	0.19	GUNKUL	2.72	(0.04)	172,901	2.74
KCE13C2407A	0.07	(0.01)	1,506	0.07	BIOTEC	0.38	(0.01)	13,151	0.39	GUNKUL01C2404A	-	-	-	-
KCE13C2407B	0.16	(0.01)	7,764	0.16	BIOTEC-P	-	-	-	-	GUNKUL01C2407A	-	-	-	-
KCE13C2408A	0.29	(0.03)	19,166	0.30	BIOTEC-Q	-	-	-	-	GUNKUL01P2404X	-	-	-	-
KCE13P2407A	0.42	0.03	8,934	0.41	BIOTEC-W2	0.10	-	4,605	0.10	GUNKUL01P2407X	0.44	0.02	7,725	0.43
KCE13P2407B	0.23	0.01	3,342	0.22	BPP	15.00	-	14,127	15.02	GUNKUL11C2404A	0.06	(0.01)	1,005	0.07
KCE19C2404A	-	-	-	-	BRRGIF	3.50	(0.02)	456	3.53	GUNKUL13C2404A	-	-	-	-
KCE19C2406A	-	-	-	-	BSRC	10.20	(0.20)	29,369	10.21	GUNKUL13C2407A	0.07	(0.02)	4,574	0.08
KCE19C2406B	0.04	(0.01)	4,080	0.04	BSRC13C2408A	0.16	-	1	0.16	GUNKUL13C2407B	0.20	(0.02)	21,460	0.21
KCE19C2407A	0.14	(0.02)	3,673	0.15	CKP	4.16	0.02	80,996	4.19	GUNKUL13P2404A	-	-	-	-
KCE19C2408A	0.31	(0.03)	4,327	0.32	CKP01C2407A	0.51	-	9,162	0.54	GUNKUL13P2407A	0.35	0.02	15,700	0.34
KCE19P2404A	-	-	-	-	CKP13C2407A	-	-	-	-	GUNKUL19C2405A	0.09	(0.01)	7,375	0.09
KCE19P2407A	0.19	0.02	5,568	0.18	CKP19C2407A	-	-	-	-	IFEC	-	-	-	-
KCE41C2404A	-	-	-	-	CV	0.53	(0.06)	499,910	0.56	IRPC	1.93	-	396,646	1.94
KCE41C2405A	-	-	-	-	CV-W1	0.44	(0.18)	412,232	0.53	IRPC01C2406A	-	-	-	-
KCE41C2406A	-	-	-	-	DEMCO	3.64	0.08	28,054	3.72	IRPC13C2405A	-	-	-	-
KCE41C2406B	-	-	-	-	DEMCO-W7	0.91	(0.02)	69,786	1.02	IRPC13C2407A	0.20	-	12,552	0.20
KCE41C2407A	0.14	(0.02)	24,964	0.15	EA	33.25	(1.00)	132,759	33.59	IRPC19C2404A	-	-	-	-
KCE41C2407B	0.23	(0.02)	26,288	0.24	EA01C2405A	-	-	-	-	JR	4.40	0.02	3,210	4.38
KCE41P2407A	0.42	(0.02)	3,044	0.43	EA01C2406A	0.01	-	1,500	0.01	KBSPIF	8.50	(0.05)	245	8.47
KCE41P2408B	-	-	-	-	EA01C2406B	0.02	(0.01)	3,040	0.02	LANNA	14.00	-	7,128	14.03
METCO	223.00	-	9	223.33	EA01C2407A	0.06	(0.01)	6,671	0.06	MDX	3.70	(0.12)	18,128	3.82
SMT	2.90	(0.18)	39,182	2.95	EA01C2407B	0.14	(0.03)	16,304	0.15	NOVA	10.00	-	5	10.02
SMT-W3	0.04	(0.02)	43,733	0.05	EA01P2404X	0.54	0.12	826	0.50	OR	18.30	0.10	178,372	18.25
SVI	6.45	-	1,956	6.41	EA01P2406X	0.25	0.03	21,459	0.24	OR01C2405A	-	-	-	-
TEAM	4.12	(0.06)	5,386	4.17	EA06C2404A	-	-	-	-	OR01C2407A	0.18	-	15,838	0.18
Energy & Utilities	-	-	-	-	EA06C2406A	-	-	-	-	OR01P2405X	0.17	(0.01)	3,459	0.17
7UP	0.38	(0.02)	73,180	0.39	EA11C2405A	-	-	-	-	OR11C2404A	-	-	-	-
ACC	0.51	(0.02)	29,965	0.52	EA11C2408A	0.13	-	6,120	0.13	OR13C2404A	-	-	-	-
ACE	1.44	(0.01)	36,728	1.44	EA13C2405A	-	-	-	-	OR13C2407A	0.14	-	54,048	0.13
ACE13C2407A	0.09	-	570	0.08	EA13C2406A	-	-	-	-	OR19C2404A	0.02	-	1	0.02
ACE19C2407A	-	-	-	-	EA13C2406B	-	-	-	-	OR19C2407A	0.18	0.01	23,914	0.17
AGE	1.92	(0.03)	7,028	1.94	EA13C2407A	0.07	(0.01)	22,162	0.07	PCC	3.04	-	5,213	3.03
AI	4.18	0.02	1,572	4.16	EA13C2408A	0.16	(0.03)	199,281	0.17	PRIME	0.54	(0.02)	92,729	0.55
AIE	1.30	(0.01)	6,846	1.31	EA13P2406A	-	-	-	-	PTG	8.75	(0.05)	36,497	8.74
AKR	0.98	(0.01)	12,854	0.99	EA13P2407A	0.24	0.02	11,904	0.23	PTG01C2404A	0.01	(0.01)	1	0.01
AKR-W2	0.02	(0.01)	32,700	0.02	EA19C2405A	-	-	-	-	PTG01C2407A	0.23	(0.01)	14,705	0.23
BAFS	23.50	0.10	2,220	23.39	EA19C2406A	-	-	-	-	PTG11C2405A	-	-	-	-
BANPU	5.60	-	513,915	5.58	EA19C2406B	0.04	(0.03)	500	0.04	PTG13C2407A	0.20	(0.01)	11,325	0.20
BANPU01C2404A	-	-	-	-	EA19C2407A	0.13	(0.03)	53,685	0.14	PTG19C2404A	-	-	-	-
BANPU01C2405A	0.01	(0.01)	8,463	0.01	EA41C2404A	-	-	-	-	PTG19C2407A	0.25	-	2,746	0.25
BANPU01C2406A	-	-	-	-	EA41C2405A	-	-	-	-	PTT	34.50	0.50	388,578	34.33
BANPU01C2407A	0.08	-	11,764	0.08	EA41C2406A	-	-	-	-	PTT01C2405A	0.05	-	1	0.05
BANPU01C2408A	0.20	0.01	30,438	0.19	EA41C2407A	-	-	-	-	PTT01C2407A	0.15	0.01	8,914	0.15
BANPU01P2404X	0.67	(0.01)	528	0.71	EA41C2408A	0.16	(0.03)	94,492	0.17	PTT01P2405X	0.02	-	20	0.02
BANPU01P2405X	0.21	(0.01)	1,638	0.22	EA41C2408B	0.12	(0.02)	16,964	0.13	PTT01P2408X	0.16	(0.04)	151	0.16
BANPU01P2407X	0.20	0.01	6,611	0.20	EA41P2405A	0.56	0.03	2	0.56	PTT11C2404A	-	-	-	-
BANPU06C2407A	0.09	(0.01)	200	0.09	EASTW	3.48	(0.04)	2,758	3.49	PTT13C2406A	0.10	0.02	61,233	0.10
BANPU11C2404A	-	-	-	-	EGATIF	6.15	0.25	15,499	6.06	PTT13P2405A	0.01	(0.01)	2	0.01
BANPU11C2406A	-	-	-	-	EGCO	113.00	(1.50)	5,555	113.61	PTT13P2408A	0.16	(0.03)	1,000	0.17
BANPU11C2410T	0.22	-	6,640	0.21	EGCO01C2404A	-	-	-	-	PTT19C2404A	-	-	-	-
BANPU13C2404A	-	-	-	-	EGCO13C2405A	-	-	-	-	PTT19C2406A	-	-	-	-
BANPU13C2405A	-	-	-	-	EGCO13C2407A	0.19	(0.02)	17,398	0.20	PTT41C2407A	0.19	0.03	5,000	0.19
BANPU13C2406A	-	-	-	-	EGCO19C2408A	0.24	(0.01)	3,340	0.25	PTT41C2407B	0.16	0.02	2,000	0.16
BANPU13C2407A	0.08	-	2,052	0.08	EP	2.68	(0.02)	95	2.69	PTT41C2408C	0.14	0.01	500	0.14
BANPU13C2408A	0.19	-	11,041	0.18	EP-W4	0.09	(0.08)	300,922	0.12	PTTEP	157.50	2.50	318,645	156.71
BANPU13P2404A	-	-	-	-	ETC	2.52	(0.14)	40,424	2.57	PTTEP01C2404A	-	-	-	-
BANPU13P2405A	0.08	(0.01)	1,102	0.09	GPSC	52.25	-	32,882	52.32	PTTEP01C2404T	-	-	-	-
BANPU19C2404A	-	-	-	-	GPSC01C2404A	0.05	(0.02)	533	0.06	PTTEP01C2405A	0.28	0.04	45,931	0.26
BANPU19C2405A	-	-	-	-	GPSC01C2405A	0.09	0.01	153	0.08	PTTEP01C2407A	0.34	0.04	42,158	0.33
BANPU19C2405B	-	-	-	-	GPSC01C2407A	0.24	-	48,095	0.24	PTTEP01P2405X	-	-	-	-
BANPU19C2407A	-	-	-	-	GPSC01P2404X	-	-	-	-	PTTEP01P2406X	0.18	(0.03)	3,244	0.18
BANPU19C2407B	-	-	-	-	GPSC01P2405X	-	-	-	-	PTTEP06C2405A	0.37	0.08	209,822	0.35
BANPU19P2404A	-	-	-	-	GPSC01P2407X	0.18	(0.01)	23,295	0.18	PTTEP11C2406A	0.41	0.05	19,109	0.39
BANPU19P2406A	0.21	(0.04)	476	0.22	GPSC06C2404A	-	-	-	-	PTTEP11P2406A	0.14	(0.02)	10,070	0.14
BANPU41C2405A	-	-	-	-	GPSC11C2408T	0.33	0.01	23,140	0.32	PTTEP13C2404A	-	-	-	-
BANPU41C2406A	-	-	-	-	GPSC11P2405A	-	-	-	-	PTTEP13C2405A	0.19	0.02	131,998	0.18
BANPU41C2407A	-	-	-	-	GPSC13C2406A	0.17	(0.01)	97,245	0.18	PTTEP13C2408A	0.47	0.06	127,835	0.45
BANPU41C2407B	0.11	-	18,780	0.11	GPSC13P2404A	-	-	-	-	PTTEP13P2405A	-	-	-	-
BBGI	5.05	0.13	28,287	5.06	GPSC13P2407A	0.11	(0.01)	36,086	0.11	PTTEP13P2406A	0.06	(0.01)	10	0.06
BCP	44.75	(0.25)	72,448	45.15	GPSC13P2408A	0.41	(0.01)	37,180	0.41	PTTEP13P2408A	0.32	(0.04)	31,785	0.32
BCP01C2405A	0.15	(0.02)	43,085	0.17	GPSC19C2405A	0.15	-	-	-	PTTEP19C2404A	-	-	-	-
BCP01C2408A	0.29	-	43,723	0.30	GPSC19C2408A	0.18	-	4,759	0.17	PTTEP19C2404B	-	-	-	-
BCP01P2404X	-	-	-	-	GPSC19P2404A	-	-	-	-	PTTEP19C2406A	0.28	0.03	145,042	0.28
BCP01P2408X	0.36	(0.64)	10,958	0.35	GPSC19P2406A	-	-	-	-	PTTEP19C2407A	0.25	0.03	44,899	0.24
BCP13C2405A	0.14	(0.02)	46,742	0.16	GPSC19P2407A	0.18	(0.01)	21,358	0.18	PTTEP41C2404A	-	-	-	-
BCP13P2404A	-	-	-	-	GPSC41C2404A	-	-	-	-	PTTEP41C2405A	0.14	0.02	36,000	0.13
BCP13P2408A	0.36	-	17,033	0.35	GPSC41C2405A	0.10	(0.01)	22,050	0.11	PTTEP41C2405B	0.17	0.03	32,256	0.16
BCP19C2404A	0.05	0.01	2	0.05	GPSC41C2406A	0.15	(0.01)	7,508	0.15	PTTEP41C2406A	0.24	0.04	70,801	0.22
BCP19C2408A	0.26	-	57,698	0.26	GPSC41C2408A	0.21	-	26,928	0.22	PTTEP41P2405A	-	-	-	-
BCPG	6.85	-	16,421	6.86	GPSC41P2406A	-	-	-	-	PTTEP41P2406A	-	-	-	-
BCPG19C2406A	-	-	-	-	GREEN	1.00	(0.04)	35,240	1.03	PTTEP41P2407A	0.27	(0.04)	34,369	0.29
BGRIM	27.25	-	59,997	27.32	GULF	42.75	(0.50)	116,121	43.05	QTC	4.10	(0.04)	606	4.12
BGRIM01C2404A	-	-	-	-	GULF01C2405A	0.01	(0.01)	34	0.01	RATCH	27.75	(0.25)	11,918	27.84
BGRIM01C2406A	0.08	-	17,620	0.09	GULF01C2406A	0.10	(0.01)	4,400	0.10	RATCH01C2405A	-	-	-	-
BGRIM01C2407A	0.19	(0.01)	18,517	0.19	GULF01C									

Main Board Quotation

Issue Date :

Wednesday April 03, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SOLAR	0.67	(0.02)	46,125	0.68	VG141C2407A	0.17	(0.02)	74,484	0.18	MTC13C2406A	0.23	(0.01)	59,434	0.24
SPCG	11.30	0.10	3,549	11.23	WORK	9.05	(0.05)	1,265	9.03	MTC13P2404A	-	-	-	-
SPRC	8.80	(0.05)	188,400	8.85	ZAA	1.21	(0.03)	27,480	1.25	MTC13P2406A	-	-	-	-
SPRC01C2405A	-	-	-	-	Finance & Secur	-	-	-	-	MTC13P2408A	0.34	-	14,518	0.33
SPRC01C2408A	0.24	(0.01)	29,669	0.26	AEONTS	156.50	(1.00)	1,069	156.36	MTC19C2404A	-	-	-	-
SPRC06C2405A	0.15	(0.01)	46,917	0.15	AEONTS13C240	0.50	(0.03)	3,401	0.50	MTC19C2406A	0.24	(0.02)	89,806	0.25
SPRC11C2406A	0.18	(0.01)	16,210	0.19	AMANAHA	2.26	-	4,226	2.26	MTC19P2404A	-	-	-	-
SPRC13C2404A	-	-	-	-	ASAP	3.14	(0.02)	4,377	3.15	MTC41C2404A	-	-	-	-
SPRC13C2408A	0.28	(0.03)	48,436	0.29	ASK	17.10	(0.10)	3,717	17.18	MTC41C2405A	0.06	(0.01)	1,500	0.06
SPRC13P2405A	-	-	-	-	ASP	2.68	0.02	6,897	2.68	MTC41C2408A	0.31	(0.01)	40,227	0.31
SPRC19C2404A	-	-	-	-	BAM	10.00	-	79,409	10.07	NCAP	2.14	(0.02)	18,066	2.15
SPRC19C2408A	0.25	(0.01)	69,004	0.26	BAM01C2404A	-	-	-	-	PL	2.00	-	1,937	1.99
SSP	7.95	(0.05)	13,445	7.95	BAM01C2406A	0.46	0.02	7,148	0.45	S11	2.84	(0.02)	5,525	2.87
SSP-W2	0.34	(0.09)	140,121	0.43	BAM01C2409A	0.21	(0.79)	19,154	0.22	SAK	5.15	(0.10)	33,750	5.24
SUPER	0.29	(0.01)	226,473	0.30	BAM11C2405A	-	-	-	-	SAWAD	42.50	(0.25)	32,041	42.62
SUPEREIF	5.65	(0.10)	4,281	5.72	BAM13C2405A	0.17	(0.03)	1,800	0.17	SAWAD-W2	1.10	(0.03)	50,314	1.34
SUSCO	4.26	(0.04)	41,290	4.28	BAM13C2408A	-	-	-	-	SAWAD01C2405A	-	-	-	-
TAE	1.00	(0.02)	9,151	0.99	BAM13C2408B	0.17	-	6,193	0.17	SAWAD01C2406A	0.15	(0.02)	9,082	0.15
TCC	0.49	(0.01)	1,912	0.50	BAM19C2404A	-	-	-	-	SAWAD01C2408A	0.35	(0.03)	29,892	0.36
TCC-W5	0.20	(0.01)	7,455	0.21	BAM19C2405A	-	-	-	-	SAWAD01P2404X	-	-	-	-
TGE	3.10	-	25,494	3.10	BAM19C2408A	0.18	-	4,322	0.18	SAWAD01P2407X	0.30	-	19,669	0.30
TGE-W1	2.12	-	8,260	2.17	BYD	3.52	(0.06)	28,376	3.55	SAWAD11P2406A	0.19	-	3,710	0.19
TOP	59.25	0.25	64,385	59.28	BYD06C2404A	-	-	-	-	SAWAD13C2405A	-	-	-	-
TOP01C2404A	0.12	(0.10)	2	0.12	BYD13C2405A	-	-	-	-	SAWAD13C2406A	0.09	(0.01)	4,790	0.09
TOP01C2405A	0.24	-	20,407	0.24	BYD13C2406A	0.05	(0.02)	1,637	0.06	SAWAD13C2407A	0.23	-	39,297	0.23
TOP01C2407A	0.52	0.01	9,077	0.51	BYD19C2404A	-	-	-	-	SAWAD13C2408A	-	-	-	-
TOP01C2408A	0.30	-	16,946	0.30	BYD19C2407A	0.13	(0.01)	1,788	0.13	SAWAD13P2407A	0.16	0.01	4,213	0.16
TOP01P2404X	-	-	-	-	CGH	0.64	-	8,151	0.63	SAWAD19C2405A	-	-	-	-
TOP01P2406X	-	-	-	-	CGH-W4	0.01	-	1	0.01	SAWAD19C2406A	0.23	(0.01)	47,807	0.22
TOP01P2408X	0.37	(0.02)	10,628	0.37	CHASE	1.74	(0.03)	36,078	1.76	SAWAD19C2408A	0.41	(0.02)	7,118	0.42
TOP11C2405A	-	-	-	-	CHAYO	4.78	(0.10)	52,984	4.82	SAWAD19P2404A	0.01	-	20	0.01
TOP11C2407A	0.39	(0.01)	13,320	0.39	CHAYO-W3	0.50	(0.05)	12,652	0.52	SAWAD41C2405A	-	-	-	-
TOP11P2406A	-	-	-	-	ECL	1.41	(0.06)	42,644	1.44	SAWAD41C2405B	-	-	-	-
TOP13C2404A	-	-	-	-	ECL-W4	0.01	-	12,004	0.01	SAWAD41C2406A	0.21	(0.01)	8,968	0.21
TOP13C2407A	0.42	0.01	52,474	0.42	FNS	3.30	(0.04)	1,246	3.27	SAWAD41C2406B	0.19	(0.02)	25,562	0.20
TOP13C2408A	0.26	(0.01)	23,661	0.27	FSX	2.50	0.06	1,801	2.44	SAWAD41C2407A	0.23	(0.01)	62,801	0.24
TOP13P2404A	-	-	-	-	GBX	0.74	0.01	2,156	0.74	SAWAD41P2405A	-	-	-	-
TOP13P2408A	0.27	(0.01)	4,234	0.27	GL	-	-	-	-	SCAP	2.88	(0.02)	3,397	2.87
TOP19C2405A	0.19	(0.01)	21,480	0.19	HENG	1.81	0.01	19,607	1.81	SGC	1.36	(0.04)	42,861	1.38
TOP19C2408A	0.26	-	37,215	0.26	IFS	2.68	-	194	2.69	SM	1.36	(0.02)	7,317	1.37
TOP19P2408A	0.36	(0.01)	22,007	0.36	JMT	22.10	(0.30)	132,254	22.19	TH	1.05	-	15,966	1.05
TOP41C2404A	-	-	-	-	JMT-W4	1.50	0.21	102,877	1.62	TH-W3	0.35	(0.02)	10,696	0.38
TOP41C2405A	0.21	-	3,500	0.22	JMT01C2404A	-	-	-	-	THANI	2.28	(0.06)	51,222	2.31
TOP41C2408A	0.34	-	15,324	0.35	JMT01C2405A	-	-	-	-	THANI13C2407A	0.08	(0.01)	10	0.08
TP1PP	3.30	0.02	16,537	3.30	JMT01C2406A	0.18	(0.02)	49,038	0.19	THANI19C2407A	0.12	-	15,406	0.12
TSE	1.21	-	10,592	1.21	JMT01C2407A	0.11	-	25,243	0.11	TIDLOR	22.00	(0.30)	80,110	22.10
TTW	8.95	(0.05)	14,270	8.99	JMT01C2408A	0.54	(0.03)	48,269	0.55	TIDLOR01C2405A	0.05	(0.01)	60	0.05
UBE	0.77	(0.01)	12,172	0.78	JMT01P2404X	-	-	-	-	TIDLOR01C2407A	0.17	(0.03)	23,693	0.19
WHAUP	4.02	-	21,161	4.03	JMT01P2406X	0.35	0.01	20,534	0.34	TIDLOR01C2409A	0.41	(0.59)	12,094	0.43
WP	4.30	-	805	4.31	JMT06C2404A	-	-	-	-	TIDLOR01P2404X	-	-	-	-
Media & Publishing	-	-	-	-	JMT06C2406A	0.31	(0.02)	40,372	0.30	TIDLOR11P2406A	0.17	0.01	2,120	0.17
AMARIN	4.98	-	2,140	4.98	JMT11C2405A	-	-	-	-	TIDLOR13C2406A	0.14	(0.02)	30,730	0.15
AQUA	0.34	-	3,229	0.33	JMT11C2407A	0.40	(0.02)	27,050	0.39	TIDLOR13C2408A	0.36	(0.03)	25,375	0.38
AQUA-W3	0.01	-	1	0.01	JMT11P2406A	0.40	0.01	18,902	0.39	TIDLOR13P2404A	-	-	-	-
AS	6.70	(0.25)	1,744	6.76	JMT13C2404A	-	-	-	-	TIDLOR19C2404A	-	-	-	-
BEC	4.94	(0.11)	10,161	4.97	JMT13C2404B	-	-	-	-	TIDLOR19C2406A	0.13	(0.02)	100	0.13
FE	-	-	-	-	JMT13C2405A	0.01	-	500	0.01	TIDLOR19C2408A	0.31	(0.03)	56,228	0.33
GPI	1.83	(0.02)	1,094	1.83	JMT13C2406A	0.17	(0.02)	33,741	0.17	TIDLOR19P2407A	0.27	0.01	19,306	0.26
GRAMMY	5.70	-	144	5.66	JMT13C2407A	0.09	-	4,501	0.09	TIDLOR41C2406A	0.15	(0.02)	23,472	0.16
JKN	0.45	(0.03)	143,876	0.47	JMT13C2408A	0.48	(0.03)	63,677	0.49	TIDLOR41C2407A	0.19	(0.02)	27,648	0.20
MAJOR	14.50	-	33,221	14.45	JMT13P2406A	0.35	0.01	24,608	0.34	TIDLOR41C2407B	0.15	(0.02)	16,000	0.16
MATCH	1.46	(0.02)	6	1.47	JMT19C2404A	-	-	-	-	TK	4.98	(0.02)	422	4.99
MATI	6.90	(0.30)	526	6.94	JMT19C2404B	-	-	-	-	TNITY	4.16	(0.04)	1,839	4.18
MCOT	3.16	0.04	239	3.16	JMT19C2404C	-	-	-	-	UOBKH	-	-	-	-
MONO	0.80	0.02	350,420	0.81	JMT19C2406A	0.25	(0.02)	40,064	0.26	XPG	1.31	(0.05)	339,602	1.32
NATION	0.03	-	63,792	0.03	JMT19C2408A	0.47	(0.03)	29,891	0.48	XPG-W4	-	-	-	-
NATION-W4	-	-	-	-	JMT19P2407A	0.28	-	6,571	0.29	Food & Beverage	-	-	-	-
ONEE	4.70	(0.08)	75,961	4.75	JMT41C2404A	-	-	-	-	AAI	4.64	0.06	120,376	4.63
PLANB	8.40	(0.15)	61,031	8.39	JMT41C2405A	0.01	(0.01)	111	0.01	APURE	4.44	(0.04)	886	4.46
PLANB-W1	0.80	(0.08)	1,108	0.83	JMT41C2406A	-	-	-	-	APURE-W3	0.29	(0.07)	31,340	0.32
PLANB11C2408A	0.29	(0.03)	17,615	0.29	JMT41C2406B	0.19	(0.02)	24,156	0.20	ASIAN	6.80	(0.10)	13,824	6.89
PLANB11P2408A	0.50	-	20,200	0.49	JMT41C2407A	-	-	-	-	BR	2.54	(0.04)	4,637	2.55
PLANB13C2407A	0.16	(0.02)	11,034	0.16	JMT41C2408A	0.43	(0.02)	33,804	0.44	BR-W1	0.14	(0.02)	26,080	0.15
PLANB19C2408A	0.19	(0.02)	4,704	0.19	KCAR	6.25	-	329	6.23	BRR	4.84	-	1,706	4.86
POST	-	-	-	-	KGI	4.80	(0.02)	11,072	4.80	BRR-W2	0.60	(0.09)	12,501	0.67
PRAKIT	11.90	-	179	11.90	KTC	45.00	(0.50)	10,335	45.21	BTG	21.80	(0.60)	12,544	22.03
PTECH	7.05	(0.10)	9	7.06	KTC01C2405A	-	-	-	-	CBG	62.50	(0.75)	19,012	62.83
ROCTEC	0.70	(0.01)	65,709	0.71	KTC01C2407A	0.19	(0.02)	70,383	0.20	CBG01C2404A	0.01	-	5,490	0.01
ROCTEC-W3	0.03	-	8,001	0.02	KTC01P2406X	0.16	-	775	0.16	CBG01C2404T	-	-	-	-
ROCTEC-W5	0.03	-	546,042	0.03	KTC11C2405A	-	-	-	-	CBG01C2406A	-	-	-	-
SE-ED	2.28	(0.02)	1	2.28	KTC11P2405A	0.16	-	530	0.16	CBG01C2407A	0.10	(0.01)	16,821	0.10
TKS	7.60	0.05	13,017	7.57	KTC13C2405A	-	-	-	-	CBG01C2408A	0.30	(0.01)	27,873	0.30
VGI	1.66	(0.03)	683,251	1.67	KTC13C2407A	0.18	(0.02)	15,564	0.19	CBG01P2404X	-	-	-	-
VGI-W3	0.07	(0.01)	71,240	0.07	KTC13P2407A	0.13	-	8,128	0.13	CBG01P2405X	0.72	-	3,874	0.71
VGI01C2404A	-	-	-	-	KTC19C2405A	0.05	(0.01)	70,000	0.05	CBG01P2408X	0.59	-	4,836	0.58
VGI01C2405A	-	-	-	-	KTC19C2407A	0.19	(0.02)	2,453	0.20	CBG06C2405A	-	-	-	-
VGI01C2406A	0.07	(0.01)	2,101	0.07	KTC41C2405A	-	-	-	-	CBG11C2404A	-	-	-	-
VGI01C2407A	0.21	(0.02)	86,441	0.22	KTC41C2407A	0.17	(0.02)	24,570	0.18	CBG11C2408A	0.27	(0.01)	6,540	0.27
VGI01C2407B	0.41	(0.03)	21,262	0.										

Main Board Quotation

Issue Date :

Wednesday April 03, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG41C2407B	0.22	(0.03)	47,266	0.23	TU01P2407X	0.20	-	3,518	0.19	ASIA	6.60	-	6	6.67
CBG41C2408A	0.26	(0.02)	10,917	0.27	TU11C2407T	0.16	-	8,800	0.16	BEYOND	11.50	(0.10)	701	11.47
CFRESH	1.75	-	12,182	1.76	TU13C2404A	-	-	-	-	BEYOND-W2	1.39	(0.07)	230	1.41
CH	2.48	(0.04)	4,676	2.50	TU13C2408A	0.19	(0.02)	13,082	0.21	CENTEL	44.00	0.50	16,718	43.83
CHOTI	86.00	(3.00)	43	87.45	TU13P2406A	0.14	0.01	2,317	0.14	CENTEL01C2405A	-	-	-	-
CM	2.34	(0.04)	356	2.35	TU19C2407A	0.21	0.01	17,467	0.21	CENTEL01C2408A	0.27	0.01	54,218	0.26
COCOCO	10.90	(0.20)	148,042	11.06	TU41C2407A	0.10	(0.01)	2,000	0.10	CENTEL01P2404X	-	-	-	-
CPF	18.00	(0.10)	123,246	18.09	TU41C2408A	0.21	(0.02)	17,440	0.23	CENTEL13C2405A	-	-	-	-
CPF01C2404A	-	-	-	-	TVO	18.90	0.30	9,108	18.87	CENTEL13C2407A	0.20	0.01	22,525	0.19
CPF01C2407A	0.13	(0.01)	13,620	0.14	TWPC	3.56	(0.04)	2,335	3.59	CENTEL13P2404A	-	-	-	-
CPF01P2404X	-	-	-	-	W	0.73	-	60,969	0.72	CENTEL19C2405A	-	-	-	-
CPF01P2408T	0.34	0.01	1,523	0.34	W-W5	0.01	-	50	0.01	CENTEL19C2408A	0.26	0.02	53,811	0.25
CPF11C2408A	0.19	-	6,060	0.19	W-W6	0.39	(0.01)	15	0.39	CENTEL41C2405A	-	-	-	-
CPF11P2407T	0.29	0.01	2,550	0.28	ZEN	8.00	(0.10)	1,153	8.00	CENTEL41C2406A	0.13	0.01	15,170	0.13
CPF13C2404A	-	-	-	-	Health Care Sen	-	-	-	-	CENTEL41C2408A	0.27	0.01	50,513	0.27
CPF13C2406A	-	-	-	-	AHC	18.50	0.10	33	18.59	CSR	-	-	-	-
CPF13P2405A	-	-	-	-	BCH	20.50	(0.10)	42,647	20.59	DUSIT	9.50	(0.20)	3,777	9.61
CPF19C2404A	-	-	-	-	BCH01C2404A	-	-	-	-	ERW	4.74	(0.10)	156,829	4.77
CPF19C2409A	0.25	(0.01)	14,561	0.26	BCH01C2407A	-	-	-	-	ERW-W3	1.66	(0.11)	3,393	1.67
CPI	2.52	(0.04)	2,530	2.55	BCH01P2407X	0.37	-	4,053	0.37	ERW01C2405A	-	-	-	-
F&D	28.00	-	3	28.00	BCH11C2407A	0.22	-	4,041	0.21	ERW13C2404A	-	-	-	-
GLOCON	0.24	(0.02)	36,816	0.25	BCH13C2404A	-	-	-	-	ERW13C2406A	-	-	-	-
HTC	17.40	0.20	8,118	17.38	BCH13C2407A	-	-	-	-	ERW13C2407A	0.27	(0.04)	27,181	0.28
ICHI	16.50	(0.30)	37,543	16.68	BCH13C2408A	0.24	(0.01)	27,985	0.25	ERW19C2405A	-	-	-	-
ICHI01C2405A	0.09	(0.02)	30,909	0.10	BCH13P2406A	0.19	-	7,866	0.19	ERW41C2406A	-	-	-	-
ICHI13C2405A	0.07	(0.03)	2,126	0.08	BCH19C2406A	-	-	-	-	GRAND	0.14	-	43,829	0.14
ICHI19C2405A	0.10	(0.01)	13,110	0.10	BCH19C2408A	0.25	(0.01)	4,867	0.25	LRH	41.00	-	21	41.00
ITC	20.50	(0.10)	20,920	20.53	BCH41C2407A	-	-	-	-	MANRIN	32.50	-	12	32.50
ITC01C2405A	0.04	(0.02)	1,100	0.04	BDM5	28.25	(0.25)	228,521	28.36	MINT	32.75	-	97,570	33.01
ITC13C2406A	0.14	(0.01)	6,550	0.15	BDM501C2405A	-	-	-	-	MINT01C2404A	0.01	-	30,000	0.01
JDF	2.54	-	3,782	2.54	BDM501C2408A	0.14	(0.02)	4,450	0.15	MINT01C2406A	0.23	0.01	4,676	0.23
KBS	5.65	(0.05)	1,808	5.64	BDM501P2407X	-	-	-	-	MINT01C2408A	0.18	0.01	23,512	0.19
KCG	9.55	(0.15)	17,428	9.66	BDM513C2404A	-	-	-	-	MINT01P2404X	0.02	0.01	100	0.02
KSL	2.32	(0.02)	11,864	2.34	BDM513C2408A	-	-	-	-	MINT01P2406X	-	-	-	-
KTIS	3.60	0.04	117	3.60	BDM513P2407A	-	-	-	-	MINT06C2405A	-	-	-	-
LST	4.90	(0.04)	3,406	4.89	BDM519C2405A	-	-	-	-	MINT11C2406A	-	-	-	-
M	35.25	(1.00)	22,238	35.67	BDM519C2407A	-	-	-	-	MINT11C2408A	0.20	0.01	14,120	0.20
MALEE	12.50	0.10	41,175	12.43	BDM541C2404A	-	-	-	-	MINT13C2404A	-	-	-	-
NRF	5.05	-	50,520	5.05	BDM541C2405A	-	-	-	-	MINT13C2406A	0.21	0.01	200	0.21
NSL	23.30	(0.40)	9,135	23.37	BDM541C2407A	-	-	-	-	MINT13C2407A	0.16	0.01	47,224	0.16
OSP	20.40	(0.20)	60,568	20.47	BDM541C2408A	-	-	-	-	MINT13P2404A	-	-	-	-
OSP01C2404A	-	-	-	-	BH	223.00	(2.00)	22,098	224.09	MINT13P2407A	0.08	(0.01)	16,050	0.08
OSP01C2406A	-	-	-	-	BH-P	-	-	-	-	MINT19C2404A	-	-	-	-
OSP01C2408A	0.40	(0.01)	11,253	0.40	BH-Q	-	-	-	-	MINT19C2406A	0.17	0.01	15,378	0.17
OSP01P2408X	0.29	0.01	14,288	0.29	BH01C2404A	-	-	-	-	MINT41C2404A	-	-	-	-
OSP13C2405A	-	-	-	-	BH01C2405A	0.08	(0.02)	15,034	0.08	MINT41C2405A	-	-	-	-
OSP13C2408A	0.32	(0.01)	16,998	0.32	BH01C2408A	0.28	(0.02)	36,364	0.30	MINT41C2406A	0.18	-	2,000	0.19
OSP19C2404A	-	-	-	-	BH01P2405X	-	-	-	-	MINT41C2408A	0.13	-	15,580	0.13
PB	69.00	-	59	68.79	BH01P2406X	0.23	0.01	9,716	0.22	OHTL	-	-	-	-
PLUS	8.30	(0.05)	25,465	8.39	BH06C2404A	-	-	-	-	ROH	2.46	-	30	2.43
PM	7.60	0.05	16,256	7.66	BH11C2404A	-	-	-	-	SHANG	-	-	-	-
PQS	2.98	(0.02)	7,693	3.00	BH11C2406A	0.15	(0.01)	3,710	0.15	SHR	2.58	(0.08)	114,975	2.60
PRG	10.50	0.20	103	10.40	BH13C2404A	-	-	-	-	VRANDA	5.65	-	757	5.61
PRG-W1	6.40	0.10	2	6.40	BH13C2404B	-	-	-	-	Home & Office Prod.	-	-	-	-
PRG-W2	5.80	-	3	5.80	BH13C2405A	-	-	-	-	AJA	0.24	(0.01)	785,088	0.24
PRG-W3	6.15	(3.10)	38	6.30	BH13C2407A	0.25	(0.01)	27,964	0.26	AJA-W3	0.07	(0.01)	84,439	0.07
RBF	11.40	(0.10)	19,837	11.50	BH13P2406A	0.11	-	4,448	0.11	AJA-W4	0.09	(0.01)	133,161	0.10
RBF01C2405A	-	-	-	-	BH19C2404A	-	-	-	-	DTCI	-	-	-	-
RBF01C2406A	-	-	-	-	BH19C2404B	-	-	-	-	FANCY	0.43	0.01	435	0.42
RBF01C2407A	0.11	-	21,869	0.11	BH19C2404C	-	-	-	-	FTI	2.16	(0.02)	5,399	2.17
RBF01P2405X	0.30	0.02	1,866	0.29	BH19C2407A	-	-	-	-	KYE	316.00	-	3	315.67
RBF01P2407X	0.28	0.01	4,976	0.28	BH19C2408A	0.23	(0.02)	42,325	0.24	L&E	1.22	(0.06)	3,984	1.23
RBF13C2405A	-	-	-	-	BH41C2404A	-	-	-	-	MODERN	2.22	(0.06)	1,067	2.26
RBF13C2406A	-	-	-	-	BH41C2405A	0.03	(0.02)	1	0.03	OGC	-	-	-	-
RBF13C2407A	0.08	(0.01)	13,042	0.08	BH41C2406B	-	-	-	-	ROCK	-	-	-	-
RBF13C2408A	0.17	(0.01)	14,398	0.18	BH41C2408A	0.26	(0.01)	9,180	0.26	SBNEXT	0.60	(0.14)	108,275	0.66
RBF13P2405A	0.17	-	9,190	0.17	BH41P2405A	-	-	-	-	SBNEXT-W2	0.08	(0.05)	221,801	0.10
RBF19C2405A	-	-	-	-	BH41P2406A	-	-	-	-	SIAM	1.27	(0.01)	389	1.27
RBF19C2408A	0.20	(0.01)	18,446	0.20	BKGI	2.82	(0.08)	343,096	2.94	TCMC	1.33	(0.05)	2,540	1.33
RBF19P2406A	0.26	0.02	7,246	0.26	CHG	2.90	(0.02)	129,538	2.92	Insurance	-	-	-	-
SAPPE	89.00	(1.25)	7,224	89.74	CHG01C2404A	-	-	-	-	AYUD	37.25	0.25	212	37.01
SAPPE01C2405A	-	-	-	-	CHG01C2405A	-	-	-	-	BKI	292.00	(2.00)	1,006	291.07
SAPPE13C2406A	0.15	(0.03)	19,018	0.17	CHG01C2408A	0.22	(0.02)	26	0.23	BLA	17.60	0.20	18,516	17.61
SAUCE	41.25	(0.50)	23	41.46	CHG11C2404A	-	-	-	-	BLA01C2404A	-	-	-	-
SNNP	17.40	(0.30)	19,090	17.57	CHG13C2404A	-	-	-	-	BLA01P2404X	0.16	(0.07)	2,690	0.16
SNNP01C2407A	-	-	-	-	CHG13C2406A	-	-	-	-	BLA13C2404A	-	-	-	-
SNNP13C2406A	-	-	-	-	CHG13C2407A	0.16	(0.02)	16,498	0.16	BLA13C2407A	0.12	-	15,220	0.12
SNNP13C2408A	0.28	(0.02)	37,654	0.29	CHG13P2406A	0.18	-	20,313	0.17	BLA19C2408A	0.23	0.01	22,992	0.23
SNNP19C2407A	-	-	-	-	CHG19C2404A	-	-	-	-	BUI	21.30	0.50	31	21.20
SNP	14.70	0.10	288	14.60	CHG19C2408A	-	-	-	-	CHARAN	23.50	0.10	41	23.31
SORKON	4.28	0.04	2,096	4.30	CMR	1.99	0.01	2,239	1.98	INSURE	118.00	8.00	8	118.00
SSC	34.75	0.50	22	34.95	EKH	7.70	(0.05)	6,462	7.72	KWI	0.58	-	6,087	0.57
SSF	7.80	0.15	88	7.61	EKH-W1	1.48	(0.01)	1,899	1.49	MTI	109.00	(0.50)	14	109.29
SST	5.25	-	6	5.27	KDH	-	-	-	-	NKI	26.50	(0.25)	11	26.50
SUN	5.50	(0.10)	12,179	5.57	LPH	4.78	-	254	4.76	SMK	-	-	-	-
TC	6.10	(0.05)	537	6.10	M-CHAI	61.75	(1.25)	581	61.75	TGH	16.30	(0.30)	2	16.25
TFG	3.36	0.04	3,001	3.35	NEW	-	-	-	-	THRE	0.80	(0.03)	35,223	0.81
TFG-W3	0.01	-	8,351	0.01	NTV	36.25	(0.25)	54	36.38	THREL	2.20	-	9,886	2.21
TFMAMA	212.00	4.00	11	210.18	PHG	13.70	-	2,538	13.79	TIPH	30.00	(1.50)	4,947	30.65
TIPCO	10.40	(0.10)	10,755	10.48	PR9	19.00	(0.10)	16,321	18.93	TIPH13C2404A	-	-	-	-
TKN	10.20	(0.20)	35,487	10.30	PRINC	4.02	0.02	4,854	4.00	TIPH13C2407A	0.11	(0.03)	8,240	0.12
TKN01C2405A	0.14	(0.02)	808	0.15	RAM	31.00	0.50	1,122	30.61	TIPH19C2404A	0.02	-	1	0.02
TKN01C2405B														

Main Board Quotation

Issue Date :

Wednesday April 03, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TLI41C2404A	-	-	-	-	AMATA01C2404I	-	-	-	-	SAMCO	1.13	-	266	1.13
TLI41C2404B	-	-	-	-	AMATA01C2407I	0.37	(0.03)	9,926	0.38	SC	3.80	(0.04)	56,158	3.80
TLI41C2405A	-	-	-	-	AMATA11C2407I	0.37	(0.04)	16,150	0.38	SENA	2.88	-	3,608	2.87
TLI41C2405B	-	-	-	-	AMATA13C2404I	-	-	-	-	SIRI	1.65	(0.06)	1,871,259	1.66
TLI41C2406A	0.18	(0.02)	53,886	0.20	AMATA13C2405I	-	-	-	-	SIRI01C2406A	0.07	(0.03)	2,000	0.07
TLI41C2407A	0.16	(0.01)	41,901	0.18	AMATA13C2406I	0.20	(0.02)	70,636	0.20	SIRI13C2407A	0.17	(0.05)	29,810	0.18
TQM	25.75	(0.75)	2,527	26.05	AMATA19C2404I	-	-	-	-	SIRI19C2407A	0.18	(0.04)	42,249	0.19
TQM13C2407A	-	-	-	-	AMATA19C2405I	-	-	-	-	SIRI41C2405A	0.07	(0.04)	7,736	0.08
TQM19C2404A	-	-	-	-	AMATA19C2407I	0.34	(0.03)	28,983	0.36	SPALI	20.90	(0.10)	40,520	20.88
TQM19C2407A	-	-	-	-	AMATA41C2407I	0.41	(0.03)	15,000	0.42	SPALI11C2404A	-	-	-	-
TSI	0.13	-	1,073	0.12	AMATA41C2407I	0.28	(0.01)	11,800	0.28	SPALI13C2405A	0.14	(0.02)	23,612	0.14
TVH	8.60	(0.05)	73	8.58	AMATAV	5.55	0.10	1,283	5.54	SPALI19C2408A	0.25	(0.01)	15,552	0.25
Packaging	-	-	-	-	ANAN	0.81	(0.01)	22,107	0.81	UV	2.08	(0.02)	2,082	2.08
AJ	5.95	(0.05)	482	6.00	AP	10.70	(0.10)	154,051	10.70	WHA	4.76	(0.10)	365,248	4.79
ALUCON	177.50	-	1	177.50	AP11C2404A	-	-	-	-	WHA01C2404A	-	-	-	-
BGC	7.10	0.05	894	7.05	APEX	-	-	-	-	WHA01C2405A	-	-	-	-
CSC	44.00	-	8	44.00	ASW	8.05	-	2,420	8.06	WHA01C2406A	0.13	(0.02)	18,785	0.14
CSC-P	-	-	-	-	ASW-W1	0.01	-	13,718	0.01	WHA01C2408A	0.35	(0.04)	41,502	0.37
CSC-Q	-	-	-	-	ASW-W2	0.05	-	5,495	0.05	WHA01P2407X	0.34	0.02	6,958	0.33
NEP	0.21	0.01	502	0.20	AWC	4.16	(0.06)	619,975	4.19	WHA11C2407A	0.27	(0.04)	8,250	0.29
PJW	3.02	-	2,527	3.03	AWC01C2404A	-	-	-	-	WHA13C2404A	0.01	-	400	0.01
PJW-W1	0.26	-	10,037	0.26	AWC01C2406A	0.23	(0.02)	33,897	0.24	WHA13C2404B	-	-	-	-
PTL	9.80	(0.15)	6,446	9.92	AWC01C2408A	0.43	(0.03)	31,180	0.45	WHA13C2406A	0.12	(0.02)	14,953	0.12
SCGP	29.75	(0.25)	115,118	30.17	AWC01P2405X	0.06	-	60	0.06	WHA13C2408A	0.34	(0.04)	23,282	0.35
SCGP01C2405A	-	-	-	-	AWC06C2404A	-	-	-	-	WHA13P2407A	0.34	0.03	25,858	0.32
SCGP01C2406A	-	-	-	-	AWC11C2408A	0.43	(0.02)	16,330	0.43	WHA19C2404A	-	-	-	-
SCGP01C2408A	0.15	-	19,148	0.15	AWC13C2404A	-	-	-	-	WHA19C2404B	-	-	-	-
SCGP01P2405A	-	-	-	-	AWC13C2405A	0.20	(0.04)	140,779	0.22	WHA19C2406A	0.14	(0.04)	39,303	0.16
SCGP01P2408X	0.17	-	11,446	0.15	AWC19C2405A	0.27	(0.04)	7,545	0.28	WHA41C2404A	-	-	-	-
SCGP06C2406A	0.06	-	5	0.06	AWC19C2406A	0.12	(0.02)	34,359	0.12	WHA41C2404B	-	-	-	-
SCGP11C2405A	-	-	-	-	AWC41C2405A	-	-	-	-	WHA41C2406A	0.14	(0.04)	13,800	0.16
SCGP11C2407T	0.13	-	1,545	0.13	AWC41C2406A	0.17	(0.02)	41,912	0.18	WHA41C2406B	0.13	(0.03)	11,810	0.14
SCGP13C2405A	-	-	-	-	AWC41C2408A	0.40	(0.03)	14,000	0.41	WHA41C2407A	0.22	(0.03)	26,034	0.23
SCGP13C2406A	0.13	(0.01)	88,354	0.15	BLAND	0.68	(0.01)	93,706	0.68	WIN	0.60	(0.02)	4,144	0.61
SCGP13C2407A	0.09	(0.19)	26,380	0.07	BRI	6.90	(0.05)	28,399	6.89	Paper & Printing Mat	-	-	-	-
SCGP13P2405A	0.13	0.01	33,776	0.12	BROCK	1.62	-	1	1.62	UTP	11.20	-	512	11.21
SCGP13P2408A	-	-	-	-	CGD	0.34	(0.01)	14,407	0.34	Fashion	-	-	-	-
SCGP19C2405A	-	-	-	-	CI	0.61	-	1,359	0.60	AFC	5.30	-	108	5.26
SCGP19C2406A	-	-	-	-	CI-W2	0.01	-	30,000	0.01	AURA	13.90	-	7,774	13.96
SCGP19C2407A	0.18	-	158,058	0.18	CMC	1.23	-	108	1.23	BTNC	20.30	(2.30)	84	20.53
SCGP41C2404A	-	-	-	-	CPN	63.25	-	44,048	63.31	CPH	12.60	(0.40)	918	12.73
SCGP41C2405A	0.01	(0.02)	1,000	0.01	CPN01C2404A	-	-	-	-	CPL	1.41	(0.03)	3,467	1.42
SCGP41C2406A	-	-	-	-	CPN01C2407A	0.24	(0.01)	16,542	0.25	NC	3.94	(0.18)	1,854	3.99
SCGP41C2407A	0.15	-	12,133	0.15	CPN11C2404A	-	-	-	-	PAF	1.44	(0.03)	2,781	1.45
SFLEX	3.24	(0.02)	42,218	3.26	CPN13C2405A	-	-	-	-	PDJ	2.18	0.02	7,913	2.21
SFLEX-W2	0.24	(0.01)	194,222	0.28	CPN13C2407A	0.24	0.01	16,993	0.24	PG	9.10	-	52	9.10
SITHAI	1.18	-	8,951	1.17	CPN19C2407A	0.18	(0.01)	10,868	0.19	SABINA	25.00	-	5,913	24.95
SLP	0.40	-	2,830	0.40	CPN41C2404A	-	-	-	-	SAWANG	14.00	-	6	14.48
SMPC	9.30	-	1,738	9.25	CPN41C2405A	-	-	-	-	SUC	30.00	-	1,044	30.02
SPACK	1.96	(0.03)	1,118	1.97	CPN41C2406A	0.16	(0.01)	30,102	0.17	TNL	33.75	(0.75)	19	33.97
TCOAT	-	-	-	-	CPN41C2407A	0.20	(0.01)	19,907	0.20	TR	-	-	-	-
TFI	0.09	-	5,060	0.08	ESTAR	0.25	-	7,697	0.25	TTI	27.25	(0.75)	1	27.25
TFI-W1	0.04	-	1,329	0.03	EVER	0.15	(0.01)	18,055	0.15	TTT	47.00	(1.00)	22	47.43
THIP	29.25	(0.50)	39	29.49	FPT	15.20	0.30	251	15.19	UPF	36.50	-	5	36.50
TMD	23.90	(0.10)	55	23.93	GLAND	1.66	0.01	1	1.66	WACOAL	31.00	-	2	31.13
TOPP	-	-	-	-	J	1.86	(0.03)	803	1.87	WFX	1.86	(0.01)	448	1.86
TPAC	14.20	0.20	1,758	13.95	J-W2	0.07	(0.04)	2,078	0.08	Transportation & Log	-	-	-	-
TPBI	3.94	-	376	3.97	J-W3	0.26	(0.07)	476	0.28	AAV	2.42	(0.02)	377,909	2.42
TPP	14.80	-	1	14.80	J-W4	0.36	(0.04)	235	0.38	AAV01C2405A	0.13	(0.01)	16,927	0.13
Personal Products	-	-	-	-	JCK	0.36	0.01	575,823	0.36	AAV01C2409A	0.22	(0.78)	16,003	0.22
APCO	4.94	0.02	1,284	4.92	KC	0.10	-	3,850	0.09	AAV11C2406A	0.20	(0.03)	18,950	0.20
BIZ	3.38	(0.02)	1,982	3.38	LALIN	7.55	(0.05)	1,226	7.56	AAV13C2404A	-	-	-	-
BLC	5.05	(0.15)	48,878	5.08	LH	7.45	(0.05)	596,371	7.47	AAV13C2404B	-	-	-	-
DDD	8.70	(0.40)	209	8.88	LH13C2408A	0.27	-	21,582	0.27	AAV13C2408A	0.18	(0.03)	40,778	0.18
JCT	78.75	(0.25)	4	78.94	LH19C2406A	-	-	-	-	AAV19C2405A	-	-	-	-
KISS	5.70	0.05	5,266	5.70	LH19C2408A	0.24	(0.01)	18,435	0.25	AAV19C2408A	0.18	(0.02)	8,375	0.18
NAM	4.78	(0.08)	7,636	4.82	LPN	3.56	(0.02)	7,065	3.56	ANI	4.62	(0.08)	23,829	4.64
NV	1.54	(0.03)	4,467	1.55	MBK	17.20	(0.20)	16,799	17.26	AOT	65.25	(0.25)	119,741	65.47
OCC	-	-	-	-	MBK-W2	15.90	(0.10)	220	15.90	AOT01C2404A	0.01	-	4,074	0.01
S&J	52.50	(1.00)	14	52.50	MBK-W3	15.40	0.20	24	15.40	AOT01C2405A	0.20	(0.01)	9,664	0.20
STGT	8.85	-	57,485	8.91	MBK-W4	14.80	(0.10)	8	14.80	AOT01C2407A	0.25	(0.02)	44,174	0.26
STGT01C2407A	0.53	(0.04)	17,354	0.55	MJD	1.31	-	519	1.31	AOT01P2404X	-	-	-	-
STGT01C2407B	0.31	-	19,373	0.32	MK	2.06	-	414	2.05	AOT01P2405X	0.01	-	1	0.01
STGT01P2407X	0.17	-	13,419	0.17	NCH	0.98	(0.01)	1,721	0.99	AOT01P2407X	0.18	-	24,585	0.18
STGT01P2408X	0.48	(0.01)	20,969	0.47	NNCL	1.93	-	5,127	1.91	AOT06C2404A	-	-	-	-
STGT13C2407A	-	-	-	-	NOBLE	3.70	(0.02)	45,854	3.71	AOT11C2407A	0.20	(0.01)	15,773	0.20
STGT13C2407B	0.30	-	51,942	0.31	NUSA	0.34	(0.02)	512,202	0.34	AOT13C2404A	-	-	-	-
STGT13C2408A	0.10	-	3,822	0.10	NUSA-W5	0.09	(0.01)	44,391	0.09	AOT13C2404B	0.01	-	2,000	0.01
STGT13P2407A	0.25	-	30,862	0.24	NVD	1.82	(0.02)	383	1.84	AOT13C2405A	0.08	-	17,051	0.08
STGT19C2404A	-	-	-	-	NVD-W3	0.02	(0.01)	1,994	0.02	AOT13C2408A	0.27	-	31,905	0.26
STGT19C2407A	0.37	-	35,402	0.38	ORI	7.05	(0.10)	21,949	7.07	AOT13P2404A	-	-	-	-
STGT19C2408A	0.23	-	19,902	0.24	ORI13C2407A	0.13	(0.01)	150	0.13	AOT13P2404B	-	-	-	-
STHAI	-	-	-	-	ORI19C2404A	-	-	-	-	AOT13P2407A	-	-	-	-
TNR	9.20	(0.05)	19	9.22	ORN	1.11	(0.04)	135,993	1.12	AOT19C2404A	0.01	-	3,000	0.01
TOG	11.80	(0.10)	474	11.81	PACE	-	-	-	-	AOT19C2404B	-	-	-	-
Professional Service	-	-	-	-	PEACE	3.20	0.02	46	3.19	AOT19C2404C	-	-	-	-
BWG	0.51	(0.01)	294,690	0.52	PF	0.26	(0.01)	10,962	0.26	AOT19C2406A	0.11	(0.01)	1,200	0.12
GENCO	0.51	-	3,050	0.50	PIN	7.15	(0.20)	37,680	7.26	AOT19C2406B	0.28	-	5,861	0.28
PRO	-	-	-	-	PLAT	2.76	(0.04)	4,124	2.77	AOT19P2404A	-	-	-	-
PRTR	4.32	(0.06)	4,362	4.34	POLAR	-	-	-	-	AOT19P2407A	0.14	-	475	0.14
SISB	40.25	(1.00)	11,115	40.79	PRECHA	1.06	-	5,934	1.06	AOT27C2407A	0.39	-	6,200	

Main Board Quotation

Issue Date :

Wednesday April 03, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BEM01C2408A	0.26	-	55,124	0.26	CRANE	0.95	(0.01)	14,704	0.95	BJCHI	1.13	(0.01)	1,860	1.13
BEM01P2408X	0.32	-	14,179	0.32	CTW	4.58	(0.08)	42	4.54	BKD	1.43	(0.02)	2,256	1.44
BEM13C2407A	0.16	(0.01)	62,367	0.17	FMT	35.75	0.25	194	35.66	CIVIL	2.10	-	3,969	2.07
BEM19C2405A	-	-	-	-	HTECH	2.20	(0.02)	120	2.19	CK	23.10	-	56,562	23.26
BEM19C2408A	0.24	-	21,793	0.23	KKC	-	-	-	-	CK01C2407A	0.34	(0.01)	17,130	0.35
BTS	5.70	0.10	934,145	5.67	PK	0.99	0.01	13,925	0.98	CK11C2407A	0.30	(0.01)	12,310	0.31
BTS-W7	0.01	(0.01)	31,217	0.01	PSP	5.35	-	10,010	5.31	CK13C2405A	-	-	-	-
BTS-W8	0.08	-	56,234	0.09	SNC	7.10	(0.05)	753	7.15	CK13C2408A	0.33	(0.01)	47,248	0.35
BTS01C2405A	-	-	-	-	STARK	-	-	-	-	CK19C2404A	-	-	-	-
BTS01C2407A	0.08	0.01	200	0.08	STARK-W1	-	-	-	-	CK19C2408A	0.29	-	38,223	0.30
BTS01C2408A	0.24	0.02	57,440	0.23	TCJ	3.00	(0.14)	203	3.01	CNT	1.63	(0.01)	7,931	1.62
BTS01P2405X	0.29	(0.08)	3,054	0.33	TPCS	15.90	(0.20)	24	15.98	EMC	0.06	-	14,875	0.05
BTS01P2407X	0.18	(0.02)	12,466	0.19	VARO	3.28	-	206	3.27	ITD	0.61	-	1,164,843	0.63
BTS13C2405A	0.01	-	17	0.01	Property Fund &	-	-	-	-	NL	2.56	(0.22)	208,188	2.65
BTS13C2407A	-	-	-	-	AIMCG	3.06	(0.14)	5,353	3.12	NWR	0.34	0.01	247,850	0.35
BTS13C2407B	0.23	0.03	68,287	0.21	AIMIRT	10.80	(0.10)	2,175	10.75	PLE	0.54	(0.01)	14,348	0.55
BTS13P2405A	0.21	(0.08)	10	0.21	ALLY	5.85	(0.10)	4,363	5.89	PREB	6.10	(0.25)	7,418	6.14
BTS13P2407A	0.15	(0.02)	9,645	0.16	AMATAR	6.55	(0.05)	41	6.56	PYLON	2.34	(0.02)	3,548	2.35
BTS19C2406A	-	-	-	-	B-WORK	4.38	(0.02)	1,254	4.38	RT	0.64	(0.02)	16,813	0.65
BTS19C2407A	0.09	(0.01)	400	0.09	BAREIT	10.10	-	4,116	10.10	RT-W1	0.01	-	70	0.01
BTS19C2407B	0.26	0.03	16,000	0.24	BKPCP	9.00	0.05	42	9.00	SEAFCO	2.74	(0.02)	7,569	2.74
BTS41C2407A	-	-	-	-	BOFFICE	4.96	-	2,951	4.96	SQ	1.12	(0.01)	2,602	1.12
BTS41C2408A	0.20	0.02	35,714	0.19	CPNCG	5.60	0.05	5,012	5.57	SRICHA	8.65	-	698	8.68
BTS5GIF	3.60	(0.02)	14,861	3.61	CPNREIT	10.90	0.10	17,208	10.79	STEC	10.40	-	38,955	10.43
DMT	12.10	-	10,445	12.02	CPTGF	5.15	(0.05)	2,159	5.11	STEC13C2405A	-	-	-	-
ETL	1.31	(0.02)	44,429	1.33	CTARAF	4.40	(0.02)	200	4.41	STEC19C2407A	0.56	(0.01)	60	0.56
III	8.60	(0.15)	4,407	8.68	DREIT	4.84	-	318	4.86	STI	3.26	(0.04)	500	3.28
KEX	4.98	(0.12)	16,561	5.02	ERWPF	8.60	-	1,303	8.55	STPI	3.22	-	24,295	3.25
KIAT	0.38	(0.01)	6,062	0.38	FRREIT	10.20	0.10	24,164	10.11	SYNTEC	1.89	-	6,208	1.89
KWC	-	-	-	-	FUTUREPF	11.70	0.10	1,750	11.58	TEAMG	4.64	(0.10)	11,754	4.69
MENA	1.74	(0.04)	30,547	1.75	GAHREIT	7.05	-	620	7.05	TEAMG-W1	0.65	(0.06)	22,063	0.68
NOK	-	-	-	-	GROREIT	8.75	(0.05)	77	8.79	TEKA	2.20	0.02	2,717	2.16
NYT	4.92	(0.04)	80,461	4.96	GVREIT	5.35	0.10	17,438	5.27	TPOLY	1.56	(0.11)	409,583	1.60
PORT	1.94	(0.06)	3,268	1.96	HPF	4.64	-	55	4.64	TRC	0.31	(0.01)	218,553	0.31
PRM	7.80	-	103,491	7.79	HYDROGEN	9.20	(0.05)	14	9.20	TRITN	0.13	(0.01)	42,542	0.13
PSL	7.80	(0.10)	52,423	7.75	IMPACT	12.00	0.10	3,039	11.92	TRITN-W5	-	-	-	-
PSL01C2405A	-	-	-	-	INETREIT	8.70	(0.10)	5,031	8.73	TRITN-W6	0.01	-	2	0.01
PSL01C2407A	0.11	(0.02)	28,692	0.11	KPNPF	3.22	0.02	726	3.22	TTCL	3.52	-	995	3.51
PSL06C2404A	-	-	-	-	KTBSTMR	6.50	-	434	6.50	UNIQU	3.46	(0.02)	2,015	3.47
PSL13C2404A	-	-	-	-	LHHOTEL	11.90	-	8,573	11.90	WGE	0.64	-	1,697	0.64
PSL13C2407A	-	-	-	-	LHPF	5.70	(0.10)	1,267	5.73	Unit Trust	-	-	-	-
PSL19C2404A	-	-	-	-	LHSC	9.85	(0.05)	4,427	9.89	SCBSET	-	-	-	-
PSL19C2407A	0.14	-	6,538	0.14	LPF	13.50	0.20	4,345	13.42	ETF	-	-	-	-
PSL41C2405A	-	-	-	-	LUXF	7.10	-	21	7.00	1DIV	9.71	(0.01)	91	9.72
RCL	17.90	(0.30)	24,213	18.02	M-II	5.45	(0.15)	360	5.48	ABFTH	-	-	-	-
RCL01C2405A	0.02	-	20	0.02	M-PAT	2.98	(0.02)	7	2.79	BMSGC	9.50	(0.04)	500	9.50
RCL01C2405B	-	-	-	-	M-STOR	7.25	0.05	381	7.25	BMSCITH	9.70	0.02	2,412	9.71
RCL01C2407A	-	-	-	-	MIPF	-	-	-	-	BSET100	8.97	(0.02)	639	8.98
RCL01C2408A	0.12	(0.02)	19,875	0.13	MIT	0.81	-	1	0.81	CHINA	5.80	(0.01)	582	5.80
RCL01P2405X	0.52	-	2,158	0.52	MJLF	3.54	(0.02)	208	3.56	ENGY	5.20	(0.01)	67	5.20
RCL06C2405A	-	-	-	-	MNIT	2.08	-	2	2.10	ENY	5.01	0.02	47	4.99
RCL11C2407A	-	-	-	-	MNIT2	4.90	-	1	4.90	GLD	3.36	0.03	22,893	3.37
RCL13C2404A	-	-	-	-	MNRF	2.78	0.08	145	2.78	TDEX	8.19	-	1,855	8.19
RCL13C2405A	-	-	-	-	POPF	6.30	-	1,816	6.22	UBOT	13.77	(0.31)	33	13.80
RCL13C2407A	0.06	(0.02)	2,262	0.06	PPF	10.30	-	1	10.30	UHERO	7.21	(0.16)	148	6.94
RCL13C2408A	0.16	(0.01)	566	0.16	PROSPECT	8.55	-	667	8.53	Warrant Foreign	-	-	-	-
RCL13P2405A	0.37	0.02	7,792	0.35	QHHR	-	-	-	-	AIA28C2406A	0.04	(0.01)	6	0.04
RCL19C2405A	-	-	-	-	QHOP	3.24	(0.04)	38	3.20	AIA28C2408A	0.14	(0.02)	2,028	0.14
RCL19C2405B	-	-	-	-	QHPPF	4.12	(0.08)	19,957	4.12	AIA28P2405A	-	-	-	-
RCL19C2406A	-	-	-	-	SIRIP	-	-	-	-	AIA41C2406A	-	-	-	-
RCL19C2408A	0.15	(0.01)	724	0.15	SPRIME	4.34	(0.04)	1,461	4.35	AIA41C2408A	0.24	(0.03)	20,000	0.25
RCL19P2406A	0.49	0.02	8,491	0.48	SRIPANWA	4.56	(0.02)	243	4.57	AIA41P2407A	-	-	-	-
RCL41C2406A	-	-	-	-	SSPF	5.45	0.05	2	5.30	ALIHEA28C2406A	-	-	-	-
RCL41C2407A	-	-	-	-	SSTRT	5.05	0.05	327	5.00	ALIHEA28C2407A	0.11	(0.03)	1,014	0.11
RCL41C2408A	-	-	-	-	TIFI	7.80	(0.05)	170	7.85	ALIHEA41C2406A	-	-	-	-
SAV	18.20	(1.10)	73,426	18.41	TLHPF	3.50	(0.10)	1,589	3.50	BABA28C2404A	-	-	-	-
SINO	1.20	(0.08)	42,452	1.24	TNPF	-	-	-	-	BABA28C2404B	-	-	-	-
SJWD	15.10	(0.20)	21,183	15.23	TPRIME	6.25	-	11,324	6.25	BABA28C2406A	-	-	-	-
SJWD13C2407A	0.17	(0.02)	9,585	0.18	TTLPF	16.90	(0.10)	63	16.98	BABA28C2406B	-	-	-	-
TFFIF	6.60	-	32,143	6.59	TU-PF	0.79	(0.04)	3	0.69	BABA28C2407A	0.33	(0.02)	162,810	0.33
THAI	-	-	-	-	URBNPF	0.36	0.01	1,098	0.35	BABA28P2404A	-	-	-	-
TSTE	9.90	-	100	9.90	WHABT	7.80	-	227	7.80	BABA28P2407A	0.24	0.01	16,225	0.24
TTA	6.45	(0.15)	24,090	6.50	WHAIR	6.00	-	1,374	5.99	BABA41C2404A	-	-	-	-
WICE	5.55	(0.05)	1,942	5.55	WHART	9.50	-	19,830	9.46	BABA41C2404B	-	-	-	-
Automotive	-	-	-	-	Steel and Metal	-	-	-	-	BABA41C2406A	-	-	-	-
3K-BAT	31.00	(3.00)	2	30.88	2S	3.04	(0.02)	359	3.05	BABA41C2406B	0.35	-	10,000	0.35
ACG	1.20	-	125	1.19	AMC	3.28	-	3,321	3.28	BABA41C2407A	-	-	-	-
AH	22.40	0.10	21,621	22.46	BSBM	0.72	-	8,453	0.73	BABA41P2404A	0.04	(0.01)	1	0.04
CWT	1.34	(0.01)	2,022	1.34	CEN	2.50	-	480	2.48	BABA41P2407A	0.22	-	10,000	0.22
EASON	1.19	(0.03)	23,359	1.20	CEN-W5	0.32	(0.06)	32,864	0.34	BIDU28C2407A	0.27	-	17,430	0.28
GYT	-	-	-	-	CITY	2.22	(0.04)	289	2.22	BIDU28P2406A	0.24	0.01	21,154	0.24
HFT	4.10	0.02	282	4.09	CSP	1.00	(0.05)	4,362	1.04	BIDU41C2407A	0.28	-	60,000	0.28
IHL	2.02	0.03	717	1.98	GJS	0.22	(0.01)	5,989	0.22	BYDCOM28C2404A	-	-	-	-
INGRS	0.48	-	8,376	0.48	GSTEEL	-	-	-	-	BYDCOM28C2405A	-	-	-	-
IRC	12.50	(0.10)	67	12.51	INOX	0.48	(0.01)	17,974	0.49	BYDCOM28C2407A	0.33	(0.06)	21,156	0.33
MGC	5.65	-	8,858	5.73	LHK	4.04	0.02	1,103	4.05	BYDCOM28C2408A	0.17	(0.03)	3,042	0.18
NEX	9.45	(0.30)	20,815	9.57	MCS	6.70	-	2,429	6.68	BYDCOM28P2405A	-	-	-	-
NEX13C2405A	-	-	-	-	MILL	0.23	-	16,729	0.23	BYDCOM41C2404A	-	-	-	-
NEX13C2407A	0.11	(0.02)	4,039	0.12	MILL-W6	-	-	-	-	BYDCOM41C2405A	-	-	-	-
NEX19C2404A	-	-	-	-	MILL-W7	0.02	-	30,741	0.02	BYDCOM41C2406A	0.18	(0.07)	1	0.18
PCSGH	5.00	-	5,774	5.00	PAP	2.38	0.04	214	2.38	BYDCOM41P2404A	-	-	-	-
POLY	8.05	(0.15)	28	8.14	PERM	0.89	(0.01)	21,179	0.90	BYDCOM41P2405A	0.17	0.03	100,000	0.17
SAT	16.60	(0.10)	12,520	16.63	SAM	0.42	(0.02)	29,174	0.43	CATHAY28C2404A	-	-	-	-
SPG	14.70	(0.10)	6	14.70	SMIT	4.48	-	793	4.48	CATHAY28C240				

Main Board Quotation

Issue Date :

Wednesday April 03, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
DJI28C2406C	0.18	(0.04)	2,145	0.18	KUAISH28C2407	0.56	(0.02)	1,521	0.57	SET5028P2409B	-	-	-	-
DJI28P2406A	-	-	-	-	KUAISH41C2406E	0.32	(0.04)	10,000	0.32	SET5041C2406A	-	-	-	-
DJI28P2406B	0.27	0.03	41	0.26	LENVOV28C240F	-	-	-	-	SET5041C2406B	0.16	(0.02)	9,186	0.16
DJI41C2406A	0.55	(0.10)	2,126	0.53	LENVOV28C240G	0.28	(0.04)	11,014	0.29	SET5041C2406C	0.07	(0.01)	1,200	0.07
DJI41C2409A	0.64	(0.08)	11	0.64	LENVOV28C240H	0.14	(0.03)	90,010	0.14	SET5041C2406D	-	-	-	-
DJI41P2406A	0.17	0.03	39	0.16	LENVOV41C240I	0.08	(0.03)	900	0.08	SET5041C2406E	0.23	(0.02)	1,115,975	0.22
DJI41P2406B	0.32	0.03	30	0.32	MCA5041C2406F	0.87	(0.08)	14	0.87	SET5041C2409A	0.16	(0.01)	69,939	0.16
DJI41P2409A	0.84	0.05	143	0.84	MCA5041P2406G	0.23	0.02	2	0.23	SET5041P2406A	0.36	0.02	121,230	0.36
GEELY28C2406A	0.44	(0.05)	1,014	0.44	MEITUA28C240F	0.17	(0.07)	60,000	0.18	SET5041P2406B	0.30	-	470,111	0.31
GEELY28C2408A	0.29	(0.04)	9,327	0.29	MEITUA28C240G	0.88	(0.11)	11,154	0.91	SET5041P2406C	0.58	0.01	127,911	0.60
GEELY28P2404A	-	-	-	-	MEITUA28C240H	-	-	-	-	SET5041P2409A	0.42	(0.01)	312	0.42
GEELY41C2404A	-	-	-	-	MEITUA28C240I	0.40	(0.05)	21,816	0.41	SPX28C2406A	1.12	(0.14)	84	1.12
GEELY41C2406A	-	-	-	-	MEITUA28P240E	0.11	0.01	15,032	0.11	SPX28C2406B	0.57	(0.09)	21	0.57
HAILDL28C2404A	-	-	-	-	MEITUA28P240F	-	-	-	-	SPX28P2406A	0.07	-	1,000	0.07
HAILDL28C2406A	0.41	(0.06)	20,140	0.41	MEITUA41C240E	-	-	-	-	SPX28P2406B	-	-	-	-
HAILDL41C2404A	-	-	-	-	MEITUA41C240F	-	-	-	-	SPX41C2406A	1.23	(0.15)	91	1.24
HAILDL41C2405A	-	-	-	-	MEITUA41C240G	-	-	-	-	SPX41C2406B	-	-	-	-
HAILDL41C2407A	0.28	(0.04)	40,500	0.28	MEITUA41C240H	-	-	-	-	SPX41C2409A	0.83	(0.09)	770	0.83
HKEX28C2404A	-	-	-	-	MEITUA41C240I	1.45	(0.08)	100	1.45	SPX41P2406A	0.08	0.01	6,210	0.08
HKEX28C2406A	0.08	(0.01)	1	0.08	MEITUA41P240A	-	-	-	-	SPX41P2406B	-	-	-	-
HKEX28C2407A	0.19	(0.03)	4,564	0.20	MEITUA41P240E	-	-	-	-	SPX41P2409A	-	-	-	-
HKEX41C2404A	-	-	-	-	MEITUA41P240F	0.32	0.04	70,070	0.31	SUNNY28C2406A	-	-	-	-
HKEX41C2405A	-	-	-	-	NDX28C2406A	1.84	(0.22)	50	1.84	SUNNY28C2407A	-	-	-	-
HKEX41C2406A	0.09	(0.03)	11,000	0.10	NDX28C2406B	0.40	(0.08)	128	0.40	SUNNY28C2408A	0.09	(0.02)	10,100	0.10
HSBC28C2406A	0.46	(0.06)	1	0.46	NDX28C2406C	0.64	(0.12)	110	0.64	SUNNY41C2405A	-	-	-	-
HSBC28P2404A	-	-	-	-	NDX28C2406D	0.22	(0.06)	80	0.23	SUNNY41C2406A	-	-	-	-
HSBC28P2407A	-	-	-	-	NDX28P2406A	0.06	(0.02)	10	0.06	SUNNY41C2407A	-	-	-	-
HSBC41C2405A	-	-	-	-	NDX28P2406B	-	-	-	-	SUNNY41C2408A	0.27	(0.03)	50,000	0.27
HSBC41C2407A	0.17	(0.02)	2	0.17	NDX28P2406C	0.35	0.04	940	0.35	TENCEN28C2405A	0.12	(0.01)	6,084	0.13
HSBC41P2406A	-	-	-	-	NDX41C2406A	0.88	(0.16)	2,507	0.88	TENCEN28C2405B	0.41	(0.01)	30,000	0.41
HSCEI28C2404A	-	-	-	-	NDX41C2406B	0.24	(0.08)	1,616	0.25	TENCEN28P2404A	-	-	-	-
HSCEI28C2405A	0.41	(0.07)	710,905	0.42	NDX41C2409A	0.81	(0.09)	209	0.80	TENCEN28P2408A	0.17	-	4,556	0.18
HSCEI28P2404A	-	-	-	-	NDX41P2406A	-	-	-	-	TENCEN41C2405A	-	-	-	-
HSCEI28P2405A	0.23	0.04	1,000	0.23	NDX41P2406B	0.19	0.02	406	0.19	TENCEN41C2406A	0.34	(0.03)	41,250	0.35
HSI06C2404A	0.06	(0.04)	44,662	0.07	NDX41P2409A	0.77	0.06	501	0.77	TENCEN41P2405A	0.21	-	50,000	0.21
HSI06C2404B	1.00	(0.16)	53	1.02	NTE541C2404A	-	-	-	-	TRIPDC41C2407A	0.76	0.04	30,120	0.77
HSI06C2404C	0.44	(0.14)	906,565	0.46	NTE541C2405A	0.12	(0.03)	40,000	0.12	XIAOMI28C2404A	0.07	(0.01)	9,511	0.07
HSI06C2404D	-	-	-	-	PINGAN28C240F	-	-	-	-	XIAOMI28C2407A	0.41	(0.10)	67,494	0.43
HSI06C2404E	0.22	(0.09)	7,041,064	0.23	PINGAN28C240G	0.12	(0.01)	2,028	0.12	XIAOMI41C2404A	-	-	-	-
HSI06C2405A	-	-	-	-	PINGAN28C240H	0.33	(0.03)	3	0.33	XIAOMI41C2405A	-	-	-	-
HSI06C2405B	-	-	-	-	PINGAN28P240E	0.11	-	15,070	0.11	XIAOMI41C2406A	-	-	-	-
HSI06C2405C	0.25	(0.08)	5,108,792	0.26	PINGAN41C240A	-	-	-	-	XIAOMI41C2407A	0.22	(0.07)	30,254	0.24
HSI06C2405D	0.11	(0.04)	7,813,683	0.11	PINGAN41C240E	-	-	-	-	XIAOMI41P2404A	-	-	-	-
HSI06C2405E	-	-	-	-	PINGAN41C240F	-	-	-	-	XIAOMI41P2408A	0.31	0.05	10,000	0.31
HSI06C2405F	-	-	-	-	PINGAN41C240G	0.15	(0.01)	51,001	0.16	ZJJN28C2407A	1.48	0.19	1	1.48
HSI06C2406A	0.83	(0.12)	235	0.83	PINGAN41P240A	-	-	-	-	ZJJN28C2408A	0.58	0.08	13,183	0.57
HSI06C2406B	0.26	(0.06)	1,000	0.27	SET5001C2404A	0.02	-	41,258	0.01	ZJJN41C2407A	-	-	-	-
HSI06C2406C	-	-	-	-	SET5001C2404T	0.02	-	4	0.02	ZJJN41C2407B	0.44	0.09	10,000	0.44
HSI06C2406D	0.19	(0.04)	422,419	0.20	SET5001C2405A	0.06	0.01	15,103	0.05	0	-	-	-	-
HSI06C2407A	0.40	(0.06)	156,017	0.40	SET5001C2406A	0.13	(0.01)	8,072	0.13	0	-	-	-	-
HSI06P2404A	0.07	0.01	55,547	0.07	SET5001C2406F	0.16	-	63,723	0.15	0	-	-	-	-
HSI06P2404B	0.01	-	1,638	0.01	SET5001C2406T	0.33	-	230	0.34	0	-	-	-	-
HSI06P2404C	0.28	0.05	7,805,505	0.27	SET5001C2407A	0.24	(0.01)	13,921	0.24	0	-	-	-	-
HSI06P2404D	0.02	-	2,550	0.02	SET5001P2404A	0.01	-	805	0.01	0	-	-	-	-
HSI06P2405A	0.26	0.03	3,783,057	0.26	SET5001P2404T	0.02	(0.02)	21	0.02	0	-	-	-	-
HSI06P2405B	0.09	0.01	3,873	0.09	SET5001P2405A	0.03	-	261	0.03	0	-	-	-	-
HSI06P2405C	0.61	0.06	1	0.61	SET5001P2406A	0.18	-	14,882	0.17	0	-	-	-	-
HSI06P2405D	0.51	0.06	1,250	0.50	SET5001P2406F	0.18	(0.01)	67,575	0.19	0	-	-	-	-
HSI06P2405E	-	-	-	-	SET5001P2406T	0.25	(0.01)	6,983	0.26	0	-	-	-	-
HSI06P2406A	0.21	0.03	721,461	0.21	SET5001P2407A	0.38	(0.01)	196,586	0.37	0	-	-	-	-
HSI06P2406B	0.37	0.05	385	0.37	SET5006C2404A	-	-	-	-	0	-	-	-	-
HSI06P2406C	0.55	0.07	9	0.55	SET5006C2406A	0.13	-	8,000	0.13	0	-	-	-	-
HSI06P2407A	0.33	0.03	89,561	0.33	SET5006P2404A	0.07	(0.02)	441	0.07	0	-	-	-	-
HSI28C2404A	0.03	(0.01)	2,156	0.03	SET5006P2406A	0.14	0.01	39,500	0.14	0	-	-	-	-
HSI28C2404B	0.09	(0.04)	113,515	0.09	SET5013C2405A	0.77	-	67	0.76	0	-	-	-	-
HSI28C2404C	0.26	(0.10)	3,013,433	0.27	SET5013C2406A	0.14	(0.02)	635,783	0.14	0	-	-	-	-
HSI28C2404D	0.78	(0.17)	284,723	0.80	SET5013C2406B	0.17	(0.02)	358,643	0.17	0	-	-	-	-
HSI28C2405A	0.88	(0.02)	90,505	0.88	SET5013C2406C	0.11	(0.01)	50,677	0.12	0	-	-	-	-
HSI28C2405B	0.40	(0.07)	1,107,579	0.40	SET5013C2406D	0.27	(0.03)	2,484,698	0.27	0	-	-	-	-
HSI28C2405C	0.18	(0.05)	11,224	0.19	SET5013C2406E	0.41	(0.03)	1,729,874	0.41	0	-	-	-	-
HSI28C2405D	0.73	(0.14)	1,774,309	0.76	SET5013C2410A	0.17	-	84,468	0.17	0	-	-	-	-
HSI28C2405E	1.14	(0.13)	100	1.16	SET5013P2405A	-	-	-	-	0	-	-	-	-
HSI28C2406A	0.39	(0.08)	9,408,955	0.40	SET5013P2406A	0.14	-	452,327	0.14	0	-	-	-	-
HSI28C2406B	0.71	(0.11)	392,671	0.71	SET5013P2406B	0.17	-	567,299	0.18	0	-	-	-	-
HSI28C2406C	0.24	(0.04)	15,741	0.24	SET5013P2406C	0.24	0.01	1,224,466	0.24	0	-	-	-	-
HSI28C2407A	0.25	(0.04)	42,810	0.25	SET5013P2406D	0.31	0.01	2,378,443	0.31	0	-	-	-	-
HSI28P2404A	0.02	(0.01)	4,000	0.02	SET5013P2406E	0.51	0.01	1,761,555	0.52	0	-	-	-	-
HSI28P2404B	0.10	0.03	168,308	0.09	SET5013P2410A	0.34	-	32,642	0.35	0	-	-	-	-
HSI28P2404C	0.35	0.07	3,396,334	0.35	SET5019C2406A	0.09	0.01	3,273	0.08	0	-	-	-	-
HSI28P2404D	-	-	-	-	SET5019C2406B	0.09	-	2,075	0.08	0	-	-	-	-
HSI28P2405A	0.07	-	14,235	0.07	SET5019C2406C	0.13	-	110,173	0.13	0	-	-	-	-
HSI28P2405B	0.20	0.03	9,400	0.19	SET5019C2406E	0.14	(0.01)	284,127	0.14	0	-	-	-	-
HSI28P2405C	0.44	0.05	1,911,664	0.44	SET5019C2406F	0.31	(0.02)	300,668	0.32	0	-	-	-	-
HSI28P2405D	0.90	0.11	152,265	0.89	SET5019C2406G	0.22	(0.01)	275,526	0.22	0	-	-	-	-
HSI28P2406A	0.09	-	19,341	0.09	SET5019P2406A	0.29	0.01	667,793	0.30	0	-	-	-	-
HSI28P2406B	0.36	0.04	7,476,827	0.37	SET5019P2406B	0.18	0.01	199,021	0.19	0	-	-	-	-
HSI28P2406C	0.18	0.01	8,302	0.18	SET5019P2406C	0.13	-	604,362	0.14	0	-	-	-	-
HSI28P2406D	0.72	0.07	257,380	0.70	SET5019P2406D	0.33	0.01	227,914	0					

Main Board Quotation

Issue Date :

Wednesday April 03, 2024

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
Warrant - MAI														
Agro & Food Indust			-		TPLAS	1.60	-	1,061	00 1.5	HL	11.70	(0.10)	1,362	00 11.7
APO	1.59	(0.53)	2,042,742	00 1.8	TRV	3.30	0.12	210	00 3.2	IMH	6.95	-	337	00 6.8
AU	9.15	(0.15)	5,254	00 9.2	UBIS	2.00	(0.08)	7,424	00 2.0	JPARK	5.85	(0.20)	51,685	00 6.0
JCKH	0.03	-	925,102	00 0.0	UEC	1.60	(0.02)	3,142	00 1.6	KGEM	0.82	(0.04)	37,183	00 0.8
JCKH-W1	-	-	-	00 0.0	UKEM	0.89	0.01	38,882	00 0.8	KGEM-W2	0.34	(0.02)	4,076	00 0.3
JCKH-W2	0.01	(0.01)	25,212	00 0.0	UREKA	0.57	(0.03)	90,903	00 0.5	KK	1.86	0.04	576	00 1.8
KASET	1.26	(0.02)	95	00 1.2	YUASA	10.80	-	35	00 10.7	KLINIQ	40.00	-	3,973	00 39.6
MUD	1.80	-	150	00 1.8	ZIGA	2.70	(0.08)	40,800	00 2.7	KOOL	0.39	-	64,360	00 0.3
NTSC	13.70	(0.30)	19	00 13.7	Property	-	-	-	-	KTMS	2.62	-	415	00 2.6
TACC	4.78	(0.14)	46,954	00 4.8	24CS	1.78	0.12	367,713	00 1.7	LDC	0.60	0.01	4,885	00 0.5
TMILL	3.72	(0.02)	338	00 3.7	A5	3.26	(0.02)	9,016	00 3.2	LEO	4.30	(0.02)	1,020	00 4.2
WINNER	2.16	(0.02)	1,724	00 2.1	A5-W2	0.03	(0.02)	24,689	00 0.0	LEO-W1	0.29	(0.15)	134,346	00 0.4
XO	27.00	(0.25)	21,088	00 27.0	A5-W3	0.11	-	61,924	00 0.1	MASTER	65.00	(1.75)	9,130	00 65.8
Consumer Products			-		ALL	-	-	-	00 0.0	MCA	2.82	(0.14)	67,138	00 2.8
ALPHAX	0.80	(0.01)	217,722	00 0.8	ARIN	2.40	(0.10)	1,196	00 2.3	MEB	30.75	(0.50)	1,649	00 31.0
BGT	0.71	(0.05)	3,377	00 0.7	ARROW	6.55	-	120	00 6.5	MORE	0.08	(0.01)	14,636	00 0.0
DOD	2.88	(0.02)	1,280	00 2.8	BC	1.20	-	1,299	00 1.2	MVP	1.12	-	10,850	00 1.1
ECF	0.91	(0.03)	11,086	00 0.9	BLESS	0.61	(0.01)	5,198	00 0.6	NCL	0.74	-	16,079	00 0.7
ECF-W4	-	-	-	00 0.0	BSM	2.50	-	30	00 2.4	NEWS	0.02	-	593,649	00 0.0
EFORL	0.19	(0.01)	31,053	00 0.1	BTW	0.28	-	2,120	00 0.2	NEWS-W7	0.01	-	130	00 0.0
EFORL-W6	0.03	(0.01)	1,276	00 0.0	CAZ	4.08	0.04	29,743	00 4.1	PEER	0.46	(0.03)	76,587	00 0.4
EURO	6.60	(0.20)	4,126	00 6.7	CHEWA	0.50	(0.01)	3,116	00 0.5	PEER-W1	0.21	(0.06)	10,793	00 0.2
HPT	0.72	0.01	80,127	00 0.7	CPANEL	5.95	(0.05)	318	00 5.9	PHOL	2.72	(0.02)	150	00 2.7
IP	9.95	0.10	5,436	00 9.9	CPANEL-W1	1.90	(0.08)	80	00 1.9	PICO	4.96	(0.02)	4	00 4.9
IP-W2	0.51	(0.04)	93,583	00 0.5	CRD	0.48	(0.01)	7,577	00 0.4	PLT	0.80	(0.01)	5,604	00 0.7
ITTHI	2.06	(0.06)	16,501	00 2.1	DHOUSE	0.61	(0.01)	354	00 0.6	QLT	2.76	(0.08)	15,480	00 2.7
JSP	2.42	(0.04)	5,619	00 2.4	DIMET	0.27	0.01	1,219	00 0.2	RP	1.46	(0.05)	39,368	00 1.5
JSP-W1	0.27	(0.02)	88,932	00 0.2	DPAINT	2.56	(0.02)	1,417	00 2.5	SE	0.86	0.01	850	00 0.8
JUBILE	16.30	-	696	00 16.2	FLOYD	1.20	(0.01)	82	00 1.2	SLM	-	-	-	00 0.0
MGI	25.00	(3.50)	103,225	00 26.2	FLOYD-W1	0.01	(0.01)	2,050	00 0.0	SONIC	1.61	-	4,584	00 1.5
MOONG	2.20	(0.02)	416	00 2.1	HYDRO	0.25	-	203	00 0.2	SPA	13.00	0.10	17,642	00 13.0
NPK	15.00	(0.30)	1	00 15.0	HYDRO-W2	0.04	-	485	00 0.0	THMUI	0.57	(0.02)	1,277	00 0.5
SMD	6.65	-	721	00 6.6	IND	0.89	(0.03)	1,662	00 0.9	TNDT	0.22	-	4,039	00 0.2
TM	1.90	(0.02)	344	00 1.8	JAK	1.30	0.08	2	00 1.2	TNDT-W1	0.04	-	9,927	00 0.0
TM-W1	0.23	(0.02)	4,316	00 0.2	K	1.20	(0.02)	531	00 1.2	TNH	35.50	-	16	00 35.4
WARRIX	5.85	(0.15)	9,151	00 5.9	K-W2	0.22	(0.03)	16,758	00 0.2	TNP	3.26	0.02	1,691	00 3.2
WINMED	2.90	0.04	708	00 2.8	KUN	1.59	(0.03)	515	00 1.5	TPL	1.48	(0.09)	31,464	00 1.4
Financials			-		KUN-W1	-	-	-	00 0.0	TRP	13.80	(0.20)	15,553	00 13.8
ACAP	-	-	-	00 0.0	KUN-W2	0.07	(0.01)	3,785	00 0.0	TURTLE	-	-	-	00 0.0
AF	0.77	-	1	00 0.7	META	0.12	(0.01)	55,200	00 0.1	TVDH	0.34	0.01	10,987	00 0.3
AIRA	1.58	(0.07)	103	00 1.8	META-W7	0.01	-	611	00 0.0	TVDH-W3	0.05	(0.01)	23,272	00 0.0
ASN	2.10	(0.02)	545	00 2.0	PANEL	2.20	(0.12)	35,330	00 2.2	TVDH-W4	0.07	(0.01)	2,822	00 0.0
BROOK	0.53	(0.02)	337,193	00 0.5	PPS	0.45	0.02	6,788	00 0.4	TVT	0.46	(0.07)	39,005	00 0.4
BROOK-W6	0.04	(0.02)	89,816	00 0.0	PRI	16.30	(0.50)	8,069	00 16.5	UBA	1.08	(0.03)	1,054	00 1.0
BROOK-W7	0.23	(0.02)	6,988	00 0.2	PROS	1.26	(0.07)	6,927	00 1.2	VL	1.14	0.02	43,178	00 1.1
GCAP	0.56	(0.03)	13,748	00 0.5	PROS-W1	0.32	(0.09)	27,412	00 0.3	YGG	7.45	(0.15)	35,831	00 7.5
KCCAMC	2.84	(0.16)	5,481	00 2.9	PROUD	1.81	(0.15)	87,936	00 1.8	Technology	-	-	-	-
LIT	1.14	0.02	27,035	00 1.1	PSG	0.64	-	264,016	00 0.6	APP	2.56	-	783	00 2.5
LIT-W2	0.36	(0.05)	138,391	00 0.4	SENX	0.51	(0.01)	5,439	00 0.5	BBIK	96.75	(0.25)	344	00 96.7
MITSIB	0.77	(0.02)	7,113	00 0.7	SENX-W1	0.02	0.01	1	00 0.0	BE8	20.50	(0.25)	14,097	00 27.7
SGF	0.37	(0.02)	15,939	00 0.3	SK	0.83	(0.01)	62,823	00 0.8	BE8-W1	4.78	0.14	21	00 4.7
SGF-P1	-	-	-	00 0.0	SMART	1.03	(0.02)	46,633	00 1.0	BVG	5.35	(0.30)	16,688	00 5.4
SGF-Q1	-	-	-	00 0.0	STC	0.65	-	1,559	00 0.6	COMAN	3.50	(0.02)	20	00 3.4
TQR	7.05	-	180	00 6.9	SVR	1.51	(0.01)	1,438	00 1.5	I2	2.26	(0.14)	113,138	00 2.3
Industrials			-		TAPAC	0.67	(0.83)	100,036	00 0.7	IIG	10.20	(0.40)	3,616	00 10.3
ADB	0.90	0.01	637	00 0.9	THANA	1.74	(0.01)	437	00 1.7	IIG-W1	1.95	(0.02)	257	00 1.9
BM	2.86	(0.02)	5,439	00 2.8	TIGER	0.82	(0.02)	96	00 0.8	IRCP	0.65	(0.02)	12,805	00 0.6
BM-W3	-	-	-	00 0.0	TITILE	4.10	(0.02)	2,178	00 4.1	ITNS	2.38	(0.10)	5,759	00 2.4
BPS	1.23	0.33	10,910,152	00 1.7	WELL	-	-	-	00 0.0	NAT	5.70	(0.15)	38,215	00 5.7
CHO	0.13	-	47,335	00 0.1	YONG	2.02	-	7,315	00 2.0	NETBAY	20.40	-	7,118	00 20.3
CHO-W3	0.01	-	2,700	00 0.0	Resources					PLANET	0.67	-	4,517	00 0.6
CHOW	2.88	0.04	30,706	00 3.0	ABM	1.38	(0.04)	5,307	00 1.4	PROEN	1.84	(0.11)	20,445	00 1.9
CIG	0.07	(0.01)	205,745	00 0.0	ABM-W1	0.31	(0.02)	40,878	00 0.3	READY	10.90	(0.10)	284	00 10.8
CIG-W10	-	-	-	00 0.0	GTV	0.14	(0.02)	178,383	00 0.1	SECURE	14.00	-	936	00 13.9
CIG-W9	0.05	-	461	00 0.0	PSTC	0.49	(0.02)	68,551	00 0.4	SICT	4.94	(0.16)	13,161	00 4.9
COLOR	1.36	(0.01)	1,154	00 1.3	PSTC-W2	0.06	(0.01)	4,223	00 0.0	SIMAT	1.35	(0.01)	5,314	00 1.3
COLOR-W2	0.01	-	26,105	00 0.0	PTC	1.92	(0.07)	7,108	00 1.9	SIMAT-W3	0.27	(0.01)	1,327	00 0.2
CPR	4.16	(0.12)	1,935	00 4.2	SAAM	7.50	(0.45)	4,772	00 7.7	SIMAT-W5	0.12	(0.05)	60,819	00 0.1
FPI	2.32	(0.02)	3,970	00 2.3	SAAM-W2	0.51	(0.12)	354,082	00 0.6	SPVI	3.06	0.02	1,552	00 3.0
GTB	0.72	(0.01)	3,482	00 0.7	SR	0.63	(0.01)	98	00 0.6	SRS	7.95	(0.05)	942	00 8.0
KCM	0.39	-	4,694	00 0.3	STOWER	0.09	-	23,077	00 0.0	TBN	11.90	(0.20)	2,235	00 11.8
KJL	7.90	0.05	10,241	00 7.9	STOWER-W4	-	-	-	00 0.0	TPS	4.22	(0.14)	10,928	00 4.2
KUMWEL	1.80	0.03	1,481	00 1.7	TAKUNI	1.09	0.03	274,284	00 1.1	TPS-W1	2.40	(0.10)	4	00 2.4
KWM	1.46	(0.02)	6,711	00 1.4	TPCH	7.20	-	1,600	00 7.1	VCOM	3.26	(0.02)	664	00 3.2
KBAX	3.20	-	1,256	00 3.2	TRT	3.60	(0.04)	12,728	00 3.6		-	-	-	-
KBAX-W2	0.27	(0.04)	61,946	00 0.3	UMS	0.58	(0.02)	7	00 0.5		-	-	-	-
MGT	2.60	-	1,423	00 2.6	Services						-	-	-	-
MTW	2.82	0.30	228,956	00 2.7	ADD	5.50	(0.05)	198	00 5.5		-	-	-	-
NDR	2.10	0.08	62,2											