

Main Board Quotation

Issue Date :

Tuesday April 09, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KT813C2404A	-	-	-	-	IVL	25.50	0.25	179,122	25.41
WORLD	-	-	-	-	KT813C2406A	0.02	-	14	0.02	IVL01C2405A	-	-	-	-
Agribusiness	-	-	-	-	KT813C2406B	0.09	-	20,249	0.09	IVL01C2406A	0.19	0.03	40,368	0.17
EE	0.23	-	14,214	0.23	KT813C2408A	0.25	0.01	64,863	0.24	IVL01C2406B	0.09	0.01	290	0.09
EE-W1	0.01	-	55,214	0.01	KT813P2404A	-	-	-	-	IVL01C2408A	0.52	0.04	4,021	0.49
GFPT	12.00	(0.10)	16,365	12.06	KT813P2406A	-	-	-	-	IVL01P2405X	-	-	-	-
LEE	2.42	-	1,332	2.42	KT813P2408A	0.26	(0.03)	16,232	0.27	IVL01P2407X	0.16	(0.01)	7,506	0.17
NER	5.95	0.10	77,281	5.93	KT819C2404A	-	-	-	-	IVL06C2404A	-	-	-	-
PPPM	0.03	-	127,090	0.03	KT819C2406A	0.10	-	4,206	0.10	IVL06C2406A	0.36	0.03	4,386	0.34
PPPM-W4	-	-	-	-	KT819C2408A	0.26	0.01	17,960	0.26	IVL13C2406A	-	-	-	-
STA	19.40	0.90	151,018	19.09	KT819P2406A	-	-	-	-	IVL13C2406B	0.20	0.03	50	0.20
STA01C2404A	-	-	-	-	KT841C2404A	-	-	-	-	IVL13C2407A	0.48	0.01	48	0.48
STA01C2407A	0.22	0.05	71,175	0.20	KT841C2406A	-	-	-	-	IVL13C2408A	0.12	-	13,284	0.12
STA01P2407X	0.33	(0.09)	35,811	0.36	KT841C2406B	0.09	-	3,000	0.09	IVL13P2405A	0.03	(0.01)	6,680	0.03
STA01P2408X	0.43	(0.08)	27,466	0.45	KT841C2407A	0.16	0.01	24,024	0.16	IVL13P2408A	0.36	(0.01)	4,348	0.36
STA06C2408A	0.27	0.05	30,834	0.25	LHFG	1.00	0.01	73,039	1.00	IVL19C2405A	-	-	-	-
STA11C2407T	0.46	0.06	49,120	0.43	SCB	115.00	2.50	117,954	114.15	IVL19C2406A	0.22	-	1	0.22
STA13C2405A	0.31	0.08	44,960	0.28	SCB01C2404A	-	-	-	-	IVL19C2407A	0.14	0.02	19,654	0.12
STA13C2407A	0.28	0.05	96,364	0.26	SCB01C2405A	0.13	0.03	14,208	0.12	IVL19C2408A	-	-	-	-
STA13C2408A	0.19	0.04	53,332	0.17	SCB01C2407A	0.40	0.05	4,788	0.38	IVL41C2404A	-	-	-	-
STA13P2407A	0.14	(0.05)	60,036	0.16	SCB01C2408A	0.40	0.05	16,614	0.38	IVL41C2406A	-	-	-	-
STA13P2408A	0.46	(0.10)	102,777	0.48	SCB01P2405X	0.02	(0.01)	14	0.02	IVL41C2406B	-	-	-	-
STA19C2406A	0.35	0.07	63,068	0.32	SCB01P2407X	0.15	(0.03)	5,952	0.16	IVL41C2407A	0.31	0.04	1,000	0.31
STA19C2408A	0.28	0.06	100,033	0.26	SCB13C2404A	-	-	-	-	NFC	3.12	0.08	8	3.05
STA41C2408A	0.23	0.04	36,691	0.22	SCB13C2406A	0.22	0.04	103,355	0.20	PATO	9.05	0.05	66	9.01
TEGH	2.98	0.04	10,451	2.95	SCB13P2406A	0.02	(0.01)	30	0.02	PMTA	-	-	-	-
TFM	6.95	0.20	859	6.86	SCB13P2407A	0.14	(0.02)	8,601	0.14	PTTGC	40.50	0.75	95,892	40.03
TRUBB	1.50	0.06	126,420	1.48	SCB19C2404A	-	-	-	-	PTTGC01C2405A	0.05	(0.01)	100	0.05
TRUBB-W2	0.13	0.01	60,187	0.13	SCB19C2406A	0.21	0.03	79,866	0.21	PTTGC01C2406A	0.32	0.03	27,241	0.29
UPOIC	6.30	-	396	6.30	SCB19C2407A	0.20	0.02	56,972	0.19	PTTGC01C2407A	0.25	0.03	38,919	0.23
UVAN	8.45	(0.25)	6,617	8.54	SCB19P2407A	0.10	(0.03)	30	0.10	PTTGC01P2404X	-	-	-	-
VPO	0.79	(0.01)	11,170	0.79	SCB41C2404A	-	-	-	-	PTTGC01P2405X	-	-	-	-
Banking	-	-	-	-	SCB41C2405A	0.13	0.03	18,000	0.11	PTTGC11C2404A	0.13	0.02	9,960	0.12
BAY	26.75	-	5,289	26.85	SCB41C2405B	0.11	0.03	14,009	0.11	PTTGC13C2406A	0.18	0.02	16,786	0.16
BBL	141.00	3.50	84,239	139.81	SCB41C2407A	0.27	0.04	15,200	0.25	PTTGC13P2404A	-	-	-	-
BBL11C2404A	-	-	-	-	SCB41C2407B	0.21	0.04	21,002	0.19	PTTGC13P2408A	0.26	(0.02)	17,242	0.26
BBL11C2405A	-	-	-	-	SCB41C2408A	0.23	0.03	20,340	0.21	PTTGC19C2406A	0.22	0.01	49,749	0.20
BBL11C2406A	-	-	-	-	SCB41P2406A	-	-	-	-	PTTGC41C2404A	-	-	-	-
BBL11P2407A	0.24	(0.08)	8,625	0.27	TCAP	50.25	-	20,474	50.41	PTTGC41C2405A	-	-	-	-
BBL13C2404A	-	-	-	-	TCAP-P	-	-	-	-	PTTGC41C2406A	0.20	-	4,500	0.18
BBL13C2405A	0.01	-	790	0.01	TCAP-Q	-	-	-	-	PTTGC41C2407A	0.19	0.02	32,280	0.17
BBL13C2406A	0.07	0.02	365	0.06	TISCO	99.75	0.75	32,983	99.63	PTTGC41C2407B	0.40	(0.08)	4,000	0.40
BBL13C2408A	0.23	0.04	40,914	0.22	TISCO-P	-	-	-	-	SUTHA	2.72	-	61	2.76
BBL13P2404A	-	-	-	-	TISCO-Q	-	-	-	-	TPA	4.32	0.02	307	4.29
BBL13P2408A	0.31	(0.10)	9,806	0.33	TISCO13C2405A	-	-	-	-	UAC	3.56	(0.04)	2,840	3.57
BBL19C2404A	-	-	-	-	TISCO19C2408A	-	-	-	-	UP	16.40	0.10	205	16.34
BBL19C2405A	-	-	-	-	TTB	1.82	0.06	2,135,053	1.79	Commerce	-	-	-	-
BBL19C2406A	-	-	-	-	TTB-W1	0.85	0.04	4,949	0.84	ADVCE	4.38	0.08	63,217	4.31
BBL19C2408A	0.23	0.04	113,474	0.23	TTB01C2404A	-	-	-	-	B52	0.69	0.02	307	0.67
BBL19P2406A	0.12	(0.05)	2,399	0.15	TTB01C2406A	0.26	0.06	5,372	0.24	BEAUTY	0.63	-	214,142	0.62
BBL41C2404A	-	-	-	-	TTB13C2404A	-	-	-	-	BIG	0.47	0.01	12,016	0.46
BBL41C2405A	-	-	-	-	TTB19C2404A	-	-	-	-	BJC	25.25	0.75	65,320	24.88
BBL41C2406A	-	-	-	-	TTB19C2409A	0.30	(0.70)	20,777	0.28	COM7	19.10	0.10	84,083	19.13
BBL41C2406B	-	-	-	-	Construction Ma	-	-	-	-	COM701C2404A	-	-	-	-
BBL41C2407A	-	-	-	-	CCP	0.36	-	19,295	0.36	COM701C2404B	-	-	-	-
BBL41C2407B	0.15	0.03	7,000	0.14	DCC	1.88	(0.03)	57,841	1.89	COM701C2405A	-	-	-	-
BBL41C2408A	0.22	0.04	44,094	0.20	DCON	0.40	0.01	93,032	0.40	COM701C2406A	0.06	0.01	220	0.06
BBL41P2406A	-	-	-	-	DCON-W3	0.07	0.01	30,331	0.06	COM701C2407A	0.21	-	29,290	0.21
CIMBT	0.55	-	7,489	0.55	DRT	8.00	0.10	1,555	7.92	COM701C2408A	0.35	0.01	45,317	0.35
CREDIT	27.25	0.25	1,403	27.28	EPG	6.75	0.05	25,946	6.68	COM701P2404X	-	-	-	-
KBANK	125.50	1.50	133,095	124.70	GEL	0.18	-	15,705	0.18	COM701P2406X	0.38	(0.02)	35,735	0.38
KBANK01C2405A	-	-	-	-	GEL-W5	-	-	-	-	COM701P2408X	0.31	(0.01)	48,117	0.31
KBANK01C2406A	0.11	0.01	2,000	0.11	PPP	1.82	(0.02)	66	1.81	COM706C2407A	0.20	-	93,138	0.20
KBANK01C2407A	0.28	0.03	20,768	0.26	Q-CON	15.00	(0.10)	5,079	15.04	COM711C2404A	-	-	-	-
KBANK01P2404X	-	-	-	-	SCC	259.00	5.00	16,117	257.09	COM711C2406A	-	-	-	-
KBANK01P2406X	0.12	(0.02)	13,750	0.12	SCC01C2405A	-	-	-	-	COM711P2406A	0.39	(0.02)	41,266	0.39
KBANK01P2408X	0.20	(0.02)	27,867	0.20	SCC01C2407A	0.08	0.01	1,000	0.08	COM713C2404A	-	-	-	-
KBANK06C2404A	0.01	-	8	0.01	SCC01C2408A	0.45	0.05	32,708	0.41	COM713C2405A	-	-	-	-
KBANK06C2406A	-	-	-	-	SCC11C2408A	0.23	0.03	7,202	0.21	COM713C2405B	-	-	-	-
KBANK13C2405A	0.01	-	1	0.01	SCC13C2405A	0.01	(0.01)	1,000	0.01	COM713C2406A	0.06	(0.02)	1	0.06
KBANK13C2406A	-	-	-	-	SCC13C2407A	0.06	-	150	0.06	COM713C2407A	0.18	-	44,342	0.18
KBANK13C2407A	0.19	0.01	33,938	0.17	SCC13C2408A	0.30	0.03	38,690	0.28	COM713C2408A	0.32	(0.01)	46,551	0.33
KBANK13C2408A	0.27	0.01	114,569	0.26	SCC13P2408A	0.22	(0.02)	14,124	0.22	COM713P2404A	-	-	-	-
KBANK13P2404A	-	-	-	-	SCC19C2405A	-	-	-	-	COM713P2407A	0.26	(0.02)	32,671	0.26
KBANK13P2406A	0.12	(0.01)	4,000	0.12	SCC19C2406A	-	-	-	-	COM719C2404A	-	-	-	-
KBANK19C2404A	-	-	-	-	SCC19C2408A	0.30	0.03	64,354	0.28	COM719C2404B	-	-	-	-
KBANK19C2405A	-	-	-	-	SCCC	139.50	2.50	877	138.56	COM719C2406A	-	-	-	-
KBANK19C2406A	-	-	-	-	SCGD	8.10	(0.10)	10,051	8.13	COM719C2407A	0.14	(0.01)	456	0.14
KBANK19C2408A	0.23	0.02	760	0.22	SCP	6.05	-	2,015	6.04	COM719C2408A	0.32	-	23,349	0.32
KBANK19P2404A	-	-	-	-	SKN	4.50	(0.04)	1,127	4.48	COM719P2406A	0.32	(0.03)	46,554	0.32
KBANK41C2405A	-	-	-	-	STECH	1.39	(0.01)	4,238	1.39	COM741C2404A	-	-	-	-
KBANK41C2405B	-	-	-	-	TASCO	16.00	0.10	61,002	15.91	COM741C2404B	-	-	-	-
KBANK41C2406A	-	-	-	-	TASCO01C2405/	-	-	-	-	COM741C2405A	-	-	-	-
KBANK41C2408A	0.28	0.03	34,146	0.26	TASCO01C2408/	0.19	-	2,760	0.19	COM741C2406A	-	-	-	-
KBANK41P2406A	-	-	-	-	TASCO01P2405/	-	-	-	-	COM741C2407A	0.15	-	23,488	0.15
KKP	52.50	1.00	29,798	52.22	TASCO13C2407/	0.14	(0.03)	13,050	0.14	COM741C2408A	0.28	-	49,520	0.28
KKP-W6	1.68	-	2,003	1.67	TASCO19C2404/	-	-	-	-	CPALL	56.25	0.25	352,058	56.25
KKP01C2405A	0.08	0.01	7,474	0.08	TASCO19C2407/	0.15	-	31,829	0.15	CPALL01C2404/	-	-	-	-
KKP11C2406A	0.18	0.01	8,504	0.18	TASCO41C2406/	-	-	-	-	CPALL01C2405A	0.14	-	22,102	0.14
KKP11P2405A														

Main Board Quotation

Issue Date :

Tuesday April 09, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL19C2406A	0.14	0.01	66,055	0.14	ADVANC	207.00	3.00	82,941	205.50	TRUE11C2405A	-	-	-	-
CPALL19C2407A	0.13	0.01	6,710	0.13	ADVANC01C240	-	-	-	-	TRUE11C2406A	-	-	-	-
CPALL19P2404A	-	-	-	-	ADVANC01C240	0.08	0.01	2,030	0.07	TRUE11P2408A	0.33	(0.03)	6,030	0.35
CPALL19P2408A	0.11	(0.04)	8,000	0.11	ADVANC01C240	0.22	0.02	5,423	0.21	TRUE13C2405A	-	-	-	-
CPALL41C2404A	-	-	-	-	ADVANC01P240	-	-	-	-	TRUE13C2407A	0.41	0.09	1	0.41
CPALL41C2405A	-	-	-	-	ADVANC01P240	0.26	(0.04)	9,847	0.27	TRUE13C2407B	0.32	0.03	28,001	0.29
CPALL41C2406A	0.15	0.02	18,348	0.15	ADVANC06C240	-	-	-	-	TRUE13P2404A	-	-	-	-
CPALL41C2407A	0.20	-	48,604	0.19	ADVANC11C240	0.09	(0.02)	8	0.09	TRUE13P2407A	-	-	-	-
CPALL41C2407B	0.17	0.01	10,506	0.17	ADVANC13C240	-	-	-	-	TRUE13P2407B	0.10	(0.01)	4,552	0.10
CPALL41C2407C	0.09	-	3,000	0.09	ADVANC13C240	-	-	-	-	TRUE19C2404A	-	-	-	-
CPALL41C2408A	0.18	0.01	15,449	0.18	ADVANC13C240	0.11	-	19,957	0.10	TRUE19C2405A	-	-	-	-
CPAXT	32.50	1.50	49,502	31.86	ADVANC13P240	-	-	-	-	TRUE19C2407A	0.37	0.04	11,436	0.35
CPW	2.20	0.06	1,318	2.16	ADVANC13P240	0.25	(0.02)	21,000	0.26	TRUE19C2407B	-	-	-	-
CRC	36.75	1.75	142,896	36.37	ADVANC19C240	-	-	-	-	TRUE19P2408A	0.14	(0.01)	2	0.15
CRC01C2404A	-	-	-	-	ADVANC19C240	0.01	-	40	0.01	TRUE41C2404A	-	-	-	-
CRC01C2407A	0.21	0.06	44,666	0.18	ADVANC19C240	-	-	-	-	TRUE41C2404B	-	-	-	-
CRC01P2404X	-	-	-	-	ADVANC41C240	-	-	-	-	TRUE41C2406A	-	-	-	-
CRC11C2404A	0.03	-	1	0.03	ADVANC41C240	-	-	-	-	TRUE41C2406B	0.73	0.07	1,500	0.71
CRC13C2405A	-	-	-	-	ADVANC41C240	0.09	0.02	21	0.09	TRUE41C2407A	0.46	0.06	3,000	0.45
CRC13C2407A	0.13	0.03	34,355	0.13	ADVANC41C241	0.30	(0.70)	2,448	0.30	TRUE41C2407B	0.25	0.02	37,339	0.23
CRC13C2408A	0.24	0.06	75,303	0.22	AIT	4.64	(0.04)	8,768	4.67	TRUE41P2408A	-	-	-	-
CRC13P2404A	-	-	-	-	ALT	1.50	0.02	2,398	1.50	TWZ	0.04	0.01	360,982	0.04
CRC19C2404A	-	-	-	-	AMR	1.19	-	6,048	1.19	Electronic Componer	-	-	-	-
CRC19C2406A	0.19	0.05	25,630	0.17	BLISS	-	-	-	-	CCET	2.48	0.06	71,065	2.48
CRC19C2408A	0.16	0.03	40,001	0.15	DIF	8.00	0.15	110,157	7.92	DELTA	77.25	4.25	188,229	76.06
CRC41C2407A	0.18	0.05	39,574	0.16	DITTO	22.00	0.30	11,865	21.86	DELTA01C2404A	-	-	-	-
CSS	0.93	-	9,457	0.94	DITTO-W1	3.88	(0.12)	88	3.90	DELTA01C2404B	-	-	-	-
DOHOME	11.10	-	16,676	11.12	DTCENT	1.35	0.01	4,755	1.37	DELTA01C2406A	0.10	0.03	33,909	0.11
DOHOME01C2404A	-	-	-	-	FORTH	15.40	0.40	7,811	15.32	DELTA01C2407A	0.48	0.11	133,687	0.43
DOHOME01C2406A	0.09	(0.01)	10,702	0.10	FORTH01C2404	-	-	-	-	DELTA01C2407B	0.76	0.16	137,553	0.70
DOHOME01C2409A	0.24	-	8,107	0.25	FORTH01C2407	0.12	0.02	9,984	0.12	DELTA01P2404A	-	-	-	-
DOHOME06C2407A	0.15	-	16,397	0.16	FORTH13C2404	-	-	-	-	DELTA01P2406X	0.22	(0.09)	102,237	0.26
DOHOME11C2406A	0.11	-	1,748	0.11	FORTH13C2406	0.06	-	6,020	0.06	DELTA01P2408X	0.66	(0.14)	241,909	0.71
DOHOME13C2404A	-	-	-	-	FORTH13C2408	0.29	0.02	11,177	0.28	DELTA06C2405A	-	-	-	-
DOHOME13C2406A	0.19	-	17,439	0.18	FORTH19C2404	-	-	-	-	DELTA06C2406A	0.43	0.11	126,186	0.37
DOHOME13C2407A	0.10	(0.01)	15,290	0.10	FORTH19C2407	0.14	0.01	1,700	0.15	DELTA11C2406A	0.22	0.06	17,600	0.19
DOHOME19C2404A	-	-	-	-	GABLE	4.94	(0.02)	13,288	4.94	DELTA13C2404A	-	-	-	-
DOHOME19C2406A	0.17	(0.01)	6,118	0.18	HUMAN	12.30	0.10	8,997	12.31	DELTA13C2405A	0.02	-	13,634	0.01
DOHOME19C2407A	0.13	(0.01)	9,569	0.13	ICN	2.50	0.04	5,072	2.51	DELTA13C2407A	0.33	0.08	153,867	0.30
DOHOME41C2406A	-	-	-	-	ILINK	7.10	-	15,095	7.05	DELTA13C2407B	0.68	0.13	178,152	0.63
DOHOME41C2406B	0.13	-	3,740	0.13	INET	4.80	(0.06)	3,354	4.83	DELTA13C2407C	0.50	0.12	273,715	0.46
FN	1.16	-	337	1.16	INSET	2.16	(0.02)	16,986	2.17	DELTA13P2404A	-	-	-	-
FTE	1.71	-	1,200	1.70	INTUCH	69.75	1.50	26,479	69.16	DELTA13P2405A	0.03	(0.02)	370	0.03
GLOBAL	16.90	0.10	46,989	16.82	INTUCH01C240	0.03	0.01	1,055	0.02	DELTA13P2407A	0.24	(0.08)	43,951	0.27
GLOBAL01C2404A	-	-	-	-	INTUCH13C240	-	-	-	-	DELTA13P2408A	0.59	(0.13)	166,049	0.63
GLOBAL01C2407A	0.31	(0.01)	14,282	0.31	INTUCH13C240	0.29	0.03	19,295	0.27	DELTA19C2404A	-	-	-	-
GLOBAL01C2408A	0.24	-	33,712	0.24	INTUCH19C240	-	-	-	-	DELTA19C2406A	0.14	0.03	36,031	0.14
GLOBAL11C2408A	0.27	-	12,214	0.27	INTUCH19C240	0.42	(0.58)	10,260	0.40	DELTA19C2407A	0.35	0.08	52,894	0.32
GLOBAL13C2406A	0.15	-	18,523	0.14	ITEL	2.60	0.10	56,449	2.56	DELTA19C2407B	0.55	0.13	83,446	0.50
GLOBAL19C2407A	0.36	(0.01)	14,838	0.36	ITEL-W4	0.01	(0.01)	138	0.01	DELTA19P2404A	-	-	-	-
GLOBAL19C2407B	0.20	-	11,298	0.19	JAS	2.66	0.04	791,784	2.67	DELTA19P2407A	0.26	(0.08)	44,731	0.28
GLOBAL41C2406A	0.14	-	41,470	0.13	JMART	14.70	0.60	82,813	14.51	DELTA41C2404B	-	-	-	-
HMPRO	10.70	0.20	276,977	10.66	JMART-W4	1.51	0.06	842	1.48	DELTA41C2405A	0.01	-	2,000	0.01
HMPRO01C2404A	-	-	-	-	JMART-W5	1.46	0.08	222	1.49	DELTA41C2406A	0.12	0.02	9,280	0.11
HMPRO01C2406A	0.01	-	4,000	0.01	JMART01C2404	-	-	-	-	DELTA41C2407A	0.33	0.08	45,334	0.30
HMPRO01C2407A	0.10	0.01	27,697	0.10	JMART01C2405	-	-	-	-	DELTA41C2407B	0.55	0.13	89,032	0.51
HMPRO11C2407T	-	-	-	-	JMART01C2406	0.11	-	12,900	0.10	DELTA41P2406A	0.48	(0.14)	11,914	0.53
HMPRO13C2405A	-	-	-	-	JMART01C2407	0.25	0.04	57,690	0.23	HANA	39.75	0.50	82,279	39.57
HMPRO13C2407A	0.07	0.01	3,519	0.07	JMART01P2404	-	-	-	-	HANA01C2404A	-	-	-	-
HMPRO19C2404A	-	-	-	-	JMART01P2408	0.41	(0.06)	29,530	0.44	HANA01C2405A	-	-	-	-
HMPRO19C2407A	-	-	-	-	JMART06C2405	0.02	(0.03)	5	0.02	HANA01C2406A	0.03	(0.01)	2,000	0.03
HMPRO41C2404A	-	-	-	-	JMART13C2404	-	-	-	-	HANA01C2407A	0.15	0.01	77,919	0.14
HMPRO41C2406A	-	-	-	-	JMART13C2404E	-	-	-	-	HANA01C2407B	0.36	0.02	35,457	0.35
HMPRO41C2407A	-	-	-	-	JMART13C2407	0.13	0.01	33,164	0.12	HANA01P2404X	-	-	-	-
HMPRO41C2408A	0.14	0.02	8,250	0.13	JMART13C2408	0.35	0.05	56,004	0.33	HANA01P2405X	0.40	(0.04)	1,921	0.42
ICC	46.75	0.25	23	46.70	JMART13P2404	-	-	-	-	HANA01P2407X	0.35	(0.03)	18,267	0.36
ILM	20.00	(0.50)	11,403	20.11	JMART13P2408	0.43	(0.05)	34,090	0.44	HANA01P2408X	0.22	(0.01)	23,428	0.22
IT	3.58	-	389	3.60	JMART19C2404	-	-	-	-	HANA06C2404A	-	-	-	-
KAMART	14.00	0.30	85,168	14.17	JMART19C2406	-	-	-	-	HANA06C2405A	-	-	-	-
LOXLEY	1.48	(0.01)	693	1.49	JMART19C2406E	0.12	0.01	19,134	0.11	HANA06C2407A	0.34	0.02	93,460	0.33
MC	12.80	(0.20)	15,677	12.93	JMART19C2408	0.27	0.03	110,844	0.26	HANA11C2407A	0.07	(0.01)	425	0.06
MEGA	41.25	(1.00)	12,863	41.58	JMART19P2404	-	-	-	-	HANA13C2404B	-	-	-	-
MEGA01C2404A	-	-	-	-	JMART41C2404	-	-	-	-	HANA13C2407A	0.06	0.01	690	0.05
MEGA13C2405A	-	-	-	-	JMART41C2404E	-	-	-	-	HANA13C2407B	0.11	0.01	10,288	0.11
MEGA19C2404A	-	-	-	-	JMART41C2405	-	-	-	-	HANA13C2407C	0.31	0.01	56,090	0.30
MEGA19C2409A	0.23	(0.77)	16,045	0.25	JMART41C2407	0.20	0.03	25,854	0.19	HANA13C2408A	0.24	0.01	32,238	0.24
MIDA	0.48	-	1,255	0.48	JMART41P2405	-	-	-	-	HANA13P2404A	-	-	-	-
MIDA-W3	-	-	-	-	JTS	56.50	5.00	23,959	56.21	HANA13P2406A	-	-	-	-
MOSHI	54.75	(0.50)	4,578	54.87	MFEC	6.90	(0.05)	1,333	6.95	HANA13P2407A	0.34	(0.04)	29,466	0.35
MOSH13C2407A	0.20	(0.01)	48,449	0.20	MSC	8.40	0.15	81	8.32	HANA13P2407B	0.15	(0.02)	39,848	0.15
RS	12.70	-	4,537	12.71	PT	7.95	-	1,670	7.91	HANA13P2408A	0.30	(0.02)	13,622	0.30
RS-W4	0.01	-	3,402	0.01	SAMART	6.60	0.05	16,351	6.61	HANA19C2404A	-	-	-	-
RS-W5	4.80	(0.02)	860	4.83	SAMART-W3	0.01	-	1	0.01	HANA19C2404B	-	-	-	-
RSP	2.42	0.02	1,897	2.41	SAMTEL	2.94	0.04	4,155	2.86	HANA19C2407A	-	-	-	-
SABUY	2.22	0.06	2,484,297	2.20	SAMTEL-W1	-	-	-	-	HANA19C2407B	-	-	-	-
SABUY-W1	0.22	(0.33)	130,428	0.35	SDC	0.04	(0.01)	382,358	0.04	HANA19C2407C	0.13	-	33,108	0.13
SABUY-W2	0.23	-	500,859	0.24	SIS	27.25	(0.75)	3,130	27.51	HANA19C2407D	0.28	0.01	132,466	0.28
SABUY01C2404A	-	-	-	-	SKY	27.50	0.25	6,626	27.42	HANA19P2405A	-	-	-	-
SABUY13C2404A	-	-	-	-	SVOA	1.92	-	3,569	1.89	HANA19P2407A	0.20	(0.01)	29,516	0.20
SABUY														

Main Board Quotation

Issue Date :

Tuesday April 09, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE01P2406X	0.40	(0.03)	8,632	0.40	BGRIM19P2406/	0.07	(0.04)	3,180	0.06	GULF19C2406A	-	-	-	-
KCE01P2407X	0.24	(0.03)	12,986	0.24	BGRIM41C2404/	-	-	-	-	GULF19C2408A	0.21	0.03	72,468	0.20
KCE06C2406A	-	-	-	-	BGRIM41C2404E	-	-	-	-	GULF19P2404A	-	-	-	-
KCE11C2405A	-	-	-	-	BGRIM41C2405/	0.08	0.01	16,200	0.08	GULF41C2405A	-	-	-	-
KCE11C2408A	0.31	0.01	18,416	0.31	BGRIM41C2405E	-	-	-	-	GULF41C2405B	-	-	-	-
KCE13C2404A	-	-	-	-	BGRIM41C2407/	0.10	0.01	6,000	0.10	GULF41C2406A	0.09	0.02	2,000	0.09
KCE13C2406A	-	-	-	-	BGRIM41C2408E	0.20	0.01	29,809	0.20	GULF41C2408A	0.17	0.03	6,748	0.16
KCE13C2407A	0.07	0.01	40	0.07	BIOTEC	0.39	-	8,683	0.38	GULF41C2410A	0.32	(0.68)	34,168	0.30
KCE13C2407B	0.15	0.01	58,086	0.15	BIOTEC-P	-	-	-	-	GULF41P2405A	-	-	-	-
KCE13C2408A	0.29	0.02	151,000	0.29	BIOTEC-Q	-	-	-	-	GUNKUL	2.74	0.06	290,585	2.71
KCE13P2407A	0.37	(0.03)	30,352	0.37	BIOTEC-W2	0.09	-	4,970	0.09	GUNKUL01C2404A	-	-	-	-
KCE13P2407B	0.21	(0.02)	4,502	0.21	BPP	14.50	(0.10)	7,948	14.47	GUNKUL01C2407A	0.08	0.01	25	0.08
KCE19C2404A	-	-	-	-	BRRGIF	3.52	0.04	4,800	3.50	GUNKUL01P2404X	-	-	-	-
KCE19C2406A	-	-	-	-	BSRC	9.90	(0.10)	80,507	9.87	GUNKUL01P2407X	0.41	(0.04)	26,238	0.43
KCE19C2406B	-	-	-	-	BSRC13C2408A	-	-	-	-	GUNKUL11C2404A	-	-	-	-
KCE19C2407A	0.14	0.01	25,871	0.14	CKP	4.12	0.04	36,866	4.11	GUNKUL13C2404A	-	-	-	-
KCE19C2408A	0.32	0.02	110,016	0.32	CKP01C2407A	0.47	0.02	15,811	0.47	GUNKUL13C2407A	0.07	-	200	0.07
KCE19P2404A	-	-	-	-	CKP13C2407A	-	-	-	-	GUNKUL13C2407B	0.19	0.01	38,998	0.19
KCE19P2407A	0.16	(0.02)	32,561	0.16	CKP19C2407A	0.46	0.01	15,216	0.46	GUNKUL13P2404A	-	-	-	-
KCE41C2404A	-	-	-	-	CV	0.52	0.01	211,780	0.52	GUNKUL13P2407A	0.32	(0.04)	34,158	0.34
KCE41C2405A	0.02	0.01	100	0.02	CV-W1	0.41	(0.05)	183,210	0.45	GUNKUL19C2405A	-	-	-	-
KCE41C2406A	-	-	-	-	DEMCO	3.78	0.02	6,657	3.81	GUNKUL19C2408A	0.22	0.01	12,635	0.21
KCE41C2406B	-	-	-	-	DEMCO-W7	0.93	0.04	19,693	0.94	IFEC	-	-	-	-
KCE41C2407A	0.13	-	6,932	0.13	EA	35.25	3.00	258,188	34.77	IRPC	1.98	0.05	851,654	1.96
KCE41C2407B	0.23	0.01	53,091	0.23	EA01C2405A	0.02	-	2,005	0.01	IRPC01C2406A	-	-	-	-
KCE41P2407A	-	-	-	-	EA01C2406A	-	-	-	-	IRPC13C2405A	-	-	-	-
KCE41P2408B	0.28	(0.72)	6,088	0.28	EA01C2406B	0.02	-	8,100	0.02	IRPC13C2407A	0.21	0.02	90,540	0.20
METCO	222.00	-	21	221.33	EA01C2407A	0.08	0.04	1,827	0.08	IRPC19C2404A	-	-	-	-
SMT	2.86	0.04	8,629	2.88	EA01C2407B	0.18	0.08	100,870	0.16	IRPC19C2409A	0.34	(0.66)	17,816	0.32
SMT-W3	0.06	0.02	17,263	0.05	EA01P2404X	-	-	-	-	JR	4.40	(0.02)	1,335	4.40
SVI	6.45	0.10	4,964	6.42	EA01P2406X	0.16	(0.12)	115,429	0.18	KBSPIF	8.50	(0.05)	74	8.50
TEAM	3.92	-	6,100	3.95	EA06C2404A	-	-	-	-	LANNA	13.90	0.20	9,967	13.82
Energy & Utilities					EA06C2406A	-	-	-	-	MDX	3.72	0.16	19,760	3.71
7UP	0.38	0.01	46,950	0.37	EA11C2405A	-	-	-	-	NOVA	9.95	(0.15)	17,524	10.10
ACC	0.50	-	16,509	0.49	EA11C2408A	0.15	0.05	16,820	0.15	OR	18.60	0.20	119,398	18.52
ACE	1.39	0.01	77,268	1.38	EA13C2405A	-	-	-	-	OR01C2405A	0.01	(0.04)	801	0.01
ACE13C2407A	-	-	-	-	EA13C2406A	0.01	(0.01)	619	0.01	OR01C2407A	0.20	0.02	18,049	0.19
ACE19C2407A	-	-	-	-	EA13C2406B	0.01	-	100	0.01	OR01P2405X	0.12	(0.02)	1,460	0.13
AGE	1.88	(0.02)	12,579	1.89	EA13C2407A	0.09	0.04	72,943	0.08	OR11C2404A	-	-	-	-
AI	4.12	(0.02)	3,085	4.11	EA13C2408A	0.21	0.08	181,791	0.19	OR13C2404A	-	-	-	-
AIE	1.28	-	4,852	1.27	EA13C2409A	0.33	0.11	130,896	0.31	OR13C2407A	0.15	-	1,902	0.14
AKR	0.98	-	26,082	0.99	EA13P2406A	0.18	(0.10)	15,005	0.19	OR19C2404A	-	-	-	-
AKR-W2	0.02	0.01	17,722	0.02	EA13P2407A	0.17	(0.10)	90,261	0.19	OR19C2407A	0.18	-	53,154	0.18
BAFS	23.30	0.50	3,018	23.29	EA19C2405A	-	-	-	-	PCC	3.02	-	4,647	3.01
BANPU	5.65	0.25	1,281,316	5.51	EA19C2406A	-	-	-	-	PRIME	0.52	0.02	28,837	0.52
BANPU01C2404A	-	-	-	-	EA19C2406B	0.06	0.02	3,671	0.06	PTG	8.70	0.20	54,805	8.66
BANPU01C2405A	-	-	-	-	EA19C2407A	0.18	0.08	93,057	0.15	PTG01C2404A	-	-	-	-
BANPU01C2406A	0.02	0.01	400	0.02	EA41C2404A	-	-	-	-	PTG01C2407A	0.22	0.02	11,906	0.21
BANPU01C2407A	0.10	0.02	61,576	0.10	EA41C2405A	-	-	-	-	PTG11C2405A	-	-	-	-
BANPU01C2408A	0.24	0.05	30,243	0.22	EA41C2406A	0.02	-	4	0.02	PTG13C2407A	0.17	0.02	23,705	0.16
BANPU01P2404X	-	-	-	-	EA41C2407A	-	-	-	-	PTG19C2404A	-	-	-	-
BANPU01P2405X	0.17	(0.04)	1,303	0.19	EA41C2408A	0.21	0.09	58,460	0.19	PTG19C2407A	0.22	0.02	11,042	0.21
BANPU01P2407X	0.15	(0.04)	16,494	0.15	EA41C2408B	0.15	0.06	23,613	0.14	PTT	35.00	0.25	467,742	34.80
BANPU06C2407A	-	-	-	-	EA41C2410A	0.39	(0.61)	53,440	0.36	PTT01C2405A	-	-	-	-
BANPU11C2404A	-	-	-	-	EA41P2405A	-	-	-	-	PTT01C2407A	-	-	-	-
BANPU11C2406A	-	-	-	-	EASTW	3.52	0.02	4,374	3.50	PTT01P2405X	-	-	-	-
BANPU11C2410T	0.26	0.05	27,240	0.24	EGATIF	6.00	(0.05)	2,568	6.05	PTT01P2408X	0.15	(0.02)	3,606	0.16
BANPU13C2404A	-	-	-	-	EGCO	115.00	0.50	8,331	114.58	PTT11C2404A	-	-	-	-
BANPU13C2405A	0.02	0.01	1,781	0.01	EGCO01C2404A	-	-	-	-	PTT13C2406A	0.09	(0.01)	20,228	0.09
BANPU13C2406A	-	-	-	-	EGCO13C2405A	-	-	-	-	PTT13P2405A	-	-	-	-
BANPU13C2407A	0.10	0.03	11,240	0.09	EGCO13C2407A	0.19	-	31,620	0.19	PTT13P2408A	0.15	(0.01)	2,020	0.15
BANPU13C2408A	0.23	0.05	39,138	0.22	EGCO19C2408A	0.24	-	4,917	0.23	PTT19C2404A	-	-	-	-
BANPU13P2404A	-	-	-	-	EP	2.68	-	637	2.66	PTT19C2406A	-	-	-	-
BANPU13P2405A	0.06	-	8,458	0.07	EP-W4	0.02	(0.01)	48,693	0.03	PTT41C2407A	0.20	0.01	6,000	0.19
BANPU19C2404A	-	-	-	-	ETC	2.60	0.06	12,297	2.60	PTT41C2407B	0.17	0.01	6,000	0.16
BANPU19C2405A	-	-	-	-	GPSC	54.50	2.00	56,702	53.93	PTT41C2408C	-	-	-	-
BANPU19C2405B	-	-	-	-	GPSC01C2404A	-	-	-	-	PTTEP	160.00	0.50	125,982	159.48
BANPU19C2407A	0.08	0.01	5	0.07	GPSC01C2405A	0.10	0.02	11,848	0.08	PTTEP01C2404A	-	-	-	-
BANPU19C2407B	0.16	0.04	76,646	0.14	GPSC01C2407A	0.28	0.04	31,329	0.26	PTTEP01C2404T	-	-	-	-
BANPU19P2404A	-	-	-	-	GPSC01P2404X	-	-	-	-	PTTEP01C2405A	0.30	-	16,394	0.29
BANPU19P2406A	0.14	(0.08)	16,674	0.15	GPSC01P2405X	-	-	-	-	PTTEP01C2407A	0.37	0.01	37,320	0.36
BANPU41C2405A	-	-	-	-	GPSC01P2407X	0.13	(0.03)	25,360	0.15	PTTEP01P2405X	-	-	-	-
BANPU41C2406A	-	-	-	-	GPSC06C2404A	-	-	-	-	PTTEP01P2406X	0.12	(0.01)	38,126	0.14
BANPU41C2407A	-	-	-	-	GPSC11C2408T	0.37	0.04	6,070	0.36	PTTEP06C2405A	0.39	(0.01)	50,660	0.38
BANPU41C2407B	0.14	0.04	28,352	0.13	GPSC11P2405A	-	-	-	-	PTTEP11C2406A	0.44	(0.01)	8,002	0.42
BBGI	5.40	(0.05)	7,708	5.34	GPSC13C2406A	0.22	0.05	60,969	0.20	PTTEP11P2406A	-	-	-	-
BCP	45.50	-	47,789	45.23	GPSC13P2404A	-	-	-	-	PTTEP13C2404A	-	-	-	-
BCP01C2405A	0.15	(0.01)	54,594	0.14	GPSC13P2407A	-	-	-	-	PTTEP13C2405A	0.18	(0.03)	20,359	0.18
BCP01C2408A	0.30	-	44,484	0.29	GPSC13P2408A	0.32	(0.07)	33,502	0.34	PTTEP13C2408A	0.50	-	55,006	0.49
BCP01P2404X	-	-	-	-	GPSC19C2405A	0.10	(0.01)	29,272	0.10	PTTEP13P2405A	-	-	-	-
BCP01P2408X	0.33	-	10,932	0.34	GPSC19C2408A	0.22	0.04	23,969	0.21	PTTEP13P2406A	-	-	-	-
BCP13C2405A	0.14	(0.01)	25,053	0.13	GPSC19P2404A	-	-	-	-	PTTEP13P2408A	0.26	(0.02)	17,842	0.28
BCP13P2404A	-	-	-	-	GPSC19P2406A	-	-	-	-	PTTEP19C2404A	-	-	-	-
BCP13P2408A	0.32	(0.01)	21,194	0.33	GPSC19P2407A	0.13	(0.03)	6,254	0.14	PTTEP19C2404B	-	-	-	-
BCP19C2404A	-	-	-	-	GPSC41C2404A	-	-	-	-	PTTEP19C2406A	0.30	(0.02)	24,290	0.29
BCP19C2408A	0.26	(0.01)	34,953	0.25	GPSC41C2405A	0.14	0.05	19,000	0.12	PTTEP19C2407A	0.25	(0.02)	53,260	0.24
BCPG	7.00	0.20	37,095	6.94	GPSC41C2406A	0.20	0.05	45,925	0.19	PTTEP41C2404A	-	-	-	-
BCPG19C2406A	-	-	-	-	GPSC41C2408A	0.25	0.04	12,736	0.24	PTTEP41C2405A	0.14	(0.02)	11,000	0.13
BGRIM	28.00	0.25	93,636	28.01	GPSC41P2406A	-	-	-	-	PTTEP41C2405B	0.16	(0.02)	24,260	

Main Board Quotation

Issue Date :

Tuesday April 09, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCI	0.75	(0.03)	5,285	0.76	VGI13C2407B	0.41	0.04	77,514	0.39	MTC01C2406A	0.19	0.01	32,199	0.18
SCN	0.93	(0.02)	10,559	0.94	VGI13P2405A	0.17	(0.05)	10,387	0.18	MTC01C2407A	0.23	0.01	75,777	0.22
SCN-W2	0.08	0.01	95	0.08	VGI13P2408A	0.37	(0.04)	36,757	0.38	MTC01P2404X	-	-	-	-
SCN-W3	0.05	0.01	3,822	0.04	VGI19C2405A	-	-	-	-	MTC01P2406X	0.22	(0.01)	15,650	0.22
SEAOIL	3.08	-	3,569	3.09	VGI19C2405B	-	-	-	-	MTC01P2408X	0.34	(0.01)	11,647	0.34
SGP	7.80	(0.15)	3,241	7.85	VGI19C2407A	0.15	0.01	17,249	0.15	MTC06C2404A	-	-	-	-
SKE	0.48	(0.01)	2,336	0.48	VGI19C2407B	0.41	0.04	19,714	0.39	MTC11C2406A	0.16	-	22,202	0.16
SKE-W1	0.09	-	2,335	0.09	VGI41C2405A	-	-	-	-	MTC13C2404A	-	-	-	-
SOLAR	0.67	0.01	16,904	0.67	VGI41C2407A	0.18	0.02	35,691	0.17	MTC13C2406A	0.19	0.01	91,042	0.18
SPCG	11.20	-	4,547	11.27	WORK	8.95	-	2,499	8.88	MTC13P2404A	-	-	-	-
SPRC	8.65	-	154,132	8.62	ZAA	1.20	0.02	12,634	1.20	MTC13P2406A	-	-	-	-
SPRC01C2405A	0.03	(0.01)	1,400	0.03	Finance & Securi	-	-	-	-	MTC13P2408A	0.34	(0.03)	20,466	0.35
SPRC01C2408A	0.21	-	17,185	0.20	AEONTS	156.00	(1.00)	3,126	155.79	MTC19C2404A	-	-	-	-
SPRC06C2405A	0.11	-	32,292	0.10	AEONTS13C240	0.47	(0.03)	116,115	0.47	MTC19C2406A	0.21	0.01	13,437	0.20
SPRC11C2406A	0.15	(0.01)	5,700	0.15	AMANAHA	2.20	-	1,224	2.19	MTC19P2404A	-	-	-	-
SPRC13C2404A	-	-	-	-	ASAP	2.98	-	3,763	3.00	MTC41C2404A	-	-	-	-
SPRC13C2408A	0.24	(0.01)	33,175	0.24	ASK	17.20	0.10	14,147	17.14	MTC41C2405A	-	-	-	-
SPRC13P2405A	-	-	-	-	ASP	2.70	0.02	9,993	2.68	MTC41C2408A	-	0.01	-	-
SPRC19C2404A	-	-	-	-	BAM	10.00	0.15	136,323	9.81	NCAP	2.20	0.08	17,139	2.18
SPRC19C2408A	0.21	(0.01)	31,325	0.21	BAM01C2404A	-	-	-	-	PL	1.99	(0.01)	5,279	1.98
SSP	8.05	0.05	43,428	8.07	BAM01C2406A	0.41	0.01	17,714	0.36	S11	2.82	0.02	259	2.81
SSP-W2	0.33	-	32,647	0.36	BAM01C2409A	0.20	0.02	32,288	0.18	SAK	5.05	0.05	8,447	5.06
SUPER	0.30	0.01	82,125	0.30	BAM11C2405A	0.31	0.02	14,668	0.28	SAWAD	43.25	0.50	43,510	43.20
SUPEREIF	5.70	0.05	1,030	5.65	BAM13C2405A	0.13	-	34,160	0.11	SAWAD-W2	1.14	(0.01)	6,933	1.18
SUSCO	4.24	0.12	55,713	4.24	BAM13C2408A	0.50	0.03	31,553	0.47	SAWAD01C2405A	-	-	-	-
TAE	0.93	0.02	2,155	0.92	BAM13C2408B	0.16	0.01	10,086	0.16	SAWAD01C2406A	0.15	0.01	9,090	0.15
TCC	0.48	-	5,457	0.48	BAM19C2404A	-	-	-	-	SAWAD01C2408A	0.37	0.02	9,466	0.37
TCC-W5	0.19	(0.01)	2,073	0.20	BAM19C2405A	0.16	0.01	26,495	0.14	SAWAD01P2404X	-	-	-	-
TGE	3.16	0.06	19,535	3.17	BAM19C2406A	0.17	0.01	5,251	0.15	SAWAD01P2407X	0.26	(0.02)	17,325	0.26
TGE-W1	2.14	0.04	5,632	2.16	BYD	3.52	0.20	129,922	3.53	SAWAD11P2406A	0.16	(0.02)	6,360	0.16
TOP	59.00	0.50	175,639	58.23	BYD06C2404A	0.01	(0.03)	1	0.01	SAWAD13C2405A	-	-	-	-
TOP01C2404A	-	-	-	-	BYD13C2405A	0.01	(0.01)	132	0.01	SAWAD13C2406A	-	-	-	-
TOP01C2405A	0.20	-	78,432	0.17	BYD13C2406A	0.04	0.01	16,273	0.06	SAWAD13C2407A	0.23	0.01	26,696	0.23
TOP01C2407A	0.49	0.02	25,518	0.45	BYD19C2404A	-	-	-	-	SAWAD13C2408A	0.46	0.03	2,441	0.43
TOP01C2408A	0.28	0.01	84,950	0.25	BYD19C2407A	0.11	0.01	54,069	0.11	SAWAD13P2407A	0.14	(0.01)	500	0.14
TOP01P2404X	-	-	-	-	CGH	0.61	(0.01)	8,348	0.62	SAWAD19C2405A	-	-	-	-
TOP01P2406X	-	-	-	-	CGH-W4	0.01	-	1	0.01	SAWAD19C2406A	0.23	0.01	23,631	0.23
TOP01P2408X	0.36	(0.03)	47,683	0.39	CHASE	1.74	0.03	33,370	1.73	SAWAD19C2408A	0.45	0.03	5	0.45
TOP11C2405A	-	-	-	-	CHAYO	4.84	0.34	84,256	4.80	SAWAD19P2404A	-	-	-	-
TOP11C2407A	0.37	0.01	21,920	0.34	CHAYO-W3	0.50	0.04	91,739	0.52	SAWAD41C2405A	-	-	-	-
TOP11P2406A	-	-	-	-	ECL	1.43	(0.01)	5,543	1.43	SAWAD41C2405B	-	-	-	-
TOP13C2404A	-	-	-	-	ECL-W4	0.01	-	1	0.01	SAWAD41C2406A	0.21	0.01	6,000	0.21
TOP13C2407A	0.39	0.01	90,664	0.36	FNS	3.24	-	4,803	3.21	SAWAD41C2406B	0.20	0.01	12,700	0.20
TOP13C2408A	0.24	-	171,312	0.21	FSX	2.50	0.12	1,470	2.44	SAWAD41C2407A	0.24	0.01	13,848	0.24
TOP13P2404A	-	-	-	-	GBX	0.73	0.01	1,966	0.73	SAWAD41P2405A	-	-	-	-
TOP13P2408A	0.27	(0.01)	34,114	0.28	GL	-	-	-	-	SCAP	2.84	-	3,685	2.83
TOP19C2405A	0.14	(0.01)	27,546	0.13	HENG	1.74	(0.03)	97,174	1.75	SGC	1.35	0.05	94,569	1.34
TOP19C2408A	0.24	-	69,763	0.22	IFS	2.68	-	285	2.66	SM	1.36	-	15,684	1.37
TOP19P2408A	0.34	(0.03)	27,346	0.36	JMT	22.70	1.10	187,346	22.32	TH	1.03	0.02	20,396	1.02
TOP41C2404A	-	-	-	-	JMT-W4	1.46	0.20	30,069	1.47	TH-W3	0.32	0.02	3,871	0.31
TOP41C2405A	0.16	(0.02)	45,250	0.14	JMT01C2404A	-	-	-	-	THANI	2.30	0.06	38,101	2.27
TOP41C2408A	0.32	-	42,018	0.30	JMT01C2405A	-	-	-	-	THANI13C2407A	0.07	0.01	249	0.06
TPIPP	3.30	-	12,153	3.30	JMT01C2406A	0.19	0.05	57,215	0.17	THANI19C2407A	-	-	-	-
TSE	1.16	0.01	13,342	1.15	JMT01C2407A	0.11	0.01	8,114	0.11	TIDLOR	22.20	0.50	92,775	22.02
TTW	8.95	-	30,823	8.93	JMT01C2408A	0.58	0.10	76,184	0.53	TIDLOR01C2405A	-	-	-	-
UBE	0.78	-	19,816	0.78	JMT01P2404X	-	-	-	-	TIDLOR01C2407A	0.17	0.02	22,474	0.16
WHAUP	4.02	(0.02)	14,325	4.03	JMT01P2406X	0.29	(0.07)	31,190	0.32	TIDLOR01C2409A	0.41	0.04	16,650	0.40
WP	4.30	0.02	452	4.29	JMT06C2404A	-	-	-	-	TIDLOR01P2404X	-	-	-	-
Media & Publishing	-	-	-	-	JMT06C2406A	0.32	0.06	107,843	0.29	TIDLOR11P2406A	0.15	(0.02)	3,220	0.15
AMARIN	5.00	-	2,240	4.98	JMT11C2405A	-	-	-	-	TIDLOR13C2406A	0.13	0.01	30,625	0.12
AQUA	0.34	-	22,459	0.33	JMT11C2407A	0.42	0.07	52,150	0.38	TIDLOR13C2408A	0.37	0.04	50,081	0.35
AQUA-W3	0.01	-	1	0.01	JMT11P2406A	0.33	(0.08)	27,880	0.36	TIDLOR13P2404A	-	-	-	-
AS	5.80	(0.10)	2,533	5.81	JMT13C2404A	-	-	-	-	TIDLOR19C2404A	-	-	-	-
BEC	5.00	-	15,074	5.02	JMT13C2404B	-	-	-	-	TIDLOR19C2406A	0.13	0.02	15,448	0.12
FE	-	-	-	-	JMT13C2405A	0.01	-	101	0.01	TIDLOR19C2408A	0.31	0.03	90,621	0.30
GPI	1.74	(0.02)	1,519	1.76	JMT13C2406A	0.17	0.03	49,612	0.16	TIDLOR19P2407A	0.24	(0.04)	14,223	0.25
GRAMMY	5.80	-	392	5.91	JMT13C2407A	0.08	-	1,471	0.08	TIDLOR41C2406A	0.14	0.02	10,848	0.13
JKN	0.48	0.07	212,833	0.46	JMT13C2408A	0.51	0.08	104,927	0.48	TIDLOR41C2407A	0.18	0.02	24,868	0.18
MAJOR	14.30	0.10	38,897	14.21	JMT13P2406A	0.27	(0.10)	43,157	0.30	TIDLOR41C2407B	0.14	0.01	10,000	0.14
MATCH	1.46	0.01	1,382	1.44	JMT19C2404A	-	-	-	-	TK	4.92	0.02	699	4.90
MATI	-	-	-	-	JMT19C2404B	-	-	-	-	TNITY	4.20	0.02	1,341	4.16
MCOT	3.16	0.02	1,115	3.14	JMT19C2404C	-	-	-	-	UOBKH	4.72	-	12	4.70
MONO	0.78	-	63,072	0.78	JMT19C2406A	0.26	0.05	73,137	0.23	XPG	1.37	0.06	457,657	1.36
NATION	0.03	(0.01)	17,474	0.03	JMT19C2408A	0.49	0.07	151,598	0.47	XPG-W4	-	-	-	-
NATION-W4	-	-	-	-	JMT19P2407A	0.25	(0.05)	18,796	0.26	Food & Beverage	-	-	-	-
ONEE	4.78	0.08	80,964	4.74	JMT41C2404A	-	-	-	-	AAI	4.60	(0.02)	84,091	4.58
PLANB	8.40	0.10	45,858	8.39	JMT41C2405A	-	-	-	-	APURE	4.42	-	1,007	4.42
PLANB-W1	0.76	(0.02)	1,641	0.78	JMT41C2406A	0.09	0.03	10	0.09	APURE-W3	0.24	(0.01)	16,003	0.25
PLANB11C2408A	0.28	-	13,090	0.28	JMT41C2406B	0.20	0.05	14,542	0.18	ASTAN	7.05	0.20	24,767	6.98
PLANB11P2408A	0.48	(0.02)	14,140	0.49	JMT41C2407A	-	-	-	-	BR	2.58	0.06	1,812	2.55
PLANB13C2407A	0.15	(0.01)	8,558	0.15	JMT41C2408A	0.46	0.08	89,100	0.42	BR-W1	0.13	-	1,070	0.14
PLANB19C2408A	0.17	(0.01)	2,200	0.17	KCAR	6.30	0.05	476	6.25	BRR	4.76	-	904	4.77
POST	-	-	-	-	KGI	4.80	-	12,733	4.79	BRR-W2	0.51	(0.01)	2,565	0.53
PRAKIT	11.90	0.10	147	11.78	KTC	46.25	1.00	33,572	45.74	BTG	22.50	0.50	14,837	22.40
PTech	7.00	-	5	7.00	KTC01C2405A	-	-	-	-	CBG	63.50	1.75	32,211	62.97
ROCTEC	0.70	-	31,975	0.70	KTC01C2407A	0.22	0.03	55,168	0.20	CBG01C2404A	-	-	-	-
ROCTEC-W3	0.02	-	67,718	0.02	KTC01P2406X	0.13	(0.01)	5,882	0.14	CBG01C2404T	-	-	-	-
ROCTEC-W5	0.04	0.01	163,053	0.03	KTC11C2405A	-	-	-	-	CBG01C2406A	0.02	(0.02)	2,820	0.02
SE-ED	2.28	0.06												

Main Board Quotation

Issue Date :

Tuesday April 09, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG19C2406A	0.03	(0.06)	1,123	0.03	TKN01C2408A	0.17	(0.01)	14,137	0.16	RJH	24.70	(0.10)	724	24.78
CBG19C2407A	0.09	-	50	0.09	TKN01P2405X	-	-	-	-	RPH	6.00	(0.05)	10,161	6.01
CBG19C2408A	0.24	0.03	23,983	0.23	TKN13C2405A	0.12	-	3,146	0.11	SAFE	20.30	(0.30)	8,535	20.44
CBG19P2404A	-	-	-	-	TKN13C2406A	0.09	-	4,432	0.09	SKR	10.00	(0.10)	2,125	10.01
CBG19P2407A	0.59	(0.11)	12,310	0.60	TKN13P2406A	-	-	-	-	THG	41.25	0.50	2,494	40.97
CBG41C2404A	-	-	-	-	TKN19C2406A	0.08	(0.02)	307	0.08	VIBHA	2.10	(0.02)	60,907	2.10
CBG41C2406A	-	-	-	-	TU	14.70	0.30	168,711	14.62	VIBHA-W4	0.10	-	31,039	0.10
CBG41C2407A	0.09	0.02	4,500	0.08	TU01C2404A	-	-	-	-	VIH	7.40	0.10	743	7.36
CBG41C2407B	0.23	0.04	23,544	0.22	TU01C2407A	-	-	-	-	WPH	8.05	(0.10)	4,432	8.12
CBG41C2408A	0.26	0.03	28,639	0.25	TU01C2408A	0.23	0.02	26,103	0.22	Tourism & Leisure	-	-	-	-
CFRESH	1.67	-	5,231	1.67	TU01P2407X	0.18	(0.03)	3,954	0.19	ASIA	6.70	0.15	12	6.66
CH	2.50	0.02	7,068	2.50	TU11C2407T	0.14	0.01	4,400	0.14	BEYOND	10.40	(0.90)	13,173	10.43
CHOTI	68.25	0.25	36	69.72	TU13C2404A	-	-	-	-	BEYOND-W2	0.75	(0.64)	5,378	0.86
CM	2.32	(0.02)	94	2.34	TU13C2408A	0.19	0.01	17,622	0.18	CENTEL	44.50	1.00	28,432	44.50
COCOCO	11.50	0.20	299,638	11.41	TU13P2406A	0.13	(0.02)	3,434	0.13	CENTEL01C2405A	-	-	-	-
CPF	18.30	0.30	134,693	18.15	TU19C2407A	0.18	0.01	46,249	0.18	CENTEL01C2408A	0.28	0.03	47,318	0.28
CPF01C2404A	-	-	-	-	TU41C2407A	-	-	-	-	CENTEL01P2404X	-	-	-	-
CPF01C2407A	0.14	0.02	14,538	0.13	TU41C2408A	0.21	0.01	15,132	0.20	CENTEL13C2405A	-	-	-	-
CPF01P2404X	-	-	-	-	TVO	19.50	0.50	11,136	19.27	CENTEL13C2407A	0.20	0.02	44,044	0.20
CPF01P2408T	0.32	(0.02)	4,083	0.33	TWPC	3.64	(0.02)	895	3.60	CENTEL13P2404A	-	-	-	-
CPF11C2408A	0.19	0.02	12,135	0.18	W	0.73	-	21,194	0.73	CENTEL19C2405A	-	-	-	-
CPF11P2407T	0.27	(0.01)	8,160	0.27	W-W5	0.01	-	36	0.01	CENTEL19C2408A	0.26	0.03	86,962	0.26
CPF13C2404A	-	-	-	-	W-W6	0.37	(0.01)	31	0.37	CENTEL41C2405A	-	-	-	-
CPF13C2406A	0.09	-	13,964	0.09	ZEN	8.10	0.10	317	8.05	CENTEL41C2406A	0.12	0.01	12,828	0.12
CPF13C2409A	0.26	0.02	25,932	0.24	Health Care Sen	-	-	-	-	CENTEL41C2408A	0.28	0.03	89,820	0.27
CPF13P2405A	-	-	-	-	AHC	18.00	(0.20)	62	17.99	CSR	-	-	-	-
CPF19C2404A	-	-	-	-	BCH	20.60	(0.40)	65,434	20.74	DUSIT	9.65	0.20	2,826	9.63
CPF19C2409A	0.27	0.02	21,774	0.25	BCH01C2404A	-	-	-	-	ERW	4.90	0.12	166,788	4.87
CPI	2.52	-	1,035	2.54	BCH01C2407A	-	-	-	-	ERW-W3	1.84	0.13	9,515	1.79
F&D	28.00	-	55	28.01	BCH01P2407X	0.34	0.03	6,589	0.32	ERW01C2405A	-	-	-	-
GLOCON	0.26	0.02	109,632	0.25	BCH11C2407A	0.22	(0.01)	6,061	0.22	ERW13C2404A	-	-	-	-
HTC	17.70	0.20	4,761	17.59	BCH13C2404A	-	-	-	-	ERW13C2406A	-	-	-	-
ICHI	16.20	-	133,218	16.08	BCH13C2407A	-	-	-	-	ERW13C2407A	0.30	0.03	31,582	0.29
ICHI01C2405A	-	-	-	-	BCH13C2408A	0.23	(0.04)	2,533	0.24	ERW19C2405A	-	-	-	-
ICHI13C2405A	0.05	-	20	0.05	BCH13P2406A	0.16	0.01	2,444	0.15	ERW41C2406A	-	-	-	-
ICHI19C2405A	-	-	-	-	BCH19C2406A	-	-	-	-	GRAND	0.14	-	9,094	0.14
ITC	20.70	0.40	56,180	20.57	BCH19C2408A	0.24	(0.04)	20,017	0.25	LRH	41.25	0.50	124	41.17
ITC01C2405A	0.03	-	2,200	0.03	BCH41C2407A	-	-	-	-	MANRIN	33.00	0.50	48	32.81
ITC13C2406A	0.13	0.01	20,934	0.12	BDMS	28.50	0.25	345,425	28.47	MINT	33.50	0.50	171,709	33.28
JDF	2.58	(0.04)	4,129	2.61	BDMS01C2405A	0.09	(0.02)	1,500	0.09	MINT01C2404A	-	-	-	-
KBS	5.60	-	2,276	5.59	BDMS01C2408A	-	-	-	-	MINT01C2406A	0.24	0.02	23,791	0.23
KCG	9.95	(0.15)	25,641	9.90	BDMS01P2407X	-	-	-	-	MINT01C2408A	0.20	0.02	21,070	0.19
KSL	2.34	0.02	10,558	2.33	BDMS13C2404A	-	-	-	-	MINT01P2404X	-	-	-	-
KTIS	3.58	0.04	36	3.56	BDMS13C2408A	0.15	0.01	1,959	0.15	MINT01P2406X	-	-	-	-
LST	4.90	0.04	500	4.89	BDMS13P2407A	-	-	-	-	MINT06C2405A	-	-	-	-
M	36.50	0.75	4,639	36.09	BDMS19C2405A	-	-	-	-	MINT11C2406A	0.25	(0.02)	7,420	0.23
MALEE	12.40	0.10	28,890	12.32	BDMS19C2407A	-	-	-	-	MINT11C2408A	0.21	-	15,120	0.20
NRF	5.25	0.10	59,030	5.20	BDMS41C2404A	-	-	-	-	MINT13C2404A	-	-	-	-
NSL	23.20	(0.30)	11,289	23.30	BDMS41C2405A	-	-	-	-	MINT13C2406A	-	-	-	-
OSP	20.40	0.20	157,566	20.19	BDMS41C2407A	0.13	-	100	0.13	MINT13C2407A	0.16	0.01	42,550	0.15
OSP01C2404A	-	-	-	-	BDMS41C2408A	0.12	-	200	0.12	MINT13P2404A	-	-	-	-
OSP01C2406A	-	-	-	-	BH	232.00	2.00	36,129	230.05	MINT13P2407A	0.07	(0.01)	12,020	0.07
OSP01C2408A	0.37	0.01	44,599	0.36	BH-P	-	-	-	-	MINT19C2404A	-	-	-	-
OSP01P2408X	0.29	-	18,430	0.29	BH-Q	-	-	-	-	MINT19C2406A	0.17	0.01	84,213	0.17
OSP13C2405A	-	-	-	-	BH01C2404A	-	-	-	-	MINT41C2404A	-	-	-	-
OSP13C2408A	0.29	-	55,295	0.28	BH01C2405A	0.09	(0.01)	26,100	0.09	MINT41C2405A	-	-	-	-
OSP19C2404A	-	-	-	-	BH01C2408A	0.35	0.02	29,458	0.33	MINT41C2406A	0.19	-	16,200	0.18
OSP19C2409A	0.33	(0.67)	27,086	0.31	BH01P2405X	-	-	-	-	MINT41C2408A	0.14	0.01	2,000	0.14
PB	68.75	-	73	68.42	BH01P2406X	0.15	(0.02)	11,914	0.16	OHTL	-	-	-	-
PLUS	8.50	(0.15)	26,885	8.46	BH06C2404A	-	-	-	-	ROH	2.50	0.06	233	2.46
PM	7.90	0.25	13,852	7.77	BH11C2404A	-	-	-	-	SHANG	-	-	-	-
PQS	3.00	0.02	8,083	2.98	BH11C2406A	0.18	0.01	5,300	0.17	SHR	2.70	0.06	125,284	2.68
PRG	10.50	0.30	19	10.39	BH13C2404A	-	-	-	-	VRANDA	5.70	-	949	5.63
PRG-W1	6.00	(0.40)	123	6.14	BH13C2404B	-	-	-	-	Home & Office Produ	-	-	-	-
PRG-W2	5.90	(0.05)	3	5.90	BH13C2405A	-	-	-	-	AJA	0.22	-	521,918	0.22
PRG-W3	-	-	-	-	BH13C2407A	0.30	0.01	28,522	0.28	AJA-W3	0.06	-	35,523	0.06
RBF	11.50	0.20	9,507	11.43	BH13P2406A	-	-	-	-	AJA-W4	0.10	0.01	23,214	0.10
RBF01C2405A	-	-	-	-	BH19C2404A	-	-	-	-	DTCI	-	-	-	-
RBF01C2406A	-	-	-	-	BH19C2404B	-	-	-	-	FANCY	0.42	-	1,096	0.41
RBF01C2407A	0.10	0.01	12,000	0.10	BH19C2404C	-	-	-	-	FTI	2.14	(0.02)	4,458	2.15
RBF01P2405X	-	-	-	-	BH19C2407A	0.10	-	1,000	0.10	KYE	315.00	(1.00)	12	315.42
RBF01P2407X	0.26	(0.02)	2,442	0.27	BH19C2408A	0.29	-	52,174	0.27	L&E	1.23	-	463	1.26
RBF13C2405A	-	-	-	-	BH41C2404A	-	-	-	-	MODERN	2.24	(0.02)	2,014	2.26
RBF13C2406A	-	-	-	-	BH41C2405A	-	-	-	-	OGC	-	-	-	-
RBF13C2407A	-	-	-	-	BH41C2406B	-	-	-	-	ROCK	11.40	1.85	35	11.02
RBF13C2408A	0.17	0.01	35,300	0.16	BH41C2408A	0.31	0.01	29,447	0.29	SBNEXT	0.56	0.01	38,169	0.56
RBF13P2405A	0.12	(0.04)	10,000	0.13	BH41P2405A	-	-	-	-	SBNEXT-W2	0.09	0.01	27,503	0.09
RBF19C2405A	-	-	-	-	BH41P2406A	-	-	-	-	SIAM	1.26	0.03	2,095	1.27
RBF19C2408A	0.20	0.01	6,256	0.19	BKGI	2.70	0.02	126,254	2.64	TCMC	1.32	0.02	355	1.32
RBF19P2406A	0.22	(0.04)	3,894	0.23	CHG	2.92	-	124,640	2.92	Insurance	-	-	-	-
SAPPE	88.00	(1.00)	4,127	88.06	CHG01C2404A	-	-	-	-	AYUD	36.75	(0.25)	174	36.28
SAPPE01C2405A	-	-	-	-	CHG01C2405A	-	-	-	-	BKI	292.00	(1.00)	243	292.71
SAPPE13C2406A	0.12	(0.02)	3,072	0.13	CHG01C2408A	0.22	-	22,602	0.22	BLA	18.30	0.80	25,093	18.10
SAUCE	41.75	1.00	204	41.64	CHG11C2404A	-	-	-	-	BLA01C2404A	-	-	-	-
SNNP	17.40	0.20	9,450	17.34	CHG13C2404A	-	-	-	-	BLA01P2404X	-	-	-	-
SNNP01C2407A	0.08	(0.01)	850	0.08	CHG13C2406A	-	-	-	-	BLA13C2404A	-	-	-	-
SNNP13C2406A	-	-	-	-	CHG13C2407A	0.15	(0.01)	18,836	0.15	BLA13C2407A	0.15	0.05	8,828	0.14
SNNP13C2408A	0.26	0.01	35,921	0.25	CHG13P2406A	0.15	(0.02)	10,282	0.15	BLA19C2408A	0.27	0.06	10,032	0.25
SNNP19C2407A	-	-	-	-	CHG19C2404A	-	-	-	-	BUI	21.70	-	348	21.69
SNP	14.40	(0.10)	851	14.35	CHG19C2408A	-	-	-	-	CHARAN	23.30	(0.20)	9	23.30
SORKON	4.30	0.04	296	4.27	CMR	1.99	0.01	411	1.98	INSURE	-	-	-	-
SSC	34.50	(0.75)	2	34.38	EKH	7.65	0.05	5,702	7.63	KWI	0.60	0.02	7,739	0.59

Main Board Quotation

Issue Date :

Tuesday April 09, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TLI	9.05	0.15	182,568	9.02	SISB13C2405A	0.10	(0.02)	10,499	0.10	PRIN	2.82	0.04	3	2.81
TLI01C2404A	-	-	-	-	SISB13C2407A	0.14	-	2,563	0.13	PSH	11.60	0.10	4,639	11.61
TLI01C2406A	-	-	-	-	SO	6.80	0.05	355	6.78	QH	2.26	0.04	267,012	2.25
TLI01C2406B	-	-	-	-	WAVE	0.14	(0.01)	859,416	0.14	RABBIT	0.40	-	239,793	0.40
TLI01C2408A	0.25	0.02	25,224	0.24	WAVE-W3	0.05	-	82,341	0.04	RABBIT-P	0.40	0.01	18,539	0.40
TLI13C2404A	-	-	-	-	Property Develop	-	-	-	-	RABBIT-Q	-	-	-	-
TLI13C2405A	-	-	-	-	A	5.00	-	14	4.99	RICHY	0.52	0.02	7,573	0.50
TLI13C2407A	0.21	0.01	29,170	0.21	AKS	0.01	-	20,398	0.01	RML	0.53	0.03	33,913	0.52
TLI19C2404A	-	-	-	-	AKS-W5	0.01	-	19	0.01	ROJNA	7.55	-	39,692	7.64
TLI19C2407A	0.21	0.01	24,656	0.21	AMATA	23.80	0.40	17,174	23.72	S	0.85	0.02	61,075	0.85
TLI41C2404A	-	-	-	-	AMATA01C2404	-	-	-	-	SA	7.05	(0.05)	337	7.04
TLI41C2404B	-	-	-	-	AMATA01C2404I	-	-	-	-	SA-W1	0.10	0.01	1,603	0.09
TLI41C2405A	-	-	-	-	AMATA01C2407	0.37	0.02	3,624	0.37	SAMCO	1.13	-	1,996	1.13
TLI41C2405B	-	-	-	-	AMATA11C2407	0.37	0.02	8,500	0.37	SC	3.94	0.18	212,271	3.91
TLI41C2406A	0.18	0.02	65,904	0.17	AMATA13C2404	-	-	-	-	SENA	2.80	0.02	13,387	2.79
TLI41C2407A	0.16	0.02	41,904	0.16	AMATA13C2405	-	-	-	-	SIRI	1.76	0.07	3,059,080	1.73
TQM	26.25	0.25	1,263	25.98	AMATA13C2406	0.20	0.02	12,042	0.19	SIRI01C2406A	-	-	-	-
TQM13C2407A	-	-	-	-	AMATA19C2404	-	-	-	-	SIRI13C2407A	0.24	0.05	60,172	0.22
TQM19C2404A	-	-	-	-	AMATA19C2405	0.02	(0.03)	21	0.02	SIRI19C2407A	0.24	0.05	39,690	0.22
TQM19C2407A	-	-	-	-	AMATA19C2407	0.34	0.02	10,860	0.34	SIRI41C2405A	0.12	0.05	35,007	0.10
TSI	0.12	-	746	0.11	AMATA41C2407	0.42	0.03	9,000	0.41	SPALI	21.50	0.40	131,903	21.41
TVH	8.45	(0.15)	178	8.46	AMATA41C2407I	0.27	0.02	7,784	0.26	SPALI11C2404A	0.12	0.02	9,400	0.11
Packaging					AMATAV	5.60	-	150	5.60	SPALI13C2405A	0.16	0.02	55,886	0.16
AJ	5.95	0.05	1,179	5.96	ANAN	0.85	0.05	96,900	0.83	SPALI19C2408A	0.28	0.02	36,069	0.28
ALUCON	178.00	0.50	2	178.00	AP	10.90	0.30	177,716	10.88	UV	2.10	0.02	2,642	2.09
BGC	7.10	0.05	286	7.06	AP11C2404A	-	-	-	-	WHA	4.82	0.10	450,115	4.80
CSC	43.50	(0.25)	2	43.63	APEX	-	-	-	-	WHA01C2404A	-	-	-	-
CSC-P	-	-	-	-	ASW	8.05	-	1,812	8.01	WHA01C2405A	0.01	(0.01)	6,734	0.01
CSC-Q	-	-	-	-	ASW-W1	0.01	-	1,123	0.01	WHA01C2406A	0.12	0.02	20,290	0.12
NEP	0.21	-	1,485	0.20	ASW-W2	0.04	-	10,470	0.03	WHA01C2408A	0.36	0.04	12,171	0.34
PJW	3.00	(0.06)	1,030	3.01	AWC	4.50	0.34	1,980,007	4.42	WHA01P2407X	0.31	(0.04)	5,787	0.33
PJW-W1	0.19	-	4,638	0.19	AWC01C2404A	-	-	-	-	WHA11C2407A	0.28	0.01	9,802	0.27
PTL	10.00	0.20	3,779	9.85	AWC01C2406A	0.38	0.16	97,398	0.33	WHA13C2404A	-	-	-	-
SCGP	31.25	1.50	162,867	30.79	AWC01C2408A	0.62	0.19	82,661	0.55	WHA13C2404B	-	-	-	-
SCGP01C2405A	-	-	-	-	AWC01P2405X	0.03	(0.02)	4,450	0.03	WHA13C2406A	0.11	0.01	9,144	0.11
SCGP01C2406A	0.06	0.03	10	0.06	AWC06C2404A	-	-	-	-	WHA13C2408A	0.34	0.03	25,378	0.33
SCGP01C2408A	0.18	0.05	90,740	0.16	AWC11C2408A	0.62	0.21	46,389	0.50	WHA13P2407A	0.29	(0.04)	19,594	0.30
SCGP01P2405A	0.18	(0.02)	1,516	0.18	AWC13C2404A	-	-	-	-	WHA19C2404A	-	-	-	-
SCGP01P2408X	0.12	(0.03)	10,274	0.13	AWC13C2405A	0.38	0.19	153,472	0.33	WHA19C2404B	-	-	-	-
SCGP06C2406A	-	-	-	-	AWC19C2405A	0.49	0.24	18,775	0.43	WHA19C2406A	0.14	0.01	21,590	0.14
SCGP11C2405A	-	-	-	-	AWC19C2406A	0.20	0.09	118,460	0.19	WHA41C2404A	-	-	-	-
SCGP11C2407T	0.16	0.03	8,000	0.15	AWC41C2405A	-	-	-	-	WHA41C2404B	-	-	-	-
SCGP13C2405A	-	-	-	-	AWC41C2406A	0.30	0.14	74,012	0.26	WHA41C2406A	0.14	0.02	5,769	0.13
SCGP13C2406A	-	-	-	-	AWC41C2408A	0.58	0.19	20,488	0.54	WHA41C2406B	0.12	0.01	7,912	0.12
SCGP13C2407A	0.17	0.04	34,060	0.15	BLAND	0.68	0.01	111,774	0.68	WHA41C2407A	0.22	0.03	17,948	0.21
SCGP13P2405A	-	-	-	-	BRI	7.10	0.20	44,210	7.04	WIN	0.57	(0.02)	13,735	0.57
SCGP13P2408A	0.10	(0.02)	12,154	0.10	BROCK	1.62	0.02	8	1.57	Paper & Printing Mat	-	-	-	-
SCGP19C2405A	-	-	-	-	CGD	0.35	-	33,077	0.34	UTP	11.20	0.10	1,418	11.07
SCGP19C2406A	-	-	-	-	CI	0.59	-	342	0.58	Fashion	-	-	-	-
SCGP19C2407A	0.22	0.05	30,146	0.20	CI-W2	0.01	-	2	0.01	AFC	4.98	-	110	4.88
SCGP41C2404A	-	-	-	-	CMC	1.24	-	1,017	1.23	AURA	13.80	0.20	8,250	13.83
SCGP41C2405A	-	-	-	-	CPN	64.75	1.75	73,983	64.23	BTNC	19.20	(0.10)	29	19.20
SCGP41C2406A	-	-	-	-	CPN01C2404A	-	-	-	-	CPH	12.50	(0.20)	463	12.61
SCGP41C2407A	0.18	0.05	49,844	0.16	CPN01C2407A	0.27	0.05	26,944	0.24	CPL	1.40	0.01	426	1.39
SFLEX	3.20	0.02	5,786	3.19	CPN11C2404A	-	-	-	-	NC	3.82	0.02	919	3.83
SFLEX-W2	0.21	0.01	6,244	0.21	CPN13C2405A	-	-	-	-	PAF	1.43	0.02	2,727	1.41
SITHAI	1.18	-	8,645	1.17	CPN13C2407A	0.25	0.04	48,834	0.23	PDJ	2.28	0.12	10,420	2.23
SLP	0.40	(0.01)	104	0.40	CPN19C2407A	0.20	0.03	12,132	0.18	PG	9.30	0.20	8	9.19
SMP	9.40	0.35	3,770	9.35	CPN41C2404A	-	-	-	-	SABINA	25.50	0.25	4,642	25.52
SPACK	1.88	(0.03)	3,166	1.90	CPN41C2405A	-	-	-	-	SAWANG	-	-	-	-
TCOAT	-	-	-	-	CPN41C2406A	0.18	0.04	16,355	0.16	SUC	29.50	(0.25)	310	29.73
TFI	0.09	-	1,125	0.08	CPN41C2407A	0.23	0.04	13,154	0.21	TNL	34.50	-	49	34.03
TFI-W1	0.04	0.01	5,805	0.03	ESTAR	0.25	-	5,237	0.25	TR	40.75	-	1	40.75
THIP	29.50	0.50	42	29.17	EVER	0.16	0.01	49,746	0.15	TTI	27.00	(0.25)	2	27.13
TMD	24.00	0.10	63	24.00	FPT	14.90	(0.20)	297	14.94	TTT	-	-	-	-
TOPP	-	-	-	-	GLAND	1.61	(0.04)	160	1.61	UPF	36.50	-	4	36.50
TPAC	14.00	0.10	2,021	13.86	J	1.84	0.03	2,095	1.84	WACOAL	31.75	0.75	3	31.42
TPBI	3.90	-	2,113	3.90	J-W2	0.05	0.02	1,428	0.03	WFX	1.86	-	1,270	1.85
TPP	14.70	(0.10)	110	14.69	J-W3	0.30	-	29	0.27	Transportation & Log	-	-	-	-
Personal Products					J-W4	0.39	-	44	0.39	AAV	2.44	0.02	331,349	2.45
APCO	4.92	(0.04)	3,259	4.90	JCK	0.36	-	179,003	0.36	AAV01C2405A	0.13	0.01	23,622	0.14
BIZ	3.38	0.04	479	3.36	KC	0.10	0.01	14,685	0.09	AAV01C2409A	0.23	0.02	21,268	0.23
BLC	4.88	(0.04)	46,227	4.90	LALIN	7.50	0.05	4,376	7.52	AAV11C2406A	0.21	-	15,760	0.21
DDD	8.65	0.15	121	8.60	LH	7.65	0.25	866,475	7.60	AAV13C2404A	-	-	-	-
JCT	-	-	-	-	LH13C2408A	0.29	0.05	60,090	0.27	AAV13C2404B	-	-	-	-
KISS	5.60	0.10	10,700	5.67	LH19C2406A	-	-	-	-	AAV13C2408A	0.18	-	36,412	0.19
NAM	4.56	0.12	2,885	4.50	LH19C2408A	0.27	0.04	57,258	0.25	AAV19C2405A	-	-	-	-
NEO	46.25	7.25	756,953	46.47	LPN	3.58	-	9,685	3.57	AAV19C2408A	0.18	-	5,030	0.19
NV	1.48	-	1,613	1.49	MBK	17.20	(0.10)	11,692	17.23	ANI	4.68	0.10	6,796	4.65
OCC	10.40	(0.30)	1	10.40	MBK-W2	-	-	-	-	AOT	67.00	1.50	240,912	66.56
S&J	53.25	(0.25)	25	53.13	MBK-W3	15.30	(0.10)	1	15.30	AOT01C2404A	-	-	-	-
STGT	9.05	0.25	52,596	8.99	MBK-W4	-	-	-	-	AOT01C2405A	0.24	0.05	30,896	0.22
STGT01C2407A	0.60	0.09	15,967	0.54	MJD	1.32	0.01	38	1.30	AOT01C2407A	0.29	0.04	26,000	0.28
STGT01C2407B	0.33	0.06	51,723	0.31	MK	2.02	-	144	2.02	AOT01P2404X	-	-	-	-
STGT01P2407X	0.14	(0.02)	7,812	0.14	NCH	0.99	-	3,845	0.99	AOT01P2405X	-	-	-	-
STGT01P2408X	0.43	(0.05)	12,794	0.44	NNCL	1.93	-	429	1.92	AOT01P2407X	0.14	(0.02)	2,113	0.14
STGT13C2407A	-	-	-	-	NOBLE	3.70	0.04	24,065	3.70	AOT06C2404A	-	-	-	-
STGT13C2407B	0.32	0.05	86,019	0.29	NUSA	0.35	0.01	256,270	0.35	AOT11C2407A	0.23	0.03	5,820	0.22
STGT13C2408A	0.11	0.01	401	0.11	NUSA-W5	0.10	0.01	7,279	0.09	AOT13C2404A	-	-	-	-
STGT13P2407A	0.20	(0.05)	24,763	0.21	NVD	1.85	(0.04)	58	1.83	AOT13C2404B	-	-	-	-
STGT19C2404A	-	-	-	-	NVD-W3	0.01	-	10	0.01	AOT13C2405A	0.09			

Main Board Quotation

Issue Date :

Tuesday April 09, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT27P2407A	0.34	(0.05)	6,000	0.35	NEX19C2409A	0.51	(0.49)	20,407	0.45	MILL-W7	0.01	(0.01)	111,676	0.01
AOT41C2404A	-	-	-	-	PCSGH	5.00	-	224	5.02	PAP	2.32	(0.02)	1,589	2.31
AOT41C2405A	0.07	0.01	3,022	0.07	POLY	8.20	0.10	21	8.05	PERM	0.91	0.04	13,010	0.90
AOT41C2405B	0.09	0.02	2,000	0.09	SAT	16.80	0.20	8,439	16.68	SAM	0.41	0.01	12,057	0.41
AOT41C2406A	0.28	0.05	12,020	0.26	SPG	-	-	-	-	SMIT	4.48	(0.02)	750	4.48
AOT41C2410A	0.31	(0.69)	24,224	0.29	STANLY	204.00	-	142	203.40	SSSC	3.06	(0.02)	3,050	3.04
AOT41P2405A	-	-	-	-	TKT	1.75	0.02	524	1.71	TGPRO	0.12	0.01	28,906	0.12
ASIMAR	1.65	-	1,501	1.65	TNPC	1.21	0.04	156	1.20	THE	1.18	(0.04)	193	1.14
B	0.11	(0.01)	55,393	0.12	TRU	3.42	0.06	652	3.38	TMT	5.45	(0.30)	1,800	5.45
B-W8	0.01	-	19,023	0.01	TSC	14.70	(0.10)	59	14.73	TSTH	0.72	-	4,858	0.72
BA	17.20	0.30	47,428	17.09	Industrial Materi	-	-	-	-	TWP	1.96	(0.02)	67	1.97
BEM	8.20	0.10	231,921	8.17	ALLA	1.86	(0.05)	15,162	1.88	TYCN	2.52	0.02	17	2.51
BEM01C2405A	-	-	-	-	ASEFA	3.90	0.02	951	3.91	Construction Service	-	-	-	-
BEM01C2408A	0.26	0.02	26,640	0.25	CPT	0.69	0.02	3,571	0.68	APCS	3.38	-	31	3.38
BEM01P2408X	-	-	-	-	CRANE	0.94	0.02	7,873	0.93	BJCHI	1.13	-	869	1.12
BEM13C2407A	-	-	-	-	CTW	4.56	0.04	1,130	4.55	BKD	1.34	(0.05)	6,580	1.36
BEM19C2405A	-	-	-	-	FMT	36.00	-	57	36.01	CIVIL	2.10	-	1,103	2.08
BEM19C2408A	0.23	0.02	7,046	0.22	HTECH	2.16	(0.02)	725	2.13	CK	23.10	0.20	50,915	23.09
BTS	6.20	0.10	1,148,409	6.12	KKC	-	-	-	-	CK01C2407A	0.32	0.01	33,040	0.32
BTS-W7	0.02	0.01	5,776	0.01	PK	0.96	(0.01)	2,894	0.97	CK11C2407A	0.28	0.01	13,120	0.28
BTS-W8	0.11	0.01	116,242	0.10	PSP	5.75	0.10	144,382	5.75	CK13C2405A	-	-	-	-
BTS01C2405A	0.01	-	2,500	0.01	SNC	7.15	0.05	2,073	7.10	CK13C2408A	0.31	-	59,220	0.31
BTS01C2407A	0.13	0.01	17,036	0.12	STARX	-	-	-	-	CK19C2404A	-	-	-	-
BTS01C2408A	0.36	0.02	55,618	0.34	STARX-W1	-	-	-	-	CK19C2408A	0.27	-	15,922	0.27
BTS01P2405X	0.14	(0.10)	1,250	0.16	TCJ	3.12	(0.02)	54	3.04	CNT	1.45	(0.18)	31,186	1.49
BTS01P2407X	0.11	(0.04)	36,614	0.11	TPCS	-	-	-	-	EMC	0.05	-	172,331	0.05
BTS13C2405A	0.01	-	129	0.01	VARO	3.18	(0.02)	700	3.15	ITD	0.60	0.02	252,461	0.59
BTS13C2407A	0.10	-	57,762	0.10	Property Fund &	-	-	-	-	NL	2.48	0.04	35,298	2.46
BTS13C2407B	0.33	0.02	32,937	0.31	AIMCG	3.00	(0.04)	1,553	3.03	NWR	0.33	-	37,114	0.33
BTS13P2405A	0.06	(0.04)	40,587	0.08	AIMIRT	10.60	(0.10)	173	10.69	PLE	0.53	0.01	16,987	0.53
BTS13P2407A	0.09	(0.01)	61,358	0.09	ALLY	5.75	-	3,325	5.71	PREB	6.20	-	1,358	6.16
BTS19C2406A	0.02	(0.01)	702	0.02	AMATAR	6.40	(0.10)	127	6.40	PYLON	2.34	-	1,591	2.34
BTS19C2407A	0.16	0.01	65,260	0.15	B-WORK	4.32	(0.04)	4,617	4.33	RT	0.64	(0.01)	15,183	0.64
BTS19C2407B	-	-	-	-	BAREIT	10.10	-	2,617	10.10	RT-W1	0.01	-	601	0.01
BTS41C2407A	0.13	-	19,992	0.12	BKPCP	9.00	0.05	262	9.00	SEAFCCO	2.70	-	4,721	2.69
BTS41C2408A	0.29	0.02	34,300	0.27	BOFFICE	4.98	-	3,956	4.96	SQ	1.12	-	296	1.11
BTSXGIF	3.58	(0.02)	15,812	3.59	CPNCG	5.60	0.10	844	5.57	SRICHA	7.90	0.20	503	7.87
DMT	12.00	-	8,004	12.00	CPNREIT	10.90	0.10	13,496	10.85	STEC	10.70	0.20	74,542	10.56
ETL	1.33	0.03	16,923	1.31	CPTGF	5.15	-	478	5.12	STEC13C2405A	-	-	-	-
III	8.60	0.10	6,179	8.55	CTARAF	4.44	0.02	401	4.42	STEC19C2407A	-	-	-	-
KEX	4.64	0.04	16,782	4.67	DREIT	4.78	(0.04)	1,501	4.78	STI	3.30	0.04	586	3.25
KIAT	0.38	-	2,159	0.38	ERWPF	8.55	-	126	8.55	STPI	3.28	0.02	8,446	3.29
KWC	-	-	-	-	FTREIT	10.10	-	4,050	10.10	SYNTEC	1.91	0.02	5,634	1.90
MENA	1.72	0.02	14,914	1.71	FUTUREPF	11.60	-	334	11.63	TEAMG	4.60	0.06	11,238	4.57
NOK	-	-	-	-	GAHREIT	7.00	-	795	7.00	TEAMG-W1	0.63	(0.02)	6,657	0.64
NYT	4.74	(0.12)	87,981	4.75	GRGREIT	8.75	0.05	75	8.78	TEKA	2.14	0.02	565	2.13
PORT	1.80	-	6,067	1.77	GVREIT	5.35	-	5,236	5.30	TPOLY	1.35	(0.07)	76,684	1.38
PRM	7.95	-	129,247	7.94	HPF	4.62	(0.02)	150	4.62	TRC	0.33	0.02	565,682	0.33
PSL	7.90	0.10	26,437	7.85	HYDROGEN	9.45	-	25	9.44	TRITN	0.13	-	102,154	0.13
PSL01C2405A	-	-	-	-	IMPACT	11.90	-	10,983	11.82	TRITN-W5	-	-	-	-
PSL01C2407A	0.11	0.01	4,779	0.11	INETREIT	8.70	-	2,705	8.70	TRITN-W6	0.01	-	2	0.01
PSL06C2404A	-	-	-	-	KPNPF	-	-	-	-	TTCL	3.50	(0.02)	2,493	3.49
PSL13C2404A	-	-	-	-	KTBSTMR	6.45	(0.05)	14	6.46	UNIQ	3.46	0.02	1,218	3.44
PSL13C2407A	-	-	-	-	LHOTEL	12.10	0.10	9,328	11.98	WGE	0.62	0.01	18,096	0.60
PSL19C2404A	-	-	-	-	LHPF	5.80	0.10	231	5.74	Unit Trust	-	-	-	-
PSL19C2407A	0.14	0.01	2,374	0.14	LHSC	10.10	0.30	7,271	10.02	SCBSET	-	-	-	-
PSL41C2405A	-	-	-	-	LPF	13.20	(0.20)	10,299	13.32	ETF	-	-	-	-
RCL	17.50	0.30	28,169	17.29	LUXF	7.15	0.15	437	7.09	IDIV	9.81	0.11	3,578	9.78
RCL01C2405A	-	-	-	-	M-II	5.40	0.15	90	5.30	ABFTH	-	-	-	-
RCL01C2405B	-	-	-	-	M-PAT	2.98	(0.02)	4	2.78	BMSCG	9.60	0.15	36	9.59
RCL01C2407A	0.02	(0.01)	9	0.02	M-STOR	-	-	-	-	BMSCITH	9.91	0.19	1,147	9.84
RCL01C2408A	0.10	-	14,356	0.10	MIPF	-	-	-	-	BSET100	9.19	0.22	1,081	9.07
RCL01P2405X	0.61	(0.03)	1,300	0.63	MIT	0.76	-	673	0.75	CHINA	5.76	(0.02)	207	5.77
RCL06C2405A	-	-	-	-	MJLF	3.54	0.02	402	3.52	ENGY	5.30	0.06	78	5.26
RCL11C2407A	-	-	-	-	MNIT	2.20	0.20	14	2.05	ENY	5.06	0.01	406	5.04
RCL13C2404A	-	-	-	-	MNIT2	4.92	-	1	4.92	GLD	3.49	0.11	23,294	3.47
RCL13C2405A	-	-	-	-	MNRF	2.70	(0.04)	100	2.70	TDEX	8.35	0.15	15,221	8.27
RCL13C2407A	-	-	-	-	POPF	6.35	-	2,052	6.31	UBOT	13.51	(0.09)	78	13.59
RCL13C2408A	0.13	0.01	20,668	0.12	PPF	10.30	-	22	10.25	UHERO	7.34	0.12	7	7.31
RCL13P2405A	-	-	-	-	PROSPECT	8.50	0.10	419	8.45	Warrant Foreign	-	-	-	-
RCL19C2405A	-	-	-	-	QHHR	6.60	-	391	6.50	AIA28C2406A	0.02	(0.01)	1	0.02
RCL19C2405B	-	-	-	-	QHOP	3.18	(0.02)	21	3.11	AIA28C2408A	0.12	(0.03)	7,042	0.12
RCL19C2406A	-	-	-	-	QHFP	4.02	-	3,503	4.01	AIA28P2405A	-	-	-	-
RCL19C2408A	0.12	0.01	8,190	0.11	SIRIP	8.00	0.20	1	8.00	AIA41C2406A	-	-	-	-
RCL19P2406A	0.55	(0.01)	5,492	0.55	SPRIME	4.38	-	291	4.38	AIA41C2408A	-	-	-	-
RCL41C2406A	-	-	-	-	SRIPANWA	4.30	(0.10)	1,710	4.32	AIA41P2407A	-	-	-	-
RCL41C2407A	-	-	-	-	SSPF	-	-	-	-	ALIHEA28C2406A	-	-	-	-
RCL41C2408A	-	-	-	-	SSTRT	5.05	0.07	18	5.00	ALIHEA28C2407A	-	-	-	-
SAV	19.00	0.40	13,377	18.86	TIF1	7.85	-	100	7.85	ALIHEA41C2406A	-	-	-	-
SINO	1.22	(0.01)	7,314	1.23	TLHPF	3.14	(0.06)	913	3.17	BABA28C2404A	-	-	-	-
SJWD	16.00	0.50	34,709	15.74	TNPF	1.66	(0.10)	28	1.66	BABA28C2404B	-	-	-	-
SJWD13C2407A	0.22	0.03	26,523	0.19	TPRIME	6.25	(0.05)	5,973	6.25	BABA28C2406A	0.13	(0.01)	1,014	0.13
TFIF	6.45	0.05	16,732	6.45	TTLPF	16.80	(0.20)	271	16.86	BABA28C2406B	0.22	-	4,056	0.21
THAI	-	-	-	-	TU-PF	0.70	0.03	76	0.68	BABA28C2407A	0.29	(0.02)	65,600	0.31
TSTE	-	-	-	-	URBNPF	0.36	-	624	0.35	BABA28P2404A	-	-	-	-
TTA	6.45	(0.05)	44,093	6.47	WHABT	7.85	0.05	301	7.82	BABA28P2407A	0.22	-	4,056	0.22
WICE	5.45	-	1,163	5.46	WHAIR	5.95	(0.05)	5,145	5.97	BABA41C2404A	-	-	-	-
Automotive	-	-	-	-	WHART	9.50	-	14,475	9.53	BABA41C2404B	-	-	-	-
3K-BAT	-	-	-	-	Steel and Metal	-	-	-	-	BABA41C2406A	-	-	-	-
ACG	1.14	(0.05)	313	1.15	ZS	3.06	-	516	3.06	BABA41C2406B	0.32	(0.03)	4,090	0.32
AH	23.30	0.70	17,904	23.06	AMC	3.28	-	1,599	3.28	BABA41C2407A	0.26	0.01	130	0.26
CWT	1.33	0.02	1,812	1.32	BSBM	0.74	0.02	4,546	0.73	BABA41P2404A	-	-	-	-
EASON	1.20	(0.01)	19,670	1.19	CEN	2.24	0.06	205	2.23	BABA41P2407A	-	-	-	-
GYT	185.50	0.50	1	185.50	CEN-W5	0.28	-	9,049	0.31	BIDU28C2407A	0.21	(0.08)	8,386	0.21
HFT														

Main Board Quotation

Issue Date :

Tuesday April 09, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BYDCOM41C2406A	0.25	0.09	4,000	0.26	H2I28P2405B	0.15	(0.04)	5,146	0.15	SET5019C2406A	0.13	0.05	317,905	0.10
BYDCOM41P2404A	-	-	-	-	H2I28P2405C	0.36	(0.06)	791,566	0.36	SET5019C2406B	0.10	0.02	79	0.10
BYDCOM41P2405A	-	-	-	-	H2I28P2405D	0.78	(0.10)	119,157	0.78	SET5019C2406C	0.23	0.12	386,524	0.19
CATHAY28C2404A	-	-	-	-	H2I28P2406A	0.08	(0.01)	1,565	0.08	SET5019C2406E	0.27	0.14	278,711	0.21
CATHAY28C2407A	-	-	-	-	H2I28P2406B	0.30	(0.05)	35,858	0.31	SET5019C2406F	0.56	0.26	354,117	0.43
CATHAY41C2404A	-	-	-	-	H2I28P2406C	0.15	(0.03)	2,695	0.15	SET5019C2406G	0.42	0.21	387,951	0.33
CATHAY41C2407A	-	-	-	-	H2I28P2406D	0.63	(0.07)	64,350	0.63	SET5019C2409A	0.48	0.19	464,659	0.40
CHMOB128C2404A	0.06	(0.03)	1	0.06	H2I28P2407A	0.37	(0.05)	29,918	0.37	SET5019P2406A	0.15	(0.14)	236,163	0.19
CHMOB128C2409A	0.40	0.04	72,000	0.40	HSTECH28C2404	-	-	-	-	SET5019P2406B	0.09	(0.08)	39,639	0.12
CMBANK41C2404A	-	-	-	-	HSTECH28C2405	0.41	0.02	20	0.41	SET5019P2406C	0.06	(0.07)	15,910	0.08
CMBANK41C2406A	-	-	-	-	HSTECH28C2406	-	-	-	-	SET5019P2406D	0.16	(0.16)	516,766	0.21
CNOOC28C2404A	-	-	-	-	HSTECH28P2404	-	-	-	-	SET5019P2409A	0.24	(0.14)	119,617	0.29
CNOOC28C2408A	-	-	-	-	HSTECH28P2405	-	-	-	-	SET5027C2406A	0.29	0.15	72,795	0.23
DJI28C2406B	0.43	0.02	4,403	0.44	HSTECH28P2406	-	-	-	-	SET5027C2406B	0.13	0.06	16,055	0.10
DJI28C2406C	0.13	-	1,150	0.13	ICBC28C2404A	-	-	-	-	SET5027C2406C	0.29	0.16	129,015	0.22
DJI28C2409A	-	-	-	-	ICBC28C2407A	0.32	0.05	17,042	0.32	SET5027C2406D	0.60	0.30	311,389	0.45
DJI28P2406A	0.13	(0.03)	650	0.13	JD28C2406A	0.59	(0.06)	48,448	0.59	SET5027C2406T	-	-	-	-
DJI28P2406B	-	-	-	-	JD28C2408A	-	-	-	-	SET5027C2409T	0.21	0.06	30,600	0.19
DJI28P2406C	0.65	(0.10)	3	0.65	JD28C2408B	0.21	(0.05)	9,030	0.21	SET5027P2406A	0.04	(0.06)	4,441	0.06
DJI41C2406A	0.43	0.03	4,360	0.43	JD41C2406A	-	-	-	-	SET5027P2406B	0.09	(0.15)	69,708	0.13
DJI41C2409A	0.60	0.04	15,024	0.59	JD41C2407A	-	-	-	-	SET5027P2406T	0.02	(0.02)	4,640	0.02
DJI41P2406A	0.16	(0.03)	112,012	0.16	KUAISH28C2404	-	-	-	-	SET5027P2409T	0.08	(0.06)	6,706	0.10
DJI41P2406B	0.32	(0.05)	16,000	0.32	KUAISH28C2406	0.17	-	8,112	0.17	SET5028C2406A	0.15	0.06	99,810	0.13
DJI41P2409A	0.87	(0.06)	1	0.87	KUAISH28C2407	0.56	-	1,020	0.55	SET5028C2409A	0.50	0.16	615,678	0.44
GEELY28C2406A	0.53	0.09	2	0.54	KUAISH41C2406	-	-	-	-	SET5028C2409B	0.20	0.06	47,712	0.18
GEELY28C2408A	0.34	0.03	8,056	0.34	LENOVO28C240	-	-	-	-	SET5028P2406A	0.13	(0.10)	180,031	0.16
GEELY28P2404A	-	-	-	-	LENOVO28C240	0.28	0.01	6,288	0.29	SET5028P2409A	0.29	(0.12)	285,624	0.34
GEELY41C2404A	-	-	-	-	LENOVO28C240	0.14	0.02	20,020	0.14	SET5028P2409B	0.13	(0.07)	8,182	0.17
GEELY41C2406A	-	-	-	-	LENOVO41C240	-	-	-	-	SET5041C2406A	0.07	0.03	4,979	0.07
HAIDL128C2404A	-	-	-	-	MCA5041C2406	0.76	(0.09)	20	0.76	SET5041C2406B	0.29	0.15	482,641	0.22
HAIDL128C2406A	0.41	0.05	13,132	0.41	MCA5041P2406	-	-	-	-	SET5041C2406C	0.11	0.04	1,002	0.07
HAIDL141C2404A	-	-	-	-	MEITUA28C2404	0.13	(0.03)	68,000	0.14	SET5041C2406D	-	-	-	-
HAIDL141C2405A	-	-	-	-	MEITUA28C2405	0.89	(0.07)	8,619	0.89	SET5041C2406E	0.42	0.21	635,948	0.30
HAIDL141C2407A	0.28	0.03	10,000	0.28	MEITUA28C2406	-	-	-	-	SET5041C2409A	0.24	0.09	70,822	0.18
HKEX28C2404A	-	-	-	-	MEITUA28C2407	0.40	-	17,192	0.40	SET5041C2412T	0.63	0.19	210,118	0.52
HKEX28C2406A	-	-	-	-	MEITUA28P2405	0.13	(0.01)	16,224	0.13	SET5041P2406A	0.19	(0.14)	99,147	0.27
HKEX28C2407A	0.19	0.02	1,114	0.19	MEITUA28P2406	-	-	-	-	SET5041P2406B	0.11	(0.15)	37,886	0.17
HKEX41C2404A	-	-	-	-	MEITUA41C2405	-	-	-	-	SET5041P2406C	0.26	(0.27)	208,192	0.37
HKEX41C2405A	-	-	-	-	MEITUA41C2406	0.83	(0.14)	4,000	0.85	SET5041P2409A	0.30	(0.11)	135,464	0.35
HKEX41C2406A	0.09	-	1,000	0.09	MEITUA41C2407	-	-	-	-	SET5041P2412T	0.41	(0.17)	575,878	0.51
HSBC28C2406A	-	-	-	-	MEITUA41C2408	-	-	-	-	SPX28C2406A	1.06	0.10	207	1.06
HSBC28P2404A	-	-	-	-	MEITUA41C2409	-	-	-	-	SPX28C2406B	-	-	-	-
HSBC28P2407A	-	-	-	-	MEITUA41P2404	-	-	-	-	SPX28C2406C	-	-	-	-
HSBC41C2405A	0.16	0.04	4	0.16	MEITUA41P2405	-	-	-	-	SPX28P2406A	0.04	(0.03)	1,030	0.04
HSBC41C2407A	-	-	-	-	MEITUA41P2406	0.28	(0.02)	4,000	0.28	SPX28P2406B	0.10	(0.03)	11,000	0.10
HSBC41P2406A	-	-	-	-	NDX28C2406A	1.75	0.10	202	1.75	SPX28P2406C	-	-	-	-
HSCEI28C2404A	-	-	-	-	NDX28C2406B	0.36	0.03	179	0.35	SPX28P2409A	-	-	-	-
HSCEI28C2405A	0.39	0.01	370,000	0.40	NDX28C2406C	0.61	0.06	146	0.60	SPX41C2406A	1.22	0.16	1	1.22
HSCEI28P2404A	-	-	-	-	NDX28C2406D	0.20	(0.06)	5,000	0.20	SPX41C2406B	0.40	(0.07)	1,258	0.40
HSCEI28P2405A	-	-	-	-	NDX28P2406A	0.04	(0.02)	500	0.04	SPX41C2409A	0.82	0.09	914	0.82
HSIO6C2404A	0.06	-	39,936	0.06	NDX28P2406B	-	-	-	-	SPX41P2406A	0.08	(0.02)	3,200	0.08
HSIO6C2404B	1.04	0.08	266	1.01	NDX28P2406C	0.31	(0.06)	300	0.31	SPX41P2406B	0.12	-	40,002	0.12
HSIO6C2404C	0.44	0.03	644,174	0.45	NDX28P2409A	-	-	-	-	SPX41P2409A	0.91	(0.09)	9,427	0.91
HSIO6C2404D	-	-	-	-	NDX41C2406A	0.86	0.11	1,134	0.84	SUNNY28C2406A	-	-	-	-
HSIO6C2404E	0.21	0.01	2,895,895	0.21	NDX41C2406B	0.23	(0.06)	998	0.23	SUNNY28C2407A	-	-	-	-
HSIO6C2405A	0.54	0.02	1	0.54	NDX41C2409A	0.80	0.07	172	0.80	SUNNY28C2408A	-	-	-	-
HSIO6C2405B	1.00	(0.16)	20	1.00	NDX41P2406A	0.10	(0.03)	48,104	0.10	SUNNY41C2405A	-	-	-	-
HSIO6C2405C	0.25	0.01	2,664,790	0.25	NDX41P2406B	0.18	(0.02)	136,250	0.17	SUNNY41C2406A	-	-	-	-
HSIO6C2405D	0.11	-	3,292,393	0.11	NDX41P2409A	0.74	(0.08)	32,590	0.73	SUNNY41C2407A	-	-	-	-
HSIO6C2405E	0.06	-	1,361	0.06	NTE541C2404A	-	-	-	-	SUNNY41C2408A	-	-	-	-
HSIO6C2405F	-	-	-	-	NTE541C2405A	0.18	0.07	4,000	0.18	TENCEN28C2405A	-	-	-	-
HSIO6C2406A	-	-	-	-	PINGAN28C2404	-	-	-	-	TENCEN28C2405B	0.34	(0.09)	10	0.34
HSIO6C2406B	0.27	0.03	159,850	0.27	PINGAN28C2405	-	-	-	-	TENCEN28P2404A	-	-	-	-
HSIO6C2406C	0.36	-	145,050	0.37	PINGAN28C2406	0.25	(0.08)	2,030	0.26	TENCEN28P2408A	0.18	0.01	20,280	0.18
HSIO6C2406D	0.19	-	159,815	0.20	PINGAN28P2406	0.13	-	6,014	0.13	TENCEN41C2405A	-	-	-	-
HSIO6C2406E	1.10	0.10	1,000	1.10	PINGAN41C2404	-	-	-	-	TENCEN41C2406A	0.30	(0.04)	8,020	0.30
HSIO6C2406F	0.12	(0.88)	719	0.12	PINGAN41C2405	-	-	-	-	TENCEN41P2405A	-	-	-	-
HSIO6C2407A	0.40	-	353,971	0.41	PINGAN41C2406	-	-	-	-	TRIPDC41C2407A	0.78	0.11	18,000	0.77
HSIO6P2404A	0.04	(0.02)	24,272	0.04	PINGAN41C2407	0.10	(0.02)	4,106	0.10	XIAOMI28C2404A	-	-	-	-
HSIO6P2404B	-	-	-	-	PINGAN41P2404	-	-	-	-	XIAOMI28C2407A	0.44	0.05	32,399	0.44
HSIO6P2404C	0.19	(0.07)	3,168,866	0.18	SET5001C2404A	-	-	-	-	XIAOMI41C2404A	-	-	-	-
HSIO6P2404D	0.01	(0.01)	500	0.01	SET5001C2404T	-	-	-	-	XIAOMI41C2405A	-	-	-	-
HSIO6P2405A	0.21	(0.04)	3,088,789	0.21	SET5001C2405A	0.08	0.05	18,444	0.05	XIAOMI41C2406A	-	-	-	-
HSIO6P2405B	0.06	(0.03)	2,071	0.07	SET5001C2406A	0.20	0.07	13,496	0.16	XIAOMI41C2407A	0.25	0.03	4,111	0.25
HSIO6P2405C	-	-	-	-	SET5001C2406F	0.25	0.12	66,304	0.20	XIAOMI41P2404A	-	-	-	-
HSIO6P2405D	0.44	(0.07)	24,951	0.43	SET5001C2406T	0.43	0.10	22,958	0.40	XIAOMI41P2408A	-	-	-	-
HSIO6P2405E	-	-	-	-	SET5001C2407A	0.37	0.15	130,871	0.31	ZIJIN28C2407A	1.44	(0.04)	1	1.44
HSIO6P2406A	0.17	(0.04)	58,227	0.18	SET5001P2404A	-	-	-	-	ZIJIN28C2408A	0.58	-	15,098	0.58
HSIO6P2406B	0.32	(0.05)	165,311	0.32	SET5001P2404T	-	-	-	-	ZIJIN41C2407A	-	-	-	-
HSIO6P2406C	0.49	(0.07)	38,900	0.49	SET5001P2405A	0.02	(0.01)	829	0.02	ZIJIN41C2407B	0.42	0.01	4,000	0.44
HSIO6P2406D	0.13	(0.01)	352	0.12	SET5001P2406A	0.10	(0.05)	20,870	0.12	0	-	-	-	-
HSIO6P2406E	-	-	-	-	SET5001P2406F	0.09	(0.08)	14,764	0.13	0	-	-	-	-
HSIO6P2406F	-	-	-	-	SET5001P2406T	0.18	(0.06)	28,924	0.19	0	-	-	-	-
HSIO6P2407A	0.30	(0.04)	187,235	0.30	SET5001P2407A	0.22	(0.12)	98,246	0.27	0	-	-	-	-
HSI28C2404A	0.01	(0.02)	16,066	0.01	SET5006C2404A	-	-	-	-	0	-	-	-	-
HSI28C2404B	0.06	(0.01)	66,246	0.07	SET5006C2406A	0.17	0.06	64,286	0.16	0	-	-	-	-
HSI28C240														

Main Board Quotation

Issue Date :

Tuesday April 09, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust			-		TPLAS	1.60	-	329	00 1.5	HEALTH	1.31	-	1	00 1.3
APO	1.57	0.01	438,539	00 1.5	TRV	3.20	0.02	727	00 3.1	HL	11.30	(0.30)	2,625	00 11.3
AU	9.55	0.10	9,705	00 9.5	UBIS	1.95	(0.05)	940	00 1.9	IMH	6.80	-	141	00 6.7
JCKH	0.03	-	219,158	00 0.0	UEC	1.59	0.01	1,209	00 1.5	JPARK	5.80	0.20	20,184	00 5.7
JCKH-W1	-	-	-	00 0.0	UKEM	0.86	(0.03)	14,023	00 0.8	KGEN	0.81	-	20,276	00 0.8
JCKH-W2	0.01	(0.01)	6,704	00 0.0	UREKA	0.56	-	9,799	00 0.5	KGEN-W2	0.33	0.01	2,513	00 0.3
KASET	1.25	(0.03)	1,463	00 1.2	YUASA	10.80	0.10	264	00 10.7	KK	1.86	-	262	00 1.8
MUD	1.64	(0.11)	11	00 1.6	ZIGA	2.70	0.10	101,520	00 2.7	KLINIQU	39.00	(0.75)	9,495	00 39.2
NTSC	13.80	(0.10)	107	00 13.8	Property	-	-	-	-	KOOL	0.37	-	23,483	00 0.3
TACC	4.72	(0.02)	21,503	00 4.7	24CS	1.64	0.02	35,067	00 1.6	KTMS	2.62	-	1,192	00 2.6
TMILL	3.70	-	417	00 3.6	A5	3.38	0.08	7,326	00 3.3	LDC	0.59	(0.01)	15,463	00 0.5
WINNER	2.18	0.04	1,071	00 2.1	A5-W2	0.03	(0.01)	5,054	00 0.0	LEO	4.14	-	4,010	00 4.0
XO	26.25	(0.25)	17,665	00 26.3	A5-W3	0.09	-	10,453	00 0.0	LEO-W1	0.21	-	21,470	00 0.2
Consumer Products					ALL	-	-	-	00 0.0	MASTER	65.50	0.25	11,552	00 65.8
ALPHAX	0.82	0.06	267,548	00 0.8	ARIN	2.36	0.02	815	00 2.2	MCA	2.58	0.02	51,431	00 2.5
BGT	0.67	(0.01)	1,698	00 0.6	ARROW	6.40	(0.10)	130	00 6.4	MEB	32.50	0.25	932	00 32.1
DOD	2.76	(0.06)	3,363	00 2.7	BC	1.20	0.02	3,359	00 1.2	MORE	0.09	0.01	104,060	00 1.0
ECF	0.88	(0.03)	95,950	00 0.8	BLESS	0.61	-	4,917	00 0.5	MVP	1.05	0.01	16,154	00 1.0
ECF-W4	0.01	-	50	00 0.0	BSM	2.54	(0.02)	45	00 2.5	NCL	0.71	-	6,836	00 0.7
EFORL	0.18	(0.01)	68,096	00 0.1	BTW	0.27	(0.01)	11,757	00 0.2	NEWS	0.01	(0.01)	1,069,988	00 0.0
EFORL-W6	0.03	(0.01)	53	00 0.0	CAZ	4.02	0.04	2,334	00 4.0	NEWS-W7	-	-	-	00 0.0
EURO	6.40	0.05	3,752	00 6.4	CHEWA	0.51	-	7,531	00 0.5	PEER	0.42	0.02	78,755	00 0.4
HPT	0.70	0.02	152,532	00 0.6	CPANEL	5.75	(0.10)	3,338	00 5.7	PEER-W1	0.19	-	2,073	00 0.1
IP	9.80	(0.10)	2,806	00 9.8	CPANEL-W1	1.73	(0.17)	27	00 1.7	PHOL	2.68	-	510	00 2.6
IP-W2	0.46	0.02	21,717	00 0.4	CRD	0.49	-	858	00 0.4	PICO	4.94	(0.02)	12	00 4.8
ITTHI	2.12	0.08	8,915	00 2.1	DHOUSE	0.63	-	537	00 0.6	PLT	0.80	-	12,029	00 0.7
JSP	2.36	0.08	3,385	00 2.3	DIMET	0.25	(0.01)	9,972	00 0.2	QLT	2.86	(0.02)	203	00 2.8
JSP-W1	0.20	-	13,808	00 0.2	DPAINTE	2.54	0.04	814	00 2.5	RP	1.44	(0.01)	455	00 1.4
JUBILE	16.40	0.10	511	00 16.3	FLOYD	1.21	-	461	00 1.2	SE	0.82	(0.02)	3,846	00 0.8
MGI	19.10	(3.40)	127,316	00 21.1	FLOYD-W1	0.01	-	295	00 0.0	SLM	-	-	-	00 0.0
MOONG	2.20	-	97	00 2.1	HYDRO	0.23	(0.02)	1,838	00 0.2	SONIC	1.61	0.01	4,293	00 1.6
NPK	17.30	2.30	172	00 18.2	HYDRO-W2	-	-	-	00 0.0	SPA	13.40	0.40	14,891	00 13.2
SMD	6.60	(0.05)	595	00 6.6	IND	0.91	(0.01)	968	00 0.9	THMUI	0.59	-	860	00 0.5
TM	1.92	0.02	562	00 1.9	JAK	1.28	0.01	111	00 1.2	TNDT	0.19	(0.01)	8,645	00 0.1
TM-W1	0.20	-	677	00 0.2	K	1.16	(0.03)	530	00 1.1	TNDT-W1	0.04	-	5,442	00 0.0
WARRIX	6.25	0.35	35,604	00 6.0	K-W2	0.12	(0.04)	1,636	00 0.1	TNH	35.25	(0.25)	537	00 35.4
WINMED	2.82	(0.02)	362	00 2.8	KUN	1.59	(0.01)	74	00 1.5	TNP	3.34	0.08	1,995	00 3.3
Financials					KUN-W1	-	-	-	00 0.0	TPL	1.44	0.02	2,867	00 1.4
ACAP	-	-	-	00 0.0	KUN-W2	0.05	-	1,451	00 0.0	TRP	13.90	0.10	17,887	00 13.8
AF	0.76	-	35	00 0.7	META	0.12	(0.01)	27,261	00 0.1	TURTLE	-	-	-	00 0.0
AIRA	1.80	0.19	295	00 1.5	META-W7	0.01	-	28	00 0.0	TVDH	0.34	(0.01)	650	00 0.3
ASN	2.08	-	523	00 2.0	PANEL	2.12	0.04	13,761	00 2.1	TVDH-W3	0.05	-	6,313	00 0.0
BROOK	0.55	0.03	406,030	00 0.5	PPS	0.45	0.01	938	00 0.4	TVDH-W4	0.07	0.01	2,010	00 0.0
BROOK-W6	0.06	0.01	84,527	00 0.0	PRI	14.80	-	10,059	00 14.6	TVT	0.45	(0.01)	4,569	00 0.4
BROOK-W7	0.24	0.03	6,424	00 0.2	PROS	1.24	0.03	1,671	00 1.2	UBA	1.09	-	1,901	00 1.0
GCAP	0.53	-	9,363	00 0.5	PROS-W1	0.32	0.01	3,096	00 0.3	VL	1.13	0.02	24,877	00 1.1
KCCAMC	2.64	0.02	2,607	00 2.6	PROUD	1.82	0.01	19,240	00 1.8	YGG	7.45	0.10	30,834	00 7.3
LIT	1.20	0.09	24,801	00 1.1	PSG	0.63	0.02	116,036	00 0.6	Technology	-	-	-	-
LIT-W2	0.45	0.09	113,378	00 0.4	QTCG	0.92	0.02	1,442,161	00 0.9	APP	2.52	-	718	00 2.4
MTSIB	0.79	-	1,943	00 0.7	SENX	0.51	0.02	4,486	00 0.5	BBIK	98.00	1.50	1,364	00 97.8
SGF	0.36	(0.01)	2,319	00 0.3	SENX-W1	0.01	(0.01)	34,503	00 0.0	BE8	27.75	0.50	13,717	00 27.6
SGF-P1	-	-	-	00 0.0	SK	0.80	(0.02)	21,642	00 0.8	BE8-W1	4.68	(0.08)	13	00 4.6
SGF-Q1	-	-	-	00 0.0	SMART	1.05	0.04	43,392	00 1.0	BVG	5.30	0.05	8,969	00 5.1
TQR	6.90	(0.10)	400	00 6.9	STC	0.64	(0.01)	2,296	00 0.6	COMAN	3.46	(0.02)	3,924	00 3.4
Industrials					SVR	1.50	-	2,568	00 1.4	I2	2.28	0.02	40,648	00 2.2
ADB	0.86	-	1,009	00 0.8	TAPAC	0.76	(0.05)	102,619	00 0.8	IIG	10.00	(0.10)	3,070	00 10.0
BM	2.84	(0.04)	3,829	00 2.8	THANA	1.71	0.01	843	00 1.6	IIG-W1	-	-	-	00 0.0
BM-W3	1.55	0.01	12	00 1.5	TIGER	0.82	(0.04)	161	00 0.8	IRCP	0.64	0.01	3,105	00 0.6
BPS	0.96	(0.12)	434,702	00 0.9	TITLE	4.24	0.08	7,485	00 4.2	ITNS	2.12	(0.04)	6,492	00 2.1
CHO	0.12	-	66,143	00 0.1	WELL	-	-	-	00 0.0	NAT	5.50	0.15	19,543	00 5.4
CHO-W3	0.01	-	1,102	00 0.0	YONG	2.02	-	5,440	00 2.0	NETBAY	19.80	0.10	9,532	00 19.7
CHOW	2.76	0.02	2,634	00 2.7	Resources	-	-	-	-	PLANET	0.64	-	836	00 0.6
CIG	0.06	(0.01)	841,370	00 0.0	ABM	1.38	(0.04)	656	00 1.3	PROEN	1.89	0.09	17,620	00 1.8
CIG-W10	-	-	-	00 0.0	ABM-W1	0.30	-	3,336	00 0.2	READY	10.70	-	151	00 10.6
CIG-W9	0.05	-	12,736	00 0.0	GTV	0.15	-	148,140	00 0.1	SECURE	14.00	0.20	715	00 13.8
COLOR	1.40	-	697	00 1.3	PSTC	0.50	-	22,929	00 0.4	SICT	4.94	-	2,492	00 4.9
COLOR-W2	0.01	-	1,910	00 0.0	PSTC-W2	0.06	-	9,338	00 0.0	SIMAT	1.35	-	531	00 1.3
CPR	4.10	-	1,273	00 4.1	PTC	1.90	-	1,106	00 1.8	SIMAT-W3	0.21	(0.03)	337	00 0.2
FPI	2.26	-	558	00 2.2	SAAM	7.80	0.10	1,217	00 7.8	SIMAT-W5	0.10	0.01	18,125	00 0.0
GTB	0.75	0.03	9,253	00 0.7	SAAM-W2	0.40	(0.09)	51,170	00 0.4	SPVI	3.04	-	1,712	00 3.0
KCM	0.40	-	1,958	00 0.3	SR	0.59	-	180	00 0.5	SRS	8.15	0.55	1,888	00 7.9
KJL	7.95	0.10	2,602	00 7.8	STOWER	0.08	0.01	184,779	00 0.0	TBN	11.80	-	594	00 11.6
KUMWEL	1.79	(0.01)	406	00 1.7	STOWER-W4	0.01	-	493	00 0.0	TPS	4.04	-	11,424	00 4.0
KWM	1.47	0.02	1,291	00 1.4	TAKUNI	1.02	-	28,261	00 1.0	TPS-W1	2.34	0.04	15	00 2.4
MBAX	3.24	-	365	00 3.2	TPCH	7.05	(0.05)	3,496	00 7.0	VCOM	3.32	0.08	498	00 3.3
MBAX-W2	0.23	-	10,550	00 0.2	TRT	3.50	-	2,055	00 3.4	-	-	-	-	-
MGT	2.52	(0.02)	630	00 2.5	UMS	0.58	(0.02)	32	00 0.5	-	-	-	-	-
MTW	2.90	(0.02)	79,857	00 2.9	Services	-	-	-	-	-	-	-	-	-
NDR	1.89	0.03	6,319	00 1.9	ADD	5.15	(0.05)	602	00 5.1	-	-	-	-	-
NDR-W2	-	-	-	00 0.0	AKP	0.88	(0.06)	23,496	00 0.8	-				