

## Main Board Quotation

Issue Date :

Friday April 19, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KTB41C2406B	0.07	(0.04)	2,000	0.07	IVL41C2406A	-	-	-	-
WORLD	-	-	-	-	KTB41C2407A	0.14	(0.03)	13,734	0.14	IVL41C2406B	0.08	(0.03)	4,000	0.09
Agribusiness	-	-	-	-	LHFG	0.98	(0.02)	114,287	0.98	IVL41C2407A	0.17	(0.05)	26,383	0.18
EE	0.22	(0.01)	11,365	0.22	SCB	103.00	(2.00)	146,652	103.61	NFC	2.98	(0.06)	21	2.97
EE-W1	0.01	-	22,225	0.01	SCB01C2405A	0.05	(0.03)	15,142	0.05	PATO	9.05	-	21	9.02
GFPT	11.70	(0.20)	30,963	11.78	SCB01C2407A	0.28	(0.05)	16,397	0.29	PMTA	-	-	-	-
LEE	2.38	(0.04)	1,596	2.37	SCB01C2408A	0.29	(0.04)	24,689	0.30	PTTGC	38.75	(0.25)	118,526	38.69
NER	5.80	(0.10)	84,485	5.78	SCB01P2405X	-	-	-	-	PTTGC01C2405A	-	-	-	-
PPPM	0.03	-	93,805	0.03	SCB01P2407X	0.18	-	19,215	0.17	PTTGC01C2406A	0.20	(0.02)	61,439	0.20
PPPM-W4	0.01	-	8,014	0.01	SCB13C2406A	0.11	(0.04)	98,935	0.12	PTTGC01C2407A	0.17	(0.01)	37,196	0.17
STA	16.30	(1.10)	144,425	16.62	SCB13P2406A	0.02	-	681	0.02	PTTGC01P2405X	-	-	-	-
STA01C2407A	0.09	(0.05)	37,752	0.11	SCB13P2407A	0.16	0.04	1,119	0.14	PTTGC01P2409X	0.42	-	13,305	0.42
STA01C2409A	0.24	(0.08)	40,667	0.27	SCB19C2406A	0.11	(0.04)	26,998	0.11	PTTGC11C2404A	-	-	-	-
STA01P2407X	0.51	0.12	24,442	0.45	SCB19C2407A	0.13	(0.03)	33,434	0.13	PTTGC13C2406A	0.10	(0.01)	27,148	0.10
STA01P2408X	0.60	0.12	35,836	0.56	SCB19P2407A	0.11	0.02	13,210	0.10	PTTGC13P2408A	0.27	-	100	0.27
STA06C2408A	0.13	(0.06)	24,848	0.15	SCB41C2405A	-	-	-	-	PTTGC19C2406A	0.14	(0.01)	103,358	0.14
STA11C2407T	0.26	(0.08)	33,262	0.29	SCB41C2405B	-	-	-	-	PTTGC41C2405A	-	-	-	-
STA13C2405A	-	-	-	-	SCB41C2407A	0.18	(0.03)	5,706	0.18	PTTGC41C2406A	0.10	(0.01)	8,000	0.10
STA13C2407A	0.12	(0.07)	28,569	0.14	SCB41C2407B	0.11	(0.05)	39,600	0.12	PTTGC41C2407A	0.12	(0.01)	24,358	0.12
STA13C2408A	0.08	(0.05)	22,777	0.10	SCB41C2408A	0.15	(0.04)	4,678	0.16	PTTGC41C2407B	0.28	(0.04)	2,000	0.29
STA13P2407A	-	-	-	-	SCB41P2406A	0.02	0.01	141	0.02	SUTHA	2.58	(0.02)	364	2.59
STA13P2408A	0.61	0.10	5,087	0.56	TCAP	48.75	-	48,236	48.64	TPA	4.30	(0.04)	30	4.29
STA19C2406A	0.15	(0.08)	30,110	0.17	TCAP-P	-	-	-	-	UAC	3.46	(0.10)	2,462	3.49
STA19C2408A	0.13	(0.06)	56,526	0.15	TCAP-Q	-	-	-	-	UP	16.80	(0.40)	70	16.80
STA41C2408A	0.11	(0.05)	22,588	0.12	TISCO	99.25	(0.50)	92,953	99.09	Commerce	-	-	-	-
TEGH	2.78	(0.06)	34,364	2.78	TISCO-P	-	-	-	-	ADVICE	4.18	(0.22)	77,153	4.26
TFM	6.70	(0.15)	1,033	6.73	TISCO-Q	-	-	-	-	B52	0.59	0.01	170	0.58
TRUBB	1.35	(0.05)	39,316	1.36	TISCO13C2405A	-	-	-	-	BEAUTY	0.58	(0.07)	424,577	0.60
TRUBB-W2	0.10	(0.01)	17,730	0.10	TISCO19C2408A	0.15	(0.01)	4	0.15	BIG	0.46	-	10,190	0.45
UPOIC	6.15	(0.05)	58	6.15	TTB	1.78	0.04	3,543,123	1.77	BJC	24.10	(0.90)	185,339	24.22
UVAN	8.45	(0.05)	4,513	8.44	TTB-W1	0.85	0.02	15,326	0.85	COM7	17.20	(0.80)	128,505	17.37
VPO	0.77	-	9,325	0.76	TTB01C2406A	0.25	0.04	37,794	0.24	COM701C2405A	-	-	-	-
Banking	-	-	-	-	TTB13C2409A	0.25	0.03	54,088	0.24	COM701C2406A	-	-	-	-
BAY	26.25	(0.50)	7,962	26.40	TTB19C2409A	0.30	0.04	13,324	0.29	COM701C2407A	0.09	(0.03)	48,329	0.10
BBL	138.50	(5.00)	192,630	139.17	Construction Ma	-	-	-	-	COM701C2408A	0.18	(0.06)	44,990	0.20
BBL11C2404A	-	-	-	-	CCP	0.35	(0.02)	11,335	0.35	COM701P2406X	0.57	0.11	12,277	0.53
BBL11C2405A	0.03	(0.07)	201	0.03	DCC	1.80	(0.04)	36,419	1.79	COM701P2408X	0.43	0.06	29,620	0.42
BBL11C2406A	-	-	-	-	DCON	0.39	-	127,826	0.39	COM706C2407A	0.09	(0.04)	9,006	0.10
BBL11P2407A	0.24	0.05	9,671	0.23	DCON-W3	0.06	-	14,006	0.05	COM711C2404A	-	-	-	-
BBL13C2405A	-	-	-	-	DRT	7.90	(0.05)	1,306	7.90	COM711C2406A	-	-	-	-
BBL13C2406A	-	-	-	-	ERG	6.65	0.05	40,990	6.70	COM711P2406A	-	-	-	-
BBL13C2408A	0.17	(0.08)	23,383	0.18	GEL	0.16	(0.02)	209,360	0.16	COM713C2405A	-	-	-	-
BBL13P2408A	0.31	0.05	4,046	0.31	GEL-W5	0.03	-	11,593	0.03	COM713C2405B	-	-	-	-
BBL19C2405A	-	-	-	-	PPP	1.76	-	90	1.73	COM713C2406A	-	-	-	-
BBL19C2406A	-	-	-	-	Q-CON	15.30	(0.10)	6,064	15.25	COM713C2407A	0.07	(0.03)	1,865	0.08
BBL19C2408A	0.17	(0.08)	23,745	0.18	SCC	242.00	(8.00)	33,784	243.46	COM713C2408A	0.16	(0.06)	26,427	0.18
BBL19P2406A	0.09	0.01	1	0.09	SCC01C2405A	0.02	0.01	1,001	0.01	COM713P2407A	0.37	0.07	11,000	0.36
BBL41C2405A	0.01	(0.04)	1,499	0.01	SCC01C2407A	-	-	-	-	COM719C2406A	-	-	-	-
BBL41C2406A	-	-	-	-	SCC01C2408A	0.26	(0.08)	38,202	0.28	COM719C2407A	0.06	(0.02)	480	0.06
BBL41C2407A	-	-	-	-	SCC11C2408A	0.12	(0.04)	5,101	0.13	COM719C2408A	0.16	(0.05)	149,527	0.18
BBL41C2407A	0.10	(0.04)	5,929	0.10	SCC13C2405A	0.01	-	3	0.01	COM719P2406A	0.43	0.06	898	0.42
BBL41C2407B	0.10	(0.06)	13,001	0.11	SCC13C2407A	0.02	(0.04)	700	0.02	COM741C2405A	-	-	-	-
BBL41C2408A	0.16	(0.07)	75,807	0.17	SCC13C2408A	0.15	(0.05)	14,236	0.16	COM741C2406A	-	-	-	-
BBL41P2406A	-	-	-	-	SCC13P2408A	0.28	0.04	3,120	0.28	COM741C2407A	-	-	-	-
CIMBT	0.54	-	14,186	0.54	SCC19C2405A	-	-	-	-	COM741C2408A	0.14	(0.04)	47,214	0.15
CREDIT	27.25	(0.50)	936	27.28	SCC19C2406A	-	-	-	-	CPALL	54.75	(0.75)	424,834	54.85
KBANK	124.00	(2.00)	136,405	124.27	SCC19C2408A	0.15	(0.06)	51,253	0.17	CPALL01C2405A	0.06	(0.03)	98,714	0.07
KBANK01C2405A	0.01	-	300	0.01	SCCC	137.50	(1.50)	378	137.12	CPALL01C2407A	0.11	(0.03)	33,904	0.12
KBANK01C2406A	0.08	(0.02)	19,060	0.08	SCGD	7.60	(0.35)	14,236	7.67	CPALL01C2409A	0.28	(0.03)	82,120	0.29
KBANK01C2407A	0.23	(0.04)	13,387	0.23	SCP	6.05	(0.15)	6,481	6.11	CPALL01P2405X	-	-	-	-
KBANK01P2406X	-	-	-	-	SKN	4.50	(0.02)	557	4.45	CPALL01P2408X	0.40	0.02	15,456	0.40
KBANK01P2408X	0.19	0.02	12,290	0.19	STEGH	1.33	(0.04)	2,729	1.35	CPALL06C2405A	-	-	-	-
KBANK01P2409X	0.39	0.02	12,470	0.39	TASCO	15.60	(0.30)	48,334	15.67	CPALL11C2405A	-	-	-	-
KBANK06C2406A	-	-	-	-	TASCO01C2405/	-	-	-	-	CPALL13C2405A	-	-	-	-
KBANK13C2405A	0.01	-	800	0.01	TASCO01C2408/	0.15	(0.02)	2,000	0.15	CPALL13C2407A	0.12	(0.02)	23,450	0.13
KBANK13C2406A	-	-	-	-	TASCO01P2405/	0.02	-	400	0.02	CPALL13P2408A	0.27	-	20,121	0.27
KBANK13C2407A	0.14	(0.03)	14,706	0.14	TASCO13C2407/	0.11	(0.01)	998	0.11	CPALL19C2406A	-	-	-	-
KBANK13C2408A	0.22	(0.03)	25,821	0.22	TASCO19C2407/	-	-	-	-	CPALL19C2407A	0.09	-	30,440	0.08
KBANK13P2406A	-	-	-	-	TASCO41C2406/	-	-	-	-	CPALL19C2409A	0.25	(0.04)	139,251	0.26
KBANK13P2409A	0.35	0.02	2,092	0.36	TOA	23.40	(0.20)	39,605	23.32	CPALL19P2408A	-	-	-	-
KBANK19C2405A	-	-	-	-	TOA13C2407A	-	-	-	-	CPALL41C2405A	-	-	-	-
KBANK19C2406A	-	-	-	-	TPIP	1.35	(0.02)	31,246	1.35	CPALL41C2406A	0.08	-	600	0.08
KBANK19C2408A	0.18	(0.03)	4,048	0.19	UMI	0.73	-	2,175	0.72	CPALL41C2407A	0.12	(0.03)	37,512	0.14
KBANK41C2405A	-	-	-	-	VNG	3.48	0.04	1,152	3.41	CPALL41C2407B	0.10	(0.02)	25,517	0.11
KBANK41C2405B	-	-	-	-	WIJK	1.41	0.01	537	1.41	CPALL41C2407C	-	-	-	-
KBANK41C2406A	-	-	-	-	WINDOW	1.03	(0.03)	29,125	1.05	CPALL41C2408A	0.11	(0.02)	45,215	0.12
KBANK41C2408A	0.23	(0.04)	35,074	0.24	Petrochemicals &	-	-	-	-	CPAXT	30.50	(0.75)	70,670	30.48
KBANK41P2406A	-	-	-	-	BCT	62.75	(1.25)	12	62.81	CPW	2.22	(0.02)	11,837	2.21
KKP	51.25	0.25	31,703	51.14	CMAN	1.95	(0.02)	4,015	1.94	CRC	33.50	(1.00)	95,210	33.65
KKP-W6	1.62	0.02	9,336	1.63	GC	5.20	(0.05)	1,168	5.20	CRC01C2407A	0.09	(0.03)	13,847	0.09
KKP01C2405A	-	-	-	-	GGC	7.60	(0.20)	252	7.60	CRC11C2404A	0.01	(0.01)	3,000	0.01
KKP11C2406A	0.14	-	11,220	0.14	GIFT	3.90	(0.08)	77,070	3.93	CRC13C2405A	-	-	-	-
KKP11P2405A	0.07	(0.03)	3,060	0.07	GIFT-W2	1.49	(0.05)	6,693	1.50	CRC13C2407A	-	-	-	-
KKP13C2405A	-	-	-	-	IVL	23.90	(0.70)	285,309	24.00	CRC13C2408A	0.11	(0.03)	41,214	0.12
KKP13C2408A	0.20	-	31,378	0.20	IVL01C2405A	-	-	-	-	CRC19C2406A	0.08	(0.01)	2,004	0.08
KKP19C2406A	-	-	-	-	IVL01C2406A	0.07	(0.03)	37,089	0.08	CRC19C2408A	0.08	(0.01)	100	0.08
KTB	16.00	(0.30)	516,858	16.03	IVL01C2406B	-	-	-	-	CRC41C2407A	0.07	(0.02)	23,422	0.08
KTB-P	-	-	-	-	IVL01C2408A</									

## Main Board Quotation

Issue Date :

Friday April 19, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GLOBAL01C2408A	0.16	(0.01)	39,943	0.16	JMART19C2406E	0.05	(0.03)	510	0.05	HANA41C2407A	-	-	-	-
GLOBAL11C2408A	0.20	-	17,568	0.19	JMART19C2408A	0.17	(0.06)	45,423	0.19	HANA41C2407B	0.12	(0.04)	4,050	0.12
GLOBAL13C2406A	0.07	(0.01)	5,060	0.07	JMART41C2405A	-	-	-	-	HANA41C2408A	0.12	(0.04)	10,189	0.12
GLOBAL19C2407A	0.25	(0.01)	40,030	0.25	JMART41C2407A	0.10	(0.05)	43,834	0.12	HANA41P2405A	-	-	-	-
GLOBAL19C2407B	0.12	(0.01)	19,321	0.12	JMART41P2405A	0.36	0.07	14,000	0.34	HANA41P2406A	-	-	-	-
GLOBAL41C2406A	0.06	(0.01)	15,020	0.06	JTS	49.25	(3.25)	12,415	50.55	KCE	37.25	(1.00)	65,195	37.03
HMPRO	10.20	(0.30)	523,225	10.24	MFEC	6.75	(0.05)	2,377	6.76	KCE01C2405A	0.01	-	6,003	0.01
HMPRO01C2406A	-	-	-	-	MSC	7.90	(0.20)	228	7.96	KCE01C2406A	0.02	-	300	0.02
HMPRO01C2407A	0.07	(0.01)	18,000	0.07	PT	7.95	(0.10)	3,237	7.94	KCE01C2407A	0.08	(0.03)	40,420	0.08
HMPRO01C2407T	-	-	-	-	SAMART	6.15	(0.20)	32,003	6.18	KCE01C2408A	0.23	(0.04)	68,343	0.22
HMPRO13C2405A	-	-	-	-	SAMART-W3	0.01	-	6,700	0.01	KCE01P2405X	0.52	0.07	6,235	0.54
HMPRO13C2407A	0.04	(0.02)	200	0.04	SAMTEL	2.78	(0.04)	2,858	2.77	KCE01P2406X	0.49	0.05	22,945	0.50
HMPRO19C2407A	-	-	-	-	SAMTEL-W1	0.01	-	209,158	0.02	KCE01P2407X	0.30	0.03	34,066	0.31
HMPRO41C2406A	-	-	-	-	SDC	0.05	0.01	41,315	0.04	KCE06C2406A	-	-	-	-
HMPRO41C2407A	-	-	-	-	SIS	25.25	(1.50)	9,285	25.75	KCE11C2405A	-	-	-	-
HMPRO41C2408A	0.09	(0.02)	74,482	0.09	SKY	26.25	(1.50)	7,780	26.66	KCE11C2408A	0.21	(0.03)	35,462	0.20
ICC	51.75	(1.25)	34	52.21	SVOA	1.86	(0.03)	4,059	1.83	KCE13C2406A	0.01	(0.01)	100	0.01
ILM	19.60	(0.30)	5,491	19.54	SYMC	8.50	(0.40)	15,571	8.60	KCE13C2407A	0.02	(0.02)	1,001	0.02
IT	3.44	-	592	3.39	SYNEX	11.90	(0.40)	10,556	11.91	KCE13C2407B	0.07	(0.02)	1,710	0.07
KAMART	13.80	(0.30)	63,720	13.94	THCOM	12.60	(0.90)	255,812	12.85	KCE13C2408A	0.17	(0.03)	8,244	0.17
LOXLEY	1.46	(0.01)	6,580	1.46	TKC	13.10	(0.60)	2,261	13.37	KCE13P2407A	-	-	-	-
MC	12.40	(0.20)	26,495	12.24	TRUE	7.80	(0.05)	958,237	7.76	KCE13P2407B	0.24	0.03	400	0.24
MEGA	41.25	-	17,162	40.98	TRUE01C2405A	0.52	(0.05)	9,978	0.50	KCE19C2406A	-	-	-	-
MEGA13C2405A	-	-	-	-	TRUE01C2407A	0.40	(0.04)	4,920	0.40	KCE19C2406B	-	-	-	-
MEGA19C2409A	0.21	-	14,880	0.20	TRUE01C2407B	0.25	(0.01)	16,230	0.24	KCE19C2407A	0.07	(0.02)	52,790	0.07
MIDA	0.46	(0.02)	12,359	0.46	TRUE01C2408A	0.19	(0.02)	46,918	0.19	KCE19C2408A	0.20	(0.04)	60,842	0.19
MIDA-W3	0.01	-	1	0.01	TRUE01P2406X	-	-	-	-	KCE19P2407A	0.19	0.02	55,238	0.20
MOSHI	52.25	(1.50)	10,315	52.76	TRUE01P2407X	-	-	-	-	KCE41C2405A	-	-	-	-
MOSHI13C2407A	0.14	(0.01)	142	0.14	TRUE01P2408X	0.30	-	24,975	0.31	KCE41C2406A	-	-	-	-
RS	12.40	(0.20)	44,786	12.20	TRUE11C2405A	-	-	-	-	KCE41C2406B	-	-	-	-
RS-W4	0.01	-	397,594	0.02	TRUE11C2406A	-	-	-	-	KCE41C2407A	-	-	-	-
RS-W5	4.62	(0.26)	869	4.74	TRUE11P2408A	0.36	0.01	18,835	0.37	KCE41C2407B	0.13	(0.03)	90,945	0.12
RSP	2.38	(0.06)	2,525	2.38	TRUE13C2405A	-	-	-	-	KCE41P2407A	-	-	-	-
SABUY	2.32	(0.12)	1,054,232	2.36	TRUE13C2407A	0.36	(0.02)	100	0.36	KCE41P2408B	0.33	0.09	10,818	0.34
SABUY-W1	-	-	-	-	TRUE13C2407B	0.22	(0.04)	31,135	0.21	METCO	222.00	(1.00)	52	222.15
SABUY-W2	0.47	(0.03)	404,765	0.48	TRUE13P2407A	0.02	(0.01)	2	0.02	SMT	2.70	(0.10)	15,824	2.71
SABUY13C2407A	-	-	-	-	TRUE13P2407B	0.10	0.01	1,026	0.10	SMT-W3	0.05	(0.01)	62,051	0.05
SABUY13C2407B	0.02	0.01	1,199	0.01	TRUE19C2405A	-	-	-	-	SVI	6.55	(0.15)	8,586	6.64
SABUY19C2405A	0.01	-	1,400	0.01	TRUE19C2407A	-	-	-	-	TEAM	3.72	(0.14)	5,803	3.78
SABUY19C2407A	0.02	-	8,703	0.01	TRUE19C2407B	0.26	(0.01)	69,868	0.25	Energy & Utilities	-	-	-	-
SCM	3.74	(0.02)	848	3.64	TRUE19P2408A	0.14	-	30,461	0.15	7UP	0.34	(0.01)	209,174	0.34
SCM-W2	1.30	(0.39)	156	1.16	TRUE41C2406A	-	-	-	-	ACC	0.48	(0.02)	31,973	0.48
SINGER	9.60	(0.50)	160,637	9.74	TRUE41C2406B	-	-	-	-	ACE	1.38	(0.02)	37,712	1.38
SPC	62.00	0.25	2	61.88	TRUE41C2407A	-	-	-	-	ACE13C2407A	0.05	(0.01)	5	0.05
SPI	70.50	0.50	48	69.94	TRUE41C2407B	0.17	(0.03)	22,592	0.17	ACE19C2407A	0.07	(0.02)	25	0.07
SVT	1.67	(0.05)	4,401	1.69	TRUE41P2408A	0.26	-	21,182	0.27	AGE	1.83	(0.05)	15,632	1.85
TAN	16.60	(0.40)	6,046	16.44	TWZ	0.04	(0.01)	1,119,324	0.04	AI	4.04	(0.06)	1,778	4.06
Information & Comm	-	-	-	-	Electronic Comp	-	-	-	-	AIE	1.23	(0.03)	3,778	1.23
3BBIF	5.75	(0.10)	81,000	5.79	CCET	2.20	(0.06)	93,700	2.21	AKR	0.97	(0.02)	70,744	0.96
ADVANC	195.50	(1.50)	79,306	195.47	DELTA	69.25	(3.25)	230,939	68.75	AKR-W2	0.02	(0.01)	132,163	0.02
ADVANC01C2407A	0.03	(0.01)	20	0.03	DELTA01C2406A	0.03	(0.02)	4,082	0.03	BAFS	22.70	(0.60)	3,030	22.82
ADVANC01C2408A	0.12	(0.01)	14,450	0.12	DELTA01C2407A	0.24	(0.08)	97,121	0.23	BANPU	5.30	(0.15)	985,237	5.34
ADVANC01P2408X	0.33	0.01	16,044	0.33	DELTA01C2407E	0.41	(0.11)	486,789	0.39	BANPU01C2405A	-	-	-	-
ADVANC06C2405A	-	-	-	-	DELTA01P2406X	0.31	0.05	125,549	0.33	BANPU01C2406A	-	-	-	-
ADVANC11C2407A	0.05	(0.01)	6,220	0.04	DELTA01P2408X	0.86	0.09	65,145	0.88	BANPU01C2407A	0.06	(0.01)	17,998	0.06
ADVANC13C2405A	-	-	-	-	DELTA06C2405A	0.02	(0.01)	792	0.01	BANPU01C2408A	0.16	(0.02)	29,384	0.17
ADVANC13C2407A	-	-	-	-	DELTA06C2406A	0.18	(0.09)	133,570	0.18	BANPU01P2405X	-	-	-	-
ADVANC13C2409A	0.15	(0.01)	11,592	0.15	DELTA11C2406A	-	-	-	-	BANPU01P2407X	0.18	0.03	24,865	0.17
ADVANC13P2408A	0.32	0.01	10,536	0.32	DELTA13C2405A	-	-	-	-	BANPU06C2407A	0.07	(0.02)	700	0.07
ADVANC19C2405A	0.02	-	2	0.02	DELTA13C2407A	0.14	(0.06)	44,174	0.14	BANPU11C2404A	-	-	-	-
ADVANC19C2407A	-	-	-	-	DELTA13C2407E	0.34	(0.11)	116,918	0.33	BANPU11C2406A	-	-	-	-
ADVANC19C2409A	0.18	(0.01)	32,181	0.18	DELTA13C2407C	0.23	(0.08)	123,601	0.22	BANPU11C2410T	0.20	(0.01)	7,200	0.20
ADVANC41C2405A	-	-	-	-	DELTA13P2405A	0.01	-	250	0.01	BANPU13C2405A	0.01	(0.01)	1,000	0.01
ADVANC41C2407A	0.03	(0.01)	30	0.03	DELTA13P2407A	0.31	0.05	2,626	0.33	BANPU13C2406A	-	-	-	-
ADVANC41C2410A	0.18	(0.02)	4,874	0.19	DELTA13P2408A	0.75	0.10	71,899	0.75	BANPU13C2407A	-	-	-	-
AIT	4.46	(0.22)	25,467	4.53	DELTA19C2406A	0.05	(0.01)	1,500	0.05	BANPU13C2408A	0.15	(0.03)	2,252	0.15
ALT	1.49	(0.02)	1,758	1.50	DELTA19C2407A	0.15	(0.06)	50,497	0.15	BANPU13P2405A	-	-	-	-
AMR	1.12	(0.05)	10,461	1.13	DELTA19C2407E	0.27	(0.08)	43,507	0.26	BANPU13P2409A	0.31	0.03	11,209	0.30
BLISS	-	-	-	-	DELTA19P2407A	0.34	0.03	30,017	0.35	BANPU19C2405A	-	-	-	-
DIF	7.65	(0.15)	106,657	7.73	DELTA19P2409A	0.76	0.08	48,141	0.78	BANPU19C2405B	-	-	-	-
DITTO	20.10	(1.20)	23,537	20.33	DELTA41C2405A	-	-	-	-	BANPU19C2407A	-	-	-	-
DITTO-W1	3.64	-	108	3.63	DELTA41C2406A	0.03	(0.02)	50	0.03	BANPU19C2407B	0.09	(0.02)	36,020	0.10
DTCENT	1.21	(0.07)	33,753	1.23	DELTA41C2407A	0.14	(0.06)	24,114	0.14	BANPU19P2406A	0.18	0.03	10,260	0.17
FORTH	15.90	(0.60)	22,711	15.86	DELTA41C2407E	0.26	(0.10)	101,110	0.26	BANPU41C2405A	-	-	-	-
FORTH01C2407A	0.12	(0.03)	35,101	0.12	DELTA41P2406A	0.67	0.09	40,164	0.66	BANPU41C2406A	-	-	-	-
FORTH13C2406A	-	-	-	-	HANA	36.00	(1.50)	130,708	36.05	BANPU41C2407A	-	-	-	-
FORTH13C2408A	0.31	(0.04)	17,682	0.31	HANA01C2405A	-	-	-	-	BANPU41C2407B	0.08	(0.02)	3,612	0.08
FORTH19C2407A	0.14	(0.04)	24,843	0.15	HANA01C2406A	-	-	-	-	BBGI	5.00	(0.20)	9,275	5.06
GABLE	4.80	(0.02)	35,577	4.79	HANA01C2407A	0.07	(0.02)	5,166	0.07	BCP	43.25	-	85,010	43.67
HUMAN	11.30	(0.30)	5,057	11.43	HANA01C2407B	0.20	(0.05)	42,269	0.20	BCP01C2405A	0.07	0.02	503	0.06
ICN	2.42	(0.08)	9,711	2.43	HANA01P2405X	0.58	0.11	4,340	0.58	BCP01C2408A	0.21	(0.01)	35,242	0.22
ILINK	6.50	(0.15)	11,322	6.53	HANA01P2407X	0.48	0.07	4,360	0.48	BCP01P2408X	0.38	0.01	13,518	0.37
INET	4.98	-	13,009	4.96	HANA01P2408X	0.28	0.03	101,251	0.28	BCP13C2405A	-	-	-	-
INSET	2.06	(0.06)	20,065	2.07	HANA06C2404A	-	-	-	-	BCP13C2409A	0.29	0.01	31,970	0.29
INTUCH	65.75	(1.00)	37,164	65.75	HANA06C2405A	-	-	-	-	BCP13P2408A	-	-	-	-
INTUCH01C2405A	-	-	-	-	HANA06C2407A	0.18	(0.05)	50,466	0.18	BCP19C2408A	0.18	-	21,833	0.19
INTUCH13C2408A	0.16	(0.02)	19,606	0.16	HANA1									

## Main Board Quotation

Issue Date :

Friday April 19, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BIOTEC	0.32	(0.02)	42,379	0.33	GUNKUL11C240	0.01	(0.02)	5	0.01	TOP	57.25	(0.75)	88,130	57.83
BIOTEC-P	-	-	-	-	GUNKUL13C240	0.03	(0.02)	200	0.03	TOP01C2405A	0.09	(0.04)	26,954	0.12
BIOTEC-Q	-	-	-	-	GUNKUL13C240	0.09	(0.03)	3,977	0.09	TOP01C2407A	0.38	(0.03)	14,799	0.41
BIOTEC-W2	0.09	-	22,581	0.09	GUNKUL13P240	0.42	0.05	138	0.42	TOP01C2408A	0.20	(0.03)	32,510	0.23
BPP	14.20	(0.10)	10,194	14.10	GUNKUL19C240	-	-	-	-	TOP01P2406X	-	-	-	-
BRRGIF	3.54	-	2,710	3.53	GUNKUL19C240	-	-	-	-	TOP01P2408X	0.38	0.01	20,436	0.36
BSRC	9.20	(0.25)	57,964	9.31	IFEC	-	-	-	-	TOP11C2405A	-	-	-	-
BSRC13C2408A	-	-	-	-	IRPC	1.93	(0.04)	541,886	1.95	TOP11C2407A	0.28	(0.03)	11,220	0.31
CKP	4.02	(0.12)	100,867	4.01	IRPC01C2406A	-	-	-	-	TOP11P2406A	-	-	-	-
CKP01C2407A	0.38	(0.08)	21,285	0.40	IRPC13C2405A	-	-	-	-	TOP13C2407A	0.29	(0.04)	34,083	0.32
CKP13C2407A	-	-	-	-	IRPC13C2407A	0.16	(0.03)	35,872	0.18	TOP13C2408A	0.17	(0.03)	26,360	0.19
CKP19C2407A	0.37	(0.07)	29,107	0.37	IRPC19C2409A	0.28	(0.03)	26,610	0.30	TOP13P2408A	0.27	0.01	2,020	0.27
CV	0.43	(0.05)	212,140	0.46	JR	4.36	-	874	4.36	TOP19C2405A	-	-	-	-
CV-W1	0.31	(0.07)	100,866	0.33	KBSPIF	8.40	-	575	8.34	TOP19C2408A	0.18	(0.01)	23,841	0.20
DEMCO	4.12	(0.18)	19,640	4.18	LANNA	13.70	(0.10)	3,398	13.77	TOP19P2408A	0.35	0.01	22,658	0.32
DEMCO-W7	0.80	(0.22)	82,113	0.90	MDX	3.40	(0.12)	3,533	3.42	TOP41C2405A	0.06	(0.03)	6,000	0.07
EA	30.25	(1.00)	763,579	30.09	NOVA	9.90	(0.10)	5	9.76	TOP41C2408A	0.25	(0.02)	13,932	0.26
EA01C2405A	0.01	(0.01)	7,400	0.01	OR	17.80	(0.50)	219,836	17.95	TPIPP	3.28	(0.02)	74,494	3.28
EA01C2406A	-	-	-	-	OR01C2405A	-	-	-	-	TSE	1.09	(0.02)	17,572	1.10
EA01C2406B	-	-	-	-	OR01C2407A	0.12	(0.03)	14,252	0.13	TTW	8.90	(0.05)	14,071	8.92
EA01C2407A	-	-	-	-	OR01P2405X	0.13	0.03	13,365	0.11	UBE	0.78	0.01	36,677	0.78
EA01C2407B	0.06	(0.01)	20,829	0.06	OR11C2404A	-	-	-	-	WHAUP	3.88	(0.06)	30,019	3.90
EA01P2406X	0.42	0.12	25,941	0.35	OR13C2407A	0.09	(0.02)	7,051	0.10	WP	4.20	(0.02)	520	4.22
EA01P2409X	0.55	0.05	30,254	0.55	OR19C2407A	0.11	(0.03)	12,518	0.13	Media & Publishing	-	-	-	-
EA06C2404A	-	-	-	-	PCC	2.98	(0.02)	2,607	2.99	AMARIN	4.98	-	36,786	4.99
EA06C2406A	-	-	-	-	PRIME	0.44	(0.06)	72,101	0.47	AQUA	0.33	(0.01)	40,534	0.32
EA11C2405A	-	-	-	-	PTG	8.50	(0.25)	66,338	8.57	AQUA-W3	0.01	-	1	0.01
EA11C2408A	0.05	(0.02)	4,790	0.05	PTG01C2407A	0.17	(0.04)	20,419	0.19	AS	5.55	(0.15)	1,752	5.55
EA13C2405A	-	-	-	-	PTG11C2405A	-	-	-	-	BEC	4.60	(0.30)	42,449	4.73
EA13C2406A	-	-	-	-	PTG13C2407A	0.13	(0.03)	9,319	0.14	FE	-	-	-	-
EA13C2406B	-	-	-	-	PTG19C2407A	0.17	(0.03)	15,541	0.17	GPI	1.71	0.05	3,114	1.69
EA13C2407A	0.03	-	44,760	0.02	PTT	33.50	(0.75)	639,077	33.80	GRAMMY	5.50	(0.10)	86	5.53
EA13C2408A	0.07	(0.02)	141,016	0.07	PTT01C2405A	-	-	-	-	JKN	0.46	0.01	94,764	0.46
EA13C2409A	0.14	(0.03)	116,283	0.14	PTT01C2407A	0.11	(0.02)	131	0.11	MAJOR	14.30	(0.10)	28,609	14.25
EA13P2406A	0.45	0.12	80	0.42	PTT01P2405X	-	-	-	-	MATCH	1.42	(0.05)	121	1.43
EA13P2407A	0.32	0.05	3,859	0.32	PTT01P2408X	0.18	0.01	1,728	0.17	MATI	-	-	-	-
EA19C2405A	-	-	-	-	PTT11C2404A	-	-	-	-	MCOT	3.08	(0.04)	178	3.09
EA19C2406A	-	-	-	-	PTT13C2406A	0.06	-	3,000	0.06	MONO	0.67	(0.06)	73,762	0.69
EA19C2406B	-	-	-	-	PTT13P2405A	-	-	-	-	NATION	0.03	(0.01)	2,599	0.03
EA19C2407A	0.05	(0.02)	59,540	0.05	PTT13P2408A	-	-	-	-	NATION-W4	-	-	-	-
EA41C2405A	-	-	-	-	PTT19C2406A	0.07	(0.01)	75	0.07	ONEE	4.36	(0.46)	204,158	4.53
EA41C2406A	-	-	-	-	PTT41C2407A	0.13	(0.03)	10,000	0.14	PLANB	8.05	(0.25)	50,453	8.09
EA41C2407A	-	-	-	-	PTT41C2407B	-	-	-	-	PLANB-W1	0.70	(0.08)	4,929	0.72
EA41C2408A	0.07	(0.02)	7,695	0.07	PTT41C2408C	0.10	(0.02)	25,610	0.11	PLANB1C2408A	0.22	(0.03)	7,293	0.23
EA41C2408B	0.04	(0.02)	3,720	0.04	PTTEP	160.00	1.00	170,913	161.87	PLANB1P2408A	0.51	0.05	10,885	0.50
EA41C2410A	0.19	(0.04)	80,408	0.19	PTTEP01C2405A	0.22	-	63,656	0.30	PLANB13C2407A	0.10	(0.02)	2,247	0.10
EA41P2405A	-	-	-	-	PTTEP01C2407A	0.33	0.01	55,011	0.37	PLANB19C2408A	0.12	(0.02)	5,068	0.13
EASTW	3.46	-	4,396	3.45	PTTEP01P2405X	-	-	-	-	POST	-	-	-	-
EGATIF	6.00	(0.05)	6,599	5.94	PTTEP01P2406X	0.10	(0.01)	8,514	0.10	PRAKIT	11.70	(0.10)	325	11.61
EGCO	109.50	(1.00)	12,478	109.35	PTTEP01P2409X	0.58	(0.03)	21,574	0.55	PTECH	-	-	-	-
EGCO13C2405A	-	-	-	-	PTTEP06C2405A	0.35	0.02	36,922	0.43	ROCTEC	0.72	0.01	281,900	0.71
EGCO13C2407A	0.11	(0.02)	15,344	0.11	PTTEP11C2406A	0.40	0.01	35,210	0.44	ROCTEC-W3	0.02	-	40,814	0.02
EGCO19C2408A	0.15	(0.02)	23,512	0.15	PTTEP11P2406A	-	-	-	-	ROCTEC-W5	0.03	-	278,603	0.03
EP	2.64	(0.02)	793	2.60	PTTEP13C2405A	0.10	0.01	6,576	0.13	SE-ED	2.26	0.04	5	2.27
EP-W4	0.05	-	249,986	0.06	PTTEP13C2408A	0.45	0.01	107,245	0.50	TKS	7.50	(0.15)	8,137	7.44
ETC	2.40	(0.12)	21,394	2.41	PTTEP13P2405A	-	-	-	-	VGI	1.55	(0.09)	1,067,559	1.57
GPSC	46.25	(3.00)	160,637	46.51	PTTEP13P2406A	-	-	-	-	VGI-W3	0.07	-	205,807	0.07
GPSC01C2405A	0.01	(0.01)	3,500	0.01	PTTEP13P2408A	0.23	(0.02)	6,604	0.22	VGI01C2405A	0.01	-	1,655	0.01
GPSC01C2407A	0.07	(0.06)	9,074	0.07	PTTEP19C2406A	0.23	0.01	62,059	0.27	VGI01C2406A	0.03	(0.01)	961	0.03
GPSC01C2409A	0.21	(0.08)	110,013	0.22	PTTEP19C2407A	0.22	0.01	70,849	0.25	VGI01C2407A	0.11	(0.05)	70,316	0.12
GPSC01P2405X	0.04	0.02	2	0.04	PTTEP41C2405A	0.06	(0.02)	8,355	0.10	VGI01C2407B	0.24	(0.08)	65,622	0.26
GPSC01P2407X	0.31	0.09	45,651	0.29	PTTEP41C2405E	0.09	-	13,001	0.13	VGI01P2405X	0.40	0.08	4,311	0.40
GPSC01P2409X	0.65	0.12	20,380	0.62	PTTEP41C2406A	0.20	0.01	63,138	0.24	VGI01P2408X	0.61	0.09	25,790	0.59
GPSC06C2404A	-	-	-	-	PTTEP41P2405A	-	-	-	-	VGI06C2405A	-	-	-	-
GPSC11C2408T	0.15	(0.06)	13,084	0.16	PTTEP41P2406A	-	-	-	-	VGI13C2405A	0.02	-	10	0.02
GPSC11P2405A	-	-	-	-	PTTEP41P2407A	0.20	(0.01)	19,845	0.18	VGI13C2406A	0.03	(0.02)	254	0.03
GPSC13C2406A	0.03	(0.04)	14,111	0.04	QTC	3.88	(0.04)	522	3.89	VGI13C2407A	0.08	(0.04)	1,955	0.11
GPSC13C2409A	0.19	(0.09)	91,068	0.20	RATCH	27.00	(1.00)	63,606	27.18	VGI13C2407B	0.24	(0.08)	44,633	0.25
GPSC13P2407A	0.17	0.04	2,099	0.16	RATCH01C2405J	-	-	-	-	VGI13P2405A	0.22	0.07	444	0.21
GPSC13P2408A	0.59	0.12	18,903	0.59	RATCH13C2405J	-	-	-	-	VGI13P2408A	0.44	0.07	235	0.42
GPSC19C2405A	-	-	-	-	RATCH13C2408J	0.10	(0.02)	6,072	0.10	VGI19C2405A	-	-	-	-
GPSC19C2408A	0.06	(0.03)	11,111	0.06	RATCH19C2405J	-	-	-	-	VGI19C2405B	-	-	-	-
GPSC19C2409A	0.17	(0.08)	79,119	0.18	RATCH19C2408J	-	-	-	-	VGI19C2407A	0.09	(0.02)	511	0.09
GPSC19P2406A	0.09	0.04	4	0.08	RPC	0.68	(0.02)	11,910	0.69	VGI19C2407B	0.24	(0.08)	128,919	0.28
GPSC19P2407A	0.29	0.08	55,848	0.28	SCG	3.04	(0.08)	438	3.02	VGI41C2405A	-	-	-	-
GPSC41C2405A	-	-	-	-	SCI	0.77	0.01	6,253	0.76	VGI41C2407A	0.09	(0.04)	18,471	0.10
GPSC41C2406A	-	-	-	-	SCN	0.91	(0.05)	11,506	0.93	WORK	8.60	(0.20)	2,139	8.64
GPSC41C2408A	-	-	-	-	SCN-W2	0.11	0.01	72,780	0.12	ZAA	0.99	(0.08)	21,853	1.00
GPSC41P2406A	-	-	-	-	SCN-W3	0.06	-	30,449	0.06	Finance & Securities	-	-	-	-
GREEN	1.01	(0.01)	16,052	1.01	SEAOil	3.00	0.02	90,530	3.10	AEONTS	155.50	(2.50)	3,159	156.14
GULF	39.50	(1.25)	270,096	39.40	SGP	7.70	(0.10)	2,018	7.63	AEONTS01C2409A	0.48	(0.04)	11,348	0.49
GULF01C2405A	0.01	(0.01)	1	0.01	SKE	0.45	(0.02)	15,210	0.45	AEONTS13C2408A	0.42	(0.04)	2,898	0.43
GULF01C2406A	-	-	-	-	SKE-W1	0.09	-	76,065	0.10	AMANAHA	2.10	(0.04)	6,558	2.12
GULF01C2408A	0.08	(0.03)	39,196	0.09	SOLAR	0.62	(0.03)	19,727	0.63	ASAP	2.92	-	4,339	2.90
GULF01P2405X	-	-	-	-	SPCG	11.20	(0.10)	6,050	11.16	ASK	16.40	(0.30)	10,428	16.50
GULF01P2408X	0.47	0.07	12,952	0.47	SPRC	7.90	(0.45)	266,551	8.09	ASP	2.62	(0.04)	11,700	2.63
GULF11C2407T	0.10	(0.02)	6,283	0.10	SPRC01C2405A	-	-	-	-	BAM	9.45	(0.30)	239,364	9.55
GULF13C240														

## Main Board Quotation

Issue Date :

Friday April 19, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CHAYO	4.58	(0.20)	26,367	4.61	THANI19C2407A	-	-	-	-	RBF01C2406A	-	-	-	-
CHAYO-W3	0.48	(0.03)	4,687	0.48	TIDLOR	20.40	(0.40)	115,674	20.43	RBF01C2407A	0.05	(0.01)	25	0.05
ECL	1.39	(0.07)	26,788	1.41	TIDLOR01C2405	-	-	-	-	RBF01C2409A	0.16	(0.03)	43,662	0.17
ECL-W4	0.01	-	96,493	0.01	TIDLOR01C2407	0.09	(0.01)	2	0.08	RBF01P2405X	0.41	0.08	4,641	0.40
FNS	3.20	0.04	422	3.16	TIDLOR01C2409	0.25	(0.03)	40,028	0.25	RBF01P2407X	0.36	0.05	4,101	0.35
FSX	2.44	-	1,593	2.41	TIDLOR11P2406	0.19	(0.01)	11,710	0.19	RBF13C2405A	-	-	-	-
GBX	0.70	(0.01)	4,386	0.71	TIDLOR13C240E	0.04	(0.02)	14,155	0.04	RBF13C2406A	-	-	-	-
GL	-	-	-	-	TIDLOR13C240E	0.21	(0.03)	36,812	0.21	RBF13C2407A	-	-	-	-
HENG	1.58	(0.07)	46,941	1.60	TIDLOR19C240E	-	-	-	-	RBF13C2408A	0.08	(0.03)	11,588	0.09
IFS	2.58	(0.10)	1,977	2.61	TIDLOR19C240E	0.16	(0.03)	18,553	0.17	RBF13P2405A	-	-	-	-
JMT	20.30	(1.00)	270,115	20.42	TIDLOR19P2407	0.30	0.01	22,422	0.31	RBF19C2405A	-	-	-	-
JMT-W4	1.23	(0.11)	2,052	1.28	TIDLOR41C240E	-	-	-	-	RBF19C2408A	0.11	(0.02)	7,961	0.11
JMT01C2405A	0.01	-	20	0.01	TIDLOR41C2407	-	-	-	-	RBF19P2406A	-	-	-	-
JMT01C2406A	0.08	(0.04)	11	0.08	TIDLOR41C2407	-	-	-	-	SAPPE	89.75	(0.50)	7,210	90.02
JMT01C2407A	0.07	(0.02)	2	0.07	TK	4.70	(0.10)	2,878	4.71	SAPPE01C2405A	-	-	-	-
JMT01C2408A	0.38	(0.09)	56,551	0.39	TNITY	4.44	(0.02)	1,572	4.41	SAPPE13C2406A	0.10	(0.02)	12,795	0.11
JMT01P2406X	0.36	0.06	31,305	0.35	UOBKH	4.78	(0.02)	29	4.79	SAUCE	41.50	(0.50)	68	41.64
JMT06C2404A	-	-	-	-	XPG	1.04	(0.23)	5,119,534	1.13	SNNP	16.00	(0.80)	47,887	16.11
JMT06C2406A	0.19	(0.05)	105,702	0.19	Food & Beverage	-	-	-	-	SNNP01C2407A	0.03	(0.02)	3,007	0.03
JMT11C2405A	-	-	-	-	AAI	4.34	(0.14)	186,986	4.34	SNNP13C2406A	0.02	(0.08)	400	0.02
JMT11C2407A	0.26	(0.06)	28,213	0.26	APURE	4.28	(0.12)	2,539	4.30	SNNP13C2408A	0.14	(0.05)	15,177	0.15
JMT11P2406A	0.40	0.06	23,460	0.39	APURE-W3	0.25	(0.01)	104,906	0.29	SNNP19C2407A	-	-	-	-
JMT13C2405A	-	-	-	-	ASIAN	6.80	(0.20)	14,582	6.81	SNP	14.00	(0.20)	618	14.04
JMT13C2406A	0.07	(0.03)	6,543	0.07	BR	2.54	(0.04)	3,803	2.54	SORKON	4.58	(0.02)	1,344	4.55
JMT13C2407A	0.05	(0.01)	14,215	0.05	BR-W1	0.13	(0.01)	19,957	0.14	SSC	35.25	0.25	1	35.25
JMT13C2408A	0.32	(0.08)	60,820	0.33	BRR	4.48	(0.12)	2,017	4.51	SSF	7.30	(0.20)	32	7.36
JMT13P2406A	0.33	0.05	47,419	0.32	BRR-W2	0.52	(0.03)	2,244	0.53	SST	5.05	(0.15)	41	4.90
JMT19C2406A	0.12	(0.05)	53,233	0.13	BTG	21.70	(0.20)	17,557	21.59	SUN	5.95	-	27,698	5.89
JMT19C2408A	0.31	(0.08)	158,580	0.33	CBG	61.75	(1.00)	25,067	61.85	TC	6.05	(0.10)	2,113	6.06
JMT19P2407A	0.30	0.04	82,549	0.30	CBG01C2406A	0.01	-	50	0.01	TFG	3.20	(0.12)	22,067	3.23
JMT41C2405A	0.01	-	70	0.01	CBG01C2407A	-	-	-	-	TFG-W3	-	-	-	-
JMT41C2406A	-	-	-	-	CBG01C2408A	0.23	(0.03)	27,722	0.24	TFMAMA	213.00	-	19	212.74
JMT41C2406B	0.07	(0.05)	5,914	0.08	CBG01P2405X	0.59	0.04	7,138	0.58	TIPCO	9.65	(0.05)	9,673	9.70
JMT41C2407A	-	-	-	-	CBG01P2408X	0.56	0.03	8,590	0.56	TKN	9.70	(0.30)	133,648	9.85
JMT41C2408A	0.30	(0.06)	125,444	0.30	CBG06C2405A	-	-	-	-	TKN01C2405A	0.03	(0.07)	500	0.03
KCAR	6.00	(0.20)	1,684	6.07	CBG11C2404A	-	-	-	-	TKN01C2405B	-	-	-	-
KGI	4.74	(0.04)	64,710	4.75	CBG11C2408A	0.21	(0.02)	16,322	0.22	TKN01C2408A	0.11	(0.01)	57,657	0.12
KTC	42.75	(1.25)	73,407	42.80	CBG11P2404A	0.05	(0.07)	2,200	0.06	TKN01P2405X	-	-	-	-
KTC01C2405A	-	-	-	-	CBG13C2406A	-	-	-	-	TKN13C2405A	-	-	-	-
KTC01C2407A	0.13	(0.05)	72,510	0.14	CBG13C2407A	0.06	(0.01)	110	0.06	TKN13C2406A	0.05	(0.01)	3,350	0.05
KTC01P2406X	0.14	0.01	6,808	0.14	CBG13C2408A	0.21	(0.03)	17,670	0.22	TKN13P2406A	-	-	-	-
KTC11C2405A	-	-	-	-	CBG13P2408A	0.45	0.01	808	0.46	TKN19C2406A	0.05	-	6	0.05
KTC11P2405A	0.13	0.01	5,100	0.13	CBG19C2405A	-	-	-	-	TU	14.00	(0.30)	167,080	14.08
KTC13C2405A	-	-	-	-	CBG19C2406A	-	-	-	-	TU01C2407A	-	-	-	-
KTC13C2407A	0.12	(0.03)	40,557	0.12	CBG19C2407A	0.06	(0.01)	50	0.06	TU01C2408A	0.16	(0.02)	60,075	0.16
KTC13P2407A	-	-	-	-	CBG19C2408A	0.17	(0.03)	37,869	0.18	TU01P2407X	0.21	0.01	9,484	0.20
KTC19C2405A	0.01	(0.01)	4	0.01	CBG19P2407A	-	-	-	-	TU11C2407T	0.10	(0.01)	7,100	0.10
KTC19C2407A	0.13	(0.03)	34,165	0.13	CBG41C2406A	-	-	-	-	TU13C2408A	0.13	(0.01)	25,480	0.13
KTC41C2405A	-	-	-	-	CBG41C2407A	0.06	(0.01)	4	0.06	TU13P2406A	0.13	-	1,010	0.13
KTC41C2407A	0.11	(0.04)	28,512	0.12	CBG41C2407B	0.16	(0.02)	21,536	0.16	TU19C2407A	0.13	(0.01)	500	0.13
MFC	20.70	(0.10)	330	20.70	CBG41C2408A	0.19	(0.03)	36,118	0.20	TU41C2407A	-	-	-	-
MICRO	2.10	(0.06)	1,629	2.09	CFRESH	1.60	(0.04)	6,440	1.61	TU41C2408A	0.14	(0.02)	4,000	0.15
ML	0.66	(0.05)	2,397	0.69	CH	2.46	(0.02)	4,693	2.47	TVO	19.00	(0.20)	10,492	18.94
ML-W3	-	-	-	-	CHOTI	69.00	(1.00)	10	69.65	TWPC	3.60	0.02	2,925	3.57
MST	9.40	(0.15)	520	9.47	CM	2.26	(0.06)	1,261	2.26	W	0.61	(0.05)	57,508	0.61
MTC	41.75	(1.25)	88,131	41.94	COCOCO	10.90	(0.40)	126,738	11.00	W-W5	0.01	-	1	0.01
MTC01C2406A	0.06	(0.03)	17,498	0.07	CPF	17.60	(0.40)	169,112	17.70	W-W6	0.39	-	100	0.39
MTC01C2407A	0.11	(0.03)	9,284	0.11	CPF01C2407A	0.09	(0.01)	10,272	0.09	ZEN	7.85	(0.05)	375	7.85
MTC01C2409A	0.30	(0.05)	67,288	0.30	CPF01P2408T	0.35	0.02	12,163	0.34	Health Care Services	-	-	-	-
MTC01P2406X	0.32	0.04	21,510	0.31	CPF11C2408A	0.14	(0.02)	7,140	0.14	AHC	18.00	-	85	17.86
MTC01P2408X	0.46	0.05	17,622	0.45	CPF11P2407T	0.29	0.03	14,260	0.28	BCH	20.60	0.20	92,123	20.40
MTC06C2404A	-	-	-	-	CPF13C2406A	-	-	-	-	BCH01C2407A	-	-	-	-
MTC11C2406A	-	-	-	-	CPF13C2409A	0.19	(0.03)	29,257	0.20	BCH01C2409A	0.36	0.02	30,592	0.33
MTC13C2406A	0.06	(0.02)	8,726	0.07	CPF13P2405A	-	-	-	-	BCH01P2407X	0.30	(0.03)	59,718	0.31
MTC13C2409A	0.22	(0.04)	50,326	0.23	CPF19C2409A	0.20	(0.03)	15,966	0.21	BCH11C2407A	0.18	0.01	9,916	0.17
MTC13P2406A	0.11	0.01	9,628	0.11	CPI	2.44	(0.10)	13,081	2.50	BCH13C2407A	-	-	-	-
MTC13P2408A	0.45	0.04	24,824	0.44	F&D	27.75	-	4	27.56	BCH13C2408A	0.20	0.01	16,445	0.19
MTC19C2406A	0.07	(0.03)	12,238	0.08	GLOCON	0.22	(0.01)	62,673	0.22	BCH13P2406A	-	-	-	-
MTC19C2409A	0.22	(0.04)	65,218	0.23	HTC	16.90	(0.20)	6,157	16.90	BCH19C2406A	-	-	-	-
MTC41C2405A	-	-	-	-	IChi	16.50	(0.20)	72,814	16.48	BCH19C2408A	0.21	0.01	41,366	0.19
MTC41C2408A	0.15	(0.03)	41,686	0.15	IChi01C2405A	-	-	-	-	BCH41C2407A	0.12	-	5,766	0.11
NCAP	1.99	(0.11)	47,234	2.02	IChi13C2405A	-	-	-	-	BDMS	27.75	(0.25)	524,715	27.62
PL	1.97	(0.01)	2,633	1.97	IChi19C2405A	-	-	-	-	BDMS01C2405A	0.04	(0.01)	10,864	0.04
SI1	2.70	(0.08)	1,232	2.72	ITC	20.30	(0.60)	44,630	20.32	BDMS01C2408A	0.11	(0.01)	6,000	0.11
SAK	4.74	(0.18)	24,229	4.78	ITC01C2405A	-	-	-	-	BDMS01P2407X	0.11	-	4,814	0.12
SAWAD	38.75	(0.75)	63,679	38.86	ITC13C2406A	0.09	(0.02)	783	0.09	BDMS13C2408A	0.12	-	3,755	0.11
SAWAD-W2	1.01	(0.08)	1,745	1.03	JDF	2.68	(0.02)	4,493	2.64	BDMS13P2407A	0.13	-	8,414	0.14
SAWAD01C2405A	-	-	-	-	KBS	5.25	(0.15)	2,682	5.30	BDMS19C2405A	-	-	-	-
SAWAD01C2406A	-	-	-	-	KCG	9.45	(0.30)	44,012	9.47	BDMS19C2407A	-	-	-	-
SAWAD01C2408A	0.18	(0.03)	35,797	0.19	KSL	2.30	(0.02)	25,227	2.28	BDMS41C2405A	-	-	-	-
SAWAD01P2407X	0.38	0.02	7,980	0.37	KTIS	3.48	(0.02)	586	3.39	BDMS41C2407A	0.10	(0.01)	7,012	0.10
SAWAD11P2406A	0.24	0.02	17,620	0.23	LST	4.82	(0.08)	7,690	4.77	BDMS41C2408A	0.09	(0.01)	4,000	0.09
SAWAD13C2405A	-	-	-	-	M	35.00	(0.25)	10,444	35.13	BH	224.00	-	23,197	222.91
SAWAD13C2406A	-	-	-	-	MALEE	11.20	(1.20)	143,317	11.41	BH-P	-	-	-	-
SAWAD13C2407A	0.08	(0.02)	20,600	0.09	NRF	5.00	(0.15)	98,942	5.04	BH-Q	-	-	-	-
SAWAD13C2408A	0.21	(0.03)	50,558	0.22	NSL	23.50	(0.50)	19,136	23.54	BH01C2405A	0.04	(0.04)	351	0.03
SAWAD13P2407A	0.19	0.02	2,510	0.19	OSP	19.00	(0.50)	98,763	18.88	BH01C2408A	0.26	(0.01)	18,	

## Main Board Quotation

Issue Date :

Friday April 19, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CHG	2.78	(0.02)	168,762	2.78	TGH	15.30	(0.40)	42	15.55	SO	6.55	(0.15)	988	6.58
CHG01C2405A	-	-	-	-	THRE	0.74	(0.04)	27,522	0.75	WAVE	0.14	(0.01)	474,888	0.14
CHG01C2408A	0.15	(0.01)	17,667	0.15	THREL	2.16	(0.04)	13,952	2.16	WAVE-W3	0.04	-	10,106	0.04
CHG11C2404A	-	-	-	-	TIPH	29.25	(1.00)	7,973	29.34	Property Developer	-	-	-	-
CHG13C2406A	-	-	-	-	TIPH13C2407A	0.07	(0.01)	3,248	0.07	A	4.98	(0.02)	12	4.98
CHG13C2407A	0.09	(0.04)	6,106	0.09	TIPH19C2407A	0.12	(0.02)	9,332	0.12	AKS	0.01	-	20,490	0.01
CHG13P2406A	-	-	-	-	TLI	8.65	(0.30)	268,983	8.74	AKS-W5	0.01	-	405	0.01
CHG19C2408A	-	-	-	-	TLI01C2406A	-	-	-	-	AMATA	22.00	(0.90)	104,727	22.15
CMR	1.95	-	1,456	1.95	TLI01C2406B	-	-	-	-	AMATA01C2407A	0.20	(0.07)	21,771	0.22
EKH	7.45	-	6,428	7.43	TLI01C2408A	0.17	(0.05)	23,954	0.18	AMATA11C2407A	0.21	(0.07)	14,790	0.23
EKH-W1	1.37	(0.01)	1,355	1.35	TLI13C2405A	0.01	-	2,200	0.01	AMATA13C2405A	-	-	-	-
KDH	91.00	(0.25)	42	91.06	TLI13C2407A	0.14	(0.04)	15,612	0.15	AMATA13C2406A	0.08	(0.03)	12,640	0.09
LPH	4.68	(0.06)	193	4.69	TLI19C2407A	0.14	(0.05)	13,210	0.15	AMATA19C2405A	-	-	-	-
M-CHAI	55.50	(2.00)	650	56.48	TLI41C2405A	0.01	(0.03)	220	0.01	AMATA19C2407A	0.17	(0.06)	31,155	0.19
NEW	-	-	-	-	TLI41C2405B	-	-	-	-	AMATA41C2407A	0.23	(0.08)	38,548	0.25
NTV	35.25	(0.25)	650	35.19	TLI41C2406A	0.10	(0.03)	54,820	0.11	AMATA41C2407B	0.13	(0.05)	18,990	0.14
PHG	13.30	(0.10)	4,958	13.36	TLI41C2407A	0.10	(0.03)	26,036	0.11	AMATAV	5.55	-	281	5.57
PR9	19.20	-	18,676	19.07	TQM	25.00	(0.50)	15,071	25.02	ANAN	0.79	(0.02)	27,054	0.79
PRINC	3.70	(0.12)	26,584	3.72	TQM13C2407A	-	-	-	-	AP	10.50	(0.20)	278,132	10.54
RAM	30.50	(0.50)	1,695	30.53	TQM19C2407A	-	-	-	-	AP11C2404A	-	-	-	-
RJH	24.60	-	1,148	24.56	TSI	0.12	-	1,603	0.12	AP13C2409A	0.15	(0.01)	2,828	0.15
RPH	6.05	0.05	4,198	6.00	TVH	8.30	(0.20)	135	8.26	AP19C2409A	-	-	-	-
SAFE	19.90	(0.30)	25,983	19.59	Packaging	-	-	-	-	APEX	-	-	-	-
SKR	10.00	-	1,294	9.96	AJ	5.90	-	998	5.87	ASW	8.05	(0.05)	4,801	7.99
THG	39.00	(0.75)	4,380	38.95	ALUCON	177.50	(0.50)	6	177.50	ASW-W1	0.01	-	5,211	0.01
VIBHA	2.16	0.04	45,161	2.12	BGC	6.90	(0.20)	4,620	6.90	ASW-W2	0.34	(0.02)	1,591,199	0.43
VIBHA-W4	0.14	0.01	448,985	0.16	CSC	42.00	(1.50)	12	42.38	AWC	4.26	(0.18)	976,431	4.30
VIH	7.65	-	2,611	7.60	CSC-P	-	-	-	-	AWC01C2406A	0.23	(0.09)	57,746	0.25
WPH	8.25	(0.15)	10,819	8.29	CSC-Q	-	-	-	-	AWC01C2408A	0.45	(0.11)	42,413	0.48
Tourism & Leisure	-	-	-	-	NEP	0.20	-	10,965	0.20	AWC01C2409A	0.33	(0.10)	71,191	0.36
ASIA	6.40	(0.20)	80	6.48	PJW	2.88	(0.08)	8,048	2.85	AWC01P2405X	0.02	-	2,601	0.01
BEYOND	9.65	(0.20)	4,107	9.66	PJW-W1	0.12	(0.04)	210,956	0.17	AWC01P2409X	0.46	0.07	28,843	0.43
BEYOND-W2	1.66	(0.16)	78,109	1.72	PTL	9.30	(0.30)	12,065	9.41	AWC06C2404A	-	-	-	-
CENTEL	43.00	(0.75)	18,696	43.16	SCGP	31.25	(0.50)	141,661	31.30	AWC11C2408A	0.43	(0.11)	59	0.46
CENTEL01C2405A	-	-	-	-	SCGP01C2405A	-	-	-	-	AWC13C2405A	0.22	(0.01)	701	0.22
CENTEL01C2408A	0.21	(0.02)	10,169	0.21	SCGP01C2406A	-	-	-	-	AWC13C2409A	0.31	(0.08)	128,812	0.34
CENTEL13C2405A	-	-	-	-	SCGP01C2408A	0.17	(0.03)	43,724	0.17	AWC13P2408A	0.52	0.12	15,024	0.44
CENTEL13C2407A	0.14	(0.02)	3,612	0.14	SCGP01P2405A	-	-	-	-	AWC19C2405A	-	-	-	-
CENTEL19C2405A	-	-	-	-	SCGP01P2408X	0.10	(0.01)	24,775	0.11	AWC19C2406A	0.09	(0.05)	61,603	0.11
CENTEL19C2408A	0.19	(0.03)	52,555	0.20	SCGP06C2406A	-	-	-	-	AWC41C2405A	-	-	-	-
CENTEL41C2405A	-	-	-	-	SCGP11C2405A	-	-	-	-	AWC41C2406A	0.15	(0.08)	24,211	0.17
CENTEL41C2406A	0.07	(0.02)	6	0.07	SCGP11C2407T	0.15	(0.01)	18,058	0.15	AWC41C2408A	0.41	(0.09)	13,000	0.43
CENTEL41C2408A	0.20	(0.04)	36,682	0.21	SCGP13C2405A	-	-	-	-	BLAND	0.67	(0.01)	82,674	0.66
CSR	-	-	-	-	SCGP13C2406A	-	-	-	-	BRI	6.85	(0.10)	30,317	6.90
DUSIT	8.90	(0.60)	9,138	9.05	SCGP13C2407A	0.15	(0.02)	74,591	0.15	BROCK	1.57	-	1,508	1.55
ERW	4.64	(0.16)	148,041	4.68	SCGP13P2405A	-	-	-	-	CGD	0.34	-	29,200	0.33
ERW-W3	1.62	(0.06)	3,162	1.67	SCGP13P2408A	-	-	-	-	CI	0.55	(0.03)	3,305	0.56
ERW01C2405A	-	-	-	-	SCGP19C2405A	-	-	-	-	CI-W2	0.01	-	380,477	0.02
ERW13C2406A	-	-	-	-	SCGP19C2406A	-	-	-	-	CMC	1.22	-	273	1.20
ERW13C2407A	0.19	(0.04)	21,779	0.20	SCGP19C2407A	0.21	(0.02)	47,197	0.21	CPN	61.75	(0.50)	73,168	61.54
ERW19C2405A	-	-	-	-	SCGP41C2405A	-	-	-	-	CPN01C2407A	0.15	(0.02)	34,951	0.15
ERW41C2406A	-	-	-	-	SCGP41C2406A	-	-	-	-	CPN11C2404A	-	-	-	-
GRAND	0.14	-	5,387	0.14	SCGP41C2407A	0.16	(0.03)	16,166	0.16	CPN13C2405A	-	-	-	-
LRH	40.50	(0.75)	44	40.52	SFLEX	3.16	0.02	21,248	3.10	CPN13C2407A	0.14	(0.01)	28,946	0.14
MANRIN	32.50	(1.00)	2	32.63	SFLEX-W2	0.20	(0.01)	39,099	0.21	CPN19C2407A	0.10	(0.02)	558	0.10
MINT	31.50	(0.50)	161,765	31.45	SITHAI	1.17	-	6,673	1.18	CPN41C2405A	-	-	-	-
MINT01C2406A	0.13	(0.02)	25,109	0.13	SLP	0.40	0.01	1,708	0.40	CPN41C2406A	-	-	-	-
MINT01C2408A	0.12	(0.02)	81,328	0.12	SMPC	9.30	(0.20)	3,421	9.29	CPN41C2407A	0.13	(0.01)	40,530	0.13
MINT01P2406X	0.08	0.01	1,000	0.08	SPACK	1.78	(0.07)	1,307	1.80	ESTAR	0.24	(0.01)	32,482	0.24
MINT06C2405A	-	-	-	-	TCOAT	22.10	(0.10)	7	22.29	EVER	0.15	0.01	88,022	0.15
MINT11C2406A	0.14	(0.02)	7,210	0.14	TFI	0.09	(0.01)	7,526	0.08	FPT	15.00	(0.20)	281	14.85
MINT11C2408A	0.14	(0.01)	23,050	0.14	TFI-W1	0.03	(0.01)	1,022	0.03	GLAND	1.68	0.06	13	1.62
MINT13C2406A	0.10	(0.02)	16,007	0.10	THIP	29.00	(0.50)	171	28.84	J	1.78	(0.05)	2,792	1.79
MINT13C2407A	0.08	(0.02)	8,660	0.08	TMD	23.90	(0.10)	112	23.90	J-W2	0.29	0.23	502,250	0.29
MINT13P2407A	0.10	0.03	1	0.10	TOPP	-	-	-	-	J-W3	0.28	(0.02)	52,119	0.34
MINT19C2406A	0.09	(0.01)	9,635	0.09	TPAC	13.90	0.10	324	13.72	J-W4	0.38	(0.04)	10,358	0.42
MINT41C2405A	-	-	-	-	TPBI	3.84	(0.02)	639	3.83	JCK	0.29	(0.04)	694,265	0.29
MINT41C2406A	-	-	-	-	TPP	14.30	-	2	14.30	KC	0.09	(0.01)	1,675	0.10
MINT41C2408A	0.08	(0.01)	4,844	0.08	Personal Product	-	-	-	-	LALIN	7.40	(0.10)	2,136	7.43
OHTL	380.00	(38.00)	15	393.60	APCO	4.86	(0.04)	1,664	4.84	LH	7.30	(0.05)	755,617	7.26
ROH	2.32	(0.14)	97	2.32	BIZ	3.34	(0.04)	1,067	3.34	LH01C2409A	0.27	(0.02)	20,602	0.26
SHANG	48.50	-	5	48.10	BLC	4.90	(0.10)	29,964	4.91	LH13C2408A	0.20	(0.01)	41,906	0.19
SHR	2.28	(0.12)	146,425	2.30	DDO	8.65	(0.05)	872	8.64	LH19C2406A	-	-	-	-
VRANDA	5.50	(0.10)	1,697	5.48	JCT	78.75	(0.25)	4	78.75	LH19C2408A	0.18	(0.03)	36,902	0.18
Home & Office Prodt	-	-	-	-	KISS	5.85	(0.15)	19,943	5.92	LPN	3.46	(0.10)	10,618	3.47
AJA	0.21	(0.01)	364,818	0.21	NAM	4.70	0.02	8,127	4.53	MBK	16.00	(0.40)	34,679	16.03
AJA-W3	0.07	-	15,802	0.06	NEO	41.50	(0.75)	36,205	41.13	MBK-W2	14.50	(0.30)	318	14.56
AJA-W4	0.09	(0.01)	33,549	0.09	NV	1.38	(0.05)	4,341	1.39	MBK-W3	14.00	(0.30)	6	14.12
DTCI	-	-	-	-	OCC	10.40	-	99	8.35	MBK-W4	-	-	-	-
FANCY	0.37	(0.03)	5,221	0.38	S8J	-	-	-	-	MJD	1.25	(0.02)	1,593	1.26
FTI	2.18	0.02	63,887	2.08	STGT	8.05	(0.35)	38,191	8.17	MK	1.99	-	381	2.00
KYE	314.00	(3.00)	22	315.00	STGT01C2407A	0.42	(0.10)	27,623	0.45	NCH	0.97	(0.02)	8,922	0.97
L&E	1.13	(0.01)	408	1.13	STGT01C2407B	0.22	(0.06)	31,663	0.24	NNCL	1.90	(0.01)	8,349	1.87
MODERN	2.24	(0.04)	2,160	2.26	STGT01P2407X	0.15	0.02	13,700	0.15	NOBLE	3.54	(0.14)	20,202	3.55
OGC	24.30	-	4	24.30	STGT01P2408X	0.48	0.06	11,518	0.46	NUSA	0.33	(0.01)	252,038	0.33
ROCK	11.80	(1.50)	4	12.43	STGT13C2407A	-	-	-	-	NUSA-W5	0.09	-	9,866	0.08
SBNEXT	0.59	(0.01)	25,260	0.57	STGT13C2407B	0.20	(0.06)	50,430	0.23	NVD	1.94	0.05	494	1.96
SBNEXT-W2	0.09	(0.01)	19,617	0.09	STGT13C2408A	-	-	-	-	NVD-W3	0.15	(0.06)	315,022	0.26
SIAM	1.18	(0.01)	2,676	1.17	STGT13P2407A	0.22	0.03	42	0.22	ORI	6.75	(0.25)	87,963	6.82
TCMC	1.26	(0.04)	1,297	1.27	STGT19C240									

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Friday April 19, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RABBIT-P	0.40	-	38,597	0.39	BTS-W8	0.10	(0.01)	40,616	0.10	STARK-W1	-	-	-	-
RABBIT-Q	-	-	-	-	BTS01C2405A	0.01	-	10,000	0.01	TCJ	3.08	(0.02)	77	2.95
RICHY	0.50	0.01	10,847	0.49	BTS01C2407A	0.08	(0.03)	1	0.08	TPCS	16.00	0.40	2	16.00
RML	0.52	(0.02)	19,867	0.52	BTS01C2408A	0.24	(0.07)	16,571	0.27	VARO	3.02	(0.10)	1,018	3.02
ROJNA	7.15	(0.20)	73,164	7.14	BTS01P2405X	0.16	0.02	548	0.17	Property Fund & REI	-	-	-	-
S	0.82	(0.01)	39,471	0.81	BTS01P2407X	0.13	0.01	6,738	0.13	AIMCG	3.02	0.02	1,015	3.01
SA	7.05	(0.05)	440	7.01	BTS13C2405A	-	-	-	-	AIMIRT	10.50	(0.10)	3,817	10.55
SA-W1	0.25	(0.02)	367,506	0.30	BTS13C2407A	0.05	(0.03)	1,467	0.05	ALLY	5.60	(0.10)	3,117	5.60
SAMCO	1.14	-	535	1.13	BTS13C2407B	0.21	(0.07)	20,230	0.23	AMATAR	6.35	-	328	6.35
SC	3.58	(0.16)	76,765	3.61	BTS13P2405A	-	-	-	-	B-WORK	4.20	(0.02)	2,394	4.19
SENA	2.76	(0.08)	15,161	2.79	BTS13P2407A	0.10	0.01	1,000	0.10	BAREIT	9.95	-	4,784	9.92
SIRI	1.67	(0.02)	1,001,559	1.67	BTS19C2406A	-	-	-	-	BKKCP	8.95	(0.05)	6	8.95
SIRI01C2406A	-	-	-	-	BTS19C2407A	0.10	(0.03)	15,354	0.11	BOFFICE	4.84	(0.04)	9,946	4.85
SIRI13C2407A	0.15	(0.01)	8,830	0.15	BTS19C2407B	0.26	(0.08)	3,040	0.28	CPNCG	5.60	(0.15)	3,230	5.63
SIRI19C2407A	0.14	(0.02)	32,681	0.14	BTS41C2407A	-	-	-	-	CPNREIT	10.70	(0.10)	40,570	10.68
SIRI41C2405A	-	-	-	-	BTS41C2408A	0.20	(0.04)	5,141	0.20	CPTGF	5.10	-	1,700	5.05
SPALI	20.40	(0.50)	64,422	20.56	BTS41C2408A	0.20	(0.04)	5,141	0.20	CTARAF	4.40	(0.02)	2,042	4.38
SPALI11C2404A	-	-	-	-	BTS41C2408A	0.20	(0.04)	5,141	0.20	DREIT	4.70	(0.08)	1,547	4.71
SPALI13C2405A	-	-	-	-	DTM	11.70	(0.20)	14,547	11.71	ERWPF	8.60	-	3,311	8.55
SPALI19C2408A	0.19	(0.02)	20,966	0.20	III	8.05	(0.35)	10,243	8.12	FTREIT	10.00	(0.10)	14,184	10.00
UV	2.02	(0.04)	5,129	2.02	KEX	4.26	(0.28)	19,720	4.37	FUTUREPF	11.50	(0.10)	3,713	11.59
WHA	4.68	(0.10)	730,571	4.69	KIAT	0.37	(0.01)	20,916	0.37	GAHREIT	6.75	-	254	6.75
WHA01C2405A	-	-	-	-	KWC	279.00	1.00	1	279.00	GROREIT	8.70	0.05	210	8.72
WHA01C2406A	0.08	(0.02)	4,066	0.08	MENA	1.58	(0.06)	51,005	1.61	GVREIT	5.25	(0.05)	4,003	5.25
WHA01C2408A	0.29	(0.04)	72,711	0.30	NOK	-	-	-	-	HPF	-	-	-	-
WHA01P2407X	0.33	0.03	60,369	0.32	NYT	4.70	(0.08)	62,519	4.70	HYDROGEN	9.25	(0.20)	39	9.33
WHA11C2407A	0.20	(0.04)	40,447	0.20	PORT	1.87	(0.04)	6,319	1.90	IMPACT	12.10	(0.10)	9,310	11.95
WHA13C2406A	0.06	(0.02)	4,044	0.06	PRM	7.60	(0.10)	219,985	7.60	INETREIT	8.40	(0.10)	2,366	8.44
WHA13C2408A	0.26	(0.04)	45,073	0.26	PSL	7.65	(0.20)	119,026	7.79	KPNPF	-	-	-	-
WHA13P2407A	0.30	0.04	26,794	0.29	PSL01C2405A	-	-	-	-	KTBSTMR	6.45	(0.05)	6	6.46
WHA19C2406A	-	-	-	-	PSL01C2407A	0.09	(0.01)	6,611	0.10	LHHOTEL	11.40	(0.30)	21,482	11.36
WHA41C2406A	0.07	(0.03)	4,000	0.08	PSL06C2404A	-	-	-	-	LHPF	5.80	(0.05)	762	5.72
WHA41C2406B	0.07	(0.02)	2,928	0.07	PSL13C2407A	0.06	(0.03)	5,904	0.07	LHSC	9.90	-	1,184	9.78
WHA41C2407A	0.15	(0.03)	65,685	0.15	PSL19C2407A	0.10	(0.03)	26,148	0.12	LPF	13.20	-	18,563	13.20
WIN	0.55	(0.02)	2,299	0.55	PSL41C2405A	-	-	-	-	LUXF	7.00	-	108	6.81
Paper & Printing Mat	-	-	-	-	RCL	17.10	0.30	66,847	16.99	M-II	5.75	(0.05)	5	5.75
UTP	11.10	-	2,358	11.05	RCL01C2405A	-	-	-	-	M-PAT	3.00	(0.02)	1	3.00
Fashion	-	-	-	-	RCL01C2405B	-	-	-	-	M-STOR	7.80	0.55	3	7.43
AFC	5.00	(0.20)	3	5.02	RCL01C2407A	-	-	-	-	MIPF	-	-	-	-
AURA	13.10	-	10,818	12.95	RCL01C2408A	0.07	0.01	8,512	0.07	MIT	0.76	0.03	23,834	0.55
BTNC	17.70	(1.10)	47	18.45	RCL01P2405X	0.61	(0.09)	1,520	0.62	MJLF	3.48	(0.02)	464	3.46
CPH	12.10	(0.50)	358	12.19	RCL06C2405A	-	-	-	-	MNIT	2.16	(0.02)	29	2.04
CPL	1.32	(0.07)	1,393	1.34	RCL11C2407A	-	-	-	-	MNIT2	5.15	0.35	23	5.24
NC	3.60	(0.18)	796	3.63	RCL13C2405A	-	-	-	-	MNRF	-	-	-	-
PAF	1.35	(0.02)	540	1.35	RCL13C2407A	0.02	(0.01)	20	0.02	POPF	6.30	(0.05)	682	6.30
PDJ	2.08	(0.06)	5,050	2.11	RCL13C2408A	0.09	-	8,542	0.10	PPF	10.30	-	89	10.29
PG	9.20	-	9	9.21	RCL13C2409A	0.30	0.02	9,786	0.30	PROSPECT	8.50	-	175	8.45
SABINA	25.25	-	6,794	25.17	RCL13P2405A	0.37	(0.01)	26	0.35	QHHR	6.50	(0.05)	419	6.47
SAWANG	-	-	-	-	RCL19C2405A	-	-	-	-	QHOP	-	-	-	-
SUC	29.25	(0.75)	354	29.51	RCL19C2405B	0.01	-	500	0.01	QHPP	4.16	(0.04)	6,628	4.14
TNL	34.00	-	49	33.66	RCL19C2406A	-	-	-	-	SIRIP	-	-	-	-
TR	40.50	-	511	40.50	RCL19C2408A	0.09	-	3,702	0.09	SPRIME	4.34	-	1,021	4.31
TTI	27.50	(0.50)	2	27.75	RCL19P2406A	0.52	(0.03)	2,516	0.53	SRIPANWA	4.76	0.14	302	4.69
TTT	48.25	1.25	1	48.25	RCL41C2406A	-	-	-	-	SSPF	5.15	-	2	5.15
UPF	36.25	0.25	8	36.16	RCL41C2407A	-	-	-	-	SSTRT	5.00	-	352	5.04
WACOAL	34.50	3.25	8	32.72	RCL41C2408A	-	-	-	-	TIF1	7.75	(0.05)	44	7.75
WFX	1.70	(0.11)	5,571	1.73	SAV	18.00	(0.80)	35,219	18.25	TLHPF	3.76	0.60	1,690	3.31
Transportation & Log	-	-	-	-	SINO	1.13	(0.02)	33,715	1.12	TNPF	1.64	(0.03)	25	1.66
AAV	2.20	(0.12)	501,618	2.22	SJWD	15.10	(0.20)	40,945	14.91	TPRIME	6.30	(0.10)	15,335	6.30
AAV01C2405A	0.02	(0.03)	32,408	0.03	SJWD13C2407A	0.14	(0.02)	28,734	0.13	TTLPF	16.60	(0.20)	123	16.69
AAV01C2409A	0.12	(0.04)	42,080	0.13	TFFIF	6.20	(0.10)	56,812	6.22	TU-PF	-	-	-	-
AAV11C2406A	0.09	(0.05)	21,350	0.10	THAI	-	-	-	-	URBNPF	0.38	0.01	1,319	0.36
AAV13C2408A	0.09	(0.04)	22,171	0.10	TSTE	-	-	-	-	WHABT	7.60	(0.15)	333	7.62
AAV19C2405A	0.05	(0.05)	51,083	0.06	TTA	6.05	(0.05)	34,870	6.11	WHAIR	5.80	(0.10)	7,465	5.84
AAV19C2408A	0.09	(0.05)	2,831	0.09	WICE	5.15	(0.25)	6,696	5.15	WHART	9.40	(0.05)	9,551	9.38
ANI	4.38	(0.10)	14,802	4.41	Automotive	-	-	-	-	Steel and Metal Prod	-	-	-	-
AOT	63.00	(2.50)	351,341	63.63	3K-BAT	-	-	-	-	2S	3.00	(0.02)	1,138	3.01
AOT01C2405A	0.07	(0.08)	19,582	0.08	ACG	1.15	(0.06)	273	1.15	AMC	3.18	(0.12)	3,115	3.22
AOT01C2407A	0.15	(0.08)	61,056	0.17	AH	22.20	(0.30)	28,860	22.29	BSBM	0.74	(0.01)	6,192	0.74
AOT01P2405X	-	-	-	-	CWT	1.24	(0.08)	5,813	1.27	CEN	2.42	0.04	342	2.44
AOT01P2407X	0.18	0.04	25,296	0.17	EASON	1.18	(0.03)	24,595	1.18	CEN-W5	0.31	-	50,503	0.35
AOT01P2409X	0.55	0.08	18,886	0.52	GVT	181.00	(4.50)	3	181.67	CITY	2.18	(0.02)	1,211	2.18
AOT06C2404A	-	-	-	-	HFT	4.10	(0.06)	1,772	4.12	CSP	0.93	(0.01)	1,055	0.94
AOT11C2407A	0.11	(0.06)	11,505	0.12	IHL	1.98	(0.04)	189	1.99	GJS	0.22	(0.01)	54,543	0.22
AOT13C2405A	0.01	(0.02)	15	0.01	INGRS	0.42	(0.02)	19,361	0.42	GSTEEL	-	-	-	-
AOT13C2408A	0.15	(0.07)	24,440	0.16	IRC	12.60	-	125	12.59	INOX	0.46	(0.02)	14,453	0.47
AOT13P2407A	0.10	0.02	20	0.10	MGC	4.98	(0.22)	6,059	5.03	LHK	4.00	(0.04)	1,236	4.01
AOT13P2408A	0.41	0.08	3,999	0.40	NEX	8.95	(0.95)	136,193	9.25	MCS	7.10	(0.10)	8,932	7.16
AOT19C2406A	-	-	-	-	NEX13C2405A	-	-	-	-	MILL	0.18	(0.01)	13,612	0.18
AOT19C2406B	0.12	(0.09)	36,460	0.14	NEX13C2407A	0.07	(0.05)	9,526	0.08	MILL-W6	0.01	-	10	0.01
AOT19C2409A	0.18	(0.07)	67,481	0.18	NEX19C2409A	0.31	(0.14)	70,264	0.37	MILL-W7	0.02	-	12,102	0.01
AOT19P2407A	-	-	-	-	PCSGH	5.05	(0.05)	6,742	5.00	PAP	2.24	(0.04)	375	2.27
AOT27C2407A	0.30	(0.08)	16,405	0.31	POLY	7.90	(0.10)	315	7.81	PERM	0.89	(0.01)	5,379	0.88
AOT27P2407A	0.45	0.07	4,702	0.44	SAT	16.40	(0.30)	13,530	16.46	SAM	0.39	-	7,877	0.39
AOT41C2405A	-	-	-	-	SPG	-	-	-	-	SMIT	4.46	(0.04)	312	4.47
AOT41C2405B	-	-	-	-	STANLY	215.00	-	778	214.26	SSSC	3.02	-	922	3.01
AOT41C2406A	0.10	(0.07)	24,535	0.11	TKT	1.64	(0.02)	1,653	1.65	TGPRO	0.12	-	36,278	0.11
AOT41C2410A	0.18	(0.07)	36,305	0.19	TNPC	1.16	(0.01)	1,459	1.17	THE	1.18	(0.04)	45	1.18
AOT41P2405A	-	-	-	-	TRU	3.40	-	102	3.36	TMT	5.20	(0.20)	1,398	5.27
ASIMAR	1.55	(0.07)	4,563	1.58	TSC	14.80	(0.10)	203	14.85	TSTH	0.77	(0.01)	7,002	0.77
B	0.12	-	20,987	0.12	Industrial Materi	-	-	-	-	TWP	1.92	(0.07)	380	1.93
B-W8	0.02	0.01	17,504	0.01	ALLA	1.72	(0.02)	14,072						

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date :

Friday April 19, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CNT	1.37	(0.08)	9,637	1.41	DJI41P2406A	0.25	0.01	6,091	0.26	JD41C2407A	-	-	-	-
EMC	0.05	-	4,871	0.04	DJI41P2406B	0.45	-	109	0.46	KUAISH28C2404A	-	-	-	-
ITD	0.57	(0.01)	153,237	0.57	DJI41P2409A	1.10	0.03	593	1.14	KUAISH28C2406A	-	-	-	-
NL	2.28	(0.12)	48,517	2.31	GEELY28C2406A	0.28	(0.09)	2,028	0.28	KUAISH28C2407A	0.34	(0.06)	2,028	0.33
NWR	0.32	(0.01)	74,899	0.32	GEELY28C2408A	0.19	(0.04)	15,211	0.18	KUAISH41C2406A	0.14	(0.17)	12	0.14
PLE	0.51	-	9,048	0.51	LENOV28P2404A	-	-	-	-	LENOVO28C2404A	-	-	-	-
PREB	6.10	(0.05)	3,987	6.19	GEELY41C2404A	-	-	-	-	LENOVO28C2407A	0.18	-	16,724	0.18
PYLON	2.28	(0.06)	7,125	2.28	GEELY41C2406A	0.21	(0.06)	8	0.21	LENOVO28C2407B	-	-	-	-
RT	0.66	0.02	69,636	0.66	HAIDIL28C2404A	-	-	-	-	LENOVO41C2406A	-	-	-	-
RT-W1	0.03	0.02	725,431	0.04	HAIDIL28C2406A	0.23	(0.07)	13,188	0.23	MCA5041C2406A	-	-	-	-
SEAFCO	2.58	(0.06)	11,242	2.58	HAIDIL41C2404A	-	-	-	-	MCA5041P2406A	-	-	-	-
SQ	1.10	(0.03)	9,832	1.11	HAIDIL41C2405A	-	-	-	-	MEITUA28C2404A	-	-	-	-
SRICHA	7.70	(0.05)	1,101	7.70	HAIDIL41C2407A	0.16	(0.04)	6	0.15	MEITUA28C2406A	0.65	(0.10)	46,424	0.62
STEC	9.90	(0.50)	99,743	9.93	HKEX28C2404A	-	-	-	-	MEITUA28C2407A	-	-	-	-
STEC13C2405A	0.09	(0.19)	380	0.09	HKEX28C2406A	0.04	(0.04)	1	0.04	MEITUA28C2408A	0.29	(0.05)	23,186	0.28
STEC19C2407A	0.38	(0.20)	30,141	0.38	HKEX28C2407A	-	-	-	-	MEITUA28P2405A	0.15	0.04	24,696	0.16
STI	3.26	(0.04)	1,033	3.23	HKEX41C2404A	-	-	-	-	MEITUA28P2406A	-	-	-	-
STPI	3.14	(0.08)	16,268	3.14	HKEX41C2405A	-	-	-	-	MEITUA28P2407A	0.32	0.05	11,814	0.33
SYNTEC	1.80	(0.04)	3,207	1.79	HKEX41C2406A	-	-	-	-	MEITUA41C2405A	-	-	-	-
TEAMG	4.10	(0.28)	24,011	4.20	HSBC28C2406A	-	-	-	-	MEITUA41C2405B	0.54	(0.29)	36	0.49
TEAMG-W1	0.50	(0.04)	4,405	0.55	HSBC28P2404A	-	-	-	-	MEITUA41C2406A	-	-	-	-
TEKA	2.04	(0.08)	2,270	2.08	HSBC28P2407A	0.05	0.01	1	0.05	MEITUA41C2406B	-	-	-	-
TPOLY	1.30	(0.13)	126,407	1.35	HSBC41C2405A	-	-	-	-	MEITUA41C2407A	-	-	-	-
TRC	0.30	(0.01)	194,302	0.30	HSBC41C2407A	0.16	(0.03)	4	0.15	MEITUA41P2404A	-	-	-	-
TRITN	0.13	-	507,228	0.13	HSBC41P2406A	-	-	-	-	MEITUA41P2406A	-	-	-	-
TRITN-W5	-	-	-	-	HSCEI28C2404A	-	-	-	-	MEITUA41P2407A	0.32	0.03	14	0.34
TRITN-W6	0.01	-	2,002	0.01	HSCEI28C2405A	0.22	(0.05)	10,301	0.21	NDX28C2406A	0.89	(0.25)	182	0.82
TTCL	3.48	-	6,683	3.44	HSCEI28P2404A	-	-	-	-	NDX28C2406B	0.11	(0.04)	1	0.11
UNIQ	3.24	(0.10)	2,668	3.23	HSCEI28P2405A	0.26	0.07	100	0.26	NDX28C2406C	0.22	(0.06)	180	0.17
WGE	0.59	(0.02)	968	0.58	HSIO6C2404A	0.01	-	357	0.01	NDX28C2406D	0.05	(0.04)	22	0.05
Unit Trust	-	-	-	-	HSIO6C2404B	0.33	(0.11)	11,473,694	0.29	NDX28P2406A	0.08	0.03	18,000	0.08
SCBSET	-	-	-	-	HSIO6C2404C	0.06	(0.04)	80,662	0.05	NDX28P2406B	0.21	0.03	1,102	0.23
ETF	-	-	-	-	HSIO6C2404D	1.09	(0.23)	135	1.01	NDX28P2406C	0.51	0.10	1,070	0.55
IDIV	9.51	(0.11)	639	9.54	HSIO6C2404E	0.01	(0.02)	19,692	0.01	NDX28P2409A	1.17	0.13	3,410	1.19
ABFTH	-	-	-	-	HSIO6C2405A	0.24	(0.03)	7,297,174	0.21	NDX41C2406A	0.34	(0.11)	214	0.31
BMSCG	9.18	(0.19)	89	9.23	HSIO6C2405B	0.54	(0.05)	484	0.48	NDX41C2406B	0.05	(0.06)	14,548	0.04
BMSCITH	9.45	(0.17)	1,009	9.49	HSIO6C2405C	0.09	(0.01)	14,035	0.07	NDX41C2409A	0.47	(0.08)	1,407	0.43
BSET100	8.74	(0.15)	1,619	8.78	HSIO6C2405D	0.03	-	26,633	0.02	NDX41P2406A	0.19	0.05	8,201	0.19
CHINA	5.70	(0.06)	688	5.70	HSIO6C2405E	0.01	-	640	0.01	NDX41P2406B	0.32	0.07	8,607	0.32
ENGY	5.06	(0.09)	538	5.07	HSIO6C2405F	-	-	-	-	NDX41P2409A	1.03	0.10	6,124	1.06
ENY	4.92	(0.06)	51	4.93	HSIO6C2406A	0.47	(0.06)	651	0.43	NTES41C2404A	-	-	-	-
GLD	3.65	0.06	52,276	3.64	HSIO6C2406B	0.11	(0.02)	47,537	0.11	NTES41C2405A	-	-	-	-
TDEX	7.96	(0.16)	18,947	7.99	HSIO6C2406C	0.17	(0.03)	1,245,870	0.15	PINGAN28C2404A	-	-	-	-
UBOT	12.90	(0.06)	64	12.79	HSIO6C2406D	0.08	(0.02)	2,965	0.07	PINGAN28C2406A	-	-	-	-
UHERO	6.94	(0.06)	28	6.96	HSIO6C2406E	-	-	-	-	PINGAN28C2407A	0.19	0.05	15,410	0.19
Warrant Foreign	-	-	-	-	HSIO6C2406F	-	-	-	-	PINGAN28P2406A	-	-	-	-
AIA28C2406A	-	-	-	-	HSIO6C2407A	0.21	(0.02)	527,642	0.19	PINGAN41C2404A	-	-	-	-
AIA28C2408A	-	-	-	-	HSIO6P2404A	0.02	-	1,019	0.02	PINGAN41C2404B	-	-	-	-
AIA28C2408B	0.10	(0.90)	3,106	0.10	HSIO6P2404B	-	-	-	-	PINGAN41C2406A	-	-	-	-
AIA28P2405A	-	-	-	-	HSIO6P2404C	0.17	-	10,418,965	0.20	PINGAN41C2406B	0.06	(0.02)	60	0.06
AIA28P2409A	0.49	(0.51)	50	0.49	HSIO6P2404D	-	-	-	-	PINGAN41P2404A	-	-	-	-
AIA41C2406A	0.01	(0.11)	60	0.01	HSIO6P2405A	0.26	0.01	9,354,465	0.29	SET5001C2405A	0.02	-	1,451	0.01
AIA41C2408A	-	-	-	-	HSIO6P2405B	0.08	-	1,922,805	0.10	SET5001C2406A	0.02	(0.03)	27,436	0.03
AIA41P2407A	-	-	-	-	HSIO6P2405C	0.82	0.05	11	0.82	SET5001C2406F	0.03	(0.04)	10,878	0.04
ALHEA28C2406A	-	-	-	-	HSIO6P2405D	0.61	0.05	162	0.62	SET5001C2406T	0.17	(0.08)	55,075	0.18
ALHEA28C2407A	0.04	(0.01)	60	0.04	HSIO6P2405E	-	-	-	-	SET5001C2407A	0.10	(0.02)	59,798	0.10
ALHEA28C2409A	0.13	(0.87)	1,503	0.13	HSIO6P2406A	0.22	0.01	1,330,215	0.24	SET5001C2408W	0.23	(0.12)	193,960	0.24
ALHEA41C2406A	-	-	-	-	HSIO6P2406B	0.43	0.03	68,585	0.45	SET5001C2410T	0.29	(0.08)	41,839	0.31
BABA28C2404A	-	-	-	-	HSIO6P2406C	0.65	0.04	1,459	0.69	SET5001P2405A	0.03	0.01	9,209	0.03
BABA28C2404B	-	-	-	-	HSIO6P2406D	0.16	0.01	1,152,609	0.17	SET5001P2406A	0.28	0.12	86,088	0.26
BABA28C2406A	-	-	-	-	HSIO6P2406E	-	-	-	-	SET5001P2406F	0.30	0.10	270,394	0.29
BABA28C2406B	0.12	(0.02)	24,466	0.12	HSIO6P2406F	-	-	-	-	SET5001P2406T	0.38	0.08	15,718	0.36
BABA28C2407A	0.18	(0.03)	85,907	0.17	HSIO6P2407A	0.39	0.01	373,300	0.43	SET5001P2407A	0.59	0.20	92,324	0.56
BABA28P2404A	-	-	-	-	HSI28C2404A	0.01	-	30,012	0.01	SET5001P2408W	0.67	0.17	27,184	0.62
BABA28P2407A	0.27	-	3,029	0.29	HSI28C2404B	0.01	-	137,071	0.01	SET5001P2410T	0.76	0.12	15,714	0.73
BABA41C2404A	-	-	-	-	HSI28C2404C	0.02	(0.02)	94,056	0.02	SET5006C2404A	-	-	-	-
BABA41C2404B	-	-	-	-	HSI28C2404D	0.24	(0.05)	6,264,667	0.20	SET5006C2406A	0.03	(0.03)	9,614	0.03
BABA41C2406A	-	-	-	-	HSI28C2405A	0.03	-	11,764	0.03	SET5006P2404A	0.06	0.02	1,010	0.05
BABA41C2406B	0.17	(0.05)	5	0.16	HSI28C2405B	0.14	(0.03)	234,810	0.13	SET5006P2406A	0.27	0.12	18,018	0.25
BABA41C2407A	0.15	(0.03)	26	0.15	HSI28C2405C	0.05	(0.02)	17,741	0.05	SET5013C2405A	0.67	(0.05)	2,670	0.68
BABA41P2404A	-	-	-	-	HSI28C2405D	0.37	(0.04)	9,152,654	0.34	SET5013C2406A	0.03	(0.02)	750,543	0.03
BABA41P2407A	0.27	0.02	28	0.30	HSI28C2405E	0.70	(0.06)	1,710,218	0.64	SET5013C2406B	0.04	(0.02)	308,609	0.04
BIDU28C2407A	0.12	(0.02)	19,267	0.12	HSI28C2406A	0.17	(0.03)	78,052	0.16	SET5013C2406C	0.02	(0.02)	63,582	0.02
BIDU28P2406A	0.39	0.01	2,028	0.40	HSI28C2406B	0.39	(0.04)	1,352,907	0.36	SET5013C2406D	0.05	(0.07)	1,784,080	0.06
BIDU41C2407A	0.12	(0.02)	9	0.11	HSI28C2406C	0.10	(0.01)	16,268	0.09	SET5013C2406E	0.07	(0.11)	3,244,106	0.09
BYDCOM28C2404A	-	-	-	-	HSI28C2406D	0.61	(0.04)	1,152,917	0.57	SET5013C2406F	0.12	(0.15)	5,388,554	0.14
BYDCOM28C2405A	-	-	-	-	HSI28C2407A	0.12	(0.02)	53,003	0.11	SET5013C2410A	0.09	(0.03)	131,197	0.09
BYDCOM28C2407A	0.32	(0.06)	44,196	0.31	HSI28C2407B	0.21	(0.02)	82,270	0.19	SET5013C2410B	0.10	(0.07)	251,805	0.11
BYDCOM28C2408A	0.17	(0.03)	48,112	0.16	HSI28P2404A	0.02	0.01	5	0.02	SET5013P2405A	1.19	0.05	323	1.18
BYDCOM28P2405A	-	-	-	-	HSI28P2404B	0.05	-	58,712	0.06	SET5013P2406A	0.23	0.09	1,144,292	0.23
BYDCOM41C2404A	-	-	-	-	HSI28P2404C	0.33	0.02	1,639,841	0.39	SET5013P2406B	0.30	0.14	390,742	0.29
BYDCOM41C2405A	-	-	-	-	HSI28P2404D	-	-	-	-	SET5013P2406C	0.41	0.19	226,933	0.40
BYDCOM41C2406A	0.16	(0.05)	4	0.14	HSI28P2405A	0.06	-	18,667	0.08	SET5013P2406D	0.53	0.24	1,650,824	0.51
BYDCOM41P2404A	-	-	-	-	HSI28P2405B	0.20	0.01	25,229	0.22	SET5013P2406E	0.88	0.37	1,234,265	0.85
BYDCOM41P2405A	0.11	(0.04)	10	0.12	HSI28P2405C	0.50	0.03	1,906,168	0.54	SET5013P2406F	1.47	0.51	136,275	1.44
CATHAY28C2404A	-	-	-	-	HSI28P2405D	1.12	0.12	2,191	1.18	SET5013P2406G	0.68	(0.32)	164,980	0.68
CATHAY2														

**Main Board Quotation**

Issue Date : Friday April 19, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5027C2406D	0.04	(0.08)	76,341	0.05	0	-	-	-	-	0	-	-	-	-
SET5027C2406T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2409T	0.07	(0.03)	2,110	0.07	0	-	-	-	-	0	-	-	-	-
SET5027P2406A	0.19	0.09	393,767	0.18	0	-	-	-	-	0	-	-	-	-
SET5027P2406B	0.48	0.22	248,885	0.45	0	-	-	-	-	0	-	-	-	-
SET5027P2406C	1.66	0.74	16,589	1.57	0	-	-	-	-	0	-	-	-	-
SET5027P2406T	0.05	0.02	7,139	0.05	0	-	-	-	-	0	-	-	-	-
SET5027P2409T	0.23	0.07	523,364	0.22	0	-	-	-	-	0	-	-	-	-
SET5028C2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2409A	0.17	(0.09)	178,081	0.18	0	-	-	-	-	0	-	-	-	-
SET5028C2409B	0.06	(0.03)	10,121	0.06	0	-	-	-	-	0	-	-	-	-
SET5028C2412A	0.20	(0.08)	304,927	0.20	0	-	-	-	-	0	-	-	-	-
SET5028P2406A	0.32	0.09	205,433	0.32	0	-	-	-	-	0	-	-	-	-
SET5028P2409A	0.56	0.10	137,937	0.56	0	-	-	-	-	0	-	-	-	-
SET5028P2409B	0.27	0.05	739,060	0.27	0	-	-	-	-	0	-	-	-	-
SET5028P2412A	0.84	0.19	115,258	0.83	0	-	-	-	-	0	-	-	-	-
SET5041C2406A	0.02	-	74,016	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2406B	0.03	(0.02)	9,180	0.02	0	-	-	-	-	0	-	-	-	-
SET5041C2406C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2406D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2406E	0.03	(0.06)	156,126	0.04	0	-	-	-	-	0	-	-	-	-
SET5041C2409A	0.06	(0.04)	32,548	0.06	0	-	-	-	-	0	-	-	-	-
SET5041C2412T	0.22	(0.10)	407,669	0.23	0	-	-	-	-	0	-	-	-	-
SET5041C2412U	0.22	(0.78)	530,396	0.23	0	-	-	-	-	0	-	-	-	-
SET5041P2406A	0.60	0.20	34,624	0.58	0	-	-	-	-	0	-	-	-	-
SET5041P2406B	0.50	0.15	125,701	0.47	0	-	-	-	-	0	-	-	-	-
SET5041P2406C	1.01	0.41	254,794	0.94	0	-	-	-	-	0	-	-	-	-
SET5041P2409A	0.56	0.11	1,177,342	0.55	0	-	-	-	-	0	-	-	-	-
SET5041P2412T	0.87	0.19	1,378,196	0.83	0	-	-	-	-	0	-	-	-	-
SPX28C2406A	0.37	(0.08)	316	0.37	0	-	-	-	-	0	-	-	-	-
SPX28C2406B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2406C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28P2406A	0.09	0.03	2,800	0.09	0	-	-	-	-	0	-	-	-	-
SPX28P2406B	0.15	0.04	11	0.15	0	-	-	-	-	0	-	-	-	-
SPX28P2406C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28P2409A	1.10	0.13	70	1.14	0	-	-	-	-	0	-	-	-	-
SPX41C2406A	0.50	(0.14)	2	0.49	0	-	-	-	-	0	-	-	-	-
SPX41C2406B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX41C2409A	0.41	(0.05)	2,174	0.37	0	-	-	-	-	0	-	-	-	-
SPX41P2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX41P2406B	0.23	0.05	2	0.23	0	-	-	-	-	0	-	-	-	-
SPX41P2409A	1.23	0.07	1,108	1.27	0	-	-	-	-	0	-	-	-	-
SUNNY28C2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SUNNY28C2407A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SUNNY28C2408A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SUNNY28C2408B	0.14	(0.04)	9,126	0.14	0	-	-	-	-	0	-	-	-	-
SUNNY41C2405A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SUNNY41C2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SUNNY41C2407A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SUNNY41C2408A	0.14	(0.17)	14	0.14	0	-	-	-	-	0	-	-	-	-
TENCEN28C2405A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
TENCEN28C2405B	0.30	(0.01)	15,000	0.29	0	-	-	-	-	0	-	-	-	-
TENCEN28C2406A	0.20	(0.03)	58,904	0.20	0	-	-	-	-	0	-	-	-	-
TENCEN28P2404A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
TENCEN28P2408A	0.17	0.01	1,522	0.17	0	-	-	-	-	0	-	-	-	-
TENCEN41C2405A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
TENCEN41C2406A	0.24	(0.03)	24	0.24	0	-	-	-	-	0	-	-	-	-
TENCEN41P2405A	0.18	(0.06)	18	0.20	0	-	-	-	-	0	-	-	-	-
TRIPDC41C2407A	0.69	(0.07)	6	0.68	0	-	-	-	-	0	-	-	-	-
XIAOMI28C2404A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
XIAOMI28C2407A	0.40	(0.08)	76,921	0.38	0	-	-	-	-	0	-	-	-	-
XIAOMI41C2404A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
XIAOMI41C2405A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
XIAOMI41C2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
XIAOMI41C2407A	0.22	(0.06)	25	0.21	0	-	-	-	-	0	-	-	-	-
XIAOMI41P2404A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
XIAOMI41P2408A	0.27	0.03	15,100	0.29	0	-	-	-	-	0	-	-	-	-
ZIJIN28C2407A	1.78	(0.04)	3	1.78	0	-	-	-	-	0	-	-	-	-
ZIJIN28C2408A	0.71	0.03	19,270	0.71	0	-	-	-	-	0	-	-	-	-
ZIJIN41C2407A	0.88	(0.07)	7	0.88	0	-	-	-	-	0	-	-	-	-
ZIJIN41C2407B	0.56	0.04	19	0.56	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-



