

Main Board Quotation

Issue Date :

Friday May 10, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KTB41C2407A	0.15	-	1,494	0.15	IVL41C2406A	-	-	-	-
WORLD	-	-	-	-	LHFG	0.99	-	11,145	0.98	IVL41C2406B	-	-	-	-
Agribusiness	-	-	-	-	SCB	108.00	0.50	61,018	108.06	IVL41C2407A	0.10	(0.01)	16,052	0.10
EE	0.22	(0.01)	5,402	0.22	SCB01C2405A	-	-	-	-	NFC	2.82	(0.02)	24	2.82
EE-W1	0.01	-	300	0.01	SCB01C2407A	0.34	0.01	4,482	0.33	PATO	9.05	0.05	29	9.09
GFPT	13.00	0.40	88,350	12.95	SCB01C2408A	0.35	0.01	13,039	0.35	PMTA	9.15	-	18	8.84
LEE	2.44	-	1,432	2.44	SCB01P2405X	-	-	-	-	PTTGC	35.75	-	70,520	35.51
NER	5.55	0.10	94,871	5.54	SCB01P2407X	-	-	-	-	PTTGC01C2405A	-	-	-	-
PPPM	0.40	(0.16)	82,614	0.43	SCB13C2406A	0.09	(0.01)	3,037	0.09	PTTGC01C2406A	-	-	-	-
PPPM-W4	-	-	-	-	SCB13C2409A	0.27	-	60,690	0.27	PTTGC01C2407A	0.05	(0.02)	250	0.05
STA	16.60	(0.10)	159,488	16.37	SCB13P2406A	-	-	-	-	PTTGC01C2409A	0.21	-	30,943	0.21
STA01C2407A	0.05	(0.02)	19,492	0.05	SCB13P2407A	0.05	(0.01)	300	0.05	PTTGC01P2405X	-	-	-	-
STA01C2409A	0.22	(0.01)	69,943	0.21	SCB13P2410A	0.32	(0.68)	6,020	0.32	PTTGC01P2409X	0.51	(0.01)	7,848	0.52
STA01P2407X	0.36	-	79,146	0.38	SCB19C2406A	0.09	(0.01)	4,058	0.10	PTTGC11C2409A	0.19	(0.81)	2,200	0.19
STA01P2408X	0.45	-	43,078	0.48	SCB19C2407A	0.13	-	8,196	0.13	PTTGC13C2406A	-	-	-	-
STA06C2408A	0.11	(0.01)	33,454	0.10	SCB19C2409A	0.26	-	35,478	0.26	PTTGC13C2409A	0.10	(0.01)	21,024	0.10
STA11C2407T	0.24	(0.01)	15,856	0.22	SCB19P2407A	-	-	-	-	PTTGC13P2408A	0.33	0.01	13,176	0.32
STA13C2407A	0.07	(0.02)	1	0.07	SCB41C2407A	0.19	0.01	27,476	0.19	PTTGC19C2406A	0.03	(0.01)	1,000	0.03
STA13C2408A	0.06	-	510	0.06	SCB41C2407B	0.12	-	11,500	0.12	PTTGC19C2409A	0.15	-	43,318	0.14
STA13C2409A	0.30	(0.01)	137,640	0.28	SCB41C2408A	0.17	-	11,556	0.17	PTTGC41C2406A	-	-	-	-
STA13P2407A	0.11	-	50,020	0.13	SCB41P2406A	-	-	-	-	PTTGC41C2407A	0.04	(0.04)	49	0.04
STA13P2408A	0.47	0.01	66,697	0.49	TCAP	49.00	-	6,063	49.02	PTTGC41C2407B	0.11	-	53,013	0.11
STA19C2406A	0.09	(0.01)	1,000	0.09	TCAP-P	-	-	-	-	SUTHA	2.84	0.16	1,083	2.81
STA19C2408A	0.10	(0.01)	17,479	0.10	TCAP-Q	-	-	-	-	TPA	4.30	(0.02)	11	4.30
STA19C2409A	0.26	(0.02)	100,090	0.26	TISCO	97.25	0.25	15,482	97.23	UAC	3.60	(0.04)	611	3.66
STA41C2408A	0.08	(0.02)	17,940	0.07	TISCO-P	-	-	-	-	UP	17.30	0.10	108	17.30
TEGH	2.80	(0.06)	5,314	2.83	TISCO-Q	-	-	-	-	Commerce	-	-	-	-
TFM	8.40	0.15	1,022	8.32	TISCO13C2405A	-	-	-	-	ADVICE	3.86	(0.12)	56,745	3.87
TRUBB	1.24	(0.01)	46,537	1.25	TISCO13C2409A	0.47	-	19,195	0.47	B52	0.61	0.01	122	0.60
TRUBB-W2	0.04	(0.02)	78,618	0.05	TISCO19C2408A	-	-	-	-	BEAUTY	0.61	(0.01)	66,922	0.61
UPOIC	6.40	(0.15)	212	6.43	TTB	1.76	0.01	1,081,648	1.75	BIG	0.45	-	3,001	0.44
UVAN	8.45	(0.20)	4,512	8.51	TTB-W1	0.83	(0.01)	344	0.83	BJC	25.25	0.55	86,988	25.01
VPO	0.78	(0.02)	7,152	0.78	TTB01C2406A	0.14	-	10,730	0.14	COM7	19.50	0.50	150,090	19.46
Banking	-	-	-	-	TTB01C2409A	-	-	-	-	COM701C2405A	-	-	-	-
BAY	26.25	0.25	1,451	26.09	TTB13C2409A	0.17	(0.02)	3,080	0.18	COM701C2406A	-	-	-	-
BBL	139.00	1.50	67,351	138.48	TTB19C2409A	0.22	-	17,000	0.22	COM701C2407A	0.14	0.02	33,860	0.14
BBL11C2405A	-	-	-	-	Construction Ma	-	-	-	-	COM701C2408A	0.29	0.04	45,868	0.28
BBL11C2406A	0.03	-	9	0.03	CCP	0.34	-	8,701	0.34	COM701P2406X	0.17	(0.04)	27,962	0.17
BBL11C2409A	0.39	0.02	26,720	0.38	DCC	1.84	0.01	15,783	1.84	COM701P2408X	0.19	(0.03)	26,901	0.19
BBL11P2407A	0.12	(0.01)	12	0.12	DCON	0.41	-	6,214	0.41	COM706C2407A	0.15	0.02	44,322	0.15
BBL13C2406A	-	-	-	-	DCON-W3	0.05	-	68,470	0.05	COM711C2406A	-	-	-	-
BBL13C2408A	0.18	0.01	28,773	0.17	DRT	8.10	-	2,653	8.10	COM711C2409A	0.38	(0.62)	24,200	0.38
BBL13P2408A	0.18	(0.01)	2,108	0.18	EPG	6.70	(0.20)	32,102	6.71	COM711P2406A	0.17	(0.05)	29,240	0.18
BBL19C2406A	-	-	-	-	GEL	0.17	-	26,342	0.16	COM713C2405B	-	-	-	-
BBL19C2408A	0.17	0.01	5,623	0.17	GEL-W5	0.02	(0.01)	25,987	0.02	COM713C2406A	-	-	-	-
BBL19P2406A	-	-	-	-	PPP	1.79	(0.01)	79	1.74	COM713C2407A	0.10	0.01	21,402	0.10
BBL41C2406A	-	-	-	-	Q-CON	14.80	(0.60)	6,207	14.91	COM713C2408A	0.26	0.04	85,212	0.26
BBL41C2406B	-	-	-	-	SCC	248.00	1.00	9,918	247.41	COM713P2407A	0.12	(0.03)	28,778	0.13
BBL41C2407A	0.07	-	4,600	0.07	SCC01C2405A	-	-	-	-	COM719C2406A	-	-	-	-
BBL41C2407B	-	-	-	-	SCC01C2407A	-	-	-	-	COM719C2407A	-	-	-	-
BBL41C2408A	0.17	0.02	21,000	0.16	SCC01C2408A	0.26	-	6,026	0.26	COM719C2408A	0.26	0.04	257,680	0.25
BBL41P2406A	-	-	-	-	SCC11C2408A	0.11	-	1,103	0.11	COM719P2406A	0.10	(0.03)	11,592	0.10
CIMBT	0.55	-	1,806	0.55	SCC13C2407A	-	-	-	-	COM741C2406A	-	-	-	-
CREDIT	26.00	-	160	26.05	SCC13C2408A	0.13	-	7,370	0.13	COM741C2407A	0.08	(0.01)	8,964	0.08
KBANK	133.50	0.50	54,664	133.20	SCC13P2408A	0.17	-	5,453	0.17	COM741C2408A	0.22	0.02	63,958	0.22
KBANK01C2405A	-	-	-	-	SCC19C2406A	-	-	-	-	CPALL	59.00	0.75	422,972	58.59
KBANK01C2406A	0.21	-	9,218	0.21	SCC19C2408A	0.13	-	15,000	0.13	CPALL01C2405A	-	-	-	-
KBANK01C2407A	0.50	(0.03)	8,913	0.51	SCCC	139.00	0.50	361	138.57	CPALL01C2407A	0.22	0.03	32,577	0.19
KBANK01C2409A	0.44	0.01	7,642	0.44	SCGD	7.65	0.05	10,858	7.69	CPALL01C2409A	0.46	0.03	191,693	0.43
KBANK01P2406X	-	-	-	-	SCP	6.50	0.05	1,906	6.48	CPALL01P2405X	-	-	-	-
KBANK01P2408X	-	-	-	-	SKN	5.15	0.10	1,217	5.07	CPALL01P2408X	0.17	(0.02)	36,757	0.19
KBANK01P2409X	0.16	-	2,320	0.16	STEGH	1.56	(0.01)	1,396	1.54	CPALL11C2405A	0.11	0.03	13,349	0.10
KBANK06C2406A	0.15	(0.01)	7,265	0.15	TASCO	16.00	-	17,500	16.01	CPALL13C2407A	0.22	0.03	74,206	0.20
KBANK13C2406A	-	-	-	-	TASCO01C2405/	-	-	-	-	CPALL13P2408A	-	-	-	-
KBANK13C2407A	-	-	-	-	TASCO01C2408/	-	-	-	-	CPALL19C2406A	0.12	0.01	55,638	0.12
KBANK13C2408A	-	-	-	-	TASCO01P2405/	-	-	-	-	CPALL19C2407A	0.13	0.01	27,428	0.12
KBANK13C2409A	0.29	0.01	34,788	0.28	TASCO13C2407/	-	-	-	-	CPALL19C2409A	0.43	0.04	400	0.41
KBANK13P2406A	-	-	-	-	TASCO19C2407/	-	-	-	-	CPALL19C2409B	0.35	0.04	97,459	0.33
KBANK13P2409A	0.11	(0.01)	3,371	0.11	TASCO41C2406/	-	-	-	-	CPALL19P2408A	-	-	-	-
KBANK19C2406A	0.11	-	434	0.11	TOA	25.25	0.25	27,326	25.07	CPALL41C2406A	0.13	0.01	11,952	0.11
KBANK19C2408A	-	-	-	-	TOA13C2407A	0.60	(0.10)	50	0.60	CPALL41C2407A	0.25	0.04	11,251	0.21
KBANK19C2409A	0.33	(0.01)	10,000	0.33	TP1PL	1.35	-	17,889	1.35	CPALL41C2407B	0.19	0.02	5,783	0.18
KBANK19C2410A	0.32	-	2,716	0.32	UMI	0.80	0.01	297	0.78	CPALL41C2407C	0.10	0.01	13,474	0.10
KBANK41C2406A	0.14	(0.01)	2,500	0.14	VNG	3.40	-	1,870	3.35	CPALL41C2408A	0.21	0.02	77,763	0.19
KBANK41C2408A	0.51	-	8	0.51	WIJK	1.32	(0.01)	1,217	1.33	CPAXT	31.25	(1.50)	163,888	31.34
KBANK41C2604T	0.67	-	1,000	0.67	WINDOW	1.16	-	64,431	1.15	CPW	2.38	0.02	1,764	2.39
KBANK41P2406A	-	-	-	-	Petrochemicals &	-	-	-	-	CRC	30.75	(1.50)	363,356	31.09
KKP	52.75	1.00	15,584	52.43	BCT	69.50	(0.50)	11	68.43	CRC01C2407A	-	-	-	-
KKP-W6	1.74	0.02	2,321	1.73	CMAN	2.26	0.02	17,891	2.24	CRC01C2409A	0.12	(0.05)	49,638	0.13
KKP01C2405A	-	-	-	-	GC	5.15	-	801	5.12	CRC13C2405A	-	-	-	-
KKP11C2406A	0.16	-	3,510	0.16	GGC	7.75	(0.35)	39	7.96	CRC13C2407A	-	-	-	-
KKP11P2405A	-	-	-	-	GIFT	4.56	(0.10)	13,541	4.58	CRC13C2408A	0.04	(0.03)	2,872	0.05
KKP13C2408A	0.24	0.02	26,546	0.23	GIFT-W2	1.91	(0.04)	11,180	1.91	CRC13C2409A	0.12	(0.05)	67,892	0.13
KKP19C2406A	-	-	-	-	IVL	23.50	0.20	165,176	23.42	CRC19C2406A	-	-	-	-
KTB	16.80	0.10	60,985	16.77	IVL01C2405A	-	-	-	-	CRC19C2408A	0.03	(0.02)	721	0.03
KTB-P	-	-	-	-	IVL01C2406A	0.02	0.01	4,900	0.02	CRC19C2409A	0.11	(0.04)	38,653	0.13
KTB-Q	-	-	-	-	IVL01C2406B	-	-	-	-	CRC41C2407A	-	-	-	-
KTB01C2406A	-	-	-	-	IVL01C2408A	0.23	0.01	65,529	0.22	CSS	0.94	(0.01)	11,276	0.94
KTB01C2407A	0.16	-	7,424	0.16	IVL01C2409A	0.09	0.01	1,500	0					

Main Board Quotation

Issue Date :

Friday May 10, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GLOBAL	16.00	0.10	30,598	15.97	JMART41C2407	0.06	-	1,880	0.06	KCE	38.25	0.25	30,782	37.99
GLOBAL01C2407A	0.14	-	28,177	0.14	JTS	58.50	5.75	30,077	56.51	KCE01C2405A	-	-	-	-
GLOBAL01C2408A	0.12	-	2,800	0.12	MFEC	6.55	(0.05)	262	6.57	KCE01C2406A	-	-	-	-
GLOBAL11C2408A	0.16	0.01	3,020	0.16	MSC	8.15	(0.30)	204	8.21	KCE01C2407A	-	-	-	-
GLOBAL13C2406A	-	-	-	-	PT	8.20	(0.10)	3,549	8.24	KCE01C2408A	0.20	-	48,189	0.20
GLOBAL19C2407A	0.19	-	24,902	0.19	SAMART	6.55	(0.15)	25,519	6.58	KCE01P2405X	-	-	-	-
GLOBAL19C2407B	-	-	-	-	SAMART-W3	-	-	-	-	KCE01P2406X	0.28	(0.03)	55,131	0.29
GLOBAL41C2406A	-	-	-	-	SAMTEL	3.64	0.06	16,706	3.61	KCE01P2407X	0.19	-	32,350	0.19
HMPRO	10.10	(0.10)	384,533	10.13	SAMTEL-W1	-	-	-	-	KCE06C2406A	-	-	-	-
HMPRO01C2406A	-	-	-	-	SDC	0.03	(0.01)	295,825	0.03	KCE11C2405A	-	-	-	-
HMPRO01C2407A	-	-	-	-	SIS	25.25	-	4,563	25.34	KCE11C2408A	0.19	-	20,300	0.19
HMPRO11C2407T	-	-	-	-	SKY	26.00	(0.75)	22,674	26.20	KCE13C2406A	-	-	-	-
HMPRO13C2405A	-	-	-	-	SPREME	1.98	(0.06)	175,348	2.00	KCE13C2407A	-	-	-	-
HMPRO13C2407A	-	-	-	-	SVOA	1.83	-	2,322	1.84	KCE13C2407B	-	-	-	-
HMPRO19C2407A	0.05	(0.01)	1,500	0.05	SYMC	9.50	(0.25)	10,355	9.57	KCE13C2408A	0.14	-	56,525	0.14
HMPRO41C2406A	-	-	-	-	SYNEX	11.80	(0.20)	5,438	11.79	KCE13P2407A	0.27	(0.02)	17,946	0.28
HMPRO41C2407A	-	-	-	-	THCOM	12.70	-	57,440	12.71	KCE13P2407B	0.14	(0.01)	7,588	0.14
HMPRO41C2408A	0.07	(0.01)	17,501	0.07	TKC	15.60	0.10	21,341	15.74	KCE19C2406A	-	-	-	-
ICC	41.75	1.00	24	41.72	TRUE	8.60	-	380,424	8.59	KCE19C2406B	-	-	-	-
ILM	20.70	(0.90)	8,931	20.85	TRUE01C2405A	-	-	-	-	KCE19C2407A	0.05	(0.02)	8,920	0.05
IT	3.90	-	2,747	3.92	TRUE01C2407A	0.58	0.01	10,500	0.57	KCE19C2408A	0.18	0.01	21,905	0.18
KAMART	15.30	(1.00)	148,908	14.70	TRUE01C2407B	0.35	(0.01)	5,494	0.35	KCE19P2407A	0.10	(0.01)	11,475	0.11
LOXLEY	1.50	0.01	7,862	1.51	TRUE01C2408A	0.27	0.01	78,757	0.27	KCE41C2406A	-	-	-	-
MC	11.50	(0.30)	29,925	11.56	TRUE01P2406X	-	-	-	-	KCE41C2406B	-	-	-	-
MEGA	40.50	0.25	7,455	40.59	TRUE01P2407X	0.02	(0.01)	7,001	0.02	KCE41C2407A	-	-	-	-
MEGA19C2409A	-	-	-	-	TRUE01P2408X	0.13	(0.01)	5,210	0.14	KCE41C2407B	0.10	-	19,714	0.09
MIDA	0.46	(0.01)	6,908	0.45	TRUE06C2409A	0.26	(0.01)	9,122	0.26	KCE41C2409A	0.28	-	5,480	0.27
MIDA-W3	0.01	-	10	0.01	TRUE11C2405A	-	-	-	-	KCE41P2407A	0.37	-	996	0.37
MOSHI	50.25	(1.25)	5,208	50.60	TRUE11C2406A	0.91	(0.02)	170	0.91	KCE41P2408B	-	-	-	-
MOSHI13C2407A	-	-	-	-	TRUE11P2408A	0.19	-	9,068	0.20	METCO	225.00	1.00	8	224.25
RS	13.30	-	1,664	13.27	TRUE13C2407A	-	-	-	-	SMT	2.74	(0.12)	34,055	2.74
RS-W4	-	-	-	-	TRUE13C2407B	0.30	(0.01)	12,760	0.30	SMT-W3	0.02	-	134,676	0.01
RS-W5	4.78	0.04	750	4.72	TRUE13C2410A	0.31	(0.69)	12,864	0.31	SVI	7.00	0.05	8,565	7.00
RSP	2.38	0.02	2,709	2.36	TRUE13P2407A	-	-	-	-	TEAM	3.86	(0.08)	5,560	3.91
SABUY	2.08	(0.02)	217,011	2.09	TRUE13P2407B	0.02	(0.03)	612	0.02	Energy & Utilities	-	-	-	-
SABUY-W2	0.28	(0.01)	21,980	0.28	TRUE13P2410A	0.35	(0.01)	12,923	0.35	7UP	0.34	-	53,553	0.34
SABUY13C2407A	-	-	-	-	TRUE19C2407A	-	-	-	-	ACC	0.47	(0.03)	60,615	0.47
SABUY13C2407B	-	-	-	-	TRUE19C2407B	0.36	(0.02)	4,850	0.36	ACE	1.38	(0.01)	14,321	1.38
SABUY19C2407A	0.02	-	11	0.01	TRUE19P2408A	-	-	-	-	ACE13C2407A	-	-	-	-
SCM	3.66	0.06	1,330	3.62	TRUE41C2406A	-	-	-	-	ACE19C2407A	-	-	-	-
SCM-W2	1.33	0.07	2	1.29	TRUE41C2406B	-	-	-	-	AGE	1.88	0.01	2,737	1.87
SINGER	9.95	0.05	55,987	9.91	TRUE41C2407A	0.48	(0.10)	1,993	0.48	AI	3.98	-	500	3.96
SPC	62.00	(0.50)	24	61.98	TRUE41C2407B	0.24	-	4,980	0.24	AIE	1.26	0.03	4,703	1.26
SPI	69.25	0.25	111	69.06	TRUE41C2604T	0.42	-	2,988	0.42	AKR	1.00	-	92,356	1.01
SVT	1.58	(0.01)	5,305	1.57	TRUE41P2408A	0.12	(0.01)	40	0.12	AKR-W2	-	-	-	-
TAN	16.00	(0.90)	22,504	16.09	TWZ	0.05	-	597,532	0.05	BAFS	23.10	-	2,993	22.95
Information & Commr	-	-	-	-	Electronic Comp	-	-	-	-	BANPU	5.45	(0.05)	569,194	5.43
3BBIF	5.75	(0.15)	115,267	5.76	CCET	2.58	0.14	362,391	2.53	BANPU01C2405A	-	-	-	-
ADVANC	206.00	-	64,834	205.00	DELTA	71.75	0.25	43,481	71.88	BANPU01C2406A	-	-	-	-
ADVANC01C2407A	0.03	(0.01)	1,010	0.03	DELTA01C2406A	-	-	-	-	BANPU01C2407A	-	-	-	-
ADVANC01C2408A	0.15	-	19,707	0.14	DELTA01C2407A	0.19	(0.01)	29,953	0.19	BANPU01C2408A	0.15	(0.01)	18,057	0.15
ADVANC01P2408X	0.17	(0.01)	16,858	0.18	DELTA01C2407E	0.34	-	39,894	0.35	BANPU01P2405X	-	-	-	-
ADVANC06C2408A	0.23	(0.01)	43,953	0.22	DELTA01C2409A	0.54	-	169,225	0.55	BANPU01P2407X	0.11	0.01	5,445	0.11
ADVANC11C2407A	-	-	-	-	DELTA01P2406X	0.11	(0.02)	53,977	0.11	BANPU06C2407A	0.05	(0.02)	401	0.06
ADVANC13C2407A	0.04	-	100	0.04	DELTA01P2408X	0.60	(0.03)	72,395	0.61	BANPU11C2406A	-	-	-	-
ADVANC13C2409A	0.18	-	30,585	0.17	DELTA06C2405A	-	-	-	-	BANPU11C2410T	0.19	(0.02)	2,281	0.19
ADVANC13P2408A	0.16	-	24,852	0.17	DELTA06C2406A	0.14	(0.02)	28,982	0.15	BANPU13C2406A	-	-	-	-
ADVANC19C2407A	-	-	-	-	DELTA11C2406A	-	-	-	-	BANPU13C2407A	-	-	-	-
ADVANC19C2409A	0.20	(0.02)	157	0.20	DELTA11C2409A	0.60	(0.40)	12,001	0.61	BANPU13C2408A	0.13	(0.02)	13,078	0.13
ADVANC41C2407A	-	-	-	-	DELTA13C2407E	0.10	-	36,894	0.10	BANPU13P2409A	0.24	0.02	9,959	0.24
ADVANC41C2410A	0.23	-	13,683	0.22	DELTA13C2407E	0.28	(0.01)	26,643	0.29	BANPU19C2407A	-	-	-	-
ALT	4.56	0.22	35,831	4.48	DELTA13C2407C	0.19	-	21,845	0.19	BANPU19C2407B	0.07	(0.02)	100	0.07
ALT	1.45	0.03	896	1.44	DELTA13C2409A	0.53	-	78,370	0.54	BANPU19P2406A	-	-	-	-
AMR	1.23	0.02	8,472	1.22	DELTA13P2407A	0.14	(0.01)	14,596	0.14	BANPU41C2406A	-	-	-	-
BLISS	-	-	-	-	DELTA13P2408A	0.50	(0.02)	41,049	0.50	BANPU41C2407A	-	-	-	-
DIF	8.00	-	138,784	8.00	DELTA19C2406A	-	-	-	-	BANPU41C2407B	0.06	(0.02)	6,000	0.06
DITTO	21.20	-	6,281	21.20	DELTA19C2407A	0.12	-	22,307	0.12	BBGI	5.00	(0.30)	25,902	5.07
DITTO-W1	2.62	(0.12)	22	2.64	DELTA19C2407E	0.23	-	20,390	0.24	BCP	41.25	(0.50)	88,741	41.17
DTCENT	1.22	(0.02)	5,387	1.23	DELTA19C2409A	0.53	(0.01)	25,912	0.54	BCP01C2405A	-	-	-	-
FORTH	16.80	0.30	10,593	16.73	DELTA19P2407A	0.18	(0.01)	14,844	0.18	BCP01C2408A	0.12	(0.01)	34,324	0.13
FORTH01C2407A	-	-	-	-	DELTA19P2409A	0.58	(0.01)	20,414	0.57	BCP01P2408X	0.39	0.01	31,851	0.39
FORTH01C2409A	0.33	0.02	13,403	0.32	DELTA41C2406A	-	-	-	-	BCP13C2405A	-	-	-	-
FORTH13C2406A	-	-	-	-	DELTA41C2407A	0.11	-	2,240	0.11	BCP13C2409A	0.17	(0.02)	34,294	0.18
FORTH13C2408A	0.32	0.02	11,408	0.31	DELTA41C2407E	0.22	(0.01)	41,370	0.22	BCP13P2408A	0.35	0.01	26,610	0.35
FORTH19C2407A	0.13	0.01	10,300	0.13	DELTA41P2406A	0.33	(0.01)	5,976	0.32	BCP19C2408A	0.10	(0.01)	1,000	0.10
GABLE	4.82	(0.38)	39,548	4.88	HANA	39.00	0.50	27,755	38.69	BCPG	6.60	(0.05)	4,835	6.63
HUMAN	10.80	0.30	5,779	10.70	HANA01C2405A	-	-	-	-	BCPG19C2406A	-	-	-	-
ICN	2.46	(0.16)	12,477	2.50	HANA01C2406A	0.02	-	10	0.02	BGRIM	26.25	(0.25)	70,250	26.22
ILINK	6.75	-	11,527	6.77	HANA01C2407A	0.07	(0.01)	34	0.07	BGRIM01C2406A	-	-	-	-
INET	4.90	(0.04)	10,176	4.90	HANA01C2407B	0.23	0.01	17,273	0.22	BGRIM01C2407A	0.10	-	26,082	0.11
INSET	2.28	0.02	16,131	2.29	HANA01P2405X	-	-	-	-	BGRIM01C2409A	0.60	(0.04)	3,980	0.62
INTUCH	69.00	-	11,389	69.03	HANA01P2407X	0.24	(0.03)	19,166	0.26	BGRIM01C2410A	0.19	(0.02)	16,008	0.19
INTUCH01C2405A	-	-	-	-	HANA01P2408X	0.15	(0.01)	200	0.15	BGRIM01P2406X	-	-	-	-
INTUCH13C2408A	0.17	-	10,930	0.17	HANA06C2405A	-	-	-	-	BGRIM11C2405A	-	-	-	-
INTUCH19C2409A	0.30	(0.01)	8,715	0.30	HANA06C2407A	0.21	-	26,682	0.21	BGRIM11C2410A	0.20	(0.80)	7,200	0.20
ITEL	2.56	0.04	144,243	2.59	HANA11C2407A	-	-	-	-	BGRIM13C2407A	-	-	-	-
ITEL-W4	0.01	-	21,051	0.01	HANA13C2407A	-	-	-	-	BGRIM13C2407B	-	-	-	-
JAS	3.18	0.18	1,711,045	3.08	HANA13C2407B	0.04	(0.01)	3,370	0.04	BGRIM13C2409A	0.17	(0.01)	41,280	0.17
JMART	13.30	-	234,496	13.04	HANA13C2407C	0.18	-	10,472	0.17	BGRIM13P2406A	-	-	-	-
JMART-W4	0.52	(0.03)	53,979	0.54</										

Main Board Quotation

Issue Date :

Friday May 10, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP01C2407A	0.32	(0.06)	15,152	0.35	OR01C2407A	0.09	-	12,552	0.09	UBE	0.86	(0.01)	133,235	0.85
CKP13C2407A	0.32	(0.06)	16,607	0.35	OR01P2405X	-	-	-	-	WHAUP	4.02	0.02	18,748	4.01
CKP19C2407A	0.31	(0.06)	20,829	0.33	OR13C2407A	0.06	-	946	0.06	WP	3.96	-	193	3.96
CV	0.40	(0.01)	219,600	0.40	OR13C2410A	0.19	-	14,331	0.19	Media & Publishing	-	-	-	-
CV-W1	0.29	(0.01)	25,807	0.30	OR19C2407A	0.09	0.01	9,501	0.09	AMARIN	4.76	(0.02)	9	4.76
DEMCO	4.02	0.06	5,159	3.99	OR19C2410A	0.25	(0.75)	8,302	0.24	AQUA	0.33	(0.01)	9,146	0.34
DEMCO-W7	0.54	(0.01)	7,033	0.55	PCC	2.94	0.02	1,677	2.98	AQUA-W3	-	-	-	-
EA	29.50	(0.50)	113,405	29.83	PRIME	0.49	-	29,695	0.50	AS	4.92	-	2,121	4.91
EA01C2405A	-	-	-	-	PTG	8.55	0.05	50,257	8.62	BEC	4.68	0.04	15,074	4.69
EA01C2406A	-	-	-	-	PTG01C2407A	0.13	-	19,947	0.14	FE	178.50	41.00	7	163.43
EA01C2406B	-	-	-	-	PTG11C2405A	-	-	-	-	GPI	1.79	(0.01)	331	1.77
EA01C2407A	0.02	-	353	0.01	PTG13C2407A	0.09	0.01	1,442	0.09	GRAMMY	5.35	(0.05)	23	5.37
EA01C2407B	0.03	(0.01)	6,585	0.03	PTG19C2407A	0.11	(0.01)	4,947	0.12	JKN	0.67	-	101,096	0.68
EA01C2409A	0.18	(0.03)	56,221	0.19	PTT	33.75	-	107,908	33.69	MAJOR	14.70	0.10	13,698	14.67
EA01P2406X	0.26	0.02	17,182	0.24	PTT01C2405A	-	-	-	-	MATCH	1.49	0.02	24,576	1.54
EA01P2409X	0.53	0.03	14,370	0.51	PTT01C2407A	-	-	-	-	MATI	6.85	(0.10)	6	6.89
EA06C2406A	-	-	-	-	PTT01C2409A	-	-	-	-	MCOT	3.04	(0.02)	1,859	3.02
EA11C2405A	-	-	-	-	PTT01P2405X	-	-	-	-	MONO	0.74	(0.01)	47,450	0.74
EA11C2408A	-	-	-	-	PTT01P2408X	-	-	-	-	NATION	0.03	(0.01)	11,478	0.04
EA13C2406A	-	-	-	-	PTT13C2406A	0.02	-	8,000	0.02	NATION-W4	-	-	-	-
EA13C2406B	0.01	-	1	0.01	PTT13C2409A	-	-	-	-	ONEE	4.04	(0.02)	55,366	4.05
EA13C2407A	-	-	-	-	PTT13P2408A	-	-	-	-	PLANB	8.10	(0.10)	80,417	8.11
EA13C2408A	0.05	-	109,952	0.04	PTT19C2406A	-	-	-	-	PLANB-W1	0.84	(0.01)	3,259	0.87
EA13C2409A	0.10	(0.01)	108,274	0.10	PTT19C2409A	-	-	-	-	PLANB11C2408A	0.18	(0.02)	5,610	0.19
EA13C2410A	0.19	(0.03)	51,583	0.20	PTT41C2407A	0.10	-	3,987	0.10	PLANB11P2408A	0.42	0.01	8,902	0.42
EA13P2406A	-	-	-	-	PTT41C2407B	0.07	-	3,001	0.07	PLANB13C2407A	0.06	(0.01)	2,850	0.06
EA13P2407A	0.27	0.02	30,694	0.26	PTT41C2408C	0.07	(0.01)	46,556	0.07	PLANB19C2408A	-	-	-	-
EA19C2406A	-	-	-	-	PTTEP	153.50	1.00	35,307	153.27	POST	-	-	-	-
EA19C2406B	-	-	-	-	PTTEP01C2405A	-	-	-	-	PRAKIT	10.80	-	326	10.84
EA19C2407A	0.03	(0.01)	42,600	0.03	PTTEP01C2407A	0.15	-	23,620	0.15	PTECH	-	-	-	-
EA19C2409A	0.17	(0.01)	9,171	0.17	PTTEP01C2409A	0.30	-	24,607	0.30	ROCTEC	0.78	(0.01)	167,630	0.78
EA41C2406A	-	-	-	-	PTTEP01P2405X	-	-	-	-	ROCTEC-W3	0.03	0.01	5,141	0.03
EA41C2407A	-	-	-	-	PTTEP01P2406X	-	-	-	-	ROCTEC-W5	0.05	-	49,683	0.04
EA41C2408A	0.04	-	18,892	0.04	PTTEP01P2409X	0.61	(0.02)	11,203	0.61	SE-ED	2.16	-	2	2.16
EA41C2408B	0.02	(0.02)	1,746	0.02	PTTEP06C2405A	-	-	-	-	TKS	8.50	-	7,129	8.46
EA41C2410A	0.15	(0.01)	31,207	0.16	PTTEP11C2406A	0.19	-	10,200	0.19	VGI	1.66	0.01	395,649	1.66
EASTW	3.46	(0.02)	8,101	3.44	PTTEP11P2406A	-	-	-	-	VGI-W3	0.07	(0.01)	4,439	0.07
EGATIF	6.05	0.05	772	6.01	PTTEP13C2408A	0.25	0.01	34,201	0.25	VGI01C2405A	-	-	-	-
EGCO	112.00	0.50	2,238	111.71	PTTEP13P2406A	-	-	-	-	VGI01C2406A	-	-	-	-
EGCO13C2407A	-	-	-	-	PTTEP13P2408A	0.22	(0.01)	3,262	0.22	VGI01C2407A	0.12	-	21,605	0.11
EGCO19C2408A	0.12	-	2,767	0.12	PTTEP19C2406A	-	-	-	-	VGI01C2407B	0.27	(0.01)	38,562	0.27
EP	2.68	0.02	984	2.63	PTTEP19C2407A	0.07	(0.01)	2,257	0.07	VGI01C2409A	0.23	-	35,490	0.23
EP-W4	0.05	-	4,721	0.04	PTTEP19C2409A	0.25	-	25,247	0.25	VGI01P2405X	-	-	-	-
ETC	2.34	(0.10)	23,454	2.36	PTTEP19P2409A	0.36	(0.02)	1,218	0.36	VGI01P2408X	0.41	(0.02)	22,210	0.41
GPSC	50.25	0.25	24,105	49.98	PTTEP41C2406A	-	-	-	-	VGI06C2405A	-	-	-	-
GPSC01C2405A	-	-	-	-	PTTEP41C2604T	0.51	-	7,968	0.51	VGI13C2406A	0.02	0.01	1	0.02
GPSC01C2407A	0.09	(0.01)	6,027	0.09	PTTEP41P2406A	-	-	-	-	VGI13C2407A	0.08	-	4,164	0.09
GPSC01C2409A	0.28	-	28,185	0.27	PTTEP41P2407A	-	-	-	-	VGI13C2407B	0.27	0.01	40,886	0.27
GPSC01P2405X	-	-	-	-	QTC	3.96	0.02	2,618	3.99	VGI13C2409A	0.19	-	54,971	0.19
GPSC01P2407X	0.11	(0.01)	37,707	0.11	RATCH	28.25	-	10,845	28.24	VGI13P2405A	-	-	-	-
GPSC01P2409X	0.40	-	19,322	0.41	RATCH01C2405A	-	-	-	-	VGI13P2408A	0.28	(0.01)	26,126	0.28
GPSC11C2408T	0.19	(0.01)	1,533	0.19	RATCH13C2408A	0.10	-	13,500	0.10	VGI19C2407A	0.07	(0.02)	10,000	0.07
GPSC11P2405A	-	-	-	-	RATCH19C2408A	0.10	(0.01)	75	0.10	VGI19C2407B	0.27	(0.01)	42,329	0.27
GPSC13C2406A	-	-	-	-	RPC	0.67	-	1,032	0.67	VGI19C2409A	0.20	(0.02)	60,048	0.20
GPSC13C2409A	0.25	-	33,403	0.24	SCG	3.34	0.04	456	3.32	VGI41C2407A	0.09	-	3,000	0.09
GPSC13P2407A	-	-	-	-	SCI	0.84	-	3,422	0.82	VGI41C2409A	0.31	-	8,352	0.31
GPSC13P2408A	0.32	(0.02)	12,041	0.33	SCN	1.06	0.02	44,020	1.06	WORK	8.65	0.15	1,246	8.60
GPSC19C2408A	-	-	-	-	SCN-W2	0.10	-	7,838	0.09	ZAA	1.05	0.03	62,659	1.08
GPSC19C2409A	0.23	-	31,352	0.23	SCN-W3	0.08	0.01	425,091	0.08	Finance & Securities	-	-	-	-
GPSC19P2406A	-	-	-	-	SEA0IL	2.92	(0.02)	905	2.94	AEONTS	162.00	(1.00)	1,421	162.87
GPSC19P2407A	-	-	-	-	SGP	8.00	-	2,060	7.97	AEONTS01C2409A	0.55	(0.03)	7,344	0.56
GPSC41C2406A	-	-	-	-	SKE	0.46	-	1,391	0.45	AEONTS13C2408A	0.48	(0.01)	2,290	0.48
GPSC41C2408A	-	-	-	-	SKE-W1	0.08	-	1,655	0.08	AMANAHA	1.69	(0.01)	35,552	1.67
GPSC41C2409A	0.37	0.01	2,497	0.36	SOLAR	0.65	-	4,316	0.65	ASAP	3.16	-	4,770	3.10
GPSC41P2406A	-	-	-	-	SPCG	11.20	(0.10)	1,926	11.28	ASK	16.00	(0.20)	5,295	16.06
GREEN	1.14	0.05	224,895	1.18	SPRC	7.90	-	227,296	7.87	ASP	2.66	-	4,239	2.65
GULF	41.50	-	54,277	41.18	SPRC01C2405A	-	-	-	-	BAM	9.15	0.10	22,792	9.13
GULF01C2405A	-	-	-	-	SPRC01C2408A	0.07	(0.01)	10,000	0.07	BAM01C2406A	0.16	(0.01)	6,921	0.15
GULF01C2406A	-	-	-	-	SPRC06C2405A	-	-	-	-	BAM01C2409A	0.12	-	8,669	0.12
GULF01C2408A	-	-	-	-	SPRC11C2406A	-	-	-	-	BAM11C2405A	0.10	(0.01)	1,020	0.10
GULF01C2409A	0.27	-	18,928	0.26	SPRC13C2408A	0.09	-	5,350	0.09	BAM13C2405A	-	-	-	-
GULF01P2405X	-	-	-	-	SPRC13C2410A	0.28	(0.72)	17,828	0.28	BAM13C2408A	0.31	-	6,761	0.31
GULF01P2408X	0.31	0.02	8,829	0.31	SPRC19C2408A	-	-	-	-	BAM13C2408B	-	-	-	-
GULF11C2407T	0.11	(0.01)	1,000	0.11	SSP	7.25	(0.15)	3,369	7.34	BAM19C2408A	0.10	-	9,100	0.10
GULF13C2406A	-	-	-	-	SSP-W2	0.23	0.01	2,247	0.22	BAM19C2409A	0.28	-	26,347	0.28
GULF13C2408A	-	-	-	-	SUPER	0.31	0.01	99,429	0.31	BYD	2.86	(0.02)	71,544	2.85
GULF13C2409A	0.22	(0.01)	93,704	0.22	SUPEREIF	6.15	0.10	2,587	6.06	BYD13C2405A	-	-	-	-
GULF13P2408A	0.20	-	8,824	0.21	SUSCO	3.90	(0.02)	21,192	3.92	BYD13C2406A	0.01	-	1,200	0.01
GULF19C2406A	-	-	-	-	TAE	1.00	-	1,211	0.99	BYD19C2407A	0.02	-	106	0.02
GULF19C2408A	-	-	-	-	TCC	0.48	0.01	14,839	0.48	CGH	0.75	-	40,917	0.75
GULF19C2409A	0.22	-	6,898	0.21	TCC-W5	0.21	-	520	0.21	CGH-W4	-	-	-	-
GULF41C2406A	-	-	-	-	TGE	3.28	0.06	20,125	3.26	CHASE	1.82	(0.02)	56,118	1.82
GULF41C2408A	-	-	-	-	TGE-W1	2.24	(0.06)	112	2.25	CHAYO	3.94	(0.14)	113,786	3.97
GULF41C2410A	0.18	-	28,952	0.18	TOP	53.50	(0.50)	65,932	53.61	CHAYO-W3	0.30	-	10,058	0.30
GUNKUL	2.60	(0.02)	68,511	2.60	TOP01C2405A	-	-	-	-	ECL	1.40	(0.02)	6,646	1.40
GUNKUL01C2407A	-	-	-	-	TOP01C2407A	0.17	(0.02)	41,667	0.17	ECL-W4	-	-	-	-
GUNKUL01P2407X	0.38	(0.01)	11,972	0.38	TOP01C2408A	0.08	(0.02)	1	0.08	FNS	3.20	0.02	704	3.23
GUNKUL13C2407A	-	-	-	-	TOP01P2406X	-	-	-	-	FSX	2.54	0.04	4,978	2.52
GUNKUL13C2407B	-	-	-	-	TOP01P2408X	0.41	0.01	140,432	0.40	GBX	0.73	-	900	0.73
GUNKUL13P2407A	0.25	-	13,553	0.25	TOP11C2405A	0.14	(0.02)	9,100	0.14	GL	-	-	-	-
GUNKUL1														

Main Board Quotation

Issue Date :

Friday May 10, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
JMT13C2406A	-	-	-	-	CBG01P2405X	-	-	-	-	TFG	3.78	0.04	7,972	3.78
JMT13C2407A	0.02	-	5	0.02	CBG01P2408X	0.29	(0.03)	7,639	0.30	TFG-W3	-	-	-	-
JMT13C2408A	0.17	(0.01)	115,203	0.17	CBG01P2409X	0.69	(0.04)	15,372	0.70	TFMAMA	206.00	-	45	205.42
JMT13P2406A	0.25	-	52,880	0.24	CBG06C2405A	-	-	-	-	TIPCO	9.95	-	2,158	9.95
JMT19C2406A	-	-	-	-	CBG06C2408A	0.26	0.02	38,282	0.25	TKN	11.20	1.00	656,912	11.57
JMT19C2408A	0.16	(0.01)	77,620	0.17	CBG11C2408A	0.28	0.01	10,200	0.28	TKN01C2405A	-	-	-	-
JMT19P2407A	0.30	(0.01)	51,736	0.30	CBG13C2406A	-	-	-	-	TKN01C2405B	-	-	-	-
JMT41C2406A	-	-	-	-	CBG13C2407A	0.08	-	4,033	0.07	TKN01C2408A	0.19	0.08	107,922	0.23
JMT41C2406B	-	-	-	-	CBG13C2408A	0.28	0.02	22,773	0.28	TKN01P2405X	-	-	-	-
JMT41C2407A	-	-	-	-	CBG13C2409A	0.30	0.02	22,823	0.30	TKN13C2405A	-	-	-	-
JMT41C2408A	0.15	(0.01)	26,581	0.15	CBG13P2408A	0.23	(0.02)	13,835	0.23	TKN13C2406A	0.07	0.03	124,084	0.09
KCAR	6.05	(0.10)	812	6.08	CBG19C2406A	-	-	-	-	TKN13P2406A	0.02	(0.05)	1	0.02
KGI	4.54	-	15,656	4.55	CBG19C2407A	-	-	-	-	TKN19C2406A	0.06	0.03	162,891	0.09
KTC	43.50	0.50	42,909	43.01	CBG19C2408A	0.23	0.01	29,361	0.23	TU	15.00	0.10	178,873	15.00
KTC01C2405A	-	-	-	-	CBG19P2407A	0.23	(0.03)	23,766	0.23	TU01C2407A	-	-	-	-
KTC01C2407A	0.11	0.01	14,416	0.10	CBG41C2406A	-	-	-	-	TU01C2408A	0.20	0.01	29,496	0.20
KTC01P2406X	0.05	(0.04)	51,208	0.07	CBG41C2407A	0.08	0.02	2,259	0.07	TU01P2407X	0.09	-	90	0.09
KTC11C2405A	-	-	-	-	CBG41C2407B	0.21	0.01	11,761	0.21	TU11C2407T	0.12	0.01	1,000	0.12
KTC11P2405A	-	-	-	-	CBG41C2408A	0.26	0.02	82,842	0.26	TU13C2408A	0.15	0.01	38,788	0.15
KTC13C2407A	0.08	-	680	0.08	CFRESH	1.81	0.12	83,108	1.80	TU13P2406A	-	-	-	-
KTC13P2407A	-	-	-	-	CH	2.48	-	4,376	2.47	TU19C2407A	0.15	-	38,580	0.15
KTC19C2407A	-	-	-	-	CHOTI	67.25	0.25	33	67.25	TU41C2407A	-	-	-	-
KTC41C2407A	0.09	-	13,918	0.07	CM	2.42	0.06	19,163	2.45	TU41C2408A	0.17	-	66,028	0.17
MFC	19.90	0.10	168	19.77	COCOCO	13.50	(0.10)	333,064	13.64	TVO	20.70	0.30	4,375	20.58
MICRO	2.10	(0.02)	1,048	2.12	CPF	20.50	0.30	162,110	20.46	TWPC	3.98	-	2,521	3.98
ML	0.63	0.01	228	0.63	CPF01C2407A	0.24	0.02	49,279	0.23	W	0.63	(0.02)	72,683	0.63
ML-W3	-	-	-	-	CPF01C2410A	0.28	0.02	35,645	0.27	W-W5	0.01	-	1	0.01
MST	9.50	-	65	9.49	CPF01P2408T	0.13	(0.02)	4,830	0.13	W-W6	-	-	-	-
MTC	48.00	1.25	119,037	47.89	CPF11C2408A	0.31	0.03	13,350	0.30	ZEN	7.60	0.05	560	7.58
MTC01C2406A	0.12	0.02	40,336	0.11	CPF11P2407T	-	-	-	-	Health Care Services	-	-	-	-
MTC01C2407A	0.21	0.03	82,822	0.21	CPF13C2406A	0.16	0.03	45,690	0.15	AHC	17.70	-	26	17.68
MTC01C2409A	0.50	0.04	51,441	0.50	CPF13C2409A	0.43	0.01	275	0.43	BCH	20.10	0.10	48,041	20.04
MTC01P2406X	0.06	(0.03)	1,500	0.06	CPF13C2410A	0.27	0.02	34,138	0.27	BCH01C2407A	-	-	-	-
MTC01P2408X	0.19	(0.03)	94,159	0.20	CPF13P2405A	-	-	-	-	BCH01C2409A	0.28	0.01	6,900	0.28
MTC11C2406A	0.11	0.01	25,200	0.11	CPF19C2409A	0.42	0.03	13,424	0.42	BCH01P2407X	0.23	(0.01)	5,417	0.24
MTC13C2406A	0.10	0.01	54,372	0.11	CPI	2.48	(0.06)	4,495	2.49	BCH11C2407A	0.12	-	3,060	0.12
MTC13C2409A	0.40	0.05	66,075	0.39	F8D	30.25	0.25	9	30.11	BCH13C2407A	-	-	-	-
MTC13P2406A	0.01	-	800	0.01	GLOCON	0.30	0.01	41,438	0.30	BCH13C2408A	0.13	0.01	10,518	0.13
MTC13P2408A	0.17	(0.04)	25,627	0.18	HTC	17.40	0.10	2,504	17.33	BCH13P2406A	-	-	-	-
MTC19C2406A	0.13	0.02	26,273	0.13	ICIH	18.00	0.40	78,440	17.78	BCH19C2406A	-	-	-	-
MTC19C2409A	0.40	0.05	40,882	0.39	ICIH01C2405A	-	-	-	-	BCH19C2408A	-	-	-	-
MTC41C2408A	0.27	0.03	33,898	0.27	ICIH13C2405A	-	-	-	-	BCH41C2407A	-	-	-	-
NCAP	2.02	-	20,668	2.04	ITC	20.80	-	70,494	20.83	BDMS	29.00	(0.25)	111,341	29.00
PL	1.91	-	131	1.91	ITC01C2405A	-	-	-	-	BDMS01C2405A	-	-	-	-
S11	2.74	-	914	2.70	ITC13C2406A	-	-	-	-	BDMS01C2408A	0.12	(0.01)	5,559	0.12
SAK	5.25	-	36,131	5.33	ITC13C2410A	0.33	(0.01)	52,109	0.33	BDMS01P2407X	0.05	(0.05)	6	0.05
SAWAD	38.25	0.50	77,384	38.24	JDF	2.54	(0.12)	14,100	2.60	BDMS13C2408A	0.12	(0.01)	8,579	0.12
SAWAD-W2	1.03	0.04	1,336	1.02	KBS	5.05	0.05	1,171	5.00	BDMS13P2407A	-	-	-	-
SAWAD01C2405A	-	-	-	-	KCG	9.70	(0.10)	7,207	9.73	BDMS19C2407A	-	-	-	-
SAWAD01C2406A	-	-	-	-	KSL	2.36	-	6,824	2.36	BDMS41C2407A	0.10	(0.01)	31,176	0.10
SAWAD01C2408A	0.23	0.01	58,390	0.23	KTIS	3.32	0.04	346	3.25	BDMS41C2408A	0.10	(0.01)	2,988	0.10
SAWAD01P2407X	0.19	(0.01)	13,326	0.20	LST	4.92	(0.02)	2,907	4.90	BH	254.00	5.00	26,909	253.45
SAWAD11P2406A	-	-	-	-	M	35.75	-	2,510	35.77	BH-P	-	-	-	-
SAWAD13C2406A	-	-	-	-	MALEE	14.20	0.40	80,725	13.83	BH-Q	-	-	-	-
SAWAD13C2407A	0.10	0.01	60,543	0.10	NRF	4.98	(0.02)	49,245	4.95	BH01C2405A	-	-	-	-
SAWAD13C2408A	0.27	0.02	48,255	0.27	NSL	26.50	(1.00)	21,848	26.34	BH01C2408A	0.47	0.05	32,803	0.46
SAWAD13P2407A	0.07	(0.01)	201	0.07	OSP	20.80	(0.10)	55,474	20.83	BH01P2405X	-	-	-	-
SAWAD19C2406A	0.08	(0.01)	19,748	0.09	OSP01C2406A	0.02	(0.03)	480	0.02	BH01P2406X	-	-	-	-
SAWAD19C2408A	0.31	0.02	15,513	0.31	OSP01C2408A	0.35	(0.02)	17,534	0.36	BH01P2409X	0.42	(0.04)	12,247	0.43
SAWAD19C2410A	0.28	(0.72)	41,636	0.28	OSP01P2408X	0.15	(0.01)	9,941	0.15	BH11C2406A	0.23	0.03	22,101	0.23
SAWAD41C2406A	-	-	-	-	OSP01P2410X	0.60	0.01	7,554	0.60	BH13C2407A	0.41	0.03	50	0.41
SAWAD41C2406B	-	-	-	-	OSP11C2409A	0.36	(0.64)	7,200	0.36	BH13C2409A	0.36	0.04	58,280	0.35
SAWAD41C2407A	0.13	0.01	105,934	0.13	OSP13C2408A	0.28	-	27,568	0.28	BH13P2406A	-	-	-	-
SCAP	2.70	0.02	2,488	2.71	OSP13P2409A	0.35	-	17,628	0.34	BH13P2409A	0.28	(0.04)	7,043	0.29
SGC	1.29	0.01	28,965	1.29	OSP19C2409A	0.32	(0.02)	8,570	0.33	BH19C2407A	0.12	0.02	11,863	0.12
SM	1.34	-	651	1.34	PB	67.75	(0.25)	228	67.88	BH19C2408A	0.40	0.05	9,606	0.40
TH	0.96	0.03	114,954	0.98	PLUS	8.20	0.10	54,523	8.19	BH19C2409A	0.35	0.04	46,399	0.35
TH-W3	0.30	0.01	19,714	0.32	PM	8.30	(0.20)	30,426	8.35	BH19P2409A	0.28	(0.04)	5,880	0.28
THANI	2.38	-	33,422	2.38	PQS	3.44	0.14	46,300	3.39	BH41C2406B	0.11	0.03	18,067	0.11
THANI13C2407A	-	-	-	-	PRG	10.40	-	2	10.40	BH41C2408A	0.43	0.05	12,450	0.42
THANI19C2407A	-	-	-	-	PRG-W1	6.05	(0.45)	8	6.09	BH41P2406A	-	-	-	-
TIDLOR	21.50	0.20	41,303	21.46	PRG-W2	-	-	-	-	BKGI	2.94	(0.04)	76,260	2.94
TIDLOR01C2405A	-	-	-	-	PRG-W3	-	-	-	-	CHG	2.90	0.02	319,126	2.90
TIDLOR01C2407A	0.11	-	1,001	0.10	RBF	10.40	-	64,480	10.27	CHG01C2405A	-	-	-	-
TIDLOR01C2409A	0.36	0.02	13,795	0.36	RBF01C2405A	-	-	-	-	CHG01C2408A	0.17	-	19,174	0.17
TIDLOR11P2406A	-	-	-	-	RBF01C2406A	-	-	-	-	CHG13C2406A	-	-	-	-
TIDLOR13C2406A	-	-	-	-	RBF01C2407A	-	-	-	-	CHG13C2407A	0.09	0.01	4,228	0.09
TIDLOR13C2408A	0.29	0.01	5,069	0.29	RBF01C2409A	0.15	0.01	35,652	0.14	CHG13C2409A	0.22	0.02	27,726	0.22
TIDLOR19C2406A	-	-	-	-	RBF01P2405X	-	-	-	-	CHG13P2406A	-	-	-	-
TIDLOR19C2408A	0.23	0.01	20,427	0.23	RBF01P2407X	0.28	0.01	9,848	0.27	CHG19C2408A	0.13	(0.01)	61,754	0.13
TIDLOR19P2407A	-	-	-	-	RBF13C2405A	-	-	-	-	CMR	1.98	(0.01)	257	1.98
TIDLOR41C2406A	-	-	-	-	RBF13C2406A	-	-	-	-	EKH	7.25	(0.10)	16,338	7.28
TIDLOR41C2407A	0.11	-	17,920	0.11	RBF13C2407A	-	-	-	-	EKH-W1	1.35	(0.09)	6,469	1.39
TIDLOR41C2407B	0.08	(0.01)	2,988	0.08	RBF13C2408A	0.07	-	25,508	0.07	KDH	93.00	2.50	13	91.12
TIDLOR41C2409A	0.49	0.01	4,730	0.49	RBF13C2410A	0.18	(0.82)	80,337	0.17	LPH	4.72	(0.02)	285	4.72
TK	4.72	(0.04)	2,039	4.72	RBF19C2408A	0.09	-	10,614	0.09	M-CHAI	55.75	(0.25)	170	55.80
TNITY	4.20	(0.04)	2,571	4.22	RBF19P2406A	0.20	0.02	2,596	0.17	NEW	138.00	29.00	3	138.33
UOBKH	4.74	(0.06)	7	4.77	SAPPE	94.75	0.75	2,223	94.26	NTV	35.50	(0.25)	383	35.46</

Main Board Quotation

Issue Date :

Friday May 10, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BEYOND	10.10	0.55	16,063	9.99	SCGP01C2408A	0.11	(0.04)	51,648	0.12	BRI	6.10	(0.20)	23,971	6.13
BEYOND-W2	1.06	0.31	274,575	1.16	SCGP01P2405A	-	-	-	-	BROCK	1.56	-	101	1.56
CENTEL	43.75	-	7,214	43.59	SCGP01P2408X	0.09	0.02	1	0.09	CGD	0.34	-	9,024	0.34
CENTEL01C2405A	-	-	-	-	SCGP06C2406A	-	-	-	-	CI	0.59	-	340	0.58
CENTEL01C2408A	0.18	(0.04)	20,735	0.18	SCGP11C2405A	-	-	-	-	CI-W2	-	-	-	-
CENTEL13C2407A	0.11	-	11,450	0.11	SCGP11C2407T	0.11	(0.02)	5,700	0.11	CMC	1.12	-	568	1.12
CENTEL19C2408A	0.18	-	6,726	0.18	SCGP13C2406A	-	-	-	-	CPN	62.50	(0.25)	66,912	62.12
CENTEL41C2406A	-	-	-	-	SCGP13C2407A	0.10	(0.02)	25,972	0.10	CPN01C2407A	0.11	(0.01)	27,796	0.10
CENTEL41C2408A	0.18	(0.01)	2,992	0.18	SCGP13P2408A	0.06	0.01	1	0.06	CPN13C2407A	-	-	-	-
CSR	-	-	-	-	SCGP19C2406A	-	-	-	-	CPN13C2409A	0.26	(0.01)	38,308	0.24
DUSTI	9.65	(0.25)	6,284	9.68	SCGP19C2407A	0.16	(0.03)	9,236	0.17	CPN19C2407A	-	-	-	-
ERW	4.86	(0.02)	56,940	4.87	SCGP19C2409A	0.17	(0.03)	48,944	0.18	CPN19C2410A	0.35	(0.01)	10,085	0.34
ERW-W3	1.84	(0.01)	438	1.85	SCGP41C2406A	-	-	-	-	CPN41C2406A	-	-	-	-
ERW01C2405A	-	-	-	-	SCGP41C2407A	0.11	(0.03)	37,246	0.11	CPN41C2407A	0.08	(0.01)	3,984	0.08
ERW13C2406A	-	-	-	-	SFLEX	3.08	-	6,595	3.06	ESTAR	0.25	-	16,954	0.25
ERW13C2407A	0.16	(0.02)	17,354	0.16	SFLEX-W2	0.17	0.01	1,605	0.17	EVER	0.14	-	6,604	0.14
ERW19C2409A	0.40	(0.02)	22,650	0.40	SITHAI	1.34	(0.04)	51,208	1.33	FPT	14.80	0.30	73	14.79
ERW41C2406A	0.02	(0.07)	100	0.02	SLP	0.39	(0.02)	2,588	0.39	GLAND	1.71	-	1	1.71
GRAND	0.13	(0.01)	14,006	0.13	SMP	9.95	0.60	17,602	9.90	J	1.79	-	567	1.78
LRH	41.75	0.25	1	41.75	SPACK	1.87	0.01	2,213	1.88	J-W2	0.01	-	11	0.01
MANRIN	33.25	0.25	200	33.06	TCOAT	-	-	-	-	J-W3	0.21	-	18	0.21
MINT	33.00	(0.25)	156,905	32.68	TFI	0.08	(0.01)	2,318	0.08	J-W4	0.29	0.01	16	0.28
MINT01C2406A	0.13	(0.02)	27,546	0.12	TFI-W1	0.03	-	2,054	0.03	JCK	0.34	-	145,725	0.33
MINT01C2408A	0.14	(0.01)	41,062	0.13	THIP	27.50	(0.50)	271	27.75	KC	0.10	-	1,942	0.10
MINT01P2406X	-	-	-	-	TMD	24.40	(0.10)	34	24.21	LALIN	7.50	0.05	104	7.49
MINT11C2406A	-	-	-	-	TOPP	-	-	-	-	LH	7.10	-	156,903	7.11
MINT11C2408A	0.16	(0.01)	5,060	0.15	TPAC	14.20	-	338	14.18	LH01C2409A	0.25	-	3,308	0.25
MINT13C2406A	-	-	-	-	TPBI	4.10	(0.08)	4,211	4.14	LH13C2408A	0.17	-	8,548	0.17
MINT13C2407A	0.09	(0.01)	5,100	0.08	TPP	-	-	-	-	LH19C2406A	-	-	-	-
MINT13C2409A	0.22	(0.01)	45,415	0.21	Personal Product	-	-	-	-	LH19C2408A	0.16	-	500	0.16
MINT13P2407A	-	-	-	-	APCO	4.90	0.06	587	4.85	LPN	3.46	(0.02)	6,923	3.45
MINT19C2406A	0.08	(0.01)	16,832	0.08	BIZ	3.38	0.02	366	3.38	MBK	17.40	0.20	67,956	17.36
MINT41C2406A	0.09	0.01	7,584	0.08	BLC	5.40	0.05	47,740	5.40	MBK-W2	-	-	-	-
MINT41C2408A	0.09	(0.01)	21,934	0.09	DDD	9.10	-	379	9.10	MBK-W3	16.10	0.80	617	15.31
MINT41C2604T	-	-	-	-	JCT	80.50	0.50	1	80.50	MBK-W4	15.50	0.60	17	14.96
OHTL	-	-	-	-	KISS	6.65	(0.10)	19,087	6.60	MJD	1.31	-	15	1.31
ROH	-	-	-	-	NAM	5.15	0.05	3,058	5.13	MK	2.00	-	102	2.00
SHANG	-	-	-	-	NEO	43.00	1.50	13,036	42.74	NCH	1.00	-	1,881	1.00
SHR	2.30	0.02	70,584	2.28	NV	1.29	(0.03)	5,188	1.31	NNCL	1.87	(0.01)	1,864	1.87
VRANDA	5.70	-	1,377	5.70	OCC	10.00	-	5	9.60	NOBLE	3.56	-	5,946	3.58
Home & Office Prodt.	-	-	-	-	S&J	52.25	-	3	52.25	NUSA	0.42	0.01	353,641	0.42
AJA	0.27	0.03	1,193,098	0.26	STGT	9.05	0.05	58,432	9.05	NUSA-W5	0.11	-	176,138	0.12
AJA-W3	0.08	0.02	1,048,915	0.08	STGT01C2407A	0.63	-	44,936	0.63	NVD	1.76	(0.03)	22	1.78
AJA-W4	0.12	0.01	178,000	0.12	STGT01C2407B	0.33	-	65,311	0.32	NVD-W3	0.07	-	22,822	0.07
DTCI	32.25	0.25	3	32.17	STGT01P2407X	-	-	-	-	ORI	6.45	(0.15)	61,366	6.44
FANCY	0.42	-	573	0.42	STGT01P2408X	0.23	(0.02)	133,321	0.24	ORI13C2407A	0.05	(0.02)	1,000	0.05
FTI	2.14	(0.02)	2,536	2.12	STGT13C2407A	-	-	-	-	ORI19C2409A	0.21	(0.05)	22,146	0.21
KYE	327.00	1.00	10	326.50	STGT13C2407B	0.30	0.01	114,711	0.30	ORN	1.12	-	17,772	1.12
L&E	1.12	(0.01)	699	1.12	STGT13C2408A	0.10	-	44,619	0.10	PACE	-	-	-	-
MODERN	2.26	0.02	149	2.25	STGT13P2407A	-	-	-	-	PEACE	3.08	0.02	1,018	2.96
OGC	24.30	0.10	6	24.32	STGT19C2407A	0.37	(0.08)	1,000	0.37	PF	0.23	0.01	169,747	0.22
ROCK	12.80	(1.00)	14	13.23	STGT19C2408A	0.23	(0.01)	44,424	0.23	PIN	7.05	0.25	63,565	6.88
SBNEXT	0.60	0.02	4,521	0.60	STHAI	-	-	-	-	PLAT	2.48	(0.04)	521	2.49
SBNEXT-W2	0.07	-	4,774	0.06	TNR	10.60	0.50	1,445	10.57	POLAR	-	-	-	-
SIAM	1.25	-	904	1.23	TOG	11.10	(0.10)	2,669	11.13	PRECHA	1.07	(0.01)	2,112	1.08
TCMC	1.26	0.03	800	1.24	Professional Sen	-	-	-	-	PRIN	-	-	-	-
Insurance	-	-	-	-	BWG	0.43	(0.01)	169,054	0.43	PSH	11.40	0.10	4,121	11.33
AYUD	36.75	(0.50)	29	36.92	GENCO	0.53	0.01	10,490	0.52	QH	2.12	(0.04)	358,990	2.14
BKI	293.00	1.00	407	292.40	PRO	-	-	-	-	RABBIT	0.39	-	32,193	0.40
BLA	20.00	0.20	144,530	20.17	PRTR	4.08	0.04	6,036	4.05	RABBIT-P	0.40	(0.01)	938	0.40
BLA13C2407A	0.17	-	197,229	0.18	SISB	40.50	1.25	20,861	40.17	RABBIT-Q	-	-	-	-
BLA13C2410A	0.40	(0.60)	157,220	0.41	SISB13C2405A	-	-	-	-	RICHY	0.60	0.01	1,276	0.59
BLA19C2408A	0.35	0.02	127,577	0.35	SISB13C2407A	-	-	-	-	RML	0.42	(0.02)	59,057	0.43
BUI	16.80	0.10	25	16.76	SISB13C2410A	0.34	0.04	85,959	0.33	ROJNA	7.35	-	84,761	7.33
CHARAN	22.90	(1.60)	377	22.79	SO	6.60	(0.10)	203	6.57	S	0.80	-	46,220	0.80
INSURE	107.50	-	25	107.72	WAVE	0.15	-	63,222	0.15	SA	7.15	0.05	504	7.13
KWI	0.63	-	139,594	0.70	WAVE-W3	0.05	0.01	14,558	0.04	SA-W1	0.14	(0.01)	1,917	0.13
MTI	104.50	(7.00)	595	105.36	Property Develo	-	-	-	-	SAMCO	1.13	-	2,136	1.12
NKI	-	-	-	-	A	5.00	-	8	5.00	SC	3.54	0.02	20,378	3.51
SMK	-	-	-	-	AKS	0.01	-	7,781	0.01	SENA	2.66	(0.36)	39,288	2.68
TGH	14.10	(0.90)	124	14.56	AKS-W5	0.01	-	87	0.01	SIRI	1.67	0.01	528,252	1.67
THRE	0.79	(0.03)	142,971	0.82	AMATA	22.60	0.20	27,096	22.50	SIRI01C2406A	-	-	-	-
THREL	2.04	0.02	8,333	2.04	AMATA01C2407	0.19	-	1,996	0.19	SIRI13C2407A	-	-	-	-
TIPH	29.50	(0.50)	2,719	29.68	AMATA11C2407	0.21	0.01	2,040	0.21	SIRI19C2407A	-	-	-	-
TIPH13C2407A	0.05	(0.01)	400	0.05	AMATA13C2406	-	-	-	-	SPALI	19.40	0.20	19,367	19.39
TIPH19C2407A	0.11	0.01	1,000	0.11	AMATA19C2407	0.15	(0.01)	500	0.15	SPALI13C2405A	-	-	-	-
TLI	9.25	0.10	269,277	9.21	AMATA41C2407	0.24	-	13,252	0.24	SPALI13C2409A	0.30	-	18,158	0.30
TLI01C2406A	-	-	-	-	AMATA41C2407	0.12	-	8,982	0.12	SPALI19C2408A	-	-	-	-
TLI01C2406B	0.06	0.01	1,502	0.05	AMATAV	5.50	-	176	5.54	UV	2.04	0.02	2,948	2.03
TLI01C2408A	0.30	0.01	26,410	0.29	ANAN	0.83	0.01	51,494	0.83	WHA	5.05	0.05	239,174	5.01
TLI13C2407A	0.24	-	54,506	0.23	AP	9.50	(0.05)	140,076	9.55	WHA01C2405A	-	-	-	-
TLI19C2407A	0.24	0.01	26,842	0.23	AP13C2409A	0.11	-	3,270	0.11	WHA01C2406A	0.09	0.01	17,260	0.09
TLI41C2406A	0.18	0.01	14,234	0.17	AP19C2409A	0.11	0.01	16,752	0.11	WHA01C2408A	0.46	0.05	10,360	0.43
TLI41C2407A	0.18	-	46,071	0.17	APEX	-	-	-	-	WHA01P2407X	0.12	(0.01)	5,351	0.12
TQM	25.50	-	11,078	25.29	ASW	8.00	0.05	3,967	7.95	WHA11C2407A	-	-	-	-
TQM13C2407A	-	-	-	-	ASW-W1	-	-	-	-	WHA13C2406A	-	-	-	-
TQM19C2407A	0.06	-	1,024	0.06	ASW-W2	0.11	-	11,898	0.11	WHA13C2408A	0.40	0.02	755	0.40
TSI	0.11	-	1,664	0.11	AWC	4.26	0.08	341,559	4.26	WHA13P2407A	0.08	(0.02)	19	0.08
TVH	8.75	0.40	1,335	8.74	AWC01C2406A	0.16	0.02	11,214	0.16	WHA19C2406A	-	-	-	-
Packaging	-	-	-	-	AWC01C2408A	0.41	0.02	11,357	0.41	WHA41C2406A	0.11	0.01	450	0.11
AJ	5.90	0.05	576	5.85	AWC01C2409A	0.31	0.02	44,449	0.31	WHA41C2406B	-	-	-	-
ALUCON	172.50	(0.5												

Main Board Quotation

Issue Date :

Friday May 10, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PDJ	2.18	0.02	311	2.17	RCL41C2407A	0.03	0.01	15,988	0.03	SSTRT	4.98	-	49	4.98
PG	9.10	-	125	9.09	RCL41C2408A	0.35	-	196,996	0.37	TIF1	7.80	0.05	8	7.80
SABINA	24.80	(0.10)	6,622	24.79	SAV	21.60	0.40	67,971	21.37	TLHPF	3.30	(0.02)	303	3.30
SAWANG	13.50	0.20	1	13.50	SINO	1.37	0.05	50,512	1.38	TNPF	1.54	(0.02)	15	1.52
SUC	29.75	-	40	29.61	SJWD	13.60	(1.00)	128,576	13.75	TPRIME	6.05	(0.05)	764	6.05
TNL	34.00	1.00	49	33.29	SJWD13C2407A	0.05	(0.03)	8,038	0.04	TTLPF	16.40	(0.10)	143	16.35
TR	41.25	0.75	10	41.25	TFIF	6.30	0.05	34,170	6.22	TU-PF	0.65	0.02	2	0.57
TTI	-	-	-	-	THAI	-	-	-	-	URBNPF	0.39	0.02	345	0.38
TTT	-	-	-	-	TSTE	-	-	-	-	WHABT	7.65	-	108	7.62
UPF	-	-	-	-	TTA	6.70	(0.10)	99,556	6.81	WHAIR	5.85	0.05	3,164	5.84
WACOAL	31.25	-	1	31.25	WICE	5.20	-	2,165	5.19	WHART	9.10	0.05	22,314	9.06
WFX	1.67	(0.02)	3,316	1.62	Automotive	-	-	-	-	Steel and Metal Prod	-	-	-	-
Transportation & Log	-	-	-	-	3K-BAT	-	-	-	-	2S	3.06	-	438	3.06
AAV	2.36	0.04	159,330	2.34	ACG	1.21	-	11	1.21	AMC	3.26	0.02	2,030	3.26
AAV01C2405A	-	-	-	-	AH	20.30	(0.30)	15,595	20.44	BSBM	0.75	-	285	0.75
AAV01C2409A	0.14	0.01	1,016	0.14	CWT	1.28	(0.01)	4,111	1.27	CEN	2.46	-	22	2.42
AAV11C2406A	0.10	-	1	0.10	EASON	1.19	-	2,518	1.18	CEN-W5	0.26	(0.01)	1,637	0.27
AAV13C2408A	0.10	-	1,492	0.10	GYT	181.00	(0.50)	10	181.80	CITY	2.20	-	160	2.20
AAV19C2408A	0.10	-	1,423	0.10	HFT	4.36	(0.04)	9,974	4.38	CSP	1.06	-	4,617	1.09
ANI	4.68	-	1,420	4.68	IHL	1.99	-	340	1.99	GJS	0.23	-	1,827	0.23
AOT	66.50	0.75	140,503	65.96	INGRS	0.42	-	6,687	0.42	GSTEEL	-	-	-	-
AOT01C2405A	-	-	-	-	IRC	13.00	-	156	12.73	INOX	0.50	(0.01)	14,223	0.50
AOT01C2407A	0.19	0.02	6,684	0.18	MGC	5.00	(0.10)	3,950	5.01	LHK	4.08	-	325	4.08
AOT01C2409A	0.37	0.03	6,155	0.36	NEX	8.75	0.05	22,108	8.72	MCS	7.65	(0.45)	13,727	7.76
AOT01P2405X	-	-	-	-	NEX13C2405A	-	-	-	-	MILL	0.18	(0.01)	7,167	0.18
AOT01P2407X	-	-	-	-	NEX13C2407A	0.04	-	3,016	0.04	MILL-W6	-	-	-	-
AOT01P2409X	0.36	(0.02)	3,110	0.37	NEX19C2409A	0.24	-	15,303	0.24	MILL-W7	0.02	-	2,502	0.01
AOT11C2407A	0.13	0.01	1,020	0.13	PCSGH	5.05	0.05	207	5.01	PAP	2.42	(0.06)	646	2.40
AOT13C2408A	0.17	0.01	4,176	0.16	POLY	7.65	(0.25)	62	7.64	PERM	0.89	0.01	1,246	0.88
AOT13C2409A	0.35	0.02	5,498	0.34	SAT	15.90	(0.30)	21,686	15.94	SAM	0.39	(0.01)	2,618	0.39
AOT13P2407A	-	-	-	-	SPG	14.80	0.30	1	14.80	SMIT	4.48	-	1,386	4.43
AOT13P2408A	0.18	(0.02)	1,612	0.19	STANLY	219.00	(2.00)	485	219.69	SSSC	2.84	(0.02)	1,638	2.86
AOT19C2406A	-	-	-	-	TKT	1.77	0.01	828	1.78	TGPRO	0.12	-	57,794	0.12
AOT19C2406B	0.11	-	38	0.11	TNPC	1.21	-	1,041	1.22	THE	1.12	(0.02)	1,754	1.10
AOT19C2409A	0.20	0.01	22,438	0.20	TRU	3.32	-	942	3.31	TMT	5.30	(0.05)	418	5.31
AOT19P2407A	-	-	-	-	TSC	14.90	-	553	14.92	TSTH	0.77	-	2,665	0.77
AOT27C2407A	-	-	-	-	Industrial Materi	-	-	-	-	TWP	1.94	0.03	77	1.93
AOT27P2407A	-	-	-	-	ALLA	1.57	(0.09)	83,348	1.54	TYCN	2.50	-	2	2.50
AOT41C2406A	-	-	-	-	ASEFA	3.68	(0.02)	1,491	3.67	Construction Service	-	-	-	-
AOT41C2410A	0.21	-	1,984	0.21	CPT	0.75	0.03	20,880	0.74	APCS	3.26	0.02	5	3.28
ASIMAR	1.68	0.01	5,004	1.68	CRANE	0.91	-	1,353	0.91	BJCHI	1.14	-	2,795	1.15
B	0.11	-	144,645	0.11	CTW	4.60	(0.02)	25	4.60	BKD	1.28	0.03	6,711	1.25
B-W8	0.01	-	406,663	0.01	FMT	34.75	(1.00)	20	34.88	CIVIL	1.88	(0.02)	5,883	1.89
BA	16.80	0.10	7,514	16.80	HTECH	2.22	-	517	2.17	CK	22.00	(0.10)	11,792	21.95
BEM	8.20	0.10	209,691	8.16	KKC	-	-	-	-	CK01C2407A	0.13	(0.02)	14,274	0.13
BEM01C2405A	-	-	-	-	PK	0.71	-	2,848	0.71	CK11C2407A	0.13	(0.02)	1,530	0.13
BEM01C2408A	0.20	0.02	24,436	0.19	PSP	6.30	(0.15)	29,547	6.36	CK13C2408A	0.14	(0.01)	12,947	0.14
BEM01P2408X	0.22	(0.02)	9,302	0.23	SNC	7.40	(0.15)	2,017	7.52	CK19C2408A	0.12	(0.01)	3,200	0.12
BEM13C2407A	-	-	-	-	STARK	-	-	-	-	CNT	1.39	(0.03)	6,583	1.38
BEM19C2408A	0.15	-	41,642	0.15	STARK-W1	-	-	-	-	EMC	0.06	-	2,183	0.06
BTS	6.10	-	287,775	6.10	TCJ	3.02	(0.04)	108	2.99	ITD	0.71	-	102,655	0.71
BTS-W7	0.01	-	13	0.01	TPCS	-	-	-	-	NL	2.40	-	18,358	2.38
BTS-W8	0.10	-	5,557	0.10	VARO	3.00	(0.04)	941	3.01	NWR	0.32	(0.01)	6,105	0.33
BTS01C2405A	-	-	-	-	Property Fund &	-	-	-	-	PLE	0.50	-	2,310	0.50
BTS01C2407A	-	-	-	-	AIMCG	3.04	-	358	3.04	PREB	5.80	(0.10)	1,450	5.76
BTS01C2408A	0.27	-	12,343	0.27	AIMIRT	10.60	(0.20)	2,002	10.66	PYLON	2.34	-	731	2.32
BTS01P2405X	-	-	-	-	ALLY	5.55	(0.05)	14,895	5.54	RT	0.69	(0.02)	50,316	0.70
BTS01P2407X	-	-	-	-	AMATAR	6.40	-	210	6.44	RT-W1	-	-	-	-
BTS13C2405A	-	-	-	-	B-WORK	4.18	(0.02)	1,497	4.19	SEAFCO	2.48	(0.02)	3,119	2.49
BTS13C2407A	-	-	-	-	BAREIT	9.50	-	5,066	9.49	SQ	1.17	0.01	4,107	1.16
BTS13C2407B	0.21	(0.01)	1	0.21	BKCP	9.10	0.05	92	9.04	SRICHA	7.80	0.05	776	7.75
BTS13C2410A	0.17	-	200	0.17	BOFFICE	4.92	(0.02)	11,941	4.94	STEC	9.55	(0.30)	72,842	9.66
BTS13P2405A	-	-	-	-	CPNGC	5.95	0.15	3,344	5.91	STEC19C2407A	0.24	(0.06)	33,382	0.27
BTS13P2407A	0.04	-	1,000	0.04	CPNREIT	10.20	(0.30)	213,607	10.20	STI	3.20	-	656	3.20
BTS19C2406A	-	-	-	-	CPTGF	5.35	(0.05)	4,176	5.35	STPI	3.20	0.04	1,388	3.17
BTS19C2407A	-	-	-	-	CTARAF	4.46	-	435	4.44	SYNTEC	1.83	(0.03)	4,938	1.82
BTS19C2407B	-	-	-	-	DREIT	4.60	(0.06)	1,137	4.60	TEAMG	4.18	-	5,015	4.19
BTS41C2407A	0.06	(0.01)	7,968	0.06	ERWRF	-	-	-	-	TEAMG-W1	0.50	(0.02)	2,438	0.51
BTS41C2408A	0.21	(0.01)	9,481	0.21	FTREIT	9.55	(0.05)	12,584	9.52	TEKA	2.48	(0.02)	2,137	2.44
BTS5IF	3.58	-	7,457	3.58	FUTUREPF	11.60	0.10	1,011	11.49	TPOLY	1.34	(0.07)	102,184	1.36
DMT	11.90	-	3,437	11.89	GAHREIT	6.50	(0.15)	1,195	6.55	TRC	0.30	-	43,916	0.30
ETL	1.35	0.03	59,782	1.34	GROREIT	8.75	-	42	8.75	TRITN	0.14	-	8,871	0.14
III	8.35	(0.05)	9,284	8.31	GVREIT	5.50	(0.05)	9,742	5.53	TRITN-W5	-	-	-	-
KEX	4.30	-	5,541	4.29	HPF	4.64	-	104	4.64	TRITN-W6	0.01	-	3	0.01
KIAT	0.39	(0.01)	40,369	0.40	HYDROGEN	-	-	-	-	TTCL	3.80	0.06	8,795	3.76
KWC	-	-	-	-	IMPACT	11.70	-	4,439	11.69	UNIQ	3.10	(0.04)	2,123	3.07
MENA	1.69	(0.05)	31,087	1.69	INETREIT	8.35	-	2,081	8.34	WGE	0.74	0.08	9,938	0.71
NOK	-	-	-	-	KPNPF	3.20	0.04	7	3.21	Unit Trust	-	-	-	-
NYT	4.16	(0.02)	43,604	4.16	KTBSTMR	6.55	(0.05)	189	6.54	SCBSET	-	-	-	-
PORT	1.95	(0.04)	1,120	1.98	LHHOTEL	11.30	-	5,512	11.31	ETF	-	-	-	-
PRM	7.55	(0.05)	37,445	7.51	LHPF	6.00	-	10	6.00	IDIV	9.80	(0.02)	59	9.82
PSL	9.55	-	133,409	9.53	LHSC	9.75	-	1,693	9.75	ABFTH	-	-	-	-
PSL01C2405A	-	-	-	-	LPF	13.00	(0.10)	10,765	12.92	BMSCG	9.56	(0.10)	21	9.56
PSL01C2407A	0.23	-	67,147	0.23	LUXF	7.10	-	70	7.09	BMSCITH	9.79	-	305	9.78
PSL13C2407A	0.18	-	92,582	0.17	M-II	6.05	-	12	6.05	BSET100	8.99	(0.03)	323	9.00
PSL19C2407A	0.26	-	82,337	0.26	M-PAT	-	-	-	-	CHINA	6.03	(0.01)	332	6.03
RCL	23.40	0.10	203,170	23.56	M-STOR	7.40	(0.35)	28	7.23	ENGY	4.97	-	175	4.97
RCL01C2405A	-	-	-	-	MIFP	-	-	-	-	ENY	4.84	(0.03)	95	4.84
RCL01C2405B	-	-	-	-	MIT	0.50	(0.01)	408	0.50	GLD	3.49	0.05	9,521	3.47
RCL01C2407A	0.05	(0.01)	64,158	0.05	MJLF	3.64	0.04	1,005	3.60	TDEX	8.24	0.01	1,368	8.22
RCL01C2408A	0.36	0.01	93,231	0.38	MNIT	2.16	-	54	2.16	UBOT	13.85	0.03	2	13.44
RCL01P2405X	-	-	-	-	MNIT2	4.86	(0.14)	201	4.83	UHERO	7.28	(0.01)	2	7.09
RCL06C2405A	-	-	-	-	MNRF	2.68	(0.02)	523	2.68	Warrant Foreign	-	-	-	-
RCL11C2407A	0.04	0.02	17,068	0.06	POPF	6.35	(0.05)	1,496	6.40	AIA28C2406A	-	-	-	-
RCL13C2405A	-	-	-	-	PPF	10.50	0.10	863	10.50	AIA28C2408A				

Main Board Quotation

Issue Date :

Friday May 10, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ALTHEA28C2406A	-	-	-	-	HSI28C2406A	1.11	0.28	207,010	1.05	SET5006P2406B	0.16	(0.03)	68,040	0.18
ALTHEA28C2407A	0.12	-	12,198	0.12	HSI28C2406B	1.86	0.39	5,620	1.76	SET5013C2405A	-	-	-	-
ALTHEA28C2409A	0.24	(0.03)	501	0.24	HSI28C2406C	0.65	0.18	2,773,677	0.59	SET5013C2406A	0.03	0.01	13,473	0.03
ALTHEA41C2406A	-	-	-	-	HSI28C2406D	2.54	0.44	43,092	2.43	SET5013C2406B	0.04	0.01	130,337	0.03
BABA28C2406A	0.19	0.02	499	0.19	HSI28C2407A	0.65	0.16	3,324,792	0.61	SET5013C2406C	-	-	-	-
BABA28C2406B	0.32	0.03	2,030	0.33	HSI28C2407B	1.04	0.25	322,930	0.96	SET5013C2406D	0.07	-	83,875	0.07
BABA28C2407A	0.46	0.03	30,913	0.47	HSI28C2407C	0.42	0.11	4,397,886	0.40	SET5013C2406E	0.11	0.01	524,797	0.10
BABA28C2408A	0.77	0.06	10,938	0.77	HSI28C2407D	0.24	(0.76)	27,472	0.22	SET5013C2406F	0.20	0.02	1,431,850	0.19
BABA28P2407A	-	-	-	-	HSI28C2408A	0.70	0.15	5,714,767	0.67	SET5013C2406G	0.30	0.03	1,016,581	0.28
BABA28P2408A	0.21	(0.79)	12,168	0.22	HSI28C2409A	0.66	(0.34)	4,325,536	0.61	SET5013C2409A	0.42	0.04	1,477,247	0.40
BABA41C2406A	0.26	0.02	4	0.27	HSI28P2405A	0.02	-	500	0.02	SET5013C2409B	0.64	0.04	258,734	0.62
BABA41C2406B	0.52	0.06	57	0.52	HSI28P2405B	0.01	-	22,260	0.01	SET5013C2409C	0.36	0.03	402,567	0.35
BABA41C2407A	0.40	0.03	60	0.40	HSI28P2405C	0.01	-	187,289	0.01	SET5013C2410A	0.13	0.01	162,596	0.12
BABA41P2407A	-	-	-	-	HSI28P2405D	0.02	(0.02)	66,873	0.03	SET5013C2410B	0.18	0.01	47,351	0.18
BIDU28C2407A	0.24	(0.01)	16,582	0.24	HSI28P2406A	0.03	(0.01)	1,362	0.02	SET5013C2411A	0.31	0.02	68,628	0.29
BIDU28P2406A	-	-	-	-	HSI28P2406B	0.02	(0.02)	41,859	0.02	SET5013P2405A	-	-	-	-
BIDU41C2407A	0.26	-	1,010	0.26	HSI28P2406C	0.02	-	28	0.02	SET5013P2406A	0.03	-	54,884	0.03
BYDCOM28C2405A	0.09	(0.02)	1	0.09	HSI28P2406D	0.05	(0.03)	554,757	0.06	SET5013P2406B	0.03	(0.01)	20,860	0.03
BYDCOM28C2407A	0.55	(0.04)	3,052	0.54	HSI28P2406E	0.17	(0.10)	900,957	0.19	SET5013P2406C	0.04	(0.01)	4,961	0.05
BYDCOM28C2408A	0.29	(0.03)	23,205	0.28	HSI28P2407A	0.04	(0.02)	145,078	0.05	SET5013P2406D	0.05	(0.02)	297,730	0.06
BYDCOM28P2405A	-	-	-	-	HSI28P2407B	0.14	(0.07)	87,831	0.16	SET5013P2406E	0.14	(0.04)	389,270	0.15
BYDCOM28P2409A	0.29	0.02	10	0.29	HSI28P2407C	0.29	(0.71)	665,080	0.33	SET5013P2406F	0.35	(0.07)	855,529	0.38
BYDCOM41C2405A	-	-	-	-	HSI28P2407D	0.55	(0.45)	4,943,916	0.60	SET5013P2406G	0.11	(0.02)	46,901	0.12
BYDCOM41C2406A	0.31	(0.04)	14	0.29	HSI28P2408A	0.10	(0.03)	20,657	0.10	SET5013P2406H	0.12	(0.03)	217,028	0.13
BYDCOM41C2409A	-	-	-	-	HSI28P2408B	-	-	-	-	SET5013P2409A	0.31	(0.03)	254,802	0.33
BYDCOM41P2405A	-	-	-	-	HSI28P2409A	0.51	(0.49)	2,924,416	0.55	SET5013P2409B	0.49	(0.06)	1,654,706	0.52
BYDCOM41P2409A	0.23	-	48	0.24	HSTECH28C240A	-	-	-	-	SET5013P2409C	0.68	(0.08)	86,402	0.72
CATHAY28C2407A	0.41	0.06	501	0.41	HSTECH28C240B	0.50	(0.02)	200	0.50	SET5013P2410A	0.23	(0.03)	79,872	0.24
CATHAY41C2407A	0.18	0.05	1,257	0.16	HSTECH28P240A	-	-	-	-	SET5019C2406A	0.02	-	1,959	0.02
CMHOB128C2409A	0.61	0.20	70,002	0.61	HSTECH28P240B	0.11	(0.03)	5	0.11	SET5019C2406B	-	-	-	-
CMBANK41C2406A	-	-	-	-	ICBC28C2407A	0.75	0.26	1	0.75	SET5019C2406C	0.04	(0.01)	100	0.04
CNOOC28C2408A	0.89	0.15	2	0.87	JD28C2406A	-	-	-	-	SET5019C2406E	0.04	-	20,000	0.04
DJI28C2406B	-	-	-	-	JD28C2408A	1.78	0.05	6	1.80	SET5019C2406F	0.14	0.01	192,149	0.14
DJI28C2406C	0.05	0.01	4,200	0.05	JD28C2408B	0.51	0.01	30,594	0.50	SET5019C2406G	0.09	0.01	4,450	0.09
DJI28C2409A	0.36	0.08	151	0.35	JD41C2406A	-	-	-	-	SET5019C2406H	-	-	-	-
DJI28C2409B	0.54	0.08	2	0.54	JD41C2407A	0.71	0.02	24	0.70	SET5019C2406I	0.38	0.03	93,576	0.36
DJI28P2406A	-	-	-	-	KUAIISH28C240A	0.25	(0.05)	24,712	0.24	SET5019C2409A	0.24	0.02	438,460	0.23
DJI28P2406B	0.06	(0.04)	40,110	0.06	KUAIISH28C240B	0.82	0.12	1	0.82	SET5019C2409B	0.43	0.04	265,118	0.41
DJI28P2406C	0.26	(0.10)	1,100	0.26	KUAIISH41C240A	0.52	(0.07)	1,682	0.49	SET5019P2406A	0.12	(0.03)	51,048	0.13
DJI41C2406A	0.29	0.07	6,035	0.28	LENVO28C240A	0.46	(0.04)	2	0.47	SET5019P2406B	-	-	-	-
DJI41C2409A	0.58	0.11	80	0.58	LENVO28C240B	0.22	(0.04)	61,752	0.24	SET5019P2406C	0.04	(0.01)	226	0.04
DJI41P2406A	-	-	-	-	LENVO41C240A	0.12	(0.02)	350	0.13	SET5019P2406D	0.16	(0.04)	306,347	0.18
DJI41P2406B	0.12	(0.05)	44,545	0.12	MCA5041C240A	0.98	(0.11)	52	0.98	SET5019P2406E	0.45	(0.05)	373	0.48
DJI41P2409A	0.64	(0.10)	2,215	0.64	MCA5041P240A	-	-	-	-	SET5019P2409A	0.31	(0.02)	209,657	0.32
GEELY28C2406A	-	-	-	-	MEITUA28C240A	-	-	-	-	SET5019P2409B	0.44	(0.03)	475,878	0.45
GEELY28C2408A	0.33	-	19,126	0.32	MEITUA28C240B	-	-	-	-	SET5027C2406A	-	-	-	-
GEELY41C2406A	-	-	-	-	MEITUA28C240C	-	-	-	-	SET5027C2406B	0.01	-	150	0.01
HAIDL128C2406A	-	-	-	-	MEITUA28C240D	0.37	(0.63)	52,448	0.37	SET5027C2406C	0.03	-	85	0.02
HAIDL141C2405A	0.75	0.18	20	0.75	MEITUA28P240A	-	-	-	-	SET5027C2406D	0.07	0.01	3,155	0.06
HAIDL141C2407A	0.41	0.09	77	0.41	MEITUA28P240B	-	-	-	-	SET5027C2406E	0.37	0.05	131,184	0.35
HKEX28C2406A	0.36	0.19	6,244	0.35	MEITUA28P240C	-	-	-	-	SET5027C2406F	-	-	-	-
HKEX28C2407A	0.69	0.27	72	0.69	MEITUA28P240D	0.20	(0.02)	30,420	0.21	SET5027C2409A	0.38	0.03	69,715	0.36
HKEX28C2409A	-	-	-	-	MEITUA41C240A	-	-	-	-	SET5027C2409T	-	-	-	-
HKEX41C2405A	-	-	-	-	MEITUA41C240B	-	-	-	-	SET5027P2406A	-	-	-	-
HKEX41C2406A	0.56	0.29	60	0.53	MEITUA41C240C	-	-	-	-	SET5027P2406B	0.05	(0.02)	9,092	0.05
HKEX41C2409A	0.85	0.32	64	0.82	MEITUA41C240D	-	-	-	-	SET5027P2406C	0.27	(0.07)	105,538	0.30
HSBC28C2406A	-	-	-	-	MEITUA41C240E	2.56	0.77	1	2.56	SET5027P2406T	-	-	-	-
HSBC28P2407A	-	-	-	-	MEITUA41C240F	0.37	-	16	0.38	SET5027P2409A	0.28	(0.04)	72,800	0.30
HSBC41C2405A	-	-	-	-	MEITUA41P240A	-	-	-	-	SET5027P2409T	0.08	-	503	0.09
HSBC41C2407A	0.59	-	29	0.60	MEITUA41P240B	-	-	-	-	SET5028C2406A	-	-	-	-
HSBC41P2406A	-	-	-	-	MEITUA41P240C	0.25	(0.01)	4	0.26	SET5028C2409A	0.27	0.01	254,595	0.27
HSCEI28C2405A	1.16	0.26	17	1.13	NDX28C2406A	-	-	-	-	SET5028C2409B	-	-	-	-
HSCEI28C2406A	1.51	0.27	1	1.51	NDX28C2406B	-	-	-	-	SET5028C2412A	0.29	0.02	149,503	0.28
HSCEI28P2405A	-	-	-	-	NDX28C2406C	0.33	0.01	100	0.33	SET5028C2412B	0.57	0.04	197,311	0.55
HSCEI28P2406A	0.11	(0.04)	4	0.12	NDX28C2406D	-	-	-	-	SET5028P2406A	-	-	-	-
HSI06C2405A	1.52	0.34	32	1.52	NDX28C2409A	0.65	0.05	24	0.62	SET5028P2409A	0.28	(0.03)	475,868	0.30
HSI06C2405B	-	-	-	-	NDX28P2406A	-	-	-	-	SET5028P2409B	0.13	(0.01)	585	0.13
HSI06C2405C	0.77	0.25	214,152	0.68	NDX28P2406B	-	-	-	-	SET5028P2412A	0.46	(0.03)	226,840	0.47
HSI06C2405D	0.32	0.13	7,405,797	0.27	NDX28P2406C	0.13	(0.04)	4,200	0.13	SET5041C2406A	0.02	-	1	0.02
HSI06C2405E	0.14	0.06	6,258,265	0.12	NDX28P2409A	0.70	(0.06)	443	0.71	SET5041C2406B	-	-	-	-
HSI06C2405F	-	-	-	-	NDX41C2406A	0.56	0.08	2,174	0.52	SET5041C2406C	-	-	-	-
HSI06C2406A	2.24	0.71	5	2.14	NDX41C2406B	0.07	0.02	39,000	0.07	SET5041C2406D	-	-	-	-
HSI06C2406B	0.75	0.21	57,657	0.70	NDX41C2409A	0.68	0.06	67	0.65	SET5041C2406E	0.05	0.01	99	0.05
HSI06C2406C	1.06	0.25	1,001	1.06	NDX41P2406A	0.03	(0.01)	32,114	0.03	SET5041C2409A	0.10	0.02	47,557	0.09
HSI06C2406D	0.57	0.15	690,017	0.50	NDX41P2406B	0.08	(0.01)	20,000	0.08	SET5041C2409B	0.57	0.04	726,924	0.55
HSI06C2406E	-	-	-	-	NDX41P2409A	0.57	(0.07)	3,272	0.58	SET5041C2412T	0.35	0.02	412,544	0.33
HSI06C2406F	0.35	0.11	2,433,996	0.32	NTE541C2405A	-	-	-	-	SET5041C2412U	0.34	0.01	198,042	0.33
HSI06C2407A	1.10	0.24	786	1.04	PINGAN28C240A	0.37	0.13	28,016	0.35	SET5041P2406A	0.16	(0.03)	207,691	0.17
HSI06C2407B	0.57	0.12	414,220	0.53	PINGAN28C240B	0.84	0.19	713	0.83	SET5041P2406B	0.07	(0.02)	202,820	0.07
HSI06C2407C	0.30	0.08	5,320,216	0.28	PINGAN28P240A	0.60	(0.05)	10	0.04	SET5041P2406C	0.18	(0.07)	41,361	0.21
HSI06C2408A	0.66	0.14	37,631	0.62	PINGAN41C240A	0.04	0.20	234	0.58	SET5041P2409A	0.30	(0.02)	63,920	0.31
HSI06C2408B	0.38	0.08	246,384	0.36	PINGAN41C240B	0.52	0.17	46	0.51	SET5041P2412T	0.46	(0.		

Main Board Quotation

Issue Date :

Friday May 10, 2024

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
Warrant - MAI														
Agro & Food Indust					TRV	-	-	-	00 0.0	HEALTH	-	-	-	00 0.0
APO	2.20	0.04	397,077	00 2.1	UBIS	1.92	0.02	180	00 1.9	HL	11.90	0.10	1,306	00 11.8
AU	9.30	0.25	11,410	00 9.2	UEC	1.76	0.01	6,438	00 1.7	IMH	6.65	(0.10)	167	00 6.6
JCKH	0.03	-	37,832	00 0.0	UKEM	0.79	(0.01)	7,469	00 0.7	JPARK	6.45	0.35	86,343	00 6.4
JCKH-W1	-	-	-	00 0.0	UREKA	0.55	(0.01)	20,151	00 0.5	KGEM	0.74	(0.03)	10,683	00 0.7
JCKH-W2	-	-	-	00 0.0	YUASA	10.20	0.10	55	00 10.1	KGEM-W2	0.25	-	1,157	00 0.2
KASET	1.23	0.04	1,132	00 1.2	ZIGA	2.48	0.06	53,106	00 2.4	KK	1.88	-	37	00 1.8
MUD	1.75	0.04	33	00 1.7	ZIGA-W2	0.37	0.02	205,073	00 0.3	KLINIQU	37.00	0.75	2,980	00 36.7
NTSC	14.20	0.20	104	00 14.0	Property	-	-	-	-	KOOL	0.38	-	12,566	00 0.3
TACC	4.80	(0.50)	213,915	00 4.8	24CS	3.06	0.08	93,820	00 3.0	KTMS	2.60	0.02	333	00 2.5
TMILL	3.58	-	137	00 3.5	A5	3.42	0.02	5,642	00 3.4	LDC	0.60	0.01	1,252	00 0.5
WINNER	2.22	-	500	00 2.2	A5-W2	0.01	-	10,122	00 0.0	LEO	3.90	(0.02)	2,314	00 3.9
XO	31.25	-	17,106	00 30.9	A5-W3	0.10	-	8,900	00 0.1	LEO-W1	0.13	(0.03)	5,596	00 0.1
Consumer Products					ALL	-	-	-	00 0.0	MASTER	56.75	(0.25)	14,154	00 57.1
ALPHAX	0.83	-	75,965	00 0.8	ARIN	2.10	-	475	00 2.0	MCA	2.76	0.08	59,789	00 2.7
BGT	0.71	-	1,316	00 0.6	ARROW	6.10	0.05	1,868	00 6.0	MEB	34.25	-	978	00 34.0
DOD	2.50	(0.12)	6,369	00 2.5	BC	1.07	(0.01)	152	00 1.0	MORE	0.08	0.01	19,908	00 0.0
ECF	0.76	0.01	10,365	00 0.7	BLESS	0.59	0.01	323	00 0.5	MVP	0.93	(0.01)	8,233	00 0.9
ECF-W4	-	-	-	00 0.0	BSM	2.58	0.04	2,580	00 2.5	NCL	0.59	0.02	32,751	00 0.6
EFORL	0.19	-	106,855	00 0.1	BTW	0.25	-	10,446	00 0.2	NEWS	0.02	-	164,654	00 0.0
EFORL-W6	0.05	-	11,060	00 0.0	CAZ	3.76	(0.02)	557	00 3.7	PEER	0.41	(0.03)	73,627	00 0.4
EURO	6.95	0.25	17,406	00 6.9	CHEWA	0.48	-	606	00 0.4	PEER-W1	0.21	(0.01)	1,055	00 0.2
HPT	0.61	-	40,997	00 0.6	CPANEL	5.90	0.15	1,002	00 5.8	PHOL	2.68	(0.06)	1,031	00 2.6
IP	6.30	0.05	2,456	00 6.2	CPANEL-W1	1.35	(0.05)	167	00 1.3	PICO	4.48	(0.10)	94	00 4.4
IP-W2	0.39	-	2,290	00 0.3	CRD	0.49	(0.01)	1,049	00 0.4	PLT	0.81	-	2,681	00 0.8
ITTHI	2.72	0.06	511,077	00 2.7	DHOUSE	0.63	-	2,405	00 0.6	QLT	2.80	(0.06)	1	00 2.8
JSP	2.72	-	3,378	00 2.7	DIMET	0.23	-	13,940	00 0.2	RP	1.38	-	289	00 1.3
JSP-W1	0.22	-	12,006	00 0.2	DPAINT	2.58	0.02	1,456	00 2.5	SE	0.82	0.01	2,457	00 0.8
JUBILE	15.80	0.10	104	00 15.7	FLOYD	1.01	-	849	00 1.0	SLM	-	-	-	00 0.0
MGI	25.75	(3.75)	127,606	00 25.4	FLOYD-W1	-	-	-	00 0.0	SONIC	1.64	0.02	15,811	00 1.6
MOONG	2.16	-	182	00 2.1	HYDRO	0.33	(0.09)	15,016	00 0.3	SPA	8.00	(0.05)	7,765	00 8.0
NPK	-	-	-	00 0.0	HYDRO-W2	0.16	(0.01)	19,198	00 0.1	THMUI	0.60	-	2,901	00 0.5
SMD	6.25	(0.20)	2,042	00 6.3	IND	0.92	(0.01)	2,258	00 0.9	TNDT	0.17	(0.01)	18,128	00 0.1
TM	1.90	(0.02)	368	00 1.8	JAK	1.26	(0.01)	170	00 1.2	TNDT-W1	0.04	-	40	00 0.0
TM-W1	0.19	(0.01)	550	00 0.1	K	0.98	0.03	10,092	00 0.9	TNH	35.25	-	274	00 35.4
WARRIX	5.65	-	7,303	00 5.6	K-W2	-	-	-	00 0.0	TNP	3.46	0.06	5,925	00 3.4
WINMED	2.50	-	132	00 2.5	KUN	1.61	0.01	12	00 1.6	TPL	1.38	0.01	1,141	00 1.3
Financials					KUN-W2	0.06	(0.01)	43,240	00 0.0	TRP	11.90	(0.20)	5,237	00 11.9
ACAP	-	-	-	00 0.0	META	0.14	-	33,067	00 0.1	TURTLE	-	-	-	00 0.0
AF	0.68	(0.04)	157	00 0.6	META-W7	0.01	-	700	00 0.0	TVDH	0.34	(0.01)	134	00 0.3
AIRA	1.59	(0.01)	14	00 1.5	PANEL	1.78	0.01	1,896	00 1.7	TVDH-W3	0.04	(0.01)	1,500	00 0.0
ASN	2.04	(0.04)	96	00 2.0	PPS	0.42	-	2,002	00 0.4	TVDH-W4	0.07	-	794	00 0.0
BROOK	0.55	0.03	458,730	00 0.5	PRI	14.00	(0.60)	5,618	00 14.1	TVT	0.48	-	28,559	00 0.4
BROOK-W6	0.03	(0.01)	100,564	00 0.0	PROS	1.37	0.17	27,845	00 1.2	UBA	1.08	0.01	599	00 1.0
BROOK-W7	0.24	0.01	17,479	00 0.2	PROS-W1	0.40	0.04	67,067	00 0.3	VL	1.16	(0.01)	11,948	00 1.1
GCAP	0.53	-	35,440	00 0.5	PROUD	1.98	0.16	39,832	00 1.9	YGG	7.05	0.10	12,313	00 6.9
KCCAMC	3.34	(0.06)	258,930	00 3.5	PSG	0.60	-	132,651	00 0.6	Technology	-	-	-	-
LIT	1.14	0.01	1,189	00 1.1	QTGG	0.77	(0.02)	134,770	00 0.7	APP	2.28	-	180	00 2.2
LIT-W2	0.31	0.01	1,778	00 0.2	SENX	0.49	-	6,558	00 0.4	BBIK	44.25	0.75	2,451	00 43.8
MITSIB	0.72	0.01	4,907	00 0.7	SENX-W1	0.01	-	1,000	00 0.0	BE8	20.30	(0.50)	31,607	00 20.1
SGF	0.33	(0.01)	2,087	00 0.3	SK	0.82	0.01	13,373	00 0.8	BE8-W1	3.12	(0.20)	20	00 3.1
SGF-P1	-	-	-	00 0.0	SMART	0.84	0.03	55,803	00 0.8	BVG	4.48	(0.97)	133,319	00 4.6
SGF-Q1	-	-	-	00 0.0	STC	0.60	(0.01)	1,465	00 0.6	COMAN	3.84	0.02	1	00 3.8
TQR	6.95	-	59	00 6.9	STX	2.08	(0.16)	53,749	00 2.1	I2	2.16	(0.06)	30,674	00 2.1
Industrials					SVR	1.40	(0.01)	3,999	00 1.4	IIG	7.85	0.10	2,096	00 7.7
ADB	0.80	-	1,894	00 0.7	TAPAC	-	-	-	00 0.0	IIG-W1	2.52	1.18	15	00 2.1
BM	2.82	-	2,204	00 2.8	THANA	1.62	0.01	52	00 1.6	IRCP	0.67	0.01	1,989	00 0.6
BM-W3	1.52	(0.07)	333	00 1.5	TIGER	0.80	-	101	00 0.8	ITNS	1.98	(0.16)	10,535	00 2.0
BPS	0.91	(0.01)	60,962	00 0.9	TITLE	4.26	(0.06)	789	00 4.3	NAT	5.60	(0.10)	42,651	00 5.6
CHO	0.11	(0.01)	200,063	00 0.1	WELL	-	-	-	00 0.0	NETBAY	20.10	0.20	2,330	00 19.9
CHO-W3	0.01	-	216	00 0.0	YONG	2.00	-	5,311	00 2.0	PLANET	0.62	-	2,224	00 0.6
CHOW	2.70	0.10	9,580	00 2.7	Resources	-	-	-	-	PROEN	1.60	(0.21)	53,933	00 1.6
CIG	0.07	0.01	100,175	00 0.0	ABM	1.40	0.04	657	00 1.3	READY	9.95	(0.35)	1,262	00 10.0
CIG-W10	-	-	-	00 0.0	ABM-W1	0.22	0.02	1,059	00 0.2	SECURE	14.50	(0.10)	1,367	00 14.3
CIG-W9	0.04	-	1,148	00 0.0	GTV	0.13	-	15,771	00 0.1	SICT	4.84	-	1,872	00 4.8
COLOR	1.32	0.01	944	00 1.3	PSTC	0.50	(0.03)	1,224,112	00 0.5	SIMAT	1.25	(0.01)	691	00 1.2
COLOR-W2	-	-	-	00 0.0	PSTC-W2	0.06	-	205,051	00 0.0	SIMAT-W3	-	-	-	00 0.0
CPR	4.06	-	563	00 4.0	PTC	1.76	(0.01)	481	00 1.7	SIMAT-W5	0.08	(0.03)	10,260	00 0.0
FPI	2.16	0.02	1,843	00 2.1	SAAM	7.75	(0.10)	1,264	00 7.8	SPVI	2.90	(0.02)	1,990	00 2.8
GTB	0.74	0.01	410	00 0.7	SAAM-W2	0.38	-	1,442	00 0.3	SRS	6.00	(0.95)	14,825	00 6.1
KCM	0.38	-	176	00 0.3	SR	0.57	(0.01)	15	00 0.5	TBN	10.30	0.20	702	00 10.2
KJL	7.15	0.05	641	00 7.1	STOWER	0.07	-	10,851	00 0.0	TERA	2.36	(0.20)	76,087	00 2.4
KUMWEL	1.92	0.14	1,062	00 1.8	STOWER-W4	-	-	-	00 0.0	TPS	4.56	(0.49)	72,208	00 4.6
KWM	1.37	-	5,420	00 1.3	TAKUNI	0.98	(0.04)	30,669	00 0.9	TPS-W1	3.00	(0.70)	1	00 3.0
MBAX	3.24	0.02	1,169	00 3.0	TPCH	7.00	(0.10)	2,663	00 6.9	VCOM	3.38	-	144	00 3.3
MBAX-W2	0.21	(0.01)	12,046	00 0.2	TRT	4.32	(0.02)	42,826	00 4.3	-	-	-	-	-
MGT	2.44	-	24	00 2.4	UMS	0.51	(0.03)	110	00 0.5	-	-	-	-	-
MTW	2.08	0.06	22,405	00 2.0	Services	-	-	-	-	-	-	-	-	-
NDR	2.12	0.08	2,092	00 2.0	ADD	4.98	0.02	283	00 4.9	-	-	-	-	-
PACO	1.69	0.01	83,366	00 1.7										