

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday May 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KTB41C2406B	-	-	-	-	IVL41C2407A	-	-	-	-
WORLD	-	-	-	-	KTB41C2407A	0.10	(0.01)	25,350	0.11	IVL41C2410A	0.30	(0.05)	18,826	0.32
Agribusiness			-		LHFG	1.03	0.01	65,881	1.02	IVL41C2412A	0.13	(0.01)	2,000	0.13
EE	0.18	-	13,979	0.17	SCB	106.50	-	51,022	106.71	NFC	2.82	-	82	2.81
EE-W1	0.01	-	11	0.01	SCB01C2407A	0.24	(0.01)	27	0.24	PATO	9.55	-	48	9.54
GFTT	12.90	0.10	38,577	12.94	SCB01C2408A	0.27	-	50	0.27	PMTA	-	-	-	-
LEE	2.50	-	663	2.49	SCB01P2407X	-	-	-	-	PTTGC	35.25	(1.25)	150,700	35.49
NER	6.05	0.10	370,632	6.07	SCB01P2410X	-	-	-	-	PTTGC01C2406A	-	-	-	-
PPPM	0.37	(0.01)	3,899	0.38	SCB13C2406A	0.01	-	6,000	0.01	PTTGC01C2407A	0.03	(0.01)	200	0.03
PPPM-W4	0.01	(0.01)	461	0.01	SCB13C2409A	-	-	-	-	PTTGC01C2409A	0.16	(0.05)	7,934	0.17
STA	23.70	3.90	1,060,309	22.68	SCB13P2406A	0.01	-	79	0.01	PTTGC01P2409X	0.49	0.07	6,041	0.47
STA01C2407A	0.52	0.38	127,354	0.43	SCB13P2407A	-	-	-	-	PTTGC11C2409A	0.16	(0.03)	5,400	0.16
STA01C2409A	0.91	0.47	183,056	0.76	SCB13P2410A	-	-	-	-	PTTGC13C2406A	-	-	-	-
STA01P2407X	0.03	(0.09)	26,359	0.02	SCB19C2406A	-	-	-	-	PTTGC13C2409A	0.08	(0.01)	6,550	0.08
STA01P2408X	0.04	(0.09)	160,913	0.06	SCB19C2407A	-	-	-	-	PTTGC13C2410A	0.16	(0.84)	11,065	0.17
STA06C2408A	0.69	0.44	30,984	0.48	SCB19C2409A	-	-	-	-	PTTGC13P2408A	0.26	0.05	18,072	0.25
STA11C2407T	0.96	0.52	12,242	0.92	SCB19P2407A	-	-	-	-	PTTGC19C2406A	-	-	-	-
STA13C2407A	0.70	0.50	114,812	0.44	SCB41C2407A	-	-	-	-	PTTGC19C2409A	0.11	(0.03)	210	0.11
STA13C2408A	0.42	0.28	545,884	0.36	SCB41C2407B	-	-	-	-	PTTGC41C2406A	-	-	-	-
STA13C2409A	1.12	0.56	60,564	0.95	SCB41C2408A	-	-	-	-	PTTGC41C2407A	-	-	-	-
STA13P2407A	-	-	-	-	SCB41P2406A	-	-	-	-	PTTGC41C2407B	0.05	(0.03)	17,300	0.06
STA13P2408A	0.04	(0.09)	466,117	0.06	TCAP	49.00	(0.25)	9,372	49.07	SUTHA	3.04	-	84	3.04
STA19C2406A	0.79	0.56	3,064	0.84	TCAP-P	-	-	-	-	TPA	4.10	-	55	4.01
STA19C2408A	0.63	0.40	290,704	0.42	TCAP-Q	-	-	-	-	UAC	3.54	(0.04)	97	3.54
STA19C2409A	1.12	0.59	20,730	0.99	TISCO	98.00	(0.50)	45,380	98.21	UP	-	-	-	-
STA41C2408A	0.55	0.37	119,236	0.38	TISCO-P	-	-	-	-	Commerce	-	-	-	-
TEGH	3.20	0.22	224,650	3.19	TISCO-Q	-	-	-	-	ADVICE	4.60	0.02	122,689	4.57
TFM	8.50	0.05	983	8.50	TISCO01C2409A	0.40	(0.02)	14,083	0.40	B52	0.74	(0.01)	131	0.68
TRUBB	1.51	0.14	1,560,945	1.50	TISCO01C2408A	-	-	-	-	BEAUTY	0.55	(0.01)	222,628	0.55
TRUBB-W2	0.05	0.02	321,615	0.05	TTB	1.72	(0.01)	1,674,638	1.73	BIG	0.43	(0.01)	1,475	0.43
UPOIC	6.70	0.20	3,306	6.88	TTB-W1	0.79	-	2,093	0.79	BJC	22.20	(0.30)	37,678	22.28
UVAN	8.55	-	2,589	8.51	TTB01C2406A	-	-	-	-	COM7	18.00	(0.10)	149,651	17.87
VPO	0.52	0.02	5,571	0.51	TTB01C2409A	0.16	(0.01)	4,740	0.17	COM701C2406A	0.01	-	212	0.01
Banking			-	-	TTB13C2409A	0.12	-	7,614	0.12	COM701C2407A	0.03	(0.01)	1	0.03
BAY	25.50	-	1,932	25.51	TTB19C2409A	0.15	(0.01)	5,035	0.15	COM701P2406X	0.13	(0.01)	32,490	0.14
BBL	139.00	(0.50)	39,553	139.39	Construction Ma	-	-	-	-	COM701P2408X	0.21	0.01	29,405	0.22
BBL11C2405A	-	-	-	-	CCP	0.34	-	17,836	0.34	COM701P2408X	-	-	-	-
BBL11C2406A	0.01	(0.02)	21	0.01	DCC	1.93	0.01	71,370	1.92	COM706C2407A	-	-	-	-
BBL11C2409A	0.35	(0.02)	15,610	0.35	DCON	0.39	-	26,043	0.39	COM711C2406A	-	-	-	-
BBL11P2407A	-	-	-	-	DCON-W3	0.04	-	9,854	0.04	COM711C2409A	0.22	(0.01)	19,313	0.22
BBL13C2406A	0.01	(0.01)	45	0.01	DRT	8.05	(0.05)	575	8.10	COM711P2406A	0.14	(0.01)	31,040	0.15
BBL13C2408A	0.12	-	12,654	0.12	EPG	6.55	(0.15)	7,488	6.60	COM713C2406A	0.01	-	80	0.01
BBL13P2408A	0.11	-	50	0.11	GEL	0.14	-	7,145	0.14	COM713C2407A	0.02	(0.01)	5	0.02
BBL19C2406A	-	-	-	-	GEL-W5	0.02	-	1,002	0.02	COM713C2408A	0.10	(0.02)	40,193	0.10
BBL19C2408A	0.10	(0.01)	25,644	0.11	PPP	1.78	(0.02)	33	1.77	COM713C2410A	0.28	(0.01)	61,792	0.28
BBL19P2406A	-	-	-	-	Q-CON	14.20	-	3,610	14.21	COM713P2407A	0.11	-	46,084	0.12
BBL41C2406A	-	-	-	-	SSC	237.00	(7.00)	41,277	239.47	COM713P2410A	0.40	0.01	27,418	0.40
BBL41C2406B	-	-	-	-	SSC01C2407A	-	-	-	-	COM719C2406A	0.01	(0.06)	658	0.01
BBL41C2407A	-	-	-	-	SSC01C2408A	0.14	(0.05)	15,891	0.15	COM719C2407A	-	-	-	-
BBL41C2407B	-	-	-	-	SSC11C2408A	0.06	(0.01)	1	0.06	COM719C2408A	0.11	(0.01)	7,556	0.10
BBL41C2408A	0.10	(0.02)	16,490	0.11	SSC13C2407A	-	-	-	-	COM719P2406A	-	-	-	-
BBL41P2406A	-	-	-	-	SSC13C2408A	0.05	(0.02)	2,250	0.05	COM741C2406A	-	-	-	-
CIMBT	0.55	-	8,117	0.56	SSC13P2408A	0.15	0.02	4,428	0.14	COM741C2407A	-	-	-	-
CREDIT	23.50	(0.20)	897	23.51	SSC19C2406A	0.01	-	50	0.01	COM741C2408A	0.09	(0.01)	104	0.09
KBANK	132.50	(1.00)	48,330	133.20	SSC19C2408A	0.05	(0.02)	217	0.05	CPALL	56.75	(1.50)	377,509	57.30
KBANK01C2406A	0.08	(0.01)	26	0.08	SSC19C2410A	0.20	(0.06)	23,750	0.22	CPALL01C2407A	0.09	(0.04)	10,771	0.11
KBANK01C2407A	0.41	(0.02)	3,231	0.41	SSCC	137.50	0.50	852	137.59	CPALL01C2409A	0.31	(0.07)	9,023	0.34
KBANK01C2409A	0.36	(0.02)	6,565	0.37	SGCD	7.80	(0.20)	12,095	7.87	CPALL01C2410A	0.16	(0.04)	3,191	0.18
KBANK01P2406X	-	-	-	-	SCP	7.15	(0.05)	638	7.16	CPALL01P2408X	0.15	0.02	18,671	0.14
KBANK01P2408X	-	-	-	-	SKN	5.70	-	2,224	5.59	CPALL01P2410X	0.45	0.05	35,676	0.44
KBANK01P2409X	0.12	0.01	230	0.12	STECH	1.41	(0.06)	12,112	1.41	CPALL06C2409A	0.20	(0.03)	30,516	0.21
KBANK01P2410X	0.43	0.01	10,189	0.42	TASCO	16.80	(0.30)	35,846	16.96	CPALL11C2405A	-	-	-	-
KBANK06C2406A	-	-	-	-	TASCO01C2408/	0.15	(0.02)	16,117	0.15	CPALL13C2407A	0.08	(0.03)	17,179	0.09
KBANK13C2406A	-	-	-	-	TASCO13C2407/	0.07	(0.01)	2,232	0.07	CPALL13C2410A	0.14	(0.03)	4,535	0.15
KBANK13C2407A	-	-	-	-	TASCO19C2407/	-	-	-	-	CPALL13C2410B	0.16	(0.05)	16,236	0.18
KBANK13C2408A	0.36	(0.04)	80	0.38	TASCO41C2406/	-	-	-	-	CPALL13P2408A	0.08	0.01	1,108	0.07
KBANK13C2409A	0.21	(0.01)	29,781	0.22	TOA	23.80	(0.40)	16,743	24.13	CPALL13P2410A	0.51	0.04	45,257	0.49
KBANK13P2406A	-	-	-	-	TOA13C2407A	0.34	(0.04)	16,384	0.35	CPALL19C2406A	-	-	-	-
KBANK13P2409A	0.07	-	1,500	0.07	TIPL	1.38	0.01	27,402	1.38	CPALL19C2407A	0.05	(0.02)	42	0.05
KBANK13P2410A	0.34	0.01	28,896	0.33	UMI	0.76	-	125	0.76	CPALL19C2409B	0.22	(0.04)	2,754	0.22
KBANK19C2406A	-	-	-	-	VNG	3.72	(0.04)	250	3.74	CPALL19C2410A	0.18	(0.04)	7,995	0.20
KBANK19C2408A	0.27	-	4,171	0.27	WIIK	1.30	-	771	1.31	CPALL19P2408A	-	-	-	-
KBANK19C2409A	0.27	-	4,171	0.27	WIIK-W3	0.04	(0.01)	25,359	0.05	CPALL19P2408A	-	-	-	-
KBANK19C2410A	0.25	(0.03)	7,070	0.27	WINDOW	1.20	(0.02)	198,602	1.23	CPALL41C2406A	-	-	-	-
KBANK1C2406A	-	-	-	-	Petrochemicals £	-	-	-	-	CPALL41C2407A	0.10	(0.05)	600	0.10
KBANK41C2408A	0.43	(0.01)	500	0.43	BCT	66.25	0.50	21	66.05	CPALL41C2407B	0.08	(0.05)	1,600	0.08
KBANK41C2604T	0.65	(0.01)	17,000	0.66	CMAN	2.34	(0.02)	6,097	2.33	CPALL41C2407C	-	-	-	-
KBANK41P2406A	-	-	-	-	GC	5.00	(0.05)	9,700	5.00	CPALL41C2408A	0.09			

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday May 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
DOHOME41C2406A	-	-	-	-	JMART01C2409A	0.17	(0.01)	15,494	0.17	HANA13C2410A	0.24	(0.05)	21,725	0.25
DOHOME41C2406B	-	-	-	-	JMART01P2408A	0.33	0.01	23,514	0.32	HANA13P2406A	-	-	-	-
DOHOME41C2412A	0.20	0.01	50,000	0.19	JMART13C2407A	-	-	-	-	HANA13P2407A	-	-	-	-
FN	1.10	-	226	1.07	JMART13C2408A	0.11	(0.01)	3,272	0.11	HANA13P2407B	-	-	-	-
FTE	1.56	0.01	1,138	1.55	JMART13C2410A	0.24	(0.04)	10,212	0.25	HANA13P2408A	0.12	0.01	604	0.12
GLOBAL	16.80	0.10	44,205	16.76	JMART13P2408A	0.34	0.03	17,962	0.34	HANA13P2408B	0.45	0.02	15,356	0.44
GLOBAL01C2407A	0.13	-	26,500	0.13	JMART19C2406A	-	-	-	-	HANA19C2407A	-	-	-	-
GLOBAL01C2408A	0.12	-	8,800	0.12	JMART19C2406E	-	-	-	-	HANA19C2407B	-	-	-	-
GLOBAL01C2410A	0.29	-	16,026	0.30	JMART19C2408A	-	-	-	-	HANA19C2407C	0.13	(0.03)	9,539	0.15
GLOBAL11C2408A	0.16	(0.01)	3,560	0.17	JMART19C2410A	0.27	(0.01)	7,953	0.28	HANA19C2410A	0.25	(0.04)	10,923	0.26
GLOBAL13C2406A	-	-	-	-	JMART41C2407A	-	-	-	-	HANA19P2407A	-	-	-	-
GLOBAL13C2410A	0.26	0.01	37,884	0.25	JMART41C2410A	0.30	(0.03)	20,000	0.31	HANA41C2406A	-	-	-	-
GLOBAL19C2407A	0.19	-	10,386	0.19	JTS	67.00	0.50	8,868	67.30	HANA41C2407A	-	-	-	-
GLOBAL19C2407B	-	-	-	-	MFEC	6.25	(0.15)	664	6.31	HANA41C2407B	0.11	(0.03)	21,036	0.11
GLOBAL19C2410A	0.25	(0.01)	34,439	0.25	MSC	7.80	(0.10)	380	7.81	HANA41C2408A	0.12	(0.03)	25,034	0.14
GLOBAL41C2406A	0.01	-	111	0.01	PT	8.80	(0.10)	2,992	8.82	HANA41P2406A	0.11	(0.02)	2,000	0.11
HMPRO	9.60	(0.15)	381,063	9.66	SAMART	6.10	(0.15)	21,241	6.15	KCE	40.75	(0.50)	34,906	41.02
HMPRO01C2406A	0.01	-	800	0.01	SAMTEL	3.36	(0.16)	4,321	3.41	KCE01C2406A	-	-	-	-
HMPRO01C2407A	-	-	-	-	SDC	0.04	-	328,509	0.03	KCE01C2407A	-	-	-	-
HMPRO11C2407T	-	-	-	-	SIS	29.25	(0.50)	12,671	29.96	KCE01C2408A	0.24	(0.02)	31,617	0.25
HMPRO13C2407A	0.01	(0.01)	810	0.01	SKY	25.00	(0.25)	6,007	24.90	KCE01C2410W	0.29	(0.02)	26,004	0.30
HMPRO19C2407A	-	-	-	-	SPREME	1.75	(0.02)	22,843	1.76	KCE01P2406X	-	-	-	-
HMPRO19C2410A	0.14	(0.02)	300	0.14	SVOA	1.94	0.02	1,808	1.92	KCE01P2407X	-	-	-	-
HMPRO41C2406A	0.01	-	46	0.01	SYMC	8.50	(0.30)	7,404	8.63	KCE01P2410W	0.47	-	21,084	0.46
HMPRO41C2407A	-	-	-	-	SYNEX	10.90	-	3,420	10.88	KCE06C2406A	-	-	-	-
HMPRO41C2408A	0.03	(0.02)	140	0.03	THCOM	12.50	-	61,663	12.47	KCE06C2409A	0.24	(0.01)	40,124	0.25
ICC	39.75	(1.25)	22	39.75	TKC	15.30	(0.30)	4,367	15.53	KCE11C2405A	-	-	-	-
ILM	20.10	(0.50)	4,432	20.29	TRUE	8.60	0.15	1,524,111	8.59	KCE11C2408A	0.23	(0.02)	17,380	0.25
IT	4.02	(0.04)	3,414	4.01	TRUE01C2407A	0.51	0.04	4,805	0.51	KCE13C2406A	-	-	-	-
KAMART	14.80	0.10	11,566	14.81	TRUE01C2407B	0.25	0.02	23,695	0.25	KCE13C2407A	-	-	-	-
LOXLEY	1.55	-	878	1.55	TRUE01C2408A	0.21	0.01	62,980	0.21	KCE13C2407B	-	-	-	-
MC	11.60	(0.10)	26,348	11.64	TRUE01C2410W	0.39	0.02	26,130	0.39	KCE13C2408A	0.16	(0.01)	23,381	0.17
MEGA	39.75	-	14,565	39.81	TRUE01P2406X	-	-	-	-	KCE13C2410A	0.35	(0.02)	25,553	0.37
MEGA19C2409A	0.11	(0.02)	135	0.10	TRUE01P2407X	-	-	-	-	KCE13P2407A	-	-	-	-
MIDA	0.43	-	275	0.43	TRUE01P2408X	0.09	(0.01)	1,000	0.09	KCE13P2407B	-	-	-	-
MIDA-W3	-	-	-	-	TRUE01P2410X	0.32	(0.03)	17,093	0.32	KCE13P2410A	0.43	0.01	11,970	0.42
MOSHI	47.00	(0.25)	10,922	46.70	TRUE06C2409A	0.22	0.02	93,701	0.22	KCE19C2406A	-	-	-	-
MOSHI13C2407A	-	-	-	-	TRUE11C2405A	-	-	-	-	KCE19C2406B	-	-	-	-
RS	13.10	0.20	24,150	12.91	TRUE11C2406A	0.93	0.22	1	0.93	KCE19C2407A	-	-	-	-
RS-W5	4.90	(0.02)	533	4.90	TRUE11P2408A	0.14	(0.03)	14,368	0.15	KCE19C2408A	0.21	(0.01)	52,887	0.21
RSP	2.16	(0.06)	3,177	2.14	TRUE13C2407A	-	-	-	-	KCE19P2407A	-	-	-	-
SABUY	1.75	(0.01)	90,211	1.75	TRUE13C2407B	0.22	0.03	25,172	0.22	KCE19P2410A	0.40	(0.60)	13,770	0.39
SABUY-W2	0.24	(0.01)	9,374	0.25	TRUE13P2410A	0.26	0.01	28,619	0.26	KCE41C2406B	-	-	-	-
SABUY13C2407A	-	-	-	-	TRUE13P2407A	-	-	-	-	KCE41C2407A	-	-	-	-
SABUY13C2407B	-	-	-	-	TRUE13P2407B	-	-	-	-	KCE41C2407B	-	-	-	-
SABUY19C2407A	-	-	-	-	TRUE13P2410A	0.29	(0.02)	23,132	0.29	KCE41C2407B	0.11	(0.01)	21,976	0.11
SCM	3.48	-	2,007	3.42	TRUE19C2407A	-	-	-	-	KCE41C2409A	0.33	(0.02)	5,210	0.34
SCM-W2	1.20	(0.03)	120	1.19	TRUE19C2407B	0.28	0.04	20,682	0.28	KCE41P2407A	-	-	-	-
SINGER	9.60	(0.15)	26,864	9.68	TRUE19C2410A	0.28	0.02	91,917	0.28	KCE41P2408B	-	-	-	-
SPC	62.25	0.25	9	61.86	TRUE19P2408A	-	-	-	-	METCO	186.50	(0.50)	127	186.76
SPI	68.25	(0.25)	163	68.06	TRUE41C2406A	-	-	-	-	SMT	2.78	0.02	6,323	2.75
SVT	1.61	0.02	4,419	1.61	TRUE41C2406B	-	-	-	-	SMT-W3	0.01	-	10,204	0.01
TAN	16.00	(0.40)	5,571	16.21	TRUE41C2407A	0.40	0.04	7,874	0.39	SVI	8.00	0.10	8,977	7.93
Information & Commr	-	-	-	-	TRUE41C2407B	0.17	0.02	36,620	0.17	TEAM	4.24	-	5,975	4.21
3BBIF	5.60	0.05	65,953	5.56	TRUE41C2604T	0.42	0.02	12,661	0.41	Energy & Utilities	-	-	-	-
ADVANC	204.00	(3.00)	47,736	204.75	TRUE41P2408A	-	-	-	-	ACC	0.45	-	55,498	0.46
ADVANC01C2407A	0.02	0.01	50	0.01	TWZ	0.05	0.01	39,876	0.04	ACE	1.38	0.01	34,936	1.37
ADVANC01C2408A	0.10	(0.01)	22	0.09	Electronic Comp	-	-	-	-	ACE13C2407A	-	-	-	-
ADVANC01C2410A	0.21	(0.03)	27,744	0.22	CET	3.56	0.10	484,126	3.54	ACE19C2407A	-	-	-	-
ADVANC01P2408X	0.12	0.01	6,489	0.12	DELT A	73.25	(1.00)	126,018	73.76	AE	0.33	-	34,104	0.33
ADVANC06C2408A	0.18	(0.03)	40,052	0.19	DELT A01C2406A	0.01	(0.01)	28	0.01	AGE	1.77	-	13,144	1.78
ADVANC11C2407A	-	-	-	-	DELT A01C2407A	0.12	(0.02)	17,924	0.13	AI	4.04	-	954	4.04
ADVANC13C2407A	-	-	-	-	DELT A01C2407E	0.23	(0.04)	49,994	0.25	AIE	1.30	-	7,699	1.29
ADVANC13C2409A	0.13	(0.01)	12,086	0.13	DELT A01C2409A	0.49	(0.05)	136,454	0.51	AKR	0.87	-	9,941	0.87
ADVANC13C2410A	0.20	(0.03)	10,401	0.21	DELT A01P2406X	0.01	-	1,006	0.01	AKR-W2	-	-	-	-
ADVANC13P2408A	0.11	0.01	100	0.11	DELT A01P2408X	0.41	0.01	24,362	0.40	BAFS	21.60	0.10	8,008	21.43
ADVANC19C2407A	-	-	-	-	DELT A01P2410X	0.79	0.03	21,185	0.77	BANPU	5.50	(0.10)	335,260	5.54
ADVANC19C2409A	0.15	(0.03)	39,570	0.16	DELT A06C2405A	-	-	-	-	BANPU01C2406A	-	-	-	-
ADVANC41C2407A	-	-	-	-	DELT A06C2406A	-	-	-	-	BANPU01C2407A	-	-	-	-
ADVANC41C2410A	-	-	-	-	DELT A11C2406A	-	-	-	-	BANPU01C2408A	0.13	-	21,029	0.13
ADVANC41C2412A	0.19	(0.02)	7,500	0.19	DELT A11C2409A	0.57	(0.04)	28,576	0.59	BANPU01P2407X	-	-	-	-
AIT	4.38	-	4,085	4.37	DELT A13C2407A	-	-	-	-	BANPU06C2407A	-	-	-	-
ALT	1.41	(0.01)	1,390	1.42	DELT A13C2407E	0.19	(0.03)	48,900	0.21	BANPU11C2406A	-	-	-	-
AMR	1.14	0.01	2,722	1.13	DELT A13C2407C	0.12	(0.02)	40,545	0.13	BANPU11C2410T	0.19	(0.01)	2,782	0.19
BLISS	-	-	-	-	DELT A13C2409A	0.47	(0.04)	125,919	0.49	BANPU13C2406A	0.01	-	400	0.01
DIF	7.80	-	131,877	7.77	DELT A13P2407A	0.05	0.01	500	0.05	BANPU13C2407A	-	-	-	-
DITTO	17.20	(0.70)	27,068	17.46	DELT A13P2408A	0.32	0.01	55,077	0.31	BANPU13C2408A	0.11	(0.01)	710	0.11
DITTO-W1	2.02	-	223	2.03	DELT A13P2409A	0.69	0.02	82,181	0.66	BANPU13P2409A	0.18	-	7,065	0.18
DTCENT	1.32	(0.01)	12,404	1.33	DELT A19C2406A									

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday May 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BGRIM11C2410A	0.14	(0.01)	2,800	0.14	GULF01P2408X	0.24	0.03	6,789	0.23	SSP-W2	0.19	(0.02)	8,484	0.20
BGRIM13C2407A	-	-	-	-	GULF11C2407T	0.09	(0.01)	510	0.09	SUPER	0.29	(0.01)	252,639	0.29
BGRIM13C2407B	-	-	-	-	GULF13C2406A	-	-	-	-	SUPEREIF	6.00	-	1,136	5.95
BGRIM13C2409A	0.11	(0.01)	16,504	0.12	GULF13C2408A	-	-	-	-	SUSCO	3.86	(0.06)	28,303	3.90
BGRIM13C2410A	-	-	-	-	GULF13C2409A	0.17	(0.03)	59,102	0.18	TAE	0.95	(0.01)	2,342	0.95
BGRIM13P2406A	-	-	-	-	GULF13P2408A	0.14	0.01	36,039	0.14	TCC	0.52	-	27,792	0.52
BGRIM19C2407A	-	-	-	-	GULF19C2406A	-	-	-	-	TCC-W5	0.20	(0.01)	911	0.20
BGRIM19C2409A	0.15	-	7,476	0.15	GULF19C2408A	0.05	(0.02)	7,000	0.05	TGE	3.20	(0.14)	27,181	3.27
BGRIM19P2406A	-	-	-	-	GULF19C2409A	0.16	(0.03)	30,819	0.17	TGE-W1	2.20	-	230	2.22
BGRIM41C2407A	-	-	-	-	GULF41C2406A	0.01	(0.06)	3	0.01	TOP	52.50	-	118,156	52.71
BIOTEC	0.33	0.01	3,903	0.32	GULF41C2408A	-	-	-	-	TOP01C2407A	-	-	-	-
BIOTEC-P	-	-	-	-	GUNIKUL	2.52	-	101,637	2.51	TOP01C2408A	-	-	-	-
BIOTEC-Q	-	-	-	-	GUNKUL01C240	-	-	-	-	TOP01C2410A	0.27	(0.01)	17,232	0.28
BIOTEC-W2	0.08	-	6,237	0.08	GUNKUL01P240	0.37	(0.02)	4,673	0.38	TOP01P2406X	-	-	-	-
BPP	13.50	-	2,879	13.48	GUNKUL13C240	0.01	(0.01)	5	0.01	TOP01P2408X	0.34	(0.01)	3,607	0.34
BRRGIF	3.20	0.02	2,732	3.18	GUNKUL13C240	-	-	-	-	TOP11C2405A	-	-	-	-
BSRC	8.85	(0.20)	40,548	8.91	GUNKUL13P240	0.19	(0.02)	10,953	0.20	TOP11C2407A	-	-	-	-
BSRC13C2408A	-	-	-	-	GUNKUL19C240	0.06	(0.01)	3,343	0.06	TOP13C2408A	-	-	-	-
CKP	4.06	-	103,738	4.04	IFEC	-	-	-	-	TOP13C2410A	0.25	-	25,311	0.26
CKP01C2407A	0.26	(0.01)	16,116	0.25	IRPC	1.90	(0.02)	398,573	1.90	TOP13P2408A	0.23	(0.01)	6,266	0.22
CKP13C2407A	0.27	-	20,325	0.26	IRPC01C2406A	-	-	-	-	TOP19C2408A	-	-	-	-
CKP19C2407A	0.25	(0.02)	21,380	0.25	IRPC01C2410A	0.15	(0.01)	2,614	0.15	TOP19C2410A	0.26	-	40,218	0.26
CV	0.34	(0.01)	100,647	0.34	IRPC13C2407A	0.04	(0.01)	14,085	0.04	TOP19P2408A	0.30	(0.01)	14,507	0.29
CV-W1	0.20	(0.02)	14,201	0.21	IRPC19C2409A	0.16	(0.01)	90	0.16	TOP41C2408A	-	-	-	-
DEMCO	4.06	(0.04)	6,272	4.07	JR	4.28	-	3,214	4.23	TOP41C2410A	0.25	-	67,503	0.25
DEMOCO-W7	0.46	(0.01)	2,793	0.47	KBSPIF	8.05	-	1,852	8.05	TPIPP	3.30	0.02	9,037	3.29
EA	23.10	(0.60)	204,180	23.34	LANNA	15.20	-	8,205	15.18	TSE	1.13	(0.01)	12,074	1.13
EA01C2406A	-	-	-	-	MDX	3.96	-	8,572	4.01	TTW	8.85	(0.05)	15,954	8.87
EA01C2406B	-	-	-	-	NOVA	10.10	-	34	10.10	UBE	0.82	-	37,474	0.82
EA01C2407A	-	-	-	-	OR	17.80	(0.20)	125,686	17.87	WAHUP	4.06	0.02	44,543	4.08
EA01C2407B	-	-	-	-	OR01C2407A	-	-	-	-	WP	3.86	(0.04)	38	3.87
EA01C2409A	0.03	(0.01)	2,500	0.03	OR01C2410A	0.20	(0.02)	8,455	0.21	Media & Publishing	-	-	-	-
EA01C2410A	0.39	(0.04)	147,310	0.41	OR13C2407A	-	-	-	-	AMARIN	4.22	(0.28)	558	4.29
EA01C2410W	0.12	(0.03)	23,635	0.13	OR13C2410A	0.13	(0.01)	23,418	0.14	AQUA	0.35	0.01	17,305	0.34
EA01P2406X	0.88	0.10	17,391	0.85	OR19C2407A	0.03	(0.05)	45	0.03	AQUA-W3	-	-	-	-
EA01P2409X	0.93	0.04	32,371	0.92	OR19C2410A	0.19	(0.01)	3,184	0.19	AS	4.66	(0.14)	4,479	4.70
EA01P2410W	0.47	0.02	47,195	0.46	OR41C2605T	0.32	(0.01)	1	0.32	BEC	4.52	(0.02)	10,924	4.52
EA06C2406A	-	-	-	-	PCC	2.94	0.02	4,621	2.92	FE	192.00	2.00	1	192.00
EA06C2409A	-	-	-	-	PRIME	0.49	-	17,863	0.50	GPI	1.79	0.03	3,300	1.78
EA11C2408A	-	-	-	-	PTG	8.50	(0.15)	59,889	8.63	GRAMMY	5.40	(0.10)	35	5.39
EA13C2406A	-	-	-	-	PTG01C2407A	0.08	(0.01)	13,350	0.09	JKN	-	-	-	-
EA13C2406B	-	-	-	-	PTG11C2405A	-	-	-	-	MAJOR	14.00	(0.40)	40,507	13.87
EA13C2407A	-	-	-	-	PTG13C2407A	-	-	-	-	MATCH	1.47	(0.02)	25	1.47
EA13C2408A	0.01	-	57	0.01	PTG19C2407A	-	-	-	-	MATI	7.95	0.45	8	7.90
EA13C2409A	0.01	-	6,100	0.01	PTT	32.75	(0.25)	832,318	32.89	MCOT	2.96	(0.02)	576	2.93
EA13C2410A	0.04	(0.01)	435	0.04	PTT01C2407A	0.04	(0.02)	6	0.04	MONO	0.70	(0.01)	27,157	0.70
EA13C2410B	0.08	(0.02)	3,960	0.09	PTT01C2409A	0.11	(0.02)	3,800	0.11	NATION	0.03	-	2,911	0.03
EA13C2410C	0.41	(0.06)	113,767	0.44	PTT01P2408X	0.12	-	9,488	0.12	NATION-W4	0.01	-	944	0.01
EA13P2406A	1.03	0.10	1	1.03	PTT13C2406A	-	-	-	-	ONEE	3.72	0.02	117,181	3.75
EA13P2407A	0.67	0.07	167	0.66	PTT13C2409A	0.11	-	8,341	0.11	PLANB	8.25	-	27,085	8.23
EA13P2410A	0.42	0.03	28,432	0.41	PTT13P2408A	0.10	0.01	32,084	0.10	PLANB-W1	0.74	(0.01)	779	0.75
EA19C2406A	-	-	-	-	PTT19C2406A	-	-	-	-	PLANB11C2408A	0.16	(0.01)	3,796	0.16
EA19C2406B	-	-	-	-	PTT19C2409A	-	-	-	-	PLANB11P2408A	0.33	-	8,120	0.33
EA19C2407A	-	-	-	-	PTT41C2407A	0.05	-	9,526	0.05	PLANB13C2407A	-	-	-	-
EA19C2409A	-	-	-	-	PTT41C2407B	-	-	-	-	PLANB19C2408A	-	-	-	-
EA19C2410A	0.08	(0.01)	175	0.08	PTT41C2408C	-	-	-	-	POST	-	-	-	-
EA19C2410B	0.16	(0.03)	30,495	0.17	PTTPE	156.50	0.50	66,746	156.42	PRAKIT	10.50	(0.10)	50	10.50
EA19P2410A	0.40	0.02	32,768	0.40	PTTPE01C2407A	0.11	-	3,326	0.11	PTECH	6.50	0.05	38	6.12
EA41C2406A	-	-	-	-	PTTPE01C2409A	0.27	-	17,726	0.27	ROCTEC	0.71	(0.02)	28,252	0.72
EA41C2407A	-	-	-	-	PTTPE01C2410A	0.50	0.01	34,947	0.50	ROCTEC-W3	0.02	-	5,225	0.02
EA41C2408A	-	-	-	-	PTTPE01P2406X	-	-	-	-	ROCTEC-W5	0.03	-	4,421	0.03
EA41C2408B	-	-	-	-	PTTPE01P2409X	0.45	(0.02)	20,320	0.45	SE-ED	2.00	(0.04)	235	2.00
EA41C2410A	0.03	-	4,500	0.03	PTTPE11C2406A	0.12	-	15,544	0.13	TKS	8.30	0.05	2,822	8.30
EA41C2410B	-	-	-	-	PTTPE11P2406A	-	-	-	-	VGI	1.59	(0.01)	188,670	1.60
EASTW	3.22	(0.02)	6,026	3.20	PTTPE13C2408A	0.21	-	39,688	0.21	VGI-W3	0.07	(0.01)	37,236	0.07
EGATIF	6.10	0.05	784	6.04	PTTPE13P2406A	-	-	-	-	VGI01C2406A	-	-	-	-
EGCO	108.00	(0.50)	9,179	107.92	PTTPE13P2408A	0.12	(0.01)	8,842	0.12	VGI01C2407A	0.04	(0.01)	200	0.04
EGCO13C2407A	0.02	(0.01)	83	0.02	PTTPE19C2406A	-	-	-	-	VGI01C2407B	0.14	(0.01)	4,555	0.15
EGCO13C2410A	0.34	(0.66)	30,913	0.35	PTTPE19C2407A	-	-	-	-	VGI01C2409A	0.16	-	3,600	0.16
EGCO19C2408A	-	-	-	-	PTTPE19C2409A	0.22	-	56,164	0.23	VGI01C2410A	0.35	-	3,172	0.36
EP	2.74	(0.04)	474	2.76	PTTPE19P2409A	0.24	(0.01)	5,198	0.24	VGI01P2408X	0.39	-	6,274	0.38
EP-W4	0.05	-	575	0.05	PTTPE41C2406A	-	-	-	-	VGI13C2406A	-	-	-	-
ETC	2.26	(0.04)	1,572	2.26	PTTPE41C2409A	0.39	-	22,032	0.39	PTTPE41P2406A	-	-	-	-
GPSC	47.00	(0.75)	37,526	47.17	PTTPE41P2407A	0.52	-	16,139	0.53	VGI13C2407B	0.14	(0.01)	6,941	0.15
GPSC01C2409A	0.15	(0.02)	5,450	0.17	PTTPE41P2407A	-	-	-	-	VGI13C2409A	0.12	-	4,234	0.12
GPSC01C2410A	0.28	(0.02)	7,600	0.30	QTC	3.86	-	472	3.86	VGI19C2407A	0.02	(0.03)	10	0.02
GPSC01P2407X	0.10	-	7,734	0.10	RATCH	29.00	0.50	68,869	28.96	VGI19C2407B	0.14	(0.01)	3,418	0.16
GPSC01P2409X	0.45	0.02	8,833	0.44	RATCH13C2408/	0.09	0.01	32,250	0.09	VGI19C2409A	0.13	-	1,936	0.13
GPSC11C2408T	0.10	(0.02)	2,040	0.11	RATCH19C2408/	0.10	0.02	5,953	0.0					

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday May 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BYD	2.42	0.10	132,500	2.42	SCAP	2.50	(0.02)	5,288	2.50	OSP13P2409A	0.20	(0.05)	27,934	0.20
BYD13C2406A	-	-	-	-	SGC	1.40	(0.04)	58,525	1.42	OSP19C2409A	0.42	0.09	88,153	0.40
BYD13C2410A	0.14	0.02	44,614	0.15	SM	1.33	(0.02)	9,647	1.33	PB	64.75	(0.25)	17	64.76
BYD19C2407A	-	-	-	-	TH	0.93	-	19,689	0.94	PLUS	7.65	(0.15)	42,459	7.74
BYD19C2410A	0.26	0.03	26,832	0.26	TH-W3	0.28	-	4,255	0.28	PM	8.45	-	11,720	8.51
CGH	0.83	-	98,158	0.83	THANI	2.38	0.02	25,226	2.36	PQS	3.24	(0.12)	13,329	3.27
CGH-W4	-	-	-	-	THANI13C2407A	-	-	-	-	PRG	10.40	-	2	10.40
CHASE	1.82	0.01	62,253	1.81	THANI19C2407A	-	-	-	-	PRG-W1	-	-	-	-
CHAYO	3.92	(0.06)	17,436	3.93	TIDLOR	20.00	(0.30)	70,100	20.04	PRG-W2	5.90	-	2	5.90
CHAYO-W3	0.24	(0.02)	3,958	0.25	TIDLOR01C2407	0.02	(0.09)	36	0.02	PRG-W3	5.75	-	8	5.75
ECL	1.43	0.02	78,546	1.43	TIDLOR01C2409	0.19	(0.01)	4,116	0.19	RBF	10.00	(0.10)	19,130	10.07
ECL-W4	0.01	-	9	0.01	TIDLOR11P2406	-	-	-	-	RBF01C2406A	-	-	-	-
FNS	3.08	0.02	23	3.07	TIDLOR13C2406	0.01	(0.06)	60	0.01	RBF01C2407A	-	-	-	-
FSX	2.50	0.02	2,458	2.48	TIDLOR13C2408	0.14	(0.01)	26,019	0.14	RBF01C2409A	0.10	-	23,096	0.10
GBX	0.72	-	2,464	0.72	TIDLOR19C2406	-	-	-	-	RBF01P2407X	0.22	(0.01)	10,666	0.22
GL	-	-	-	-	TIDLOR19C2408	-	-	-	-	RBF13C2406A	-	-	-	-
HENG	1.44	(0.03)	13,633	1.45	TIDLOR19C2410	0.27	(0.04)	206,559	0.28	RBF13C2407A	-	-	-	-
IFS	2.50	-	568	2.50	TIDLOR19P2407	-	-	-	-	RBF13C2408A	-	-	-	-
JMT	16.40	(0.70)	132,298	16.71	TIDLOR41C2406	-	-	-	-	RBF13C2410A	0.13	(0.01)	6,844	0.13
JMT-W4	0.73	(0.02)	2,839	0.75	TIDLOR41C2407	-	-	-	-	RBF19C2408A	-	-	-	-
JMT01C2406A	-	-	-	-	TIDLOR41C2407	-	-	-	-	RBF19C2410A	0.14	-	2,691	0.14
JMT01C2407A	0.02	-	493	0.01	TIDLOR41C2409	0.27	(0.04)	36,580	0.28	RBF19P2406A	0.09	(0.01)	4,976	0.10
JMT01C2408A	0.07	(0.02)	9,685	0.08	TK	4.58	(0.10)	5,038	4.60	SAPPE	104.50	2.50	4,839	104.26
JMT01C2410W	0.36	(0.06)	23,763	0.37	TNITY	4.32	0.08	2,965	4.29	SAPPE13C2406A	0.04	0.01	2,900	0.04
JMT01P2406X	0.42	0.08	17,521	0.40	UOBKH	4.80	0.04	70	4.75	SAUCE	41.50	(0.75)	286	41.96
JMT01P2408W	0.44	0.03	27,525	0.43	XPG	1.16	-	279,733	1.16	SNPN	15.60	(0.10)	8,897	15.59
JMT06C2406A	-	-	-	-	Food & Beverage	-	-	-	-	SNPN01C2407A	-	-	-	-
JMT11C2405A	0.01	(0.01)	3,047	0.01	AAI	5.90	0.05	57,279	5.88	SNPN13C2406A	-	-	-	-
JMT11C2407A	-	-	-	-	APURE	4.22	0.02	3,236	4.19	SNPN13C2408A	0.08	-	100	0.08
JMT11P2406A	-	-	-	-	APURE-W3	0.13	-	9,690	0.12	SNPN19C2407A	-	-	-	-
JMT13C2406A	0.01	-	50	0.01	ASIAN	10.80	0.30	61,168	10.63	SNP	15.00	(0.20)	154	15.02
JMT13C2407A	-	-	-	-	BR	2.50	(0.02)	2,616	2.51	SORKON	4.56	(0.04)	357	4.53
JMT13C2408A	0.05	(0.01)	113,080	0.05	BR-W1	0.12	(0.01)	5,423	0.12	SSC	34.50	(0.25)	10	34.50
JMT13C2410A	0.22	(0.04)	34,805	0.24	BRR	4.78	0.04	1,721	4.76	SSF	7.80	0.10	17	7.86
JMT13C2410B	0.34	(0.05)	48,219	0.35	BRR-W2	0.51	0.01	1,260	0.51	SST	5.15	(0.15)	29	5.20
JMT13P2406A	0.20	0.04	913	0.16	BTG	24.60	(0.10)	18,420	24.63	SUN	4.12	(0.08)	21,402	4.13
JMT13P2410A	0.53	0.03	52,216	0.52	CBG	70.25	-	26,192	70.16	TC	7.70	(0.05)	8,940	7.61
JMT19C2406A	0.01	(0.01)	4,500	0.01	CBG01C2406A	0.01	-	5	0.01	TFG	4.02	(0.08)	99,774	4.02
JMT19C2408A	0.05	(0.02)	8,555	0.05	CBG01C2407A	0.06	(0.03)	201	0.05	TFG-W4	0.87	(0.02)	35,261	0.89
JMT19C2410A	0.23	(0.03)	23,643	0.25	CBG01C2408A	0.33	(0.01)	39,700	0.34	TFMAMA	206.00	(1.00)	4	206.00
JMT19C2410B	0.34	(0.06)	20,160	0.35	CBG01C2410A	0.54	(0.01)	35,143	0.54	TIPCO	10.20	-	2,594	10.28
JMT19P2407A	0.41	0.06	29,058	0.39	CBG01P2408X	0.16	-	9,730	0.16	TKN	10.60	(0.10)	65,799	10.64
JMT19P2410A	0.53	(0.47)	26,999	0.50	CBG01P2409X	0.47	(0.01)	26,766	0.48	TKN01C2408A	0.10	(0.02)	34,280	0.10
JMT41C2406A	0.01	-	610	0.01	CBG06C2408A	0.29	-	94,429	0.27	TKN13C2406A	0.01	-	349	0.01
JMT41C2406B	-	-	-	-	CBG11C2408A	0.31	(0.01)	23,671	0.30	TKN13C2410A	0.15	(0.01)	26,372	0.15
JMT41C2407A	-	-	-	-	CBG13C2406A	-	-	-	-	TKN13P2406A	-	-	-	-
JMT41C2408A	0.04	(0.02)	3,050	0.04	CBG13C2407A	0.05	-	6,598	0.05	TKN19C2406A	-	-	-	-
JMT41C2412A	0.36	(0.05)	28,595	0.38	CBG13C2408A	0.29	(0.01)	76,216	0.28	TKN19C2410A	0.15	(0.01)	20,652	0.16
KCAR	5.70	0.05	255	5.69	CBG13C2409A	0.31	(0.01)	67,764	0.31	TU	14.80	-	107,723	14.86
KGI	4.52	-	3,299	4.51	CBG13P2408A	0.10	(0.01)	13,422	0.11	TU01C2407A	-	-	-	-
KTC	44.25	0.25	44,355	44.10	CBG13P2410A	0.48	(0.01)	43,718	0.50	TU01C2408A	0.14	-	92,402	0.15
KTC01C2407A	0.08	0.01	151	0.06	CBG19C2406A	-	-	-	-	TU01P2407X	-	-	-	-
KTC01C2410A	0.30	0.01	25,713	0.29	CBG19C2407A	-	-	-	-	TU11C2407T	-	-	-	-
KTC01P2406X	-	-	-	-	CBG19C2408A	0.24	(0.01)	134,335	0.24	TU13C2408A	0.10	-	16,821	0.10
KTC11C2405A	-	-	-	-	CBG19P2407A	-	-	-	-	TU13P2406A	-	-	-	-
KTC11P2405A	-	-	-	-	CBG41C2406A	-	-	-	-	TU19C2407A	-	-	-	-
KTC13C2407A	0.05	0.01	300	0.04	CBG41C2407A	0.06	(0.01)	1,700	0.06	TU41C2407A	-	-	-	-
KTC13C2410A	0.25	0.01	48,385	0.24	CBG41C2407B	0.21	(0.01)	43,714	0.21	TU41C2408A	0.11	(0.01)	66,000	0.12
KTC13P2407A	-	-	-	-	CBG41C2408A	0.27	-	56,840	0.27	TVO	22.90	0.70	29,586	22.71
KTC19C2407A	0.07	0.01	100	0.07	CFRESH	2.12	(0.04)	223,906	2.22	TWPC	3.76	(0.04)	248	3.75
KTC19C2410A	0.28	0.02	23,488	0.26	CH	2.66	(0.06)	10,565	2.68	W	0.64	-	13,065	0.64
KTC41C2407A	0.07	0.01	1,000	0.07	CHOTI	67.00	(0.50)	36	67.31	W-W5	0.01	-	1	0.01
MFC	19.60	(0.20)	313	19.70	CM	2.44	0.08	1,986	2.41	W-W6	0.32	(0.13)	8	0.32
MICRO	2.06	0.04	720	2.04	COCOCO	12.70	(0.10)	60,137	12.79	ZEN	7.10	(0.10)	848	7.11
ML	0.63	(0.01)	1,231	0.64	CPF	22.50	(0.30)	306,904	22.78	Health Care Services	-	-	-	-
ML-W3	-	-	-	-	CPF01C2407A	0.47	(0.03)	12,728	0.49	AHC	17.40	(0.20)	9	17.49
MST	9.50	0.05	319	9.47	CPF01C2410A	0.45	(0.04)	20,202	0.48	BCH	19.50	(0.20)	80,937	19.53
MTC	45.00	(0.75)	47,841	45.38	CPF01P2408T	0.05	0.01	1,492	0.04	BCH01C2409A	0.19	(0.02)	14,793	0.19
MTC01C2406A	-	-	-	-	CPF01P2410X	0.33	0.02	19,182	0.31	BCH01P2407X	0.17	-	882	0.17
MTC01C2407A	-	-	-	-	CPF11C2408A	-	-	-	-	BCH11C2407A	-	-	-	-
MTC01C2409A	0.32	(0.04)	24,500	0.34	CPF11P2407T	-	-	-	-	BCH13C2407A	-	-	-	-
MTC01P2406X	-	-	-	-	CPF13C2406A	-	-	-	-	BCH13C2408A	-	-	-	-
MTC01P2408X	0.20	0.01	12,846	0.19	CPF13C2409A	-	-	-	-	BCH13C2408A	0.06	(0.01)	800	0.06
MTC11C2406A	-	-	-	-	CPF13C2410A	0.41	(0.04)	38,630	0.45	BCH13C2410A	0.23	(0.01)	12,421	0.22
MTC13C2406A	-	-	-	-	CPF13P2410A	0.36	0.02	26,459	0.34	BCH13P2406A	-	-	-	-
MTC13C2409A	0.23	(0.03)	38,999	0.24	CPF19C2409A	-	-	-	-	BCH19C2406A	-	-	-	-
MTC13P2406A	-	-	-	-	CPF19C2410A	0.31	(0.02)	10,615	0.34	BCH19C2408A	0.06	(0.04)	1	0.06
MTC13P2408A	0.16	-	2,430	0.16	CPI	2.32	(0.02)	1,032	2.32	BCH19C2410A	0.24	(0.01)	11,472	0.24
MTC19C2406A	-	-	-	-	F&D	37.								

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday May 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BH19C2407A	0.03	(0.02)	2	0.03	BLA01C2410A	0.44	0.03	36,985	0.45	STHAI	-	-	-	-
BH19C2408A	0.22	(0.03)	48,448	0.23	BLA13C2407A	0.13	0.02	56,233	0.14	TNR	11.30	0.20	547	11.29
BH19C2409A	0.22	(0.02)	34,995	0.22	BLA13C2410A	0.40	0.03	39,664	0.40	TOG	10.40	(0.10)	1,568	10.37
BH19P2409A	0.26	0.02	4,490	0.26	BLA19C2408A	0.33	0.03	24,747	0.35	Professional Service	-	-	-	-
BH41C2406B	-	-	-	-	BLA19C2410A	0.35	0.02	32,683	0.37	BWVG	0.42	(0.02)	221,781	0.43
BH41C2408A	0.27	(0.04)	6,122	0.27	BUI	16.80	0.30	6	16.58	BWG-W6	0.03	(0.01)	677,579	0.04
BH41C2605T	0.49	(0.02)	9,000	0.50	CHARAN	22.30	(0.30)	39	22.07	GENCO	0.52	-	13,147	0.51
BH41P2406A	0.02	0.01	1	0.02	INSURE	100.00	(1.00)	24	99.22	PRO	-	-	-	-
BKGI	3.14	(0.10)	571,627	3.29	KWI	0.63	0.01	1,236	0.63	PRTR	4.78	(0.04)	22,309	4.78
CHG	2.94	-	129,820	2.95	MTI	112.00	1.50	179	111.87	SISB	36.50	(0.50)	12,544	36.72
CHG01C2408A	0.16	0.01	16,502	0.15	NKI	25.75	0.50	28	25.73	SISB13C2407A	-	-	-	-
CHG13C2406A	-	-	-	-	SMK	-	-	-	-	SISB13C2410A	0.19	(0.01)	10,378	0.19
CHG13C2407A	-	-	-	-	TGH	15.40	0.30	1	15.40	SO	6.65	(0.05)	184	6.61
CHG13C2409A	0.19	-	30,096	0.19	THRE	0.73	(0.01)	8,060	0.74	WAVE	0.13	(0.01)	50,150	0.14
CHG13P2406A	-	-	-	-	THREL	1.79	0.02	5,398	1.79	WAVE-W3	0.04	-	4,162	0.03
CHG19C2408A	0.11	-	5,072	0.11	TIPI	30.25	1.00	10,907	30.35	Property Developmen	-	-	-	-
CMR	1.97	0.01	522	1.98	TIPIH13C2407A	-	-	-	-	A	5.00	-	8	5.00
EKH	7.25	0.05	1,239	7.23	TIPIH19C2407A	-	-	-	-	AKS	0.01	-	18,686	0.01
EKH-W1	1.40	0.02	2	1.40	TLI	8.70	(0.15)	216,344	8.79	AKS-W5	-	-	-	-
KDH	91.50	-	17	91.63	TLI01C2406A	-	-	-	-	AMATA	23.60	(0.20)	40,118	23.69
LPH	4.70	(0.04)	797	4.69	TLI01C2406B	-	-	-	-	AMATA01C2407A	0.18	(0.03)	11,658	0.19
M-CHAI	49.50	-	298	49.67	TLI01C2408A	0.15	(0.03)	38,701	0.17	AMATA11C2407A	0.22	(0.03)	21,472	0.23
NEW	79.00	(0.50)	23	79.71	TLI13C2407A	0.08	(0.02)	26,782	0.10	AMATA13C2406A	-	-	-	-
NTV	34.50	(0.25)	249	34.79	TLI19C2407A	0.09	(0.02)	21,128	0.09	AMATA13C2410A	0.41	(0.03)	23,874	0.41
PHG	14.50	(0.10)	2,189	14.53	TLI41C2406A	-	-	-	-	AMATA19C2407A	0.14	(0.03)	13,689	0.15
PR9	18.90	(0.20)	25,906	19.02	TLI41C2407A	-	-	-	-	AMATA41C2407A	0.26	(0.03)	15,950	0.27
PRINC	4.06	(0.02)	4,602	4.06	TQM	25.50	(0.50)	5,425	25.96	AMATA41C2407B	0.11	(0.02)	21,134	0.11
RAM	30.00	-	1,133	30.00	TQM13C2407A	-	-	-	-	AMATAV	5.30	-	485	5.33
RJH	25.25	-	1,274	25.08	TQM19C2407A	0.04	(0.01)	1,076	0.04	ANAN	0.79	-	33,601	0.79
RPH	6.00	(0.05)	1,843	6.03	TSI	0.11	-	13	0.11	AP	9.25	(0.05)	104,898	9.23
SAFE	20.70	(1.60)	45,915	21.39	TVH	9.50	(0.10)	154	9.64	AP13C2409A	0.07	-	3,388	0.07
SKR	10.50	-	1,241	10.43	Packaging	-	-	-	-	AP19C2409A	-	-	-	-
THG	38.50	(0.50)	1,479	38.78	AJ	6.55	(0.05)	57,813	6.84	APEX	-	-	-	-
VIBHA	2.22	0.02	17,362	2.21	ALUCON	175.00	(2.00)	3	176.00	ASW	7.95	-	6,327	7.91
VIBHA-W4	0.12	-	3,574	0.12	BGC	6.95	(0.10)	398	6.98	ASW-W2	0.05	-	9,474	0.06
VIH	8.05	0.05	31,894	8.08	CSC	45.50	-	7	45.29	AWC	3.86	(0.06)	543,983	3.87
WPH	13.60	1.90	113,841	13.23	CSC-P	-	-	-	-	AWC01C2406A	-	-	-	-
Tourism & Leisure	-	-	-	-	CSC-Q	-	-	-	-	AWC01C2408A	0.19	(0.02)	30,520	0.20
ASIA	-	-	-	-	NEP	0.20	-	5,024	0.20	AWC01C2409A	0.14	(0.01)	14,100	0.15
BEYOND	9.65	(0.05)	1,936	9.61	PJW	2.86	-	2,710	2.85	AWC01C2410W	0.35	(0.02)	14,418	0.35
BEYOND-W2	0.62	0.01	22,604	0.72	PJW-W1	0.01	-	90	0.01	AWC01P2409X	0.49	-	10,019	0.48
CENTEL	40.25	(1.00)	18,182	40.49	PTL	12.30	0.50	60,266	12.49	AWC11C2408A	0.19	(0.02)	7,932	0.19
CENTEL01C2408A	-	-	-	-	SCGP	34.25	-	115,698	34.28	AWC13C2409A	0.11	(0.02)	47,184	0.12
CENTEL13C2407A	0.02	(0.01)	2,013	0.02	SCGP01C2406A	0.01	(0.01)	3,500	0.01	AWC13C2410A	0.28	(0.03)	132,592	0.29
CENTEL13C2410A	0.20	(0.03)	32,878	0.21	SCGP01C2408A	0.20	0.01	25,627	0.20	AWC13P2408A	-	-	-	-
CENTEL19C2408A	0.07	(0.01)	197	0.07	SCGP01C2410A	0.36	-	13,101	0.36	AWC13P2410A	0.37	0.01	59,225	0.37
CENTEL19C2410A	0.25	(0.04)	121,055	0.27	SCGP01P2408X	0.02	(0.02)	14,625	0.02	AWC19C2406A	-	-	-	-
CENTEL41C2406A	-	-	-	-	SCGP06C2406A	-	-	-	-	AWC19C2409A	0.10	(0.01)	2,140	0.10
CENTEL41C2408A	-	-	-	-	SCGP11C2405A	-	-	-	-	AWC41C2406A	-	-	-	-
CENTEL41C2412A	0.29	(0.03)	21,500	0.30	SCGP11C2407T	0.18	-	6,080	0.18	AWC41C2408A	0.14	(0.02)	36,302	0.14
CSR	-	-	-	-	SCGP13C2406A	-	-	-	-	BLAND	0.64	(0.01)	166,419	0.65
DUSIT	10.80	0.30	20,435	10.81	SCGP13C2407A	0.15	(0.01)	91,169	0.15	BRI	5.30	(0.05)	10,892	5.30
ERW	4.50	(0.14)	272,224	4.52	SCGP13C2410A	0.32	-	18,322	0.33	BROCK	1.51	(0.01)	8	1.51
ERW-W3	-	-	-	-	SCGP13P2408A	-	-	-	-	CGD	0.33	-	10,469	0.33
ERW13C2406A	-	-	-	-	SCGP19C2406A	-	-	-	-	CI	0.58	-	500	0.57
ERW13C2407A	0.04	(0.02)	5,500	0.04	SCGP19C2407A	0.27	(0.01)	2,004	0.29	CI-W2	-	-	-	-
ERW13C2410A	0.13	-	50	0.13	SCGP19C2409A	0.27	-	8,945	0.28	CMC	1.15	(0.01)	590	1.13
ERW14C2406A	-	-	-	-	SCGP41C2406A	-	-	-	-	CPN	58.25	(1.00)	94,843	58.45
GRAND	0.13	-	8,367	0.13	SCGP41C2407A	0.19	-	5,303	0.19	CPN01C2407A	-	-	-	-
LRH	46.25	(1.00)	20	45.59	SFLEX	3.16	(0.04)	34,337	3.14	CPN01C2410A	0.20	(0.02)	22,963	0.20
MANRIN	33.25	-	50	33.25	SFLEX-W2	0.17	(0.02)	1,429	0.18	CPN13C2409A	0.11	(0.02)	22,730	0.11
MINT	31.25	(1.00)	440,814	31.39	SITHAI	1.30	0.01	11,159	1.30	CPN19C2407A	-	-	-	-
MINT01C2406A	0.04	-	10	0.04	SLP	0.45	-	1,679	0.44	CPN19C2410A	0.19	(0.02)	13,892	0.20
MINT01C2408A	0.07	(0.01)	12,752	0.07	SMPC	9.90	-	1,835	9.90	CPN41C2406A	-	-	-	-
MINT01C2410A	0.19	(0.03)	31,547	0.20	SPACK	1.87	(0.01)	3,407	1.91	CPN41C2407A	-	-	-	-
MINT01P2406X	-	-	-	-	TCOAT	-	-	-	-	CPN41C2410A	0.17	(0.02)	48,170	0.17
MINT11C2406A	0.05	(0.03)	8,000	0.05	TFI	0.08	(0.01)	176	0.08	ESTAR	0.25	-	744	0.25
MINT11C2408A	0.09	(0.02)	4,000	0.09	TFI-W1	-	-	-	-	EVER	0.14	-	74,565	0.14
MINT13C2406A	0.01	(0.01)	2,822	0.01	THIP	27.75	(0.25)	43	27.77	FPT	15.20	0.10	390	15.19
MINT13C2407A	-	-	-	-	TMD	24.50	0.10	12	24.45	GLAND	1.63	(0.02)	1	1.63
MINT13C2409A	0.12	(0.04)	116,448	0.13	TOPP	-	-	-	-	J	1.72	-	449	1.71
MINT13P2407A	0.02	-	2	0.02	TPAC	14.80	(0.20)	276	14.84	J-W2	-	-	-	-
MINT19C2406A	-	-	-	-	TPBI	4.14	(0.06)	1,747	4.17	J-W3	0.18	0.02	69	0.16
MINT19C2410A	0.16	(0.03)	33,819	0.16	TPP	13.50	(0.10)	2	13.50	J-W4	0.25	(0.03)	24	0.25
MINT41C2406A	-	-	-	-	Personal Produl	-	-	-	-	JCK	0.42	-	122,326	0.42
MINT41C2408A	-	-	-	-	APCO	6.15	0.35	15,294	6.01	KC	0.08	(0.01)	2,748	0.08
MINT41C2604T	0.21	(0.02)	11,500	0.22	BIZ	3.44	0.02	1,172	3.42	LALIN	7.30	-	794	7.34
OHTL	410.00	(6.00)	1	410.00	BLC	5.15	(0.15)	55,159	5.21	LH	6.80	(0.05)	695,210	6.78
ROH	2.54	-	11	2.55	DDD	8.70	-	448	8.70	LH01C2409A	0.16	(0.01)	7,435	0.16
SHANG	48.25	(1.00)	4											

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday May 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PIN	6.10	(0.05)	27,608	6.11	BEM19C2408A	0.09	(0.01)	39,000	0.09	HTECH	2.78	-	5,021	2.76
PLAT	2.66	(0.04)	1,677	2.66	BT5	5.95	(0.05)	707,269	6.00	KKC	-	-	-	-
POLAR	-	-	-	-	BT5-W7	-	-	-	-	PK	0.66	(0.01)	840	0.66
PRECHA	1.14	(0.01)	5,800	1.16	BT5-W8	0.08	-	134,382	0.08	PSP	5.60	(0.10)	38,694	5.60
PRIN	2.88	0.10	2	2.88	BT501C2407A	0.20	-	8,547	0.20	SE	0.77	(0.03)	1,363	0.77
PSH	10.30	0.10	3,847	10.25	BT501P2407X	-	-	-	-	SNC	7.10	-	1,129	7.07
QH	2.00	(0.02)	68,977	2.01	BT513C2407A	-	-	-	-	STARK	-	-	-	-
RABBIT	0.39	-	54,357	0.39	BT513C2407B	0.13	(0.01)	16,594	0.13	STARK-W1	-	-	-	-
RABBIT-P	0.40	-	4,658	0.39	BT513C2410A	0.12	(0.01)	7,765	0.13	TCJ	3.18	0.06	82	3.14
RABBIT-Q	-	-	-	-	BT513P2407A	-	-	-	-	TPCS	-	-	-	-
RICHY	0.55	(0.01)	1,726	0.55	BT519C2406A	-	-	-	-	VARO	3.46	0.04	295	3.51
RML	0.46	(0.01)	4,354	0.46	BT519C2407A	-	-	-	-	Property Fund & REI	-	-	-	-
ROJNA	6.25	(0.25)	92,974	6.32	BT519C2407B	-	-	-	-	AIMCG	3.32	0.02	1,111	3.30
S	0.81	-	21,047	0.81	BT541C2407A	-	-	-	-	AIMIRT	10.50	(0.10)	4,165	10.50
SA	7.15	0.05	136	7.12	BT541C2407X	-	-	-	-	ALLY	5.00	(0.05)	9,715	5.06
SA-W1	0.09	(0.02)	11,660	0.10	BT541C2408A	0.15	(0.01)	31,178	0.16	AMATAR	6.40	(0.05)	800	6.38
SAMCO	1.08	-	277	1.08	BTSGIF	3.56	(0.04)	67,171	3.57	B-WORK	4.10	-	267	4.10
SC	3.10	-	27,251	3.11	DMT	11.90	-	2,857	11.92	BAREIT	9.30	(0.05)	2,373	9.29
SENA	2.58	-	2,738	2.56	ETL	1.21	(0.01)	11,209	1.22	BKKCP	9.30	(0.05)	118	9.30
SIRI	1.62	0.01	472,577	1.62	III	7.50	0.10	18,409	7.50	BOFFICE	4.84	0.02	2,274	4.82
SIRI01C2406A	-	-	-	-	KEX	3.86	(0.28)	151,948	4.06	CPNCG	5.50	(0.10)	2,786	5.54
SIRI13C2407A	-	-	-	-	KIAT	0.41	0.01	9,797	0.40	CPNREIT	10.10	-	14,685	10.12
SIRI19C2407A	0.03	(0.06)	3	0.03	KWC	277.00	3.00	4	277.00	CPTGF	5.25	-	360	5.19
SPALI	18.50	(0.20)	43,537	18.60	MENA	1.41	(0.02)	11,615	1.42	CTARAF	4.46	-	23	4.44
SPALI13C2409A	-	-	-	-	NOK	-	-	-	-	DREIT	4.58	(0.02)	2,536	4.59
SPALI19C2408A	-	-	-	-	NYT	3.92	(0.02)	8,350	3.94	FTREIT	8.90	0.05	19,511	8.84
UV	1.84	(0.03)	5,041	1.86	PORT	1.97	(0.02)	12,646	2.02	FUTUREPF	11.20	(0.40)	3,006	11.17
WHA	5.40	(0.05)	495,909	5.43	PRM	7.75	(0.05)	106,146	7.74	GAHREIT	6.40	(0.05)	100	6.40
WHA01C2406A	0.09	(0.01)	3,032	0.09	PSL	10.20	-	113,528	10.17	GOREIT	8.65	(0.05)	767	8.64
WHA01C2408A	0.60	(0.03)	34	0.61	PSL01C2407A	0.28	(0.01)	10,633	0.27	GVREIT	5.40	-	9,507	5.38
WHA01C2410A	0.20	(0.02)	24,629	0.22	PSL13C2407A	0.19	(0.01)	4,187	0.18	HPF	4.76	-	105	4.75
WHA01P2407X	-	-	-	-	PSL19C2407A	0.31	-	11,424	0.31	HYDROGEN	-	-	-	-
WHA06C2410A	0.18	(0.01)	6,945	0.19	RCL	28.50	(0.50)	143,560	29.09	IMPACT	11.00	(0.20)	3,487	11.10
WHA11C2407A	-	-	-	-	RCL01C2407A	0.16	(0.02)	49,801	0.19	INETREIT	8.25	-	4,240	8.24
WHA13C2406A	-	-	-	-	RCL01C2408A	0.90	(0.02)	10,918	0.95	KPNPF	3.00	(0.04)	80	3.00
WHA13C2408A	-	-	-	-	RCL01C2410A	0.31	(0.02)	122,116	0.35	KTBSTM	6.75	(0.05)	44	6.75
WHA13C2410A	0.16	-	25,678	0.17	RCL01P2410X	0.25	0.01	137,508	0.24	LHHOTEL	11.00	(0.20)	19,805	10.98
WHA13P2407A	0.02	0.01	201	0.02	RCL06C2405A	-	-	-	-	LHPF	5.80	(0.05)	505	5.82
WHA19C2406A	-	-	-	-	RCL11C2407A	0.12	(0.01)	58,394	0.14	LHSC	9.65	(0.10)	1,956	9.69
WHA19C2410A	0.17	(0.83)	40,349	0.17	RCL13C2407A	0.52	0.02	499	0.52	LPF	12.50	(0.10)	11,363	12.55
WHA41C2406A	-	-	-	-	RCL13C2408A	0.97	(0.09)	41	1.02	LUXF	-	-	-	-
WHA41C2406B	-	-	-	-	RCL13C2409A	-	-	-	-	M-II	6.25	0.05	88	6.23
WHA41C2407A	-	-	-	-	RCL13C2410A	0.33	(0.02)	61,840	0.35	M-PAT	2.54	(0.26)	4	2.57
WHA41C2409A	0.15	(0.02)	7,315	0.16	RCL13P2410A	0.20	-	49,192	0.19	M-STOR	7.50	-	10	7.50
WIN	0.56	0.01	1,328	0.55	RCL19C2406A	0.02	(0.01)	23,132	0.03	MIPF	-	-	-	-
Paper & Printing Mat	-	-	-	-	RCL19C2408A	0.99	(0.05)	409	0.99	MIT	0.46	0.01	193	0.45
UTP	11.10	-	1,709	11.21	RCL19C2410A	0.31	(0.01)	99,514	0.33	MJLF	3.94	0.04	474	3.92
Fashion	-	-	-	-	RCL19P2406A	0.01	-	80	0.01	MNIT	2.22	-	512	2.22
AFC	5.30	0.10	33	5.25	RCL19P2410A	0.24	0.01	73,065	0.22	MNIT2	5.10	-	643	5.10
AURA	12.90	-	715	12.91	RCL41C2406A	-	-	-	-	MNRF	2.80	-	6	2.80
BTNC	17.80	0.40	12	17.81	RCL41C2407A	0.11	(0.02)	30,922	0.13	POPF	5.85	(0.10)	2,821	5.87
CPH	10.30	(0.40)	161	10.44	RCL41C2408A	1.01	0.07	1,000	1.01	PPF	-	-	-	-
CPL	1.38	-	12,096	1.42	RCL41C2412A	0.31	(0.01)	36,157	0.33	PROSPECT	8.50	-	1,029	8.50
NC	3.02	(0.04)	160	3.01	SAV	21.10	-	35,091	21.08	QHHRREIT	6.70	0.10	754	6.66
PAF	1.33	(0.03)	1,747	1.35	SINO	1.51	0.04	163,336	1.51	QHOP	-	-	-	-
PDJ	2.16	(0.02)	646	2.18	SJWD	14.10	0.10	9,932	13.96	QHFP	4.42	-	1,497	4.42
PG	9.00	(0.05)	576	9.00	SJWD13C2407A	0.03	-	1	0.03	SIRUP	7.95	0.05	2	7.63
SABINA	24.60	-	4,810	24.61	SJWD13C2410A	0.25	0.01	20,957	0.24	SPRIME	4.10	-	1,317	4.08
SAWANG	-	-	-	-	SFFIF	6.10	(0.10)	40,414	6.12	SRIANWA	5.10	-	17	5.07
SUC	29.50	(0.25)	93	29.50	THAI	-	-	-	-	SSPF	5.00	-	125	5.00
TNL	33.50	(0.25)	54	33.24	TSTE	10.90	1.15	52	10.85	SSTRT	4.94	0.02	205	4.94
TR	-	-	-	-	TTA	8.15	0.15	236,223	8.11	TIF1	7.90	-	21	7.90
TTI	25.00	-	4	25.00	WICE	6.30	-	84,427	6.37	TLHPF	3.28	0.02	926	3.29
TTT	-	-	-	-	Automotive	-	-	-	-	TNPF	1.54	0.01	1	1.54
UPF	-	-	-	-	3K-BAT	52.50	24.25	185	52.54	TPRIME	6.20	0.25	2,514	5.97
WACOAL	31.00	(0.75)	4	31.06	ACG	1.12	(0.13)	205	1.12	TTLPF	16.90	(0.20)	16	16.97
WFX	1.89	0.28	134,265	1.94	AH	21.30	(0.50)	14,642	21.52	TU-PF	0.63	(0.02)	21	0.63
Transportation & Log	-	-	-	-	CWT	1.42	0.01	4,794	1.42	URBNPF	0.30	0.02	1,204	0.29
AAV	2.24	0.02	140,674	2.24	EASON	1.35	(0.04)	21,340	1.36	WHABT	7.60	-	513	7.60
AAV01C2409A	0.09	-	1,042	0.08	GYT	183.00	-	3	183.00	WHAIR	5.75	(0.05)	3,943	5.80
AAV11C2406A	-	-	-	-	HFT	4.58	0.10	13,071	4.61	WHART	8.75	-	14,983	8.73
AAV13C2408A	0.04	(0.01)	1	0.04	IHL	2.10	(0.04)	2,397	2.11	Steel and Metal Prod	-	-	-	-
AAV19C2408A	-	-	-	-	INGRS	0.44	-	12,955	0.44	ZS	3.08	0.02	1,494	3.08
ANI	4.58	0.02	1,042	4.56	IRC	13.70	(0.10)	526	13.80	AMC	3.26	-	110	3.26
ATO	63.50	(1.25)	253,213	64.00	MGC	4.88	0.08	1,453	4.82	BSBM	0.76	0.01	1,180	0.75
ATO01C2407A	0.07	(0.02)	223	0.07	NEX	2.94	(0.04)	730,694	2.99	CEN-W5	0.26	(0.01)	71	0.26
ATO01C2409A	0.23	(0.03)	12,847	0.24	NEX13C2407A	-	-	-	-	CITY	2.16	(0.04)	1,355	2.16
ATO1P2407X	-	-	-	-	NEX13C2410A	0.01	(0.01)	45,592	0.01	CSP	1.09	-	188	1.09
ATO1P2409X	0.39	0.04	6,702	0.37	NEX13C2410B	0.04	(0.01)	32,779	0.05	GJS	0.22	-	18,257	0.23
ATO11C2407A	-	-	-	-	NEX13C2410C	0.02	-	14,100	0.02	GSTEEL	-	-	-	-
ATO13C2408A	0.07	(0.01)	13	0.07	NEX13C2410D	0.12	(0.01)	81,489	0.13	INOX	0.52	(0.01)	15,511	0.52
ATO13C2409A	0.20	(0												

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday May 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CK01C2407A	0.10	(0.01)	25,830	0.10	DJI28P2406A	-	-	-	-	HSI28P2406B	0.01	-	2,550	0.01
CK11C2407A	0.11	(0.01)	11,220	0.11	DJI28P2406B	-	-	-	-	HSI28P2406C	0.01	-	300	0.01
CK13C2408A	0.12	-	123	0.12	DJI28P2406C	0.17	0.01	1,600	0.17	HSI28P2406D	0.03	(0.01)	12,246	0.03
CK19C2408A	0.10	(0.01)	8,233	0.10	DJI28P2409A	0.76	0.06	12	0.76	HSI28P2406E	0.13	0.02	189,386	0.13
CNT	1.23	(0.05)	10,245	1.25	DJI14C2406A	0.05	(0.04)	68,000	0.05	HSI28P2407A	0.04	0.01	10,964	0.04
EMC	0.05	-	50,582	0.05	DJI14C2409A	0.30	(0.09)	48,740	0.31	HSI28P2407B	0.13	0.02	44,774	0.13
ITD	0.73	(0.02)	62,489	0.74	DJI14P2406A	-	-	-	-	HSI28P2407C	0.30	0.05	239,982	0.29
NL	2.22	(0.02)	10,814	2.22	DJI14P2406B	-	-	-	-	HSI28P2407D	0.59	0.10	542,111	0.58
NWR	0.32	-	9,373	0.32	DJI14P2409A	0.71	0.08	16,366	0.69	HSI28P2407E	1.09	0.17	257	1.08
PLE	0.46	-	1,602	0.45	GEELY28C2406A	-	-	-	-	HSI28P2408A	0.10	0.02	14,888	0.10
PREB	5.45	(0.05)	427	5.48	GEELY28C2408A	0.29	(0.02)	507	0.29	HSI28P2408B	1.11	0.14	2,542	1.13
PYLON	2.26	(0.02)	731	2.25	GEELY41C2406A	0.37	(0.06)	30	0.36	HSI28P2408C	0.36	0.06	9,798	0.35
RT	0.64	(0.01)	24,651	0.64	GEELY41C2411A	0.15	-	58	0.15	HSI28P2408D	0.65	0.09	977,798	0.64
RT-W1	-	-	-	-	HAIDIL28C2406	-	-	-	-	HSI28P2409A	0.57	0.08	44,660	0.56
SEAFCO	2.34	(0.06)	11,635	2.34	HAIDIL41C2405	-	-	-	-	HSI28P2410A	0.52	0.05	4,849	0.52
SQ	1.14	-	1,569	1.14	HAIDIL41C2407	0.21	(0.05)	202	0.22	HSTECH28C2405A	-	-	-	-
SRICHA	9.55	-	18,738	9.62	HKEX28C2406A	-	-	-	-	HSTECH28C2406A	-	-	-	-
STEC	9.85	(0.15)	11,045	9.90	HKEX28C2407A	0.46	(0.10)	100	0.46	HSTECH28C2407A	0.17	(0.04)	210	0.17
STEC19C2407A	0.21	(0.03)	19,690	0.22	HKEX28C2409A	-	-	-	-	HSTECH28P2405A	-	-	-	-
STI	3.18	-	66	3.16	HKEX28C2410A	0.19	(0.04)	25,000	0.19	HSTECH28P2406A	-	-	-	-
STPI	3.26	0.06	37,013	3.29	HKEX41C2405A	-	-	-	-	HSTECH28P2407A	-	-	-	-
SYNTEC	1.70	(0.01)	3,788	1.71	HKEX41C2406A	0.25	(0.08)	6	0.25	ICBC28C2407A	-	-	-	-
TEAMG	3.46	(0.08)	10,178	3.51	HKEX41C2409A	0.55	(0.09)	4	0.55	JD28C2406A	0.75	(0.18)	100	0.75
TEAMG-W1	0.36	(0.03)	1,828	0.38	HKEX41C2409B	0.16	(0.03)	6	0.16	JD28C2408A	1.10	(0.18)	66	1.09
TEKA	2.28	(0.04)	342	2.30	HSBC28C2406A	-	-	-	-	JD28C2408B	-	-	-	-
TPOLY	1.20	(0.04)	16,759	1.21	HSBC28P2407A	-	-	-	-	JD28C2410A	0.16	(0.03)	1,000	0.16
TRC	0.26	0.01	95,773	0.26	HSBC41C2405A	-	-	-	-	JD41C2406A	-	-	-	-
TRITN	0.13	-	104,677	0.13	HSBC41C2407A	0.56	(0.05)	40	0.56	JD41C2407A	0.37	(0.09)	22	0.38
TRITN-W5	-	-	-	-	HSBC41C2409A	0.21	(0.02)	4	0.21	JD41C2409A	0.13	(0.04)	5,253	0.13
TRITN-W6	0.01	-	2	0.01	HSBC41P2406A	-	-	-	-	KUAISH28C2406A	-	-	-	-
TTCL	3.82	(0.02)	2,019	3.84	HSCE128C2405A	-	-	-	-	KUAISH28C2407A	-	-	-	-
UNIQ	3.04	(0.04)	725	3.05	HSCE128C2406A	-	-	-	-	KUAISH28C2410A	-	-	-	-
WGE	0.83	0.01	6,365	0.82	HSCE128C2407A	-	-	-	-	KUAISH41C2406A	0.35	(0.07)	209	0.35
Unit Trust	-	-	-	-	HSCE128P2405A	0.01	(0.04)	100	0.01	LENOV028C2407A	-	-	-	-
SCBSET	-	-	-	-	HSCE128P2406A	-	-	-	-	LENOV028C2407B	-	-	-	-
ETF	-	-	-	-	HSCE128P2407A	0.57	0.07	135	0.56	LENOVO41C2406A	0.28	(0.05)	24	0.27
1DIV	10.04	0.03	74	10.05	HSI06C2405A	0.86	(1.06)	3	0.90	LENOVO41C2409A	0.50	(0.03)	34	0.51
ABFTH	-	-	-	-	HSI06C2405B	-	-	-	-	LENOVO41C2410A	0.24	(0.04)	22	0.24
BMSCG	9.78	0.08	34	9.75	HSI06C2405C	0.02	(0.14)	73,547	0.03	MCA5041C2406A	0.71	-	10	0.71
BMSCITH	9.58	(0.13)	1,183	9.63	HSI06C2405D	-	-	-	-	MCA5041P2406A	-	-	-	-
BSET100	8.91	(0.08)	209	8.96	HSI06C2405E	-	-	-	-	MEITU28C2406A	-	-	-	-
CHINA	5.90	0.02	99	5.89	HSI06C2405F	-	-	-	-	MEITU28C2407A	2.68	(0.54)	152	2.79
ENGY	4.86	(0.04)	131	4.88	HSI06C2406A	-	-	-	-	MEITU28C2408A	0.52	(0.16)	1,224	0.53
ENY	4.84	0.02	3	4.84	HSI06C2406B	0.29	(0.12)	2,315,280	0.31	MEITU28C2409A	0.25	(0.07)	12,168	0.25
GLD	3.49	-	3,048	3.49	HSI06C2406C	0.53	(0.19)	56,423	0.54	MEITU28P2405A	-	-	-	-
TDEX	8.17	(0.07)	4,372	8.17	HSI06C2406D	0.25	(0.10)	3,455,691	0.26	MEITU28P2406A	-	-	-	-
UBOT	13.91	0.09	10	13.91	HSI06C2406E	2.02	(0.94)	203	2.05	MEITU28P2407A	-	-	-	-
UHERO	7.22	(0.19)	4	7.29	HSI06C2406F	0.12	(0.06)	1,379,309	0.12	MEITU28P2409A	0.20	0.03	38,392	0.21
Warrant Foreign	-	-	-	-	HSI06C2407A	0.67	(0.17)	335	0.68	MEITU28P2410A	-	-	-	-
AIA28C2406A	0.04	-	1	0.04	HSI06C2407B	0.33	(0.09)	2,005,973	0.34	MEITU41C2405A	-	-	-	-
AIA28C2408A	0.30	-	13,183	0.29	HSI06C2407C	0.15	(0.03)	1,713,921	0.14	MEITU41C2405B	-	-	-	-
AIA28C2408B	-	-	-	-	HSI06C2407D	0.05	(0.03)	1,686,016	0.06	MEITU41C2406A	-	-	-	-
AIA28P2405A	-	-	-	-	HSI06C2408A	0.42	(0.09)	72,521	0.44	MEITU41C2406B	-	-	-	-
AIA28P2408A	-	-	-	-	HSI06C2408B	0.23	(0.06)	26,671	0.23	MEITU41C2407A	-	-	-	-
AIA28P2409A	-	-	-	-	HSI06C2408C	0.69	(0.10)	4	0.69	MEITU41C2409A	0.26	(0.08)	16	0.26
AIA41C2406A	-	-	-	-	HSI06C2408D	0.09	(0.04)	20,265	0.10	MEITU41P2406A	-	-	-	-
AIA41C2408A	0.46	(0.01)	14	0.46	HSI06C2409A	0.29	(0.07)	96,312	0.30	MEITU41P2407A	-	-	-	-
AIA41P2407A	0.12	(0.02)	2	0.12	HSI06P2405A	-	-	-	-	MEITU41P2409A	0.27	0.06	28	0.26
AIA41P2409A	-	-	-	-	HSI06P2405B	-	-	-	-	NDX28C2406A	-	-	-	-
ALIHEA28C2406A	-	-	-	-	HSI06P2405C	-	-	-	-	NDX28C2406B	0.14	(0.03)	40	0.14
ALIHEA28C2407A	0.18	0.04	8,612	0.18	HSI06P2405D	-	-	-	-	NDX28C2406C	-	-	-	-
ALIHEA28C2409A	0.34	0.15	3	0.34	HSI06P2405E	-	-	-	-	NDX28C2406D	-	-	-	-
ALIHEA41C2406A	-	-	-	-	HSI06P2406A	-	-	-	-	NDX28C2409A	0.80	(0.03)	296	0.81
ALIHEA41C2410A	0.25	0.04	409	0.26	HSI06P2406B	0.02	-	691	0.01	NDX28P2406A	-	-	-	-
BABA28C2406A	-	-	-	-	HSI06P2406C	0.01	-	2,055	0.01	NDX28P2406B	-	-	-	-
BABA28C2406B	0.20	(0.10)	100	0.20	HSI06P2406D	-	-	-	-	NDX28P2406C	-	-	-	-
BABA28C2407A	0.30	(0.16)	2,812	0.30	HSI06P2406E	0.05	0.01	5,111	0.05	NDX28P2409A	0.43	0.04	2,671	0.42
BABA28C2408A	0.63	(0.16)	388	0.63	HSI06P2406F	0.14	0.04	2,770,154	0.13	NDX28P2409B	0.19	(0.81)	22	0.19
BABA28C2410A	0.20	(0.04)	8,390	0.20	HSI06P2406G	0.23	0.05	1,461,592	0.22	NDX41C2406A	0.67	(0.10)	70	0.67
BABA28P2407A	-	-	-	-	HSI06P2407A	0.03	-	5,017	0.02	NDX41C2406B	0.07	-	100	0.07
BABA28P2408A	0.19	0.05	8,122	0.19	HSI06P2407B	0.15	0.03	1,808,270	0.15	NDX41C2409A	0.83	(0.09)	364	0.86
BABA28P2410A	0.53	0.08	3,000	0.53	HSI06P2407C	0.37	0.06	1,765,975	0.35	NDX41P2406A	-	-	-	-
BABA41C2406A	0.22	(0.05)	6	0.22	HSI06P2407D	0.59	0.10	311,701	0.57	NDX41P2406B	0.01	-	2	0.01
BABA41C2406B	-	-	-	-	HSI06P2407E	-	-	-	-	NDX41P2409A	0.34	0.03	47,377	0.32
BABA41C2407A	0.26	(0.10)	23	0.26	HSI06P2408A	0.13	0.02	5,867	0.13	NTES41C2405A	-	-	-	-
BABA41C2409A	0.12	(0.05)	4,376	0.12	HSI06P2408B	0.31	0.05	107,101	0.30	NTES41C2409A	0.35	(0.01)	1,153	0.35
BABA41P2407A	-	-	-	-	HSI06P2408C	0.55	0.07	61,045	0.55	PINGAN28C2406A	-	-	-	-
BABA41P2409A	-	-	-	-	HSI06P2408D	-	-	-	-	PINGAN28C2406B	-	-	-	-
BIDU28C2407A	0.0													

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Wednesday May 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5006P2406A	0.01	(0.01)	4	0.01	SPX41C2406A	-	-	-	-	0	-	-	-	-
SET5006P2406B	0.13	0.03	64,366	0.12	SPX41C2406B	0.12	(0.12)	16,006	0.13	0	-	-	-	-
SET5006P2409A	0.58	0.05	106,012	0.55	SPX41C2409A	0.65	(0.11)	34,134	0.67	0	-	-	-	-
SET5013C2405A	-	-	-	-	SPX41P2406A	-	-	-	-	0	-	-	-	-
SET5013C2406A	-	-	-	-	SPX41P2406B	-	-	-	-	0	-	-	-	-
SET5013C2406B	0.01	-	101	0.01	SPX41P2409A	0.54	0.03	1,333	0.54	0	-	-	-	-
SET5013C2406C	-	-	-	-	SUNNY28C2406	-	-	-	-	0	-	-	-	-
SET5013C2406D	0.01	(0.01)	92,202	0.01	SUNNY28C2407	-	-	-	-	0	-	-	-	-
SET5013C2406E	0.01	(0.02)	12,900	0.02	SUNNY28C2408	-	-	-	-	0	-	-	-	-
SET5013C2406F	0.03	(0.02)	782,774	0.03	SUNNY28C2408I	0.24	0.02	1,002	0.24	0	-	-	-	-
SET5013C2406G	0.06	(0.03)	196,441	0.07	SUNNY41C2405	-	-	-	-	0	-	-	-	-
SET5013C2409A	0.22	(0.06)	2,551,844	0.24	SUNNY41C2406	-	-	-	-	0	-	-	-	-
SET5013C2409B	0.35	(0.10)	1,099,029	0.38	SUNNY41C2407	-	-	-	-	0	-	-	-	-
SET5013C2409C	0.20	(0.05)	703,536	0.21	SUNNY41C2408	0.27	0.03	10	0.27	0	-	-	-	-
SET5013C2410A	0.08	(0.01)	66,824	0.08	TENCEN28C240	-	-	-	-	0	-	-	-	-
SET5013C2410B	0.10	(0.04)	169,552	0.11	TENCEN28C240	-	-	-	-	0	-	-	-	-
SET5013C2411A	0.19	(0.04)	74,348	0.20	TENCEN28C240	-	-	-	-	0	-	-	-	-
SET5013C2412T	0.20	(0.03)	36,611	0.21	TENCEN28C240	0.54	(0.14)	1,300	0.57	0	-	-	-	-
SET5013P2405A	-	-	-	-	TENCEN28P240	-	-	-	-	0	-	-	-	-
SET5013P2406A	0.01	-	61,199	0.01	TENCEN28P241	0.20	0.04	195,000	0.19	0	-	-	-	-
SET5013P2406B	0.01	-	5,577	0.01	TENCEN28P241	0.50	0.06	31,990	0.49	0	-	-	-	-
SET5013P2406C	0.01	-	32,305	0.01	TENCEN41C240	-	-	-	-	0	-	-	-	-
SET5013P2406D	0.01	-	6,619	0.01	TENCEN41C240	-	-	-	-	0	-	-	-	-
SET5013P2406E	0.06	0.01	64,664	0.06	TENCEN41C240	0.56	(0.11)	135	0.57	0	-	-	-	-
SET5013P2406F	0.24	0.07	1,793,808	0.21	TENCEN41P240	-	-	-	-	0	-	-	-	-
SET5013P2406G	0.05	0.01	3,020	0.05	TENCEN41P240	0.13	0.02	8	0.13	0	-	-	-	-
SET5013P2406H	0.06	0.02	7,774	0.06	TRIPDC41C240	0.65	(0.19)	316	0.67	0	-	-	-	-
SET5013P2409A	0.31	0.05	696,440	0.30	TRIPDC41C240	0.29	(0.07)	12	0.29	0	-	-	-	-
SET5013P2409B	0.48	0.09	2,474,939	0.45	XIAOMI28C2407	0.62	(0.07)	50	0.62	0	-	-	-	-
SET5013P2409C	0.65	0.11	1,274,329	0.62	XIAOMI28C2409	0.18	(0.02)	4,002	0.18	0	-	-	-	-
SET5013P2409D	0.93	0.14	416,840	0.89	XIAOMI28P2408	0.18	0.03	11,084	0.17	0	-	-	-	-
SET5013P2410A	0.23	0.03	107,440	0.23	XIAOMI28P2409	0.33	(0.67)	150,020	0.32	0	-	-	-	-
SET5013P2412T	0.44	0.03	34,197	0.43	XIAOMI41C2405	-	-	-	-	0	-	-	-	-
SET5019C2406A	0.01	(0.01)	4,000	0.01	XIAOMI41C2406	-	-	-	-	0	-	-	-	-
SET5019C2406B	-	-	-	-	XIAOMI41C2407	0.33	(0.06)	1,393	0.36	0	-	-	-	-
SET5019C2406C	-	-	-	-	XIAOMI41C2409	0.15	(0.03)	159	0.16	0	-	-	-	-
SET5019C2406E	-	-	-	-	XIAOMI41P2408	0.10	-	2	0.10	0	-	-	-	-
SET5019C2406F	0.03	(0.01)	32	0.03	XIAOMI41P2409	0.34	0.03	2	0.34	0	-	-	-	-
SET5019C2406G	-	-	-	-	ZJIN28C2407A	-	-	-	-	0	-	-	-	-
SET5019C2406H	0.13	(0.08)	146,916	0.14	ZJIN28C2408A	0.74	(0.01)	2	0.76	0	-	-	-	-
SET5019C2406I	0.12	(0.07)	226,714	0.14	ZJIN41C2407A	-	-	-	-	0	-	-	-	-
SET5019C2409A	0.13	(0.05)	185,322	0.15	ZJIN41C2407B	0.52	-	33	0.55	0	-	-	-	-
SET5019C2409B	0.24	(0.07)	314,641	0.26	ZJIN41C2409A	0.26	0.01	14	0.26	0	-	-	-	-
SET5019C2412A	0.23	(0.04)	262,937	0.24	0	-	-	-	-	0	-	-	-	-
SET5019P2406A	0.08	-	500	0.08	0	-	-	-	-	0	-	-	-	-
SET5019P2406B	0.04	0.01	90	0.04	0	-	-	-	-	0	-	-	-	-
SET5019P2406C	0.03	-	3,650	0.02	0	-	-	-	-	0	-	-	-	-
SET5019P2406D	0.14	0.05	145,687	0.13	0	-	-	-	-	0	-	-	-	-
SET5019P2406E	0.47	0.12	56,489	0.43	0	-	-	-	-	0	-	-	-	-
SET5019P2409A	0.35	0.05	476,760	0.34	0	-	-	-	-	0	-	-	-	-
SET5019P2409B	0.47	0.07	272,488	0.45	0	-	-	-	-	0	-	-	-	-
SET5027C2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2406B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2406C	0.01	-	150	0.01	0	-	-	-	-	0	-	-	-	-
SET5027C2406D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2406E	0.05	(0.03)	3,160	0.06	0	-	-	-	-	0	-	-	-	-
SET5027C2406T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2409A	0.16	(0.07)	118,517	0.18	0	-	-	-	-	0	-	-	-	-
SET5027C2409B	0.29	(0.71)	332,868	0.31	0	-	-	-	-	0	-	-	-	-
SET5027C2409T	0.06	(0.01)	1,101	0.06	0	-	-	-	-	0	-	-	-	-
SET5027C2412T	0.14	(0.86)	1,133	0.14	0	-	-	-	-	0	-	-	-	-
SET5027P2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2406B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2406C	0.17	0.06	146,855	0.15	0	-	-	-	-	0	-	-	-	-
SET5027P2406T	0.01	-	100	0.01	0	-	-	-	-	0	-	-	-	-
SET5027P2409A	0.27	0.05	76,228	0.26	0	-	-	-	-	0	-	-	-	-
SET5027P2409B	0.69	(0.31)	121,299	0.66	0	-	-	-	-	0	-	-	-	-
SET5027P2409T	0.07	0.01	100	0.07	0	-	-	-	-	0	-	-	-	-
SET5027P2412T	0.24	(0.76)	222,420	0.23	0	-	-	-	-	0	-	-	-	-
SET5028C2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2407A	0.13	(0.04)	721,869	0.14	0	-	-	-	-	0	-	-	-	-
SET5028C2409A	0.17	(0.04)	592,902	0.18	0	-	-	-	-	0	-	-	-	-
SET5028C2409B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2412A	0.18	(0.04)	303,195	0.19	0	-	-	-	-	0	-	-	-	-
SET5028C2412B	0.40	(0.06)	72,413	0.42	0	-	-	-	-	0	-	-	-	-
SET5028P2406A	0.04	-	185	0.04	0	-	-	-	-	0	-	-	-	-
SET5028P2407A	0.61	0.11	61,648	0.56	0	-	-	-	-	0	-	-	-	-
SET5028P2409A	0.28	0.03	741,184	0.27	0	-	-	-	-	0	-	-	-	-
SET5028P2409B	0.12	0.01	900	0.12	0	-	-	-	-	0	-	-	-	-
SET5028P2412A	0.49	0.06	41,204	0.47	0	-	-	-	-	0	-	-	-	-
SET5041C2406A	0.02	-	21,929	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2406B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2406C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2406D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2406E	0.02	0.01	4,076	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2409A	0.05	(0.01)	2,847	0.05	0	-	-	-	-	0	-	-	-	-
SET5041C2409B	0.36	(0.09)	611,023	0.40	0	-	-	-	-	0	-	-	-	-
SET5041C2412T	0.23	(0.04)	832,399	0.25	0	-	-	-	-	0	-	-	-	-
SET5041C2412U	0.24	(0.04)	108,129	0.26	0	-	-	-	-	0	-	-	-	-
SET5041P2406A	0.11	0.03	14,380	0.09	0	-	-	-	-	0	-	-	-	-
SET5041P2406B	0.02	-	401	0.02	0	-	-	-	-	0	-	-	-	-
SET5041P2406C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2406D	-	-	-	-	0	-	-	-	-					

**Asia Plus Securities Company Limited**

## Main Board Quotation

## Daily Quotation

**Issue Date :**

*Wednesday May 29, 2024*

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Issue Date :

Wednesday May 29, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust	-				TPLAS	1.43	-	810	00 1.4	HARN	2.18	0.02	4,064	26 2.1
APO	1.70	(0.02)	8,551	00 1.6	TRV	2.70	-	87	00 2.7	HEALTH	1.33	0.01	420	00 1.3
AU	8.20	(0.05)	4,451	00 8.2	UBIS	2.54	-	672	00 2.5	HL	10.90	(0.10)	2,601	00 11.0
JCKH	0.03	-	13,320	00 0.0	UEC	1.70	-	1,240	00 1.7	IMH	6.40	(0.05)	285	00 6.3
JCKH-W1	-	-	-	00 0.0	UKEM	0.88	(0.01)	46,138	00 0.8	JPARK	6.45	(0.10)	16,666	00 6.4
JCKH-W2	-	-	-	00 0.0	UREKA	0.58	0.02	57,021	00 0.5	KGEN	0.81	0.06	180,968	00 0.8
KASET	1.18	(0.01)	471	00 1.1	YUSA	11.50	-	105	00 11.5	KGEN-W2	0.11	(0.01)	234,068	00 0.1
MUD	1.58	(0.01)	2	00 1.6	ZIGA	2.26	(0.02)	22,065	00 2.2	KK	1.88	0.03	8	00 1.8
NTSC	13.30	-	17	00 13.4	ZIGA-W2	0.27	-	26,231	00 0.2	KLINIQ	42.75	(0.25)	8,757	00 42.9
TACC	4.86	(0.04)	11,120	00 4.8	Property	-		-		KOOL	0.38	(0.01)	9,091	00 0.3
TMILL	3.62	0.02	1,139	00 3.6	24CS	3.52	(0.10)	48,739	00 3.5	KTMS	2.40	(0.02)	175	00 2.4
WINNER	2.06	(0.02)	555	00 2.0	A5	3.26	(0.02)	1,887	00 3.2	LDC	0.59	0.01	2,309	00 0.5
XO	32.00	0.50	19,458	00 31.5	A5-W2	-		-		LEO	4.24	-	5,128	00 4.2
Consumer Products	-				A5-W3	0.05	(0.01)	5,284	00 0.0	LEO-W1	0.11	(0.01)	9,950	00 0.1
ALPHAX	0.78	-	34,705	00 0.7	ALL	-	-	-	00 0.0	MASTER	63.25	(1.25)	12,268	00 63.8
BGT	0.73	0.01	115	00 0.7	ARIN	1.86	-	113	00 1.8	MCA	2.36	(0.08)	32,517	00 2.3
DOD	2.52	-	987	00 2.4	ARROW	6.00	0.10	395	00 6.0	MEB	31.50	(0.25)	3,323	00 31.6
ECF	0.73	-	12,708	00 0.7	BC	0.94	(0.02)	681	00 0.9	MORE	0.08	-	1,226	00 0.0
ECF-W4	-	-	-	00 0.0	BLESS	0.57	-	1,649	00 0.5	MVP	0.90	0.01	912	00 0.9
EFORL	0.19	-	10,069	00 0.1	BSM	2.48	0.04	42	00 2.4	NCL	0.58	(0.01)	2,994	00 0.5
EFORL-W6	0.04	-	1,001	00 0.0	BTW	0.24	-	1,661	00 0.2	NEWS	0.02	-	100,790	00 0.0
EURO	7.85	-	6,202	00 7.8	CAZ	3.54	(0.02)	738	00 3.5	PEER	0.33	(0.01)	50,183	00 0.3
HPT	0.59	(0.01)	111,698	00 0.6	CHEWA	0.49	(0.01)	7,224	00 0.5	PEER-W1	0.19	-	1,291	00 0.1
IP	5.15	(0.40)	18,316	00 5.2	CPANEL	5.50	(0.20)	511	00 5.5	PHOL	2.74	(0.02)	1,680	00 2.7
IP-W2	0.39	(0.02)	3,403	00 0.3	CPANEL-W1	1.32	(0.06)	2,572	00 1.1	PICO	4.84	0.02	263	00 4.6
ITTHI	2.56	(0.02)	63,369	00 2.6	CRD	0.44	(0.01)	968	00 0.4	PLT	0.79	-	2,800	00 0.7
JSP	2.44	(0.08)	2,108	00 2.4	DHOUSE	0.70	-	1,562	00 0.7	QLT	2.66	(0.12)	14	00 2.6
JSP-W1	0.07	(0.02)	22,121	00 0.0	DIMET	0.20	-	3,769	00 0.1	RP	1.39	0.01	336	00 1.3
JUBILE	14.70	-	271	00 14.6	DPAIN	1.96	-	4,884	00 1.9	SLM	-	-	-	00 0.0
LTS	8.50	(0.40)	41,355	00 8.8	FLOYD	0.90	(0.05)	4,389	00 0.9	SONIC	1.77	-	42,999	00 1.7
MGI	23.60	(0.60)	16,705	00 23.9	FLOYD-W1	-	-	-	00 0.0	SPA	7.05	(0.25)	15,614	00 7.0
MOONG	2.18	-	1,032	00 2.1	HYDRO	0.39	(0.01)	459	00 0.3	THMUI	0.60	0.01	3,015	00 0.6
NPK	15.00	0.30	5	00 15.1	HYDRO-W2	-	-	-	00 0.0	TNDT	0.18	0.01	8,869	00 0.1
SMD	5.55	(0.05)	173	00 5.5	IND	0.87	(0.01)	1,088	00 0.8	TNDT-W1	0.03	-	129	00 0.0
TM	1.85	(0.01)	463	00 1.8	JAK	1.21	(0.01)	372	00 1.2	TNH	35.50	-	1,707	00 35.5
TM-W1	0.17	(0.01)	61	00 0.1	K	1.01	(0.03)	1,711	00 1.0	TNP	3.64	(0.08)	1,886	00 3.6
WARRIX	5.75	(0.20)	11,828	00 5.7	KUN	1.58	-	18	00 1.5	TPL	1.16	(0.06)	5,276	00 1.1
WINMED	2.38	(0.02)	179	00 2.3	KUN-W2	0.05	-	3,245	00 0.0	TRP	12.00	0.10	5,171	00 11.8
Financials	-				META	0.15	-	18,386	00 0.1	TURTLE	-	-	-	00 0.0
ACAP	-	-	-	00 0.0	META-W7	0.01	-	25	00 0.0	TVDH	0.33	-	18,304	00 0.3
AF	0.64	(0.02)	93	00 0.6	PANEL	1.68	(0.01)	987	00 1.6	TVDH-W3	0.05	-	2	00 0.0
AIRA	1.78	0.11	1,851	00 1.7	PPS	0.38	(0.01)	3,422	00 0.3	TVDH-W4	-	-	-	00 0.0
ASN	1.92	(0.08)	324	00 1.8	PRI	11.60	(0.40)	12,674	00 11.9	TVT	0.45	-	5,597	00 0.4
BROOK	0.57	-	276,851	00 0.5	PROS	1.24	-	637	00 1.2	UBA	1.02	0.01	564	00 1.0
BROOK-W6	0.01	-	332,973	00 0.0	PROS-W1	0.33	-	3,047	00 0.3	VL	1.18	0.02	50,513	00 1.1
BROOK-W7	0.25	(0.01)	12,257	00 0.2	PROUD	1.86	0.04	15,938	00 1.8	YGG	6.85	(0.10)	14,863	00 6.9
GCAP	0.50	(0.01)	7,847	00 0.5	PSG	0.61	0.01	36,201	00 0.6	Technology	-	-	-	-
KCCAMC	2.80	(0.10)	14,706	00 2.8	QTG	0.69	-	139,472	00 0.6	APP	2.06	(0.02)	226	00 2.0
LIT	1.13	(0.05)	1,684	00 1.1	SENX	0.47	(0.01)	17,487	00 0.4	BBIK	32.75	(1.00)	6,868	00 33.2
LIT-W2	0.27	0.01	880	00 0.2	SENX-W1	-	-	-	00 0.0	BE8	18.90	(0.50)	8,530	00 19.1
MITSIB	0.78	0.02	12,835	00 0.7	SK	0.75	-	1,342	00 0.7	BE8-W1	3.60	(0.70)	11	00 3.6
SGF	0.33	-	1,411	00 0.3	SMART	0.79	(0.02)	28,564	00 0.8	BVG	3.96	(0.02)	6,741	00 3.9
SGF-P1	-	-	-	00 0.0	STC	0.59	0.01	9	00 0.5	COMAN	3.80	0.04	10	00 3.8
SGF-Q1	-	-	-	00 0.0	STX	1.87	(0.10)	51,574	00 1.9	I2	2.08	(0.04)	8,538	00 2.0
TQR	6.80	(0.05)	629	00 6.8	SVR	1.02	(0.24)	90,688	00 1.0	IIG	7.20	(0.15)	1,783	00 7.2
Industrials	-				TAPAC	-	-	-	00 0.0	IIG-W1	1.29	(0.26)	1	00 1.2
ADB	0.77	(0.02)	750	00 0.7	THANA	1.55	0.01	165	00 1.5	IRCP	0.64	(0.01)	6,759	00 0.6
BM	2.78	0.02	786	00 2.7	TIGER	0.77	-	110	00 0.7	ITNS	1.99	(0.01)	9,336	00 2.0
BM-W3	1.57	0.07	55	00 1.5	TITLE	4.14	(0.02)	1,097	00 4.1	NAT	6.10	(0.10)	24,516	00 6.1
BPS	0.71	(0.02)	9,579	00 0.7	WELL	-	-	-	00 0.0	NETBAY	19.20	(0.20)	4,349	00 19.2
CHO	0.09	0.01	207,955	00 0.0	YONG	1.98	(0.01)	11,388	00 1.9	PLANET	0.63	(0.01)	938	00 0.6
CHO-W3	-	-	-	00 0.0	Resources	-	-	-	00 0.0	PROEN	1.70	(0.04)	11,893	00 1.7
CHOW	2.98	(0.04)	6,584	00 2.9	ABM	1.39	(0.02)	637	00 1.3	READY	8.65	0.05	1,029	00 8.4
CIG	0.07	0.01	17,589	00 0.0	ABM-W1	0.20	0.01	1,271	00 0.1	SECURE	17.40	(0.20)	11,775	00 17.6
CIG-W10	0.07	0.01	3	00 0.0	GTV	0.14	-	36,322	00 0.1	SICT	5.25	(0.05)	3,872	00 5.2
CIG-W9	0.04	-	7,906	00 0.0	PSTC	0.51	(0.01)	43,748	00 0.5	SIMAT	1.26	(0.03)	1,260	00 1.2
COLOR	1.26	0.01	810	00 1.2	PSTC-W2	0.04	0.01	15,385	00 0.0	SIMAT-W3	0.20	0.01	165	00 0.1
COLOR-W2	-	-	-	00 0.0	PSTC-W3	0.19	0.03	157,210	00 0.1	SIMAT-W5	0.06	(0.01)	4,130	00 0.0
CPR	4.06	-	3,627	00 4.1	PTC	1.50	(0.03)	7,790	00 1.5	SPVI	2.72	(0.06)	685	00 2.7
FPI	2.16	(0.04)	2,104	00 2.1	SAAM	7.50	0.15	192	00 7.3	SRS	6.05	(0.10)	1,377	00 6.0
GTB	0.71	-	409	00 0.7	SAAM-W2	0.17	(0.05)	37,508	00 0.1	TBN	9.50	(0.10)	543	00 9.5
KCM	0.36	-	1,346	00 0.3	SR	0.55	-	27	00 0.5	TERA	2.12	(0.04)	33,474	00 2.1
KJL	7.00	0.05	590	00 6.9	STOWER	0.08	-	5,806	00 0.0	TPS	4.06	0.16	53,941	00 3.9
KUMWEL	1.86	(0.02)	948	00 1.8	STOWER-W4	-	-	-	00 0.0	TPS-W1	-	-	-	00 0.0
KWM	1.36	0.01	4,089	00 1.3	TAKUNI	0.95	(0.01)	33,110	00 0.9	VCOM	3.08	(0.04)	594	00 3.1
MBAX	3.20	(0.02)	378	00 3.1	TPCH	6.75	(0.15)	2,525	00 6.7	-	-	-	-	-
MBAX-W2	0.19	(0.01)	640	00 0.1	TRT	5.15	0.15	48,808	00 5.1	-	-	-	-	-
MGT	2.30	0.02	487	00 2.2	UMS	0.50	(0.01)	101	00 0.5	-	-	-	-	-
MTW	1.													