

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KTB13C2406B	-	-	-	-	IVL13C2407A	0.03	(0.02)	2,209	0.03
WORLD	-	-	-	-	KTB13C2408A	0.21	-	53,813	0.21	IVL13C2408A	0.01	-	1,396	0.01
Agribusiness	-	-	-	-	KTB13P2406A	-	-	-	-	IVL13C2410A	0.05	(0.02)	304	0.06
EE	0.16	-	9,317	0.15	KTB13P2408A	0.05	(0.01)	2	0.05	IVL13C2410B	0.17	(0.08)	170,113	0.19
EE-W1	0.01	-	10	0.01	KTB19C2406A	-	-	-	-	IVL13P2408A	0.38	0.10	64,213	0.35
GFPT	13.00	(0.40)	33,478	13.17	KTB19C2408A	0.23	(0.01)	7,032	0.23	IVL19C2406A	-	-	-	-
LEE	2.48	(0.02)	1,300	2.48	KTB19C2410A	0.22	-	24,883	0.22	IVL19C2407A	-	-	-	-
NER	5.75	0.05	75,944	5.77	KTB19P2406A	-	-	-	-	IVL19C2408A	-	-	-	-
NER-W2	0.89	0.08	506,388	0.88	KTB41C2406A	-	-	-	-	IVL19C2409A	0.10	(0.06)	40,059	0.11
PPPM	0.35	(0.02)	8,069	0.35	KTB41C2406B	0.01	(0.03)	1	0.01	IVL19C2410A	0.07	(0.03)	1,670	0.07
PPPM-W4	-	-	-	-	KTB41C2407A	0.09	-	7,658	0.09	IVL19C2410B	0.25	(0.75)	54,383	0.27
STA	22.70	0.70	316,475	22.55	LHFG	0.99	-	32,736	1.00	IVL19P2401A	0.46	(0.54)	40,380	0.42
STA01C2407A	0.34	0.08	65,486	0.31	SCB	105.00	-	59,490	104.65	IVL41C2406A	-	-	-	-
STA01C2409A	0.76	0.10	7,758	0.73	SCB01C2407A	0.16	(0.01)	14,485	0.15	IVL41C2406B	-	-	-	-
STA01C2410A	0.43	0.05	100,790	0.42	SCB01C2408A	0.20	(0.03)	5,000	0.20	IVL41C2407A	-	-	-	-
STA01P2407X	0.01	(0.01)	4,405	0.01	SCB01P2407X	-	-	-	-	IVL41C2410A	0.14	(0.06)	29,955	0.16
STA01P2408X	0.05	-	2,971	0.05	SCB01P2410X	0.33	0.01	3,565	0.33	IVL41C2412A	0.07	(0.06)	1,150	0.08
STA01P2410X	0.63	(0.07)	197,830	0.64	SCB13C2406A	-	-	-	-	NFC	2.16	0.04	661	2.16
STA06C2408A	0.49	0.08	100,526	0.43	SCB13C2409A	0.15	(0.01)	20,242	0.15	PATO	9.80	0.05	110	9.69
STA11C2407T	0.79	(0.18)	1,914	0.77	SCB13P2406A	-	-	-	-	PMTA	8.85	0.05	4	8.66
STA13C2407A	0.51	0.08	600	0.51	SCB13P2407A	-	-	-	-	PTTG	33.75	(0.25)	87,964	33.78
STA13C2408A	0.29	0.05	217,958	0.28	SCB13P2410A	0.28	0.01	12,556	0.28	PTTGC01C2406A	-	-	-	-
STA13C2409A	0.98	0.06	50	0.98	SCB19C2406A	-	-	-	-	PTTGC01C2407A	-	-	-	-
STA13C2410A	0.38	0.05	318,468	0.37	SCB19C2407A	-	-	-	-	PTTGC01C2409A	0.10	(0.02)	43,478	0.11
STA13P2407A	-	-	-	-	SCB19C2409A	0.14	(0.01)	6,674	0.14	PTTGC01P2409X	0.56	0.02	2,972	0.54
STA13P2408A	0.04	(0.01)	13,877	0.04	SCB19P2407A	-	-	-	-	PTTGC11C2409A	0.11	(0.01)	5,500	0.12
STA13P2410A	0.54	(0.06)	207,426	0.55	SCB41C2407A	-	-	-	-	PTTGC13C2406A	-	-	-	-
STA19C2406A	-	-	-	-	SCB41C2407B	-	-	-	-	PTTGC13C2409A	0.05	-	10,000	0.05
STA19C2408A	0.48	0.10	114,688	0.42	SCB41C2408A	-	-	-	-	PTTGC13C2410A	0.11	(0.01)	6,896	0.12
STA19C2409A	-	-	-	-	SCB41C2412A	0.28	-	14,000	0.27	PTTGC13P2408A	0.31	0.03	706	0.27
STA19C2410A	0.44	0.05	214,410	0.44	SCB41P2406A	-	-	-	-	PTTGC19C2406A	-	-	-	-
STA19P2410A	0.62	(0.07)	154,381	0.63	TCAP	48.00	(1.00)	22,347	48.47	PTTGC19C2409A	-	-	-	-
STA41C2408A	0.38	0.06	63,803	0.37	TCAP-P	-	-	-	-	PTTGC19C2410A	0.15	(0.01)	47,757	0.17
TEGH	3.42	0.06	64,470	3.38	TCAP-Q	-	-	-	-	PTTGC41C2406A	-	-	-	-
TFM	8.25	(0.25)	5,610	8.47	TISCO	97.00	(0.25)	47,952	97.02	PTTGC41C2407A	-	-	-	-
TRUBB	1.42	0.04	227,405	1.42	TISCO-P	-	-	-	-	PTTGC41C2407B	-	-	-	-
TRUBB-W2	0.03	0.01	53,638	0.03	TISCO-Q	-	-	-	-	PTTGC41C2412A	0.19	(0.01)	12,900	0.20
UPOIC	6.60	(0.10)	57	6.55	TISCO13C2409A	0.33	-	55,467	0.33	SUTHA	3.02	(0.02)	176	3.01
UVAN	8.35	-	2,144	8.40	TISCO19C2408A	-	-	-	-	TPA	4.10	-	1	4.10
VPO	0.50	-	2,398	0.49	TTB	1.66	-	1,856,692	1.67	UAC	3.46	(0.02)	2,630	3.37
Banking	-	-	-	-	TTB-W1	0.70	(0.05)	6,265	0.72	UP	17.50	(0.60)	2	17.50
BAY	24.90	(0.35)	2,476	24.97	TTB01C2406A	-	-	-	-	Commerce	-	-	-	-
BBL	134.00	(2.00)	101,753	134.73	TTB01C2409A	0.11	(0.01)	3,000	0.12	ADVICE	4.26	(0.06)	43,080	4.28
BBL11C2406A	0.01	-	720	0.01	TTB13C2409A	0.08	(0.02)	500	0.08	B52	0.73	0.01	8	0.73
BBL11C2409A	0.25	(0.03)	14,644	0.26	TTB19C2409A	0.10	(0.01)	2,390	0.10	BEAUTY	0.50	(0.02)	83,144	0.51
BBL11P2407A	0.08	(0.03)	1	0.08	Construction Ma	-	-	-	-	BIG	0.42	(0.01)	2,052	0.42
BBL13C2406A	-	-	-	-	CCP	0.33	-	2,591	0.33	BJC	22.00	(0.30)	49,704	22.07
BBL13C2408A	0.06	(0.01)	410	0.06	DCC	1.96	(0.02)	60,887	1.96	COM7	16.90	-	155,312	16.96
BBL13C2410A	0.24	(0.03)	20,316	0.26	DCON	0.37	(0.01)	43,999	0.37	COM701C2406A	0.01	-	440	0.01
BBL13P2408A	0.12	-	1	0.12	DCON-W3	0.04	0.01	114	0.04	COM701C2407A	-	-	-	-
BBL19C2406A	-	-	-	-	DRT	8.10	-	1,901	8.11	COM701C2408A	0.07	(0.01)	1,529	0.07
BBL19C2408A	-	-	-	-	EPG	6.30	0.10	11,904	6.26	COM701C2410W	0.25	(0.01)	46,133	0.26
BBL19C2410A	0.22	(0.03)	46,091	0.24	GEL	0.14	-	28,205	0.13	COM701P2406X	0.14	(0.03)	24,318	0.13
BBL19P2406A	-	-	-	-	GEL-W5	-	-	-	-	COM701P2408X	0.25	(0.01)	29,394	0.24
BBL41C2406A	-	-	-	-	PPP	1.77	0.02	851	1.75	COM701P2410W	0.55	-	23,501	0.54
BBL41C2406B	-	-	-	-	Q-CON	13.00	(0.20)	5,138	13.11	COM706C2407A	-	-	-	-
BBL41C2407A	-	-	-	-	SCC	234.00	(4.00)	13,749	234.97	COM711C2406A	-	-	-	-
BBL41C2407B	-	-	-	-	SCC01C2407A	0.01	(0.01)	2,000	0.01	COM711C2409A	0.15	-	31,345	0.15
BBL41C2408A	0.04	(0.06)	2,100	0.05	SCC01C2408A	0.11	(0.02)	1,565	0.11	COM71P2406A	-	-	-	-
BBL41C2412A	0.33	(0.03)	18,502	0.34	SCC11C2408A	-	-	-	-	COM713C2406A	-	-	-	-
BBL41P2406A	-	-	-	-	SCC13C2407A	-	-	-	-	COM713C2407A	-	-	-	-
CIMBT	0.50	0.01	12,045	0.50	SCC13C2408A	0.04	-	90	0.03	COM713C2408A	-	-	-	-
CREDIT	18.80	(3.10)	6,216	19.66	SCC13C2410A	0.22	(0.03)	26,814	0.24	COM713C2410A	0.19	-	52,479	0.19
KBANK01C2406A	0.01	-	2,000	0.01	SCC13P2408A	0.14	0.02	9,654	0.13	COM713P2407A	0.13	(0.01)	36,563	0.13
KBANK01C2407A	0.23	(0.04)	4,270	0.24	SCC19C2408A	-	-	-	-	COM713P2410A	0.46	(0.01)	75,064	0.46
KBANK01C2409A	0.25	(0.03)	8,564	0.25	SCC19C2410A	0.16	(0.03)	15,683	0.18	COM719C2407A	-	-	-	-
KBANK01P2406X	-	-	-	-	SCCC	132.00	(1.00)	1,031	132.43	COM719C2408A	0.06	-	2	0.06
KBANK01P2408X	0.02	(0.02)	2,000	0.02	SCGD	7.60	(0.05)	5,433	7.61	COM719C2410A	0.22	-	55,444	0.22
KBANK01P2409X	0.13	-	151	0.13	SCP	6.75	(0.05)	1,212	6.59	COM719P2406A	-	-	-	-
KBANK01P2410X	0.48	0.02	6,371	0.47	SKN	5.40	0.05	505	5.34	COM741C2406A	-	-	-	-
KBANK06C2406A	-	-	-	-	STECH	1.35	0.01	6,816	1.31	COM741C2407A	-	-	-	-
KBANK13C2406A	-	-	-	-	TASCO	16.50	(0.40)	78,054	16.67	COM741C2408A	-	-	-	-
KBANK13C2407A	0.08	(0.03)	31,756	0.09	TASCO01C2408/	0.11	(0.03)	27,352	0.11	COM741C2412A	0.32	(0.01)	57,600	0.33
KBANK13C2408A	0.21	(0.04)	40,532	0.22	TASCO13C2407/	-	-	-	-	CPALL19C2406A	-	-	-	-
KBANK13C2409A	0.12	(0.02)	33,112	0.12	TASCO19C2407/	0.05	(0.03)	650	0.05	CPALL19C2407A	0.09	(0.02)	3,654	0.11
KBANK13P2406A	-	-	-	-	TASCO41C2406/	-	-	-	-	CPALL01C2409A	0.34	(0.03)	14,893	0.36
KBANK13P2409A	-	-	-	-	TOA</td									

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC01C2409A	0.09	0.01	28,193	0.10	FORTH13C2408	0.20	0.02	11,247	0.20	DELTA19C2409A	0.53	0.09	155,435	0.53
CRC13C2407A	-	-	-	-	FORTH19C2407	0.04	(0.02)	1	0.04	DELTA19P2407A	-	-	-	-
CRC13C2408A	-	-	-	-	GABLE	4.16	(0.24)	23,594	4.24	DELTA19P2409A	0.35	(0.07)	32,329	0.35
CRC13C2409A	0.09	0.02	12,350	0.08	HUMAN	10.80	-	21,531	10.71	DELTA41C2406A	-	-	-	-
CRC19C2406A	-	-	-	-	ICN	2.34	(0.04)	4,538	2.37	DELTA41C2407A	0.04	(0.01)	29	0.04
CRC19C2408A	0.02	-	900	0.02	ILINK	6.70	-	5,239	6.68	DELTA41C2407B	0.14	0.04	40,487	0.13
CRC19C2409A	-	-	-	-	INET	4.52	(0.10)	6,260	4.61	DELTA41P2406A	-	-	-	-
CRC41C2407A	0.01	(0.01)	450	0.01	INET-W3	0.55	(0.05)	100,359	0.59	DELTA41P2410A	0.42	(0.05)	6,391	0.42
CSS	0.78	(0.04)	9,683	0.80	INSET	2.30	-	53,253	2.31	HANA	41.75	2.25	303,961	41.45
DOHOME	11.10	(0.20)	24,109	11.19	INTUCH	67.00	(0.50)	21,871	67.09	HANA01C2406A	-	-	-	-
DOHOME01C2406A	-	-	-	-	INTUCH13C2408	0.06	(0.01)	302	0.06	HANA01C2407A	-	-	-	-
DOHOME01C2409A	0.14	(0.02)	12,063	0.15	INTUCH19C2405	0.16	(0.02)	5,092	0.17	HANA01C2410A	0.38	0.08	52,239	0.37
DOHOME06C2407A	-	-	-	-	ITEL	2.44	(0.04)	75,235	2.46	HANA01P2407X	0.06	(0.04)	4,999	0.06
DOHOME11C2406A	-	-	-	-	JAS	3.44	0.02	253,360	3.42	HANA01P2408X	-	-	-	-
DOHOME13C2406A	-	-	-	-	JMART	12.00	(0.30)	122,994	12.28	HANA01P2410W	0.36	(0.07)	25,517	0.37
DOHOME13C2407A	-	-	-	-	JMART-W4	-	-	-	-	HANA06C2407A	0.23	0.05	102,866	0.23
DOHOME13C2409A	0.17	(0.02)	9,886	0.18	JMART-W5	0.91	(0.07)	227	0.94	HANA11C2407A	-	-	-	-
DOHOME19C2406A	-	-	-	-	JMART01C2406	-	-	-	-	HANA13C2407A	0.01	-	10	0.01
DOHOME19C2407A	0.03	(0.01)	2	0.03	JMART01C2407	-	-	-	-	HANA13C2407B	-	-	-	-
DOHOME19C2409A	0.19	(0.02)	9,182	0.20	JMART01C2409	0.10	-	33,792	0.11	HANA13C2407C	0.16	0.06	52,952	0.16
DOHOME41C2406A	-	-	-	-	JMART01C2410	0.20	(0.02)	51,130	0.23	HANA13C2408A	0.16	0.04	77,168	0.16
DOHOME41C2406B	-	-	-	-	JMART13P2408A	0.41	0.03	26,393	0.36	HANA13C2410A	0.30	0.07	122,807	0.29
DOHOME41C2412A	0.16	(0.02)	46,312	0.17	JMART1P2408A	0.41	0.02	84,585	0.37	HANA13P2406A	-	-	-	-
FN	1.04	-	151	1.01	JMART13C2407	-	-	-	-	HANA13P2407A	0.04	(0.02)	603	0.05
FTE	1.53	(0.01)	5,715	1.54	JMART13C2408A	0.06	0.01	16,644	0.07	HANA13P2407B	0.04	(0.02)	2,000	0.04
GLOBAL	16.50	(0.10)	95,226	16.31	JMART13C2410A	0.16	(0.02)	73,056	0.18	HANA13P2407C	0.16	0.05	11,476	0.16
GLOBAL01C2407A	0.08	(0.01)	51,764	0.07	JMART13C2410E	0.26	(0.74)	75,750	0.29	HANA13P2408A	-	-	-	-
GLOBAL01C2408A	0.08	-	8,400	0.08	JMART13P2408A	0.41	0.03	26,393	0.36	HANA13P2410A	0.35	(0.08)	52,960	0.36
GLOBAL01C2410A	0.25	(0.02)	33,553	0.24	JMART13P2410A	0.32	(0.68)	46,662	0.30	HANA13P2407A	-	-	-	-
GLOBAL11C2408A	0.13	(0.01)	10,670	0.12	JMART19C2406	-	-	-	-	HANA19C2407B	0.04	(0.02)	2,000	0.04
GLOBAL13C2406A	-	-	-	-	JMART19C2406E	-	-	-	-	HANA19C2407C	0.16	0.05	11,476	0.16
GLOBAL13C2410A	0.22	-	48,254	0.21	JMART19C2408A	-	-	-	-	HANA19C2410A	0.31	0.07	65,179	0.30
GLOBAL19C2407A	0.14	(0.01)	24,842	0.12	JMART19C2410	0.18	(0.02)	35,241	0.20	HANA19P2407A	-	-	-	-
GLOBAL19C2407B	-	-	-	-	JMART19P2410A	0.38	(0.62)	49,855	0.36	HANA19P2410A	0.35	(0.08)	28,388	0.36
GLOBAL19C2410A	0.22	-	20,731	0.21	JMART41C2407	-	-	-	-	HANA41C2406A	-	-	-	-
GLOBAL41C2406A	-	-	-	-	JMART41C2410A	0.20	(0.02)	42,252	0.23	HANA41C2407A	-	-	-	-
HMPRO	9.40	(0.05)	209,188	9.44	JTS	69.00	(3.75)	13,554	70.32	HANA41C2407B	0.14	0.06	36,113	0.12
HMPRO01C2406A	-	-	-	-	MFEC	6.05	(0.15)	2,017	6.15	HANA41C2408A	0.16	0.05	6,840	0.15
HMPRO01C2407A	-	-	-	-	MSC	7.80	-	60	7.73	HANA41P2406A	-	-	-	-
HMPRO11C2407T	-	-	-	-	PT	8.70	(0.10)	4,893	8.72	KCE	41.50	1.50	189,083	41.68
HMPRO13C2407A	0.01	-	1,000	0.01	SAMART	5.90	(0.15)	20,352	6.05	KCE01C2406A	0.01	-	5,000	0.01
HMPRO19C2407A	-	-	-	-	SAMTEL	3.50	0.06	1,041	3.47	KCE01C2407A	0.04	(0.02)	526	0.04
HMPRO19C2410A	0.12	(0.01)	2	0.12	SDC	0.04	0.01	57,732	0.03	KCE01C2408A	0.25	0.07	60,955	0.25
HMPRO41C2406A	-	-	-	-	SIS	29.00	-	10,731	29.00	KCE01C2410W	0.30	0.05	138,931	0.30
HMPRO41C2407A	-	-	-	-	SKY	24.70	(0.30)	7,612	24.87	KCE01P2406X	-	-	-	-
HMPRO41C2408A	-	-	-	-	SPREME	1.52	(0.03)	27,013	1.54	KCE01P2407X	-	-	-	-
ICC	38.00	(0.75)	72	38.50	SVOA	1.98	(0.01)	3,077	1.97	KCE01P2410W	0.42	(0.05)	114,642	0.41
ILM	20.10	-	2,012	20.04	SYMC	8.25	(0.05)	7,834	8.21	KCE06C2406A	-	-	-	-
IT	3.62	(0.18)	2,248	3.71	SYNEX	11.30	(0.10)	9,297	11.40	KCE06C2409A	0.25	0.04	62,488	0.23
KAMART	13.60	(0.30)	29,276	13.80	THCOM	11.80	(0.40)	47,581	11.93	KCE11C2408A	0.24	0.05	28,021	0.23
LOXLEY	1.50	-	1,118	1.51	TKC	14.20	(0.40)	6,394	14.19	KCE13C2406A	-	-	-	-
MC	11.70	0.30	20,846	11.64	TRUE	8.50	(0.20)	1,132,227	8.51	KCE13C2407A	0.01	-	2,174	0.01
MEGA	39.00	-	12,880	38.71	TRUE01C2407A	0.45	(0.05)	2,140	0.46	KCE13C2407B	0.03	(0.03)	3,841	0.03
MEGA19C2409A	-	-	-	-	TRUE01C2407B	0.18	(0.07)	13	0.19	KCE13C2408A	0.14	0.03	111,408	0.15
MIDA	0.40	(0.03)	5,223	0.41	TRUE01C2408A	0.17	(0.04)	24,622	0.18	KCE13C2410A	0.36	0.06	118,467	0.36
MIDA-W3	-	-	-	-	TRUE01C2410W	0.35	(0.04)	21,163	0.36	KCE13P2407A	-	-	-	-
MOSHI	43.50	(0.75)	11,129	43.62	TRUE01P2406X	-	-	-	-	KCE13P2407B	-	-	-	-
MOSHI13C2407A	-	-	-	-	TRUE01P2407X	-	-	-	-	KCE13P2410A	0.38	(0.05)	68,580	0.37
RS	13.00	1.00	58,787	12.46	TRUE01P2408X	0.08	(0.01)	18	0.09	KCE19C2406A	-	-	-	-
RS-W5	4.70	-	1,684	4.68	TRUE01P2410X	0.31	0.02	18,970	0.31	KCE19C2406B	-	-	-	-
RSP	2.06	(0.06)	1,189	2.06	TRUE06C2409A	0.19	(0.04)	38,146	0.20	KCE19C2407A	-	-	-	-
SABUY	1.12	(0.34)	2,446,986	1.15	TRUE11C2406A	0.91	(0.10)	3	0.91	KCE19C2408A	0.20	0.03	36,278	0.21
SABUY1W2	0.11	(0.09)	428,224	0.13	TRUE11P2408A	0.14	0.02	10,200	0.13	KCE19P2407A	-	-	-	-
SABUY13C2407A	-	-	-	-	TRUE13C2407A	-	-	-	-	KCE19P2410A	0.34	(0.06)	25,931	0.34
SABUY13C2407B	-	-	-	-	TRUE13C2407B	0.16	(0.05)	18,923	0.16	KCE41C2406A	-	-	-	-
SABUY19C2407A	0.01	(0.01)	2,500	0.01	TRUE13C2410A	0.23	(0.03)	33,796	0.23	KCE41C2406B	-	-	-	-
SCM	3.56	0.08	2,903	3.51	TRUE13P2407A	-	-	-	-	KCE41C2407A	-	-	-	-
SCM-W2	-	-	-	-	TRUE13P2407B	-	-	-	-	KCE41C2407B	0.09	0.01	2,001	0.10
SINGER	8.05	(0.35)	75,576	8.27	TRUE13P2410A	0.28	0.02	35,076	0.28	KCE41C2409A	0.34	0.06	33,050	0.33
SPC	62.50	(0.50)	23	62.49	TRUE19C2407A	-	-	-	-	KCE41P2407A	-	-	-	-
SPI	69.00	0.50	310	67.97	TRUE19C2407B	0.22	(0.10)	14,834	0.22	KCE41P2408B	-	-	-	-
SVT	1.53	(0.03)	3,811	1.55	TRUE19C2410A	0.25	(0.03)	44,664	0.27	METCO	183.00	(2.00)	67	183.24
TAN	15.00	-	3,233	15.32	TRUE19P2408A	-	-	-	-	SMT	2.68	0.02	10,968	2.71
Information & Comrr	-	-	-	-	TRUE41C2406A	-	-	-	-	SMT-W3	-	-	-	-
3BBIF	5.55	(0.05)	44,169	5.58	TRUE41C2406B	-	-	-	-	SVI	7.85	(0.05)	3,777	7.84
ADVANC	208.00	-	52,514	208.91	TRUE41C2407A	0.39	(0.04)	1,000	0.39	TEAM	4.02	(0.04)	3,588	4.07
ADVANC01C2407A														

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Thursday June 06, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANPU19C2410A	0.14	(0.01)	21,289	0.15	GPSC01P2407X	0.14	0.02	24,558	0.13	PITTEP41P2407A	0.06	(0.13)	1	0.06
BANPU19P2406A	-	-	-	-	GPSC01P2409X	0.60	0.05	20,423	0.56	PITTEP41P2412A	0.64	(0.36)	1	0.64
BANPU14C2406A	-	-	-	-	GPSC11C2408T	-	-	-	-	QTC	3.88	(0.02)	156	3.89
BANPU14C2407A	-	-	-	-	GPSC13C2406A	-	-	-	-	RATCH	27.75	(0.25)	28,631	27.68
BANPU14C2407B	-	-	-	-	GPSC13C2409A	0.06	(0.02)	19,291	0.06	RATCH13C2408A	0.05	(0.01)	100	0.05
BANPU14C2410A	0.16	(0.02)	8,331	0.18	GPSC13C2410A	0.15	(0.03)	27,088	0.15	RATCH19C2408A	0.06	-	416	0.06
BBDGI	5.40	-	29,801	5.41	GPSC13P2407A	-	-	-	-	RPC	0.66	-	4,122	0.66
BCP	36.50	(1.00)	112,492	36.81	GPSC13P2408A	-	-	-	-	SCG	3.58	(0.02)	244	3.59
BCP01C2408A	-	-	-	-	GPSC19C2408A	-	-	-	-	SCI	0.69	(0.08)	6,541	0.72
BCP01P2408X	0.53	0.03	4,441	0.52	GPSC19C2409A	0.05	(0.02)	111	0.05	SCN	0.95	(0.02)	4,861	0.95
BCP13C2409A	0.07	0.01	1	0.07	GPSC19C2410A	0.16	(0.02)	35,768	0.17	SCN-W2	0.07	-	1	0.07
BCP13P2408A	0.40	(0.01)	1	0.40	GPSC19P2406A	-	-	-	-	SCN-W3	0.04	(0.01)	48,658	0.04
BCP19C2408A	-	-	-	-	GPSC19P2407A	0.11	0.01	36,016	0.11	SEAOIL	2.88	-	2,582	2.89
BCP19C2410A	0.14	(0.04)	52,910	0.15	GPSC19P2410A	0.45	0.04	23,690	0.44	SGP	7.40	(0.10)	5,322	7.39
BCPG	6.25	(0.15)	18,015	6.31	GPSC41C2406A	-	-	-	-	SKE	0.37	(0.02)	8,090	0.38
BCPG19C2406A	-	-	-	-	GPSC41C2408A	-	-	-	-	SKE-W1	0.06	(0.01)	21	0.06
BGRIM	23.90	(0.20)	118,857	24.08	GPSC41C2409A	0.09	(0.03)	8,010	0.10	SOLAR	0.57	-	4,711	0.57
BGRIM01C2406A	0.01	-	3,000	0.01	GPSC41P2406A	-	-	-	-	SPCG	9.20	(0.30)	40,572	9.09
BGRIM01C2407A	0.02	(0.01)	5,000	0.02	GREEN	1.16	(0.03)	40,988	1.16	SPRC	8.25	-	141,953	8.27
BGRIM01C2409A	0.27	(0.01)	22,283	0.28	GULF	39.75	(0.25)	56,295	39.76	SPRC01C2408A	-	-	-	-
BGRIM01C2410A	0.09	-	2,460	0.10	GULF01C2406A	-	-	-	-	SPRC11C2406A	-	-	-	-
BGRIM01P2406X	-	-	-	-	GULF01C2408A	0.03	(0.01)	5,000	0.03	SPRC13C2408A	-	-	-	-
BGRIM11C2410A	-	-	-	-	GULF01C2409A	0.15	-	28,713	0.15	SPRC13C2410A	0.29	-	38,721	0.29
BGRIM13C2407A	0.01	(0.01)	16,155	0.01	GULF01P2408X	0.27	-	4,798	0.27	SPRC19C2408A	-	-	-	-
BGRIM13C2407B	-	-	-	-	GULF11C2407T	-	-	-	-	SPRC19C2410A	0.30	-	13,587	0.31
BGRIM13C2409A	0.08	-	27,300	0.09	GULF13C2406A	-	-	-	-	SSP	6.90	(0.10)	4,884	6.81
BGRIM13C2410A	0.35	(0.02)	61,945	0.36	GULF13C2408A	-	-	-	-	SSP-W2	0.13	(0.01)	4,375	0.14
BGRIM13P2406A	-	-	-	-	GULF13C2409A	0.12	(0.01)	94,963	0.12	SUPER	0.29	-	101,397	0.29
BGRIM19C2407A	-	-	-	-	GULF13P2408A	0.15	(0.01)	13,170	0.15	SUPEREIF	5.95	-	688	5.99
BGRIM19C2409A	0.11	(0.01)	5,300	0.11	GULF19C2406A	-	-	-	-	SUSCO	3.78	0.02	30,965	3.79
BGRIM19P2406A	-	-	-	-	GULF19C2408A	-	-	-	-	TAE	0.88	(0.04)	4,921	0.90
BGRIM41C2407A	-	-	-	-	GULF19C2409A	-	-	-	-	TCC	0.48	(0.02)	15,506	0.48
BGRIM41C2408B	-	-	-	-	GULF41C2406A	-	-	-	-	TCC-W5	0.19	(0.01)	952	0.19
BGRIM41C2412A	0.43	0.01	14,392	0.46	GULF41C2408A	-	-	-	-	TGE	3.06	-	9,618	3.06
BIOTEC	0.32	-	6,247	0.32	GULF41C2410A	0.10	(0.01)	1,022	0.10	TGE-W1	1.98	(0.02)	517	2.00
BIOTEC-P	-	-	-	-	GULF41C2605T	0.28	(0.01)	10	0.28	TOP	50.75	-	171,050	51.10
BIOTEC-Q	-	-	-	-	GUNKUL	2.50	0.02	222,248	2.48	TOP01C2407A	-	-	-	-
BIOTEC-W2	0.07	-	33,335	0.06	GUNKUL01C240	-	-	-	-	TOP01C2408A	0.02	-	500	0.02
BPP	13.00	-	5,782	13.02	GUNKUL01P240	0.36	-	9,126	0.35	TOP01C2410A	0.20	(0.01)	70,803	0.21
BRRGIF	3.18	(0.02)	274	3.18	GUNKUL13C240	-	-	-	-	TOP01P2406X	-	-	-	-
BSRC	8.65	-	31,351	8.59	GUNKUL13P240	-	-	-	-	TOP01P2408X	0.37	(0.01)	25,898	0.36
BSRC13C2408A	-	-	-	-	GUNKUL13P240	0.16	(0.01)	21,160	0.16	TOP11C2407A	-	-	-	-
CKP	3.84	(0.08)	74,445	3.89	GUNKUL19C240	0.05	(0.01)	4,852	0.05	TOP11P2406A	-	-	-	-
CKP01C2407A	0.14	(0.03)	42,441	0.16	IFEC	-	-	-	-	TOP13C2407A	-	-	-	-
CKP13C2407A	0.13	(0.03)	27,074	0.16	IRPC	1.78	(0.03)	696,246	1.79	TOP13C2408A	-	-	-	-
CKP19C2407A	0.13	(0.03)	31,340	0.15	IRPC01C2406A	-	-	-	-	TOP13P2410A	0.18	(0.01)	53,425	0.19
CV	0.32	-	79,716	0.32	IRPC01C2410A	0.09	(0.01)	90	0.09	TOP13P2408A	0.25	-	41,560	0.24
CV-W1	0.19	-	9,376	0.19	IRPC13C2407A	0.01	-	12,549	0.01	TOP19C2408A	-	-	-	-
DEMCO	3.70	(0.10)	4,221	3.70	IRPC19C2409A	0.09	(0.07)	1,000	0.09	TOP19C2410A	0.19	(0.01)	122,896	0.20
DEMCO-W7	0.40	(0.02)	3,923	0.40	JR	4.28	(0.04)	1,019	4.27	TOP19P2408A	0.32	(0.01)	31,317	0.31
EA	21.40	(0.90)	269,107	21.97	KBSPIF	8.00	(0.05)	200	8.05	TOP41C2408A	-	-	-	-
EA01C2406A	0.01	-	10,550	0.01	LANNA	15.10	0.10	10,862	14.95	TOP41C2410A	0.18	-	71,131	0.19
EA01C2406B	-	-	-	-	MDX	3.54	(0.08)	8,795	3.51	TPIPP	3.28	-	11,797	3.29
EA01C2407A	-	-	-	-	NOVA	10.30	0.20	539	10.40	TSE	1.09	-	3,706	1.09
EA01C2407B	-	-	-	-	OR	17.40	(0.30)	256,933	17.56	TTW	8.90	0.05	11,102	8.88
EA01C2409A	0.02	-	12,334	0.02	OR01C2407A	-	-	-	-	UBE	0.80	-	28,632	0.81
EA01C2410W	0.08	(0.02)	103,900	0.28	OR01C2410A	0.17	(0.01)	16,405	0.18	WHAUP	4.04	-	42,511	4.04
EA01P2406X	1.25	0.22	9,637	1.12	OR13C2410A	0.10	(0.02)	33,017	0.11	Media & Publishing	3.74	(0.06)	1,030	3.71
EA01P2409X	1.09	0.09	26,781	1.03	OR19C2407A	-	-	-	-	AMARIN	4.34	(0.08)	49	4.31
EA01P2410W	0.57	0.07	47,121	0.52	OR19C2410A	0.15	(0.01)	27,150	0.16	AQUA	0.35	(0.01)	41,726	0.35
EA06C2406A	-	-	-	-	OR41C2605T	0.31	(0.01)	6,000	0.31	AS	4.20	(0.24)	6,510	4.26
EA06C2409A	-	-	-	-	PCC	2.92	-	1,002	2.91	BEC	4.38	(0.06)	7,467	4.42
EA11C2408A	-	-	-	-	PRIME	0.46	-	13,552	0.46	FE	191.00	(1.00)	3	191.00
EA13C2406A	-	-	-	-	PTG	9.10	(0.25)	206,684	9.29	GPI	1.70	0.04	1,050	1.68
EA13C2406B	-	-	-	-	PTG01C2407A	0.12	(0.04)	64,228	0.15	GRAMMY	6.35	(1.45)	9,850	7.11
EA13C2407A	-	-	-	-	PTG13C2407A	0.07	-	3,686	0.07	JKN	-	-	-	-
EA13C2408A	-	-	-	-	PTG19C2407A	0.09	(0.03)	46,425	0.11	MAJOR	13.10	-	45,498	13.11
EA13C2409A	0.01	-	2,090	0.01	PTT	32.00	(0.75)	626,702	32.14	MATCH	1.31	0.01	768	1.31
EA13C2410A	0.03	(0.01)	9,023	0.03	PTT01C2407A	-	-	-	-	MATI	8.65	0.05	21	8.53
EA13C2410B	0.06	(0.01)	3,232	0.06	PTT01C2409A	-	-	-	-	MCOT	2.98	(0.04)	308	2.94
EA13C2410C	0.26	(0.07)	137,523	0.30	PTT01P2408X	0.13	0.02	7,932	0.12	MONO	0.62	(0.05)	60,620	0.64
EA13P2406A	-	-	-	-	PTT11C2406A	-	-	-	-	NATION	0.03	-	98,845	0.03
EA13P2407A	0.86	0.08	1,000	0.86	PTT13C2409A	0.07	(0.02)	26,410	0.08	NATION-W4	-	-	-	-
EA13P2410A	0.49	0.04	58,770	0.45	PTT13P2408A	0.10	0.02	16,042	0.10	ONEE	3.32	(0.08)	79,961	3.35
EA19C2406A	-	-	-	-	PTT19C2406A	-	-	-	-	PLANB	7.90	0.05	102,395	7.96
EA19C2406B	-	-	-	-	PTT19C2409A	-	-	-	-	PLANB-W1	0.55	(0.03)	3,253	0.58
EA19C2407A	-	-	-	-	PTT41C2407A	-	-	-	-	PLANB11C2408A	0.12	-	2,529	0.12
EA19C2409A	0.02	(0.01)	4,808	0.02	PTT41C2407B	-	-	-	-	PLANB11P2408A	0.35	(0.02)	46,141	0.34
EA19C2410A	0.04	(0.02)	302	0.05	PTT41C2408C	-	-	-	-	PLANB13C2407A	-	-	-	-
EA19C2410B	0.12	(0.02)	2											

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Thursday June 06, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI19C2407A	-	-	-	-	MTC19C2409A	0.19	(0.01)	47,657	0.20	CPF13C2410A	0.38	(0.06)	34,665	0.40
VGI19C2407B	-	-	-	-	MTC41C2408A	0.10	-	20,100	0.10	CPF13P2410A	0.34	0.03	31,304	0.33
VGI19C2409A	-	-	-	-	NCAP	1.68	(0.06)	50,584	1.69	CPF19C2409A	-	-	-	-
VGI19C2410A	0.14	(0.03)	38,773	0.16	PL	1.84	(0.04)	1,349	1.85	CPF19C2410A	0.28	(0.04)	8,881	0.30
VGI19C2410B	0.21	(0.04)	83,631	0.23	S11	2.66	(0.02)	506	2.66	CPI	2.32	0.02	723	2.31
VGI41C2407A	0.01	(0.06)	2	0.01	SAK	5.40	(0.30)	44,364	5.41	F&D	37.00	(0.75)	3	37.33
VGI41C2409A	0.08	(0.03)	16,503	0.10	SAWAD	40.00	0.25	53,180	40.05	GLOCON	0.27	-	47,151	0.26
WORK	9.05	0.05	4,208	9.03	SAWAD-W2	0.82	(0.04)	460	0.82	HTC	16.10	-	2,669	16.19
ZAA	0.70	(0.06)	7,230	0.67	SAWAD01C2406	-	-	-	-	ICHI	17.20	-	24,172	17.14
Finance & Securities	-	-	-	-	SAWAD01C2408	0.21	-	40,114	0.21	ICHI13C2410A	0.19	-	6,285	0.19
AEONTS	146.50	(0.50)	2,672	147.16	SAWAD01C2410	0.22	-	36,237	0.23	ITC	23.40	(0.10)	41,461	23.14
AEONTS01C2409A	0.26	(0.01)	11,636	0.27	SAWAD01P2407	-	-	-	-	ITC13C2406A	-	-	-	-
AEONTS13C2408A	0.15	(0.02)	13,121	0.15	SAWAD01P2410	0.51	-	18,398	0.49	ITC13C2410A	0.48	(0.01)	53,782	0.46
AMANAH	1.28	(0.02)	12,510	1.30	SAWAD11P2406	-	-	-	-	JDF	2.82	-	21,284	2.86
ASAP	2.32	(0.14)	7,225	2.37	SAWAD13C2406	-	-	-	-	KBS	5.60	0.05	564	5.56
ASK	14.60	(0.20)	3,993	14.65	SAWAD13C2407	0.04	(0.01)	3	0.04	KCG	9.95	(0.15)	10,901	9.99
ASP	2.52	-	15,223	2.51	SAWAD13C2408	0.24	0.01	203	0.24	KSL	2.02	(0.04)	41,156	2.04
BAM	8.25	(0.10)	79,240	8.33	SAWAD13C2410	0.22	0.01	37,388	0.22	KTIS	3.04	(0.04)	81	3.07
BAM01C2406A	0.01	-	60	0.01	SAWAD13P2407	-	-	-	-	LST	4.86	-	388	4.86
BAM01C2409A	0.05	(0.02)	1,771	0.05	SAWAD13P2410	0.42	(0.01)	16,150	0.42	M	31.75	(0.25)	6,590	31.69
BAM01C2411A	0.29	(0.02)	15,800	0.31	SAWAD19C2406	-	-	-	-	MALEE	12.90	(0.60)	46,940	13.14
BAM13C2408A	0.10	(0.03)	23,616	0.11	SAWAD19C2408	-	-	-	-	NRF	4.88	-	80,501	4.88
BAM13C2408B	-	-	-	-	SAWAD19C2410	0.29	-	90,040	0.30	NSL	32.75	0.75	13,298	32.76
BAM19C2408A	-	-	-	-	SAWAD19P2410	0.38	-	21,264	0.37	OSP	23.30	(0.10)	215,367	23.23
BAM19C2409A	0.11	(0.02)	4,056	0.12	SAWAD41C2406	-	-	-	-	OSP01C2406A	-	-	-	-
BYD	2.04	(0.34)	522,435	2.12	SAWAD41C2406	-	-	-	-	OSP01C2408A	0.51	(0.02)	18,367	0.51
BYD13C2406A	-	-	-	-	SAWAD41C2407	0.10	-	27,501	0.10	OSP01P2410X	0.31	(0.01)	128,607	0.32
BYD13C2410A	0.07	(0.05)	23,284	0.10	SCAP	1.83	-	16,539	1.82	OSP01P2408X	-	-	-	-
BYD19C2407A	0.01	-	2	0.01	SGC	1.39	(0.02)	68,268	1.40	OSP11C2409A	0.53	0.01	8,160	0.53
BYD19C2410A	0.15	(0.09)	63,684	0.18	SM	1.31	(0.03)	11,077	1.33	OSP13C2408A	0.40	(0.02)	92,868	0.39
CGH	0.82	(0.01)	39,837	0.82	TH	0.83	(0.02)	26,424	0.84	OSP13P2409A	0.15	0.01	4,724	0.14
CHASE	1.67	(0.01)	31,877	1.68	TH-W3	0.16	-	14,683	0.16	OSP19C2409A	0.49	(0.02)	15,138	0.48
CHAYO	3.56	(0.08)	24,349	3.59	THANI	2.26	(0.04)	75,929	2.30	PB	64.50	-	20	64.58
CHAYO-W3	0.19	(0.01)	15,343	0.19	THANI13C2407A	-	-	-	-	PLUS	8.30	(0.25)	41,018	8.39
ECL	1.14	(0.12)	37,975	1.16	THANI19C2407A	0.02	(0.01)	80	0.02	PM	7.95	(0.20)	6,642	7.98
ECL-W4	-	-	-	-	TIDLOR	19.80	(0.10)	94,620	19.97	PQS	3.24	(0.06)	35,098	3.33
FNS	2.98	(0.02)	799	3.00	TIDLOR01C2407	-	-	-	-	PRG	9.70	(0.25)	161	9.80
FSX	2.36	(0.04)	3,661	2.37	TIDLOR01C2409	0.16	(0.01)	28,860	0.17	PRG-W1	-	-	-	-
GBX	0.71	-	1,941	0.71	TIDLOR11P2406	-	-	-	-	PRG-W2	-	-	-	-
GL	-	-	-	-	TIDLOR13C2406	-	-	-	-	PRG-W3	-	-	-	-
HENG	1.32	(0.03)	24,676	1.33	TIDLOR13C2408	0.11	-	1,214	0.12	RBF	9.60	(0.20)	58,647	9.58
IFS	2.48	(0.02)	641	2.49	TIDLOR13C2410	0.29	-	205,540	0.30	RBF01C2406A	-	-	-	-
JMT	14.90	(0.30)	176,076	15.19	TIDLOR19C2406	-	-	-	-	RBF01C2407A	-	-	-	-
JMT-W4	0.66	(0.02)	6,280	0.69	TIDLOR19C2408	0.07	(0.01)	12	0.07	RBF01C2409A	0.06	(0.01)	2,000	0.06
JMT01C2406A	-	-	-	-	TIDLOR19C2410	0.25	-	21,364	0.25	RBF01P2407X	0.26	0.03	15,022	0.25
JMT01C2407A	-	-	-	-	TIDLOR19P2407	-	-	-	-	RBF13C2406A	-	-	-	-
JMT01C2408A	0.03	-	1,592	0.03	TIDLOR19P2410	0.40	(0.60)	13,838	0.40	RBF13C2407A	-	-	-	-
JMT01C2410W	0.22	(0.02)	75,190	0.25	TIDLOR41C2406	-	-	-	-	RBF13C2408A	-	-	-	-
JMT01P2406X	0.65	0.01	15,657	0.55	TIDLOR41C2407	-	-	-	-	RBF13C2410A	-	-	-	-
JMT01P2408W	0.56	0.04	65,543	0.53	TIDLOR41C2407	-	-	-	-	RBF19C2408A	0.03	(0.01)	2,599	0.03
JMT06C2406A	-	-	-	-	TIDLOR41C2409	0.24	(0.01)	43,516	0.25	RBF19C2410A	0.09	(0.02)	2,000	0.09
JMT06C2410A	0.17	(0.02)	53,799	0.19	TK	4.56	(0.04)	1,167	4.54	RBF19P2406A	-	-	-	-
JMT11C2407A	-	-	-	-	TNITY	4.32	0.04	4,943	4.31	SAPPE	105.50	(1.00)	2,527	105.46
JMT11P2406A	-	-	-	-	UOBKH	4.88	(0.12)	210	4.92	SAPPE13C2406A	0.01	(0.01)	150	0.03
JMT13C2406A	0.01	-	200	0.01	XPG	1.09	(0.02)	350,086	1.10	SAUCE	41.75	(0.25)	258	41.74
JMT13C2407A	0.01	-	641	0.01	Food & Beverage	-	-	-	-	SNP	15.20	(0.20)	13,990	15.35
JMT13C2408A	0.02	(0.01)	13,815	0.02	AAI	5.80	(0.10)	91,453	5.83	SNP01C2407A	-	-	-	-
JMT13C2410A	0.13	(0.02)	75,993	0.15	APURE	4.18	(0.02)	1,859	4.18	SNP13C2406A	-	-	-	-
JMT13C2410B	0.20	(0.02)	95,051	0.23	APURE-W3	0.08	(0.02)	11,095	0.09	SNP13C2408A	-	-	-	-
JMT13C2410C	0.37	(0.04)	120,442	0.41	ASIAN	10.30	(0.30)	39,319	10.41	SNP19C2407A	-	-	-	-
JMT13P2406A	-	-	-	-	BR	2.46	(0.02)	5,529	2.48	SNP	14.80	(0.10)	82	14.77
JMT13P2410A	0.67	0.05	28,530	0.60	BR-W1	0.11	(0.01)	12,282	0.11	SORKON	4.46	(0.06)	354	4.52
JMT13P2410B	0.37	(0.63)	32,394	0.36	BRR	4.62	0.02	1,675	4.58	SSC	35.00	0.50	51	34.99
JMT19C2406A	-	-	-	-	BRR-W2	0.49	-	678	0.50	SSF	7.75	-	57	7.74
JMT19C2408A	0.03	-	11,107	0.02	BTG	23.50	(0.30)	17,908	23.56	SST	5.20	-	41	5.08
JMT19C2410A	0.14	(0.01)	53,678	0.16	CBG01C2406A	71.00	(0.25)	50,709	71.63	SUN	4.04	(0.12)	23,812	4.08
JMT19P2407A	0.54	0.04	19,462	0.50	CBG01C2407A	0.04	(0.01)	850	0.04	TFG	4.14	0.16	306,762	4.10
JMT19P2410A	0.65	0.03	62,234	0.61	CBG01C2408A	0.31	(0.04)	61,066	0.35	TFG-W4	0.88	0.02	89,268	0.89
JMT41C2406A	-	-	-	-	CBG01C2410A	0.54	(0.02)	71,281	0.57	TFMAMA	206.00	-	9	206.00
JMT41C2406B	-	-	-	-	CBG01P2408X	0.11	(0.01)	78,002	0.11	TIPCO	10.10	(0.10)	4,940	10.12
JMT41C2407A	-	-	-	-	CBG01P2409X	0.41	0.01	36,480	0.39	TKN	10.10	(0.30)	47,591	10.21
JMT41C2408A	0.02	-	1,965	0.02	CBG06C2408A	0.27	(0.03)	184,777	0.31	TKN01C2408A	0.07	(0.01)	5,086	0.07
JMT41C2412A	0.25	(0.02)	28,952	0.27	CBG11C2408A	0.32	(0.01)	39,070	0.33	TKN01C2410A	0.15	(0.02)	6,061	0.16
KCAR	5.50	(0.10)	661	5.53	CBG13C2406A	-	-	-	-	TKN13C2406A	-	-	-	-
KGI	4.42	(0.02)	11,146	4.42	CBG13C2407A	0.05	0.01	500	0.05	TKN13C2410A	0.10	(0.02)	119,594	0.11
KTC	45.50	(0.25)	62,644	45.42	CBG13C2408A	0.27	(0.01)	51,768	0.30	TKN13P2406A	-	-	-	-
KTC01C2407A	0.07	(0.01)	22,792	0.08	CBG13C2409A	0.30	(0.02)	123,591	0.32	TKN19C2406A	0.01	-	1	0.01
KTC01C2410A	0.33	(0.02)	27,567	0.34										

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BCH11C2407A	-	-	-	-	MINT13C2406A	-	-	-	-	TFI	0.08	(0.01)	4,428	0.08
BCH13C2407A	-	-	-	-	MINT13C2407A	-	-	-	-	TFI-W1	-	-	-	-
BCH13C2408A	-	-	-	-	MINT13C2409A	0.10	-	32,800	0.10	THIP	28.50	-	158	28.50
BCH13C2410A	0.17	(0.01)	5,541	0.18	MINT13P2407A	-	-	-	-	TMD	24.50	0.10	2	24.50
BCH13P2406A	-	-	-	-	MINT19C2406A	-	-	-	-	TOPP	-	-	-	-
BCH19C2406A	-	-	-	-	MINT19C2410A	0.13	(0.01)	23,476	0.13	TPAC	14.50	(0.30)	1,656	14.54
BCH19C2408A	-	-	-	-	MINT41C2406A	-	-	-	-	TPBI	4.08	-	3,745	4.05
BCH19C2410A	0.19	(0.02)	8,258	0.19	MINT41C2408A	-	-	-	-	TPP	12.80	(0.30)	35	12.87
BCH41C2407A	-	-	-	-	MINT41C2412A	0.19	(0.01)	4,500	0.19	Personal Products	-	-	-	-
BCH41C2409A	0.14	(0.01)	1,000	0.14	MINT41C2604T	0.20	(0.01)	2,500	0.20	APCO	7.05	(0.10)	26,242	7.07
BDMS	27.50	-	545,051	27.51	OHTL	393.00	8.00	1	393.00	BIZ	3.40	(0.04)	604	3.41
BDMS01C2408A	-	-	-	-	ROH	2.44	(0.04)	73	2.44	BLC	5.00	(0.10)	31,109	5.04
BDMS01C2411A	0.16	-	42,176	0.16	SHANG	-	-	-	-	DDD	8.30	(0.05)	464	8.20
BDMS01P2407X	-	-	-	-	SHR	2.10	(0.06)	67,885	2.13	JCT	83.50	3.00	8	82.41
BDMS13C2408A	-	-	-	-	VRANDA	6.10	(0.05)	1,891	6.04	KISS	4.88	(0.22)	19,740	4.91
BDMS13P2407A	-	-	-	-	Home & Office P	-	-	-	-	NAM	4.70	(0.06)	695	4.70
BDMS19C2407A	-	-	-	-	AJA	0.21	(0.01)	105,660	0.22	NEO	54.00	(0.50)	8,421	54.40
BDMS19C2410A	0.11	(0.01)	210	0.11	AJA-W3	0.03	-	3,403	0.04	NV	1.20	0.01	1,165	1.17
BDMS41C2407A	-	-	-	-	AJA-W4	0.10	0.01	56,660	0.09	OCC	-	-	-	-
BDMS41C2408A	-	-	-	-	DTCI	29.25	0.25	5	29.25	S&J	50.50	(2.25)	38	48.43
BDMS41C2412A	0.15	-	33,502	0.15	FANCY	0.40	(0.01)	490	0.41	STGT	10.60	(0.10)	120,556	10.66
BH	244.00	2.00	18,592	243.76	FTI	2.16	-	3,406	2.16	STGT01C2407A	1.19	-	13,960	1.18
BH-P	-	-	-	-	KYE	318.00	(5.00)	93	320.10	STGT01C2407B	0.65	(0.08)	3,337	0.66
BH-Q	-	-	-	-	L&E	1.09	-	56	1.09	STGT01C2410A	0.21	-	86,944	0.21
BH01C2408A	0.28	0.02	27,993	0.26	MODERN	2.22	(0.02)	5,513	2.22	STGT01C2410B	0.16	-	55,735	0.16
BH01C2410A	0.28	0.01	33,907	0.28	OGC	24.00	(0.40)	21	24.12	STGT01P2407X	0.01	(0.02)	2	0.01
BH01P2406X	-	-	-	-	ROCK	13.00	-	1	13.00	STGT01P2408X	0.06	0.01	1,500	0.06
BH01P2409X	0.39	(0.04)	7,084	0.41	SBNEXT	0.49	(0.07)	74,676	0.50	STGT01P2410X	0.35	0.01	31,411	0.35
BH11C2406A	-	-	-	-	SBNEXT-W2	0.04	(0.02)	75,894	0.04	STGT13C2407A	-	-	-	-
BH13C2407A	0.17	-	20,595	0.17	SIAM	1.21	(0.03)	537	1.22	STGT13C2407B	-	-	-	-
BH13C2409A	0.20	-	22,470	0.21	TCMC	1.14	(0.02)	1,434	1.16	STGT13C2408A	0.16	(0.01)	126,813	0.17
BH13P2406A	-	-	-	-	Insurance	-	-	-	-	STGT13C2410A	0.16	-	119,972	0.16
BH13P2409A	0.23	(0.02)	11,897	0.24	AYUD	35.75	(0.25)	98	35.75	STGT13P2407A	-	-	-	-
BH19C2407A	0.01	(0.02)	5	0.01	BKI	286.00	5.00	23	288.78	STGT13P2410A	0.27	0.01	88,192	0.27
BH19C2408A	0.18	0.02	21,045	0.17	BLA	19.30	(0.60)	33,090	19.50	STGT19C2407A	0.82	(0.01)	1	0.82
BH19C2409A	0.18	0.01	20,987	0.18	BLA01C2410A	0.30	(0.05)	18,747	0.32	STGT19C2408A	-	-	-	-
BH19P2409A	0.22	(0.03)	10,160	0.23	BLA13C2407A	-	-	-	-	STGT19C2410A	0.18	-	71,721	0.17
BH41C2406B	-	-	-	-	BLA13C2410A	0.28	(0.05)	51,651	0.30	STHAI	-	-	-	-
BH41C2408A	0.23	0.01	27,950	0.22	BLA19C2408A	0.18	(0.07)	61,722	0.21	TNR	11.00	(0.10)	167	10.91
BH41C2605T	0.49	0.01	12,000	0.48	BLA19C2410A	0.24	(0.05)	43,019	0.26	TOG	10.70	-	638	10.65
BH41P2406A	-	-	-	-	BUI	16.40	(0.40)	51	16.06	Professional Service	-	-	-	-
BKG1	2.76	(0.14)	122,967	2.83	CHARAN	22.00	-	3	22.13	BWG	0.42	-	156,935	0.42
CHG	2.92	(0.06)	177,749	2.95	INSURE	97.00	(1.00)	7	98.00	BWG-W6	0.03	-	64,888	0.03
CHG01C2408A	0.13	(0.02)	18,368	0.14	KWI	0.51	(0.05)	2,918	0.53	GENCO	0.48	(0.01)	308	0.48
CHG13C2406A	-	-	-	-	MTI	108.00	-	17	107.85	PRO	-	-	-	-
CHG13C2407A	-	-	-	-	NKI	25.75	-	39	25.51	PRTR	4.56	(0.04)	20,523	4.55
CHG13C2409A	0.16	(0.04)	19,728	0.18	SMK	-	-	-	-	SISB	37.75	1.00	19,264	37.41
CHG13P2406A	-	-	-	-	TGH	16.90	(2.70)	10	16.90	SISB13C2407A	0.01	(0.02)	121	0.01
CHG19C2408A	0.09	(0.02)	10,249	0.10	THRE	0.72	(0.01)	12,688	0.72	SISB13C2410A	0.20	0.03	18,085	0.19
CMR	1.95	-	279	1.95	THREL	1.76	-	6,137	1.75	SO	6.55	-	319	6.49
EKH	7.20	-	2,786	7.22	TIPI	30.50	-	6,870	30.55	WAVE	0.14	-	39,714	0.13
EKH-W1	1.30	(0.06)	1,506	1.33	TIPIH13C2407A	-	-	-	-	WAVE-W3	0.03	-	27,308	0.03
KDH	91.00	(2.50)	23	91.32	TIPIH19C2407A	-	-	-	-	Property Developm	-	-	-	-
LPH	4.70	-	957	4.68	TLI	8.25	(0.10)	230,706	8.26	A	5.00	-	4	4.99
M-CHAI	47.50	-	36	47.69	TLI01C2406A	-	-	-	-	AKS	0.01	-	6,836	0.01
NEW	82.00	2.00	7	81.64	TLI01C2406B	-	-	-	-	AKS-W5	0.01	-	810	0.01
NTV	35.00	0.75	676	34.37	TLI01C2408A	0.07	(0.02)	7,772	0.07	AMATA	23.50	0.20	55,698	23.42
PHG	13.80	(0.30)	5,049	13.91	TLI13C2407A	-	-	-	-	AMATA01C2407A	0.14	0.01	33,792	0.13
PR9	18.90	(0.10)	9,590	19.00	TLI19C2407A	-	-	-	-	AMATA11C2407A	0.18	-	25,500	0.18
PRINC	3.68	(0.02)	6,710	3.70	TLI41C2406A	-	-	-	-	AMATA13C2406A	-	-	-	-
RAM	30.25	(0.50)	233	30.32	TLI41C2407A	-	-	-	-	AMATA13C2410A	0.37	0.03	60,503	0.36
RJH	25.25	-	373	25.10	TQM	27.00	0.75	6,437	26.92	AMATA19C2407A	0.10	0.01	3,919	0.10
RPH	5.95	(0.05)	1,960	5.98	TQM13C2407A	-	-	-	-	AMATA41C2407A	0.22	0.01	36,540	0.21
SAFE	19.30	0.20	17,838	19.35	TQM19C2407A	-	-	-	-	AMATA41C2407B	-	-	-	-
SKR	10.30	(0.10)	1,466	10.27	TSI	0.10	(0.01)	6	0.10	AMATAV	5.40	(0.05)	343	5.46
THG	37.25	(0.75)	1,274	37.49	TVH	9.40	(0.05)	428	9.32	ANAN	0.74	-	11,509	0.74
VIBHA	2.16	(0.04)	11,343	2.15	Packaging	-	-	-	-	AP	9.00	(0.05)	109,524	9.05
VIBHA-W4	0.10	(0.01)	48,952	0.09	AJ	5.90	(0.25)	14,721	5.97	AP13C2409A	-	-	-	-
VIH	7.95	-	4,221	7.95	ALUCON	170.00	(4.00)	39	170.96	AP19C2409A	-	-	-	-
WPH	12.80	-	91,658	13.20	BGC	6.85	0.05	1,846	6.81	APEX	-	-	-	-
Tourism & Leisure	-	-	-	-	CSC	45.25	(0.25)	5	45.25	ASW	7.90	-	638	7.88
ASIA	6.55	(0.05)	18	6.46	CSC-P	-	-	-	-	ASW-W2	0.06	-	14,088	0.06
BEYOND	9.55	(0.05)	2,540	9.57	CSC-Q	-	-	-	-	AWC	3.64	(0.14)	1,422,799	3.63
BEYOND-W2	0.46	(0.07)	7,615	0.50	NEP	0.20	-	515	0.19	AWC01C2406A	-	-	-	-
CENTEL	40.75	-	10,411	40.62	PJW	2.68	(0.02)	2,026	2.67	AWC01C2408A	0.10	(0.04)	30,215	0.11
CENTEL01C2408A	0.06	(0.01)	1	0.06	PJW-W1	-	-	-	-	AWC01C2409A	0.08	(0.03)	13,563	0.10
CENTEL01C2412A	0.33	-	12,435	0.33	PTL	11.00	(0.50)	22,812	11.12	AWC01C2410W	0.23	(0.06)	34,803	0.24
CENTEL13C2407A	0.01	(0.01)	71	0.01	SCGP	33.75	(1.25)	126,555	33.95	AWC01P2409X	0.64	0.12	9,783	0.61
CENTEL13C2410A	0.20	-	46,574	0.20	SCGP01C2406A	-	-	-	-	AWC11C2408A	0.11	(0.04)	8,604	

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Thursday June 06, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ESTAR	0.24	-	2,507	0.24	WFX	1.60	0.01	8,053	1.63	SJWD13C2407A	0.02	(0.01)	7,603	0.02
EVER	0.14	-	6,252	0.14	Transportation 8	2.20	(0.02)	-	-	SJWD13C2410A	0.22	(0.04)	34,929	0.24
FPT	14.90	(0.30)	50	14.90	AAV	0.06	(0.01)	90,452	2.21	TFIF	6.10	-	24,550	6.09
GLAND	1.60	-	32	1.60	AAV01C2409A	0.03	(0.01)	101	0.06	THAI	-	-	-	-
J	1.71	-	800	1.69	AAV11C2406A	-	-	-	-	TSTE	12.30	0.40	95	11.83
J-W2	-	-	-	-	AAV13C2408A	0.03	(0.01)	1,590	0.03	TTA	8.05	(0.20)	117,301	8.11
J-W3	0.15	(0.03)	1,639	0.15	AAV19C2408A	-	-	-	-	WICE	6.20	(0.10)	20,990	6.30
J-W4	0.26	0.02	522	0.25	ANI	4.38	0.08	4,578	4.33	Automotive	-	-	-	-
JCK	0.41	-	237,041	0.41	AOT	61.75	(1.50)	477,084	62.06	3K-BAT	52.75	-	11	52.75
KC	0.07	-	27,596	0.07	AOT01C2407A	0.03	(0.01)	455	0.03	ACG	1.19	(0.06)	438	1.19
LALIN	7.10	(0.05)	611	7.10	AOT01C2409A	0.17	(0.03)	18,399	0.17	AH	21.40	(0.40)	8,270	21.55
LH	6.45	(0.10)	698,498	6.51	AOT01P2407X	-	-	-	-	CWT	1.39	(0.01)	2,636	1.39
LH01C2409A	0.10	(0.01)	317	0.10	AOT01P2409X	0.43	0.06	39,627	0.40	EASON	1.29	0.02	38,030	1.30
LH13C2408A	-	-	-	-	AOT11C2407A	-	-	-	-	GYT	180.00	1.00	2	180.00
LH19C2406A	-	-	-	-	AOT13C2408A	0.03	(0.02)	84	0.03	HFT	4.58	-	2,353	4.59
LH19C2408A	-	-	-	-	AOT13C2409A	0.13	(0.04)	33,447	0.15	IHL	2.04	-	757	2.04
LPN	3.30	-	5,948	3.30	AOT13P2407A	-	-	-	-	INGRS	0.38	(0.04)	31,739	0.39
MBK	16.90	(0.20)	11,149	16.94	AOT13P2408A	0.17	0.04	25,363	0.16	IRC	13.50	-	11	13.50
MBK-W3	-	-	-	-	AOT19C2406A	-	-	-	-	MGC	4.10	(0.40)	6,331	4.25
MBK-W4	14.90	-	9	14.90	AOT19C2406B	-	-	-	-	NEX	2.88	0.20	1,836,297	2.85
MJD	1.24	-	415	1.24	AOT19C2409A	0.06	(0.03)	8,636	0.06	NEX13C2407A	-	-	-	-
MK	1.86	(0.12)	1,101	1.89	AOT19C2410A	0.16	(0.04)	8,760	0.19	NEX13C2410A	0.01	-	41,698	0.01
NCH	0.80	(0.02)	3,978	0.81	AOT19P2407A	-	-	-	-	NEX13C2410B	0.03	-	12,553	0.03
NNCL	1.90	-	1,195	1.89	AOT27C2407A	0.18	(0.07)	1,412	0.20	NEX13C2410C	0.01	-	2,121	0.01
NOBLE	3.52	(0.06)	16,983	3.58	AOT27P2407A	0.36	0.07	10,000	0.37	NEX13C2410D	0.10	0.03	129,065	0.10
NUSA	0.32	-	478,456	0.31	AOT41C2406A	-	-	-	-	NEX13C2410E	0.19	0.05	219,556	0.18
NUSA-W5	0.07	-	12,770	0.07	AOT41C2410A	0.09	(0.02)	3,879	0.10	NEX19C2409A	-	-	-	-
NVD	1.76	-	411	1.75	AOT41C2605T	0.39	(0.03)	5,595	0.41	NEX19C2410A	0.02	0.01	2,005	0.02
NVD-W3	-	-	-	-	ASIMAR	1.69	(0.05)	10,317	1.71	NEX19C2410B	0.13	0.03	130,909	0.12
ORI	5.10	(0.20)	104,755	5.17	B	0.09	-	162,926	0.09	NEX19C2410C	-	-	-	-
ORI13C2407A	-	-	-	-	B-W8	0.01	-	6,829	0.01	NEX19C2410D	0.29	0.06	91,599	0.28
ORI19C2409A	0.06	-	3	0.06	BA	22.00	-	97,789	21.89	PCSGH	5.05	(0.05)	306	5.05
ORN	0.88	(0.05)	52,153	0.90	BEM	7.70	(0.05)	357,856	7.69	POLY	9.00	(0.30)	423	9.06
PACE	-	-	-	-	BEM01C2408A	-	-	-	-	SAT	14.40	(0.20)	7,379	14.48
PEACE	2.84	-	363	2.80	BEM01P2408X	0.23	-	15,533	0.23	SPG	-	-	-	-
PF	0.22	(0.01)	110,335	0.22	BEM13C2407A	-	-	-	-	STANLY	220.00	1.00	576	219.20
PIN	5.80	-	20,259	5.81	BEM13C2410A	0.18	(0.82)	14,282	0.18	TKT	1.75	(0.02)	723	1.76
PLAT	2.50	(0.04)	2,442	2.50	BEM19C2408A	-	-	-	-	TNPC	1.15	(0.02)	317	1.13
POLAR	-	-	-	-	BEM19C2410A	0.19	(0.01)	19,258	0.19	TRU	3.20	0.12	5,711	3.18
PRECHA	1.11	(0.01)	899	1.12	BTS	4.94	(0.06)	1,902,251	4.97	TSC	14.30	-	104	14.24
PRIN	2.86	-	454	2.79	BTS-W7	-	-	-	-	Industrial Materials	-	-	-	-
PSH	9.80	(0.05)	5,352	9.84	BTS-W8	0.07	-	30,218	0.07	ALLA	1.57	0.02	4,550	1.57
QH	1.96	(0.02)	288,459	1.96	BTS01C2407A	0.03	0.02	2	0.03	ASEFA	3.56	(0.04)	239	3.60
RABBIT	0.33	(0.02)	227,785	0.33	BTS01C2408A	0.04	-	3,233	0.04	CPT	0.87	(0.05)	41,644	0.91
RABBIT-P	0.33	(0.02)	36,293	0.34	BTS01P2407X	0.13	0.01	15,829	0.13	CRANE	0.81	(0.04)	1,289	0.82
RABBIT-Q	-	-	-	-	BTS06C2410A	0.13	(0.87)	27,846	0.13	CTW	4.74	0.02	85	4.71
RICHY	0.54	(0.01)	3,822	0.53	BTS13C2407A	-	-	-	-	FMT	36.00	-	80	36.04
RML	0.46	0.01	10,889	0.45	BTS13C2407B	0.02	0.01	31	0.02	HTECH	2.66	(0.08)	4,897	2.65
ROJNA	6.10	(0.10)	38,259	6.12	BTS13C2410A	0.03	(0.01)	110,580	0.03	KKC	-	-	-	-
S	0.77	(0.02)	113,132	0.79	BTS13C2410B	0.13	(0.01)	72,398	0.14	PK	0.61	(0.02)	3,114	0.62
SA	7.80	(0.15)	559	7.89	BTS13C2410C	0.52	(0.03)	36,314	0.52	PSP	5.45	-	25,005	5.48
SA-W1	0.09	-	16,629	0.09	BTS13P2407A	0.08	-	58,835	0.07	SE	0.74	(0.02)	2,282	0.74
SAMCO	1.07	-	431	1.06	BTS13P2410A	0.35	0.01	148,666	0.35	SNC	7.05	(0.05)	1,157	7.09
SC	2.98	(0.02)	35,687	2.99	BTS19C2406A	-	-	-	-	STARK	-	-	-	-
SENA	2.44	(0.06)	12,519	2.46	BTS19C2407A	-	-	-	-	STARK-W1	-	-	-	-
SIRI	1.62	-	1,006,991	1.61	BTS19C2407B	0.04	0.01	3,410	0.04	TCJ	3.16	(0.02)	100	3.07
SIRI01C2406A	-	-	-	-	BTS19C2410A	0.06	(0.01)	31,614	0.07	TPCS	-	-	-	-
SIRI13C2407A	-	-	-	-	BTS19C2410B	0.28	(0.02)	22,870	0.29	VARO	3.32	(0.06)	178	3.36
SIRI19C2407A	-	-	-	-	BTS19P2410A	0.24	0.01	36,061	0.24	Property Fund & REI	-	-	-	-
SPALI	18.30	(0.20)	50,338	18.38	BTS41C2407A	-	-	-	-	AIMCG	3.30	0.02	308	3.27
SPALI13C2409A	0.15	(0.01)	1,600	0.15	BTS41C2408A	0.02	(0.01)	46	0.03	AIMIRT	10.50	(0.20)	5,838	10.57
SPALI19C2408A	-	-	-	-	BTS41C2412A	0.18	(0.01)	18,860	0.18	ALLY	4.98	(0.12)	8,524	4.99
UV	1.88	(0.01)	806	1.88	BTSGIF	3.50	(0.02)	21,142	3.52	AMATAR	-	-	-	-
WHA	5.40	(0.05)	422,970	5.41	DMT	11.90	-	2,944	11.84	B-WORK	3.98	(0.06)	10,342	4.02
WHA01C2406A	-	-	-	-	ETL	1.12	(0.06)	31,263	1.14	BAREIT	9.30	(0.10)	1,357	9.34
WHA01C2408A	-	-	-	-	III	7.65	(0.15)	8,061	7.75	BKKCP	9.20	-	6	9.12
WHA01C2410A	0.20	(0.02)	8,407	0.21	KEX	3.64	(0.06)	12,861	3.68	BOFFICE	4.80	-	1,785	4.80
WHA01P2407X	-	-	-	-	KIAT	0.39	(0.01)	5,811	0.40	CPNCG	5.40	(0.05)	6,234	5.43
WHA06C2410A	0.17	(0.01)	8,435	0.18	KWC	-	-	-	-	CPNREIT	10.10	(0.10)	37,829	10.11
WHA11C2407A	-	-	-	-	MENA	1.21	(0.04)	30,819	1.21	CPTGF	5.15	(0.05)	1,143	5.19
WHA13C2406A	0.01	(0.08)	800	0.01	NOK	-	-	-	-	CTARAF	4.30	(0.02)	1,112	4.28
WHA13C2408A	0.47	(0.14)	10	0.47	NYT	3.72	(0.02)	28,670	3.71	DREIT	4.58	-	292	4.58
WHA13C2410A	0.15	(0.01)	59,062	0.15	PORT	1.97	0.02	2,252	1.98	FTREIT	8.85	-	35,182	8.89
WHA13P2407A	-	-	-	-	PRM	8.20	(0.10)	65,785	8.20	FUTUREPF	11.50	0.30	1,040	11.40
WHA19C2406A	-	-	-	-	PSL	10.20	(0.10)	128,801	10.25	GAHREIT	6.30	(0.25)	3,861	6.37
WHA19C2410A	0.15	(0.01)	41,445	0.16	PSL01C2407A	0.24	(0.05)	14,314	0.28	GOREIT	8.60	(0.05)	212	8.64
WHA41C2406A	-	-	-	-	PSL13C2407A	0.15	(0.05)	6,088	0.17	GVREIT	5.40	-	3,488	5.36
WHA41C2406B	-	-	-	-	PSL19C2407A	0.24	(0.05)	1	0.24	HPF	4.66	(0.02)	90	4.66
WHA41C2407A	-	-	-	-	RCL	30.50	0.25	91,025	30.78	HYDROGEN	-	-	-	-
WHA41C2409A	0.14	(0.01)	5,476	0.14	RCL01C2407A	0.22	-	5,803	0.25	IMPACT	10.70	(0.20)	8,021	10.66
WIN	0.52	(0.02)	5,317	0.51	RCL01C240									

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Issue Date :		
															Thursday June 06, 2024		
SIRIP	8.95	-	1	8.95	ALIHEA28C2406	-	-	-	-	HSI06P2407D	0.52	(0.06)	72,2052	0.52			
SPRIME	4.04	(0.06)	1,700	4.07	ALIHEA28C2407	0.24	0.07	2,000	0.24	HSI06P2407E	-	-	-	-			
SRI PANWA	5.00	0.02	81	4.98	ALIHEA28C2409	-	-	-	-	HSI06P2407F	-	-	-	-			
SSPF	-	-	-	-	ALIHEA41C2406	-	-	-	-	HSI06P2408A	0.10	(0.01)	241	0.11			
SSTRT	4.96	-	134	4.98	ALIHEA41C2410	0.30	0.07	6	0.31	HSI06P2408B	0.27	(0.03)	752,836	0.28			
TIF1	7.80	-	26	7.77	BABA28C2406A	-	-	-	-	HSI06P2408C	0.52	(0.03)	497,296	0.51			
TLHPF	3.00	-	952	3.00	BABA28C2406B	0.17	(0.03)	1	0.17	HSI06P2409A	0.44	(0.03)	383,104	0.43			
TNPFP	-	-	-	-	BABA28C2407A	0.27	(0.05)	2,001	0.29	HSI06P2409B	0.24	(0.76)	273,801	0.24			
TPRIME	6.20	-	20,035	6.20	BABA28C2408A	0.64	-	1	0.64	HSI06P2409D	0.27	0.01	3,390,478	0.27			
TTLPF	16.90	-	78	16.90	BABA28C2410A	0.18	(0.01)	13,251	0.19	HSI06P2410A	0.39	(0.02)	374,924	0.38			
TU-PF	0.58	(0.05)	65	0.58	BABA28P2407A	-	-	-	-	HSI28C2406A	0.45	0.04	3,008,091	0.41			
URBNPF	0.32	-	46	0.30	BABA28P2408A	0.16	-	19,000	0.16	HSI28C2406B	1.11	0.07	1,590	1.09			
WHABT	7.50	(0.10)	110	7.49	BABA28P2410A	0.50	-	3,028	0.50	HSI28C2406C	0.16	-	279,182	0.15			
WHAIR	5.75	(0.05)	3,145	5.75	BABA41C2406A	0.21	(0.01)	2	0.22	HSI28C2406D	1.86	0.10	306	1.85			
WHART	8.80	(0.05)	18,437	8.84	BABA41C2406B	-	-	-	-	HSI28C2407A	0.27	0.01	4,074,438	0.55			
Steel and Metal Prod	-	-	-	-	BABA41C2407A	0.24	(0.01)	10	0.24	HSI28C2407B	0.55	0.03	4,074,438	0.55			
ZS	3.08	-	244	3.06	BABA41C2409A	0.11	(0.01)	923	0.11	HSI28C2407C	0.14	-	70,577	0.14			
AMC	3.30	(0.02)	1,149	3.32	BABA41P2407A	0.03	-	550	0.03	HSI28C2407D	0.07	-	11,933	0.06			
BSBM	0.76	-	577	0.75	BABA41P2409A	0.18	(0.01)	4	0.19	HSI28C2407E	0.03	(0.01)	1,198	0.03			
CEN	2.08	(0.02)	1,110	2.10	BIDU28C2407A	0.04	(0.01)	11	0.06	HSI28C2407F	-	-	-	-			
CEN-W5	0.23	0.01	3,291	0.22	BIDU28C2409A	0.26	0.01	7,042	0.26	HSI28C2408A	0.37	0.02	3,137,748	0.35			
CITY	2.22	(0.02)	153	2.24	BIDU28P2406A	0.15	(0.02)	18,197	0.14	HSI28C2408B	0.18	0.01	276	0.18			
CSP	1.05	(0.02)	1,416	1.05	BIDU28P2410A	0.50	(0.02)	20,001	0.49	HSI28C2408C	0.10	-	1,806	0.10			
GJS	0.21	(0.01)	11,773	0.22	BIDU41C2407A	0.05	(0.01)	22	0.06	HSI28C2409A	0.35	0.02	48,917	0.34			
GSTEEL	-	-	-	-	BIDU41C2409A	0.33	0.01	92	0.35	HSI28C2410A	0.17	-	35,520	0.16			
INOX	0.50	-	9,060	0.50	BIDU41P2410A	0.40	(0.02)	2	0.39	HSI28C2410B	0.25	0.02	4,228	0.24			
LHK	4.12	(0.02)	701	4.13	BYDCOM28C240	0.50	(0.11)	7,427	0.54	HSI28P2406A	0.01	-	11,357	0.01			
MCS	7.35	(0.10)	2,061	7.40	BYDCOM28C240	0.25	(0.04)	8,057	0.27	HSI28P2406B	0.01	-	45,102	0.01			
MILL	0.12	-	22,826	0.12	BYDCOM28P240	0.19	0.02	2,000	0.19	HSI28P2406C	0.01	-	24,252	0.01			
MILL-W7	-	-	-	-	BYDCOM41C240	-	-	-	-	HSI28P2406D	0.01	(0.01)	15,238	0.01			
PAP	2.24	-	256	2.24	BYDCOM41C240	0.75	(0.11)	160	0.81	HSI28P2406E	0.08	(0.01)	63,414	0.08			
PERM	0.87	-	3,836	0.87	BYDCOM41C240	0.24	(0.02)	6	0.26	HSI28P2407A	0.02	-	29,010	0.02			
SAM	-	-	-	-	BYDCOM41P240	0.15	0.01	7	0.15	HSI28P2407B	0.10	(0.02)	2,342	0.10			
SMIT	4.48	0.02	337	4.45	CATHAY28C240	0.19	(0.01)	1	0.19	HSI28P2407C	0.24	(0.03)	160,052	0.25			
SSSC	2.76	-	1,303	2.76	CATHAY41C240	0.06	(0.01)	2	0.06	HSI28P2407D	0.50	(0.05)	3,615,150	0.51			
TGPRO	0.12	-	15,003	0.11	CATHAY41C241	-	-	-	-	HSI28P2407E	-	-	-	-			
THE	1.02	0.01	1,309	1.02	CHMOBI28C240	0.71	0.05	40,000	0.72	HSI28P2408A	0.07	(0.01)	498	0.08			
TMT	5.05	(0.10)	1,276	5.12	CMBANK41C240	0.61	(0.27)	2	0.61	HSI28P2408B	1.07	(0.06)	34	1.07			
TSTH	0.77	-	2,040	0.78	CNOOC28C2408	0.87	0.10	1	0.87	HSI28P2408C	0.32	(0.02)	19,840	0.32			
TWP	1.81	-	3,321	1.85	DJ128C2406B	0.02	-	20	0.02	HSI28P2408D	0.58	(0.04)	100,737	0.59			
TYCN	2.48	0.06	51	2.40	DJ128C2406C	-	-	-	-	HSI28P2409A	0.51	(0.04)	9,751	0.53			
Construction Service	-	-	-	-	DJ128C2409A	0.16	(0.01)	253	0.17	HSI28P2410A	0.48	(0.04)	6,761	0.49			
APCS	3.06	(0.02)	1,557	3.04	DJ128C2409B	0.28	(0.01)	81	0.28	HSI28P2410B	0.24	(0.02)	542	0.24			
BJCHI	1.31	(0.03)	9,146	1.32	DJ128P2406A	-	-	-	-	HSTECH28C2406A	0.22	(0.01)	2	0.22			
BKD	1.30	-	938	1.28	DJ128P2406B	-	-	-	-	HSTECH28C2407A	-	-	-	-			
CIVIL	1.67	(0.01)	921	1.67	DJ128P2406C	0.07	(0.04)	2	0.07	HSTECH28P2406A	0.05	(0.09)	1	0.05			
CK	20.50	(0.50)	43,135	20.73	DJ128P2409A	-	-	-	-	HSTECH28P2407A	0.42	(0.08)	3,001	0.42			
CK01C2407A	-	-	-	-	DJ141C2406A	-	-	-	-	ICBC28C2407A	0.40	(0.15)	1	0.40			
CK11C2407A	-	-	-	-	DJ141C2409A	0.29	(0.01)	3,008	0.29	JD28C2406A	0.84	(0.17)	54	0.87			
CK13C2408A	0.04	-	5,080	0.05	DJ141P2406A	-	-	-	-	JD28C2408A	1.15	(0.18)	11	1.15			
CK19C2408A	0.03	(0.01)	400	0.03	DJ141P2406B	-	-	-	-	JD28C2408B	0.30	(0.05)	1,023	0.30			
CNT	1.16	0.01	2,481	1.18	DJ141P2409A	0.63	(0.03)	8,132	0.63	JD28C2410A	0.17	(0.02)	505	0.18			
EMC	0.06	-	280,011	0.06	GEELY28C2406A	0.44	(0.01)	1	0.44	JD41C2406A	-	-	-	-			
ITD	0.68	(0.02)	72,659	0.69	GEELY28C2408A	0.24	-	1,016	0.24	JD41C2407A	0.41	(0.05)	17	0.41			
NL	1.90	(0.16)	23,415	1.96	GEELY41C2406A	0.30	(0.02)	20	0.30	JD41C2409A	0.14	(0.03)	4,406	0.14			
NWR	0.31	-	15,399	0.31	GEELY41C2411A	0.13	(0.01)	2	0.13	KUAISH28C2406A	0.10	(0.03)	5,510	0.10			
PLE	0.43	(0.01)	6,491	0.44	HAILIL28C2406	0.27	(0.22)	2	0.27	KUAISH28C2407A	-	-	-	-			
PREB	5.15	(0.20)	1,043	5.23	HAILIL41C2407	0.16	(0.02)	8	0.16	KUAISH28C2408A	0.16	(0.02)	2,000	0.17			
PYLON	2.18	-	671	2.16	HKEX28C2406A	-	-	-	-	KUAISH41C2406A	0.24	(0.05)	16	0.23			
RT	0.54	(0.03)	83,169	0.55	HKEX28C2407A	0.45	(0.03)	4	0.45	LENOVO28C2407B	0.75	(0.13)	1	0.75			
SEAFCO	2.08	(0.06)	7,643	2.10	HKEX28C2409A	0.83	(0.44)	2	0.83	LENOVO41C2406A	-	-	-	-			
SQ	1.09	(0.03)	6,370	1.10	HKEX28C2410A	0.19	(0.01)	22,001	0.18	LENOVO41C2406B	0.15	0.04	58	0.19			
SRICHA	9.75	-	3,050	9.80	HKEX41C2406A	0.21	(0.02)	20	0.20	LENOVO41C2409A	0.44	0.06	29	0.46			
STEC	9.25	(0.10)	24,144	9.35	HKEX41C2409A	0.54	(0.06)	24	0.55	LENOVO41C2410A	0.21	0.03	5	0.22			
STEC19C2407A	0.11	(0.01)	11,432	0.12	HKEX41C2409B	0.15	(0.01)	4	0.16	MCA5041P2406A	0.65	(0.06)	2	0.66			
STI	3.10	(0.06)	397	3.10	HSBC28C2406A	1.54	0.11	1	1.54	MCA5041P2406B	-	-	-	-			
STPI	3.20	(0.02)	2,090	3.22	HSBC28P2407A	0.51	0.01	29	0.50	METTU28C2407A	2.56	(0.08)	2</td				

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :

Thursday June 06, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PINGAN41C2409A	0.18	(0.03)	42	0.19	SET5028C2412B	0.30	(0.04)	606,343	0.33		0	-	-	-
SET5001C2406A	0.01	(0.01)	546,039	0.01	SET5028P2406A	-	-	-	-		0	-	-	-
SET5001C2406F	0.02	-	1,073	0.02	SET5028P2407A	0.73	0.06	363	0.69		0	-	-	-
SET5001C2406T	0.04	(0.02)	161	0.05	SET5028P2409A	0.37	0.06	209,895	0.34		0	-	-	-
SET5001C2407A	0.02	(0.01)	170,867	0.01	SET5028P2409B	-	-	-	-		0	-	-	-
SET5001C2408W	0.09	(0.02)	26,021	0.10	SET5028P2412A	0.59	0.04	124,981	0.56		0	-	-	-
SET5001C2409A	0.15	(0.02)	56,296	0.17	SET5041C2406A	0.02	-	4,002	0.01		0	-	-	-
SET5001C2409F	0.15	(0.04)	49,471	0.16	SET5041C2406B	0.01	-	4,992	0.01		0	-	-	-
SET5001C2410T	0.23	(0.03)	47,363	0.24	SET5041C2406C	-	-	-	-		0	-	-	-
SET5001C2412F	0.42	(0.06)	102,871	0.45	SET5041C2406C	0.01	-	300	0.01		0	-	-	-
SET5001C2412T	0.33	(0.01)	31,211	0.36	SET5041C2406E	0.02	-	85,371	0.01		0	-	-	-
SET5001C2412W	0.24	(0.03)	40,842	0.27	SET5041C2409A	0.02	(0.01)	31,442	0.02		0	-	-	-
SET5001P2406A	-	-	-	-	SET5041C2409B	0.21	(0.04)	274,280	0.26		0	-	-	-
SET5001P2406F	0.02	-	2,000	0.02	SET5041C2409C	0.24	(0.06)	59,376	0.30		0	-	-	-
SET5001P2406T	0.17	0.03	778	0.15	SET5041C2412T	0.14	(0.02)	138,473	0.16		0	-	-	-
SET5001P2407A	0.16	0.03	16,673	0.13	SET5041C2412U	0.15	(0.03)	99,334	0.17		0	-	-	-
SET5001P2408W	0.36	0.07	45,746	0.30	SET5041P2406A	0.14	0.03	20,420	0.13		0	-	-	-
SET5001P2409A	0.41	0.02	78,610	0.39	SET5041P2406B	0.02	(0.02)	20,800	0.02		0	-	-	-
SET5001P2409F	0.42	0.04	115,944	0.40	SET5041P2406C	-	-	-	-		0	-	-	-
SET5001P2410T	0.66	0.03	2,578	0.65	SET5041P2409A	0.37	0.04	413,435	0.34		0	-	-	-
SET5001P2412F	0.72	0.06	187,543	0.67	SET5041P2412T	0.61	0.06	531,913	0.55		0	-	-	-
SET5001P2412T	0.47	0.03	29,159	0.42	SET5041P2412U	1.02	0.10	803	0.93		0	-	-	-
SET5001P2412W	0.57	0.05	77,064	0.51	SPX28C2406A	0.76	0.23	1	0.76		0	-	-	-
SET5006C2406A	-	-	-	-	SPX28C2406B	0.16	0.05	6,001	0.17		0	-	-	-
SET5006C2406B	-	-	-	-	SPX28C2406C	-	-	-	-		0	-	-	-
SET5006C2409A	0.19	(0.04)	14,063	0.22	SPX28C2409A	0.47	0.07	602	0.48		0	-	-	-
SET5006C2412A	0.31	(0.69)	62,062	0.36	SPX28P2406A	-	-	-	-		0	-	-	-
SET5006P2406A	-	-	-	-	SPX28P2406B	-	-	-	-		0	-	-	-
SET5006P2406B	0.20	0.04	53,914	0.15	SPX28P2406C	-	-	-	-		0	-	-	-
SET5006P2409A	0.70	0.05	17,995	0.64	SPX28P2409A	0.32	(0.05)	29	0.32		0	-	-	-
SET5006P2412A	0.70	(0.30)	10,012	0.69	SPX41C2406A	-	-	-	-		0	-	-	-
SET5013C2406A	-	-	-	-	SPX41C2406B	0.12	0.03	1,001	0.12		0	-	-	-
SET5013C2406B	-	-	-	-	SPX41C2409A	0.77	0.11	13,434	0.77		0	-	-	-
SET5013C2406C	-	-	-	-	SPX41P2406A	-	-	-	-		0	-	-	-
SET5013C2406D	0.01	-	10	0.01	SPX41P2406B	-	-	-	-		0	-	-	-
SET5013C2406E	0.01	-	5	0.01	SPX41P2409A	0.41	(0.08)	34,368	0.42		0	-	-	-
SET5013C2406F	0.01	-	215	0.01	SUNNY28C2406	-	-	-	-		0	-	-	-
SET5013C2406G	0.01	(0.01)	67,970	0.01	SUNNY28C2407	-	-	-	-		0	-	-	-
SET5013C2409A	0.11	(0.04)	1,816,529	0.13	SUNNY28C2408	0.15	0.03	16,050	0.16		0	-	-	-
SET5013C2409B	0.19	(0.05)	1,455,834	0.22	SUNNY28C2408I	0.53	0.27	1	0.53		0	-	-	-
SET5013C2409C	0.11	(0.03)	279,206	0.12	SUNNY41C2406	-	-	-	-		0	-	-	-
SET5013C2409D	0.22	(0.06)	1,718,465	0.25	SUNNY41C2407	-	-	-	-		0	-	-	-
SET5013C2409E	0.36	(0.10)	3,449,978	0.40	SUNNY41C2408	0.49	0.09	1,187	0.53		0	-	-	-
SET5013C2410A	0.05	(0.01)	83,120	0.05	TENCEN28C2401	-	-	-	-		0	-	-	-
SET5013C2410B	0.06	(0.01)	161,073	0.06	TENCEN28C2401	0.64	-	1,322	0.64		0	-	-	-
SET5013C2411A	0.12	(0.02)	112,600	0.14	TENCEN28C2401	0.33	-	41,606	0.34		0	-	-	-
SET5013C2412T	0.13	(0.02)	122,764	0.14	TENCEN28P2401	-	-	-	-		0	-	-	-
SET5013P2406A	0.01	-	35,076	0.01	TENCEN28P2411	-	-	-	-		0	-	-	-
SET5013P2406B	0.01	-	10,360	0.01	TENCEN28P2411	0.42	(0.01)	12,002	0.41		0	-	-	-
SET5013P2406C	0.01	-	706	0.01	TENCEN41C2401	1.29	(0.07)	1	1.29		0	-	-	-
SET5013P2406D	0.02	0.01	13,431	0.01	TENCEN41C2401	0.63	0.01	345	0.67		0	-	-	-
SET5013P2406E	0.07	0.01	285,026	0.06	TENCEN41P2401	0.08	(0.02)	1	0.08		0	-	-	-
SET5013P2406F	0.29	0.07	1,077,902	0.23	TRIPDC41C2407	0.69	0.04	7	0.71		0	-	-	-
SET5013P2406G	0.06	0.02	11,558	0.05	TRIPDC41C2409	0.30	0.01	6	0.30		0	-	-	-
SET5013P2406H	0.06	0.01	2,375	0.05	XIAOMI28C2407	0.67	0.08	10	0.67		0	-	-	-
SET5013P2409A	0.41	0.05	715,279	0.39	XIAOMI28C2409	0.17	0.02	22,608	0.19		0	-	-	-
SET5013P2409B	0.59	0.07	4,135,935	0.53	XIAOMI28P2408	0.15	(0.02)	8,084	0.14		0	-	-	-
SET5013P2409C	0.81	0.11	613,820	0.75	XIAOMI28P2409	-	-	-	-		0	-	-	-
SET5013P2409D	1.18	0.17	214,703	1.08	XIAOMI41C2406	0.53	(0.44)	1	0.53		0	-	-	-
SET5013P2410A	0.28	0.03	69,517	0.27	XIAOMI41C2407	0.34	0.03	21	0.36		0	-	-	-
SET5013P2412T	0.53	0.05	357,911	0.51	XIAOMI41C2409	0.16	0.03	19	0.17		0	-	-	-
SET5019C2406A	-	-	-	-	XIAOMI41P2408	-	-	-	-		0	-	-	-
SET5019C2406B	-	-	-	-	XIAOMI41P2409	0.30	(0.03)	2	0.29		0	-	-	-
SET5019C2406C	-	-	-	-	ZDJIN28C2407A	1.49	(0.75)	2	1.49		0	-	-	-
SET5019C2406E	-	-	-	-	ZDJIN28C2408A	0.56	0.10	8	0.55		0	-	-	-
SET5019C2406F	-	-	-	-	ZDJIN41C2407A	0.70	0.06	3	0.70		0	-	-	-
SET5019C2406G	-	-	-	-	ZDJIN41C2407B	0.35	0.09	31	0.36		0	-	-	-
SET5019C2406H	0.02	(0.02)	23,437	0.03	ZDJIN41C2409A	0.16	0.01	3,017	0.16		0	-	-	-
SET5019C2406I	0.02	(0.02)	16,131	0.03	0	-	-	-	-		0	-	-	-
SET5019C2409A	0.08	(0.01)	163,225	0.09	0	-	-	-	-		0	-	-	-
SET5019C2409B	0.13	(0.04)	131,440	0.15	0	-	-	-	-		0	-	-	-
SET5019C2409C	0.20	(0.06)	284,390	0.24	0	-	-	-	-		0	-	-	-
SET5019C2412A	0.14	(0.03)	348,726	0.16	0	-	-	-	-		0	-	-	-
SET5019P2406A	0.10	0.02	448,314	0.08	0	-	-	-	-		0	-	-	-
SET5019P2406B	0.06	0.01	70,019	0.05	0	-	-	-	-		0	-	-	-
SET5019P2406C	0.04	0.01	2,113	0.03	0	-	-	-	-		0	-	-	-
SET5019P2406D	0.23	0.07	411,875	0.17	0	-	-	-	-		0	-	-	-
SET5019P2406E	0.73	0.14	321	0.62	0	-	-	-	-		0	-	-	-
SET5019P2409A	0.48	0.07	392,790	0.43	0	-	-	-	-		0	-	-	-
SET5019P2409B	0.63	0.09	172,440	0.57	0	-	-	-	-		0	-	-	-
SET5027C2406A	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5027C2406B	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5027C2406C	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5027C2406D	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5027C2406E	0.01	(0.01)	2,100	0.01	0	-	-	-	-		0	-	-	-
SET5027C2406F	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5027C2409A	0.07	(0.03)	14,932	0.09	0	-	-	-	-		0</			

**Asia Plus Securities Company Limited**

## Main Board Quotation

## Daily Quotation

**Issue Date :**

Thursday June 06, 2024

**Asia Plus Securities Company Limited**

## Daily Quotation

## Main Board Quotation