

# Asia Plus Securities Company Limited

## Main Board Quotation

## Daily Quotation

Main Board Quotation					Issue Date :					Daily Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KTB13C2406B	-	-	-	-	IVL13C2406B	-	-	-	-
WORLD	-	-	-	-	KTB13C2408A	0.26	0.05	85,447	0.25	IVL13C2407A	0.01	(0.02)	5,240	0.02
Agribusiness	-	-	-	-	KTB13P2406A	-	-	-	-	IVL13C2408A	-	-	-	-
EE	0.16	-	15,237	0.15	KTB13P2408A	0.04	(0.01)	1,350	0.04	IVL13C2410A	0.04	(0.01)	4	0.04
EE-W1	0.01	-	106	0.01	KTB19C2406A	-	-	-	-	IVL13C2410B	0.16	(0.01)	40,291	0.17
GPTT	12.90	(0.10)	12,555	12.95	KTB19C2408A	-	-	-	-	IVL13C2411A	0.32	(0.68)	70,832	0.32
LEE	2.52	0.04	3,654	2.52	KTB19C2410A	0.25	0.03	52,544	0.26	IVL13P2408A	0.39	0.01	87,820	0.39
NER	6.00	0.25	148,179	5.90	KTB19P2406A	-	-	-	-	IVL19C2406A	-	-	-	-
NER-W2	1.08	0.19	898,616	1.01	KTB41C2406A	-	-	-	-	IVL19C2407A	-	-	-	-
PPPM	0.38	0.03	11,157	0.36	KTB41C2406B	-	-	-	-	IVL19C2408A	-	-	-	-
PPPM-W4	-	-	-	-	KTB41C2407A	0.12	0.03	56,557	0.11	IVL19C2409A	0.09	(0.01)	20,211	0.10
STA	24.10	1.40	452,748	23.70	LHFG	1.01	0.02	24,816	1.00	IVL19C2410A	0.07	-	50	0.07
STA01C2407A	0.50	0.16	14,446	0.47	SCB	104.50	(0.50)	52,548	104.63	IVL19C2410B	0.24	(0.01)	83,429	0.24
STA01C2409A	0.93	0.17	12,032	0.86	SCB01C2407A	0.15	(0.01)	9,234	0.15	IVL19P2410A	0.46	-	58,042	0.46
STA01C2410A	0.54	0.11	163,570	0.49	SCB01C2408A	0.20	-	14,030	0.20	IVL41C2406A	-	-	-	-
STA01P2407X	0.01	-	4,306	0.01	SCB01P2407X	-	-	-	-	IVL41C2406B	-	-	-	-
STA01P2408X	0.03	(0.02)	27,517	0.02	SCB01P2410X	0.32	(0.01)	6,863	0.32	IVL41C2407A	-	-	-	-
STA01P2410X	0.51	(0.12)	234,194	0.53	SCB13C2406A	-	-	-	-	IVL41C2410A	0.13	(0.01)	13,367	0.14
STA06C2408A	0.63	0.14	58,657	0.56	SCB13C2409A	0.14	(0.01)	4,840	0.14	IVL41C2412A	0.07	-	3,428	0.07
STA11C2407T	-	-	-	-	SCB13P2406A	-	-	-	-	NFC	2.16	-	439	2.02
STA13C2407A	0.58	0.07	1,328	0.53	SCB19P2407A	-	-	-	-	PATO	9.70	(0.10)	11	9.71
STA13C2408A	0.41	0.12	298,924	0.38	SCB19P2410A	0.27	(0.01)	13,582	0.27	PTMA	-	-	-	-
STA13C2409A	1.15	0.17	1,090	1.14	SCB19C2406A	-	-	-	-	PTTGC	32.75	(1.00)	209,231	32.88
STA13C2410A	0.49	0.11	433,561	0.46	SCB19C2407A	-	-	-	-	PTTGC01C2406A	0.01	-	1,700	0.01
STA13P2407A	-	-	-	-	SCB19C2409A	-	-	-	-	PTTGC01C2407A	0.01	(0.02)	80	0.01
STA13P2408A	0.03	(0.01)	10,310	0.03	SCB19P2407A	-	-	-	-	PTTGC01C2409A	0.08	(0.02)	35,330	0.09
STA13P2410A	0.44	(0.10)	198,141	0.47	SCB41C2407A	-	-	-	-	PTTGC01C2411A	0.17	(0.83)	11,462	0.17
STA19C2406A	-	-	-	-	SCB41C2407B	-	-	-	-	PTTGC01P2409X	0.62	0.06	29,400	0.59
STA19C2408A	0.63	0.15	12,307	0.62	SCB41C2408A	0.07	(0.01)	4,000	0.07	PTTGC11C2409A	0.08	(0.03)	6,600	0.08
STA19C2409A	1.08	0.12	4	1.02	SCB41C2412A	0.27	(0.01)	54,040	0.27	PTTGC13C2406A	-	-	-	-
STA19C2410A	0.56	0.12	210,838	0.52	SCB41P2406A	-	-	-	-	PTTGC13C2409A	0.03	(0.02)	30,010	0.04
STA19P2410A	0.51	(0.11)	145,439	0.55	TCPA	47.25	(0.75)	37,769	47.23	PTTGC13C2410A	0.09	(0.02)	31,909	0.09
STA41C2408A	0.53	0.15	79,583	0.47	TCPA-P	-	-	-	-	PTTGC13P2408A	0.34	0.03	26	0.34
TEGH	3.86	0.44	432,939	3.76	TCPA-Q	-	-	-	-	PTTGC19C2406A	-	-	-	-
TFM	8.30	0.05	407	8.32	TISCO	97.75	0.75	30,513	97.39	PTTGC19C2409A	-	-	-	-
TRUBB	1.50	0.08	476,441	1.48	TISCO-P	-	-	-	-	PTTGC19C2410A	0.12	(0.03)	7,841	0.14
TRUBB-W2	0.04	0.01	71,813	0.03	TISCO-Q	-	-	-	-	PTTGC41C2406A	-	-	-	-
UPOIC	6.50	(0.10)	54	6.53	TISCO13C2409A	0.34	0.01	76,364	0.33	PTTGC41C2407A	-	-	-	-
UVAN	8.45	0.10	2,189	8.36	TISCO19C2408A	-	-	-	-	PTTGC41C2407B	-	-	-	-
VPO	0.49	(0.01)	1,877	0.50	TTB	1.68	0.02	3,101,611	1.68	PTTGC41C2412A	0.16	(0.03)	62,113	0.17
Banking	-	-	-	-	TTB-W1	0.73	0.03	2,989	0.73	SUTHA	3.02	-	15	3.02
BAY	25.25	0.35	1,589	25.20	TTB01C2406A	-	-	-	-	TPA	4.00	(0.10)	20	4.00
BBL	133.50	(0.50)	118,096	133.82	TTB01C2409A	0.12	0.01	10,030	0.12	UAC	3.40	(0.06)	1,390	3.45
BBL11C2406A	-	-	-	-	TTB13C2409A	0.07	(0.01)	500	0.07	UP	17.60	0.10	3	17.60
BBL11C2409A	0.23	(0.02)	44,588	0.25	TTB19C2409A	0.11	0.01	360	0.11	Commerce	-	-	-	-
BBL11P2407A	-	-	-	-	Construction Ma	-	-	-	-	ADVICE	4.32	0.06	49,868	4.33
BBL13C2406A	-	-	-	-	CCP	0.33	-	44,460	0.33	B52	0.52	(0.21)	3,281	0.54
BBL13C2408A	0.05	(0.01)	658	0.05	DCC	1.99	0.03	86,472	1.99	BEAUTY	0.51	0.01	14,425	0.50
BBL13C2410A	0.22	(0.02)	37,062	0.23	DCON	0.37	-	16,374	0.36	BIG	0.43	0.01	3,856	0.42
BBL13P2408A	0.12	-	1,121	0.12	DCON-W3	0.04	-	1,761	0.03	BJC	22.00	-	47,949	22.01
BBL19C2406A	-	-	-	-	DRT	8.10	-	771	8.10	COM7	17.00	0.10	94,396	16.95
BBL19C2408A	-	-	-	-	EPG	6.15	(0.15)	22,210	6.16	COM701C2406A	0.01	-	2,310	0.01
BBL19C2410A	0.21	(0.01)	36,632	0.22	GEL	0.13	(0.01)	10,976	0.13	COM701C2407A	-	-	-	-
BBL19P2406A	-	-	-	-	GEL-W5	0.02	-	151	0.02	COM701C2408A	0.06	(0.01)	1,199	0.06
BBL41C2406A	-	-	-	-	PPP	1.76	(0.01)	105	1.76	COM701C2410W	0.25	-	46,758	0.25
BBL41C2406B	-	-	-	-	Q-CON	13.00	-	6,609	12.80	COM701P2406X	0.08	(0.06)	9,457	0.10
BBL41C2407A	-	-	-	-	SCC	235.00	1.00	10,366	235.01	COM701P2408X	0.22	(0.03)	49,807	0.23
BBL41C2407B	-	-	-	-	SCC01C2407A	-	-	-	-	COM701P2410W	0.51	(0.04)	23,621	0.52
BBL41C2408A	0.04	-	100	0.04	SCC01C2408A	0.10	(0.01)	651	0.10	COM706C2407A	-	-	-	-
BBL41C2412A	0.31	(0.02)	59,168	0.32	SCC01C2412A	0.31	(0.69)	5,549	0.32	COM711C2406A	-	-	-	-
BBL41P2406A	-	-	-	-	SCC11C2408A	-	-	-	-	COM711C2409A	0.15	-	6,655	0.15
CIMBT	0.49	(0.01)	11,485	0.49	SCC13C2407A	-	-	-	-	COM711P2406A	-	-	-	-
CREDIT	19.00	0.20	3,111	18.98	SCC13C2408A	-	-	-	-	COM713C2406A	-	-	-	-
CKBANK	128.50	0.50	76,019	128.65	SCC13C2410A	0.22	-	46,182	0.22	COM713C2407A	-	-	-	-
CKBANK01C2406A	0.01	-	4,036	0.01	SCC13P2408A	0.13	(0.01)	6,612	0.13	COM713C2408A	0.05	-	2,430	0.05
CKBANK01C2407A	0.24	0.01	4,182	0.24	SCC19C2406A	-	-	-	-	COM713C2410A	0.19	-	62,831	0.19
CKBANK01C2409A	0.25	-	37,857	0.26	SCC19C2408A	-	-	-	-	COM713P2407A	0.11	(0.02)	12,884	0.12
CKBANK01P2406X	0.01	-	65	0.01	SCC19C2410A	0.17	0.01	28,778	0.17	COM713P2410A	0.45	(0.01)	49,583	0.45
CKBANK01P2408X	-	-	-	-	SCCC	132.50	0.50	474	131.99	COM719C2406A	-	-	-	-
CKBANK01P2409X	0.13	-	1	0.13	SCGD	7.70	0.10	1,360	7.68	COM719C2407A	-	-	-	-
CKBANK01P2410X	0.46	(0.02)	11,897	0.46	SCP	6.55	(0.20)	2,160	6.57	COM719C2408A	0.06	-	20	0.06
CKBANK06C2406A	-	-	-	-	SKN	5.50	0.10	1,019	5.40	COM719C2410A	0.22	-	70,876	0.22
CKBANK13C2406A	-	-	-	-	STECH	1.34	(0.01)	1,180	1.34	COM719P2406A	-	-	-	-
CKBANK13C2407A	0.08	-	16,914	0.08	TASCO	16.40	(0.10)	26,765	16.33	COM741C2406A	-	-	-	-
CKBANK13C2408A	0.21	-	66,428	0.22	TASCO01C2408/	0.09	(0.02)	9	0.09	COM741C2407A	-	-	-	-
CKBANK13C2409A	0.12	-	38,882	0.12	TASCO13C2407/	-	-	-	-	COM741C2408A	0.33	0.01	79,700	0.33
CKBANK13P2406A	-	-	-	-	TASCO19C2407/	-	-	-	-	COM741C2412A	0.37	-	16,832	0.37
CKBANK13P2409A	-	-	-	-	TASCO41C2406/	-	-	-	-	CPALL	58.00	-	153,956	58.01
CKBANK13P2410A	0.37</													

# Asia Plus Securities Company Limited

## Main Board Quotation

## Daily Quotation

					Issue Date :				Friday June 07, 2024					
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPW	2.34	0.04	2,792	2.29	FORTH01C2407	-	-	-	-	DELTA13P2409A	0.54	-	129,059	0.55
CRC	31.25	0.25	41,430	31.01	FORTH01C2409	0.21	(0.01)	2,616	0.22	DELTA19C2406A	-	-	-	-
CRC01C2407A	-	-	-	-	FORTH13C2406	-	-	-	-	DELTA19C2407A	0.05	(0.01)	400	0.06
CRC01C2409A	0.09	-	4,800	0.09	FORTH13C2408	0.19	(0.01)	5,293	0.20	DELTA19C2407B	0.14	(0.02)	24,630	0.14
CRC13C2407A	-	-	-	-	FORTH19C2407	-	-	-	-	DELTA19C2409A	0.50	(0.03)	92,476	0.50
CRC13C2408A	-	-	-	-	GABLE	4.08	(0.08)	15,505	4.11	DELTA19P2407A	-	-	-	-
CRC13C2409A	0.09	-	14,970	0.08	HUMAN	10.80	-	1,625	10.83	DELTA19P2409A	0.35	-	17,625	0.35
CRC19C2406A	-	-	-	-	ICN	2.36	0.02	2,273	2.34	DELTA41C2406A	-	-	-	-
CRC19C2408A	-	-	-	-	ILINK	6.70	-	2,117	6.65	DELTA41C2407A	-	-	-	-
CRC19C2409A	-	-	-	-	INET	4.50	(0.02)	5,000	4.49	DELTA41C2407B	0.12	(0.02)	21,500	0.12
CRC41C2407A	0.01	-	70	0.01	INET-W3	0.51	(0.04)	52,170	0.51	DELTA41P2406A	-	-	-	-
CSS	0.79	0.01	3,382	0.80	INSET	2.34	0.04	24,701	2.34	DELTA41P2410A	0.42	-	160	0.42
DOHOME	11.00	(0.10)	68,960	11.01	INTUCH	71.50	4.50	149,095	69.91	HANA	41.25	(0.50)	90,318	41.27
DOHOME01C2406A	-	-	-	-	INTUCH13C2408	-	-	-	-	HANA01C2406A	0.01	-	14,796	0.01
DOHOME01C2409A	0.13	(0.01)	85,752	0.14	INTUCH19C2405	0.28	0.12	71,420	0.24	HANA01C2407A	0.03	0.01	500	0.03
DOHOME06C2407A	-	-	-	-	ITEL	2.50	0.06	51,314	2.49	HANA01C2407B	0.19	(0.02)	38,316	0.19
DOHOME11C2406A	-	-	-	-	ITEL-W4	0.01	-	9	0.01	HANA01C2410A	0.36	(0.02)	59,756	0.36
DOHOME13C2406A	-	-	-	-	JAS	3.40	(0.04)	296,884	3.43	HANA01P2407X	-	-	-	-
DOHOME13C2407A	-	-	-	-	JMART	11.90	(0.10)	66,174	12.03	HANA01P2408X	0.05	(0.01)	5,000	0.05
DOHOME13C2409A	0.16	(0.01)	37,141	0.16	JMART-W4	-	-	-	-	HANA01P2410W	0.36	-	56,984	0.36
DOHOME19C2406A	-	-	-	-	JMART-W5	0.90	(0.01)	226	0.90	HANA06C2407A	0.21	(0.02)	31,713	0.21
DOHOME19C2407A	0.03	-	550	0.03	JMART01C2406	-	-	-	-	HANA11C2407A	-	-	-	-
DOHOME19C2409A	0.18	(0.01)	16,000	0.18	JMART01C2407	-	-	-	-	HANA13P2406A	-	-	-	-
DOHOME41C2406A	-	-	-	-	JMART01C2409	0.09	(0.01)	5,826	0.09	HANA13C2407B	-	-	-	-
DOHOME41C2406B	-	-	-	-	JMART01C2410	0.18	(0.02)	57,043	0.19	HANA13C2407C	0.15	(0.01)	41,617	0.15
DOHOME41C2412A	0.16	-	46,732	0.16	JMART01P2408	0.40	(0.01)	36,196	0.39	HANA13C2408A	0.15	(0.01)	59,230	0.15
FN	1.06	0.02	87	1.05	JMART01P2410	0.42	(0.58)	23,136	0.41	HANA13C2410A	0.28	(0.02)	169,346	0.29
FTE	1.53	-	2,620	1.53	JMART13C2407	-	-	-	-	HANA13P2406A	-	-	-	-
GLOBAL	16.20	(0.30)	79,027	16.27	JMART13C2408	-	-	-	-	HANA13P2407A	-	-	-	-
GLOBAL01C2407A	0.07	(0.01)	5,984	0.07	JMART13C2410	0.15	(0.01)	29,502	0.16	HANA13P2407B	-	-	-	-
GLOBAL01C2408A	-	-	-	-	JMART13C2410E	0.25	(0.01)	77,357	0.26	HANA13P2408A	0.07	(0.05)	200	0.07
GLOBAL01C2410A	0.23	(0.02)	14,599	0.24	JMART13P2408	0.41	-	24,071	0.39	HANA13P2410A	0.36	0.01	30,094	0.36
GLOBAL11C2408A	0.13	-	4,590	0.13	JMART13P2410	0.32	-	31,885	0.32	HANA19C2407A	-	-	-	-
GLOBAL13C2406A	-	-	-	-	JMART19C2406	-	-	-	-	HANA19C2407B	-	-	-	-
GLOBAL13C2410A	0.19	(0.03)	38,686	0.20	JMART19C2406E	-	-	-	-	HANA19C2407C	0.14	(0.02)	47,387	0.14
GLOBAL19C2407A	0.11	(0.03)	8,832	0.12	JMART19C2408	0.04	-	1,430	0.04	HANA19C2410A	0.29	(0.02)	100,046	0.30
GLOBAL19C2407B	-	-	-	-	JMART19C2410	0.18	-	21,155	0.18	HANA19P2407A	-	-	-	-
GLOBAL19C2410A	0.21	(0.01)	9,596	0.21	JMART19P2410	0.38	-	38,126	0.38	HANA19P2410A	0.36	0.01	12,946	0.36
GLOBAL41C2406A	-	-	-	-	JMART41C2407	-	-	-	-	HANA41C2406A	-	-	-	-
HMPRO	9.50	0.10	257,443	9.51	JMART41C2410	0.19	(0.01)	24,063	0.20	HANA41C2407A	-	-	-	-
HMPRO01C2406A	-	-	-	-	JTS	71.00	2.00	9,572	69.06	HANA41C2407B	0.12	(0.02)	32,700	0.12
HMPRO01C2407A	-	-	-	-	MFEC	6.10	0.05	684	6.08	HANA41C2408A	0.14	(0.02)	33,000	0.14
HMPRO11C2407T	-	-	-	-	MSC	7.85	0.05	177	7.85	HANA41P2406A	-	-	-	-
HMPRO13C2407A	-	-	-	-	PT	8.70	-	1,292	8.66	KCE	41.50	-	69,940	41.49
HMPRO19C2407A	-	-	-	-	SAMART	6.20	0.30	16,277	6.12	KCE01C2406A	0.01	-	7,240	0.01
HMPRO19C2410A	0.12	-	2,014	0.12	SAMTEL	3.52	0.02	3,198	3.53	KCE01C2407A	-	-	-	-
HMPRO41C2406A	-	-	-	-	SDC	0.04	-	27,930	0.03	KCE01C2408A	0.23	(0.02)	83,520	0.24
HMPRO41C2407A	-	-	-	-	SIS	29.25	0.25	4,993	28.88	KCE01C2410W	0.28	(0.02)	45,559	0.28
HMPRO41C2408A	-	-	-	-	SKY	25.50	0.80	10,399	25.38	KCE01P2406X	-	-	-	-
ICC	37.00	(1.00)	128	37.63	SPREME	1.53	0.01	23,364	1.54	KCE01P2407X	-	-	-	-
ILM	20.20	0.10	260	20.09	SVOA	1.98	-	3,427	1.97	KCE01P2410W	0.42	-	25,636	0.41
IT	3.66	0.04	767	3.62	SYMC	8.20	(0.05)	4,428	8.19	KCE06C2406A	-	-	-	-
KAMART	13.70	0.10	23,342	13.64	SYNEK	11.90	0.60	16,054	11.65	KCE06C2409A	0.24	(0.01)	61,878	0.24
LOXLEY	1.50	-	1,339	1.51	THCOM	12.00	0.20	55,248	11.83	KCE11C2408A	0.23	(0.01)	49,002	0.23
MC	11.70	-	19,617	11.66	TKC	14.10	(0.10)	2,511	14.07	KCE13C2406A	-	-	-	-
MEGA	38.25	(0.75)	12,407	38.26	TRUE	8.45	(0.05)	825,165	8.51	KCE13C2407A	0.02	0.01	1	0.02
MEGA19C2409A	-	-	-	-	TRUE01C2407A	0.44	(0.01)	2,160	0.45	KCE13C2407B	0.02	(0.01)	300	0.02
MIDA	0.41	0.01	1,360	0.40	TRUE01C2407B	-	-	-	-	KCE13C2408A	0.14	-	362,015	0.14
MIDA-W3	-	-	-	-	TRUE01C2408A	0.17	-	26,865	0.17	KCE13C2410A	0.35	(0.01)	187,235	0.35
MOSHI	43.50	-	4,349	43.61	TRUE01C2410W	0.33	(0.02)	37,801	0.34	KCE13P2407B	-	-	-	-
MOSHI13C2407A	-	-	-	-	TRUE01P2406X	-	-	-	-	KCE13P2410A	-	-	-	-
RS	12.80	(0.20)	24,817	12.57	TRUE01P2407X	-	-	-	-	KCE13P2410A	0.37	(0.01)	25,067	0.38
RS-W5	4.64	(0.06)	1,898	4.67	TRUE01P2408X	0.06	(0.02)	22	0.06	KCE19C2406A	-	-	-	-
RSP	2.06	-	1,471	2.05	TRUE01P2410X	0.31	-	77,795	0.30	KCE19C2406B	-	-	-	-
SABUY	1.03	(0.09)	1,061,221	1.09	TRUE06C2409A	0.19	-	44,682	0.18	KCE19C2407A	0.34	-	62,039	0.34
SABUY-W2	0.11	-	218,796	0.12	TRUE11C2406A	-	-	-	-	KCE19C2407B	-	-	-	-
SABUY13C2407A	-	-	-	-	TRUE11P2408A	0.13	(0.01)	2,040	0.13	KCE19P2407A	-	-	-	-
SABUY13C2407B	-	-	-	-	TRUE13C2407A	-	-	-	-	KCE19P2410A	0.34	-	62,039	0.34
SABUY19C2407A	-	-	-	-	TRUE13C2407B	0.16	-	21,394	0.17	KCE41C2406A	-	-	-	-
SCM	3.56	-	822	3.50	TRUE13C2410A	0.23	-	30,530	0.23	KCE41C2406B	-	-	-	-
SCM-W2	-	-	-	-	TRUE13P2407A	-	-	-	-	KCE41C2407A	-	-	-	-
SINGER	8.05	-	65,708	8.11	TRUE13P2407B	-	-	-	-	KCE41C2407B	0.08	(0.01)	3,801	0.08
SPC	62.50	-	3	62.25	TRUE13P2410A	0.27	(0.01)	30,454	0.27	KCE41C2409A	0.33	(0.01)	29,061	0.33
SPI	66.25	(2.75)	175	67.11	TRUE19C2407A	-	-	-	-	KCE41P2407A	-	-	-	-
SVT	1.56	0.03	1,532	1.56	TRUE19C2407B	0.22	-	35,088	0.22	KCE41P2408B	-	-	-	-
TAN	15.20	0.20	2,403	15.31	TRUE19C2410A	0.24	(0.01)	82,630	0.25	KETCO	182.50	(0.50)	29	182.67
Information & Comrr	-	-	-	-	TRUE19P2408A	-	-	-	-	SMT	2.66	(0.02)	4,481	2.68
3BBIF	5.60	0.05	40,717	5.57	TRUE41C2406A	-	-	-	-	SMT-W3	-	-	-	-
ADVANC	211.00	3.00	79,669	210.69	TRUE41C2406B	-	-	-	-	SVI	7.80	(0.05)	14,818	7.79
ADVANC01C2407A	0.01	-	30	0.01	TRUE41C2407A	0.34	(0.05)	10,500	0.33	TEAM	4			

# Asia Plus Securities Company Limited

## Main Board Quotation

## Daily Quotation

### Issue Date :

Friday June 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANPU13C2408A	0.05	-	12,612	0.05	ETC	2.18	0.04	2,254	2.15	PTTEP19P2409A	0.24	(0.02)	652	0.24
BANPU13P2409A	0.23	-	26,367	0.23	GPSC	44.25	0.50	64,626	43.91	PTTEP41C2406A	-	-	-	-
BANPU19C2407A	-	-	-	-	GPSC01C2407A	-	-	-	-	PTTEP41C2409A	0.28	0.01	33,370	0.28
BANPU19C2407B	0.02	(0.03)	2,561	0.02	GPSC01C2409A	0.08	-	4,552	0.08	PTTEP41C2604T	0.48	-	15,040	0.48
BANPU19C2410A	0.13	(0.01)	31,792	0.14	GPSC01P2410A	0.17	-	97,168	0.17	PTTEP41P2406A	-	-	-	-
BANPU19P2406A	-	-	-	-	GPSC01P2407X	0.12	(0.02)	33,130	0.13	PTTEP41P2407A	-	-	-	-
BANPU1C2406A	-	-	-	-	GPSC01P2409X	0.56	(0.04)	9,093	0.56	PTTEP41P2412A	0.61	(0.03)	4	0.61
BANPU1C2407A	-	-	-	-	GPSC1C2408T	0.06	(0.04)	1	0.06	QTC	3.88	-	153	3.89
BANPU1C2407B	-	-	-	-	GPSC13C2406A	-	-	-	-	RATCH	27.50	(0.25)	28,598	27.47
BANPU1C2410A	0.16	-	15,205	0.16	GPSC13C2409A	0.06	-	7,750	0.06	RATCH13C2408A	-	-	-	-
BGGI	5.45	0.05	37,475	5.45	GPSC13C2410A	0.16	0.01	64,394	0.15	RATCH19C2408A	0.05	(0.01)	135	0.05
BCP	37.00	0.50	41,647	37.06	GPSC13P2407A	-	-	-	-	RPC	0.66	-	2,579	0.66
BCP01C2408A	-	-	-	-	GPSC13P2408A	-	-	-	-	SCG	3.54	(0.04)	155	3.55
BCP01P2408X	0.49	(0.04)	2,549	0.51	GPSC19C2408A	-	-	-	-	SCI	0.72	0.03	783	0.71
BCP13C2409A	-	-	-	-	GPSC19C2409A	0.05	-	18,000	0.05	SCN	0.95	-	2,319	0.95
BCP13P2408A	-	-	-	-	GPSC19C2410A	0.17	0.01	9,806	0.16	SCN-W2	0.07	-	65	0.06
BCP19C2408A	-	-	-	-	GPSC19P2406A	-	-	-	-	SCN-W3	0.05	0.01	21,362	0.04
BCP19C2410A	0.15	0.01	47,604	0.15	GPSC19P2407A	0.09	(0.02)	11,870	0.11	SEAOIL	2.88	-	1,056	2.90
BCPG	6.20	(0.05)	21,434	6.23	GPSC19P2410A	0.42	(0.03)	12,804	0.43	SGP	7.50	0.10	1,436	7.44
BCPG19C2406A	-	-	-	-	GPSC41C2406A	-	-	-	-	SKE	0.36	(0.01)	2,474	0.37
BGRIM	24.20	0.30	98,510	24.23	GPSC41C2408A	-	-	-	-	SKE-W1	0.07	0.01	1,100	0.06
BGRIM01C2406A	0.01	-	6,480	0.01	GPSC41C2409A	0.10	0.01	321	0.10	SOLAR	0.51	(0.06)	32,842	0.53
BGRIM01C2407A	0.02	-	250	0.02	GPSC41P2406A	-	-	-	-	SPCG	9.20	-	7,909	9.18
BGRIM01C2409A	0.27	-	27,691	0.28	GREEN	1.20	0.04	30,832	1.19	SPRC	8.30	0.05	83,449	8.24
BGRIM01C2410A	0.10	0.01	13,646	0.10	GULF	40.25	0.50	81,444	39.94	SPRC01C2408A	0.05	-	200	0.05
BGRIM01P2406X	0.01	-	10	0.01	GULF01C2406A	-	-	-	-	SPRC11C2406A	-	-	-	-
BGRIM11C2410A	-	-	-	-	GULF01C2408A	-	-	-	-	SPRC13C2408A	-	-	-	-
BGRIM13C2407A	-	-	-	-	GULF01P2408X	0.25	(0.02)	11,606	0.26	SPRC19C2410A	0.31	0.01	50,211	0.30
BGRIM13C2409A	0.09	0.01	5,106	0.09	GULF11C2407T	-	-	-	-	SPRC19C2410A	0.31	0.01	50,211	0.30
BGRIM13C2410A	0.37	0.02	58,401	0.37	GULF13C2406A	-	-	-	-	SSP	6.95	0.05	881	6.87
BGRIM13P2406A	-	-	-	-	GULF13C2408A	-	-	-	-	SSP-W2	0.13	-	4,008	0.13
BGRIM19C2407A	-	-	-	-	GULF13C2409A	0.12	-	167,250	0.12	SUPER	0.29	-	102,921	0.29
BGRIM19C2409A	0.11	-	14,400	0.11	GULF13P2408A	0.13	(0.02)	78,139	0.15	SUPEREIF	5.95	-	668	5.95
BGRIM19C2411A	0.40	(0.60)	37,490	0.40	GULF19C2406A	-	-	-	-	SUSCO	3.78	-	25,158	3.77
BGRIM19P2406A	-	-	-	-	GULF19C2408A	-	-	-	-	TAE	0.87	(0.01)	4,991	0.87
BGRIM41C2407A	-	-	-	-	GULF19C2409A	0.12	-	18,004	0.12	TCC	0.48	-	2,359	0.48
BGRIM41C2408B	-	-	-	-	GULF41C2406A	-	-	-	-	TCC-W5	0.20	0.01	1	0.20
BGRIM41C2412A	0.47	0.04	22,703	0.45	GULF41C2408A	-	-	-	-	TGE	2.96	(0.10)	43,207	2.94
BIOTEC	0.31	(0.01)	20,319	0.31	GULF41C2410A	0.11	0.01	5,022	0.11	TGE-W1	2.00	0.02	15,034	2.00
BIOTEC-P	-	-	-	-	GULF41C2605T	0.29	0.01	7,500	0.29	TOP	51.75	1.00	122,380	51.62
BIOTEC-Q	-	-	-	-	GUNKUL	2.50	-	99,966	2.48	TOP01C2407A	-	-	-	-
BIOTEC-W2	0.07	-	13,263	0.07	GUNKUL01C240	0.02	0.01	1	0.02	TOP01C2408A	0.02	-	800	0.02
BPP	13.00	-	4,469	13.01	GUNKUL01P240	0.35	(0.01)	3,184	0.35	TOP01C2410A	0.23	0.03	35,213	0.22
BRRGIF	3.18	-	558	3.18	GUNKUL13C240	-	-	-	-	TOP01P2406X	-	-	-	-
BSRC	8.75	0.10	53,349	8.70	GUNKUL13C240	-	-	-	-	TOP01P2408X	0.32	(0.05)	16,278	0.34
BSRC13C2408A	0.02	-	1	0.02	GUNKUL13P240	0.15	(0.01)	14,388	0.16	TOP11C2407A	-	-	-	-
CKP	3.86	0.02	21,324	3.85	GUNKUL19C240	-	-	-	-	TOP11P2406A	-	-	-	-
CKP01C2407A	0.13	(0.01)	19,893	0.13	IFEC	-	-	-	-	TOP13C2407A	0.02	(0.02)	7,628	0.02
CKP13C2407A	0.13	-	5,636	0.13	IRPC	1.77	(0.01)	517,503	1.77	TOP13C2408A	0.02	-	993	0.02
CKP19C2407A	0.13	-	21,576	0.13	IRPC01C2406A	0.01	-	168	0.01	TOP13C2410A	0.20	0.02	50,457	0.20
CV	0.32	-	65,357	0.32	IRPO01C2410A	-	-	-	-	TOP13P2408A	0.21	(0.04)	26,810	0.22
CV-W1	0.19	-	13,102	0.20	IRPC13C2407A	0.01	-	101	0.01	TOP19C2408A	-	-	-	-
DEMCO	3.70	-	4,002	3.66	IRPC19C2409A	0.08	(0.01)	750	0.08	TOP19C2410A	0.22	0.03	73,887	0.21
DEMCO-W7	0.40	-	1,122	0.40	JR	4.26	(0.02)	1,989	4.25	TOP19P2408A	0.27	(0.05)	27,168	0.28
EA	21.50	0.10	359,781	21.81	KBSPIF	8.00	-	696	8.03	TOP41C2408A	-	-	-	-
EA01C2406A	0.01	-	3,228	0.01	LANNA	14.90	(0.20)	6,487	14.94	TOP41C2410A	0.20	0.02	51,366	0.20
EA01C2406B	0.01	-	3,445	0.01	MDX	3.54	-	4,803	3.51	TOPPIP	3.30	0.02	17,347	3.28
EA01C2407A	0.02	0.01	50	0.02	NOVA	11.20	0.90	1,212	10.98	TSE	1.10	0.01	11,588	1.09
EA01C2407B	-	-	-	-	OR	17.20	(0.20)	336,790	17.21	TTW	8.90	-	4,708	8.88
EA01C2409A	0.02	-	500	0.02	OR01C2407A	-	-	-	-	UBE	0.82	0.02	34,120	0.82
EA01C2410A	0.22	(0.01)	202,947	0.25	OR01C2410A	0.15	(0.02)	19,644	0.15	WHAUP	4.18	0.14	162,473	4.16
EA01C2410W	0.09	0.01	2,775	0.08	OR13C2407A	0.09	(0.01)	22,656	0.09	Media & Publishing	3.72	(0.02)	1,969	3.64
EA01P2409X	1.08	(0.01)	43,724	1.03	OR19C2407A	-	-	-	-	AMARIN	4.38	0.04	40	4.39
EA01P2410W	0.55	(0.02)	75,978	0.52	OR19C2410A	0.13	(0.02)	4,921	0.13	AQUA	0.35	-	19,057	0.35
EA06C2406A	-	-	-	-	OR41C2605T	0.29	(0.02)	5,100	0.29	AS	4.04	(0.16)	8,313	4.06
EA06C2409A	-	-	-	-	PCC	2.92	-	1,537	2.90	BEC	4.38	-	16,626	4.38
EA11C2408A	-	-	-	-	PRIME	0.47	0.01	16,836	0.47	FE	-	-	-	-
EA13C2406A	-	-	-	-	PTG	9.20	0.10	85,340	9.13	GPI	1.72	0.02	2,421	1.71
EA13C2406B	-	-	-	-	PTG01C2407A	0.12	-	31,369	0.12	GRAMMY	6.50	0.15	3,626	6.47
EA13C2407A	-	-	-	-	PTG13C2407A	0.05	(0.02)	4,200	0.05	JKN	-	-	-	-
EA13C2408A	0.01	-	300	0.01	PTG19C2407A	0.09	-	5,296	0.08	MAJOR	13.00	(0.10)	80,302	12.87
EA13C2409A	-	-	-	-	PTT	32.25	0.25	336,709	32.06	MATCH	1.37	0.06	95	1.33
EA13C2410A	0.03	-	1,530	0.03	PTT01C2407A	-	-	-	-	MATI	7.40	(1.25)	60	7.63
EA13C2410B	0.05	(0.01)	4,110	0.05	PTT01C2409A	0.08	(0.02)	23,686	0.08	MCOT	2.88	(0.10)	674	2.89
EA13C2410C	0.26	-	239,142	0.28	PTT01P2408X	0.12	(0.01)	2,300	0.12	MONO	0.65	0.03	25,756	0.65
EA13P2406A	-	-	-	-	PTT13C2406A	-	-	-	-	NATION	0.03	-	41,189	0.03
EA13P2407A	-	-	-	-	PTT13C2409X	0.08	0.01	90	0.08	NATION-W4	-	-	-	-
EA13P2410A	0.48	(0.01)	76,214	0.46	PTT13P2408A	0.09	(0.01)	2,000	0.10	ONEE	3.24	(0.08)	67,081	3.28
EA19C2406A	-	-	-	-	PTT19C2406A	-	-	-	-	PLANB	8.05	0.15	31,539	8

# Asia Plus Securities Company Limited

## Main Board Quotation

## Daily Quotation

Issue Date :

Friday June 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI13C2407A	0.01	(0.01)	4,940	0.01	MTC01P2408X	0.19	-	30,117	0.19	CPF01C2412A	0.34	0.02	49,308	0.33
VGI13C2407B	0.03	-	300	0.03	MTC11C2406A	-	-	-	-	CPF01P2408T	-	-	-	-
VGI13C2409A	0.04	(0.01)	5,022	0.04	MTC13C2406A	-	-	-	-	CPF01P2410X	0.28	(0.03)	15,222	0.30
VGI13C2410A	0.16	(0.01)	64,993	0.17	MTC13C2409A	0.17	(0.02)	103,160	0.18	CPF11C2408A	-	-	-	-
VGI13P2408A	0.36	-	83,443	0.35	MTC13P2406A	-	-	-	-	CPF11P2407T	-	-	-	-
VGI19C2407A	-	-	-	-	MTC13P2408A	0.15	0.02	14,480	0.14	CPF13C2406A	-	-	-	-
VGI19C2407B	-	-	-	-	MTC19C2406A	-	-	-	-	CPF13C2409A	-	-	-	-
VGI19C2409A	-	-	-	-	MTC19C2409A	0.18	(0.01)	83,000	0.19	CPF13C2410A	0.41	0.03	25,029	0.39
VGI19C2410A	0.14	-	26,888	0.15	MTC41C2408A	0.09	(0.01)	9,956	0.10	CPF13P2410A	0.32	(0.02)	11,604	0.33
VGI19C2410B	0.20	(0.01)	80,817	0.21	NCAP	1.74	0.06	29,249	1.71	CPF19C2409A	-	-	-	-
VGI41C2407A	-	-	-	-	PL	1.86	0.02	284	1.85	CPF19C2410A	0.29	0.01	17,151	0.28
VGI41C2409A	-	-	-	-	S11	2.70	0.04	555	2.68	CPI	2.32	-	2,060	2.31
WORK	9.10	0.05	6,559	9.04	SAK	5.40	-	14,450	5.46	F&D	37.25	0.25	14	36.95
ZAA	0.71	0.01	6,283	0.66	SAWAD	39.75	(0.25)	36,342	39.88	GLOCON	0.27	-	37,330	0.26
Finance & Securities	-	-	-	-	SAWAD-W2	0.64	(0.18)	3,586	0.70	HTC	16.20	0.10	2,733	16.28
AEONTS	147.50	1.00	1,980	146.59	SAWAD01C2406	0.01	-	6	0.01	ICHI	17.20	-	34,335	17.19
AEONTS01C2409A	0.27	0.01	10,566	0.26	SAWAD01C2408	0.20	(0.01)	29,322	0.20	ICHI13C2410A	0.19	-	20,455	0.19
AEONTS13C2408A	0.14	(0.01)	4,104	0.15	SAWAD01C2410	0.21	(0.01)	61,057	0.21	ITC13C2406A	-	-	-	-
AMANAH	1.29	0.01	6,686	1.28	SAWAD01P2407	-	-	-	-	ITC13C2410A	0.46	(0.02)	45,229	0.46
ASAP	2.32	-	770	2.31	SAWAD01P2410	0.49	(0.02)	9,826	0.49	JDF	2.78	(0.04)	3,398	2.78
ASK	14.70	0.10	1,566	14.62	SAWAD11P2406	-	-	-	-	KBS	5.55	(0.05)	1,160	5.52
ASP	2.50	(0.02)	16,890	2.49	SAWAD13C2406	-	-	-	-	M	31.50	(0.25)	8,777	31.72
BAM	8.30	0.05	58,727	8.33	SAWAD13C2407	0.04	-	43,536	0.04	MALEE	13.10	0.20	32,883	13.05
BAM01C2406A	-	-	-	-	SAWAD13C2408	-	-	-	-	NRF	4.80	(0.08)	87,835	4.81
BAM01C2409A	-	-	-	-	SAWAD13C2410	0.21	(0.01)	204,122	0.21	NSL	35.00	2.25	23,116	33.90
BAM01C2411A	0.29	-	23,064	0.30	SAWAD13P2407	-	-	-	-	OSPO1C2406A	0.01	(0.01)	371	0.01
BAM13C2408A	0.11	0.01	16,324	0.11	SAWAD13P2410	0.42	-	21,436	0.42	OSPO1C2408A	0.48	(0.03)	25,319	0.49
BAM13C2408B	-	-	-	-	SAWAD19C2406	-	-	-	-	OSPO1C2412A	0.46	(0.54)	27,423	0.48
BAM19C2408A	-	-	-	-	SAWAD19C2408	-	-	-	-	PB	64.50	-	9	64.50
BAM19C2409A	0.12	0.01	7,803	0.12	SAWAD19C2410	0.28	(0.01)	60,928	0.28	PLUS	8.30	-	80,474	8.46
BYD	1.95	(0.09)	303,658	1.96	SAWAD19P2410	0.37	(0.01)	14,318	0.37	PM	8.00	0.05	4,829	7.93
BYD13C2406A	-	-	-	-	SAWAD41C2406	-	-	-	-	PQS	3.30	0.06	5,151	3.29
BYD13C2410A	0.05	(0.02)	11,479	0.05	SAWAD41C2406	-	-	-	-	PRG	9.65	(0.05)	124	9.64
BYD19C2407A	0.01	-	3,305	0.01	SAWAD41C2407	0.09	(0.01)	10,901	0.09	PRG-W1	-	-	-	-
BYD19C2410A	0.12	(0.03)	71,583	0.13	SCAP	1.80	(0.03)	7,225	1.81	PRG-W2	-	-	-	-
CGH	0.81	(0.01)	26,255	0.82	SGC	1.39	-	61,091	1.41	PRG-W3	-	-	-	-
CHASE	1.69	0.02	25,481	1.70	SM	1.32	0.01	2,158	1.31	RBF01C2406A	0.32	0.01	31,316	0.31
CHAYO	3.60	0.04	10,922	3.58	TH	0.84	0.01	10,910	0.84	RBF01C2409A	0.49	(0.04)	14,240	0.49
CHAYO-W3	0.19	-	10,596	0.19	TH-W3	0.16	-	4,061	0.16	RSP13C2408A	0.37	(0.03)	103,976	0.38
ECL	1.14	-	63,817	1.16	THANI	2.26	-	25,546	2.26	RSP13P2409A	0.14	(0.01)	32,065	0.14
ECL-W4	0.01	-	2	0.01	THANI13C2407A	-	-	-	-	RSP19C2409A	0.45	(0.04)	8,653	0.46
FNS	3.00	0.02	335	2.95	THANI19C2407A	-	-	-	-	RWF01C2412A	-	-	-	-
FSX	2.42	0.06	34	2.42	TIDLOR	19.90	0.10	117,099	19.76	RWF01P2407X	9.50	(0.10)	26,838	9.55
GBX	0.71	-	363	0.71	TIDLOR01C2407	-	-	-	-	RWF01C2407A	-	-	-	-
GL	-	-	-	-	TIDLOR01C2405	0.15	(0.01)	22,139	0.16	RWF01C2406A	-	-	-	-
HENG	1.27	(0.05)	37,435	1.29	TIDLOR11P2406	-	-	-	-	RWF01C2406A	-	-	-	-
IFS	2.48	-	81	2.48	TIDLOR13C2406	-	-	-	-	RWF01C2407X	0.25	(0.01)	12,107	0.25
JMT	14.70	(0.20)	114,514	14.84	TIDLOR13C2408	0.10	(0.01)	100	0.10	RWF01P2407X	-	-	-	-
JMT-W4	0.66	-	1,392	0.66	TIDLOR13C2410	0.28	(0.01)	317,066	0.28	RWF01P2407X	0.25	(0.01)	12,107	0.25
JMT01C2406A	0.01	-	300	0.01	TIDLOR19C2406	-	-	-	-	RWF01P2407X	0.25	(0.01)	12,107	0.25
JMT01C2407A	-	-	-	-	TIDLOR19C2406	-	-	-	-	RWF01P2407X	0.25	(0.01)	12,107	0.25
JMT01C2408A	0.03	-	501	0.02	TIDLOR19C2410	0.24	(0.01)	76,683	0.24	RWF01C2409A	-	-	-	-
JMT01C2410W	0.20	(0.02)	84,810	0.21	TIDLOR19P2407	-	-	-	-	RWF01P2407X	0.25	(0.01)	12,107	0.25
JMT01C2411W	0.35	(0.65)	30,711	0.36	TIDLOR19P2410	0.40	-	50,954	0.41	RWF01C2406A	-	-	-	-
JMT01P2406X	0.69	0.04	9,924	0.64	TIDLOR41C2406	-	-	-	-	RWF01C2407A	-	-	-	-
JMT01P2408W	0.57	0.01	22,115	0.55	TIDLOR41C2407	-	-	-	-	RWF01C2408A	0.02	(0.01)	100	0.02
JMT06C2406A	-	-	-	-	TIDLOR41C2407	-	-	-	-	RWF01C2408A	0.09	(0.01)	100	0.09
JMT06C2410A	0.16	(0.01)	19,127	0.17	TIDLOR41C2405	0.23	(0.01)	140,131	0.23	RWF01C2408A	-	-	-	-
JMT11C2407A	-	-	-	-	TK	4.50	(0.06)	2,854	4.49	RWF01C2410A	-	-	-	-
JMT11P2406A	-	-	-	-	TPNITY	4.46	0.14	4,844	4.43	RWF01P2406A	-	-	-	-
JMT13C2406A	-	-	-	-	UOBKH	4.92	0.04	113	5.00	SAPPE	106.00	0.50	2,549	106.41
JMT13C2407A	0.01	-	2,108	0.01	XPG	1.09	-	314,481	1.09	SAPPE	106.00	0.50	2,549	106.41
JMT13C2408A	0.03	0.01	4,002	0.02	Food & Beverage	-	-	-	-	SAUCE	41.25	(0.50)	332	41.51
JMT13C2410A	0.12	(0.01)	23,404	0.13	AAI	5.90	0.10	45,582	5.87	SNP	15.40	0.20	14,605	15.44
JMT13C2410B	0.19	(0.01)	70,872	0.20	APURE	4.20	0.02	2,067	4.11	SNP01C2407A	-	-	-	-
JMT13C2410C	0.35	(0.02)	109,309	0.37	APURE-W3	0.09	0.01	10,265	0.08	SNP13C2406A	-	-	-	-
JMT13P2406A	-	-	-	-	ASTIAN	10.40	0.10	24,644	10.48	SNP13C2408A	-	-	-	-
JMT13P2410A	0.66	(0.01)	20,660	0.64	BR	2.48	0.02	797	2.47	SNP19C2407A	-	-	-	-
JMT13P2410B	0.37	-	34,325	0.37	BR-W1	0.12	0.01	1,439	0.12	SNP19C2407A	14.60	(0.20)	184	14.51
JMT19C2406A	-	-	-	-	BRR	4.70	0.08	492	4.62	SORKON	4.42	(0.04)	767	4.42
JMT19C2408A	-	-	-	-	BRR-W2	0.46	(0.03)	2,154	0.47	SSC	35.00	-	47	35.15
JMT19C2410A	0.14	-	23,535	0.14	BTG	23.50	-	4,315	23.51	SSF	7.85	0.10	284	7.85
JMT19C2410B	0.20	(0.01)	51,781	0.22	CBG	71.00	-	23,869	71.14	SST	5.15	(0.05)	4	5.16
JMT19C2411A	0.32	(0.68)	39,583	0.33	CBG01C2406A	0.01	-	1,104	0.01	SUN	4.06	0.02	5,012	4.06
JMT19P2407A	0.56	0.02	500	0.55	CBG01C2407A	0.04	-	300	0.04	TC	7.50	0.05	1,098	7.43
JMT19P2410A	0.66	0.01	49,511	0.64	CBG01C2408A	0.31	-	55,398	0.32	TFG	4.12	(0.02)	86,881	4.11
JMT41C2406A	-	-	-	-	CBG01C2410A	0.54	-	84,865	0.55	TFMAMA	207.00	1.00	11	206.64
JMT41C2406B	-	-	-	-	CBG01P2408X	-	-	-	-	TIPCO	10.20	0.10	3,571	10.13
JMT41C2407A	-	-	-	-	CBG01P2409X	0.40	(0.01)	29,103	0.39	TU01C2407A	-	-	-	

# Asia Plus Securities Company Limited

## Main Board Quotation

## Daily Quotation

Issue Date :								Friday June 07, 2024						
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
W-W5	0.01	-	370	0.01	GRAND	0.13	-	19,415	0.12	SCGP41C2406A	-	-	-	-
W-W6	-	-	-	-	LRH	42.50	(1.25)	36	42.92	SCGP41C2407A	0.12	(0.02)	7,649	0.12
ZEN	7.15	-	1,481	7.10	MARIN	-	-	-	-	SCGP41C2412A	0.29	(0.01)	5,200	0.29
Health Care Services	-	-	-	-	MINT	30.75	-	85,390	30.65	SFLEX	3.54	0.18	161,645	3.45
AHC	17.50	-	23	17.41	MINT01C2406A	-	-	-	-	SIFLEX-W2	0.18	-	15,332	0.19
BCH	19.10	0.10	52,017	18.89	MINT01C2408A	-	-	-	-	SITHAI	1.28	0.01	6,611	1.28
BCH01C2407A	-	-	-	-	MINT01C2410A	0.16	-	24,966	0.16	SLP	0.41	0.01	3,271	0.40
BCH01C2409A	0.14	-	8,756	0.14	MINT01P2406X	0.01	(0.01)	1,301	0.01	SMPC	9.45	(0.10)	1,467	9.44
BCH01P2407X	0.15	(0.01)	12,495	0.17	MINT11C2406A	-	-	-	-	SPACK	1.83	-	733	1.83
BCH11C2407A	-	-	-	-	MINT11C2408A	-	-	-	-	TCOAT	24.20	1.60	4	24.08
BCH13C2407A	0.01	(0.08)	100	0.01	MINT13C2406A	-	-	-	-	TFI	0.09	0.01	9,160	0.08
BCH13C2408A	0.03	(0.02)	11,310	0.03	MINT13C2407A	-	-	-	-	TFI-W1	0.03	-	1,027	0.02
BCH13C2410A	0.17	-	2,528	0.16	MINT13C2409A	0.09	(0.01)	17,432	0.09	THIP	28.25	(0.25)	336	28.24
BCH13P2406A	-	-	-	-	MINT13P2407A	-	-	-	-	TMD	24.50	-	55	24.24
BCH19C2406A	-	-	-	-	MINT19C2406A	-	-	-	-	TOPP	-	-	-	-
BCH19C2408A	-	-	-	-	MINT19C2410A	0.13	-	24,256	0.13	TPAC	14.50	-	279	14.44
BCH19C2410A	0.18	(0.01)	1,121	0.18	MINT41C2406A	-	-	-	-	TPBI	4.08	-	1,194	4.08
BCH41C2407A	-	-	-	-	MINT41C2408A	-	-	-	-	TPP	-	-	-	-
BCH41C2409A	0.13	(0.01)	12,000	0.13	MINT41C2412A	0.19	-	3,155	0.19	Personal Products	-	-	-	-
BDMS	27.25	(0.25)	427,814	27.26	MINT41C2604T	-	-	-	-	APCO	7.15	0.10	23,382	7.20
BDMS01C2408A	-	-	-	-	OHTL	399.00	6.00	1	399.00	BIZ	3.40	-	362	3.41
BDMS01C2411A	0.15	(0.01)	620	0.15	ROH	2.50	0.06	3	2.50	BLC	4.94	(0.06)	41,998	4.98
BDMS01P2407X	-	-	-	-	SHANG	49.00	-	13	49.00	DDD	8.35	0.05	206	8.26
BDMS13C2408A	-	-	-	-	SHR	2.06	(0.04)	51,142	2.08	JCT	81.50	(2.00)	7	81.71
BDMS13C2411A	0.17	(0.83)	50,208	0.18	VRANDA	6.10	-	373	6.08	KISS	4.84	(0.04)	10,560	4.84
BDMS13P2407A	0.04	-	1,500	0.04	Home & Office P	-	-	-	-	NAM	4.68	(0.02)	616	4.67
BDMS19C2407A	-	-	-	-	AJA	0.21	-	49,028	0.21	NEO	54.25	0.25	10,706	54.93
BDMS19C2410A	0.11	-	100	0.11	AJA-W3	0.04	0.01	6,659	0.04	NV	1.22	0.02	3,751	1.22
BDMS41C2407A	-	-	-	-	AJA-W4	0.09	(0.01)	9,519	0.09	OCC	-	-	-	-
BDMS41C2408A	-	-	-	-	DTCI	-	-	-	-	S8J	-	-	-	-
BDMS41C2412A	0.15	-	15,704	0.14	FANCY	0.39	(0.01)	2,582	0.41	STGT	11.30	0.70	159,148	11.17
BH	244.00	-	11,095	244.49	FTI	2.18	0.02	2,727	2.16	STGT01C2407A	1.48	0.29	7,900	1.32
BH-P	-	-	-	-	KYE	318.00	-	12	318.42	STGT01C2407B	0.86	0.21	4,807	0.79
BH-Q	-	-	-	-	L&E	1.10	0.01	11	1.10	STGT01C2410A	0.26	0.05	44,069	0.25
BH01C2408A	0.26	(0.02)	11,931	0.27	MODERN	2.20	(0.02)	137	2.23	STGT01P2407X	-	-	-	-
BH01C2410A	0.28	-	12,518	0.28	OGC	-	-	-	-	STGT01P2408X	0.03	(0.03)	3,000	0.03
BH01P2406X	0.01	-	517	0.01	ROCK	-	-	-	-	STGT01P2410X	0.28	(0.07)	14,143	0.29
BH01P2409X	0.40	0.01	9,836	0.39	SBNEXT	0.47	(0.02)	45,911	0.47	STGT13C2407A	-	-	-	-
BH11C2406A	-	-	-	-	SBNEXT-W2	0.05	0.01	7,740	0.04	STGT13C2408A	0.23	0.07	98,516	0.21
BH13C2407A	0.17	-	9,398	0.18	SIAM	1.22	0.01	1,675	1.20	STGT13C2407B	0.65	(0.32)	2,106	0.66
BH13C2409A	0.20	-	20,566	0.21	TCMC	1.12	(0.02)	1,121	1.13	STGT13C2408A	-	-	-	-
BH13P2406A	-	-	-	-	Insurance	-	-	-	-	STGT13C2410A	0.20	0.04	155,665	0.19
BH13P2409A	0.23	-	11,770	0.23	AYUD	35.25	(0.50)	266	35.12	STGT13P2407A	-	-	-	-
BH19C2407A	0.02	0.01	1,000	0.02	BKI	285.00	(1.00)	3	283.67	STGT13P2410A	0.21	(0.06)	64,254	0.23
BH19C2408A	0.16	(0.02)	20,728	0.17	BLA	20.10	0.80	32,373	19.88	STGT19C2407A	-	-	-	-
BH19C2409A	0.17	(0.01)	23,055	0.18	BLA01C2410A	0.35	0.05	21,914	0.35	STGT19C2408A	-	-	-	-
BH19P2409A	0.22	-	9,082	0.22	BLA13C2407A	0.06	(0.03)	60	0.06	STGT19C2410A	0.22	0.04	25,069	0.21
BH41C2406B	-	-	-	-	BLA13C2410A	0.34	0.06	58,686	0.33	SITAI	-	-	-	-
BH41C2408A	0.22	(0.01)	26,130	0.22	BLA19C2408A	0.24	0.06	25,325	0.21	TNR	11.00	-	484	10.92
BH41C2605T	0.48	(0.01)	4,000	0.48	BLA19C2410A	0.30	0.06	40,346	0.28	TOG	10.60	(0.10)	1,450	10.53
BH41P2406A	-	-	-	-	BUI	16.30	(0.10)	116	16.30	Professional Service	-	-	-	-
BKGI	2.82	0.06	71,196	2.83	CHARAN	22.20	0.20	11	22.20	BWG	0.42	-	88,219	0.42
CHG	2.90	(0.02)	85,003	2.91	INSURE	97.50	0.50	11	97.05	BWG-W6	0.03	-	167,359	0.03
CHG01C2408A	0.11	(0.02)	19,906	0.12	KWI	0.53	0.02	1,898	0.52	GENCO	0.49	0.01	503	0.48
CHG13C2406A	-	-	-	-	MTI	108.50	0.50	167	108.32	PRO	-	-	-	-
CHG13C2407A	0.03	(0.04)	20	0.03	NKI	25.75	-	1	25.75	PTR	4.62	0.06	16,133	4.61
CHG13C2409A	0.15	(0.01)	17,551	0.16	SMK	-	-	-	-	SISB	38.50	0.75	17,602	37.98
CHG13P2406A	-	-	-	-	TGH	14.70	(2.20)	42	14.78	SISB13C2407A	-	-	-	-
CHG19C2408A	0.08	(0.01)	1,169	0.08	THRE	0.72	-	5,746	0.72	SISB13C2410A	0.22	0.02	52,332	0.20
CMR	1.95	-	322	1.96	THREL	1.77	0.01	4,904	1.76	SO	6.50	(0.05)	241	6.41
EKH	7.15	(0.05)	11,640	7.16	TIPH	30.50	-	9,947	30.44	WAVE	0.13	(0.01)	426,835	0.13
EKH-W1	1.35	0.05	6	1.33	TIPH13C2407A	-	-	-	-	WAVE-W3	0.03	-	5,637	0.03
KDH	-	-	-	-	TIPH19C2407A	-	-	-	-	Property Developmen	-	-	-	-
LPH	4.70	-	375	4.69	TLI	8.20	(0.05)	255,624	8.17	A	5.05	0.05	48	4.94
M-CHAI	48.00	0.50	62	48.20	TLI01C2406A	-	-	-	-	AKS	0.01	-	3,194	0.01
NEW	80.00	(2.00)	1	80.00	TLI01C2406B	0.01	(0.02)	7,000	0.01	AKS-W5	0.01	-	50	0.01
NTV	34.25	(0.75)	38	34.53	TLI01C2408A	0.07	-	2,392	0.06	AMATA	23.60	0.10	81,350	23.58
PHG	14.10	0.30	2,804	14.03	TLI13C2407A	0.02	(0.05)	3,000	0.02	AMATA01C2407A	0.13	(0.01)	11,878	0.14
PR9	18.90	-	17,224	18.81	TLI13C2407A	0.03	(0.02)	14,706	0.03	AMATA11C2407A	0.18	-	16,280	0.18
PRINC	3.68	-	10,302	3.69	TLI41C2406A	-	-	-	-	AMATA13C2406A	-	-	-	-
RAM	30.25	-	352	30.13	TLI41C2407A	-	-	-	-	AMATA13C2410A	0.38	0.01	63,299	0.37
RJH	25.00	(0.25)	1,096	25.13	TQM	27.00	-	4,913	27.16	AMATA19C2407A	0.09	(0.01)	8,314	0.10
RPH	5.95	-	2,969	5.95	TQM13C2407A	-	-	-	-	AMATA41C2407A	0.23	0.01	48,800	0.22
SAFE	19.40	0.10	17,505	19.36	TQM19C2407A	-	-	-	-	AMATA41C2407B	0.07	0.01	110	0.07
SKR	10.40	0.10	1,360	10.34	TSI	0.11	0.01	166	0.10	AMATAV	5.25	(0.15)	607	5.36
THG	38.50	1.25	1,280	38.03	TVH	9.10	(0.30)	209	9.26	AP	9.05	0.05	85,555	9.00
VIBHA	2.18	0.02	14,610	2.15	Packaging	-	-	-	-	AP	9.05	0.05	85,555	9.00
VIBHA-W4	0.10	-	880	0.10	AJ	6.00	0.10	9,947	5.94	AP13C2409A	0.05	-	6,798	0.05
VIH	8.00	0.05	13,277	7.90	ALUCON	173.00	3.00	4	170.75	AP19C2409A	-	-	-	-
WPH	12.80	-	34,260	12.63	BGC	6.80	(0.05)	2,191	6.79	APEX	-	-	-	-
Tourism & Leisure	-	-	-	-	CSC	45.50	0.25	8	45.3					

# Asia Plus Securities Company Limited

## Main Board Quotation

## Daily Quotation

Issue Date :

Friday June 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPN	57.50	0.25	40,170	57.18	PG	8.95	-	445	8.94	RCL13P2410A	0.13	(0.01)	45,825	0.14
CPN01C2407A	-	-	-	-	SABINA	23.60	(0.30)	8,634	23.69	RCL19C2406A	-	-	-	-
CPN01C2410A	0.16	0.01	18,705	0.15	SAWANG	-	-	-	-	RCL19C2408A	1.54	0.14	1	1.54
CPN13C2407A	-	-	-	-	SUC	29.25	-	228	29.25	RCL19C2410A	0.39	0.02	31,940	0.37
CPN13C2409A	0.08	0.01	3,259	0.08	TNL	-	-	-	-	RCL19C2410B	0.28	0.01	85,092	0.27
CPN19C2407A	-	-	-	-	TR	40.50	0.50	30	40.16	RCL19P2406A	-	-	-	-
CPN19C2410A	0.15	-	7,179	0.15	TTI	51.50	0.25	11	51.70	RCL19P2410A	0.14	(0.01)	41,895	0.15
CPN41C2406A	-	-	-	-	UPF	-	-	-	-	RCL41C2406A	-	-	-	-
CPN41C2407A	-	-	-	-	WACOAL	-	-	-	-	RCL41C2407A	0.17	0.01	21,295	0.16
CPN41C2410A	0.13	-	7,956	0.13	WFX	1.64	0.04	1,181	1.61	RCL41C2412A	0.38	0.01	22,380	0.37
ESTAR	0.24	-	10,741	0.23	Transportation 8	-	-	-	-	SAV	23.20	0.20	34,555	22.96
EVER	0.14	-	3,338	0.13	AAV	2.20	-	167,039	2.20	SINO	1.50	0.10	90,486	1.48
FPT	14.80	(0.10)	206	14.80	AAV01C2409A	0.06	-	1,050	0.06	SIWD	13.90	-	16,316	13.86
GLAND	1.60	-	385	1.60	AAV11C2406A	-	-	-	-	SIWD13C2407A	-	-	-	-
J	1.74	0.03	4,116	1.73	AAV13C2408A	0.03	-	2,000	0.03	SIWD13C2410A	0.21	(0.01)	14,559	0.21
J-W3	0.17	0.02	107	0.17	AAV19C2408A	-	-	-	-	TFIF	6.10	-	25,523	6.10
J-W4	0.27	0.01	1	0.27	AAV19C2409A	-	-	-	-	THAI	-	-	-	-
JCK	0.40	(0.01)	65,709	0.40	ANI	4.34	(0.04)	3,620	4.31	TSTE	13.50	1.20	97	12.73
KC	0.08	0.01	12,131	0.08	AOT	61.75	-	420,533	61.54	TTA	8.15	0.10	108,729	8.06
LALIN	7.00	(0.10)	1,293	7.03	AOT01C2407A	0.02	(0.01)	640	0.03	WICE	6.25	0.05	25,951	6.20
LH	6.45	-	281,764	6.44	AOT01C2409A	0.15	(0.02)	86,723	0.15	Automotive	-	-	-	-
LH01C2409A	0.10	-	499	0.10	AOT01P2407X	-	-	-	-	3K-BAT	53.00	0.25	17	52.90
LH13C2408A	0.05	(0.01)	28	0.05	AOT01P2409X	0.42	(0.01)	145,750	0.43	ACG	1.21	0.02	34	1.17
LH19C2406A	0.01	(0.01)	1	0.01	AOT11C2407A	-	-	-	-	AH	21.20	(0.20)	14,135	21.17
LH19C2408A	-	-	-	-	AOT13C2408A	-	-	-	-	CWT	1.40	0.01	592	1.39
LPN	3.30	-	12,735	3.29	AOT13C2409A	0.13	-	57,099	0.13	EASON	1.31	0.02	16,774	1.29
MBK	16.90	-	5,989	16.92	AOT13P2407A	-	-	-	-	GYT	-	-	-	-
MBK-W3	15.00	(0.20)	8	15.00	AOT13P2408A	0.16	(0.01)	26,333	0.17	HFT	4.64	0.06	11,578	4.64
MBK-W4	14.90	-	9	14.90	AOT19C2406A	-	-	-	-	IHL	2.02	(0.02)	492	2.02
MJD	1.22	(0.02)	13,042	1.22	AOT19C2406B	-	-	-	-	INGRS	0.39	0.01	1,527	0.38
MK	1.90	0.04	121	1.88	AOT19C2409A	0.05	(0.01)	27,305	0.06	IRC	13.60	0.10	4	13.53
NCH	0.81	0.01	6,542	0.80	AOT19C2410A	0.15	(0.01)	40,066	0.15	MGC	4.40	0.30	10,039	4.16
NNCL	1.90	-	221	1.90	AOT19P2407A	-	-	-	-	NEX	2.76	(0.12)	1,134,097	2.83
NOBLE	3.56	0.04	8,432	3.57	AOT22C2407A	0.20	0.02	27,206	0.19	NEX13C2407A	-	-	-	-
NUSA-W5	0.33	0.01	128,512	0.32	AOT27P2407A	0.40	0.04	46,004	0.37	NEX13C2410A	0.01	-	1,200	0.01
NVD	1.75	(0.01)	253	1.75	AOT41C2410A	0.09	-	10,546	0.09	NEX13C2410B	0.03	-	24,627	0.03
NVD-W3	-	-	-	-	AOT41C2605T	0.39	-	40,450	0.39	NEX13C2410C	0.01	-	1,501	0.01
ORI	5.20	0.10	65,749	5.13	ASIMAR	1.69	-	2,546	1.70	NEX13C2410D	0.08	(0.02)	42,179	0.10
ORI13C2407A	-	-	-	-	B	0.09	-	142,606	0.09	NEX13C2410E	0.16	(0.03)	143,687	0.18
ORI19C2409A	0.05	(0.01)	50	0.05	B-W8	0.01	-	35,852	0.01	NEX13C2411A	0.38	(0.62)	101,447	0.41
ORN	0.88	-	31,318	0.89	BA	22.40	0.40	65,841	22.15	NEX19C2409A	-	-	-	-
PACE	-	-	-	-	BEM	7.70	-	238,828	7.69	NEX19C2410A	0.02	-	22	0.02
PEACE	2.86	0.02	177	2.84	BEM01C2408A	-	-	-	-	NEX19C2410B	0.10	(0.03)	47,654	0.12
PF	0.21	(0.01)	67,873	0.22	BEM01C2412A	0.27	(0.73)	11,973	0.27	NEX19C2410C	-	-	-	-
PIN	5.80	-	21,097	5.80	BEM01P2408X	0.22	(0.01)	11,161	0.22	NEX19C2410D	0.25	(0.04)	87,667	0.27
PLAT	2.50	-	1,082	2.51	BEM13C2407A	-	-	-	-	PCSGH	5.00	(0.05)	921	5.00
POLAR	-	-	-	-	BEM13C2410A	0.18	-	18,704	0.18	POLY	9.10	0.10	444	8.97
PRECHA	1.11	-	1,003	1.11	BEM19C2408A	0.05	(0.03)	246	0.05	SAT	14.60	0.20	4,062	14.46
PRIN	2.90	0.04	220	2.81	BEM19C2410A	-	-	-	-	SPG	-	-	-	-
PSH	9.70	(0.10)	11,736	9.76	BTS	4.90	(0.04)	2,030,609	4.93	STANLY	220.00	-	1,174	218.61
QH	1.97	0.01	136,986	1.97	BTS-W7	-	-	-	-	TKT	1.75	-	438	1.76
RABBIT	0.33	-	92,467	0.33	BTS-W8	0.07	-	12,357	0.07	TNPC	1.13	(0.02)	807	1.13
RABBIT-P	0.33	-	6,248	0.33	BTS01C2407A	-	-	-	-	TRU	3.18	(0.02)	318	3.19
RABBIT-Q	-	-	-	-	BTS01C2408A	0.04	-	201	0.04	TSC	14.20	(0.10)	26	14.28
RICHY	0.55	0.01	838	0.53	BTS01C2410A	0.16	(0.84)	45,018	0.16	Industrial Materials	-	-	-	-
RML	0.45	(0.01)	8,911	0.44	BTS01P2407X	0.13	-	11,574	0.13	ALLA	1.59	0.02	3,664	1.58
ROJNA	6.25	0.15	84,135	6.15	BTS01P2410X	0.34	(0.66)	16,344	0.33	ASEFA	3.58	0.02	245	3.57
S	0.78	0.01	47,522	0.77	BTS06C2410A	0.13	-	36,000	0.13	CPT	0.89	0.02	9,815	0.89
SA	7.85	0.05	1,177	7.84	BTS13C2407A	-	-	-	-	CRANE	0.81	-	2,131	0.81
SA-W1	0.10	0.01	6,236	0.09	BTS13C2407B	0.02	-	1,361	0.01	CTW	4.72	(0.02)	167	4.72
SAMCO	1.06	(0.01)	461	1.07	BTS13C2410A	0.03	-	42,604	0.03	FMT	36.00	-	17	36.01
SC	2.98	-	20,352	2.98	BTS13C2410B	0.12	(0.01)	63,899	0.13	HTECH	2.74	0.08	2,706	2.69
SENA	2.46	0.02	2,380	2.46	BTS13C2410C	0.49	(0.03)	72,115	0.51	KKC	-	-	-	-
SIRI	1.62	-	343,573	1.62	BTS13P2407A	0.08	-	60,442	0.08	PSP	5.40	(0.05)	4,158	5.43
SIRI01C2406A	0.01	(0.01)	355	0.01	BTS13P2410A	0.36	0.01	80,398	0.34	SE	0.73	(0.01)	1,557	0.72
SIRI13C2407A	-	-	-	-	BTS19C2406A	-	-	-	-	SNC	7.10	0.05	2,347	7.10
SIRI19C2407A	-	-	-	-	BTS19C2407A	-	-	-	-	STAR	-	-	-	-
SIRI19C2411A	-	-	-	-	BTS19C2407B	0.03	(0.01)	216	0.03	STAR-KW1	-	-	-	-
SPALI	18.40	0.10	21,535	18.32	BTS19C2410A	0.05	(0.01)	883	0.05	STARK	-	-	-	-
SPALI13C2409A	-	-	-	-	BTS19C2410B	0.26	(0.02)	48,229	0.28	TCJ	3.20	0.04	4	3.18
SPALI19C2408A	-	-	-	-	BTS19P2410A	0.25	0.01	23,982	0.24	TPCS	-	-	-	-
UV	1.86	(0.02)	764	1.86	BTS41C2407A	-	-	-	-	VARO	3.34	0.02	37	3.32
WHA	5.40	-	525,312	5.43	BTS41C2408A	0.02	-	23	0.02	Property Fund & REI	-	-	-	-
WHA01C2406A	-	-	-	-	BTS41C2412A	0.17	(0.01)	46,000	0.17	AIMCG	3.26	(0.04)	1,226	3.27
WHA01C2408A	0.58	(0.09)	360	0.58	BTSGIF	3.52	0.02	47,070	3.52	AIMIRT	10.50	-	5,423	10.53
WHA01C2410A	0.21	0.01	18,324	0.21	DMT	11.90	-	2,100	11.87	ALLY	4.94	(0.04)	9,337	4.97
WHA01P2407X	-	-	-	-	ETL	1.15	0.03	9,166	1.13	AMATAR	6.40	(0.05)	782	6.44
WHA06C2410A	0.17	-	16,936	0.17	III	7.75	0.10	5,568	7.74	B-WORK	4.02	0.04	3,173	4.00
WHA11C2407A	-	-	-	-	KEX	3.62	(0.02)	11,239	3.63	BAREIT	9.20	(0.10)	3,620	9.19
WHA13C2406A	-	-	-	-	KIAT	0.40	0.01	7,229	0.40	BKKCP	9.05	(0.15)	115	9.10
WHA13C2408A	-	-	-	-	KWC	276.00	(1.00)	1	276.00	BOFFICE	4.76	(0.04)	5,750	4.77

# Asia Plus Securities Company Limited

## Main Board Quotation

## Daily Quotation

Issue Date :

Friday June 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
M-II	6.10	0.05	131	6.10	ENY	4.71	(0.03)	2	4.72	HSI06C2408B	0.17	(0.03)	18,818	0.18
M-PAT	-	-	-	-	GLD	3.48	(0.03)	30,615	3.51	HSI06C2408C	0.56	(0.07)	788	0.54
M-STOR	-	-	-	-	TDEX	8.02	(0.01)	3,209	8.01	HSI06C2408D	0.07	(0.01)	6,346	0.07
MIPF	-	-	-	-	UBOT	13.86	(0.09)	521	13.91	HSI06C2409A	0.23	(0.04)	88,459	0.24
MIT	0.42	-	321	0.41	UHERO	7.54	-	22	7.52	HSI06C2409B	0.37	(0.05)	50,328	0.38
MJLF	3.80	(0.04)	160	3.81	Warrant Foreign	-	-	-	-	HSI06C2410A	0.24	(0.03)	20,007	0.25
MNIT	2.22	0.02	43	2.21	AIA28C2406A	-	-	-	-	HSI06P2406A	-	-	-	-
MNIT2	-	-	-	-	AIA28C2408A	-	-	-	-	HSI06P2406B	0.01	(0.01)	1	0.01
MNRF	2.66	(0.06)	515	2.68	AIA28C2408B	-	-	-	-	HSI06P2406C	-	-	-	-
POPF	5.80	-	2,070	5.78	AIA28P2408A	0.28	0.02	1,014	0.28	HSI06P2406D	-	-	-	-
PPF	-	-	-	-	AIA28P2409A	-	-	-	-	HSI06P2406E	0.02	-	131	0.02
PROSPECT	8.35	0.05	4,448	8.36	AIA41C2406A	-	-	-	-	HSI06P2406F	0.09	0.01	1,683,925	0.08
QHRRREIT	6.80	0.05	601	6.75	AIA41C2408A	0.32	(0.03)	8	0.32	HSI06P2406G	0.18	0.02	1,653,867	0.17
QHOP	-	-	-	-	AIA41P2407A	0.15	0.01	2	0.15	HSI06P2407A	0.02	0.01	32	0.02
QHPF	4.36	0.02	1,931	4.36	AIA41P2409A	-	-	-	-	HSI06P2407B	0.12	0.01	225	0.12
SIRIP	8.80	(0.15)	2	8.80	ALIHEA28C2406	-	-	-	-	HSI06P2407C	0.34	0.04	1,034,011	0.33
SPRIME	4.00	(0.04)	2,825	4.02	ALIHEA28C2407	-	-	-	-	HSI06P2407D	0.55	0.03	394,065	0.55
SRIPANWA	4.94	(0.06)	181	4.97	ALIHEA28C2409	0.41	0.07	4	0.42	HSI06P2407E	-	-	-	-
SSPF	-	-	-	-	ALIHEA41C2406	-	-	-	-	HSI06P2407F	1.40	0.40	1	1.40
SSTRT	4.98	0.02	206	4.96	ALIHEA41C2410	0.32	0.02	14	0.33	HSI06P2408A	0.12	0.02	5,268	0.11
TIF1	-	-	-	-	BABA28C2406A	0.13	-	1,014	0.14	HSI06P2408B	0.31	0.04	198,922	0.29
TLHPF	3.00	-	123	3.00	BABA28C2406B	-	-	-	-	HSI06P2408C	0.56	0.04	173,031	0.54
TNPF	-	-	-	-	BABA28C2407A	-	-	-	-	HSI06P2408D	1.05	0.16	6,000	1.03
TPRIME	6.10	(0.10)	20,507	6.15	BABA28C2408A	-	-	-	-	HSI06P2409A	0.47	0.03	189,910	0.46
TTLPF	17.00	0.10	19	16.98	BABA28C2410A	0.19	0.01	11,100	0.19	HSI06P2409B	0.27	0.03	149,088	0.26
TU-PF	0.58	-	60	0.58	BABA28P2407A	-	-	-	-	HSI06P2410A	0.41	0.02	57,002	0.40
URBNPF	0.31	(0.01)	99	0.30	BABA28P2408A	0.15	(0.01)	22,000	0.15	HSI28C2406A	0.34	(0.11)	4,125,305	0.37
WHABT	7.45	(0.05)	634	7.41	BABA28P2410A	0.49	(0.01)	4,000	0.49	HSI28C2406B	0.93	(0.18)	1,102	0.97
WHAIR	5.80	0.05	5,593	5.75	BABA41C2406A	0.22	0.01	1,365	0.22	HSI28C2406C	0.11	(0.05)	223,519	0.12
WHART	8.65	(0.15)	32,468	8.70	BABA41C2406B	-	-	-	-	HSI28C2406D	1.69	(0.17)	158	1.77
Steel and Metal Prod	-	-	-	-	BABA41C2407A	0.23	(0.01)	8	0.23	HSI28C2407A	0.22	(0.05)	107,903	0.23
Z5	3.06	(0.02)	84	3.06	BABA41C2409A	0.11	-	166	0.11	HSI28C2407B	0.46	(0.09)	5,438,643	0.48
AMC	3.32	0.02	668	3.30	BABA41P2407A	-	-	-	-	HSI28C2407C	0.11	(0.03)	54,428	0.11
BSBM	0.75	(0.01)	1,075	0.74	BABA41P2409A	0.18	-	10	0.18	HSI28C2407D	0.05	(0.02)	2,612	0.06
CEN	2.08	-	556	2.06	BIDU28C2407A	0.05	0.01	1	0.05	HSI28C2407E	0.10	0.07	47,727	0.02
CEN-W5	0.21	(0.02)	1,400	0.21	BIDU28C2409A	0.25	(0.01)	9,042	0.26	HSI28C2407F	-	-	-	-
CITY	2.24	0.02	225	2.24	BIDU28P2406A	0.14	(0.01)	8,535	0.14	HSI28C2408A	0.32	(0.05)	2,509,927	0.33
CSP	1.08	0.03	52	1.07	BIDU28P2408A	0.49	(0.01)	2,000	0.49	HSI28C2408B	0.15	(0.03)	11,599	0.15
GJS	0.22	0.01	6,149	0.21	BIDU41C2407A	0.05	-	2,608	0.05	HSI28C2408C	0.09	(0.01)	458	0.09
GSTEEL	-	-	-	-	BIDU41C2409A	0.34	0.01	42	0.34	HSI28C2409A	0.31	(0.04)	134,294	0.31
INOX	0.51	0.01	8,894	0.50	BIDU41P2410A	0.38	(0.02)	10	0.38	HSI28C2410A	0.14	(0.03)	31,850	0.15
LHK	4.14	0.02	1,710	4.13	BYDCOM28C240	0.47	(0.03)	2,957	0.46	HSI28C2410B	0.21	(0.04)	4,859	0.22
MCS	7.35	-	3,745	7.32	BYDCOM28C240	0.24	(0.01)	10,062	0.23	HSI28P2406A	0.01	-	47	0.01
MILL	0.12	-	8,312	0.12	BYDCOM28P240	0.20	0.01	5	0.20	HSI28P2406B	0.01	-	200	0.01
MILL-W7	-	-	-	-	BYDCOM41C240	-	-	-	-	HSI28P2406C	0.01	-	3,045	0.01
PAP	2.22	(0.02)	561	2.13	BYDCOM41C240	0.73	(0.02)	31	0.69	HSI28P2406D	0.02	0.01	1,071	0.02
PERM	0.88	0.01	4,327	0.87	BYDCOM41C240	0.22	(0.02)	2	0.22	HSI28P2406E	0.09	0.01	33,098	0.09
SAM	-	-	-	-	BYDCOM41P240	0.16	0.01	16	0.16	HSI28P2407A	0.02	-	34,666	0.02
SMIT	4.46	(0.02)	424	4.48	CATHAY28C240	0.21	0.02	1	0.21	HSI28P2407B	0.11	0.01	12,853	0.11
SSSC	2.76	-	1,802	2.74	CATHAY41C240	-	-	-	-	HSI28P2407C	0.27	0.03	48,074	0.26
TGPRO	0.11	(0.01)	2,268	0.11	CATHAY41C241	0.22	-	100	0.22	HSI28P2407D	0.57	0.07	933,156	0.55
THE	1.03	0.01	613	1.03	CHMOBI28C240	0.78	0.07	1	0.78	HSI28P2407E	1.03	(0.03)	15	1.03
TMT	5.05	-	893	5.12	CMBANK41C240	-	-	-	-	HSI28P2408A	0.09	0.02	1,655	0.09
TSTH	0.77	-	852	0.77	CNOOC28C2408	0.94	0.07	2	0.95	HSI28P2408B	1.13	0.06	561	1.12
TWP	1.83	0.02	200	1.82	DJI28C2406B	-	-	-	-	HSI28P2408C	0.34	0.02	1,269	0.34
TYCN	2.46	(0.02)	6	2.45	DJI28C2406C	-	-	-	-	HSI28P2408D	0.63	0.05	4,657	0.62
Construction Service	-	-	-	-	DJI28C2409A	0.17	0.01	251	0.17	HSI28P2409A	0.56	0.05	20,601	0.55
APCS	3.02	(0.04)	1,598	2.98	DJI28C2409B	0.30	0.02	530	0.30	HSI28P2410A	0.51	0.03	4,668	0.51
BJCHI	1.30	(0.01)	11,778	1.30	DJI28P2406A	-	-	-	-	HSI28P2410B	0.26	0.02	72	0.26
BKD	1.30	-	778	1.24	DJI28P2406B	-	-	-	-	HSTECH28C2406A	-	-	-	-
CIVIL	1.67	-	2,040	1.67	DJI28P2406C	-	-	-	-	HSTECH28C2407A	-	-	-	-
CK	20.50	-	12,218	20.52	DJI28P2409A	0.63	(0.07)	85	0.63	HSTECH28P2406A	-	-	-	-
CK01C2407A	-	-	-	-	DJI28P2409B	-	-	-	-	HSTECH28P2407A	-	-	-	-
CK11C2407A	-	-	-	-	DJI41C2406A	-	-	-	-	ICBC28C2407A	-	-	-	-
CK13C2408A	0.03	(0.01)	195	0.04	DJI41C2409A	0.31	0.02	2	0.31	JD28C2406A	0.75	(0.09)	100	0.75
CK19C2408A	0.03	-	352	0.03	DJI41P2406A	-	-	-	-	JD28C2408A	1.06	(0.09)	51	1.06
CNT	1.16	-	926	1.15	DJI41P2406B	-	-	-	-	JD28C2408B	0.26	(0.04)	1,510	0.24
EMC	0.06	-	79,941	0.06	DJI41P2409A	0.61	(0.02)	19,005	0.59	JD28C2410A	0.16	(0.01)	1	0.16
ITD	0.68	-	38,797	0.68	GEELY28C2406A	-	-	-	-	JD41C2406A	-	-	-	-
NL	1.80	(0.10)	23,374	1.84	GEELY28C2406B	-	-	-	-	JD41C2407A	0.35	(0.06)	6	0.35
NWR	0.31	-	35,678	0.31	GEELY41C2406A	0.27	(0.03)	10	0.28	JD41C2409A	0.12	(0.02)	6,402	0.12
PLE	0.43	-	7,735	0.43	GEELY41C2411A	-	-	-	-	KUAISH28C2406A	0.05	(0.05)	507	0.05
PREB	5.20	0.05	534	5.19	HAIDL28C2406	-	-	-	-	KUAISH28C2407A	-	-	-	-
PYLON	2.18	-	1,664	2.14	HAIDL41C2407	0.14	(0.02)	6	0.15	KUAISH28C2410A	-	-	-	-
RT	0.53	(0.01)	57,555	0.53	KHEX28C2406A	-	-	-	-	KUAISH41C2406A	0.15	(0.09)	178	0.15
SEAFCO	2.04	(0.04)	5,345	2.05	KHEX28C2407A	-	-	-	-	LENOVO28C2407A	-	-	-	-
SQ	1.09	-	3,268	1.09	KHEX28C2409A	-	-	-	-	LENOVO28C2407B	-	-	-	-
SRICHA	9.95	0.20	4,879	9.96	KHEX28C2410A	0.18	(0.01)	6,000	0.18	LENOVO41C2406A	-	-	-	-
STEC	8.95	(0.30)	45,721	9.06	KHEX41C2406A	0.18	(0.03)	6	0.19	LENOVO41C2409A	0.32	(0.12)	20	0.33
STEC19C2407A	0.07													

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NDX28P2406A	-	-	-	-	SET5027C2409A	0.08	0.01	2,500	0.08	0	-	-	-	-
NDX28P2406B	-	-	-	-	SET5027C2409B	0.15	0.01	181,534	0.15	0	-	-	-	-
NDX28P2406C	-	-	-	-	SET5027C2409T	-	-	-	-	0	-	-	-	-
NDX28P2409A	0.33	0.01	4	0.32	SET5027C2412T	-	-	-	-	0	-	-	-	-
NDX28P2409B	-	-	-	-	SET5027P2406A	-	-	-	-	0	-	-	-	-
NDX41C2406A	-	-	-	-	SET5027P2406B	-	-	-	-	0	-	-	-	-
NDX41C2406B	0.04	(0.01)	11	0.04	SET5027P2406C	0.17	(0.09)	34,125	0.19	0	-	-	-	-
NDX41C2409A	0.93	(0.02)	5,490	0.93	SET5027P2406T	-	-	-	-	0	-	-	-	-
NDX41P2406A	-	-	-	-	SET5027P2409A	0.33	(0.04)	83,919	0.33	0	-	-	-	-
NDX41P2406B	-	-	-	-	SET5027P2409B	0.85	(0.09)	19,536	0.88	0	-	-	-	-
NDX41P2409A	0.24	-	54,904	0.23	SET5027P2409T	-	-	-	-	0	-	-	-	-
NTES41C2409A	0.46	-	22	0.46	SET5027P2412T	0.29	(0.02)	125,029	0.29	0	-	-	-	-
PINGAN28C2406A	-	-	-	-	SET5028C2406A	0.01	-	416	0.01	0	-	-	-	-
PINGAN28C2407A	0.65	(0.05)	2	0.65	SET5028C2407A	0.06	-	2,550	0.06	0	-	-	-	-
PINGAN28P2406A	-	-	-	-	SET5028C2409A	0.11	0.01	1	0.11	0	-	-	-	-
PINGAN41C2406A	-	-	-	-	SET5028C2409B	-	-	-	-	0	-	-	-	-
PINGAN41C2406B	-	-	-	-	SET5028C2409C	0.21	(0.79)	705,304	0.21	0	-	-	-	-
PINGAN41C2409A	0.17	(0.01)	238	0.17	SET5028C2412A	0.12	0.01	2,960	0.12	0	-	-	-	-
SET5001C2406A	0.02	0.01	21,436	0.01	SET5028C2412B	0.31	0.01	627,296	0.30	0	-	-	-	-
SET5001C2406F	0.02	-	1,061	0.01	SET5028P2406A	-	-	-	-	0	-	-	-	-
SET5001C2406T	0.02	(0.02)	351	0.03	SET5028P2407A	0.72	(0.01)	300	0.72	0	-	-	-	-
SET5001C2407A	0.02	-	100	0.02	SET5028P2408A	0.36	(0.64)	129,290	0.37	0	-	-	-	-
SET5001C2408W	0.08	(0.01)	1,013	0.08	SET5028P2409A	0.33	(0.04)	260,035	0.34	0	-	-	-	-
SET5001C2409A	0.15	-	20,038	0.15	SET5028P2409B	-	-	-	-	0	-	-	-	-
SET5001C2409F	0.15	-	5,716	0.15	SET5028P2412A	0.57	(0.02)	14,540	0.57	0	-	-	-	-
SET5001C2410T	0.23	-	8,001	0.23	SET5041C2406A	0.02	-	146	0.01	0	-	-	-	-
SET5001C2412F	0.43	0.01	107,597	0.43	SET5041C2406B	-	-	-	-	0	-	-	-	-
SET5001C2412T	0.33	-	3,890	0.32	SET5041C2406C	-	-	-	-	0	-	-	-	-
SET5001C2412W	0.24	-	11,122	0.23	SET5041C2406C	-	-	-	-	0	-	-	-	-
SET5001P2406A	0.01	-	3,189	0.01	SET5041C2406E	0.02	-	213	0.02	0	-	-	-	-
SET5001P2406F	-	-	-	-	SET5041C2409A	0.03	0.01	3,152	0.02	0	-	-	-	-
SET5001P2406T	0.14	(0.03)	1,634	0.14	SET5041C2409B	0.22	0.01	535,658	0.21	0	-	-	-	-
SET5001P2407A	0.13	(0.03)	104,720	0.13	SET5041C2409C	0.25	0.01	349,635	0.24	0	-	-	-	-
SET5001P2408W	0.32	(0.04)	57,201	0.32	SET5041C2412T	0.15	0.01	98,813	0.15	0	-	-	-	-
SET5001P2409A	0.40	(0.01)	81,188	0.40	SET5041C2412U	0.16	0.01	779,197	0.16	0	-	-	-	-
SET5001P2409F	0.38	(0.04)	154,900	0.40	SET5041P2406A	0.11	(0.03)	239,320	0.11	0	-	-	-	-
SET5001P2410T	0.66	-	15,287	0.66	SET5041P2406B	-	-	-	-	0	-	-	-	-
SET5001P2412F	0.68	(0.04)	221,786	0.69	SET5041P2406C	-	-	-	-	0	-	-	-	-
SET5001P2412T	0.46	(0.01)	4,124	0.47	SET5041P2409A	0.35	(0.02)	623,759	0.35	0	-	-	-	-
SET5001P2412W	0.54	(0.03)	49,637	0.54	SET5041P2412T	0.58	(0.03)	1,230,053	0.59	0	-	-	-	-
SET5006C2406A	-	-	-	-	SET5041P2412U	0.96	(0.06)	67,012	0.94	0	-	-	-	-
SET5006C2406B	0.01	(0.01)	3,000	0.01	SPX28C2406A	0.72	(0.04)	1	0.72	0	-	-	-	-
SET5006C2409A	0.19	-	2,966	0.20	SPX28P2406B	0.14	(0.02)	4	0.14	0	-	-	-	-
SET5006C2412A	0.31	-	43,202	0.31	SPX28C2406C	-	-	-	-	0	-	-	-	-
SET5006P2406A	-	-	-	-	SPX28C2409A	0.46	(0.01)	2	0.46	0	-	-	-	-
SET5006P2406B	0.20	-	35,162	0.19	SPX28P2406A	-	-	-	-	0	-	-	-	-
SET5006P2409A	-	-	-	-	SPX28P2406B	-	-	-	-	0	-	-	-	-
SET5006P2412A	0.66	(0.04)	45,714	0.68	SPX28P2406C	-	-	-	-	0	-	-	-	-
SET5013C2406A	-	-	-	-	SPX28P2409A	0.33	0.01	23	0.32	0	-	-	-	-
SET5013C2406B	-	-	-	-	SPX41C2406A	-	-	-	-	0	-	-	-	-
SET5013C2406C	-	-	-	-	SPX41C2406B	0.10	(0.02)	50,000	0.10	0	-	-	-	-
SET5013C2406D	-	-	-	-	SPX41C2409A	0.76	(0.01)	3,527	0.77	0	-	-	-	-
SET5013C2406E	0.01	-	550	0.01	SPX41P2406A	-	-	-	-	0	-	-	-	-
SET5013C2406F	0.01	-	38	0.01	SPX41P2406B	-	-	-	-	0	-	-	-	-
SET5013C2406G	0.01	-	46,916	0.01	SPX41P2409A	0.41	-	2,606	0.41	0	-	-	-	-
SET5013C2409A	0.12	0.01	1,118,687	0.12	SUNNY28C2406	-	-	-	-	0	-	-	-	-
SET5013C2409C	0.20	0.01	849,423	0.20	SUNNY28C2407	0.13	(0.02)	4,006	0.13	0	-	-	-	-
SET5013C2409D	0.11	-	111,000	0.11	SUNNY28C2408	0.40	(0.13)	2	0.41	0	-	-	-	-
SET5013C2409E	0.38	0.02	5,925,509	0.38	SUNNY41C2406	-	-	-	-	0	-	-	-	-
SET5013C2410A	0.05	-	14,053	0.05	SUNNY41C2407	-	-	-	-	0	-	-	-	-
SET5013C2410B	0.06	-	65,553	0.05	SUNNY41C2408	0.44	(0.05)	1,108	0.44	0	-	-	-	-
SET5013C2411A	0.12	-	77,653	0.12	TENCEN28C2404	-	-	-	-	0	-	-	-	-
SET5013C2412T	0.14	0.01	66,215	0.13	TENCEN28C2405	-	-	-	-	0	-	-	-	-
SET5013P2406A	0.01	-	32,639	0.01	TENCEN28P2404	0.27	(0.06)	28,952	0.29	0	-	-	-	-
SET5013P2406B	0.01	-	44,078	0.01	TENCEN28P2405	-	-	-	-	0	-	-	-	-
SET5013P2406C	0.01	-	10,010	0.01	TENCEN28P2411	0.17	-	1,000	0.17	0	-	-	-	-
SET5013P2406D	0.01	(0.01)	51,696	0.01	TENCEN28P2411	0.46	0.04	16,000	0.45	0	-	-	-	-
SET5013P2406E	0.04	(0.03)	226,652	0.05	TENCEN41C2401	1.12	(0.17)	120	1.12	0	-	-	-	-
SET5013P2406F	0.22	(0.07)	1,957,544	0.24	TENCEN41C2401	0.56	(0.07)	14	0.58	0	-	-	-	-
SET5013P2406G	0.03	(0.03)	19,130	0.04	TENCEN41P2405	0.10	0.02	10	0.10	0	-	-	-	-
SET5013P2406H	0.06	-	6	0.05	TRIPDC41C2407	0.60	(0.09)	37	0.62	0	-	-	-	-
SET5013P2409A	0.37	(0.04)	934,617	0.39	TRIPDC41C2409	0.26	(0.04)	10	0.27	0	-	-	-	-
SET5013P2409B	0.53	(0.06)	3,039,311	0.57	XIAOMI28C2407	0.52	(0.15)	23	0.57	0	-	-	-	-
SET5013P2409C	0.74	(0.07)	1,019,901	0.77	XIAOMI28C2409	0.13	(0.04)	11,003	0.14	0	-	-	-	-
SET5013P2409D	1.07	(0.11)	168,447	1.11	XIAOMI28P2408	0.19	0.04	9,070	0.18	0	-	-	-	-
SET5013P2410A	0.26	(0.02)	84,395	0.27	XIAOMI28P2409	-	-	-	-	0	-	-	-	-
SET5013P2412T	0.50	(0.03)	307,798	0.52	XIAOMI41C2406	-	-	-	-	0	-	-	-	-
SET5019C2406A	-	-	-	-	XIAOMI41C2407	0.25	(0.09)	12,282	0.25	0	-	-	-	-
SET5019C2406B	-	-	-	-	XIAOMI41C2409	0.12	(0.04)	511	0.12	0	-	-	-	-
SET5019C2406C	-	-	-	-	XIAOMI41P2408	0.10	-	2	0.10	0	-	-	-	-
SET5019C2406E	-	-	-	-	XIAOMI41P2409	0.36	0.06	8	0.34	0	-	-	-	-
SET5019C2406F	-	-	-	-	ZJIN28C2407A	-	-	-	-	0	-	-	-	-
SET5019C2406G	-	-	-	-	ZJIN28C2408A	0.62	0.06	4	0.60	0	-	-	-	-
SET5019C2406H	0.02	-	12,104	0.02	ZJIN41C2407A	0.74	0.04	1	0.74	0	-	-	-	-
SET5019C2406I	0.02	-	13,159	0.02	ZJIN41C2407B	0.41	0.06	22	0.40	0	-	-	-	-
SET5019C2409A	0.08	-	17,490	0.08	ZJIN41C2409A	0.19	0.03	35	0.18	0	-	-	-	-
SET5019C2409B	0.14	0.01												

**Asia Plus Securities Company Limited**

## Main Board Quotation

## Daily Quotation

*Friday June 07, 2024*

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Issue Date :

Friday June 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust	-	-	-	-	TPLAS	1.32	0.02	221	00 1.3	HL	10.50	0.10	2,046	00 10.4
APO	1.41	0.07	13,962	00 1.3	TRV	2.54	-	96	00 2.5	IMH	6.20	-	386	00 6.1
AU	7.50	(0.20)	17,998	00 7.5	UBIS	2.32	0.02	670	00 2.2	JPARK	6.35	0.20	18,515	00 6.2
CFARM	1.51	0.02	891,724	00 1.5	UEC	1.69	-	394	00 1.6	KGEN	0.79	(0.02)	8,265	00 0.7
JCKH	0.02	(0.01)	52,533	00 0.0	UKEM	0.83	-	9,015	00 0.8	KGEN-W2	0.11	-	22,404	00 0.1
JCKH-W1	-	-	-	00 0.0	UREKA	0.54	-	58,999	00 0.5	KK	-	-	-	00 0.0
JCKH-W2	-	-	-	00 0.0	YUSA	11.50	0.10	45	00 11.5	KLINIQ	40.75	-	4,465	00 40.6
KASET	1.14	0.04	187	00 1.1	ZIGA	2.12	0.02	16,090	00 2.1	KOOL	0.37	0.01	26,985	00 0.3
MAGURO	19.10	1.40	167,660	00 18.6	ZIGA-W2	0.24	-	30,197	00 0.2	KTMS	2.42	0.04	576	00 2.3
MUD	1.44	0.08	352	00 1.3	Property	-	-	-	-	LDC	0.58	0.02	1,109	00 0.5
NTSC	13.10	(0.30)	176	00 12.9	24CS	3.32	0.10	94,876	00 3.3	LEO	4.84	0.16	22,485	00 4.8
TACC	4.90	0.10	31,506	00 4.8	A5	3.00	(0.02)	23,367	00 2.9	LEO-W1	0.10	0.01	67,001	00 0.1
TMILL	3.80	0.04	1,458	00 3.7	A5-W3	0.04	-	19,891	00 0.0	MASTER	61.50	1.50	24,621	00 60.1
WINNER	2.00	(0.02)	1,316	00 2.0	ALL	-	-	-	00 0.0	MCA	2.24	0.06	15,413	00 2.2
XO	29.75	0.75	12,970	00 29.4	ARIN	1.80	0.01	1,688	00 1.8	MEB	30.75	0.25	1,106	00 30.2
Consumer Products	-	-	-	-	ARROW	5.90	0.05	199	00 5.9	MORE	0.07	-	16,759	00 0.0
ALPHAX	0.73	0.01	16,351	00 0.7	BC	1.00	0.07	100	00 1.0	MVP	0.82	-	4,509	00 0.8
BGT	0.68	(0.02)	1,528	00 0.6	BLESS	0.57	-	2,701	00 0.5	NCL	0.42	(0.08)	34,689	00 0.4
DOD	2.38	-	1,586	00 2.3	BSM	2.38	0.10	262	00 2.3	NEWS	0.01	(0.01)	101,241	00 0.0
ECF	0.59	(0.05)	12,796	00 0.5	BTW	0.24	-	85	00 0.2	PEER	0.32	-	13,808	00 0.3
EFORL	0.19	-	51,494	00 0.1	CAZ	3.28	(0.02)	2,651	00 3.2	PEER-W1	0.11	(0.03)	8,747	00 0.1
EFORL-W6	0.03	(0.01)	2,746	00 0.0	CHEWA	0.46	0.01	4,473	00 0.4	PHOL	2.72	(0.02)	315	00 2.7
EURO	6.85	(0.35)	8,198	00 6.9	CPANEL	5.20	0.05	189	00 5.1	PICO	-	-	-	00 0.0
HPT	0.57	-	51,850	00 0.5	CPANEL-W1	0.95	(0.24)	692	00 0.9	PLT	0.78	-	6,268	00 0.7
IP	5.05	0.05	692	00 4.9	CRD	0.44	(0.01)	295	00 0.4	QLT	2.74	(0.10)	222	00 2.6
IP-W2	0.35	0.01	5,634	00 0.3	DHOUSE	0.67	0.01	633	00 0.6	RP	1.25	(0.02)	161	00 1.2
ITTHI	2.52	0.04	30,328	00 2.5	DIMET	0.23	-	3,586	00 0.2	SLM	-	-	-	00 0.0
JSP	2.42	0.02	3,175	00 2.4	DPAIN	1.81	(0.01)	441	00 1.8	SONIC	1.71	0.04	27,577	00 1.7
JSP-W1	0.06	0.01	10,230	00 0.0	FLOYD	0.83	-	1,086	00 0.8	SPA	7.15	0.10	13,903	00 7.1
JUBILE	14.40	(0.10)	609	00 14.3	HYDRO	0.39	0.02	2,919	00 0.3	THMUI	0.58	(0.02)	2,901	00 0.5
LTS	8.65	-	28,206	00 8.7	HYDRO-W2	-	-	-	00 0.0	TNDT	0.19	-	7,853	00 0.1
MGI	19.20	0.20	33,977	00 19.2	IND	0.87	-	683	00 0.8	TNDT-W1	0.03	-	41	00 0.0
MOONG	2.18	0.02	110	00 2.1	JAK	1.26	0.01	1,213	00 1.2	TNH	35.50	0.50	91	00 35.3
NPK	14.00	-	11	00 14.0	K	0.96	-	737	00 0.9	TNP	3.62	0.02	1,382	00 3.6
SMD	4.96	-	329	00 4.9	KUN	1.58	(0.01)	37	00 1.5	TPL	1.13	(0.01)	1,747	00 1.1
TM	1.78	(0.01)	113	00 1.7	KUN-W2	0.04	-	1,827	00 0.0	TRP	12.50	0.50	12,607	00 12.4
TM-W1	0.17	-	11	00 0.1	META	0.14	0.01	6,609	00 0.1	TURTLE	-	-	-	00 0.0
WARRIX	5.60	-	5,775	00 5.5	META-W7	-	-	-	00 0.0	TVDH	0.33	-	9,843	00 0.3
WINMED	2.32	(0.04)	329	00 2.3	PANEL	1.65	0.01	497	00 1.6	TVDH-W3	0.04	-	3,581	00 0.0
Financials	-	-	-	-	PPS	0.35	0.01	2,698	00 0.3	TVDH-W4	0.06	-	50	00 0.0
ACAP	-	-	-	00 0.0	PRI	10.20	0.20	6,333	00 10.0	TVT	0.41	-	1,007	00 0.4
AF	0.64	0.02	51	00 0.6	PROS	1.16	(0.01)	3,871	00 1.1	UBA	0.97	0.01	1,394	00 0.9
AIRA	-	-	-	00 0.0	PROS-W1	0.29	-	1,634	00 0.2	VL	1.20	(0.09)	331,356	00 1.2
ASN	1.86	(0.01)	3	00 1.8	PROUD	1.79	(0.01)	4,842	00 1.8	YGG	6.55	(0.10)	26,293	00 6.5
BTC	0.60	-	292,823	00 0.6	PSG	0.60	-	419,766	00 0.5	Technology	-	-	-	-
BTC-W6	0.02	-	111,237	00 0.0	QTGC	0.57	0.02	64,637	00 0.5	APP	2.02	-	1,599	00 2.0
BTC-W7	0.31	0.03	37,410	00 0.2	SENX	0.48	-	1,460	00 0.4	BBIK	30.50	-	2,247	00 30.4
GCAP	0.50	0.01	9,419	00 0.4	SENX-W1	-	-	-	00 0.0	BE8	17.10	0.10	2,600	00 17.0
KCCAMC	2.38	(0.10)	2,778	00 2.4	SK	0.63	-	16,600	00 0.6	BE8-W1	4.40	0.02	156	00 4.3
LIT	1.13	-	1,210	00 1.1	SMART	0.74	0.04	27,614	00 0.7	BVG	3.08	(0.02)	4,617	00 3.0
LIT-W2	0.23	0.01	302	00 0.2	STC	0.58	-	272	00 0.5	COMAN	3.70	-	136	00 3.6
MITSIB	0.82	(0.02)	13,009	00 0.8	STX	1.63	-	9,042	00 1.6	I2	2.02	0.05	5,942	00 1.9
SGF	0.31	-	310	00 0.3	SVR	1.08	-	4,304	00 1.0	IIIG	7.20	0.05	481	00 7.2
SGF-P1	-	-	-	00 0.0	TAPAC	-	-	-	00 0.0	IIIG-W1	1.12	0.11	295	00 1.0
SGF-Q1	-	-	-	00 0.0	THANA	1.43	-	81	00 1.4	IRCP	0.61	-	2,739	00 0.6
TQR	6.75	0.05	168	00 6.7	TIGER	0.76	(0.01)	18	00 0.7	ITNS	2.00	-	2,015	00 2.0
Industrials	-	-	-	-	TITLE	4.14	(0.04)	3,113	00 4.0	NAT	5.60	(0.05)	9,116	00 5.6
ADB	0.69	-	981	00 0.6	WELL	-	-	-	00 0.0	NETBAY	17.90	-	2,625	00 17.8
BM	2.82	0.12	18,514	00 2.7	YONG	1.92	(0.03)	13,116	00 1.9	PLANET	0.61	-	1,964	00 0.6
BM-W3	1.50	(0.02)	2,101	00 1.4	Resources	-	-	-	-	PROEN	1.63	0.08	10,358	00 1.5
BPS	0.57	-	13,365	00 0.5	ABM	1.39	0.04	2,344	00 1.3	READY	7.55	(0.50)	1,513	00 7.7
CHO	0.08	0.01	343,627	00 0.0	ABM-W1	0.10	-	2,880	00 0.1	SECURE	15.90	(0.30)	9,535	00 16.1
CHO-W3	-	-	-	00 0.0	GTV	0.13	-	67,299	00 0.1	SICT	5.05	(0.05)	7,002	00 5.0
CHOW	2.66	0.08	2,433	00 2.6	PSTC	0.50	-	72,172	00 0.4	SIMAT	1.30	0.01	13,351	00 1.2
CIG	0.06	-	6,000	00 0.0	PSTC-W2	0.02	(0.01)	56,652	00 0.0	SIMAT-W3	0.16	-	102	00 0.1
CIG-W10	0.06	(0.01)	2	00 0.0	PSTC-W3	0.14	-	24,460	00 0.1	SIMAT-W5	0.03	-	45,183	00 0.0
CIG-W9	0.04	-	3,550	00 0.0	PTC	1.49	0.01	1,246	00 1.4	SPVI	2.64	-	1,846	00 2.6
COLOR	1.24	0.01	212	00 1.2	SAAM	7.40	-	298	00 7.3	SRS	5.80	0.05	602	00 5.7
CPR	3.98	(0.02)	203	00 3.9	SAAM-W2	0.16	-	3,420	00 0.1	TBN	9.50	0.05	225	00 9.5
FPI	2.14	0.02	152	00 2.1	SR	0.55	(0.01)	150	00 0.5	TERA	1.86	-	8,103	00 1.8
GTB	0.72	0.02	2,674	00 0.7	STOWER	0.07	-	6,412	00 0.0	TPS	3.78	0.06	13,880	00 3.7
KCM	0.32	0.01	1,113	00 0.3	STOWER-W4	-	-	-	00 0.0	TPS-W1	-	-	-	00 0.0
KJL	6.85	0.05	607	00 6.8	TAKUNI	0.91	(0.01)	8,075	00 0.9	VCOM	3.00	(0.04)	644	00 3.0
KUMWEL	1.86	(0.02)	784	00 1.8	TPCH	6.95	0.20	2,218	00 6.8	-	-	-	-	-
KWM	1.30	0.01	3,797	00 1.3	TRT	4.68	0.08	28,110	00 4.6	-	-	-	-	-
MBAX	3.04	-	602	00 3.0	UMS	0.50	(0.01)	1	00 0.5	-	-	-	-	-
MBAX-W2	0.15	(0.01)	155	00 0.1	Services	-	-	-	-	-	-	-	-	-
MGT	2.26	-	531	00 2.2	ADD	4.64	(0.06)	453	00 4.6	-	-	-	-	-
MTW	1.29	0.01	13,846	00 1.3	AKP	0.78	0.01	131	00 0.7	-				