

## Main Board Quotation

Issue Date :

Monday July 01, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB01P2410X	0.26	(0.01)	1,752	0.26	PMTA	8.15	(0.35)	73	8.00
WORLD	-	-	-	-	SCB13C2409A	0.08	-	1,293	0.08	PTTGC	31.00	0.50	64,534	31.02
Agribusiness	-	-	-	-	SCB13C2411A	0.20	0.01	33,157	0.20	PTTGC01C2407A	0.01	-	1,000	0.01
EE	0.15	0.01	8,886	0.14	SCB13P2407A	-	-	-	-	PTTGC01C2409A	0.03	(0.01)	500	0.03
EE-W1	-	-	-	-	SCB13P2410A	0.20	(0.02)	9,599	0.20	PTTGC01C2411A	0.09	0.01	250	0.09
GFPT	12.70	(0.10)	13,643	12.75	SCB19C2407A	-	-	-	-	PTTGC01C2412A	0.22	0.01	21,146	0.22
LEE	2.46	-	157	2.46	SCB19C2409A	-	-	-	-	PTTGC01P2409X	0.67	(0.08)	3,348	0.67
NER	5.30	(0.05)	42,857	5.38	SCB19C2411A	0.21	(0.02)	19,299	0.21	PTTGC11C2409A	-	-	-	-
NER-W2	0.95	-	21,436	0.96	SCB19P2407A	-	-	-	-	PTTGC13C2409A	0.02	-	200	0.02
PPPM	0.23	-	14,309	0.22	SCB41C2407A	-	-	-	-	PTTGC13C2410A	-	-	-	-
PPPM-W4	-	-	-	-	SCB41C2407B	-	-	-	-	PTTGC13C2411A	0.12	0.01	12,852	0.12
STA	21.30	(0.30)	96,630	21.61	SCB41C2408A	-	-	-	-	PTTGC13P2408A	-	-	-	-
STA01C2407A	-	-	-	-	SCB41C2412A	0.22	-	8,500	0.22	PTTGC19C2409A	-	-	-	-
STA01C2409A	0.47	(0.04)	11,311	0.50	TCAP	45.50	0.25	11,959	45.28	PTTGC19C2410A	-	-	-	-
STA01C2410A	0.22	(0.03)	26,018	0.25	TCAP-P	-	-	-	-	PTTGC19C2411A	0.14	0.01	4,732	0.14
STA01C2411A	0.45	(0.02)	26,691	0.47	TCAP-Q	-	-	-	-	PTTGC41C2407A	-	-	-	-
STA01P2407X	-	-	-	-	TISCO	96.00	0.50	20,695	95.73	PTTGC41C2407B	-	-	-	-
STA01P2408X	0.01	-	6	0.01	TISCO-P	-	-	-	-	PTTGC41C2412A	-	-	-	-
STA01P2410X	0.57	0.01	53,272	0.54	TISCO-Q	-	-	-	-	SUTHA	3.02	-	151	3.03
STA06C2408A	-	-	-	-	TISCO13C2409A	-	-	-	-	TPA	4.14	0.02	2	4.03
STA06C2409A	0.19	-	21,927	0.22	TISCO19C2408A	-	-	-	-	UAC	3.66	0.14	4,170	3.62
STA11C2407T	-	-	-	-	TISCO19C2411A	0.23	(0.01)	796	0.23	UP	-	-	-	-
STA13C2407A	-	-	-	-	TTB	1.72	0.01	1,036,194	1.72	Commerce	-	-	-	-
STA13C2408A	0.10	-	12,241	0.11	TTB-W1	0.76	-	1,911	0.76	ADVICE	4.32	0.12	54,374	4.32
STA13C2409A	-	-	-	-	TTB01C2409A	0.10	-	1,940	0.10	B52	0.56	0.11	276	0.49
STA13C2410A	0.21	(0.02)	44,445	0.23	TTB13C2409A	0.05	(0.01)	380	0.05	BEAUTY	0.47	-	70,168	0.47
STA13C2411A	0.37	(0.03)	56,727	0.40	TTB19C2409A	-	-	-	-	BIG	0.43	0.01	1,669	0.42
STA13P2407A	-	-	-	-	Construction Mat	-	-	-	-	BJC	20.60	(0.70)	147,813	20.76
STA13P2408A	0.01	-	3,006	0.01	CCP	0.32	0.01	36,751	0.31	COM7	19.00	0.40	315,023	19.08
STA13P2410A	0.50	0.01	37,646	0.48	DCC	1.96	0.01	36,491	1.95	COM701C2407A	-	-	-	-
STA19C2408A	0.17	(0.03)	68,120	0.19	DCON	0.36	-	16,324	0.35	COM701C2408A	0.08	0.02	6,225	0.08
STA19C2409A	-	-	-	-	DCON-W3	0.04	-	234	0.04	COM701C2410W	0.35	0.03	66,262	0.36
STA19C2410A	0.27	(0.02)	40,490	0.28	DRT	7.95	-	2,231	7.99	COM701P2408X	-	-	-	-
STA19P2410A	0.59	-	54,068	0.58	EPG	5.05	(0.10)	8,976	5.07	COM701P2410W	0.27	(0.02)	344,317	0.26
STA41C2408A	0.13	(0.03)	18,971	0.15	GEL	0.12	0.01	9,749	0.11	COM706C2407A	-	-	-	-
TEGH	3.60	0.02	8,917	3.63	GEL-W5	-	-	-	-	COM711C2409A	0.21	0.02	117,829	0.22
TFM	7.95	(0.15)	482	7.89	PPP	1.71	(0.04)	717	1.71	COM713C2407A	-	-	-	-
TRUBB	1.19	(0.01)	51,490	1.20	Q-CON	11.50	0.10	1,165	11.57	COM713C2408A	0.06	0.01	29,605	0.05
TRUBB-W2	0.02	(0.01)	27,891	0.01	SCC	226.00	1.00	12,096	225.52	COM713C2410A	0.27	0.02	22,323	0.28
UPOIC	6.55	0.05	56	6.50	SCC01C2407A	-	-	-	-	COM713C2411A	0.40	(0.60)	173,750	0.41
UVAN	8.30	0.05	2,440	8.33	SCC01C2408A	-	-	-	-	COM713P2407A	-	-	-	-
VPO	0.50	-	119	0.50	SCC01C2412A	0.20	-	23,220	0.20	COM713P2410A	0.28	0.03	218,596	0.22
Banking	-	-	-	-	SCC11C2408A	-	-	-	-	COM719C2407A	-	-	-	-
BAY	24.40	(0.20)	2,995	24.51	SCC13C2407A	-	-	-	-	COM719C2408A	-	-	-	-
BBL	132.00	1.50	54,350	130.93	SCC13C2408A	-	-	-	-	COM719C2410A	0.31	0.03	149,483	0.32
BBL11C2406A	-	-	-	-	SCC13C2410A	0.11	-	7,678	0.11	COM741C2407A	-	-	-	-
BBL11C2409A	0.16	0.01	4,001	0.15	SCC13P2408A	0.07	(0.03)	2,124	0.08	COM741C2408A	0.05	0.01	1,905	0.05
BBL11P2407A	-	-	-	-	SCC19C2408A	-	-	-	-	COM741C2412A	0.46	0.03	177,160	0.47
BBL13C2408A	-	-	-	-	SCC19C2410A	-	-	-	-	CPALL	55.25	0.25	138,961	55.38
BBL13C2410A	0.14	-	10,329	0.13	SCC19C2411A	0.20	0.01	6,602	0.20	CPALL01C2407A	0.02	-	150	0.02
BBL13P2408A	0.06	(0.01)	100	0.06	SCCC	131.00	1.00	580	129.90	CPALL01C2409A	0.17	0.01	13,041	0.17
BBL19C2408A	-	-	-	-	SCGD	7.70	0.05	3,087	7.74	CPALL01C2410A	0.07	(0.01)	9,196	0.07
BBL19C2410A	0.12	(0.01)	980	0.12	SCP	6.70	-	301	6.70	CPALL01C2412A	0.25	0.01	33,770	0.26
BBL19C2411A	0.27	0.02	4,082	0.26	SKN	5.40	0.10	492	5.39	CPALL01P2408X	-	-	-	-
BBL41C2407A	-	-	-	-	STECH	1.31	(0.02)	6,717	1.31	CPALL01P2410X	0.38	(0.03)	8,882	0.37
BBL41C2407B	-	-	-	-	TASCO	16.00	-	8,663	16.00	CPALL06C2409A	-	-	-	-
BBL41C2408A	-	-	-	-	TASCO01C2408/	-	-	-	-	CPALL13C2407A	0.01	-	200	0.01
BBL41C2412A	0.25	0.02	6,920	0.24	TASCO13C2407/	-	-	-	-	CPALL13C2410A	0.06	0.01	20	0.06
CIMBT	0.46	-	14,014	0.46	TASCO19C2407/	-	-	-	-	CPALL13C2410B	-	-	-	-
CREDIT	17.50	(0.20)	877	17.52	TASCO19C2411/	0.23	(0.01)	400	0.23	CPALL13C2411A	0.20	-	31,718	0.21
KBANK	125.50	-	49,872	125.89	TOA	20.00	0.20	13,963	20.09	CPALL13P2408A	-	-	-	-
KBANK01C2407A	0.03	(0.03)	380	0.03	TOA13C2407A	-	-	-	-	CPALL13P2410A	0.45	(0.03)	7,243	0.45
KBANK01C2409A	0.14	(0.01)	6,329	0.14	TIPLI	1.31	(0.01)	17,045	1.32	CPALL19C2407A	0.01	-	1,260	0.01
KBANK01C2412A	0.36	-	2,094	0.36	UMI	0.72	0.01	3,330	0.67	CPALL19C2409A	0.11	-	3,201	0.11
KBANK01P2408X	-	-	-	-	VNG	3.32	(0.04)	2,057	3.32	CPALL19C2409B	-	-	-	-
KBANK01P2409X	-	-	-	-	WIJK	1.19	(0.01)	1,069	1.19	CPALL19C2410A	-	-	-	-
KBANK01P2410X	0.41	-	1,217	0.40	WIJK-W3	0.08	-	38,476	0.08	CPALL19P2408A	-	-	-	-
KBANK13C2407A	-	-	-	-	WINDOW	1.14	(0.08)	84,505	1.17	CPALL41C2407A	-	-	-	-
KBANK13C2408A	-	-	-	-	Petrochemicals &	-	-	-	-	CPALL41C2407B	-	-	-	-
KBANK13C2409A	0.05	(0.01)	80	0.05	BCT	73.00	(1.00)	33	71.80	CPALL41C2407C	-	-	-	-
KBANK13C2411A	0.24	-	1,000	0.24	CMAN	2.30	(0.02)	3,629	2.31	CPALL41C2408A	-	-	-	-
KBANK13P2409A	-	-	-	-	GC	4.82	-	269	4.80	CPALL41C2412A	0.19	-	21,901	0.19
KBANK13P2410A	0.32	(0.01)	4,424	0.32	GGC	7.60	(0.50)	113	7.57	CPALL41C2605T	0.33	(0.02)	2,000	0.34
KBANK19C2408A	-	-	-	-	GIFT	3.70	(0.12)	36,129	3.83	CPAXT	27.00	(0.25)	14,476	27.19
KBANK19C2409A	-	-	-	-	GIFT-W2	1.76	(0.01)	17,433	1.81	CPW	2.52	0.04	9,142	2.54
KBANK19C2410A	-	-	-	-	IVL	19.70	0.20	124,814	19.69	CRC	30.25	(0.50)	43,746	30.30
KBANK19C2411A	-	-	-	-	IVL01C2408A	-	-	-	-	CRC01C2407A	-	-	-	-
KBANK19P2410A	0.29	(0.01)	2,000	0.29	IVL01C2409A	-	-	-	-	CRC01C2409A	-	-	-	-
KBANK41C2408A	0.10	-	2,000	0.10	IVL01C2410W	0.07	-	3,006	0.07	CRC01C2412A	0.21	(0.01)	7,252	0.21
KBANK41C2604T	-	-	-	-	IVL01C2411W	0.28	0.01	63,273	0.28	CRC13C2407A	-	-	-	-
KKP	46.50	-	7,687	46.41	IVL01P2407X	-	-	-	-	CRC13C2408A	-	-	-	-
KKP-W6	1.19	-	218	1.17	IVL01P2409X	0.45	(0.02)	51,231	0.46	CRC13C2409A	-	-	-	-
KKP11C2406A	-	-	-	-	IVL13C2407A	-	-	-	-	CRC13C2412A	0.21	(0.02)	2,671	0.21
KKP13C2408A	-	-	-	-	IVL13C2408A	-	-	-	-	CRC19C2408A	-	-	-	-
KKP19C2411A	0.16	-	8,476	0.16	IVL13C2410A	-	-	-	-	CRC19C2409A	0.04	(0.01)	806	0.04
KTB	17.10	-	286,426	17.01	IVL13C2410B	0.07	0.01	654	0.07	CRC19C2411A	0.16	(0.02)	1,560	0.17
KTB-P	-	-	-	-	IVL13C2411A	0.17	0.01	71,280	0.17	CRC41C2407A	-	-	-	-
KTB-Q	-	-	-	-	IVL13C2411B	0.30	(0.01)	35,261	0.31	CSS	0.78	-	2,653	0.78
KTB01C2407A	-	-	-	-	IVL13P2408A	-	-	-	-	DOHOME	10.30	-	18,554	10.29
KTB01C2409A	0.19	0.01	10,301	0.18	IVL13P2411A	0.38	(0.02)	48,636	0.38	DOHOME01C2409A	0.06	-	300	0.06
KTB01P2407X	0.01	(0.01)	1,000	0.01	IVL19C2407A	-	-	-	-	DOHOME06C2407A	-	-	-	-
KTB11C2408A	0.11	(0.01)	9,400	0.11	IVL19C2408A	-	-	-	-	DOHOME13C2407A	-	-	-	





## Main Board Quotation

Issue Date :

Monday July 01, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BAM13C2408B	-	-	-	-	SGC	1.82	-	192,661	1.84	OSP19C2409A	0.42	0.05	21,974	0.42
BAM19C2408A	-	-	-	-	SM	1.29	0.04	1,975	1.25	PB	63.00	(0.25)	18	63.26
BAM19C2409A	-	-	-	-	TH	0.73	(0.01)	8,940	0.74	PLUS	7.35	(0.05)	39,665	7.38
BYD	1.55	0.18	836,201	1.53	TH-W3	0.20	0.01	67	0.19	PM	7.90	(0.15)	3,411	7.91
BYD13C2410A	-	-	-	-	THANI	2.24	0.06	65,313	2.22	PQS	2.98	-	3,212	2.99
BYD13C2411A	0.12	0.05	125,868	0.12	THANI13C2407#	-	-	-	-	PRG	9.40	0.05	2	9.40
BYD13C2412A	0.12	0.04	60,366	0.12	THANI19C2407#	-	-	-	-	PRG-W1	-	-	-	-
BYD13C2412B	0.31	(0.69)	140,815	0.30	TIDLOR	18.40	(0.10)	40,260	18.35	PRG-W2	-	-	-	-
BYD19C2407A	0.01	-	2	0.02	TIDLOR01C2407	-	-	-	-	PRG-W3	4.34	0.02	15	4.39
BYD19C2410A	0.04	0.01	2,382	0.04	TIDLOR01C2408	0.05	(0.03)	50	0.05	PRG-W4	3.90	-	5	3.91
BYD19C2501A	0.29	(0.71)	66,542	0.28	TIDLOR11P2406	-	-	-	-	RBF	9.15	(0.25)	26,083	9.16
CGH	0.75	-	3,827	0.75	TIDLOR13C2408	-	-	-	-	RBF01C2407A	-	-	-	-
CHASE	1.45	0.01	33,420	1.47	TIDLOR13C241C	0.12	(0.02)	28,956	0.13	RBF01C2409A	-	-	-	-
CHASE-W1	0.89	-	28,023	0.90	TIDLOR13C2411	0.25	(0.02)	51,075	0.26	RBF01P2407X	0.16	0.04	1	0.16
CHAYO	3.36	(0.02)	10,815	3.39	TIDLOR19C2408	-	-	-	-	RBF13C2407A	-	-	-	-
CHAYO-W3	0.16	-	6,299	0.17	TIDLOR19C241C	0.12	0.01	7,116	0.12	RBF13C2408A	-	-	-	-
ECL	0.97	0.01	5,390	0.96	TIDLOR19C2411	0.27	(0.01)	67,144	0.27	RBF13C2410A	-	-	-	-
ECL-W4	-	-	-	-	TIDLOR19P2407	-	-	-	-	RBF19C2408A	0.01	-	6,000	0.01
FNS	2.90	0.02	290	2.88	TIDLOR19P241C	0.42	(0.02)	41,787	0.42	RBF19C2410A	-	-	-	-
FSX	2.70	(0.08)	55,437	2.89	TIDLOR41C2407	-	-	-	-	SAPPE	100.00	(1.50)	5,931	100.09
GBX	0.69	-	526	0.68	TIDLOR41C2407	-	-	-	-	SAPPE13C2411A	0.28	(0.01)	66	0.27
GL	-	-	-	-	TIDLOR41C2408	-	-	-	-	SAUCE	40.75	-	28	40.93
HENG	1.15	-	6,548	1.16	TK	4.56	0.04	507	4.53	SNNP	13.40	(0.20)	12,239	13.60
IFS	2.46	0.02	183	2.44	TNITY	4.04	(0.04)	1,181	4.06	SNNP01C2407A	-	-	-	-
JMT	13.40	0.10	58,349	13.55	UOBKH	5.00	-	137	4.94	SNNP13C2408A	-	-	-	-
JMT-W4	0.40	0.02	2,615	0.38	XPG	1.00	(0.01)	211,972	1.01	SNNP13C2412A	0.24	(0.76)	46,110	0.26
JMT01C2407A	-	-	-	-	Food & Beverag	-	-	-	-	SNNP19C2407A	-	-	-	-
JMT01C2408A	-	-	-	-	AAI	6.10	(0.10)	55,104	6.16	SNNP19C2501A	0.32	(0.68)	18,942	0.33
JMT01C2410W	0.09	-	5,090	0.10	APURE	4.16	(0.02)	53	4.16	SNP	14.70	-	30	14.75
JMT01C2411W	0.20	-	49,237	0.22	APURE-W3	0.06	-	33,326	0.07	SORKON	4.46	(0.02)	376	4.46
JMT01P2408W	0.62	(0.02)	1,709	0.60	ASIAN	10.20	(0.10)	12,585	10.28	SSC	47.50	3.50	94	46.95
JMT06C2410A	0.08	-	99	0.08	BR	2.46	(0.02)	3,578	2.47	SSF	7.65	(0.05)	39	7.70
JMT11C2407A	-	-	-	-	BR-W1	0.10	-	767	0.10	SST	5.20	-	4	5.15
JMT13C2407A	-	-	-	-	BRR	4.48	-	391	4.51	SUN	4.00	(0.04)	2,575	4.03
JMT13C2408A	-	-	-	-	BRR-W2	0.42	(0.04)	1,719	0.44	TC	7.90	(0.10)	3,872	7.91
JMT13C2410A	0.05	-	6,261	0.05	BTG	21.90	(0.50)	19,188	21.98	TFG	4.06	(0.04)	29,169	4.08
JMT13C2410B	0.09	0.01	7,825	0.09	CBG	66.50	-	12,293	66.79	TFG-W4	0.89	-	5,459	0.90
JMT13C2410C	0.19	-	62,273	0.20	CBG01C2407A	-	-	-	-	TFMAMA	203.00	(1.00)	43	203.44
JMT13P2410A	-	-	-	-	CBG01C2408A	0.10	0.01	1	0.10	TIPCO	10.00	(0.10)	589	10.00
JMT13P2410B	0.39	(0.02)	33,436	0.38	CBG01C2410A	0.28	(0.01)	24,937	0.29	TKN	9.40	(0.20)	73,324	9.55
JMT19C2408A	-	-	-	-	CBG01P2408X	-	-	-	-	TKN01C2408A	-	-	-	-
JMT19C2410A	-	-	-	-	CBG01P2409X	0.39	-	10,086	0.38	TKN01C2410A	-	-	-	-
JMT19C2410B	0.10	-	58,577	0.11	CBG06C2408A	-	-	-	-	TKN01C2501A	0.19	(0.01)	27,968	0.20
JMT19C2411A	0.18	-	14,988	0.20	CBG11C2408A	0.12	-	3,760	0.12	TKN13C2410A	-	-	-	-
JMT19P2407A	0.65	(0.07)	49	0.67	CBG13C2407A	-	-	-	-	TKN13C2412A	0.42	(0.05)	106,356	0.47
JMT19P2410A	-	-	-	-	CBG13C2408A	-	-	-	-	TKN13C2412B	0.17	(0.03)	14,773	0.19
JMT41C2407A	-	-	-	-	CBG13C2409A	0.11	(0.01)	14,162	0.12	TKN19C2410A	-	-	-	-
JMT41C2408A	0.01	-	50	0.01	CBG13C2411A	0.28	(0.01)	47,019	0.29	TKN19C2410B	0.11	(0.01)	14,000	0.12
JMT41C2412A	0.14	-	24,013	0.15	CBG13P2408A	-	-	-	-	TU	15.00	0.10	114,311	14.97
KCAR	5.25	0.05	305	5.25	CBG13P2410A	0.41	(0.02)	26,568	0.41	TU01C2407A	-	-	-	-
KGI	4.28	-	3,026	4.29	CBG19C2407A	0.01	(0.06)	38	0.01	TU01C2408A	0.07	-	5,403	0.07
KTC	41.00	0.25	8,917	40.87	CBG19C2408A	-	-	-	-	TU01C2411A	0.20	-	14,477	0.21
KTC01C2407A	-	-	-	-	CBG19C2411A	0.31	(0.01)	48,650	0.32	TU01P2407X	-	-	-	-
KTC01C2410A	0.12	-	2,040	0.12	CBG19P2407A	-	-	-	-	TU11C2407T	-	-	-	-
KTC13C2407A	-	-	-	-	CBG41C2407A	-	-	-	-	TU13C2408A	0.03	(0.01)	23,273	0.03
KTC13C2410A	0.09	-	9,799	0.09	CBG41C2407B	-	-	-	-	TU19C2407A	-	-	-	-
KTC13P2407A	-	-	-	-	CBG41C2408A	-	-	-	-	TU19C2411A	0.17	-	2,280	0.17
KTC19C2407A	-	-	-	-	CBG41C2411A	0.30	(0.01)	21,881	0.31	TU41C2407A	-	-	-	-
KTC19C2410A	0.11	(0.01)	40	0.11	CFRESH	1.95	-	13,482	1.98	TU41C2408A	-	-	-	-
KTC41C2407A	-	-	-	-	CH	2.64	-	2,754	2.67	TVO	20.90	(0.60)	9,526	21.03
MFC	19.50	-	45	19.50	CHOTI	-	-	-	-	TWPC	3.68	-	157	3.67
MICRO	1.78	0.03	2,935	1.74	CM	2.16	(0.02)	320	2.17	W	0.71	0.01	13,434	0.70
ML	0.59	0.03	1,249	0.55	COCOCO	13.10	(0.10)	61,455	13.23	W-W5	-	-	-	-
MST	9.10	-	24	9.06	CPF	22.70	(0.20)	198,733	22.63	W-W6	0.32	0.01	12	0.31
MTC	43.25	(0.25)	26,298	43.40	CPF01C2407A	0.18	(0.05)	3,968	0.19	ZEN	5.95	(0.15)	1,678	6.03
MTC01C2407A	-	-	-	-	CPF01C2410A	0.37	(0.03)	1,112	0.37	Health Care Services	-	-	-	-
MTC01C2409A	0.15	(0.02)	9,115	0.16	CPF01C2412A	0.28	(0.02)	34,236	0.28	AHC	16.90	-	59	16.91
MTC01C2411W	0.27	(0.01)	33,427	0.28	CPF01P2408T	-	-	-	-	BCH	17.10	-	90,133	17.07
MTC01P2408X	0.11	-	5,453	0.11	CPF01P2410X	0.21	0.02	19,766	0.21	BCH01C2407A	-	-	-	-
MTC01P2411W	0.48	0.01	16,786	0.48	CPF11C2408A	-	-	-	-	BCH01C2409A	0.03	(0.02)	375	0.03
MTC13C2409A	0.10	-	4,240	0.10	CPF11P2407T	-	-	-	-	BCH01P2407X	0.10	(0.02)	8,940	0.11
MTC13C2411A	0.24	(0.02)	23,749	0.25	CPF13C2409A	-	-	-	-	BCH13C2407A	-	-	-	-
MTC13P2408A	0.06	(0.01)	15	0.06	CPF13C2410A	0.33	(0.03)	54,834	0.32	BCH13C2407A	-	-	-	-
MTC19C2409A	-	-	-	-	CPF13P2410A	0.24	0.01	9,300	0.24	BCH13C2408A	-	-	-	-
MTC19C2411A	0.27	(0.01)	7,711	0.27	CPF19C2409A	-	-	-	-	BCH13C2410A	0.05	-	50	0.05
MTC41C2408A	-	-	-	-	CPF19C2410A	0.23	(0.01)	61,851	0.22	BCH13C2412A	0.22	(0.01)	14,800	0.22
MTC41C2411A	0.24	(0.01)	13,200	0.24	CPI	2.28	-	190	2.27	BCH19C2408A	-	-	-	-
NCAP	1.57	-	22,749	1.60	F&D	35.50	-	37	35.46	BCH19C2410A	-	-	-	-
PL	1.74	-	457	1.74	GLOCON	0.27	0.01	17,357	0.26	BCH19C2411A	0.21	-	29,611	0.21
S11	2.22	(0.12)	302	2.24	HTC	16.00	(0.10)	2,758	16.05	BCH41C2407A	-	-	-	-
SAK	5.30	0.10	3,716	5.25	ICI	16.80	(0.60)	70,652	17.00	BCH41C2409A	-	-	-	-
SAWAD	33.75	(0.75)	38,011	34.10	ICHI13C2410A	0.12	(0.03)	5,009	0.1					









## Main Board Quotation

Issue Date :

Monday July 01, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5001P2412W	0.57	0.01	47,732	0.55	SET5028P2409A	0.33	-	840,307	0.32	0	-	-	-	-
SET5006C2406A	-	-	-	-	SET5028P2409B	0.12	(0.01)	1,031	0.12	0	-	-	-	-
SET5006C2406B	-	-	-	-	SET5028P2412A	0.60	0.01	16,122	0.60	0	-	-	-	-
SET5006C2409A	-	-	-	-	SET5041C2406A	-	-	-	-	0	-	-	-	-
SET5006C2412A	0.18	0.01	19,413	0.18	SET5041C2406B	-	-	-	-	0	-	-	-	-
SET5006C2412B	0.33	-	90,276	0.33	SET5041C2406C	-	-	-	-	0	-	-	-	-
SET5006P2406A	-	-	-	-	SET5041C2406E	-	-	-	-	0	-	-	-	-
SET5006P2406B	-	-	-	-	SET5041C2406E	-	-	-	-	0	-	-	-	-
SET5006P2409A	-	-	-	-	SET5041C2409A	0.01	(0.01)	10,495	0.01	0	-	-	-	-
SET5006P2412A	0.73	-	31,401	0.73	SET5041C2409B	0.09	(0.01)	1,601	0.10	0	-	-	-	-
SET5013C2406A	-	-	-	-	SET5041C2409C	0.07	(0.01)	52,301	0.07	0	-	-	-	-
SET5013C2406B	-	-	-	-	SET5041C2412T	0.08	(0.01)	623	0.08	0	-	-	-	-
SET5013C2406C	-	-	-	-	SET5041C2412U	0.09	-	1,334	0.09	0	-	-	-	-
SET5013C2406D	-	-	-	-	SET5041C2412V	0.26	(0.01)	503,209	0.28	0	-	-	-	-
SET5013C2406E	-	-	-	-	SET5041P2406A	-	-	-	-	0	-	-	-	-
SET5013C2406F	-	-	-	-	SET5041P2406B	-	-	-	-	0	-	-	-	-
SET5013C2406G	-	-	-	-	SET5041P2406C	-	-	-	-	0	-	-	-	-
SET5013C2409A	0.04	-	61,062	0.04	SET5041P2409A	0.36	0.02	614,009	0.34	0	-	-	-	-
SET5013C2409B	0.07	-	12,536	0.07	SET5041P2412T	0.59	0.01	130,353	0.58	0	-	-	-	-
SET5013C2409C	0.04	(0.01)	56,951	0.04	SET5041P2412U	0.99	0.01	2,762	0.98	0	-	-	-	-
SET5013C2409D	0.06	(0.02)	27,857	0.07	SPX28C2409A	0.47	(0.07)	1	0.47	0	-	-	-	-
SET5013C2409E	0.12	(0.02)	481,941	0.13	SPX28C2409B	0.71	(0.12)	300	0.73	0	-	-	-	-
SET5013C2409F	0.20	(0.03)	1,168,123	0.21	SPX28P2409A	-	-	-	-	0	-	-	-	-
SET5013C2409G	0.31	(0.03)	4,168,426	0.34	SPX28P2409B	0.38	(0.03)	6	0.38	0	-	-	-	-
SET5013C2410A	0.02	(0.01)	91,741	0.02	SPX41C2409A	0.87	(0.04)	1	0.87	0	-	-	-	-
SET5013C2410B	0.02	(0.01)	51,114	0.02	SPX41C2409B	-	-	-	-	0	-	-	-	-
SET5013C2411A	0.06	(0.01)	43,853	0.06	SPX41P2409A	0.21	0.01	1,002	0.21	0	-	-	-	-
SET5013C2412A	0.35	(0.01)	742,610	0.36	SPX41P2409B	-	-	-	-	0	-	-	-	-
SET5013C2412T	0.07	-	2,144	0.07	SUNNY28C2406A	-	-	-	-	0	-	-	-	-
SET5013C2412U	0.17	(0.01)	23,264	0.18	SUNNY28C2407A	-	-	-	-	0	-	-	-	-
SET5013P2406A	-	-	-	-	SUNNY28C2408A	-	-	-	-	0	-	-	-	-
SET5013P2406B	-	-	-	-	SUNNY28C2408B	-	-	-	-	0	-	-	-	-
SET5013P2406C	-	-	-	-	SUNNY41C2406A	-	-	-	-	0	-	-	-	-
SET5013P2406D	-	-	-	-	SUNNY41C2407A	-	-	-	-	0	-	-	-	-
SET5013P2406E	-	-	-	-	SUNNY41C2408A	-	-	-	-	0	-	-	-	-
SET5013P2406F	-	-	-	-	TENCEN28C240A	-	-	-	-	0	-	-	-	-
SET5013P2406G	-	-	-	-	TENCEN28C240B	-	-	-	-	0	-	-	-	-
SET5013P2406H	-	-	-	-	TENCEN28C240C	-	-	-	-	0	-	-	-	-
SET5013P2409A	0.36	-	637,159	0.35	TENCEN28P240A	-	-	-	-	0	-	-	-	-
SET5013P2409B	0.47	(0.01)	1,836,650	0.46	TENCEN28P241A	-	-	-	-	0	-	-	-	-
SET5013P2409C	0.66	(0.01)	573,909	0.63	TENCEN28P241B	-	-	-	-	0	-	-	-	-
SET5013P2409D	1.03	(0.01)	24,077	1.00	TENCEN41C240A	-	-	-	-	0	-	-	-	-
SET5013P2409E	0.32	(0.01)	161,352	0.32	TENCEN41C240B	-	-	-	-	0	-	-	-	-
SET5013P2409F	0.21	(0.01)	171,709	0.21	TENCEN41P240A	-	-	-	-	0	-	-	-	-
SET5013P2410A	0.25	-	31,779	0.25	TENCEN41P241A	-	-	-	-	0	-	-	-	-
SET5013P2412T	0.52	0.01	57,884	0.52	TRIPDC41C2407	-	-	-	-	0	-	-	-	-
SET5019C2406A	-	-	-	-	TRIPDC41C2409	-	-	-	-	0	-	-	-	-
SET5019C2406B	-	-	-	-	XIAOMI28C2407	-	-	-	-	0	-	-	-	-
SET5019C2406C	-	-	-	-	XIAOMI28C2409	-	-	-	-	0	-	-	-	-
SET5019C2406E	-	-	-	-	XIAOMI28C2410	-	-	-	-	0	-	-	-	-
SET5019C2406F	-	-	-	-	XIAOMI28P2408	-	-	-	-	0	-	-	-	-
SET5019C2406G	-	-	-	-	XIAOMI28P2409	-	-	-	-	0	-	-	-	-
SET5019C2406H	-	-	-	-	XIAOMI41C2406	-	-	-	-	0	-	-	-	-
SET5019C2406I	-	-	-	-	XIAOMI41C2407	-	-	-	-	0	-	-	-	-
SET5019C2409A	0.03	-	8	0.03	XIAOMI41C2409	-	-	-	-	0	-	-	-	-
SET5019C2409B	0.05	-	4,477	0.04	XIAOMI41P2408	-	-	-	-	0	-	-	-	-
SET5019C2409C	0.09	(0.01)	20,868	0.09	XIAOMI41P2409	-	-	-	-	0	-	-	-	-
SET5019C2409D	0.16	(0.03)	125,949	0.18	ZIJIN28C2407A	-	-	-	-	0	-	-	-	-
SET5019C2409E	0.23	(0.02)	228,425	0.24	ZIJIN28C2408A	-	-	-	-	0	-	-	-	-
SET5019C2412A	0.07	(0.01)	376	0.07	ZIJIN41C2407A	-	-	-	-	0	-	-	-	-
SET5019P2406A	-	-	-	-	ZIJIN41C2407B	-	-	-	-	0	-	-	-	-
SET5019P2406B	-	-	-	-	ZIJIN41C2409A	-	-	-	-	0	-	-	-	-
SET5019P2406C	-	-	-	-	ZIJIN41C2410A	-	-	-	-	0	-	-	-	-
SET5019P2406D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2406E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2409A	0.51	-	191,996	0.50	0	-	-	-	-	0	-	-	-	-
SET5019P2409B	0.59	(0.01)	3,242	0.58	0	-	-	-	-	0	-	-	-	-
SET5019P2409C	0.33	-	324,954	0.32	0	-	-	-	-	0	-	-	-	-
SET5019P2409D	0.27	-	356,059	0.26	0	-	-	-	-	0	-	-	-	-
SET5027C2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2406B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2406C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2406D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2406E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2406T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2409A	0.02	-	15,880	0.02	0	-	-	-	-	0	-	-	-	-
SET5027C2409B	0.05	-	25	0.05	0	-	-	-	-	0	-	-	-	-
SET5027C2409C	0.27	(0.05)	140,844	0.29	0	-	-	-	-	0	-	-	-	-
SET5027C2409T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2412A	0.28	(0.03)	600,749	0.30	0	-	-	-	-	0	-	-	-	-
SET5027C2412B	0.36	(0.02)	117,443	0.37	0	-	-	-	-	0	-	-	-	-
SET5027C2412T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2406B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2406C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2406T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2409A	0.27	(0.01)	251,348	0.26	0	-	-	-	-	0	-	-	-	-
SET5027P2409B	0.88	(0.01)	13,497	0.85	0	-	-	-	-	0	-	-	-	-
SET5027P2409T	0.08	(0.01)	1,600	0.08	0	-	-	-	-	0	-	-	-	-
SET5027P2412A	0.72	0.01	91,430	0.70	0	-	-	-	-	0	-	-	-	-
SET5027P2412T	0.31	-	631,178	0.30	0	-	-	-	-	0	-	-	-	-
SET5028C2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2407A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2409A	0.05	0.01	1	0.05	0	-	-	-	-	0	-	-	-	-
SET5028C2409B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2409C	0.08	(0.04)	100	0.08	0	-	-	-	-	0	-	-	-	-
SET5028C2410A	0.22	(0.03)	387,084	0.24	0	-	-	-	-	0	-	-	-	-
SET5028C2412A	0.06	-	8,219	0.06	0	-	-	-	-	0	-	-	-	-
SET5028C2412B	0.17	(0.02)	113,047	0.18	0	-	-	-	-	0	-	-	-	-
SET5028C2412C	0.22	(0.02)	505,571	0.24	0	-	-	-	-	0	-	-	-	-
SET5028P2406A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028P2407A	0.68	0.01	3,568	0.66	0	-	-	-	-	0	-	-	-	-
SET5028P2408A	0.36	-	131,596	0.35	0	-	-	-	-	0	-	-	-	-





