

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :										Wednesday September 18, 2024				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB19C2411A	0.15	(0.01)	40,242	0.15	PTTGC11C2409A	-	-	-	-
Agribusiness			-		SCB19C2412A	0.34	-	2	0.34	PTTGC11C2411A	-	-	-	-
EE	0.17	-	851,813	0.17	SCB19C2502A	0.31	(0.69)	37,496	0.30	PTTGC11C2412A	0.13	(0.02)	5,000	0.14
EE-W1	0.01	-	1,090	0.01	SCB19P2412A	0.03	(0.01)	4,000	0.04	PTTGC11C2501A	0.66	-	1,700	0.65
GFPT	11.80	(0.10)	21,308	11.82	SCB19C2412A	0.22	-	37,486	0.22	PTTGC13C2410A	-	-	-	-
LEE	2.50	(0.06)	385	2.57	TCAP	51.25	-	12,900	51.09	PTTGC13C2411A	0.01	-	200	0.01
NER	5.30	0.05	100,724	5.32	TCAP-P	-	-	-	-	PTTGC13C2412A	0.04	(0.01)	500	0.04
NER-W2	0.78	-	27,677	0.79	TCAP-Q	-	-	-	-	PTTGC13C2412B	0.11	-	75,925	0.11
PCE	2.28	(0.02)	100,047	2.30	TCAP13C2501A	0.24	(0.02)	11,974	0.24	PTTGC13C2412C	0.63	(0.08)	140	0.63
PPPM	0.53	0.01	44,904	0.53	TISCO	96.75	(0.50)	24,854	96.87	PTTGC13C2501A	0.22	(0.01)	73,602	0.22
PPPM-W6	0.42	0.02	7,168	0.43	TISCO-P	-	-	-	-	PTTGC13P2412A	-	-	-	-
STA	23.50	0.60	303,857	23.59	TISCO-Q	-	-	-	-	PTTGC19C2410A	-	-	-	-
STA01C2410A	-	-	-	-	TISCO19C2411A	-	-	-	-	PTTGC19C2411A	0.01	-	50	0.01
STA01C2411A	0.28	0.03	66,731	0.30	TTB	1.93	(0.01)	8,726,422	1.94	PTTGC19C2412A	-	-	-	-
STA01C2412A	0.67	0.07	42,432	0.66	TTB-W1	0.97	(0.02)	10,692	0.98	PTTGC19C2412B	0.16	0.01	16,858	0.16
STA01C2501A	0.62	0.06	63,530	0.63	TTB13C2501A	0.14	-	14,424	0.14	PTTGC19C2501A	0.75	(0.14)	10	0.75
STA01P2410X	0.03	-	90	0.03	TTB19C2501A	0.39	(0.01)	41,142	0.41	PTTGC19C2501B	0.28	-	4,795	0.28
STA06C2409A	-	-	-	-	Construction Ma	-	-	-	-	PTTGC19P2412A	-	-	-	-
STA13C2410A	0.03	0.01	121	0.04	CCP	0.32	(0.01)	12,737	0.32	PTTGC41C2412A	-	-	-	-
STA13C2411A	0.21	0.03	148,921	0.21	DCC	1.94	(0.02)	51,207	1.95	PTTGC41C2412B	0.12	(0.01)	7,001	0.12
STA13C2412A	0.50	0.06	308,671	0.51	DCON	0.33	(0.01)	129,599	0.34	PTTGC41C2501A	-	-	-	-
STA13P2410A	0.02	-	80	0.02	DCON-W3	0.02	(0.01)	494,164	0.02	SUTHA	3.10	-	815	3.10
STA19C2410A	0.06	0.01	42,391	0.07	DRT	8.05	0.15	2,533	8.00	TPA	-	-	-	-
STA19C2411A	0.26	0.04	98,593	0.27	EPG	4.82	(0.08)	54,784	4.88	UAC	3.40	0.02	179	3.36
STA19C2412A	0.61	0.07	92,313	0.61	GEL	0.12	-	117,941	0.12	UP	-	-	-	-
STA19P2410A	0.02	(0.01)	10,373	0.02	GEL-W5	0.01	-	3,000	0.01	Commerce	-	-	-	-
TEGH	3.82	(0.04)	118,937	3.85	PPP	1.70	0.02	6	1.71	ADVICE	5.75	(0.05)	43,851	5.78
TFM	8.10	-	10,207	8.06	Q-CON	11.10	(0.10)	1,503	11.15	B52	0.52	(0.01)	3,042	0.53
TRUBB	1.23	(0.04)	175,369	1.27	SCC	239.00	(2.00)	23,518	239.12	BEAUTY	0.52	0.01	64,780	0.52
TRUBB-W2	-	-	-	-	SCC01C2412A	0.12	(0.03)	34,526	0.13	BIG	0.45	(0.01)	23,958	0.45
UPOIC	6.55	(0.05)	37	6.52	SCC01C2502A	0.74	(0.06)	5,440	0.76	BJC	23.90	(0.10)	86,929	23.99
UVAN	8.75	0.05	2,637	8.74	SCC13C2410A	-	-	-	-	BJC01C2412A	0.44	(0.02)	17,060	0.45
VPO	0.71	0.01	24,184	0.72	SCC13C2501A	0.50	(0.07)	200	0.50	BJC13C2412A	0.36	(0.01)	40,497	0.37
Banking	-	-	-	-	SCC13C2501B	0.23	(0.02)	11,066	0.24	BJC19C2411A	0.33	(0.02)	19,347	0.34
BAY	27.25	0.50	5,369	27.10	SCC19C2410A	-	-	-	-	COM7	24.40	(0.20)	99,495	24.52
BBL	155.00	(3.50)	186,157	155.72	SCC19C2411A	0.09	(0.01)	410	0.09	COM701C2410W	0.52	(0.12)	16,937	0.57
BBL11C2409A	-	-	-	-	SCC19C2501A	-	-	-	-	COM701C2412W	0.48	(0.06)	12,924	0.52
BBL11C2412A	0.51	(0.13)	8,154	0.55	SCC19C2502A	0.34	(0.04)	12,741	0.35	COM701C2501A	0.14	(0.02)	33,337	0.15
BBL13C2410A	-	-	-	-	SCCC	159.00	0.50	386	158.69	COM701P2410W	-	-	-	-
BBL13C2412A	0.58	(0.13)	703	0.67	SCGD	7.40	-	6,428	7.42	COM711C2409A	-	-	-	-
BBL13C2501A	0.39	(0.07)	116,205	0.41	SCP	6.55	(0.25)	1,068	6.59	COM713C2410A	-	-	-	-
BBL13P2412A	0.04	0.01	86,582	0.03	SKN	5.65	0.05	393	5.60	COM713C2411A	0.71	(0.06)	6	0.72
BBL13P2501A	0.48	0.05	33,030	0.47	STECH	1.38	0.01	4,327	1.38	COM713C2412A	0.44	(0.04)	27,936	0.46
BBL19C2410A	0.10	(0.06)	23,163	0.11	TASCO	18.20	(0.20)	49,722	18.23	COM713C2501A	0.15	(0.01)	3,907	0.16
BBL19C2411A	-	-	-	-	TASCO01C2501/	0.34	(0.02)	22,032	0.34	COM713P2410A	-	-	-	-
BBL19C2412A	0.47	(0.09)	23,700	0.49	TASCO13C2501/	0.27	(0.03)	13,798	0.28	COM719C2410A	-	-	-	-
CIMBT	0.52	-	10,077	0.52	TASCO19C2411/	0.20	(0.02)	38,128	0.20	COM719C2501A	0.54	(0.02)	44,406	0.56
CREDIT	19.60	(0.70)	2,561	19.76	TOA	20.00	(0.20)	6,571	20.10	COM719C2502A	0.19	(0.01)	9,589	0.20
KBANK	157.00	(1.00)	203,519	157.25	TPIPL	1.25	-	58,969	1.25	COM719P2412A	-	-	-	-
KBANK01C2412A	0.95	(0.03)	7,941	0.96	UMI	0.96	0.01	39,464	0.97	COM719P2502A	0.32	0.01	4,322	0.31
KBANK01C2501A	0.73	(0.01)	4,259	0.74	VNG	3.56	(0.02)	1,543	3.55	COM741C2412A	0.88	(0.09)	6,010	0.94
KBANK01C2502A	0.41	(0.02)	68,158	0.41	WIIK	1.15	0.02	8,505	1.16	COM741C2501A	0.50	(0.04)	17,020	0.54
KBANK01P2410X	-	-	-	-	WIIK-W3	0.08	0.01	15,889	0.08	COM741C2501B	0.18	(0.03)	20,021	0.19
KBANK01P2412X	0.09	0.01	513	0.09	WINDOW	1.16	0.02	104,541	1.14	CPALL	63.75	(1.50)	330,362	64.38
KBANK01P2502A	0.29	-	50,105	0.30	Petrochemicals t	-	-	-	-	CPALL01C2410A	0.02	-	1,010	0.02
KBANK13C2411A	0.75	-	11	0.75	BCT	75.00	-	356	74.42	CPALL01C2412A	0.35	(0.07)	10,862	0.39
KBANK13C2412A	0.92	(0.04)	77	0.99	CMAN	2.48	(0.02)	5,983	2.48	CPALL01C2501A	0.62	(0.08)	5,689	0.66
KBANK13C2501A	0.55	(0.04)	13	0.57	GC	5.10	0.05	3,006	5.06	CPALL01C2502A	0.28	(0.05)	13,012	0.32
KBANK13C2501B	0.38	(0.03)	120,456	0.38	GGC	4.66	-	365	4.63	CPALL01P2410X	0.02	0.01	472	0.02
KBANK13P2410A	-	-	-	-	GIFT	3.56	(0.04)	1,300	3.58	CPALL01P2501X	0.13	0.01	5,983	0.13
KBANK13P2412A	-	-	-	-	GIFT-W2	1.72	0.02	1	1.72	CPALL01P2502X	0.45	0.04	9,261	0.44
KBANK13P2501A	0.13	-	13,924	0.13	IVL	23.90	(0.10)	373,597	23.93	CPALL06C2409A	-	-	-	-
KBANK13P2501B	0.36	0.01	52,814	0.36	IVL01C2410W	-	-	-	-	CPALL11C2410A	0.30	(0.10)	5,502	0.35
KBANK19C2410A	-	-	-	-	IVL01C2411W	0.41	(0.02)	30,189	0.41	CPALL11C2412A	0.50	(0.11)	3,250	0.57
KBANK19C2411A	0.73	-	207	0.73	IVL01C2412W	0.77	(0.02)	8,622	0.78	CPALL13C2410A	0.02	-	10	0.02
KBANK19C2501A	-	-	-	-	IVL01C2501W	1.27	0.03	10,990	1.26	CPALL13C2410B	-	-	-	-
KBANK19C2502A	0.53	(0.02)	4,956	0.54	IVL01C2502A	0.68	(0.01)	20,145	0.67	CPALL13C2411A	0.26	(0.07)	1,400	0.26
KBANK19C2502B	0.40	(0.01)	59,893	0.40	IVL01P2501W	0.03	(0.01)	5,129	0.03	CPALL13C2412A	-	-	-	-
KBANK19P2410A	-	-	-	-	IVL01P2502W	0.23	(0.02)	129,712	0.23	CPALL13C2501A	0.26	(0.05)	44,876	0.29
KBANK19P2501A	0.04	(0.01)	83	0.03	IVL06C2411A	0.60	-	18,570	0.60	CPALL13P2501A	0.46	0.05	24,178	0.44
KBANK19P2502A	0.18	-	49,226	0.18	IVL11C2411A	0.77	(0.03)	1,100	0.77	CPALL19C2410A	-	-	-	-
KBANK41C2501A	-	-	-	-	IVL11C2501A	1.33	0.05	7,526	1.32	CPALL19C2411A	-	-	-	-
KBANK41C2604T	0.92	-	32,100	0.92	IVL13C2410A	-	-	-	-	CPALL19C2502A	0.37	(0.06)	7,906	0.41
KKP	50.25	(0.50)	35,955	50.14	IVL13C2410B	-	-	-	-	CPALL19C2502B	0.24	(0.06)	31,284	0.28
KKP-W6	1.39	(0.04)	4,542	1.38	IVL13C24									

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Wednesday September 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HMPRO	10.60	(0.20)	710,995	10.60	JMART13C2501A	0.64	(0.08)	1,077	0.69	HANA19P2411A	0.38	(0.05)	6,145	0.39
HMPRO01C2501A	0.56	(0.12)	3,327	0.59	JMART13C2501F	0.34	(0.06)	152,748	0.37	HANA41C2411A	0.03	0.01	300	0.03
HMPRO01C2503A	0.16	(0.02)	12,027	0.16	JMART13P2410A	-	-	-	-	HANA41C2501A	0.21	0.02	31,390	0.20
HMPRO11C2412A	0.88	(0.14)	4,200	0.90	JMART19C2410A	0.19	(0.08)	16,316	0.22	KCE	38.75	-	147,636	39.08
HMPRO11C2412B	0.36	(0.12)	8,587	0.38	JMART19C2412A	0.53	(0.07)	7,984	0.57	KCE01C2410W	-	-	-	-
HMPRO13C2411A	-	-	-	-	JMART19C2501A	-	-	-	-	KCE01C2412W	0.06	-	120	0.06
HMPRO13C2501A	-	-	-	-	JMART19C2501F	-	-	-	-	KCE01C2501W	0.22	(0.02)	138,211	0.24
HMPRO13C2501B	0.18	(0.02)	23,602	0.18	JMART19P2410C	0.33	(0.04)	92,331	0.35	KCE01P2410W	-	-	-	-
HMPRO19C2410A	0.03	(0.02)	2,554	0.03	JMART19P2410F	-	-	-	-	KCE01P2412W	0.52	(0.05)	4,233	0.51
HMPRO19C2501A	-	-	-	-	JMART19P2411A	0.03	-	100	0.03	KCE01P2501W	0.33	(0.01)	20,847	0.32
HMPRO19C2501B	0.24	(0.04)	2,061	0.26	JMART41C2410A	0.21	(0.08)	32,522	0.26	KCE06C2409A	-	-	-	-
HMPRO19C2502A	0.19	(0.02)	19,657	0.19	JMART41C2412A	-	-	-	-	KCE11C2501A	0.25	0.01	12,831	0.26
ICC	33.25	(0.25)	56	33.14	JMART41C2501F	0.38	(0.05)	47,520	0.40	KCE13C2410A	0.02	0.01	1	0.02
ILM	18.00	(0.10)	3,044	18.15	JTS	72.25	0.25	9,269	72.36	KCE13C2411A	0.03	-	1,000	0.03
IT	5.00	0.02	1,628	5.03	MFEC	5.85	-	1,270	5.84	KCE13C2412A	0.06	-	6,085	0.06
KAMART	11.70	(0.10)	21,786	11.75	MSC	8.15	0.05	11	8.19	KCE13C2412B	0.14	-	134,899	0.15
LOXLEY	1.43	(0.01)	2,528	1.42	PT	9.70	0.05	5,171	9.66	KCE13C2501A	0.29	(0.01)	139,047	0.30
MC	11.80	-	17,717	11.88	ROCTEC	0.98	-	119,390	0.98	KCE13P2410A	-	-	-	-
MEGA	40.25	-	3,630	40.31	ROCTEC-W3	0.02	(0.01)	11,428	0.02	KCE13P2412A	-	-	-	-
MEGA13C2502A	0.32	(0.68)	2,999	0.32	ROCTEC-W5	0.05	-	90,444	0.05	KCE13P2501A	0.28	-	16,043	0.27
MEGA19C2502A	0.35	0.01	140	0.35	SAMART	6.90	(0.05)	6,419	6.94	KCE19C2411A	-	-	-	-
MIDA	0.45	0.02	20,370	0.45	SAMTEL	5.00	-	7,645	5.12	KCE19C2412A	0.12	0.01	5,564	0.13
MOSHI	42.00	(0.50)	11,952	42.77	SDC	0.02	-	37,613	0.02	KCE19C2501A	0.26	-	51,800	0.28
RS	5.95	-	14,750	5.95	SIS	26.25	(0.75)	3,696	26.61	KCE19P2410A	-	-	-	-
RS-W5	4.90	0.04	1,366	4.90	SKY	23.50	-	8,047	23.50	KCE19P2412A	0.43	-	6,737	0.41
RSP	2.10	-	899	2.09	SPREME	1.81	-	31,410	1.83	KCE19P2501A	0.28	(0.01)	26,262	0.27
SABUY	1.02	0.08	2,892,900	0.98	SVOA	1.70	(0.01)	5,670	1.71	KCE41C2411A	-	-	-	-
SABUY-W2	-	-	-	-	SYMC	7.65	(0.05)	1,710	7.72	KCE41C2501A	0.21	(0.01)	37,284	0.22
SCM	3.82	0.08	348	3.80	SYNEX	14.60	(0.20)	10,637	14.61	METCO	189.00	4.50	102	187.23
SCM-W2	-	-	-	-	THCOM	13.10	0.20	568,332	13.28	SMT	2.14	0.16	230,723	2.11
SINGER	11.40	(0.10)	116,042	11.47	TKC	13.90	-	1,209	13.93	SVI	7.90	-	10,322	7.95
SPC	59.75	-	141	59.68	TRUE	10.80	-	429,047	10.77	TEAM	4.16	(0.04)	9,491	4.23
SPI	65.00	(0.25)	163	64.56	TRUE01C2410W	0.40	(0.01)	2,367	0.39	Energy & Utilities	-	-	-	-
SVT	1.92	-	5,295	1.92	TRUE01C2501A	0.19	(0.01)	79,802	0.19	ACC	0.83	0.06	404,296	0.83
TAN	9.35	0.20	15,881	9.22	TRUE01P2410X	-	-	-	-	ACC-W2	0.37	0.01	117,168	0.37
Information & Commr	-	-	-	-	TRUE01P2412W	0.10	(0.01)	6,172	0.10	ACE	1.42	0.01	21,149	1.43
3BBIF	6.25	0.05	119,522	6.25	TRUE11C2411A	0.53	-	2,518	0.53	AE	0.30	0.05	1,101,927	0.30
ADVANC	260.00	1.00	47,616	260.16	TRUE11C2501A	0.19	(0.01)	9,591	0.20	AGE	1.50	(0.02)	15,222	1.51
ADVANC01C2410A	0.56	0.03	3,065	0.56	TRUE11C2501B	0.12	-	900	0.12	AI	4.00	0.02	3,573	4.01
ADVANC01C2412A	0.49	-	9,272	0.51	TRUE13C2410A	-	-	-	-	AIE	1.20	0.01	9,505	1.21
ADVANC01C2501A	0.37	-	79,891	0.37	TRUE13C2412A	-	-	-	-	BAFS	16.30	0.10	6,667	16.41
ADVANC01P2412X	0.02	-	8,186	0.02	TRUE13C2412B	0.17	-	29,324	0.17	BANPU	6.60	0.10	1,967,665	6.61
ADVANC01P2502X	0.37	(0.02)	6,321	0.37	TRUE13P2410A	-	-	-	-	BANPU01C2410W	0.20	0.01	11,331	0.19
ADVANC06C2411A	-	-	-	-	TRUE13P2412A	0.10	(0.01)	2,230	0.11	BANPU01C2411W	0.42	0.04	14,225	0.42
ADVANC11C2412A	0.40	0.02	3,399	0.42	TRUE19C2410A	-	-	-	-	BANPU01C2501A	0.49	0.03	11,982	0.50
ADVANC13C2410A	0.67	0.01	70	0.67	TRUE19C2501A	0.19	(0.01)	54,442	0.20	BANPU01C2501B	2.10	0.17	2,518	2.09
ADVANC13C2412A	0.52	0.02	26	0.53	TRUE41C2411A	-	-	-	-	BANPU01C2502A	0.31	0.02	73,104	0.32
ADVANC13C2412B	0.32	0.01	4,175	0.34	TRUE41C2501A	0.21	-	13,000	0.21	BANPU01P2411W	-	-	-	-
ADVANC13C2501A	0.24	0.01	107,036	0.24	TRUE41C2604T	0.60	-	12,502	0.60	BANPU01P2501W	0.08	(0.02)	7,600	0.08
ADVANC13P2411A	-	-	-	-	TWZ	0.04	0.01	89,192	0.04	BANPU11C2410T	-	-	-	-
ADVANC13P2412A	0.09	-	694	0.08	TWZ-W8	-	-	-	-	BANPU11C2411A	0.61	0.04	5,686	0.62
ADVANC13P2501A	0.39	(0.01)	17,561	0.39	TWZ-W9	-	-	-	-	BANPU11C2412A	2.00	(0.02)	100	2.00
ADVANC19C2411A	-	-	-	-	Electronic Comp	-	-	-	-	BANPU13C2411A	0.37	0.03	2	0.36
ADVANC19C2412A	-	-	-	-	CCT	3.74	(0.02)	632,983	3.81	BANPU13C2412B	-	-	-	-
ADVANC19C2501A	0.40	(0.01)	1,229	0.40	DELTA	104.00	0.50	92,993	104.33	BANPU13C2501A	0.59	0.08	324	0.57
ADVANC19C2502A	0.25	0.01	18,316	0.25	DELTAA01C2411A	0.54	0.01	6,239	0.55	BANPU13P2412B	2.10	-	2	2.10
ADVANC19P2412A	-	-	-	-	DELTAA01C2412A	0.23	0.01	15,401	0.24	BANPU13C2501A	0.36	0.03	69,922	0.36
ADVANC41C2410A	-	-	-	-	DELTAA01C2501A	0.42	0.01	51,609	0.42	BANPU13P2501A	0.25	(0.75)	94,473	0.25
ADVANC41C2412A	-	-	-	-	DELTAA01P2410X	0.02	-	554	0.01	BANPU13P2501A	0.05	(0.02)	10,158	0.05
ADVANC41C2501A	0.33	0.01	22,765	0.33	DELTAA01P2411X	0.03	-	24,069	0.03	BANPU19C2410A	0.26	0.03	3	0.30
ADVANC41C2502A	0.28	0.01	37,095	0.28	DELTAA01P2412X	0.37	(0.02)	72,671	0.37	BANPU19C2411A	-	-	-	-
AIT	4.30	-	11,254	4.30	DELTAA06C2410A	0.51	0.03	10	0.51	BANPU19C2411B	-	-	-	-
ALT	1.22	(0.01)	9,446	1.22	DELTAA06C2412A	0.27	0.01	13,923	0.27	BANPU19C2501A	-	-	-	-
AMR	1.20	-	3,931	1.19	DELTAA1C2409A	-	-	-	-	BANPU19C2502A	0.36	0.02	55,871	0.35
BLISS	-	-	-	-	DELTAA1C2411A	0.37	0.01	9,075	0.38	BANPU19C2502B	0.24	(0.76)	100,749	0.24
DIF	9.20	-	96,401	9.19	DELTAA1C2501A	0.23	0.01	11,290	0.23	BANPU19P2411A	-	-	-	-
DITTO	19.70	0.10	42,730	19.75	DELTAA1C2501F	0.29	0.01	14,358	0.30	BANPU14C2410A	0.32	0.03	1	0.32
DITTO-W1	1.64	(0.04)	1,039	1.66	DELTAA1C2411A	0.49	0.01	1,069	0.51	BANPU14C2411A	-	-	-	-
DTCENT	1.34	(0.03)	39,647	1.35	DELTAA1C2412A	0.29	-	72,295	0.30	BANPU14P2501A	0.48	0.02	62,455	0.49
FORTH	14.20	(0.20)	12,365	14.30	DELTAA13C2501A	1.04	0.05	70	1.03	BGGI	7.15	(0.10)	23,153	7.17
FORTH13C2412A	0.26	(0.03)	44,362	0.26	DELTAA13P2411A	0.02	-	9,783	0.02	BCP	36.50	-	80,971	36.51
FORTH19C2501A	0.34	(0.01)	28,576	0.36	DELTAA13P2412A	0.30	-	39,475	0.29	BCP01C2412A	0.09	-	5,200	0.09
GABLE	3.88	(0.06)	7,535	3.91	DELTAA19C2411A	-	-	-	-	BCP01C2501A	0.34	(0.01)	14,041	0.35
HUMAN	11.50	(0.10)	2,587	11.47	DELTAA19C2412A	0.28	-	62,846	0.29	BCP01C2502A	0.22	(0.02)	31,787	0.23
ICN	2.34	-	4,948	2.36	DELTAA19P2411A	0.05	(0.01)	7,103	0.05	BCP01P2502A	0.33	-	1,339	0.33
INTUCH01C2412A	0.88	(0.03)</												

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Wednesday September 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BGRIM19C2501A	0.63	(0.03)	1	0.63	GULF	55.50	(0.50)	132,233	56.10	SUSCO	3.40	-	48,931	3.43
BGRIM19P2411A	-	-	-	-	GULF01C2411A	0.99	0.07	419	0.97	TAE	0.90	0.01	6,561	0.91
BGRIM41C2411A	0.28	(0.03)	34,500	0.30	GULF01C2412A	0.51	(0.03)	9,570	0.55	TCC	0.43	(0.01)	26,204	0.44
BGRIM41C2412A	0.13	(0.01)	18,200	0.15	GULF01C2502A	0.36	0.01	17,022	0.37	TCC-W5	0.20	-	1,697	0.20
BIOTEC	0.34	(0.01)	27,237	0.35	GULF01P2411X	-	-	-	-	TGE	2.70	0.08	11,631	2.68
BIOTEC-P	-	-	-	-	GULF01P2501A	0.23	(0.01)	14,375	0.23	W1	1.63	0.11	122	1.64
BIOTEC-Q	-	-	-	-	GULF11C2410A	1.18	0.09	1,500	1.14	TOP	50.50	(0.50)	56,696	50.58
BIOTEC-W2	0.08	-	34,818	0.08	GULF13C2411A	-	-	-	-	TOP01C2410A	-	-	-	-
BPP	13.00	-	1,328	13.05	GULF13C2412A	-	-	-	-	TOP01C2412A	0.15	(0.04)	2,610	0.17
BRRGIF	3.54	-	675	3.53	GULF13C2412B	0.43	(0.02)	1,214	0.47	TOP11C2412A	0.16	(0.04)	6,300	0.17
BSRC	7.40	(0.05)	58,033	7.53	GULF13C2501A	0.30	(0.01)	112,130	0.32	TOP13C2410A	-	-	-	-
CKP	3.72	(0.02)	86,048	3.74	GULF13P2411A	-	-	-	-	TOP13C2412A	0.13	(0.02)	658	0.13
CKP13C2412A	0.08	-	2,809	0.08	GULF13P2412A	0.04	(0.01)	401	0.04	TOP19C2410A	-	-	-	-
CKP13C2501A	0.26	(0.01)	34,118	0.27	GULF13P2501A	0.16	-	31,280	0.15	TOP19C2412A	0.14	(0.02)	1,105	0.14
CKP19C2411A	0.06	(0.01)	3	0.06	GULF19C2411A	-	-	-	-	TOP41C2412A	0.14	(0.03)	19,000	0.15
CKP19C2502A	0.35	(0.01)	24,270	0.36	GULF19C2412A	-	-	-	-	TPIPP	3.02	(0.02)	23,359	3.03
CV	0.30	(0.02)	528,840	0.31	GULF19C2501A	-	-	-	-	TSE	1.14	0.08	213,589	1.12
CV-W1	0.22	(0.01)	56,603	0.23	GULF19C2502A	0.34	(0.02)	74,382	0.35	TTW	9.20	0.05	13,266	9.20
DEMO	3.58	(0.04)	2,996	3.58	GULF19P2411A	-	-	-	-	UBE	0.83	-	49,832	0.83
DEMCO-W7	0.13	(0.01)	21,937	0.13	GULF19P2501A	0.13	-	10,678	0.12	WHAUP	4.42	(0.02)	34,188	4.42
EA	9.45	0.15	5,174,490	9.26	GULF41C2410A	-	-	-	-	WP	3.82	0.02	223	3.84
EA01C2410A	0.02	-	46	0.01	GULF41C2502A	0.46	(0.01)	12,550	0.47	Media & Publishing	-	-	-	-
EA01C2410W	0.01	-	15	0.01	GULF41C2605T	0.61	0.01	11,663	0.61	AMARIN	3.92	(0.08)	100	3.90
EA01C2411W	-	-	-	-	GUNKUL	2.86	0.02	252,139	2.86	AQUA	0.36	-	119,012	0.37
EA01C2412A	0.13	-	9,371	0.11	GUNKUL13C241	0.16	-	25,679	0.16	AS	4.54	(0.04)	107,528	4.62
EA01C2412W	0.03	(0.01)	3,466	0.03	GUNKUL13C241'	-	-	-	-	BEC	4.20	0.02	5,014	4.19
EA01P2410W	-	-	-	-	GUNKUL13C250	0.40	0.01	19,146	0.40	FE	-	-	-	-
EA01P2411A	0.33	(0.04)	14,957	0.38	GUNKUL19C241'	0.31	0.01	15,989	0.31	GPI	1.64	(0.01)	9,098	1.63
EA01P2411W	0.98	(0.04)	3,964	1.20	IRPC	1.69	(0.01)	319,782	1.70	GRAMMY	7.75	0.25	394	7.64
EA06C2409A	-	-	-	-	IRPC01C2410A	-	-	-	-	JKN	-	-	-	-
EA06C2412A	0.86	0.03	136,784	0.82	IRPC13C2412A	0.29	(0.04)	882	0.31	MAJOR	15.30	0.10	14,302	15.24
EA13C2410A	-	-	-	-	IRPC13C2501A	0.26	(0.01)	25,468	0.27	MATCH	1.42	(0.03)	187	1.43
EA13C2410B	-	-	-	-	IRPC19C2501A	0.43	(0.01)	1,009	0.45	MATI	-	-	-	-
EA13C2410C	-	-	-	-	KBSPIF	8.10	0.05	6,080	8.08	MCOT	2.76	(0.02)	78	2.77
EA13C2411A	0.01	-	106	0.01	LANNA	16.30	-	4,135	16.32	MONO	1.79	0.02	215,349	1.77
EA13C2411B	0.01	-	4	0.01	MDX	3.34	(0.02)	1,524	3.35	NATION	0.04	(0.01)	16,396	0.05
EA13C2411C	0.01	-	2,100	0.01	NOVA	12.00	-	3	11.87	NATION-W4	-	-	-	-
EA13C2411D	0.01	-	124,760	0.01	OR	16.90	0.10	65,031	16.89	ONEE	3.68	(0.04)	41,777	3.71
EA13C2411E	0.18	0.01	85,638	0.17	OR01C2410A	-	-	-	-	PLANB	8.35	0.05	85,051	8.40
EA13C2412A	0.55	0.01	113,810	0.54	OR01C2412A	0.16	(0.01)	1,208	0.17	PLANB-W1	0.48	-	16,685	0.49
EA13C2412B	1.28	0.04	5,636	1.22	OR01C2502A	0.42	-	1,807	0.43	PLANB13C2412A	0.32	-	8,773	0.34
EA13C2412C	2.00	0.05	2,698	1.93	OR13C2410A	-	-	-	-	PRAKIT	11.00	0.40	57,959	0.38
EA13C2412D	0.98	0.02	72,189	0.95	OR13C2411A	-	-	-	-	PTECH	4.10	0.02	36	4.06
EA13C2412E	0.62	0.02	1,357,818	0.60	OR13C2501A	-	-	-	-	SE-ED	2.04	-	24	2.04
EA13C2501A	1.28	(0.02)	1,001	1.24	OR13C2501B	0.26	0.01	6,068	0.26	TKS	8.00	-	1,622	7.97
EA13P2410A	0.29	0.01	1,361,434	0.29	OR19C2410A	-	-	-	-	VGI	2.76	(0.06)	914,844	2.77
EA13P2411A	2.58	(1.28)	600	2.57	OR19C2501A	-	-	-	-	VGI-W3	0.10	(0.01)	119,228	0.10
EA13P2411B	1.51	0.10	12	1.55	OR19C2502A	0.25	0.01	5,964	0.25	VGI01C2410A	1.89	(0.15)	991	1.95
EA13P2411C	0.33	0.04	91	0.36	OR41C2501A	-	-	-	-	VGI01C2502A	0.36	(0.03)	29,113	0.37
EA13P2411D	0.17	(0.01)	264,259	0.18	OR41C2605T	0.25	-	2,031	0.25	VGI01C2411A	2.62	(0.22)	1,401	2.66
EA19C2410A	0.01	-	110	0.01	PRIME	0.34	-	281,763	0.35	VGI01C2501A	1.77	(0.17)	5,712	1.84
EA19C2410B	-	-	-	-	PTG	10.20	0.20	66,771	10.20	VGI01C2501B	0.54	(0.04)	43,949	0.55
EA19C2410C	-	-	-	-	PTT	33.25	-	396,048	33.24	VGI01C2411B	-	-	-	-
EA19C2411A	-	-	-	-	PTT01C2412A	0.13	-	13,556	0.13	VGI01P2411X	-	-	-	-
EA19C2411B	-	-	-	-	PTT01C2502A	0.18	(0.01)	20,132	0.18	VGI01P2412X	-	-	-	-
EA19C2411C	0.02	0.01	3	0.02	PTT13C2412A	0.13	-	34,900	0.13	VGI01P2501X	0.15	0.01	16,014	0.15
EA19C2411D	0.02	(0.01)	7,651	0.03	PTT13P2501A	0.19	(0.01)	17,410	0.19	VGI13C2410A	1.92	0.06	2	1.92
EA19C2412A	0.36	0.02	92,744	0.34	PTT19C2411A	0.08	(0.01)	1,365	0.08	VGI13C2501A	0.56	(0.05)	7,471	0.58
EA19C2412B	0.73	0.02	483,191	0.72	PTT41C2412A	0.10	-	6,000	0.10	VGI13C2501B	0.37	(0.04)	65,838	0.38
EA19C2412C	1.80	0.09	1,132	1.72	PTTETP	137.00	1.00	61,001	137.02	VGI13C2412A	1.43	(0.04)	24	1.41
EA19P2410A	-	-	-	-	PTTETP01C2410A	-	-	-	-	VGI13C2501A	0.56	(0.05)	7,471	0.58
EA19P2412A	0.39	0.02	2	0.41	PTTETP01C2412A	0.15	-	28,141	0.15	VGI13C2501B	0.37	(0.04)	65,838	0.38
EA19P2412A	0.10	-	123,119	0.10	PTTETP01C2502A	0.35	0.02	11,353	0.34	VGI13P2411A	-	-	-	-
EA41C2410A	-	-	-	-	PTTETP01P2412X	0.41	(0.04)	10,498	0.43	VGI13P2501A	0.38	0.02	51,041	0.38
EA41C2410B	-	-	-	-	PTTETP11C2411A	-	-	-	-	VGI19C2411A	-	-	-	-
EA41C2412A	0.01	(0.01)	367	0.01	PTTETP13C2410A	-	-	-	-	VGI19C2410A	-	-	-	-
EASTW	3.48	(0.02)	8,611	3.51	PTTETP13C2412A	0.10	-	6,043	0.10	VGI19C2410B	-	-	-	-
EGATIF	6.30	0.05	7,138	6.28	PTTETP13C2501A	0.21	0.01	36,541	0.21	VGI19C2411B	-	-	-	-
EGCO	123.50	0.50	9,485	123.35	PTTETP13P2410A	-	-	-	-	VGI19C2501A	0.50	(0.04)	4,016	0.51
EGCO13C2410A	0.24	0.01	6,426	0.23	PTTETP19C2410A	-	-	-	-	VGI19C2502A	0.35	(0.03)	59,285	0.36
EGCO13C2412A	0.77	(0.01)	30	0.77	PTTETP19C2411A	0.03	(0.01)	1,000	0.03	VGI19P2501A	0.13	-	13,731	0.13
EGCO19C2412A	0.54	(0.01)	10	0.54	PTTETP19C2412A	0.13	-	5,265	0.14	VGI41C2411A	-	-	-	-
EP	1.79	(0.01)	1,096	1.79	PTTETP19C2502A	0.35	-	36,543	0.35	VGI41C2412A	1.89	(0.11)	12,572	1.91
EP-W4	0.04	-	1,038	0.03	PTTETP19C2412A	0.14	(0.01)	17,105	0.15	VGI41C2412B	1.45	(0.08)	19	1.51
ETC	2.28	(0.02)	12,712	2.28	PTTETP41C2604T	0.32	-	500	0.32	VGI41C2501A	0.59	(0.04)	9,760	0.60
GPSC	46.25	-	60,021	46.38	PTTETP41P2412A	-	-	-	-	VGI41C2502A	0.33	(0.03)	35,565	0.33
GPSC01C2410A	-	-	-</											

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Wednesday September 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CHASE	1.52	(0.03)	74,751	1.53	TIDLOR	18.70	0.20	160,023	18.59	PRG-W4	4.08	0.08	50	4.03
CHASE-W1	1.05	(0.03)	1,882	1.06	TIDLOR13C2410	-	-	-	-	RBF	6.45	(0.10)	140,595	6.58
CHAYO	4.10	(0.06)	35,699	4.12	TIDLOR13C2411	0.05	-	3,090	0.05	RBF01C2501W	0.36	(0.05)	32,181	0.39
CHAYO-W3	0.24	0.01	27,208	0.25	TIDLOR13C2411	-	-	-	-	RBF13C2410A	-	-	-	-
ECL	1.00	0.01	16,203	1.01	TIDLOR13C2412	0.43	0.01	131,960	0.42	RBF13C2412A	0.35	(0.04)	2,556	0.38
FNS	2.62	-	383	2.63	TIDLOR19C2410	-	-	-	-	RBF13C2501A	0.25	(0.03)	128,041	0.28
FSX	2.76	(0.02)	311	2.78	TIDLOR19C2411	0.08	-	600	0.08	RBF19C2410A	-	-	-	-
GBX	0.78	0.01	8,482	0.77	TIDLOR19C2501	0.76	0.02	350	0.75	RBF19C2501A	0.34	(0.02)	108,127	0.36
GL	-	-	-	-	TIDLOR19C2501	0.45	0.01	62,729	0.44	SAPPE	67.50	0.50	9,304	67.81
HENG	1.58	-	82,090	1.59	TIDLOR19P2410	-	-	-	-	SAPPE01C2502A	0.54	0.01	14,316	0.55
IFS	2.60	(0.04)	1,453	2.58	TK	5.10	-	428	5.09	SAPPE13C2411A	0.01	-	2	0.01
JMT	18.50	(0.50)	337,731	18.69	TNITY	4.04	0.02	1,323	4.02	SAPPE13C2501A	0.17	0.01	14,605	0.17
JMT-W4	0.46	(0.03)	6,313	0.47	TNL	-	-	-	-	SAPPE13C2501B	0.36	0.01	53,110	0.37
JMT01C2410W	-	-	-	-	UOBKH	5.05	0.05	151	5.02	SAPPE19C2501A	0.41	0.01	16,460	0.42
JMT01C2411W	0.38	(0.07)	31,180	0.40	XPG	1.02	-	481,810	1.03	SAUCE	40.75	-	91	40.86
JMT01C2412A	1.45	(0.10)	4,122	1.50	Food & Beverage	-	-	-	-	SNNP	13.30	(0.20)	42,495	13.48
JMT01C2412W	0.93	(0.08)	7,810	0.96	AAI	5.40	0.10	95,029	5.43	SNNP13C2412A	0.11	(0.01)	8,450	0.12
JMT01C2501A	0.58	(0.06)	56,810	0.60	APURE	4.36	(0.04)	292	4.37	SNNP19C2501A	0.20	(0.02)	45,721	0.22
JMT01P2410W	0.01	-	3,643	0.01	APURE-W3	0.03	-	44,111	0.03	SNP	13.10	-	143	13.04
JMT06C2410A	0.11	(0.03)	71,476	0.12	ASIAN	8.85	0.25	23,856	8.80	SORKON	4.38	(0.02)	885	4.39
JMT13C2410A	-	-	-	-	BR	2.08	-	5,442	2.08	SSC	62.50	0.50	2,603	62.39
JMT13C2410B	0.05	(0.04)	33,383	0.07	BR-W1	0.10	-	445	0.11	SSF	7.20	(0.05)	130	7.10
JMT13C2410C	0.30	(0.07)	4,460	0.32	BRR	4.56	0.20	45,142	4.54	SST	4.98	-	5	4.98
JMT13C2412A	0.84	(0.12)	282	0.88	BRR-W2	0.47	0.06	54,324	0.49	SUN	4.04	-	10,822	4.06
JMT13C2412B	1.44	(0.20)	30	1.49	BTG	22.00	(0.40)	50,767	22.04	TC	8.00	0.25	11,269	7.94
JMT13C2501A	0.61	(0.08)	8,613	0.65	CBG	72.50	(0.50)	20,254	72.90	TFG	4.44	(0.14)	83,475	4.49
JMT13C2501B	0.41	(0.05)	168,704	0.43	CBG01C2410A	0.07	(0.03)	600	0.07	TFG-W4	0.97	(0.05)	10,147	0.99
JMT13P2410A	-	-	-	-	CBG01C2412W	0.32	(0.04)	17,469	0.34	TFMAMA	197.50	0.50	18	197.00
JMT13P2410B	-	-	-	-	CBG01C2501W	0.65	(0.05)	10,207	0.68	TIPCO	9.85	-	1,389	9.84
JMT19C2410A	-	-	-	-	CBG01C2502W	0.50	(0.03)	29,413	0.51	TKN	9.80	0.35	152,642	9.68
JMT19C2410B	0.11	(0.05)	88,883	0.13	CBG01P2412W	0.21	(0.01)	7,248	0.20	TKN01C2410A	-	-	-	-
JMT19C2411A	0.40	(0.06)	21,242	0.40	CBG01P2502X	0.70	0.02	7,128	0.68	TKN01C2501A	0.13	0.03	18,476	0.11
JMT19C2411B	0.85	(0.04)	1	0.85	CBG06C2411A	0.25	(0.05)	55,878	0.27	TKN13C2410A	-	-	-	-
JMT19C2412A	1.03	(0.09)	38	1.08	CBG13C2411A	0.14	(0.02)	4,259	0.16	TKN13C2412A	0.29	0.05	119,784	0.26
JMT19C2501A	0.56	(0.06)	119,666	0.59	CBG13C2412A	0.43	(0.02)	3,832	0.44	TKN13C2412B	0.11	0.01	18,752	0.11
JMT19P2410A	-	-	-	-	CBG13C2501A	0.41	(0.02)	24,812	0.43	TKN19C2410A	-	-	-	-
JMT41C2411A	0.82	(0.15)	4,003	0.86	CBG13P2410A	-	-	-	-	TKN19C2410B	-	-	-	-
JMT41C2412A	0.29	(0.05)	46,000	0.31	CBG13P2412A	0.22	-	5,174	0.21	TU	15.00	(0.20)	65,144	15.08
JMT41C2501A	0.58	(0.04)	48,862	0.61	CBG19C2411A	0.17	(0.02)	15,083	0.20	TU01C2411A	-	-	-	-
KCAR	4.86	0.02	165	4.83	CBG19C2412A	0.47	(0.02)	17,747	0.50	TU01C2501A	0.25	(0.02)	13,965	0.26
KGI	4.46	(0.02)	5,793	4.48	CBG19C2502A	0.42	(0.58)	36,355	0.45	TU13C2412A	0.14	0.01	19,026	0.14
KTC	46.50	0.25	51,946	46.41	CBG19P2412A	0.16	-	15,292	0.16	TU19C2411A	-	-	-	-
KTC01C2410A	-	-	-	-	CBG19P2502A	0.65	0.01	17,615	0.63	TU19C2502A	0.23	-	8,821	0.23
KTC01C2412W	0.49	-	24,432	0.48	CBG41C2411A	0.17	(0.02)	30,500	0.18	TVO	23.90	(0.10)	4,487	24.01
KTC13C2410A	-	-	-	-	CBG41C2412A	0.40	(0.03)	7,520	0.43	TWPC	3.30	-	1,113	3.29
KTC13C2412A	0.28	(0.01)	91,854	0.27	CFRESH	1.74	-	10,883	1.74	W	0.64	(0.03)	72,492	0.65
KTC13C2412B	-	-	-	-	CH	2.52	0.02	4,933	2.52	W-W5	-	-	-	-
KTC19C2410A	-	-	-	-	CHAO	11.30	0.20	14,039	11.27	W-W6	0.18	(0.01)	300	0.18
KTC19C2412A	0.33	0.01	70,908	0.31	CHOTI	-	-	-	-	ZEN	7.70	-	380	7.74
MFC	22.40	0.60	1,046	22.37	CM	2.26	(0.04)	1,253	2.27	Health Care Services	-	-	-	-
MICRO	1.65	(0.02)	20,522	1.65	COCOCO	11.70	(0.10)	58,666	11.82	AHC	15.80	(0.10)	51	15.69
ML	0.63	0.02	1,679	0.62	CPF	24.20	(0.10)	289,660	24.20	BCH	17.40	0.10	162,056	17.46
MST	9.70	0.15	115	9.85	CPF01C2410A	0.23	(0.10)	3,250	0.23	BCH01C2412A	0.15	0.01	34,744	0.15
MTG	52.50	0.25	44,394	52.68	CPF01C2412A	0.19	(0.03)	20,699	0.20	BCH01C2502A	0.35	0.01	73,107	0.35
MTC01C2411W	0.34	(0.01)	11,342	0.35	CPF01C2501A	0.07	-	711	0.06	BCH13C2410A	-	-	-	-
MTC01C2412A	0.70	(0.01)	12,043	0.71	CPF01P2410X	-	-	-	-	BCH13C2412A	0.10	0.01	14,558	0.10
MTC01P2411W	-	-	-	-	CPF13C2410A	-	-	-	-	BCH13C2501B	0.27	-	65,563	0.27
MTC13C2411A	0.30	-	58,173	0.31	CPF13C2412A	0.16	(0.01)	11,790	0.17	BCH19C2410A	-	-	-	-
MTC13C2412A	0.63	0.02	518	0.63	CPF13C2501A	0.10	(0.01)	12,412	0.11	BCH19C2411A	-	-	-	-
MTC13P2412A	0.04	(0.01)	610	0.04	CPF13P2410A	-	-	-	-	BCH19C2501A	0.06	-	4	0.06
MTC19C2411A	0.35	-	7,220	0.36	CPF19C2410A	0.07	-	8	0.07	BCH19C2502A	0.46	0.03	1	0.46
MTC19C2412A	0.65	0.02	9	0.65	CPF19C2501A	0.11	(0.01)	25,081	0.12	BDMBS	29.75	0.25	441,444	29.96
MTC19P2501A	0.17	(0.01)	8,130	0.17	CPI	2.80	0.02	6,665	2.80	BDMS	2.95	0.25	-	-
MTC41C2411A	0.29	-	21,734	0.30	F&D	43.75	1.00	18	43.54	BDMS01C2411A	0.15	0.01	1,670	0.16
MTC41C2412A	0.84	0.01	2,110	0.86	FM	4.76	(0.16)	133,430	4.78	BDMS01C2412A	0.20	0.02	16,003	0.21
NCAP	2.20	-	134,275	2.22	GLOCON	0.23	-	159,731	0.22	BDMS11C2411A	0.24	0.02	1,800	0.24
PL	1.81	-	248	1.82	HTC	16.40	(0.10)	3,458	16.52	BDMS11C2412A	-	-	-	-
S11	2.58	(0.02)	208	2.59	ICHI	16.30	(0.10)	52,861	16.36	BDMS19C2410A	-	-	-	-
SAK	5.40	(0.05)	32,353	5.42	ICHI13C2410A	0.01	-	1	0.01	BDMS19C2411A	0.15	0.01	1,670	0.16
SAWAD	43.50	0.50	87,508	43.50	ICHI13C2501A	0.33	(0.01)	3,704	0.34	BDMS41C2412A	0.11	0.01	5,110	0.11
SAWAD-W2	0.65	-	2,188	0.65	ITC	19.60	-	137,229	19.75	BDMS41C2502B	0.32	-	1	0.32
SAWAD01C2410W	-	-	-	-	ITC01C2412A	0.05	0.01	1,592	0.05	BH	272.00	3.00	23,737	272.79
SAWAD01C2411W	0.31	0.01	73,221	0.31	ITC01C2501A	0.22	(0.01)	39,689	0.23	BH-P	-	-	-	-
SAWAD01C2501A	1.11	0.06	15,846	1.07	ITC13C2410A	-	-	-	-	BH-Q	-	-	-	-
SAWAD01C2501W	0.63	0.03	67,248	0.62	ITC13C2501A	0.18	-	26,748	0.20	BH01C2410A	0.07	-	13,945	0.09
SAWAD01P2410W	0.03	(0.03)	30,000	0.03	ITC19C2501A	0.22	-	52,864</td						

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Wednesday September 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	3.52	(0.02)	3,497	3.53	AJ	5.70	-	2,861	5.69	ANAN	0.79	0.04	94,334	0.78
RAM	27.00	(0.25)	1,847	27.24	ALUCON	175.00	1.00	1	175.00	AP	9.75	-	126,907	9.78
RJH	23.00	0.10	1,759	23.08	BGC	6.35	(0.05)	6,217	6.37	AP19C2501A	0.47	-	4,407	0.48
RPH	5.80	0.05	1,469	5.75	CSC	45.25	-	3	45.08	APEX	-	-	-	-
SAFE	16.20	0.10	7,913	16.23	CSC-P	-	-	-	-	ASW	8.00	0.15	2,083	7.94
SKR	9.30	-	2,147	9.27	CSC-Q	-	-	-	-	ASW-W2	0.03	-	329,988	0.05
THG	26.50	(0.50)	5,170	26.77	NEP	0.21	(0.03)	11,286	0.22	AWC	3.76	(0.04)	1,282,369	3.80
VIBHA	2.20	(0.04)	23,888	2.19	PJW	2.76	-	1,990	2.72	AWC01C2410W	0.02	-	2,455	0.02
VIBHA-W4	0.07	-	29,966	0.07	PTL	13.30	(0.20)	3,163	13.35	AWC01C2411A	0.16	(0.01)	110,100	0.18
VIH	9.40	(0.20)	2,104	9.44	SCGP	27.00	(0.25)	98,648	27.39	AWC01C2501A	0.70	(0.01)	6,130	0.73
VIH-W1	-	-	-	-	SCGP01C2410A	-	-	-	-	AWC01P2501B	0.39	(0.01)	46,284	0.41
WPH	10.80	0.10	9,311	10.84	SCGP01C2411A	-	-	-	-	AWC01P2502A	0.26	-	43,036	0.25
Tourism & Leisure					SCGP01C2412A	0.07	(0.01)	24,901	0.08	AWC11C2411A	0.12	-	11,100	0.14
ASIA	6.80	-	2	6.80	SCGP01C2502A	0.83	(0.04)	2,858	0.88	AWC11C2412A	0.36	(0.01)	16,307	0.38
BEYOND	9.60	0.65	1,190	9.38	SCGP01C2502B	0.15	(0.01)	69,145	0.16	AWC11C2501A	0.71	(0.02)	14,852	0.74
CENTEL	38.75	(1.00)	24,154	39.29	SCGP11C2412A	0.13	-	1,001	0.13	AWC13C2410A	-	-	-	-
CENTEL01C2412A	0.09	(0.01)	25,137	0.10	SCGP11C2501A	0.69	(0.04)	645	0.73	AWC13C2411A	0.11	(0.01)	151,734	0.12
CENTEL01C2501A	0.35	(0.03)	13,382	0.37	SCGP13C2410A	-	-	-	-	AWC13C2412A	0.63	0.08	5	0.63
CENTEL13C2410A	-	-	-	-	SCGP13C2412A	0.04	-	44	0.04	AWC13C2501A	0.38	(0.03)	100,094	0.41
CENTEL13C2412A	0.08	(0.01)	4,794	0.09	SCGP13C2412B	0.07	(0.01)	5,748	0.08	AWC13P2410A	0.01	(0.01)	6	0.01
CENTEL13C2501A	0.51	-	1,503	0.55	SCGP13C2501A	0.66	(0.05)	264	0.70	AWC13P2501A	0.15	-	42,499	0.14
CENTEL13C2501B	0.26	(0.03)	30,642	0.28	SCGP13C2501B	0.20	(0.01)	47,681	0.22	AWC19C2411A	0.12	(0.01)	71,415	0.13
CENTEL19C2410A	-	-	-	-	SCGP19C2412A	-	-	-	-	AWC19C2501A	-	-	-	-
CENTEL19C2501A	0.44	(0.04)	300	0.47	SCGP19C2412B	0.10	-	17,256	0.11	AWC19C2501B	0.33	(0.02)	82,303	0.35
CENTEL41C2412A	0.09	(0.01)	7,550	0.10	SCGP19C2501A	0.68	(0.07)	4,020	0.72	AWC19P2501A	0.14	-	20,278	0.14
CENTEL41C2502A	0.39	(0.04)	20,235	0.41	SCGP19C2502A	0.21	(0.01)	25,605	0.22	AWC41C2411A	0.10	(0.02)	22,352	0.12
CSR	-	-	-	-	SCGP41C2412A	-	-	-	-	AWC41C2502A	0.45	(0.02)	36,843	0.47
DUSIT	12.00	-	6,499	12.03	SCGP41C2412B	0.09	(0.01)	45,369	0.11	BLAND	0.68	-	30,258	0.68
ERW	4.22	(0.02)	177,554	4.22	SCGP41C2502A	-	-	-	-	BRI	5.20	(0.15)	19,842	5.29
ERW01C2501A	0.42	(0.02)	24,908	0.44	SFLEX	3.46	-	78,036	3.48	BROCK	1.48	(0.03)	136	1.48
ERW13C2410A	-	-	-	-	SFLEX-W2	0.15	-	14,728	0.16	CGD	0.34	-	102,928	0.35
ERW13C2412A	0.15	(0.02)	44,697	0.16	SITHAI	1.46	(0.01)	17,817	1.46	CI	0.61	0.02	5,825	0.60
ERW13C2412B	0.32	(0.03)	56,967	0.35	SLP	0.46	(0.01)	6,181	0.45	CMC	1.20	0.02	3,036	1.19
ERW19C2412A	0.17	(0.03)	48,057	0.18	SMPC	9.90	0.05	3,533	9.92	CPN	65.25	-	58,897	64.98
ERW19C2412B	0.34	(0.01)	45,008	0.35	SPACK	1.93	(0.03)	3,489	1.94	CPN01C2410A	-	-	-	-
GRAND	0.11	0.01	134,767	0.10	TCOAT	24.60	(0.30)	2	24.60	CPN01C2412A	0.42	(0.01)	2,744	0.42
LRH	38.00	0.75	2	38.00	TFI	0.08	-	2,475	0.08	CPN11C2412A	0.59	(0.03)	2,500	0.60
MANRIN	-	-	-	-	TFI-W1	0.04	-	1,019	0.04	CPN13C2411A	0.33	-	1,000	0.33
MINT	28.50	0.25	75,218	28.53	THIP	29.25	0.50	798	29.00	CPN13C2501A	-	-	-	-
MINT01C2410A	-	-	-	-	TMD	24.00	(0.50)	893	24.17	CPN13C2501B	0.28	-	25,660	0.27
MINT01C2412A	-	-	-	-	TOPP	-	-	-	-	CPN19C2410A	-	-	-	-
MINT01C2501A	0.24	0.01	2,351	0.24	TPAC	12.10	(0.20)	1,253	12.03	CPN19C2411A	0.34	(0.04)	1	0.34
MINT11C2412A	0.10	(0.01)	2,000	0.10	TPBI	4.50	(0.02)	3,228	4.48	CPN19C2502A	0.38	-	8,774	0.37
MINT11C2501A	0.25	0.03	640	0.25	TPP	12.90	(0.10)	3	12.90	CPN41C2410A	-	-	-	-
MINT13C2412A	-	-	-	-	Personal Produt	-	-	-	-	ESTAR	0.23	(0.01)	12,859	0.23
MINT13C2412B	0.22	0.01	6,444	0.22	APCO	5.90	-	474	5.87	EVER	0.13	-	4,306	0.13
MINT19C2410A	-	-	-	-	BIZ	3.28	0.02	1,250	3.27	FPT	12.90	(0.20)	26	12.92
MINT19C2411A	-	-	-	-	BLC	5.85	(0.10)	38,152	5.86	GLAND	1.60	-	75	1.59
MINT19C2501A	0.24	0.01	3,282	0.24	DDD	10.50	(0.10)	3,275	10.40	J	1.66	-	3,817	1.66
MINT41C2412A	-	-	-	-	IP	4.80	0.02	6,025	4.80	J-W3	0.27	(0.01)	384	0.27
MINT41C2501A	0.24	0.01	2,000	0.24	IP-W2	0.37	-	5,959	0.38	J-W4	0.36	-	67	0.34
MINT41C2502A	0.14	-	24,292	0.14	JCT	80.50	(0.50)	5	80.60	JCK	0.34	0.01	164,545	0.34
MINT41C2604T	-	-	-	-	KISS	4.98	(0.12)	14,951	5.01	KC	0.08	(0.01)	305,254	0.08
OHTL	388.00	(11.00)	2	384.50	NAM	4.98	0.12	2,215	4.94	KUN	1.45	-	390	1.44
ROH	2.36	-	239	2.36	NEO	44.75	-	7,846	44.92	KUN-W2	0.07	-	5,382	0.06
SHANG	49.00	-	2	49.00	NV	1.19	-	16,729	1.22	LALIN	6.50	-	2,664	6.52
SHR	2.34	0.06	158,008	2.34	OCC	9.10	0.05	11	9.10	LH	6.15	0.05	204,131	6.17
SPA	7.10	-	50,064	7.07	S&J	41.50	(0.50)	4	41.75	LH13C2411A	-	-	-	-
VRANDA	5.55	-	256	5.58	STGT	12.40	(0.40)	376,698	12.62	LH13C2501A	0.24	(0.01)	5,630	0.25
Home & Office Produt	-	-	-	-	STGT01C2410A	0.07	-	51	0.07	LH19C2411A	-	-	-	-
AJA	0.21	-	423,575	0.21	STGT01C2410B	-	-	-	-	LH19C2501A	0.26	-	1,479	0.26
AJA-W4	0.04	(0.01)	120,182	0.05	STGT01C2412A	0.28	0.01	2,565	0.28	LPN	3.26	(0.02)	3,761	3.26
DTCI	-	-	-	-	STGT01C2412B	0.94	(0.07)	9,108	1.06	MBK	18.30	(0.30)	40,563	18.20
FANCY	0.44	0.03	27,828	0.44	STGT01C2501A	0.41	(0.04)	98,953	0.43	MBK-W3	16.30	-	270	16.30
FTI	2.18	0.02	3,950	2.16	STGT01P2410X	-	-	-	-	MBK-W4	15.70	(0.10)	42	15.78
KYE	289.00	2.00	8	288.63	STGT13C2410A	0.05	(0.01)	15,431	0.04	MJD	1.06	(0.01)	1,703	1.04
L&E	1.24	0.01	506	1.24	STGT13C2412A	0.31	(0.05)	128,587	0.33	MK	1.60	0.01	4,708	1.60
MODERN	2.60	0.02	2,102	2.58	STGT13C2412B	0.89	-	16	0.94	NCH	0.81	0.02	91,660	0.81
OGC	24.00	2.60	27	23.03	STGT13C2501A	0.24	(0.03)	272,406	0.27	NNCL	1.86	0.01	3,465	1.87
ROCK	-	-	-	-	STGT13P2410A	-	-	-	-	NOBLE	3.32	-	16,598	3.32
SBNEXT	0.36	-	198,575	0.35	STGT19C2410A	0.06	(0.02)	92,202	0.09	NUSA	0.30	(0.01)	344,459	0.31
SBNEXT-W2	0.05	-	28,613	0.05	STGT19C2412A	0.33	(0.05)	51,655	0.37	NUSA-W5	0.07	-	25,116	0.06
SIAM	1.14	(0.01)	663	1.14	STHAI	-	-	-	-	NVD	1.58	0.02	862	1.56
TCMC	0.87	0.01	37,234	0.91	TNR	9.60	0.15	581	9.67	ORI	5.30	(0.15)	125,077	5.37
Insurance	-	-	-	-	TOG	10.60	0.10	1,519	10.51	ORI13C2412A	0.13	(0.02)	71,324	0.14
AYUD	32.75	0.25	155	32.50	Professional Ser	-	-	-	-	ORI19C2501A	0.28	(0.03)	92,897	0.29
BKIH	300.00	(2.00)	166	300.11	BWG	0.50	-	234,702	0.50	ORN	0.91	0.08	665,957	0.91
BLA	20.10	0.20	35,933	20.14	BWG-W6	0.06	(0.01)	71,065	0.07</					

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Wednesday September 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPALI	20.20	0.70	143,515	19.98	DMT	11.60	-	9,909	11.56	B-WORK	5.10	0.12	6,585	5.06
SPALI13C2501A	-	-	-	-	ETL	0.88	-	36,419	0.88	BAREIT	9.85	0.05	3,287	9.83
SPALI13C2501B	0.47	0.07	101,768	0.44	III	6.80	-	4,927	6.82	BKCP	8.65	(0.20)	46	8.65
SPALI19C2412A	0.34	0.06	78,677	0.30	KEX	3.18	(0.02)	52,738	3.27	BOFFICE	5.10	0.05	4,555	5.05
UV	1.76	(0.03)	6,871	1.77	KIAT	0.36	(0.01)	110,886	0.36	CPNCG	6.40	0.10	4,533	6.35
WHA	5.60	-	663,555	5.60	KWC	274.00	(52.00)	20	275.00	CPNREIT	13.00	0.20	120,023	13.03
WHA01C2410A	-	-	-	-	MENA	1.33	0.01	44,826	1.34	CPTGF	5.70	0.25	4,009	5.58
WHA01C2501A	0.24	(0.02)	13,228	0.25	NOK	-	-	-	-	CTARAF	4.42	-	1,050	4.43
WHA06C2410A	-	-	-	-	NYT	3.30	0.02	43,932	3.31	DREIT	5.10	(0.10)	541	5.17
WHA11C2412A	0.20	-	9,000	0.20	PORT	1.58	-	657	1.59	FTREIT	10.90	-	34,438	10.95
WHA13C2410A	-	-	-	-	PRM	8.80	(0.05)	40,548	8.78	FUTUREPF	11.60	0.30	7,142	11.48
WHA13C2411A	0.10	-	11,796	0.10	PSL	8.50	0.15	96,227	8.49	GAHREIT	7.05	0.20	876	6.99
WHA13C2501A	0.20	(0.01)	25,637	0.20	RCL	23.50	0.90	126,740	23.24	GOREIT	8.75	-	115	8.71
WHA19C2410A	-	-	-	-	RCL01C2410A	-	-	-	-	GVREIT	6.80	0.05	7,624	6.81
WHA19C2412A	-	-	-	-	RCL01C2411A	-	-	-	-	HPF	4.80	0.06	786	4.78
WHA19C2502A	0.18	-	31,395	0.18	RCL01C2412A	0.32	0.05	32,729	0.30	HYDROGEN	9.50	(0.05)	5	9.74
WHA41C2411A	-	-	-	-	RCL01C2502A	0.67	0.08	48,965	0.64	IMPACT	12.60	0.10	6,826	12.59
WHA41C2501A	0.21	0.01	11,100	0.21	RCL01P2410X	0.04	(0.05)	4,001	0.04	INETREIT	8.85	0.05	2,283	8.80
WIN	0.56	(0.01)	10,727	0.57	RCL13C2410A	-	-	-	-	KPNP	-	-	-	-
Paper & Printing Mat	-	-	-	-	RCL13C2410B	-	-	-	-	KTBSTM	6.75	0.10	1,439	6.72
UTP	11.00	(0.10)	1,556	11.02	RCL13C2412A	0.08	0.02	2,044	0.08	LHHOTEL	13.40	0.30	24,743	13.32
Fashion	-	-	-	-	RCL13C2412B	0.26	0.04	55,834	0.26	LHFP	5.35	-	10	5.35
AFC	5.50	(0.05)	182	5.54	RCL13P2410A	-	-	-	-	LHSC	10.50	0.30	10,593	10.33
AURA	15.70	-	13,027	15.71	RCL13P2501A	0.40	(0.05)	716	0.40	LPF	13.70	0.10	17,897	13.65
BTNC	-	-	-	-	RCL19C2410A	-	-	-	-	LUXF	7.95	0.10	339	7.88
CPH	17.00	(0.60)	12,582	17.24	RCL19C2410B	-	-	-	-	M-II	6.10	-	450	6.06
CPL	1.67	(0.07)	14,472	1.70	RCL19C2412A	0.10	0.02	11,942	0.10	M-PAT	-	-	-	-
NC	4.12	(0.12)	6,735	4.15	RCL19C2412B	0.33	0.07	141,088	0.30	M-STOR	-	-	-	-
PAF	1.16	(0.02)	16,160	1.18	RCL19P2410A	0.02	-	10	0.02	MIPF	-	-	-	-
PDJ	2.10	(0.02)	1,685	2.10	RCL19P2412A	0.28	(0.07)	37,879	0.31	MIT	0.35	-	95	0.34
PG	-	-	-	-	RCL41C2412A	-	-	-	-	MJLF	4.02	0.04	1,744	3.99
SABINA	23.20	0.20	5,695	23.11	RCL41C2412B	0.52	0.09	92,046	0.49	MNIT	2.26	-	1	2.26
SAWANG	12.00	-	4	12.08	RCL41C2502A	0.54	0.07	47,407	0.51	MNIT2	4.68	-	99	4.68
SUC	31.25	0.25	213	31.07	SAV	21.80	(0.10)	12,823	21.85	MNRF	2.18	-	1,103	2.17
TR	39.75	-	364	39.76	SINO	1.25	0.03	37,767	1.26	POPF	6.25	0.05	2,114	6.21
TTI	25.25	0.25	21	24.82	SJWD	12.00	(0.30)	22,946	12.13	PROSPECT	8.35	0.05	3,424	8.32
TTT	55.75	-	5	55.75	SJWD13C2410A	0.01	(0.01)	10	0.01	QHRRREIT	6.80	0.20	2,606	6.75
UPF	34.50	-	43	34.37	TFFIF	6.85	-	34,934	6.85	QHOP	3.28	(0.12)	441	3.20
WACOAL	29.00	(0.25)	6	28.88	THAI	-	-	-	-	QHPF	5.05	0.23	16,642	5.00
WFX	1.43	(0.03)	7,376	1.46	TSTE	15.60	(0.10)	372	15.69	SIRIP	7.15	(0.15)	1	7.15
Transportation & Log	-	-	-	-	TTA	6.05	0.20	107,109	6.01	SPRIME	4.38	0.06	7,941	4.40
AAV	2.68	0.06	808,533	2.67	WICE	6.10	(0.10)	5,841	6.15	SRIPANWA	5.50	0.35	640	5.45
AAV01C2501A	0.35	0.02	16,394	0.34	Automotive	-	-	-	-	SSPF	4.96	0.08	14	4.93
AAV13C2411A	0.30	0.03	1,012	0.32	3K-BAT	53.00	-	433	52.87	SSTRT	4.74	0.06	10	4.74
AAV13C2501A	0.24	0.02	64,360	0.23	ACG	1.14	0.27	33,803	1.06	TIFI	7.80	-	1,107	7.80
AAV19C2412A	0.38	0.03	3,263	0.38	AH	22.00	0.80	20,432	21.72	TLHPF	3.00	-	2,829	3.00
ANI	3.96	-	939	3.96	CWT	1.23	0.01	3,283	1.23	TNPF	1.60	-	350	1.60
AOT	64.25	(0.50)	325,048	64.29	EASON	1.25	-	3,015	1.26	TPRIME	7.00	0.35	1,064	6.86
AOT01C2412A	0.20	(0.01)	100,496	0.20	GYT	149.00	1.00	21	150.12	TTLPF	15.90	0.10	393	15.81
AOT01C2412B	0.45	(0.01)	11,581	0.45	HFT	4.72	0.06	3,794	4.72	TU-PF	0.71	(0.01)	12	0.70
AOT01P2412X	0.10	-	7	0.10	IHL	2.08	-	3,401	2.08	WHABT	7.30	(0.05)	1,304	7.31
AOT01P2502A	0.30	-	46,437	0.30	INGRS	0.37	(0.01)	18,811	0.38	WHAIR	6.40	0.15	7,767	6.32
AOT13C2411A	0.13	(0.01)	51,494	0.13	IRC	14.00	0.10	182	13.98	WHART	10.50	(0.10)	23,721	10.63
AOT13C2412A	0.33	(0.02)	11,814	0.34	MGC	3.86	-	1,983	3.84	Steel and Metal Prod	-	-	-	-
AOT13P2412A	0.06	-	304	0.06	NEX	1.41	0.08	2,045,003	1.35	ZS	2.86	0.02	498	2.84
AOT13P2501A	0.27	0.01	24,130	0.27	NEX13C2410A	-	-	-	-	AMC	3.20	-	217	3.20
AOT19C2410A	-	-	-	-	NEX13C2410B	-	-	-	-	BSBM	0.74	0.01	2,006	0.74
AOT19C2411A	-	-	-	-	NEX13C2410C	-	-	-	-	CEN	2.10	-	15	2.08
AOT19C2411B	0.22	(0.03)	23,598	0.22	NEX13C2410D	-	-	-	-	CEN-W5	0.25	0.01	221	0.24
AOT19C2501A	-	-	-	-	NEX13C2410E	-	-	-	-	CITY	2.08	0.06	142	2.00
AOT19C2502A	0.35	(0.65)	48,936	0.35	NEX13C2410F	0.01	-	234	0.01	CSP	0.61	(0.01)	5,527	0.62
AOT19P2412A	-	-	-	-	NEX13C2411A	0.01	-	1,117	0.01	GJS	0.18	(0.01)	81,998	0.18
AOT41C2410A	-	-	-	-	NEX19C2410A	-	-	-	-	GSTEEL	-	-	-	-
AOT41C2411A	0.09	(0.01)	6,000	0.09	NEX19C2410B	-	-	-	-	INOX	0.55	-	11,105	0.55
AOT41C2412A	0.34	(0.03)	35,273	0.34	NEX19C2410C	-	-	-	-	LHK	4.06	(0.04)	800	4.06
AOT41C2605T	0.39	(0.01)	47,005	0.39	NEX19C2410D	-	-	-	-	MCS	7.50	0.05	875	7.50
ASIMAR	1.62	(0.02)	1,343	1.63	NEX19C2411A	0.02	-	630	0.02	MILL	0.13	-	65,393	0.13
B	0.09	-	249,865	0.09	NEX19C2501A	0.13	0.02	73,955	0.12	MILL-W7	0.01	-	10	0.01
B-W8	0.01	(0.01)	35,391	0.01	PCSGH	4.48	(0.02)	1,637	4.50	PAP	1.89	(0.03)	386	1.90
BA	23.10	0.20	26,186	23.18	POLY	8.75	-	78	8.65	PERM	0.73	(0.02)	1,541	0.73
BA01C2412A	0.43	0.01	2,881	0.44	SAT	13.30	0.10	12,172	13.24	SAM	-	-	-	-
BA13C2412A	0.40	0.01	15,411	0.41	SPG	13.80	-	3	13.80	SMIT	4.12	(0.06)	1,064	4.14
BEM	8.10	0.05	219,632	8.07	STANLY	218.00	-	491	218.00	SSSC	2.66	(0.02)	348	2.67
BEM01C2412A	0.15	0.01	5,085	0.15	TKT	1.69	(0.01)	281	1.70	TGPRO	0.11	-	17,559	0.11
BEM1C2411A	0.17	-	10	0.17	TNPC	1.06	0.01	3,603	1.03	THE	0.99	-	281	0.98
BEM13C2410A	-	-	-	-	TRU	3.02	(0.08)	1,543	3.04	TMT	4.16	-	1,542	4.15
BEM13C2412A	0.15	0.01	8,162	0.14	TSC	14.50	-	81	14.46	TSTH	0.63	0.01	16,250	0.63
BEM19C2410A	-	-	-	-	Industrial Materi	-	-	-	-	TWP	1.45	(0.01)	853	1.46
BEM19C2412A	0.18	0.02	12,515	0.17	AKR	0.97	0.01	14,606	0.96	TYCN	2.22	-	177	2.20
BTS	4.70	(0.12)	1,150,768	4.74	ALLA	1.62	(0.03)	19,333	1.62	Construction Service	-	-	-	-
BTS-W7	0.01	-	54	0.01	ASE									

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Wednesday September 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STPI	3.94	(0.06)	28,150	3.97	HSI06P2409B	-	-	-	-	NIKKEI41P2412T	0.71	-	21,460	0.72
SYNTEC	1.60	(0.01)	4,544	1.59	HSI06P2409C	-	-	-	-	NIKKEI41P2503A	0.54	-	3,824	0.54
TEAMG	4.86	(0.14)	162,016	4.93	HSI06P2409D	-	-	-	-	NIKKEI41P2503B	0.32	-	479	0.31
TEAMG-W1	0.51	(0.02)	15,772	0.53	HSI06P2409E	0.01	-	20	0.01	NTES41C2409A	-	-	-	-
TEKA	2.42	0.06	4,241	2.40	HSI06P2410A	0.03	(0.02)	100	0.03	NTES41C2502A	-	-	-	-
TPOLY	1.08	(0.04)	41,069	1.10	HSI06P2410B	-	-	-	-	PINGAN41C2409A	-	-	-	-
TRC	0.16	-	921,983	0.15	HSI06P2410C	-	-	-	-	PINGAN41C2410A	-	-	-	-
TRITN	0.13	0.01	188,761	0.12	HSI06P2410D	0.07	(0.01)	8	0.07	PINGAN41C2411A	-	-	-	-
TRITN-W6	-	-	-	-	HSI06P2410E	-	-	-	-	SET01C2412A	1.47	(0.02)	2,214	1.52
TTCL	2.98	(0.04)	15,721	2.99	HSI06P2410F	-	-	-	-	SET01C2501A	1.18	(0.01)	10,793	1.22
UNIQ	3.06	0.02	4,628	3.06	HSI06P2410G	-	-	-	-	SET01C2501B	0.70	-	68,206	0.73
WGE	0.81	0.01	538	0.80	HSI06P2411A	-	-	-	-	SET01P2412A	0.03	(0.02)	3,780	0.04
Unit Trust	-	-	-	-	HSI06P2411B	-	-	-	-	SET01P2501A	0.20	(0.01)	30,750	0.20
SCBSET	-	-	-	-	HSI06P2411C	-	-	-	-	SET01P2501B	0.53	(0.01)	212,898	0.51
ETF	-	-	-	-	HSI06P2411D	-	-	-	-	SET5001C2409F	0.02	-	25	0.01
1DIV	10.98	(0.05)	339	11.04	HSI06P2412A	-	-	-	-	SET5001C2410T	0.36	(0.02)	16,143	0.39
ABFTH	1,300.00	55.00	1	1,300.00	HSI06P2412B	-	-	-	-	SET5001C2412A	1.16	(0.02)	10,568	1.19
BMSCG	9.87	0.07	15	9.87	HSI06P2412C	0.64	0.04	3	0.62	SET5001C2412F	0.55	-	124,317	0.57
BMSCTH	10.38	0.01	982	10.40	HSI28C2409A	-	-	-	-	SET5001C2412T	0.57	(0.01)	127,281	0.60
BSET100	9.63	-	487	9.68	HSI28C2409B	0.02	-	10	0.02	SET5001C2412W	0.32	(0.03)	13,988	0.34
CHINA	4.92	-	304	4.92	HSI28C2409C	-	-	-	-	SET5001C2501A	0.40	(0.01)	8,561	0.43
ENGY	4.99	0.02	42	4.99	HSI28C2409D	0.04	(0.03)	1,216	0.05	SET5001P2409F	0.01	-	3,000	0.01
GLD	3.44	-	4,524	3.44	HSI28C2409E	0.38	(0.01)	21	0.34	SET5001P2410T	0.02	0.01	18,063	0.02
TDEX	8.89	(0.01)	6,327	8.90	HSI28C2409F	-	-	-	-	SET5001P2412A	0.02	(0.01)	10,706	0.02
UBOT	13.07	(0.02)	6	13.10	HSI28C2410A	0.02	-	900	0.01	SET5001P2412F	0.01	-	972	0.01
UHERO	7.99	0.18	16	7.91	HSI28C2410B	-	-	-	-	SET5001P2412T	0.02	0.01	1	0.02
Warrant Foreign	-	-	-	-	HSI28C2410C	-	-	-	-	SET5001P2412W	0.02	-	2,494	0.02
AIA28C2411A	-	-	-	-	HSI28C2410D	-	-	-	-	SET5001P2501A	0.12	-	3,105	0.12
AIA28P2409A	-	-	-	-	HSI28C2410E	-	-	-	-	SET5001P2501B	0.27	(0.01)	1,907	0.26
AIA41C2411A	-	-	-	-	HSI28C2410F	4.40	4.18	60	2.12	SET5006C2409A	-	-	-	-
AIA41P2409A	-	-	-	-	HSI28C2410G	-	-	-	-	SET5006C2409B	-	-	-	-
AIA41P2411A	-	-	-	-	HSI28C2410H	-	-	-	-	SET5006C2412A	-	-	-	-
ALIHEA28C2409A	-	-	-	-	HSI28C2411A	-	-	-	-	SET5006C2412B	1.30	0.05	200	1.33
ALIHEA41C2410A	-	-	-	-	HSI28C2411B	-	-	-	-	SET5006C2412C	1.97	0.05	187	1.97
ALIHEA41C2502A	-	-	-	-	HSI28C2411C	0.50	-	5	0.50	SET5006C2412D	0.45	-	194,867	0.47
BABA28C2410A	-	-	-	-	HSI28C2412A	0.19	0.01	3,603	0.18	SET5006C2412E	0.27	0.01	240,239	0.29
BABA28C2412A	-	-	-	-	HSI28C2412B	0.33	-	2	0.33	SET5006P2409A	0.01	-	157	0.01
BABA28P2410A	-	-	-	-	HSI28C2412C	0.48	(0.02)	23	0.49	SET5006P2412A	0.03	(0.03)	1	0.03
BABA41C2409A	-	-	-	-	HSI28C2501A	0.22	(0.01)	151	0.23	SET5006P2412B	0.01	-	120	0.01
BABA41C2410A	-	-	-	-	HSI28P2409A	-	-	-	-	SET5006P2412C	0.05	(0.03)	1,523	0.05
BABA41P2409A	-	-	-	-	HSI28P2409B	-	-	-	-	SET5006P2412D	0.13	(0.01)	125,968	0.12
BABA41P2411A	-	-	-	-	HSI28P2409C	0.13	0.01	9	0.11	SET5006P2412E	0.32	(0.02)	572,618	0.31
BIDU28C2409A	-	-	-	-	HSI28P2410A	0.08	(0.01)	1	0.08	SET5013C2409A	0.01	-	5,148	0.01
BIDU28C2411A	-	-	-	-	HSI28P2410B	-	-	-	-	SET5013C2409B	0.01	-	6,003	0.02
BIDU28P2410A	-	-	-	-	HSI28P2410C	0.23	(0.01)	1,005	0.23	SET5013C2409C	0.01	(0.01)	708	0.02
BIDU41C2409A	-	-	-	-	HSI28P2410D	-	-	-	-	SET5013C2409D	0.02	0.01	9,061	0.01
BIDU41C2410A	-	-	-	-	HSI28P2411A	-	-	-	-	SET5013C2409E	0.08	(0.02)	851,241	0.11
BIDU41C2502A	-	-	-	-	HSI28P2411B	-	-	-	-	SET5013C2409F	0.45	(0.05)	40,551	0.58
BIDU41P2410A	-	-	-	-	HSI28P2411C	-	-	-	-	SET5013C2409G	1.47	0.01	9,047	1.67
BYDCOM28C2501A	-	-	-	-	HSI28P2412A	0.25	(0.01)	164	0.25	SET5013C2410A	0.04	(0.01)	36,753	0.05
BYDCOM28P2409A	-	-	-	-	HSI28P2412B	-	-	-	-	SET5013C2410B	0.06	0.01	29,151	0.06
BYDCOM28P2501A	-	-	-	-	HSI28P2412C	0.49	0.02	13	0.47	SET5013C2411A	0.21	-	74,506	0.24
BYDCOM41C2409A	-	-	-	-	HSI28P2501A	-	-	-	-	SET5013C2412A	1.44	0.02	42,373	1.55
BYDCOM41C2409B	-	-	-	-	HSTECH28C2411	-	-	-	-	SET5013C2412B	1.91	0.03	21,101	2.03
BYDCOM41P2409A	-	-	-	-	HSTECH28P2412	-	-	-	-	SET5013C2412C	2.56	0.06	34,423	2.74
BYDCOM41P2410A	-	-	-	-	JD28C2410A	-	-	-	-	SET5013C2412D	2.88	-	1,510	3.00
BYDCOM41P2502A	0.30	(0.07)	13	0.30	JD41C2409A	-	-	-	-	SET5013C2412E	1.06	-	87,746	1.13
CATHAY41C2411A	-	-	-	-	JD41C2411A	-	-	-	-	SET5013C2412F	0.83	-	112,885	0.91
CATHAY41C2502A	-	-	-	-	JD41C2502A	-	-	-	-	SET5013C2412G	0.65	(0.01)	1,273,083	0.70
CHMOB128C2409A	-	-	-	-	KUAISH28C2410	-	-	-	-	SET5013C2412H	0.37	(0.01)	1,979,168	0.41
CHMOB128C2411A	-	-	-	-	KUAISH41C2410	-	-	-	-	SET5013C2412T	0.23	-	229,314	0.26
DJ28C2409A	-	-	-	-	KUAISH41C2502	-	-	-	-	SET5013C2412U	0.59	(0.01)	196,287	0.64
DJ28C2409B	-	-	-	-	LENOVO41C240	-	-	-	-	SET5013P2409A	-	-	-	-
DJ28C2412A	-	-	-	-	LENOVO41C241	-	-	-	-	SET5013P2409B	-	-	-	-
DJ28P2409A	-	-	-	-	LENOVO41C250	-	-	-	-	SET5013P2409C	-	-	-	-
DJ28P2409B	-	-	-	-	MEITUA28C240	-	-	-	-	SET5013P2409D	-	-	-	-
DJ28P2412A	0.39	0.01	1,224	0.39	MEITUA28C250	-	-	-	-	SET5013P2409E	-	-	-	-
DJ41C2409A	-	-	-	-	MEITUA28P240	-	-	-	-	SET5013P2409F	-	-	-	-
DJ41P2409A	0.80	(0.05)	1,162	0.81	MEITUA28P241	-	-	-	-	SET5013P2410A	0.01	-	1	0.01
DJ41P2409A	0.03	0.02	6	0.03	MEITUA41C240	-	-	-	-	SET5013P2412A	0.02	-	103,146	0.01
DJ41P2412A	0.37	0.01	2,315	0.37	MEITUA41C241	-	-	-	-	SET5013P2412B	0.03	-	146,467	0.02
GEELY28C2411A	-	-	-	-	MEITUA41P240	-	-	-	-	SET5013P2412C	0.02	-	14,003	0.02
GEELY41C2411A	-	-	-	-	MEITUA41P241	-	-	-	-	SET5013P2412D	0.03	0.01	2,313	0.02
GEELY41C2411B	-	-	-	-	NDX28C2409A	0.10	(0.02)	2	0.10	SET5013P2412E	0.04	-	56,472	0.03
HAIIDL1C2411A	-	-	-	-	NDX28C2409B	-	-	-	-	SET5013P2412F	0.07	(0.01)	191,188	0.07
HKEX28C2409A	-	-	-	-	NDX28C2412A	0.13	(0.02)	21,200	0.13	SET5013P2412G	0.10	(0.01)	431,070	0.10
HKEX28C2410A	-	-	-	-	NDX28C2412B	1.27	(0.02)	4	1.27	SET5013P2412H	0.26	(0.02)	3,427,777	0.25
HKEX41C2409A	-	-	-	-	NDX28C2412C	-	-	-	-	SET5013P2412I	0.45	(0.02)	1,883,203	0.42
HKEX41C2409B	-	-	-	-	NDX28P2409A	-	-	-	-	SET5013P2412T	0.02	-	543	0.02
HKEX41C2411A	-	-	-	-	NDX28P2409B	-	-	-	-	SET5019C2409A	0.34	0.03	425	0.34
HKEX41C2502A	-	-	-	-	NDX28P2409C	-	-	-	-	SET5019C2409B	0.15	(0.01)	701	0.17
HSBC41C2409A														

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Wednesday September 18, 2024

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Wednesday September 18, 2024

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Wednesday September 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust	-	-	32,252	00 2.3	TRV	2.02	0.02	54	00 2.0	KLINIQ	36.75	0.50	9,202	00 37.2
APO	2.36	-	15,602	00 9.6	UBIS	1.89	0.01	1,686	00 1.8	KOOL	0.41	(0.02)	45,135	00 0.4
AU	9.60	0.05	251,213	00 1.3	UEC	1.38	-	1,564	00 1.3	KTMS	2.48	-	439	00 2.4
CFARM	1.35	-	8,292	00 0.0	UKEM	0.82	(0.02)	39,662	00 0.8	LDC	0.53	0.01	7,591	00 0.5
JCKH	0.02	(0.01)	-	00 0.0	UREKA	0.53	-	63,522	00 0.5	LEO	4.08	0.02	1,725	00 4.0
JCKH-W2	-	-	-	00 0.0	YUASA	11.70	-	128	00 11.6	MASTER	50.25	-	19,000	00 51.2
KASET	1.08	0.01	1,281	00 1.0	ZIGA	2.06	0.17	364,716	00 2.0	MCA	1.80	-	20,375	00 1.8
MAGURO	17.40	-	56,105	00 17.7	ZIGA-W2	0.23	0.02	423,537	00 0.2	MEB	31.00	0.50	3,212	00 30.9
MUD	1.55	0.07	38	00 1.5	Property	-	-	-	-	MORE	0.07	-	13,782	00 0.0
NTSC	11.00	(0.10)	624	00 11.1	24CS	4.22	(0.04)	13,328	00 4.2	MVP	0.95	0.03	64,119	00 0.9
TACC	4.98	0.04	24,219	00 4.9	A5	2.64	0.02	18,277	00 2.6	NCL	0.52	(0.01)	79,632	00 0.5
TMILL	3.70	0.06	373	00 3.6	A5-W3	0.02	-	4	00 0.0	NCP	1.30	0.01	39,648	00 1.3
WINNER	2.06	0.02	519	00 2.0	A5-W4	0.10	-	31,164	00 0.1	NEWS	0.01	-	160,312	00 0.0
XO	23.80	(0.10)	12,109	00 23.9	ARIN	1.13	0.24	899,079	00 1.0	PEER	0.41	0.03	666,285	00 0.4
Consumer Products	-	-	ARROW	5.65 (0.05)	-	350	00 5.7	PEER-W1	0.06 -	-	33,711	00 0.0	-	-
ALPHAX	0.68	-	39,337	00 0.6	BC	0.85	0.04	15,623	00 0.8	PICO	-	-	00 0.0	-
BGT	0.64	0.01	386	00 0.6	BC-W2	0.16	(0.01)	77,369	00 0.1	PLT	0.81	(0.05)	111,883	00 0.8
DOD	3.06	(0.14)	17,637	00 3.1	BLESS	0.53	0.02	53,636	00 0.5	QLT	2.66	0.14	412	00 2.5
ECF	0.56	(0.02)	21,589	00 0.5	BSM	2.04	(0.04)	356	00 2.0	RP	1.20	(0.01)	1,433	00 1.2
ECF-W5	0.08	-	34,634	00 0.0	BTW	0.30	0.01	45,603	00 0.3	SLM	-	-	00 0.0	-
EFORL	0.13	(0.01)	37,535	00 0.1	CAZ	3.12	0.02	6,051	00 3.1	SONIC	1.58	-	8,382	00 1.5
EFORL-W6	0.03	-	30	00 0.0	CHEWA	0.48	0.02	5,792	00 0.4	THMUI	0.61	0.02	2,249	00 0.6
EURO	5.50	-	32	00 5.5	CPANEL	4.76	(0.02)	774	00 4.5	TNDT	0.27	-	9,992	00 0.2
HPT	0.50	(0.01)	135,730	00 0.5	CPANEL-W1	0.45	(0.01)	810	00 0.4	TNDT-W1	0.04	(0.01)	4,073	00 0.0
ITTHI	2.12	(0.08)	24,939	00 2.1	CRD	0.46	(0.01)	6,070	00 0.4	TNH	35.50	-	529	00 35.5
JSP	2.02	-	3,658	00 2.0	DHOUSE	0.59	0.02	3,126	00 0.5	TNP	3.60	(0.02)	14,288	00 3.6
JUBILE	13.70	-	157	00 13.6	DIMET	0.26	(0.01)	3,768	00 0.2	TPL	1.24	(0.03)	29,243	00 1.2
LTS	11.00	(0.10)	7,652	00 10.9	DPAIN	2.34	0.02	29,364	00 2.3	TRP	9.35	0.10	5,179	00 9.3
MGI	16.40	(0.10)	28,007	00 16.4	FLOYD	0.83	-	4,068	00 0.8	TURTLE	-	-	00 0.0	-
MGI-W1	6.25	(0.35)	65,592	00 6.4	HYDRO	0.31	-	1,770	00 0.3	TVDH	0.20	-	457,150	00 0.2
MOONG	2.16	-	1,851	00 2.1	HYDRO-W2	0.15	(0.03)	3	00 0.1	TVDH-W3	0.03	-	5,025	00 0.0
NPK	13.50	0.60	28	00 12.9	IND	0.80	0.01	17,703	00 0.7	TVDH-W4	0.04	-	2,717	00 0.0
SMD	4.14	0.04	770	00 4.1	JAK	1.17	(0.01)	197	00 1.1	TVT	0.52	(0.01)	3,324	00 0.5
TM	1.30	0.01	1,110	00 1.3	K	1.28	(0.03)	952	00 1.2	UBA	1.01	-	2,108	00 1.0
TM-W1	0.16	0.01	505	00 0.1	K-W3	0.23	-	8,794	00 0.2	VL	1.04	-	5,285	00 1.0
WARRIX	3.84	0.02	76,513	00 3.8	META	0.14	-	16,206	00 0.1	YGG	1.13	0.03	760,899	00 1.1
WINMED	2.10	(0.02)	1,088	00 2.0	META-W7	0.01	-	10,057	00 0.0	Technology	-	-	-	-
Financials	-	-	PANEL	1.41 (0.01)	-	708	00 1.4	APP	1.43 (0.02)	-	2,431	00 1.4	-	-
ACAP	-	-	PPS	0.33 (0.02)	-	18,578	00 0.3	BBIK	38.25	-	5,174	00 38.4	-	-
AF	0.87	0.02	1,345	00 0.8	PRI	11.70	(0.30)	48,524	00 12.0	BE8	19.00	0.60	18,007	00 18.9
AIRA	1.46	-	78	00 1.4	PROS	1.29	-	1,592	00 1.2	BE8-W1	3.48	0.20	25	00 3.2
ASN	1.56	-	200	00 1.5	PROS-W1	0.34	0.02	4,283	00 0.3	BVG	3.18	(0.12)	15,332	00 3.2
BTC	0.49	0.01	285,702	00 0.4	PSG	0.63	(0.01)	366,438	00 0.6	COMAN	2.44	(0.02)	403	00 2.4
BTC-W7	0.17	0.01	20,714	00 0.1	QTCG	0.62	(0.01)	79,529	00 0.6	I2	2.08	(0.06)	29,022	00 2.1
GCAP	0.68	(0.03)	47,784	00 0.6	SENX	0.49	0.01	24,320	00 0.4	IIG	8.15	-	14,173	00 8.2
KCC	3.24	(0.12)	13,140	00 3.2	SK	0.71	0.02	1,525	00 0.7	IIG-W1	2.52	0.10	800	00 2.6
LIT	1.06	-	2,675	00 1.0	SMART	0.84	-	28,429	00 0.8	IRCP	0.59	-	43,578	00 0.6
LIT-W2	0.21	(0.01)	1,678	00 0.2	STC	0.56	0.01	610	00 0.5	ITNS	1.88	0.01	583	00 1.8
MITSIB	0.77	(0.02)	10,204	00 0.7	STX	1.70	(0.02)	11,452	00 1.7	NAT	5.25	(0.15)	37,072	00 5.3
SGF	0.32	0.01	14,556	00 0.3	SVR	1.23	0.01	2,741	00 1.2	NETBAY	18.10	0.10	9,086	00 18.2
SGF-P1	-	-	-	00 0.0	TAPAC	-	-	-	00 0.0	PLANET	1.06	0.03	91,416	00 1.0
SGF-Q1	-	-	-	00 0.0	THANA	1.33	(0.02)	3,303	00 1.3	PROEN	3.34	0.38	284,630	00 3.2
TQR	6.80	-	334	00 6.7	TIGER	0.69	0.01	198	00 0.6	READY	7.10	0.05	61	00 7.1
Industrials	-	-	TITLE	4.08 0.08	-	1,531	00 4.0	SECURE	14.00 0.10	-	1,586	00 13.8	-	-
ADB	1.27	(0.03)	38,303	00 1.2	WELL	-	-	-	00 0.0	SICT	5.10	-	1,523	00 5.0
BM	2.92	(0.04)	11,444	00 2.9	YONG	1.67	-	11,004	00 1.6	SIMAT	1.63 0.01	-	13,299	00 1.6
BM-W3	1.58	0.12	11	00 1.5	Resources	-	-	-	-	SIMAT-W3	0.20	-	2,567	00 0.2
BPS	0.77	(0.04)	87,010	00 0.7	ABM	1.26	0.01	1,283	00 1.2	SPVI	2.86	-	14,896	00 2.8
CHO	0.07	-	73,106	00 0.0	ABM-W1	0.11	-	34,680	00 0.1	SRS	5.95	0.10	474	00 5.8
CHO-W4	0.02	0.01	818	00 0.0	GTV	0.11	-	267,437	00 0.1	TBN	6.80	(0.05)	835	00 6.7
CHOW	2.50	-	341	00 2.4	PSTC	0.56	(0.01)	409,728	00 0.5	TERA	1.73	0.01	21,791	00 1.7
CIG	0.04	(0.01)	319,739	00 0.0	PSTC-W2	0.03	-	16,070	00 0.0	TPS	3.34	(0.04)	24,770	00 3.3
CIG-W10	-	-	-	00 0.0	PSTC-W3	0.22	(0.01)	78,814	00 0.2	TPS-W1	2.06	0.04	45	00 1.9
CIG-W9	0.04	-	1,167	00 0.0	PTC	1.77	(0.02)	963	00 1.7	VCOM	2.98	0.04	13,215	00 2.9
COLOR	1.16	(0.04)	2,798	00 1.1	SAAM	7.40	(0.10)	5,899	00 7.4	-	-	-	-	-
CPR	3.88	(0.06)	3,368	00 3.8	SAAM-W2	0.07	(0.02)	65,063	00 0.0	-	-	-	-	-
FPI	2.20	0.12	11,142	00 2.1	SR	0.69	0.01	76	00 0.6	-	-	-	-	-
GTB	0.75	0.02	10,797	00 0.7	STOWER	0.08	(0.01)	111,262	00 0.0	-	-	-	-	-
HARN	2.10	(0.02)	3,005	00 2.1	TAKUNI	1.03	(0.03)	253,197	00 1.0	-	-	-	-	-
KCM	0.36	(0.07)	142,818	00 0.3	TPCH	6.15	-	4,031	00 6.1	-	-	-	-	-
KJL	7.55	(0.05)	2,037	00 7.5	UMS	0.67	0.02	854	00 0.6	-	-	-	-	-
KUMWEL	1.78	0.01	130	00 1.7	Services	-	-	-	-	-	-	-	-	-
KWM	1.36	0.02	2,799	00 1.3	ADD	4.94	-	2,176	00 4.9	-	-	-	-	-
MBAX	2.94	-	885	00 2.9	AKP	1.10	0.01	69,906	00 1.1	-	-	-	-	-
MGT	2.44	0.02	600	00 2.4	AMA	4.58	0.04	5,611	00 4.5	-	-	-	-	-
MTW	1.38	(0.04)	14,954	00 1.4	AMARC	1.41	(0.03)	3,830	00 1.4	-	-	-	-	-
MTW-W1	0.31	-	43,370	00 0.3	ARIP	0.75	0.10	297,130	00 0.7	-	-	-	-	-
NDR	2.16	0.02	7,376	00 2.2	ATP30	0.93	0.01	68,629	00 0.9	-	-	-	-	-
PACO	1.53	(0.01)												