

Main Board Quotation

Issue Date :

Thursday October 17, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB13P2502A	0.30	(0.02)	8,058	0.30	IVL41C2412B	0.99	0.03	3,000	0.98
Agribusiness	-	-	-	-	SCB19C2411A	0.02	-	1	0.02	IVL41C2502A	0.71	(0.01)	9,980	0.73
EE	0.17	-	10,272	0.18	SCB19C2412A	0.18	0.01	47,486	0.18	IVL41C2502B	0.16	0.01	26,004	0.17
EE-W1	0.01	-	8	0.01	SCB19C2502A	0.21	0.01	11,469	0.20	NFC	2.18	(0.02)	166	2.15
GFPT	11.70	(0.10)	16,207	11.73	SCB19P2412A	-	-	-	-	PATO	9.15	(0.15)	221	9.08
LEE	2.50	-	302	2.50	SCB41C2412A	0.12	0.02	22,110	0.11	PMTA	8.60	0.10	1	8.60
NER	5.05	(0.10)	38,325	5.07	SCB41C2502A	0.25	(0.75)	14,000	0.25	PTTGC	26.00	(0.75)	167,285	26.46
NER-W2	0.77	(0.02)	7,820	0.78	TCAP	52.75	1.25	38,288	52.45	PTTGC01C2411A	-	-	-	-
PCE	2.54	0.04	268,772	2.51	TCAP-P	-	-	-	-	PTTGC01C2412A	-	-	-	-
PPPM	0.82	(0.01)	14,071	0.82	TCAP-Q	-	-	-	-	PTTGC01C2501A	0.06	(0.01)	1,435	0.07
PPPM-W6	0.71	0.01	554	0.72	TCAP13C2501A	0.20	0.03	21,926	0.19	PTTGC01C2501B	0.43	(0.03)	3,435	0.46
STA	20.40	(0.30)	104,372	20.60	TISCO	97.75	(0.50)	36,319	97.82	PTTGC01C2502A	0.14	(0.01)	25,730	0.15
STA01C2411A	-	-	-	-	TISCO-P	-	-	-	-	PTTGC01P2412X	0.21	(0.01)	17	0.21
STA01C2412A	0.21	(0.02)	25,270	0.23	TISCO-Q	-	-	-	-	PTTGC01P2501A	0.16	0.01	19,491	0.16
STA01C2501A	0.22	(0.03)	37,453	0.24	TISCO11C2501A	0.41	(0.02)	6,000	0.41	PTTGC01P2503A	0.42	-	1,643	0.41
STA01C2502A	-	-	-	-	TISCO13C2502A	0.20	(0.01)	15,602	0.20	PTTGC11C2411A	-	-	-	-
STA01P2502A	0.62	0.01	18,137	0.60	TISCO19C2411A	-	-	-	-	PTTGC11C2412A	0.06	0.01	800	0.06
STA13C2411A	0.01	(0.01)	858	0.01	TISCO19C2502A	0.49	(0.02)	30,673	0.49	PTTGC11C2501A	0.39	(0.36)	400	0.38
STA13C2412A	0.13	(0.01)	43,883	0.14	TTB	1.89	-	1,167,297	1.89	PTTGC13C2411A	-	-	-	-
STA13C2502A	0.06	-	23,941	0.06	TTB-W1	0.93	(0.01)	1,933	0.93	PTTGC13C2412A	-	-	-	-
STA13C2502B	0.35	(0.02)	65,999	0.37	TTB01C2503A	0.16	-	500	0.16	PTTGC13C2412B	0.02	(0.01)	3,162	0.02
STA13P2502A	0.59	0.01	28,232	0.58	TTB13C2501A	0.10	(0.01)	3,100	0.10	PTTGC13C2412C	-	-	-	-
STA19C2411A	-	-	-	-	TTB19C2501A	0.31	(0.02)	2,772	0.31	PTTGC13C2501A	0.10	(0.02)	20,607	0.12
STA19C2412A	0.20	(0.02)	27,461	0.23	Construction Ma	-	-	-	-	PTTGC13C2502A	0.17	(0.03)	21,688	0.19
STA19C2502A	0.16	(0.02)	10,683	0.18	CCP	0.31	-	11,623	0.32	PTTGC13P2412A	-	-	-	-
STA19C2502B	0.08	-	59,700	0.08	DCC	1.89	(0.04)	36,922	1.90	PTTGC13P2502A	0.46	-	40	0.46
STA19C2503A	0.36	(0.02)	42,534	0.39	DCON	0.32	-	43,607	0.33	PTTGC13P2502B	0.25	0.03	7,740	0.23
TEGH	3.30	(0.04)	25,229	3.29	DCON-W3	0.03	0.01	2,022	0.03	PTTGC19C2411A	-	-	-	-
TFM	8.45	0.15	1,731	8.46	DRT	7.95	(0.05)	8,826	7.96	PTTGC19C2412A	-	-	-	-
TRUBB	1.15	(0.02)	14,322	1.16	EPG	5.00	-	44,301	5.11	PTTGC19C2412B	0.07	-	11,764	0.07
UPOIC	6.50	(0.05)	128	6.50	GEL	0.13	0.01	21,766	0.12	PTTGC19C2501A	-	-	-	-
UVAN	8.80	(0.05)	1,273	8.86	GEL-W5	-	-	-	-	PTTGC19C2501B	0.15	(0.02)	8,627	0.16
VPO	0.73	(0.01)	9,536	0.73	PPP	-	-	-	-	PTTGC19C2502A	0.09	(0.01)	102,159	0.12
Banking	-	-	-	-	Q-CON	10.60	(0.10)	2,028	10.64	PTTGC19P2412A	-	-	-	-
BAY	26.50	(0.50)	3,518	26.65	SCC	210.00	(6.00)	37,731	212.68	PTTGC19P2503A	0.25	(0.75)	1,130	0.25
BBL	156.00	2.50	88,535	155.51	SCC01C2412A	0.02	-	1,300	0.02	PTTGC41C2412A	-	-	-	-
BBL11C2412A	0.31	0.04	7,250	0.30	SCC01C2502A	0.28	(0.08)	1,190	0.28	PTTGC41C2412B	0.03	(0.01)	4,578	0.04
BBL11C2501A	0.26	0.04	14,403	0.25	SCC01C2503A	0.13	(0.03)	22,574	0.14	PTTGC41C2501A	-	-	-	-
BBL13C2412A	0.41	0.06	3,011	0.39	SCC01P2503A	0.75	0.06	4,459	0.72	PTTGC41C2502A	-	-	-	-
BBL13C2501A	0.27	0.03	153,146	0.27	SCC13C2501A	0.09	(0.04)	28,815	0.11	PTTGC41C2502B	0.11	-	6,000	0.11
BBL13P2412A	-	-	-	-	SCC13P2501B	0.04	(0.01)	129,396	0.04	SUTHA	3.06	-	222	3.06
BBL13P2501A	0.32	(0.04)	10,158	0.32	SCC13C2502A	0.20	(0.80)	8,341	0.24	TPA	-	-	-	-
BBL19C2411A	-	-	-	-	SCC13P2502A	0.78	0.07	14,937	0.74	UAC	3.40	0.02	206	3.38
BBL19C2502A	0.26	0.03	42,111	0.25	SCC19C2411A	-	-	-	-	UP	17.20	0.30	46	17.01
BBL41C2412A	0.36	0.05	25,228	0.35	SCC19C2501A	0.15	(0.03)	8,561	0.18	Commerce	-	-	-	-
BBL41C2502A	0.25	0.02	18,196	0.25	SCC19C2502A	0.10	(0.03)	3,982	0.11	ADVICE	6.30	0.15	68,609	6.29
CI MBT	0.54	0.01	15,095	0.54	SCCC	173.00	(4.50)	2,015	174.91	B52	0.72	(0.12)	3,002	0.77
CREDIT	19.10	(0.40)	1,208	19.26	SCGD	7.25	(0.05)	7,439	7.22	BEAUTY	0.51	-	31,026	0.51
KBANK	154.00	3.00	109,561	152.82	SCP	6.55	0.05	464	6.50	BIG	0.45	(0.01)	15,461	0.45
KBANK01C2412A	0.62	0.01	3,048	0.64	SKN	5.60	-	198	5.53	BJC	25.00	(0.25)	35,590	25.20
KBANK01C2501A	0.52	0.02	26,021	0.51	STECH	1.22	(0.03)	4,404	1.21	BJC01C2412A	0.44	(0.01)	3,790	0.44
KBANK01C2502A	0.25	0.02	48,643	0.24	TASCO	18.50	(0.40)	51,251	18.65	BJC01C2503A	0.15	(0.01)	25,304	0.16
KBANK01P2412X	-	-	-	-	TASCO01C2501/	0.28	(0.02)	12,940	0.28	BJC13C2412A	-	-	-	-
KBANK01P2502A	0.24	(0.04)	13,620	0.25	TASCO13C2501/	0.21	(0.04)	24,503	0.23	BJC13C2502A	0.14	-	12,069	0.14
KBANK01P2502B	0.51	(0.05)	11,286	0.51	TASCO19C2411/	0.09	(0.03)	9,234	0.10	BJC19C2411A	-	-	-	-
KBANK13C2411A	-	-	-	-	TASCO19C2502/	0.30	(0.03)	11,654	0.31	BJC19C2502A	-	-	-	-
KBANK13C2412A	-	-	-	-	TOA	18.80	(0.10)	3,904	18.80	BJC19C2503A	-	-	-	-
KBANK13C2501A	0.30	0.04	84,577	0.29	TPIPL	1.17	(0.01)	25,567	1.17	COM7	27.00	0.50	134,442	27.08
KBANK13C2501B	0.19	0.01	43,655	0.19	UMI	0.85	-	9,623	0.85	COM701C2412W	0.64	0.06	13,432	0.64
KBANK13P2412A	-	-	-	-	VNG	3.44	(0.04)	4,660	3.43	COM701C2501A	0.18	0.02	60,104	0.18
KBANK13P2501A	0.08	(0.01)	890	0.09	WIJK	1.12	0.01	1,203	1.11	COM701P2501A	0.24	(0.02)	23,023	0.24
KBANK13P2501B	0.24	(0.04)	11,192	0.26	WIJK-W3	0.07	-	428	0.07	COM713C2411A	-	-	-	-
KBANK19C2411A	-	-	-	-	WINDOW	1.06	-	7,177	1.06	COM713C2412A	0.53	0.04	1,403	0.52
KBANK19C2501A	0.40	0.04	5,694	0.38	Petrochemicals &	-	-	-	-	COM713C2501A	0.18	0.02	42,267	0.18
KBANK19C2502A	0.36	0.05	32,920	0.33	BCT	74.00	2.25	129	72.38	COM713P2501A	0.22	(0.02)	11,602	0.22
KBANK19C2502B	0.25	0.03	45,883	0.24	CMAN	2.22	-	1,990	2.23	COM719C2501A	0.67	0.05	200	0.70
KBANK19P2501A	-	-	-	-	GC	5.05	-	1,469	4.99	COM719C2502A	0.24	0.02	61,689	0.24
KBANK19P2502A	0.13	-	1,728	0.13	GGC	4.50	-	63	4.58	COM719P2412A	-	-	-	-
KBANK41C2501A	-	-	-	-	GIFT	3.36	(0.12)	23,857	3.38	COM719P2502A	0.18	(0.02)	6,100	0.18
KBANK41C2502A	0.25	(0.75)	35,200	0.23	GIFT-W2	1.58	(0.03)	4,300	1.61	COM741C2412A	-	-	-	-
KBANK41C2604T	0.82	0.01	27,816	0.82	IVL	24.70	-	301,921	24.90	COM741C2501A	0.67	0.05	33	0.67
KKP	53.25	(0.25)	27,044	52.95	IVL01C2411W	0.37	-	2,180	0.37	COM741C2501B	0.24	0.01	11,931	0.25
KKP-W6	1.44	0.01	1,033	1.43	IVL01C2412W	0.79	-	2,040	0.82	CPALL	65.75	(0.25)	253,755	65.83
KKP13C2412A	0.25	(0.02)	20,953	0.23	IVL01C2501W	1.32	0.05	2,020	1.36	CPALL01C2412A	0.30	(0.01)	1,323	0.32
KKP13C2412B	-	-	-	-	IVL01C2502A	0.64	(0.01)	13,828	0.71	CPALL01C2501A	0.61	0.01	410	0.61
KKP13C2501A	0.52	0.05	600	0.52	IVL01C2502B	0.41	-	136,425	0.44	CPALL01C2502A	0.26	-	31,652	0.26
KKP13C2502A	0.36	(0.02)	23,279	0.35	IVL01C2503A	0.13	(0.01)	73,564	0.15	CPALL01P2501X	0.05	(0.01)	12	0.05
KKP19C2411A	-	-	-	-	IVL01P2501W	0.01	-	1,390	0.01	CPALL01P2502X	0.28	(0.01)	10,845	0.28
KKP19C2501A	-	-	-	-	IVL01P2502A	0.27	(0.01)	39,223	0.27	CPALL11C2410A	0.18	(0.03)	800	0.18
KKP19C2503A	0.47	(0.01)	21,975	0.46	IVL01P2502W	0.13	-	36,963	0.13	CPALL11C2412A	0.48	0.01	5,900	0.49
KTB	21.40	(0.30)	1,176,877	21.46	IVL06C2411A	-	-	-	-	CPALL11C2501A	0.23	0.02	250	0.23
KTB-P	-	-	-	-	IVL06C2501A	0.13	(0.02)	23,104	0.14	CPALL13C2411A	-	-	-	-
KTB-Q	-	-	-	-	IVL11C2411A	-	-	-	-	CPALL13C2412A	0.40	(0.11)	5	0.40
KTB01C2501A	0.48	-	63	0.48	IVL11C2501A	-	-	-	-	CPALL13C2501A	0.20	(0.01)	20,919	0.20
KTB01C2502A	0.31	(0.02)	31,128	0.32	IVL11C2501B	0.33	0.02	600	0.33	CPALL13P2501A	0.25	(0.01)	3,208	0.25
KTB01P2502A	0.24	0.01	46,862	0.24	IVL13C2411A	0.09	(0							

Main Board Quotation

Issue Date :

Thursday October 17, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC19C2502A	0.24	-	45,583	0.25	INTUCH19C2502A	0.55	0.13	183,191	0.48	HANA13C2502A	0.16	(0.04)	36,913	0.18
CSS	0.90	(0.01)	7,544	0.91	ITEL	2.44	0.04	110,283	2.43	HANA13P2411A	-	-	-	-
DOHOME	10.50	0.10	84,235	10.33	JAS	2.40	-	619,871	2.42	HANA13P2502A	0.54	0.05	47,580	0.52
DOHOME01C2501A	0.07	-	1,310	0.06	JAS13C2411A	0.01	-	2,843	0.01	HANA19C2411A	0.01	-	3,000	0.01
DOHOME01C2503A	0.16	(0.01)	34,616	0.16	JAS13C2412A	0.07	-	5,262	0.07	HANA19C2501A	0.10	(0.02)	4,904	0.11
DOHOME13C2412A	-	-	-	-	JAS13C2502A	0.22	0.01	38,387	0.22	HANA19C2501B	0.16	(0.03)	18,201	0.17
DOHOME13C2502A	0.15	(0.01)	9,879	0.15	JAS19C2411A	0.01	-	38,685	0.01	HANA19P2411A	0.19	0.04	4,602	0.16
DOHOME19C2501A	0.10	-	51	0.10	JAS19C2412A	0.06	-	17,762	0.06	HANA41C2411A	0.01	-	1,000	0.01
DOHOME19C2502A	0.18	-	16,522	0.17	JAS19C2501A	0.17	(0.01)	22,017	0.18	HANA41C2501A	0.09	(0.04)	9,901	0.12
DOHOME41C2412A	-	-	-	-	JMART	16.60	0.60	418,179	16.36	KCE	37.25	(0.75)	77,487	37.47
DOHOME41C2501A	0.10	0.01	11,400	0.09	JMART-W5	0.80	(0.03)	650	0.84	KCE01C2412W	-	-	-	-
FN	1.13	(0.02)	2,958	1.15	JMART01C2411W	0.33	0.06	16,385	0.31	KCE01C2501W	0.12	(0.02)	14,853	0.14
GLOBAL	16.80	0.60	85,673	16.59	JMART01C2501W	0.37	0.03	77,372	0.36	KCE01C2503A	0.25	(0.03)	19,830	0.27
GLOBAL01C2503A	0.38	0.04	19,263	0.36	JMART13C2412W	0.83	0.09	14	0.83	KCE01P2412W	-	-	-	-
GLOBAL11C2501A	0.29	0.04	8,535	0.27	JMART13C2501W	0.62	0.07	25,935	0.59	KCE01P2501W	0.27	0.02	11,581	0.27
GLOBAL13C2501A	0.38	0.06	51,882	0.35	JMART13C2501E	0.29	0.04	178,908	0.27	KCE11C2501A	-	-	-	-
GLOBAL19C2412A	0.16	0.03	31,257	0.14	JMART19C2412W	0.51	0.06	16,347	0.48	KCE13C2411A	0.01	-	1	0.01
HMPRO	10.40	(0.10)	197,823	10.52	JMART19C2501W	-	-	-	-	KCE13C2412A	-	-	-	-
HMPRO01C2501A	0.46	(0.01)	2,089	0.46	JMART19C2501E	-	-	-	-	KCE13C2412B	0.03	(0.02)	533	0.03
HMPRO01C2503A	0.11	(0.02)	4,073	0.11	JMART19C2501C	0.29	0.04	90,694	0.27	KCE13C2501A	0.16	(0.03)	30,885	0.18
HMPRO11C2412A	-	-	-	-	JMART19C2503W	0.49	0.04	264,607	0.48	KCE13P2412A	0.29	0.02	32,401	0.28
HMPRO11C2412B	-	-	-	-	JMART19P2411W	0.02	(0.01)	1	0.02	KCE13P2501A	0.21	0.01	10,412	0.20
HMPRO13C2411A	0.16	(0.32)	4	0.16	JMART41C2412W	0.56	0.08	19,250	0.53	KCE19C2411A	-	-	-	-
HMPRO13C2501A	-	-	-	-	JMART41C2501W	0.35	0.04	81,939	0.34	KCE19C2412A	0.05	-	1	0.05
HMPRO13C2501B	0.11	(0.02)	13,235	0.12	JTS	72.75	1.25	13,623	73.42	KCE19C2501A	0.15	(0.02)	45,273	0.17
HMPRO19C2501A	-	-	-	-	MFEC	6.15	0.05	4,010	6.13	KCE19P2412A	0.33	0.03	1,224	0.32
HMPRO19C2501B	0.19	(0.01)	22,711	0.19	MSC	8.05	-	58	7.96	KCE19P2501A	0.22	0.01	5,649	0.21
HMPRO19C2502A	-	-	-	-	PT	9.70	-	1,104	9.70	KCE41C2411A	-	-	-	-
ICC	-	-	-	-	ROCTEC	0.99	-	30,813	0.99	KCE41C2501A	-	-	-	-
ILM	18.70	0.40	5,929	18.65	ROCTEC-W3	0.02	(0.01)	28,946	0.02	METCO	194.00	1.00	31	193.40
IT	5.05	0.05	1,195	5.06	ROCTEC-W5	0.05	-	257,358	0.05	SMT	2.02	-	49,821	2.03
KAMART	12.20	0.20	24,358	12.21	SAMART	7.00	(0.10)	19,143	6.92	SVI	7.85	0.30	43,596	7.80
LOXLEY	1.41	(0.01)	786	1.41	SAMTEL	6.10	0.15	8,747	6.02	TEAM	3.88	(0.02)	12,032	3.93
MC	12.50	(0.20)	27,040	12.57	SDC	0.02	(0.01)	282,163	0.02	Energy & Utilities	-	-	-	-
MEGA	40.00	(0.75)	3,883	40.30	SIS	27.25	0.50	3,940	27.12	ACC	0.91	0.02	58,121	0.91
MEGA13C2502A	0.25	(0.02)	2,438	0.26	SKY	24.80	0.70	28,584	24.62	ACC-W2	0.87	0.01	16,912	0.87
MEGA19C2502A	0.27	(0.03)	5,424	0.29	SPREME	1.88	0.01	20,633	1.87	ACE	1.35	-	8,761	1.36
MIDA	0.44	0.01	20,655	0.47	SVOA	1.70	-	1,291	1.70	AE	0.27	-	24,759	0.27
MOSHI	49.00	0.75	19,404	48.67	SYMC	8.30	0.10	4,645	8.30	AGE	1.45	(0.01)	1,082	1.45
RS	6.00	-	32,846	6.04	SYNEX	15.60	0.40	20,796	15.48	AI	3.98	(0.06)	1,202	4.01
RS-W5	4.90	-	4,647	4.98	THCOM	16.90	0.50	212,474	16.75	AIE	1.18	(0.02)	1,084	1.19
RSP	2.02	0.02	798	2.02	TKC	15.10	-	3,317	15.27	BAFS	15.10	(0.30)	4,337	15.26
SABUY	0.81	(0.01)	152,461	0.83	TRUE	12.10	0.40	1,236,925	11.98	BANPU	6.45	(0.10)	448,381	6.48
SCM	3.76	-	1,870	3.70	TRUE01C2501A	0.28	0.05	65,842	0.26	BANPU01C2411W	0.23	(0.04)	4,775	0.24
SCM-W2	1.22	(0.03)	35	1.21	TRUE01P2412W	-	-	-	-	BANPU01C2501A	0.38	(0.04)	3,035	0.39
SINGER	12.10	(0.10)	178,086	12.12	TRUE11C2411A	0.90	0.16	800	0.84	BANPU01C2501B	1.75	(0.12)	415	1.78
SPC	58.25	-	117	58.00	TRUE11C2501A	0.29	0.04	14,219	0.28	BANPU01C2502A	0.23	(0.02)	10,598	0.24
SPI	-	-	-	-	TRUE11C2501B	0.17	0.02	6,334	0.17	BANPU01C2503A	0.17	(0.01)	25,600	0.17
SVT	1.83	0.01	9,336	1.83	TRUE13C2412A	0.81	0.30	1	0.81	BANPU01P2411W	-	-	-	-
TAN	8.05	(0.10)	3,316	8.15	TRUE13C2412B	0.22	0.05	103,953	0.21	BANPU01P2501W	0.05	0.01	100	0.05
Information & Commr	-	-	-	-	TRUE13P2412A	-	-	-	-	BANPU01P2502A	0.23	0.02	14,567	0.22
3BBIF	6.30	(0.05)	51,201	6.35	TRUE19C2501A	0.28	0.04	175,310	0.27	BANPU11C2410T	-	-	-	-
ADVANC	297.00	10.00	78,895	294.87	TRUE41C2411A	-	-	-	-	BANPU11C2411A	0.44	(0.05)	2,000	0.46
ADVANC01C2412A	1.04	0.19	10,579	0.99	TRUE41C2501A	0.28	0.03	22,703	0.27	BANPU11C2412A	1.78	-	1,000	1.86
ADVANC01C2501A	0.74	0.14	32,441	0.71	TRUE41C2604T	0.74	0.05	14,455	0.72	BANPU11C2501A	0.12	(0.02)	5,000	0.13
ADVANC01C2503A	0.59	0.10	37,386	0.56	TWZ	0.04	-	33,482	0.03	BANPU13C2411A	0.23	0.05	67	0.23
ADVANC01P2412X	0.01	-	801	0.01	TWZ-W8	-	-	-	-	BANPU13C2411B	-	-	-	-
ADVANC01P2502X	0.11	(0.03)	35,556	0.11	TWZ-W9	-	-	-	-	BANPU13C2412A	-	-	-	-
ADVANC06C2411A	-	-	-	-	Electronic Comp	-	-	-	-	BANPU13C2412B	-	-	-	-
ADVANC11C2412A	0.85	0.25	400	0.86	CCET	5.15	0.17	1,076,187	5.13	BANPU13C2501A	0.23	(0.03)	11,572	0.24
ADVANC13C2412A	-	-	-	-	DELTA	126.00	2.00	110,283	125.73	BANPU13C2502A	0.16	(0.02)	22,546	0.17
ADVANC13C2412B	0.79	0.37	12	0.79	DELTA01C2411W	0.89	0.04	3,746	0.89	BANPU13P2501A	0.03	-	5,141	0.03
ADVANC13C2501A	0.51	0.13	155,194	0.48	DELTA01C2412W	0.41	0.04	78,208	0.40	BANPU13P2502A	0.23	0.01	22,031	0.22
ADVANC13P2411A	-	-	-	-	DELTA01C2501W	0.73	0.05	46,296	0.72	BANPU19C2411A	-	-	-	-
ADVANC13P2412A	0.01	(0.01)	3,240	0.01	DELTA01P2411X	0.01	-	439	0.01	BANPU19C2411B	-	-	-	-
ADVANC13P2501A	0.09	(0.03)	20,352	0.10	DELTA01P2412X	0.06	(0.01)	496	0.07	BANPU19C2501A	-	-	-	-
ADVANC19C2411A	1.65	0.15	60	1.65	DELTA01P2502A	0.31	(0.03)	236,378	0.32	BANPU19C2502A	0.27	(0.03)	5,030	0.29
ADVANC19C2412A	1.25	0.58	22,208	1.02	DELTA06C2410W	1.19	0.26	2	1.15	BANPU19C2502B	0.17	(0.01)	8,388	0.17
ADVANC19C2501A	0.95	0.41	2	0.90	DELTA06C2412W	0.54	0.03	143,203	0.53	BANPU19P2411A	-	-	-	-
ADVANC19C2502A	0.52	0.11	15,614	0.48	DELTA11C2411W	-	-	-	-	BANPU41C2411A	-	-	-	-
ADVANC19P2412A	-	-	-	-	DELTA11C2501A	0.43	0.04	5,614	0.42	BANPU41C2501A	0.39	(0.05)	4	0.42
ADVANC41C2412A	1.01	0.15	2,002	1.07	DELTA11C2501E	0.58	0.04	18,846	0.57	BANPU41C2502A	0.17	(0.02)	36,950	0.17
ADVANC41C2501A	0.67	0.14	19,490	0.63	DELTA13C2411W	1.05	0.21	2,467	0.95	BBGI	6.80	-	4,893	6.76
ADVANC41C2502A	0.55	0.10	44,792	0.53	DELTA13C2412W	0.57	0.05	19,668	0.56	BCP	36.00	-	67,624	36.09
AIT	4.24	-	9,387	4.24	DELTA13C2501W	1.79	0.11	14	1.79	BCP01C2412A	-	-	-	-
ALT	1.22	0.01	2,439	1.21	DELTA13C2502W	0.70	0.05	285,046	0.69	BCP01C2501A	0.25	-	5,139	0.25
AMR	1.15	0.02	3,226	1.12	DELTA13P2411W	-	-	-	-	BCP01C2502A	0.15	-	17,296	0.15
BLISS	-	-	-	-	DELTA13P2412W	0.05	-	13,568	0.05	BCP01P2502A	0.27	(0.01)	3,519	0.27
DIF	9.40	(0.05)	74,925	9.44	DELTA13P2502W	0.29	(0.03)	112,202	0.30	BCP11C2501A	0.12	0.01	2,150	0.12
DITTO	19.70	0.70	64,042	19.49	DELTA19C2411W	1.21	0.10	80	1.21	BCP13C2411A	-	-	-	-
DITTO-W1	1.05	0.01	14,787	1.20	DELTA19C2412W	0.57	0.04	49,227	0.57	BCP13C2412A	0.17	(0.01)	11,580	0.17
DTCENT	1.22	(0.01)	9,602	1.22	DELTA19C2502W	0.70	0.04	32,612	0.69	BCP13C2501A	0.12	-	11,772	0.12
FORTH	13.00	0.10	4,499	13.19	DELTA19P2411W	-	-	-	-	BCP13P2501A	0.21	-	19,550	0.21
FORTH13C2412A	0.11	-	5,441	0.11	DELTA19P2412W	0.02	-	636	0.01	BCP19C2411A	0.01	(0.02)	1,980	0.01
FORTH19C2501A	0.20	0.01	15,369	0.21	DELTA19P2502W	0.23	(0.01)	37,2						

Main Board Quotation

Issue Date :

Thursday October 17, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BGRM11C2412A	0.62	0.01	14,246	0.61	GULF01C2502A	0.98	0.24	33,191	0.87	SOLAR	0.55	-	4,046	0.55
BGRM11C2501A	0.37	0.02	29,287	0.37	GULF01C2502B	0.69	0.19	131,077	0.61	SPCG	8.85	-	3,237	8.85
BGRM13C2411A	0.07	-	2,462	0.08	GULF01P2411X	0.02	-	30	0.02	SPRC	6.85	(0.15)	151,142	6.92
BGRM13C2412A	0.45	0.03	191	0.43	GULF01P2501A	0.03	(0.02)	8,393	0.03	SPRC01C2502A	0.23	(0.03)	6,513	0.24
BGRM13C2502A	0.40	0.02	173,180	0.41	GULF11C2410A	2.64	0.46	13	2.47	SPRC13C2412A	0.04	-	6	0.04
BGRM13P2411A	0.02	-	13	0.01	GULF13C2411A	-	-	-	-	SPRC13C2501A	0.14	-	289	0.14
BGRM19C2411A	-	-	-	-	GULF13C2412A	1.83	0.42	130	1.63	SPRC19C2501A	-	-	-	-
BGRM19C2411B	0.19	0.01	47,654	0.16	GULF13C2412B	1.36	0.40	25,557	1.37	SSP	5.90	-	9,166	5.86
BGRM19C2501A	0.70	0.08	100	0.68	GULF13C2501A	0.87	0.24	35,308	0.78	SSP-W2	0.14	0.01	7,005	0.15
BGRM19C2502A	0.43	0.01	129,875	0.43	GULF13C2502A	0.63	0.18	481,796	0.57	SUPER	0.29	-	213,127	0.29
BGRM19P2411A	-	-	-	-	GULF13P2411A	-	-	-	-	SUPEREIF	6.90	(0.10)	1,121	6.98
BGRM41C2411A	0.24	0.01	92,261	0.24	GULF13P2412A	0.01	-	2,000	0.01	SUSCO	3.24	-	18,686	3.26
BGRM41C2412A	0.12	0.01	18,103	0.12	GULF13P2501A	0.02	(0.01)	1,300	0.02	TAE	0.89	0.01	1,014	0.89
BIOTEC	0.36	(0.01)	23,878	0.36	GULF13P2502A	0.10	(0.01)	17,165	0.10	TCC	0.49	(0.01)	2,928	0.50
BIOTEC-P	-	-	-	-	GULF13P2502B	0.28	(0.11)	143,859	0.33	TCC-W5	0.20	-	848	0.20
BIOTEC-Q	-	-	-	-	GULF19C2411A	-	-	-	-	TGE	2.54	(0.02)	2,874	2.55
BIOTEC-W2	0.08	-	16,816	0.08	GULF19C2412A	-	-	-	-	TGE-W1	1.64	0.12	16	1.36
BPP	12.50	0.10	23,176	12.59	GULF19C2501A	-	-	-	-	TOP	47.50	(1.00)	119,967	47.81
BRRGIF	3.78	0.04	1,450	3.75	GULF19C2502A	1.00	0.28	140	1.00	TOP01C2412A	0.04	(0.02)	190	0.05
BSRC	7.80	(0.50)	50,673	7.94	GULF19C2503A	0.71	0.18	10,895	0.60	TOP01C2503A	0.23	(0.03)	4,989	0.24
CKP	3.98	0.08	213,310	3.98	GULF19P2411A	-	-	-	-	TOP11C2412A	0.05	(0.04)	1,100	0.05
CKP13C2412A	-	-	-	-	GULF19P2501A	-	-	-	-	TOP11C2501A	-	-	-	-
CKP13C2501A	0.26	0.03	36,800	0.26	GULF19P2503A	0.31	(0.10)	37,458	0.34	TOP13C2412A	-	-	-	-
CKP19C2411A	-	-	-	-	GULF41C2502A	1.20	0.27	7,500	1.14	TOP13C2502A	0.18	(0.03)	12,360	0.19
CKP19C2502A	0.39	0.04	32,289	0.39	GULF41C2502B	0.90	0.21	44,004	0.82	TOP19C2412A	-	-	-	-
CV	0.28	(0.02)	487,471	0.28	GULF41C2605T	0.96	0.11	75,735	0.91	TOP19C2502A	0.19	(0.01)	2,504	0.19
CV-W1	0.19	(0.02)	20,216	0.20	GUNKUL	2.88	0.02	159,549	2.90	TOP41C2412A	-	-	-	-
DEMCO	3.52	(0.04)	473	3.54	GUNKUL13C241	0.06	(0.03)	12	0.06	TOP41C2502A	0.21	(0.79)	12,000	0.23
DEMCO-W7	0.04	(0.01)	22,114	0.05	GUNKUL13C241	-	-	-	-	TPIPP	3.04	-	16,682	3.03
EA	8.60	(0.05)	504,972	8.72	GUNKUL13C250	0.33	0.01	8,447	0.33	TSE	1.06	-	25,520	1.06
EA01C2411W	0.02	-	19	0.02	GUNKUL19C241	0.25	0.01	3,211	0.25	TTW	9.20	(0.10)	26,368	9.21
EA01C2412A	0.04	(0.01)	690	0.04	IRPC	1.61	(0.02)	260,227	1.62	UBE	0.80	(0.01)	18,488	0.80
EA01C2412W	-	-	-	-	IRPC01C2502A	0.21	(0.01)	8,229	0.22	WHAUP	5.35	-	109,444	5.29
EA01P2411A	0.16	(0.07)	2	0.16	IRPC13C2412A	0.11	(0.02)	14,556	0.12	WP	3.64	(0.04)	173	3.66
EA01P2411W	1.07	(0.06)	1	1.07	IRPC13C2501A	0.13	(0.01)	24,994	0.15	Media & Publishing	-	-	-	-
EA06C2412A	0.55	(0.02)	23,139	0.58	IRPC13C2502A	0.29	(0.71)	29,321	0.30	AMARIN	3.82	0.06	121	3.83
EA13C2411A	-	-	-	-	IRPC19C2501A	0.26	(0.02)	25,059	0.28	AQUA	0.36	0.01	3,597	0.35
EA13C2411B	-	-	-	-	IRPC19C2502A	0.21	(0.02)	5,658	0.22	AS	4.80	(0.12)	55,139	4.88
EA13C2411C	-	-	-	-	KBSPIF	7.95	-	1,571	7.95	BEC	4.46	(0.06)	54,386	4.54
EA13C2411D	-	-	-	-	LANNA	16.10	-	2,098	16.13	FE	190.00	15.00	36	179.53
EA13C2411E	0.03	(0.01)	620	0.04	MDX	3.94	0.16	73,963	3.97	GPI	1.63	-	4,377	1.62
EA13C2412A	0.30	(0.01)	49,943	0.32	NOVA	10.70	(0.10)	83	10.77	GRAMMY	8.15	(0.05)	46	8.07
EA13C2412B	0.70	0.01	6,000	0.71	OR	16.80	(0.10)	46,348	16.88	JKN	-	-	-	-
EA13C2412C	1.43	0.07	7	1.43	OR01C2412A	0.08	(0.01)	9,378	0.09	MAJOR	15.30	(0.10)	27,427	15.42
EA13C2412D	0.52	(0.02)	19,262	0.55	OR01C2502A	0.36	-	3,630	0.36	MATCH	1.40	0.01	40	1.41
EA13C2412E	0.27	-	115,910	0.27	OR01C2503A	0.21	-	2,380	0.21	MATI	6.70	(0.05)	525	6.89
EA13C2501A	0.98	0.01	7	0.97	OR13C2411A	-	-	-	-	MCOT	9.85	2.10	424,479	9.48
EA13C2501B	0.15	(0.02)	68,569	0.17	OR13C2501A	-	-	-	-	MONO	1.77	-	71,540	1.78
EA13C2501C	0.37	(0.01)	205,853	0.39	OR13C2501B	0.17	(0.01)	7,241	0.17	NATION	0.04	-	24,786	0.04
EA13P2411A	-	-	-	-	OR19C2411A	-	-	-	-	NATION-W4	-	-	-	-
EA13P2411B	-	-	-	-	OR19C2501A	-	-	-	-	ONEE	4.14	(0.14)	72,503	4.16
EA13P2411C	-	-	-	-	OR19C2502A	0.19	-	4,261	0.19	PLANB	8.05	0.15	122,655	8.07
EA13P2411D	0.02	(0.01)	550	0.02	OR41C2501A	-	-	-	-	PLANB-W1	0.19	-	20,220	0.20
EA13P2501A	0.44	(0.01)	26,904	0.44	OR41C2502A	0.15	(0.01)	19,850	0.15	PLANB13C2412A	0.16	0.01	30,131	0.18
EA19C2411A	-	-	-	-	OR41C2605T	0.24	-	21	0.24	PLANB19C2412A	0.21	0.01	32,624	0.21
EA19C2411B	-	-	-	-	PRIME	0.23	(0.01)	125,252	0.23	PRAKIT	11.00	(0.10)	454	10.73
EA19C2411C	0.01	(0.01)	559	0.01	PTG	10.10	0.25	54,193	10.15	PTECH	2.40	(0.10)	65	2.41
EA19C2411D	0.01	(0.01)	20,050	0.01	PTT	33.75	0.25	264,390	33.82	SE-ED	2.08	0.02	5	2.08
EA19C2412A	0.21	(0.01)	150,125	0.22	PTT01C2412A	0.10	-	88	0.10	TKS	7.20	(0.10)	3,364	7.23
EA19C2412B	0.47	(0.01)	45,443	0.48	PTT01C2502A	0.16	-	8,293	0.16	VGI	2.94	0.24	4,492,862	2.89
EA19C2412C	1.50	0.06	65	1.51	PTT11C2501A	-	-	-	-	VGI-W3	0.10	0.01	616,253	0.10
EA19C2501A	0.42	(0.01)	30,437	0.44	PTT13C2412A	0.09	-	14,946	0.09	VGI01C2411A	2.94	0.14	2	3.01
EA19P2411A	-	-	-	-	PTT13P2501A	0.11	-	3,495	0.11	VGI01C2501A	1.99	0.41	10,764	1.89
EA19P2412A	0.08	0.03	1	0.08	PTT19C2411A	-	-	-	-	VGI01C2501B	0.55	0.10	3,636	0.55
EA19P2501A	0.37	-	23,402	0.36	PTT19C2502A	0.17	0.01	2,432	0.17	VGI01C2502A	0.35	0.09	239,901	0.34
EA41C2412A	-	-	-	-	PTT41C2412A	-	-	-	-	VGI01P2411X	-	-	-	-
EASTW	3.08	-	1,528	3.09	PTT41C2502A	0.15	-	5,500	0.15	VGI01P2412X	-	-	-	-
EGATIF	6.10	-	2,416	6.06	PTTEP	129.00	(2.50)	151,618	129.98	VGI01P2501X	0.07	(0.03)	23,583	0.08
EGCO	126.50	-	19,905	127.47	PTTEP01C2412A	0.03	-	1,302	0.04	VGI13C2411A	-	-	-	-
EGCO13C2412A	0.74	0.13	3	0.74	PTTEP01C2502A	0.16	(0.02)	13,352	0.16	VGI13C2411B	2.98	0.14	2	3.05
EGCO13C2502A	0.42	-	28,266	0.44	PTTEP01C2503A	0.27	(0.03)	7,303	0.30	VGI13C2412A	1.37	0.18	100	1.37
EGCO19C2412A	0.50	0.05	100	0.50	PTTEP01P2412X	0.40	0.05	13,622	0.37	VGI13C2501A	0.62	0.17	15,406	0.56
EGCO19C2502A	0.41	(0.01)	23,329	0.43	PTTEP01P2503A	0.65	0.04	19,951	0.63	VGI13C2501B	0.39	0.11	454,534	0.36
EP	2.02	0.02	686	2.01	PTTEP06C2501A	0.12	(0.02)	400	0.12	VGI13P2411A	-	-	-	-
EP-W4	0.04	-	1,050	0.03	PTTEP11C2411A	-	-	-	-	VGI13P2412A	-	-	-	-
ETC	2.24	0.02	6,633	2.25	PTTEP11C2501A	0.11	(0.02)	4,385	0.12	VGI13P2501A	0.19	(0.08)	13,686	0.21
GPSC	48.50	-	155,637	48.50	PTTEP11C2501E	0.18	(0.02)	8,428	0.19	VGI19C2411A	-	-	-	-
GPSC01C2411A	0.08	(0.01)	34,089	0.08	PTTEP13C2412A	0.02	-	22,514	0.02	VGI19C2501A	0.54	0.15	31,287	0.50
GPSC01C2412A	0.42	(0.02)	3,135	0.41	PTTEP13C2501A	0.06	(0.02)	17,885	0.06	VGI19C2502A	0.36	0.09	274,016	0.34
GPSC01C2501A	0.73	(0.01)	7,167	0.73	PTTEP13C2502A	0.16	(0.03)	16,053	0.17	VGI19P2501A	0.06	(0.02)	12,702	0.07
GPSC01C2502A	0.33	-	63,962	0.33	PTTEP13P2502A	0.53	0.04	22,871	0.51	VGI41C2411A	3.00	0.16	2	3.07
GPSC01P2411X	-	-	-	-	PTTEP19C2411A	-	-	-	-	VGI41C2412A	2.32	0.28	222	2.46
GPSC01P2502A	0.15	-	33,526	0.15	PTTEP19C2412A	-	-	-	-	VGI41C2412B	-	-	-	-
GPSC11C2411A	-	-	-	-	PTTEP19C2502A	0.16	(0.03)	601	0.17	VGI41C2501A	0.62	0.14	49,096	0.57
GPSC11C2501A	0.29	(0.01)	8,427	0.30	PTTEP19C2503A	0.33	(0.67)	2,614	0.36	VGI41C2502A	0.34	0.09	128,298	0.31
GPSC13C2411A	-	-	-	-	PTTEP41C2412A	0.03	(0.01)	4,324	0.03					

Main Board Quotation

Issue Date :

Thursday October 17, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BYD13C2411A	-	-	-	-	THANI	2.16	(0.02)	78,901	2.17	PRG-W3	4.02	(0.02)	4	4.07
BYD13C2412A	0.02	-	215	0.02	TIDLOR	19.40	0.50	354,721	19.12	PRG-W4	4.04	-	3	4.05
BYD13C2412B	0.05	(0.01)	2,497	0.05	TIDLOR13C2411	0.02	-	500	0.02	RBF	5.75	(0.05)	52,899	5.80
BYD19C2501A	0.11	(0.01)	6,498	0.12	TIDLOR13C2411	0.68	0.04	139	0.67	RBF01C2501W	0.18	-	31,812	0.18
CGH	0.74	0.01	14,989	0.73	TIDLOR13C2412	0.37	0.05	78,234	0.33	RBF13C2412A	0.11	-	62,691	0.12
CGH-W5	-	-	-	-	TIDLOR13C2501	0.25	0.03	103,392	0.23	RBF13C2501A	0.10	-	6,036	0.10
CHASE	1.46	(0.01)	35,070	1.48	TIDLOR19C2411	0.03	0.01	15,502	0.02	RBF19C2501A	0.16	(0.01)	25,683	0.17
CHASE-W1	1.03	0.01	1,451	1.04	TIDLOR19C2501	0.78	0.08	50	0.78	SAPPE	65.50	(0.25)	8,500	65.81
CHAYO	3.86	(0.04)	25,987	3.87	TIDLOR19C2501	0.42	0.04	106,649	0.39	SAPPE01C2502A	0.35	(0.02)	10,838	0.38
CHAYO-W3	0.19	(0.02)	7,544	0.20	TK	4.96	0.02	310	4.94	SAPPE13C2411A	0.01	-	5	0.01
ECL	1.02	-	11,894	1.04	TNITY	3.74	0.06	792	3.75	SAPPE13C2501A	0.09	(0.01)	299	0.09
FNS	2.62	-	4	2.64	TNL	-	-	-	-	SAPPE13C2501B	0.20	(0.02)	19,006	0.21
FSX	2.74	(0.02)	275	2.78	UOBKH	5.10	(0.10)	55	5.01	SAPPE13C2502A	0.45	(0.01)	59,976	0.48
GBX	0.77	0.01	1,148	0.76	XPG	0.96	(0.03)	457,113	0.97	SAPPE19C2501A	0.25	(0.02)	13,605	0.26
GL	-	-	-	-	Food & Beverage	-	-	-	-	SAPPE19C2502A	0.49	(0.02)	41,442	0.52
HENG	1.58	(0.04)	137,797	1.63	AAI	6.45	(0.30)	157,122	6.57	SAUCE	39.50	(0.50)	55	39.51
IFS	2.54	-	635	2.53	APURE	4.36	0.02	1,726	4.27	SNPN	13.10	0.20	25,489	13.09
JMT	21.70	0.20	686,921	21.59	APURE-W3	0.01	-	15	0.01	SNNP13C2412A	0.06	0.01	250	0.06
JMT-W4	0.16	(0.04)	36,105	0.18	ASIAN	9.00	(0.10)	35,734	9.15	SNNP19C2501A	0.13	-	13,390	0.13
JMT01C2411W	0.58	0.04	12,461	0.57	BR	1.94	0.03	20,219	1.95	SNP	12.50	(0.20)	38,042	12.60
JMT01C2412A	2.08	(0.08)	875	2.05	BR-W1	0.10	-	1,950	0.10	SORKON	4.34	0.02	362	4.34
JMT01C2412W	1.36	0.02	8,426	1.37	BRR	4.58	-	2,632	4.57	SSC	63.00	-	21	62.99
JMT01C2501A	0.78	0.02	54,314	0.77	BRR-W2	0.39	(0.02)	201	0.39	SSF	6.95	-	51	6.95
JMT06C2410A	-	-	-	-	BTG	22.00	(0.30)	15,328	22.10	SST	4.92	-	10	4.88
JMT13C2411A	1.27	0.04	400	1.26	CBG	79.25	(0.75)	30,717	79.65	SUN	3.96	(0.04)	8,762	3.98
JMT13C2412B	-	-	-	-	CBG01C2412W	0.40	(0.02)	27,257	0.42	TC	8.00	-	5,974	8.11
JMT13C2501A	0.90	0.03	20,800	0.89	CBG01C2501W	0.86	(0.07)	1,010	0.91	TFG	4.28	(0.04)	34,587	4.30
JMT13C2501B	0.60	0.02	360,208	0.59	CBG01C2502W	0.63	(0.04)	3,941	0.64	TFG-W4	0.89	-	4,315	0.88
JMT19C2411A	0.71	0.02	7,084	0.69	CBG01C2503A	0.50	(0.03)	28,037	0.53	TFMAMA	202.00	1.00	23	202.39
JMT19C2411B	1.24	0.68	2	1.25	CBG01P2412W	-	-	-	-	TIPCO	9.90	-	3,391	9.89
JMT19C2412A	1.51	0.03	210	1.52	CBG01P2502X	0.37	0.01	27,307	0.36	TKN	10.50	(0.30)	48,222	10.60
JMT19C2501A	0.82	0.02	4,533	0.82	CBG06C2411A	0.31	(0.05)	97,246	0.34	TKN01C2501A	0.12	(0.03)	9,075	0.14
JMT41C2411A	-	-	-	-	CBG13C2411A	0.11	(0.03)	21,286	0.11	TKN13C2412A	-	-	-	-
JMT41C2412A	0.47	0.03	99,389	0.46	CBG13C2412A	-	-	-	-	TKN13C2412B	0.10	(0.02)	2,163	0.10
JMT41C2501A	0.82	0.01	37,707	0.83	CBG13C2501A	0.47	(0.04)	132,882	0.49	TU	14.70	(0.40)	423,515	14.80
KCAR	4.98	(0.02)	174	4.97	CBG13P2412A	-	-	-	-	TU01C2411A	-	-	-	-
KGI	4.50	0.02	11,355	4.50	CBG13P2502A	0.40	0.01	23,518	0.39	TU01C2501A	0.16	(0.04)	23,758	0.17
KTC	48.75	(0.25)	50,466	48.96	CBG19C2411A	0.14	(0.03)	29,769	0.15	TU11C2501A	0.16	(0.04)	8,101	0.19
KTC01C2412W	0.52	(0.02)	13,042	0.53	CBG19C2412A	-	-	-	-	TU13C2412A	0.05	(0.03)	3,070	0.06
KTC01C2503A	0.39	(0.02)	37,722	0.40	CBG19C2502A	0.55	(0.05)	94,996	0.58	TU13C2502A	0.18	(0.04)	45,927	0.19
KTC11C2502A	0.26	(0.01)	17,840	0.26	CBG19P2412A	-	-	-	-	TU19C2411A	-	-	-	-
KTC13C2412A	0.27	(0.02)	12,196	0.29	CBG19P2502A	0.32	-	21,228	0.32	TU19C2502A	0.15	(0.03)	10,881	0.15
KTC13C2412B	-	-	-	-	CBG41C2411A	0.15	(0.04)	35,300	0.17	TVO	24.70	(0.20)	7,061	24.89
KTC13C2502A	0.26	-	107,003	0.26	CBG41C2412A	0.52	(0.07)	28,800	0.55	TWPC	3.26	(0.02)	1,752	3.26
KTC19C2412A	-	-	-	-	CFRESH	1.73	-	4,655	1.72	W	0.73	0.04	671,688	0.69
KTC19C2502A	0.28	(0.01)	25,946	0.28	CH	2.40	(0.02)	3,354	2.39	W-W5	-	-	-	-
MFC	27.50	(0.25)	9,590	27.24	CHAO	10.60	0.10	5,141	10.39	W-W6	0.29	0.01	149	0.27
MICRO	1.76	0.02	248,780	1.89	CHOTI	69.50	2.00	21	69.50	ZEN	7.40	-	465	7.43
ML	0.73	0.05	102,769	0.78	CM	2.16	0.02	974	2.17	Health Care Services	-	-	-	-
MST	10.10	0.25	988	9.98	COCOCO	11.80	(0.50)	179,895	11.88	AHC	15.80	-	40	15.81
MTC	53.75	0.50	79,827	53.66	CPF	25.50	-	318,473	25.68	BCH	18.90	0.20	106,663	18.83
MTC01C2411W	0.20	(0.01)	1,966	0.20	CPF01C2412A	0.22	0.04	1,122	0.18	BCH01C2412A	0.16	(0.01)	23,007	0.17
MTC01C2412A	0.64	-	8,360	0.65	CPF01C2501A	0.06	0.01	11,320	0.06	BCH01C2502A	0.43	(0.01)	25	0.43
MTC01C2502A	0.36	0.01	46,091	0.37	CPF01C2502A	0.56	0.02	2,149	0.54	BCH13C2412A	0.10	(0.01)	4,598	0.10
MTC01P2411W	-	-	-	-	CPF01C2503A	0.15	-	21,642	0.15	BCH13C2501A	0.50	0.12	1,200	0.50
MTC01P2502A	0.30	(0.01)	16,566	0.30	CPF13C2412A	0.14	0.01	190	0.14	BCH13C2501B	0.33	0.02	13,616	0.33
MTC13C2411A	0.16	0.01	1,650	0.16	CPF13C2501A	0.10	-	4,765	0.10	BCH19C2411A	-	-	-	-
MTC13C2412A	0.53	-	1,321	0.54	CPF13C2502A	0.46	(0.01)	700	0.46	BCH19C2501A	0.55	(0.06)	1	0.55
MTC13C2502A	0.42	0.01	22,820	0.42	CPF19C2501A	0.11	(0.01)	654	0.12	BCH19C2502A	0.39	0.01	19,347	0.39
MTC13P2412A	-	-	-	-	CPF19C2502A	0.50	0.03	438	0.52	BDMS	29.25	0.25	627,834	29.38
MTC13P2502A	0.26	(0.01)	18,539	0.26	CPI	3.18	0.18	37,357	3.15	BDMS01C2411A	0.01	(0.02)	25	0.01
MTC19C2411A	0.20	(0.02)	100	0.20	F8D	42.25	(0.75)	7	42.11	BDMS01C2412A	0.12	-	18,985	0.12
MTC19C2412A	0.59	0.17	300	0.61	FM	4.48	(0.08)	123,335	4.51	BDMS01C2503A	0.14	0.01	14,473	0.14
MTC19C2502A	0.43	-	106,217	0.43	GLOCON	0.21	-	45,214	0.21	BDMS11C2411A	0.15	0.02	4,300	0.15
MTC19P2501A	-	-	-	-	HTC	17.00	0.10	6,745	17.21	BDMS11C2501A	-	-	-	-
MTC41C2411A	0.16	0.01	1,000	0.16	ICHI	15.70	(0.30)	42,184	15.82	BDMS13C2411A	-	-	-	-
MTC41C2412A	0.79	0.01	1,530	0.78	ICHI01C2503A	0.28	(0.03)	13,740	0.30	BDMS13C2502A	0.12	-	4,350	0.13
MTC41C2502A	0.42	0.02	35,940	0.42	ICHI13C2501A	0.20	(0.03)	8,609	0.22	BDMS19C2411A	0.06	0.01	6,800	0.05
NCAP	2.26	0.10	538,271	2.24	ITC	24.70	(0.55)	75,702	24.97	BDMS19C2502A	0.11	-	1,890	0.11
PL	1.82	-	228	1.84	ITC01C2412A	0.15	(0.03)	406	0.17	BDMS41C2412A	0.06	-	3,000	0.06
PL1	2.70	(0.12)	2,781	2.69	ITC01C2501A	0.61	(0.07)	16,703	0.64	BDMS41C2502B	0.25	-	17,324	0.25
SAK	5.25	(0.15)	45,045	5.30	ITC11C2501A	0.72	0.09	400	0.73	BH	277.00	4.00	24,744	276.20
SAWAD	43.75	0.25	76,004	43.69	ITC11C2501B	0.36	(0.05)	3,010	0.37	BH-P	-	-	-	-
SAWAD-W2	0.56	(0.02)	3,239	0.57	ITC13C2501A	0.52	(0.06)	9,495	0.55	BH-Q	-	-	-	-
SAWAD01C2411W	0.17	-	11,560	0.17	ITC13C2502A	0.16	(0.84)	23,719	0.17	BH01C2412A	0.34	0.03	27,854	0.33
SAWAD01C2501A	1.00	(0.02)	12,638	1.03	ITC19C2501A	0.60	(0.08)	2,417	0.64	BH01C2502A	0.34	0.03	58,698	0.33
SAWAD01C2501W	0.54	0.08	2,994	0.55	JDF	2.00	-	4,095	2.03	BH01P2412X	0.09	(0.02)	18,642	0.09
SAWAD01C2502A	0.29	-	97,666	0.30	KBS	6.40	0.05	1,764	6.36	BH01P2502X	0.47	(0.04)	13,209	0.48
SAWAD01P2501W	0.04	-	40	0.04	KCG	9.95	-	18,050	10.02	BH11C2411A	0.26	0.05	14,101	0.24
SAWAD01P2502W	0.17	-	43,267	0.17	KSL	2.12	(0.02)	4,775	2.14	BH13C2411A	0.07	0.01	280	0.07
SAWAD13C2411A	-	-	-	-	KTIS	2.98	-	39	2.98	BH13C2501A	0.46	0.05	39,918	0.45
SAWAD13C2412A	-	-	-	-	LST	4.88	0.02	1,100	4.87	BH13P2412A	-	-	-	-
SAWAD13C2412B	-	-	-	-	M	29.00	(0.50)	6,067	29.10	BH13P2501A	0.34	(0.04)	34,857	0.35
SAWAD13C2501A	0.29	0.01	67,497	0.29	MALEE	12.50	(0.30)	26,920	12.59	BH19C2411A	0.13	0.02	32,923	0.13
SAWAD13P2411A	-	-	-	-	NRF	1.83	(0.02)	57,726						

Main Board Quotation

Issue Date :

Thursday October 17, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	22.20	0.30	21,736	22.06	TLI19C2412A	-	-	-	-	AMATA01C2502A	0.75	(0.01)	5,895	0.79
PRINC	3.18	(0.04)	2,954	3.19	TLI19C2502A	0.25	(0.01)	55,681	0.25	AMATA01C2503A	0.16	-	17,387	0.18
RAM	23.50	(0.20)	2,972	23.54	TQM	25.75	(0.50)	37,248	25.58	AMATA13C2412A	-	-	-	-
RJH	23.70	(0.10)	962	23.76	TSI	0.09	-	1,462	0.09	AMATA13C2501A	-	-	-	-
RPH	5.70	-	4,011	5.69	TVH	8.60	0.05	245	8.54	AMATA13C2501B	0.14	-	11,946	0.15
SAFE	15.10	-	2,112	15.10	Packaging	-	-	-	-	AMATA19C2412A	-	-	-	-
SKR	9.25	-	387	9.24	AJ	5.20	(0.05)	591	5.15	AMATA19C2501A	-	-	-	-
THG	20.60	(0.60)	27,024	20.64	ALUCON	175.50	-	1	175.50	AMATA19C2502A	0.15	(0.01)	24,770	0.17
VIBHA	1.99	(0.01)	40,047	2.00	BGC	7.55	0.15	3,705	7.50	AMATAV	4.80	-	244	4.80
VIBHA-W4	0.06	-	7,106	0.06	CSC	46.00	0.50	80	46.00	ANAN	0.75	(0.02)	20,080	0.76
VIH	8.90	(0.05)	1,330	8.91	CSC-P	-	-	-	-	AP	10.20	(0.20)	178,571	10.25
VIH-W1	3.96	(0.02)	7	3.13	CSC-Q	-	-	-	-	AP01C2503A	0.16	(0.02)	19,207	0.17
WPH	11.40	(0.30)	16,611	11.49	NEP	0.25	(0.01)	3,208	0.25	AP13C2502A	0.14	(0.02)	6,318	0.15
Tourism & Leisure	-	-	-	-	PJW	2.60	(0.04)	4,387	2.58	AP19C2501A	0.50	(0.06)	3,483	0.50
ASIA	6.75	0.05	1	6.75	PTL	13.90	-	2,860	13.90	AP19C2502A	0.17	(0.02)	3,211	0.17
BEYOND	9.30	(0.05)	208	9.33	SCGP	27.00	(0.50)	62,758	27.09	APEX	0.01	-	3,711	0.01
CENTEL	37.50	(0.75)	29,871	37.61	SCGP01C2411A	-	-	-	-	ASW	7.95	(0.05)	2,795	7.97
CENTEL01C2412A	-	-	-	-	SCGP01C2412A	-	-	-	-	ASW-W2	-	-	-	-
CENTEL01C2501A	0.21	(0.04)	58,862	0.23	SCGP01C2502A	0.69	(0.08)	3,705	0.72	AWC	3.80	(0.02)	426,456	3.81
CENTEL1C2501A	0.13	(0.01)	5,000	0.14	SCGP01C2502B	0.11	(0.01)	82,071	0.12	AWC01C2411A	-	-	-	-
CENTEL13C2412A	-	-	-	-	SCGP01P2503A	0.51	0.02	961	0.49	AWC01C2501A	0.65	-	144	0.65
CENTEL13C2501A	0.35	-	110	0.35	SCGP11C2412A	-	-	-	-	AWC01C2501B	0.30	(0.03)	25,100	0.32
CENTEL13C2501B	0.14	(0.02)	15,270	0.14	SCGP11C2501A	0.57	-	400	0.56	AWC01P2502A	0.17	-	17,624	0.17
CENTEL19C2501A	0.29	(0.04)	7,355	0.30	SCGP13C2412A	0.02	-	5	0.02	AWC11C2411A	-	-	-	-
CENTEL19C2502A	0.18	(0.03)	46,705	0.20	SCGP13C2412B	-	-	-	-	AWC11C2412A	0.27	(0.02)	7,774	0.28
CENTEL41C2412A	0.03	(0.01)	100	0.03	SCGP13C2501A	-	-	-	-	AWC11C2501A	-	-	-	-
CENTEL41C2502A	0.27	(0.03)	36,800	0.28	SCGP13C2501B	0.14	(0.02)	52,975	0.15	AWC13C2411A	0.03	-	5	0.03
CSR	-	-	-	-	SCGP13P2502A	0.33	0.02	17,086	0.32	AWC13C2412A	-	-	-	-
DUSIT	11.40	-	2,613	11.27	SCGP19C2412A	-	-	-	-	AWC13C2501A	0.31	(0.01)	43,351	0.32
ERW	4.28	(0.12)	215,281	4.30	SCGP19C2412B	-	-	-	-	AWC13P2501A	-	-	-	-
ERW01C2501A	0.33	(0.08)	14,920	0.35	SCGP19C2501A	-	-	-	-	AWC19C2411A	0.03	-	1,000	0.03
ERW13C2412A	0.08	0.01	75	0.09	SCGP19C2502A	0.16	(0.02)	6,222	0.17	AWC19C2501A	-	-	-	-
ERW13C2412B	0.22	(0.07)	29,994	0.23	SCGP41C2412A	-	-	-	-	AWC19C2501B	0.26	(0.01)	21,733	0.27
ERW19C2412A	0.11	(0.03)	12,467	0.12	SCGP41C2412B	-	-	-	-	AWC19P2501A	-	-	-	-
ERW19C2412B	0.24	(0.07)	19,238	0.26	SCGP41C2502A	-	-	-	-	AWC41C2411A	-	-	-	-
GRAND	0.11	-	46,080	0.11	SCGP41C2502B	-	-	-	-	AWC41C2502A	0.39	(0.01)	18,830	0.40
LRH	38.50	0.50	24	37.88	SFLEX	3.10	-	22,097	3.10	BLAND	0.62	-	40,926	0.62
MANRIN	-	-	-	-	SFLEX-W2	0.13	(0.01)	2,266	0.13	BRI	5.00	(0.15)	13,866	5.00
MINT	28.75	(0.25)	139,024	28.85	SITHAI	1.39	(0.02)	6,371	1.40	BROCK	1.52	0.04	1	1.52
MINT01C2412A	0.04	-	2,000	0.04	SLP	0.47	0.01	2,472	0.47	CGD	0.33	-	268,776	0.32
MINT01C2501A	0.19	0.01	295	0.19	SMPC	9.90	-	810	9.90	CI	0.58	(0.01)	5,692	0.59
MINT11C2412A	0.07	(0.01)	800	0.07	SPACK	1.82	-	480	1.82	CMC	1.13	-	43	1.13
MINT11C2501A	0.21	-	2,500	0.22	TCOAT	-	-	-	-	CPN	67.50	-	64,233	67.92
MINT13C2412A	-	-	-	-	TFI	0.08	(0.01)	4,053	0.08	CPN01C2412A	0.38	0.01	490	0.39
MINT13C2412B	0.15	(0.02)	23,773	0.16	TFI-W1	0.04	-	3,402	0.03	CPN01C2503A	0.46	-	43,248	0.47
MINT19C2411A	-	-	-	-	THIP	29.25	(0.25)	197	28.92	CPN11C2412A	0.65	0.01	8,000	0.65
MINT19C2501A	0.21	(0.01)	15,117	0.22	TMD	24.70	(0.10)	19	24.73	CPN13C2411A	0.20	(0.02)	380	0.20
MINT19C2502A	0.15	-	8,048	0.16	TOPP	-	-	-	-	CPN13C2501A	0.80	0.01	1,460	0.80
MINT41C2412A	0.02	-	158	0.02	TPAC	11.50	-	203	11.44	CPN13C2501B	0.21	-	59,326	0.22
MINT41C2501A	0.20	(0.02)	6,910	0.20	TPBI	4.42	(0.08)	3,213	4.45	CPN19C2411A	-	-	-	-
MINT41C2502A	0.11	(0.01)	23,322	0.11	TPP	-	-	-	-	CPN19C2502A	0.36	-	50,614	0.37
MINT41C2604T	0.14	0.01	2,001	0.14	Personal Product	-	-	-	-	ESTAR	0.24	-	23,894	0.23
OHTL	367.00	3.00	1	367.00	APCO	5.55	0.20	1,179	5.46	EVER	0.12	-	5,062	0.12
ROH	2.30	0.04	3	2.27	BIZ	3.48	0.06	453	3.47	FPT	12.80	(0.30)	1,196	12.95
SHANG	50.50	0.25	12	50.50	BLC	5.30	(0.05)	14,681	5.29	GLAND	1.56	-	22	1.56
SHR	2.32	-	64,411	2.32	DDD	10.90	0.10	111	10.83	J	1.56	-	4,764	1.55
SPA	6.75	(0.15)	36,310	6.77	IP	4.38	0.08	1,433	4.36	J-W3	0.25	(0.03)	93	0.25
VRANDA	5.55	(0.05)	488	5.54	IP-W2	0.29	0.01	5,859	0.29	J-W4	-	-	-	-
Home & Office Prodt.	-	-	-	-	JCT	80.25	-	10	80.48	JCK	0.30	0.01	40,524	0.29
AJA	0.17	(0.01)	170,009	0.18	KISS	4.80	0.08	1,737	4.79	KC	0.10	-	4,784	0.10
AJA-W4	0.03	0.01	3,031	0.03	NAM	4.60	(0.10)	1,210	4.64	KUN	1.39	0.02	571	1.36
DTCI	33.25	1.00	138	30.90	NEO	41.75	-	3,705	41.98	KUN-W2	0.04	(0.01)	10	0.04
FANCY	0.42	0.01	390	0.41	NV	1.22	(0.02)	2,062	1.23	LALIN	6.65	-	612	6.63
FTI	2.14	(0.02)	1,172	2.15	OCC	9.20	0.20	1	9.20	LH	6.15	(0.20)	588,494	6.21
KYE	293.00	1.00	18	292.72	S8J	40.50	(0.75)	14	40.70	LH13C2411A	-	-	-	-
L&E	1.26	-	100	1.26	STGT	10.20	(0.20)	68,214	10.26	LH13C2501A	0.18	(0.05)	44,553	0.19
MODERN	2.58	0.02	912	2.56	STGT01C2412A	0.03	(0.02)	10	0.03	LH19C2411A	-	-	-	-
OGC	22.60	(0.10)	1	22.60	STGT01C2412B	0.26	(0.04)	3,667	0.29	LH19C2501A	0.21	(0.04)	11,179	0.22
ROCK	11.30	0.90	31	10.72	STGT01C2501A	0.11	(0.02)	71,640	0.13	LPN	3.28	-	2,331	3.27
SBNEXT	0.56	0.02	31,952	0.56	STGT01C2502A	0.11	(0.02)	51,526	0.13	MBK	20.40	0.70	116,069	20.36
SBNEXT-W2	0.13	0.03	62,786	0.12	STGT01P2502A	0.50	0.02	18,066	0.48	MBK-W3	18.70	0.60	280	18.73
SIAM	1.19	(0.01)	385	1.20	STGT13C2412A	0.06	(0.01)	3,706	0.06	MBK-W4	17.80	0.20	146	18.16
TCMC	0.90	-	8,282	0.90	STGT13C2412B	-	-	-	-	MJD	1.11	0.01	562	1.10
Insurance	-	-	-	-	STGT13C2501A	0.06	(0.01)	64	0.06	MK	1.75	0.02	2,392	1.76
AYUD	32.75	0.25	777	32.63	STGT13C2502A	0.18	(0.02)	37,333	0.19	NCH	0.80	-	2,318	0.80
BKIH	304.00	(11.00)	477	303.56	STGT13P2502A	0.47	0.01	19,504	0.46	NNCL	1.86	-	3,720	1.85
BLA	24.30	(0.20)	29,293	24.38	STGT19C2412A	0.08	(0.02)	2,362	0.09	NOBLE	3.14	-	9,339	3.14
BLA01C2503A	0.55	(0.04)	37,422	0.56	STGT19C2502A	0.08	(0.01)	1,000	0.08	NUSA	0.28	-	472,068	0.29
BLA13C2501A	0.71	-	40	0.69	STGT19C2503A	0.18	(0.03)	26,450	0.20	NUSA-W5	0.06	-	7,462	0.05
BLA13C2502A	0.43	(0.02)	89,698	0.44	STGT19P2502A	0.48	-	622	0.48	NVD	1.62	(0.02)	239	1.63
BLA13C2502B	0.14	(0.01)	13,038	0.15	STHAI	-	-	-	-	ORI	5.00	(0.10)	133,078	5.04
BLA19C2502A	-	-	-	-	TNR	9.40	(0.05)	436	9.40	ORI13C2412A	0.05	(0.01)	10,401	0.05
BLA19C2502B	0.40	(0.03)	40,346	0.40	TOG	10.20	(0.20)	630	10.27	ORI19C2501A	0.17	(0.02)	113,132	0.18
BLA19C2502C	0.17	(0.03)	14,400	0.18	Professional Ser	-	-	-	-	ORN	0.90	(0.01)	23,077	0.89
BUJ	16.00	0.10	46	15.95	BWG	0.47	-	201,085	0.48	PEACE	2.80	0.04	1,229	2.80
CHARAN	23.50	1.00	24	24.50	BWG-W6	0.06	-	26,346	0.06	PF	0.20	-	10,935	0.20
INSURE	93.00	3.00	37	93.49	GENCO	0.50	(0.01)	1,138	0.50	PIIN	5.75	-	40,364	5.82
KWI	0.54	(0.02)	3,847	0.55	PRO	-	-	-	-	PLAT	2.20	(0.02)	2,741	2.24
MTI	109.50	(1.00)	24	108.06	PRTR	4.92	(0.06)	2,696	4.89	POLAR	-	-	-	-
NKI	25.00	0.20	31	25.11	SISB	34.50	(1.00)	13,624	34.8					

Main Board Quotation

Issue Date :

Thursday October 17, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAMCO	1.00	(0.01)	1,149	1.00	BTS41C2501A	0.42	0.01	27,438	0.41	GROREIT	8.75	(0.05)	23	8.75
SC	3.06	(0.08)	200,167	3.11	BTS5GIF	3.28	-	10,292	3.28	GVREIT	6.95	(0.05)	4,438	6.97
SENA	2.40	-	3,915	2.40	DMT	11.60	-	4,511	11.65	HPF	4.98	-	124	4.97
SIRI	1.89	(0.03)	1,009,950	1.90	ETL	0.76	0.01	8,459	0.76	HYDROGEN	9.30	0.10	145	9.29
SIRI01C2412A	0.26	(0.04)	5,264	0.27	III	6.15	0.15	9,036	6.19	IMPACT	12.30	0.10	2,934	12.29
SIRI13C2412A	0.27	(0.03)	125,837	0.27	KEX	2.54	-	4,076	2.53	INETREIT	8.80	-	2,346	8.83
SIRI19C2411A	-	-	-	-	KIAT	0.36	-	15,912	0.36	KPNPF	2.68	0.04	11	2.68
SIRI19C2502A	0.13	(0.01)	9,616	0.13	KWC	354.00	41.00	39	353.74	KTBSTMR	6.60	-	744	6.59
SPALI	20.70	0.30	54,897	20.66	MENA	1.31	0.09	63,267	1.29	LHHOTEL	13.50	0.10	4,788	13.44
SPALI13C2501A	0.80	0.03	1	0.80	NOK	-	-	-	-	LHPF	5.50	-	2,630	5.50
SPALI13C2501B	0.42	0.03	13,558	0.42	NYT	3.12	(0.04)	8,984	3.14	LHSC	11.10	-	3,781	11.23
SPALI19C2412A	0.28	0.01	13,131	0.27	PORT	1.40	-	825	1.41	LPF	13.80	-	6,300	13.80
UV	1.78	0.01	1,415	1.77	PRM	8.40	(0.05)	85,976	8.40	LUXF	8.05	-	2	8.03
WHA	5.75	-	1,572,884	5.83	PSL	8.40	-	90,332	8.41	M-II	6.40	-	7	6.36
WHA01C2501A	0.23	0.01	23,452	0.25	RCL	23.60	0.30	40,154	23.59	M-PAT	2.34	-	67	2.34
WHA01C2503A	0.19	0.01	63,433	0.20	RCL01C2411A	-	-	-	-	M-STOR	-	-	-	-
WHA06C2410A	0.04	-	256	0.04	RCL01C2412A	0.19	0.01	30,528	0.19	MIPF	10.30	0.20	1	10.30
WHA11C2412A	0.16	-	26,713	0.18	RCL01C2502A	0.54	0.01	43,216	0.54	MIT	0.31	-	224	0.31
WHA13C2411A	0.05	-	680	0.05	RCL01C2502B	0.15	-	29,981	0.16	MJLF	4.16	(0.06)	335	4.18
WHA13C2501A	0.18	-	99,522	0.19	RCL13C2412A	0.05	0.01	428	0.04	MNIT	-	-	-	-
WHA19C2412A	0.22	0.01	200	0.22	RCL13C2412B	0.15	0.01	25,341	0.15	MNIT2	-	-	-	-
WHA19C2502A	0.17	-	70,989	0.18	RCL13C2502A	0.13	0.01	40,611	0.13	MNRF	-	-	-	-
WHA41C2411A	-	-	-	-	RCL13C2502B	0.47	(0.53)	641	0.50	POPF	6.30	-	3,034	6.30
WHA41C2501A	0.19	(0.01)	25,206	0.22	RCL13P2501A	0.23	(0.03)	38,560	0.24	PROSPECT	8.65	-	1,247	8.64
WIN	0.51	(0.01)	5,161	0.51	RCL19C2412A	0.06	-	5,434	0.06	QHHRREIT	6.85	-	829	6.80
Paper & Printing Mat	-	-	-	-	RCL19C2412B	0.20	0.01	49,991	0.20	QHOP	3.50	0.02	855	3.45
UTP	10.80	(0.10)	3,522	10.75	RCL19C2503A	0.52	(0.48)	42,097	0.52	QHPP	5.20	-	2,174	5.20
Fashion	-	-	-	-	RCL19P2412A	0.13	(0.02)	64,376	0.13	SIRIP	6.95	(0.20)	35	7.08
AFC	5.20	0.05	164	5.23	RCL41C2412A	0.03	(0.01)	6	0.03	SPRIME	4.16	(0.04)	553	4.18
AURA	14.50	(0.30)	5,540	14.62	RCL41C2412B	0.38	0.02	37,566	0.39	SRIPANWA	5.85	-	367	5.87
BTNC	19.30	(0.90)	19	19.31	RCL41C2502A	0.46	0.02	51,730	0.46	SSPF	-	-	-	-
CPH	14.40	(0.20)	1,948	14.51	RCL41C2502B	0.12	0.01	6,200	0.11	SSTRT	4.86	0.02	153	4.86
CPL	1.43	(0.02)	1,745	1.43	SAV	22.80	(0.30)	10,052	23.08	TIF1	8.60	0.05	1,552	8.54
NC	3.62	(0.08)	9,050	3.76	SINO	1.22	0.02	1,822	1.21	TLHPF	2.98	(0.02)	489	2.98
PAF	1.15	(0.02)	6,199	1.15	SJWD	11.80	(0.20)	25,905	11.85	TNPF	1.56	-	34	1.56
PDJ	2.14	-	609	2.13	TFFF	6.65	(0.15)	24,870	6.69	TPRIME	7.30	0.20	44	7.32
PG	9.05	0.05	133	8.98	THAI	-	-	-	-	TTLPF	15.80	0.10	295	15.77
SABINA	22.70	(0.50)	8,792	22.85	TSTE	-	-	-	-	TU-PF	0.64	0.01	71	0.65
SAWANG	12.50	-	3	12.40	TTA	5.60	(0.05)	65,787	5.63	WHABT	7.30	0.05	693	7.31
SUC	32.25	-	224	32.17	WICE	6.10	(0.05)	5,507	6.11	WHAIR	6.30	-	18,173	6.32
TR	39.50	-	10	39.50	Automotive	-	-	-	-	WHART	10.50	-	15,170	10.49
TTI	28.00	(1.50)	21	27.75	3K-BAT	53.25	-	35	53.25	Steel and Metal Prod	-	-	-	-
TTT	53.75	0.25	23	53.25	ACG	1.12	(0.02)	627	1.12	ZS	3.02	0.04	97	3.00
UPF	35.00	1.00	7	34.75	AH	22.20	(0.70)	6,253	22.58	AMC	3.34	-	373	3.32
WACOAL	28.50	(0.50)	3	28.25	CWT	1.18	(0.01)	1,802	1.18	BSBM	0.72	-	858	0.73
WFX	1.50	0.03	46,062	1.51	EASON	1.24	-	2,804	1.24	CEN	2.00	0.02	150	2.00
Transportation & Log	-	-	-	-	GYT	-	-	-	-	CEN-W5	0.21	(0.01)	538	0.20
AAV	2.74	0.02	642,453	2.74	HFT	4.52	-	9,241	4.49	CITY	1.96	0.01	19	1.95
AAV01C2501A	0.31	0.02	10,016	0.31	IHL	2.06	(0.02)	633	2.08	CSP	0.86	-	27,947	0.88
AAV13C2411A	-	-	-	-	INGRS	0.37	-	4,475	0.37	GJS	0.17	(0.01)	35,279	0.17
AAV13C2501A	0.18	-	37,670	0.18	IRC	14.10	0.10	204	14.10	GSTEEL	-	-	-	-
AAV19C2412A	-	-	-	-	MGC	4.24	-	125	4.22	INOX	0.55	(0.01)	5,318	0.56
AAV19C2502A	0.27	0.01	17,877	0.27	NEX	1.25	(0.02)	180,103	1.26	LHK	3.86	0.02	1,767	3.87
ANI	3.86	-	1,243	3.82	NEX13C2411A	-	-	-	-	MCS	7.40	-	1,957	7.32
AOT	63.25	(0.50)	151,627	63.50	NEX19C2411A	-	-	-	-	MILL	0.11	-	3,551	0.11
AOT01C2412A	0.09	-	19	0.09	NEX19C2501A	0.08	0.01	490	0.08	MILL-W7	-	-	-	-
AOT01C2412B	0.30	(0.01)	30	0.30	PCSGH	4.24	(0.20)	3,397	4.38	PAP	2.32	(0.04)	540	2.32
AOT01C2502A	0.23	(0.01)	5,891	0.23	POLY	8.75	(0.25)	23	8.78	PERM	0.79	(0.01)	1,255	0.79
AOT01P2412X	-	-	-	-	SAT	12.20	0.20	36,578	12.36	SAM	-	-	-	-
AOT01P2502A	0.24	0.02	19,240	0.23	SPG	-	-	-	-	SMIT	4.16	(0.04)	108	4.16
AOT11C2501A	0.19	(0.01)	5,870	0.19	STANLY	218.00	-	92	218.16	SSSC	2.34	(0.04)	1,601	2.35
AOT13C2411A	-	-	-	-	TKT	1.67	0.02	25	1.67	TGPRO	0.11	0.01	27,354	0.10
AOT13C2412A	0.15	(0.02)	19,790	0.16	TNPC	1.07	(0.01)	127	1.07	THE	0.93	0.01	3,784	0.94
AOT13C2502A	0.18	(0.02)	29,756	0.19	TRU	3.32	(0.02)	670	3.27	TMT	4.50	(0.02)	1,265	4.51
AOT13P2412A	-	-	-	-	TSC	14.20	(0.20)	95	14.24	TSTH	0.75	(0.01)	13,215	0.76
AOT13P2501A	0.17	-	3,780	0.17	Industrial Materi	-	-	-	-	TWP	1.60	0.01	62	1.58
AOT19C2411A	-	-	-	-	AKR	0.93	(0.01)	6,679	0.93	TYCN	2.18	(0.04)	143	2.18
AOT19C2411B	-	-	-	-	ALLA	1.58	(0.02)	8,031	1.56	Construction Service	-	-	-	-
AOT19C2501A	-	-	-	-	ASEFA	3.38	-	464	3.34	APCS	2.08	0.06	1,237	2.12
AOT19C2502A	0.23	(0.02)	6,498	0.24	CPT	1.00	0.01	20,589	0.99	BJCHI	1.37	0.03	4,671	1.37
AOT19P2412A	-	-	-	-	CRANE	0.71	(0.01)	8,469	0.71	BKD	1.45	-	1,288	1.43
AOT41C2411A	-	-	-	-	CTW	3.90	(0.08)	211	3.89	CIVIL	1.91	(0.06)	11,439	1.94
AOT41C2412A	0.16	(0.03)	12,300	0.17	FMT	34.00	(0.25)	61	34.05	CK	20.10	(0.10)	42,956	20.26
AOT41C2605T	0.36	(0.01)	2,100	0.36	FTE	1.52	-	391	1.51	CK01C2503A	0.30	(0.01)	20,534	0.31
ASIMAR	1.53	(0.01)	117	1.54	HTECH	4.48	0.22	130,175	4.51	CK13C2412A	0.09	0.01	10	0.09
B	0.08	-	5,490	0.08	KKC	-	-	-	-	CK19C2412A	0.13	(0.01)	15,828	0.14
B-W8	0.01	-	33,284	0.01	PCC	2.94	0.02	1,948	2.94	CNT	1.26	(0.02)	2,541	1.26
BA	23.30	(0.10)	70,467	23.57	PK	0.78	(0.01)	2,681	0.78	EMC	0.09	0.01	1,052,270	0.09
BA01C2412A	0.30	(0.02)	24,941	0.33	PSP	4.42	-	6,968	4.42	EMC-W7	0.08	0.01	21,541	0.07
BA01C2503A	0.39	(0.01)	95,173	0.41	QTC	3.90	-	42	3.90	ITD	0.72	-	22,862	0.71
BA13C2412A	0.26	(0.02)	60,590	0.30	SCI	0.94	(0.01)	378	0.95	JR	3.30	(0.02)	1,552	3.31
BA13C2502A	0.11	-	32,208	0.12	SE	0.71	-	2,131	0.71	NL	1.33	-	3,163	1.34
BA19C2503A	0.13	-	32,491	0.14	SNC	6.10	0.05	1,403	6.07	NWR	0.24	0.01	19,567	0.23
BEM	8.30	0.05	276,163	8.26	TCJ	3.14	0.04	72	3.10	PLE	0.42	0.01	43,492	0.43
BEM01C2412A	0.11	0.01	4,006	0.11	TPCS	11.90	(0.30)	8	11.80	PREB	5.00	(0.05)	515	5.00
BEM11C2411A	-	-	-	-	VARO	5.05	-	1	5.05	PYLON	2.26	0.02	667	2.27
BEM13C2412A	0.10	0.01	2,434	0.09	Property Fund &	-	-	-	-	RT	0.51	0.01	3,949	0.51
BEM19C2412A	0.12	-	2,274	0.12	AIMCG	3.28	(0.02)	1,508	3.30	SEAFCO	2.46	0.04	11,234	2.44
BTS	4.58	0.04	1,090,841	4.56	AIMIRT	10.90	(0.10)	2,319	11.00	SQ	0.95	-	11,906	0.94
BTS-W7	-	-	-	-	ALLY	5.30	(0.10)	12,989	5.40	SRICHA	6.35	(0.10)	836	6.35
BTS-W8	0.07	(0.01)	27,184	0.07	AMATAR	6.70	(0.10)	443	6.78	STEC	8.75	(0.35)	23,341	8.87
BTS01C2412A														

Main Board Quotation

Issue Date :

Thursday October 17, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Unit Trust	-	-	-	-	HSIO6P2411G	-	-	-	-	NIKKEI41C2412C	0.50	(0.01)	18,299	0.48
SCBSET	-	-	-	-	HSIO6P2411H	-	-	-	-	NIKKEI41C2412T	0.14	-	29,768	0.14
VAYU1	10.00	-	16,529	10.03	HSIO6P2412A	0.07	0.02	413	0.06	NIKKEI41C2503A	0.41	-	9,524	0.39
ETF	-	-	-	-	HSIO6P2412B	0.03	0.01	100	0.03	NIKKEI41C2503B	1.31	(0.01)	7,765	1.29
1DIV	11.39	0.10	863	11.36	HSIO6P2412C	0.08	0.03	5,493	0.06	NIKKEI41P2412A	-	-	-	-
ABFTH	-	-	-	-	HSIO6P2412D	0.25	0.03	1,977	0.25	NIKKEI41P2412B	0.66	(0.03)	2,383	0.66
BMSCG	10.00	0.03	202	10.01	HSIO6P2412E	0.84	0.11	310,748	0.72	NIKKEI41P2412C	0.10	-	4,900	0.09
BMSCITH	10.81	0.11	2,017	10.80	HSIO6P2412F	1.82	0.14	6	1.82	NIKKEI41P2412T	0.24	(0.01)	1,336	0.24
BSET100	10.11	0.08	4,289	10.10	HSIO6P2412G	0.30	(0.70)	2,899,559	0.26	NIKKEI41P2503A	0.26	(0.01)	2,484	0.28
CHINA	5.82	(0.15)	2,523	5.87	HSIO6P2501A	1.09	0.09	10,603	1.01	NIKKEI41P2503B	0.16	-	462	0.16
ENGY	5.08	0.05	20	5.07	HSIO6P2501B	0.44	(0.56)	3,596,452	0.39	NTES41C2502A	0.37	(0.06)	2,419	0.37
GLD	3.56	0.01	4,724	3.56	HSIO6P2503A	0.13	0.03	1,887	0.10	PINGAN41C2410A	-	-	-	-
TDEX	9.40	0.09	10,026	9.37	HSIO6P2503B	0.67	0.08	2,237,998	0.59	PINGAN41C2411A	-	-	-	-
UBOT	13.44	(0.12)	49	13.52	HSIO6P2503C	1.24	0.11	29,352	1.17	PINGAN41C2502A	0.26	(0.04)	1,832	0.27
UHERO	7.94	(0.17)	34	7.95	HSI28C2410A	0.04	(0.02)	41,881	0.05	SET01C2412A	2.02	0.12	2,203	2.00
Warrant Foreign	-	-	-	-	HSI28C2410B	0.04	(0.04)	4,599	0.07	SET01C2501A	1.57	0.15	8,289	1.55
AIA28C2411A	-	-	-	-	HSI28C2410C	0.17	(0.09)	5,003,988	0.23	SET01C2501B	0.92	0.10	196,945	0.90
AIA41C2411A	0.54	(0.06)	24	0.59	HSI28C2410D	0.54	0.06	4	0.54	SET01P2412A	0.03	0.01	1,504	0.02
AIA41C2502A	0.13	(0.02)	1,013	0.15	HSI28C2410E	-	-	-	-	SET01P2501A	0.04	-	1,540	0.05
AIA41P2411A	-	-	-	-	HSI28C2410F	1.41	(0.28)	502	1.45	SET01P2501B	0.13	(0.03)	4,716	0.14
ALHEA41C2410A	0.19	(0.07)	500	0.19	HSI28C2410G	-	-	-	-	SET01P2502A	0.39	(0.06)	113,006	0.39
ALHEA41C2502A	-	-	-	-	HSI28C2410H	3.28	(0.44)	333	3.46	SET5001C2412A	2.02	0.21	9,688	1.96
BABA28C2410A	-	-	-	-	HSI28C2411A	0.23	(0.08)	16,385	0.30	SET5001C2412F	0.86	0.10	323,612	0.83
BABA28C2412A	1.05	(0.07)	4	1.14	HSI28C2411B	1.01	(0.18)	2,914	1.13	SET5001C2412T	1.02	0.14	18,038	1.00
BABA28C2503A	0.17	(0.01)	11,725	0.18	HSI28C2411C	-	-	-	-	SET5001C2412W	0.60	0.13	5,587	0.55
BABA28P2410A	-	-	-	-	HSI28C2411D	1.75	(1.01)	10	1.75	SET5001C2501A	0.72	0.10	33,895	0.68
BABA28P2503A	0.34	0.02	203	0.34	HSI28C2411E	0.16	(0.06)	1,084,560	0.21	SET5001C2503F	0.82	0.07	216,474	0.81
BABA41C2410A	-	-	-	-	HSI28C2411F	0.09	(0.03)	786,400	0.11	SET5001P2412A	0.02	-	6	0.02
BABA41C2502A	0.13	(0.01)	5,460	0.15	HSI28C2411G	0.26	(0.08)	1,779,687	0.31	SET5001P2412F	0.02	-	824	0.01
BABA41P2411A	-	-	-	-	HSI28C2412A	0.95	(0.18)	4,652	1.10	SET5001P2412T	0.02	-	505	0.02
BABA41P2502A	-	-	-	-	HSI28C2412B	1.45	(0.13)	1,533	1.55	SET5001P2412W	0.02	0.01	5	0.02
BABA41P2502B	0.45	0.04	6,042	0.40	HSI28C2412C	2.02	(0.20)	31	2.21	SET5001P2501A	0.02	-	10,116	0.02
BIDU28C2411A	0.36	-	12	0.36	HSI28C2412D	0.25	(0.06)	2,674,312	0.30	SET5001P2501B	0.04	(0.01)	1,027	0.04
BIDU28P2410A	-	-	-	-	HSI28C2412E	0.14	(0.04)	310,193	0.16	SET5001P2503F	0.29	(0.05)	68,615	0.31
BIDU41C2410A	0.09	(0.02)	280	0.09	HSI28C2412F	0.06	(0.01)	13,118	0.06	SET5006C2412A	-	-	-	-
BIDU41C2502A	0.82	(0.07)	10	0.88	HSI28C2501A	1.01	(0.14)	764	1.12	SET5006C2412B	-	-	-	-
BIDU41C2502B	0.11	(0.01)	844	0.11	HSI28C2501B	0.25	(0.06)	3,087,880	0.29	SET5006C2412C	3.52	0.80	1	3.52
BIDU41P2410A	-	-	-	-	HSI28C2501C	0.11	(0.04)	17,801	0.13	SET5006C2412D	0.98	0.12	7,719	0.95
BYDCOM28C2501A	0.78	(0.01)	102	0.78	HSI28C2501D	0.54	(0.10)	1,505	0.66	SET5006C2412E	0.57	0.07	1,875	0.56
BYDCOM28C2503A	0.24	-	1,582	0.25	HSI28C2502A	0.86	(0.12)	206	0.86	SET5006C2412F	0.38	(0.62)	464,321	0.37
BYDCOM28P2501A	0.16	(0.01)	28	0.16	HSI28C2503A	1.33	(0.14)	1,694	1.45	SET5006C2503A	0.61	0.06	75,728	0.60
BYDCOM28P2503A	0.60	(0.07)	23	0.61	HSI28C2503B	0.36	(0.06)	2,223,313	0.39	SET5006P2412A	0.03	0.01	11	0.03
BYDCOM41C2502A	0.65	(0.04)	2	0.66	HSI28P2410A	-	-	-	-	SET5006P2412B	0.04	0.02	131	0.02
BYDCOM41P2410A	-	-	-	-	HSI28P2410B	-	-	-	-	SET5006P2412C	0.04	-	2	0.04
BYDCOM41P2502A	0.14	-	8	0.14	HSI28P2410C	0.04	-	536	0.02	SET5006P2412D	0.03	(0.02)	9	0.03
CATHAY41C2411A	-	-	-	-	HSI28P2410D	0.07	0.03	1,266	0.05	SET5006P2412E	0.04	(0.01)	1,730	0.04
CATHAY41C2502A	0.17	(0.01)	500	0.17	HSI28P2411A	0.03	0.01	404	0.03	SET5006P2412F	0.08	(0.03)	588	0.09
CHMOBI28C2411A	-	-	-	-	HSI28P2411B	0.05	0.01	1	0.05	SET5006P2412G	0.26	(0.74)	364,429	0.27
DJI28C2412A	0.97	0.12	198	0.95	HSI28P2411C	0.17	0.07	4,026	0.10	SET5006P2503A	0.13	(0.03)	8,703	0.13
DJI28C2412B	0.49	0.05	57	0.47	HSI28P2411D	0.41	0.05	3,189,813	0.36	SET5006P2503B	0.31	(0.69)	644,799	0.33
DJI28P2412A	0.12	(0.02)	100	0.12	HSI28P2411E	0.72	0.09	775,990	0.64	SET5013C2410A	0.05	0.01	4,193	0.06
DJI28P2412B	0.47	(0.06)	7,139	0.47	HSI28P2411F	1.21	0.12	211	1.12	SET5013C2410B	0.08	0.02	31,778	0.07
DJI41C2412A	0.89	0.11	1,568	0.87	HSI28P2411G	1.75	0.16	4	1.72	SET5013C2411A	0.49	0.06	10,094	0.52
DJI41P2412A	0.14	(0.01)	125	0.13	HSI28P2412A	0.08	-	669	0.09	SET5013C2412A	2.96	0.34	3,068	2.86
GEELY28C2411A	1.08	(0.05)	100	1.08	HSI28P2412B	0.08	0.02	3,300	0.08	SET5013C2412B	3.84	0.38	565	3.77
GEELY41C2411A	-	-	-	-	HSI28P2412C	0.18	0.02	5,067	0.17	SET5013C2412C	5.10	0.62	208	5.06
GEELY41C2411B	-	-	-	-	HSI28P2412D	0.47	0.05	559,440	0.43	SET5013C2412D	-	-	-	-
GEELY41C2502A	-	-	-	-	HSI28P2412E	0.77	0.06	6,144	0.70	SET5013C2412E	2.18	0.23	1,201	2.17
HAI41C2411A	0.24	(0.09)	414	0.26	HSI28P2501A	0.19	0.02	56,825	0.17	SET5013C2412F	1.76	0.24	1,456	1.78
HKEX28C2410A	-	-	-	-	HSI28P2501B	-	-	-	-	SET5013C2412G	1.40	0.16	58,327	1.38
HKEX41C2411A	0.81	(0.17)	20	0.81	HSI28P2501C	1.93	0.29	50	1.93	SET5013C2412H	0.80	0.12	3,060,214	0.79
HKEX41C2502A	-	-	-	-	HSI28P2502A	-	-	-	-	SET5013C2412I	0.44	0.06	822,937	0.43
HKEX41C2502B	0.28	(0.04)	964	0.30	HSI28P2503A	0.29	0.03	25,975	0.26	SET5013C2412J	0.54	0.07	783,141	0.53
HSBC41C2411A	-	-	-	-	HSI28P2503B	0.67	0.07	374,353	0.63	SET5013C2412T	0.47	0.07	121,916	0.45
HSBC41C2502A	0.21	0.01	6	0.21	HSTECH28C2411	1.37	(0.22)	16	1.37	SET5013C2412U	1.19	0.14	15,900	1.19
HSIO6C2410A	0.25	(0.03)	1,271	0.26	HSTECH28C2501	0.37	(0.03)	2,698	0.41	SET5013C2503T	0.33	0.03	238,418	0.33
HSIO6C2410B	0.47	(0.17)	88,889	0.63	HSTECH28P2411	-	-	-	-	SET5013P2410A	-	-	-	-
HSIO6C2410C	1.03	(0.23)	50	1.03	HSTECH28P2501	0.57	0.02	3,700	0.51	SET5013P2412A	0.01	-	310	0.01
HSIO6C2410D	-	-	-	-	JD28C2410A	-	-	-	-	SET5013P2412B	0.01	(0.01)	1,455	0.02
HSIO6C2410E	-	-	-	-	JD41C2411A	-	-	-	-	SET5013P2412C	0.01	-	1,660	0.01
HSIO6C2411A	0.80	0.04	1	0.80	JD41C2502A	-	-	-	-	SET5013P2412D	0.02	-	3,216	0.02
HSIO6C2411B	-	-	-	-	JD41C2502B	0.34	(0.02)	20,495	0.35	SET5013P2412E	0.02	-	54	0.02
HSIO6C2411C	-	-	-	-	KUAIISH28C2410	0.01	(0.01)	1,305	0.01	SET5013P2412F	0.03	-	1,690	0.02
HSIO6C2411D	-	-	-	-	KUAIISH41C2410	-	-	-	-	SET5013P2412G	0.04	-	16,547	0.04
HSIO6C2411E	0.29	(0.07)	3,153,708	0.34	KUAIISH41C2502	0.39	(0.05)	144	0.41	SET5013P2412H	0.05	(0.01)	8,468	0.05
HSIO6C2411F	0.05	(0.02)	1,484,006	0.08	LENVOV41C2411	-	-	-	-	SET5013P2412I	0.06	-	12,622	0.05
HSIO6C2412A	0.92	(0.10)	65	1.01	LENVOV41C2501	-	-	-	-	SET5013P2412J	0.06	(0.02)	176,045	0.07
HSIO6C2412B	-	-	-	-	MCA5041C2503/	0.34	(0.11)	13,206	0.40	SET5013P2412K	0.08	(0.03)	338,463	0.09
HSIO6C2412C	-	-	-	-	MCA5041P2503/	-	-	-	-	SET5013P2412L	0.15	(0.04)	528,628	0.16
HSIO6C2412D	0.54	(0.10)	1,108,340	0.62	MEITUA28C2501	-	-	-	-	SET5013P2412M	0.28	(0.05)	1,429,847	0.29
HSIO6C2412E	0.20	(0.06)	3,545,401	0.24	MEITUA28C2501	-	-	-	-	SET5013P2412N	0.37	(0.63)	2,622,856	0.38
HSIO6C2412F	0.10	(0.03)	2,618,118	0.12	MEITUA28C2501	0.19	0.01	3	0.19	SET5013P2412T	0.01	-	2,854	0.02
HSIO6C2412G	0.07	(0.02)	48,286											

Main Board Quotation

Issue Date :

Thursday October 17, 2024

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
Warrant - MAI														
Agro & Food Indust			-		TPLAS	1.52	0.03	359	00 1.5	KGEN-W2	0.48	(0.03)	10,372	00 0.4
APO	2.36	0.02	4,020	00 2.3	TRT	3.70	0.04	2,004	00 3.6	KK	1.66	0.05	2,580	00 1.6
AU	9.90	(0.20)	13,728	00 9.9	TRV	2.12	-	15	00 2.1	KLINIQ	33.75	(0.25)	5,131	00 33.9
CFARM	1.27	(0.01)	43,076	00 1.2	UBIS	1.94	-	297	00 1.9	KOOL	0.42	(0.01)	13,062	00 0.4
JCKH	0.02	(0.01)	7,018	00 0.0	UEC	1.46	0.01	1,063	00 1.4	KTMS	2.46	-	1,050	00 2.4
JCKH-W2	-	-	-	00 0.0	UKEM	0.78	(0.01)	4,269	00 0.7	LDC	0.63	-	2,892	00 0.6
KASET	1.13	(0.01)	2,637	00 1.1	UREKA	0.52	(0.01)	72,653	00 0.5	LEO	3.96	-	766	00 3.9
MAGURO	16.80	-	7,464	00 16.9	YUASA	11.00	(0.10)	47	00 11.1	MASTER	46.75	(0.25)	22,683	00 46.5
MUD	1.37	-	67	00 1.3	ZIGA	2.04	(0.04)	50,403	00 2.0	MCA	1.82	(0.04)	5,322	00 1.8
NTSC	10.90	(0.10)	87	00 10.8	ZIGA-W2	0.19	(0.01)	15,095	00 0.1	MEB	30.50	0.50	4,003	00 30.1
TACC	5.00	(0.05)	58,188	00 5.0	Property	-	-	-	-	MORE	0.06	-	16,433	00 0.0
TMILL	3.60	-	201	00 3.5	24CS	3.88	0.08	43,057	00 3.9	MVP	0.88	0.01	7,638	00 0.8
WINNER	2.10	0.02	243	00 2.0	A5	2.70	-	19,836	00 2.7	NCL	0.55	(0.02)	17,295	00 0.5
XO	23.20	0.30	4,770	00 23.2	AS-W3	0.01	-	1,006	00 0.0	NCP	1.33	-	23,411	00 1.3
Consumer Products														
ALPHAX	0.66	0.01	16,449	00 0.6	AS-W4	0.10	-	121,339	00 0.1	NEWS	0.01	-	19,007,958	00 0.0
BGT	0.62	(0.01)	1,682	00 0.6	ARIN	1.35	-	105,067	00 1.3	PEER	0.35	-	104,905	00 0.3
DOD	2.74	0.06	4,780	00 2.7	ARROW	5.65	-	493	00 5.6	PEER-W1	0.02	-	3,824	00 0.0
ECF	0.56	-	31,134	00 0.5	BC	0.91	(0.01)	2,897	00 0.9	PICO	3.50	0.06	12	00 3.4
ECF-W5	0.08	-	66,003	00 0.0	BC-W2	0.16	0.01	1,324	00 0.1	PLT	0.79	-	32,983	00 0.7
EFORL	0.13	0.01	78,972	00 0.1	BLESS	0.47	(0.01)	6,201	00 0.4	QLT	2.38	0.02	4,343	00 2.3
EFORL-W6	0.03	0.01	1,149	00 0.0	BSM	1.96	-	140	00 1.9	RP	1.21	(0.01)	85	00 1.2
EURO	5.55	0.05	405	00 5.4	BTW	0.31	-	2,075	00 0.3	SLM	-	-	-	00 0.0
HPT	0.51	0.01	212,727	00 0.5	CAZ	3.00	0.02	2,674	00 2.9	SONIC	1.55	(0.02)	3,213	00 1.5
ITTHI	2.14	(0.06)	3,409	00 2.1	CHEWA	0.49	0.01	5,370	00 0.4	THMUI	0.59	(0.01)	1,772	00 0.5
JSP	2.06	(0.06)	10,669	00 2.0	CPANEL	4.20	-	148	00 4.2	TNDT	0.25	-	4,881	00 0.2
JUBILE	13.60	(0.20)	78	00 13.6	CPANEL-W1	0.43	(0.01)	274	00 0.4	TNDT-W1	0.03	-	7	00 0.0
LTS	10.50	-	7,355	00 10.5	CRD	0.48	-	1,320	00 0.4	TNH	36.50	-	831	00 36.4
MGI	14.10	0.10	20,926	00 14.2	DHOUSE	0.60	-	1,519	00 0.6	TNP	3.62	(0.06)	18,673	00 3.6
MGI-W1	3.94	0.18	27,207	00 3.9	DIMET	0.27	0.01	3,206	00 0.2	TPL	1.32	0.02	39,591	00 1.3
MOONG	2.16	-	1,533	00 2.1	DPAINT	1.96	(0.02)	1,790	00 1.9	TRP	9.45	-	2,701	00 9.4
NPK	13.30	0.20	28	00 13.3	FLOYD	0.80	0.01	896	00 0.7	TURTLE	5.85	0.30	5	00 5.6
SEI	5.30	(0.05)	22,042	00 5.3	HYDRO	0.30	(0.01)	27,480	00 0.3	TVDK	0.20	-	1,547	00 0.1
SMD	4.16	(0.08)	2,002	00 4.1	HYDRO-W2	0.04	(0.04)	356,621	00 0.0	TVDH-W3	0.03	-	4,005	00 0.0
TM	1.38	0.01	399	00 1.3	IND	0.82	-	2,230	00 0.8	TVDH-W4	0.03	-	5,834	00 0.0
TM-W1	0.16	-	2,504	00 0.1	JAK	1.14	-	8	00 1.2	TVT	0.50	-	9,634	00 0.5
WARRIX	3.56	0.08	11,155	00 3.5	K	1.39	-	6,672	00 1.3	UBA	1.00	(0.01)	534	00 1.0
WINMED	2.06	-	216	00 2.0	K-W3	0.21	0.01	104	00 0.2	VL	0.99	0.01	3,343	00 0.9
Financials														
ACAP	-	-	-	00 0.0	META	0.16	0.01	5,839	00 0.1	YGG	0.91	0.02	109,817	00 0.9
AF	0.70	(0.04)	591	00 0.7	META-W7	-	-	-	00 0.0	Technology	-	-	-	-
AIRA	1.44	0.05	1	00 1.4	PANEL	1.39	0.02	450	00 1.3	APP	1.90	0.04	10,795	00 1.9
ASN	2.16	(0.12)	9,792	00 2.2	PPS	0.31	0.02	18,933	00 0.3	BBIK	39.25	0.75	5,419	00 39.1
BTC	0.51	(0.02)	123,653	00 0.5	PRI	11.10	(0.40)	14,082	00 11.3	BE8	19.00	0.30	11,922	00 19.0
BTC-W7	0.23	-	7,414	00 0.2	PROS	1.20	(0.01)	3,587	00 1.2	BE8-W1	2.34	0.12	89	00 2.1
GCAP	0.60	0.01	35,114	00 0.5	PROS-W1	0.19	(0.02)	42,315	00 0.1	BVG	3.10	-	5,122	00 3.1
KCC	2.96	(0.04)	5,797	00 2.9	PSG	0.57	-	131,573	00 0.5	COMAN	2.28	(0.10)	1,625	00 2.2
LIT	1.16	0.12	62,070	00 1.1	QTCG	0.50	(0.01)	5,841	00 0.5	I2	2.06	-	6,985	00 2.0
LIT-W2	0.23	0.06	101,372	00 0.2	SENX	0.42	-	10,134	00 0.4	IIG	6.05	(0.05)	3,520	00 6.1
MITSIB	0.75	-	33,753	00 0.7	SK	0.68	(0.02)	2,080	00 0.6	IIG-W1	1.01	(0.11)	296	00 1.0
SGF	0.30	0.01	34,539	00 0.3	SMART	0.80	(0.01)	7,345	00 0.8	IRCP	0.58	(0.01)	9,376	00 0.5
SGF-P1	-	-	-	00 0.0	STC	0.60	-	1,187	00 0.6	ITNS	1.82	0.10	318	00 1.7
SGF-Q1	-	-	-	00 0.0	STX	1.56	0.02	5,001	00 1.5	NAT	4.96	0.04	9,178	00 4.9
TQR	6.70	0.10	128	00 6.7	SVR	1.27	(0.02)	332	00 1.2	NETBAY	17.70	0.40	8,818	00 17.5
Industrials														
ADB	1.02	0.03	29,470	00 1.0	TAPAC	-	-	-	00 0.0	PLANET	1.10	(0.03)	23,173	00 1.1
BM	3.12	0.02	15,497	00 3.1	THANA	1.58	(0.01)	4,415	00 1.5	PROEN	3.82	0.06	234,240	00 3.8
BM-W3	1.59	0.01	1	00 1.5	TIGER	0.72	(0.05)	4,409	00 0.7	READY	6.35	0.10	38	00 6.2
BPS	0.70	0.02	16,678	00 0.6	TITLE	3.96	(0.04)	735	00 3.9	SECURE	12.80	(0.10)	1,343	00 12.8
CHO	0.05	-	166,960	00 0.0	WELL	-	-	-	00 0.0	SICT	5.50	(0.10)	8,672	00 5.5
CHO-W4	0.02	-	295	00 0.0	YONG	1.56	0.02	959	00 1.5	SIMAT	1.97	0.03	39,893	00 1.9
CHOW	2.44	(0.02)	1,357	00 2.4	Resources	-	-	-	-	SIMAT-W3	0.15	0.01	4,210	00 0.1
CIG	0.05	-	33,575	00 0.0	ABM	1.27	(0.01)	3,535	00 1.2	SPVI	2.78	-	3,798	00 2.7
CIG-W10	-	-	-	00 0.0	ABM-W1	0.08	(0.01)	2,105	00 0.0	SRS	5.35	(0.15)	483	00 5.3
CIG-W9	0.04	0.01	73	00 0.0	GTV	0.12	-	87,876	00 0.1	TBN	6.50	0.05	224	00 6.4
COLOR	1.23	-	26	00 1.2	PSTC	0.52	0.01	45,885	00 0.5	TERA	1.60	(0.02)	4,231	00 1.6
CPR	3.36	(0.04)	804	00 3.3	PSTC-W2	0.03	0.01	850	00 0.0	TPS	3.08	(0.02)	5,047	00 3.0
FPI	2.04	(0.02)	1,857	00 2.0	PSTC-W3	0.21	(0.01)	7,443	00 0.2	TPS-W1	-	-	-	00 0.0
GTB	0.75	0.01	1,841	00 0.7	PTC	1.67	(0.02)	57	00 1.6	VCOM	2.84	-	3,629	00 2.8
HARN	2.16	0.04	5,993	73 2.1	SAAM	8.55	(0.10)	12,770	00 8.5	-	-	-	-	-
KCM	0.35	-	9,027	00 0.3	SAAM-W2	-	-	-	00 0.0	-	-	-	-	-
KJL	7.40	0.05	675	00 7.4	SR	0.68	(0.01)	10	00 0.6	-	-	-	-	-
KUMWEL	1.80	0.06	324	00 1.7	STOWER	0.08	-	1,477	00 0.0	-	-	-	-	-
KWM	1.29	-	1,023	00 1.2	TAKUNI	1.04	0.01	35,002	00 1.0	-	-	-	-	-
MBAX	2.94	0.02	645	00 2.9	TPCH	5.95	0.10	5,053	00 5.9	-	-	-	-	-
MGT	2.40	0.02	210	00 2.3	UMS	0.62	0.01	175	00 0.6	-	-	-	-	-
MTW	1.31	0.01	4,527	00 1.3	Services	-	-	-	-	-	-	-	-	-
MTW-W1	0.19	-	1,649	00 0.1	ADD	4.88	-	170	00 4.7	-	-	-	-	-
NDR	3.10	0.26	25,622	00 2.9	AKP	0.90	(0.01)	5,544	00 0.8	-	-	-	-	-
PACO	1.50	(0.02)	4,628	00 1.5	AMA	4.38	(0.02)	3,574	00 4.3	-	-	-	-	-
PACO-W1	0.14	-	1,940	00 0.1	AMARC	1.33	(0.01)	1,714	00 1.3	-	-	-	-	-
PDG	2.66	(0.02)	204	00 2.6	ARIP	0.70	0.04	6,079	00 0.6	-	-	-	-	-
PHOL	3.0													