

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB13C2411A	-	-	-	-	IVL19C2502B	0.16	(0.01)	27,532	0.16
Agribusiness	-	-	-	-	SCB13C2412A	0.13	-	213,370	0.15	IVL19C2502C	0.17	-	63,317	0.17
EE	0.17	0.01	2,118	0.16	SCB13C2502A	0.28	-	221,714	0.30	IVL19P2502A	0.19	(0.01)	10,304	0.19
EE-W1	-	-	-	-	SCB13P2412A	-	-	-	-	IVL41C2411A	-	-	-	-
GFPT	11.70	0.10	15,783	11.59	SCB13P2502A	0.24	(0.01)	115,268	0.23	IVL41C2412A	-	-	-	-
LEE	2.48	-	34	2.48	SCB19C2411A	-	-	-	-	IVL41C2502A	0.78	0.01	742	0.77
NER	4.98	0.02	14,500	4.99	SCB19C2412A	0.20	-	9,298	0.21	IVL41C2502B	0.16	-	4,346	0.16
NER-W2	0.75	-	750	0.75	SCB19C2502A	0.23	-	113,300	0.25	NFC	2.00	0.05	61	1.96
PCE	2.54	0.04	185,219	2.53	SCB19P2412A	-	-	-	-	PATO	9.05	-	58	9.05
PPPM	0.98	0.03	103,297	0.99	SCB41C2412A	0.13	-	50,510	0.14	PMTA	-	-	-	-
PPPM-W6	0.85	0.04	8,912	0.83	SCB41C2502A	0.28	-	38,888	0.30	PTTGC	23.90	(1.00)	384,132	24.39
STA	20.10	0.30	73,549	20.14	TCAP	52.00	0.75	13,551	51.81	PTTGC01C2411A	0.01	-	5,000	0.01
STA01C2411A	-	-	-	-	TCAP-P	-	-	-	-	PTTGC01C2412A	-	-	-	-
STA01C2412A	0.16	0.01	19,748	0.17	TCAP-Q	-	-	-	-	PTTGC01C2501A	0.03	(0.01)	3,277	0.03
STA01C2501A	0.18	0.01	32,599	0.19	TACAP13C2501A	0.14	(0.01)	15,568	0.15	PTTGC01C2501B	0.22	(0.07)	1,550	0.26
STA01C2502A	-	-	-	-	TISCO	97.00	0.25	13,522	97.13	PTTGC01C2502A	0.08	(0.01)	5,212	0.09
STA01C2503A	0.41	0.03	36,475	0.42	TISCO-P	-	-	-	-	PTTGC01P2412X	0.33	0.06	44,561	0.29
STA01P2502A	0.62	(0.02)	32,906	0.61	TISCO-Q	-	-	-	-	PTTGC01P2501A	0.23	0.04	36,998	0.20
STA13C2411A	-	-	-	-	TISCO11C2501A	0.36	-	9,804	0.36	PTTGC01P2503A	0.53	0.05	44,689	0.51
STA13C2412A	0.09	0.01	8,077	0.09	TISCO13C2502A	0.17	-	48	0.17	PTTGC11C2411A	-	-	-	-
STA13C2502A	0.05	-	312	0.05	TISCO19C2411A	-	-	-	-	PTTGC11C2412A	-	-	-	-
STA13C2502B	0.30	0.02	62,611	0.31	TISCO19C2502A	0.43	-	1,262	0.43	PTTGC11C2501A	0.18	(0.04)	43	0.18
STA13P2502A	0.58	(0.04)	44,519	0.58	TTB	1.78	(0.02)	3,886,026	1.79	PTTGC11C2502B	0.10	-	4,000	0.10
STA19C2411A	0.01	-	8,800	0.01	TTB-W1	0.85	-	5,928	0.86	PTTGC13C2411A	-	-	-	-
STA19C2412A	0.16	0.01	10,554	0.16	TTB01C2503A	0.10	(0.01)	12,556	0.11	PTTGC13C2501A	-	-	-	-
STA19C2502A	0.13	-	52,267	0.14	TTB13C2501A	0.06	(0.02)	4,749	0.06	PTTGC13C2502A	-	-	-	-
STA19C2502B	0.07	0.01	300	0.07	TTB19C2501A	0.21	(0.01)	25,178	0.22	PTTGC13C2502B	0.01	(0.01)	1,230	0.01
STA19C2503A	0.33	0.02	12,756	0.33	Construction Ma'	-	-	-	-	PTTGC13C2412C	0.08	(0.10)	39,463	0.10
TEGH	3.20	0.04	7,930	3.20	CCP	0.31	0.01	6,758	0.31	PTTGC13C2501A	0.05	(0.01)	27,274	0.06
TFM	8.30	-	294	8.29	DCC	1.82	(0.03)	50,065	1.84	PTTGC13C2502A	0.10	(0.02)	17,408	0.12
TRUBB	1.11	-	20,649	1.12	DOON	0.31	(0.01)	34,530	0.32	PTTGC13P2412A	-	-	-	-
UPOIC	6.50	-	144	6.50	DOON-W3	0.02	-	310,426	0.02	PTTGC13P2502A	0.56	0.11	22,758	0.54
UVAN	8.75	-	1,698	8.78	DRT	7.90	(0.05)	2,004	7.91	PTTGC13P2502B	0.32	0.04	17,643	0.30
VPO	0.70	0.01	6,485	0.70	EPG	4.82	(0.14)	25,623	4.86	PTTGC19C2411A	-	-	-	-
Banking	-	-	-	-	GEL	0.11	(0.01)	12,493	0.11	PTTGC19C2412A	-	-	-	-
BAY	25.00	(0.25)	2,357	25.10	GEL-W5	0.01	-	1	0.01	PTTGC19C2412B	0.02	(0.03)	10,003	0.03
BBL	149.00	(1.50)	157,686	149.55	PPP	1.71	(0.02)	132	1.65	PTTGC19C2501A	0.23	(0.12)	39,740	0.27
BBL11C2412A	0.14	(0.04)	7,678	0.15	Q-CON	10.40	(0.10)	1,836	10.44	PTTGC19C2501B	0.08	(0.03)	7,420	0.08
BBL11C2501A	0.14	(0.03)	14,893	0.15	SCC	207.00	(1.00)	14,162	208.44	PTTGC19C2502A	0.06	(0.01)	100	0.06
BBL13C2412A	0.19	(0.07)	93,072	0.20	SCC01C2412A	-	-	-	-	PTTGC19P2412A	-	-	-	-
BBL13C2501A	0.16	(0.02)	49,124	0.17	SCC01C2502A	0.24	(0.02)	3,884	0.26	PTTGC19P2503A	0.31	0.03	17,189	0.30
BBL13P2412A	0.02	-	10	0.02	SCC01C2503A	0.11	-	5,316	0.10	PTTGC41C2412A	-	-	-	-
BBL13P2501A	0.39	0.02	37,271	0.38	SCC01P2503A	0.75	(0.02)	77	0.76	PTTGC41C2412B	-	-	-	-
BBL19C2411A	-	-	-	-	SCC13C2501A	0.07	-	3,699	0.07	PTTGC41C2501A	0.18	(0.24)	42,000	0.22
BBL19C2502A	0.15	(0.02)	13,204	0.16	SCC13C2501B	0.03	-	14,644	0.03	PTTGC41C2502A	-	-	-	-
BBL19C2503A	0.29	(0.71)	20,478	0.30	SCC13C2502A	0.18	0.01	8,200	0.18	PTTGC41C2502B	-	-	-	-
BBL41C2412A	0.19	(0.09)	116,535	0.20	SCC13P2502A	-	-	-	-	PTTGC41P2502A	0.34	0.04	2	0.33
BBL41C2502A	0.15	(0.03)	33,572	0.16	SCC19C2411A	0.01	-	800	0.01	SUTHA	3.00	(0.02)	527	3.01
CIMBT	0.55	-	4,030	0.55	SCC19C2501A	0.10	(0.01)	4,388	0.11	TPA	4.32	0.26	54	4.25
CREDIT	22.10	0.30	4,885	22.12	SCC19C2502A	0.08	(0.01)	838	0.08	UAC	3.34	(0.06)	887	3.36
KBANK	146.50	(0.50)	132,652	147.14	SCC19C2503A	0.27	0.01	1,197	0.28	UP	17.00	-	38	16.97
KBANK01C2412A	0.39	-	30	0.43	SCCC	167.50	1.50	544	166.67	Commerce	-	-	-	-
KBANK01C2501A	0.34	(0.02)	11,636	0.37	SCGD	7.10	(0.05)	2,395	7.13	ADVICE	6.60	0.35	173,309	6.54
KBANK01C2502A	0.14	(0.01)	17,927	0.16	SCP	6.55	0.05	378	6.50	B52	0.55	(0.03)	1,735	0.57
KBANK01P2412X	-	-	-	-	SKN	5.60	0.15	270	5.47	BEAUTY	0.47	(0.01)	57,782	0.47
KBANK01P2502A	0.31	-	52,667	0.30	STECH	1.19	0.02	850	1.18	BIG	0.45	-	5,896	0.44
KBANK01P2502B	0.62	-	33,133	0.61	TASCO	18.10	(0.20)	56,765	18.12	BJC	23.80	(1.10)	153,372	24.14
KBANK13C2411A	0.05	(0.03)	3	0.05	TASCO01C2501J	0.21	(0.02)	17,600	0.22	BJC01C2412A	0.28	(0.10)	4	0.27
KBANK13C2412A	-	-	-	-	TASCO13C2501J	0.16	(0.03)	9,738	0.18	BJC01C2503A	0.11	(0.04)	27,250	0.12
KBANK13C2501A	0.15	(0.01)	36,500	0.16	TASCO19C2411J	0.03	(0.03)	1,400	0.03	BJC13C2412A	0.17	(0.09)	36,113	0.21
KBANK13C2501B	0.10	(0.01)	26,225	0.10	TASCO19C2502J	0.23	(0.03)	2,624	0.25	BJC13C2502A	0.10	(0.03)	6,778	0.11
KBANK13C2503A	0.35	(0.65)	104,848	0.37	TOA	18.30	-	2,665	18.26	BJC19C2411A	0.07	(0.09)	7,948	0.11
KBANK13P2412A	-	-	-	-	TPIPL	1.14	(0.01)	92,769	1.15	BJC19C2502A	0.11	(0.04)	12,864	0.13
KBANK13P2501A	-	-	-	-	UMI	0.80	-	768	0.81	BJC19C2503A	0.37	(0.09)	27,143	0.40
KBANK13P2501B	0.30	(0.01)	31,913	0.29	VNG	3.40	-	1,715	3.36	COM7	26.75	1.00	101,502	26.26
KBANK19C2411A	-	-	-	-	WIIK	1.06	(0.03)	1,990	1.07	COM701C2412W	0.49	-	8,885	0.48
KBANK19C2501A	0.22	(0.01)	4,777	0.22	WIJK-W3	0.07	0.01	2,247	0.06	COM701C2501A	0.15	0.02	27,107	0.14
KBANK19C2502A	0.21	-	7,275	0.22	WINDOW	1.04	(0.02)	5,844	1.04	COM701P2501A	0.25	(0.01)	7,419	0.25
KBANK19C2502B	0.14	(0.01)	50,072	0.15	Petrochemicals &	-	-	-	-	COM713C2411A	-	-	-	-
KBANK19P2501A	-	-	-	-	BCT	74.75	-	43	74.62	COM713C2412A	0.45	0.01	2,400	0.43
KBANK19P2502A	0.16	-	21,252	0.15	CMAN	2.18	(0.02)	3,720	2.18	COM713C2501A	0.16	0.03	11,728	0.14
KBANK41C2501A	0.33	(0.27)	13,000	0.35	GC	4.98	(0.02)	1,030	4.99	COM713P2501A	0.21	(0.03)	8,763	0.23
KBANK41C2502A	-	-	-	-	GGC	4.50	-	202	4.51	COM719C2501A	-	-	-	-
KBANK41C2604T	0.73	(0.01)	35,700	0.74	GIFT	2.98	(0.12)	52,081	3.01	COM719C250				

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC01C2501A	-	-	-	-	INET	4.32	0.02	32,598	4.39	DELTA19C2411A	1.70	0.18	8,000	1.66
CRC01C2503A	0.14	(0.04)	34,652	0.16	INET-W3	0.16	0.01	168,313	0.23	DELTA19C2412A	0.76	0.07	16,481	0.75
CRC11C2501A	0.14	(0.03)	1,000	0.14	INSET	3.22	0.30	911,256	3.17	DELTA19C2502A	0.90	0.09	6,522	0.81
CRC13C2412A	0.05	(0.04)	35,430	0.07	INTUCH	106.00	-	141,953	105.85	DELTA19C2503A	0.58	0.07	49,560	0.55
CRC13C2412B	0.15	(0.17)	1,462	0.15	INTUCH01C2411	1.83	(0.02)	6,045	1.82	DELTA19P2411A	0.01	-	2	0.01
CRC13C2502A	0.11	(0.04)	14,515	0.13	INTUCH01C2501	0.30	(0.01)	94,358	0.29	DELTA19P2412A	-	-	-	-
CRC19C2411A	0.01	(0.03)	30	0.01	INTUCH13C2411	-	-	-	-	DELTA19P2502A	0.16	(0.03)	13,805	0.17
CRC19C2501A	0.23	(0.13)	1,636	0.24	INTUCH13C2411	1.06	(0.05)	10	1.10	DELTA19P2503A	0.51	(0.06)	19,530	0.54
CRC19C2502A	0.15	(0.05)	17,906	0.17	INTUCH13C2501	0.88	(0.01)	535	0.87	DETA41C2411A	-	-	-	-
CSS	0.87	(0.01)	3,269	0.88	INTUCH13C2501	0.38	(0.02)	111,131	0.38	DETA41C2411B	1.31	0.20	2	1.31
DOHOME	9.95	(0.35)	100,181	10.01	INTUCH13C2501	0.23	(0.02)	186,320	0.23	DETA41C2412A	0.77	0.08	3,415	0.68
DOHOME01C2501A	0.04	-	970	0.04	INTUCH13P2411	-	-	-	-	DETA41C2502A	0.63	0.06	65,758	0.58
DOHOME01C2503A	0.13	(0.02)	16,594	0.13	INTUCH13P2411	-	-	-	-	DETA41P2412A	0.02	(0.01)	523	0.01
DOHOME13C2412A	0.03	-	670	0.03	INTUCH13P2501	0.42	-	81,906	0.43	DETA41P2502A	0.45	(0.05)	15,305	0.44
DOHOME13C2502A	0.12	(0.02)	10,649	0.12	INTUCH19C2411	-	-	-	-	HANA	38.25	(0.25)	47,125	38.47
DOHOME19C2501A	0.07	(0.01)	50	0.07	INTUCH19C2501	0.93	(0.32)	1	0.93	HANA01C2411W	0.01	-	2,500	0.01
DOHOME19C2502A	0.13	(0.03)	17,304	0.14	INTUCH19C2501	0.40	(0.01)	235,508	0.40	HANA01C2412W	0.01	-	62	0.01
DOHOME41C2412A	-	-	-	-	INTUCH19C2501	0.27	(0.01)	83,202	0.27	HANA01C2501W	0.08	(0.01)	2,205	0.08
DOHOME41C2501A	0.07	(0.01)	2,000	0.07	ITEL	2.32	0.08	92,551	2.31	HANA01C2502A	0.18	(0.01)	31,086	0.19
FN	1.10	(0.05)	8,662	1.11	JAS	2.36	-	162,884	2.37	HANA01P2411W	0.05	(0.03)	1,200	0.05
GLOBAL	16.10	(0.10)	50,364	16.06	JAS-W4	0.35	(0.05)	1,126,754	0.38	HANA01P2501W	0.26	(0.02)	8,246	0.26
GLOBAL01C2503A	0.29	(0.03)	13,240	0.30	JAS13C2411A	0.01	-	1	0.01	HANA06C2412A	0.10	-	1,689	0.10
GLOBAL11C2501A	0.21	(0.04)	600	0.21	JAS13C2412A	0.05	-	656	0.04	HANA13C2411A	0.01	-	56	0.01
GLOBAL13C2501A	0.28	(0.02)	30,087	0.28	JAS13C2502A	0.18	(0.01)	22,193	0.19	HANA13C2411B	-	-	-	-
GLOBAL19C2412A	0.10	(0.01)	12,932	0.10	JAS19C2411A	0.01	-	173	0.01	HANA13C2412A	0.02	-	2	0.02
HMPRO	9.75	(0.45)	571,091	9.90	JAS19C2412A	0.05	0.01	1,458	0.05	HANA13C2412B	0.05	-	7,170	0.05
HMPRO01C2501A	0.26	(0.06)	3,068	0.27	JAS19C2501A	0.14	(0.01)	20,908	0.15	HANA13C2502A	0.15	-	19,984	0.16
HMPRO01C2503A	0.07	(0.02)	16,776	0.08	JMART	15.40	0.30	63,345	15.34	HANA13P2411A	-	-	-	-
HMPRO01C2412A	0.56	(0.27)	100	0.56	JMART-W5	0.71	(0.01)	717	0.72	HANA13P2502A	0.50	-	8,158	0.49
HMPRO01C2412B	0.08	(0.06)	800	0.09	JMART01C2411I	0.13	(0.01)	29,664	0.13	HANA19C2411A	-	-	-	-
HMPRO01C2502A	0.10	(0.90)	1,000	0.10	JMART01C2501I	0.26	0.01	19,147	0.25	HANA19C2501A	0.08	(0.01)	60,028	0.08
HMPRO13C2411A	-	-	-	-	JMART13C2412I	0.58	(0.12)	1,168	0.58	HANA19C2501B	0.14	(0.01)	2,566	0.15
HMPRO13C2501A	-	-	-	-	JMART13C2501I	0.45	0.03	7,275	0.45	HANA19P2411A	0.10	(0.02)	474	0.10
HMPRO13C2501B	0.06	(0.02)	28,514	0.07	JMART13C2501I	0.17	-	86,760	0.17	HANA41C2411A	-	-	-	-
HMPRO19C2501A	-	-	-	-	JMART19C2412I	0.35	0.02	12,254	0.34	HANA41C2501A	0.08	(0.01)	1,003	0.09
HMPRO19C2501B	0.11	(0.03)	4,110	0.13	JMART19C2501I	-	-	-	-	KCE	36.75	(0.25)	56,539	37.00
HMPRO19C2502A	0.09	(0.03)	4,332	0.10	JMART19C2501I	-	-	-	-	KCE01C2412W	0.01	-	22	0.01
ICC	33.25	-	307	32.99	JMART19C2501I	0.19	0.02	14,060	0.19	KCE01C2501W	0.11	-	5	0.11
ILM	17.60	(0.30)	2,085	17.79	JMART19C2503I	0.38	0.02	38,414	0.38	KCE01C2503A	0.23	(0.01)	15,916	0.24
IT	4.96	(0.04)	924	4.98	JMART19P2411I	-	-	-	-	KCE01P2412W	-	-	-	-
KAMART	12.00	(0.20)	17,480	12.19	JMART41C2412I	0.38	-	4,000	0.37	KCE01P2501W	0.26	-	13,028	0.25
LOXLEY	1.41	(0.02)	4,001	1.41	JMART41C2501I	0.25	0.01	19,236	0.25	KCE11C2501A	-	-	-	-
MC	12.70	-	23,579	12.81	JTS	68.75	(0.25)	2,590	69.13	KCE13C2411A	0.01	-	132	0.01
MEGA	39.00	(0.75)	2,651	39.31	MFEC	6.20	-	1,485	6.13	KCE13C2412A	0.01	(0.01)	3,372	0.01
MEGA13C2502A	-	-	-	-	MSC	8.20	0.15	32	8.13	KCE13C2412B	0.02	-	7,648	0.02
MEGA19C2502A	0.25	(0.01)	230	0.25	PT	9.60	0.10	2,161	9.51	KCE13C2501A	0.13	(0.02)	27,316	0.14
MIDA	0.46	0.01	993	0.45	ROCTEC	0.99	-	200,457	0.99	KCE13C2503A	0.24	(0.76)	26,297	0.25
MOSHI	47.25	0.50	4,493	47.37	ROCTEC-W3	0.03	0.01	10,094	0.02	KCE13P2412A	0.26	-	10,593	0.25
RS	6.00	-	3,914	5.99	ROCTEC-W5	0.05	-	9,711	0.05	KCE13P2501A	0.20	-	8,049	0.19
RS-W5	4.90	0.06	301	4.90	SAMART	7.15	0.25	13,491	7.10	KCE19C2411A	0.01	-	17	0.01
RSP	1.95	(0.01)	133	1.96	SAMTEL	6.05	0.15	3,727	6.05	KCE19C2412A	-	-	-	-
SABUY	0.78	0.06	410,637	0.77	SDC	0.03	0.01	3,183,223	0.03	KCE19C2501A	0.13	(0.02)	1,620	0.13
SCM	3.84	0.12	8,886	3.83	SIS	25.75	(0.25)	4,195	25.95	KCE19C2503A	0.24	(0.02)	23,821	0.25
SCM-W2	1.21	(0.01)	147	1.22	SKY	23.10	(0.20)	5,978	23.43	KCE19P2412A	0.31	0.01	3,840	0.30
SINGER	10.90	(0.10)	41,436	11.02	SPREME	2.08	0.10	386,050	2.05	KCE19P2501A	0.21	0.01	6,301	0.21
SPC	58.00	(0.25)	48	58.40	SVOA	1.64	(0.02)	4,133	1.66	KCE41C2411A	-	-	-	-
SPI	65.75	-	11	64.86	SYMC	8.25	0.15	18,531	8.43	KCE41C2501A	0.08	(0.01)	2,000	0.09
SVT	1.77	(0.01)	1,555	1.76	SYNEX	15.90	0.20	70,115	16.00	METCO	192.50	-	6	192.75
TAN	7.95	(0.05)	4,150	7.96	THCOM	14.80	(0.20)	195,453	14.84	SMT	1.87	(0.03)	32,127	1.91
Information & Comrr	-	-	-	-	TKC	14.00	(0.70)	1,605	14.32	SVI	7.65	0.15	12,461	7.62
3BBIF	6.25	0.10	36,501	6.20	TRUE01C2501A	0.24	(0.02)	23,978	0.26	TEAM	3.82	-	1,616	3.85
ADVANC	275.00	-	72,865	274.94	TRUE01C2501A	-	-	-	-	Energy & Utilities	-	-	-	-
ADVANC01C2412A	0.57	(0.01)	10,828	0.59	TRUE01P2412W	-	-	-	-	ACC	1.15	0.10	778,815	1.16
ADVANC01C2501A	0.40	-	79,956	0.40	TRUE11C2411A	0.81	(0.01)	400	0.83	ACC-W2	0.86	0.02	217,871	0.87
ADVANC01C2503A	0.34	-	134,782	0.35	TRUE11C2501A	0.27	(0.02)	4,200	0.29	ACE	1.32	(0.01)	15,635	1.32
ADVANC01C2503B	0.37	-	73,276	0.39	TRUE11C2501B	0.17	(0.01)	1,030	0.17	AE	0.24	-	117,621	0.24
ADVANC01P2412X	0.02	0.01	5	0.02	TRUE13C2412A	0.64	(0.10)	2,000	0.67	AGE	1.41	-	2,730	1.40
ADVANC01P2502X	0.17	(0.01)	35,763	0.17	TRUE13C2412B	0.16	(0.03)	38,014	0.18	AIE	1.14	(0.01)	7,791	1.15
ADVANC06C2411A	0.82	0.08	1	0.82	TRUE13C2503A	0.20	(0.02)	42,223	0.21	BAFS	14.30	(0.30)	7,301	14.50
ADVANC11C2412A	0.57	(0.01)	23	0.61	TRUE13P2503A	0.27	0.02	21,933	0.26	BANPU	6.20	(0.15)	558,674	6.26
ADVANC13C2412B	-	-	-	-	TRUE19C2501A	0.23	(0.04)	26,025	0.24	BANPU01C2411W	-	-	-	-
ADVANC13C2501A	0.23	-	89,293	0.23	TRUE19C2503A	0.21	(0.01)	11,098	0.22	BANPU01C2501B	1.45	(0.27		

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BCP01C2502A	0.08	(0.03)	14,896	0.09	GPSC	43.75	(2.50)	157,916	44.27	PTTEP06C2501A	0.07	(0.03)	970	0.08
BCP01P2502A	0.35	0.04	16,477	0.33	GPSC01C2411A	-	-	-	-	PTTEP11C2411A	-	-	-	-
BCP11C2501A	-	-	-	-	GPSC01C2412A	0.17	(0.12)	9,792	0.20	PTTEP11C2501A	0.08	(0.02)	196	0.08
BCP13C2411A	0.01	(0.01)	1,078	0.01	GPSC01C2501A	0.42	(0.14)	1,160	0.46	PTTEP11C2501B	0.11	(0.02)	7,020	0.11
BCP13C2412A	0.08	(0.03)	1,720	0.09	GPSC01C2502A	0.16	(0.08)	38,641	0.18	PTTEP13C2412A	0.01	-	20,538	0.01
BCP13C2501A	0.06	(0.02)	58,117	0.07	GPSC01P2411X	-	-	-	-	PTTEP13C2501A	0.04	(0.01)	18,218	0.04
BCP13P2501A	0.27	0.03	24,184	0.26	GPSC01P2502A	0.23	0.05	59,500	0.22	PTTEP13C2502A	0.10	(0.02)	57,933	0.11
BCP19C2411A	-	-	-	-	GPSC11C2411A	-	-	-	-	PTTEP13P2502A	0.22	(0.01)	71,542	0.23
BCP19C2412A	0.10	(0.04)	17,913	0.11	GPSC11C2501A	0.13	(0.09)	5,900	0.15	PTTEP19C2411A	0.58	-	19,179	0.58
BCP19C2501A	0.09	(0.02)	15,529	0.10	GPSC13C2411A	-	-	-	-	PTTEP19C2412A	-	-	-	-
BCP41C2502A	0.08	(0.03)	10,200	0.10	GPSC13C2412A	0.16	(0.12)	25,046	0.18	PTTEP19C2502A	0.12	-	41,032	0.12
BCPG	6.75	(0.15)	44,766	6.81	GPSC13C2501A	0.33	(0.17)	262	0.36	PTTEP19C2503A	0.24	(0.02)	17,101	0.25
BCPG01C2502A	0.12	(0.04)	10,176	0.13	GPSC13C2501B	0.14	(0.07)	73,288	0.15	PTTEP41C2412A	0.01	(0.01)	13,928	0.01
BCPG13C2411A	-	-	-	-	GPSC13P2411A	-	-	-	-	PTTEP41C2502A	0.14	(0.02)	15,394	0.14
BCPG13C2501A	0.17	(0.04)	8,276	0.19	GPSC13P2501A	0.28	0.06	65,605	0.27	PTTEP41C2604T	0.22	-	3,220	0.22
BCPG13C2502A	0.13	(0.01)	2,640	0.13	GPSC19C2411A	-	-	-	-	PTTEP41P2412A	-	-	-	-
BCPG19C2411A	-	-	-	-	GPSC19C2411B	-	-	-	-	RATCH	32.50	(0.75)	19,596	32.84
BCPG19C2503A	0.22	(0.03)	13,591	0.23	GPSC19C2501A	0.33	(0.22)	1,768	0.32	RATCH01C2503A	-	-	-	-
BGRIM	22.60	(0.80)	165,064	22.76	GPSC19C2502A	0.19	(0.07)	17,605	0.23	RATCH13C2412A	0.21	(0.03)	4,856	0.22
BGRIM01C2411A	-	-	-	-	GPSC19P2411A	-	-	-	-	RATCH13C2503A	-	-	-	-
BGRIM01C2411B	-	-	-	-	GPSC41C2411A	-	-	-	-	RATCH19C2412A	0.19	(0.02)	1,449	0.19
BGRIM01C2501A	0.37	(0.13)	9,240	0.42	GPSC41C2412A	0.24	(0.21)	2,100	0.24	RPC	0.51	(0.01)	4,877	0.51
BGRIM01C2502A	0.26	(0.08)	29,285	0.28	GPSC41C2502A	0.14	(0.06)	29,602	0.15	SCG	3.66	0.02	33	3.64
BGRIM01C2503A	0.09	(0.02)	7,600	0.10	GREEN	1.08	-	2,618	1.08	SCN	1.11	0.01	345,011	1.13
BGRIM01P2411X	-	-	-	-	GULF	66.50	-	276,561	66.65	SCN-W2	0.15	-	108,518	0.16
BGRIM11C2410A	-	-	-	-	GULF01C2411A	2.16	(0.20)	1	2.16	SCN-W3	0.03	(0.01)	72,910	0.04
BGRIM11C2410B	-	-	-	-	GULF01C2412A	1.27	(0.01)	416	1.22	SEAOIL	2.62	-	273	2.62
BGRIM11C2412A	0.32	(0.12)	2,400	0.37	GULF01C2502A	0.73	(0.04)	7,476	0.77	TGP	6.70	(0.05)	69,411	6.70
BGRIM11C2501A	0.21	(0.06)	1,204	0.25	GULF01C2502B	0.50	(0.02)	29,586	0.53	SPRC	0.18	(0.02)	6,985	0.19
BGRIM13C2411A	0.01	-	109	0.01	GULF01C2503A	0.34	(0.01)	67,820	0.35	SPRC01C2502A	0.02	-	2,000	0.02
BGRIM13C2412A	0.22	(0.09)	25,699	0.26	GULF01P2411X	-	-	-	-	SPRC13C2412A	0.10	(0.01)	47	0.10
BGRIM13C2502A	0.24	(0.06)	29,129	0.27	GULF01P2501A	0.02	(0.01)	6,501	0.02	SPRC13C2503A	0.20	(0.02)	1,060	0.21
BGRIM13P2411A	-	-	-	-	GULF11C2410A	-	-	-	-	SOLAR	0.52	-	6,676	0.52
BGRIM19C2411A	-	-	-	-	GULF13C2411A	-	-	-	-	SPCG	8.75	-	2,244	8.75
BGRIM19C2411B	0.04	(0.04)	840	0.06	GULF13C2412A	1.44	(0.12)	290	1.45	SPRC	6.70	(0.05)	69,411	6.70
BGRIM19C2501A	0.41	(0.17)	4,822	0.46	GULF13C2412B	-	-	-	-	SPRC19C2502A	0.18	(0.02)	6,985	0.19
BGRIM19C2502A	0.27	(0.07)	27,907	0.31	GULF13C2501A	0.62	(0.01)	5,787	0.65	SPRC13C2412A	0.02	-	2,000	0.02
BGRIM19P2411A	-	-	-	-	GULF13C2502A	0.46	(0.04)	80,321	0.48	SPRC13C2501A	0.10	(0.01)	47	0.10
BGRIM41C2411A	0.08	(0.03)	6,100	0.10	GULF13C2502B	0.30	(0.01)	205,893	0.31	SPRC13C2503A	0.20	(0.02)	1,060	0.21
BGRIM41C2412A	0.05	(0.04)	5,510	0.05	GULF13P2411A	-	-	-	-	SPRC19C2501A	0.11	-	3	0.11
BIOTEC	0.32	(0.02)	42,084	0.32	GULF13P2412A	-	-	-	-	SPRC19C2503A	0.24	(0.02)	1,923	0.24
BIOTEC-P	-	-	-	-	GULF13P2501A	0.02	-	1,312	0.01	SSP	5.85	(0.05)	4,046	5.84
BIOTEC-Q	-	-	-	-	GULF13P2502A	0.09	(0.01)	13,399	0.09	SSP-W2	0.13	(0.01)	1,179	0.13
BIOTEC-W2	0.07	(0.01)	522	0.07	GULF13P2502B	0.33	(0.01)	130,440	0.32	SUPER	0.28	(0.01)	53,941	0.28
BPP	12.50	0.10	3,017	12.40	GULF19C2411A	-	-	-	-	SUPEREIF	6.90	-	523	6.90
BRRGIF	3.74	-	563	3.74	GULF19C2412A	-	-	-	-	SUSCO	3.22	-	7,647	3.22
BSRC	7.60	0.10	12,068	7.47	GULF19C2501A	-	-	-	-	TAE	0.88	-	5,233	0.90
CKP	3.64	(0.06)	115,998	3.66	GULF19C2502A	0.74	(0.03)	513	0.78	TCC	0.48	0.01	1,488	0.48
CKP13C2412A	0.02	(0.02)	1,000	0.02	GULF19C2503A	0.54	(0.01)	10,922	0.55	TCC-W5	0.20	0.01	230	0.19
CKP13C2501A	0.13	(0.01)	18,801	0.14	GULF19C2503B	0.37	-	62,375	0.37	TGE	2.66	-	1,257	2.66
CKP19C2411A	0.01	-	500	0.01	GULF19P2411A	-	-	-	-	TGE-W1	1.50	0.01	420	1.49
CKP19C2502A	0.24	(0.01)	26,696	0.25	GULF19P2501A	-	-	-	-	TOP	46.00	(0.75)	94,447	46.56
CV	0.28	-	60,826	0.29	GULF19P2503A	0.36	-	39,567	0.36	TOP01C2412A	0.02	(0.01)	38	0.02
CV-W1	0.19	0.01	4,377	0.19	GULF41C2502A	0.95	(0.05)	3,000	0.97	TOP01C2503A	0.19	(0.01)	3,935	0.20
DEMCO	3.44	-	1,400	3.43	GULF41C2502B	0.70	-	20,000	0.71	TOP11C2412A	-	-	-	-
DEMCO-W7	0.02	-	62,778	0.02	GULF41C2605T	0.87	(0.01)	64,360	0.87	TOP11C2501A	0.09	-	50	0.09
EA	7.80	-	498,828	7.88	GUNKUL	2.76	(0.04)	129,287	2.78	TOP11C2502A	-	-	-	-
EA01C2411W	0.02	0.01	2,001	0.01	GUNKUL13C2411	-	-	-	-	TOP13C2412A	0.02	(0.01)	3,455	0.02
EA01C2412A	0.02	-	254	0.02	GUNKUL13C2411	-	-	-	-	TOP13C2502A	0.13	(0.01)	5,000	0.13
EA01C2412W	-	-	-	-	GUNKUL13C250	0.24	(0.03)	13,926	0.26	TOP13C2503A	0.27	(0.73)	2,464	0.29
EA01P2411A	0.22	(0.08)	902	0.27	GUNKUL19C241	0.16	(0.02)	16,088	0.17	TOP19C2412A	-	-	-	-
EA01P2411W	-	-	-	-	IRPC	1.48	(0.05)	280,114	1.51	TOP19C2502A	-	-	-	-
EA06C2412A	0.39	-	17,334	0.40	IRPC01C2502A	0.15	(0.01)	8,822	0.15	TOP19C2503A	0.28	(0.72)	1,210	0.28
EA13C2411A	-	-	-	-	IRPC13C2412A	-	-	-	-	TOP41C2412A	-	-	-	-
EA13C2411B	-	-	-	-	IRPC13C2501A	0.06	(0.03)	6,520	0.08	TOP41C2502A	0.18	-	12,720	0.18
EA13C2411C	-	-	-	-	IRPC13C2502A	0.19	(0.03)	3,230	0.20	TPIPP	2.98	(0.02)	26,103	3.00
EA13C2411D	-	-	-	-	IRPC19C2501A	0.15	(0.03)	22,308	0.17	TSE	1.00	0.01	8,723	1.00
EA13C2411E	0.02	0.01	13	0.02	IRPC19C2502A	0.14	(0.02)	2,218	0.15	TTW	9.00	(0.05)	20,644	9.02
EA13C2412A	0.18	(0.01)	73,239	0.19	KBSP1F	7.85	-	1,084	7.85	UBE	0.80	-	34,101	0.80
EA13C2412B	0.43	(0.01)	17,910	0.41	LANNA	16.00	-	1,339	16.02	WAHUP	5.15	(0.10)	133,534	5.22
EA13C2412C	1.01	(0.01)	66	1.03	MDX	3.90	(0.06)	19,014	3.97	WP	3.66	-	323	3.66
EA13C2412D	0.31	(0.03)	156,194	0.33	NOVA	10.60	(0.10)	2	10.60	Media & Publishing	-	-	-	-
EA13C2412E	0.13	(0.02)	127,740	0.14	OR	15.60	(0.50)	116,776	15.85	AMARIN	3.80	-	103	3.79
EA13C2501A	-	-	-	-	OR01C241									

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI01P2412X	-	-	-	-	MTC19P2501A	-	-	-	-	HTC	17.20	0.10	6,154	17.25
VGI01P2501X	-	-	-	-	MTC41C2411A	-	-	-	-	ICHI	15.60	(0.20)	38,722	15.63
VGI13C2411A	-	-	-	-	MTC41C2412A	0.62	(0.08)	9,000	0.62	ICHI01C2503A	0.26	(0.02)	15,724	0.26
VGI13C2411B	-	-	-	-	MTC41C2502A	0.32	-	40,780	0.31	ICHI13C2501A	0.18	-	9,740	0.18
VGI13C2412A	-	-	-	-	NCAP	2.04	-	74,896	2.06	ITC	25.00	0.40	75,274	24.98
VGI13C2501A	0.47	0.03	32	0.47	PL	1.77	(0.02)	297	1.76	ITC01C2412A	0.14	0.03	31,960	0.12
VGI13C2501B	0.26	(0.01)	113,580	0.27	S11	2.70	0.10	1,193	2.62	ITC01C2501A	0.66	0.07	5,896	0.63
VGI13P2411A	-	-	-	-	SAK	5.05	0.05	17,069	5.10	ITC01C2503A	0.14	0.02	35,715	0.14
VGI13P2412A	-	-	-	-	SAWAD	42.25	-	24,907	42.48	ITC11C2501A	0.66	(0.04)	2,400	0.63
VGI13P2501A	0.28	0.03	1,636	0.24	SAWAD-W2	0.50	(0.01)	333	0.54	ITC11C2501B	0.38	0.05	1,600	0.36
VGI19C2411A	-	-	-	-	SAWAD01C2411	0.08	(0.02)	3,800	0.08	ITC13C2501A	0.50	0.03	13,333	0.48
VGI19C2501A	0.37	(0.01)	11,791	0.39	SAWAD01C2501	0.91	0.01	1,460	0.91	ITC13C2502A	0.16	0.01	14,489	0.16
VGI19C2502A	0.26	(0.01)	58,983	0.27	SAWAD01C2501	-	-	-	-	ITC19C2501A	0.61	0.04	180	0.60
VGI19P2501A	-	-	-	-	SAWAD01C2502	0.23	(0.01)	24,236	0.24	ITC19C2503A	0.18	(0.82)	5,897	0.18
VGI41C2411A	-	-	-	-	SAWAD01P2501	-	-	-	-	JDF	1.99	(0.01)	5,014	1.99
VGI41C2412A	-	-	-	-	SAWAD01P2502	-	-	-	-	KBS	6.00	0.05	7,578	5.96
VGI41C2412B	-	-	-	-	SAWAD13C2411	-	-	-	-	KCG	9.70	(0.10)	14,071	9.75
VGI41C2501A	0.45	(0.03)	6,511	0.48	SAWAD13C2412	0.42	(0.01)	4	0.42	KSL	2.06	0.02	9,645	2.05
VGI41C2502A	0.23	(0.01)	47,901	0.25	SAWAD13C2412	-	-	-	-	KTIS	2.92	(0.04)	699	2.90
WORK	8.70	0.05	4,291	8.78	SAWAD13C2501	0.22	0.01	30,058	0.22	LST	4.86	0.04	240	4.84
ZAA	0.92	-	384	0.87	SAWAD13P2411	-	-	-	-	M	27.50	(0.25)	7,313	27.89
Finance & Securities	-	-	-	-	SAWAD13P2501	-	-	-	-	MALEE	11.90	(0.10)	24,340	12.11
AEONTS	134.50	(4.00)	1,647	136.43	SAWAD19C2411	-	-	-	-	NRF	1.75	(0.06)	114,582	1.78
AEONTS13C2412A	0.29	(0.06)	152	0.33	SAWAD19C2412	-	-	-	-	NSL	34.00	(0.50)	10,464	34.08
AMANAH	1.36	(0.02)	11,575	1.36	SAWAD19C2501	-	-	-	-	OKJ	13.30	0.30	52,538	13.15
ASAP	2.38	-	303	2.34	SAWAD19C2502	0.29	-	51,994	0.29	OSP	20.70	(0.40)	95,551	20.80
ASK	12.30	-	4,278	12.40	SAWAD19P2501	-	-	-	-	OSP01C2412A	-	-	-	-
ASP	2.50	(0.02)	3,592	2.52	SAWAD41C2411	-	-	-	-	OSP01C2503A	0.15	(0.02)	38,351	0.17
BAM	8.90	(0.10)	87,347	9.02	SAWAD41C2411	-	-	-	-	OSP11C2501A	0.17	-	3,600	0.17
BAM01C2411A	0.02	(0.01)	2,200	0.02	SAWAD41C2501	-	-	-	-	OSP13C2412A	-	-	-	-
BAM01C2501A	0.36	(0.04)	3,088	0.39	SAWAD41C2502	0.36	0.01	21,042	0.36	OSP13C2412B	-	-	-	-
BAM01C2502A	0.24	(0.02)	14,026	0.25	SAWAD41C2502	0.19	-	32,500	0.19	OSP13C2501A	0.13	(0.02)	2,763	0.14
BAM13C2412A	0.35	(0.08)	2	0.35	SCAP	2.14	0.06	16,540	2.11	OSP13C2503A	0.30	(0.70)	11,760	0.32
BAM13C2501A	0.16	(0.01)	12,391	0.17	SGC	1.47	(0.03)	286,899	1.49	OSP19C2412A	-	-	-	-
BAM19C2412A	0.28	(0.02)	8,047	0.30	SGC-W1	0.43	(0.01)	30,561	0.43	OSP19C2502A	0.14	(0.01)	14,226	0.15
BAM19C2502A	0.22	(0.02)	48,017	0.24	SGC-W2	0.52	-	26,490	0.52	OSP19C2503A	0.31	(0.03)	21,559	0.33
BYD	1.21	-	220,382	1.22	SM	1.15	0.02	944	1.14	PB	60.00	-	1	60.00
BYD13C2411A	-	-	-	-	TH	0.99	(0.03)	65,786	1.01	PLUS	6.05	-	14,178	6.02
BYD13C2412A	-	-	-	-	TH-W3	0.22	-	4,092	0.22	PM	8.60	0.05	3,856	8.64
BYD13C2412B	0.03	-	33,135	0.03	THANI	2.06	-	21,410	2.07	PQS	2.54	(0.02)	1,529	2.55
BYD19C2501A	0.06	(0.01)	126,004	0.07	TIDLOR	17.60	(0.30)	67,843	17.75	PRG	-	-	-	-
CGH	0.69	(0.01)	64,034	0.68	TIDLOR13C2411	0.01	-	3,000	0.01	PRG-W1	-	-	-	-
CGH-W5	-	-	-	-	TIDLOR13C2411	-	-	-	-	PRG-W2	-	-	-	-
CHASE	1.38	(0.02)	7,632	1.38	TIDLOR13C2412	0.16	(0.03)	21,961	0.17	PRG-W3	4.26	(0.04)	2	4.26
CHASE-W1	0.98	(0.02)	415	0.98	TIDLOR13C2501	0.12	(0.02)	20,854	0.13	PRG-W4	3.84	(0.02)	2	3.84
CHAYO	3.58	(0.04)	10,027	3.61	TIDLOR19C2411	0.01	(0.01)	1,008	0.01	RFB	5.70	(0.05)	34,327	5.71
CHAYO-W3	0.17	(0.02)	11,863	0.18	TIDLOR19C2501	0.55	(0.23)	3	0.55	RFB01C2501W	0.14	(0.03)	21,837	0.15
ECL	1.00	(0.01)	3,002	1.01	TIDLOR19C2501	0.25	(0.02)	68,898	0.26	RFB13C2412A	0.08	(0.01)	15,506	0.08
FNS	2.48	(0.02)	183	2.50	TK	4.96	0.02	144	4.96	RFB13C2501A	0.07	(0.01)	5,233	0.08
FSX	2.62	-	156	2.61	TNITY	3.68	-	558	3.69	RFB19C2501A	0.14	(0.01)	55,332	0.14
GBX	0.75	-	1,115	0.75	TNL	-	-	-	-	SAPPE	66.25	0.75	4,593	66.43
GL	-	-	-	-	UOBKH	4.90	-	458	4.83	SAPPE01C2502A	0.35	0.01	15,944	0.35
HENG	1.47	(0.01)	9,259	1.48	XPG	0.95	(0.02)	382,830	0.96	SAPPE13C2411A	-	-	-	-
IFS	2.52	-	437	2.50	Food & Beverage	-	-	-	-	SAPPE13C2501B	0.09	0.01	2,001	0.08
JMT	19.80	(0.20)	193,876	20.03	AAI	6.70	0.30	140,477	6.72	SAPPE13C2501B	0.19	-	13,426	0.19
JMT-W4	0.12	0.02	151,826	0.15	APURE	4.22	0.02	65	4.22	SAPPE13C2502A	0.44	0.01	30,947	0.45
JMT01C2411W	0.29	(0.08)	1,407	0.29	APURE-W3	-	-	-	-	SAPPE19C2501A	0.24	-	13,834	0.24
JMT01C2412A	1.63	(0.09)	489	1.64	ASIAN	9.25	0.40	56,681	9.23	SAPPE19C2502A	0.48	0.01	34,431	0.49
JMT01C2412W	0.97	(0.08)	7,105	1.04	BR	1.89	(0.01)	16,329	1.90	SAUCE	39.50	(0.25)	63	39.37
JMT01C2501A	0.54	(0.05)	47,386	0.58	BR-W1	0.09	-	3,978	0.09	SNNP	12.50	0.10	19,365	12.48
JMT01C2502A	0.44	(0.03)	39,741	0.47	BRR	4.50	-	2,672	4.51	SNNP13C2412A	0.02	(0.04)	257	0.02
JMT13C2412A	-	-	-	-	BRR-W2	0.38	(0.01)	494	0.39	SNNP19C2501A	0.10	-	386	0.09
JMT13C2412B	-	-	-	-	BTG	21.70	(0.30)	20,473	21.83	SNP	12.40	(0.10)	578	12.51
JMT13C2501A	0.60	(0.04)	2,799	0.65	BGB	79.50	(0.25)	20,463	79.22	SORKON	4.36	-	218	4.36
JMT13C2501B	0.37	(0.03)	63,848	0.40	BGB01C2412W	0.34	(0.06)	17,821	0.34	SSC	63.00	-	264	63.00
JMT13C2502A	0.30	(0.02)	102,091	0.32	BGB01C2501W	0.81	(0.08)	236	0.80	SSF	6.90	(0.05)	34	6.91
JMT19C2411A	0.31	(0.09)	542	0.31	BGB01C2502W	0.57	(0.05)	11,487	0.59	SST	4.94	0.04	8	4.95
JMT19C2411B	-	-	-	-	BGB01C2503A	0.48	(0.02)	25,746	0.49	SUN	3.96	-	8,425	3.98
JMT19C2412A	1.21	(0.08)	96	1.21	BGB01P2412W	-	-	-	-	TC	8.15	0.15	4,621	8.10
JMT19C2501A	0.57	(0.03)	21,960	0.60	BGB01P2502X	0.34	(0.01)	14,319	0.34	TFG	4.16	0.04	41,814	4.17
JMT19C2503A	0.38	(0.02)	88,194	0.40	BGB06C2411A	0.27	(0.01)	69,444	0.27	TFG-W4	0.86	0.01	972	0.86
JMT41C2411A	-	-	-	-	BGB13C2411A	-	-	-	-	TFMAMA	203.00	-	75	200.65
JMT41C2412A	0.29	(0.02)	88,842	0.31	BGB13C2412A	-	-	-	-	TIPCO	9.80	-	2,693	9.80
JMT41C2501A	0.66	(0.04)	3,100	0.66	BGB13C2501A	0.44	(0.02)	76,543	0.43	TKN	10.90	(0.30)	106,686	11.04
KCAR	4.86	0.04	146	4.86	BGB13P2412A	0.02	(0.03)	1	0.02	TKN01C2501A	0.13	(0.03)	71,229	0.15
KGI	4.40	(0.08)	18,869	4.42	BGB13P2502A									

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BDMS01C2411A	-	-	-	-	Home & Office P	-	-	-	-	IP-W2	0.26	(0.01)	683	0.27
BDMS01C2412A	0.08	(0.01)	20,269	0.08	AJA	0.17	-	40,330	0.17	JCT	-	-	-	-
BDMS01C2503A	0.11	(0.01)	13,865	0.11	AJA-W4	0.02	(0.01)	2,875	0.02	KISS	4.62	0.04	4,874	4.59
BDMS11C2411A	0.10	-	6,000	0.10	DTCI	33.25	(3.75)	131	32.35	NAM	4.60	-	1,649	4.60
BDMS11C2501A	-	-	-	-	FANCY	0.40	-	207	0.40	NEO	41.75	-	2,864	41.83
BDMS13C2411A	-	-	-	-	FTI	2.18	0.04	1,010	2.15	NV	1.08	(0.02)	1,439	1.09
BDMS13C2502A	0.09	(0.02)	6,513	0.10	KYE	292.00	(1.00)	9	292.56	OCC	-	-	-	-
BDMS19C2411A	0.02	(0.03)	50,000	0.02	L&E	1.23	(0.02)	205	1.24	S&J	41.00	(0.25)	25	40.95
BDMS19C2502A	-	-	-	-	MODERN	2.58	-	4,289	2.58	STGT	10.40	-	32,949	10.53
BDMS19C2503A	0.17	(0.83)	200	0.18	OGC	-	-	-	-	STGT01C2412A	0.03	(0.01)	1	0.03
BDMS41C2412A	-	-	-	-	ROCK	-	-	-	-	STGT01C2412B	0.28	0.01	3,831	0.29
BDMS41C2502B	0.20	(0.02)	11,645	0.21	SBNEXT	0.60	(0.04)	156,970	0.63	STGT01C2501A	0.12	-	24,644	0.13
BH	271.00	(4.00)	38,406	272.20	SBNEXT-W2	0.12	(0.01)	21,191	0.12	STGT01C2502A	0.12	0.01	15,217	0.13
BH-P	-	-	-	-	SIAM	1.17	-	52	1.16	STGT01P2502A	0.45	(0.01)	4,708	0.44
BH-Q	-	-	-	-	TCMC	0.84	(0.01)	6,122	0.86	STGT13C2412A	-	-	-	-
BH01C2412A	0.27	(0.03)	5,759	0.28	Insurance	-	-	-	-	STGT13C2501A	0.06	-	1,002	0.06
BH01C2502A	0.28	(0.03)	83,589	0.29	AYUD	32.50	0.25	189	32.45	STGT13C2502A	0.18	(0.01)	33,353	0.19
BH01P2412X	-	-	-	-	BKIH	302.00	-	74	302.08	STGT13P2502A	0.43	(0.01)	18,104	0.41
BH01P2502X	0.48	0.02	19,284	0.48	BLA	23.70	-	8,959	23.73	STGT19C2412A	0.09	-	50	0.09
BH11C2411A	0.17	(0.07)	6,000	0.19	BLA01C2503A	0.47	-	44,891	0.47	STGT19C2502A	0.08	(0.01)	650	0.08
BH13C2411A	0.03	(0.01)	451	0.02	BLA13C2501A	0.60	(0.01)	30	0.60	STGT19C2503A	0.20	-	3,548	0.21
BH13C2501A	0.36	(0.05)	41,866	0.38	BLA13C2502A	0.36	-	38,355	0.36	STGT19P2502A	0.46	-	712	0.46
BH13P2412A	0.02	-	60	0.02	BLA13C2502B	0.12	-	18,656	0.12	STHAI	-	-	-	-
BH13P2501A	0.34	0.02	31,390	0.33	BLA19C2502A	0.65	0.02	11,557	0.65	TMAN	16.50	0.10	479,812	16.74
BH19C2411A	-	-	-	-	BLA19C2502B	0.33	(0.01)	4,864	0.34	TNR	9.40	0.05	244	9.31
BH19C2501A	0.39	(0.11)	5,257	0.42	BLA19C2502C	0.15	-	4,868	0.15	TOG	10.20	-	101	10.21
BH19C2502A	0.25	(0.03)	17,476	0.27	BUI	15.90	0.10	34	15.78	Professional Service	-	-	-	-
BH41C2411A	0.08	(0.04)	6,400	0.09	CHARAN	21.90	(0.20)	44	22.13	BWG	0.43	(0.01)	142,272	0.44
BH41C2605T	0.55	(0.02)	27,600	0.56	INSURE	92.75	(0.75)	37	81.56	BWG-W6	0.06	0.01	6,370	0.05
BKG1	2.64	(0.02)	25,221	2.67	KWI	0.51	0.01	2,762	0.50	Genco	0.49	(0.01)	1,054	0.49
CHG	2.84	(0.08)	161,776	2.86	MTI	108.00	(1.00)	37	108.65	PRTR	-	-	-	-
CHG01C2501A	0.27	(0.04)	5,275	0.27	NKI	24.80	(0.20)	6	24.80	SO	5.20	-	120	5.17
CHG13C2412A	0.14	(0.03)	9,214	0.14	SMK	-	-	-	-	WAVE	0.13	-	386,783	0.13
CHG19C2412A	0.17	(0.03)	12,558	0.18	TGH	13.30	(0.20)	10	13.48	WAVE-W3	0.03	(0.01)	5,173	0.03
CMR	1.87	(0.01)	797	1.88	THRE	0.62	-	3,092	0.62	WAVE-W4	0.04	(0.01)	116,894	0.04
EKH-W1	-	-	-	-	TIPIH13C2502A	26.25	(0.25)	3,113	26.52	Property Developmer	-	-	-	-
KDH	-	-	-	-	TIPIH19C2412A	0.08	(0.02)	2,092	0.09	A	4.98	(0.02)	2	4.98
LPH	4.56	(0.02)	928	4.54	TIPIH19C2412A	0.05	(0.01)	3	0.05	AKS	0.01	-	48,300	0.01
M-CHAI	31.25	-	76	31.48	TLI	10.90	(0.20)	110,730	10.96	AKS-W5	0.01	-	1,003	0.01
MEDEZE	9.85	(0.95)	403,086	10.00	TLI01C2502A	0.77	(0.07)	2,976	0.79	AMATA	27.00	0.50	206,131	27.21
NEW	-	-	-	-	TLI01C2503A	0.25	(0.02)	8,956	0.26	AMATA01C2502A	1.02	0.15	5,434	1.01
NTV	31.00	(0.50)	306	31.43	TLI13C2411A	-	-	-	-	AMATA01C2503A	0.21	0.03	41,590	0.21
PHG	16.10	0.10	3,797	16.03	TLI13C2502A	-	-	-	-	AMATA13C2412A	0.51	0.04	323	4.81
PR9	23.00	0.30	64,185	23.24	TLI13C2502B	0.20	(0.01)	21,622	0.20	AMATA13C2501A	0.73	-	3,372	0.74
PRINC	3.04	(0.06)	10,974	3.03	TLI19C2412A	-	-	-	-	AMATA13C2501B	0.18	0.03	59,916	0.19
RAM	23.30	(0.40)	2,925	23.42	TLI19C2502A	0.20	(0.01)	39,851	0.21	AP	9.70	(0.15)	105,246	9.78
RJH	23.90	(0.10)	1,020	23.91	TQM	25.50	0.25	10,460	25.32	AP01C2503A	0.11	(0.04)	21,179	0.11
RPH	5.70	(0.05)	3,644	5.72	TSI	0.09	-	7	0.10	AP13C2502A	0.10	(0.02)	6,483	0.10
SAFE	14.40	(0.10)	2,851	14.34	TVH	8.70	-	282	8.68	AP19C2501A	0.53	(0.06)	5,000	0.22
SKR	9.25	-	1,180	9.20	Packaging	-	-	-	-	AP19C2502A	0.13	(0.02)	2,852	0.13
THG	20.30	-	6,074	20.46	AJ	5.10	-	1,070	5.04	ASW	8.00	0.05	2,584	7.96
VIBHA	1.94	(0.03)	35,939	1.95	ALUCON	174.00	-	2	174.00	AWC	3.62	(0.10)	572,761	3.67
VIBHA-W4	0.05	(0.01)	62,321	0.05	BGC	7.70	0.10	5,433	7.61	AWC01C2411A	0.02	(0.02)	5,000	0.02
VIH	10.20	0.85	38,854	10.18	CSC	45.25	(0.75)	10	45.28	AWC01C2501A	0.36	(0.14)	1,568	0.37
VIH-W1	4.00	0.30	13	4.00	CSC-P	-	-	-	-	AWC01C2501B	0.21	(0.06)	270	0.53
WPH	10.60	(0.20)	8,945	10.71	CSC-Q	-	-	-	-	AWC01P2502A	0.21	(0.04)	38,999	0.24
Tourism & Leisure	-	-	-	-	NEP	0.24	-	3,576	0.25	AWC11C2411A	-	-	-	-
ASIA	-	-	-	-	PJW	2.64	0.04	398	2.64	AWC11C2412A	-	-	-	-
BEYOND	8.90	(0.10)	913	8.90	PTL	13.40	(0.20)	3,291	13.55	AWC19C2501A	0.36	(0.14)	1,568	0.37
CENTEL	35.00	(1.50)	52,348	35.48	SCGP	26.00	(0.75)	56,764	26.10	AWC19C2502A	0.13	(0.02)	2,852	0.13
CENTEL01C2412A	-	-	-	-	SCGP01C2411A	-	-	-	-	ASW	8.00	0.05	2,584	7.96
CENTEL01C2501A	0.13	(0.05)	93,005	0.14	SCGP01C2412A	0.03	(0.01)	5,000	0.02	AWC19C2501A	0.11	(0.04)	21,179	0.11
CENTEL11C2501A	-	-	-	-	SCGP01C2502A	0.63	(0.01)	308	0.63	AWC19C2502A	0.10	(0.02)	6,483	0.10
CENTEL13C2412A	0.01	(0.02)	10,000	0.01	SCGP01C2502B	0.09	(0.02)	151	0.09	AWC01C2411A	0.21	(0.06)	5,000	0.02
CENTEL13C2501A	0.20	(0.06)	38,610	0.22	SCGP01P2503A	0.56	0.03	2,060	0.55	AWC01C2501B	0.53	(0.06)	270	0.53
CENTEL13C2501B	0.07	(0.04)	32,445	0.08	SCGP11C2412A	-	-	-	-	AWC01P2502A	0.21	(0.04)	38,999	0.24
CENTEL19C2501A	0.17	(0.07)	25,602	0.20	SCGP11C2501A	-	-	-	-	AWC11C2411A	-	-	-	-
CENTEL19C2502A	0.12	(0.03)	32,610	0.15	SCGP13C2412A	-	-	-	-	AWC11C2412A	0.16	(0.05)	6,300	0.19
CENTEL41C2412A	-	-	-	-	SCGP13C2412B	-	-	-	-	AWC11C2501A	-	-	-	-
CENTEL41C2502A	0.17	(0.06)	54,250	0.18	SCGP13C2501A	-	-	-	-	AWC13C2411A	-	-	-	-
CSR	-	-	-	-	SCGP13C2501B	0.10	(0.03)	32,719	0.10	AWC13C2412A	-	-	-	-
DUSIT	10.90	(0.10)	5,077	11.01	SCGP13P2502A	0.36	0.03	9,920	0.35	AWC13C2501A	0.21	(0.04)	49,272	0.24
ERW	3.92	(0.08)	267,485	3.96	SCGP19C2412A	-	-	-	-	AWC13P2501A	0.07	(0.02)	40	0.07
ERW01C2501A	0.18	(0.03)	37,232	0.19	SCGP19C2412B	-	-	-	-	AWC19C2501A	-	-	-	-
ERW13C2412A	0.03	(0.01)	51	0.03	SCGP19C2501A	-	-	-	-	AWC19C2502A	-	-	-	-
ERW13C2412B	0.09	(0.01)	12,529	0.10	SCGP19C2502A	0.12	(0.02)	11,828	0.12	AWC19C2501A</td				

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KC	0.10	-	30,114	0.10	AOT01C2502A	0.15	(0.06)	40,836	0.16	SAT	12.20	0.20	4,442	12.12
KUN	1.32	-	246	1.31	AOT01P2412X	-	-	-	-	SPG	14.10	(0.30)	2	14.10
KUN-W2	0.05	0.01	45	0.04	AOT01P2502A	0.26	0.04	57,130	0.25	STANLY	218.00	-	835	218.00
LALIN	6.55	-	1,579	6.50	AOT11C2501A	0.12	(0.07)	9,000	0.13	TKT	1.58	(0.06)	311	1.60
LH	5.75	(0.25)	1,243,432	5.84	AOT13C2411A	-	-	-	-	TNPC	1.06	0.03	855	1.03
LH13C2411A	-	-	-	-	AOT13C2412A	0.08	(0.06)	26,789	0.11	TRU	3.26	(0.02)	128	3.22
LH13C2501A	0.10	(0.05)	31,582	0.11	AOT13C2502A	0.12	(0.04)	44,308	0.14	TSC	14.30	-	32	14.30
LH19C2411A	-	-	-	-	AOT13P2412A	-	-	-	-	Industrial Materials	-	-	-	-
LH19C2501A	0.13	(0.05)	30,929	0.14	AOT13P2501A	0.19	0.04	16,029	0.18	AKR	0.92	-	5,741	0.92
LPN	3.12	(0.14)	7,470	3.17	AOT19C2411A	-	-	-	-	ALLA	1.52	0.03	8,325	1.53
MBK	19.60	(0.30)	21,631	19.77	AOT19C2411B	-	-	-	-	ASEFA	3.30	-	35	3.30
MBK-W3	-	-	-	-	AOT19C2501A	0.26	(0.20)	5,128	0.30	CPT	0.99	-	42,933	1.00
MBK-W4	17.30	(0.40)	10	17.33	AOT19C2502A	0.17	(0.04)	15,944	0.19	CRANE	0.68	-	3,245	0.68
MJD	-	-	-	-	AOT19P2412A	-	-	-	-	CTW	3.92	-	7	3.92
MK	1.76	0.02	1,566	1.78	AOT41C2411A	-	-	-	-	FMT	34.50	-	3	34.50
NCH	0.78	-	2,277	0.78	AOT41C2412A	0.10	(0.04)	12,001	0.11	HTECH	5.10	0.05	57,495	5.16
NNCL	1.84	(0.02)	3,002	1.85	AOT41C2605T	0.33	(0.02)	1,840	0.34	KKC	-	-	-	-
NOBLE	3.10	-	12,308	3.10	ASIMAR	1.54	0.01	378	1.51	PCC	2.92	-	3,260	2.92
NUSA	0.27	-	268,923	0.27	B	0.08	-	38,880	0.08	PK	0.72	(0.05)	5,253	0.73
NUSA-W5	0.05	-	11,777	0.05	B-W8	0.02	-	324,481	0.01	PSP	4.42	0.02	1,044	4.41
NVD	1.59	(0.01)	534	1.58	BA	23.70	0.50	88,776	23.89	QTC	3.88	(0.04)	58	3.88
ORI	4.60	(0.06)	61,026	4.67	BA01C2412A	0.31	0.05	35,758	0.32	SCI	0.89	(0.02)	1,172	0.90
ORI13C2412A	0.02	(0.02)	5,000	0.02	BA01C2503A	0.40	0.03	47,932	0.42	SE	0.70	(0.01)	1,411	0.70
ORI19C2501A	0.10	(0.02)	12,514	0.12	BA13C2412A	0.26	0.04	57,406	0.27	SNC	5.95	(0.10)	1,162	5.92
ORN	0.84	0.01	12,908	0.84	BA13C2502A	0.11	0.01	29,436	0.11	TCJ	3.20	(0.02)	2	3.20
PEACE	2.76	-	547	2.65	BA19C2503A	0.13	0.01	19,370	0.14	TPCS	12.10	0.20	5	11.86
PF	0.18	(0.01)	57,671	0.19	BEM	7.85	(0.20)	911,505	7.91	VARO	4.88	0.04	2	4.88
PIN	6.00	0.25	50,745	5.95	BEM01C2412A	0.06	(0.02)	1,002	0.06	Property Fund & REI	-	-	-	-
PLAT	2.18	0.04	8,194	2.25	BEM11C2411A	-	-	-	-	AIMCG	3.20	(0.06)	1,687	3.22
POLAR	-	-	-	-	BEM13C2412A	0.04	(0.02)	1	0.04	AIMIRT	10.80	-	1,755	10.79
PRECHA	1.10	-	2,247	1.10	BEM19C2412A	0.06	(0.03)	3,912	0.07	ALLY	5.15	-	3,321	5.16
PRIN	2.12	-	14	2.10	BTS	4.52	-	816,476	4.54	AMATAR	6.80	0.15	59	6.79
PROUD	1.38	(0.02)	2,096	1.38	BTS-W7	-	-	-	-	B-WORK	4.82	0.06	7,008	4.82
PSH	9.05	0.10	7,354	9.02	BTS-W8	0.07	-	5,631	0.07	CTARAF	4.52	0.02	215	4.50
QH	1.85	(0.02)	124,639	1.87	BT501C2412A	0.03	(0.01)	12	0.03	DREIT	5.10	-	308	5.10
RABBIT	0.59	-	390,890	0.59	BT501C2501A	0.24	-	14,465	0.24	EFTREIT	10.70	(0.10)	1,578	10.65
RABBIT-P	0.59	(0.01)	6,965	0.59	BT501C2503A	0.42	-	13,442	0.42	FUTURERT	11.40	(0.30)	1,875	11.45
RABBIT-Q	-	-	-	-	BT513C2412A	0.10	(0.01)	3,054	0.11	GAHREIT	6.65	(0.05)	433	6.70
RICHY	0.49	(0.02)	4,560	0.50	BT513C2412B	0.15	-	18,840	0.15	CPNREIT	12.20	0.10	8,670	12.14
RML	0.35	(0.01)	31,164	0.35	BT513C2502A	0.33	-	6,214	0.34	CPTEF	5.45	-	3,697	5.43
ROJNA	7.20	0.15	30,511	7.29	BT519C2411A	-	-	-	-	CTARAF	4.52	0.02	215	4.50
S	0.95	-	23,314	0.95	BT519C2412A	0.18	-	8,980	0.18	DREIT	5.10	-	308	5.10
SA	7.45	-	745	7.41	BT519C2503A	0.41	0.01	36,148	0.41	FTREIT	10.70	(0.10)	1,578	10.65
SA-W1	0.07	0.01	509	0.06	BT541C2411A	-	-	-	-	FUTURERT	11.40	(0.30)	1,875	11.45
SAMCO	0.97	(0.01)	507	0.96	BT541C2412A	-	-	-	-	GAHREIT	6.65	(0.05)	433	6.70
SC	2.98	-	39,046	2.99	BT541C2501A	0.36	(0.02)	24,850	0.37	INETREIT	8.70	-	2,267	8.70
SENA	2.36	(0.02)	6,572	2.34	BTSGIF	3.22	-	12,535	3.21	GROEIT	8.85	0.05	423	8.85
SIRI	1.77	(0.04)	989,895	1.79	DMT	11.50	-	4,290	11.53	GREIT	6.80	(0.05)	1,278	6.82
SIRI01C2412A	0.14	(0.03)	26,808	0.16	ETL	0.70	(0.04)	7,326	0.72	HYDROGEN	9.30	0.05	5	9.30
SIRI13C2412A	0.14	(0.03)	46,973	0.16	III	5.90	-	2,407	5.95	IMPACT	11.80	-	523	11.81
SIRI19C2411A	-	-	-	-	KEX	2.42	0.02	2,674	2.43	INETREIT	8.70	-	-	-
SIRI19C2502A	0.09	(0.02)	50	0.09	KIAT	0.35	-	9,753	0.35	KPNPF	2.68	0.08	2	2.68
SPALI	19.90	(0.50)	46,331	20.06	KWC	355.00	5.00	34	354.41	KTBSTM	6.55	-	283	6.53
SPALI13C2501A	-	-	-	-	MENA	1.20	(0.02)	4,446	1.21	LHHOTEL	13.00	(0.30)	7,313	13.00
SPALI13C2501B	0.30	(0.06)	8,540	0.32	NOK	-	-	-	-	LHPF	5.60	-	82	5.56
SPALI19C2412A	0.19	(0.02)	9,496	0.19	NYT	3.04	-	12,244	3.03	LHSC	11.00	(0.10)	1,531	11.00
UV	1.72	-	470	1.73	PORT	1.40	0.01	765	1.40	LPF	13.80	-	10,521	13.74
WHA	5.80	0.15	873,539	5.82	PRM	8.70	0.05	133,116	8.70	LUXF	8.05	0.05	406	8.04
WHA01C2501A	0.23	0.03	46,736	0.23	PSL	8.20	(0.05)	28,014	8.24	M-II	6.35	(0.05)	107	6.36
WHA01C2503A	0.18	0.01	51,485	0.19	RCL	24.10	0.20	43,855	24.25	M-PAT	-	-	-	-
WHA06C2410A	0.03	0.01	118	0.03	RCL01C2411A	-	-	-	-	M-STOR	7.40	-	50	7.40
WHA11C2412A	0.17	0.02	5,600	0.17	RCL01C2412A	0.19	-	36,971	0.21	MIPF	-	-	-	-
WHA13C2411A	0.03	-	1,670	0.03	RCL01C2502A	0.57	0.01	47,054	0.58	MIT	0.31	-	37	0.31
WHA13C2501A	0.17	0.01	63,438	0.17	RCL01C2502B	0.16	-	53,060	0.17	MJLF	4.18	0.02	242	4.15
WHA19C2412A	-	-	-	-	RCL13C2412A	0.05	-	6	0.05	MNIT2	2.24	-	128	2.24
WHA19C2502A	0.16	0.01	78,021	0.17	RCL13C2412B	0.15	-	11,892	0.15	MNIT2	4.78	-	100	4.78
WHA41C2411A	-	-	-	-	RCL13C2502A	0.14	0.01	80,535	0.14	MNRF	-	-	-	-
WHA41C2501A	0.19	0.02	8,700	0.19	RCL13C2502B	0.50	0.01	36,313	0.52	POPF	6.35	0.05	1,445	6.33
WIN	0.50	0.01	2,057	0.50	RCL13P2501A	0.17	(0.03)	42,394	0.18	PROSPECT	8.65	-	296	8.61
Paper & Printing Mat														
UTP	10.70	-	591	10.77	RCL19C2412B	0.20	-	41,323	0.21	QHRRREIT	6.80	0.05	1,623	6.79
Fashion	-	-	-	-	RCL19C2503A	0.55	0.01	44,996	0.56	QHOP	3.50	0.10	865	3.49
AFC	5.15	0.05	23	5.11	RCL19P2412A	0.08	(0.01)	61	0.08	QHPF	5.00	(0.05)	7,296	5.01
AURA	14.20	-	8,983	14.35	RCL41C2412A	-	-	-	-	SIRIP	7.15	0.05	29	7.11
BTNC	18.20	-	2	18.20	RCL41C2412B	0.40	0.01	48,877	0.42	SPRIME	4.20	-	662	4.21
CPH	13.50	-	614	13.50	RCL41C2502A	0.48	-	63,093	0.49	SRIPANWA	5.90	-	33	5.90
CPL	1.37	(0.02)	3,878	1.36	RCL41C2502B	0.12	-	12,500	0.12	SSTRT	4.90	0.02	14	4.88
NC	3.24	(0.20)	1,388	3.35										

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAM	-	-	-	-	GEELY41C2411E	-	-	-	-	HSI28P2411E	0.43	(0.06)	1,079,692	0.42
SMIT	4.18	(0.02)	710	4.18	GEELY41C2502A	0.82	0.11	165	0.81	HSI28P2411F	0.79	(0.11)	100	0.79
SSMC	2.28	(0.02)	1,366	2.28	HAIDL41C2411	-	-	-	-	HSI28P2411G	-	-	-	-
TGPRO	0.10	(0.01)	19,583	0.11	HKEX28C2410A	-	-	-	-	HSI28P2412A	0.07	-	4	0.06
THE	0.87	(0.02)	5,607	0.87	HKEX41C2411A	1.08	-	10	1.08	HSI28P2412B	0.08	-	501	0.07
TMT	4.30	-	1,285	4.29	HKEX41C2502A	0.34	-	1,082	0.36	HSI28P2412C	0.15	0.04	1	0.15
TSTH	0.68	(0.03)	24,212	0.69	HKEX41C2502B	-	-	-	-	HSI28P2412D	0.29	(0.01)	58,642	0.28
TWP	1.55	(0.03)	164	1.54	HSBC41C2411A	-	-	-	-	HSI28P2412E	0.51	(0.05)	679,943	0.49
TYCN	2.18	-	63	2.17	HSBC41C2502A	0.25	0.04	7	0.25	HSI28P2501A	0.14	-	11,759	0.13
Construction Service	-	-	-	-	HSI06C2410A	0.30	0.21	80	0.22	HSI28P2501B	0.74	(0.05)	35	0.72
APCS	2.02	0.02	12	2.01	HSI06C2410B	0.36	(0.13)	427,038	0.41	HSI28P2501C	-	-	-	-
BJCHI	1.29	(0.04)	5,468	1.31	HSI06C2410C	1.04	(0.03)	12	1.07	HSI28P2501D	0.28	(0.02)	92	0.28
BKD	1.43	0.01	368	1.42	HSI06C2410D	-	-	-	-	HSI28P2502A	-	-	-	-
CIVIL	1.79	(0.01)	2,658	1.83	HSI06C2410E	-	-	-	-	HSI28P2503A	0.22	(0.01)	36,049	0.22
CK	18.90	(0.20)	22,418	19.04	HSI06C2411A	-	-	-	-	HSI28P2503B	0.54	(0.02)	1,282,871	0.54
CK01C2503A	0.20	(0.02)	24,413	0.22	HSI06C2411B	-	-	-	-	HSTECH28C2412A	-	-	-	-
CK13C2412A	0.04	(0.01)	1,847	0.04	HSI06C2411C	-	-	-	-	HSTECH28C2503A	0.41	(0.02)	359	0.41
CK19C2412A	0.06	(0.04)	2,224	0.07	HSI06C2411D	1.00	(0.52)	1	1.00	HSTECH28P2412A	-	-	-	-
CNT	1.26	0.01	1,581	1.25	HSI06C2411E	0.31	(0.02)	2,494,119	0.32	HSTECH28P2503A	0.50	-	3,620	0.50
EMC	0.11	(0.01)	733,332	0.11	HSI06C2411F	0.06	-	25,179	0.06	JD28C2410A	-	-	-	-
EMC-W7	0.08	-	12,261	0.08	HSI06C2412A	1.01	-	5	1.01	JD1C2411A	-	-	-	-
ITD	0.67	0.01	51,854	0.66	HSI06C2412B	-	-	-	-	JD1C2502A	-	-	-	-
JR	3.22	(0.04)	2,115	3.21	HSI06C2412C	-	-	-	-	JD41C2502B	0.31	-	6	0.32
NL	1.25	(0.01)	2,767	1.26	HSI06C2412D	0.60	(0.02)	1,057,480	0.62	KUAISH28C2410A	-	-	-	-
NWR	0.22	(0.01)	4,291	0.23	HSI06C2412E	0.22	(0.01)	1,246,636	0.23	KUAISH41C2410A	-	-	-	-
PLE	0.41	0.01	3,299	0.41	HSI06C2412F	0.12	(0.01)	180,003	0.11	KUAISH41C2502A	0.38	(0.05)	16	0.39
PREB	4.88	(0.12)	490	4.89	HSI06C2412G	0.06	(0.04)	1,599	0.07	LENVO41C2410A	0.01	(0.04)	2,001	0.01
PYLON	2.24	0.02	483	2.21	HSI06C2501A	0.21	-	1,870,005	0.21	LENVO41C2502A	-	-	-	-
RT	0.49	-	12,439	0.49	HSI06C2501B	0.15	-	162,743	0.15	MCA5041C2503A	0.45	(0.05)	45	0.46
SEAFCO	2.36	(0.02)	5,936	2.36	HSI06C2501C	0.35	(0.02)	454,252	0.38	MCA5041P2503A	0.67	0.07	53	0.64
SQ	0.96	-	15,944	0.94	HSI06C2501D	0.70	(0.30)	2,877	0.73	MEITU28C2501A	-	-	-	-
SRICHA	5.85	0.10	1,212	5.92	HSI06C2502A	0.37	(0.63)	909,800	0.39	MEITU28C2503A	-	-	-	-
STEC	6.15	(0.10)	23,327	6.45	HSI06C2503A	1.48	(0.04)	3	1.48	MEITU28C2504A	0.23	0.02	4,470	0.23
STI	3.16	0.02	51	3.13	HSI06C2503B	0.69	(0.02)	2,558	0.71	MEITU28P2410A	-	-	-	-
STPI	3.78	(0.02)	12,270	3.77	HSI06C2503C	0.36	0.01	474,132	0.37	MEITU28P2503A	0.18	(0.01)	2,499	0.17
SYNTEC	1.64	(0.01)	4,591	1.65	HSI06C2503D	0.24	(0.01)	281,137	0.24	MEITU28P2504B	0.35	0.01	4,000	0.35
TEAMG	4.18	(0.08)	28,097	4.20	HSI06P2410A	-	-	-	-	MEITU41C2411A	2.84	0.40	100	2.94
TEAMG-W1	0.36	0.01	1,749	0.37	HSI06P2410B	0.01	-	1,501	0.01	MEITU41C2501A	0.74	0.05	1,231	0.76
TEKA	2.42	0.02	3,256	2.44	HSI06P2410C	-	-	-	-	MEITU41P2411A	-	-	-	-
TPOLY	0.83	0.01	5,923	0.83	HSI06P2410D	-	-	-	-	MEITU41P2502A	0.14	0.01	16	0.13
TRC	0.14	0.01	90,703	0.13	HSI06P2410E	-	-	-	-	NDX28C2412A	0.11	-	46	0.11
TRITN	0.12	-	12,916	0.12	HSI06P2410F	0.01	-	3,000	0.01	NDX28C2412B	1.36	(0.15)	15	1.36
TTCL	2.80	0.02	3,065	2.78	HSI06P2410G	0.01	(0.03)	2,974	0.02	NDX28C2412C	0.45	(0.05)	211	0.45
UNIQ	2.92	0.02	689	2.92	HSI06P2411A	-	-	-	-	NDX28P2412A	0.29	0.01	37	0.29
WGE	0.75	(0.01)	258	0.75	HSI06P2411B	0.04	(0.03)	1,008	0.04	NDX28P2412B	-	-	-	-
Unit Trust	-	-	-	-	HSI06P2411C	-	-	-	-	NDX28P2412C	0.13	0.02	70	0.13
SCBSET	-	-	-	-	HSI06P2411D	-	-	-	-	NDX28P2412D	0.53	-	50	0.53
VAYU1	10.00	(0.10)	47,313	10.01	HSI06P2411E	0.25	(0.04)	1,958,798	0.24	NDX41C2412A	0.09	(0.01)	1,621	0.09
ETF	-	-	-	-	HSI06P2411F	0.66	(0.05)	1,978,851	0.61	NDX41C2412B	1.10	(0.08)	8	1.10
1DIV	10.93	(0.08)	261	10.87	HSI06P2411G	-	-	-	-	NDX41C2412C	0.54	(0.02)	960	0.52
ABFTH	-	-	-	-	HSI06P2411H	-	-	-	-	NDX41C2503A	0.56	(0.01)	628	0.53
BMSCG	9.73	(0.07)	1	9.73	HSI06P2412A	0.04	0.01	983	0.04	NDX41P2412A	0.30	-	3,010	0.30
BMSCITH	10.58	(0.04)	1,083	10.64	HSI06P2412B	-	-	-	-	NDX41P2412B	0.07	(0.01)	4	0.07
BSET100	9.88	(0.06)	950	9.90	HSI06P2412C	0.04	-	1,086	0.04	NDX41P2412C	-	-	-	-
CHINA	6.02	(0.02)	1,032	6.07	HSI06P2412D	0.31	(0.03)	1,737,504	0.30	NDX41P2503A	0.58	0.01	405	0.58
ENGY	4.92	(0.06)	294	4.93	HSI06P2412E	0.61	(0.04)	560,764	0.58	NIKEE41C2412A	1.19	(0.14)	261	1.19
GLD	3.67	0.01	6,150	3.67	HSI06P2412F	1.49	(0.07)	8	1.49	NIKEE41C2412B	0.11	(0.02)	12,446	0.12
TDEX	9.23	-	10,253	9.22	HSI06P2412G	0.20	(0.01)	1,780,601	0.19	NIKEE41C2412C	0.28	(0.05)	81,775	0.29
UBOT	13.36	(0.30)	14	13.35	HSI06P2501A	0.86	(0.06)	1,398	0.87	NIKEE41C2412T	0.07	(0.01)	4,303	0.07
UHERO	7.84	(0.18)	10	7.84	HSI06P2501B	0.34	(0.01)	556,035	0.32	NIKEE41C2503A	0.30	(0.01)	3,046	0.30
Warrant Foreign	-	-	-	-	HSI06P2502A	0.53	(0.47)	577,441	0.51	NIKEE41C2503B	1.07	(0.05)	65	1.08
AIA28C2411A	-	-	-	-	HSI06P2503A	0.08	(0.01)	2,904	0.07	NIKEE41P2412A	-	-	-	-
AIA41C2411A	-	-	-	-	HSI06P2503B	0.53	(0.02)	275,898	0.52	NIKEE41P2412B	0.77	-	512	0.78
AIA41C2502A	0.12	-	2	0.13	HSI06P2503C	-	-	-	-	NIKEE41P2412C	0.12	0.01	4,402	0.12
AIA41P2411A	0.03	0.01	209	0.03	HSI28C2410A	0.03	(0.01)	21,658	0.02	NIKEE41P2412T	-	-	-	-
ALIHE41C2410A	0.16	(0.03)	240	0.17	HSI28C2410B	0.03	(0.02)	3,501	0.04	NIKEE41P2503A	0.31	-	10,383	0.31
ALIHE41C2502A	-	-	-	-	HSI28C2410C	0.09	(0.04)	522,677	0.10	NIKEE41P2503B	0.17	0.01	3	0.17
BABA28C2410A	-	-	-	-	HSI28C2410D	0.29	(0.04)	5,492	0.31	NTES41C2502A	0.33	(0.03)	8	0.33
BABA28C2412A	0.82	(0.15)	124	0.82	HSI28C2410E	0.76	(0.44)	3	0.78	PINGAN41C2410A	-	-	-	-
BABA28C2503A	0.12	(0.03)	4,030	0.12	HSI28C2410F	1.60	(0.01)	15	1.65	PINGAN41C2411A	-	-	-	-
BABA28P2503A	0.37	0.04	6,301	0.37	HSI28C2410G	-	-	-	-	PINGAN41C2502A	0.27	0.02	1,357	0.29
BABA41C2410A	-	-	-	-	HSI28C2411A	0.26	(0.01)	2,305	0.28	SET01C2412A	1.52	(0.13)	1,397	1.65
BABA41C2502A	0.09	(0.03)	6,019	0.09	HSI28C2411B	1.09	(0.02)	20	1.09	SET01C2501A	1.02	(0.14)	7,581	1.10
BABA41P2411A	-	-	-	-	HSI28C2411C	-	-	-	-	SET01P2501B	0.57	(0.08)	438,873	0.61
BABA41P2502B	0.53	0.07	10	0.53	HSI28C2411E									

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5006P2412B	-	-	-	-	SPX41P2503A	-	-	-	-	0	-	-	-	-
SET5006P2412C	-	-	-	-	SUNNY41C2411	-	-	-	-	0	-	-	-	-
SET5006P2412D	0.02	-	51	0.01	SUNNY41C2502	0.41	(0.11)	2,030	0.41	0	-	-	-	-
SET5006P2412E	0.06	0.01	100	0.06	TENCEN28C250	-	-	-	-	0	-	-	-	-
SET5006P2412F	0.13	0.01	7,825	0.12	TENCEN28P241	0.16	(0.01)	2,000	0.16	0	-	-	-	-
SET5006P2412G	0.36	0.02	184,369	0.31	TENCEN28P241	-	-	-	-	0	-	-	-	-
SET5006P2412H	-	-	-	-	TENCEN28P250	-	-	-	-	0	-	-	-	-
SET5006P2503A	0.17	0.01	164	0.17	TENCEN41C250	0.83	0.01	12	0.86	0	-	-	-	-
SET5006P2503B	0.41	0.02	171,598	0.38	TENCEN41C250	0.16	-	2	0.17	0	-	-	-	-
SET5013C2410A	0.02	-	85	0.02	TENCEN41C250	-	-	-	-	0	-	-	-	-
SET5013C2410B	0.05	-	360	0.02	TENCEN41P241	-	-	-	-	0	-	-	-	-
SET5013C2411A	0.23	(0.07)	439	0.25	TENCEN41P250	0.18	(0.01)	2	0.18	0	-	-	-	-
SET5013C2412A	1.96	(0.24)	1,984	2.03	TENCEN41P250	0.39	-	22	0.38	0	-	-	-	-
SET5013C2412B	2.46	(0.42)	161	2.70	TRIPDC41C2411	1.15	0.15	2,081	1.20	0	-	-	-	-
SET5013C2412C	3.40	(0.44)	108	3.41	XIAOMI28C2410	-	-	-	-	0	-	-	-	-
SET5013C2412D	-	-	-	-	XIAOMI28C2412	1.71	0.20	40	1.75	0	-	-	-	-
SET5013C2412E	1.40	(0.27)	63	1.59	XIAOMI28C2504	0.38	0.05	1,010	0.39	0	-	-	-	-
SET5013C2412F	1.03	(0.24)	6,270	1.18	XIAOMI28P2502	0.11	(0.02)	4,030	0.10	0	-	-	-	-
SET5013C2412G	0.81	(0.12)	18,553	0.94	XIAOMI41C2411	1.24	-	28	1.24	0	-	-	-	-
SET5013C2412H	0.43	(0.07)	3,536,415	0.49	XIAOMI41C2502	0.93	0.20	3,003	0.91	0	-	-	-	-
SET5013C2412I	0.22	(0.03)	1,874,309	0.25	XIAOMI41C2503	0.40	0.06	9	0.41	0	-	-	-	-
SET5013C2412J	0.27	(0.04)	1,295,120	0.30	XIAOMI41P2502	0.18	(0.03)	32	0.18	0	-	-	-	-
SET5013C2412K	0.12	(0.03)	561,193	0.15	ZIJIN41C2410A	0.02	-	775	0.01	0	-	-	-	-
SET5013C2412T	0.24	(0.04)	175,333	0.26	ZIJIN41C2502A	0.55	(0.04)	82	0.57	0	-	-	-	-
SET5013C2503T	0.22	(0.02)	185,540	0.24	0	-	-	-	-	0	-	-	-	-
SET5013P2410A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412B	0.01	(0.01)	2,922	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412C	0.01	-	25	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412D	0.02	-	1	0.02	0	-	-	-	-	0	-	-	-	-
SET5013P2412E	0.02	-	5,358	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412F	0.02	(0.01)	16,586	0.02	0	-	-	-	-	0	-	-	-	-
SET5013P2412G	0.04	-	814	0.03	0	-	-	-	-	0	-	-	-	-
SET5013P2412H	0.06	(0.01)	22,720	0.06	0	-	-	-	-	0	-	-	-	-
SET5013P2412I	0.09	-	25,927	0.08	0	-	-	-	-	0	-	-	-	-
SET5013P2412J	0.08	-	84,673	0.08	0	-	-	-	-	0	-	-	-	-
SET5013P2412K	0.11	-	79,563	0.11	0	-	-	-	-	0	-	-	-	-
SET5013P2412L	0.19	0.01	196,467	0.18	0	-	-	-	-	0	-	-	-	-
SET5013P2412M	0.35	0.01	514,017	0.33	0	-	-	-	-	0	-	-	-	-
SET5013P2412N	0.47	0.02	3,148,781	0.44	0	-	-	-	-	0	-	-	-	-
SET5013P2412O	0.76	0.04	2,202,864	0.71	0	-	-	-	-	0	-	-	-	-
SET5013P2412T	0.01	-	150	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2503T	0.14	0.01	60,826	0.14	0	-	-	-	-	0	-	-	-	-
SET5019C2412A	0.55	(0.14)	3,671	0.61	0	-	-	-	-	0	-	-	-	-
SET5019C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412E	0.88	(0.09)	9	0.95	0	-	-	-	-	0	-	-	-	-
SET5019C2412F	0.34	(0.06)	121,409	0.39	0	-	-	-	-	0	-	-	-	-
SET5019C2412G	0.33	(0.06)	208,059	0.37	0	-	-	-	-	0	-	-	-	-
SET5019C2412H	0.19	(0.04)	164,907	0.23	0	-	-	-	-	0	-	-	-	-
SET5019C2412I	0.11	(0.02)	172,189	0.12	0	-	-	-	-	0	-	-	-	-
SET5019P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2412B	0.01	(0.01)	415	0.01	0	-	-	-	-	0	-	-	-	-
SET5019P2412C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2412D	0.02	-	52	0.01	0	-	-	-	-	0	-	-	-	-
SET5019P2412E	0.08	0.01	24,505	0.06	0	-	-	-	-	0	-	-	-	-
SET5019P2412F	0.13	0.01	173,084	0.12	0	-	-	-	-	0	-	-	-	-
SET5019P2412G	0.30	0.02	240,434	0.27	0	-	-	-	-	0	-	-	-	-
SET5019P2412H	0.54	0.05	204,922	0.49	0	-	-	-	-	0	-	-	-	-
SET5027C2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2412T	0.42	-	13	0.42	0	-	-	-	-	0	-	-	-	-
SET5027P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2412T	0.01	(0.08)	400	0.01	0	-	-	-	-	0	-	-	-	-
SET5028C2410A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2412A	0.45	(0.10)	11	0.45	0	-	-	-	-	0	-	-	-	-
SET5028C2412B	0.84	(0.28)	7	0.84	0	-	-	-	-	0	-	-	-	-
SET5028C2412C	0.93	(0.20)	3,005	0.99	0	-	-	-	-	0	-	-	-	-
SET5028C2503A	0.38	(0.03)	172,637	0.40	0	-	-	-	-	0	-	-	-	-
SET5028P2412A	0.01	(0.01)	10	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412C	0.43	(0.07)	216,057	0.49	0	-	-	-	-	0	-	-	-	-
SET5041C2412T	0.47	(0.08)	23,621	0.53	0	-	-	-	-	0	-	-	-	-
SET5041C2412U	0.42	(0.07)	1,056	0.44	0	-	-	-	-	0	-	-	-	-
SET5041C2412W	1.63	(0.07)	15	1.68	0	-	-	-	-	0	-	-	-	-
SET5041C2412X	2.46	(0.10)	50	2.46	0	-	-	-	-	0	-	-	-	-
SET5041C2503A	0.42	(0.05)	356,543	0.47	0	-	-	-	-	0	-	-	-	-
SET5041C2503B	0.27	(0.04)	170,297	0.29	0	-	-	-	-	0	-	-	-	-
SET5041P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2412B	0.09	0.02	4,995	0.07	0	-	-	-	-	0	-	-	-	-
SET5041P2412C	0.19	0.01	40,679	0.17	0	-	-	-	-	0	-	-	-	-
SET5041P2412D	0.55	0.03	342,156	0.49	0	-	-	-	-	0	-	-	-	-
SET5041P2412T	0.02	-	31	0.01	0	-	-	-	-	0	-	-	-	-
SET5041P2412U	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2412V	0.02	-	1,510	0.01	0	-	-	-	-	0	-	-	-	-
SET5041P2503A	0.32	0.02	14,275	0.32	0	-	-	-	-	0	-	-	-	-
SET5041P2503B	0.68	0.04	221,174	0.65	0	-	-	-	-	0	-	-	-	-
SPX28C2412A	0.20	(0.05)	25	0.20	0	-	-	-	-	0	-	-	-	-
SPX28C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2412C	0.61	(0.15)	2	0.61	0	-	-	-	-	0	-	-	-	-
SPX28P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28P2412B	0.08	(0.02)	20	0.08	0	-	-	-	-	0	-	-	-	-</td

## **Asia Plus Securities Company Limited**

## Main Board Quotation

**Issue Date :**

## Daily Quotation

Thursday October 24, 2024

# Asia Plus Securities Company Limited

Daily Quotation

## Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
													Issue Date :	
<b>Warrant - MAI</b>														
Agro & Food Indust	-	-	-	-	TPLAS	1.51	0.02	78	00 1.5	KK	1.59	-	1,346	00 1.5
APO	2.28	0.04	3,916	00 2.2	TRT	3.68	0.04	1,406	00 3.6	KLINIQ	33.75	(0.25)	2,810	00 33.9
AU	10.10	-	16,784	00 10.1	TRV	2.42	0.22	89	00 2.3	KOOL	0.40	(0.01)	23,172	00 0.4
CFARM	1.24	0.01	5,947	00 1.2	UBIS	1.94	(0.01)	955	00 1.9	KTMS	2.44	0.04	645	00 2.3
JCKH	0.02	-	6,029	00 0.0	UEC	1.44	0.02	382	00 1.4	LDC	0.60	-	3,345	00 0.5
JCKH-W2	-	-	-	00 0.0	UKEM	0.77	-	1,667	00 0.7	LEO	3.92	0.04	571	00 3.8
KASET	1.02	0.01	4,415	00 1.0	UREKA	0.49	-	11,199	00 0.4	MASTER	47.00	0.50	19,903	00 46.9
MAGURO	17.70	(0.20)	38,463	00 17.9	YUASA	11.00	-	65	00 11.0	MCA	1.74	0.02	7,049	00 1.7
MUD	-	-	-	00 0.0	ZIGA	1.93	(0.03)	18,445	00 1.9	MEB	29.75	(0.25)	4,943	00 29.7
NTSC	10.80	-	30	00 10.7	ZIGA-W2	0.18	(0.01)	9,986	00 0.1	MORE	0.06	-	4,296	00 0.0
TACC	4.88	-	14,135	00 4.8	Property	-	-	-	-	MVP	0.83	-	3,974	00 0.8
TMILL	3.58	(0.02)	230	00 3.5	24CS	3.74	0.14	36,250	00 3.6	NCL	0.52	-	16,373	00 0.5
WINNER	2.06	-	988	00 2.0	A5	2.62	0.02	3,673	00 2.6	NCP	1.29	0.02	16,741	00 1.2
XO	23.00	(0.20)	3,931	00 23.1	A5-W3	0.01	-	576	00 0.0	NEWS	0.01	-	287,305	00 0.0
Consumer Products					A5-W4	0.07	(0.01)	5,278	00 0.0	PEER	0.31	(0.01)	50,706	00 0.3
ALPHAX	0.70	0.04	52,053	00 0.6	ARIN	1.13	(0.07)	59,857	00 1.1	PEER-W1	0.01	-	6,597	00 0.0
BGT	0.58	(0.01)	517	00 0.5	ARROW	5.70	0.05	103	00 5.7	PICO	-	-	-	00 0.0
DOD	2.58	(0.12)	2,061	00 2.6	BC	0.96	0.01	2,705	00 0.9	PLT	0.77	(0.01)	3,596	00 0.7
ECF	0.51	0.02	11,480	00 0.4	BC-W2	0.14	-	1,534	00 0.1	QLT	2.12	-	87	00 2.1
ECF-W5	0.05	(0.01)	13,652	00 0.0	BLESS	0.46	(0.01)	3,593	00 0.4	RP	1.18	(0.01)	24	00 1.1
EFORL	0.13	-	24,793	00 0.1	BSM	1.83	0.01	56	00 1.8	SLM	0.04	0.01	110,070	00 0.0
EFORL-W6	0.02	-	672	00 0.0	BTW	0.29	-	3,101	00 0.2	SONIC	1.54	0.01	6,921	00 1.5
EURO	6.00	0.25	1,563	00 5.9	CAZ	2.90	0.10	7,809	00 2.8	THMUI	0.58	(0.01)	1,811	00 0.5
HPT	0.48	-	7,867	00 0.4	CHEWA	0.49	0.02	6,469	00 0.4	TNDT	0.26	0.02	45,567	00 0.2
ITTHI	1.99	(0.07)	9,002	00 2.0	CPANEL	4.18	(0.02)	32	00 4.1	TNDT-W1	0.03	-	2,613	00 0.0
JSP	2.00	(0.04)	1,562	00 2.0	CPANEL-W1	0.43	0.03	86	00 0.4	TNH	36.25	(0.25)	243	00 36.4
JUBILE	13.50	-	153	00 13.5	CRD	0.46	0.01	1,791	00 0.4	TNP	3.48	(0.02)	6,699	00 3.4
LTS	11.30	1.00	52,564	00 11.0	DHOUSE	0.60	-	1,096	00 0.5	TPL	1.24	-	8,614	00 1.2
MGI	13.50	0.30	7,821	00 13.5	DIMET	0.25	(0.01)	5,272	00 0.2	TRP	9.35	-	2,225	00 9.3
MGI-W1	3.56	0.04	2,348	00 3.6	DPAINT	1.90	0.08	2,028	00 1.8	TURTLE	5.70	0.30	101	00 5.4
MOONG	2.20	-	1,075	00 2.2	FLOYD	0.78	-	486	00 0.7	TVDH	0.19	0.01	41,780	00 0.1
NPK	13.50	-	7	00 13.3	HYDRO	0.22	-	15,483	00 0.2	TVDH-W3	0.03	-	1,066	00 0.0
SEI	4.70	(0.10)	26,268	00 4.8	HYDRO-W2	0.05	-	22,825	00 0.0	TVDH-W4	0.03	0.01	1,504	00 0.0
SMD	4.12	(0.02)	222	00 4.1	IND	0.79	-	3,709	00 0.7	TVT	0.49	-	7,751	00 0.4
TM	1.38	0.02	750	00 1.3	JAK	1.14	(0.01)	2	00 1.1	UBA	0.99	-	609	00 0.9
TM-W1	0.13	-	511	00 0.1	K	1.35	(0.02)	2,179	00 1.3	VL	0.98	-	18,048	00 0.9
WARRIX	3.48	-	1,805	00 3.5	K-W3	0.18	(0.01)	63	00 0.1	YGG	0.85	(0.03)	53,148	00 0.8
WINMED	2.04	0.02	662	00 2.0	META	0.17	0.01	9,351	00 0.1	Technology	-	-	-	-
Financials					META-W7	-	-	00 0.0	APP	1.75	(0.01)	3,488	00 1.7	
ACAP	-	-	-	00 0.0	PANEL	1.29	(0.05)	3,240	00 1.2	BBIK	39.25	-	5,929	00 39.7
AF	0.62	0.02	671	00 0.6	PPS	0.27	(0.03)	36,407	00 0.2	BE8	18.80	(0.30)	6,731	00 18.9
AIRA	-	-	-	00 0.0	PRI	10.20	0.20	8,680	00 10.1	BE8-W1	2.58	0.50	328	00 2.0
ASN	1.87	0.03	702	00 1.8	PROS	1.19	0.01	1,237	00 1.1	BVG	2.98	(0.02)	3,106	00 2.9
BTC	0.48	-	45,611	00 0.4	PROS-W1	0.18	-	16,245	00 0.1	COMAN	2.14	-	783	00 2.1
BTC-W7	0.21	(0.02)	706	00 0.2	PSG	0.55	0.02	84,037	00 0.5	I2	1.91	(0.07)	20,299	00 1.9
GCAP	0.56	0.01	12,003	00 0.5	QTCG	0.48	(0.01)	14,329	00 0.4	IIG	5.85	(0.20)	4,355	00 5.9
KCC	2.92	-	2,663	00 2.9	SENX	0.40	(0.01)	3,758	00 0.4	IIG-W1	0.64	0.04	470	00 0.6
LIT	1.03	(0.03)	2,735	00 1.0	SK	0.68	(0.01)	1,906	00 0.6	IRCP	0.57	(0.01)	19,221	00 0.5
LIT-W2	0.15	(0.01)	5,962	00 0.1	SMART	0.77	(0.01)	18,419	00 0.7	ITNS	1.80	0.06	142	00 1.7
MITSIB	0.74	0.01	3,668	00 0.7	STC	0.59	0.01	1,828	00 0.5	NAT	4.96	0.04	8,868	00 4.9
SGF	0.30	(0.01)	13,635	00 0.3	STX	1.49	0.01	1,369	00 1.4	NETBAY	16.40	0.10	2,086	00 16.3
SGF-P1	-	-	-	00 0.0	SVR	1.25	(0.01)	323	00 1.2	PLANET	1.35	0.25	526,837	00 1.3
SGF-Q1	-	-	-	00 0.0	TAPAC	-	-	00 0.0	PROEN	3.44	0.06	98,059	00 3.3	
TQR	6.55	0.05	28	00 6.4	THANA	1.54	0.02	2,860	00 1.5	PROEN-W2	1.79	(0.01)	108,608	00 1.7
Industrials					TIGER	0.60	(0.05)	1,473	00 0.6	READY	5.95	(0.40)	959	00 6.0
ADB	0.97	(0.07)	4,424	00 0.9	TITLE	3.98	0.04	483	00 3.9	SECURE	13.60	0.50	3,070	00 13.4
BM	3.18	-	14,205	00 3.1	WELL	-	-	-	00 0.0	SICT	6.10	0.70	94,130	00 5.8
BM-W3	1.59	0.08	26	00 1.5	YONG	1.50	(0.04)	1,372	00 1.5	SIMAT	2.00	0.04	34,541	00 1.9
BPS	0.66	-	6,078	00 0.6	Resources	-	-	-	-	SIMAT-W3	0.15	0.01	2,366	00 0.1
CHO	0.05	(0.01)	30,544	00 0.0	ABM	1.35	0.01	8,209	00 1.4	SPVI	2.68	-	775	00 2.6
CHO-W4	0.01	-	1,227	00 0.0	ABM-W1	0.07	0.01	20,888	00 0.0	SRS	5.25	(0.05)	299	00 5.2
CHOW	2.40	0.02	1,281	00 2.3	GTV	0.11	-	219,480	00 0.1	TBN	6.25	0.05	30	00 6.3
CIG	0.05	-	138,364	00 0.0	PSTC	0.51	0.01	16,417	00 0.5	TERA	1.54	(0.04)	3,105	00 1.5
CIG-W10	-	-	-	00 0.0	PSTC-W2	0.03	-	566	00 0.0	TPS	3.06	-	2,887	00 3.0
CIG-W9	0.03	-	5	00 0.0	PSTC-W3	0.21	-	6,460	00 0.2	VCOM	2.76	(0.04)	2,089	00 2.7
COLOR	1.16	0.01	444	00 1.1	PTC	1.63	(0.01)	417	00 1.6	-	-	-	-	-
CPR	3.48	0.08	1,094	00 3.4	SAAM	8.90	0.05	7,123	00 8.8	-	-	-	-	-
FPI	2.00	(0.02)	2,452	00 1.9	SR	0.67	0.04	18	00 0.6	-	-	-	-	-
GTB	0.74	0.01	1,561	00 0.7	STOWER	0.08	0.01	8,710	00 0.0	-	-	-	-	-
HARN	2.12	(0.02)	2,438	00 2.1	TAKUNI	0.94	(0.01)	46,655	00 0.9	-	-	-	-	-
KCM	0.33	-	4,861	00 0.3	TPCH	5.80	0.05	1,231	00 5.7	-	-	-	-	-
KJL	7.30	0.10	336	00 7.2	UMS	0.85	0.15	427	00 0.8	-	-	-	-	-
KUMWEL	1.72	-	47	00 1.7	Services	-	-	-	-	-	-	-	-	-
KWM	1.31	0.01	4,169	00 1.3	ADD	4.72	(0.06)	177	00 4.7	-	-	-	-	-
MBAX	2.90	(0.02)	587	00 2.9	AKP	0.85	(0.01)	1,617	00 0.8	-	-	-	-	-
MGT	2.28	(0.04)	1,292	00 2.2	AMA	4.34	-	1,463	00 4.3	-	-	-	-	-
MTW	1.19	(0.03)	3,524	0										