

## Main Board Quotation

Issue Date :

Friday October 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB11C2501A	0.26	0.03	15,600	0.25	IVL19C2502A	0.44	-	71	0.46
Agribusiness	-	-	-	-	SCB13C2411A	-	-	-	-	IVL19C2502B	0.17	0.01	13,726	0.17
EE	0.17	-	3,120	0.17	SCB13C2412A	0.15	0.02	58,969	0.14	IVL19C2502C	0.17	-	11,482	0.18
EE-W1	-	-	-	-	SCB13C2502A	0.31	0.03	98,524	0.30	IVL19P2502A	0.18	(0.01)	4,613	0.18
GFPT	11.40	(0.30)	20,406	11.43	SCB13P2412A	-	-	-	-	IVL41C2411A	-	-	-	-
LEE	2.50	0.02	918	2.50	SCB13P2502A	0.22	(0.02)	39,166	0.23	IVL41C2412A	-	-	-	-
NER	4.96	(0.02)	20,647	4.98	SCB19C2411A	-	-	-	-	IVL41C2412B	-	-	-	-
NER-W2	0.75	-	284	0.74	SCB19C2412A	0.22	0.02	15,713	0.21	IVL41C2502A	0.79	0.01	500	0.79
PCE	2.56	0.02	96,019	2.55	SCB19C2502A	0.25	0.02	14,169	0.24	IVL41C2502B	0.17	0.01	13,000	0.17
PPPM	0.98	-	120,870	1.01	SCB19P2412A	-	-	-	-	NFC	1.84	(0.16)	303	1.84
PPPM-W6	0.85	-	6,320	0.86	SCB41C2412A	0.15	0.02	17,520	0.14	PATO	9.05	-	106	9.00
STA	19.70	(0.40)	92,353	19.79	SCB41C2502A	0.31	0.03	29,000	0.30	PMTA	-	-	-	-
STA01C2411A	-	-	-	-	TCAP	51.75	(0.25)	7,291	51.70	PTTGC	24.00	0.10	197,621	24.08
STA01C2412A	0.13	(0.03)	13,884	0.15	TCAP-P	-	-	-	-	PTTGC01C2411A	-	-	-	-
STA01C2501A	0.16	(0.02)	12,847	0.17	TCAP-Q	-	-	-	-	PTTGC01C2412A	0.01	-	40	0.01
STA01C2502A	-	-	-	-	TCAP13C2501A	-	-	-	-	PTTGC01C2501A	0.03	-	3,833	0.03
STA01C2503A	0.36	(0.05)	21,320	0.39	TISCO	97.00	-	12,656	97.01	PTTGC01C2501B	0.19	(0.03)	53,537	0.20
STA01P2502A	0.64	0.02	53,337	0.64	TISCO-P	-	-	-	-	PTTGC01C2502A	0.08	-	11	0.08
STA13C2411A	-	-	-	-	TISCO-Q	-	-	-	-	PTTGC01P2412X	0.33	-	16,252	0.33
STA13C2412A	0.07	(0.02)	14,947	0.07	TISCO11C2501A	-	-	-	-	PTTGC01P2501A	0.22	(0.01)	20,482	0.22
STA13C2502A	0.04	(0.01)	5,457	0.05	TISCO13C2502A	0.17	-	19,664	0.17	PTTGC01P2503A	0.52	(0.01)	53,621	0.52
STA13C2502B	0.27	(0.03)	40,297	0.28	TISCO19C2411A	-	-	-	-	PTTGC11C2411A	-	-	-	-
STA13P2502A	0.61	0.03	57,809	0.60	TISCO19C2502A	0.42	(0.01)	35,810	0.42	PTTGC11C2412A	0.02	-	4	0.02
STA19C2411A	0.01	-	13	0.01	TTB	1.78	-	3,348,951	1.77	PTTGC11C2501A	-	-	-	-
STA19C2412A	0.13	(0.03)	14,280	0.14	TTB-W1	0.84	(0.01)	4,860	0.84	PTTGC11C2502A	-	-	-	-
STA19C2502A	0.12	(0.01)	20,963	0.13	TTB01C2503A	0.10	-	3,631	0.10	PTTGC13C2411A	-	-	-	-
STA19C2502B	0.05	(0.02)	101	0.06	TTB13C2501A	0.06	-	35,470	0.06	PTTGC13C2412A	-	-	-	-
STA19C2503A	0.29	(0.04)	19,633	0.31	TTB19C2501A	0.20	(0.01)	11,176	0.20	PTTGC13C2412B	-	-	-	-
TEGH	3.24	0.04	22,397	3.23	Construction Ma	-	-	-	-	PTTGC13C2412C	0.08	-	11,427	0.08
TFM	8.45	0.15	279	8.42	CCP	0.31	-	6,870	0.30	PTTGC13C2501A	0.05	-	9,642	0.05
TRUBB	1.11	-	3,426	1.12	DCC	1.80	(0.02)	15,197	1.80	PTTGC13C2502A	0.09	(0.01)	50,193	0.10
UPOIC	6.55	0.05	70	6.54	DCON	0.32	0.01	11,669	0.31	PTTGC13P2412A	-	-	-	-
UVAN	8.80	0.05	1,203	8.80	DCON-W3	0.02	-	7,379	0.02	PTTGC13P2502A	0.56	-	26,906	0.56
VPO	0.69	(0.01)	7,002	0.70	DRT	7.95	0.05	1,125	7.93	PTTGC13P2502B	0.31	(0.01)	27,704	0.31
Banking	-	-	-	-	EPG	4.78	(0.04)	32,756	4.76	PTTGC19C2411A	-	-	-	-
BAY	24.90	(0.10)	2,482	24.95	GEL	0.12	0.01	25,447	0.11	PTTGC19C2412A	-	-	-	-
BBL	148.00	(1.00)	135,593	148.51	GEL-W5	-	-	-	-	PTTGC19C2412B	-	-	-	-
BBL11C2412A	0.12	(0.02)	9,808	0.14	PPP	1.72	0.01	62	1.63	PTTGC19C2501A	0.22	(0.01)	63,920	0.23
BBL11C2501A	0.12	(0.02)	16,328	0.13	Q-CON	10.20	(0.20)	2,401	10.25	PTTGC19C2501B	0.08	-	1,100	0.09
BBL13C2412A	0.17	(0.02)	69,039	0.19	SCC	204.00	(3.00)	19,783	204.74	PTTGC19C2502A	0.05	(0.01)	1,505	0.05
BBL13C2501A	0.14	(0.02)	46,383	0.16	SCC01C2412A	0.01	-	80	0.01	PTTGC19P2412A	-	-	-	-
BBL13C2503A	0.27	(0.73)	261,309	0.28	SCC01C2502A	0.20	(0.04)	12,542	0.22	PTTGC19P2503A	0.31	-	24,742	0.31
BBL13P2412A	-	-	-	-	SCC01C2503A	0.09	(0.02)	6,397	0.09	PTTGC41C2412A	-	-	-	-
BBL13P2501A	0.40	0.01	36,135	0.38	SCC01P2503A	0.81	0.06	7,953	0.81	PTTGC41C2412B	0.02	-	600	0.02
BBL19C2411A	0.02	(0.09)	2,104	0.03	SCC13C2501A	0.06	(0.01)	8,193	0.06	PTTGC41C2501A	0.18	-	71,347	0.19
BBL19C2502A	0.14	(0.01)	9,246	0.15	SCC13C2501B	0.02	(0.01)	23,778	0.02	PTTGC41C2502A	-	-	-	-
BBL19C2503A	0.27	(0.02)	46,273	0.28	SCC13C2502A	0.13	(0.05)	14,978	0.15	PTTGC41C2502B	-	-	-	-
BBL41C2412A	0.17	(0.02)	83,471	0.18	SCC13P2502A	-	-	-	-	PTTGC41P2502A	-	-	-	-
BBL41C2502A	0.14	(0.01)	18,950	0.15	SCC19C2411A	-	-	-	-	SUTHA	3.08	0.08	100	3.02
CI MBT	0.54	(0.01)	3,508	0.54	SCC19C2501A	0.10	-	2,840	0.10	TPA	4.30	(0.02)	1	4.30
CREDIT	23.00	0.90	5,346	22.60	SCC19C2502A	0.07	(0.01)	24	0.07	UAC	3.34	-	361	3.34
KBANK	147.50	1.00	82,976	147.47	SCC19C2503A	0.23	(0.04)	20,790	0.25	UP	17.00	-	2	16.95
KBANK01C2412A	0.39	-	301	0.39	SCCC	166.50	(1.00)	255	166.21	Commerce	-	-	-	-
KBANK01C2501A	0.36	0.02	15,726	0.36	SGGD	7.00	(0.10)	4,456	7.03	ADVICE	6.50	(0.10)	57,187	6.55
KBANK01C2502A	0.15	0.01	51,409	0.15	SCP	6.45	(0.10)	120	6.50	B52	0.46	(0.09)	26,134	0.49
KBANK01P2412X	-	-	-	-	SKN	5.45	(0.15)	327	5.40	BEAUTY	0.47	-	12,512	0.47
KBANK01P2502A	0.29	(0.02)	65,227	0.29	STEGH	1.17	(0.02)	1,218	1.17	BIG	0.45	-	6,621	0.44
KBANK01P2502B	0.59	(0.03)	13,897	0.59	TASCO	17.90	(0.20)	30,158	17.91	BJC	23.80	-	44,194	23.85
KBANK13C2411A	-	-	-	-	TASCO01C2501	0.19	(0.02)	7,020	0.19	BJC01C2412A	0.25	(0.03)	20	0.25
KBANK13C2412A	-	-	-	-	TASCO13C2501	0.15	(0.01)	12,680	0.15	BJC01C2503A	0.11	-	14,138	0.11
KBANK13C2501A	0.16	0.01	22,374	0.16	TASCO19C2411	0.03	-	100	0.03	BJC13C2412A	0.17	-	6,060	0.17
KBANK13C2501B	0.10	-	22,418	0.11	TASCO19C2502	0.22	(0.01)	5,276	0.22	BJC13C2502A	-	-	-	-
KBANK13C2503A	0.36	0.01	50,534	0.36	TOA	18.20	(0.10)	4,608	18.22	BJC19C2411A	-	-	-	-
KBANK13P2412A	-	-	-	-	TPIPL	1.14	-	88,039	1.14	BJC19C2502A	-	-	-	-
KBANK13P2501A	0.10	(0.01)	1	0.10	UMI	0.82	0.02	333	0.81	BJC19C2503A	0.36	(0.01)	21,415	0.37
KBANK13P2501B	0.28	(0.02)	21,661	0.29	VNG	3.40	-	310	3.38	COM7	26.00	(0.75)	98,623	26.41
KBANK19C2411A	-	-	-	-	WIJK	1.10	0.04	7,653	1.09	COM701C2412W	0.48	(0.01)	21,196	0.50
KBANK19C2501A	0.23	0.01	38,348	0.23	WIJK-W3	0.06	(0.01)	12,165	0.06	COM701C2501A	0.13	(0.02)	62,610	0.14
KBANK19C2502A	0.22	0.01	26,867	0.23	WINDOW	1.04	-	2,849	1.04	COM701P2501A	0.25	-	37,371	0.23
KBANK19C2502B	-	-	-	-	Petrochemicals &	-	-	-	-	COM713C2411A	-	-	-	-
KBANK19P2501A	-	-	-	-	BCT	75.00	0.25	22	75.00	COM713C2412A	0.46	0.01	1	0.46
KBANK19P2502A	0.15	(0.01)	9,646	0.15	CMAN	2.16	(0.02)	2,866	2.17	COM713C2501A	0.13	(0.03)	64,990	0.14
KBANK41C2501A	0.34	0.01	6,500	0.34	GC	5.05	0.07	314	5.00	COM713P2501A	0.22	0.01	16,380	0.21
KBANK41C2502A	0.15	-	19,500	0.15	GGC	4.48	(0.02)	377	4.49	COM719C2501A	-	-	-	-
KBANK41C2604T	0.74	0.01	13,800	0.74	GIFT	2.80	(0.18)	18,704	2.90	COM719C2502A	0.20	(0.02)	45,009	0.21
KBANK41P2502A	0.52	(0.05)	11	0.52	GIFT-W2	1.20	(0.17)	3,453	1.25	COM719P2412A	-	-	-	-
KKP	53.75	(0.75)	28,485	53.99	IVL	25.25	-	165,736	25.46	COM719P2502A	0.18	(0.01)	2,070	0.18
KKP-W6	1.50	(0.01)	3,116	1.50	IVL01C2411W	0.31	(0.02)	4,050	0.34	COM741C2412A	-	-	-	-
KKP13C2412A	0.26	(0.03)	1	0.26	IVL01C2412W	0.87	0.02	1,060	0.89	COM741C2501A	-	-	-	-
KKP13C2412B	-	-	-	-	IVL01C2501W	-	-	-	-	COM741C2501B	0.19	(0.03)	29,284	0.21
KKP13C2501A	-	-	-	-	IVL01C2502A	0.73	0.02	1,309	0.73	CPALL	64.50	0.25	171,477	64.55
KKP13C2502A	0.35	(0.03)	33,603	0.37	IVL01C2502B	0.46	0.01	6,622	0.46	CPALL01C2412A	0.21	-	14,078	0.21
KKP19C2411A	0.02	(0.01)	165	0.02	IVL01C2503A	-	-	-	-	CPALL01C2501A	0.50	(0.01)	3,440	0.50
KKP19C2501A	-	-	-	-	IVL01P2501W	-	-	-	-	CPALL01C2502A	0.20	-	53,255	0.20
KKP19C2503A	0.47	(0.03)	12,143	0.49	IVL01P2502A	0.23	(0.01)	19,530	0.23	CPALL01P2501X	-	-	-	-
KTB	20.90	-	206,423	20.89	IVL01P2502W	0.09	(0.01)	2,970	0.09	CPALL01P2502X	0.29	-	10,220	0.29
KTB-P	-	-	-	-	IVL06C2411A	-	-	-	-	CPALL11C2410A	-	-	-	-
KTB-Q	-	-	-	-	IVL06C									

## Main Board Quotation

Issue Date :

Friday October 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC	31.75	0.50	67,456	31.56	ICN	2.40	0.04	4,267	2.38	DELTA13P2412A	-	-	-	-
CRC01C2412A	0.05	(0.01)	8,818	0.04	ILINK	6.25	-	1,481	6.25	DELTA13P2502A	0.19	(0.01)	57,256	0.19
CRC01C2501A	-	-	-	-	INET	4.24	(0.08)	26,773	4.26	DELTA13P2502B	0.42	(0.03)	110,486	0.43
CRC01C2503A	0.14	-	36,952	0.14	INET-W3	0.10	(0.06)	75,572	0.12	DELTA19C2411A	-	-	-	-
CRC1C2501A	0.12	(0.02)	3,000	0.13	INSET	3.12	(0.10)	326,447	3.15	DELTA19C2412A	0.78	0.02	140	0.79
CRC13C2412A	0.05	-	100	0.05	INTUCH	105.50	(0.50)	66,930	104.91	DELTA19C2502A	0.92	0.02	1,159	0.92
CRC13C2412B	0.16	0.01	23,000	0.15	INTUCH01C2411	1.77	(0.06)	4,180	1.74	DELTA19C2503A	0.59	0.01	39,048	0.60
CRC13C2502A	0.11	-	6,288	0.10	INTUCH01C2501	0.29	(0.01)	28,133	0.28	DELTA19P2411A	-	-	-	-
CRC19C2411A	-	-	-	-	INTUCH13C2411	-	-	-	-	DELTA19P2412A	-	-	-	-
CRC19C2501A	0.23	-	30,943	0.23	INTUCH13C2412	-	-	-	-	DELTA19P2502A	0.15	(0.01)	17,286	0.16
CRC19C2502A	0.16	0.01	18,024	0.15	INTUCH13C2501	0.84	(0.04)	830	0.82	DELTA19P2503A	0.49	(0.02)	88,655	0.50
CSS	0.85	(0.02)	8,121	0.85	INTUCH13C2502	0.37	(0.01)	65,700	0.36	DELTA41C2411A	-	-	-	-
DOHOME	9.85	(0.10)	77,119	9.89	INTUCH13C2503	0.22	(0.01)	21,375	0.22	DELTA41C2411B	-	-	-	-
DOHOME01C2501A	0.03	(0.01)	220	0.03	INTUCH13P2411	-	-	-	-	DELTA41C2412A	0.81	0.04	22	0.81
DOHOME01C2503A	0.11	(0.02)	1,021	0.12	INTUCH13P2412	-	-	-	-	DELTA41C2502A	0.66	0.03	54,501	0.66
DOHOME13C2412A	0.02	(0.01)	205	0.02	INTUCH13P2502	0.42	-	50,439	0.44	DELTA41P2412A	-	-	-	-
DOHOME13C2502A	-	-	-	-	INTUCH19C2411	-	-	-	-	DELTA41P2502A	0.41	(0.04)	12,171	0.42
DOHOME19C2501A	0.06	(0.01)	3,236	0.07	INTUCH19C2502	-	-	-	-	HANA	38.50	0.25	35,133	38.38
DOHOME19C2502A	0.12	(0.01)	8,460	0.13	INTUCH19C2503	0.40	-	156,203	0.38	HANA01C2411W	0.01	-	502	0.01
DOHOME41C2412A	-	-	-	-	INTUCH19C2504	0.26	(0.01)	60,809	0.26	HANA01C2412W	0.01	-	7,734	0.01
DOHOME41C2501A	-	-	-	-	ITEL	2.26	(0.06)	65,794	2.27	HANA01C2501W	0.09	0.01	833	0.09
FN	1.10	-	4,835	1.10	JAS	2.28	(0.08)	449,948	2.29	HANA01C2502A	0.18	-	27,462	0.19
GLOBAL	15.90	(0.20)	60,931	15.91	JAS-W4	0.31	(0.04)	986,437	0.32	HANA01P2411W	-	-	-	-
GLOBAL01C2503A	0.28	(0.01)	8,747	0.29	JAS13C2411A	0.01	-	1	0.01	HANA01P2501W	0.25	(0.01)	2,274	0.25
GLOBAL11C2501A	-	-	-	-	JAS13C2412A	0.03	(0.02)	3,484	0.03	HANA06C2412A	0.09	(0.01)	2,188	0.09
GLOBAL13C2501A	0.26	(0.02)	13,464	0.26	JAS13C2502A	0.16	(0.02)	12,903	0.16	HANA13C2411A	0.01	-	10	0.01
GLOBAL19C2412A	0.08	(0.02)	1,776	0.09	JAS19C2411A	0.01	-	1,060	0.01	HANA13C2411B	-	-	-	-
HMPRO	9.55	(0.20)	699,163	9.63	JAS19C2412A	0.03	(0.02)	339,166	0.03	HANA13C2412A	0.03	0.01	1,224	0.03
HMPRO001C2501A	0.19	(0.07)	24,740	0.22	JAS19C2501A	0.11	(0.03)	20,377	0.12	HANA13C2412B	0.05	-	4,401	0.05
HMPRO001C2503A	0.07	-	1,021	0.06	JAS19C2503A	0.26	(0.74)	7,905	0.27	HANA13C2502A	0.15	-	10,716	0.15
HMPRO11C2412A	-	-	-	-	JMART	15.40	-	38,409	15.31	HANA13C2503A	0.30	(0.70)	5,102	0.30
HMPRO11C2412B	0.07	(0.01)	24	0.07	JMART-W5	0.72	0.01	512	0.73	HANA13P2411A	-	-	-	-
HMPRO11C2502A	-	-	-	-	JMART01C2411	0.12	(0.01)	70,930	0.12	HANA13P2502A	0.50	-	4,074	0.50
HMPRO13C2411A	-	-	-	-	JMART01C2501	0.25	(0.01)	18,229	0.25	HANA19C2411A	0.01	-	100	0.01
HMPRO13C2501A	0.30	(0.35)	20,856	0.32	JMART13C2412	0.57	(0.01)	70	0.61	HANA19C2501A	0.09	0.01	3	0.09
HMPRO13C2501B	0.05	(0.01)	42,549	0.05	JMART13C2501	0.42	(0.03)	27,096	0.43	HANA19C2501B	0.14	-	5,035	0.14
HMPRO19C2501A	0.40	(0.34)	440	0.41	JMART13C2501E	0.18	0.01	38,493	0.17	HANA19P2411A	-	-	-	-
HMPRO19C2501B	0.09	(0.02)	17,480	0.10	JMART19C2412	0.35	-	24,078	0.34	HANA41C2411A	-	-	-	-
HMPRO19C2502A	-	-	-	-	JMART19C2501	-	-	-	-	HANA41C2501A	0.09	0.01	1,055	0.08
ICC	-	-	-	-	JMART19C2501E	-	-	-	-	KCE	36.75	-	11,347	36.65
ILM	17.70	0.10	1,506	17.62	JMART19C2501C	0.18	(0.01)	24,734	0.18	KCE01C2412W	-	-	-	-
IT	4.94	(0.02)	537	4.96	JMART19C2503	0.38	-	47,100	0.37	KCE01C2501W	0.09	(0.02)	1	0.09
KAMART	12.00	-	22,714	11.99	JMART19P2411	0.01	(0.01)	2,723	0.01	KCE01C2503A	0.23	-	200	0.23
LOXLEY	1.41	-	3,605	1.41	JMART41C2412	-	-	-	-	KCE01P2412W	-	-	-	-
MC	12.90	0.20	16,643	12.82	JMART41C2501	0.25	-	4,090	0.25	KCE01P2501W	0.25	(0.01)	10,015	0.26
MEGA	39.00	-	2,552	39.08	JTS	67.00	(1.75)	4,114	67.73	KCE11C2501A	-	-	-	-
MEGA13C2502A	0.19	(0.03)	41,418	0.20	MFEC	6.20	-	1,383	6.14	KCE13C2411A	0.01	-	80	0.01
MEGA19C2502A	0.23	(0.02)	120	0.23	MSC	8.10	(0.10)	60	8.18	KCE13C2412A	-	-	-	-
MIDA	0.43	(0.03)	3,078	0.43	PT	9.60	-	873	9.52	KCE13C2412B	0.02	-	2,452	0.02
MOSHI	47.50	0.25	7,182	47.45	ROCTEC	0.99	-	18,210	0.99	KCE13C2501A	0.13	-	8,100	0.13
RS	6.30	0.30	30,118	6.20	ROCTEC-W3	0.03	-	4,819	0.02	KCE13C2503A	0.24	-	1,017	0.24
RS-W5	4.90	-	672	4.89	ROCTEC-W5	0.05	-	26,361	0.05	KCE13P2412A	0.25	(0.01)	10,674	0.26
RSP	1.96	0.01	291	1.96	SAMART	7.20	0.05	10,978	7.16	KCE13P2501A	0.19	(0.01)	3,126	0.20
SABUY	0.73	(0.05)	294,798	0.75	SAMTEL	6.10	0.05	1,266	6.00	KCE19C2411A	0.01	-	10,039	0.01
SCM	3.70	(0.14)	1,877	3.71	SDC	0.03	-	194,302	0.04	KCE19C2412A	-	-	-	-
SCM-W2	1.21	-	9	1.21	SIS	25.50	(0.25)	3,449	25.67	KCE19C2501A	0.11	(0.02)	3,435	0.12
SINGER	10.90	-	36,288	10.89	SKY	23.60	0.50	4,804	23.34	KCE19C2503A	-	-	-	-
SPC	58.25	0.25	53	58.06	SPREME	1.96	(0.12)	503,482	2.10	KCE19P2412A	0.30	(0.01)	2,814	0.30
SPI	65.75	-	10	65.43	SVOA	1.65	0.01	1,888	1.64	KCE19P2501A	-	-	-	-
SVT	1.80	0.03	14,221	1.80	SYMC	8.45	0.20	9,187	8.42	KCE41C2411A	-	-	-	-
TANT	8.00	0.05	2,769	7.92	SYNEX	16.10	0.20	59,669	16.01	KCE41C2501A	-	-	-	-
Information & Commr	-	-	-	-	THCOM	15.00	0.20	151,552	14.92	METCO	192.00	(0.50)	30	192.02
3BBIF	6.25	-	24,804	6.20	TKC	14.20	0.20	252	14.14	SMT	1.85	(0.02)	24,188	1.87
ADVANC	274.00	(1.00)	49,680	274.72	TRUE	12.10	0.30	650,025	11.97	SVI	7.75	0.10	15,602	7.65
ADVANC01C2412A	0.56	(0.01)	7,761	0.58	TRUE01C2501A	0.24	-	60,774	0.24	TEAM	3.82	-	2,422	3.81
ADVANC01C2501A	0.39	(0.01)	47,581	0.40	TRUE01P2412W	-	-	-	-	Energy & Utilities	-	-	-	-
ADVANC01C2503A	0.33	(0.01)	33,977	0.34	TRUE11C2411A	0.74	(0.07)	1	0.74	ACC	1.10	(0.05)	296,690	1.13
ADVANC01C2503B	0.36	(0.01)	73,460	0.37	TRUE11C2501A	-	-	-	-	ACC-W2	0.86	-	13,254	0.86
ADVANC01P2412X	0.01	(0.01)	5	0.01	TRUE11C2501B	-	-	-	-	ACE	1.32	-	8,084	1.32
ADVANC01P2502X	0.17	-	45,642	0.17	TRUE13C2412A	-	-	-	-	AE	0.25	0.01	33,974	0.24
ADVANC06C2411A	-	-	-	-	TRUE13C2412B	0.19	0.03	31,313	0.18	AGE	1.31	(0.10)	14,357	1.35
ADVANC11C2412A	0.43	(0.01)	4,434	0.45	TRUE13C2503A	0.22	0.02	36,906	0.21	AI	3.92	(0.04)	963	3.94
ADVANC13C2412A	-	-	-	-	TRUE13P2412A	-	-	-	-	AIE	1.15	0.01	1,418	1.14
ADVANC13C2412B	0.32	(0.11)	13	0.32	TRUE13P2503A	0.25	(0.02)	5,831	0.25	BAFS	14.70	0.40	3,935	14.52
ADVANC13C2501A	0.21	(0.02)	44,694	0.22	TRUE19C2501A	0.26	0.03	29,975	0.25	BANPU	6.25	0.05	258,967	6.23
ADVANC13C2502A	0.14	(0.01)	36,556	0.14	TRUE19C2503A	0.22	0.01	239,534	0.21	BANPU01C2411W	-	-	-	-
ADVANC13P2411A	-	-	-	-	TRUE41C2411A	-	-	-	-	BANPU01C2501A	-	-	-	-
ADVANC13P2412A	0.01	-	2	0.01	TRUE41C2501A	0.27	0.03	21,300	0.25	BANPU01C2501B	1.48	0.03	256	1.48
ADVANC13P2501A	0.13	(0.01)	26,704	0.14	TRUE41C2604T	0.74	0.03	11,561	0.72	BANPU01C2502A	0.18	-	10,677	0.18
ADVANC13P2502A	0.41	(0.01)	30,772	0.41	TWZ	0.04	-	18,165	0.03	BANPU01C2503A	0.14	0.01	4,217	0.14
ADVANC19C2411A	-	-	-	-	TWZ-W8	0.01	-	2	0.01	BANPU01P2411W	-	-	-	-
ADVANC19C2412A	0.59	(0.03)	2	0.62	TWZ-W9	0.01	-	2	0.01	BANPU01P2501W	-	-	-	-
ADVANC19C2501A	-	-	-	-	Electronic Comp	-	-	-	-	BANPU01P2502A	0.24	(0.02)	20,572	0.24
ADVANC19C2502A	0.26	-	72,899	0.26	CCET	5.10	-	404,201	5.07	BANPU11C2411A	-	-	-	-
ADVANC19C2503A	0.22	0.01	27,285	0.22	DELTA	136.50	1.50	93,949	136.39	BANPU11C2412A	-	-	-	-
ADVANC19P2412A	0.01	-	1	0.01	DELTA01C2411	1.30	0.06	2,608	1.30	BANPU11C2501A	0.09	(0.02)	1,800	0.09
ADVANC19P2503A	0.36	-	29,421	0.35	DELTA01C2412	0.56	0.03	39,575	0.57	BANPU13C2411A	0.10	(0.01)	4	0.11
ADVANC4														

## Main Board Quotation

Issue Date :

Friday October 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BBGI	6.65	0.05	30,618	6.70	EGCO19C2412A	0.31	(0.02)	324	0.31	PTT41C2502A	0.12	(0.01)	2,000	0.12
BCP	33.25	-	105,831	32.89	EGCO19C2502A	0.28	(0.02)	11,362	0.28	PTTEP	126.00	0.50	96,958	125.74
BCP01C2412A	0.01	(0.04)	6,140	0.01	EP	1.94	-	562	1.93	PTTEP01C2412A	0.02	-	29,030	0.01
BCP01C2501A	0.13	(0.01)	51,875	0.14	EP-W4	0.04	0.01	11,446	0.03	PTTEP01C2502A	0.11	0.01	18,831	0.10
BCP01C2502A	0.07	(0.01)	6,036	0.07	ETC	2.04	-	10,189	2.01	PTTEP01C2503A	0.20	(0.01)	20,742	0.20
BCP41C2502A	0.35	-	31,611	0.36	GPSC	43.50	(0.25)	61,729	43.51	PTTEP01P2412X	0.43	(0.01)	1,670	0.43
BCP11C2501A	-	-	-	-	GPSC01C2411A	0.02	-	3,440	0.01	PTTEP01P2503A	0.68	(0.03)	37,394	0.69
BCP13C2411A	-	-	-	-	GPSC01C2412A	0.16	(0.01)	10,820	0.17	PTTEP06C2501A	0.07	-	500	0.07
BCP13C2412A	0.06	(0.02)	8,416	0.06	GPSC01C2501A	0.39	(0.03)	495	0.38	PTTEP11C2411A	-	-	-	-
BCP13C2501A	0.06	-	3,257	0.05	GPSC01C2502A	0.15	(0.01)	55,286	0.16	PTTEP11C2501A	0.07	(0.01)	1,300	0.07
BCP13C2502A	0.21	(0.79)	19,322	0.20	GPSC01P2411X	-	-	-	-	PTTEP11C2501B	0.11	-	4,020	0.11
BCP13P2501A	0.27	-	42,858	0.28	GPSC01P2502A	0.23	-	78,302	0.23	PTTEP13C2412A	-	-	-	-
BCP19C2411A	0.01	-	2,000	0.01	GPSC11C2411A	-	-	-	-	PTTEP13C2501A	0.04	-	2,372	0.04
BCP19C2412A	0.08	(0.02)	6,734	0.08	GPSC11C2501A	0.13	-	1	0.13	PTTEP13C2502A	0.11	0.01	20,775	0.11
BCP19C2501A	0.09	-	2,001	0.08	GPSC13C2411A	-	-	-	-	PTTEP13C2503A	0.22	-	36,610	0.22
BCP41C2502A	0.08	-	1,760	0.09	GPSC13C2412A	0.15	(0.01)	35,360	0.15	PTTEP13P2502A	0.56	(0.02)	12,522	0.57
BCPG	6.70	(0.05)	27,575	6.72	GPSC13C2501A	0.33	-	7	0.33	PTTEP19C2411A	-	-	-	-
BCPG01C2502A	0.12	-	13,117	0.13	GPSC13C2501B	0.13	(0.01)	49,140	0.13	PTTEP19C2412A	-	-	-	-
BCPG13C2411A	-	-	-	-	GPSC13C2503A	0.28	(0.72)	68,428	0.28	PTTEP19C2502A	0.12	-	7,232	0.12
BCPG13C2501A	0.16	(0.01)	33,580	0.16	GPSC13P2411A	-	-	-	-	PTTEP19C2503A	0.25	0.01	26,386	0.24
BCPG13C2502A	0.11	(0.02)	21,256	0.11	GPSC13P2501A	0.28	-	45,691	0.28	PTTEP41C2412A	0.02	0.01	4,181	0.02
BCPG19C2411A	-	-	-	-	GPSC19C2411A	-	-	-	-	PTTEP41C2502A	0.14	-	33,121	0.14
BCPG19C2503A	0.21	(0.01)	25,888	0.21	GPSC19C2411B	-	-	-	-	PTTEP41C2604T	0.23	0.01	2,211	0.22
BGRIM	22.50	(0.10)	106,917	22.41	GPSC19C2501A	0.32	(0.01)	5,756	0.32	PTTEP41P2412A	-	-	-	-
BGRIM01C2411A	-	-	-	-	GPSC19C2502A	0.18	(0.01)	25,167	0.18	RATCH	32.75	0.25	21,947	32.60
BGRIM01C2411B	-	-	-	-	GPSC19P2411A	-	-	-	-	RATCH01C2503A	0.22	(0.04)	14,495	0.23
BGRIM01C2501A	0.36	(0.01)	17,603	0.35	GPSC41C2411A	-	-	-	-	RATCH13C2412A	0.21	-	2,100	0.21
BGRIM01C2502A	0.26	-	46,358	0.25	GPSC41C2412A	0.19	(0.05)	62,640	0.19	RATCH13C2503A	0.19	(0.03)	4,820	0.19
BGRIM01C2503A	0.08	(0.01)	1,000	0.08	GPSC41C2502A	0.13	(0.01)	39,031	0.13	RATCH19C2412A	0.18	(0.10)	1,346	0.17
BGRIM01P2411X	-	-	-	-	GREEN	1.06	(0.02)	3,307	1.07	RATCH19C2502A	0.18	(0.01)	2,950	0.18
BGRIM11C2410A	-	-	-	-	GULF	65.75	(0.75)	358,642	65.26	RPC	0.50	(0.01)	17,184	0.50
BGRIM11C2410B	-	-	-	-	GULF01C2411A	-	-	-	-	SCG	3.58	(0.08)	41	3.61
BGRIM11C2412A	0.30	(0.02)	6,192	0.30	GULF01C2412A	1.14	(0.13)	2,078	1.15	SCN	1.10	(0.01)	129,341	1.13
BGRIM11C2501A	0.19	(0.02)	7,204	0.20	GULF01C2502A	0.68	(0.05)	14,808	0.68	SCN-W2	0.15	-	37,152	0.16
BGRIM13C2411A	-	-	-	-	GULF01C2502B	0.48	(0.02)	13,716	0.48	SCN-W3	0.02	(0.01)	121,695	0.03
BGRIM13C2412A	0.20	(0.02)	88,329	0.20	GULF01C2503A	0.31	(0.03)	215,277	0.30	SEAOil	2.58	(0.04)	1,633	2.59
BGRIM13C2502A	0.22	(0.02)	68,241	0.22	GULF01P2411X	-	-	-	-	SGP	7.15	-	683	7.15
BGRIM13P2411A	-	-	-	-	GULF01P2501A	0.03	0.01	5,800	0.03	SKE	0.35	(0.01)	2,175	0.35
BGRIM19C2411A	-	-	-	-	GULF11C2410A	-	-	-	-	SKE-W1	0.07	-	12,151	0.07
BGRIM19C2411B	-	-	-	-	GULF13C2411A	-	-	-	-	SOLAR	0.52	-	1,818	0.52
BGRIM19C2501A	0.39	(0.02)	47,285	0.38	GULF13C2412A	1.34	(0.10)	150	1.30	SPCG	8.80	0.05	2,480	8.81
BGRIM19C2502A	0.26	(0.01)	42,164	0.26	GULF13C2412B	-	-	-	-	SPRC	6.55	(0.15)	126,820	6.55
BGRIM19P2411A	-	-	-	-	GULF13C2501A	0.57	(0.05)	30,815	0.53	SPRC01C2502A	0.15	(0.03)	14,390	0.16
BGRIM41C2411A	0.05	(0.03)	1,500	0.05	GULF13C2502A	0.42	(0.04)	234,100	0.39	SPRC13C2412A	-	-	-	-
BGRIM41C2412A	0.03	(0.02)	1,000	0.03	GULF13C2502B	0.27	(0.03)	418,545	0.27	SPRC13C2501A	0.08	(0.02)	1,472	0.08
BIOTEC	0.33	0.01	13,380	0.32	GULF13P2411A	-	-	-	-	SPRC13C2503A	0.18	(0.02)	14,166	0.18
BIOTEC-P	-	-	-	-	GULF13P2412A	-	-	-	-	SPRC19C2501A	0.08	(0.03)	2	0.09
BIOTEC-Q	-	-	-	-	GULF13P2501A	0.02	-	2,872	0.02	SPRC19C2503A	0.21	(0.03)	1,710	0.21
BIOTEC-W2	0.08	0.01	500	0.07	GULF13P2502A	0.09	-	36,888	0.10	SSP	5.80	(0.05)	3,846	5.78
BPP	12.50	-	1,423	12.42	GULF13P2502B	0.34	0.01	265,791	0.36	SSP-W2	0.13	-	1,100	0.13
BRRGIF	3.74	-	2,257	3.70	GULF19C2411A	-	-	-	-	SUPER	0.29	0.01	26,947	0.28
BSRC	7.10	(0.50)	31,426	7.19	GULF19C2412A	-	-	-	-	SUPEREIF	6.95	0.05	2,415	6.89
CKP	3.62	(0.02)	48,897	3.64	GULF19C2501A	-	-	-	-	SUSCO	3.20	(0.02)	19,813	3.20
CKP13C2412A	-	-	-	-	GULF19C2502A	0.63	(0.11)	790	0.70	TAE	0.89	0.01	893	0.88
CKP13C2501A	0.12	(0.01)	2,487	0.13	GULF19C2503A	0.50	(0.04)	36,866	0.48	TCC	0.49	0.01	2,982	0.49
CKP19C2411A	-	-	-	-	GULF19C2503B	0.33	(0.04)	124,435	0.33	TCC-W5	0.20	-	1,539	0.19
CKP19C2502A	0.23	(0.01)	6,960	0.23	GULF19P2411A	-	-	-	-	TGE	2.68	0.02	578	2.67
CV	0.26	(0.02)	441,496	0.27	GULF19P2501A	-	-	-	-	TGE-W1	1.54	0.04	1,460	1.53
CV-W1	0.18	(0.01)	3,961	0.19	GULF19P2503A	0.37	0.01	114,150	0.38	TOP	44.00	(2.00)	242,196	44.08
DEMCO	3.42	(0.02)	398	3.43	GULF41C2502A	0.88	(0.07)	6,000	0.88	TOP01C2412A	-	-	-	-
DEMCO-W7	0.03	0.01	90,604	0.03	GULF41C2502B	0.64	(0.06)	28,000	0.62	TOP01C2503A	0.13	(0.06)	24,177	0.13
EA	7.80	-	249,700	7.80	GULF41C2605T	0.84	(0.03)	89,648	0.83	TOP11C2412A	0.01	(0.04)	245	0.01
EA01C2411W	0.02	-	2,062	0.01	GUNKUL	2.76	-	99,223	2.74	TOP11C2501A	-	-	-	-
EA01C2412A	-	-	-	-	GUNKUL13C241	-	-	-	-	TOP11C2502A	0.12	(0.07)	6,020	0.12
EA01C2412W	0.01	(0.01)	2,400	0.01	GUNKUL13C2411	0.39	(0.08)	94	0.39	TOP13C2412A	0.01	(0.01)	930	0.01
EA01P2411A	-	-	-	-	GUNKUL13C250	0.24	-	22,450	0.23	TOP13C2502A	0.09	(0.04)	49,260	0.10
EA01P2411W	-	-	-	-	GUNKUL19C241	0.15	(0.01)	9,484	0.15	TOP13C2503A	0.20	(0.07)	68,000	0.20
EA06C2412A	0.38	(0.01)	23,878	0.38	IRPC	1.49	0.01	108,619	1.49	TOP19C2412A	0.01	(0.03)	130	0.01
EA13C2411A	-	-	-	-	IRPC01C2502A	0.13	(0.02)	2	0.13	TOP19C2502A	0.09	(0.05)	7,206	0.11
EA13C2411B	-	-	-	-	IRPC13C2412A	-	-	-	-	TOP19C2503A	0.19	(0.09)	22,097	0.21
EA13C2411C	-	-	-	-	IRPC13C2501A	0.06	-	3,662	0.07	TOP41C2412A	-	-	-	-
EA13C2411D	0.01	(0.01)	23	0.01	IRPC13C2502A	0.18	(0.01)	1,080	0.18	TOP41C2502A	0.11	(0.07)	28,235	0.12
EA13C2412A	0.17	(0.01)	39,666	0.18	IRPC19C2501A	0.14	(0.01)	2,067	0.14	TRIPP	2.98	-	8,926	3.00
EA13C2412B	0.38	(0.05)	16,994	0.38	IRPC19C2502A	0.13	(0.01)	10,740	0.14	TSE	1.00	-	10,087	0.99
EA13C2412C	0.97	(0.04)	80	0.96	KBSPIF	7.85	-	5,142	7.84	TTW	9.00	-	16,309	9.01
EA13C2412D	0.30	(0.01)	46,849	0.30	LANNA	16.00	-	3,027	15.94	UBE	0.80	-	24,333	0.80
EA13C2412E	0.12	(0.01)	48,092	0.12	MDX	3.96	0.06	6,003	3.96	WHAUP	5.35	0.20	98,881	5.31
EA13C2501A	0.80	(0.01)	500	0.80	NOVA	10.60	-	5	10.60	WP	3.66	-	2	3.66
EA13C2501B	0.09	(0.01)	23,287	0.10	OR	15.80	0.20	75,104	15.67	Media & Publishing	-	-	-	-
EA13C2501C	0.22	-	47,860	0.22	OR01C2412A	0.03	-	331	0.03	AMARIN	3.80	-	118	3.81
EA13P2411A	-	-	-	-	OR01C2502A	0.21	(0.01)	12,803	0.20	AQUA	0.35	-	5,237	0.35
EA13P2411B	-	-	-	-	OR01C2503A	0.12	-	28,705	0.11	AS	4.46	(0.14)	23,230	4.50
EA13P2411C	0.21	(0.58)	1,001	0.21	OR13C2411A	-	-	-	-	BEC	4.18	(0.04)	5,198	4.19
EA13P2411D	-	-	-	-	OR13C2501A	0.18	(0.02)	16,480	0.17	FE	189.00	16.00	20	189.00
EA13P2501A	0.45	(0.01)	7,908	0.45	OR13C2501B	0.08	(0.01)	5,000	0.08	GPI	1.64	-	2,948	1.62
EA19C2411A	-	-	-	-	OR19C2411A	-	-	-	-	GRAMMY	8.10	-</		

## Main Board Quotation

Issue Date :

Friday October 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI	2.70	-	772,041	2.71	MTC13C2412A	0.46	0.07	500	0.46	CPF13C2502A	-	-	-	-
VGI-W3	0.09	(0.01)	15,287	0.09	MTC13C2502A	0.38	0.07	53,135	0.34	CPF19C2501A	-	-	-	-
VGI01C2411A	-	-	-	-	MTC13P2412A	-	-	-	-	CPF19C2502A	-	-	-	-
VGI01C2501A	1.53	(0.01)	4,446	1.55	MTC13P2502A	0.24	(0.04)	24,182	0.25	CPI	3.20	(0.04)	1,409	3.18
VGI01C2501B	0.39	(0.01)	1,089	0.39	MTC19C2411A	-	-	-	-	F&D	43.25	-	5	43.25
VGI01C2502A	0.23	(0.01)	125,416	0.24	MTC19C2412A	-	-	-	-	FM	4.22	(0.14)	70,993	4.27
VGI01P2411X	-	-	-	-	MTC19C2502A	0.41	0.07	65,877	0.36	GLOCON	0.21	0.01	39,904	0.20
VGI01P2412X	-	-	-	-	MTC19P2501A	-	-	-	-	HTC	17.00	(0.20)	3,916	17.15
VGI01P2501X	-	-	-	-	MTC41C2411A	0.10	0.02	4,000	0.10	ICHI	15.50	(0.10)	32,936	15.64
VGI13C2411A	-	-	-	-	MTC41C2412A	0.73	0.11	3,000	0.67	ICHI01C2503A	0.25	(0.01)	17,757	0.26
VGI13C2411B	-	-	-	-	MTC41C2502A	0.38	0.06	70,718	0.36	ICHI13C2501A	0.17	(0.01)	2,820	0.18
VGI13C2412A	-	-	-	-	NCAP	2.04	-	121,149	2.02	ITC	24.90	(0.10)	34,640	24.82
VGI13C2501A	0.47	-	800	0.48	PL	1.77	-	23	1.78	ITC01C2412A	0.11	(0.03)	6,390	0.11
VGI13C2501B	0.25	(0.01)	83,040	0.26	S11	2.64	(0.06)	87	2.63	ITC01C2501A	0.60	(0.06)	4,816	0.59
VGI13P2411A	0.01	(0.01)	408	0.01	SAK	5.50	0.45	100,901	5.43	ITC01C2503A	0.13	(0.01)	36,028	0.13
VGI13P2412A	-	-	-	-	SAWAD	43.75	1.50	64,280	43.17	ITC11C2501A	-	-	-	-
VGI13P2501A	0.23	(0.05)	327	0.23	SAWAD-W2	0.60	0.10	110,393	0.66	ITC11C2501B	-	-	-	-
VGI19C2411A	-	-	-	-	SAWAD01C2411	0.10	0.02	18,716	0.09	ITC13C2501A	0.49	(0.01)	7,805	0.48
VGI19C2501A	0.37	-	22,026	0.37	SAWAD01C2501	0.99	0.08	3,167	0.95	ITC13C2502A	0.15	(0.01)	14,248	0.15
VGI19C2502A	0.25	(0.01)	122,935	0.26	SAWAD01C2501	0.51	(0.04)	1,102	0.51	ITC19C2501A	0.59	(0.02)	219	0.59
VGI19P2501A	-	-	-	-	SAWAD01C2502	0.27	0.04	54,963	0.26	ITC19C2503A	0.18	-	3,825	0.18
VGI41C2411A	-	-	-	-	SAWAD01P2501	-	-	-	-	JDF	2.00	0.01	1,258	2.01
VGI41C2412A	-	-	-	-	SAWAD01P2502	0.14	(0.04)	9,534	0.15	KBS	6.05	0.05	2,732	6.10
VGI41C2412B	-	-	-	-	SAWAD13C2411	-	-	-	-	KCG	9.75	0.05	8,301	9.73
VGI41C2501A	0.45	-	6,874	0.46	SAWAD13C2412	0.46	0.04	36	0.44	KSL	2.06	-	1,391	2.06
VGI41C2502A	0.23	-	39,800	0.23	SAWAD13C2412	-	-	-	-	KTIS	2.94	0.02	285	2.90
WORK	8.70	-	2,087	8.74	SAWAD13C2501	0.25	0.03	76,223	0.24	LST	4.84	(0.02)	653	4.85
ZAA	0.84	(0.08)	191	0.87	SAWAD13P2411	-	-	-	-	M	27.25	(0.25)	3,795	27.36
Finance & Securities	-	-	-	-	SAWAD13P2501	-	-	-	-	MALEE	11.70	(0.20)	15,309	11.80
AEONTS	133.50	(1.00)	2,955	133.04	SAWAD19C2411	-	-	-	-	NRF	1.75	-	71,561	1.75
AEONTS13C2412A	0.26	(0.03)	4,657	0.27	SAWAD19C2412	-	-	-	-	NSL	32.75	(1.25)	11,084	33.08
AMANAH	1.34	(0.02)	9,029	1.35	SAWAD19C2501	-	-	-	-	OKJ	13.40	0.10	67,760	13.49
ASAP	2.40	0.02	328	2.31	SAWAD19C2502	0.33	0.04	66,355	0.30	OSP	20.40	(0.30)	78,678	20.50
ASK	12.10	(0.20)	3,689	12.10	SAWAD19P2501	-	-	-	-	OSP01C2412A	0.02	(0.01)	2,429	0.02
ASP	2.50	-	4,595	2.51	SAWAD41C2411	-	-	-	-	OSP01C2503A	0.14	(0.01)	2,020	0.14
BAM	9.00	0.10	69,430	8.99	SAWAD41C2411	0.42	(0.01)	10,000	0.40	OSP11C2501A	-	-	-	-
BAM01C2411A	-	-	-	-	SAWAD41C2501	-	-	-	-	OSP13C2412A	-	-	-	-
BAM01C2501A	0.37	0.01	5,274	0.37	SAWAD41C2502	0.40	0.04	24,604	0.37	OSP13C2412B	-	-	-	-
BAM01C2502A	0.24	-	19,218	0.24	SAWAD41C2502	0.22	0.03	41,028	0.19	OSP13C2501A	0.11	(0.02)	1,300	0.11
BAM13C2412A	0.33	(0.02)	8	0.33	SCAP	2.18	0.04	27,686	2.17	OSP13C2503A	0.28	(0.02)	4,532	0.29
BAM13C2501A	0.16	-	15,201	0.16	SGC	1.47	-	208,018	1.47	OSP19C2412A	-	-	-	-
BAM19C2412A	0.28	-	15,251	0.28	SGC-W1	0.43	-	32,982	0.42	OSP19C2502A	0.12	(0.02)	36,763	0.12
BAM19C2502A	0.22	-	9,854	0.22	SGC-W2	0.54	0.02	14,790	0.52	OSP19C2503A	0.30	(0.01)	246	0.30
BYD	1.22	0.01	111,711	1.22	SM	1.15	-	3,579	1.15	PB	60.00	-	9	59.72
BYD13C2411A	-	-	-	-	TH	0.96	(0.03)	64,067	0.97	PLUS	5.95	(0.10)	10,496	6.02
BYD13C2412A	-	-	-	-	TH-W3	0.21	(0.01)	4,940	0.21	PM	8.60	-	786	8.63
BYD13C2412B	0.02	(0.01)	10,713	0.02	THANI	2.08	0.02	34,178	2.07	PQS	2.56	0.02	453	2.54
BYD19C2501A	0.06	-	33,897	0.06	TIDLOR	17.20	(0.40)	214,601	17.33	PRG	9.00	(0.05)	25	9.01
CGH	0.69	-	57,665	0.68	TIDLOR13C2411	-	-	-	-	PRG-W1	-	-	-	-
CGH-W5	-	-	-	-	TIDLOR13C2411	-	-	-	-	PRG-W2	-	-	-	-
CHASE	1.37	(0.01)	7,983	1.38	TIDLOR13C2412	0.13	(0.03)	90,530	0.14	PRG-W3	-	-	-	-
CHASE-W1	0.97	(0.01)	1,001	0.97	TIDLOR13C2501	0.10	(0.02)	35,562	0.11	PRG-W4	-	-	-	-
CHAYO	3.56	(0.02)	7,279	3.57	TIDLOR19C2411	0.02	0.01	1	0.02	RBF	5.70	-	25,831	5.68
CHAYO-W3	0.18	0.01	10,228	0.19	TIDLOR19C2501	0.46	(0.09)	19,709	0.48	RBF01C2501W	0.14	-	30,222	0.14
ECL	1.02	0.02	38,392	1.04	TIDLOR19C2501	0.21	(0.04)	102,542	0.22	RBF13C2412A	0.07	(0.01)	4,144	0.07
FNS	2.52	0.04	11	2.52	TK	4.96	-	143	4.92	RBF13C2501A	0.07	-	1,240	0.07
FSX	2.66	0.04	207	2.65	TNITY	3.70	0.02	533	3.68	RBF19C2501A	0.14	-	4,426	0.14
GBX	0.76	0.01	734	0.75	TNL	37.00	-	83	36.36	SAPPE	65.75	(0.50)	3,773	66.01
GL	-	-	-	-	UOBKH	4.86	(0.04)	91	4.81	SAPPE01C2502A	0.33	(0.02)	21,650	0.34
HENG	1.48	0.01	15,141	1.49	XPG	0.95	-	151,768	0.95	SAPPE13C2411A	-	-	-	-
IFS	2.52	-	93	2.50	Food & Beverage	-	-	-	-	SAPPE13C2501A	0.08	(0.01)	30	0.08
JMT	19.80	-	237,863	19.85	AAI	6.65	(0.05)	61,351	6.66	SAPPE13C2501B	0.18	(0.01)	10,308	0.18
JMT-W4	0.13	0.01	106,411	0.14	APURE	4.18	(0.04)	391	4.20	SAPPE13C2502A	0.42	(0.02)	100,054	0.43
JMT01C2411W	0.25	(0.04)	3,274	0.24	APURE-W3	0.01	-	21	0.01	SAPPE19C2501A	0.22	(0.02)	7,478	0.23
JMT01C2412A	1.64	0.01	915	1.64	ASIAN	9.20	(0.05)	16,836	9.20	SAPPE19C2502A	0.46	(0.02)	49,256	0.48
JMT01C2412W	1.00	0.03	8,470	1.00	BR	1.89	-	11,923	1.90	SAUCE	39.50	-	5	39.60
JMT01C2501A	0.54	-	71,519	0.55	BR-W1	0.09	-	4,004	0.09	SNIP	12.80	0.30	20,465	12.59
JMT01C2502A	0.44	-	72,975	0.44	BRR	4.50	-	762	4.50	SNIP13C2412A	-	-	-	-
JMT13C2412A	-	-	-	-	BRR-W2	0.37	(0.01)	1,169	0.33	SNIP19C2501A	0.10	-	735	0.10
JMT13C2412B	-	-	-	-	BTG	21.70	-	9,002	21.70	SNP	12.40	-	1,183	12.55
JMT13C2501A	0.60	-	1,036	0.62	CBG	78.50	(1.00)	23,940	78.64	SORKON	4.36	-	268	4.38
JMT13C2501B	0.36	(0.01)	132,497	0.37	CBG01C2412W	0.30	(0.04)	22,664	0.31	SSC	63.00	-	4	63.00
JMT13C2502A	0.30	-	119,700	0.30	CBG01C2501W	-	-	-	-	SSF	6.95	0.05	1	6.95
JMT19C2411A	-	-	-	-	CBG01C2502W	0.54	(0.03)	11,829	0.56	SST	4.90	(0.04)	7	4.91
JMT19C2411B	-	-	-	-	CBG01C2503A	0.44	(0.04)	5,212	0.45	SUN	3.96	-	4,399	3.96
JMT19C2412A	-	-	-	-	CBG01P2412W	-	-	-	-	TC	8.15	-	4,590	8.21
JMT19C2501A	0.57	-	68,604	0.58	CBG01P2502X	0.35	0.01	31,011	0.34	TFG	4.20	0.04	36,733	4.15
JMT19C2503A	0.37	(0.01)	94,275	0.38	CBG06C2411A	0.22	(0.05)	43,280	0.24	TFG-W4	0.85	(0.01)	236	0.85
JMT41C2411A	-	-	-	-	CBG13C2411A	-	-	-	-	TFMAMA	202.00	(1.00)	46	200.24
JMT41C2412A	0.28	(0.01)	86,560	0.29	CBG13C2412A	-	-	-	-	TIPCO	9.80	-	1,553	9.77
JMT41C2501A	0.60	(0.06)	31,303	0.61	CBG13C2501A	0.40	(0.04)	40,103	0.41	TKN	10.90	-	47,761	10.96
KCAR	4.88	0.02	277	4.86	CBG13P2412A	-	-	-	-	TKN01C2501A	0.14	0.01	11,813	0.14
KGI	4.36	(0.04)	12,119	4.37	CBG13P2502A	0.37	0.01	17,727	0.37	TKN13C2412A	-	-	-	-
KTC	48.75	0.25	38,703	48.78	CBG19C2411A	-	-	-	-	TKN13C2412B	0.11	-	62,118	0.12
KT01C2412W	0.47	0.01	17,642	0.46	CBG19C2412A	-	-	-	-	TU	14.90	(0.20)	54,859	14.97
KT01C2503A	0.37	-	85,562	0.36	CBG19C2502A	0.49	(0.04)	56,091	0.51	TU01C2411A	-	-	-	-
KT11C2502A	0.23	0.02	2,100	0.23	CBG19P2412A	-	-	-	-	TU01C2501A	0.16	(0.01)	60	0.16
KT13C2412A	0.24	0.01	104,436	0.24	CBG19P2501A	0.30	0.01	27,027	0.30	TU11C2502A	-	-	-	-
KT13C2412B	0.39	0.01	200	0.39	CBG41C2411A	0.08	(0.01)	6,000	0.08	TU13C2412A	-	-	-	-
KT13C2502														

## Main Board Quotation

Issue Date :

Friday October 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BCH13C2412A	-	-	-	-	MINT41C2604T	0.11	-	500	0.11	TPP	13.60	(0.20)	1	13.60
BCH13C2501A	-	-	-	-	OHTL	360.00	(4.00)	1	360.00	Personal Products	-	-	-	-
BCH13C2501B	0.22	(0.02)	24,074	0.24	ROH	2.24	(0.04)	8	2.26	APCO	5.25	-	1,186	5.23
BCH19C2411A	-	-	-	-	SHANG	-	-	-	-	BIZ	3.30	0.02	1,947	3.30
BCH19C2501A	-	-	-	-	SHR	2.26	0.02	21,172	2.27	BLC	5.10	(0.05)	33,541	5.19
BCH19C2502A	0.29	(0.02)	34,206	0.31	SPA	6.60	-	11,599	6.57	DDD	9.95	0.15	1,412	9.86
BDMS	28.50	0.25	373,301	28.45	VRANDA	5.40	-	52	5.40	IP	4.04	0.04	3,360	4.00
BDMS01C2411A	-	-	-	-	Home & Office P	-	-	-	-	IP-W2	0.26	-	1,712	0.26
BDMS01C2412A	0.08	-	28,608	0.08	AJA	0.17	-	23,013	0.17	JCT	-	-	-	-
BDMS01C2503A	0.11	-	23,766	0.11	AJA-W4	0.02	-	725	0.02	KISS	4.54	(0.08)	7,138	4.54
BDMS11C2411A	0.09	(0.01)	2,000	0.09	DTCI	39.00	5.75	114	38.84	NAM	4.64	0.04	92	4.65
BDMS11C2501A	-	-	-	-	FANCY	0.40	-	494	0.39	NEO	41.00	(0.75)	6,492	41.16
BDMS13C2411A	-	-	-	-	FTI	2.16	(0.02)	567	2.17	NV	1.10	0.02	998	1.09
BDMS13C2502A	0.09	-	2,746	0.09	KYE	293.00	1.00	1	293.00	OCC	-	-	-	-
BDMS19C2411A	-	-	-	-	L&E	1.21	(0.02)	280	1.21	S&J	39.50	(1.50)	31	39.33
BDMS19C2502A	-	-	-	-	MODERN	2.58	-	10,991	2.59	STGT	10.40	-	28,546	10.45
BDMS19C2503A	0.17	-	12,539	0.17	OGC	22.50	(0.10)	1	22.50	STGT01C2412A	0.04	0.01	15	0.03
BDMS41C2412A	-	-	-	-	ROCK	-	-	-	-	STGT01C2412B	0.27	(0.01)	3,232	0.28
BDMS41C2502B	0.20	-	16,202	0.20	SBNEXT	0.61	0.01	25,863	0.59	STGT01C2501A	0.12	-	12,365	0.12
BH	277.00	6.00	24,912	275.54	SBNEXT-W2	0.13	0.01	45,565	0.13	STGT01C2502A	0.12	-	50,398	0.12
BH-P	-	-	-	-	SIAM	1.16	(0.01)	451	1.13	STGT01P2502A	0.44	(0.01)	10,183	0.45
BH-Q	-	-	-	-	TCMC	0.84	-	4,621	0.84	STGT13C2412A	-	-	-	-
BH01C2412A	0.30	0.03	22,545	0.29	Insurance	-	-	-	-	STGT13C2412B	-	-	-	-
BH01C2502A	0.31	0.03	45,289	0.31	AYUD	32.50	-	49	32.47	STGT13C2501A	0.06	-	1,360	0.06
BH01P2412X	-	-	-	-	BKIH	301.00	(1.00)	107	301.64	STGT13C2502A	0.18	-	76,886	0.18
BH01P2502X	0.43	(0.05)	14,425	0.44	BLA	23.70	-	19,970	23.76	STGT13P2502A	0.42	(0.01)	26,890	0.42
BH11C2411A	0.21	0.04	3,610	0.20	BLA01C2503A	0.47	-	36,490	0.47	STGT19C2412A	0.08	(0.01)	1,050	0.08
BH13C2411A	-	-	-	-	BLA13C2501A	0.59	(0.01)	51	0.55	STGT19C2502A	0.08	-	350	0.08
BH13C2501A	0.42	0.06	20,886	0.40	BLA13C2502A	0.35	(0.01)	44,575	0.36	STGT19C2503A	0.20	-	19,645	0.20
BH13P2412A	-	-	-	-	BLA13C2502B	0.12	-	20,202	0.12	STGT19P2502A	0.45	(0.01)	4,247	0.44
BH13P2501A	0.29	(0.05)	24,550	0.30	BLA19C2502A	0.68	0.03	8,350	0.65	STHAI	-	-	-	-
BH19C2411A	0.05	(0.05)	13,080	0.05	BLA19C2502B	0.33	-	8,600	0.33	TMAN	17.30	0.80	348,466	16.98
BH19C2501A	0.47	0.08	2,762	0.44	BLA19C2502C	0.15	-	5,774	0.15	TNR	9.30	(0.10)	313	9.30
BH19C2502A	0.28	0.03	33,349	0.27	BUI	15.80	(0.10)	44	15.78	TOG	10.20	-	447	10.21
BH41C2411A	0.10	0.02	5,800	0.10	CHARAN	22.50	0.60	1	22.50	Professional Service	-	-	-	-
BH41C2605T	0.58	0.03	16,100	0.57	INSURE	-	-	-	-	BWG	0.42	(0.01)	212,922	0.43
BKGI	2.66	0.02	21,314	2.68	KWI	0.47	(0.04)	5,152	0.48	BWG-W6	0.05	(0.01)	396,650	0.05
CHG	2.92	0.08	464,136	2.89	MTI	107.00	(1.00)	1	107.00	GENCO	0.50	0.01	331	0.49
CHG01C2501A	0.30	0.03	41,135	0.28	NKI	24.80	-	4	24.80	PRO	-	-	-	-
CHG13C2412A	0.16	0.02	69,639	0.15	SMK	-	-	-	-	PRTR	4.70	(0.04)	3,293	4.72
CHG19C2412A	0.20	0.03	55,283	0.18	TGH	13.50	0.20	2	13.45	SISB	33.25	-	6,985	33.24
CMR	1.89	0.02	201	1.88	THRE	0.62	-	8,322	0.61	SISB13C2412A	-	-	-	-
EKH	6.65	0.10	12,423	6.61	THREL	1.80	0.03	4,281	1.80	SISB13C2502A	0.18	-	17,210	0.18
EKH-W1	-	-	-	-	TIPH	26.00	(0.25)	3,142	26.04	SISB19C2502A	0.17	-	3,864	0.17
KDH	90.00	-	23	89.54	TIPH13C2502A	-	-	-	-	SO	5.15	(0.05)	90	5.12
LPH	4.54	(0.02)	349	4.54	TIPH19C2412A	0.04	(0.01)	1,002	0.04	WAVE	0.13	-	20,589	0.13
M-CHAI	31.50	0.25	34	31.51	TLI	11.10	0.20	127,012	11.10	WAVE-W3	0.03	-	15,267	0.03
MEDEZE	10.30	0.45	256,349	10.25	TLI01C2502A	0.82	0.05	5,806	0.81	WAVE-W4	0.05	0.01	3,868	0.04
NEW	-	-	-	-	TLI01C2503A	0.27	0.02	18,844	0.26	Property Developer	-	-	-	-
NTV	31.00	-	221	30.68	TLI13C2411A	0.74	(0.12)	1	0.74	A	4.96	(0.02)	2	4.96
PHG	16.00	(0.10)	1,822	16.00	TLI13C2502A	-	-	-	-	AKS	0.01	-	9,600	0.01
PR9	24.50	1.50	76,792	23.96	TLI13C2502B	0.21	0.01	16,813	0.21	AKS-W5	-	-	-	-
PRINC	3.02	(0.02)	3,440	3.05	TLI19C2412A	-	-	-	-	AMATA	29.25	2.25	286,163	28.85
RAM	23.90	0.60	2,431	23.69	TLI19C2502A	0.22	0.02	169,195	0.21	AMATA01C2502A	1.34	0.32	13,294	1.19
RJH	23.80	(0.10)	631	23.87	TQM	25.25	(0.25)	3,291	25.25	AMATA01C2503A	0.30	0.09	149,583	0.29
RPH	5.70	-	1,108	5.70	TSI	0.09	-	3	0.09	AMATA13C2412A	-	-	-	-
SAFE	14.40	-	1,926	14.31	TVH	8.75	0.05	1,008	8.60	AMATA13C2501A	1.30	0.43	4,984	1.02
SKR	9.25	-	206	9.17	Packaging	-	-	-	-	AMATA13C2501B	0.27	0.09	184,245	0.26
THG	20.20	(0.10)	6,578	20.36	AJ	5.05	(0.05)	238	5.06	AMATA19C2412A	0.72	0.42	8,003	0.61
VIBHA	1.93	(0.01)	43,010	1.93	ALUCON	174.00	-	1	174.00	AMATA19C2501A	1.24	0.49	664	1.22
VIBHA-W4	0.05	-	41,286	0.05	BGC	7.75	0.05	4,450	7.67	AMATA19C2502A	0.29	0.08	91,502	0.27
VIH	10.20	-	6,622	10.17	CSC	45.75	0.50	2	45.88	AMATAV	4.80	(0.04)	791	4.82
VIH-W1	-	-	-	-	CSC-P	-	-	-	-	ANAN	0.72	(0.01)	13,129	0.73
WPH	10.90	0.30	9,063	10.69	CSC-Q	-	-	-	-	AP	9.55	(0.15)	151,888	9.61
Tourism & Leisure	-	-	-	-	NEP	0.24	-	2,664	0.24	AP01C2503A	0.11	-	1,002	0.10
ASIA	6.75	-	61	6.70	PJW	2.60	(0.04)	3,835	2.58	AP13C2502A	0.10	-	6,287	0.10
BEYOND	9.00	0.10	73	9.00	PTL	13.20	(0.20)	4,457	13.29	AP19C2501A	0.33	(0.03)	20,525	0.34
CENTEL	35.25	0.25	38,065	35.71	SCGP	25.75	(0.25)	82,263	25.95	AP19C2502A	0.11	(0.02)	41,083	0.12
CENTEL01C2412A	-	-	-	-	SCGP01C2411A	-	-	-	-	ASW	8.00	-	617	7.96
CENTEL01C2501A	0.13	-	46,810	0.15	SCGP01C2412A	-	-	-	-	AWC	3.64	0.02	315,862	3.65
CENTEL11C2501A	-	-	-	-	SCGP01C2502A	0.49	(0.14)	4,700	0.55	AWC01C2411A	-	-	-	-
CENTEL13C2412A	-	-	-	-	SCGP01C2502B	0.08	(0.01)	1,450	0.08	AWC01C2501A	0.47	(0.06)	200	0.47
CENTEL13C2501A	0.21	0.01	38,420	0.23	SCGP01P2503A	0.58	0.02	3,133	0.56	AWC01C2501B	0.21	-	28,611	0.22
CENTEL13C2501B	0.09	0.02	6,930	0.09	SCGP11C2412A	-	-	-	-	AWC01P2502A	0.20	-	31,454	0.19
CENTEL19C2501A	0.18	0.01	34,876	0.20	SCGP11C2501A	-	-	-	-	AWC11C2411A	-	-	-	-
CENTEL19C2502A	0.12	-	25,999	0.13	SCGP13C2412A	-	-	-	-	AWC11C2412A	-	-	-	-
CENTEL41C2412A	-	-	-	-	SCGP13C2412B	-	-	-	-	AWC11C2501A	-	-	-	-
CENTEL41C2502A	0.19	0.02	52,900	0.20	SCGP13C2501A	0.30	(0.20)	28	0.31	AWC13C2411A	-	-	-	-
CSR	-	-	-	-	SCGP13C2501B	0.09	(0.01)	38,603	0.11	AWC13C2412A	-	-	-	-
DUSIT	11.10	0.20	2,418	11.00	SCGP13P2502A	0.39	0.03	542	0.36	AWC13C2501A	0.21	-	23,317	0.22
ERW	3.84	(0.08)	225,466	3.86	SCGP19C2412A	-	-	-	-	AWC13P2501A	-	-	-	-
ERW01C2501A	0.15	(0.03)	32,280	0.16	SCGP19C2412B	0.03	(0.02)	2,425	0.03	AWC19C2411A	-	-	-	-
ERW13C2412A	-	-	-	-	SCGP19C2501A	0.40	(0.21)	3	0.40	AWC19C2501A	0.40	(0.09)	201	0.38
ERW13C2412B	0.06	(0.03)	10,400	0.06	SCGP19C2502A	0.11	(0.01)	74,903	0.12	AWC19C2501B	0.18	(0.01)	14,246	0.18
ERW13C2503A	0.25	(0.03)	36,116	0.26	SCGP41C2412A	-	-	-	-	AWC19P2501A	-	-	-	-
ERW19C2412A	-	-	-	-	SCGP41C2412B	-	-	-	-	AWC41C2411A	-	-	-	-
ERW19C2412B	0.08	(0.02)	2,559	0.08	SCGP41C2502A	-	-	-	-	AWC41C2502A	0.29	-	25,567	0.30
GRAND	0.10	(0.01)	8,477	0.10	SCGP41C2502B	-	-	-	-	BLAND	0.61	-	110,649	0.61
LRH	38.25	1.00	1	38.25	SFLEX	3.08	0.02	28,512	3.07	BRI	4.66	(0.04)	4,583	4.64
MANRIN	-	-	-	-	SFLEX-W2	0.12	-	4,885	0.12	BROCK	1.49	(0.04)	222	1.46
MINT	27.25	-	135,633	27.36	SITHAI	1.35	0.01	2,512	1.35	CGD				

## Main Board Quotation

Issue Date :

Friday October 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EVER	0.12	-	48,495	0.12	AAV13C2501A	0.19	0.04	68,794	0.18	INGRS	0.36	-	2,132	0.35
FPT	12.80	-	38	12.67	AAV19C2412A	0.39	(0.01)	107	0.39	IRC	14.10	0.10	415	14.04
GLAND	1.54	0.01	10	1.54	AAV19C2502A	0.29	0.05	46,650	0.27	MGC	4.18	0.02	304	4.14
J	1.48	-	1,033	1.46	ANI	3.80	0.02	1,022	3.82	NEX	1.08	0.01	61,520	1.07
J-W3	0.22	-	181	0.22	AOT	61.75	0.25	127,359	61.82	NEX13C2411A	-	-	-	-
J-W4	-	-	-	-	AOT01C2412A	0.05	(0.01)	32	0.05	NEX19C2411A	0.01	-	1,000	0.01
JCK	0.28	(0.01)	83,765	0.29	AOT01C2412B	0.18	-	12,915	0.19	NEX19C2501A	0.03	(0.01)	9,124	0.03
KC	0.10	-	30,333	0.10	AOT01C2502A	0.16	0.01	37,550	0.16	PCSGH	4.32	-	136	4.31
KUN	1.32	-	64	1.32	AOT01P2412X	0.03	-	10	0.03	POLY	8.85	0.20	42	8.67
KUN-W2	0.04	(0.01)	2,577	0.04	AOT01P2502A	0.24	(0.02)	27,329	0.24	SAT	12.10	(0.10)	3,545	12.07
LALIN	6.50	(0.05)	579	6.46	AOT11C2501A	0.12	-	1,000	0.12	SPG	14.00	(0.10)	1	14.00
LH	5.75	-	217,775	5.77	AOT13C2411A	-	-	-	-	STANLY	218.00	-	784	218.00
LH13C2411A	-	-	-	-	AOT13C2412A	0.09	0.01	6,603	0.08	TKT	1.60	0.02	366	1.61
LH13C2501A	0.10	-	25,912	0.11	AOT13C2502A	0.13	0.01	16,622	0.14	TNPC	1.06	-	250	1.07
LH19C2411A	-	-	-	-	AOT13C2503A	0.27	(0.73)	45,641	0.27	TRU	3.26	-	135	3.19
LH19C2501A	0.12	(0.01)	2,591	0.13	AOT13P2412A	-	-	-	-	TSC	14.30	-	170	14.30
LPN	3.14	0.02	2,986	3.13	AOT13P2501A	0.17	(0.02)	2,678	0.17	Industrial Materials	-	-	-	-
MBK	20.00	0.40	12,946	19.80	AOT19C2411A	-	-	-	-	AKR	0.92	-	2,567	0.92
MBK-W3	-	-	-	-	AOT19C2411B	-	-	-	-	ALLA	1.54	0.02	11,122	1.51
MBK-W4	-	-	-	-	AOT19C2501A	0.26	-	27,746	0.26	ASEFA	3.24	(0.06)	537	3.23
MJD	1.10	0.01	16	1.10	AOT19C2502A	0.17	-	6,028	0.17	CPT	1.00	0.01	3,613	0.99
MK	1.83	0.07	2,692	1.83	AOT19P2412A	-	-	-	-	CRANE	0.69	0.01	1,046	0.68
NCH	0.78	-	2,938	0.78	AOT41C2411A	-	-	-	-	CTW	3.88	(0.04)	39	3.89
NNCL	1.85	0.01	4,157	1.84	AOT41C2412A	0.09	(0.01)	50	0.09	FMT	34.00	(0.50)	23	33.79
NOBLE	3.10	-	2,593	3.09	AOT41C2605T	0.32	(0.01)	2,000	0.32	FTE	1.50	0.01	89	1.49
NUSA	0.26	(0.01)	577,384	0.26	ASIMAR	1.52	(0.02)	769	1.53	HTECH	5.10	-	28,677	5.17
NUSA-W5	0.05	-	30,027	0.05	B	0.08	-	14,524	0.08	KKC	-	-	-	-
NVD	1.59	-	69	1.59	B-W8	0.01	(0.01)	93,014	0.01	PCC	2.92	-	830	2.90
ORI	4.60	-	63,312	4.56	BA	23.60	(0.10)	18,386	23.59	PK	0.70	(0.02)	7,272	0.70
ORI13C2412A	0.02	-	5,700	0.02	BA01C2412A	0.27	(0.04)	12,237	0.28	PSP	4.44	0.02	4,223	4.42
ORI19C2501A	0.11	0.01	14,280	0.10	BA01C2503A	0.39	(0.01)	41,889	0.39	QTC	3.86	(0.02)	184	3.87
ORN	0.84	-	6,139	0.84	BA13C2412A	0.24	(0.02)	23,069	0.25	SCI	0.88	(0.01)	1,450	0.89
PEACE	2.74	(0.02)	81	2.71	BA13C2502A	0.10	(0.01)	100	0.10	SE	0.68	(0.02)	3,878	0.68
PF	0.19	0.01	22,429	0.19	BA19C2503A	0.13	-	3,150	0.13	SNC	5.90	(0.05)	367	5.87
PIN	6.20	0.20	128,286	6.18	BEM	7.95	0.10	225,007	7.91	TCJ	-	-	-	-
PLAT	2.18	-	2,540	2.17	BEM01C2412A	-	-	-	-	TPCS	-	-	-	-
POLAR	-	-	-	-	BEM11C2411A	-	-	-	-	VARO	4.86	(0.02)	90	4.88
PRECHA	1.13	0.03	33,950	1.17	BEM13C2412A	0.04	-	1,001	0.04	Property Fund & REIT	-	-	-	-
PRIN	-	-	-	-	BEM19C2412A	0.07	0.01	905	0.07	AIMCG	3.20	-	1,976	3.22
PROUD	1.41	0.03	233	1.38	BEM19C2503A	0.23	(0.77)	7,840	0.22	AIMIRT	10.80	-	254	10.80
PSH	8.95	(0.10)	1,861	8.98	BTS	4.66	0.14	734,679	4.61	ALLY	5.25	0.10	4,311	5.19
QH	1.86	0.01	54,727	1.86	BTS-W7	-	-	-	-	AMATAR	6.65	(0.15)	1,477	6.67
RABBIT	0.59	-	31,126	0.59	BTS-W8	0.07	-	3,074	0.07	B-WORK	4.86	0.04	7,582	4.81
RABBIT-P	0.60	0.01	12,090	0.59	BTS01C2412A	0.03	-	1,012	0.03	BAREIT	9.95	0.10	2,657	9.91
RABBIT-Q	-	-	-	-	BTS01C2501A	0.26	0.02	15,622	0.25	BKCCP	8.95	-	20	8.95
RICHY	0.50	0.01	1,048	0.49	BTS01C2503A	0.46	0.04	24,207	0.45	BOFFICE	5.05	(0.05)	2,145	5.03
RML	0.32	(0.03)	123,428	0.33	BTS13C2412A	0.13	0.03	8,616	0.11	CPNGC	6.20	(0.15)	5,092	6.25
ROJNA	7.40	0.20	64,652	7.38	BTS13C2412B	0.18	0.03	35,849	0.16	CPNREIT	12.20	-	6,770	12.22
S	0.95	-	12,401	0.94	BTS13C2502A	0.38	0.05	30,079	0.35	CPTGF	5.30	(0.15)	2,109	5.26
SA	7.45	-	466	7.41	BTS19C2411A	-	-	-	-	CTARAF	4.52	-	103	4.50
SA-W1	0.07	-	1,163	0.06	BTS19C2412A	0.21	0.03	39,244	0.20	DREIT	5.05	(0.05)	1,478	5.05
SAMCO	0.97	-	311	0.96	BTS19C2503A	0.45	0.04	65,617	0.43	FTREIT	10.70	-	7,087	10.65
SC	3.00	0.02	38,947	2.98	BTS41C2411A	-	-	-	-	FUTURERT	11.50	0.10	730	11.41
SENA	2.36	-	849	2.35	BTS41C2412A	-	-	-	-	GAHREIT	6.60	(0.05)	1,670	6.60
SIRI	1.75	(0.02)	895,980	1.76	BTS41C2501A	0.42	0.06	25,910	0.39	GROREIT	8.85	-	679	8.85
SIRI01C2412A	0.12	(0.02)	68,110	0.13	BTS6IF	3.24	0.02	4,837	3.22	GVREIT	6.70	(0.10)	7,920	6.68
SIRI13C2412A	0.13	(0.01)	4,500	0.13	DMT	11.50	-	4,918	11.52	HPF	5.00	-	290	5.00
SIRI19C2411A	-	-	-	-	ETL	0.74	0.04	11,552	0.74	HYDROGEN	-	-	-	-
SIRI19C2502A	0.08	(0.01)	80	0.09	III	5.95	0.05	4,092	5.87	IMPACT	11.70	(0.10)	1,116	11.72
SPALI	20.00	0.10	28,838	20.02	KEX	2.48	0.06	2,366	2.48	INETREIT	8.70	-	5,053	8.63
SPALI13C2501A	0.63	(0.14)	400	0.63	KIAT	0.35	-	13,866	0.35	KPNPF	-	-	-	-
SPALI13C2501B	0.31	0.01	9,599	0.31	KWC	332.00	(23.00)	22	332.00	KTBSTMR	6.50	(0.05)	186	6.52
SPALI19C2412A	0.18	(0.01)	13,616	0.18	MENA	1.21	0.01	4,977	1.21	LHHOTEL	13.00	-	5,976	12.98
UV	1.71	(0.01)	1,177	1.71	NOK	-	-	-	-	LHPP	5.50	(0.10)	156	5.50
WHA	6.10	0.30	1,433,256	6.00	NYT	3.04	-	5,757	3.04	LHSC	11.00	-	2,713	11.00
WHA01C2501A	0.29	0.06	10,991	0.27	PORT	1.44	0.04	201	1.41	LPF	13.40	(0.40)	4,540	13.41
WHA01C2503A	0.23	0.05	96,248	0.21	PRM	8.65	(0.05)	104,400	8.60	LUXF	8.05	-	251	8.00
WHA06C2410A	0.02	(0.01)	1,540	0.04	PSL	8.05	(0.15)	72,270	8.04	M-II	6.40	0.05	23	6.40
WHA11C2412A	0.23	0.06	23,278	0.21	RCL	24.30	0.20	58,473	24.28	M-PAT	2.30	(0.02)	30	2.30
WHA13C2411A	0.05	0.02	2,697	0.04	RCL01C2411A	-	-	-	-	M-STOR	-	-	-	-
WHA13C2501A	0.23	0.06	160,592	0.21	RCL01C2412A	0.20	0.01	36,286	0.20	MIPF	-	-	-	-
WHA19C2412A	0.25	0.03	650	0.26	RCL01C2502A	0.58	0.01	88,951	0.57	MIT	0.30	(0.01)	30	0.30
WHA19C2502A	0.21	0.05	105,467	0.19	RCL01C2502B	0.16	-	5,846	0.16	MJLF	4.16	(0.02)	171	4.13
WHA41C2411A	0.33	-	8,000	0.28	RCL13C2412A	0.04	(0.01)	514	0.04	MNIT	2.30	0.06	10,523	2.30
WHA41C2501A	0.26	0.07	22,700	0.23	RCL13C2412B	0.15	-	14,502	0.15	MNIT2	4.78	-	99	4.78
WIN	0.49	(0.01)	7,623	0.50	RCL13C2502A	0.14	-	79,361	0.14	MNRF	2.22	-	8	2.22
Paper & Printing Mat	-	-	-	-	RCL13C2502B	0.49	(0.01)	505	0.49	POPF	6.30	(0.05)	2,198	6.30
UTP	10.70	-	366	10.74	RCL13P2501A	0.17	-	32,777	0.18	PROSPECT	8.65	-	473	8.60
Fashion	-	-	-	-	RCL19C2412A	-	-	-	-	QHRRREIT	6.80	-	1,920	6.79
AFC	5.15	-	8	5.13	RCL19C2412B	0.20	-	22,008	0.20	QHOP	3.42	(0.08)	160	3.50
AURA	13.80	(0.40)	20,070	13.92	RCL19C2503A	0.55	-	47,405	0.56	QHPP	5.10	0.10	2,979	5.03
BTNC	18.00	(0.20)	1	18.00	RCL19P2412A	0.07	(0.01)	18,566	0.07	SIRIP	-	-	-	-
CPH	14.30	0.80	6,846	13.97	RCL41C2412A	-	-	-	-	SPRIME	4.20	-	1,852	4.17
CPL	1.35	(0.02)	4,374	1.37	RCL41C2412B	0.41	0.01	32,500	0.40	SRIPANWA	5.90	-	1	5.90
NC	3.36	0.12	11,547	3.46	RCL41C2502A	0.49	0.01	44,680	0.48	SSPF	-	-	-	-
PAF	1.11	0.03	1,005	1.10	RCL41C2502B	0.12	-	4,500	0.12	SSTRT	4.90	-	100	4.87
PDJ	2.14	0.02	243	2.12	SAV	22.50	(0.30)	4,035	22.52	TIF1	7.90	0.05	381	7.85
PG	8.90	-	20	8.90	SINO	1.18	0.02	3,071	1.20	TLHPF	2.94	(0.04)	546	2.96
SABINA	21.90	(0.20)	4,607	21.96	SJWD	11.30	-	5,005	11.28	TNPF	1.55	-	55	1.56
SAWANG	-	-	-	-	TFFIF	6.40	(0.05)	7,824	6.41	TPRIME	7.50	0.10	46	7.38
SUC	31.25	(0.50)	401	31.22	THAI	-	-	-	-	TTLPF	15.70	0.10</		

## Main Board Quotation

Issue Date :

Friday October 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GJS	0.16	(0.01)	5,882	0.17	DJI28C2412A	0.65	(0.03)	14	0.65	HSI28C2503B	0.44	0.03	694,492	0.45
GSTEEL	-	-	-	-	DJI28C2412B	-	-	-	-	HSI28C2503D	0.36	0.03	633,816	0.36
INOX	0.54	0.01	6,869	0.54	DJI28P2412A	0.12	0.01	1	0.12	HSI28P2410A	-	-	-	-
LHK	3.88	-	592	3.87	DJI28P2412B	0.48	(0.02)	2,560	0.49	HSI28P2410B	0.08	0.06	350	0.02
MCS	7.20	-	311	7.30	DJI41C2412A	0.57	(0.04)	9	0.57	HSI28P2410C	0.01	-	7	0.01
MILL	0.10	-	8,872	0.10	DJI41C2503A	0.42	(0.03)	453	0.42	HSI28P2410D	0.01	-	59	0.01
MILL-W7	0.01	-	149	0.01	DJI41P2412A	0.13	(0.01)	400	0.13	HSI28P2411A	0.01	-	229	0.01
PAP	2.24	(0.04)	170	2.26	DJI41P2503A	-	-	-	-	HSI28P2411B	-	-	-	-
PERM	0.77	-	541	0.77	GEELY28C2411A	2.22	0.44	12	2.20	HSI28P2411C	-	-	-	-
SAM	0.17	0.04	35,230	0.16	GEELY41C2411A	0.70	0.16	2	0.72	HSI28P2411D	0.15	(0.04)	40,314	0.15
SMIT	4.10	(0.08)	1,024	4.12	GEELY41C2411E	-	-	-	-	HSI28P2411E	0.36	(0.07)	5,250,519	0.37
SSSC	2.28	-	198	2.28	GEELY41C2502A	1.00	0.18	64	1.00	HSI28P2411F	0.69	(0.10)	496,569	0.68
TGPRO	0.11	0.01	43,630	0.11	HAIDIL41C2411	0.27	(0.03)	304	0.29	HSI28P2411G	-	-	-	-
THE	0.84	(0.03)	1,465	0.85	HKEX28C2410A	-	-	-	-	HSI28P2412A	0.05	(0.02)	210	0.05
TMT	4.22	(0.08)	1,067	4.26	HKEX41C2411A	-	-	-	-	HSI28P2412B	0.07	(0.01)	10	0.07
TSTH	0.68	-	8,264	0.68	HKEX41C2502A	-	-	-	-	HSI28P2412C	0.11	(0.04)	238	0.11
TWP	1.53	(0.02)	110	1.53	HKEX41C2502B	0.33	(0.01)	10	0.35	HSI28P2412D	0.25	(0.04)	191,755	0.26
TYCN	2.18	-	420	2.20	HSBC41C2411A	-	-	-	-	HSI28P2412E	0.46	(0.05)	2,167,076	0.45
Construction Service	-	-	-	-	HSBC41C2502A	0.25	-	2	0.26	HSI28P2501A	0.12	(0.02)	23,170	0.12
APCS	2.02	-	2	2.02	HSIO6C2410A	0.30	-	21	0.27	HSI28P2501B	0.67	(0.07)	652,796	0.68
BJCHI	1.31	0.02	5,058	1.30	HSIO6C2410B	0.37	0.01	359,348	0.40	HSI28P2501C	-	-	-	-
BKD	1.43	-	419	1.41	HSIO6C2410C	1.13	0.09	12	1.12	HSI28P2501D	0.25	(0.03)	4	0.25
CIVIL	1.85	0.06	1,180	1.83	HSIO6C2410D	-	-	-	-	HSI28P2502A	-	-	-	-
CK	19.00	0.10	17,386	18.87	HSIO6C2410E	-	-	-	-	HSI28P2503A	0.21	(0.01)	6,281	0.20
CK01C2503A	0.21	0.01	57,013	0.20	HSIO6C2411A	1.13	0.21	16	1.11	HSI28P2503B	0.50	(0.04)	3,313,499	0.50
CK13C2412A	0.03	(0.01)	300	0.03	HSIO6C2411B	-	-	-	-	HSTECH28C2412A	-	-	-	-
CK19C2412A	-	-	-	-	HSIO6C2411C	-	-	-	-	HSTECH28C2503A	0.44	0.03	2,248	0.45
CK19C2503A	0.32	(0.68)	14,402	0.32	HSIO6C2411D	1.04	0.04	1	1.04	HSTECH28P2412A	-	-	-	-
CNT	1.25	(0.01)	739	1.25	HSIO6C2411E	0.33	0.02	2,021,008	0.35	HSTECH28P2503A	0.48	(0.02)	140	0.47
EMC	0.11	-	160,277	0.11	HSIO6C2411F	0.05	(0.01)	164,678	0.06	JD28C2410A	-	-	-	-
EMC-W7	0.08	-	6,205	0.08	HSIO6C2412A	1.03	0.02	2,005	1.07	JD41C2411A	1.46	0.06	50	1.46
ITD	0.65	(0.02)	109,544	0.66	HSIO6C2412B	-	-	-	-	JD41C2502A	-	-	-	-
JR	3.22	-	2,158	3.21	HSIO6C2412C	-	-	-	-	JD41C2502B	0.32	0.01	24	0.34
NL	1.27	0.02	2,926	1.25	HSIO6C2412D	0.65	0.05	357,319	0.66	KUAI5H28C2410A	-	-	-	-
NWR	0.22	-	2,742	0.23	HSIO6C2412E	0.24	0.02	1,961,333	0.25	KUAI5H41C2410A	-	-	-	-
PLE	0.41	-	1,901	0.41	HSIO6C2412F	0.12	-	164,728	0.12	KUAI5H41C2502A	0.39	0.01	79	0.40
PREB	5.10	0.22	1,268	5.00	HSIO6C2412G	0.08	0.02	6,226	0.07	LENVO41C2410A	0.01	-	1	0.01
PYLON	2.24	-	1,399	2.19	HSIO6C2501A	0.22	0.01	3,876,371	0.22	LENVO41C2502A	-	-	-	-
RT	0.49	-	14,696	0.49	HSIO6C2501B	0.15	-	908,597	0.15	MCA5041C2503A	0.48	0.03	2,539	0.49
SEAFCO	2.36	-	6,895	2.36	HSIO6C2501C	0.40	0.05	652,122	0.39	MCA5041P2503A	0.62	(0.05)	50	0.62
SQ	0.95	(0.01)	1,177	0.95	HSIO6C2501D	0.77	0.07	1,734	0.77	MEITUA28C2501A	-	-	-	-
SRICHA	5.95	0.10	621	5.93	HSIO6C2502A	0.41	0.04	1,671,471	0.41	MEITUA28C2503A	-	-	-	-
STEC	5.00	(1.15)	17,745	5.70	HSIO6C2503A	1.54	0.06	133	1.53	MEITUA28C2504A	0.21	(0.02)	10,653	0.21
STI	3.14	(0.02)	338	3.11	HSIO6C2503B	0.75	0.06	1,308	0.75	MEITUA28P2410A	-	-	-	-
STPI	3.76	(0.02)	14,839	3.74	HSIO6C2503C	0.38	0.02	1,194,418	0.39	MEITUA28P2503A	0.18	-	2,000	0.18
SYNTEC	1.63	(0.01)	2,447	1.64	HSIO6C2503D	2.65	0.01	752,540	0.26	MEITUA28P2504B	0.36	0.01	8,001	0.36
TEAMG	4.14	(0.04)	26,835	4.11	HSIO6P2410A	0.01	(0.01)	1,712	0.02	MEITUA41C2411A	2.72	(0.12)	50	2.72
TEAMG-W1	0.36	-	1,801	0.37	HSIO6P2410B	0.01	-	214	0.01	MEITUA41C2502A	0.70	(0.04)	1,417	0.73
TEKA	2.42	-	1,319	2.39	HSIO6P2410C	-	-	-	-	MEITUA41P2411A	-	-	-	-
TPOLY	0.82	(0.01)	3,080	0.83	HSIO6P2410D	-	-	-	-	MEITUA41P2502A	0.14	-	12	0.13
TRC	0.13	(0.01)	68,141	0.14	HSIO6P2410E	0.01	-	10	0.01	NDX28C2412A	0.11	-	46	0.11
TRITN	0.12	-	25,475	0.12	HSIO6P2410F	0.01	-	60	0.01	NDX28C2412B	1.46	0.10	4	1.46
TTCL	2.86	0.06	4,037	2.79	HSIO6P2410G	0.01	-	10,552	0.01	NDX28C2412C	0.47	0.02	211	0.45
UNIQ	2.94	0.02	535	2.94	HSIO6P2411A	0.01	(0.02)	200	0.01	NDX28P2412A	0.27	(0.02)	1	0.27
WGE	0.75	-	278	0.74	HSIO6P2411B	0.03	(0.01)	8,360	0.03	NDX28P2412B	-	-	-	-
Unit Trust	-	-	-	-	HSIO6P2411C	-	-	-	-	NDX28P2412C	-	-	-	-
SCBSET	-	-	-	-	HSIO6P2411D	0.01	(0.02)	10	0.01	NDX28P2412D	0.51	(0.02)	5,708	0.51
VAYU1	10.00	-	36,147	10.01	HSIO6P2411E	0.21	(0.04)	4,626,104	0.21	NDX41C2412A	0.10	0.01	46,487	0.09
ETF	-	-	-	-	HSIO6P2411F	0.56	(0.10)	858,379	0.54	NDX41C2412B	1.11	0.01	2	1.11
1DIV	10.88	(0.05)	313	10.88	HSIO6P2411G	-	-	-	-	NDX41C2412C	0.55	0.01	504	0.55
ABFTH	-	-	-	-	HSIO6P2411H	-	-	-	-	NDX41C2503A	0.57	0.01	38	0.56
BMSGC	9.71	(0.02)	13	9.70	HSIO6P2412A	0.07	0.03	321	0.06	NDX41P2412A	0.28	(0.02)	4,345	0.29
BMSCITH	10.59	0.01	360	10.61	HSIO6P2412B	-	-	-	-	NDX41P2412B	0.07	-	602	0.07
BSET100	9.89	0.01	891	9.88	HSIO6P2412C	-	-	-	-	NDX41P2412C	-	-	-	-
CHINA	6.11	0.09	4,906	6.11	HSIO6P2412D	0.27	(0.04)	4,940,856	0.27	NDX41P2503A	0.56	(0.02)	52	0.56
ENGY	4.90	(0.02)	61	4.89	HSIO6P2412E	0.54	(0.07)	551,914	0.55	NIKKEI41C2412A	1.19	-	45	1.13
GLD	3.67	-	4,772	3.67	HSIO6P2412F	1.43	(0.06)	2	1.43	NIKKEI41C2412B	0.12	0.01	12,695	0.11
TDEX	9.23	-	4,620	9.23	HSIO6P2412G	0.18	(0.02)	2,065,982	0.18	NIKKEI41C2412C	0.30	0.02	52,001	0.27
UBOT	13.41	0.05	3	13.44	HSIO6P2501A	0.82	(0.04)	1,678	0.80	NIKKEI41C2412T	0.07	-	3,808	0.07
UHERO	7.92	0.08	7	7.92	HSIO6P2501B	0.30	(0.04)	725,433	0.30	NIKKEI41C2503A	0.30	-	31,373	0.29
Warrant Foreign	-	-	-	-	HSIO6P2502A	0.49	(0.04)	1,025,020	0.49	NIKKEI41C2503B	1.09	0.02	44	1.03
AIA28C2411A	-	-	-	-	HSIO6P2503A	0.07	(0.01)	26,933	0.07	NIKKEI41P2412A	-	-	-	-
AIA41C2411A	0.57	(0.03)	13	0.57	HSIO6P2503B	0.50	(0.03)	1,207,083	0.50	NIKKEI41P2412B	0.76	(0.01)	7,389	0.79
AIA41C2502A	0.14	0.02	6	0.14	HSIO6P2503C	1.01	(0.06)	3,821	1.01	NIKKEI41P2412C	0.13	0.01	2,354	0.13
AIA41P2411A	-	-	-	-	HSI28C2410A	0.01	(0.02)	75,733	0.01	NIKKEI41P2412T	0.27	0.01	4,709	0.30
ALIH41C2410A	-	-	-	-	HSI28C2410B	0.01	(0.02)	4,097	0.02	NIKKEI41P2503A	0.31	-	23,296	0.32
ALIH41C2502A	-	-	-	-	HSI28C2410C	0.09	-	488,022	0.09	NIKKEI41P2503B	0.18	0.01	170	0.19
BABA28C2410A	-	-	-	-	HSI28C2410D	0.30	0.01	186,259	0.28	NTES41C2502A	0.34	0.01	4	0.35
BABA28C2412A	0.87	0.05	1,043	0.89	HSI28C2410E	0.88	0.12	3	0.89	PINGAN41C2410A	-	-	-	-
BABA28C2503A	0.15	0.03	40	0.15	HSI28C2410F	1.70	0.10	286	1.78	PINGAN41C2411A	1.46	(0.06)	50	1.46
BABA28P2410A	-	-	-	-	HSI28C2410G	-	-	-	-	PINGAN41C2502A	0.27	-	1,511	0.28
BABA28P2503A	0.34	(0.03)	4,000	0.33	HSI28C2410H	3.98	0.28	50	3.98	SET01C2412A	1.55	0.03	1,448	1.51
BABA41C2410A	-	-	-	-	HSI28C2411A	0.29	0.03	15,506	0.33	SET01C2501A	1.02	-	3,273	1.02
BABA41C2502A	0.11	0.02	789	0.11	HSI28C2411B	1.12	0.03	5,226	1.13	SET01C2501B	0.57	-	131,147	0.57
BABA41P2411A	-	-	-	-	HSI28C2411C	-	-	-	-	SET01P2412A	0.02	-	610	0.02
BABA41P2502A	0.26	0.06	2	0.26	HSI28C2411D	-	-	-	-	SET01P2501A	0.04	-	2,249	0.04
BABA41P2502B	0.48	(0.05)	28	0.47	HSI28C2411E	0.15	0.01	98,495	0.16	SET01P2501B	0.18	(0.01)	1,181	0.1

## Main Board Quotation

Issue Date :

Friday October 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5006C2412A	-	-	-	-	SPX28P2412A	0.20	(0.01)	180	0.20	0	-	-	-	-
SET5006C2412B	1.82	(0.46)	3	1.83	SPX28P2412B	-	-	-	-	0	-	-	-	-
SET5006C2412C	-	-	-	-	SPX28P2412C	-	-	-	-	0	-	-	-	-
SET5006C2412D	0.60	0.03	100	0.60	SPX41C2412A	0.24	(0.03)	1	0.24	0	-	-	-	-
SET5006C2412E	0.32	(0.03)	350,397	0.30	SPX41C2412B	-	-	-	-	0	-	-	-	-
SET5006C2412F	0.20	0.01	335,228	0.20	SPX41C2412C	0.67	(0.01)	1,270	0.64	0	-	-	-	-
SET5006C2412G	0.13	-	428,299	0.13	SPX41C2503A	0.62	(0.03)	80	0.62	0	-	-	-	-
SET5006C2503A	0.43	0.01	345,369	0.42	SPX41P2412A	0.19	-	10	0.19	0	-	-	-	-
SET5006C2503B	0.32	-	248,140	0.32	SPX41P2412B	0.08	(0.01)	600	0.08	0	-	-	-	-
SET5006P2412A	0.06	-	173	0.03	SPX41P2412C	0.10	(0.01)	34,000	0.10	0	-	-	-	-
SET5006P2412B	-	-	-	-	SPX41P2503A	-	-	-	-	0	-	-	-	-
SET5006P2412C	0.01	(0.03)	2	0.01	SUNNY41C2411J	-	-	-	-	0	-	-	-	-
SET5006P2412D	0.01	(0.01)	114	0.01	SUNNY41C2502J	0.42	0.01	15	0.43	0	-	-	-	-
SET5006P2412E	0.06	-	3	0.06	TENCEN28C250J	-	-	-	-	0	-	-	-	-
SET5006P2412F	0.12	(0.01)	197,172	0.12	TENCEN28C250J	0.16	-	1,000	0.16	0	-	-	-	-
SET5006P2412G	0.32	(0.04)	503,242	0.34	TENCEN28P241I	-	-	-	-	0	-	-	-	-
SET5006P2412H	0.65	(0.35)	82	0.65	TENCEN28P241I	-	-	-	-	0	-	-	-	-
SET5006P2503A	0.17	-	46,173	0.17	TENCEN28P250J	0.55	-	50	0.55	0	-	-	-	-
SET5006P2503B	0.39	(0.02)	154,084	0.40	TENCEN41C250J	0.81	(0.02)	807	0.82	0	-	-	-	-
SET5013C2410A	-	-	-	-	TENCEN41C250J	0.16	-	15	0.16	0	-	-	-	-
SET5013C2410B	-	-	-	-	TENCEN41P241I	-	-	-	-	0	-	-	-	-
SET5013C2411A	0.22	(0.01)	176	0.21	TENCEN41P250J	-	-	-	-	0	-	-	-	-
SET5013C2412A	1.94	(0.02)	303	1.93	TENCEN41P250J	0.39	-	36	0.39	0	-	-	-	-
SET5013C2412B	2.44	(0.02)	20	2.55	TRIPDC41C2411	1.19	0.04	1,873	1.21	0	-	-	-	-
SET5013C2412C	3.42	0.02	11	3.39	XIAOMI28C2410	-	-	-	-	0	-	-	-	-
SET5013C2412D	4.04	(1.16)	86	4.08	XIAOMI28C2412	-	-	-	-	0	-	-	-	-
SET5013C2412E	1.46	0.06	732	1.37	XIAOMI28C2504	0.43	0.05	4,658	0.44	0	-	-	-	-
SET5013C2412F	1.08	0.05	850	1.09	XIAOMI28P2502	0.09	(0.02)	295	0.09	0	-	-	-	-
SET5013C2412G	0.87	0.06	13,386	0.85	XIAOMI41C2411	-	-	-	-	0	-	-	-	-
SET5013C2412H	0.44	0.01	3,345,570	0.44	XIAOMI41C2502	0.97	0.04	939	0.97	0	-	-	-	-
SET5013C2412I	0.22	-	1,906,321	0.21	XIAOMI41C2503	0.44	0.04	310	0.47	0	-	-	-	-
SET5013C2412J	0.27	-	1,180,580	0.27	XIAOMI41P2502	0.14	(0.04)	32	0.15	0	-	-	-	-
SET5013C2412K	0.13	0.01	307,707	0.13	ZIJIN41C2410A	0.01	(0.01)	89	0.01	0	-	-	-	-
SET5013C2412T	0.24	-	90,365	0.24	ZIJIN41C2502A	0.55	-	64	0.55	0	-	-	-	-
SET5013C2412U	0.70	-	5,836	0.70	0	-	-	-	-	0	-	-	-	-
SET5013C2503T	0.23	0.01	107,897	0.22	0	-	-	-	-	0	-	-	-	-
SET5013P2410A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412A	0.01	-	50	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412B	0.01	-	15,061	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412C	0.01	-	96	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412D	0.01	(0.01)	8	0.02	0	-	-	-	-	0	-	-	-	-
SET5013P2412E	0.02	-	1,380	0.02	0	-	-	-	-	0	-	-	-	-
SET5013P2412F	0.02	-	14,243	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412G	0.03	(0.01)	94,815	0.03	0	-	-	-	-	0	-	-	-	-
SET5013P2412H	0.06	-	29,498	0.06	0	-	-	-	-	0	-	-	-	-
SET5013P2412I	0.07	(0.02)	1,572	0.07	0	-	-	-	-	0	-	-	-	-
SET5013P2412J	0.07	(0.01)	46,753	0.08	0	-	-	-	-	0	-	-	-	-
SET5013P2412K	0.10	(0.01)	53,281	0.11	0	-	-	-	-	0	-	-	-	-
SET5013P2412L	0.17	(0.02)	153,607	0.18	0	-	-	-	-	0	-	-	-	-
SET5013P2412M	0.32	(0.03)	333,971	0.34	0	-	-	-	-	0	-	-	-	-
SET5013P2412N	0.43	(0.04)	4,597,262	0.45	0	-	-	-	-	0	-	-	-	-
SET5013P2412O	0.70	(0.06)	1,236,955	0.73	0	-	-	-	-	0	-	-	-	-
SET5013P2412T	0.01	-	18	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2503T	0.13	(0.01)	46,514	0.14	0	-	-	-	-	0	-	-	-	-
SET5019C2412A	0.58	0.03	12,380	0.53	0	-	-	-	-	0	-	-	-	-
SET5019C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412E	0.86	(0.02)	3	0.87	0	-	-	-	-	0	-	-	-	-
SET5019C2412F	0.35	0.01	232,067	0.35	0	-	-	-	-	0	-	-	-	-
SET5019C2412G	0.34	0.01	289,244	0.33	0	-	-	-	-	0	-	-	-	-
SET5019C2412H	0.20	0.01	256,466	0.19	0	-	-	-	-	0	-	-	-	-
SET5019C2412I	0.10	(0.01)	109,907	0.10	0	-	-	-	-	0	-	-	-	-
SET5019P2412A	0.01	-	10,002	0.01	0	-	-	-	-	0	-	-	-	-
SET5019P2412B	0.01	-	293	0.01	0	-	-	-	-	0	-	-	-	-
SET5019P2412C	0.01	(0.01)	4,294	0.01	0	-	-	-	-	0	-	-	-	-
SET5019P2412D	0.01	(0.01)	649	0.01	0	-	-	-	-	0	-	-	-	-
SET5019P2412E	0.07	(0.01)	512	0.07	0	-	-	-	-	0	-	-	-	-
SET5019P2412F	0.12	(0.01)	254,669	0.12	0	-	-	-	-	0	-	-	-	-
SET5019P2412G	0.27	(0.03)	368,838	0.29	0	-	-	-	-	0	-	-	-	-
SET5019P2412H	0.50	(0.04)	163,811	0.52	0	-	-	-	-	0	-	-	-	-
SET5027C2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2412T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2412T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2410A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2412A	0.42	(0.03)	11	0.42	0	-	-	-	-	0	-	-	-	-
SET5028C2412B	0.79	(0.05)	6	0.79	0	-	-	-	-	0	-	-	-	-
SET5028C2412C	0.92	(0.01)	1,000	0.92	0	-	-	-	-	0	-	-	-	-
SET5028C2503A	0.39	0.01	184,536	0.39	0	-	-	-	-	0	-	-	-	-
SET5028P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412C	0.44	0.01	258,271	0.43	0	-	-	-	-	0	-	-	-	-
SET5041C2412T	0.47	-	46,224	0.44	0	-	-	-	-	0	-	-	-	-
SET5041C2412U	0.43	0.01	744,997	0.42	0	-	-	-	-	0	-	-	-	-
SET5041C2412W	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412X	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2503A	0.44	0.02	413,137	0.43	0	-	-	-	-	0	-	-	-	-
SET5041C2503B	0.28	0.01	46,253	0.27	0	-	-	-	-	0	-	-	-	-
SET5041P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2412B	0.09	-	2	0.09	0	-	-	-	-	0	-	-	-	-
SET5041P2412C	0.18	(0.01)	61,336	0.18	0	-	-	-	-	0	-	-	-	-
SET5041P2412D	0.49	(0.06)	769,250	0.50	0	-	-	-	-	0	-	-	-	-
SET5041P2412T	0.02	-	21	0.01	0	-	-	-	-	0	-	-	-	-
SET5041P2412U	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2412V	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2503A	0.32	-	293,879	0.33	0	-	-	-	-	0	-	-	-	-
SET5041P2503B	0.65	(0.03)	883,306	0.66	0	-	-	-	-	0	-	-	-	-
SPX28C2412A	0.19	(0.01)	46	0.19	0	-	-	-	-	0	-	-	-	-
SPX28C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2412C	0.57	(0.04)	11	0.57	0	-	-	-	-	0	-	-	-	-



## Main Board Quotation

Issue Date :

Friday October 25, 2024

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
<b>Warrant - MAI</b>														
Agro & Food Indust			-		TPLAS	1.51	-	42	00 1.5	KK	1.58	(0.01)	1,097	00 1.5
APO	2.30	0.02	4,342	00 2.2	TRT	3.66	(0.02)	4,533	00 3.6	KLINIQ	33.50	(0.25)	4,801	00 33.3
AU	10.30	0.20	32,206	00 10.2	TRV	2.16	(0.26)	9	00 2.3	KOOL	0.41	0.01	14,060	00 0.3
CFARM	1.23	(0.01)	12,161	00 1.2	UBIS	1.92	(0.02)	107	00 1.9	KTMS	2.46	0.02	695	00 2.4
JCKH	0.02	-	53,359	00 0.0	UEC	1.42	(0.02)	2,231	00 1.4	LDC	0.61	0.01	1,466	00 0.5
JCKH-W2	-	-	-	00 0.0	UKEM	0.77	-	2,336	00 0.7	LEO	3.90	(0.02)	755	00 3.9
KASET	1.02	-	18,821	00 1.0	UREKA	0.49	-	15,571	00 0.4	MASTER	48.50	1.50	32,207	00 48.5
MAGURO	17.40	(0.30)	23,885	00 17.4	YUASA	10.80	(0.20)	80	00 10.8	MCA	1.88	0.14	315,468	00 1.9
MUD	1.37	(0.01)	200	00 1.3	ZIGA	1.94	0.01	7,491	00 1.9	MEB	29.75	-	1,581	00 29.6
NTSC	10.70	(0.10)	9	00 10.8	ZIGA-W2	0.19	0.01	13,632	00 0.1	MORE	0.07	0.01	6,088	00 0.0
TACC	4.90	0.02	12,147	00 4.8	Property	-	-	-	-	MVP	0.82	(0.01)	2,260	00 0.8
TMILL	3.62	0.04	28	00 3.6	24CS	3.92	0.18	51,302	00 3.9	NCL	0.51	(0.01)	27,391	00 0.5
WINNER	2.06	-	642	00 2.0	A5	2.56	(0.06)	5,561	00 2.5	NCP	1.31	0.02	18,420	00 1.3
XO	23.10	0.10	3,631	00 23.0	AS-W3	0.01	-	11	00 0.0	NEWS	0.01	-	289,127	00 0.0
Consumer Products														
ALPHAX	0.68	(0.02)	18,386	00 0.6	AS-W4	0.07	-	18,638	00 0.0	PEER	0.32	0.01	47,636	00 0.3
BGT	0.55	(0.03)	2,087	00 0.5	ARIN	1.15	0.02	99,039	00 1.1	PEER-W1	0.01	-	2,376	00 0.0
DOD	2.54	(0.04)	1,133	00 2.5	ARROW	5.65	(0.05)	162	00 5.7	PICO	-	-	-	00 0.0
ECF	0.50	(0.01)	5,187	00 0.4	BC	0.96	-	5,819	00 0.9	PLT	0.78	0.01	449	00 0.7
ECF-W5	0.05	-	17,324	00 0.0	BC-W2	0.13	(0.01)	1,244	00 0.1	QLT	2.08	(0.04)	1,428	00 2.0
EFORL	0.13	-	29,542	00 0.1	BLESS	0.45	(0.01)	5,708	00 0.4	RP	1.20	0.02	142	00 1.1
EFORL-W6	-	-	-	00 0.0	BSM	1.80	(0.03)	272	00 1.7	SLM	0.04	-	46,067	00 0.0
EURO	6.15	0.15	2,028	00 6.1	BTW	0.29	-	1,941	00 0.2	SONIC	1.55	0.01	3,552	00 1.5
HPT	0.49	0.01	24,407	00 0.4	CAZ	2.92	0.02	4,490	00 2.9	THMUJ	0.58	-	4,268	00 0.5
ITTHI	1.99	-	2,651	00 1.9	CHEWA	0.47	(0.02)	684	00 0.4	TNDT	0.26	-	16,816	00 0.2
JSP	1.99	(0.01)	2,935	00 1.9	CPANEL	4.14	(0.04)	12	00 4.1	TNDT-W1	0.02	(0.01)	256	00 0.0
JUBILE	13.60	0.10	17	00 13.4	CPANEL-W1	0.41	(0.02)	2	00 0.3	TNH	36.25	-	15	00 36.2
LTS	11.60	0.30	26,331	00 11.5	CRD	0.45	(0.01)	2,446	00 0.4	TNP	3.48	-	1,754	00 3.4
MGI	15.20	1.70	86,180	00 14.8	DHOUSE	0.60	-	1,341	00 0.5	TPL	1.24	-	10,622	00 1.2
MGI-W1	4.60	1.04	202,624	00 4.3	DIMET	0.25	-	57	00 0.2	TRP	9.45	0.10	5,777	00 9.4
MOONG	2.20	-	480	00 2.1	DPAINT	1.86	(0.04)	3,072	00 1.8	TURTLE	-	-	-	00 0.0
NPK	13.90	0.40	10	00 13.5	FLOYD	0.77	(0.01)	297	00 0.7	TVDH	0.19	-	60,103	00 0.1
SEI	4.62	(0.08)	10,947	00 4.6	FLOYD	0.77	(0.01)	297	00 0.7	TVDH-W3	0.03	-	7,836	00 0.0
SMD	4.10	(0.02)	185	00 4.1	HYDRO	0.25	0.03	14,618	00 0.2	TVDH-W4	-	-	-	00 0.0
TM	1.38	-	1,275	00 1.3	HYDRO-W2	0.05	-	54,614	00 0.0	TVT	0.51	0.02	6,791	00 0.4
TM-W1	0.13	-	443	00 0.1	IND	0.79	-	2,268	00 0.7	UBA	0.99	-	436	00 0.9
WARRIX	3.46	(0.02)	4,492	00 3.4	JAK	1.10	(0.04)	68	00 1.1	VL	0.98	-	4,701	00 0.9
WINMED	2.04	-	451	00 2.0	K	1.39	0.04	1,623	00 1.3	YGG	0.87	0.02	46,413	00 0.8
Financials														
ACAP	-	-	-	00 0.0	K-W3	0.20	0.02	62	00 0.1	Technology	-	-	-	-
AF	0.62	-	620	00 0.6	META	0.16	(0.01)	26,501	00 0.1	APP	1.77	0.02	2,710	00 1.7
AIRA	1.30	(0.02)	79	00 1.2	META-W7	0.01	-	42	00 0.0	BBIK	38.50	(0.75)	4,585	00 38.5
ASN	1.91	0.04	389	00 1.8	PANEL	1.32	0.03	339	00 1.2	BE8	18.60	(0.20)	4,795	00 18.7
BTC	0.49	0.01	37,895	00 0.4	PPS	0.26	(0.01)	10,408	00 0.2	BE8-W1	2.58	-	67	00 2.4
BTC-W7	0.22	0.01	464	00 0.2	PRI	10.10	(0.10)	912	00 10.1	BVG	2.98	-	2,938	00 2.9
GCAP	0.56	-	4,714	00 0.5	PROS	1.20	0.01	925	00 1.1	COMAN	2.12	(0.02)	8,216	00 2.0
KCC	2.98	0.06	3,244	00 2.9	PROS-W1	0.19	0.01	3,589	00 0.1	I2	1.89	(0.02)	4,321	00 1.8
LIT	1.07	0.04	2,872	00 1.0	PSG	0.54	(0.01)	30,508	00 0.5	IIG	5.90	0.05	2,270	00 5.9
LIT-W2	0.14	(0.01)	12,642	00 0.1	QTCG	0.48	-	23,541	00 0.4	IIG-W1	0.60	(0.04)	44	00 0.7
MITSIB	0.74	-	14,310	00 0.7	SENX	0.41	0.01	4,275	00 0.4	IRCP	0.57	-	3,850	00 0.5
SGF	0.31	0.01	1,140	00 0.3	SK	0.69	0.01	4,103	00 0.6	ITNS	1.70	(0.10)	302	00 1.7
SGF-P1	-	-	-	00 0.0	SMART	0.78	0.01	3,557	00 0.7	NAT	4.86	(0.10)	4,824	00 4.9
SGF-Q1	-	-	-	00 0.0	STC	0.57	(0.02)	2,386	00 0.5	NETBAY	16.40	-	2,343	00 16.2
TQR	6.45	(0.10)	263	00 6.5	STX	1.50	0.01	1,609	00 1.4	PLANET	1.39	0.04	325,110	00 1.3
Industrials														
ADB	0.99	0.02	768	00 0.9	SVR	1.26	0.01	277	00 1.2	PROEN	3.36	(0.08)	62,939	00 3.3
BM	3.14	(0.04)	8,742	00 3.1	TAPAC	-	-	-	00 0.0	PROEN-W2	1.73	(0.06)	50,508	00 1.7
BM-W3	-	-	-	00 0.0	THANA	1.49	(0.05)	17,976	00 1.5	READY	5.60	(0.35)	1,479	00 5.6
BPS	0.66	-	4,798	00 0.6	TIGER	0.59	(0.01)	1,492	00 0.5	SECURE	13.50	(0.10)	1,068	00 13.4
CHO	0.05	-	22,775	00 0.0	TITLE	3.98	-	502	00 3.9	SICT	5.85	(0.25)	41,275	00 5.9
CHO-W4	0.02	0.01	172	00 0.0	WELL	-	-	-	00 0.0	SIMAT	2.00	-	24,046	00 1.9
CHOW	2.36	(0.04)	700	00 2.3	YONG	1.49	(0.01)	1,573	00 1.4	SIMAT-W3	0.16	0.01	81	00 0.1
CIG	0.05	-	336	00 0.0	Resources	-	-	-	-	SPVI	2.70	0.02	1,682	00 2.6
CIG-W10	-	-	-	00 0.0	ABM	1.30	(0.05)	1,427	00 1.3	SRS	5.25	-	237	00 5.2
CIG-W9	0.03	-	2,210	00 0.0	ABM-W1	0.06	(0.01)	3,940	00 0.0	TBN	6.15	(0.10)	426	00 6.1
COLOR	1.16	-	55	00 1.1	GTV	0.12	0.01	193,366	00 0.1	TERA	1.55	0.01	2,094	00 1.5
CPR	3.50	0.02	874	00 3.4	PSTC	0.50	(0.01)	44,374	00 0.5	TPS	3.08	0.02	1,435	00 3.0
FPI	1.99	(0.01)	3,722	00 1.9	PSTC-W2	0.02	(0.01)	51,845	00 0.0	VCOM	2.72	(0.04)	2,418	00 2.7
GTB	0.73	(0.01)	579	00 0.7	PSTC-W3	0.21	-	663	00 0.2	-	-	-	-	-
HARN	2.14	0.02	2,381	00 2.1	PTC	1.64	0.01	246	00 1.6	-	-	-	-	-
KCM	0.33	-	280	00 0.3	SAAM	8.85	(0.05)	14,166	00 8.8	-	-	-	-	-
KJL	7.20	(0.10)	694	00 7.2	SR	-	-	-	00 0.0	-	-	-	-	-
KUMWEL	1.72	-	381	00 1.7	STOWER	0.08	-	3,627	00 0.0	-	-	-	-	-
KWM	1.32	0.01	1,903	00 1.3	TAKUNI	0.94	-	30,821	00 0.9	-	-	-	-	-
MBAX	2.90	-	373	00 2.8	TPCH	5.80	-	850	00 5.8	-	-	-	-	-
MGT	2.24	(0.04)	366	00 2.2	UMS	0.76	(0.09)	27	00 0.7	-	-	-	-	-
MTW	1.19	-	10,260	00 1.2	Services	-	-	-	-	-	-	-	-	-
MTW-W1	0.18	0.01	69,498	00 0.1	ADD	4.72	-	233	00 4.6	-	-	-	-	-
NDR	3.38	0.14	41,005	00 3.2	AKP	0.87	0.02	4,487	00 0.8	-	-	-	-	-
PACO	1.50	-	1,892	00 1.4	AMA	4.36	0.02	2,008	00 4.3	-	-	-	-	-
PACO-W1	0.12	(0.02)	12,671	00 0.1	AMARC	1.33	-	801	00 1.3	-	-	-	-	-
PDG	2.68	(0.02)	103	00 2.6	ARIP	0.63	(0.03)	6,904	00 0.6	-	-	-	-	-
PHOL	3.04	(0.06)	2,085	00 3.0	ATP30	0.92	0.01	2,916	00 0.9	-	-			