

## Main Board Quotation

Issue Date :

Monday October 28, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB11C2501A	0.24	(0.02)	5,200	0.24	IVL19C2502A	0.46	0.02	375	0.45
Agribusiness	-	-	-	-	SCB13C2411A	-	-	-	-	IVL19C2502B	0.18	0.01	54,970	0.18
EE	0.16	(0.01)	4,332	0.16	SCB13C2412A	0.13	(0.02)	30,710	0.13	IVL19C2502C	0.19	0.02	7,814	0.19
EE-W1	-	-	-	-	SCB13C2502A	0.29	(0.02)	80,958	0.29	IVL19P2502A	0.16	(0.02)	6,806	0.16
GFPT	11.40	-	16,740	11.36	SCB13P2412A	-	-	-	-	IVL41C2411A	-	-	-	-
LEE	2.50	-	5	2.46	SCB13P2502A	0.21	(0.01)	10,483	0.22	IVL41C2412A	0.06	0.01	100	0.06
NER	4.96	-	21,958	4.98	SCB19C2411A	-	-	-	-	IVL41C2412B	-	-	-	-
NER-W2	0.74	(0.01)	5,887	0.74	SCB19C2412A	0.21	(0.01)	6,016	0.20	IVL41C2502A	0.82	0.03	45	0.81
PCE	2.54	(0.02)	97,646	2.54	SCB19C2502A	0.24	(0.01)	75,690	0.24	IVL41C2502B	0.19	0.02	15,046	0.18
PPPM	1.00	0.02	75,911	1.00	SCB19P2412A	-	-	-	-	NFC	1.85	0.01	108	1.90
PPPM-W6	0.82	(0.03)	6,170	0.86	SCB41C2412A	0.14	(0.01)	37,281	0.14	PATO	8.95	(0.10)	460	8.94
STA	19.80	0.10	137,077	20.00	SCB41C2502A	0.31	-	24,500	0.30	PMTA	8.50	(0.10)	5	8.50
STA01C2411A	-	-	-	-	TCAP	52.00	0.25	13,607	52.03	PTTGC	25.25	1.25	326,423	24.86
STA01C2412A	0.13	-	56,108	0.15	TCAP-P	-	-	-	-	PTTGC01C2411A	-	-	-	-
STA01C2501A	0.16	-	28,374	0.17	TCAP-Q	-	-	-	-	PTTGC01C2412A	-	-	-	-
STA01C2502A	0.05	-	1,000	0.05	TCAP13C2501A	0.15	0.01	30,375	0.14	PTTGC01C2501A	0.04	0.01	306	0.03
STA01C2503A	0.37	0.01	52,574	0.39	TISCO	97.00	-	10,438	97.06	PTTGC01C2501B	0.30	0.11	64,564	0.24
STA01P2502A	0.62	(0.02)	59,464	0.62	TISCO-P	-	-	-	-	PTTGC01C2502A	0.10	0.02	6,702	0.10
STA13C2411A	-	-	-	-	TISCO-Q	-	-	-	-	PTTGC01P2412X	0.23	(0.10)	14,371	0.27
STA13C2412A	0.07	-	5,109	0.08	TISCO01C2501A	0.34	(0.02)	2,104	0.34	PTTGC01P2501A	0.16	(0.06)	62,076	0.19
STA13C2502A	0.05	0.01	7,251	0.05	TISCO13C2502A	0.17	-	90	0.17	PTTGC01P2503A	0.44	(0.08)	25,381	0.49
STA13C2502B	0.27	-	46,863	0.29	TISCO19C2411A	-	-	-	-	PTTGC11C2411A	-	-	-	-
STA13P2502A	0.59	(0.02)	56,813	0.58	TISCO19C2502A	0.41	(0.01)	12,338	0.41	PTTGC11C2412A	-	-	-	-
STA19C2411A	-	-	-	-	TTB	1.78	-	2,148,525	1.79	PTTGC11C2501A	0.22	0.04	21,408	0.19
STA19C2412A	0.13	-	14,195	0.14	TTB-W1	0.84	-	2,230	0.85	PTTGC11C2502A	0.11	0.01	13,000	0.10
STA19C2502A	0.12	-	1,903	0.13	TTB01C2503A	0.11	0.01	559	0.11	PTTGC13C2411A	-	-	-	-
STA19C2502B	0.07	0.02	501	0.06	TTB13C2501A	0.06	-	30,000	0.06	PTTGC13C2412A	-	-	-	-
STA19C2503A	0.30	0.01	10,705	0.31	TTB19C2501A	0.19	(0.01)	22,007	0.20	PTTGC13C2412B	0.01	-	18	0.01
TEGH	3.24	-	35,114	3.26	Construction Ma	-	-	-	-	PTTGC13C2412C	0.12	0.04	22,742	0.10
TFM	8.55	0.10	921	8.46	CCP	0.30	(0.01)	7,452	0.30	PTTGC13C2501A	0.07	0.02	1,544	0.06
TRUBB	1.09	(0.02)	37,137	1.11	DCC	1.78	(0.02)	35,557	1.79	PTTGC13C2502A	0.12	0.03	65,537	0.11
UPOIC	6.50	(0.05)	2	6.50	DCON	0.33	0.01	21,222	0.32	PTTGC13C2503A	0.58	(0.42)	97,161	0.50
UVAN	8.85	0.05	1,883	8.85	DCON-W3	0.01	(0.01)	4,361	0.02	PTTGC13P2412A	-	-	-	-
VPO	0.68	(0.01)	5,978	0.68	DRT	7.90	(0.05)	2,770	7.91	PTTGC13P2502A	0.45	(0.11)	18,314	0.51
Banking	-	-	-	-	EPG	4.76	(0.02)	8,376	4.80	PTTGC13P2502B	0.25	(0.06)	16,650	0.27
BAY	24.90	-	1,280	24.92	GEL	0.12	-	9,306	0.12	PTTGC19C2411A	-	-	-	-
BBL	150.50	2.50	70,031	150.53	GEL-W5	0.01	-	50	0.01	PTTGC19C2412A	-	-	-	-
BBL11C2412A	0.14	0.02	16,822	0.15	PPP	1.77	0.05	110	1.75	PTTGC19C2412B	0.03	0.01	5,000	0.03
BBL11C2501A	0.14	0.02	10,411	0.15	Q-CON	10.20	-	966	10.23	PTTGC19C2501A	0.33	0.11	49,363	0.25
BBL13C2412A	0.20	0.03	60,220	0.20	SCC	204.00	-	17,349	204.73	PTTGC19C2501B	0.11	0.03	100,420	0.10
BBL13C2501A	0.16	0.02	80,375	0.16	SCC01C2412A	-	-	-	-	PTTGC19C2502A	-	-	-	-
BBL13C2503A	0.29	0.02	179,344	0.30	SCC01C2502A	0.20	-	14,023	0.21	PTTGC19P2412A	-	-	-	-
BBL13P2412A	-	-	-	-	SCC01C2503A	0.10	0.01	2,368	0.09	PTTGC19P2503A	0.25	(0.06)	21,380	0.27
BBL13P2501A	0.34	(0.06)	24,778	0.34	SCC01P2503A	0.80	(0.01)	9,739	0.80	PTTGC41C2412A	-	-	-	-
BBL19C2411A	-	-	-	-	SCC13C2501A	0.05	(0.01)	69	0.05	PTTGC41C2412B	-	-	-	-
BBL19C2502A	0.15	0.01	31,257	0.16	SCC13C2501B	0.02	-	2,120	0.02	PTTGC41C2501A	0.27	0.09	116,984	0.23
BBL19C2503A	0.31	0.04	20,615	0.30	SCC13C2502A	0.14	0.01	13,110	0.14	PTTGC41C2502A	0.04	-	2,300	0.04
BBL41C2412A	0.21	0.04	32,403	0.21	SCC13P2501A	-	-	-	-	PTTGC41C2502B	0.08	-	2,250	0.08
BBL41C2502A	0.16	0.02	12,000	0.16	SCC19C2411A	-	-	-	-	PTTGC41P2502A	-	-	-	-
CIMBT	0.53	(0.01)	1,523	0.54	SCC19C2501A	-	-	-	-	SUTHA	3.02	(0.06)	192	3.02
CREDIT	24.10	1.10	11,314	24.28	SCC19C2502A	0.07	-	250	0.07	TPA	-	-	-	-
KBANK	149.00	1.50	38,071	148.59	SCC19C2503A	0.22	(0.01)	65,821	0.23	UAC	3.36	0.02	235	3.36
KBANK01C2412A	0.43	0.04	57	0.43	SCCC	163.00	(3.50)	765	163.24	UP	17.00	-	12	17.00
KBANK01C2501A	0.38	0.02	3,818	0.38	SCGD	7.00	-	2,546	7.02	Commerce	-	-	-	-
KBANK01C2502A	0.16	0.01	21,104	0.16	SCP	6.40	(0.05)	475	6.41	ADVICE	6.55	0.05	86,375	6.52
KBANK01P2412X	-	-	-	-	SKN	5.45	-	522	5.37	B52	0.41	(0.05)	41,188	0.40
KBANK01P2502A	0.27	(0.02)	2,770	0.28	STECH	1.18	0.01	264	1.17	BEAUTY	0.48	0.01	15,442	0.47
KBANK01P2502B	0.55	(0.04)	4,145	0.56	TASCO	18.20	0.30	49,094	18.14	BIG	0.45	-	10,862	0.45
KBANK13C2411A	-	-	-	-	TASCO01C2501/	0.21	0.02	13,318	0.20	BJC	24.00	0.20	30,366	23.91
KBANK13C2412A	0.26	(0.18)	1	0.26	TASCO13C2501/	0.16	0.01	5,825	0.15	BJC01C2412A	-	-	-	-
KBANK13C2501A	0.17	0.01	11,253	0.16	TASCO19C2411/	-	-	-	-	BJC01C2503A	0.11	-	3,599	0.11
KBANK13C2501B	0.11	0.01	501	0.11	TASCO19C2502/	0.24	0.02	6,469	0.24	BJC13C2412A	0.16	(0.01)	6,360	0.16
KBANK13C2503A	0.38	0.02	27,829	0.37	TOA	18.20	-	8,814	18.40	BJC13C2502A	-	-	-	-
KBANK13P2412A	0.01	-	270	0.01	TPPL	1.14	-	29,562	1.14	BJC19C2411A	0.04	(0.03)	1,094	0.04
KBANK13P2501A	-	-	-	-	UMI	0.81	(0.01)	2,956	0.80	BJC19C2502A	0.12	0.01	224	0.12
KBANK13P2501B	0.24	(0.04)	10,840	0.25	VNG	3.40	-	840	3.36	BJC19C2503A	0.36	-	36,835	0.36
KBANK19C2411A	-	-	-	-	WIJK	1.09	(0.01)	1,293	1.09	COM7	26.00	-	35,226	25.91
KBANK19C2501A	0.24	0.01	4,807	0.23	WIJK-W3	0.06	-	26,693	0.06	COM701C2412W	0.42	(0.06)	11,106	0.44
KBANK19C2502A	0.24	0.02	10,006	0.22	WINDOW	1.04	-	3,007	1.03	COM701C2501A	0.12	(0.01)	500	0.12
KBANK19C2502B	0.16	0.02	7,216	0.15	Petrochemicals &	-	-	-	-	COM701P2501A	0.25	-	19,396	0.24
KBANK19P2501A	-	-	-	-	BCT	75.75	0.75	2	75.88	COM713C2411A	-	-	-	-
KBANK19P2502A	-	-	-	-	CMAN	2.12	(0.04)	7,709	2.13	COM713C2412A	-	-	-	-
KBANK41C2501A	0.37	0.03	6,500	0.36	GCC	5.00	(0.05)	829	5.00	COM713C2501A	0.13	-	17,593	0.13
KBANK41C2502A	0.15	-	500	0.15	GGC	4.54	0.06	486	4.50	COM713P2501A	0.21	(0.01)	8,063	0.21
KBANK41C2604T	0.76	0.02	6,366	0.75	GIFT	2.86	0.06	5,978	2.87	COM719C2501A	-	-	-	-
KBANK41P2502A	-	-	-	-	GIFT-W2	1.20	-	1,718	1.19	COM719C2502A	0.17	(0.03)	28,663	0.19
KKP	54.50	0.75	14,307	54.14	IVL	26.00	0.75	254,579	25.77	COM719P2412A	-	-	-	-
KKP-W6	1.56	0.06	14,132	1.60	IVL01C2411W	0.44	0.13	2,313	0.35	COM719P2502A	-	-	-	-
KKP13C2412A	0.26	-	2,380	0.26	IVL01C2412W	0.99	0.12	1,618	0.92	COM741C2412A	-	-	-	-
KKP13C2412B	-	-	-	-	IVL01C2501W	1.58	0.16	2,183	1.45	COM741C2501A	-	-	-	-
KKP13C2501A	-	-	-	-	IVL01C2502A	0.76	0.03	2,749	0.75	COM741C2501B	0.19	-	16,000	0.19
KKP13C2502A	0.37	0.02	18,702	0.36	IVL01C2502B	0.48	0.02	9,513	0.46	CPALL	64.25	(0.25)	118,042	64.26
KKP19C2411A	-	-	-	-	IVL01C2503A	0.16	0.01	23,474	0.16	CPALL01C2412A	0.18	(0.03)	6,793	0.19
KKP19C2501A	0.53	-	305	0.52	IVL01P2501W	-	-	-	-	CPALL01C2501A	0.4			

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Monday October 28, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPW	2.46	0.04	2,377	2.41	HUMAN	11.00	(0.10)	2,025	10.93	DELTA13P2411A	-	-	-	-
CRC	31.00	(0.75)	87,161	31.17	ICN	2.38	(0.02)	1,746	2.40	DELTA13P2412A	0.02	(0.01)	21,823	0.02
CRC01C2412A	-	-	-	-	ILINK	6.15	(0.10)	5,276	6.17	DELTA13P2502A	0.24	0.05	234,558	0.22
CRC01C2501A	0.23	(0.17)	13,432	0.25	INET	4.24	-	45,409	4.26	DELTA13P2502B	0.52	0.10	383,063	0.50
CRC01C2503A	0.12	(0.02)	41,554	0.13	INET-W3	0.11	0.01	82,688	0.13	DELTA19C2411A	-	-	-	-
CRC11C2501A	0.12	-	1,000	0.12	INSET	3.16	0.04	315,107	3.17	DELTA19C2412A	0.52	(0.26)	2,002	0.54
CRC13C2412A	-	-	-	-	INTUCH	104.50	(1.00)	49,900	104.54	DELTA19C2502A	0.68	(0.24)	9,119	0.73
CRC13C2412B	0.12	(0.04)	20,542	0.14	INTUCH01C2412	1.67	(0.10)	5,251	1.69	DELTA19C2503A	0.43	(0.16)	91,862	0.47
CRC13C2502A	0.09	(0.02)	38,311	0.10	INTUCH01C2502	0.27	(0.02)	52,237	0.27	DELTA19P2411A	-	-	-	-
CRC19C2411A	-	-	-	-	INTUCH13C2411	-	-	-	-	DELTA19P2412A	0.02	-	407	0.02
CRC19C2501A	0.20	(0.03)	6,444	0.21	INTUCH13C2412	-	-	-	-	DELTA19P2502A	0.19	0.04	57,160	0.18
CRC19C2502A	0.13	(0.03)	27,959	0.14	INTUCH13C2501	0.78	(0.06)	12	0.78	DELTA19P2503A	0.59	0.10	111,597	0.55
CSS	0.85	-	2,754	0.85	INTUCH13C2502	0.34	(0.03)	52,858	0.35	DELTA41C2411A	2.14	(0.08)	1,500	2.08
DOHOME	9.80	(0.05)	44,072	9.80	INTUCH13C2503	0.20	(0.02)	37,935	0.21	DELTA41C2411B	-	-	-	-
DOHOMEO1C2501A	0.03	-	1,000	0.03	INTUCH13P2411	-	-	-	-	DELTA41C2412A	0.54	(0.27)	854	0.58
DOHOMEO1C2503A	-	-	-	-	INTUCH13P2412	-	-	-	-	DELTA41C2502A	0.48	(0.18)	78,814	0.50
DOHOMEO1C2412A	-	-	-	-	INTUCH13P2502	0.43	0.01	30,126	0.43	DELTA41P2412A	0.02	-	25	0.02
DOHOMEO1C2502A	0.11	(0.01)	110	0.11	INTUCH19C2412	-	-	-	-	DELTA41P2502A	0.50	0.09	8,895	0.49
DOHOMEO1C2501A	-	-	-	-	INTUCH19C2501	0.83	(0.10)	578	0.79	HANA	37.75	(0.75)	61,444	38.11
DOHOMEO1C2502A	-	-	-	-	INTUCH19C2502	0.37	(0.03)	22,126	0.37	HANA01C2411W	0.01	-	859	0.01
DOHOMEO1C2412A	-	-	-	-	INTUCH19C2503	0.24	(0.02)	27,981	0.24	HANA01C2412W	0.01	-	2,035	0.01
DOHOMEO1C2501A	-	-	-	-	ITEL	2.28	0.02	31,147	2.28	HANA01C2501W	0.07	(0.02)	30,262	0.07
FN	1.11	0.01	3,166	1.10	JAS	2.22	(0.06)	544,191	2.23	HANA01C2502A	0.16	(0.02)	49,473	0.18
GLOBAL	15.60	(0.30)	55,820	15.70	JAS-W4	0.26	(0.05)	1,612,448	0.27	HANA01P2411W	-	-	-	-
GLOBAL01C2503A	0.27	(0.01)	13,494	0.27	JAS13C2411A	0.01	-	5	0.01	HANA01P2501W	0.26	0.01	18,430	0.26
GLOBAL11C2501A	0.18	(0.03)	4,080	0.19	JAS13C2412A	0.02	(0.01)	3,595	0.02	HANA06C2412A	0.08	(0.01)	22,120	0.09
GLOBAL13C2501A	0.23	(0.03)	23,598	0.24	JAS13C2502A	0.14	(0.02)	32,702	0.14	HANA13C2411A	-	-	-	-
GLOBAL19C2412A	-	-	-	-	JAS13C2503A	0.29	(0.71)	47,815	0.29	HANA13C2411B	-	-	-	-
HMPRO	9.50	(0.05)	569,514	9.52	JAS19C2411A	-	-	-	-	HANA13C2412A	0.02	(0.01)	50	0.02
HMPRO01C2501A	0.19	-	60,860	0.19	JAS19C2412A	0.03	-	4,155	0.03	HANA13C2412B	0.03	(0.02)	6,578	0.04
HMPRO01C2503A	0.06	(0.01)	180	0.06	JAS19C2501A	0.10	(0.01)	26,807	0.10	HANA13C2502A	0.14	(0.01)	2,831	0.15
HMPRO11C2412A	-	-	-	-	JAS19C2503A	0.23	(0.03)	28,622	0.24	HANA13C2503A	0.27	(0.03)	57,263	0.29
HMPRO11C2412B	0.05	(0.02)	16	0.05	JMART	15.50	0.10	32,850	15.41	HANA13P2411A	-	-	-	-
HMPRO11C2502A	-	-	-	-	JMART-W5	0.66	(0.06)	473	0.67	HANA13P2502A	0.50	-	30,009	0.48
HMPRO13C2411A	-	-	-	-	JMART01C2411	0.13	0.01	29,007	0.12	HANA19C2411A	-	-	-	-
HMPRO13C2501A	0.28	(0.02)	41,459	0.29	JMART01C2501	0.25	-	21,219	0.25	HANA19C2501A	-	-	-	-
HMPRO13C2501B	0.04	(0.01)	14,175	0.04	JMART13C2412	0.61	0.04	4	0.60	HANA19C2501B	0.12	(0.02)	4,415	0.13
HMPRO19C2501A	0.34	(0.06)	3,164	0.39	JMART13C2501	0.44	0.02	18,979	0.43	HANA19C2503A	0.29	(0.71)	27,592	0.29
HMPRO19C2501B	0.09	-	41,071	0.10	JMART13C2501E	0.17	(0.01)	14,681	0.17	HANA19P2411A	-	-	-	-
HMPRO19C2502A	-	-	-	-	JMART19C2412	0.35	-	22,943	0.34	HANA41C2411A	-	-	-	-
ICC	34.00	0.75	128	33.50	JMART19C2501	-	-	-	-	HANA41C2501A	0.08	(0.01)	1,000	0.08
ILM	17.70	-	1,100	17.67	JMART19C2501E	-	-	-	-	HANA41C2502A	0.22	(0.78)	4,415	0.23
IT	4.96	0.02	374	4.92	JMART19C2501C	0.18	-	15,774	0.18	KCE	36.00	(0.75)	57,071	36.01
KAMART	11.90	(0.10)	19,291	11.91	JMART19C2503	0.37	(0.01)	75,495	0.37	KCE01C2412W	-	-	-	-
LOXLEY	1.41	-	520	1.41	JMART19P2411	0.02	0.01	188	0.01	KCE01C2501W	0.07	(0.02)	60	0.09
MC	12.80	(0.10)	11,190	12.83	JMART41C2412	0.38	-	6,000	0.37	KCE01C2503A	0.20	(0.03)	20,459	0.20
MEGA	38.25	(0.75)	4,803	38.65	JMART41C2501	0.25	-	26,800	0.25	KCE01P2412W	-	-	-	-
MEGA13C2502A	0.17	(0.02)	4,477	0.18	JTS	68.00	1.00	5,302	67.45	KCE01P2501W	0.27	0.02	24,480	0.27
MEGA19C2502A	0.21	(0.02)	220	0.21	MPEC	6.10	(0.10)	1,049	6.08	KCE11C2501A	-	-	-	-
MIDA	0.42	(0.01)	2,369	0.43	MSC	9.15	0.05	433	9.07	KCE13C2411A	-	-	-	-
MOSHI	46.00	(1.50)	4,345	46.54	PT	8.55	(0.05)	1,120	9.50	KCE13C2412A	-	-	-	-
RS	6.10	(0.20)	11,417	6.13	ROCTEC	0.99	-	104,117	0.99	KCE13C2412B	-	-	-	-
RS-W5	4.90	-	1,527	4.92	ROCTEC-W3	0.02	(0.01)	2,308	0.02	KCE13C2501A	0.11	(0.02)	11,233	0.11
RSP	1.95	(0.01)	171	1.94	ROCTEC-W5	0.05	-	246,660	0.06	KCE13C2503A	0.21	(0.03)	13,954	0.21
SABUY	0.74	0.01	107,982	0.74	SAMART	7.25	0.05	12,003	7.21	KCE13P2412A	0.27	0.02	18,941	0.27
SCM	3.66	(0.04)	3,330	3.68	SAMTEL	6.05	(0.05)	1,677	6.01	KCE13P2501A	0.20	0.01	26,767	0.21
SCM-W2	1.22	0.01	427	1.22	SDC	0.04	0.01	54,547	0.03	KCE19C2411A	0.01	-	400	0.01
SINGER	10.90	-	25,860	10.86	SIS	25.00	(0.50)	5,009	25.14	KCE19C2412A	-	-	-	-
SPC	58.50	0.25	23	58.49	SKY	23.50	(0.10)	4,677	23.53	KCE19C2501A	0.10	(0.01)	6,594	0.11
SPI	65.50	(0.25)	1	65.50	SPREME	2.04	0.08	132,112	2.01	KCE19C2503A	0.21	(0.03)	8,756	0.21
SVT	1.78	(0.02)	3,598	1.79	SVOA	1.65	-	542	1.65	KCE19P2412A	-	-	-	-
TAN	8.35	0.35	9,342	8.25	SYMC	8.70	0.25	15,889	8.66	KCE19P2501A	0.22	0.01	9,947	0.22
Information & Comm	-	-	-	-	SYNEX	15.60	(0.50)	18,806	15.76	KCE41C2411A	-	-	-	-
3BBIF	6.20	(0.05)	44,017	6.18	THCOM	14.80	(0.20)	145,865	14.79	KCE41C2501A	-	-	-	-
ADVANC	271.00	(3.00)	64,898	272.24	TKK	14.00	(0.20)	121	14.04	KCE41C2502A	0.17	(0.83)	4,500	0.18
ADVANC01C2412A	0.50	(0.06)	6,120	0.54	TRUE	11.90	(0.20)	1,560,187	12.06	METCO	192.50	0.50	5	193.30
ADVANC01C2501A	0.34	(0.05)	57,185	0.37	TRUE01C2501A	0.23	(0.01)	78,041	0.27	SMT	1.83	(0.02)	27,844	1.82
ADVANC01C2503A	0.31	(0.02)	40,787	0.31	TRUE01P2412W	-	-	-	-	SVI	7.90	0.15	15,829	7.81
ADVANC01C2503B	0.33	(0.03)	36,460	0.35	TRUE11C2411A	-	-	-	-	TEAM	3.82	-	1,833	3.82
ADVANC01P2412X	0.02	0.01	151	0.01	TRUE11C2501A	0.27	-	6,430	0.28	Energy & Utilities	-	-	-	-
ADVANC01P2502X	0.18	0.01	25,331	0.17	TRUE11C2501B	0.18	0.01	4,000	0.18	ACC	1.13	0.03	223,900	1.13
ADVANC06C2411A	-	-	-	-	TRUE13C2412A	-	-	-	-	ACC-W2	0.85	(0.01)	46,567	0.86
ADVANC11C2412A	0.39	(0.04)	7,200	0.41	TRUE13C2412B	0.16	(0.03)	63,260	0.18	ACE	1.32	-	6,129	1.32
ADVANC13C2412A	-	-	-	-	TRUE13C2503A	0.20	(0.02)	95,340	0.21	AE	0.24	(0.01)	48,072	0.24
ADVANC13C2412B	0.24	(0.08)	4	0.26	TRUE13P2412A	-	-	-	-	AGE	1.32	0.01	5,670	1.32
ADVANC13C2501A	0.18	(0.03)	102,795	0.19	TRUE13P2503A	0.25	-	33,252	0.25	AI	3.94	0.02	1,096	3.90
ADVANC13C2502A	0.12	(0.02)	36,737	0.12	TRUE19C2501A									

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Monday October 28, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANPU19P2411A	-	-	-	-	EA41C2412A	-	-	-	-	PTT11C2501A	0.12	(0.01)	4,302	0.12
BANPU41C2411A	-	-	-	-	EASTW	3.00	0.04	1,227	2.99	PTT13C2412A	0.08	-	27,065	0.08
BANPU41C2501A	0.33	0.01	2,009	0.34	EGATIF	6.05	-	2,681	6.05	PTT13P2501A	0.08	(0.02)	17,650	0.08
BANPU41C2502A	0.13	-	28,000	0.13	EGCO	120.00	(1.50)	3,219	120.61	PTT19C2411A	-	-	-	-
BBG1	6.15	(0.50)	56,900	6.16	EGCO13C2412A	-	-	-	-	PTT19C2502A	0.17	0.02	7,822	0.16
BCP	33.00	(0.25)	80,890	33.20	EGCO13C2502A	0.27	(0.02)	13,492	0.28	PTT41C2412A	0.06	(0.01)	100	0.06
BCP01C2412A	0.02	0.01	10,000	0.02	EGCO19C2412A	0.30	(0.01)	3,725	0.30	PTT41C2502A	0.15	0.03	7,200	0.14
BCP01C2501A	0.14	0.01	60,174	0.14	EGCO19C2502A	0.27	(0.01)	5,296	0.28	PTTPE	125.00	(1.00)	140,152	125.96
BCP01C2502A	0.07	-	1,855	0.07	EP	2.02	0.08	14,708	2.15	PTTEP01C2412A	-	-	-	-
BCP01P2502A	0.35	-	27,089	0.35	EP-W4	0.04	-	28,510	0.03	PTTEP01C2502A	0.11	-	21,984	0.10
BCP11C2501A	-	-	-	-	ETC	2.02	(0.02)	6,758	2.02	PTTEP01C2503A	0.20	-	93,422	0.21
BCP13C2411A	-	-	-	-	GPSC	44.25	0.75	61,634	43.96	PTTEP01P2412X	0.42	(0.01)	1,596	0.42
BCP13C2412A	0.06	-	1,730	0.06	GPSCO1C2411A	-	-	-	-	PTTEP01P2503A	0.70	0.02	74,433	0.69
BCP13C2501A	0.06	-	78,101	0.05	GPSCO1C2412A	0.19	0.03	7,720	0.17	PTTEP06C2501A	0.08	0.01	101	0.08
BCP13C2503A	0.20	(0.01)	30,563	0.20	GPSCO1C2501A	0.42	0.03	5,413	0.40	PTTEP11C2411A	-	-	-	-
BCP13P2501A	0.27	-	29,422	0.26	GPSCO1C2502A	0.17	0.02	43,838	0.16	PTTEP11C2501A	0.07	-	500	0.07
BCP19C2411A	-	-	-	-	GPSCO1P2411X	-	-	-	-	PTTEP11C2501B	0.10	(0.01)	1,000	0.11
BCP19C2412A	0.08	-	6,200	0.09	GPSCO1P2502A	0.22	(0.01)	10,848	0.22	PTTEP13C2412A	0.01	-	300	0.01
BCP19C2501A	-	-	-	-	GPSC11C2411A	0.17	(0.32)	2,000	0.17	PTTEP13C2501A	0.04	-	24,679	0.04
BCP19C2503A	0.24	(0.76)	55,232	0.25	GPSC11C2501A	0.14	0.01	4,500	0.13	PTTEP13C2502A	0.10	(0.01)	13,178	0.10
BCP41C2502A	-	-	-	-	GPSC11C2411A	0.01	(0.02)	500	0.01	PTTEP13C2503A	0.21	(0.01)	30,454	0.23
BCPG	6.90	0.20	31,830	6.81	GPSC13C2412A	0.16	0.01	12,486	0.16	PTTEP13P2502A	0.56	-	73,857	0.55
BCPG01C2502A	0.14	0.02	14,443	0.13	GPSC13C2501A	0.34	0.01	3	0.33	PTTEP19C2411A	-	-	-	-
BCPG13C2411A	-	-	-	-	GPSC13C2501B	0.14	0.01	19,961	0.13	PTTEP19C2412A	-	-	-	-
BCPG13C2501A	0.19	0.03	21,840	0.17	GPSC13C2503A	0.30	0.02	23,966	0.29	PTTEP19C2502A	0.12	-	10,603	0.12
BCPG13C2502A	0.12	0.01	16,874	0.12	GPSC13P2411A	-	-	-	-	PTTEP19C2503A	0.23	(0.02)	37,269	0.24
BCPG19C2411A	-	-	-	-	GPSC13P2501A	0.25	(0.03)	11,235	0.26	PTTEP41C2412A	0.02	-	1	0.02
BCPG19C2503A	0.22	0.01	21,822	0.22	GPSC19C2411A	-	-	-	-	PTTEP41C2502A	0.13	(0.01)	22,650	0.14
BGRIM	22.30	(0.20)	155,355	22.28	GPSC19C2411B	-	-	-	-	PTTEP41C2604T	0.23	-	2,895	0.23
BGRIM01C2411A	-	-	-	-	GPSC19C2501A	0.34	0.02	9,352	0.33	PTTEP41P2412A	0.43	0.04	9,000	0.42
BGRIM01C2411B	-	-	-	-	GPSC19C2502A	0.19	0.01	13,288	0.18	RATCH	32.25	(0.50)	10,116	32.41
BGRIM01C2501A	0.33	(0.03)	25,435	0.34	GPSC19P2411A	-	-	-	-	RATCH01C2503A	0.21	(0.01)	5,213	0.22
BGRIM01C2502A	0.23	(0.03)	47,295	0.23	GPSC41C2411A	-	-	-	-	RATCH13C2412A	-	-	-	-
BGRIM01C2503A	-	-	-	-	GPSC41C2412A	0.21	0.02	17,000	0.20	RATCH13C2501A	0.18	(0.01)	464	0.19
BGRIM01P2411X	-	-	-	-	GPSC41C2502A	0.14	0.01	13,828	0.14	RATCH19C2412A	0.17	(0.01)	1,804	0.18
BGRIM11C2410A	-	-	-	-	GREEN	1.07	0.01	2,152	1.07	RATCH19C2502A	0.17	(0.01)	2,450	0.18
BGRIM11C2410B	-	-	-	-	GULF	65.25	(0.50)	242,173	65.19	RPC	0.49	(0.01)	4,580	0.50
BGRIM11C2412A	0.27	(0.03)	3,200	0.29	GULF01C2411A	-	-	-	-	SCG	3.66	0.08	88	3.60
BGRIM11C2501A	-	-	-	-	GULF01C2412A	1.11	(0.03)	2,851	1.09	SCN	1.06	(0.04)	170,669	1.08
BGRIM13C2411A	0.01	-	221	0.01	GULF01C2502A	0.64	(0.04)	9,892	0.66	SCN-W2	0.14	(0.01)	32,375	0.15
BGRIM13C2412A	0.18	(0.02)	45,907	0.18	GULF01C2502B	0.44	(0.04)	30,688	0.45	SCN-W3	0.01	(0.01)	1,126,476	0.01
BGRIM13C2502A	0.21	(0.01)	122,771	0.21	GULF01C2503A	0.29	(0.02)	157,887	0.30	SEAOL	2.60	0.02	640	2.58
BGRIM13P2411A	-	-	-	-	GULF01P2411X	-	-	-	-	SGP	7.20	0.05	826	7.21
BGRIM19C2411A	-	-	-	-	GULF01P2501A	0.03	-	1,012	0.03	SKE	0.36	0.01	3,024	0.35
BGRIM19C2411B	0.01	(0.03)	200	0.01	GULF11C2410A	-	-	-	-	SKE-W1	0.07	-	8,258	0.07
BGRIM19C2501A	0.36	(0.03)	70,137	0.36	GULF13C2411A	-	-	-	-	SOLAR	0.52	-	4,957	0.52
BGRIM19C2502A	0.24	(0.02)	20,153	0.25	GULF13C2412A	-	-	-	-	SPCG	8.80	-	2,156	8.81
BGRIM19P2411A	-	-	-	-	GULF13C2412B	-	-	-	-	SPRC	6.65	0.10	152,928	6.63
BGRIM41C2411A	-	-	-	-	GULF13C2501A	0.53	(0.04)	8,781	0.53	SPRC01C2502A	0.17	0.02	59,003	0.17
BGRIM41C2412A	0.03	-	2,600	0.03	GULF13C2502A	0.39	(0.03)	233,566	0.39	SPRC13C2412A	-	-	-	-
BGRIM41C2502A	0.25	(0.75)	48,100	0.25	GULF13C2502B	0.25	(0.02)	111,499	0.25	SPRC13C2501A	0.08	-	565	0.08
BIOTEC	0.33	-	16,298	0.32	GULF13P2411A	-	-	-	-	SPRC13C2503A	0.19	0.01	38,486	0.19
BIOTEC-P	-	-	-	-	GULF13P2412A	-	-	-	-	SPRC19C2501A	-	-	-	-
BIOTEC-Q	-	-	-	-	GULF13P2501A	-	-	-	-	SPRC19C2503A	0.21	-	80,109	0.22
BIOTEC-W2	0.08	-	19,244	0.07	GULF13P2502A	0.10	0.01	30,246	0.10	SSP	5.85	0.05	3,802	5.82
BPP	12.40	(0.10)	896	12.40	GULF13P2502B	0.34	-	105,064	0.35	SSP-W2	0.14	0.01	4,267	0.14
BRRGIF	3.70	(0.04)	1,384	3.68	GULF19C2411A	-	-	-	-	SUPER	0.28	(0.01)	25,878	0.28
BSRC	7.15	0.05	26,801	7.12	GULF19C2412A	-	-	-	-	SUPEREIF	6.80	(0.15)	1,967	6.83
CKP	3.64	0.02	53,052	3.64	GULF19C2501A	-	-	-	-	SUSCO	3.16	(0.04)	23,243	3.16
CKP13C2412A	0.02	-	800	0.02	GULF19C2502A	-	-	-	-	TAE	0.88	(0.01)	1,220	0.88
CKP13C2501A	0.12	-	12,265	0.12	GULF19C2503A	0.47	(0.03)	25,674	0.47	TCC	0.50	0.01	1,306	0.50
CKP19C2411A	-	-	-	-	GULF19C2503B	0.33	-	60,393	0.32	TCC-W5	0.19	(0.01)	2	0.19
CKP19C2502A	0.22	(0.01)	6,040	0.22	GULF19P2411A	-	-	-	-	TGE	2.60	(0.08)	6,002	2.62
CV	0.26	-	82,598	0.26	GULF19P2501A	-	-	-	-	TGE-W1	1.53	(0.01)	211	1.51
CV-W1	0.18	-	9,905	0.18	GULF19P2503A	0.38	0.01	55,265	0.38	TOP	41.50	(2.50)	336,620	42.23
DEMCO	3.42	-	1,396	3.44	GULF41C2502A	0.88	-	2,000	0.89	TOP01C2412A	-	-	-	-
DEMCO-W7	0.04	0.01	55,369	0.04	GULF41C2502B	0.61	(0.03)	11,698	0.61	TOP01C2503A	0.09	(0.04)	78,758	0.11
EA	7.65	(0.15)	757,212	7.63	GULF41C2605T	0.83	(0.01)	67,359	0.83	TOP11C2412A	-	-	-	-
EA01C2411W	0.01	(0.01)	10,040	0.01	GUNKUL	2.76	-	106,546	2.72	TOP11C2501A	0.04	(0.05)	2	0.04
EA01C2412A	0.02	-	3,011	0.02	GUNKUL13C241	-	-	-	-	TOP11C2502A	-	-	-	-
EA01C2412W	0.02	0.01	6,589	0.01	GUNKUL13C2411	-	-	-	-	TOP13C2412A	0.02	0.01	1	0.02
EA01P2411A	0.20	(0.02)	230	0.23	GUNKUL13C250	0.23	(0.01)	12,222	0.22	TOP13C2502A	0.06	(0.03)	43,249	0.07
EA01P2411W	-	-	-	-	GUNKUL19C241	0.14	(0.01)	13,698	0.13	TOP13C2503A	0.14	(0.06)	101,526	0.15
EA06C2412A	0.36	(0.02)	140,510	0.35	IRPC	1.51	0.02	337,417	1.51	TOP13P2503A	0.37	(0.63)	43,055	0.35
EA13C2411A	-	-	-	-	IRPC01C2502A	0.14	0.01	25,960	0.13	TOP19C2412A	-	-	-	-
EA13C2411B	-	-	-	-	IRPC13C2412A	-	-	-	-	TOP19C2502A	0.07	(0.02)	8,899	0.07
EA13C2411C	-	-	-	-	IRPC13C2501A	0.08	0.02	1,501	0.07	TOP19C2503A	0.13	(0.06)	14,516	0.15
EA13C2411D	0.01	-	3	0.01	IRPC13C2502A	0.18	-	28,191	0.18	TOP41C2412A	-	-	-	-
EA13C2411E	0.01	-	62	0.01	IRPC19C2501A	0.15	0.01	11,163	0.15	TOP41C2502A	0.07	(0.04)	2,903	0.08
EA13C2412A	0.15	(0.02)	95,389	0.15	IRPC19C2502A	0.14	0.01	4,603	0.14	TPIPP	3.00	0.02	19,269	3.00
EA13C2412B	0.32	(0.06)	65,847	0.32	KBSPIF	7.80	(0.05)	2,689	7.80	TSE	1.00	-	7,928	1.01
EA13C2412C	0.91	(0.06)	273	0.90	LANNA	16.10	0.10	1,776	16.10	TTW	9.00	-	29,203	9.02
EA13C2412D	0.26	(0.04)	144,384	0.25	MDX	3.90	(0.06)	6,396	3.92	UBE	0.80	-	12,927	0.80
EA13C2412E	0.11	(0.01)	52,163	0.10	NOVA	-	-	-	-	WHAUP	5.30	(0.05)	59,842	5.29
EA13C2501A	0.75	(0.05)	100	0.75	OR	15.90	0.10	97,813	15.95	WP	3.66	-	104	3.63
EA13C2501B	0.09	-	76,639	0.09	OR01C2412A	0.04	0.01	4,005	0.03	Media & Publishing	-	-	-	-
EA13C2501C														

## Main Board Quotation

Issue Date :

Monday October 28, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PLANB-W1	0.12	0.01	38,399	0.11	MTG	52.25	(1.25)	55,365	52.47	CPF	24.70	(0.55)	201,563	24.87
PLANB13C2412A	0.04	(0.02)	60	0.04	MTG01C2411W	0.09	(0.04)	4,167	0.11	CPF01C2412A	0.12	(0.04)	964	0.12
PLANB19C2412A	0.06	(0.02)	3,303	0.06	MTG01C2412A	0.52	(0.09)	6,715	0.54	CPF01C2501A	0.03	(0.01)	3	0.03
PRAKIT	11.10	-	49	11.02	MTG01C2502A	0.28	(0.05)	42,771	0.29	CPF01C2502A	-	-	-	-
PTTECH	1.79	-	21	1.79	MTG01P2411W	-	-	-	-	CPF01C2503A	0.12	(0.02)	12,562	0.12
SE-ED	2.12	0.06	205	2.05	MTG01P2502A	0.30	0.02	20,561	0.29	CPF13C2412A	0.05	(0.03)	300	0.06
TKS	7.05	-	1,127	7.03	MTC13C2411A	-	-	-	-	CPF13C2501A	0.06	(0.02)	100	0.07
VGI	2.80	0.10	1,303,707	2.77	MTC13C2412A	-	-	-	-	CPF13C2502A	0.34	(0.08)	4,044	0.34
VGI-W3	0.09	-	13,308	0.09	MTC13C2502A	0.33	(0.05)	82,461	0.34	CPF19C2501A	0.09	(0.01)	609	0.09
VGI01C2411A	-	-	-	-	MTC13P2412A	-	-	-	-	CPF19C2502A	0.36	(0.13)	500	0.36
VGI01C2501A	1.71	0.18	5,403	1.65	MTC13P2502A	0.25	0.01	5,452	0.25	CPI	3.12	(0.08)	4,290	3.14
VGI01C2501B	0.45	0.06	18,085	0.43	MTC19C2411A	-	-	-	-	F&D	42.75	(0.50)	4	42.19
VGI01C2502A	0.27	0.04	122,231	0.26	MTC19C2412A	-	-	-	-	FM	4.18	(0.04)	42,239	4.21
VGI01P2411X	-	-	-	-	MTC19C2502A	0.35	(0.06)	29,266	0.37	GLOCON	0.20	(0.01)	84,606	0.20
VGI01P2412X	-	-	-	-	MTC19P2501A	-	-	-	-	HTC	17.00	-	5,423	17.16
VGI01P2501X	0.07	(0.02)	301	0.07	MTC41C2411A	-	-	-	-	ICHI	15.40	(0.10)	87,157	15.35
VGI13C2411A	-	-	-	-	MTC41C2412A	0.67	(0.06)	500	0.67	ICHI01C2503A	0.23	(0.02)	25,376	0.23
VGI13C2411B	-	-	-	-	MTC41C2502A	0.34	(0.04)	23,300	0.34	ICHI13C2501A	0.16	(0.01)	31,082	0.15
VGI13C2412A	-	-	-	-	NCAP	2.02	(0.02)	54,422	2.02	ITC	25.00	0.10	50,211	25.22
VGI13C2501A	-	-	-	-	PL	1.79	0.02	169	1.78	ITC01C2412A	0.12	0.01	26,309	0.13
VGI13C2501B	0.29	0.04	193,120	0.28	S11	2.70	0.06	532	2.70	ITC01C2501A	0.63	0.03	5,313	0.65
VGI13P2411A	0.01	-	41	0.01	SAK	5.45	(0.05)	107,829	5.65	ITC01C2503A	0.14	0.01	19,266	0.14
VGI13P2412A	-	-	-	-	SAWAD	43.50	(0.25)	51,695	43.65	ITC1C2501A	-	-	-	-
VGI13P2501A	0.21	(0.02)	1,006	0.22	SAWAD-W2	0.57	(0.03)	19,252	0.60	ITC1C2501B	-	-	-	-
VGI19C2411A	-	-	-	-	SAWAD01C2411	0.10	-	46,752	0.11	ITC13C2501A	0.49	-	4,995	0.52
VGI19C2501A	0.42	0.05	38,053	0.40	SAWAD01C2501	1.01	0.02	7,488	1.00	ITC13C2502A	0.15	-	246,224	0.16
VGI19C2502A	0.28	0.03	75,711	0.27	SAWAD01C2501	0.53	0.02	7,382	0.52	ITC19C2501A	0.59	-	280	0.63
VGI19P2501A	-	-	-	-	SAWAD01C2502	0.26	(0.01)	78,820	0.27	ITC19C2503A	0.18	-	12,454	0.19
VGI41C2411A	-	-	-	-	SAWAD01P2501	0.03	(0.01)	40	0.03	JDF	2.02	0.02	405	2.00
VGI41C2412A	1.95	0.16	1	1.95	SAWAD01P2502	0.14	-	34,564	0.14	KBS	6.15	0.10	8,308	6.20
VGI41C2412B	-	-	-	-	SAWAD13C2411	-	-	-	-	KCG	9.85	0.10	9,252	9.84
VGI41C2501A	0.50	0.05	12,348	0.49	SAWAD13C2412	-	-	-	-	KSL	2.04	(0.02)	3,475	2.06
VGI41C2502A	0.25	0.02	63,280	0.25	SAWAD13C2412	0.81	0.06	20	0.81	KTIS	2.94	-	157	2.93
WORK	8.65	(0.05)	1,805	8.67	SAWAD13C2501	0.24	(0.01)	105,925	0.25	LST	4.86	0.02	2,056	4.87
ZAA	0.89	0.05	558	0.88	SAWAD13P2411	-	-	-	-	M	27.50	0.25	2,427	27.38
Finance & Securities					SAWAD13P2501	-	-	-	-	MALEE	11.90	0.20	58,273	11.84
AEONTS	137.00	3.50	4,042	138.00	SAWAD19C2411	-	-	-	-	NRF	1.74	(0.01)	29,804	1.73
AEONTS13C2412A	0.31	0.05	3,085	0.33	SAWAD19C2412	-	-	-	-	NSL	33.00	0.25	3,141	32.80
AMANAHA	1.34	-	2,444	1.34	SAWAD19C2501	-	-	-	-	OKJ	13.10	(0.30)	23,279	13.13
ASAP	2.28	(0.12)	1,058	2.30	SAWAD19C2502	0.32	(0.01)	67,139	0.32	OSP	20.40	-	114,301	20.50
ASK	12.40	0.30	2,324	12.28	SAWAD19P2501	-	-	-	-	OSP01C2412A	-	-	-	-
ASP	2.50	-	5,085	2.52	SAWAD41C2411	-	-	-	-	OSP01C2503A	0.13	(0.01)	37,301	0.14
BAM	9.05	0.05	87,938	9.07	SAWAD41C2411	-	-	-	-	OSP11C2501A	0.13	(0.04)	230	0.13
BAM01C2411A	0.02	-	11,200	0.01	SAWAD41C2501	-	-	-	-	OSP13C2412A	-	-	-	-
BAM01C2501A	0.39	0.02	8,847	0.37	SAWAD41C2502	0.39	(0.01)	46,130	0.40	OSP13C2412B	-	-	-	-
BAM01C2502A	0.24	-	59,975	0.25	SAWAD41C2502	0.21	(0.01)	87,558	0.22	OSP13C2501A	0.11	-	8,085	0.11
BAM13C2412A	-	-	-	-	SCAP	2.18	-	20,401	2.18	OSP13C2503A	0.27	(0.01)	23,751	0.28
BAM13C2501A	0.16	-	29,329	0.16	SGC	1.46	(0.01)	241,220	1.46	OSP19C2412A	-	-	-	-
BAM19C2412A	0.29	0.01	38,910	0.28	SGC-W1	0.41	(0.02)	38,564	0.41	OSP19C2502A	0.11	(0.01)	46,594	0.12
BAM19C2502A	0.23	0.01	34,738	0.23	SGC-W2	0.51	(0.03)	54,588	0.52	OSP19C2503A	0.28	(0.02)	42,897	0.29
BYD	1.22	-	131,052	1.19	SM	1.15	-	2,823	1.14	PB	-	-	-	-
BYD13C2411A	-	-	-	-	TH	0.96	-	22,114	0.96	PLUS	5.65	(0.30)	28,964	5.73
BYD13C2412A	-	-	-	-	TH-W3	0.21	-	5,513	0.21	PM	8.60	-	4,090	8.54
BYD13C2412B	0.02	-	6,895	0.01	THANI	2.08	-	56,620	2.08	PQS	2.52	(0.04)	1,196	2.53
BYD19C2501A	0.05	(0.01)	10,984	0.05	TIDLOR	17.60	0.40	160,409	17.45	PRG	9.05	0.05	1	9.05
CGH	0.69	-	58,430	0.68	TIDLOR13C2411	-	-	-	-	PRG-W1	-	-	-	-
CGH-W5	-	-	-	-	TIDLOR13C2411	-	-	-	-	PRG-W2	-	-	-	-
CHASE	1.33	(0.04)	23,571	1.34	TIDLOR13C2412	0.14	0.01	66,904	0.14	PRG-W3	-	-	-	-
CHASE-W1	0.97	-	1,724	0.97	TIDLOR13C2501	0.11	0.01	35,776	0.10	PRG-W4	-	-	-	-
CHAYO	3.44	(0.12)	16,890	3.48	TIDLOR19C2411	-	-	-	-	RBF	5.70	-	12,758	5.68
CHAYO-W3	0.17	(0.01)	2,279	0.17	TIDLOR19C2501	0.50	0.04	8,235	0.47	RBF01C2501W	0.14	-	9,911	0.15
ECL	1.06	0.04	51,605	1.05	TIDLOR19C2501	0.24	0.03	112,986	0.22	RBF13C2412A	0.07	-	5,200	0.07
FNS	2.46	(0.06)	535	2.46	TK	4.94	(0.02)	357	4.95	RBF13C2501A	-	-	-	-
FSX	2.60	(0.06)	316	2.65	TNITY	3.68	(0.02)	1,423	3.66	RBF19C2501A	0.13	(0.01)	1,419	0.13
GBX	0.74	(0.02)	280	0.75	TNL	-	-	-	-	SAPPE	66.00	0.25	4,950	66.45
GL	-	-	-	-	UOBKH	5.00	(0.12)	30	4.92	SAPPE01C2502A	0.34	0.01	18,220	0.34
HENG	1.44	(0.04)	27,143	1.45	XPG	0.95	-	104,493	0.95	SAPPE13C2411A	-	-	-	-
IFS	2.52	-	66	2.51	Food & Beverag	-	-	-	-	SAPPE13C2501A	0.08	-	491	0.08
JMT	20.00	0.20	157,201	20.05	AAI	6.55	(0.10)	105,103	6.58	SAPPE13C2501B	0.18	-	19,418	0.18
JMT-W4	0.13	-	30,110	0.12	APURE	4.38	0.20	1,999	4.21	SAPPE13C2502A	0.43	0.01	37,015	0.43
JMT01C2411W	0.28	0.03	3,149	0.26	APURE-W3	-	-	-	-	SAPPE19C2501A	0.23	0.01	8,268	0.23
JMT01C2412A	1.68	0.04	1,965	1.67	ASIAN	9.25	0.05	29,377	9.17	SAPPE19C2502A	0.47	0.01	18,139	0.48
JMT01C2412W	1.04	0.04	5,779	1.03	BR	1.88	(0.01)	12,773	1.88	SAUCE	39.75	0.25	29	39.74
JMT01C2501A	0.55	0.01	9,938	0.56	BR-W1	0.09	-	5,802	0.09	SNNP	12.90	0.10	18,332	12.98
JMT01C2502A	0.45	0.01	43,392	0.46	BRR	4.46	(0.04)	1,434	4.47	SNNP13C2412A	0.04	0.02	600	0.03
JMT13C2412A	-	-	-	-	BRR-W2	0.37	-	372	0.37	SNNP19C2501A	0.10	-	10,963	0.11
JMT13C2412B	-	-	-	-	BTG	21.60	(0.10)	7,759	21.63	SNP	12.50	0.10	684	12.50
JMT13C2501A	0.63	0.03	556	0.64	CBG	79.25	0.75	11,803	78.88	SORKON	4.40	0.04	56	4.40
JMT13C2501B	0.37	0.01	71,255	0.37	CBG01C2412W	0.33	0.03	33,927	0.31	SSC	63.00	-	204	63.00
JMT13C2502A	0.30	-	96,816	0.31	CBG01C2501W	-	-	-	-	SSF	6.90	(0.05)	130	6.89
JMT19C2411A	-	-	-	-	CBG01C2502W	0.58	0.04	8,139	0.56	SST	4.90	-	9	4.89
JMT19C2411B	-	-	-	-	CBG01C2503A	0.47	0.03	10,817	0.45	SUN	3.92	(0.04)	6,322	3.92
JMT19C2412A	-	-	-	-	CBG01P2412W	-	-	-	-	TC	8.30	0.15	2,829	8.26
JMT19C2501A	0.59	0.02	28,856	0.58	CBG01P2502X	0.33	(0.02)	2,188	0.35	TFG	4.14	(0.06)	21,678	4.17
JMT19C2503A	0.39	0.02	97,020	0.38	CBG06C2411A	0.24	0.02	61,460	0.22	TFG-W4	0.84	(0.01)	349	0.84
JMT41C2411A	-	-	-	-	CBG13C2411A	-	-	-	-	TFMAMA	202.00	-	23	201.04
JMT41C2412A	0.29	0.01	48,234	0.30	CBG13C2412A	-	-	-	-	TIPCO	9.80	-	799	9.84
JMT41C2501A	0.62	0.02	4,603	0.63	CBG13C2501A	0.40	-	54,015	0.39	TKN	10.60	(0.30)	103,644	10.66
KCAR	4.86	(0.02)	571	4.86	CBG13P2412A	-	-	-	-	TKN01C2501A	0.11	(0		

## Main Board Quotation

Issue Date :

Monday October 28, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
W-W6	-	-	-	-	MINT13C2412A	-	-	-	-	SPACK	1.82	(0.01)	418	1.81
ZEN	7.65	0.05	263	7.62	MINT13C2412B	0.07	(0.01)	21,116	0.08	TCOAT	-	-	-	-
Health Care Services	-	-	-	-	MINT19C2411A	-	-	-	-	TFI	0.08	-	5,792	0.08
AHC	15.70	(0.20)	62	15.71	MINT19C2501A	0.12	(0.02)	7,148	0.13	TFI-W1	0.03	-	102	0.02
BCH	18.40	0.30	45,522	18.34	MINT19C2502A	0.09	(0.01)	5,250	0.10	THIP	29.00	(0.25)	61	29.11
BCH01C2412A	0.11	-	1,000	0.11	MINT41C2412A	-	-	-	-	TMD	24.10	(0.30)	9	24.19
BCH01C2502A	0.36	0.03	9,432	0.35	MINT41C2501A	0.12	(0.01)	41,652	0.13	TOPP	-	-	-	-
BCH13C2412A	-	-	-	-	MINT41C2502A	0.06	(0.01)	7,900	0.06	TPAC	11.10	(0.30)	1,547	11.02
BCH13C2501A	-	-	-	-	MINT41C2604T	0.11	-	1,772	0.11	TPBI	4.52	0.04	1,814	4.49
BCH13C2501B	0.24	0.02	18,038	0.24	OHTL	-	-	-	-	TPP	13.00	(0.60)	11	13.00
BCH19C2411A	-	-	-	-	ROH	2.18	(0.06)	284	2.19	Personal Products	-	-	-	-
BCH19C2501A	-	-	-	-	SHANG	-	-	-	-	APCO	5.25	-	2,300	5.15
BCH19C2502A	0.31	0.02	12,855	0.29	SHR	2.24	(0.02)	26,713	2.24	BIZ	3.26	(0.04)	1,062	3.25
BOMS	28.25	(0.25)	275,470	28.25	SPA	6.65	0.05	42,137	6.59	BLC	5.15	0.05	9,417	5.13
BOMS01C2411A	-	-	-	-	VRANDA	5.45	0.05	260	5.40	DDD	10.00	0.05	1,452	9.91
BOMS01C2412A	0.09	0.01	101	0.07	Home & Office P	-	-	-	-	IP	4.00	(0.04)	2,869	3.98
BOMS01C2503A	0.10	(0.01)	4,200	0.10	AJA	0.17	-	21,874	0.17	IP-W2	0.24	(0.02)	1,289	0.25
BOMS11C2411A	-	-	-	-	AJA-W4	0.03	0.01	1,087	0.02	JCT	-	-	-	-
BOMS11C2501A	-	-	-	-	DTCI	36.00	(3.00)	166	33.90	KISS	4.52	(0.02)	3,799	4.50
BOMS13C2411A	-	-	-	-	FANCY	0.40	-	933	0.40	NAM	4.68	0.04	275	4.66
BOMS13C2502A	0.08	(0.01)	385	0.08	FTI	2.14	(0.02)	81	2.12	NEO	41.25	0.25	2,431	40.90
BOMS19C2411A	-	-	-	-	KYE	-	-	-	-	NV	1.11	0.01	795	1.08
BOMS19C2502A	-	-	-	-	L&E	1.23	0.02	6	1.21	OCC	-	-	-	-
BOMS19C2503A	0.16	(0.01)	1,753	0.17	MODERN	2.62	0.04	8,407	2.61	S&J	-	-	-	-
BOMS41C2412A	-	-	-	-	OGC	22.50	-	8	22.50	STGT	10.60	0.20	45,553	10.61
BOMS41C2502B	0.19	(0.01)	7,002	0.19	ROCK	10.20	(0.30)	6	10.15	STGT01C2412A	0.04	-	6	0.03
BH	275.00	(2.00)	17,479	274.82	SBNEXT	0.58	(0.03)	38,962	0.57	STGT01C2412B	0.30	0.03	2,740	0.28
BH-P	-	-	-	-	SBNEXT-W2	0.12	(0.01)	27,782	0.11	STGT01C2501A	0.13	0.01	26,983	0.13
BH-Q	-	-	-	-	SIAM	1.15	(0.01)	76	1.14	STGT01C2502A	0.13	0.01	18,870	0.12
BH01C2412A	0.27	(0.03)	17,352	0.28	TCMC	0.86	0.02	2,649	0.84	STGT01P2502A	0.41	(0.03)	9,880	0.42
BH01C2502A	0.29	(0.02)	35,496	0.30	Insurance	-	-	-	-	STGT13C2412A	-	-	-	-
BH01P2412X	-	-	-	-	AYUD	32.50	-	120	32.48	STGT13C2412B	-	-	-	-
BH01P2502X	0.44	0.01	15,295	0.44	BKIH	302.00	1.00	107	300.94	STGT13C2501A	0.06	-	110	0.06
BH11C2411A	0.18	(0.03)	1,010	0.18	BLA	24.00	0.30	11,379	23.96	STGT13C2502A	0.19	0.01	40,015	0.19
BH13C2411A	-	-	-	-	BLA01C2503A	0.48	0.01	16,345	0.48	STGT13P2502A	0.39	(0.03)	42,740	0.39
BH13C2501A	0.38	(0.04)	18,769	0.38	BLA13C2501A	0.59	-	60	0.59	STGT19C2412A	-	-	-	-
BH13P2412A	-	-	-	-	BLA13C2502A	0.37	0.02	9,330	0.37	STGT19C2502A	-	-	-	-
BH13P2501A	0.29	-	7,280	0.30	BLA13C2502B	0.12	-	23,551	0.12	STGT19C2503A	0.22	0.02	12,938	0.21
BH19C2411A	0.02	(0.03)	32,029	0.02	BLA19C2502A	0.67	(0.01)	10,739	0.66	STGT19P2502A	0.42	(0.03)	8,775	0.42
BH19C2501A	0.43	(0.04)	4,730	0.43	BLA19C2502B	0.34	0.01	11,215	0.34	STHAI	-	-	-	-
BH19C2502A	0.26	(0.02)	15,120	0.26	BLA19C2502C	0.15	-	4,568	0.15	TMAN	16.90	(0.40)	272,384	17.18
BH41C2411A	-	-	-	-	BUI	15.80	-	15	15.70	TNR	9.40	0.10	351	9.30
BH41C2605T	0.57	(0.01)	12,000	0.57	CHARAN	22.10	(0.40)	252	22.15	TOG	10.40	0.20	1,247	10.37
BKGI	2.68	0.02	32,507	2.71	INSURE	81.75	(11.00)	35	81.81	Professional Service	-	-	-	-
CHG	2.92	-	226,750	2.91	KWI	0.48	0.01	2,566	0.49	BWG	0.43	0.01	170,986	0.43
CHG01C2501A	0.30	-	10,298	0.29	MTI	107.50	0.50	64	107.47	BWG-W6	0.05	-	140,003	0.05
CHG13C2412A	0.15	(0.01)	31,554	0.14	NKI	25.00	0.20	32	25.00	GENCO	0.50	-	4,203	0.49
CHG19C2412A	0.19	(0.01)	12,643	0.18	SMK	-	-	-	-	PRO	-	-	-	-
CMR	1.89	-	40	1.89	TGH	13.50	-	3	13.50	PRTR	4.70	-	7,851	4.59
EKH	6.65	-	7,546	6.65	THRE	0.63	0.01	9,433	0.62	SISB	33.00	(0.25)	18,233	32.78
EKH-W1	-	-	-	-	THREL	1.80	-	986	1.80	SISB13C2412A	0.04	(0.01)	63	0.04
KDH	90.00	-	10	90.00	TIPH	26.00	-	1,695	25.99	SISB13C2502A	0.17	(0.01)	21,680	0.16
LPH	4.54	-	200	4.52	TIPH13C2502A	-	-	-	-	SISB19C2502A	0.15	(0.02)	13,225	0.15
M-CHAI	32.75	1.25	105	32.77	TIPH19C2412A	-	-	-	-	SO	5.10	(0.05)	147	5.06
MASTER	48.50	-	23,099	48.15	TLI	11.00	(0.10)	80,842	11.05	WAVE	0.12	(0.01)	32,379	0.12
MEDEZE	10.00	(0.30)	78,251	10.13	TLI01C2502A	0.79	(0.03)	2,172	0.80	WAVE-W3	0.03	-	910	0.03
NEW	-	-	-	-	TLI01C2503A	0.26	(0.01)	6,154	0.26	WAVE-W4	0.04	(0.01)	37,055	0.04
NTV	31.25	0.25	37	31.13	TLI13C2411A	-	-	-	-	Property Developmei	-	-	-	-
PHG	15.90	(0.10)	1,711	15.93	TLI13C2502A	-	-	-	-	A	4.98	0.02	2	4.98
PR9	24.60	0.10	18,257	24.44	TLI13C2502B	0.20	(0.01)	18,919	0.20	AKS	0.01	-	22,489	0.01
PRINC	3.08	0.06	3,749	3.05	TLI19C2412A	-	-	-	-	AKS-W5	-	-	-	-
RAM	23.80	(0.10)	1,949	23.77	TLI19C2502A	0.20	(0.02)	20,932	0.21	AMATA	29.25	-	169,261	29.36
RJH	24.00	0.20	1,493	23.80	TQM	25.50	0.25	2,939	25.30	AMATA01C2502A	1.35	0.01	9,037	1.36
RPH	5.70	-	10,407	5.63	TSI	0.09	-	40	0.09	AMATA01C2503A	0.30	-	103,961	0.31
SAFE	14.10	(0.30)	1,214	14.22	TVH	8.75	-	334	8.64	AMATA13C2412A	0.79	0.28	22	0.83
SKR	9.25	-	840	9.22	Packaging	-	-	-	-	AMATA13C2501A	-	-	-	-
THG	20.20	-	4,884	20.34	AJ	5.10	0.05	91	5.07	AMATA13C2501B	0.26	(0.01)	2,881	0.28
VIBHA	1.94	0.01	28,757	1.93	ALUCON	175.00	1.00	66	174.99	AMATA13C2503A	0.21	(0.79)	77,760	0.22
VIBHA-W4	0.06	0.01	38,934	0.05	BGC	7.70	(0.05)	3,979	7.70	AMATA19C2412A	0.82	0.10	4	0.82
VIH	10.10	(0.10)	10,992	10.17	CSC	45.75	-	8	45.63	AMATA19C2501A	-	-	-	-
VIH-W1	4.10	0.10	30	4.10	CSC-P	-	-	-	-	AMATA19C2502A	0.28	(0.01)	38,554	0.28
WPH	11.00	0.10	16,847	11.05	CSC-Q	-	-	-	-	AMATA19C2503A	0.22	(0.78)	47,111	0.23
Tourism & Leisure	-	-	-	-	NEP	0.24	-	2,177	0.23	AMATA41C2502A	0.25	(0.75)	10,000	0.26
ASIA	6.75	-	25	6.72	PJW	2.60	-	2,663	2.58	AMATAV	4.82	0.02	284	4.81
BEYOND	8.90	(0.10)	551	8.91	PTL	13.40	0.20	2,370	13.34	ANAN	0.72	-	6,829	0.72
CENTEL	35.75	0.50	19,833	35.81	SCGP	26.25	0.50	74,078	26.45	AP	9.35	(0.20)	179,401	9.44
CENTEL01C2412A	-	-	-	-	SCGP01C2411A	-	-	-	-	AP01C2503A	0.10	(0.01)	950	0.10
CENTEL01C2501A	0.14	0.01	53,519	0.14	SCGP01C2412A	0.03	-	1,002	0.02	AP13C2502A	0.10	-	377	0.09
CENTEL11C2501A	-	-	-	-	SCGP01C2502A	0.62	0.13	3,892	0.59	AP19C2501A	0.28	(0.05)	28,397	0.32
CENTEL13C2412A	0.01	-	90	0.01	SCGP01C2502B	0.10	0.02	1,402	0.09	AP19C2502A	0.10	(0.01)	4,673	0.10
CENTEL13C2501A	0.22	0.01	39,641	0.22	SCGP01P2503A	0.52	(0.06)	4,753	0.51	ASW	8.00	-	2,597	8.00
CENTEL13C2501B	0.09	-	20	0.09	SCGP11C2412A	-	-	-	-	AWC	3.64	-	154,071	3.65
CENTEL19C2501A	0.19	0.01	23,926	0.19	SCGP11C2501A	-	-	-	-	AWC01C2411A	0.01	(0.01)	4,260	0.01
CENTEL19C2502A	0.13	0.01	11,319	0.13	SCGP13C2412A	-	-	-	-	AWC01C2501A	-	-	-	-
CENTEL41C2412A	-	-	-	-	SCGP13C2412B	-	-	-	-	AWC01C2501B	0.21	-	17,904	0.22
CENTEL41C2502A	0.19	-	61,325	0.19	SCGP13C2501A	-	-	-	-	AWC01P2502A	0.19	(0.01)	16,198	0.19
CSR	-	-	-	-	SCGP13C2501B	0.11	0.02	20,424	0.11	AWC11C2411A	-	-	-	-
DUSIT	11.20	0.10	2,845	11.12	SCGP13C2503A	0.20	(0.80)	48,546	0.21	AWC11C2412A	0.17	0.01	3,000	0.17
ERW	3.82	(0.02)	205,859	3.82	SCGP13P2502A	-	-	-	-	AWC11C2501A	-	-	-	-
ERW01C2501A	0.14	(0.01)	20,858	0.14	SCGP19C2412A	-	-	-	-	AWC13C2411A	0.01	-	7	0.01
ERW13C2412A	-	-	-	-	SCGP19C2412B	-	-	-	-	AWC13C2412A	-	-	-	-
ERW13C2412B	0.05	(0.01)	130											

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Monday October 28, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CI	0.52	-	2,664	0.53	SABINA	21.70	(0.20)	5,520	21.86	TFFIF	6.40	-	22,881	6.40
CMC	1.08	0.01	76	1.07	SAWANG	-	-	-	-	THAI	-	-	-	-
CPN	64.00	(1.00)	54,982	64.08	SUC	31.50	0.25	62	31.43	TSTE	-	-	-	-
CPN01C2412A	0.16	(0.03)	9,399	0.17	TR	39.50	-	120	39.50	TTA	5.45	0.05	46,433	5.46
CPN01C2503A	0.30	(0.04)	26,527	0.32	TTI	26.00	-	1	26.00	WICE	5.95	0.20	2,103	5.87
CPN11C2412A	0.33	(0.07)	7,200	0.35	TTTT	54.75	0.25	6	54.17	Automotive	-	-	-	-
CPN13C2411A	-	-	-	-	UPF	-	-	-	-	3K-BAT	-	-	-	-
CPN13C2501A	-	-	-	-	WACOAL	-	-	-	-	ACG	1.00	(0.01)	548	1.04
CPN13C2501B	0.09	(0.03)	36,410	0.10	WFX	1.48	0.04	54,331	1.55	AH	20.40	(0.60)	1,944	20.57
CPN13C2503A	0.35	(0.65)	44,149	0.36	Transportation &	-	-	-	-	CWT	1.11	(0.01)	1,894	1.11
CPN19C2411A	-	-	-	-	AAV	2.90	0.08	824,294	2.87	EASON	1.22	(0.02)	4,108	1.22
CPN19C2502A	0.21	(0.03)	24,160	0.22	AAV01C2501A	0.36	0.08	120	0.36	GYT	157.50	2.50	1	157.50
ESTAR	0.24	0.01	12,333	0.23	AAV01C2503A	0.34	0.03	40,321	0.33	HFT	4.56	0.08	1,719	4.49
EVER	0.13	0.01	22,888	0.12	AAV13C2411A	-	-	-	-	IHL	2.00	-	671	1.99
FPT	12.90	0.10	197	12.84	AAV13C2501A	0.22	0.03	73,111	0.20	INGRS	0.36	-	3,629	0.35
GLAND	1.54	-	1	1.54	AAV19C2412A	0.42	0.03	7	0.42	IRC	14.10	-	267	14.02
J	1.48	-	309	1.47	AAV19C2502A	0.32	0.03	37,727	0.30	MGC	4.04	(0.14)	1,741	4.04
J-W3	-	-	-	-	ANI	3.86	0.06	224	3.81	NEX	1.08	-	139,777	1.06
J-W4	-	-	-	-	AOT	61.75	-	119,489	61.62	NEX13C2411A	-	-	-	-
JCK	0.27	(0.01)	251,533	0.27	AOT01C2412A	0.03	(0.02)	43	0.03	NEX19C2411A	0.01	-	400	0.01
KC	0.10	-	14,937	0.09	AOT01C2412B	0.17	(0.01)	9,448	0.18	NEX19C2501A	0.04	0.01	18,156	0.03
KUN	1.32	-	120	1.30	AOT01C2502A	0.15	(0.01)	21,803	0.15	PCSGH	4.34	0.02	103	4.32
KUN-W2	0.04	-	190	0.04	AOT01P2412X	0.03	-	1	0.03	POLY	9.00	0.15	337	8.95
LALIN	6.50	-	236	6.45	AOT01P2502A	0.24	-	3,198	0.24	SAT	12.00	(0.10)	5,423	11.97
LH	5.80	0.05	179,946	5.80	AOT11C2501A	-	-	-	-	SPG	-	-	-	-
LH13C2411A	-	-	-	-	AOT13C2411A	-	-	-	-	STANLY	220.00	2.00	564	218.50
LH13C2501A	0.10	-	2,130	0.10	AOT13C2412A	0.07	(0.02)	6,640	0.07	TKT	1.63	0.03	192	1.60
LH19C2411A	-	-	-	-	AOT13C2502A	0.12	(0.01)	5,405	0.12	TNCP	1.07	0.01	3	1.06
LH19C2501A	0.12	-	26,994	0.13	AOT13C2503A	0.25	(0.02)	27,637	0.27	TRU	3.22	(0.04)	76	3.21
LPN	3.08	(0.06)	13,128	3.05	AOT13P2412A	-	-	-	-	TSC	14.30	-	10	14.30
MBK	19.60	(0.40)	23,582	19.54	AOT13P2501A	0.17	-	4,458	0.17	Industrial Materials	-	-	-	-
MBK-W3	-	-	-	-	AOT19C2411A	-	-	-	-	AKR	0.92	-	6,524	0.92
MBK-W4	17.40	0.10	11	17.47	AOT19C2411B	-	-	-	-	ALLA	1.54	-	5,538	1.52
MJD	1.10	-	44	1.06	AOT19C2501A	0.25	(0.01)	2,320	0.25	ASEFA	3.28	0.04	508	3.23
MK	1.83	-	5,415	1.85	AOT19C2502A	0.16	(0.01)	5,425	0.16	CPT	0.99	(0.01)	8,644	1.00
NCH	0.78	-	3,004	0.77	AOT19P2412A	-	-	-	-	CRANE	0.68	(0.01)	3,777	0.67
NNCL	1.84	(0.01)	1,851	1.84	AOT41C2411A	-	-	-	-	CTW	3.90	0.02	48	3.95
NOBLE	3.08	(0.02)	13,524	3.07	AOT41C2412A	0.08	(0.01)	4,001	0.09	FMT	34.00	-	2	34.00
NUSA	0.26	-	168,559	0.26	AOT41C2605T	0.32	-	2,835	0.32	FTE	1.48	(0.02)	990	1.48
NUSA-W5	0.05	-	7,567	0.05	ASIMAR	1.54	0.02	490	1.53	HTECH	5.25	0.15	57,532	5.23
NVD	1.61	0.02	31	1.60	B	0.08	-	63,644	0.08	KKC	-	-	-	-
ORI	4.62	0.02	26,181	4.62	B-W8	0.02	0.01	29,481	0.01	PCC	2.92	-	2,889	2.92
ORI13C2412A	-	-	-	-	BA	24.00	0.40	27,705	23.96	PK	0.68	(0.02)	2,499	0.68
ORI19C2501A	0.10	(0.01)	7,017	0.10	BA01C2412A	0.31	0.04	6,328	0.31	PSP	4.40	(0.04)	1,736	4.41
ORN	0.84	-	4,819	0.84	BA01C2503A	0.42	0.03	16,070	0.41	QTC	3.80	(0.06)	740	3.76
PEACE	2.78	0.04	171	2.67	BA13C2412A	0.27	0.03	4,258	0.27	SCI	0.85	(0.03)	3,790	0.86
PF	0.19	-	24,229	0.19	BA13C2502A	0.12	0.02	12	0.11	SE	0.68	-	1,586	0.68
PIN	6.10	(0.10)	45,474	6.16	BA13C2503A	0.14	0.01	2,576	0.14	SNC	5.90	-	538	5.87
PLAT	2.20	0.02	734	2.15	BEM	8.00	0.05	280,042	7.98	TCJ	3.18	(0.02)	23	3.13
POLAR	-	-	-	-	BEM01C2412A	0.05	(0.01)	3	0.05	TPCS	11.90	(0.20)	2	12.05
PRECHA	1.12	(0.01)	802	1.12	BEM11C2411A	-	-	-	-	VARO	4.80	(0.06)	168	4.82
PRIN	2.12	-	14	2.10	BEM13C2412A	0.04	-	2,209	0.04	Property Fund & REI	-	-	-	-
PROUD	1.35	(0.06)	4,097	1.37	BEM19C2412A	-	-	-	-	AIMCG	3.22	0.02	2,003	3.20
PSH	8.80	(0.15)	9,541	8.81	BEM19C2503A	0.22	(0.01)	10,630	0.22	AIMIRT	10.80	-	1,040	10.77
QH	1.86	-	82,941	1.86	BTS	4.90	0.24	4,942,512	4.87	ALLY	5.25	-	3,192	5.20
RABBIT	0.60	0.01	2,427,316	0.60	BTS-W7	-	-	-	-	AMATAR	6.50	(0.15)	2,731	6.56
RABBIT-P	0.60	-	50,138	0.60	BTS-W8	0.08	0.01	141,757	0.08	B-WORK	5.00	0.14	5,836	4.95
RABBIT-Q	-	-	-	-	BTS01C2412A	0.06	0.03	29,417	0.07	BAREIT	9.90	(0.05)	353	9.90
RICHY	0.50	-	101	0.49	BTS01C2501A	0.35	0.09	138,527	0.35	BKACP	8.90	(0.05)	3	8.90
RML	0.34	0.02	61,664	0.34	BTS01C2503A	0.59	0.13	125,408	0.56	BOFFICE	5.05	-	2,747	5.06
ROJNA	7.10	(0.30)	34,192	7.21	BTS13C2412A	0.18	(0.05)	238,855	0.17	CPNCG	6.10	(0.10)	10,950	6.05
S	0.94	(0.01)	24,187	0.93	BTS13C2412B	0.25	0.07	176,491	0.24	CPNREIT	12.20	-	11,255	12.13
SA	7.45	-	550	7.41	BTS13C2502A	0.49	0.11	244,200	0.46	CPTGF	5.20	(0.10)	5,675	5.19
SA-W1	0.06	(0.01)	4,996	0.06	BTS19C2411A	0.01	(0.03)	1,150	0.02	CTARAF	4.46	(0.06)	1,551	4.45
SAMCO	0.96	(0.01)	825	0.95	BTS19C2412A	0.29	0.08	172,388	0.28	DREIT	5.05	-	2,279	5.06
SC	2.96	(0.04)	54,239	2.97	BTS19C2503A	0.56	0.11	102,545	0.55	FTREIT	10.70	-	94	10.62
SENA	2.34	(0.02)	2,499	2.35	BTS41C2411A	0.09	0.04	9,704	0.10	FUTURET	11.50	-	143	11.45
SIRI	1.79	0.04	480,758	1.79	BTS41C2412A	-	-	-	-	GAHREIT	6.50	(0.10)	1,306	6.46
SIRI01C2412A	0.14	0.02	13,599	0.14	BTS41C2501A	0.56	0.14	71,976	0.50	GROREIT	8.90	0.05	1,378	8.89
SIRI13C2412A	0.14	0.01	19,207	0.14	BTS5GIF	3.24	-	13,381	3.22	GVREIT	6.60	(0.10)	1,325	6.63
SIRI19C2411A	-	-	-	-	DMT	11.50	-	1,524	11.55	HPF	5.00	-	21	5.02
SIRI19C2502A	0.08	-	1	0.08	ETL	0.72	(0.02)	8,873	0.72	HYDROGEN	-	-	-	-
SPALI	19.80	(0.20)	39,273	19.92	III	5.95	-	4,170	5.89	IMPACT	11.60	(0.10)	810	11.64
SPALI13C2501A	-	-	-	-	KEX	2.42	(0.06)	4,681	2.44	INETREIT	8.70	-	1,632	8.69
SPALI13C2501B	0.28	(0.03)	3,477	0.29	KIAT	0.35	-	4,290	0.35	KPNPF	-	-	-	-
SPALI19C2412A	0.16	(0.02)	14,044	0.17	KWC	364.00	32.00	46	362.72	KTBSTMR	6.60	0.10	131	6.52
UV	1.71	-	1,519	1.70	MENA	1.22	0.01	1,884	1.22	LHHOTEL	12.90	(0.10)	4,377	12.94
WHA	5.85	(0.25)	1,494,530	5.99	NOK	-	-	-	-	LHPF	5.50	-	5	5.50
WHA01C2501A	0.24	(0.05)	21,560	0.28	NYT	3.02	(0.02)	22,389	3.01	LHSC	11.10	0.10	3,702	11.00
WHA01C2503A	0.20	(0.03)	31,518	0.23	PORT	1.42	(0.02)	323	1.46	LPF	13.30	(0.10)	2,026	13.28
WHA06C2410A	0.04	0.02	277	0.04	PRM	8.75	0.10	180,430	8.71	LUXF	8.05	-	129	8.00
WHA11C2412A	0.18	(0.05)	12,652	0.20	PSL	8.30	0.25	57,582	8.28	M-II	6.35	(0.05)	4	6.35
WHA13C2411A	0.02	(0.03)	3,103	0.02	RCL	25.25	0.95	58,036	24.92	M-PAT	-	-	-	-
WHA13C2501A	0.17	(0.06)	50,213	0.22	RCL01C2411A	-	-	-	-	M-STOR	-	-	-	-
WHA13C2503A	0.16	(0.84)	62,408	0.18	RCL01C2412A	0.25	0.05	21,893	0.22	MIPF	-	-	-	-
WHA19C2412A	-	-	-	-	RCL01C2502A	0.66	0.08	11,118	0.62	MIT	0.30	-	157	0.29
WHA19C2502A	0.17	(0.04)	48,829	0.20	RCL01C2502B	0.18	0.02	24,934	0.17	MJLF	4.16	-	414	4.11
WHA41C2411A	-	-	-	-	RCL13C2412A	0.05	0.01	4,748	0.05	MNIT	-	-	-	-
WHA41C2501A	0.20	(0.06)	7,014	0.25	RCL13C2412B	0.19	0.04	16,570	0.17	MNIT2	4.78	-	201	4.78
WIN	0.49	-	4,032	0.50	RCL13C2502A	0.16	0.02	10,916	0.15	MNRF	2.22	-	709	2.16
Paper & Printing Mat	-	-	-	-	RCL13C2502B	0.59	0.10	10,763	0.56	POP	6.25	(0.05)</		

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Monday October 28, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TPRIME	7.50	-	98	7.50	BIDU41C2410A	0.01	(0.05)	195	0.01	HSI28C2412A	1.18	(0.04)	624	1.16
TTLPF	15.70	-	73	15.70	BIDU41C2502A	0.73	0.06	247	0.71	HSI28C2412B	-	-	-	-
TU-PF	0.65	-	1	0.65	BIDU41C2502B	0.08	-	8,437	0.08	HSI28C2412C	-	-	-	-
WHABT	7.30	0.10	161	7.25	BIDU41P2410A	-	-	-	-	HSI28C2412D	0.27	(0.04)	134,366	0.28
WHAIR	6.55	0.15	13,426	6.49	BYDCOM28C250	1.10	0.02	4,000	1.09	HSI28C2412E	0.15	(0.02)	7,974	0.15
WHART	10.40	0.10	1,898	10.36	BYDCOM28C250	0.31	-	1,000	0.31	HSI28C2412F	0.06	-	3,494	0.06
Steel and Metal Prod					BYDCOM28P250	-	-	-	-	HSI28C2412H	0.19	(0.02)	123,269	0.19
2S	2.94	(0.02)	497	2.93	BYDCOM28P250	-	-	-	-	HSI28C2501A	1.20	(0.07)	2,719	1.25
AMC	3.26	-	770	3.22	BYDCOM41C250	0.99	0.04	1,858	0.97	HSI28C2501B	0.28	(0.03)	25,617	0.28
BSBM	0.73	0.02	401	0.72	BYDCOM41P241	-	-	-	-	HSI28C2501C	0.13	(0.01)	8,022	0.12
CEN	2.00	-	214	1.99	BYDCOM41P250	-	-	-	-	HSI28C2501D	0.64	(0.05)	73,833	0.65
CEN-W5	-	-	-	-	CATHAY41C241	0.05	-	70	0.05	HSI28C2501E	0.50	(0.03)	25,969	0.51
CITY	-	-	-	-	CATHAY41C250	0.22	0.04	2	0.22	HSI28C2502A	0.97	(0.05)	10	0.97
CSP	0.75	(0.01)	2,324	0.76	CHMOBI28C241	-	-	-	-	HSI28C2503A	1.53	(0.06)	2,016	1.54
GJS	0.17	0.01	20,577	0.17	DJI28C2412A	0.59	(0.06)	35	0.58	HSI28C2503B	0.41	(0.03)	93,441	0.43
GSTEEL	-	-	-	-	DJI28C2412B	0.25	(0.24)	4,200	0.25	HSI28C2503D	0.33	(0.03)	14,945	0.34
INOX	0.54	-	3,981	0.54	DJI28P2412A	-	-	-	-	HSI28P2410A	0.01	-	63	0.01
LHK	3.88	-	1,709	3.86	DJI28P2412B	0.48	-	30	0.48	HSI28P2410B	0.05	(0.03)	1	0.05
MCS	7.20	-	2,779	7.18	DJI41C2412A	0.52	(0.05)	52	0.51	HSI28P2410C	0.01	-	1	0.01
MILL	0.10	-	4,133	0.10	DJI41C2503A	-	-	-	-	HSI28P2410D	-	-	-	-
MILL-W7	0.01	-	43	0.01	DJI41P2412A	0.12	(0.01)	3,742	0.12	HSI28P2411A	0.01	-	403	0.01
PAP	2.28	0.04	418	2.26	DJI41P2503A	-	-	-	-	HSI28P2411B	-	-	-	-
PERM	0.77	-	1,082	0.77	GEELY28C2411A	2.20	(0.02)	7	2.14	HSI28P2411C	-	-	-	-
SAM	0.23	0.06	4,440	0.22	GEELY41C2411A	0.63	(0.07)	6	0.59	HSI28P2411D	0.13	(0.02)	43,102	0.13
SMIT	4.06	(0.04)	980	4.08	GEELY41C2411E	-	-	-	-	HSI28P2411E	0.33	(0.03)	594,931	0.33
SSSC	2.26	(0.02)	4,503	2.24	GEELY41C2502A	1.00	-	151	0.94	HSI28P2411F	0.66	(0.03)	91,700	0.65
TGPRO	0.11	-	3,636	0.10	HAIDL14C2411	0.33	0.06	304	0.33	HSI28P2411G	-	-	-	-
THE	0.83	(0.01)	1,863	0.84	HKEX28C2410A	-	-	-	-	HSI28P2412A	0.07	0.02	252	0.07
TMT	4.20	(0.02)	1,172	4.21	HKEX41C2411A	1.04	(0.04)	30	1.05	HSI28P2412B	0.07	-	30	0.07
TSTH	0.68	-	3,292	0.68	HKEX41C2502A	-	-	-	-	HSI28P2412C	0.10	(0.01)	52	0.10
TWP	1.54	0.01	271	1.54	HKEX41C2502B	0.34	0.01	2	0.34	HSI28P2412D	0.23	(0.02)	363,241	0.23
TYCN	2.20	0.02	7	2.19	HSBC41C2411A	-	-	-	-	HSI28P2412E	0.43	(0.03)	149,600	0.43
Construction Service					HSBC41C2502A	-	-	-	-	HSI28P2501A	0.12	-	37,519	0.11
APCS	1.97	(0.05)	192	1.98	HSIO6C2410A	0.04	(0.26)	309	0.02	HSI28P2501B	0.72	0.05	800	0.72
BJCHI	1.31	-	563	1.31	HSIO6C2410B	0.23	(0.14)	660,872	0.25	HSI28P2501C	-	-	-	-
BKD	1.44	0.01	26	1.41	HSIO6C2410C	0.98	(0.15)	2	0.98	HSI28P2501D	0.26	0.01	522,974	0.26
CIVIL	1.84	(0.01)	1,306	1.80	HSIO6C2410D	-	-	-	-	HSI28P2502A	-	-	-	-
CK	18.70	(0.30)	54,100	18.53	HSIO6C2410E	-	-	-	-	HSI28P2503A	0.20	(0.01)	3,991	0.21
CK01C2503A	0.18	(0.03)	24,608	0.18	HSIO6C2411A	-	-	-	-	HSI28P2503B	0.50	-	14,424	0.49
CK13C2412A	0.02	(0.01)	350	0.02	HSIO6C2411B	-	-	-	-	HSTECH28C2412A	-	-	-	-
CK13C2503A	0.27	(0.73)	60,109	0.27	HSIO6C2411C	-	-	-	-	HSTECH28C2503A	0.45	0.01	4,828	0.45
CK19C2412A	0.05	(0.01)	450	0.05	HSIO6C2411D	-	-	-	-	HSTECH28P2412A	-	-	-	-
CK19C2503A	0.29	(0.03)	16,408	0.28	HSIO6C2411E	0.30	(0.03)	2,236,615	0.31	HSTECH28P2503A	-	-	-	-
CNT	1.25	-	2,972	1.27	HSIO6C2411F	0.05	-	27,416	0.05	JD28C2410A	-	-	-	-
EMC	0.10	(0.01)	656,345	0.10	HSIO6C2412A	0.98	(0.05)	207	1.02	JD41C2411A	-	-	-	-
EMC-W7	-	-	-	-	HSIO6C2412B	-	-	-	-	JD41C2502A	-	-	-	-
ITD	0.67	0.02	58,462	0.67	HSIO6C2412C	-	-	-	-	JD41C2502B	0.34	0.02	208	0.35
JR	3.24	0.02	1,189	3.22	HSIO6C2412D	0.61	(0.04)	514,981	0.62	KUAI5H28C2410A	-	-	-	-
NL	1.30	0.03	5,507	1.29	HSIO6C2412E	0.22	(0.02)	2,232,855	0.23	KUAI5H41C2410A	-	-	-	-
NWR	0.23	0.01	2,117	0.23	HSIO6C2412F	0.12	-	41	0.12	KUAI5H41C2502A	0.46	0.07	273	0.45
PLE	0.42	0.01	1,468	0.41	HSIO6C2412G	0.07	(0.01)	873	0.06	LENOVO41C2410A	-	-	-	-
PREB	4.98	(0.12)	404	5.01	HSIO6C2501A	0.22	-	1,050,561	0.21	LENOVO41C2502A	0.55	(0.14)	200	0.56
PYLON	2.22	(0.02)	718	2.20	HSIO6C2501B	0.15	-	723,890	0.14	MCA5041C2503A	0.47	(0.01)	202	0.45
RT	0.49	-	3,722	0.49	HSIO6C2501C	0.36	(0.04)	93,372	0.37	MCA5041P2503A	-	-	-	-
SEAFCO	2.36	-	1,732	2.33	HSIO6C2501D	0.74	(0.03)	1,563	0.75	MEITUA28C2501A	-	-	-	-
SQ	0.96	0.01	2,983	0.95	HSIO6C2502A	0.39	(0.02)	672,425	0.39	MEITUA28C2503A	-	-	-	-
SRICHA	5.95	-	381	5.89	HSIO6C2503A	1.54	-	212	1.54	MEITUA28C2504A	0.21	-	63	0.21
STI	3.24	0.10	55	3.22	HSIO6C2503B	0.74	(0.01)	1,004	0.73	MEITUA28P2410A	-	-	-	-
STPI	3.78	0.02	5,384	3.76	HSIO6C2503C	0.37	(0.01)	657,834	0.37	MEITUA28P2503A	0.18	-	4,000	0.18
SYNTEC	1.64	0.01	1,628	1.64	HSIO6C2503D	0.25	-	560,594	0.25	MEITUA28P2504B	0.36	-	1,000	0.36
TEAMG	4.14	-	6,187	4.11	HSIO6P2410A	-	-	-	-	MEITUA41C2411A	-	-	-	-
TEAMG-W1	0.36	-	1,358	0.37	HSIO6P2410B	0.01	-	203	0.01	MEITUA41C2502A	0.71	0.01	14	0.70
TEKA	2.40	(0.02)	472	2.39	HSIO6P2410C	-	-	-	-	MEITUA41P2411A	-	-	-	-
TPOLY	0.82	-	6,474	0.82	HSIO6P2410D	-	-	-	-	MEITUA41P2502A	0.13	(0.01)	4	0.14
TRC	0.14	0.01	211,326	0.14	HSIO6P2410E	0.01	-	1,000	0.01	NDX28C2412A	-	-	-	-
TRITN	0.13	0.01	603,495	0.13	HSIO6P2410F	0.01	-	3,396	0.01	NDX28C2412B	1.59	0.13	3	1.59
TTCL	2.80	(0.06)	1,842	2.80	HSIO6P2410G	0.02	0.01	2,027	0.01	NDX28C2412C	0.52	0.05	6	0.52
UNIQ	2.92	(0.02)	1,895	2.93	HSIO6P2411A	-	-	-	-	NDX28P2412A	-	-	-	-
WGE	0.75	-	240	0.73	HSIO6P2411B	-	-	-	-	NDX28P2412B	-	-	-	-
Unit Trust					HSIO6P2411C	0.11	-	1	0.11	NDX28P2412C	0.09	(0.04)	80	0.11
SCBSET	-	-	-	-	HSIO6P2411D	0.01	-	490	0.01	NDX28P2412D	0.41	(0.10)	1,000	0.42
VAYU1	10.00	-	8,257	10.01	HSIO6P2411E	0.20	(0.01)	2,490,028	0.21	NDX41C2412A	0.11	0.01	1,668	0.11
ETF					HSIO6P2411F	0.57	0.01	1,683,411	0.57	NDX41C2412B	1.26	0.15	8	1.26
IDIV	10.95	0.07	1,250	10.90	HSIO6P2411G	1.38	(0.42)	1	1.38	NDX41C2412C	0.65	0.10	971	0.65
ABFTH	-	-	-	-	HSIO6P2411H	-	-	-	-	NDX41C2503A	0.64	0.07	280	0.63
BMSCG	9.67	(0.04)	12	9.68	HSIO6P2412A	0.03	(0.04)	240	0.04	NDX41P2412A	0.23	(0.05)	11,287	0.23
BMSCITH	10.50	(0.09)	928	10.53	HSIO6P2412B	0.03	0.01	189	0.03	NDX41P2412B	0.06	(0.01)	170	0.06
BSET100	9.82	(0.07)	1,162	9.86	HSIO6P2412C	0.04	-	1	0.04	NDX41P2412C	-	-	-	-
CHINA	6.15	0.04	1,984	6.10	HSIO6P2412D	0.27	-	1,948,891	0.27	NDX41P2503A	0.51	(0.05)	142	0.51
ENGY	4.89	(0.01)	54	4.89	HSIO6P2412E	0.55	0.01	279,100	0.56	NIKKEI41C2412A	1.26	0.07	567	1.30
GLD	3.68	0.01	10,258	3.69	HSIO6P2412F	-	-	-	-	NIKKEI41C2412B	0.13	0.01	3,110	0.14
TDEX	9.13	(0.10)	2,716	9.14	HSIO6P2412G	0.17	(0.01)	963,374	0.17	NIKKEI41C2412C	0.31	0.01	29,881	0.34
UBOT	13.59	0.18	4	13.59	HSIO6P2501A	0.82	-	22	0.84	NIKKEI41C2412T	0.08	0.01	2,241	0.08
UHERO	8.00	0.08	3	8.01	HSIO6P2501B	0.31	0.01	907,313	0.31	NIKKEI41C2503A	0.31	0.01	6,910	0.32
Warrant Foreign					HSIO6P2502A	0.50	0.01	611,442	0.50	NIKKEI41C2503B	1.14	0.05	2,790	1.15
AIA28C2411A	-	-	-	-	HSIO6P2503A	0.08	0.01	477	0.07	NIKKEI41P2412A	-	-	-	-
AIA41C2411A	-	-	-	-	HSIO6P2503B	0.51	0.01	439,655	0.50	NIKKEI41P2412B	0.64	(0.12)	9,735	0.63
AIA41C2502A	-	-	-	-	HSIO6P2503C	1.02	0.01	1	1.02	NIKKEI41P2412C	0.10	(0.03)	970	0.10
AIA41P2411A	-	-	-	-	HSI28C2410A	0.01	-	134	0.01	NIKKEI41P2412T	-	-	-	-
ALIHEA41C2410A	-	-	-	-</										

## Main Board Quotation

Issue Date :

Monday October 28, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5001C2412A	1.30	(0.19)	775	1.34	SET5041C2503A	0.36	(0.08)	1,714,393	0.39	0	-	-	-	-
SET5001C2412F	0.37	(0.11)	159,359	0.38	SET5041C2503B	0.24	(0.04)	1,093,362	0.25	0	-	-	-	-
SET5001C2412T	0.60	(0.08)	2,484	0.62	SET5041P2412A	0.05	0.03	1	0.05	0	-	-	-	-
SET5001C2412W	0.22	(0.07)	38,181	0.26	SET5041P2412B	0.09	-	24	0.08	0	-	-	-	-
SET5001C2501A	0.39	(0.08)	44,509	0.43	SET5041P2412C	0.22	0.04	85,008	0.21	0	-	-	-	-
SET5001C2503F	0.52	(0.07)	42,106	0.53	SET5041P2412D	0.58	0.09	133,752	0.55	0	-	-	-	-
SET5001P2412A	0.01	-	30	0.01	SET5041P2412T	0.01	(0.01)	51	0.01	0	-	-	-	-
SET5001P2412F	-	-	-	-	SET5041P2412U	-	-	-	-	0	-	-	-	-
SET5001P2412T	0.02	0.01	70	0.02	SET5041P2412V	-	-	-	-	0	-	-	-	-
SET5001P2412W	0.02	-	106	0.02	SET5041P2503A	0.39	0.07	348,475	0.37	0	-	-	-	-
SET5001P2501A	0.02	-	1,207	0.02	SET5041P2503B	0.72	0.07	824,990	0.66	0	-	-	-	-
SET5001P2501B	0.08	0.02	2,143	0.06	SPX28C2412A	0.19	-	206	0.19	0	-	-	-	-
SET5001P2502A	0.62	0.06	135,984	0.58	SPX28C2412B	1.21	(0.09)	300	1.21	0	-	-	-	-
SET5001P2503F	0.40	0.04	38,974	0.40	SPX28C2412C	0.58	0.01	2,500	0.59	0	-	-	-	-
SET5006C2412A	-	-	-	-	SPX28P2412A	0.17	(0.03)	2,231	0.17	0	-	-	-	-
SET5006C2412B	-	-	-	-	SPX28P2412B	-	-	-	-	0	-	-	-	-
SET5006C2412C	-	-	-	-	SPX28P2412C	0.29	(0.71)	500	0.29	0	-	-	-	-
SET5006C2412D	0.55	(0.05)	101	0.54	SPX41C2412A	0.26	0.02	4,020	0.26	0	-	-	-	-
SET5006C2412E	0.25	(0.07)	315,518	0.29	SPX41C2412B	-	-	-	-	0	-	-	-	-
SET5006C2412F	0.15	(0.05)	325,300	0.18	SPX41C2412C	0.70	0.03	12,652	0.69	0	-	-	-	-
SET5006C2412G	0.09	(0.04)	294,500	0.11	SPX41C2503A	0.67	0.05	70	0.66	0	-	-	-	-
SET5006C2503A	0.37	(0.06)	213,200	0.39	SPX41P2412A	0.17	(0.02)	23,200	0.17	0	-	-	-	-
SET5006C2503B	0.28	(0.04)	384,943	0.31	SPX41P2412B	-	-	-	-	0	-	-	-	-
SET5006P2412A	0.03	(0.03)	389	0.06	SPX41P2412C	-	-	-	-	0	-	-	-	-
SET5006P2412B	-	-	-	-	SPX41P2503A	-	-	-	-	0	-	-	-	-
SET5006P2412C	-	-	-	-	SUNNY41C2411	0.15	(0.04)	200	0.15	0	-	-	-	-
SET5006P2412D	0.02	0.01	382	0.02	SUNNY41C2502	0.48	0.06	122	0.48	0	-	-	-	-
SET5006P2412E	0.06	-	7	0.06	TENCEN28C250:	0.68	(0.14)	220	0.69	0	-	-	-	-
SET5006P2412F	0.15	0.03	230,449	0.13	TENCEN28C250:	-	-	-	-	0	-	-	-	-
SET5006P2412G	0.39	0.07	454,059	0.35	TENCEN28P241:	-	-	-	-	0	-	-	-	-
SET5006P2412H	-	-	-	-	TENCEN28P241:	-	-	-	-	0	-	-	-	-
SET5006P2503A	0.19	0.02	80,667	0.18	TENCEN28P250:	0.56	0.01	1,000	0.56	0	-	-	-	-
SET5006P2503B	0.45	0.06	331,674	0.42	TENCEN41C250:	0.78	(0.03)	37	0.78	0	-	-	-	-
SET5013C2410A	0.01	(0.01)	1,000	0.01	TENCEN41C250:	0.15	(0.01)	2	0.15	0	-	-	-	-
SET5013C2410B	0.02	(0.03)	189	0.02	TENCEN41P241:	-	-	-	-	0	-	-	-	-
SET5013C2411A	0.13	(0.09)	206	0.14	TENCEN41P250:	-	-	-	-	0	-	-	-	-
SET5013C2412A	1.62	(0.32)	2,592	1.65	TENCEN41P250:	0.40	0.01	14	0.40	0	-	-	-	-
SET5013C2412B	2.00	(0.44)	226	2.21	TRIPDC41C2411	1.22	0.03	1,116	1.22	0	-	-	-	-
SET5013C2412C	2.94	(0.48)	7	3.01	XIAOMI28C2410	1.17	0.50	41	1.17	0	-	-	-	-
SET5013C2412D	3.52	(0.52)	296	3.32	XIAOMI28C2412	-	-	-	-	0	-	-	-	-
SET5013C2412E	1.20	(0.26)	519	1.12	XIAOMI28C2504	0.39	(0.04)	4,210	0.39	0	-	-	-	-
SET5013C2412F	0.88	(0.20)	1,653	0.94	XIAOMI28P2502	-	-	-	-	0	-	-	-	-
SET5013C2412G	0.67	(0.20)	19,374	0.74	XIAOMI41C2411	-	-	-	-	0	-	-	-	-
SET5013C2412H	0.32	(0.12)	5,601,765	0.35	XIAOMI41C2502	0.95	(0.02)	12	0.95	0	-	-	-	-
SET5013C2412I	0.15	(0.07)	1,509,907	0.17	XIAOMI41C2503	0.43	(0.01)	10	0.43	0	-	-	-	-
SET5013C2412J	0.19	(0.08)	2,094,444	0.21	XIAOMI41P2502	0.17	0.03	67	0.17	0	-	-	-	-
SET5013C2412K	0.09	(0.04)	329,473	0.10	ZJIN41C2410A	-	-	-	-	0	-	-	-	-
SET5013C2412T	0.18	(0.06)	191,469	0.18	ZJIN41C2502A	0.51	(0.04)	10	0.51	0	-	-	-	-
SET5013C2412U	0.52	(0.18)	12,100	0.55	0	-	-	-	-	0	-	-	-	-
SET5013C2503T	0.19	(0.04)	202,971	0.20	0	-	-	-	-	0	-	-	-	-
SET5013P2410A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412A	0.01	-	160	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412B	0.02	0.01	12,924	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412D	0.02	0.01	15	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412E	0.01	(0.01)	71,228	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412F	0.01	(0.01)	26,821	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412G	0.03	-	6,481	0.02	0	-	-	-	-	0	-	-	-	-
SET5013P2412H	0.07	0.01	36,369	0.07	0	-	-	-	-	0	-	-	-	-
SET5013P2412I	0.08	0.01	16,057	0.08	0	-	-	-	-	0	-	-	-	-
SET5013P2412J	0.09	0.02	120,302	0.09	0	-	-	-	-	0	-	-	-	-
SET5013P2412K	0.12	0.02	86,148	0.12	0	-	-	-	-	0	-	-	-	-
SET5013P2412L	0.19	0.02	152,672	0.19	0	-	-	-	-	0	-	-	-	-
SET5013P2412M	0.37	0.05	364,756	0.36	0	-	-	-	-	0	-	-	-	-
SET5013P2412N	0.50	0.07	3,321,954	0.48	0	-	-	-	-	0	-	-	-	-
SET5013P2412O	0.80	0.10	1,293,770	0.77	0	-	-	-	-	0	-	-	-	-
SET5013P2412T	0.01	-	390	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2503T	0.15	0.02	96,836	0.15	0	-	-	-	-	0	-	-	-	-
SET5019C2412A	0.42	(0.16)	56,662	0.44	0	-	-	-	-	0	-	-	-	-
SET5019C2412B	3.20	(1.38)	10	3.20	0	-	-	-	-	0	-	-	-	-
SET5019C2412C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412E	0.71	(0.15)	85	0.71	0	-	-	-	-	0	-	-	-	-
SET5019C2412F	0.25	(0.10)	166,142	0.27	0	-	-	-	-	0	-	-	-	-
SET5019C2412G	0.24	(0.10)	202,117	0.27	0	-	-	-	-	0	-	-	-	-
SET5019C2412H	0.14	(0.06)	163,182	0.15	0	-	-	-	-	0	-	-	-	-
SET5019C2412I	0.07	(0.03)	1,256	0.08	0	-	-	-	-	0	-	-	-	-
SET5019P2412A	0.01	-	900	0.01	0	-	-	-	-	0	-	-	-	-
SET5019P2412B	0.01	-	272	0.01	0	-	-	-	-	0	-	-	-	-
SET5019P2412C	0.01	-	32,143	0.01	0	-	-	-	-	0	-	-	-	-
SET5019P2412D	0.02	0.01	2,012	0.02	0	-	-	-	-	0	-	-	-	-
SET5019P2412E	0.08	0.01	62,819	0.08	0	-	-	-	-	0	-	-	-	-
SET5019P2412F	0.14	0.02	235,169	0.14	0	-	-	-	-	0	-	-	-	-
SET5019P2412G	0.33	0.06	274,240	0.31	0	-	-	-	-	0	-	-	-	-
SET5019P2412H	0.60	0.10	125,615	0.57	0	-	-	-	-	0	-	-	-	-
SET5027C2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2412B	1.27	(0.17)	1	1.27	0	-	-	-	-	0	-	-	-	-
SET5027C2412T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2412T	0.01	-	10	0.01	0	-	-	-	-	0	-	-	-	-
SET5028C2410A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2412A	0.32	(0.10)	23	0.32	0	-	-	-	-	0	-	-	-	-
SET5028C2412B	0.63	(0.16)	8	0.63	0	-	-	-	-	0	-	-	-	-
SET5028C2412C	0.72	(0.20)	1,008	0.74	0	-	-	-	-	0	-	-	-	-
SET5028C2503A	0.34	(0.05)	155,029	0.35	0	-	-	-	-	0	-	-	-	-
SET5028P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412C	0.37	(0.07)	734,348	0.37	0	-	-	-	-	0	-	-	-	-
SET5041C2412T	0.39	(0.08)	5,607	0.41	0	-	-	-	-	0	-	-	-	-
SET5041C2412U	0.35	(0.08)	179,814	0.41	0	-	-	-	-	0	-	-	-	-
SET5041C2412W	1.31	(0.32)	676	1.40	0	-	-	-	-	0	-	-	-	-
SET5041C2412X	1.99	(0.47)	200	1.99	0	-	-	-	-	0	-	-	-	-



## Main Board Quotation

Issue Date :

Monday October 28, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust			-		TPLAS	1.45	(0.06)	1,409	00 1.4	KK	1.60	0.02	751	00 1.6
APO	2.24	(0.06)	2,518	00 2.2	TRT	3.64	(0.02)	1,471	00 3.6	KLINIQ	32.00	(1.50)	23,256	00 31.8
AU	10.20	(0.10)	27,084	00 10.1	TRV	2.12	(0.04)	22	00 2.1	KOOL	0.39	(0.02)	42,975	00 0.3
CFARM	1.23	-	19,618	00 1.2	UBIS	1.93	0.01	837	00 1.9	KTMS	2.36	(0.10)	920	00 2.3
JCKH	0.02	-	14,590	00 0.0	UEC	1.44	0.02	517	00 1.4	LDC	0.58	(0.03)	4,727	00 0.5
JCKH-W2	-	-	-	00 0.0	UKEM	0.77	-	8,763	00 0.7	LEO	3.94	0.04	141	00 3.9
KASET	1.02	-	1,523	00 1.0	UREKA	0.48	(0.01)	11,421	00 0.4	MCA	1.93	0.05	31,420	00 1.8
MAGURO	17.30	(0.10)	7,202	00 17.1	YUASA	10.90	0.10	14	00 10.9	MEB	30.00	0.25	2,508	00 29.7
MUD	1.38	0.01	16	00 1.3	ZIGA	1.96	0.02	8,646	00 1.9	MORE	0.07	-	8,359	00 0.0
NTSC	10.90	0.20	141	00 10.7	ZIGA-W2	0.18	(0.01)	21,356	00 0.1	MVP	0.80	(0.02)	3,002	00 0.8
TACC	4.86	(0.04)	18,498	00 4.8	Property					NCL	0.47	(0.04)	36,431	00 0.4
TMILL	3.64	0.02	8	00 3.6	24CS	3.84	(0.08)	12,826	00 3.8	NCP	1.29	(0.02)	8,495	00 1.3
WINNER	2.08	0.02	361	00 2.0	A5	2.60	0.04	7,952	00 2.5	NEWS	0.01	-	152,009	00 0.0
XO	23.40	0.30	3,476	00 23.3	A5-W3	0.01	-	1,000	00 0.0	PEER	0.31	(0.01)	25,561	00 0.3
<b>Consumer Products</b>														
ALPHAX	0.68	-	40,954	00 0.6	A5-W4	0.07	-	217,600	00 0.0	PEER-W1	0.02	0.01	1,938	00 0.0
BGT	0.56	0.01	1,168	00 0.5	ARIN	1.13	(0.02)	47,513	00 1.1	PICO	-	-	-	00 0.0
DOD	2.56	0.02	1,309	00 2.5	ARROW	5.65	-	340	00 5.6	PLT	0.79	0.01	6,368	00 0.7
ECF	0.49	(0.01)	8,273	00 0.4	BC	0.97	0.01	6,559	00 0.9	QLT	2.16	0.08	117	00 2.1
ECF-W5	0.05	-	1,775	00 0.0	BC-W2	0.14	0.01	657	00 0.1	RP	1.20	-	1,203	00 1.1
EFORL	0.13	-	36,133	00 0.1	BLESS	0.46	0.01	409	00 0.4	SLM	0.04	-	116,226	00 0.0
EFORL-W6	0.02	-	1,089	00 0.0	BSM	1.81	0.01	159	00 1.7	SONIC	1.55	-	2,790	00 1.5
EURO	6.05	(0.10)	644	00 6.0	BTW	0.29	-	6,877	00 0.2	THMUI	0.59	0.01	1,186	00 0.5
HPT	0.48	(0.01)	6,076	00 0.4	CAZ	2.90	(0.02)	1,652	00 2.9	TNDT	0.30	0.04	229,708	00 0.3
ITTHI	1.99	-	2,837	00 1.9	CHEWA	0.47	-	630	00 0.4	TNDT-W1	0.04	0.02	169,533	00 0.0
JSP	2.04	0.05	7,660	00 1.9	CPANEL	4.14	-	161	00 4.0	TNH	36.50	0.25	134	00 36.3
JUBILE	13.50	(0.10)	52	00 13.4	CPANEL-W1	0.42	0.01	1	00 0.4	TNP	3.50	0.02	4,738	00 3.5
LTS	11.40	(0.20)	9,549	00 11.5	CRD	0.45	-	2,449	00 0.4	TPL	1.23	(0.01)	2,531	00 1.2
MGI	14.80	(0.40)	28,154	00 14.7	DHOUSE	0.57	(0.03)	3,192	00 0.5	TRP	9.40	(0.05)	423	00 9.3
MGI-W1	4.40	(0.20)	35,070	00 4.4	DIMET	1.25	-	2,109	00 0.2	TURTLE	-	-	-	00 0.0
MOONG	2.16	(0.04)	247	00 2.1	DPAINT	1.82	(0.04)	3,217	00 1.8	TVDH	0.19	-	24,659	00 0.1
NPK	13.00	(0.90)	35	00 12.6	FLOYD	0.74	(0.03)	2,202	00 0.7	TVDH-W3	-	-	-	00 0.0
SEI	4.88	0.26	89,998	00 4.9	HYDRO	0.28	0.03	9,087	00 0.2	TVDH-W4	0.03	-	871	00 0.0
SMD	4.04	(0.06)	406	00 4.0	HYDRO-W2	0.06	0.01	9,899	00 0.0	TVT	0.48	(0.03)	5,562	00 0.4
TM	1.37	(0.01)	352	00 1.3	IND	0.82	0.03	52,931	00 0.8	UBA	0.99	-	321	00 0.9
TM-W1	0.12	(0.01)	1,214	00 0.1	JAK	1.21	0.11	3,163	00 1.2	VL	0.98	-	2,121	00 0.9
WARRIX	3.56	0.10	4,880	00 3.5	K	1.30	(0.09)	12,603	00 1.2	YGG	0.86	(0.01)	41,147	00 0.8
WINMED	2.06	0.02	6	00 2.0	K-W3	0.18	(0.02)	271	00 0.1	Technology				
<b>Financials</b>														
ACAP	-	-	-	00 0.0	META	0.17	0.01	4,605	00 0.1	APP	1.76	(0.01)	1,341	00 1.7
AF	0.61	(0.01)	204	00 0.6	META-W7	0.01	-	505	00 0.0	BBIK	38.25	(0.25)	3,155	00 38.7
AIRA	1.30	-	1	00 1.3	PANEL	1.29	(0.03)	78	00 1.3	BEB	18.50	(0.10)	5,264	00 18.6
ASN	1.94	0.03	157	00 1.9	PPS	0.26	-	6,568	00 0.2	BEB-W1	2.50	(0.08)	47	00 2.4
BTC	0.49	-	124,884	00 0.4	PRI	10.30	0.20	6,968	00 10.1	BVG	2.98	-	757	00 2.9
BTC-W7	0.22	-	1,300	00 0.2	PROS	1.18	(0.02)	2,526	00 1.1	COMAN	1.48	(0.64)	31,275	00 1.7
GCAP	0.57	0.01	18,139	00 0.5	PROS-W1	0.19	-	4,268	00 0.1	I2	1.87	(0.02)	4,596	00 1.8
KCC	2.98	-	932	00 2.9	PSG	0.54	-	22,513	00 0.5	IIG	6.10	0.20	4,369	00 6.0
LIT	1.08	0.01	2,754	00 1.0	QTCG	0.47	(0.01)	24,950	00 0.4	IIG-W1	0.69	0.09	822	00 0.5
LIT-W2	0.15	0.01	1,439	00 0.1	SENX	0.40	(0.01)	1,116	00 0.3	IRCP	0.57	-	14,373	00 0.5
MTSIB	0.74	-	822	00 0.7	SK	0.69	-	14,486	00 0.7	ITNS	1.74	0.04	300	00 1.7
SGF	0.30	(0.01)	482	00 0.3	SMART	0.80	0.02	5,976	00 0.7	NAT	4.82	(0.04)	4,705	00 4.8
SGF-P1	-	-	-	00 0.0	STC	0.56	(0.01)	292	00 0.5	NETBAY	16.20	(0.20)	2,351	00 16.2
SGF-Q1	-	-	-	00 0.0	STX	1.50	-	1,470	00 1.4	PLANET	1.48	0.09	425,415	00 1.4
TQR	6.50	0.05	1,209	00 6.4	SVR	1.25	(0.01)	1,252	00 1.2	PROEN	3.36	-	65,666	00 3.2
<b>Industrials</b>														
ADB	0.94	(0.05)	2,756	00 0.9	TAPAC	-	-	-	00 0.0	PROEN-W2	1.60	(0.13)	54,225	00 1.6
BM	3.14	-	1,927	00 3.1	THANA	1.48	(0.01)	1,135	00 1.4	READY	5.80	0.20	175	00 5.7
BM-W3	1.52	(0.07)	2,286	00 1.4	TIGER	0.59	-	3,476	00 0.5	SECURE	13.30	(0.20)	1,294	00 13.4
BPS	0.66	-	3,671	00 0.6	TITLE	4.34	0.36	4,469	00 4.2	SICT	6.25	0.40	64,104	00 6.1
CHO	0.05	-	15,579	00 0.0	WELL	-	-	-	00 0.0	SIMAT	1.92	(0.08)	95,880	00 1.9
CHO-W4	-	-	-	00 0.0	YONG	1.42	(0.07)	3,561	00 1.4	SIMAT-W3	0.14	(0.02)	1,152	00 0.1
CHOW	2.34	(0.02)	2,281	00 2.3	Resources					SPVI	2.72	0.02	922	00 2.6
CIG	0.04	(0.01)	10,886	00 0.0	ABM	1.29	(0.01)	1,254	00 1.3	SRS	5.15	(0.10)	848	00 5.2
CIG-W10	0.05	0.01	2	00 0.0	ABM-W1	0.05	(0.01)	22,313	00 0.0	TBN	6.20	0.05	643	00 6.1
CIG-W9	0.03	-	46	00 0.0	GTV	0.13	0.01	149,484	00 0.1	TERA	1.55	-	683	00 1.5
COLOR	1.11	(0.05)	804	00 1.1	PSTC	0.49	(0.01)	10,732	00 0.4	TPS	3.08	-	1,477	00 3.0
CPR	3.42	(0.08)	2,278	00 3.5	PSTC-W2	0.02	-	6,115	00 0.0	VCOM	2.70	(0.02)	1,684	00 2.7
FPI	1.98	(0.01)	362	00 1.9	PSTC-W3	0.20	(0.01)	15,501	00 0.1		-	-	-	-
GTB	0.71	(0.02)	636	00 0.7	PTC	1.67	0.03	88	00 1.6		-	-	-	-
HARN	2.14	-	393	00 2.1	SAAM	8.70	(0.15)	2,718	00 8.7		-	-	-	-
KCM	0.34	0.01	48	00 0.3	SR	0.67	-	6	00 0.6		-	-	-	-
KJL	7.20	-	293	00 7.1	STOWER	0.08	-	28,246	00 0.0		-	-	-	-
KUMWEL	1.71	(0.01)	200	00 1.7	TAKUNI	0.93	(0.01)	36,204	00 0.9		-	-	-	-
KWM	1.32	-	1,769	00 1.3	TPCH	5.80	-	1,562	00 5.7		-	-	-	-
MBAX	2.90	-	217	00 2.9	UMS	0.76	-	7	00 0.7		-	-	-	-
MGT	2.24	-	335	00 2.2	Services						-	-	-	-
MTW	1.17	(0.02)	2,377	00 1.1	ADD	4.80	0.08	155	00 4.6		-	-	-	-
MTW-W1	0.16	(0.02)	46,711	00 0.1	AKP	0.87	-	47,530	00 0.8		-	-	-	-
NDR	3.34	(0.04)	32,198	00 3.3	AMA	4.38	0.02	1,553	00 4.3		-	-	-	-
PACO	1.50	-	518	00 1.5	AMARC	1.36	0.03	1,052	00 1.3		-	-	-	-
PACO-W1	0.12	-	2,414	00 0.1	ARIP	0.64	0.01	770	00 0.6		-	-	-	-
PDG	2.68	-	196	00 2.6	ATP30	0.90	(0.02)	2,488	00 0.9		-	-	-	-
PHOL	3.04	-	456	00 3.0	AUCT	9.50	0.05	5,872	00 9.4		-	-	-	-
PIMO	1.68	(0.01)	23,258	00 1.6	BIS	3.76								