

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB13C2412A	0.09	0.02	54,550	0.09	IVL19C2502C	0.19	0.04	60,744	0.18
Agribusiness					SCB13C2502A	0.26	0.02	187,128	0.26	IVL19P2502A	0.13	(0.03)	11,184	0.13
EE	0.15	(0.01)	7,711	0.15	SCB1P2412A	-	-	-	-	IVL41C2411A	0.03	(0.02)	4,437	0.03
EE-W1	-	-	-	-	SCB13P2502A	0.18	(0.02)	121,052	0.18	IVL41C2412A	-	-	-	-
GPFT	10.70	(0.20)	20,279	10.76	SCB19C2412A	0.21	0.02	33,446	0.21	IVL41C2412B	-	-	-	-
LEE	2.50	0.02	46	2.50	SCB19C2502A	0.27	0.03	49,242	0.27	IVL41C2502A	0.89	0.04	400	0.83
NER	5.00	-	32,757	5.03	SCB19P2412A	-	-	-	-	IVL41C2502B	0.19	0.04	34,610	0.18
NER-W2	0.73	(0.01)	5,513	0.74	SCB41C2412A	0.10	-	30,786	0.10	NFC	1.84	0.03	100	1.82
PCE	2.86	0.02	174,994	2.83	SCB41C2502A	0.27	0.03	1,210	0.27	PATO	8.75	-	153	8.73
PPPM	0.73	(0.05)	54,919	0.74	TCAP	52.50	0.75	10,747	52.06	PTMTA	-	-	-	-
PPPM-W6	0.69	0.07	366	0.64	TCAP-P	-	-	-	-	PTTG-C	27.75	1.50	373,537	27.50
STA	21.10	0.20	219,207	21.27	TCAP-Q	-	-	-	-	PTTG-C01C2411A	0.01	-	2,500	0.01
STA01C2411A	-	-	-	-	TCAP13C2501A	0.12	0.01	8,204	0.11	PTTG-C01C2412A	0.01	(0.01)	10,000	0.01
STA01C2412A	0.15	0.01	61,480	0.16	TCAP19C2504A	0.32	0.02	7,448	0.30	PTTG-C01C2501A	0.06	0.03	13,733	0.05
STA01C2501A	0.18	-	44,580	0.19	TISCO	96.25	-	34,927	96.32	PTTG-C01C2501B	0.49	0.18	6,936	0.46
STA01C2502A	0.06	0.01	1	0.06	TISCO-P	-	-	-	-	PTTG-C01C2502A	0.15	0.04	41,499	0.15
STA01C2503A	0.44	0.03	52,551	0.46	TISCO-Q	-	-	-	-	PTTG-C01C2504A	0.91	0.22	4,822	0.85
STA01P2502A	0.50	(0.02)	33,514	0.49	TISCO11C2501A	0.26	-	1,000	0.26	PTTG-C01P2412X	0.08	(0.06)	10,166	0.09
STA13C2411A	-	-	-	-	TISCO13C2502A	0.13	(0.01)	20	0.13	PTTG-C01P2501A	0.07	(0.04)	22,462	0.09
STA13C2412A	0.08	0.02	13,666	0.08	TISCO19C2502A	0.32	(0.01)	14,783	0.33	PTTG-C01P2503A	0.31	(0.07)	22,769	0.32
STA13C2502A	0.05	-	2,489	0.05	TTB	1.80	0.01	1,464,027	1.81	PTTG-C11C2411A	-	-	-	-
STA13C2502B	0.33	0.02	219,586	0.34	TTB-W1	0.85	-	789	0.85	PTTG-C11C2412A	-	-	-	-
STA13P2502A	0.44	(0.02)	62,688	0.44	TTB01C2503A	0.10	0.01	20	0.10	PTTG-C11C2501A	-	-	-	-
STA19C2412A	0.15	0.01	45,253	0.16	TTB01C2504A	0.35	-	33,971	0.36	PTTG-C11C2502A	0.18	0.06	14,519	0.16
STA19C2502A	0.14	-	33,404	0.15	TTB13C2501A	-	-	-	-	PTTG-C13C2411A	-	-	-	-
STA19C2502B	0.07	-	1,800	0.07	TTB13C2503A	0.28	(0.72)	28,081	0.28	PTTG-C13C2412A	-	-	-	-
STA19C2503A	0.36	0.01	132,414	0.37	TTB19C2501A	0.17	0.01	3,202	0.18	PTTG-C13P2502A	0.02	0.01	2,447	0.02
TEGH	3.44	0.10	59,349	3.41	Construction Ma	-	-	-	-	PTTG-C13P2502B	0.18	0.06	10	0.18
TFM	8.70	0.10	1,565	8.68	CCP	0.30	-	4,091	0.30	PTTG-C13P2501A	0.11	0.04	71,282	0.11
TRUBB	1.09	(0.01)	20,297	1.10	DCC	1.86	(0.01)	41,917	1.85	PTTG-C13C2502A	0.19	0.05	73,026	0.18
UPOIC	6.65	0.05	386	6.66	DCON	0.32	0.01	6,144	0.31	PTTG-C13C2503A	0.80	0.15	5	0.78
UVAN	9.20	0.10	14,028	9.25	DCON-W3	0.02	-	2,307	0.02	PTTG-C13P2412A	-	-	-	-
VPO	0.83	0.03	92,473	0.82	DRT	7.90	-	1,996	7.90	PTTG-C13P2502A	-	-	-	-
Banking					EPG	4.54	(0.02)	25,867	4.53	PTTG-C13P2502B	0.14	(0.04)	15,780	0.15
BAY	25.25	-	1,002	25.17	GEL	0.10	(0.01)	71,945	0.11	PTTG-C19C2412A	-	-	-	-
BBL	148.00	1.50	57,298	148.50	GEL-W5	0.01	-	12	0.01	PTTG-C19C2412B	0.06	0.03	1,712	0.06
BBL11C2412A	-	-	-	-	PPP	1.70	-	1	1.70	PTTG-C19C2501A	-	-	-	-
BBL11C2501A	0.09	-	2,020	0.09	Q-CON	10.20	0.10	1,426	10.21	PTTG-C19C2501B	0.17	0.06	20,849	0.15
BBL11C2502A	0.24	0.03	6,010	0.23	SCC	200.00	-	18,102	201.07	PTTG-C19C2502A	0.10	0.02	170	0.09
BBL13C2412A	0.09	-	12,022	0.10	SCC01C2412A	0.01	(0.01)	3,002	0.01	PTTG-C19P2412A	0.01	(0.02)	1,000	0.02
BBL13C2501A	0.10	-	20,446	0.11	SCC01C2502A	0.16	-	13,322	0.16	PTTG-C19P2503A	0.16	(0.04)	17,798	0.17
BBL13C2503A	0.22	0.01	53,930	0.23	SCC01C2503A	0.06	(0.01)	676	0.07	PTTG-C41C2412A	-	-	-	-
BBL1P2412A	0.01	-	810	0.01	SCC01P2503A	0.81	-	3,586	0.80	PTTG-C41C2412B	-	-	-	-
BBL1P2501A	0.31	(0.03)	10,271	0.31	SCC13C2501A	0.03	-	140	0.22	PTTG-C41C2501A	0.44	0.18	6,000	0.42
BBL19C2502A	0.11	0.01	12,000	0.11	SCC13C2501B	0.01	-	1,011	0.01	PTTG-C41C2502A	0.05	0.01	200	0.05
BBL19C2503A	0.23	0.01	80,527	0.23	SCC13C2502A	0.09	(0.02)	11,114	0.10	PTTG-C41C2502B	0.11	0.02	15,320	0.11
BBL19C2503B	0.34	(0.66)	9,519	0.33	SCC13C2503A	0.16	(0.01)	30,201	0.17	PTTG-C41C2503A	0.23	0.05	48,410	0.22
BBL41C2412A	0.12	0.01	12,800	0.11	SCC13P2502A	-	-	-	-	PTTG-C41P2502A	-	-	-	-
BBL41C2502A	0.11	-	6,540	0.11	SCC19C2501A	-	-	-	-	SUTHA	2.98	-	41	2.99
CIMBT	0.55	(0.02)	16,727	0.55	SCC19C2502A	0.04	(0.01)	1,037	0.05	TPA	4.26	0.10	3	4.24
CREDIT	22.20	(0.10)	1,302	22.06	SCC19C2503A	0.17	(0.01)	8,369	0.18	UAC	3.52	0.10	2,764	3.46
KBANK	148.00	1.50	118,832	147.76	SCC41C2503A	0.18	(0.01)	15,000	0.20	UP	17.50	(0.50)	36	17.53
KBANK01C2412A	0.32	(0.01)	1	0.32	SCCC	165.00	(2.50)	444	165.19	Commerce	-	-	-	-
KBANK01C2501A	0.31	0.01	7,232	0.32	SGGD	6.40	(0.10)	6,489	6.47	ADVICE	6.90	0.20	51,735	6.89
KBANK01C2502A	0.12	-	9,663	0.12	SCP	6.40	-	414	6.40	B52	0.35	(0.01)	6,293	0.34
KBANK01C2503A	0.33	0.01	16,750	0.34	SKN	5.40	(0.05)	293	5.40	BEAUTY	0.46	-	14,893	0.46
KBANK01P2412X	0.03	0.01	62	0.02	STECH	1.13	-	334	1.13	BIG	0.43	(0.01)	10,810	0.43
KBANK01P2502A	0.23	(0.03)	44,271	0.24	TASCO	18.10	(0.30)	39,067	18.28	BJC	23.40	(0.10)	38,476	23.32
KBANK01P2502B	-	-	-	-	TASCO01C2501/	0.18	-	2,150	0.18	BJC01C2412A	0.13	(0.02)	29,644	0.13
KBANK13C2412A	0.16	(0.02)	50,702	0.16	TASCO13C2501/	0.13	(0.01)	7,379	0.14	BJC01C2503A	0.07	(0.03)	10	0.07
KBANK13C2501A	0.11	-	13,167	0.11	TASCO19C2502/	0.22	-	1,498	0.22	BJC13C2412A	0.08	(0.02)	1,270	0.08
KBANK13C2501B	-	-	-	-	TOA	17.40	(0.10)	2,491	17.44	BJC13C2502A	-	-	-	-
KBANK13C2503A	0.32	0.01	75,583	0.32	TIPL	1.13	-	33,232	1.13	BJC13C2503A	0.35	(0.02)	21,287	0.35
KBANK13P2412A	-	-	-	-	UMI	0.78	-	335	0.78	BJC19C2502A	-	-	-	-
KBANK13P2501A	-	-	-	-	VNG	3.34	-	587	3.31	BJC19C2503A	0.30	(0.01)	8,580	0.30
KBANK13P2501B	0.19	(0.02)	13,247	0.19	WIIK	1.09	-	1,949	1.08	COM7	27.25	0.50	85,501	27.02
KBANK19C2501A	0.18	-	30,259	0.18	WIIK-W3	0.06	-	28,682	0.06	COM701C2412W	0.47	0.03	6,161	0.47
KBANK19C2502A	0.19	0.01	9,056	0.19	WINDOW	0.82	(0.16)	113,155	0.85	COM701C2501A	0.13	-	37,583	0.13
KBANK19C2502B	0.12	-	41,126	0.12	Petrochemicals &	-	-	-	-	COM701C2503A	0.21	-	39,706	0.21
KBANK19P2501A	-	-	-	-	BCT	69.75	(0.50)	1	69.75	COM701P2501A	0.17	(0.01)	40,279	0.17
KBANK19P2502A	0.11	-	8,312	0.11	CMAN	2.14	(0.02)	1,309	2.13	COM713C2411A	-	-	-	-
KBANK41C2501A	0.28	0.03	27,000	0.28	GC	5.00	-	609	4.99	COM713C2412A	0.36	(0.04)	200	0.36
KBANK41C2502A	0.12	0.01	9,000	0.12	GGC	4.84	(0.06)	551	4.92	COM713C2501A	0.14	0.01	12,305	0.13
KBANK41C2604T	0.73	0.01	20,600	0.73	GIFT	2.66	(0.20)	37,926	2.71	COM713P2501A	0.14	(0.01)	23,849	0.14
KBANK41P2502A	-	-	-	-	GIFT-W2	0.84	(0.12)	7,679	0.80	COM719C2501A	-	-	-	-
KKP	53.00</td													

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC01C2412A	0.03	(0.01)	1	0.03	DITTO-W1	0.93	0.03	312	0.90	DELTA06C2502A	0.92	0.11	2,389	0.92
CRC01C2501A	0.23	-	8,452	0.23	DTCENT	1.15	(0.02)	10,831	1.16	DELTA11C2411A	-	-	-	-
CRC01C2503A	0.12	-	4,000	0.12	FORTH	12.40	(0.20)	3,582	12.39	DELTA11C2501A	0.88	(0.04)	11,002	0.91
CRC11C2501A	-	-	-	-	FORTH13C2412	0.04	(0.02)	440	0.04	DELTA11C2501B	1.36	0.12	461	1.42
CRC13C2412A	-	-	-	-	FORTH19C2501	0.11	(0.02)	3,498	0.12	DELTA13C2412A	1.45	0.19	6,150	1.45
CRC13C2412B	0.10	-	14,755	0.11	GABLE	3.60	(0.02)	1,801	3.61	DELTA13C2501A	3.78	0.28	120	3.74
CRC13C2502A	-	-	-	-	HUMAN	10.20	(0.10)	614	10.27	DELTA13C2502A	1.47	0.04	3,878	1.52
CRC13C2503A	0.18	0.01	17,512	0.19	ICN	2.50	0.14	16,011	2.46	DELTA13C2502B	1.06	0.04	29,635	1.08
CRC19C2501A	0.21	0.01	3,954	0.21	ILINK	6.10	(0.10)	3,432	6.12	DELTA13C2503A	0.79	0.03	520,114	0.81
CRC19C2502A	-	-	-	-	INET	4.84	0.18	124,592	4.84	DELTA13C2503B	0.54	(0.46)	272,960	0.55
CRC41C2503A	0.19	0.01	9,000	0.19	INET-W3	-	-	-	-	DELTA13P2412A	0.01	-	1	0.01
CSS	0.84	-	2,764	0.84	INSET	3.46	0.30	1,058,973	3.37	DELTA13P2502A	0.08	(0.01)	23,924	0.08
DOHOME	10.40	-	42,052	10.32	INTUCH	104.00	2.50	106,262	103.39	DELTA13P2502B	0.19	(0.02)	339,502	0.19
DOHOME01C2501A	0.03	(0.01)	500	0.03	INTUCH01C2412	1.50	0.22	4,318	1.39	DELTA13P2503A	0.39	(0.02)	329,845	0.39
DOHOME01C2503A	0.14	0.01	44,954	0.13	INTUCH01C2502	0.22	0.02	97,844	0.22	DELTA19C2412A	-	-	-	-
DOHOME13C2412A	-	-	-	-	INTUCH13C2411	-	-	-	-	DELTA19C2502A	-	-	-	-
DOHOME13C2502A	0.12	-	971	0.12	INTUCH13C2412	-	-	-	-	DELTA19C2503A	0.96	0.02	23,919	0.98
DOHOME13C2503A	0.20	(0.80)	22,265	0.20	INTUCH13C2501	0.62	(0.02)	1,060	0.60	DELTA19C2503B	0.65	(0.35)	50,848	0.66
DOHOME19C2501A	0.05	(0.01)	60	0.05	INTUCH13C2502	0.29	0.04	86,907	0.28	DELTA19P2412A	-	-	-	-
DOHOME19C2502A	0.14	-	3,271	0.14	INTUCH13C2502	0.16	0.02	63,455	0.16	DELTA19P2502A	0.06	(0.02)	130,488	0.06
DOHOME41C2412A	-	-	-	-	INTUCH13P2411	-	-	-	-	DELTA19P2503A	0.27	(0.02)	117,354	0.27
DOHOME41C2501A	-	-	-	-	INTUCH13P2412	-	-	-	-	DELTA41C2411A	-	-	-	-
FN	1.10	-	172	1.09	INTUCH13P2502	0.36	(0.06)	54,542	0.39	DELTA41C2411B	-	-	-	-
GLOBAL	16.10	0.30	33,993	16.00	INTUCH19C2411	-	-	-	-	DELTA41C2412A	1.53	0.17	7,502	1.49
GLOBAL01C2503A	0.26	0.03	17,387	0.25	INTUCH19C2502	-	-	-	-	DELTA41C2502A	1.07	0.03	7,929	1.11
GLOBAL11C2501A	0.18	0.03	1,801	0.17	INTUCH19C2503	0.33	0.03	252,664	0.31	DELTA41C2503A	0.56	(0.44)	95,455	0.58
GLOBAL13C2501A	0.24	0.03	33,498	0.22	INTUCH19C2504	0.21	0.04	41,526	0.19	DELTA41P2412A	-	-	-	-
GLOBAL19C2412A	-	-	-	-	ITEL	2.42	0.08	279,010	2.41	DELTA41P2502A	0.20	(0.03)	5,208	0.20
GLOBAL19C2503A	0.32	0.03	13,875	0.30	JAS	2.28	0.02	339,821	2.29	HANA	38.50	(1.00)	136,879	38.81
HMPRO	9.75	(0.05)	206,664	9.85	JAS-W4	0.44	0.04	1,114,641	0.42	HANO01C2411W	-	-	-	-
HMPRO01C2501A	0.20	0.01	5,604	0.21	JAS13C2412A	0.02	-	100	0.02	HANO01C2412W	0.01	-	600	0.01
HMPRO01C2503A	-	-	-	-	JAS13C2502A	0.13	-	14,946	0.14	HANO01C2501W	0.06	(0.02)	650	0.08
HMPRO01C2504A	0.41	0.02	14,825	0.42	JAS13C2503A	0.29	-	34,585	0.29	HANO01C2502A	0.16	(0.03)	28,530	0.17
HMPRO11C2412A	0.35	0.01	2,000	0.36	JAS19C2412A	0.02	-	36,122	0.02	HANO01C2504W	0.36	(0.04)	27,554	0.38
HMPRO11C2412B	-	-	-	-	JAS19C2501A	0.09	-	9,578	0.10	HANO01P2411W	-	-	-	-
HMPRO11C2502A	-	-	-	-	JAS19C2503A	0.24	-	34,468	0.24	HANO1P2501W	0.19	0.02	41,719	0.19
HMPRO13C2411A	-	-	-	-	JMART	14.60	(0.10)	48,373	14.69	HANO6C2412A	0.07	(0.01)	5,842	0.08
HMPRO13C2501A	0.30	(0.01)	23,792	0.31	JMART-W5	0.58	(0.01)	267	0.60	HANO6C2501A	-	-	-	-
HMPRO13C2501B	0.05	-	1,440	0.04	JMART01C2411V	-	-	-	-	HANO13C2411A	0.01	(0.01)	4,420	0.01
HMPRO19C2501A	0.44	-	1	0.44	JMART01C2501	0.16	(0.02)	19,990	0.17	HANO13C2412B	0.02	(0.02)	5,294	0.02
HMPRO19C2501B	0.09	-	140	0.09	JMART01C2503	0.34	(0.02)	14,826	0.36	HANO13C2502A	0.13	(0.02)	52,064	0.14
HMPRO19C2502A	0.08	(0.01)	5	0.08	JMART13C2412F	-	-	-	-	HANO13C2503A	0.27	(0.04)	92,070	0.28
HMPRO19C2503A	0.33	0.01	17,155	0.33	JMART13C2501F	0.30	(0.02)	33,401	0.31	HANO13P2502A	0.42	0.03	98,733	0.41
HMPRO41C2503A	0.30	-	3,301	0.31	JMART13C2501E	0.10	-	17,747	0.11	HANO19C2501A	-	-	-	-
ICC	33.50	(0.50)	61	33.75	JMART19C2412F	-	-	-	-	HANO19C2501B	0.11	(0.03)	10,614	0.12
ILM	16.70	(0.40)	4,142	16.76	JMART19C2501F	-	-	-	-	HANO19C2503A	0.27	(0.04)	40,420	0.30
IT	5.35	0.41	12,875	5.25	JMART19C2501E	-	-	-	-	HANO41C2411A	-	-	-	-
KAMART	10.20	(0.70)	94,258	10.55	JMART19C2501C	0.11	(0.01)	18,320	0.11	HANO41C2501A	0.07	(0.02)	1	0.07
LOXLEY	1.40	-	381	1.40	JMART19C2503	0.29	(0.01)	22,905	0.30	HANO41C2502A	0.21	(0.04)	25,929	0.21
MC	11.40	-	11,617	11.35	JMART41C2412F	0.23	(0.03)	32,000	0.24	KCE	35.75	(2.00)	232,393	36.21
MEGA	37.50	(0.50)	4,807	37.76	JMART41C2501F	0.18	(0.01)	9,700	0.19	KCE01C2412W	-	-	-	-
MEGA13C2502A	0.13	(0.02)	800	0.13	JTS	70.25	(2.25)	17,724	72.89	KCE01C2501W	-	-	-	-
MEGA19C2502A	0.16	(0.02)	1,324	0.17	MFEC	6.10	(0.10)	556	6.07	KCE01C2503A	0.17	(0.05)	62,362	0.20
MIDA	0.43	0.01	1,953	0.43	MSC	7.90	(0.05)	149	7.90	KCE01C2504W	0.35	(0.09)	62,861	0.39
MOSHI	45.75	0.25	3,674	45.88	PT	9.50	(0.20)	5,291	9.48	KCE01P2412W	0.36	(0.07)	898	0.32
RS	6.05	0.05	34,571	5.97	ROCTEC	1.18	(0.01)	306,527	1.18	KCE01P2501W	0.23	0.05	133,703	0.23
RS-W5	4.94	0.02	251	4.93	ROCTEC-W3	0.06	-	408,867	0.06	KCE11C2501A	0.07	(0.05)	5,940	0.09
RSP	1.90	(0.02)	1,526	1.88	ROCTEC-W5	0.08	(0.01)	613,988	0.08	KCE13C2411A	-	-	-	-
SABUY	0.60	(0.02)	192,787	0.61	SAMART	7.00	-	13,511	6.95	KCE13C2412B	-	-	-	-
SCM	3.86	0.12	6,176	3.84	SAMTEL	6.75	0.05	3,953	6.82	KCE13C2412W	0.01	-	1	0.01
SCM-W2	0.85	(0.19)	2,314	0.85	SDC	0.06	-	312,078	0.06	KCE13C2501A	0.08	(0.04)	57,192	0.09
SINGER	10.30	0.10	35,803	10.24	SIS	24.10	(0.70)	8,350	24.32	KCE13C2503B	0.18	(0.06)	170,671	0.20
SPC	57.75	-	36	57.94	SKY	23.00	-	2,442	23.06	KCE13C2503W	0.28	(0.09)	2,514	0.30
SPI	66.25	1.50	1	66.25	SPREME	1.85	(0.09)	122,313	1.86	KCE13P2412A	0.20	0.06	67,252	0.17
SVT	1.66	(0.02)	7,412	1.68	SVOA	1.46	-	2,901	1.47	KCE13P2501A	0.17	0.04	39,604	0.16
TAN	8.10	(0.15)	6,264	8.20	SYMC	9.00	(0.05)	17,341	8.97	KCE19C2412A	0.01	-	250	0.01
Information & Comr	-	-	-	-	SYNEK	15.10	0.10	17,598	15.02	KCE19C2501A	0.07	(0.04)	18,784	0.10
3BBIF	6.15	(0.10)	138,116	6.17	THCOM	14.50	0.30	152,507	14.44	KCE19C2503A	0.18	(0.06)	65,095	0.21
ADVANC	285.00	11.00	148,239	285.04	TKC	13.30	0.30	75	13.11	KCE19C2503B	0.31	(0.08)	28,858	0.32
ADVANC01C2412A	0.68	0.16	17,858	0.71	TRUE	12.30	0.10	460,456	12.22	KCE19P2412A	0.25	0.07	2,142	0.22
ADVANC01C2501A	0.45	0.12	99,312	0.48	TRUE01C2501A	0.24	0.02	5,302	0.23	KCE19P2501A	0.18	0.04	70,637	0.17
ADVANC01C2503A	0.38	0.08	187,751	0.39	TRUE01C2503A	0.22	-	17,514	0.22	KCE41C2411A	-	-	-	-
ADVANC01C2503B	0.41	0.09	96,102	0.43	TRUE01P2412W	0.01	-	101	0.01	KCE41C2501A	-	-	-	-
ADVANC01P2412X	-	-	-	-	TRUE01P2503A	0.26	(0.01)	1,751	0.26	KCE41C2502A	0.14	(0.06)	41,838	0.15
ADVANC01P2502X	0.10	(0.04)	38,738											

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANPU13C2501A	0.09	0.01	1,084	0.09	EGCO19C2502A	0.17	(0.01)	24,459	0.17	PTTEP01C2502A	0.09	-	3,586	0.09
BANPU13C2502A	0.07	-	15,986	0.07	EP	1.97	-	669	1.95	PTTEP01C2503A	0.19	(0.01)	30,471	0.20
BANPU13P2501A	0.02	(0.01)	20	0.02	EP-W4	0.03	-	19,999	0.03	PTTEP01C2504A	0.38	(0.02)	29,525	0.39
BANPU13P2502A	0.26	(0.01)	3,084	0.26	ETC	1.99	(0.03)	12,799	2.01	PTTEP01P2412X	0.27	0.02	3	0.27
BANPU19C2501A	-	-	-	-	GPSC	40.25	(2.00)	112,775	40.69	PTTEP01P2503A	0.61	-	28,182	0.60
BANPU19C2502A	0.15	0.01	23,821	0.14	GPSC01C2411A	-	-	-	-	PTTEP06C2501A	0.06	(0.03)	800	0.06
BANPU19C2502B	0.08	-	271	0.08	GPSC01C2412A	0.04	(0.04)	11,482	0.06	PTTEP11C2411A	-	-	-	-
BANPU41C2411A	0.13	(1.69)	200	0.09	GPSC01C2501A	0.19	(0.09)	14,125	0.22	PTTEP11C2501A	0.05	(0.02)	4	0.06
BANPU41C2501A	0.23	0.03	11,600	0.23	GPSC01C2502A	0.07	(0.04)	32,860	0.08	PTTEP11C2501B	-	-	-	-
BANPU41C2502A	0.08	0.01	12,802	0.08	GPSC01C2504W	0.25	(0.07)	26,644	0.27	PTTEP11C2502A	0.22	(0.01)	6,000	0.22
BGGI	5.45	(0.20)	55,622	5.39	GPSC01P2411X	-	-	-	-	PTTEP13C2412A	-	-	-	-
BCP	33.00	(1.00)	85,039	33.02	GPSC01P2502A	0.29	0.06	113,491	0.27	PTTEP13C2501A	0.02	(0.01)	301	0.02
BCP01C2412A	-	-	-	-	GPSC11C2411A	-	-	-	-	PTTEP13C2502A	0.09	(0.01)	3,888	0.09
BCP01C2501A	0.10	(0.03)	3,809	0.10	GPSC11C2501A	-	-	-	-	PTTEP13C2503A	0.20	(0.01)	30,583	0.21
BCP01C2502A	-	-	-	-	GPSC13C2411A	-	-	-	-	PTTEP13P2502A	0.47	-	35,099	0.48
BCP01C2504A	0.24	(0.04)	13,614	0.25	GPSC13C2412A	-	-	-	-	PTTEP19C2412A	0.01	-	5,500	0.01
BCP01P2502A	0.32	0.03	24,366	0.32	GPSC13C2501A	0.14	(0.07)	26,885	0.18	PTTEP19C2502A	0.10	(0.01)	47,997	0.11
BCP11C2501A	-	-	-	-	GPSC13C2501B	0.04	(0.03)	1,633	0.05	PTTEP19C2503A	0.23	(0.01)	26,768	0.23
BCP11C2502A	0.14	(0.03)	12,988	0.14	GPSC13C2503A	0.16	(0.05)	29,785	0.18	PTTEP41C2412A	-	-	-	-
BCP13C2412A	0.03	(0.04)	120	0.03	GPSC13P2411A	-	-	-	-	PTTEP41C2502A	0.12	(0.01)	12,040	0.12
BCP13C2501A	0.04	(0.01)	2,003	0.03	GPSC13P2501A	0.33	0.06	84,362	0.32	PTTEP41C2503A	0.23	(0.02)	33,600	0.24
BCP13C2503A	0.17	(0.04)	26,015	0.17	GPSC19C2501A	0.15	(0.08)	22,886	0.19	PTTEP41C604T	-	-	-	-
BCP13P2501A	0.22	0.02	17,390	0.22	GPSC19C2502A	0.09	(0.06)	9,752	0.10	PTTEP41P2412A	-	-	-	-
BCP19C2412A	-	-	-	-	GPSC19C2503A	0.17	(0.05)	22,047	0.19	PTTEP41P2503A	0.40	(0.02)	6,000	0.40
BCP19C2501A	-	-	-	-	GPSC41C2411A	-	-	-	-	RATCH01C2503A	30.50	-	30,789	30.44
BCP19C2503A	0.22	(0.04)	24,416	0.22	GPSC41C2412A	0.05	(0.05)	5,200	0.06	RATCH13C2412A	-	-	-	-
BCP19C2503B	0.17	(0.03)	32,684	0.18	GPSC41C2502A	0.06	(0.02)	10,101	0.06	RATCH13C2503A	0.11	(0.02)	11,240	0.11
BCP41C2502A	0.07	(0.01)	20	0.07	GREEN	1.01	0.01	7,188	0.98	RATCH13C2503B	0.10	(0.04)	10	0.10
BCPG	6.15	(0.15)	37,689	6.21	GULF	65.50	1.00	298,313	65.28	RATCH19C2412A	0.07	(0.02)	3,500	0.07
BCPG01C2502A	0.05	(0.04)	28	0.05	GULFO1C2411A	-	-	-	-	RATCH19C2502A	0.10	(0.04)	-	-
BCPG13C2411A	-	-	-	-	GULFO1C2412A	1.04	0.09	4,802	1.05	RPC	0.49	(0.01)	2,250	0.49
BCPG13C2501A	0.07	(0.01)	10,612	0.07	GULFO1C2502A	0.60	0.05	35,761	0.58	SGC	3.46	(0.04)	252	3.49
BCPG13C2502A	0.06	-	2,476	0.06	GULFO1C2502B	0.40	0.05	93,579	0.39	SCN	0.85	(0.06)	87,255	0.87
BCPG19C2503A	0.12	(0.02)	7,194	0.13	GULFO1C2503A	0.26	0.02	84,484	0.27	SCN-W2	0.10	(0.01)	11,374	0.11
BGRIM	21.10	(0.40)	137,373	21.03	GULFO1P2411X	0.01	-	236	0.01	SCN-W3	-	-	-	-
BGRIM01C2411A	-	-	-	-	GULFO1P2501A	-	-	-	-	SEAOIL	2.60	0.02	1,292	2.57
BGRIM01C2411B	-	-	-	-	GULF13C2411A	-	-	-	-	SGP	7.30	0.15	157	7.27
BGRIM01C2501A	0.18	(0.03)	30,916	0.18	GULF13C2412A	1.36	0.15	6	1.39	SKE	0.32	(0.02)	7,765	0.33
BGRIM01C2502A	0.13	(0.03)	46,824	0.14	GULF13C2412B	-	-	-	-	SKE-W1	0.08	0.01	3,556	0.07
BGRIM01C2503A	0.05	-	150	0.05	GULF13C2501A	0.47	0.04	8,958	0.46	SOLAR	0.52	0.01	10,913	0.51
BGRIM01C2504A	0.31	(0.04)	45,499	0.32	GULF13C2502A	0.35	0.03	502,946	0.34	SPCG	8.70	-	2,209	8.70
BGRIM01P2411X	-	-	-	-	GULF13C2502B	0.22	0.02	332,493	0.21	SPRC	6.55	(0.05)	31,976	6.59
BGRIM11C2412A	0.10	(0.03)	5,000	0.11	GULF13P2411A	-	-	-	-	SPRC01C2502A	0.14	-	12,399	0.14
BGRIM11C2501A	-	-	-	-	GULF13P2412A	-	-	-	-	SPRC13C2412A	-	-	-	-
BGRIM13C2412A	0.06	(0.03)	21,519	0.06	GULF13P2501A	0.60	0.05	35,761	0.58	SPRC13C2501A	-	-	-	-
BGRIM13C2502A	0.12	(0.02)	44,510	0.12	GULF13P2502A	0.07	(0.01)	20	0.07	SPRC13C2503A	0.16	-	1,100	0.16
BGRIM13C2503A	0.25	(0.04)	67,579	0.26	GULF13P2502B	0.27	(0.03)	217,127	0.27	SPRC19C2501A	0.07	(0.01)	45	0.07
BGRIM19C2501A	0.21	(0.04)	27,075	0.22	GULF19C2412A	-	-	-	-	SPRC19C2503A	0.19	(0.01)	213	0.19
BGRIM19C2502A	0.15	(0.02)	16,830	0.16	GULF19C2501A	-	-	-	-	SSP	5.75	0.05	6,943	5.74
BGRIM41C2411A	-	-	-	-	GULF19C2502A	-	-	-	-	SSP-W2	0.12	0.01	267	0.12
BGRIM41C2412A	-	-	-	-	GULF19C2503A	0.43	0.02	104,090	0.43	SUPER	0.28	-	322,878	0.27
BGRIM41C2502A	0.13	(0.03)	18,180	0.14	GULF19C2503B	0.29	0.02	54,090	0.30	SUPEREIF	6.80	(0.10)	199	6.80
BIOTEC	0.31	(0.01)	35,386	0.31	GULF19P2501A	-	-	-	-	SUSCO	3.10	(0.04)	16,300	3.12
BIOTEC-P	-	-	-	-	GULF19P2503A	0.33	(0.03)	75,954	0.33	TAE	0.89	(0.01)	2,975	0.90
BIOTEC-Q	-	-	-	-	GULF41C2502A	0.82	(0.06)	14,450	0.83	TCC	0.48	-	976	0.48
BIOTEC-W2	0.07	(0.01)	19,959	0.07	GULF41C2502B	0.55	(0.03)	10,000	0.56	TCC-W5	0.19	0.01	6,248	0.18
BPP	11.80	0.10	4,153	11.82	GULF41C2605T	0.83	0.02	86,806	0.82	TGE	2.54	(0.02)	1,261	2.56
BRRGIF	3.72	(0.02)	449	3.71	GUNKUL	2.50	(0.02)	113,648	2.53	TGE-W1	1.25	(0.10)	729	1.20
BSRC	7.10	-	10,985	7.09	GUNKUL13C241	-	-	-	-	TOP	42.50	(0.75)	85,192	42.80
CKP	3.50	(0.10)	75,895	3.56	GUNKUL13C241	0.17	(0.22)	14,682	0.18	TOP01C2412A	-	-	-	-
CKP01C2504A	0.26	(0.03)	9,416	0.28	GUNKUL13C250	0.11	(0.01)	23,540	0.12	TOP01C2503A	0.10	(0.01)	5,200	0.10
CKP11C2412A	0.02	-	1	0.02	GUNKUL19C241	-	-	-	-	TOP01C2504A	0.23	(0.04)	15,592	0.24
CKP13C2501A	0.08	-	740	0.08	IRPC	1.43	-	243,215	1.43	TOP01P2504A	0.34	0.02	14,874	0.34
CKP19C2502A	0.16	(0.03)	7,355	0.17	IRPC01C2502A	-	-	-	-	TOP11C2412A	-	-	-	-
CV	0.25	-	62,620	0.25	IRPC01C2504A	0.24	(0.01)	10,639	0.25	TOP11C2501A	-	-	-	-
CV-W1	0.15	-	11,936	0.15	IRPC13C2412A	-	-	-	-	TOP11C2502A	-	-	-	-
DEMO	3.42	(0.04)	1,585	3.41	IRPC13C2501A	-	-	-	-	TOP13C2412A	-	-	-	-
DEMO-CW7	0.01	-	2	0.01	IRPC13C2502A	0.11	(0.01)	22,432	0.11	TOP13C2502A	0.05	(0.03)	2,055	0.06
EA	7.00	(0.05)	442,627	7.05	IRPC13C2503A	0.23	(0.77)	43,935	0.23	TOP13C2503A	0.14	(0.02)	12,751	0.14
EA01C2411W	0.01	-	3,346	0.01	IRPC19C2501A	0.08	(0.01)	774	0.08	TOP13C2503B	0.21	(0.03)	23,994	0.22
EA01C2412A	0.01	-	4,198	0.01	IRPC19C2502A	0.08	(0.01)	100	0.08	TOP13P2503A	0.30	0.02	19,882	0.28
EA01C2412W	0.01	(0.01)	4,160	0.01	IRPC19C2503A	0.19	-	24,913	0.20	TOP19C2412A	-	-	-	-
EA01P2411A	0.07	(0.03)	200	0.08	KBSPIF	7.75	0.05	1,957	7.73	TOP19C2502A	0.05	(0.03)	4,000	0.05
EA01P2411W	1.89	0.10	9,272	1.85	LANNA	16.00	(0.10)	2,770	15.99	TOP19C2503A	0.13	(0.03)	27,506	0.14
EA06C2412A	0.20	(0.02)	44,930	0.22</										

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :										Thursday November 07, 2024				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PLANB13C2412A	-	-	-	-	ML	0.68	(0.02)	4,879	0.69	CPF01C2502A	0.34	(0.02)	562	0.35
PLANB13C2503A	0.19	(0.01)	17,430	0.20	MST	9.90	(0.10)	94	9.99	CPF01C2503A	-	-	-	-
PLANB19C2412A	-	-	-	-	MTC	47.25	(1.25)	94,729	47.36	CPF13C2412A	0.02	(0.03)	300	0.02
PLANB19C2503A	0.24	(0.02)	26,017	0.26	MTC01C2411W	-	-	-	-	CPF13C2501A	0.05	-	100	0.05
PRAKIT	11.10	-	21	11.10	MTC01C2412A	0.21	(0.15)	1,730	0.27	CPF13C2502A	0.26	-	36,888	0.28
PTECH	-	-	-	-	MTC01C2502A	0.13	(0.02)	87,254	0.14	CPF13C2503A	0.11	(0.01)	10,495	0.12
SE-ED	2.04	(0.06)	17	2.04	MTC01P2411W	-	-	-	-	CPF19C2501A	0.05	(0.02)	30	0.05
TKS	7.05	(0.05)	2,525	7.05	MTC01P2502A	0.40	0.04	70,360	0.39	CPF19C2502A	0.28	0.01	52,705	0.29
VGI	2.54	0.04	1,151,750	2.53	MTC13C2412A	0.11	(0.06)	40,848	0.15	CPF41C2503A	0.28	-	40,600	0.29
VGI-W3	0.09	-	723	0.09	MTC13C2502A	0.15	(0.04)	44,954	0.16	CPI	3.24	0.14	43,314	3.30
VGI01C2411A	-	-	-	-	MTC13P2412A	-	-	-	-	F&D	43.00	-	3	42.33
VGI01C2501A	1.17	0.12	7,840	1.15	MTC13P2502A	0.33	0.03	87,664	0.32	FM	4.10	(0.10)	74,598	4.12
VGI01C2501B	-	-	-	-	MTC19C2412A	0.17	(0.06)	28,585	0.16	GLOCON	0.20	-	37,098	0.20
VGI01C2502A	0.15	0.01	96,654	0.15	MTC19C2502A	0.17	(0.04)	80,542	0.18	HTC	16.50	(0.30)	847	16.62
VGI01P2411X	-	-	-	-	MTC19P2501A	0.10	0.01	4,310	0.10	ICHI	16.30	0.30	71,216	16.21
VGI01P2412X	-	-	-	-	MTC41C2411A	-	-	-	-	ICHI01C2503A	0.28	0.02	10,147	0.27
VGI01P2501X	0.08	-	30,849	0.07	MTC41C2412A	0.36	(0.14)	2,000	0.37	ICHI13C2501A	0.19	0.02	5,446	0.18
VGI06C2502A	0.16	0.01	44,208	0.16	MTC41C2502A	0.15	(0.04)	111,588	0.16	ITC	22.10	(0.80)	161,343	22.29
VGI13C2411A	-	-	-	-	NCAP	1.87	(0.04)	82,166	1.88	ITC01C2412A	0.01	(0.02)	500	0.01
VGI13C2411B	-	-	-	-	PL	1.76	(0.01)	28	1.76	ITC01C2501A	-	-	-	-
VGI13C2412A	-	-	-	-	S11	2.40	0.02	191	2.40	ITC01C2503A	0.05	(0.03)	870	0.05
VGI13C2501A	0.30	0.01	24,686	0.30	SAK	5.05	(0.15)	14,958	5.10	ITC11C2501A	0.25	(0.17)	5,218	0.24
VGI13C2501B	0.16	0.01	153,412	0.15	SAWAD	39.00	(1.50)	103,317	39.28	ITC11C2501B	0.13	(0.05)	4,000	0.14
VGI13P2412A	-	-	-	-	SAWAD-W2	0.46	-	2,470	0.45	ITC13C2501A	0.17	(0.06)	45,796	0.19
VGI13P2501A	0.20	(0.05)	50	0.20	SAWAD01C2411	0.01	-	400	0.01	ITC13C2502A	0.06	(0.03)	600	0.07
VGI19C2501A	0.25	0.03	109,797	0.24	SAWAD01C2501	0.60	(0.14)	15,968	0.64	ITC19C2501A	0.24	(0.07)	88,155	0.26
VGI19C2502A	0.17	-	201,895	0.17	SAWAD01C2501	0.23	(0.07)	1,112	0.26	ITC19C2503A	0.09	(0.02)	12	0.10
VGI19P2501A	-	-	-	-	SAWAD01C2502	0.12	(0.03)	75,499	0.13	JDF	2.00	-	610	2.01
VGI41C2411A	-	-	-	-	SAWAD01P2501	-	-	-	-	KBS	6.10	-	2,249	6.11
VGI41C2412A	-	-	-	-	SAWAD01P2502	0.20	0.04	39,888	0.18	KCG	9.20	0.15	12,534	9.13
VGI41C2412B	-	-	-	-	SAWAD13C2412	-	-	-	-	KSL	2.04	0.04	6,988	2.04
VGI41C2501A	0.32	0.08	30,500	0.31	SAWAD13C2412	-	-	-	-	KTIS	2.90	0.06	161	2.86
VGI41C2502A	0.15	0.01	58,432	0.15	SAWAD13C2501	0.10	(0.04)	54,489	0.11	LST	4.94	0.08	689	4.92
WORK	8.70	0.05	1,700	8.67	SAWAD13C2503	0.25	(0.06)	56,873	0.26	M	26.75	(0.25)	5,142	26.73
ZAA	0.90	0.01	528	0.90	SAWAD13P2501	0.07	0.01	65	0.07	MALEE	10.30	0.10	23,984	10.31
Finance & Securities														
AEONTS	130.00	(3.00)	2,782	130.21	SAWAD19C2501	0.55	(0.35)	300	0.55	NSL	31.50	0.25	4,119	31.49
AEONTS13C2412A	0.13	(0.05)	5,044	0.14	SAWAD19C2502	0.16	(0.05)	35,084	0.18	OKJ	14.30	1.00	97,361	13.93
AMANAH	1.21	-	11,256	1.22	SAWAD19P2501	-	-	-	-	OSP	20.60	(0.10)	40,312	20.59
ASAP	2.24	(0.06)	101	2.23	SAWAD41C2411	-	-	-	-	OSP01C2412A	-	-	-	-
ASK	11.10	(0.50)	8,107	11.20	SAWAD41C2411	0.01	(0.41)	200	0.02	OSP01C2503A	0.12	(0.01)	20,449	0.12
ASP	2.54	(0.02)	10,826	2.55	SAWAD41C2501	-	-	-	-	OSP01C2504A	0.34	(0.01)	22,664	0.34
BAM	7.20	(0.05)	297,628	7.22	SAWAD41C2502	0.20	(0.05)	65,709	0.21	OSP11C2501A	0.11	(0.01)	1,520	0.12
BAM01C2411A	-	-	-	-	SAWAD41C2502	0.09	(0.03)	26,400	0.10	OSP13C2412A	-	-	-	-
BAM01C2501A	0.06	(0.01)	1,623	0.07	SCAP	2.06	(0.02)	14,017	2.07	OSP13C2501A	-	-	-	-
BAM01C2502A	0.05	(0.01)	12,367	0.05	SGC	1.43	(0.02)	177,644	1.44	OSP13C2502A	-	-	-	-
BAM13C2412A	-	-	-	-	SGC-W1	0.40	0.01	15,774	0.39	OSP13C2501A	-	-	-	-
BAM13C2501A	0.02	(0.02)	72	0.02	SGC-W2	0.46	(0.01)	10,240	0.46	OSP13C2503A	0.26	(0.01)	4,418	0.26
BAM13C2503A	0.10	(0.01)	18,313	0.11	SM	1.10	(0.01)	3,168	1.10	OSP19C2412A	-	-	-	-
BAM13C2503B	0.17	(0.02)	29,116	0.19	TH	0.93	-	33,756	0.93	OSP19C2502A	0.10	(0.01)	4,276	0.11
BAM19C2412A	0.03	-	300	0.03	TH-W3	0.18	(0.01)	9,547	0.18	OSP19C2503A	0.27	(0.01)	12,753	0.28
BAM19C2502A	0.06	(0.01)	25	0.06	THANI	1.80	0.07	43,178	1.76	OSP41C2503A	0.25	(0.01)	35,288	0.25
BAM19C2503A	0.18	(0.01)	66,816	0.19	TIDLOR	15.70	(0.20)	262,549	15.59	PB	59.75	(0.25)	51	60.14
BYD	0.95	(0.07)	534,993	0.97	TIDLOR13C2412	0.03	(0.01)	702	0.03	PLUS	5.55	0.05	2,036	5.53
BYD13C2411A	-	-	-	-	TIDLOR13C2501	0.04	(0.01)	20,689	0.03	PM	8.30	(0.10)	3,805	8.37
BYD13C2412A	-	-	-	-	TIDLOR13C2501	0.15	(0.85)	71,896	0.14	PQS	2.46	-	1,119	2.46
BYD13C2412B	-	-	-	-	TIDLOR19C2501	0.26	(0.02)	36,574	0.25	PRG	9.10	0.10	1	9.10
BYD19C2501A	0.03	-	20,010	0.03	TIDLOR19C2501	0.09	(0.01)	40,023	0.10	PRG-W1	-	-	-	-
CGH	0.68	-	17,602	0.68	TK	4.72	(0.04)	1,476	4.56	PRG-W2	4.24	(0.06)	10	4.24
CGH-W5	-	-	-	-	TNITY	3.86	0.04	1,817	3.83	PRG-W3	4.10	-	11	4.05
CHASE	1.27	(0.03)	36,128	1.28	TNL	36.25	-	99	35.67	PRG-W4	3.90	0.04	11	3.90
CHASE-W1	0.88	(0.03)	359	0.89	UOBKH	4.96	(0.04)	8	4.97	RBF	5.30	(0.15)	48,531	5.34
CHAYO	3.16	(0.06)	10,600	3.17	XPG	0.96	(0.01)	240,765	0.97	RBF01C2501W	0.09	(0.01)	4,789	0.09
CHAYO-W3	0.17	-	10,270	0.16	Food & Beverage	-	-	-	-	RBF01C2412A	-	-	-	-
ECL	1.00	-	18,591	1.01	AAI	6.25	0.05	73,009	6.26	RBF13C2501A	0.03	(0.01)	200	0.04
FNS	2.42	(0.02)	64	2.42	APURE	4.28	-	695	4.24	RBF13C2503A	0.18	(0.06)	2,146	0.19
FSX	2.50	0.02	23	2.50	APURE-W3	-	-	-	-	RBF19C2501A	0.07	(0.03)	1,634	0.08
GBX	0.73	(0.02)	9,879	0.74	ASIAN	8.90	(0.10)	19,671	8.97	RBF19C2503A	0.21	(0.03)	14,588	0.21
GL	-	-	-	-	BR	1.89	-	10,379	1.89	SAPPE	70.75	1.25	5,255	70.47
HENG	1.40	-	15,390	1.42	BR-W1	0.08	-	10,501	0.08	SAPPE01C2502A	0.39	0.04	15,707	0.38
IFS	2.54	-	61	2.52	BRR	4.38	0.02	788	4.38	SAPPE01C2504A	0.86	0.06	17,080	0.84
JMT	18.70	0.30	178,492	18.60	BRR-W2	0.35	(0.02)	427	0.35	SAPPE13C2411A	-	-	-	-
JMT-W4	0.04	(0.02)	55,269	0.04	BTG	20.60	-	6,843	20.64	SAPPE13C2501A	0.08	-	300	0.08
JMT01C2411W	0.01	(0.03)	1,000	0.01	CBG	79.75	1.00	20,267	79.21	SAPPE13C2501B	0.21	0.02	12,062	0.20
JMT01C2412A	1.28	(0.03)	1,874	1.29	CBG01C2412W	0.25	0.01	8,654	0.24	SAPPE13C2502A	0.52	0.05	44,027	0.50
JMT01C2412W	0.69	0.02												

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TVO	24.60	(0.20)	1,840	24.58	MINT01C2501A	0.07	(0.01)	30	0.07	SITHAI	1.39	0.02	2,678	1.36
TWPC	3.22	-	1,506	3.23	MINT01C2504A	0.20	-	4,786	0.20	SLP	0.55	0.02	10,446	0.52
W	0.72	0.05	188,580	0.71	MINT11C2412A	-	-	-	-	SPMC	9.65	(0.10)	1,930	9.64
W-W6	0.20	-	50	0.20	MINT11C2501A	0.10	(0.01)	800	0.10	SPACK	1.83	0.02	589	1.81
ZEN	7.55	0.05	46	7.51	MINT13C2412A	-	-	-	-	TCOAT	-	-	-	-
Health Care Services	-	-	-	-	MINT13C2412B	-	-	-	-	TFI	0.08	0.01	5,892	0.08
AHC	15.80	(0.10)	16	15.73	MINT13C2503A	0.15	-	12,218	0.15	TFI-W1	0.03	-	1	0.03
BCH	16.60	(0.50)	180,447	16.72	MINT19C2501A	0.09	(0.01)	24,203	0.10	THIP	29.00	-	220	29.03
BCH01C2412A	0.01	(0.04)	159	0.01	MINT19C2502A	-	-	-	-	TMD	24.50	(0.20)	39	24.56
BCH01C2502A	0.16	(0.06)	36,973	0.16	MINT41C2412A	-	-	-	-	TPAC	11.00	0.30	1,469	11.06
BCH13C2412A	-	-	-	-	MINT41C2501A	0.09	(0.01)	750	0.09	TPBI	4.50	0.04	1,507	4.48
BCH13C2501A	0.16	(0.06)	8,440	0.18	MINT41C2502A	-	-	-	-	TPP	-	-	-	-
BCH13C2501B	0.09	(0.02)	7,669	0.09	MINT41C2604T	-	-	-	-	Personal Products	-	-	-	-
BCH19C2501A	0.20	(0.08)	2,730	0.21	OHTL	370.00	8.00	3	372.00	APCO	5.20	-	822	5.16
BCH19C2502A	0.14	(0.04)	22,924	0.16	ROH	2.16	(0.08)	30	2.16	BIZ	3.34	0.02	486	3.37
BDMS	26.75	(0.50)	561,551	26.84	SHANG	-	-	-	-	BLC	5.10	(0.10)	22,087	5.08
BDMS01C2411A	-	-	-	-	SHR	2.18	(0.02)	48,684	2.20	DDD	9.80	-	235	9.82
BDMS01C2503A	0.07	-	282	0.07	SPA	6.70	(0.20)	20,670	6.75	IP	3.92	0.04	1,763	3.88
BDMS01C2503B	0.12	(0.02)	2,024	0.12	VRANDA	5.35	-	492	5.32	IP-W2	0.26	(0.01)	3,111	0.26
BDMS11C2411A	-	-	-	-	Home & Office P	-	-	-	-	JCT	80.00	(0.50)	25	80.12
BDMS11C2501A	-	-	-	-	AJA	0.16	(0.01)	33,250	0.17	KISS	4.22	(0.20)	11,990	4.33
BDMS13C2411A	-	-	-	-	AJA-W4	0.02	-	5,648	0.02	NAM	4.56	0.08	752	4.46
BDMS13C2502A	0.05	(0.01)	1,737	0.05	DTCI	31.25	(2.00)	5	31.45	NEO	37.75	-	7,572	37.85
BDMS19C2502A	-	-	-	-	FANCY	0.37	(0.01)	805	0.37	STGT01C2412A	0.25	0.04	8,199	0.25
BDMS19C2503A	0.11	(0.02)	4,250	0.11	FTI	2.10	(0.04)	89	2.11	STGT01C2501A	0.11	(0.03)	12,063	0.12
BDMS41C2412A	-	-	-	-	KYE	291.00	-	6	290.83	STGT01C2502A	0.12	-	27,665	0.12
BDMS41C2502B	0.12	(0.02)	2,815	0.14	L&E	1.25	0.01	25	1.22	STGT01C2503A	0.25	-	27,821	0.26
BH	239.00	(23.00)	234,055	237.05	MODERN	2.76	(0.04)	36,670	2.81	STGT	10.80	(0.10)	89,747	10.91
BH-P	-	-	-	-	OGC	-	-	-	-	STGT01C2412A	0.02	-	4,683	0.02
BHQ	-	-	-	-	ROCK	10.00	-	17	10.02	STGT01C2412B	0.25	0.04	8,199	0.25
BH01C2412A	0.03	(0.09)	62,149	0.03	SIAM	1.10	(0.04)	1,052	1.11	STGT01C2501A	0.11	(0.03)	12,063	0.12
BH01C2502A	0.07	(0.10)	46,461	0.08	TCMC	0.72	(0.05)	13,035	0.74	STGT01C2502A	0.12	-	27,665	0.12
BH01P2412X	0.14	0.08	44,251	0.15	AYUD	32.75	0.25	180	32.50	STGT01P2502A	0.35	(0.01)	17,671	0.35
BH01P2502X	0.69	0.21	44,310	0.71	BKIH	300.00	-	18	299.67	STGT13C2412A	0.05	-	1,000	0.05
BH11C2411A	0.02	(0.08)	670	0.02	BLA	23.90	(0.50)	28,096	24.32	STGT13C2412B	-	-	-	-
BH13C2501A	0.08	(0.13)	384,369	0.08	BLA01C2503A	0.49	(0.02)	408	0.49	STGT13C2501A	0.05	(0.01)	3,589	0.06
BH13P2412A	0.04	0.02	1,300	0.03	BLA13C2501A	0.57	(0.08)	1	0.57	STGT13C2502A	0.18	(0.02)	85,866	0.19
BH13P2501A	0.51	0.19	17,465	0.61	BLA13C2502A	0.32	(0.04)	54,120	0.35	STGT13P2502A	0.33	(0.01)	51,431	0.33
BH19C2501A	0.09	(0.17)	120,599	0.10	BLA13C2502B	0.10	(0.02)	30,353	0.11	STGT19C2412A	0.08	-	101,576	0.08
BH19C2502A	0.07	(0.09)	106,719	0.06	BLA19C2502A	0.62	(0.06)	4,048	0.64	STGT19C2502A	0.09	0.01	1	0.09
BH41C2411A	-	-	-	-	BLA19C2502B	0.30	(0.04)	23,038	0.33	STGT19C2503A	0.21	(0.01)	69,561	0.21
BH41C2605T	0.39	(0.11)	75,343	0.37	BLA19C2502C	0.13	(0.02)	24,375	0.15	STGT19P2502A	0.35	(0.02)	29,408	0.35
BKGI	2.62	(0.08)	83,978	2.65	BUI	15.50	(0.10)	125	15.10	STGT41C2503A	0.27	0.02	6,239	0.27
CHG	2.84	(0.08)	153,679	2.86	CHARAN	22.50	-	1	22.50	STHAI	-	-	-	-
CHG01C2501A	0.23	(0.03)	4,125	0.24	INSURE	83.75	(0.75)	6	83.50	TMAN	16.70	0.30	45,784	16.63
CHG13C2412A	0.08	(0.03)	6,775	0.09	KWI	0.41	(0.01)	7,281	0.41	TNR	9.25	-	1,011	9.21
CHG19C2412A	0.13	(0.03)	2,167	0.14	MTI	106.50	(0.50)	2	106.75	TOG	10.40	-	198	10.40
CMR	1.84	(0.01)	561	1.84	NKI	24.80	-	15	24.80	Professional Service	-	-	-	-
EKH	6.65	0.05	5,746	6.60	TGH	12.90	0.10	1	12.90	BWG	0.44	-	106,202	0.44
EKH-W1	-	-	-	-	THREL	1.77	0.01	3,341	1.77	GENCO	0.47	(0.02)	3,302	0.47
KDH	90.50	1.00	13	90.12	THREL	1.77	0.01	3,341	1.77	PRO	-	-	-	-
LPH	4.34	(0.06)	1,025	4.35	TIPI	26.25	-	3,271	26.07	PRTR	4.74	0.04	1,460	4.73
M-CHAI	29.50	(2.00)	1,334	30.04	TIPIH13C2502A	-	-	-	-	SISB	32.75	(1.00)	15,577	32.99
MASTER	44.50	0.50	27,728	44.53	TIPIH19C2412A	-	-	-	-	STSB13C2412A	-	-	-	-
MEDEZE	8.05	(0.40)	271,008	7.86	TLL	10.70	0.10	55,464	10.73	STSB13C2502A	0.14	(0.03)	39,472	0.15
NEW	69.00	0.75	3	69.42	TLI01C2502A	0.65	-	2,147	0.66	SISB19C2502A	0.14	(0.03)	5,070	0.15
NTV	31.75	0.25	298	31.30	TLI01C2503A	0.20	(0.01)	19,594	0.20	SISB19C2502A	0.14	(0.03)	5,070	0.15
PHG	16.30	-	409	16.28	TLI13C2411A	-	-	-	-	SO	5.00	(0.05)	90	4.99
PR9	24.10	0.20	28,948	24.10	TLI13C2502A	-	-	-	-	WAVE	0.11	(0.02)	276,664	0.12
PRINC	3.02	0.04	587	3.00	TLI13C2502B	0.16	-	5,473	0.16	WAVE-W3	0.03	(0.01)	6,361	0.03
RAM	23.50	-	900	23.43	TLI19C2412A	-	-	-	-	WAVE-W4	0.04	-	23,742	0.04
RJH	22.90	(0.20)	11,066	23.03	TLI19C2502A	0.16	(0.01)	12,580	0.17	Property Development	-	-	-	-
RPH	5.65	-	2,387	5.60	TQM	25.50	-	29,802	24.71	A	4.96	-	1	4.96
SAFE	14.10	0.10	1,036	14.09	TSI	0.10	0.01	3,668	0.10	A5	2.96	0.04	44,020	2.92
SKR	9.20	0.05	532	9.15	TVH	8.75	0.10	528	8.61	A5-W3	-	-	-	-
THG	18.50	(0.20)	6,155	18.58	Packaging	-	-	-	-	A5-W4	0.11	-	146,160	0.11
VIBHA	1.81	(0.02)	26,470	1.82	AJ	5.00	(0.10)	891	5.00	AKS	0.01	-	2,627	0.01
VIBHA-W4	0.04	(0.01)	58,281	0.04	ALUCON	173.00	-	5	173.00	AMATA01C2502A	0.01	-	80,096	0.01
VIH	10.30	(0.10)	12,501	10.12	BGC	7.80	(0.05)	2,706	7.78	AMATA01C2503A	0.30	0.07	125,049	29.85
VIH-W1	3.50	(0.60)	8	3.50	CSC	45.75	(0.25)	1	45.75	AMATA01C2502A	1.48	0.23	2,608	1.38
WPH	10.90	0.20	8,062	10.93	CSC-P	-	-	-	-	AMATA01C2503A	0.32	0.06	62,429	0.30
Tourism & Leisure	-	-	-	-	CSC-Q	-	-	-	-	AMATA13C2412A	-	-	-	-
ASIA	6.80	0.05	51	6.78	NEP	0.23	-	9,909	0.22	AMATA13C2501A	1.36	0.06	6	1.33
BEYOND	8.75	(0.05)	1,026	8.76	PJW	2.56	-	6,930	2.55	AMATA13C2501A	0.27	0.01	24,908	0.26
CENTEL	35.75	(0.25)	19,624	35.93	PTL	13.00	0.10	2,591	12.91	AMATA13C2503A	0.22	0.04	61,871	0.21
CENTEL01C2412A	-	-	-	-	SCGP	23.50	(1.50)	256,348	23.68	AMATA19C2412A	-	-	-	-
CENTEL01C2501A	0.14	-	1	0.14	SCGP01C2411A	-	-	-	-	AMATA19C2501A	-	-	-	-
CENTEL01C2504A	0.25	(0.02)	21,670	0.27	SCGP01C2412A	0.01	(0.02)	86,102	0.01	AMATA19C2502A	0.31	0.07	6,218	0.28
CENTEL11C2501A	-	-	-	-										

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AWC19P2501A	-	-	-	-	CPH	13.60	-	1,491	13.67	RCL19C2503A	-	-	-	-
AWC41C2411A	-	-	-	-	CPL	1.37	-	2,220	1.38	RCL19C2503B	0.21	(0.02)	22,025	0.22
AWC41C2502A	0.26	(0.01)	1,556	0.26	NC	3.52	(0.10)	4,396	3.53	RCL19P2412A	-	-	-	-
BLAND	0.61	-	58,798	0.62	PAF	1.04	(0.02)	1,035	1.05	RCL41C2412A	-	-	-	-
BRI	4.36	-	3,319	4.35	PDJ	2.10	0.04	712	2.08	RCL41C2412B	-	-	-	-
BROCK	1.49	-	191	1.45	PG	8.90	(0.05)	103	8.93	RCL41C2502A	-	-	-	-
CGD	0.34	0.01	106,262	0.34	SABINA	21.60	(0.20)	2,499	21.65	RCL41C2502B	0.13	(0.01)	4,100	0.13
CI	0.51	(0.01)	1,101	0.51	SAWANG	-	-	-	-	SAV	22.20	(0.80)	12,728	22.34
CMC	1.06	(0.01)	262	1.05	SUC	31.50	0.25	204	31.48	SINO	1.14	(0.01)	5,125	1.14
CPN	63.00	(0.25)	54,023	63.09	TR	-	-	-	-	SIWD	11.20	(0.20)	9,687	11.23
CPN01C2412A	0.08	(0.01)	6,754	0.08	TTI	26.25	0.25	6	25.73	TFIF	6.30	-	29,190	6.29
CPN01C2503A	0.25	(0.01)	15,437	0.25	TTT	55.00	(0.50)	2	54.63	THAI	-	-	-	-
CPN11C2412A	0.24	-	7,097	0.23	UPF	35.50	1.00	1	35.50	TSTE	-	-	-	-
CPN13C2501A	-	-	-	-	WACOAL	-	-	-	-	TTA	5.60	-	46,801	5.63
CPN13C2501B	-	-	-	-	WFX	1.31	(0.13)	8,497	1.33	WICE	5.45	0.25	6,049	5.41
CPN13C2503A	0.29	(0.01)	52,720	0.29	Transportation 8	-	-	-	-	Automotive	-	-	-	-
CPN19C2502A	0.16	(0.01)	19,006	0.16	AAV	2.86	0.02	220,167	2.86	3K-BAT	53.75	-	8	53.53
CPN19C2503A	0.32	(0.01)	79,110	0.32	AAV01C2501A	-	-	-	-	ACG	1.00	-	1,280	0.97
ESTAR	0.23	-	4,246	0.23	AAV01C2503A	0.30	-	3,224	0.31	AH	17.90	(0.90)	7,700	18.14
EVER	0.13	0.01	12,959	0.12	AAV13C2411A	-	-	-	-	CWT	1.07	(0.03)	2,705	1.07
FPT	13.00	0.30	55	12.99	AAV13C2501A	0.16	(0.01)	9,494	0.16	EASON	1.24	0.01	757	1.23
GLAND	1.55	-	13	1.55	AAV19C2412A	-	-	-	-	GYT	158.00	(5.00)	3	160.00
J	1.38	(0.01)	381	1.39	AAV19C2502A	0.27	(0.01)	14,141	0.27	HFT	4.38	(0.20)	9,572	4.37
J-W3	0.19	(0.02)	230	0.19	ANI	4.28	0.10	2,810	4.26	IHL	1.99	-	199	1.99
J-W4	-	-	-	-	AOT	61.50	(0.25)	113,165	61.58	INGRS	0.35	-	3,506	0.35
JCK	0.27	-	19,134	0.27	AOT01C2412A	-	-	-	-	IRC	14.10	-	121	14.02
KC	0.09	0.01	4,984	0.09	AOT01C2412B	0.13	(0.01)	14,476	0.12	MGC	3.70	(0.20)	475	3.79
KUN	1.28	(0.01)	193	1.27	AOT01C2502A	0.12	(0.01)	11,250	0.12	NEX	0.92	0.01	122,384	0.93
KUN-W2	0.03	(0.01)	10,040	0.03	AOT01C2504A	0.33	(0.01)	4,832	0.34	NEX13C2411A	-	-	-	-
LALIN	6.30	(0.15)	727	6.35	AOT01P2412X	-	-	-	-	NEX19C2501A	0.02	-	51	0.02
LH	5.50	(0.05)	330,200	5.50	AOT01P2502A	0.20	0.01	38,730	0.20	PCSGH	4.40	-	121	4.42
LH13C2411A	-	-	-	-	AOT11C2501A	-	-	-	-	POLY	8.85	0.15	235	8.73
LH13C2501A	0.05	(0.01)	2,436	0.05	AOT13C2411A	-	-	-	-	SAT	11.50	(0.10)	13,210	11.52
LH19C2501A	0.08	(0.01)	36	0.07	AOT13C2412A	-	-	-	-	SPG	-	-	-	-
LPN	2.92	(0.02)	1,697	2.93	AOT13C2502A	0.09	(0.02)	2,856	0.10	STANLY	218.00	(1.00)	128	218.07
MBK	19.20	(0.10)	10,969	19.29	AOT13C2503A	0.22	(0.01)	15,317	0.22	TKT	1.61	0.02	1,727	1.60
MBK-W3	-	-	-	-	AOT13P2412A	-	-	-	-	TNPC	1.02	(0.01)	1,202	1.01
MBK-W4	16.90	(0.40)	4	16.90	AOT13P2501A	0.12	-	2,224	0.12	TRU	3.20	-	139	3.17
MJD	1.04	(0.04)	2	1.04	AOT19C2501A	0.20	(0.01)	11,882	0.20	TSC	14.30	-	13	14.29
MK	1.83	-	542	1.82	AOT19C2502A	-	-	-	-	Industrial Materials	-	-	-	-
NCH	0.76	(0.01)	7,345	0.76	AOT19P2412A	-	-	-	-	AKR	0.94	0.02	10,310	0.93
NNCL	1.83	-	145	1.83	AOT41C2411A	-	-	-	-	ALLA	1.55	0.01	1,820	1.54
NOBLE	2.98	(0.02)	13,798	2.97	AOT41C2412A	-	-	-	-	ASEFA	3.24	(0.06)	1,449	3.24
NUSA	0.25	(0.01)	601,538	0.26	AOT41C2503A	0.23	(0.02)	80,930	0.23	CPT	1.00	-	20,436	0.99
NUSA-W5	0.04	(0.01)	484,904	0.03	AOT41C2605T	0.32	-	2,751	0.32	CRANE	0.66	-	6,873	0.66
NVD	1.56	0.01	23	1.55	ASIMAR	1.49	-	621	1.49	CTW	3.86	-	37	3.84
ORI	4.40	0.04	39,056	4.36	B	0.08	-	27,825	0.08	FMT	33.75	(0.25)	5	33.75
ORI13C2412A	0.01	(0.01)	450	0.02	B-W8	0.01	-	4,676	0.01	FTE	1.48	-	1,006	1.48
ORI19C2501A	0.06	(0.01)	87	0.06	BA	25.75	0.50	39,940	25.67	HTECH	5.05	-	221,318	5.47
ORN	0.87	-	11,084	0.87	BA01C2412A	0.41	0.02	1,749	0.43	KKC	-	-	-	-
PEACE	2.70	-	278	2.65	BA01C2503A	0.53	0.02	3,241	0.53	PCC	2.96	0.02	3,804	2.95
PF	0.19	0.01	17,640	0.19	BA13C2412A	-	-	-	-	PK	0.67	(0.02)	2,258	0.68
PIN	6.45	0.45	127,941	6.26	BA13C2502A	0.13	0.01	30,350	0.14	PSP	4.46	-	11,195	4.43
PLAT	2.18	0.02	910	2.16	BA19C2503A	0.17	0.01	13,466	0.17	QTC	3.80	(0.02)	88	3.80
POLAR	-	-	-	-	BEM	7.70	(0.05)	245,704	7.74	SCI	0.86	(0.03)	509	0.86
PRECHA	1.09	(0.02)	1,967	1.09	BEM01C2412A	-	-	-	-	SE	0.67	(0.01)	288	0.67
PRIN	2.12	-	2	2.12	BEM11C2411A	-	-	-	-	SNC	5.70	(0.05)	972	5.76
PROUD	1.32	(0.03)	1,076	1.32	BEM11C2502A	-	-	-	-	TCJ	3.16	(0.04)	90	3.10
PSH	8.60	(0.10)	11,371	8.64	BEM13C2412A	-	-	-	-	TPCS	-	-	-	-
QH	1.85	-	60,779	1.86	BEM19C2412A	-	-	-	-	VARO	5.00	0.02	38	5.00
RABBIT	0.61	(0.03)	397,314	0.63	BEM19C2503A	0.16	(0.01)	11,020	0.17	Property Fund & REI	-	-	-	-
RABBIT-P	0.62	(0.02)	9,868	0.62	BTS	4.90	0.12	918,501	4.86	AIMCG	3.24	(0.02)	1,674	3.24
RABBIT-Q	-	-	-	-	BTS-W8	0.08	-	2,759	0.08	AIMIRT	10.60	(0.20)	8,646	10.61
RICHY	0.48	-	1,657	0.47	BT501C2412A	-	-	-	-	ALLY	5.20	(0.05)	1,360	5.25
RML	0.33	-	36,335	0.33	BT501C2501A	0.29	0.03	24,420	0.28	AMATAR	6.55	(0.05)	1,148	6.56
ROJNA	7.25	0.20	41,048	7.18	BT501C2503A	0.51	0.02	11,256	0.51	B-WORK	4.86	(0.14)	5,142	4.88
S	0.94	(0.02)	38,225	0.95	BT501C2504A	0.16	0.01	19,120	0.16	BAREIT	9.50	(0.20)	6,583	9.54
SA	7.50	0.10	2,466	7.45	BT513C2412A	0.12	0.02	17,080	0.11	BKKCP	8.80	(0.15)	5	8.80
SA-W1	0.06	-	15,161	0.05	BT513C2412B	0.16	0.03	57,062	0.15	BOFFICE	5.00	(0.15)	3,490	5.06
SAMCO	0.95	-	1,179	0.94	BT513C2502A	0.43	0.05	61,957	0.41	CPNCG	6.15	-	8,750	6.07
SC	2.98	-	30,645	2.98	BT513C2503A	0.15	0.02	14,119	0.15	CPNREIT	11.80	(0.40)	68,457	11.92
SENA	2.32	-	1,759	2.31	BT513P2503A	0.50	(0.03)	48,114	0.51	CPGTF	5.10	-	1,730	5.10
SIRI	1.82	-	178,606	1.82	BT519C2412A	0.21	0.02	51,125	0.21	CTARAF	4.54	0.02	187	4.47
SIRI01C2412A	0.13	(0.02)	1,100	0.13	BT519C2503A	0.50	0.02	57,217	0.50	DREIT	4.98	(0.12)	3,470	4.99
SIRI01C2504A	0.38	-	5,518	0.38	BT519C2503B	0.18	0.01	36,020	0.18	FTREIT	10.00	(0.20)	16,592	9.99
SIRI13C2412A	-	-	-	-	BT541C2411A	-	-	-	-	FUTURERT	11.30	-	241	11.18
SIRI13C2503A	0.34	0.01	8,560	0.34	BT541C2412A	-	-	-	-	GAHREIT	6.55	(0.10)	654	6.54
SIRI19C2502A	-	-	-	-	BT541C2501A	0.46	0.04	8,000	0.45	GOREIT	8.75	(0.05)	1,455	8.67
SIRI19C2503A	0.35	(0.01)	10,574	0.36	BTSGIF	3.22	(0.02)	39,997	3.23	GVREIT	6.45	(0.30)	8,845	6.56
SPALI	19.30	-	21,683	19.35	DMT	11.50	(0.10)	4,256	11.51	HPF	5.00	-	103	4.98
SPALI13C2501A	-	-	-	-	ETL	0.71	(0.01)	4,024	0.72	HYD				

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
QHPF	5.10	-	2,371	5.06	BABA41C2502A	0.09	0.01	6,501	0.08	HSI28C2501F	0.24	0.03	16,725	0.22
SIRIPRT	7.15	-	31	7.11	BABA41P2411A	-	-	-	-	HSI28C2502A	1.03	(0.01)	60	0.99
SPRIME	4.14	(0.10)	4,271	4.18	BABA41P2502A	-	-	-	-	HSI28C2502B	0.35	0.07	981,269	0.33
SRIPANWA	5.95	-	36	5.93	BABA41P2502B	0.44	(0.05)	16	0.46	HSI28C2502C	0.50	0.03	21	0.49
SSPF	-	-	-	-	BIDU28C2411A	-	-	-	-	HSI28C2503A	1.75	0.30	2,586	1.70
SSTRT	4.86	(0.02)	72	4.88	BIDU41C2502A	0.73	0.06	42	0.71	HSI28C2503B	0.45	0.08	86,443	0.43
TIF1	7.85	-	638	7.83	BIDU41C2502B	0.08	-	876	0.08	HSI28C2503D	0.37	0.07	1,601,318	0.35
TLHPF	3.00	0.04	251	2.97	BYDCOM28C250	0.79	(0.04)	8	0.76	HSI28P2411A	0.02	0.01	12	0.01
TNPF	1.57	0.02	1,206	1.97	BYDCOM28C250	0.22	(0.01)	22	0.21	HSI28P2411B	-	-	-	-
TPRIME	7.45	(0.30)	10	7.56	BYDCOM28P250	0.10	-	2	0.10	HSI28P2411C	0.01	(0.02)	31,566	0.01
TTLPF	15.70	0.10	214	15.63	BYDCOM28P250	0.55	0.02	117	0.57	HSI28P2411D	0.05	(0.03)	228,044	0.06
TU-PF	-	-	-	-	BYDCOM41C250	0.72	(0.06)	21	0.70	HSI28P2411E	0.12	(0.09)	2,273,419	0.16
WHABT	7.20	(0.05)	86	7.18	BYDCOM41P250	0.11	0.01	12	0.11	HSI28P2411F	0.34	(0.18)	464,631	0.40
WAIR	6.40	(0.15)	32,372	6.42	CATHAY41C241:	0.02	(0.03)	37	0.02	HSI28P2411G	-	-	-	-
WHART	9.85	(0.15)	19,233	9.88	CATHAY41C250:	-	-	-	-	HSI28P2412A	0.05	(0.01)	367	0.06
Steel and Metal Prod	-	-	-	-	CHMOB128C241	0.08	0.03	1	0.08	HSI28P2412B	0.03	(0.01)	201	0.04
ZS	2.94	0.02	3	2.94	DJI28C2412A	0.94	0.16	6,011	0.95	HSI28P2412C	0.07	(0.04)	502	0.08
AMC	3.20	-	254	3.18	DJI28C2412B	0.41	0.07	11,534	0.42	HSI28P2412D	0.13	(0.05)	47,171	0.15
BSBM	0.70	(0.01)	5,252	0.71	DJI28C2503A	0.74	0.10	5,936	0.75	HSI28P2412E	0.26	(0.11)	2,025,265	0.30
CEN	1.99	(0.01)	53	2.00	DJI28P2412A	-	-	-	-	HSI28P2412F	0.60	(0.18)	10	0.60
CEN-W5	0.16	(0.02)	1,437	0.15	DJ128P2412B	0.20	(0.05)	1,940	0.20	HSI28P2412G	-	-	-	-
CITY	1.99	0.03	39	1.98	DJ128P2503A	0.43	(0.06)	478	0.44	HSI28P2501A	0.08	(0.01)	9,098	0.08
CSP	0.71	(0.04)	5,598	0.73	DJ141C2412A	0.95	0.18	3,146	0.93	HSI28P2501B	0.49	(0.14)	219,795	0.54
GJS	0.17	0.01	1,548	0.17	DJ141C2503A	0.69	0.10	14,106	0.69	HSI28P2501C	-	-	-	-
GSTEEL	-	-	-	-	DJ141P2412A	0.06	(0.02)	1,354	0.06	HSI28P2501D	0.17	(0.06)	11,156	0.19
INOX	0.52	(0.01)	11,188	0.52	DJ141P2503A	0.38	(0.05)	1,598	0.39	HSI28P2502A	-	-	-	-
LHK	3.86	0.02	560	3.84	GEELY41C2411A	-	-	-	-	HSI28P2502B	0.34	(0.08)	634,264	0.35
MCS	7.30	0.20	1,665	7.34	GEELY41C2411A	-	-	-	-	HSI28P2503B	0.38	(0.08)	1,246,316	0.40
MILL	0.09	-	8,115	0.09	GEELY41C2411E	-	-	-	-	HSI28P2503D	-	-	-	-
MILL-W7	-	-	-	-	GEELY41C2502A	0.88	(0.02)	20	0.88	HSTECH28C2412A	-	-	-	-
PAP	2.24	-	316	2.24	HAIDL41C2411	0.51	0.17	401	0.48	HSTECH28C2503A	0.48	0.07	12,169	0.42
PERM	0.78	0.01	1,228	0.77	HKE41C2411A	1.58	0.41	100	1.58	HSTECH28P2412A	-	-	-	-
SAM	0.28	-	19,795	0.29	HKE41C2502A	2.14	0.22	2	2.13	HSTECH28P2503A	0.39	(0.06)	1,410	0.41
SMIT	4.00	(0.04)	1,152	3.99	HKE41C2502B	0.43	0.08	2,032	0.41	JD41C2411A	-	-	-	-
SSSC	2.20	(0.02)	1,880	2.19	HSCB41C2411A	0.09	(0.03)	2	0.10	JD41C2502A	-	-	-	-
TGPRO	0.11	(0.01)	19,579	0.11	HSBC41C2502A	0.43	0.07	3	0.42	JD41C2502B	0.26	0.01	308	0.26
THE	0.86	(0.01)	478	0.87	HSI06C2411A	0.90	0.14	900	0.84	KUAISH41C2502A	0.70	0.10	2,111	0.66
TMT	3.92	(0.06)	2,610	3.95	HSI06C2411B	-	-	-	-	LENOVO41C2502A	0.32	(0.06)	320	0.32
TSTH	0.68	-	6,056	0.68	HSI06C2411C	-	-	-	-	MCA5041C2503A	0.57	0.13	2,395	0.48
TWP	1.55	-	90	1.54	HSI06C2411D	-	-	-	-	MCA5041P2503A	0.45	(0.13)	2,282	0.53
TYCN	2.18	0.02	1	2.18	HSI06C2411E	0.25	0.06	1,897,945	0.21	MEITU28C2501A	-	-	-	-
Construction Service	-	-	-	-	HSI06C2411F	0.02	(0.01)	12,087	0.02	MEITU28C2503A	1.74	0.20	1	1.74
APCS	1.95	0.01	193	1.92	HSI06C2412A	1.05	0.18	1,156	0.93	MEITU28C2504A	0.25	0.05	2	0.24
BJCHI	1.31	(0.01)	1,122	1.32	HSI06C2412B	-	-	-	-	MEITU28P2503A	0.12	(0.03)	2	0.12
BKD	1.41	0.03	242	1.38	HSI06C2412C	-	-	-	-	MEITU28P2504B	0.27	(0.06)	33	0.28
CIVIL	1.82	0.01	1,047	1.83	HSI06C2412D	0.65	0.14	2,099,075	0.58	MEITU41C2411A	-	-	-	-
CK	18.70	(0.40)	25,316	18.82	HSI06C2412E	0.21	0.05	2,224,447	0.18	MEITU41C2502A	0.88	0.17	7,127	0.85
CK01C2503A	0.15	(0.03)	33,751	0.17	HSI06C2412F	0.10	0.02	3,351	0.08	MEITU41P2411A	-	-	-	-
CK13C2412A	-	-	-	-	HSI06C2412G	0.05	-	1,762	0.05	MEITU41P2502A	-	-	-	-
CK13C2503A	0.25	(0.03)	92,067	0.27	HSI06C2412H	0.32	(0.68)	3,068,050	0.28	NDX28C2412A	0.10	0.01	12,009	0.10
CNT	1.23	(0.03)	2,063	1.25	HSI06C2501C	0.40	0.08	990,653	0.36	NDX28C2503A	0.44	0.05	3,509	0.44
EMC	0.10	-	41,586	0.10	HSI06C2501D	0.82	0.16	48,602	0.72	NDX28P2412A	0.13	(0.04)	10	0.13
EMC-W7	0.07	-	11,000	0.07	HSI06C2502A	0.43	0.07	647,097	0.39	NDX28P2412B	-	-	-	-
ITD	0.63	(0.01)	56,362	0.63	HSI06C2503A	1.69	0.30	547	1.67	NDX28P2412C	0.06	(0.01)	1	0.06
JR	3.08	(0.04)	4,289	3.08	HSI06C2503B	0.80	0.13	1,933	0.76	NDX28P2412D	0.25	(0.22)	48	0.25
NL	1.25	(0.04)	3,374	1.27	HSI06C2503C	0.40	0.07	496,177	0.37	NDX28P2503A	0.25	(0.03)	251	0.26
NWR	0.22	-	8,430	0.22	HSI06C2503D	0.25	0.04	304,188	0.23	NDX41C2412A	0.12	0.03	3,077	0.12
PLE	0.40	-	8,629	0.40	HSI06P2411A	0.01	(0.01)	149	0.01	NDX41C2412B	1.42	0.17	1,272	1.43
PREB	5.15	(0.05)	273	5.09	HSI06P2411B	0.01	-	200	0.01	NDX41C2412C	0.69	0.14	2,000	0.67
PYLON	2.08	0.02	1,369	2.09	HSI06P2411C	-	-	-	-	NDX41C2503A	0.66	0.07	26,741	0.66
RT	0.48	(0.01)	11,890	0.49	HSI06P2411D	0.01	-	100	0.01	NDX41P2412A	0.14	(0.03)	925	0.14
SEAFCO	2.22	(0.06)	7,246	2.22	HSI06P2411E	0.06	(0.06)	1,772,365	0.08	NDX41P2412B	-	-	-	-
SQ	0.91	-	3,227	0.90	HSI06P2411F	0.25	(0.16)	1,764,929	0.30	NDX41P2412C	0.11	(0.11)	200	0.11
SRICHA	5.40	(0.05)	3,172	5.34	HSI06P2411G	1.05	(0.33)	1	1.05	NDX41P2503A	0.43	(0.04)	1,498	0.43
STECON	8.90	-	4,253	8.94	HSI06P2411H	-	-	-	-	NIKKEI41C2412A	1.43	(0.21)	2,834	1.44
STI	3.16	(0.02)	263	3.12	HSI06P2412A	0.02	(0.01)	10,048	0.01	NIKKEI41C2412B	0.12	(0.07)	32,061	0.12
STPI	3.82	(0.04)	11,740	3.84	HSI06P2412B	-	-	-	-	NIKKEI41C2412C	0.35	(0.13)	90,227	0.34
SYNTEC	1.62	(0.01)	858	1.62	HSI06P2412C	0.03	-	5	0.03	NIKKEI41C2412T	0.08	(0.03)	7,743	0.08
TEAMG	3.98	(0.04)	13,372	4.01	HSI06P2412D	0.15	(0.07)	2,307,867	0.18	NIKKEI41C2503A	0.37	(0.06)	6,455	0.36
TEAMG-W1	0.34	(0.01)	3,882	0.35	HSI06P2412E	0.34	(0.12)	2,116,897	0.40	NIKKEI41C2503B	1.26	(0.13)	15,997	1.25
TEKA	2.26	(0.18)	5,928	2.26	HSI06P2412F	-	-	-	-	NIKKEI41P2412A	-	-	-	-
TPOLY	0.80	(0.02)	34,534	0.80	HSI06P2412G	0.09	(0.04)	2,885,288	0.10	NIKKEI41P2412B	0.37	0.05	13,983	0.37
TRC	1.49	(0.31)	54,161	1.54	HSI06P2412H	-	-	-	-	NIKKEI41P2412C	0.05	0.01	2,801	0.05

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Thursday November 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5001P2502A	0.38	(0.04)	7,507	0.38	SET5041P2412V	-	-	-	-	0	-	-	-	-
SET5001P2503F	0.24	(0.04)	22,974	0.25	SET5041P2503A	0.25	(0.03)	5,613	0.26	0	-	-	-	-
SET5006C2412A	-	-	-	-	SET5041P2503B	0.49	(0.04)	328,824	0.50	0	-	-	-	-
SET5006C2412B	2.00	0.18	3	2.00	SPX28C2412A	0.18	0.01	980	0.18	0	-	-	-	-
SET5006C2412C	-	-	-	-	SPX28C2412B	-	-	-	-	0	-	-	-	-
SET5006C2412D	-	-	-	-	SPX28C2412C	0.66	0.01	1,000	0.66	0	-	-	-	-
SET5006C2412E	0.32	0.03	526,533	0.32	SPX28C2503A	0.44	0.03	7,467	0.44	0	-	-	-	-
SET5006C2412F	0.19	0.02	941,471	0.19	SPX28P2412A	0.08	(0.02)	1	0.08	0	-	-	-	-
SET5006C2412G	0.12	0.02	468,760	0.11	SPX28P2412B	-	-	-	-	0	-	-	-	-
SET5006C2503A	0.47	0.03	464,124	0.45	SPX28P2412C	-	-	-	-	0	-	-	-	-
SET5006C2503B	0.35	0.02	385,802	0.34	SPX28P2503A	0.52	(0.04)	766	0.53	0	-	-	-	-
SET5006P2412A	-	-	-	-	SPX41C2412A	0.34	0.03	35,357	0.32	0	-	-	-	-
SET5006P2412B	-	-	-	-	SPX41C2412B	1.75	0.22	1,001	1.75	0	-	-	-	-
SET5006P2412C	-	-	-	-	SPX41C2412C	0.86	0.06	766	0.86	0	-	-	-	-
SET5006P2412D	0.01	-	3	0.01	SPX41C2503A	0.79	0.07	11,403	0.77	0	-	-	-	-
SET5006P2412E	0.03	(0.03)	1,005	0.03	SPX41P2412A	-	-	-	-	0	-	-	-	-
SET5006P2412F	0.04	(0.02)	63	0.05	SPX41P2412B	-	-	-	-	0	-	-	-	-
SET5006P2412G	0.17	(0.04)	941,213	0.18	SPX41P2412C	-	-	-	-	0	-	-	-	-
SET5006P2412H	0.37	(0.08)	241,903	0.40	SPX41P2503A	-	-	-	-	0	-	-	-	-
SET5006P2503A	0.10	(0.02)	3,189	0.11	SUNNY41C2411	0.18	(0.02)	623	0.17	0	-	-	-	-
SET5006P2503B	0.26	(0.04)	703,503	0.27	SUNNY41C2502	0.65	0.02	711	0.60	0	-	-	-	-
SET5013C2411A	-	-	-	-	TENCEN28C250	0.73	0.03	2	0.73	0	-	-	-	-
SET5013C2412A	2.24	0.24	408	2.13	TENCEN28C250	-	-	-	-	0	-	-	-	-
SET5013C2412B	-	-	-	-	TENCEN28P250	-	-	-	-	0	-	-	-	-
SET5013C2412C	3.68	0.24	100	3.68	TENCEN41C250	0.85	0.09	547	0.79	0	-	-	-	-
SET5013C2412D	-	-	-	-	TENCEN41C250	0.16	0.02	6	0.15	0	-	-	-	-
SET5013C2412E	1.60	0.01	121	1.56	TENCEN41P250	0.14	(0.03)	10	0.14	0	-	-	-	-
SET5013C2412F	1.19	0.08	201	1.17	TENCEN41P250	0.32	(0.05)	22	0.34	0	-	-	-	-
SET5013C2412G	0.91	0.09	13,138	0.92	TRIPDC41C2411	1.68	(0.05)	25	1.66	0	-	-	-	-
SET5013C2412H	0.46	0.06	2,651,530	0.45	XIAOMI28C2412	2.44	0.32	1	2.44	0	-	-	-	-
SET5013C2412I	0.21	0.03	523,682	0.21	XIAOMI28C2504	0.55	0.03	212	0.55	0	-	-	-	-
SET5013C2412J	0.27	0.04	139,752	0.26	XIAOMI28P2502	-	-	-	-	0	-	-	-	-
SET5013C2412K	0.12	0.02	194,322	0.11	XIAOMI28P2505	0.33	(0.01)	34	0.34	0	-	-	-	-
SET5013C2412L	0.56	0.08	668,717	0.55	XIAOMI41C2411	-	-	-	-	0	-	-	-	-
SET5013C2412M	0.42	0.06	828,599	0.41	XIAOMI41C2502	-	-	-	-	0	-	-	-	-
SET5013C2412T	0.23	0.02	41,289	0.23	XIAOMI41C2503	0.59	0.04	37	0.57	0	-	-	-	-
SET5013C2412U	0.72	0.08	25,519	0.70	XIAOMI41P2502	-	-	-	-	0	-	-	-	-
SET5013C2503A	0.48	0.04	757,354	0.48	ZJIN41C2502A	0.47	(0.02)	4	0.45	0	-	-	-	-
SET5013C2503T	0.24	0.02	63,440	0.24	0	-	-	-	-	0	-	-	-	-
SET5013P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412E	0.01	-	3	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412H	0.04	-	948	0.04	0	-	-	-	-	0	-	-	-	-
SET5013P2412I	0.03	-	865	0.03	0	-	-	-	-	0	-	-	-	-
SET5013P2412J	0.02	(0.01)	2,222	0.03	0	-	-	-	-	0	-	-	-	-
SET5013P2412K	0.02	(0.02)	7,976	0.02	0	-	-	-	-	0	-	-	-	-
SET5013P2412L	0.06	(0.02)	157,746	0.06	0	-	-	-	-	0	-	-	-	-
SET5013P2412M	0.15	(0.03)	128,707	0.16	0	-	-	-	-	0	-	-	-	-
SET5013P2412N	0.19	(0.05)	1,266,268	0.20	0	-	-	-	-	0	-	-	-	-
SET5013P2412O	0.37	(0.06)	3,139,458	0.38	0	-	-	-	-	0	-	-	-	-
SET5013P2412T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2503A	0.42	(0.04)	205,573	0.43	0	-	-	-	-	0	-	-	-	-
SET5013P2503B	0.60	(0.40)	636,136	0.61	0	-	-	-	-	0	-	-	-	-
SET5013P2503T	0.08	(0.02)	21,796	0.09	0	-	-	-	-	0	-	-	-	-
SET5019C2412A	0.67	0.09	7,783	0.65	0	-	-	-	-	0	-	-	-	-
SET5019C2412B	3.92	-	1,500	3.92	0	-	-	-	-	0	-	-	-	-
SET5019C2412C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412D	1.65	(0.11)	465	1.66	0	-	-	-	-	0	-	-	-	-
SET5019C2412E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412F	0.37	0.04	176,571	0.37	0	-	-	-	-	0	-	-	-	-
SET5019C2412G	0.35	0.04	140,144	0.34	0	-	-	-	-	0	-	-	-	-
SET5019C2412H	0.19	0.02	438,799	0.19	0	-	-	-	-	0	-	-	-	-
SET5019C2412I	0.09	0.01	42,886	0.09	0	-	-	-	-	0	-	-	-	-
SET5019C2412J	0.26	0.03	256,617	0.26	0	-	-	-	-	0	-	-	-	-
SET5019C2503A	0.41	0.03	345,830	0.41	0	-	-	-	-	0	-	-	-	-
SET5019P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2412C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2412D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2412E	0.02	(0.01)	1,002	0.03	0	-	-	-	-	0	-	-	-	-
SET5019P2412F	0.05	(0.01)	2,544	0.05	0	-	-	-	-	0	-	-	-	-
SET5019P2412G	0.14	(0.03)	324,612	0.15	0	-	-	-	-	0	-	-	-	-
SET5019P2412H	0.28	(0.07)	441,597	0.29	0	-	-	-	-	0	-	-	-	-
SET5019P2503A	0.24	(0.02)	179,821	0.24	0	-	-	-	-	0	-	-	-	-
SET5027C2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2412T	0.22	0.03	35,726	0.22	0	-	-	-	-	0	-	-	-	-
SET5027P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2412T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2412A	0.40	0.05	111	0.38	0	-	-	-	-	0	-	-	-	-
SET5028C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2412C	0.94	(0.15)	2,000	0.94	0	-	-	-	-	0	-	-	-	-
SET5028C2503A	0.40	0.02	186,616	0.40	0	-	-	-	-	0	-	-	-	-
SET5028P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412T	0.52	(0.03)	47,371	0.52	0	-	-	-	-	0	-	-	-	-
SET5041C2412U	0.47	0.04	13,068	0.43	0	-	-	-	-	0	-	-	-	-
SET5041C2412W	1.75	0.02	239	1.74	0	-	-	-	-	0	-	-	-	-
SET5041C2412X	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2503A	0.47	0.03	1,670,323	0.47</										

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Thursday November 07, 2024

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Thursday November 07, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust	-				TPLAS	1.42	0.01	2	00 1.4	KTMS	2.28	(0.12)	871	00 2.3
APO	2.22	0.02	13,067	00 2.2	TRT	3.76	0.06	4,652	00 3.7	LDC	0.60	-	6,414	00 0.5
AU	10.90	0.20	44,523	00 10.8	TRV	2.10	(0.02)	18	00 2.1	LEO	3.76	(0.04)	1,554	00 3.7
CFARM	1.08	(0.05)	37,657	00 1.1	UBIS	1.90	(0.01)	64	00 1.8	MCA	1.81	(0.02)	12,709	00 1.8
JCKH	0.02	-	3,785	00 0.0	UEC	1.34	(0.02)	1,018	00 1.3	MEB	30.75	-	1,694	00 30.8
JCKH-W2	-	-	-	00 0.0	UKEM	0.69	(0.01)	12,339	00 0.6	MORE	0.06	(0.01)	9,482	00 0.0
KASET	0.97	(0.03)	1,264	00 0.9	UREKA	0.48	-	19,870	00 0.4	MPJ	4.50	(0.28)	336,616	00 4.5
MAGURO	19.70	0.90	30,078	00 19.2	YUASA	10.90	0.10	36	00 10.8	MVP	0.80	(0.01)	16,473	00 0.8
MUD	1.39	0.02	617	00 1.3	ZIGA	2.02	0.04	94,333	00 2.0	NCL	0.38	(0.04)	74,829	00 0.3
NTSC	10.70	0.10	56	00 10.6	ZIGA-W2	0.19	-	53,786	00 0.2	NCP	1.11	(0.14)	60,364	00 1.1
TACC	4.86	(0.06)	11,969	00 4.8	Property	-				NEWS	0.01	-	1,274,143	00 0.0
TMILL	3.50	(0.02)	317	00 3.5	24CS	3.58	(0.02)	23,883	00 3.5	PEER	0.33	-	23,401	00 0.3
WINNER	2.06	(0.04)	288	00 2.0	ARIN	0.85	(0.02)	66,199	00 0.8	PEER-W1	-	-	-	00 0.0
XO	23.00	0.20	4,562	00 23.0	ARROW	5.65	(0.05)	142	00 5.6	PICO	3.58	0.04	13	00 3.4
Consumer Products	-				BC	0.97	0.01	860	00 0.9	PLT	0.76	-	5,264	00 0.7
ALPHAX	0.66	0.01	14,923	00 0.6	BC-W2	0.12	(0.01)	4,071	00 0.1	QLT	2.08	0.02	24	00 2.0
BGT	0.57	(0.02)	878	00 0.5	BLESS	0.42	(0.01)	1,248	00 0.4	RP	1.18	-	412	00 1.1
DOD	2.34	-	1,598	00 2.3	BSM	1.80	-	145	00 1.7	SONIC	1.54	0.01	4,375	00 1.5
ECF	0.46	(0.01)	14,390	00 0.4	BTW	0.27	(0.01)	3,155	00 0.2	THMUI	0.56	-	169	00 0.5
ECF-W5	0.05	-	39,259	00 0.0	CAZ	2.88	(0.02)	931	00 2.8	TNDT	0.29	0.01	16,576	00 0.2
EFORL	0.19	0.01	89,531	00 0.1	CHEWA	0.47	-	5,700	00 0.4	TNDT-W1	0.04	0.01	5,888	00 0.0
EFORL-W6	0.05	0.01	30,507	00 0.0	CPANEL	4.02	(0.08)	87	00 4.0	TNH	36.00	(0.25)	415	00 36.0
EURO	5.10	(0.20)	7,037	00 5.1	CPANEL-W1	0.39	(0.02)	1	00 0.3	TNP	3.46	(0.04)	5,374	00 3.4
HPT	0.46	(0.01)	56,282	00 0.4	CRD	0.45	-	1,960	00 0.4	TPL	1.14	-	2,648	00 1.1
ITTHI	1.83	(0.07)	3,673	00 1.8	DHOUSE	0.59	(0.01)	6,530	00 0.5	TRP	9.10	0.05	1,075	00 9.0
JSP	2.02	0.02	2,039	00 1.9	DIMET	0.25	-	1	00 0.2	TURTLE	-	-	-	00 0.0
JUBILE	13.60	0.10	136	00 13.4	DPAIN	1.76	(0.03)	644	00 1.7	TVDH	0.19	-	10,593	00 0.1
LTS	12.80	(0.40)	15,568	00 12.9	FLOYD	0.74	(0.03)	5,991	00 0.7	TVDH-W3	0.03	-	8,078	00 0.0
MGI	13.50	(0.20)	5,215	00 13.6	HYDRO	0.20	(0.10)	73,422	00 0.2	TVDH-W4	0.01	(0.01)	4,157	00 0.0
MGI-W1	3.72	(0.12)	7,264	00 3.8	HYDRO-W2	0.08	0.01	41,407	00 0.0	TVT	0.46	-	5,434	00 0.4
MOONG	2.18	0.02	2,526	00 2.1	IND	0.80	(0.01)	9,243	00 0.8	UBA	0.98	-	179	00 0.9
NPK	13.60	0.20	12	00 13.6	JAK	1.39	0.03	25	00 1.3	VL	0.86	(0.02)	38,608	00 0.8
SEI	5.95	0.15	50,227	00 5.8	K	1.29	0.04	1,254	00 1.2	VS	0.63	(0.01)	728	00 0.6
SMD	4.10	(0.02)	920	00 4.0	K-W3	0.13	-	4,674	00 0.1	YGG	0.67	(0.02)	55,005	00 0.6
TM	1.31	(0.03)	1,516	00 1.3	META	0.14	-	59,917	00 0.1	Technology	-	-	-	-
TM-W1	0.10	(0.01)	1,002	00 0.0	META-W7	0.01	-	5	00 0.0	APP	1.61	0.01	1,568	00 1.6
WARRIX	3.94	0.10	39,089	00 3.9	PANEL	1.32	-	491	00 1.3	BBIK	44.00	1.00	21,640	00 44.3
WINMED	2.04	0.04	76	00 1.9	PPS	0.23	0.01	10,601	00 0.2	BE8	16.30	0.10	5,549	00 16.3
Financials	-				PRI	9.30	(0.40)	6,583	00 9.5	BE8-W1	2.24	0.22	3	00 2.2
ACAP	-	-	-	00 0.0	PROS	1.12	(0.03)	2,752	00 1.1	BVG	2.88	-	1,330	00 2.9
AF	0.66	(0.01)	202	00 0.6	PROS-W1	0.13	(0.02)	28,887	00 0.1	COMAN	0.92	(0.40)	5,041	00 1.0
AIRA	1.25	(0.07)	173	00 1.2	PSG	0.53	-	31,628	00 0.5	I2	1.90	0.03	2,280	00 1.8
ASN	1.70	(0.04)	74	00 1.6	QTGC	0.43	(0.02)	22,117	00 0.4	IIG	5.75	-	2,861	00 5.7
BTC	0.57	-	756,612	00 0.5	SENX	0.40	0.01	7,132	00 0.3	IIG-W1	0.36	(0.34)	1	00 0.3
BTC-W7	0.27	(0.01)	31,819	00 0.2	SK	0.61	(0.05)	20,095	00 0.6	IRCP	0.54	(0.02)	23,748	00 0.5
GCAP	0.50	(0.01)	45,512	00 0.4	SMART	0.80	(0.01)	10,688	00 0.8	ITNS	1.75	(0.03)	506	00 1.8
KCC	2.66	(0.14)	6,435	00 2.7	STC	0.56	0.01	897	00 0.5	NAT	4.78	-	3,344	00 4.7
LIT	1.04	(0.05)	5,556	00 1.0	STX	1.48	(0.01)	1,413	00 1.4	NETBAY	15.60	(0.30)	4,645	00 15.7
LIT-W2	0.09	(0.01)	9,744	00 0.0	SVR	1.22	(0.03)	1,471	00 1.2	PLANET	1.78	0.02	80,327	00 1.7
MITSIB	0.74	0.01	2,981	00 0.7	TAPAC	-	-	-	00 0.0	PROEN	3.68	0.08	204,408	00 3.6
SGF	0.27	(0.04)	71,031	00 0.2	THANA	1.38	(0.01)	521	00 1.3	PROEN-W2	1.58	0.02	64,640	00 1.6
SGF-P1	-	-	-	00 0.0	TIGER	0.81	0.02	8,238	00 0.8	READY	5.55	(0.25)	386	00 5.6
SGF-Q1	-	-	-	00 0.0	TITLE	4.30	(0.08)	1,721	00 4.2	SECURE	13.10	0.10	1,871	00 13.0
TQR	6.30	(0.15)	193	00 6.3	WELL	-	-	-	00 0.0	SICT	6.25	0.40	60,665	00 6.1
Industrials	-				YONG	1.37	0.03	4,135	00 1.3	SIMAT	2.12	0.27	231,549	00 2.0
ADB	0.93	-	500	00 0.9	Resources	-		-		SIMAT-W3	0.16	0.04	47,642	00 0.1
BM	3.12	-	20,732	00 3.1	ABM	1.30	0.02	158	00 1.2	SPVI	2.46	(0.04)	5,644	00 2.4
BM-W3	1.41	(0.04)	1,020	00 1.4	ABM-W1	0.01	-	49	00 0.0	SRS	5.35	0.25	396	00 5.3
BPS	0.55	(0.04)	30,414	00 0.5	GTV	0.13	-	28,442	00 0.1	TBN	6.45	0.25	121	00 6.1
CHO	0.05	-	655,074	00 0.0	PSTC	0.48	(0.01)	48,799	00 0.4	TERA	1.41	(0.04)	2,075	00 1.4
CHO-W4	0.02	-	3	00 0.0	PSTC-W2	0.03	-	42,696	00 0.0	TPS	3.08	0.02	703	00 3.0
CHOW	2.38	-	859	00 2.3	PSTC-W3	0.18	-	6,997	00 0.1	VCOM	2.68	0.02	4,576	00 2.6
CIG	0.05	-	90,686	00 0.0	PTC	1.61	0.01	581	00 1.5	-	-	-	-	-
CIG-W10	-	-	-	00 0.0	SAAM	6.75	0.55	3,225	00 6.5	-	-	-	-	-
CIG-W9	0.03	-	817	00 0.0	SR	0.61	(0.04)	26	00 0.6	-	-	-	-	-
COLOR	1.15	-	54	00 1.1	STOWER	0.08	-	13,428	00 0.0	-	-	-	-	-
CPR	3.46	0.04	303	00 3.4	TAKUNI	0.80	(0.08)	130,454	00 0.8	-	-	-	-	-
FPI	1.98	0.02	3,300	00 1.9	TPCH	5.80	(0.05)	7,345	00 5.8	-	-	-	-	-
GTB	0.73	(0.01)	22	00 0.7	UMS	0.67	0.05	3,103	00 0.6	-	-	-	-	-
HARN	2.10	(0.02)	2,080	00 2.0	Services	-		-		-	-	-	-	-
KCM	0.34	-	1,174	00 0.3	ADD	4.62	(0.08)	218	00 4.6	-	-	-	-	-
KJL	7.25	(0.10)	1,026	00 7.2	AKP	0.82	(0.01)	9,101	00 0.8	-	-	-	-	-
KUMWEL	1.72	-	117	00 1.7	AMA	4.24	-	3,564	00 4.2	-	-	-	-	-
KWM	1.30	-	651	00 1.2	AMARC	1.40	0.02	4,956	00 1.3	-	-	-	-	-
MBAX	2.86	-	243	00 2.8	ARIP	0.60	(0.01)	6,194	00 0.5	-	-	-	-	-
MGT	2.10	0.02	537	00 2.0	ATP30	1.00	0.06	41,758	00 0.9	-	-	-	-	-
MTW	1.18	(0.03)	2,546	00 1.1	AUCT	9.10	(0.05)	2,859	00 9.1	-	-	-	-	-
MTW-W1	0.14	(0.01)	5,030	00 0.1	BIS	3.70	-	1,589	00 3.6	-	-	-	-	-
NDR	2.66	0.10	112,469	00 2.7	BOL	6.05	0.05	1,511	00 6.0	-	-	-	-	-
PACO	1.40	(0.01)	3,963	00 1.4	CEYE	3.16								