

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB13C2502A	0.21	(0.04)	25,648	0.23	IVL41C2412A	-	-	-	-
Agribusiness			-		SCB13P2412A	-	-	-	-	IVL41C2412B	-	-	-	-
EE	0.17	0.01	15,901	0.17	SCB13P2502A	0.18	0.01	38,840	0.18	IVL41C2502A	-	-	-	-
EE-W1	0.01	-	23	0.01	SCB19C2412A	-	-	-	-	IVL41C2502B	0.15	(0.02)	26,723	0.15
GFPT	10.70	0.10	10,133	10.62	SCB19C2502A	0.19	(0.02)	7,776	0.19	NFC	1.88	(0.03)	16	1.88
LEE	2.48	(0.02)	12	2.48	SCB19P2412A	-	-	-	-	PATO	8.70	-	17	8.71
NER	4.92	-	60,695	4.92	SCB41C2412A	0.08	(0.02)	2,035	0.08	PMTA	-	-	-	-
NER-W2	0.72	(0.02)	2,850	0.71	SCB41C2502A	0.24	(0.02)	15,588	0.24	PTTGC	25.75	(1.25)	177,874	25.74
PCE	2.98	0.12	436,379	2.94	TCAP	50.75	(1.00)	36,975	51.02	PTTGC01C2411A	-	-	-	-
PPPM	0.82	(0.04)	66,183	0.85	TCAP-P	-	-	-	-	PTTGC01C2412A	0.01	-	22	0.01
PPPM-W6	0.69	(0.06)	1,326	0.74	TCAP-Q	-	-	-	-	PTTGC01C2501A	0.03	(0.02)	3,710	0.03
STA	19.30	(2.00)	381,171	19.19	TCAP13C2501A	0.07	(0.03)	8,513	0.07	PTTGC01P2501B	0.25	(0.14)	6,640	0.26
STA01C2411A	-	-	-	-	TCAP19C2504A	0.25	(0.04)	2,957	0.27	PTTGC01C2502A	0.09	(0.04)	9,870	0.09
STA01C2412A	0.05	(0.10)	7,897	0.05	TISCO	96.25	0.25	14,324	96.08	PTTGC01C2504A	0.64	(0.12)	4,859	0.63
STA01C2501A	0.09	(0.10)	37,202	0.09	TISCO-P	-	-	-	-	PTTGC01P2412X	0.14	0.04	47,918	0.14
STA01C2502A	0.03	(0.02)	1,150	0.03	TISCO-Q	-	-	-	-	PTTGC01P2501A	0.12	0.04	29,335	0.12
STA01C2503A	0.28	(0.17)	43,656	0.28	TISCO11C2501A	-	-	-	-	PTTGC01P2503A	0.39	0.05	125,539	0.39
STA01P2502A	-	-	-	-	TISCO13C2502A	0.13	-	12,278	0.12	PTTGC11C2411A	-	-	-	-
STA13C2412A	0.02	(0.05)	9,495	0.03	TISCO19C2502A	-	-	-	-	PTTGC11C2412A	-	-	-	-
STA13C2502A	0.03	(0.03)	27,514	0.03	TTB	1.76	(0.03)	1,774,729	1.77	PTTGC11C2501A	-	-	-	-
STA13C2502B	0.19	(0.15)	130,222	0.19	TTB-W1	0.82	(0.04)	1,514	0.83	PTTGC13C2412A	-	-	-	-
STA13P2502A	0.56	0.13	25,421	0.57	TTB01C2503A	0.08	-	42	0.08	PTTGC13C2412B	0.01	-	12,727	0.01
STA19C2412A	0.06	(0.09)	16,127	0.06	TTB01C2504A	0.31	(0.03)	25,000	0.32	PTTGC13C2412C	-	-	-	-
STA19C2502A	0.09	(0.06)	22,800	0.07	TTB13C2501A	0.04	(0.01)	12,052	0.04	PTTGC13C2501A	0.05	(0.03)	15,885	0.05
STA19C2502B	0.04	(0.03)	24,364	0.05	TTB13C2503A	0.24	(0.02)	18,552	0.24	PTTGC13C2502A	0.11	(0.05)	24,076	0.12
STA19C2503A	0.23	(0.14)	69,285	0.23	TTB19C2501A	0.13	(0.02)	24,368	0.14	PTTGC13C2503A	0.54	(0.26)	15	0.54
TEGH	3.28	(0.18)	50,293	3.31	Construction Ma	-	-	-	-	PTTGC13P2412A	-	-	-	-
TFM	8.40	-	1,061	8.38	CCP	0.29	(0.01)	2,528	0.29	PTTGC19C2501B	0.10	(0.04)	18,311	0.10
TRUBB	1.06	(0.04)	17,557	1.08	DCC	1.88	0.03	12,758	1.86	PTTGC19C2502A	0.06	(0.02)	50	0.06
UPOIC	6.80	(0.05)	1,201	6.83	DCON	0.32	-	5,401	0.31	PTTGC19P2502B	0.19	0.04	39,953	0.19
UVAN	9.35	(0.05)	9,899	9.41	DCON-W3	0.02	-	6,236	0.01	PTTGC19C2412A	-	-	-	-
VPO	0.80	(0.01)	45,311	0.81	DRT	7.80	(0.15)	11,551	7.80	PTTGC19C2412B	-	-	-	-
Banking			-		EPG	4.34	(0.14)	18,929	4.38	PTTGC19C2501A	-	-	-	-
BAY	25.00	-	2,204	24.97	GEL	0.11	-	41,291	0.11	PTTGC19C2501B	0.10	(0.04)	18,311	0.10
BBL	146.50	(2.00)	39,583	146.83	GEL-W5	-	-	-	-	PTTGC19C2502A	0.06	(0.02)	50	0.06
BBL11C2412A	0.03	(0.03)	3,750	0.03	PPP	1.77	-	75	1.76	PTTGC19C2504A	0.19	(0.05)	9,693	0.19
BBL11C2501A	-	-	-	-	Q-CON	9.95	(0.25)	3,543	9.96	PTTGC19P2412A	-	-	-	-
BBL11C2502A	0.19	(0.05)	3,140	0.19	SCC	198.00	1.00	17,666	198.04	PTTGC19P2503A	0.21	0.03	39,356	0.21
BBL13C2412A	0.06	(0.03)	10	0.06	SCC01C2412A	0.01	(0.01)	15,410	0.01	PTTGC41C2412A	-	-	-	-
BBL13C2501A	0.08	(0.02)	1,241	0.08	SCC01C2502A	0.12	-	22,320	0.12	PTTGC41C2412B	-	-	-	-
BBL13C2503A	0.19	(0.03)	48,882	0.20	SCC01C2503A	0.05	-	500	0.05	PTTGC41C2501A	-	-	-	-
BBL13P2412A	-	-	-	-	SCC01P2503A	0.82	(0.03)	44,360	0.84	PTTGC41C2502A	-	-	-	-
BBL13P2501A	0.31	0.01	9,213	0.31	SCC13C2501A	0.02	(0.01)	4,849	0.02	PTTGC41C2502B	-	-	-	-
BBL19C2502A	0.08	(0.02)	12,300	0.08	SCC13C2501B	0.01	-	500	0.01	PTTGC41C2503A	0.16	(0.05)	22,000	0.16
BBL19C2503A	0.20	(0.03)	11,825	0.22	SCC13C2502A	0.07	(0.01)	1,002	0.07	PTTGC41P2502A	-	-	-	-
BBL19C2503B	0.28	(0.05)	593	0.29	SCC13C2503A	0.14	-	22,142	0.14	SUTHA	3.00	-	1,181	3.09
BBL41C2412A	-	-	-	-	SCC13P2502A	0.81	(0.04)	30,605	0.84	TPA	4.16	0.10	1	4.16
BBL41C2502A	-	-	-	-	SCC19C2501A	-	-	-	-	UAC	3.54	0.10	6,027	3.50
CIMBT	0.54	(0.01)	16,677	0.54	SCC19C2502A	0.04	-	5,000	0.04	UP	17.30	(0.40)	26	17.30
CREDIT	23.00	(0.20)	1,543	22.88	SCC19C2503A	0.15	(0.01)	15,588	0.15	Commerce	-	-	-	-
KBANK	147.50	(1.00)	58,643	147.45	SCC41C2503A	0.16	0.01	12,000	0.17	ADVICE	6.85	(0.15)	59,054	6.92
KBANK01C2412A	-	-	-	-	SCCC	163.50	(1.00)	222	163.95	B52	0.34	(0.01)	4,583	0.33
KBANK01C2501A	0.30	(0.02)	2,496	0.30	SCGD	6.30	(0.05)	4,984	6.32	BEAUTY	0.43	(0.02)	29,949	0.44
KBANK01C2502A	0.11	(0.01)	3,029	0.11	SCP	6.35	-	839	6.35	BIG	0.43	(0.01)	6,216	0.42
KBANK01C2503A	0.32	(0.02)	5,790	0.32	SKN	5.70	0.35	2,266	5.41	BJC	22.70	(1.00)	60,720	22.99
KBANK01P2412X	0.01	(0.01)	700	0.01	STECH	1.12	(0.02)	707	1.13	BJC01C2412A	0.08	(0.06)	24,178	0.11
KBANK01P2502A	0.22	-	7,321	0.23	TASCO	18.20	(0.10)	40,156	18.22	BJC01C2503A	-	-	-	-
KBANK01P2502B	0.49	-	18,027	0.50	TASCO01C2501J	0.15	(0.01)	10,852	0.16	BJC13C2412A	-	-	-	-
KBANK13C2412A	0.13	(0.04)	16,703	0.13	TASCO13C2501J	0.12	-	9,664	0.12	BJC13C2502A	-	-	-	-
KBANK13C2501A	0.09	(0.02)	4,515	0.09	TASCO19C2502J	0.20	(0.02)	12,894	0.20	BJC13C2503A	0.29	(0.08)	45,378	0.32
KBANK13C2502A	0.06	(0.01)	610	0.06	TOA	17.20	(0.20)	7,620	17.11	BJC19C2502A	0.25	(0.06)	24,460	0.28
KBANK13C2503A	0.30	(0.02)	52,058	0.30	TIPIPL	1.12	-	41,025	1.12	COM7	27.50	0.50	70,301	26.94
KBANK13P2412A	-	-	-	-	UMI	0.75	(0.01)	1,419	0.76	COM701C2412W	0.44	0.03	6,350	0.42
KBANK13P2501A	0.17	-	4,104	0.17	VNG	3.32	(0.02)	1,283	3.27	COM701C2501A	0.13	0.01	74,171	0.11
KBANK19C2501A	0.15	(0.03)	2,020	0.15	WIIK	1.07	(0.02)	579	1.07	COM701C2503A	0.22	0.02	45,128	0.21
KBANK19C2502A	0.17	(0.02)	23,489	0.17	WIIK-W3	0.06	-	1,936	0.06	COM701P2501A	0.15	(0.01)	38,444	0.16
KBANK19C2502B	0.11	(0.01)	37,030	0.11	WINDOW	0.82	(0.01)	4,895	0.82	COM713C2411A	-	-	-	-
KBANK19P2501A	-	-	-	-	BCT	-	-	-	-	COM713C2412A	-	-	-	-
KBANK19P2502A	-	-	-	-	CMAN	2.14	-	3,233	2.12	COM713C2501A	0.14	0.01	14,241	0.12
KBANK41C2501A	0.25	(0.03)	10,100	0.25	GC	4.98	-	761	4.98	COM713P2501A	0.12	(0.01)	10,756	0.13
KBANK41C2502A	0.11	(0.02)	12,000	0.11	GJC	4.70	(0.08)	315	4.66	COM719C2501A	0.51	(0.12)	5	0.51
KBANK41C2604T	0.72	(0.02)	2,020	0.72	GIFT	2.66	(0.06)	1,972	2.67	COM719C2502A	0.20	0.01	57,647	0.20
KBANK41P2502A	-	-	-	-	GIFT-W2	0.82	-	838	0.81	COM719P2412A	-	-	-	-
KKP	52.25	(0.75)	18,964	52.52	IWL	25.75	(0.25)	163,723	25.69	COM741C2412A	0.14	-	9,694	0.14
KKP-W6	1.38	-	3											

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC11C2501A	0.09	-	3,072	0.09	FORTH19C2501	0.12	(0.01)	14,124	0.12	DELTA13C2501A	3.70	0.26	60	3.70
CRC13C2412A	-	-	-	-	GABLE	3.60	0.02	367	3.58	DELTA13C2502A	1.48	0.04	1,010	1.49
CRC13C2412B	0.08	-	6,786	0.09	HUMAN	10.60	0.20	735	10.43	DELTA13C2502B	1.03	0.04	28,670	1.05
CRC13C2502A	-	-	-	-	ICN	2.42	(0.04)	4,299	2.45	DELTA13C2503A	0.77	0.03	403,108	0.77
CRC13C2503A	0.17	-	15,508	0.18	ILINK	6.05	(0.10)	4,160	6.04	DELTA13C2503B	0.52	0.02	248,753	0.52
CRC19C2501A	0.19	0.01	17,755	0.19	INET	5.05	0.17	107,881	5.02	DELTA13C2503C	0.26	0.01	192,433	0.26
CRC19C2502A	0.12	-	37,936	0.12	INET-W3	-	-	-	-	DELTA13P2412A	0.01	-	1	0.01
CRC41C2503A	0.18	0.01	15,250	0.17	INSET	3.22	(0.20)	341,941	3.28	DELTA13P2502A	0.07	(0.01)	19,124	0.07
CSS	0.96	0.10	238,203	0.95	INTUCH	101.00	(1.50)	48,646	101.30	DELTA13P2502B	0.18	(0.02)	168,687	0.18
DOHOME	10.20	(0.10)	36,377	10.15	INTUCH01C2412	1.16	(0.19)	5,456	1.24	DELTA13P2503A	0.36	(0.04)	159,396	0.38
DOHOME01C2501A	-	-	-	-	INTUCH01C250	0.18	(0.02)	43,009	0.19	DELTA13P2503B	0.84	(0.05)	119,652	0.85
DOHOME01C2503A	0.12	(0.01)	24,199	0.12	INTUCH13C241	-	-	-	-	DELTA13C2412A	-	-	-	-
DOHOME13C2412A	0.01	(0.02)	12,571	0.01	INTUCH13C250	-	-	-	-	DELTA19C2502A	1.42	(0.09)	6	1.42
DOHOME13C2502A	0.10	(0.01)	10,567	0.10	INTUCH13C250	0.23	(0.03)	96,254	0.23	DELTA19C2503A	0.94	0.03	23,230	0.93
DOHOME13C2503A	0.18	(0.01)	21,250	0.18	INTUCH13C250	0.12	(0.02)	30,733	0.13	DELTA19C2503B	0.63	0.04	173,096	0.63
DOHOME19C2501A	0.05	-	9,699	0.05	INTUCH13P2412	-	-	-	-	DELTA19P2412A	0.01	-	100	0.01
DOHOME19C2502A	0.12	(0.01)	22,446	0.12	INTUCH13P250	0.39	0.02	25,803	0.38	DELTA19P2502A	0.06	(0.01)	3,501	0.06
DOHOME41C2412A	-	-	-	-	INTUCH19C241	-	-	-	-	DELTA19P2503A	0.26	(0.02)	76,003	0.26
FN	1.04	(0.01)	448	1.01	INTUCH19C250	0.27	(0.03)	95,880	0.28	DELTA41P2411A	-	-	-	-
GLOBAL	16.10	0.20	22,536	15.93	INTUCH19C250	0.17	(0.02)	43,161	0.17	DELTA41P2411B	-	-	-	-
GLOBAL01C2503A	0.25	0.01	66,971	0.25	ITEL	2.32	(0.10)	121,720	2.31	DELTA41C2412A	-	-	-	-
GLOBAL11C2501A	0.16	(0.02)	600	0.16	JAS	2.38	0.12	1,513,513	2.39	DELTA41C2502A	1.06	0.04	3,223	1.04
GLOBAL13C2501A	0.21	-	15,584	0.21	JAS-W4	0.49	(0.01)	1,756,704	0.51	DELTA41C2503A	0.55	0.02	79,474	0.55
GLOBAL19C2412A	-	-	-	-	JAS13C2412A	0.02	-	1,232	0.02	DELTA41P2412A	0.01	(0.01)	1,314	0.01
GLOBAL19C2503A	0.30	-	53,248	0.29	JAS13C2502A	0.15	0.03	52,222	0.15	DELTA41P2502A	0.19	(0.02)	6,875	0.20
HMPRO	9.70	-	156,862	9.69	JAS13C2503A	0.33	0.05	74,931	0.33	HANA	37.00	(0.50)	60,403	36.74
HMPRO01C2501A	0.16	(0.01)	9,630	0.16	JAS19C2412A	0.02	-	18,159	0.02	HANA01C2411W	-	-	-	-
HMPRO01C2503A	-	-	-	-	JAS19C2501A	0.10	0.01	47,803	0.11	HANA01C2501W	0.04	(0.01)	401	0.04
HMPRO01C2504A	0.37	-	11,621	0.37	JAS19C2503A	0.27	0.03	82,632	0.28	HANA01C2502A	0.11	(0.02)	31,001	0.11
HMPRO11C2412A	0.28	(0.03)	800	0.28	JMART	14.20	(0.90)	118,955	14.51	HANA01C2504W	0.28	(0.03)	42,398	0.28
HMPRO11C2412B	-	-	-	-	JMART-W5	0.58	(0.02)	279	0.59	HANA01P2411W	-	-	-	-
HMPRO11C2502A	-	-	-	-	JMART01C2411	-	-	-	-	HANA01P2411W	-	-	-	-
HMPRO13C2501A	0.26	(0.01)	18,528	0.26	JMART01C2501	0.13	(0.05)	57,816	0.15	HANA01P2501W	0.23	0.03	121,140	0.23
HMPRO13C2501B	0.03	(0.01)	609	0.03	JMART01C2503	0.30	(0.07)	56,625	0.33	HANA01P2503W	0.62	0.03	147,910	0.64
HMPRO19C2501A	-	-	-	-	JMART13C2412	-	-	-	-	HANA06C2412A	-	-	-	-
HMPRO19C2501B	-	-	-	-	JMART13C2501	0.25	(0.10)	50,241	0.28	HANA13C2411B	-	-	-	-
HMPRO19C2502A	0.07	(0.01)	821	0.07	JMART13C2501F	0.07	(0.04)	33,387	0.08	HANA13C2412A	0.01	-	10	0.01
HMPRO19C2503A	0.29	(0.02)	24,004	0.30	JMART19C2412	0.16	(0.10)	30,047	0.19	HANA13C2412B	0.01	-	2,867	0.01
HMPRO41C2503A	0.28	-	34,820	0.28	JMART19C2501	-	-	-	-	HANA13C2502A	0.09	(0.01)	37,830	0.09
ICC	33.75	(0.25)	138	33.74	JMART19C2501F	-	-	-	-	HANA13C2503A	0.22	(0.02)	101,926	0.21
ILM	17.10	0.20	1,174	16.97	JMART19C2501K	0.09	(0.03)	7,098	0.11	HANA13P2502A	0.47	0.02	60,459	0.47
IT	5.35	(0.40)	15,602	5.70	JMART19C2503	0.25	(0.07)	39,254	0.27	HANA19C2501A	0.04	(0.05)	1,000	0.04
KAMART	10.30	0.10	26,865	10.32	JMART41C2412	0.18	(0.09)	65,035	0.20	HANA19C2501B	0.07	(0.02)	10,100	0.07
LOXLEY	1.37	(0.03)	5,191	1.39	JMART41C2501	0.15	(0.05)	35,324	0.16	HANA19C2503A	0.22	(0.02)	34,260	0.21
MC	11.00	(0.20)	18,281	11.05	JTS	70.50	2.75	10,174	70.46	HANA19P2504A	0.54	(0.46)	21,791	0.54
MEGA	38.25	-	2,662	38.16	MFEC	6.10	0.05	2,214	6.11	HANA41C2411A	-	-	-	-
MEGA13C2502A	0.13	(0.01)	20	0.13	MSC	7.90	0.05	276	7.85	HANA41C2501A	-	-	-	-
MEGA19C2502A	0.17	(0.01)	1,173	0.17	PT	9.45	-	7,829	9.32	HANA41C2502A	0.15	(0.02)	43,632	0.15
MIDA	0.41	(0.01)	3,966	0.41	ROCTEC	1.05	(0.07)	297,033	1.08	KCE	32.25	(1.50)	179,667	31.91
MOSHI	47.50	(0.50)	12,789	47.55	ROCTEC-W3	0.04	(0.01)	1,033,215	0.04	KCE01C2412W	-	-	-	-
RS	6.05	(0.05)	9,914	6.03	ROCTEC-W5	0.07	(0.01)	1,164,537	0.07	KCE01C2501W	-	-	-	-
RS-W5	4.90	(0.08)	1,494	4.92	SAMART	7.20	0.20	17,671	7.16	KCE01C2503A	0.09	(0.03)	23,215	0.09
RSP	1.91	0.01	304	1.91	SAMTEL	6.75	(0.15)	3,371	6.87	KCE01C2504W	0.21	(0.06)	62,869	0.20
SABUY	0.59	(0.03)	143,105	0.59	SDC	0.06	-	1,659,494	0.06	KCE01P2412W	-	-	-	-
SCM	3.70	0.04	938	3.68	SIS	27.25	3.45	19,319	26.42	KCE01P2503W	0.67	0.07	68,907	0.38
SCM-W2	0.83	0.01	147	0.83	SKY	23.20	(0.50)	4,119	23.33	KCE01P2503W	0.67	0.07	27,278	0.70
SINGER	9.90	(0.60)	87,114	9.98	SPREME	1.84	-	28,613	1.83	KCE11C2501A	0.03	(0.02)	144	0.03
SPC	58.00	-	163	57.76	SVOA	1.44	(0.04)	3,873	1.45	KCE11C2502A	0.07	(0.93)	167	0.08
SPI	65.50	-	1	65.50	SYMC	8.30	(0.55)	24,266	8.32	KCE13C2411A	-	-	-	-
SVT	1.63	(0.04)	3,025	1.63	SYNEX	15.00	(0.10)	12,603	14.96	KCE13C2412A	-	-	-	-
TAN	8.35	0.20	2,811	8.23	THCOM	13.70	(0.50)	175,903	13.76	KCE13C2412B	-	-	-	-
Information & Commr	-	-	-	-	TKC	13.00	(0.30)	253	12.93	KCE13C2501A	0.04	(0.01)	35,352	0.03
3BBIF	6.20	0.05	59,693	6.19	TRUE	TRUE	-	495,191	12.02	KCE13C2503A	0.09	(0.04)	69,499	0.09
ADVANC	285.00	2.00	44,348	281.59	TRUE01C2501A	0.21	0.01	1,471	0.21	KCE13C2503B	0.15	(0.05)	97,478	0.14
ADVANC01C2412A	0.69	0.03	2,251	0.62	TRUE01C2503A	0.20	(0.01)	3,305	0.20	KCE13P2412A	0.42	0.14	6,596	0.37
ADVANC01C2501A	0.45	0.02	5,548	0.40	TRUE01P2412W	0.02	0.01	300	0.02	KCE13P2501A	0.28	0.07	83,746	0.28
ADVANC01C2503A	0.38	0.01	51,389	0.35	TRUE01P2503A	0.26	(0.01)	6,416	0.27	KCE19C2412A	-	-	-	-
ADVANC01C2503B	0.41	0.01	19,678	0.38	TRUE11C2411A	-	-	-	-	KCE19C2501A	0.03	(0.02)	3,520	0.03
ADVANC01P2412X	-	-	-	-	TRUE11C2501A	0.25	-	21,240	0.24	KCE19C2503A	0.10	(0.03)	10,216	0.10
ADVANC01P2502X	0.11	0.01	2,186	0.11	TRUE11C2501B	0.15	(0.02)	1,000	0.15	KCE19C2503B	0.17	(0.06)	27,235	0.16
ADVANC01P2503X	0.37	-	68,019	0.38	TRUE13C2412A	-	-	-	-	KCE19P2412A	-	-	-	-
ADVANC06C2411A	-	-	-	-	TRUE13C2412B	0.11	(0.01)	10,924	0.11	KCE19P2501A	0.29	0.05	24,038	0.30
ADVANC06C2501A	0.2													

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANPU13C2501A	0.07	(0.02)	2,030	0.07	EP	1.94	(0.02)	447	1.93	PTTEP06C2501A	-	-	-	-
BANPU13C2502A	0.06	(0.01)	18	0.06	EP-W4	0.02	(0.01)	8,246	0.02	PTTEP11C2411A	-	-	-	-
BANPU13C2503A	0.17	(0.01)	25,068	0.17	ETC	2.04	0.02	7,239	2.02	PTTEP11C2501A	0.03	(0.02)	4,333	0.03
BANPU13P2501A	-	-	-	-	GPSG	41.25	0.25	66,405	41.18	PTTEP11C2501B	-	-	-	-
BANPU13P2502A	0.27	-	11,276	0.28	GPSG01C2411A	-	-	-	-	PTTEP11C2502A	-	-	-	-
BANPU19C2501A	-	-	-	-	GPSG01C2412A	-	-	-	-	PTTEP13C2412A	-	-	-	-
BANPU19C2502A	0.12	(0.01)	70,941	0.12	GPSG01C2501A	0.21	-	19,577	0.21	PTTEP13C2501A	0.02	(0.01)	32,272	0.02
BANPU19C2502B	-	-	-	-	GPSG01C2502A	0.08	(0.01)	12,587	0.08	PTTEP13C2502A	0.07	(0.02)	1,705	0.08
BANPU41C2411A	-	-	-	-	GPSG01C2504W	0.27	-	32,951	0.27	PTTEP13C2503A	0.17	(0.03)	6,951	0.17
BANPU41C2501A	0.19	(0.01)	29,000	0.18	GPSG01P2411X	-	-	-	-	PTTEP13P2502A	0.48	0.02	12,086	0.49
BANPU41C2502A	-	-	-	-	GPSG01P2502A	0.25	-	32,400	0.25	PTTEP19C2412A	-	-	-	-
BBGI	4.92	(0.28)	56,340	4.96	GPSG11C2411A	-	-	-	-	PTTEP19C2502A	0.09	(0.01)	81	0.09
BCP	32.75	(0.50)	27,868	32.72	GPSG11C2501A	0.06	-	150	0.06	PTTEP19C2503A	0.20	(0.03)	15,376	0.20
BCP01C2412A	-	-	-	-	GPSG11C2502A	0.24	(0.76)	3,000	0.24	PTTEP41C2412A	-	-	-	-
BCP01C2501A	0.09	(0.01)	3,016	0.10	GPSG13C2412A	-	-	-	-	PTTEP41C2502A	-	-	-	-
BCP01C2502A	-	-	-	-	GPSG13C2501A	0.16	-	30,056	0.16	PTTEP41C2503A	0.21	(0.03)	8,799	0.21
BCP01C2504A	0.24	(0.01)	2,306	0.25	GPSG13C2501B	0.06	-	4,075	0.05	PTTEP41P2604T	0.21	(0.02)	3,201	0.21
BCP01P2502A	0.32	0.02	11,616	0.31	GPSG13C2503A	0.18	-	35,431	0.18	PTTEP41P2503A	0.41	0.01	3,036	0.42
BCP11C2501A	-	-	-	-	GPSG13P2501A	0.27	(0.02)	2,231	0.28	RATCH	30.00	(0.75)	14,178	30.20
BCP11C2502A	-	-	-	-	GPSG19C2502A	0.10	(0.01)	9,590	0.10	RATCH01C2503A	0.12	(0.01)	1,200	0.12
BCP13C2501A	0.03	(0.01)	2,599	0.02	GPSG19C2503A	0.19	0.01	49,654	0.18	RATCH13C2412A	-	-	-	-
BCP13C2503A	0.16	(0.02)	2,280	0.17	GPSG41C2411A	-	-	-	-	RATCH13C2503A	0.10	(0.01)	7,187	0.10
BCP13P2501A	0.21	-	9,405	0.21	GPSG41C2412A	0.06	0.01	2,026	0.06	RATCH19C2412A	-	-	-	-
BCP19C2412A	-	-	-	-	GPSG41C2502A	-	-	-	-	RATCH19C2502A	-	-	-	-
BCP19C2501A	0.04	(0.05)	1,000	0.04	GREEN	1.07	(0.02)	13,760	1.09	RPC	0.48	(0.01)	7,023	0.48
BCP19C2503A	0.21	(0.02)	5	0.21	GULF	63.75	(1.00)	153,319	63.92	SCG	3.52	(0.02)	38	3.55
BCP19C2503B	-	-	-	-	GULF01C2411A	-	-	-	-	SCN	0.84	(0.01)	12,951	0.85
BCP41C2502A	-	-	-	-	GULF01C2412A	0.87	(0.11)	4,474	0.92	SCN-W2	0.10	(0.01)	9,484	0.10
BCPG	6.00	(0.10)	39,012	6.01	GULF01C2502A	0.50	(0.05)	11,355	0.51	SCN-W3	-	-	-	-
BCPG01C2502A	0.04	(0.01)	600	0.04	GULF01C2502B	0.33	(0.04)	48,902	0.35	SEAOIL	2.68	0.10	2,536	2.64
BCPG13C2501A	-	-	-	-	GULF01C2503A	0.21	(0.03)	31,028	0.22	SGP	7.25	(0.05)	1,893	7.26
BCPG13C2502A	-	-	-	-	GULF01P2411X	-	-	-	-	SKE	0.33	0.01	811	0.32
BCPG19C2503A	0.10	(0.01)	8,807	0.10	GULF01P2501A	0.02	(0.01)	98	0.02	SKE-W1	0.08	0.01	100	0.07
BGRIM	21.10	(0.20)	73,810	21.05	GULF13C2412A	1.22	(0.04)	692	1.22	SOLAR	0.51	-	5,832	0.50
BGRIM01C2411A	-	-	-	-	GULF13C2412B	-	-	-	-	SPCG	8.65	(0.05)	1,093	8.66
BGRIM01C2411B	-	-	-	-	GULF13C2501A	0.36	(0.08)	184	0.38	SPRC	6.35	(0.20)	164,078	6.40
BGRIM01C2501A	0.16	(0.03)	36,410	0.16	GULF13C2502A	0.27	(0.04)	137,160	0.27	SPRC01C2502A	0.10	(0.03)	17,480	0.11
BGRIM01C2502A	0.13	(0.01)	28,128	0.13	GULF13C2502B	0.17	(0.04)	125,969	0.17	SPRC13C2412A	0.01	(0.01)	1,999	0.01
BGRIM01C2503A	-	-	-	-	GULF13P2412A	-	-	-	-	SPRC13C2501A	0.05	(0.02)	3,517	0.04
BGRIM01C2504A	0.30	(0.03)	32,018	0.30	GULF13P2501A	-	-	-	-	SPRC13C2503A	0.12	(0.04)	10,572	0.13
BGRIM01P2411X	-	-	-	-	GULF13P2502A	0.08	0.01	2,522	0.08	SPRC19C2501A	-	-	-	-
BGRIM11C2412A	-	-	-	-	GULF13P2502B	0.29	0.01	100,465	0.29	SPRC19C2503A	0.15	(0.04)	16,247	0.17
BGRIM11C2501A	0.08	(0.02)	12,000	0.08	GULF19C2412A	-	-	-	-	SSP	5.75	(0.05)	6,252	5.80
BGRIM11C2502A	0.24	(0.76)	7,000	0.24	GULF19C2501A	-	-	-	-	SSP-W2	0.12	-	348	0.11
BGRIM13C2412A	0.05	(0.02)	500	0.05	GULF19C2502A	-	-	-	-	SUPER	0.27	-	32,668	0.27
BGRIM13C2502A	0.11	(0.02)	19,458	0.11	GULF19C2503A	0.36	(0.05)	149,011	0.38	SUPEREIF	6.80	-	69	6.83
BGRIM13C2503A	0.24	(0.02)	41,898	0.24	GULF19C2503B	0.24	(0.03)	65,429	0.24	SUSCO	3.04	(0.06)	14,147	3.07
BGRIM19C2501A	0.20	(0.03)	20,860	0.20	GULF19P2501A	-	-	-	-	TAE	0.90	0.01	7,470	0.91
BGRIM19C2502A	0.14	(0.02)	11,506	0.14	GULF19P2503A	0.35	0.01	60,991	0.34	TCC	0.47	-	1,799	0.47
BGRIM41C2411A	-	-	-	-	GULF41C2502A	0.77	(0.02)	2,000	0.77	TCC-W5	0.19	0.01	2,083	0.18
BGRIM41C2412A	0.01	-	1,488	0.01	GULF41C2502B	0.50	(0.05)	2,000	0.50	TGE	2.54	-	697	2.51
BGRIM41C2502A	0.14	(0.01)	30,000	0.14	GULF41C2605T	0.78	(0.03)	26,755	0.79	TGE-W1	1.16	(0.01)	47	1.16
BIOTEC	0.30	(0.01)	17,379	0.30	GUNKUL	2.54	-	76,334	2.51	TOP	41.75	(1.00)	111,547	41.37
BIOTEC-P	-	-	-	-	GUNKUL13C241:	0.17	-	36,385	0.16	TOP01C2412A	0.01	(0.01)	450	0.01
BIOTEC-Q	-	-	-	-	GUNKUL13C250	0.11	(0.01)	38,174	0.11	TOP01C2503A	0.07	(0.01)	697	0.07
BIOTEC-W2	0.06	-	1,945	0.06	GUNKUL19C241:	-	-	-	-	TOP01C2504A	0.20	(0.03)	22,295	0.19
BPP	11.80	-	4,148	11.69	IRPC	1.41	(0.01)	277,846	1.40	TOP01P2504A	0.36	0.03	32,749	0.37
BRRGIF	3.70	(0.04)	210	3.70	IRPC01C2502A	-	-	-	-	TOP11C2412A	-	-	-	-
BSRC	7.30	0.20	11,509	7.24	IRPC01C2504A	0.21	(0.02)	12,627	0.22	TOP11C2501A	-	-	-	-
CKP	3.48	(0.02)	44,321	3.53	IRPC13C2412A	-	-	-	-	TOP11C2502A	-	-	-	-
CKP01C2504A	0.24	(0.01)	15,638	0.26	IRPC13C2501A	0.03	-	174	0.03	TOP13C2412A	0.02	-	4,013	0.01
CKP13C2412A	0.01	(0.01)	501	0.01	IRPC13C2502A	0.09	(0.01)	14,446	0.09	TOP13C2502A	-	-	-	-
CKP13C2501A	0.07	-	1,546	0.06	IRPC13C2503A	0.19	(0.03)	11,581	0.20	TOP13C2503A	0.11	(0.03)	15,731	0.11
CKP19C2502A	0.15	(0.01)	8,882	0.16	IRPC19C2501A	-	-	-	-	TOP13P2503B	0.18	(0.03)	51,424	0.17
CV	0.22	(0.02)	136,761	0.23	IRPC19C2502A	-	-	-	-	TOP13P2503A	0.32	0.04	42,600	0.32
CV-W1	0.14	(0.01)	1,828	0.14	IRPC19C2503A	0.16	(0.02)	18,823	0.17	TOP19C2412A	-	-	-	-
DEMCO	3.40	-	2,620	3.41	KBSPIF	7.85	0.15	436	7.71	TOP19C2502A	-	-	-	-
DEMCO-W7	-	-	-	-	LANNA	16.00	(0.10)	1,426	16.02	TOP19C2503A	0.11	(0.03)	6,233	0.10
EA	6.60	(0.20)	741,230	6.51	MDX	3.80	(0.10)	4,951	3.83	TOP19C2503B	0.20	(0.03)	9,918	0.19
EA01C2411W	-	-	-	-	NOVA	10.10	(0.20)	17	10.08	TOP41C2412A	-	-	-	-
EA01C2412A	-	-	-	-	OR	14.50	-	55,388	14.52	TOP41C2502A	0.05	(0.02)	35	0.05
EA01C2412W	-	-	-	-	OR01C2412A	0.01	(0.01)	1,000	0.01	TOP41C2503A	0.26	(0.04)	28,230	0.25
EA01P2411A	-	-	-	-	OR01C2502A	0.10	-	8,732	0.10	TOP1P2411W	3.04	0.02	26,862	3.02
EA01P2411W	-	-	-	-	OR01C2503A	-	-	-	-	TSE	0.97	0.01	7,048	0.96
EA06C2412A	0.15	(0.02)	86,450	0.14	OR13C2501A	-	-	-	-	TTW	9.05			

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTECH	1.43	0.17	15	1.42	MTC01C2502A	0.12	-	8,472	0.12	CPF01C2503A	-	-	-	-
SE-ED	-	-	-	-	MTC01C2504A	0.35	0.01	39,090	0.34	CPF13C2412A	-	-	-	-
TKS	6.95	(0.05)	605	6.93	MTC01P2411W	-	-	-	-	CPF13C2501A	-	-	-	-
VGI	2.52	(0.02)	434,552	2.51	MTC01P2502A	0.38	(0.01)	43,619	0.39	CPN13C2502A	0.23	(0.03)	20,766	0.25
VGI-W3	0.09	0.01	1,139	0.08	MTC13C2412A	0.12	0.01	39,078	0.11	CPF13C2503A	0.11	(0.01)	1,793	0.11
VGI01C2411A	-	-	-	-	MTC13C2502A	0.15	0.01	19,752	0.14	CPF19C2501A	-	-	-	-
VGI01C2501A	1.09	(0.04)	998	1.12	MTC13C2503A	0.28	0.01	82,209	0.27	CPN19C2502A	0.25	(0.02)	70,562	0.27
VGI01C2501B	0.23	(0.02)	13,078	0.24	MTC13P2412A	-	-	-	-	CPF41C2503A	-	-	-	-
VGI01C2502A	0.13	(0.01)	35,352	0.14	MTC13P2502A	0.31	(0.02)	34,423	0.32	CPI	3.16	-	8,620	3.24
VGI01P2411X	-	-	-	-	MTC19C2412A	0.15	-	50,852	0.15	F&D	43.25	0.25	64	43.12
VGI01P2412X	0.01	-	5,000	0.01	MTC19C2502A	0.32	0.01	95,710	0.31	FM	3.88	(0.14)	48,552	3.93
VGI01P2501X	-	-	-	-	MTC19P2501A	-	-	-	-	GLOCON	0.20	(0.01)	103,449	0.20
VGI06C2502A	0.15	(0.01)	23,482	0.15	MTC41C2411A	-	-	-	-	HTC	16.80	(0.10)	1,982	16.82
VGI13C2412A	-	-	-	-	MTC41C2502A	0.15	0.01	56,000	0.14	ICHI	16.50	(0.10)	48,594	16.48
VGI13C2501A	0.28	(0.02)	16,152	0.28	NCAP	1.90	(0.05)	50,758	1.91	ICHI01C2503A	0.28	(0.02)	24,743	0.29
VGI13C2501B	0.14	(0.01)	29,318	0.14	PL	1.75	(0.03)	44	1.78	ICHI13C2501A	0.20	(0.01)	17,037	0.20
VGI13P2412A	-	-	-	-	S11	2.54	(0.02)	826	2.55	ITC	21.80	(0.30)	68,424	21.81
VGI13P2501A	0.20	(0.01)	901	0.22	SAK	5.20	-	10,016	5.15	ITC01C2412A	0.02	0.01	56	0.02
VGI19C2501A	0.22	(0.02)	21,814	0.22	SAWAD	40.25	0.75	57,946	39.78	ITC01C2501A	0.20	(0.03)	10,476	0.20
VGI19C2502A	0.16	(0.01)	15,265	0.17	SAWAD-W	0.43	0.02	1,204	0.43	ITC11C2501A	0.20	(0.03)	1,800	0.20
VGI19P2501A	-	-	-	-	SAWAD-W2	-	-	-	-	ITC11C2501B	0.10	(0.02)	1,158	0.10
VGI41C2411A	-	-	-	-	SAWAD01C2411	-	-	-	-	ITC13C2501A	0.14	(0.03)	8,063	0.14
VGI41C2412A	-	-	-	-	SAWAD01C2501	0.68	0.03	7,818	0.64	ITC13C2502A	0.05	(0.01)	1	0.05
VGI41C2412B	-	-	-	-	SAWAD01C2502	0.28	0.03	44,728	0.25	ITC19C2501A	0.20	(0.03)	16,900	0.20
VGI41C2501A	0.29	(0.04)	11,000	0.30	SAWAD01C2502	0.14	0.02	42,361	0.13	ITC19C2503A	-	-	-	-
VGI41C2502A	0.14	-	28,501	0.14	SAWAD01P2504	0.32	0.02	26,042	0.30	JDF	2.16	0.02	3,259	2.12
WORK	8.45	(0.25)	3,103	8.50	SAWAD01P2504	-	-	-	-	KBS	6.10	(0.05)	4,283	6.13
ZAA	0.89	(0.01)	539	0.89	SAWAD01P2501	-	-	-	-	KCG	9.10	0.05	21,175	9.10
Finance & Securities	-	-	-	-	SAWAD01P2502	0.15	(0.01)	27,653	0.17	KSL	2.02	(0.02)	7,270	2.01
AEONTS	128.50	(1.50)	1,643	127.80	SAWAD13C2412	-	-	-	-	KTIS	2.88	(0.02)	129	2.87
AEONTS13C2412A	0.10	(0.02)	15,520	0.10	SAWAD13C2412	-	-	-	-	LST	5.05	0.09	7,748	5.07
AMANAH	1.21	(0.01)	4,827	1.20	SAWAD13C2501	0.11	0.01	28,226	0.11	M	27.00	0.25	2,281	26.81
ASAP	2.22	(0.04)	71	2.25	SAWAD13C2503	0.28	0.02	47,822	0.26	MALEE	10.00	(0.10)	12,367	10.15
ASK	11.00	(0.20)	5,099	10.88	SAWAD13P2501	-	-	-	-	NRF	1.58	(0.04)	100,026	1.58
ASP	2.52	(0.02)	8,323	2.53	SAWAD19C2412	-	-	-	-	NSL	34.00	1.50	18,192	33.27
BAM	7.10	(0.10)	148,939	7.11	SAWAD19C2501	-	-	-	-	OSP	15.40	1.20	40,872	15.29
BAM01C2411A	-	-	-	-	SAWAD19C2502	0.19	0.02	18,004	0.18	OSP01C2412A	20.50	(0.10)	60,225	20.24
BAM01C2501A	0.05	(0.01)	160	0.05	SAWAD19C2504	0.32	0.02	58,370	0.30	OSP01C2503A	0.01	(0.01)	5,227	0.01
BAM01C2502A	0.04	-	1,950	0.04	SAWAD19P2501	-	-	-	-	OSP01C2504A	0.31	(0.02)	25,279	0.30
BAM01C2504A	0.24	(0.03)	19,230	0.26	SAWAD41C2411	-	-	-	-	OSP11C2501A	0.08	(0.04)	48	0.08
BAM13C2412A	-	-	-	-	SAWAD41C2411	-	-	-	-	OSP11C2502A	-	-	-	-
BAM13C2501A	0.02	(0.01)	5,505	0.02	SAWAD41C2501	0.51	(0.13)	2,000	0.51	OSP11C2503A	-	-	-	-
BAM13C2503A	0.09	(0.01)	10,723	0.10	SAWAD41C2502	0.23	0.01	74,000	0.21	OSP13C2412A	-	-	-	-
BAM13C2503B	0.16	(0.02)	41,063	0.17	SAWAD41C2502	0.10	-	8,600	0.10	OSP13C2412B	-	-	-	-
BAM19C2412A	-	-	-	-	SCAP	2.18	-	22,256	2.14	OSP19C2502A	-	-	-	-
BAM19C2502A	-	-	-	-	SGC	1.43	(0.05)	216,695	1.44	OSP13C2501A	0.07	(0.02)	100	0.07
BAM19C2503A	0.16	(0.02)	29,668	0.17	SGC-W1	0.40	-	55,338	0.40	OSP13C2503A	0.23	(0.03)	14,574	0.22
BYD	0.90	(0.05)	359,075	0.90	SGC-W2	0.47	-	14,462	0.48	OSP19C2503A	-	-	-	-
BYD13C2412A	-	-	-	-	SM	1.10	-	1,700	1.09	PRG	10.00	(0.02)	8,052	0.24
BYD13C2412B	-	-	-	-	TH	0.87	(0.05)	22,714	0.90	PRG41C2503A	0.25	(0.02)	28,000	0.22
BYD19C2501A	0.02	(0.01)	10,001	0.03	TH-W3	0.17	(0.01)	9,903	0.17	PRG41C2503A	0.23	(0.02)	-	-
CGH	0.66	(0.02)	1,822	0.67	THANI	1.75	(0.03)	73,265	1.73	PB	60.00	-	8	59.72
CGH-W5	-	-	-	-	TIDLOR	15.80	(0.10)	133,819	15.74	PLUS	5.30	(0.15)	6,459	5.37
CHASE	1.25	(0.03)	7,380	1.26	TIDLOR13C2412	0.02	(0.01)	2,526	0.02	PM	9.30	-	13,407	9.33
CHASE-W1	-	-	-	-	TIDLOR13C2501	0.03	(0.01)	23,894	0.03	PQS	2.50	0.02	2,619	2.48
CHAYO	3.18	(0.08)	4,057	3.20	TIDLOR13C2501	0.14	(0.01)	45,110	0.13	PRG	9.05	0.05	118	8.96
CHAYO-W3	0.17	-	519	0.16	TIDLOR19C2501	0.25	(0.02)	31,460	0.25	PRG-W1	-	-	-	-
ECL	0.97	(0.03)	20,020	0.99	TIDLOR19C2501	0.08	(0.02)	500	0.08	PRG-W2	-	-	-	-
FNS	2.38	(0.06)	215	2.41	TK	4.72	0.02	60	4.70	PRG-W3	-	-	-	-
FSX	2.44	0.02	327	2.45	TNITY	4.26	0.28	30,152	4.21	PRG-W4	-	-	-	-
GBX	0.71	(0.02)	5,908	0.73	TNL	35.50	-	20	35.50	RBF	5.40	-	16,148	5.39
GL	-	-	-	-	UOBKH	4.84	0.10	13	4.85	RBF01C2501W	-	-	-	-
HENG	1.39	(0.04)	10,351	1.42	XPG	0.88	(0.10)	1,236,621	0.93	RBF13C2412A	-	-	-	-
IFS	2.54	-	2	2.54	Food & Beverage	-	-	-	-	RBF13C2501A	0.03	(0.01)	1,959	0.04
JMT	18.80	(1.20)	487,708	19.28	AAI	5.95	(0.10)	52,980	6.00	RBF13C2503A	0.19	0.01	14,929	0.19
JMT-W4	0.03	(0.02)	27,268	0.04	APURE	4.20	(0.02)	584	4.18	RBF19C2501A	-	-	-	-
JMT01C2411W	-	-	-	-	APURE-W3	0.01	-	6,000	0.01	RBF19C2503A	0.22	-	14,556	0.22
JMT01C2412A	1.36	(0.18)	830	1.38	ASIAN	8.85	0.05	45,620	8.92	SAPPE	70.00	(0.75)	8,937	70.70
JMT01C2412W	-	-	-	-	BR	1.88	(0.01)	5,818	1.88	SAPPE01C2502A	0.36	(0.03)	21,478	0.38
JMT01C2501A	0.36	(0.11)	99,280	0.39	BR-W1	0.08	-	15,290	0.07	SAPPE01C2504A	0.83	(0.04)	31,454	0.85
JMT01C2502A	0.30	(0.08)	119,928	0.34	BRR	4.32	(0.04)	987	4.34	SAPPE13C2501A	0.08	-	4,400	0.08
JMT13C2412A	0.68	(0.10)	47	0.68	BRR-W2	0.37	-	667	0.39	SAPPE13C2501B	0.18	(0.02)	15,283	0.20
JMT13C2412B	-	-	-	-	BTG	20.60	0.10	8,748	20.45	SAPPE13C2502A	0.47	(0.04)	62,639	0.51
JMT13C2501A	0.38	(0.15)	67,493	0.40	CBG	75.50	(5.50)	77,905	77.90	SAPPE19C2501A	0.23	(0.03)	17,194	0.25
JMT13C2501B	0.20	(0.10)	171,103	0.24	CBG01C2412W	0.12	(0.15)	54,680	0.20	SAPPE19C2502A	0.53	(0.04)	87,935	0.56
JMT13C2502A	0.18	(0.07)	170,087	0.21	CBG01C2501W	0.49								

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
W	0.69	0.01	25,487	0.69	MANRIN	-	-	-	-	SCGP41C2412B	-	-	-	-
W-W6	-	-	-	-	MINT	26.25	-	134,582	25.96	SCGP41C2502A	0.13	(0.04)	83,258	0.13
ZEN	7.40	(0.10)	1,027	7.42	MINT01C2412A	-	-	-	-	SCGP41C2502B	-	-	-	-
Health Care Services			-	-	MINT01C2501A	0.05	(0.01)	4,050	0.05	SFLEX	3.08	(0.08)	18,930	3.11
AHC	15.80	-	55	15.60	MINT01C2504A	0.17	(0.02)	27,312	0.18	SITHAI	1.38	-	3,178	1.38
BCH	16.40	(0.20)	90,156	16.29	MINT11C2412A	-	-	-	-	SLP	0.53	(0.02)	7,139	0.52
BCH01C2412A	-	-	-	-	MINT11C2501A	0.07	(0.03)	3,000	0.08	SMPC	9.50	(0.05)	167	9.55
BCH01C2502A	0.14	(0.02)	9,969	0.14	MINT13C2412A	-	-	-	-	SPACK	1.80	(0.02)	967	1.80
BCH13C2412A	-	-	-	-	MINT13C2412B	-	-	-	-	TCOAT	-	-	-	-
BCH13C2501A	0.14	(0.02)	8,464	0.14	MINT13C2503A	0.12	(0.02)	15,230	0.11	TFI	0.08	-	8,058	0.08
BCH13C2501B	0.06	(0.02)	100	0.06	MINT19C2501A	0.08	(0.01)	201	0.07	TFI-W1	0.02	(0.01)	80	0.02
BCH19C2501A	0.17	(0.03)	10,830	0.17	MINT19C2502A	-	-	-	-	THIP	29.00	(0.25)	103	29.00
BCH19C2502A	0.12	(0.02)	33,776	0.13	MINT41C2412A	0.01	-	300	0.01	TMD	24.30	(0.20)	3	24.43
BDMS	26.50	-	333,733	26.57	MINT41C2501A	0.08	-	10,602	0.07	TOPP	-	-	-	-
BDMS01C2411A	-	-	-	-	MINT41C2502A	-	-	-	-	TPAC	11.00	-	600	10.96
BDMS01C2412A	-	-	-	-	MINT41C2604T	0.09	-	50	0.09	TPBI	4.32	(0.18)	4,228	4.34
BDMS01C2503A	-	-	-	-	OHTL	-	-	-	-	TPP	-	-	-	-
BDMS01C2503B	0.12	0.01	1,681	0.12	ROH	2.16	(0.02)	3	2.16	Personal Products	-	-	-	-
BDMS11C2411A	-	-	-	-	SHANG	-	-	-	-	APCO	5.10	0.05	4,584	5.01
BDMS11C2501A	-	-	-	-	SHR	2.12	(0.06)	48,356	2.16	BIZ	3.34	(0.06)	1,317	3.36
BDMS11C2502A	0.10	(0.90)	1,000	0.10	SPA	7.15	0.10	32,546	7.12	BLC	5.05	0.05	13,793	4.97
BDMS13C2502A	-	-	-	-	VRANDA	5.35	-	20	5.35	DDD	9.35	(0.55)	993	9.50
BDMS19C2502A	-	-	-	-	Home & Office P	-	-	-	-	IP	3.82	(0.04)	1,635	3.81
BDMS19C2503A	-	-	-	-	AJA	0.15	(0.01)	58,350	0.16	IP-W2	0.26	(0.01)	1,212	0.25
BDMS41C2412A	-	-	-	-	AJA-W4	0.02	-	657,032	0.01	JCT	81.00	1.00	8	80.13
BDMS41C2502B	0.11	-	28,010	0.11	DTCI	31.50	0.25	1	31.50	KISS	4.40	0.04	2,701	4.37
BH	225.00	(6.00)	75,756	225.35	FANCY	0.39	0.01	5,890	0.39	NAM	4.46	(0.04)	446	4.49
BH-P	-	-	-	-	FTI	2.12	-	324	2.12	NEO	36.50	(1.25)	10,594	36.55
BH-Q	-	-	-	-	KYE	290.00	1.00	9	289.56	STGT01C2412A	0.01	-	14,260	0.01
BH01C2412A	0.01	(0.02)	2,001	0.01	L&E	1.24	(0.06)	207	1.27	STGT01C2412B	0.02	(0.19)	800	0.03
BH01C2502A	0.07	-	135	0.07	MODERN	2.88	0.02	491	2.89	STGT01C2501A	0.05	(0.04)	20,940	0.04
BH01C2504A	0.48	(0.05)	36,218	0.48	OGC	-	-	-	-	STGT01C2502A	0.07	(0.03)	829	0.07
BH01P2412X	0.22	0.03	84,181	0.22	ROCK	9.80	-	10	9.95	STGT01C2503A	0.17	(0.05)	57,977	0.14
BH01P2502X	0.85	0.07	12,771	0.85	SIAM	1.13	(0.01)	119	1.12	STGT01C2504A	-	-	-	-
BH11C2411A	-	-	-	-	TCMC	0.73	-	1,688	0.72	STGT01C2504B	0.03	(0.02)	811	0.02
BH13C2501A	0.04	(0.01)	73,785	0.04	TSR	0.39	(0.02)	28,469	0.40	STGT01C2505A	0.12	(0.04)	208,418	0.08
BH13C2503A	0.28	(0.05)	65,631	0.28	TSR-W2	0.07	(0.02)	13,440	0.07	STGT01P2502A	0.42	0.06	25,090	0.50
BH13P2412A	-	-	-	-	Insurance	-	-	-	-	STGT13C2412A	0.01	(0.04)	20,180	0.01
BH13P2501A	0.68	0.08	269	0.65	AYUD	32.25	(0.50)	84	32.37	STGT13C2412B	-	-	-	-
BH13P2503A	0.57	0.05	52,347	0.56	BKIH	300.00	1.00	332	299.51	STGT13C2501A	0.03	(0.02)	800	0.03
BH19C2501A	0.04	(0.02)	20,948	0.05	BLA	24.30	0.10	20,481	24.12	STGT13C2502A	0.12	(0.04)	20,940	0.04
BH19C2502A	0.04	(0.01)	1,974	0.04	BLA01C2503A	0.45	0.01	34,710	0.42	STGT13C2504A	0.17	(0.05)	51,078	0.55
BH19C2504A	0.27	(0.05)	29,915	0.28	BLA13C2501A	0.53	(0.04)	1	0.53	STGT19C2503A	0.19	(0.04)	126,280	0.14
BH19P2504A	0.70	(0.30)	28,172	0.70	BLA13C2502A	0.33	-	61,595	0.32	STGT19C2504A	0.45	0.07	21,252	0.12
BH41C2411A	-	-	-	-	BLA13C2502B	0.10	-	10,350	0.10	STGT19C2412A	-	-	-	-
BH41C2605T	0.32	(0.03)	7,056	0.33	BLA19C2502A	0.65	0.02	26,725	0.64	STGT19C2502A	0.05	(0.02)	420	0.04
BKG1	2.42	(0.22)	77,340	2.50	BLA19C2502B	0.31	-	27,884	0.30	STGT19C2503A	0.14	(0.05)	25,090	0.50
CHG	2.86	(0.06)	126,852	2.85	BLA19C2502C	0.13	-	9,857	0.13	STGT19P2502A	0.45	0.07	3,501	0.04
CHG01C2501A	0.21	(0.04)	10,610	0.22	BUI	15.80	0.20	93	15.61	Property Developmen	-	-	-	-
CHG13C2412A	0.07	(0.02)	12,553	0.07	CHARAN	22.00	(0.20)	14	22.00	A	4.98	0.02	3	4.99
CHG19C2412A	0.11	(0.03)	17,306	0.11	INSURE	-	-	-	-	BWG	0.45	(0.01)	138,826	0.45
CMR	1.83	(0.01)	88	1.85	KWI	0.37	(0.02)	5,360	0.36	BWG-W6	0.05	0.01	71,757	0.05
EKH	6.60	(0.05)	7,973	6.62	MTI	107.50	1.00	1	107.50	GENCO	0.48	-	150	0.47
EKH-W1	-	-	-	-	NKI	24.60	(0.20)	34	24.66	PRO	-	-	-	-
KDH	91.25	0.25	5	91.25	TGH	-	-	-	-	PRTR	4.84	(0.04)	1,809	4.80
LPH	4.34	(0.02)	145	4.35	THRE	0.60	(0.01)	12,255	0.60	SISB	31.00	-	20,876	30.80
M-CHAI	29.00	(0.25)	265	29.04	TREL	1.72	(0.05)	2,555	1.73	SISB13C2412A	0.02	(0.01)	102	0.01
MASTER	46.50	1.00	29,865	45.37	TIPIH	25.50	-	4,322	25.06	SISB13C2502A	0.09	(0.01)	11,488	0.10
MEDEZE	8.10	(0.30)	77,882	8.31	TIPIH13C2502A	-	-	-	-	SISB19C2502A	0.09	(0.01)	1,043	0.09
NEW	64.25	(4.75)	1	64.25	TIPIH19C2412A	-	-	-	-	SO	5.05	-	233	4.99
NTV	31.50	-	56	31.40	TLI	10.70	-	79,846	10.61	WAVE	0.12	0.01	240,897	0.12
PHG	16.40	(0.20)	4,214	16.45	TLI01C2502A	0.61	(0.03)	2,408	0.60	WAVE-W3	0.03	-	28	0.02
PR9	24.90	0.60	64,300	25.26	TLI01C2503A	0.19	-	13,972	0.19	WAVE-W4	0.04	-	-	-
PRINC	3.00	(0.04)	3,847	3.02	TLI13C2502A	-	-	-	-	AMATA	30.00	-	104,514	29.96
RAM	23.30	0.20	1,289	23.28	TLI13C2502B	0.15	-	9,302	0.14	AMATA01C2502A	1.37	(0.08)	855	1.44
RJH	22.70	-	19,660	22.81	TLI19C2412A	-	-	-	-	AMATA01C2503A	0.29	(0.01)	8,605	0.31
RPH	5.65	-	624	5.63	TLI19C2502A	0.16	-	10,058	0.15	AMATA13C2412A	-	-	-	-
SAFE	13.70	(0.10)	1,125	13.69	TQM	25.00	(0.25)	2,414	24.99	AMATA13C2501A	-	-	-	-
SKR	9.10	(0.10)	483	9.11	TSI	0.10	-	506	0.09	AMATA13C2502A	0.29	(0.01)	8,605	0.31
THG	17.60	(0.50)	8,042	17.65	TVH	9.00	-	607	8.94	AMATA13C2503A	-	-	-	-
VIBHA	1.82	0.01	16,226	1.83	Packaging	-	-	-	-	AMATA13C2504A	-	-	-	-
VIBHA-W4	0.04	-	52,670	0.04	AJ	5.00	(0.05)	106	5.00	AMATA19C2412A	0.10	(0.02)	359,553	0.11
VIH	10.20	(0.10)	4,871	10.18	ALUCON	174.50	1.00	2	174.50	AKS	0.01	-	5,833	0.01
VIH-W1	3.60	0.10	32	2.79	BGC	7.65	(0.20)	2,950	7.55	AKS-W5	-	-	-	-
WPH	10.80	(0.10)	12,432	10.71	CSC	46.00	(0.25)	50	46.00	AMATA	30.00	-	104,514	29.96
Tourism & Leisure			-	-	CSC-P	-	-	-	-	AMATA01C2502A	1.37	(0.08)	855	1.44
ASIA	6.75	-	2	6.75	CSC-Q	-	-	-	-	AMATA01C2503A	0.29	(0.01)	8,605	0.31
BEYOND	8.45	(0.25)	1,608	8.51	NEP	0.24	-	16	0.24	AMATA13C2412A	-</td			

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AWC11C2501A	-	-	-	-	Fashion	-	-	-	-	RCL13P2501A	0.05	-	7,111	0.05
AWC13C2412A	-	-	-	-	AFC	5.15	0.05	25	5.10	RCL19C2412A	0.09	(0.04)	28,707	0.10
AWC13C2501A	0.12	(0.04)	2,208	0.13	AURA	14.40	-	2,853	14.28	RCL19C2412B	-	-	-	-
AWC13P2501A	-	-	-	-	BTNC	17.00	(1.00)	1	17.00	RCL19C2503A	0.85	0.10	1	0.85
AWC19C2501A	0.25	(0.05)	20,604	0.26	CPH	12.30	(0.50)	1,705	12.64	RCL19C2503B	0.30	(0.04)	34,258	0.32
AWC19C2501B	-	-	-	-	CPL	1.35	(0.03)	3,502	1.36	RCL19P2412A	0.01	-	1,000	0.01
AWC19P2501A	-	-	-	-	NC	3.22	(0.06)	8,126	3.38	RCL41C2412A	0.06	0.03	1,600	0.07
AWC41C2411A	-	-	-	-	PAF	1.07	0.01	503	1.05	RCL41C2412B	-	-	-	-
AWC41C2502A	0.20	(0.04)	29,205	0.21	PDJ	2.06	(0.02)	2,095	2.06	RCL41C2502A	-	-	-	-
BLAND	0.61	(0.01)	25,558	0.62	PG	8.95	-	122	8.95	RCL41C2502B	0.20	(0.04)	67,371	0.23
BRI	4.38	(0.02)	4,266	4.39	SABINA	21.70	-	2,134	21.66	SAV	23.30	0.40	48,795	24.00
BROCK	1.48	(0.01)	11	1.47	SAWANG	-	-	-	-	SINO	1.13	(0.03)	3,891	1.14
CGD	0.34	-	9,417	0.33	SUC	31.25	(0.25)	137	31.35	SJWD	10.90	(0.40)	21,372	10.95
CI	0.51	-	909	0.52	TR	-	-	-	-	TFIF	6.40	0.05	12,852	6.39
CMC	1.06	(0.01)	183	1.05	TTI	-	-	-	-	THAI	-	-	-	-
CPN	63.00	0.75	42,513	62.59	TTT	54.50	-	2	54.50	TSTE	-	-	-	-
CPN01C2412A	-	-	-	-	UPF	-	-	-	-	TTA	5.80	-	110,160	5.90
CPN01C2503A	0.23	0.01	20,506	0.23	WAACOAL	28.00	(0.50)	1	28.00	WICE	5.40	(0.15)	6,993	5.52
CPN11C2412A	0.20	-	4,730	0.19	WFX	1.22	(0.09)	3,226	1.24	Automotive	-	-	-	-
CPN13C2501A	-	-	-	-	Transportation 8	-	-	-	-	3K-BAT	53.75	-	117	53.57
CPN13C2501B	-	-	-	-	AAV	2.84	(0.04)	431,480	2.85	ACG	0.99	0.01	76	0.98
CPN13C2503A	0.27	0.01	55,732	0.26	AAV01C2501A	0.34	(0.01)	1	0.34	AH	18.00	-	1,341	17.91
CPN19C2502A	0.15	-	21,583	0.14	AAV01C2503A	0.29	(0.01)	30,523	0.30	CWT	1.05	(0.01)	1,913	1.05
CPN19C2503A	0.30	0.01	32,407	0.30	AAV13C2501A	0.16	(0.01)	73,754	0.15	EASON	1.22	-	1,710	1.23
ESTAR	0.24	-	7,904	0.23	AAV19C2412A	-	-	-	-	GYT	-	-	-	-
EVER	0.12	0.01	27,862	0.12	AAV19C2502A	0.26	(0.02)	46,562	0.26	HFT	4.28	(0.06)	2,484	4.30
FPT	13.10	-	104	13.10	ANI	4.20	(0.04)	1,362	4.19	IHL	1.98	(0.02)	141	1.98
GLAND	1.54	-	11	1.54	AOT	60.75	(0.25)	77,390	60.91	INGRS	0.35	-	2,752	0.35
J	1.32	(0.03)	1,019	1.33	AOT01C2412A	0.01	(0.01)	2	0.01	IRC	13.90	(0.20)	229	14.00
J-W3	-	-	-	-	AOT01C2412B	0.08	(0.03)	11,772	0.10	MGC	3.80	0.04	982	3.79
J-W4	0.27	0.03	231	0.28	AOT01C2502A	0.10	(0.01)	11,220	0.11	NEX	0.89	(0.03)	152,115	0.89
JCK	0.27	(0.01)	49,088	0.27	AOT01C2504A	0.30	(0.02)	12,333	0.32	NEX19C2501A	0.02	-	2,657	0.01
KC	0.09	-	7,214	0.09	AOT01P2412X	-	-	-	-	PCSGH	4.40	0.04	18	4.38
KUN	1.29	-	230	1.27	AOT01P2502A	0.21	0.01	34,751	0.21	POLY	8.65	(0.20)	30	8.59
KUN-W2	0.04	0.01	5	0.04	AOT11C2501A	-	-	-	-	SAT	11.20	(0.20)	8,185	11.23
LALIN	6.30	-	124	6.31	AOT13C2412A	-	-	-	-	SPG	-	-	-	-
LH	5.45	(0.05)	186,010	5.46	AOT13C2502A	0.07	(0.02)	20	0.07	STANLY	218.00	-	180	218.00
LH13C2501A	0.04	(0.01)	1,550	0.04	AOT13C2503A	0.19	(0.01)	19,717	0.20	TAKT	1.68	0.01	109	1.66
LH19C2501A	-	-	-	-	AOT13P2412A	-	-	-	-	TNPC	1.03	0.03	6	1.02
LPN	2.86	(0.02)	5,688	2.89	AOT19C2501A	0.12	(0.01)	1,112	0.12	TRU	3.18	-	325	3.15
MBK	18.90	(0.40)	13,422	18.97	AOT19C2501A	0.16	(0.02)	10,130	0.17	TSC	14.20	(0.10)	234	14.06
MBK-W3	-	-	-	-	AOT19C2502A	0.11	(0.01)	26,158	0.12	Industrial Materials	-	-	-	-
MBK-W4	16.60	(0.30)	5	16.58	AOT19P2412A	-	-	-	-	AKR	0.97	0.04	177,564	0.97
MJD	1.06	0.02	995	1.04	AOT41C2411A	-	-	-	-	ALLA	1.54	(0.01)	1,674	1.52
MK	1.75	(0.04)	718	1.77	AOT41C2412A	0.03	-	2,000	0.03	ASEFA	3.24	-	169	3.21
NCH	0.76	-	3,387	0.75	AOT41C2503A	0.20	(0.03)	45,040	0.20	CPT	0.99	(0.01)	18,873	0.99
NNCL	1.83	-	913	1.83	AOT41C2605T	0.30	(0.02)	6,260	0.30	CRANE	0.65	(0.02)	3,981	0.66
NOBLE	2.96	(0.02)	2,361	2.96	ASIMAR	1.56	0.06	1,190	1.54	CTW	3.90	(0.02)	17	3.88
NUSA	0.26	-	405,086	0.26	B	0.08	-	20,795	0.08	FMT	34.00	0.25	6	33.92
NUSA-W5	0.04	-	69,878	0.04	B-W8	0.01	-	32,792	0.01	FTE	1.48	0.01	241	1.48
NVD	1.56	-	60	1.55	BA	24.30	(1.20)	128,348	24.11	HTECH	5.10	-	24,186	5.14
ORI	4.32	(0.08)	30,307	4.31	BA01C2412A	0.23	(0.21)	40,358	0.18	KKC	-	-	-	-
ORI13C2412A	-	-	-	-	BA01C2503A	0.41	(0.14)	33,971	0.37	PCC	3.00	0.04	18,535	3.02
ORI19C2501A	0.06	-	1,287	0.06	BA01C2504A	0.16	(0.06)	41,684	0.16	PK	0.63	(0.02)	3,955	0.63
ORN	0.86	(0.02)	6,760	0.87	BA13C2412A	0.18	(0.23)	44,574	0.15	PSP	4.40	(0.04)	6,446	4.40
PEACE	2.70	0.02	8	2.70	BA13C2502A	0.09	(0.04)	75,475	0.09	QTC	3.84	0.04	233	3.81
PF	0.19	(0.01)	7,564	0.19	BA19C2503A	0.13	(0.05)	31,244	0.13	SCI	0.85	(0.01)	1,641	0.86
PIN	6.15	(0.45)	67,024	6.36	BEM	7.70	-	120,525	7.67	SE	0.65	(0.02)	1,305	0.65
PLAT	2.20	-	5,336	2.22	BEM01C2412A	-	-	-	-	SNC	5.75	(0.05)	1,359	5.73
POLAR	-	-	-	-	BEM11C2411A	-	-	-	-	TCJ	3.04	(0.06)	118	3.06
PRECHA	1.11	(0.05)	1,051	1.13	BEM11C2502A	-	-	-	-	TPCS	11.50	0.30	1	11.50
PRIN	2.12	0.02	3	2.11	BEM13C2412A	0.02	-	10	0.02	VARO	5.00	(0.05)	153	5.05
PROUD	1.32	(0.02)	2,094	1.30	BEM19C2412A	-	-	-	-	Property Fund & REI	-	-	-	-
PSH	8.45	(0.20)	6,080	8.50	BEM19C2503A	0.15	(0.01)	6,627	0.15	AIMCG	3.22	(0.02)	1,955	3.22
QH	1.84	(0.01)	42,155	1.85	BTS	4.88	(0.08)	836,638	4.87	AIMIRT	10.60	-	2,804	10.60
RABBIT	0.59	(0.02)	408,749	0.59	BTS-W8	0.08	-	17,118	0.07	ALLY	5.25	0.05	2,825	5.20
RABBIT-P	0.60	(0.03)	20,466	0.59	BT501C2412A	0.04	(0.01)	9	0.04	AMATAR	6.60	-	501	6.60
RABBIT-Q	-	-	-	-	BT501C2501A	0.27	(0.03)	29,602	0.27	B-WORK	4.88	(0.02)	912	4.87
RICHY	0.47	(0.01)	2,059	0.46	BT501C2503A	0.51	(0.04)	28,228	0.50	BAREIT	9.50	-	5,681	9.48
RML	0.35	0.02	36,935	0.34	BT501C2504A	0.15	(0.01)	7,628	0.15	BKCP	8.80	-	33	8.76
ROJNA	7.00	(0.20)	30,688	6.99	BT513C2412A	0.11	(0.02)	10,346	0.09	BOFFICE	5.15	0.05	3,329	5.17
S	0.91	(0.03)	23,709	0.92	BT513C2412B	0.13	(0.05)	43,920	0.12	CPNCG	6.40	0.10	8,412	6.37
SA	7.45	-	1,399	7.42	BT513C2502A	0.41	(0.05)	89,368	0.40	CPNREIT	12.00	(0.10)	4,005	11.95
SA-W1	0.05	-	13,236	0.05	BT513C2503A	0.14	(0.02)	28,280	0.14	CPTGF	-	-	-	-
SAMCO	0.96	0.02	229	0.94	BT513P2503A	0.48	0.02	46,420	0.48	CTARAF	4.54	-	7	4.52
SC	2.94	-	16,875	2.94	BT519C2412A	0.19	(0.05)	15,450	0.19	DREIT	5.00	-	272	4.98
SENA	2.32	-	3,943	2.29	BT519C2503A	0.50	(0.05)	44,651	0.49	FTREIT	9.95	(0.05)	10,280	9.97
SIRI	1.77	(0.03)	415,182	1.78	BT519C2503B	0.17	(0.02)	10,880	0.17	FUTURERT	11.20	-	147	11.17
SIRI01C2412A	0.07	(0.02)	2											

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
QHHRREIT	6.80	-	2,574	6.80	BABA28C2503A	0.10	(0.01)	49	0.09	HSI28C2501C	0.10	(0.03)	12,147	0.10
QHOP	3.48	(0.08)	33	3.43	BABA28P2503A	0.33	0.01	10	0.34	HSI28C2501D	0.49	(0.08)	318,579	0.48
QHPF	4.98	(0.17)	6,800	4.97	BABA41C2502A	0.07	-	11,337	0.06	HSI28C2501E	0.36	(0.06)	330,858	0.36
SIRIPRT	7.55	0.35	2	6.93	BABA41C2503A	0.27	(0.73)	3,227	0.25	HSI28C2501F	0.16	(0.07)	2,000	0.16
SPRIME	4.20	0.04	7,925	4.22	BABA41P2411A	-	-	-	-	HSI28C2502A	0.80	(0.06)	60	0.78
SRIPANWA	5.90	0.10	39	5.73	BABA41P2502A	0.25	0.01	2	0.24	HSI28C2502B	0.24	(0.04)	5,494	0.23
SSPF	4.72	0.02	1	4.72	BABA41P2502B	0.48	0.01	20	0.49	HSI28C2502C	0.42	(0.03)	25,253	0.40
SSTRT	4.88	-	421	4.89	BIDU28C2411A	0.16	(0.05)	210	0.16	HSI28C2503A	1.41	(0.11)	5,221	1.35
TIF1	7.75	(0.10)	176	7.75	BIDU41C2502A	0.60	(0.10)	62	0.59	HSI28C2503B	0.33	(0.05)	6,468,108	0.33
TLHPF	2.96	(0.04)	504	2.95	BIDU41C2502B	0.06	(0.02)	4,077	0.05	HSI28C2503D	0.26	(0.03)	48,703	0.25
TNPF	1.58	-	120	1.58	BYDCOM28C250	0.70	(0.09)	8	0.69	HSI28P2411A	-	-	-	-
TPRIME	7.35	(0.05)	7	7.35	BYDCOM28C250	0.19	(0.04)	20	0.19	HSI28P2411B	-	-	-	-
TTLPF	15.70	-	1,298	15.70	BYDCOM28P250	-	-	-	-	HSI28P2411C	0.01	(0.07)	1,999	0.01
TU-PF	0.70	0.05	1	0.70	BYDCOM28P250	0.57	0.01	2	0.58	HSI28P2411D	0.06	(0.01)	29,155	0.06
WHABT	7.20	(0.05)	24	7.22	BYDCOM41C250	0.65	(0.06)	243	0.65	HSI28P2411E	0.17	(0.01)	225,603	0.18
WHAIR	6.55	0.15	32,608	6.45	BYDCOM41P250	0.12	0.01	1	0.12	HSI28P2411F	0.48	0.03	719,938	0.51
WHART	9.90	-	3,188	9.91	CATHAY41C241:	-	-	-	-	HSI28P2411G	-	-	-	-
Steel and Metal Prod	-	-	-	-	CATHAY41C250:	-	-	-	-	HSI28P2412A	0.05	(0.01)	3,658	0.06
2S	2.92	-	73	2.93	CHMOBI28C241:	-	-	-	-	HSI28P2412B	0.02	(0.01)	2,813	0.02
AMC	3.16	(0.04)	427	3.15	DJ128C2412A	0.99	0.09	4,500	0.97	HSI28P2412C	0.10	(0.01)	300	0.10
BSBM	0.73	-	1,568	0.72	DJ128C2412B	0.43	0.04	150	0.42	HSI28P2412D	0.18	-	13,533	0.18
CEN	2.00	-	108	1.98	DJ128C2503A	0.79	0.07	914	0.76	HSI28P2412E	0.36	0.03	181,171	0.38
CEN-W5	0.14	-	26	0.13	DJ128P2412A	-	-	-	-	HSI28P2412F	0.73	-	5	0.73
CITY	-	-	-	-	DJ128P2412B	0.15	(0.04)	275	0.15	HSI28P2412G	-	-	-	-
CSP	0.71	(0.03)	1,008	0.72	DJ128P2503A	0.40	(0.03)	210	0.40	HSI28P2501A	0.08	(0.01)	6,005	0.09
GJS	0.17	-	1,489	0.16	DJ41C2412A	0.98	0.11	1,211	0.97	HSI28P2501B	0.65	0.05	949,078	0.65
GSTEEL	-	-	-	-	DJ41C2503A	0.72	0.06	5,039	0.70	HSI28P2501C	1.58	0.17	228	1.59
INOX	0.53	0.01	9,035	0.54	DJ41P2412A	0.04	-	817	0.04	HSI28P2501D	0.22	0.01	2,149	0.22
LHK	3.84	(0.02)	557	3.84	DJ41P2503A	0.35	(0.03)	6,937	0.35	HSI28P2501E	0.35	(0.65)	181,992	0.37
MCS	7.35	(0.10)	1,383	7.36	GEELY28C2411A	-	-	-	-	HSI28P2502A	1.10	0.17	9	1.10
MILL	0.10	-	111,189	0.10	GEELY41C2411A	-	-	-	-	HSI28P2502B	0.42	0.02	297,258	0.42
MILL-W7	-	-	-	-	GEELY41C2411E	-	-	-	-	HSI28P2503A	0.19	0.01	33,732	0.20
PAP	1.96	(0.16)	2,841	1.91	GEELY41C2502A	-	-	-	-	HSI28P2503B	0.47	0.03	81,781	0.47
PERM	0.75	(0.01)	770	0.76	HADIL41C2411	-	-	-	-	HSI28P28C2412A	1.43	(0.05)	100	1.43
SAM	0.25	(0.01)	24,815	0.26	HKEX41C2411A	-	-	-	-	HSI28P28C2503A	0.43	-	19,202	0.40
SMIT	4.08	0.06	177	4.06	HKEX41C2502A	1.94	(0.20)	6	1.94	HSI28P28C2504A	0.08	-	10	0.08
SSCC	2.08	(0.16)	9,555	2.10	HKEX41C2502B	0.36	(0.10)	816	0.36	HSI28P28C2503A	0.40	(0.03)	4,092	0.40
TGPRO	0.10	(0.02)	9,676	0.11	HSBC41C2411A	-	-	-	-	JD41C2411A	-	-	-	-
THE	0.88	(0.01)	1,323	0.87	HSBC41C2502A	0.30	(0.08)	15	0.30	JD41C2502A	-	-	-	-
TMT	3.84	(0.06)	3,653	3.84	HSI06C2411A	0.59	(0.33)	1,421,140	0.56	JD41C2502B	0.24	(0.04)	6	0.24
TSTH	0.67	(0.02)	5,372	0.68	HSI06C2411B	-	-	-	-	KUAISH41C2502A	0.62	(0.13)	414	0.61
TWP	1.54	(0.01)	179	1.54	HSI06C2411C	-	-	-	-	LENOVO41C2502A	0.35	0.03	13	0.35
TYCN	2.14	(0.04)	550	2.15	HSI06C2411D	-	-	-	-	MCA5041C2503A	0.48	(0.01)	20,937	0.48
Construction Service	-	-	-	-	HSI06C2411E	0.13	(0.04)	4,569,819	0.12	MCA5041P2503A	0.52	(0.02)	1,066	0.54
APCS	1.98	(0.10)	69	2.00	HSI06C2411F	0.02	-	7,294	0.01	MEITU28C2501A	-	-	-	-
BJCHI	1.29	(0.01)	1,796	1.30	HSI06C2412A	0.77	(0.08)	28	0.79	MEITU28C2503A	-	-	-	-
BKD	1.38	(0.03)	1,168	1.41	HSI06C2412B	-	-	-	-	MEITU28C2504A	0.18	(0.02)	6	0.18
CIVIL	1.81	(0.07)	667	1.83	HSI06C2412C	-	-	-	-	MEITU28P2503A	0.15	0.02	2	0.16
CK	18.20	(0.60)	30,957	18.27	HSI06C2412D	0.44	(0.07)	3,897,703	0.43	MEITU28P2504B	0.34	0.05	6	0.34
CK01C2503A	0.13	(0.03)	30,463	0.14	HSI06C2412E	0.13	(0.03)	1,704,163	0.12	MEITU41C2411A	-	-	-	-
CK13C2412A	-	-	-	-	HSI06C2412F	0.06	(0.01)	11,631	0.05	MEITU41C2502A	0.64	(0.13)	461	0.61
CK13C2503A	0.20	(0.05)	5,616	0.23	HSI06C2412G	0.02	(0.03)	1,024	0.03	MEITU41P2411A	-	-	-	-
CK19C2412A	-	-	-	-	HSI06C2412H	0.20	(0.04)	2,563,452	0.19	MEITU41P2502A	0.12	0.01	2	0.12
CK19C2503A	0.22	(0.05)	16,961	0.24	HSI06C2501A	0.14	(0.03)	2,690,224	0.14	MEITU41P2503A	0.46	(0.54)	14	0.48
CNT	1.20	-	1,180	1.19	HSI06C2501B	0.08	(0.03)	11,625	0.09	NDX28C2412A	0.12	(0.01)	6	0.12
EMC	0.10	0.01	112,056	0.10	HSI06C2501C	0.27	(0.04)	1,207,238	0.26	NDX28C2412B	-	-	-	-
EMC-W7	0.08	0.01	5,005	0.07	HSI06C2501D	0.59	(0.23)	850	0.56	NDX28C2412C	0.68	-	6	0.68
ITD	0.61	-	92,322	0.61	HSI06C2502A	0.33	(0.04)	695,765	0.32	NDX28C2503A	0.51	-	1,239	0.51
JR	3.22	0.02	1,603	3.16	HSI06C2503A	1.33	(0.10)	3	1.31	NDX28P2412A	-	-	-	-
NL	1.21	(0.02)	4,357	1.21	HSI06C2503B	0.63	(0.05)	2,462	0.59	NDX28P2412B	-	-	-	-
NWR	0.22	(0.01)	50,793	0.22	HSI06C2503C	0.30	(0.03)	491,055	0.30	NDX28P2412C	0.04	(0.01)	2	0.04
PLE	0.40	-	876	0.39	HSI06C2503D	0.19	(0.02)	318,889	0.19	NDX28P2412D	0.16	(0.04)	383	0.16
PREB	5.10	(0.05)	101	5.02	HSI06P2411A	0.01	-	651	0.01	NDX28P2503A	-	-	-	-
PYLON	2.06	(0.02)	416	2.09	HSI06P2411B	0.03	0.02	260	0.02	NDX41C2412A	0.17	0.01	24,120	0.17
RT	0.48	(0.01)	14,493	0.48	HSI06P2411C	0.09	(0.02)	1	0.09	NDX41C2412B	-	-	-	-
SEAFCO	2.12	(0.12)	4,079	2.14	HSI06P2411D	0.01	-	1,000	0.01	NDX41C2412C	0.87	0.02	1,291	0.87
SQ	0.91	(0.01)	6,931	0.91	HSI06P2411E	0.09	0.01	4,061,600	0.09	NDX41C2503A	0.77	0.01	6,030	0.76
SRICHA	5.20	-	4,372	5.24	HSI06P2411F	0.39	0.05	1,791,288	0.42	NDX41P2412A	0.09	(0.01)	300	0.09
STECON	8.40	(0.50)	36,073	8.54	HSI06P2411G	-	-	-	-	NDX41P2412B	0.03	(0.02)	30	0.03
STI	3.18	-	35	3.17	HSI06P2411H	-	-	-	-	NDX41P2412C	0.08	(0.03)	50	0.08
STPI	3.76	(0.10)	8,077	3.77	HSI06P2412A	0.02	-	225	0.02	NDX41P2503A	0.36	(0.01)	131	0.36
SYNTEC	1.60	(0.02)	1,276	1.60	HSI06P2412B	0.01	(0.02)	580	0.01	NIKKEI41C2412A	1.52	0.12	1,851	1.49
TEAMG	4.04	(0.10)	17,051	4.08	HSI06P2412C	-	-	-	-	NIKKEI41C2412B	0.11	-	4,935	0.12
TEAMG-W1	0.36	-	1,181	0.36	HSI06P2412D	0.22	0.02	4,						

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5001P2412F	-	-	-	-	SET5041P2412B	0.06	0.01	701	0.05		0	-	-	-
SET5001P2412T	0.02	0.01	11	0.01	SET5041P2412C	-	-	-	-		0	-	-	-
SET5001P2412W	0.01	-	503	0.01	SET5041P2412D	0.32	0.03	1,033,426	0.30		0	-	-	-
SET5001P2501A	0.01	(0.01)	11,256	0.01	SET5041P2412T	-	-	-	-		0	-	-	-
SET5001P2501B	0.03	0.01	1	0.03	SET5041P2412U	-	-	-	-		0	-	-	-
SET5001P2502A	0.45	0.03	130,334	0.45	SET5041P2412V	0.02	-	111	0.01		0	-	-	-
SET5001P2503F	0.29	0.02	48,521	0.30	SET5041P2503A	0.30	0.02	48,616	0.31		0	-	-	-
SET5006C2412A	-	-	-	-	SET5041P2503B	0.57	0.03	83,667	0.57		0	-	-	-
SET5006C2412B	-	-	-	-	SPX28C2412A	-	-	-	-		0	-	-	-
SET5006C2412C	-	-	-	-	SPX28C2412B	-	-	-	-		0	-	-	-
SET5006C2412D	-	-	-	-	SPX28C2412C	0.82	0.16	500	0.82		0	-	-	-
SET5006C2412E	0.20	(0.09)	467,753	0.20	SPX28C2503A	0.52	0.03	189	0.50		0	-	-	-
SET5006C2412F	0.11	(0.02)	999,502	0.12	SPX28P2412A	-	-	-	-		0	-	-	-
SET5006C2412G	0.06	(0.02)	75	0.06	SPX28P2412B	-	-	-	-		0	-	-	-
SET5006C2503A	0.36	(0.03)	964,413	0.36	SPX28P2412C	-	-	-	-		0	-	-	-
SET5006C2503B	0.27	(0.02)	888,037	0.27	SPX28P2503A	0.44	(0.04)	500	0.44		0	-	-	-
SET5006P2412A	0.01	(0.05)	7	0.01	SPX41C2412A	0.42	0.04	2,768	0.42		0	-	-	-
SET5006P2412B	-	-	-	-	SPX41C2412B	-	-	-	-		0	-	-	-
SET5006P2412C	-	-	-	-	SPX41C2412C	1.02	0.07	105	1.02		0	-	-	-
SET5006P2412D	-	-	-	-	SPX41C2503A	0.90	0.07	12,923	0.88		0	-	-	-
SET5006P2412E	0.02	-	201	0.02	SPX41P2412A	0.06	(0.05)	202	0.06		0	-	-	-
SET5006P2412F	0.09	0.01	77	0.08	SPX41P2412B	0.04	(0.02)	17,000	0.03		0	-	-	-
SET5006P2412G	0.22	0.01	1,788,376	0.22	SPX41P2412C	0.04	(0.10)	41	0.04		0	-	-	-
SET5006P2412H	0.50	0.05	460,115	0.50	SPX41P2503A	0.38	(0.08)	3	0.38		0	-	-	-
SET5006P2503A	0.13	0.01	96	0.13	SUNNY41C2411	0.32	0.08	20	0.29		0	-	-	-
SET5006P2503B	0.33	0.01	619,452	0.32	SUNNY41C2502	0.90	0.14	50	0.85		0	-	-	-
SET5013C2411A	0.07	(0.04)	13	0.07	TENCEN28C250:	0.06	(0.67)	200	0.06		0	-	-	-
SET5013C2412A	1.58	(0.17)	477	1.55	TENCEN28C250:	-	-	-	-		0	-	-	-
SET5013C2412B	2.00	(0.62)	152	2.11	TENCEN28P250:	0.53	0.03	32	0.54		0	-	-	-
SET5013C2412C	2.66	(0.34)	160	2.66	TENCEN41C250:	0.66	(0.14)	442	0.67		0	-	-	-
SET5013C2412D	-	-	-	-	TENCEN41C250:	0.11	(0.03)	1,001	0.11		0	-	-	-
SET5013C2412E	1.19	(0.17)	20	1.19	TENCEN41P250:	0.18	0.04	11	0.17		0	-	-	-
SET5013C2412F	0.78	(0.17)	2,070	0.82	TENCEN41P250:	0.39	0.04	8	0.40		0	-	-	-
SET5013C2412G	0.60	(0.12)	18,838	0.60	TRIPDC41C2411	1.52	(0.23)	140	1.32		0	-	-	-
SET5013C2412H	0.27	(0.06)	2,863,624	0.27	XIAOMI28C2412	-	-	-	-		0	-	-	-
SET5013C2412I	0.11	(0.04)	337,847	0.11	XIAOMI28C2504	0.67	0.06	698	0.65		0	-	-	-
SET5013C2412J	0.14	(0.04)	226,687	0.14	XIAOMI28P2502	0.05	(0.01)	2	0.05		0	-	-	-
SET5013C2412K	0.06	(0.01)	72,974	0.06	XIAOMI28P2505	0.27	(0.02)	86	0.26		0	-	-	-
SET5013C2412L	0.30	(0.08)	866,649	0.30	XIAOMI41C2411	-	-	-	-		0	-	-	-
SET5013C2412M	0.22	(0.07)	1,698,767	0.22	XIAOMI41C2502	1.44	0.26	1,000	1.44		0	-	-	-
SET5013C2412T	0.13	(0.03)	25,255	0.13	XIAOMI41C2503	0.72	0.07	261	0.74		0	-	-	-
SET5013C2412U	0.43	(0.09)	9,246	0.44	XIAOMI41P2502	-	-	-	-		0	-	-	-
SET5013C2503A	0.35	(0.05)	813,161	0.35	ZIJIN41C2502A	0.40	(0.07)	105	0.40		0	-	-	-
SET5013C2503T	0.19	(0.01)	20,359	0.18	0	-	-	-	-		0	-	-	-
SET5013P2412A	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5013P2412B	0.01	-	10	0.01	0	-	-	-	-		0	-	-	-
SET5013P2412C	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5013P2412D	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5013P2412E	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5013P2412F	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5013P2412G	0.01	-	60	0.01	0	-	-	-	-		0	-	-	-
SET5013P2412H	0.03	(0.01)	314	0.03	0	-	-	-	-		0	-	-	-
SET5013P2412I	0.03	-	2	0.03	0	-	-	-	-		0	-	-	-
SET5013P2412J	0.02	-	13,658	0.02	0	-	-	-	-		0	-	-	-
SET5013P2412K	0.03	-	10,583	0.03	0	-	-	-	-		0	-	-	-
SET5013P2412L	0.07	-	49,640	0.07	0	-	-	-	-		0	-	-	-
SET5013P2412M	0.18	-	136,643	0.19	0	-	-	-	-		0	-	-	-
SET5013P2412N	0.23	-	1,916,379	0.24	0	-	-	-	-		0	-	-	-
SET5013P2412O	0.44	-	3,746,051	0.46	0	-	-	-	-		0	-	-	-
SET5013P2412T	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5013P2503A	0.49	0.02	115,874	0.50	0	-	-	-	-		0	-	-	-
SET5013P2503B	0.70	0.02	1,104,949	0.71	0	-	-	-	-		0	-	-	-
SET5013P2503T	0.10	-	39,392	0.11	0	-	-	-	-		0	-	-	-
SET5019C2412A	0.39	(0.10)	3,131	0.44	0	-	-	-	-		0	-	-	-
SET5019C2412B	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5019C2412C	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5019C2412D	1.20	(0.22)	443	1.23	0	-	-	-	-		0	-	-	-
SET5019C2412E	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5019C2412F	0.22	(0.05)	296,763	0.22	0	-	-	-	-		0	-	-	-
SET5019C2412G	0.20	(0.05)	208,484	0.20	0	-	-	-	-		0	-	-	-
SET5019C2412H	0.09	(0.05)	124,942	0.09	0	-	-	-	-		0	-	-	-
SET5019C2412I	0.05	(0.01)	586,350	0.04	0	-	-	-	-		0	-	-	-
SET5019C2412J	0.17	(0.04)	242,663	0.16	0	-	-	-	-		0	-	-	-
SET5019C2503A	0.31	(0.03)	253,550	0.30	0	-	-	-	-		0	-	-	-
SET5019P2412A	0.01	-	100	0.01	0	-	-	-	-		0	-	-	-
SET5019P2412B	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5019P2412C	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5019P2412D	0.01	-	16	0.01	0	-	-	-	-		0	-	-	-
SET5019P2412E	0.04	0.01	102	0.03	0	-	-	-	-		0	-	-	-
SET5019P2412F	0.07	0.01	8,274	0.07	0	-	-	-	-		0	-	-	-
SET5019P2412G	0.19	0.02	309,747	0.20	0	-	-	-	-		0	-	-	-
SET5019P2412H	0.38	0.02	242,345	0.38	0	-	-	-	-		0	-	-	-
SET5019P2503A	0.29	0.02	172,699	0.30	0	-	-	-	-		0	-	-	-
SET5027C2412A	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5027C2412B	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5027P2412T	0.12	(0.04)	79,488	0.12	0	-	-	-	-		0	-	-	-
SET5027P2412A	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5027P2412T	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5028C2412A	0.23	(0.06)	7,963	0.24	0	-	-	-	-		0	-	-	-
SET5028C2412B	-	-	-	-	0	-	-	-	-		0	-	-	-
SET5028C2412C	0.57	(0.20)	2,001	0.64	0	-	-	-	-		0	-	-	-
SET5028C2503A	0.33	(0.02)</												

Asia Plus Securities Company Limited

Main Board Quotation

Issue Date :

Daily Quotation

Monday November 11, 2024

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price			
													Issue Date :				
Warrant - MAI																	
Agro & Food Indust	-	-	-	-	TPLAS	1.45	0.03	118	00	1.4	KTMS	2.34	-	32	00	2.3	
APO	2.30	0.08	15,922	00	2.2	TRT	3.80	(0.06)	9,307	00	3.8	LDC	0.60	0.02	9,292	00	0.6
AU	10.90	0.10	51,003	00	10.9	TRV	2.12	0.02	6	00	2.1	LEO	3.86	0.02	683	00	3.8
CFARM	1.09	-	7,279	00	1.0	UBIS	1.87	(0.01)	1,713	00	1.8	MCA	1.72	(0.06)	7,471	00	1.7
JCKH	0.02	-	14,804	00	0.0	UEC	1.35	0.01	52	00	1.3	MEB	30.50	(0.50)	1,033	00	30.7
JCKH-W2	-	-	-	00	0.0	UKEM	0.68	(0.01)	5,852	00	0.6	MORE	0.06	-	73,368	00	0.0
KASET	0.98	(0.01)	1,081	00	0.9	UREKA	0.47	(0.01)	33,334	00	0.4	MPJ	4.40	(0.02)	89,033	00	4.3
MAGURO	17.90	(2.20)	101,550	00	19.1	YUASA	10.90	-	2	00	10.9	MVP	0.79	-	24,561	00	0.8
MUD	1.37	(0.01)	1,122	00	1.3	ZIGA	1.98	-	40,920	00	2.0	NCL	0.38	(0.01)	16,424	00	0.3
NTSC	10.60	(0.10)	58	00	10.6	ZIGA-W2	0.20	0.01	24,264	00	0.2	NCP	1.11	-	11,179	00	1.1
TACC	4.90	(0.02)	13,585	00	4.9	Property	-	-	-	-	-	NEWS	0.02	-	276,920	00	0.0
TMILL	3.48	-	29	00	3.4	24CS	3.80	(0.04)	173,813	00	3.9	PEER	0.31	(0.01)	16,148	00	0.3
WINNER	2.08	-	575	00	2.0	ARIN	0.85	(0.03)	42,027	00	0.8	PEER-W1	-	-	-	00	0.0
XO	22.10	(0.70)	11,803	00	22.3	ARROW	5.70	-	77	00	5.7	PICO	3.52	(0.06)	2	00	3.5
Consumer Products																	
ALPHAX	0.64	-	7,468	00	0.6	BC-W2	1.02	0.05	20,191	00	1.1	QLT	2.08	0.04	1,029	00	2.0
BGT	0.57	-	194	00	0.5	BLESS	0.38	-	3,171	00	0.3	RP	1.18	-	74	00	1.1
DOD	2.46	(0.04)	500	00	2.4	BSM	1.79	(0.02)	279	00	1.7	SONIC	1.62	0.04	43,333	00	1.6
ECF	0.44	(0.01)	9,229	00	0.4	BTW	0.27	(0.01)	440	00	0.2	THMUI	0.56	(0.01)	35	00	0.5
ECF-W5	0.05	-	6,423	00	0.0	CAZ	2.64	(0.24)	5,007	00	2.7	TNDT	0.29	-	15,028	00	0.2
EFORL	0.23	0.02	317,559	00	0.2	CHEWA	0.48	0.01	363	00	0.4	TNDT-W1	0.03	-	637	00	0.0
EFORL-W6	0.06	0.01	11,768	00	0.0	CPANEL	4.00	(0.04)	39	00	4.0	TNH	36.25	-	835	00	36.4
EURO	5.05	-	1,439	00	5.0	CPANEL-W1	0.30	(0.10)	39	00	0.3	TNP	3.40	(0.04)	7,987	00	3.3
HPT	0.47	-	1,246	00	0.4	CRD	0.45	-	1,867	00	0.4	TPL	1.11	-	3,231	00	1.0
ITTHI	1.86	0.01	2,013	00	1.8	DHOUSE	0.59	-	9,711	00	0.5	TRP	9.25	0.05	3,704	00	9.3
JSP	2.00	(0.02)	2,412	00	1.9	DIMET	0.25	-	6,151	00	0.2	TURTLE	-	-	-	00	0.0
JUBILE	13.20	(0.20)	248	00	13.3	DPAIN	1.76	-	845	00	1.7	TVDH	0.18	-	6,592	00	0.1
LTS	12.80	(0.30)	13,576	00	12.9	FLOYD	0.72	(0.01)	1,604	00	0.7	TVDH-W3	0.03	-	711	00	0.0
MGI	14.10	0.40	30,815	00	14.2	HYDRO	0.20	0.03	31,227	00	0.2	TVDH-W4	0.01	-	705	00	0.0
MGI-W1	3.92	0.12	33,748	00	3.9	HYDRO-W2	0.11	0.01	15,366	00	0.1	TVT	0.45	(0.01)	2,102	00	0.4
MOONG	2.10	(0.08)	8,251	00	2.0	IND	0.81	-	5,829	00	0.8	UBA	0.98	-	621	00	0.9
NPK	12.60	(1.30)	59	00	12.5	JAK	1.10	(0.20)	125	00	1.1	VL	1.18	0.34	1,015,418	00	1.1
SEI	5.75	(0.15)	27,203	00	5.8	K	1.33	0.04	756	00	1.2	VS	0.65	0.01	142	00	0.6
SMD	4.14	0.08	76	00	4.0	K-W3	0.14	0.01	2,634	00	0.1	YGG	0.66	0.01	467,035	00	0.6
TM	1.23	(0.08)	2,329	00	1.2	META	0.15	0.01	28,682	00	0.1	Technology	-	-	-	-	-
TM-W1	0.08	(0.02)	4,146	00	0.0	META-W7	-	-	-	00	0.0	APP	1.59	(0.04)	1,257	00	1.5
WARRIX	3.80	(0.34)	72,776	00	3.9	PANEL	1.22	(0.07)	1,798	00	1.2	BBIK	42.75	(1.75)	7,076	00	43.2
WINMED	2.02	(0.04)	492	00	2.0	PPS	0.21	(0.01)	6,798	00	0.2	BE8	16.50	(0.50)	15,048	00	16.6
Financials																	
ACAP	-	-	-	00	0.0	PROS	1.13	0.02	6,454	00	1.1	BVG	2.98	0.10	1,101	00	2.9
AF	0.62	(0.02)	669	00	0.5	PROS-W1	0.14	0.01	12,724	00	0.1	COMAN	1.17	0.21	2,251	00	1.0
AIRA	-	-	-	00	0.0	PSG	0.52	(0.01)	37,081	00	0.5	I2	1.88	-	6,370	00	1.8
ASN	1.59	(0.03)	110	00	1.6	QTCG	0.43	(0.01)	6,750	00	0.4	IIG	5.50	(0.35)	6,604	00	5.6
BTC	0.60	(0.01)	2,269,942	00	0.6	SENX	0.38	(0.02)	2,251	00	0.3	IIG-W1	0.49	0.09	92	00	0.5
BTC-W7	0.33	0.02	114,588	00	0.3	SK	0.60	(0.01)	4,670	00	0.6	IRCP	0.53	-	2,936	00	0.5
GCAP	0.51	0.01	21,880	00	0.5	SMART	0.79	(0.02)	10,605	00	0.7	ITNS	1.83	0.08	1,540	00	1.8
KCC	2.66	(0.02)	460	00	2.6	STC	0.56	(0.01)	704	00	0.5	NAT	4.74	-	2,472	00	4.7
LIT	1.04	0.03	2,013	00	0.9	STX	1.42	(0.02)	1,401	00	1.4	NETBAY	16.20	(0.10)	11,618	00	16.1
LIT-W2	0.08	0.01	2,449	00	0.0	SVR	1.20	(0.02)	1,501	00	1.1	PLANET	1.75	0.01	29,140	00	1.7
MITSIB	0.74	-	1,562	00	0.7	TAPAC	-	-	-	00	0.0	PROEN	3.64	(0.16)	98,732	00	3.7
SGF	0.26	(0.01)	3,905	00	0.2	THANA	1.37	(0.02)	649	00	1.3	PROEN-W2	1.51	(0.13)	28,782	00	1.6
SGF-P1	-	-	-	00	0.0	TIGER	0.72	(0.06)	2,330	00	0.7	READY	5.55	(0.05)	432	00	5.5
SGF-Q1	-	-	-	00	0.0	TITLE	4.24	(0.06)	2,167	00	4.2	SECURE	12.50	(0.50)	3,254	00	12.4
TQR	6.00	(0.15)	149	00	6.0	WELL	-	-	-	00	0.0	SICT	5.75	(0.25)	28,869	00	5.8
Industrials																	
ADB	0.86	(0.03)	1,695	00	0.8	Resources	-	-	-	-	-	SIMAT	2.08	(0.02)	140,003	00	2.1
BM	3.08	(0.02)	2,854	00	3.0	ABM	1.30	0.01	151	00	1.2	SIMAT-W3	0.14	-	13,220	00	0.1
BM-W3	1.49	0.03	105	00	1.4	ABM-W1	0.01	-	1,300	00	0.0	SPVI	2.50	(0.02)	2,826	00	2.4
BPS	0.58	(0.02)	3,640	00	0.5	GTV	0.14	0.01	701,572	00	0.1	SRS	5.10	(0.10)	2,125	00	5.1
CHO	0.04	-	585,721	00	0.0	PSTC	0.47	-	36,407	00	0.4	TBN	6.05	(0.40)	663	00	6.2
CHO-W4	0.01	(0.01)	617	00	0.0	PSTC-W2	0.03	0.01	64	00	0.0	TERA	1.40	(0.03)	1,691	00	1.4
CHOW	2.34	(0.06)	992	00	2.3	PSTC-W3	0.18	(0.01)	5,522	00	0.1	TPS	3.06	(0.04)	3,038	09	3.0
CIG	0.04	(0.01)	116,444	00	0.0	PTC	1.60	(0.03)	124	00	1.5	VCOM	2.62	(0.06)	2,844	00	2.6
CIG-W10	-	-	-	00	0.0	SAAM	6.45	0.15	3,091	00	6.3	-	-	-	-	-	-
CIG-W9	0.03	-	502	00	0.0	SR	0.62	0.02	1	00	0.6	-	-	-	-	-	-
COLOR	1.11	(0.01)	79	00	1.1	STOWER	0.08	-	9,037	00	0.0	-	-	-	-	-	-
CPR	3.50	0.06	1,193	00	3.4	TAKUNI	0.80	(0.02)	18,448	00	0.8	-	-	-	-	-	-
FPI	1.98	(0.02)	477	00	1.9	TPCH	5.75	(0.10)	5,644	00	5.7	-	-	-	-	-	-
GTB	0.71	0.01	1,402	00	0.7	UMS	0.75	0.05	69	00	0.6	-	-	-	-	-	-
HARN	2.10	(0.02)	763	00	2.0												