

Main Board Quotation

Issue Date :

Friday November 15, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB01C2412A	0.05	(0.01)	500	0.05	IVL19C2502B	0.13	(0.03)	15,514	0.14
Agribusiness	-	-	-	-	SCB01C2502A	0.21	-	6,620	0.20	IVL19C2502C	0.14	(0.03)	13,514	0.15
EE	0.20	0.02	43,828	0.19	SCB01P2501A	-	-	-	-	IVL19P2502A	0.14	0.02	5,899	0.13
EE-W1	-	-	-	-	SCB11C2501A	0.15	(0.01)	1,200	0.15	IVL41C2412A	-	-	-	-
GFPT	10.90	0.10	10,370	10.89	SCB13C2412A	-	-	-	-	IVL41C2412B	-	-	-	-
LEE	2.48	(0.02)	257	2.48	SCB13C2502A	0.21	-	18,087	0.21	IVL41C2502A	-	-	-	-
NER	4.88	-	18,586	4.88	SCB13P2412A	-	-	-	-	IVL41C2502B	0.14	(0.03)	55,794	0.14
NER-W2	0.60	(0.03)	8,267	0.60	SCB13P2502A	-	-	-	-	NFC	1.74	0.02	84	1.71
PCE	2.86	0.04	209,775	2.86	SCB19C2412A	0.09	-	247	0.09	PATO	8.65	-	664	8.61
PPPM	0.72	(0.05)	53,713	0.74	SCB19C2502A	-	-	-	-	PMTA	8.65	0.05	118	8.66
PPPM-W6	0.62	(0.04)	2,474	0.63	SCB19P2412A	-	-	-	-	PTTGC	24.10	-	134,961	23.93
STA	18.20	0.20	112,149	18.16	SCB41C2412A	-	-	-	-	PTTGC01C2412A	-	-	-	-
STA01C2412A	0.01	(0.03)	110	0.01	SCB41C2502A	-	-	-	-	PTTGC01C2501A	0.02	-	2,501	0.01
STA01C2501A	0.05	-	4,486	0.04	TCAP	49.00	0.50	16,765	49.03	PTTGC01C2501B	-	-	-	-
STA01C2502A	0.02	-	3,212	0.01	TCAP-P	-	-	-	-	PTTGC01C2502A	-	-	-	-
STA01C2503A	0.20	0.01	28,024	0.19	TCAP-Q	-	-	-	-	PTTGC01C2504A	0.43	(0.09)	2,063	0.43
STA01C2504A	0.45	(0.55)	14,298	0.45	TCAP13C2501A	-	-	-	-	PTTGC01P2412X	0.22	-	9	0.22
STA01P2502A	0.68	(0.02)	11,183	0.69	TCAP19C2504A	0.19	-	8,563	0.20	PTTGC01P2501A	0.15	(0.01)	4,960	0.16
STA13C2412A	0.01	(0.01)	811	0.01	TISCO	96.25	0.50	21,676	96.01	PTTGC01P2503A	0.46	(0.01)	32,734	0.47
STA13C2502A	0.02	-	1,200	0.02	TISCO-P	-	-	-	-	PTTGC11C2411A	-	-	-	-
STA13C2502B	0.12	-	46,809	0.13	TISCO-Q	-	-	-	-	PTTGC11C2412A	-	-	-	-
STA13C2503A	0.29	0.02	53,020	0.28	TISCO11C2501A	-	-	-	-	PTTGC11C2501A	-	-	-	-
STA13P2502A	0.63	(0.03)	35,519	0.64	TISCO13C2502A	0.10	(0.01)	230	0.10	PTTGC11C2502A	-	-	-	-
STA19C2412A	0.03	-	200	0.03	TISCO19C2502A	0.28	(0.01)	40,107	0.28	PTTGC13C2412A	-	-	-	-
STA19C2502A	-	-	-	-	TTB	1.75	0.02	1,225,244	1.75	PTTGC13C2412B	0.01	-	30	0.01
STA19C2502B	0.03	-	200	0.03	TTB-W1	0.80	0.01	1,440	0.80	PTTGC13C2412C	-	-	-	-
STA19C2503A	0.16	(0.01)	23,037	0.16	TTB01C2503A	-	-	-	-	PTTGC13C2501A	-	-	-	-
STA19C2504A	0.31	-	54,796	0.31	TTB01C2504A	0.28	-	25,200	0.28	PTTGC13C2502A	0.07	-	44	0.07
STA19P2503A	0.58	(0.03)	21,838	0.59	TTB13C2501A	-	-	-	-	PTTGC13C2503A	0.39	0.01	44,396	0.38
STA41C2503A	0.34	(0.66)	15,901	0.33	TTB13C2503A	0.21	0.01	20,918	0.20	PTTGC13C2504A	0.16	(0.01)	14,412	0.16
TEGH	3.30	(0.04)	52,384	3.32	TTB19C2501A	0.10	-	5,137	0.11	PTTGC13P2412A	-	-	-	-
TFM	8.30	(0.05)	682	8.33	Construction Ma	-	-	-	-	PTTGC13P2502A	0.47	-	18,454	0.48
TRUBB	0.94	-	7,452	0.95	CCP	0.30	-	455	0.29	PTTGC13P2502B	0.25	0.01	20,796	0.25
UPOIC	6.60	0.10	426	6.61	DCC	1.88	(0.01)	35,128	1.89	PTTGC19C2412A	-	-	-	-
UVAN	9.30	-	2,772	9.28	DCON	0.31	-	11,944	0.31	PTTGC19C2412B	-	-	-	-
VPO	0.67	(0.03)	26,555	0.68	DCON-W3	-	-	-	-	PTTGC19C2501A	0.15	-	21,534	0.14
Banking	-	-	-	-	DRT	7.75	0.05	1,486	7.71	PTTGC19C2501B	0.04	(0.02)	3,409	0.04
BAY	24.70	(0.20)	2,375	24.74	EPG	4.80	(0.14)	29,061	4.84	PTTGC19C2502A	-	-	-	-
BBL	148.50	1.50	48,471	147.90	GEL	0.09	-	55,979	0.09	PTTGC19C2504A	0.13	-	42,075	0.13
BBL11C2412A	0.03	-	2	0.03	GEL-W5	-	-	-	-	PTTGC19P2412A	-	-	-	-
BBL11C2501A	-	-	-	-	PPP	1.61	(0.13)	135	1.60	PTTGC19P2503A	0.27	0.01	18,106	0.27
BBL11C2502A	0.18	0.01	10,000	0.18	Q-CON	9.55	(0.05)	1,330	9.53	PTTGC41C2412A	-	-	-	-
BBL13C2412A	-	-	-	-	SCC	187.00	(7.00)	52,173	188.14	PTTGC41C2412B	-	-	-	-
BBL13C2501A	0.08	0.01	3,498	0.07	SCC01C2412A	0.01	(0.01)	70,393	0.01	PTTGC41C2501A	0.11	-	16,000	0.10
BBL13C2503A	0.19	-	67,667	0.20	SCC01C2502A	0.07	(0.03)	285	0.07	PTTGC41C2502A	-	-	-	-
BBL13P2412A	-	-	-	-	SCC01C2503A	0.03	(0.01)	29,031	0.03	PTTGC41C2502B	-	-	-	-
BBL13P2501A	0.25	(0.04)	15,398	0.26	SCC01P2503A	1.00	0.13	11,364	0.97	PTTGC41C2503A	0.10	(0.01)	5,000	0.10
BBL19C2502A	0.09	-	1,377	0.09	SCC13C2501A	0.01	-	2,030	0.01	PTTGC41P2502A	-	-	-	-
BBL19C2503A	0.21	0.01	2,222	0.21	SCC13C2501B	-	-	-	-	SUTHA	3.00	(0.04)	106	3.01
BBL19C2503B	0.29	0.01	33,692	0.29	SCC13C2502A	0.04	(0.03)	250	0.04	TPA	4.12	(0.12)	2	4.07
BBL41C2412A	-	-	-	-	SCC13C2503A	0.08	(0.03)	40,118	0.09	UAC	3.60	-	4,231	3.61
BBL41C2502A	-	-	-	-	SCC13P2502A	0.99	0.12	79,944	0.96	UP	17.00	(0.10)	276	16.82
BBL41C2504A	0.34	(0.66)	62,000	0.33	SCC19C2501A	-	-	-	-	Commerce	-	-	-	-
CIMBT	0.54	(0.01)	3,648	0.54	SCC19C2502A	0.03	(0.01)	907	0.02	ADVICE	6.00	-	33,085	6.05
CREDIT	22.60	-	754	22.57	SCC19C2503A	0.09	(0.04)	57,660	0.10	B52	0.34	(0.01)	504	0.34
KBANK	147.50	1.50	70,168	147.27	SCC41C2503A	0.10	(0.02)	3,051	0.10	BEAUTY	0.40	(0.02)	69,580	0.40
KBANK01C2412A	-	-	-	-	SCCC	162.00	-	348	162.20	BIG	0.38	(0.04)	67,407	0.40
KBANK01C2501A	0.26	0.01	4,900	0.27	SCGD	6.05	(0.05)	6,556	6.09	BJC	22.40	(0.30)	41,496	22.50
KBANK01C2502A	0.09	(0.01)	1	0.09	SCGP	6.95	0.55	8,184	6.97	BJC01C2412A	-	-	-	-
KBANK01C2503A	0.30	0.02	9,834	0.30	SKN	5.70	-	359	5.70	BJC01C2503A	-	-	-	-
KBANK01P2412X	-	-	-	-	STECH	1.08	0.08	2,519	1.12	BJC13C2412A	-	-	-	-
KBANK01P2502A	0.21	(0.02)	20,168	0.21	TASCO	18.50	0.70	201,657	18.47	BJC13C2502A	-	-	-	-
KBANK01P2502B	0.47	(0.03)	8,169	0.47	TASCO01C2501A	0.15	0.04	23,377	0.15	BJC13C2503A	0.24	(0.03)	30,708	0.26
KBANK13C2412A	-	-	-	-	TASCO13C2501A	0.12	0.04	52,818	0.12	BJC19C2502A	-	-	-	-
KBANK13C2501A	-	-	-	-	TASCO19C2502A	0.21	0.05	42,773	0.21	BJC19C2503A	0.21	(0.02)	18,782	0.23
KBANK13C2501B	0.05	(0.01)	2	0.05	TOA	16.50	(0.10)	3,904	16.57	COM7	26.50	(1.00)	70,932	26.87
KBANK13C2503A	0.28	0.02	30,723	0.28	TP1PL	1.10	0.01	30,759	1.09	COM701C2412W	0.34	(0.09)	3	0.34
KBANK13P2412A	-	-	-	-	UMI	0.76	-	378	0.76	COM701C2501A	0.10	(0.02)	53,677	0.10
KBANK13P2501A	0.04	(0.01)	100	0.04	VNG	3.36	(0.02)	1,080	3.37	COM701C2503A	0.19	(0.03)	15,444	0.20
KBANK13P2501B	0.14	(0.03)	4,068	0.15	WIJK	1.06	(0.04)	8,804	1.03	COM701P2501A	0.14	0.01	25,630	0.14
KBANK19C2501A	0.13	0.01	1,782	0.13	WIJK-W3	0.06	-	2,908	0.05	COM713C2412A	-	-	-	-
KBANK19C2502A	0.16	0.01	7,662	0.16	WINDOW	0.81	-	6,101	0.81	COM713C2501A	0.10	(0.03)	10,841	0.11
KBANK19C2502B	0.10	(0.01)	1,000	0.10	Petrochemicals &	-	-	-	-	COM713P2501A	0.12	0.01	9,408	0.11
KBANK19P2501A	-	-	-	-	BCT	67.75	2.25	3	66.92	COM719C2501A	-	-	-	-
KBANK19P2502A	-	-	-	-	CMAN	2.06	(0.06)	10,990	2.04	COM719C2502A	0.17	(0.03)	17,575	0.19
KBANK41C2501A	0.22	0.02	29,700	0.22	GC	4.98	-	322	4.98	COM719P2412A	-	-	-	-
KBANK41C2502A	-	-	-	-	GGC	4.50	(0.18)	303	4.55	COM719P2502A	0.13	0.01	10,226	0.13
KBANK41C2604T	0.72	0.02	18,800	0.72	GIFT	2.34	(0.04)	26,983	2.42	COM741C2412A	-	-	-	-
KBANK41P2502A	0.40	(0.03)	3,000	0.40	GIFT-W2	0.58	0.06	1,664	0.60	COM741C2501A	-	-	-	-
KKP	50.75	(2.25)	23,427	51.11	IVL	25.50	(0.50)	229,577	25.50	COM741C2501B	0.16	(0.04)	12,610	0.18
KKP-W6	1.34	(0.07)	7,810	1.31	IVL01C2412W	0.75	(0.18)	5,212	0.75	CPALL	63.75	(0.75)	322,600	64.09
KKP13C2412A	-	-	-	-	IVL01C2501W	1.36	(0.20)	446	1.38	CPALL01C2412A	0.07	(0.02)	4,992	0.08
KKP13C2412B	-	-	-	-	IVL01C2502A	0.62	(0.07)	1,978	0.62	CPALL01C2501A	0.38	-	469	0.41
KKP13C2501A	0.27	(0.10)	21,090	0.28	IVL01C2502B	0.36	(0.08)	9,249	0.37	CPALL01C2502A	0.12	(0.02)	17,940	0.13
KKP13C2502A	0.18	(0.06)	52,785	0.19	IVL01C2503A	0.12	(0.02)	85,495	0.12	CPALL01C2504A	0.29	(0.02)	18,086	0.30
KKP19C2501A	0.27	(0.08)	3,908	0.27	IVL01P2501W	-	-	-	-	CPALL01P2501X	0.02	(0.01)	50	0.02
KKP19C2503A	0.30	(0.08)	12,206	0.32	IVL01P2502A	0.17	0.01	70,720	0.18	CPALL01P2502X	0.21	-	22,231	0.21
KTB	20.50	0.10	143,692	20.46	IVL01P2502W	-	-	-	-	CPALL11C2412A	0.16	(0.05)	9,200	0.17
KTB-P	-													

Main Board Quotation

Issue Date :

Friday November 15, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC01C2412A	0.04	(0.01)	1	0.04	DTCENT	1.14	-	1,352	1.14	DELTA11C2501A	1.00	(0.07)	24,717	1.05
CRC01C2501A	0.30	0.02	19,523	0.28	FORTH	12.20	(0.90)	21,109	12.42	DELTA11C2501B	1.63	0.02	4,294	1.60
CRC01C2503A	0.15	0.01	55,177	0.15	FORTH13C2412	0.02	(0.02)	5,750	0.02	DELTA13C2412A	1.64	(0.04)	3,015	1.69
CRC11C2501A	0.13	-	2,704	0.12	FORTH19C2501	0.09	(0.05)	16,455	0.10	DELTA13C2501A	4.16	(0.16)	30	4.32
CRC13C2412A	0.02	(0.02)	370	0.02	GABLE	3.44	(0.12)	1,559	3.47	DELTA13C2502A	1.67	(0.05)	1,963	1.75
CRC13C2412B	-	-	-	-	HUMAN	9.90	-	4,495	9.86	DELTA13C2502B	1.19	(0.05)	1,589	1.28
CRC13C2502A	0.11	-	21,034	0.10	ICN	2.48	(0.04)	6,938	2.50	DELTA13C2503A	0.88	(0.04)	32,709	0.93
CRC13C2503A	0.23	0.02	38,301	0.22	ILINK	6.05	0.25	11,946	5.98	DELTA13C2503B	0.59	(0.03)	308,162	0.64
CRC19C2501A	0.26	0.02	1,486	0.24	INET	7.00	0.50	350,944	6.58	DELTA13C2503C	0.29	(0.01)	144,285	0.31
CRC19C2502A	0.17	0.02	28,406	0.16	INET-W3	-	-	-	-	DELTA13P2412A	0.01	-	1	0.01
CRC41C2503A	0.24	0.01	17,900	0.23	INSET	3.36	(0.04)	245,700	3.32	DELTA13P2502A	0.05	-	3,611	0.04
CSS	0.96	(0.03)	56,218	0.98	INTUCH	97.25	(4.75)	150,612	98.82	DELTA13P2502B	0.13	-	88,003	0.12
DOHOME	9.85	(0.05)	35,815	9.89	INTUCH01C2412	0.83	(0.36)	6,923	1.19	DELTA13P2503A	0.30	0.01	246,890	0.29
DOHOME01C2501A	-	-	-	-	INTUCH01C2502	0.13	(0.05)	20,228	0.15	DELTA13P2503B	0.72	0.01	200,134	0.70
DOHOME01C2503A	0.09	(0.01)	1,001	0.09	INTUCH13C2412	0.31	(0.18)	1,582	0.39	DELTA19C2412A	-	-	-	-
DOHOME13C2412A	0.01	-	80	0.01	INTUCH13C2501	0.32	(0.15)	62,227	0.34	DELTA19C2502A	-	-	-	-
DOHOME13C2502A	-	-	-	-	INTUCH13C2502	0.16	(0.07)	148,340	0.19	DELTA19C2503A	1.08	(0.02)	2,989	1.12
DOHOME13C2503A	0.14	(0.01)	30,087	0.15	INTUCH13C2503	0.09	(0.03)	19,470	0.11	DELTA19C2503B	0.72	(0.03)	99,315	0.77
DOHOME19C2501A	0.03	(0.01)	2,999	0.03	INTUCH19C2502	0.61	(0.39)	107,909	0.64	DELTA19P2412A	-	-	-	-
DOHOME19C2502A	0.09	(0.01)	17,891	0.10	INTUCH19C2412	-	-	-	-	DELTA19P2502A	0.04	(0.01)	4,050	0.04
DOHOME41C2412A	-	-	-	-	INTUCH19C2502	0.44	0.09	84,856	0.41	DELTA19P2503A	0.21	0.01	122,281	0.20
DOHOME41C2501A	0.03	(0.02)	1,500	0.03	INTUCH19C2412	0.60	(0.80)	2	0.60	DELTA19P2504A	0.51	0.01	78,716	0.50
FN	0.93	-	1,012	0.90	INTUCH19C2502	0.40	(0.12)	20,758	0.44	DELTA41C2412A	-	-	-	-
GLOBAL	15.50	(0.20)	70,068	15.55	INTUCH19C2503	0.21	(0.07)	55,848	0.24	DELTA41C2502A	1.21	(0.04)	1,560	1.28
GLOBAL01C2503A	0.20	(0.02)	74,737	0.21	INTUCH19C2502	0.13	(0.04)	43,588	0.15	DELTA41C2503A	0.63	(0.03)	90,443	0.67
GLOBAL11C2501A	0.10	(0.04)	1,286	0.11	ITEL	2.24	(0.08)	44,744	2.26	DELTA41P2412A	-	-	-	-
GLOBAL13C2501A	0.15	(0.02)	55,310	0.17	JAS	2.34	(0.02)	449,069	2.38	DELTA41P2502A	0.14	(0.01)	13,653	0.14
GLOBAL19C2412A	-	-	-	-	JAS-W4	0.52	(0.01)	618,407	0.52	HANA	30.25	-	170,146	30.02
GLOBAL19C2503A	0.24	(0.03)	50,379	0.25	JAS13C2412A	0.01	-	3,500	0.01	HANA01C2412W	-	-	-	-
HMPRO	9.40	(0.05)	161,086	9.40	JAS13C2502A	0.13	(0.01)	8,477	0.14	HANA01C2501W	0.01	-	163	0.01
HMPRO01C2501A	0.10	(0.01)	9,429	0.10	JAS13C2503A	0.31	-	23,125	0.32	HANA01C2502A	0.02	(0.02)	1,503	0.03
HMPRO01C2503A	0.04	-	120	0.04	JAS19C2412A	0.02	0.01	57,401	0.01	HANA01C2504W	0.10	(0.01)	83,985	0.10
HMPRO01C2504A	0.30	(0.01)	16,483	0.30	JAS19C2501A	0.09	(0.01)	5,887	0.10	HANA01P2501W	0.47	(0.03)	12,227	0.52
HMPRO01C2412A	0.17	(0.02)	3,600	0.17	JAS19C2503A	0.26	(0.01)	55,883	0.27	HANA01P2503W	0.95	(0.02)	8,969	0.98
HMPRO01C2412B	-	-	-	-	JMART	13.50	(0.40)	41,736	13.51	HANA06C2412A	0.01	-	1,100	0.01
HMPRO01C2502A	-	-	-	-	JMART-W5	0.59	0.02	100	0.59	HANA13C2412A	-	-	-	-
HMPRO01C2501A	0.18	-	26,670	0.18	JMART01C2501	-	-	-	-	HANA13C2412B	0.01	-	100	0.01
HMPRO01C2501B	0.02	(0.01)	452	0.02	JMART01C2503	0.23	(0.03)	26,506	0.24	HANA13C2502A	0.03	0.01	7,551	0.02
HMPRO01C2501A	0.28	(0.02)	5,094	0.27	JMART13C2412	-	-	-	-	HANA13C2503A	0.07	-	43,304	0.07
HMPRO01C2501B	-	-	-	-	JMART13C2501	0.17	(0.03)	13,004	0.19	HANA13C2504A	0.13	-	116,488	0.13
HMPRO01C2502A	-	-	-	-	JMART13C2501E	0.04	(0.01)	910	0.04	HANA13P2502A	0.82	(0.01)	2,756	0.83
HMPRO01C2503A	0.24	-	8,421	0.23	JMART19C2412	0.10	(0.02)	1,388	0.11	HANA13P2503A	0.58	-	124,656	0.59
HMPRO01C2503A	0.22	-	19,003	0.21	JMART19C2501	0.36	(0.05)	3,009	0.37	HANA19C2501A	-	-	-	-
ICC	32.25	(1.00)	102	32.65	JMART19C2501E	-	-	-	-	HANA19C2501B	0.02	-	11,000	0.02
ILM	17.40	0.30	4,391	17.49	JMART19C2501C	-	-	-	-	HANA19C2503A	0.07	(0.01)	3,995	0.07
IT	4.92	(0.28)	5,762	4.99	JMART19C2503	0.19	(0.03)	14,782	0.20	HANA19P2504A	0.82	0.07	100	0.82
KAMART	10.60	(0.60)	66,559	10.77	JMART19C2504	0.31	(0.04)	22,266	0.32	HANA41C2501A	-	-	-	-
LOXLEY	1.40	(0.01)	2,961	1.40	JMART41C2412	0.10	(0.03)	10,980	0.10	HANA41C2502A	0.04	0.01	78	0.04
MC	11.10	-	4,589	11.05	JMART41C2501	0.10	(0.02)	5,111	0.10	KCE	28.00	(0.25)	115,201	27.88
MEGA	36.00	(0.50)	14,383	36.11	JMART41C2504	0.30	(0.04)	26,000	0.30	KCE01C2412W	-	-	-	-
MEGA13C2502A	0.09	-	20	0.08	JTS	67.25	(1.75)	9,361	67.65	KCE01C2501W	-	-	-	-
MEGA19C2502A	0.11	(0.03)	5,291	0.12	MFEC	6.10	-	420	6.02	KCE01C2503A	0.03	-	13,593	0.03
MIDA	0.41	(0.01)	305	0.41	MSC	7.95	-	20	7.87	KCE01C2504W	0.10	-	45,853	0.10
MOSHI	47.50	(1.00)	9,187	48.59	PT	9.40	(0.05)	2,707	9.38	KCE01P2412W	0.98	0.60	2,530	1.03
RS	5.90	-	138,184	5.87	ROCTEC	0.93	(0.10)	214,012	0.97	KCE01P2501W	0.57	(0.03)	6,186	0.59
RS-W5	4.78	(0.10)	4,605	4.82	ROCTEC-W3	0.03	(0.01)	152,664	0.03	KCE01P2503W	0.90	(0.01)	4,798	0.91
RSP	1.95	(0.02)	2,372	1.97	ROCTEC-W5	0.06	(0.01)	537,579	0.06	KCE01P2504A	0.43	(0.57)	23,690	0.44
SABUY	0.50	(0.10)	694,325	0.53	SAMART	7.35	0.15	53,477	7.37	KCE11C2501A	0.01	(0.01)	489	0.01
SCM	3.84	0.06	18,203	3.78	SAMTEL	6.75	(0.10)	1,568	6.78	KCE11C2502A	0.03	0.01	23	0.03
SCM-W2	0.82	(0.10)	6,848	0.83	SDC	0.06	(0.01)	300,219	0.06	KCE13C2412A	-	-	-	-
SINGER	9.00	(0.40)	36,883	9.11	SIS	27.50	(0.50)	3,085	27.85	KCE13C2412B	-	-	-	-
SPC	59.00	0.75	782	58.71	SKY	23.00	(0.02)	3,276	23.20	KCE13C2501A	0.01	-	4,000	0.01
SPI	-	-	-	-	SPREME	1.81	0.14	188,301	1.85	KCE13C2503A	0.04	0.01	9,492	0.04
SVT	1.61	0.02	5,173	1.63	SVOA	1.28	(0.03)	2,313	1.29	KCE13C2503B	0.06	-	13,900	0.06
TAN	8.55	(0.20)	6,345	8.68	SYMC	8.15	(0.25)	3,414	8.26	KCE13C2504A	0.13	-	46,790	0.13
Information & Commr					SYNEX	15.00	(0.20)	15,028	15.14	KCE13P2412A	-	-	-	-
3BBIF	5.70	(0.15)	97,617	5.75	THCOM	12.60	(1.00)	234,998	12.88	KCE13P2501A	0.46	0.01	62	0.43
ADVANC	286.00	1.00	72,837	282.93	TKC	11.40	(0.30)	291	11.54	KCE13P2503A	0.37	0.01	51,187	0.37
ADVANC01C2412A	0.61	(0.05)	600	0.62	TRUE	11.90	0.10	468,197	11.84	KCE19C2412A	-	-	-	-
ADVANC01C2501A	0.43	0.01	13,547	0.40	TRUE01C2501A	0.16	-	18,912	0.17	KCE19C2501A	-	-	-	-
ADVANC01C2503A	0.70	0.01	193,166	0.34	TRUE01C2503A	0.17	-	30,593	0.18	KCE19C2503A	0.04	(0.01)	168	0.04
ADVANC01C2503B	0.40	-	43,413	0.37	TRUE01P2412W	0.01	-	100	0.01	KCE19C2503B	-	-	-	-
ADVANC01P2412X	-	-	-	-	TRUE01P2503A	0.26	(0.01)	12,197	0.26	KCE19C2504A	0.17	-	68,392	0.17
ADVANC01P2502X	0.09	-	12	0.09	TRUE11C2411A	-	-	-	-	KCE19P2412A	-	-	-	-
ADVANC01P2503X	0.32	(0.02)	44,764	0.34	TRUE11C2501A	0.20	-	3,809	0.21	KCE19P2501A	-	-	-	-
ADVANC06C2411A	-	-	-	-	TRUE11C2501B	0.13	0.01	3,000	0.13	KCE19P2504A	0.44	0.01	47,395	0.44
ADVANC06C2501A	0.29	(0.03)	21,328	0.29	TRUE13C2412A	-	-	-	-	KCE41C2501A	-	-	-	-
ADVANC11C2412A	0.46	-	405	0.45	TRUE13C2412B	0.08	-	12,990	0.08	KCE41C2502A	0.01	(0.01)	2	0.01
ADVANC13C2412A	-	-	-	-	TRUE13C2503A	0.16	(0.01)	36,690	0.16	KCE41C2504A	0.13	-	12,631	0.13
ADVANC13C2412B	0.28	(0.01)	50	0.28	TRUE13P2412A	-	-	-	-	METCO	191.00	(0.50)	26	191.19
ADVANC13C2501A	0.21	-	80,777	0.19	TRUE13P2503A	0.20	(0.01)	19,259	0.20	SMT	1.63	(0.04)	23,890	1.66
ADVANC13C2502A	0.14	-	32,340	0.13	TRUE19C2501A	0.19	-	9,567	0.19	SVI	7.15	(0.20)	42,163	7.21
ADVANC13C2503A	0.40	0.01	68,182	0.37	TRUE19C2503A	0.17	-	34,783	0.17	TEAM	3.00	(0.14)	17,785	3.03
ADVANC13C2503B	0.24	(0.01)	110,676	0.23	TRUE41C2501A	0.19	0.01	29,600	0.19	Energy & Utilities	-	-	-	-
ADVANC13P241														

Main Board Quotation

Issue Date :

Friday November 15, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANPU13C2412A	-	-	-	-	EP-W4	0.02	0.01	2,765	0.02	PTTEP11C2501A	-	-	-	-
BANPU13C2412B	-	-	-	-	ETC	1.87	(0.23)	49,412	1.96	PTTEP11C2501B	-	-	-	-
BANPU13C2501A	0.04	(0.02)	5,522	0.04	GPSC	40.75	(0.25)	73,675	40.51	PTTEP13C2502A	0.12	-	3,000	0.12
BANPU13C2502A	0.04	-	2,075	0.04	GPSC01C2412A	-	-	-	-	PTTEP13C2412A	-	-	-	-
BANPU13C2503A	0.14	(0.02)	47,181	0.14	GPSC01C2501A	0.18	(0.01)	19,226	0.17	PTTEP13C2501A	0.02	0.01	437	0.01
BANPU13P2501A	-	-	-	-	GPSC01C2502A	0.06	(0.01)	8,200	0.06	PTTEP13C2502A	0.06	0.02	2,567	0.06
BANPU13P2502A	0.30	0.02	12,233	0.29	GPSC01C2504W	0.24	(0.02)	21,594	0.24	PTTEP13C2503A	0.14	0.02	20,879	0.13
BANPU19C2501A	-	-	-	-	GPSC01P2502A	0.24	0.01	31,417	0.25	PTTEP13C2504A	0.27	0.03	85,516	0.25
BANPU19C2502A	0.09	(0.02)	5,146	0.09	GPSC11C2411A	-	-	-	-	PTTEP13P2502A	0.53	(0.06)	18,390	0.56
BANPU19C2502B	0.05	-	1,050	0.05	GPSC11C2501A	-	-	-	-	PTTEP19C2412A	-	-	-	-
BANPU19C2504A	0.20	(0.02)	95,753	0.21	GPSC11C2502A	0.19	(0.02)	4,102	0.19	PTTEP19C2502A	0.06	-	180	0.06
BANPU41C2501A	0.14	(0.03)	102,549	0.14	GPSC13C2412A	0.02	(0.01)	100	0.02	PTTEP19C2503A	0.16	0.02	27,625	0.15
BANPU41C2502A	-	-	-	-	GPSC13C2501A	0.13	(0.01)	29,706	0.13	PTTEP19C2504A	0.27	0.02	18,626	0.26
BBGI	4.64	(0.26)	38,450	4.77	GPSC13C2501B	0.04	-	1,919	0.04	PTTEP41C2412A	0.01	-	11,150	0.01
BCP	29.25	(1.25)	270,246	29.20	GPSC13C2503A	0.15	(0.01)	24,780	0.15	PTTEP41C2502A	0.05	(0.07)	60	0.05
BCP01C2412A	-	-	-	-	GPSC13P2501A	0.27	0.01	53,758	0.28	PTTEP41C2503A	0.16	-	32,816	0.16
BCP01C2501A	0.03	(0.02)	350	0.03	GPSC19C2501A	0.14	(0.01)	11,346	0.14	PTTEP41C2604T	0.19	-	3	0.19
BCP01C2502A	0.02	-	1,500	0.02	GPSC19C2502A	-	-	-	-	PTTEP41P2412A	-	-	-	-
BCP01C2504A	0.12	(0.04)	28,743	0.12	GPSC19C2503A	0.16	(0.01)	18,472	0.17	PTTEP41P2503A	0.47	(0.03)	23,115	0.49
BCP01P2502A	0.47	0.06	15,455	0.47	GPSC41C2412A	0.04	-	25	0.04	RATCH	29.75	-	27,161	29.99
BCP11C2501A	-	-	-	-	GPSC41C2502A	-	-	-	-	RATCH01C2503A	0.11	-	27,504	0.11
BCP11C2502A	-	-	-	-	GPSC41C2504A	0.28	(0.01)	28,086	0.27	RATCH13C2412A	-	-	-	-
BCP13C2412A	0.01	-	249	0.01	GREEN	1.07	(0.02)	6,320	1.07	RATCH13C2503A	0.09	(0.01)	8,126	0.09
BCP13C2501A	0.01	-	10	0.01	GULF	61.00	(3.50)	431,705	62.29	RATCH19C2412A	-	-	-	-
BCP13C2503A	0.07	(0.03)	52,687	0.07	GULF01C2412A	0.61	(0.31)	5,515	0.76	RATCH19C2502A	-	-	-	-
BCP13P2501A	-	-	-	-	GULF01C2502A	0.34	(0.17)	12,041	0.39	RPC	0.48	-	23,647	0.47
BCP19C2412A	-	-	-	-	GULF01C2502B	0.22	(0.13)	352,397	0.27	SCG	3.48	-	50	3.48
BCP19C2501A	-	-	-	-	GULF01C2503A	0.14	(0.08)	61,977	0.17	SCN	0.72	(0.03)	16,833	0.74
BCP19C2503A	0.11	(0.02)	1,650	0.10	GULF01P2501A	0.03	0.01	55	0.03	SCN-W2	0.08	-	8,347	0.08
BCP19C2503B	-	-	-	-	GULF06C2503A	0.24	(0.11)	36,719	0.30	SCN-W3	-	-	-	-
BCP41C2502A	-	-	-	-	GULF13C2412A	0.80	(0.38)	500	1.05	SEAOL	2.64	(0.02)	1,800	2.65
BCP41C2504A	0.12	(0.04)	40,300	0.13	GULF13C2412B	-	-	-	-	SGP	7.30	-	969	7.22
BCPG	5.55	(0.10)	57,427	5.60	GULF13C2501A	0.23	(0.14)	122,264	0.30	SKE	0.33	0.01	9,260	0.33
BCPG01C2502A	-	-	-	-	GULF13C2502A	0.17	(0.11)	435,180	0.22	SKE-W1	0.07	-	532	0.07
BCPG13C2501A	0.03	-	10,000	0.03	GULF13C2502B	0.10	(0.07)	339,105	0.13	SOLAR	0.48	-	13,096	0.49
BCPG13C2502A	-	-	-	-	GULF13P2412A	0.01	-	4	0.01	SPCG	8.10	(0.35)	7,925	8.20
BCPG19C2503A	0.07	-	30	0.07	GULF13P2501A	-	-	-	-	SPRC	6.05	0.05	200,856	6.11
BGRIM	20.20	(0.20)	102,059	20.17	GULF13P2502A	0.09	0.02	4,794	0.08	SPRC01C2502A	0.06	(0.01)	37,046	0.07
BGRIM01C2501A	0.10	(0.01)	14,311	0.11	GULF13P2502B	0.35	0.10	432,932	0.30	SPRC13C2412A	-	-	-	-
BGRIM01C2502A	0.08	(0.01)	830	0.08	GULF19C2412A	-	-	-	-	SPRC13C2501A	0.03	0.01	4	0.03
BGRIM01C2503A	0.03	(0.01)	500	0.03	GULF19C2501A	-	-	-	-	SPRC13C2503A	0.09	-	21,494	0.10
BGRIM01C2504A	0.23	(0.02)	13,324	0.23	GULF19C2502A	0.39	(0.06)	11,426	0.42	SPRC19C2501A	-	-	-	-
BGRIM11C2412A	0.04	(0.08)	270	0.04	GULF19C2503A	0.26	(0.12)	108,296	0.31	SPRC19C2503A	0.11	-	12,053	0.12
BGRIM11C2501A	-	-	-	-	GULF19C2503B	0.16	(0.09)	132,335	0.21	SSP	5.65	(0.10)	2,948	5.69
BGRIM11C2502A	0.17	(0.03)	5,060	0.17	GULF19P2501A	-	-	-	-	SSP-W2	0.06	(0.02)	60,336	0.06
BGRIM13C2412A	-	-	-	-	GULF19P2503A	0.43	0.11	152,195	0.36	SUPER	0.28	0.01	382,797	0.28
BGRIM13C2502A	0.07	(0.01)	2,533	0.06	GULF41C2502A	0.56	(0.18)	2,050	0.71	SUPEREIF	6.70	-	662	6.71
BGRIM13C2503A	0.18	(0.01)	17,880	0.18	GULF41C2502B	0.33	(0.16)	62,560	0.40	SUSCO	3.06	0.02	6,543	3.06
BGRIM13C2504A	0.33	(0.67)	38,347	0.34	GULF41C2605T	0.71	(0.09)	103,751	0.76	TAE	0.86	-	271	0.86
BGRIM19C2501A	0.12	(0.02)	13,982	0.13	GUNKUL	2.30	(0.10)	162,653	2.32	TCC	0.45	(0.01)	1,744	0.44
BGRIM19C2502A	0.10	(0.01)	11,463	0.10	GUNKUL13C241	0.05	(0.04)	1,400	0.05	TCC-W5	0.18	(0.01)	86	0.18
BGRIM41C2412A	0.01	-	2,599	0.01	GUNKUL13C250	-	-	-	-	TGE	2.42	(0.04)	2,190	2.45
BGRIM41C2502A	0.09	(0.02)	3,200	0.10	GUNKUL19C241	-	-	-	-	TGE-W1	1.24	(0.05)	45	1.23
BGRIM41C2504A	0.29	(0.02)	24,815	0.29	IRPC	1.36	(0.02)	144,601	1.37	TOP	40.00	(1.25)	189,990	39.96
BIOTEC	0.27	(0.02)	12,833	0.27	IRPC01C2502A	-	-	-	-	TOP01C2412A	-	-	-	-
BIOTEC-P	-	-	-	-	IRPC01C2504A	0.19	-	3,094	0.19	TOP01C2503A	0.05	(0.01)	2,352	0.05
BIOTEC-Q	-	-	-	-	IRPC13C2412A	-	-	-	-	TOP01C2504A	0.15	(0.03)	13,485	0.15
BIOTEC-W2	0.06	-	1,382	0.06	IRPC13C2501A	-	-	-	-	TOP01P2504A	0.40	0.04	27,397	0.40
BPP	11.30	(0.20)	2,481	11.34	IRPC13C2502A	0.07	(0.01)	3,000	0.07	TOP11C2412A	-	-	-	-
BRRGIF	3.76	0.02	3,845	3.75	IRPC13C2503A	0.16	(0.02)	9,730	0.17	TOP11C2501A	0.01	(0.02)	52	0.01
BSRC	7.30	(0.15)	6,865	7.31	IRPC19C2501A	-	-	-	-	TOP11C2502A	-	-	-	-
CKP	3.22	(0.08)	43,181	3.25	IRPC19C2502A	-	-	-	-	TOP13C2412A	-	-	-	-
CKP01C2504A	0.15	(0.02)	10,406	0.16	IRPC19C2503A	0.14	(0.01)	4,936	0.14	TOP13C2502A	-	-	-	-
CKP13C2412A	0.02	-	1	0.02	KBSPIF	7.80	-	311	7.80	TOP13C2503A	0.07	(0.03)	3,205	0.08
CKP13C2501A	-	-	-	-	LANNA	15.90	-	3,276	15.91	TOP13C2503B	0.12	(0.03)	41,587	0.12
CKP19C2502A	-	-	-	-	MDX	3.82	0.08	28,377	3.90	TOP13P2503A	0.35	0.03	36,835	0.35
CV	0.21	(0.01)	18,960	0.22	NOVA	10.00	-	10	10.00	TOP19C2412A	-	-	-	-
CV-W1	0.15	(0.01)	3,703	0.15	OR	14.20	0.10	41,725	14.17	TOP19C2502A	-	-	-	-
DEMCO	3.26	(0.06)	343	3.24	OR01C2412A	-	-	-	-	TOP19C2503A	-	-	-	-
DEMCO-W7	-	-	-	-	OR01C2502A	0.07	(0.02)	250	0.07	TOP19C2503B	0.14	(0.04)	18,435	0.15
EA	5.80	(0.05)	1,792,313	6.06	OR01C2503A	-	-	-	-	TOP41C2412A	0.01	(0.01)	1,000	0.01
EA01C2412A	-	-	-	-	OR13C2501A	-	-	-	-	TOP41C2502A	0.04	-	15	0.04
EA01C2412W	0.02	-	3	0.02	OR13C2501B	-	-	-	-	TOP41C2503A	0.19	(0.04)	36,600	0.19
EA06C2412A	0.06	(0.01)	21,983	0.11	OR13C2503A	0.14	(0.01)	3,500	0.14	TPIPP	3.00	(0.04)	34,161	3.01
EA13C2412A	0.02	-	3,258	0.02	OR19C2501A	-	-	-	-	TSE	0.91	(0.03)	21,091	0.92
EA13C2412B	0.04	0.02	458	0.02	OR19C2502A	0.04	-	8	0.04	TTW	8.90	-	12,877	8.91
EA13C2412C	0.18	(0.03)	159,022	0.22	OR19C2503A	-	-	-	-	UBE	0.75	-	55,382	0.75
EA13C2412D	0.02	-	6,756	0.03	OR19C2504A	0.19	(0.01)	25,413	0.19	WHAUP	4.80	0.06	79,538	4.79
EA13C2412E	-	-	-	-	OR41C2501A	-	-	-	-	WP	3.52	-	314	3.53
EA13C2501A	0.31	(0.01)	4,232	0.32	OR41C2502A	-	-	-	-	Media & Publishing	-	-	-	-
EA13C2501B	0.02	-	18,538	0.02	OR41C2605T	0.13	(0.01)	5,035	0.13	AMARIN	-	-	-	-
EA13C2501C	0.03	-	4,049	0.04	PRIME	0.20	-	94,502	0.20	AQUA	0.33	-	18,618	0.33
EA13C2502A	0.08	-	170,362	0.11	PTG	9.20	(0.30)	34,824	9.34	AS	3.50	(0.14)	15,044	3.55
EA13C2503A	0.12	(0.01)	215,537	0.16	PTT	32.50	-	107,861	32.62	BEC	3.92	(0.04)	2,899	3.93
EA13C2503B	0.20	(0.80)	649,171	0.23	PTT01C2412A	-	-	-	-	FE	-	-	-	-
EA13P2501A	0.50	(0.01)	87,047	0.47	PTT01C2502A	-	-	-	-	GPI	1.65	0.02	3,851	1.63
EA19C2412A	-	-	-	-	PTT01C2505A	-	-	-	-	GRAMMY	8.15	(0.20)	248	8.13
EA19C2412B	0.06	-	9,502	0.07	PTT11C2501A</									

Main Board Quotation

Issue Date :

Friday November 15, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTECH	1.11	(0.15)	449	1.17	MTC13C2503A	0.25	(0.04)	36,190	0.28	FM	3.96	0.12	150,938	3.98
SE-ED	2.04	-	120	2.04	MTC13P2412A	-	-	-	-	GLOCON	0.20	-	31,167	0.20
TKS	6.65	-	1,750	6.59	MTC13P2502A	0.30	0.02	43,300	0.28	HTC	16.30	(0.70)	5,876	16.48
VGI	2.36	(0.20)	1,083,799	2.42	MTC19C2412A	0.11	(0.04)	28,965	0.13	ICHI	15.30	(0.30)	156,903	15.28
VGI-W3	0.08	-	34,776	0.08	MTC19C2502A	0.16	(0.02)	14,817	0.17	ICHI01C2503A	0.18	(0.02)	18,305	0.19
VGI01C2501A	0.86	(0.24)	3,480	0.92	MTC19C2504A	0.30	(0.03)	93,320	0.32	ICHI13C2501A	0.10	(0.02)	8,956	0.11
VGI01C2501B	0.16	(0.08)	18,218	0.19	MTC19P2501A	-	-	-	-	ITC	21.30	0.10	54,272	21.27
VGI01C2502A	0.09	(0.05)	34,767	0.11	MTC41C2412A	0.25	(0.09)	2,000	0.25	ITC01C2412A	-	-	-	-
VGI01P2412X	0.01	-	200	0.01	MTC41C2502A	0.12	(0.03)	32,000	0.13	ITC01C2501A	0.14	(0.01)	18,743	0.14
VGI01P2501X	0.08	0.02	2,590	0.08	NCAP	1.80	(0.10)	95,731	1.84	ITC01C2503A	0.04	-	863	0.04
VGI06C2502A	0.10	(0.04)	9,671	0.13	PL	1.70	(0.06)	1,025	1.70	ITC01C2504A	0.33	(0.67)	8,192	0.33
VGI13C2412A	0.44	0.09	250	0.45	S11	2.50	0.04	556	2.50	ITC11C2501A	0.13	(0.04)	606	0.14
VGI13C2501A	0.21	(0.08)	47,158	0.22	SAK	5.35	(0.25)	22,700	5.43	ITC11C2501B	-	-	-	-
VGI13C2501B	0.09	(0.05)	49,275	0.11	SAWAD	37.75	-	40,452	37.90	ITC13C2501A	0.10	(0.01)	6,842	0.10
VGI13P2412A	-	-	-	-	SAWAD-W2	0.41	(0.01)	2,945	0.40	ITC13C2502A	-	-	-	-
VGI13P2501A	0.24	0.07	8,883	0.22	SAWAD01C2501	0.50	(0.04)	4,924	0.50	ITC13C2504A	0.38	0.01	16,603	0.38
VGI19C2501A	0.15	(0.07)	39,701	0.18	SAWAD01C2501	0.16	-	41,900	0.16	ITC19C2501A	0.14	(0.01)	12,389	0.14
VGI19C2502A	0.12	(0.05)	29,582	0.13	SAWAD01C2502	-	-	-	-	ITC19C2503A	0.06	(0.01)	100	0.06
VGI19P2501A	-	-	-	-	SAWAD01C2504	0.23	-	38,700	0.24	JDF	2.10	(0.02)	1,495	2.09
VGI41C2412A	-	-	-	-	SAWAD01P2501	0.04	0.01	300	0.04	KBS	5.80	-	3,853	5.83
VGI41C2412B	-	-	-	-	SAWAD01P2502	0.18	(0.01)	219,227	0.18	KCG	9.15	(0.25)	28,918	9.30
VGI41C2501A	0.20	(0.11)	38,450	0.24	SAWAD13C2412	-	-	-	-	KSL	1.94	-	5,181	1.94
VGI41C2502A	0.09	(0.05)	21,038	0.11	SAWAD13C2412	-	-	-	-	KTIS	2.90	-	218	2.84
WORK	8.10	-	1,745	8.10	SAWAD13C2501	0.06	-	1,750	0.06	LST	4.94	(0.11)	1,474	4.98
ZAA	0.86	(0.05)	607	0.90	SAWAD13C2503	0.19	(0.01)	55,662	0.20	M	25.00	(0.75)	18,681	25.11
Finance & Securities	-	-	-	-	SAWAD13P2501	-	-	-	-	MALEE	9.25	(0.20)	38,364	9.19
AEONTS	125.50	(1.00)	1,019	126.05	SAWAD19C2412	0.09	(0.01)	22,074	0.10	NRF	1.54	0.02	111,716	1.55
AEONTS13C2412A	0.05	(0.01)	1,504	0.05	SAWAD19C2501	-	-	-	-	NSL	33.00	-	4,512	32.78
AMANAH	1.15	(0.03)	12,033	1.15	SAWAD19C2502	0.13	(0.01)	12,264	0.13	OKJ	14.70	(0.50)	50,537	14.88
ASAP	2.14	(0.10)	162	2.15	SAWAD19C2504	0.24	-	42,667	0.24	OSP	21.00	-	87,897	20.96
ASK	10.40	-	4,826	10.50	SAWAD19P2501	-	-	-	-	OSP01C2412A	-	-	-	-
ASP	2.46	(0.04)	16,314	2.46	SAWAD19P2501	-	-	-	-	OSP01C2503A	0.12	-	29,296	0.12
BAM	6.75	(0.10)	133,474	6.84	SAWAD41C2501	0.14	(0.01)	52,200	0.15	OSP01C2504A	0.35	(0.01)	29,984	0.35
BAM01C2501A	-	-	-	-	SAWAD41C2502	0.06	-	500	0.06	OSP11C2501A	0.11	(0.01)	4,000	0.11
BAM01C2502A	-	-	-	-	SCAP	2.00	(0.14)	31,655	2.05	OSP11C2502A	0.23	(0.02)	1,208	0.24
BAM01C2504A	0.20	(0.01)	32,504	0.20	SGC	1.29	(0.05)	168,820	1.31	OSP13C2412A	-	-	-	-
BAM13C2412A	0.01	(0.06)	219	0.01	SGC-W1	0.29	(0.02)	19,450	0.30	OSP13C2412B	-	-	-	-
BAM13C2501A	-	-	-	-	SGC-W2	0.37	(0.03)	51,300	0.39	OSP13C2501A	0.08	-	30	0.08
BAM13C2503A	0.07	(0.01)	600	0.07	SM	1.00	-	2,789	0.99	OSP13C2503A	0.26	(0.01)	7,033	0.26
BAM13C2503B	0.13	-	8,732	0.13	TH	0.84	(0.02)	103,804	0.89	OSP19C2412A	-	-	-	-
BAM19C2412A	-	-	-	-	TH-W3	0.15	0.01	15,731	0.15	OSP19C2502A	0.10	-	18,464	0.10
BAM19C2502A	-	-	-	-	THANI	1.73	0.01	26,845	1.73	OSP19C2503A	0.27	(0.02)	25,598	0.28
BAM19C2503A	0.12	(0.03)	9,911	0.13	TIDLOR	17.60	(0.10)	195,513	17.69	OSP41C2503A	0.25	(0.01)	10,000	0.24
BAM19C2504A	0.25	(0.01)	127,090	0.26	TIDLOR13C2412	0.05	(0.02)	432	0.06	PB	58.75	(1.25)	34	59.35
BYD	0.79	(0.01)	401,855	0.82	TIDLOR13C2501	0.06	-	20,403	0.07	PLUS	5.20	-	4,832	5.22
BYD13C2412A	-	-	-	-	TIDLOR13C2501	0.27	(0.02)	135,174	0.28	PM	9.45	-	10,735	9.43
BYD13C2412B	-	-	-	-	TIDLOR19C2501	0.43	(0.01)	9,708	0.45	PQS	2.52	(0.04)	1,682	2.56
BYD19C2501A	0.03	0.02	1,234	0.03	TIDLOR19C2501	0.17	(0.01)	101,183	0.19	PRG	-	-	-	-
CGH	0.67	0.01	6,095	0.66	TK	4.66	0.04	1,207	4.55	PRG-W2	-	-	-	-
CGH-W5	-	-	-	-	TNITY	4.34	0.08	12,452	4.36	PRG-W3	-	-	-	-
CHASE	1.19	(0.04)	11,198	1.20	TNL	33.75	(1.75)	112	34.00	PRG-W4	-	-	-	-
CHASE-W1	0.80	(0.02)	2,896	0.81	UOBKH	5.00	(0.10)	280	4.97	RBF	5.75	0.10	58,674	5.72
CHAYO	3.14	(0.14)	19,560	3.21	XPG	0.90	(0.01)	173,493	0.90	RBF01C2501W	0.10	0.01	15,762	0.10
CHAYO-W3	0.16	-	3,433	0.16	Food & Beverage	-	-	-	-	RBF13C2412A	-	-	-	-
ECL	0.93	(0.01)	1,697	0.93	AAI	5.70	(0.20)	70,457	5.77	RBF13C2501A	0.05	0.01	448	0.04
FNS	2.38	(0.04)	1,556	2.32	APURE	4.24	-	4,759	4.17	RBF13C2503A	0.23	0.04	15,854	0.22
FSX	2.46	(0.06)	46	2.43	APURE-W3	0.01	-	100	0.01	RBF19C2501A	0.10	0.02	3,458	0.10
GBX	0.67	(0.03)	8,145	0.68	ASIAN	8.85	(0.10)	11,982	8.87	RBF19C2503A	0.27	0.02	35,472	0.26
GL	-	-	-	-	BR	1.86	0.01	5,123	1.84	SAPPE	73.75	(1.75)	13,558	73.80
HENG	1.26	(0.03)	16,747	1.28	BR-W1	0.07	-	4,378	0.07	SAPPE01C2502A	0.44	(0.06)	43,167	0.44
IFS	2.54	-	694	2.52	BRR	4.60	0.24	14,100	4.64	SAPPE01C2504A	0.97	(0.08)	21,305	0.96
JMT	17.60	(0.80)	257,629	17.90	BRR-W2	0.38	0.04	14,593	0.41	SAPPE13C2501A	0.09	(0.02)	11,806	0.10
JMT-W4	0.01	(0.01)	42,853	0.02	BTG	19.50	(0.20)	13,571	19.64	SAPPE13C2501B	0.22	(0.05)	45,455	0.23
JMT01C2412A	-	-	-	-	CBG	77.50	(2.25)	26,493	78.25	SAPPE13C2502A	0.58	(0.08)	231,487	0.60
JMT01C2412W	0.48	(0.18)	1,932	0.51	CBG01C2412W	0.11	(0.09)	31,766	0.13	SAPPE19C2501A	0.28	(0.05)	28,611	0.30
JMT01C2501A	0.24	(0.09)	34,019	0.27	CBG01C2501W	0.52	(0.18)	3,958	0.52	SAPPE19C2502A	0.64	(0.07)	93,793	0.65
JMT01C2502A	0.21	(0.05)	29,758	0.23	CBG01C2502W	0.39	(0.10)	22,189	0.44	SAUCE	39.50	0.25	107	39.35
JMT01C2504A	0.48	(0.52)	23,554	0.51	CBG01C2503A	0.33	(0.08)	36,870	0.37	SNPN	12.00	(0.10)	2,757	11.99
JMT13C2412A	-	-	-	-	CBG01P2412W	-	-	-	-	SNNP13C2412A	-	-	-	-
JMT13C2412B	-	-	-	-	CBG01P2502X	0.27	0.04	28,208	0.25	SNNP19C2501A	-	-	-	-
JMT13C2501A	0.25	(0.07)	77,804	0.27	CBG01P2504W	0.81	0.06	39,531	0.78	SNP	11.50	(0.30)	1,712	11.49
JMT13C2501B	0.12	(0.04)	52,528	0.14	CBG06C2411A	-	-	-	-	SORKON	4.36	(0.06)	1,446	4.37
JMT13C2502A	0.11	(0.04)	59,899	0.13	CBG13C2412A	0.15	(0.12)	223,242	0.20	SSC	63.00	-	20	63.03
JMT19C2412A	-	-	-	-	CBG13C2501A	0.23	(0.06)	86,202	0.25	SSF	6.95	(0.05)	25	6.95
JMT19C2501A	0.29	(0.07)	50,104	0.30	CBG13C2503A	0.48	(0.08)	99,460	0.51	SST	4.80	0.28	2	4.66
JMT19C2503A	0.19	(0.06)	30,786	0.21	CBG13P2412A	-	-	-	-	SUN	4.06	(0.22)	105,761	4.14
JMT19C2504A	0.30	(0.08)	52,708	0.33	CBG13P2502A	0.26	0.03	33,729	0.25	TC	7.55	(0.05)	1,532	7.51
JMT41C2412A	0.05	(0.06)	1,509	0.08	CBG19C2412A	-	-	-	-	TFG	3.82	(0.04)	141,626	3.84
JMT41C2501A	0.30	(0.09)	50,144	0.34	CBG19C2502A	0.36	(0.09)	73,462	0.40	TFG-W4	0.74	-	2,905	0.76
KCAR	4.72	(0.02)	217	4.73	CBG19P2412A	-	-	-	-	TFMAMA	199.50	(0.50)	18	199.97
KGI	4.28	(0.04)	6,477	4.30	CBG19P2502A	0.22	0.03	40,921	0.20	TIPCO	9.70	0.05	2,616	9.67
KTC	46.50	-	23,472	46.32	CBG41C2412A	0.17	(0.14)	5,629	0.18	TKN	9.50	(0.25)	77,269	9.57
KTC01C2412W	-	-	-	-	CBG41C2503A	0.38	(0.08)	80,450	0.42	TKN01C2501A	-	-	-	-
KTC01C2503A	0.23	(0.01)	27,987	0.23	CFRESH	1.54	(0.07)	9,409	1.55	TKN13C2412A	-	-	-	-
KTC11C2502A	-	-	-	-	CH	2.06	(0.04)	7,980	2.08	TKN13C2412B	-	-	-	-
KTC13C2412A	-	-	-	-	CHAO	7.90	(0.05)	12,649	7.88	TU	13.90	(0.20)	132,009	13.90
KTC13C2412B	0.12	(0.01)	34,434	0.12	CHOTI									

Main Board Quotation

Issue Date :

Friday November 15, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BCH13C2501A	0.12	(0.02)	8,676	0.13	MINT13C2412A	-	-	-	-	SFLEX-W2	0.08	(0.01)	9,517	0.09
BCH13C2501B	0.06	-	1	0.06	MINT13C2412B	0.02	-	713	0.01	SITHAI	1.41	0.01	16,116	1.40
BCH19C2501A	0.16	(0.02)	25,066	0.16	MINT13C2503A	0.09	-	5,400	0.09	SLP	0.46	(0.01)	6,246	0.46
BCH19C2502A	0.12	(0.01)	14,142	0.13	MINT19C2501A	-	-	-	-	SMPC	9.25	-	918	9.22
BDMS	27.00	-	548,796	26.90	MINT19C2502A	-	-	-	-	SPACK	1.83	(0.02)	730	1.83
BDMS01C2412A	-	-	-	-	MINT19C2504A	0.15	(0.01)	45,072	0.15	TCOAT	-	-	-	-
BDMS01C2503A	0.05	(0.01)	600	0.05	MINT41C2412A	-	-	-	-	TFI	0.07	-	2,744	0.07
BDMS01C2503B	0.11	(0.01)	29,970	0.12	MINT41C2501A	-	-	-	-	TFI-W1	0.03	0.01	60	0.03
BDMS11C2411A	-	-	-	-	MINT41C2502A	-	-	-	-	THIP	28.50	(0.50)	132	28.67
BDMS11C2501A	-	-	-	-	MINT41C2504A	0.14	-	63,200	0.14	TMD	24.60	0.10	116	24.48
BDMS11C2502A	0.10	(0.03)	5,501	0.11	MINT41C2604T	-	-	-	-	TOPP	-	-	-	-
BDMS13C2502A	-	-	-	-	OHTL	340.00	(17.00)	15	348.40	TPAC	11.00	-	496	10.96
BDMS13C2504A	0.15	-	22,372	0.15	ROH	-	-	-	-	TPBI	4.20	0.08	1,823	4.11
BDMS19C2502A	-	-	-	-	SHANG	-	-	-	-	TPP	12.60	(0.20)	317	12.53
BDMS19C2503A	0.10	(0.01)	31,765	0.10	SHR	2.06	-	18,471	2.06	Personal Products	-	-	-	-
BDMS41C2412A	-	-	-	-	SPA	7.15	(0.20)	21,719	7.21	APCO	4.96	(0.09)	817	4.99
BDMS41C2502B	0.11	(0.01)	67,420	0.11	VRANDA	5.30	0.05	839	5.30	BIZ	3.44	(0.02)	1,431	3.44
BH	207.00	(3.00)	128,523	207.04	Home & Office P	-	-	-	-	BLC	5.45	0.05	32,196	5.39
BH-P	-	-	-	-	AJA	0.14	-	23,815	0.15	DDD	8.80	(0.50)	746	8.82
BH-Q	-	-	-	-	AJA-W4	0.01	-	9,755	0.01	IP	3.40	(0.32)	20,538	3.36
BH01C2412A	-	-	-	-	DTCI	-	-	-	-	IP-W2	0.24	-	2,398	0.22
BH01C2502A	0.02	-	3,350	0.02	FANCY	0.36	(0.02)	3,264	0.37	JCT	-	-	-	-
BH01C2504A	0.32	(0.02)	262,449	0.32	FTI	2.08	(0.02)	4,719	2.07	KISS	4.78	(0.02)	12,968	4.79
BH01P2412X	0.36	0.01	4,346	0.39	KYE	291.00	-	1	291.00	NAM	4.58	0.06	1,117	4.58
BH01P2502X	1.08	0.06	8,231	1.10	L&E	1.11	(0.06)	288	1.20	NEO	36.25	(0.75)	3,587	36.45
BH01P2504A	0.73	(0.27)	18,030	0.74	MODERN	2.60	(0.10)	478	2.61	NV	0.96	(0.06)	1,509	0.99
BH11C2411A	-	-	-	-	OGC	20.40	(0.10)	6	20.43	OCC	-	-	-	-
BH13C2501A	0.02	-	5,105	0.02	ROCK	10.90	(0.20)	49	10.23	S&J	37.00	(2.00)	113	37.85
BH13C2503A	0.16	(0.02)	268,054	0.17	SIAM	1.12	-	1,102	1.09	STGT	9.80	0.20	90,603	9.92
BH13P2412A	0.08	0.02	205	0.10	TCMC	0.72	0.01	4,072	0.73	STGT01C2412A	0.01	-	150	0.01
BH13P2501A	-	-	-	-	TSR	-	-	-	-	STGT01C2412B	0.08	0.06	23	0.08
BH13P2503A	0.72	0.03	82,387	0.72	TSR-W2	-	-	-	-	STGT01C2501A	-	-	-	-
BH19C2501A	-	-	-	-	Insurance	-	-	-	-	STGT01C2502A	0.06	(0.02)	2,726	0.07
BH19C2502A	0.02	-	1,180	0.02	AYUD	31.50	-	43	31.35	STGT01C2503A	0.15	0.01	43,080	0.17
BH19C2504A	0.16	(0.01)	53,876	0.16	BKIH	297.00	-	101	296.45	STGT01C2504A	0.59	(0.41)	14,536	0.62
BH19P2504A	0.88	0.03	7,077	0.88	BLA	20.30	(0.60)	45,255	20.59	STGT01P2502A	0.44	(0.02)	18,433	0.42
BH41C2504A	0.21	(0.02)	61,709	0.21	BLA01C2503A	0.21	0.01	58	0.22	STGT13C2412A	-	-	-	-
BH41C2605T	0.26	(0.01)	5,710	0.25	BLA13C2501A	0.15	(0.05)	45,370	0.16	STGT13C2412B	0.04	0.01	26,417	0.05
BKGI	2.28	(0.10)	42,500	2.30	BLA13C2502A	0.10	(0.02)	40,526	0.12	STGT13C2501A	0.02	-	5	0.02
CHG	2.76	(0.12)	549,115	2.83	BLA13C2502B	-	-	-	-	STGT13C2502A	0.10	0.01	83,750	0.11
CHG01C2501A	0.15	(0.05)	20,145	0.19	BLA19C2502A	0.25	(0.06)	21,481	0.29	STGT13C2503A	0.56	0.03	135,390	0.58
CHG13C2412A	-	-	-	-	BLA19C2502B	0.10	(0.03)	7,292	0.12	STGT13P2502A	0.41	(0.03)	94,595	0.40
CHG13C2504A	0.19	(0.05)	36,021	0.23	BLA19C2502C	-	-	-	-	STGT19C2412A	-	-	-	-
CHG19C2412A	0.10	(0.01)	2,846	0.11	BUI	16.40	(0.10)	182	16.30	STGT19C2502A	0.04	(0.01)	11	0.04
CMR	1.79	-	280	1.79	CHARAN	21.90	(0.10)	53	21.91	STGT19C2503A	0.13	0.01	10,130	0.14
EKH	6.55	0.10	2,090	6.50	INSURE	-	-	-	-	STGT19C2504A	0.59	0.01	50,952	0.61
KDH	96.75	0.75	16	96.41	KWI	0.33	(0.01)	6,077	0.33	STGT19P2502A	0.45	(0.04)	28,653	0.44
LPH	4.36	0.06	1,299	4.38	MTI	106.50	(2.50)	12	106.88	STGT41C2503A	0.17	-	44,100	0.18
M-CHAI	29.00	0.25	203	28.81	NKI	24.90	-	11	24.90	STHAI	-	-	-	-
MASTER	46.00	(0.50)	27,047	46.52	TGH	13.30	1.30	55	13.22	TMAN	15.60	(0.50)	39,070	15.84
MEDEZE	7.65	(0.45)	95,745	7.82	THRE	0.59	-	13,395	0.57	TNR	8.95	(0.05)	154	8.94
NEW	70.00	6.00	1	70.00	THREL	1.73	-	750	1.73	TOG	10.00	0.10	356	9.92
NTV	31.75	-	349	31.51	TIPH	23.80	(0.60)	5,438	24.00	Professional Service	-	-	-	-
PHG	16.00	(0.40)	7,565	16.09	TIPH13C2502A	-	-	-	-	BWG	0.42	(0.04)	986,077	0.44
PR9	25.50	(1.25)	20,733	25.69	TIPH19C2412A	-	-	-	-	BWG-W6	0.04	(0.01)	621,501	0.04
PRINC	3.28	(0.10)	12,967	3.32	TLI	9.85	(0.15)	133,502	9.86	GENCO	0.48	0.01	4,799	0.47
RAM	23.20	0.40	960	23.11	TLI01C2502A	0.39	(0.05)	4,983	0.39	PRO	-	-	-	-
RJH	24.20	(0.50)	9,801	24.45	TLI01C2503A	0.12	(0.01)	17,922	0.12	PRTR	4.34	(0.16)	7,090	4.36
RPH	5.55	(0.05)	3,180	5.55	TLI06C2503A	0.14	(0.02)	22,776	0.14	SISB	31.50	(0.25)	18,359	32.08
SAFE	12.10	(0.90)	4,394	12.36	TLI13C2502A	0.31	(0.02)	13,250	0.30	SISB13C2412A	0.02	-	1,684	0.01
SKR	9.15	(0.05)	1,121	9.12	TLI13C2502B	-	-	-	-	SISB13C2502A	0.10	-	16,740	0.10
THG	14.00	(2.00)	63,955	14.61	TLI19C2412A	-	-	-	-	SISB19C2502A	0.10	0.01	6,556	0.11
VIBHA	1.95	0.10	125,807	1.95	TLI19C2502A	0.10	(0.01)	7,143	0.10	SO	4.80	(0.18)	229	4.85
VIBHA-W4	0.04	-	74,637	0.04	TQM	23.90	(1.00)	19,182	24.00	WAVE	0.12	0.01	255,730	0.11
VIH	10.10	-	5,436	10.21	TSI	0.10	(0.01)	14,537	0.10	WAVE-W3	0.03	-	2	0.03
VIH-W1	-	-	-	-	TVH	9.50	(0.20)	1,432	9.39	WAVE-W4	0.04	(0.01)	18,284	0.04
WPH	10.50	(0.30)	18,735	10.61	Packaging	-	-	-	-	Property Development	-	-	-	-
Tourism & Leisure	-	-	-	-	AJ	4.94	(0.06)	1,016	4.91	A	4.94	(0.06)	1	4.94
ASIA	6.65	(0.05)	55	6.66	ALUCON	171.00	(1.00)	21	171.00	A5	2.74	(0.08)	19,106	2.74
BEYOND	8.35	(0.05)	525	8.34	BGC	7.50	-	1,600	7.45	A5-W3	-	-	-	-
CENTEL	36.00	1.25	45,107	36.09	CSC	45.50	(0.50)	1	45.50	A5-W4	0.09	(0.01)	33,582	0.10
CENTEL01C2412A	-	-	-	-	CSC-P	-	-	-	-	AKS	0.01	-	24,830	0.01
CENTEL01C2501A	0.09	-	20,226	0.11	CSC-Q	-	-	-	-	AKS-W5	-	-	-	-
CENTEL01C2504A	0.24	0.02	20,290	0.25	NEP	0.23	-	6,972	0.22	AMATA	29.75	1.25	138,349	29.98
CENTEL11C2501A	-	-	-	-	PJW	2.48	(0.04)	3,710	2.48	AMATA01C2502A	1.38	0.27	2,151	1.38
CENTEL13C2412A	-	-	-	-	PTL	12.70	(0.30)	3,639	12.79	AMATA01C2503A	0.28	0.05	59,401	0.29
CENTEL13C2501A	0.17	0.04	47,715	0.17	SCGP	23.60	0.70	126,381	23.49	AMATA13C2412A	0.87	0.13	300	0.87
CENTEL13C2501B	0.06	0.02	29	0.06	SCGP01C2412A	0.01	-	15,040	0.01	AMATA13C2501A	-	-	-	-
CENTEL19C2501A	0.14	0.02	12,390	0.15	SCGP01C2502A	0.23	0.05	22,866	0.21	AMATA13C2501B	0.25	0.07	24,367	0.25
CENTEL19C2502A	0.10	-	888	0.10	SCGP01C2502B	0.03	-	4,001	0.02	AMATA13C2503A	0.20	0.03	86,053	0.21
CENTEL41C2412A	-	-	-	-	SCGP01C2504W	0.10	0.01	3,640	0.10	AMATA19C2412A	-	-	-	-
CENTEL41C2502A	0.16	0.03	18,000	0.16	SCGP01P2503A	0.65	(0.08)	12,167	0.69	AMATA19C2501A	-	-	-	-
CENTEL41C2504A	0.32	0.05	40,800	0.32	SCGP11C2412A	-	-	-	-	AMATA19C2502A	0.27	0.05	13,796	0.28
CSR	-	-	-	-	SCGP11C2501A	0.13	0.03	5,140	0.11	AMATA19C2503A	0.20	0.04	136,018	0.21
DUSIT	11.90	0.50	12,480	11.68	SCGP13C2412A	-	-	-	-	AMATA41C2502A	0.23	0.05	39,600	0.25
ERW	3.92	-	94,708	3.91	SCGP13C2412B	-	-	-	-	AMATAV	4.72	(0.06)	508	4.75
ERW01C2501A	0.10	(0.01)	18,208	0.10	SCGP13C2501A	0.08	0.01	3,437	0.08	ANAN	0.66	(0.01)	10,664	0.66
ERW01C2504A	0.38	(0.01)	9,027	0.37	SCGP13C2501B	-	-	-	-	AP	8.50	(0.05)	105,934	8.57
ERW13C2412A	-	-	-	-	SCGP13C2503A	0.09	0.01	7,000	0.09	AP01C2503A	0.04	-	1	0.04
ERW13C2412B	-	-	-	-	SCGP13C2503B	0.36	0.05	141,176	0.35	AP13C2502A	-			

Main Board Quotation

Issue Date :

Friday November 15, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AWC13C2501A	0.08	-	301	0.08	CPH	10.20	(0.90)	4,198	10.61	RCL19C2503B	0.28	-	82,028	0.29
AWC13P2501A	-	-	-	-	CPL	1.33	0.01	12,365	1.36	RCL19P2412A	-	-	-	-
AWC19C2501A	0.17	(0.01)	78,451	0.20	NC	2.74	(0.40)	2,795	2.91	RCL41C2412A	-	-	-	-
AWC19C2501B	-	-	-	-	PAF	1.01	(0.01)	1,628	1.00	RCL41C2412B	-	-	-	-
AWC19P2501A	-	-	-	-	PDJ	1.97	(0.02)	4,751	1.98	RCL41C2502A	-	-	-	-
AWC41C2502A	0.15	0.01	44,741	0.15	PG	9.00	0.05	209	8.95	RCL41C2502B	0.18	(0.01)	42,430	0.19
BLAND	0.61	-	39,551	0.61	SABINA	21.10	(0.10)	5,999	21.03	SAV	22.90	(0.40)	5,163	23.15
BRI	4.20	-	4,103	4.16	SAWANG	-	-	-	-	SINO	1.05	0.02	13,628	1.07
BROCK	1.50	0.02	2	1.50	SUC	31.00	-	95	31.01	SJWD	12.10	0.20	60,322	12.11
CGD	0.32	-	15,848	0.32	TR	39.25	-	190	39.25	SJWD13C2504A	0.26	0.01	29,460	0.27
CI	0.49	(0.01)	5,455	0.50	TTI	-	-	-	-	TFEIF	6.45	0.10	21,845	6.45
CMC	1.04	-	502	1.02	TTT	54.00	(0.50)	10	54.00	THAI	-	-	-	-
CPN	60.25	0.25	28,534	60.11	UPF	33.75	(0.75)	2	33.88	TSTE	13.30	(1.20)	11	13.45
CPN01C2412A	-	-	-	-	WACOAL	28.00	(0.75)	5	28.50	TTA	5.55	(0.20)	106,638	5.66
CPN01C2503A	0.16	-	26,007	0.16	WFX	1.23	(0.04)	1,849	1.23	WICE	5.10	(0.05)	4,073	5.11
CPN11C2412A	-	-	-	-	Transportation 8	-	-	-	-	Automotive	-	-	-	-
CPN13C2501A	0.19	-	28,361	0.19	AAV	2.84	-	187,855	2.85	3K-BAT	53.50	(0.25)	79	53.56
CPN13C2501B	-	-	-	-	AAV01C2501A	0.30	0.01	100	0.30	ACG	0.92	(0.06)	828	0.92
CPN13C2503A	0.19	-	44,026	0.19	AAV01C2503A	0.27	(0.01)	18,335	0.27	AH	19.80	0.40	7,955	19.67
CPN19C2502A	0.09	(0.01)	4,000	0.09	AAV13C2501A	0.13	(0.01)	19,825	0.13	CWT	1.05	0.01	1,393	1.07
CPN19C2503A	0.22	-	47,070	0.22	AAV19C2412A	-	-	-	-	EASON	1.14	0.12	52,443	1.10
ESTAR	0.23	-	2,362	0.23	AAV19C2502A	0.24	(0.02)	23,529	0.25	GYT	-	-	-	-
EVER	0.12	(0.01)	5,259	0.12	ANI	4.22	0.04	4,184	4.22	HFT	4.24	-	317	4.26
FPT	12.80	-	7	12.79	AOT	59.25	0.75	187,244	59.24	IHL	1.80	(0.12)	10,377	1.74
GLAND	1.55	(0.03)	92	1.54	AOT01C2412A	-	-	-	-	INGRS	0.34	-	10,351	0.34
J	1.28	(0.02)	620	1.27	AOT01C2412B	0.05	-	51	0.04	IRC	14.00	(0.10)	24	13.99
J-W3	0.20	0.02	5	0.20	AOT01C2502A	0.07	0.01	48	0.07	MGC	3.84	0.02	962	3.80
J-W4	-	-	-	-	AOT01C2504A	0.24	0.02	25,376	0.24	NEX	0.73	(0.04)	384,559	0.78
JCK	0.26	(0.01)	219,634	0.25	AOT01P2412X	-	-	-	-	NEX19C2501A	0.01	-	11,651	0.01
KC	0.08	-	16,620	0.09	AOT01P2502A	0.23	(0.03)	17,729	0.22	PCSGH	4.30	(0.06)	563	4.32
KUN	1.29	0.01	147	1.26	AOT11C2501A	-	-	-	-	POLY	8.95	-	142	8.79
KUN-W2	0.04	-	95	0.04	AOT13C2412A	-	-	-	-	SAT	10.90	-	6,842	10.94
LALIN	6.25	-	1,301	6.27	AOT13C2502A	0.05	(0.01)	833	0.05	SPG	-	-	-	-
LH	5.25	-	637,961	5.21	AOT13C2503A	0.15	0.03	8,897	0.14	STANLY	218.00	(1.00)	75	218.05
LH13C2501A	-	-	-	-	AOT13P2412A	-	-	-	-	TKT	1.63	0.01	501	1.62
LH19C2501A	-	-	-	-	AOT13P2501A	0.13	(0.03)	9,058	0.13	TNPC	1.01	(0.02)	923	0.95
LPN	2.82	-	2,949	2.80	AOT19C2501A	0.11	(0.01)	2,944	0.11	TRU	3.20	-	110	3.18
MBK	19.00	(0.20)	13,966	18.91	AOT19C2502A	0.08	0.01	4,500	0.08	TSC	14.00	(0.10)	162	14.02
MBK-W4	-	-	-	-	AOT19P2412A	-	-	-	-	Industrial Materials	-	-	-	-
MJD	1.07	0.01	645	1.04	AOT41C2412A	-	-	-	-	AKR	0.96	(0.01)	17,002	0.97
MK	1.84	-	13,071	1.86	AOT41C2503A	0.14	0.01	14,240	0.15	ALLA	1.65	0.03	26,366	1.63
NCH	0.73	-	1,510	0.73	AOT41C2605T	0.27	0.01	4,021	0.27	ASEFA	3.18	-	486	3.18
NNCL	1.73	0.01	1,523	1.70	ASIMAR	1.57	-	5,182	1.59	CPT	0.99	-	90,305	1.00
NOBLE	2.86	0.02	16,891	2.84	B	0.08	-	65,659	0.08	CRANE	0.63	0.01	12,301	0.62
NUSA	0.24	(0.01)	249,424	0.25	B-W8	0.01	-	764	0.01	CTW	3.84	(0.06)	5	3.84
NUSA-W5	0.03	-	74,986	0.03	BA	23.80	0.10	31,889	23.89	FMT	32.00	-	11	31.84
NVD	1.47	0.01	140	1.49	BA01C2412A	0.14	(0.02)	24,711	0.15	FTE	1.51	0.03	3,540	1.50
ORI	4.16	(0.02)	37,416	4.19	BA01C2503A	0.34	0.01	19,523	0.35	HTECH	4.48	(0.18)	65,245	4.53
ORI13C2412A	-	-	-	-	BA01C2504A	0.14	-	12,428	0.14	KKC	-	-	-	-
ORI19C2501A	-	-	-	-	BA13C2412A	0.11	(0.01)	39,114	0.12	PCC	2.86	0.04	4,113	2.84
ORN	0.80	0.01	8,296	0.80	BA13C2502A	-	-	-	-	PK	0.57	0.02	3,455	0.56
PEACE	2.58	(0.10)	577	2.57	BA13C2503A	0.38	-	60,032	0.39	PSP	4.34	(0.02)	6,104	4.34
PF	0.17	(0.02)	86,196	0.18	BA19C2503A	0.11	-	7,063	0.11	QTC	3.80	-	80	3.83
PIN	6.30	(0.25)	79,245	6.35	BEM	7.70	0.05	155,636	7.64	QTC	0.81	-	3,984	0.78
PLAT	2.40	(0.06)	16,432	2.39	BEM01C2412A	-	-	-	-	SE	0.62	-	3,429	0.61
POLAR	-	-	-	-	BEM11C2411A	-	-	-	-	SNC	5.45	-	441	5.47
PRECHA	1.11	-	489	1.11	BEM11C2502A	-	-	-	-	TJ	3.18	-	49	3.14
PRIN	2.18	0.02	1	2.18	BEM13C2412A	-	-	-	-	TPCS	11.30	(0.10)	10	11.32
PROUD	1.29	(0.03)	1,313	1.28	BEM19C2412A	-	-	-	-	VARO	4.98	(0.27)	1,762	5.02
PSH	8.15	0.10	4,943	8.14	BEM19C2503A	0.15	-	2,472	0.14	Property Fund & REI	-	-	-	-
QH	1.81	(0.02)	29,527	1.81	BTS	4.84	(0.06)	937,471	4.84	AIMCG	3.06	(0.12)	17,497	3.04
RABBIT	0.54	(0.02)	318,392	0.54	BTS-W8	0.07	(0.01)	17,758	0.07	AIMIRT	10.60	-	4,303	10.61
RABBIT-P	0.55	(0.03)	10,213	0.54	BTS01C2412A	0.01	(0.01)	11,700	0.01	ALLY	5.15	(0.05)	4,532	5.14
RABBIT-Q	-	-	-	-	BTS01C2501A	0.22	(0.04)	21,684	0.23	AMATAR	6.70	-	209	6.70
RICHY	0.46	0.01	268	0.44	BTS01C2503A	0.47	(0.04)	18,347	0.47	B-WORK	4.88	0.02	4,353	4.83
RML	0.31	-	35,661	0.31	BTS01C2504A	0.14	(0.01)	14,483	0.14	BAREIT	9.45	-	2,545	9.45
ROJNA	6.65	(0.25)	105,298	6.83	BTS01P2504A	0.42	(0.58)	8,060	0.43	BKPCP	8.75	-	25	8.75
S	0.90	-	19,357	0.90	BTS13C2412A	0.06	(0.04)	400	0.06	BOFFICE	5.10	(0.05)	1,304	5.15
SA	7.45	-	392	7.43	BTS13C2412B	0.08	(0.02)	1,500	0.08	CPNCG	6.40	(0.05)	8,031	6.42
SA-W1	0.04	(0.01)	3,782	0.04	BTS13C2502A	0.36	(0.05)	75,397	0.37	CPNREIT	11.30	-	17,280	11.27
SAMCO	0.93	-	346	0.93	BTS13C2503A	0.13	(0.01)	31,774	0.13	CPTGF	-	-	-	-
SC	2.88	(0.02)	35,618	2.88	BTS13P2503A	0.47	0.02	53,833	0.47	CTARAF	4.56	0.02	244	4.52
SENA	2.32	0.02	3,276	2.31	BTS19C2412A	0.14	(0.03)	60,813	0.14	DREIT	4.98	0.02	810	4.98
SIRI	1.72	-	651,398	1.72	BTS19C2503A	0.46	(0.04)	46,204	0.47	FTREIT	9.85	(0.05)	2,867	9.86
SIRI01C2412A	-	-	-	-	BTS19C2503B	0.16	(0.02)	66,597	0.16	FUTURET	-	-	-	-
SIRI01C2504A	0.28	-	16,430	0.28	BTS41C2412A	0.02	-	601	0.01	GAHREIT	6.60	-	178	6.59
SIRI13C2412A	0.04	(0.06)	1	0.04	BTS41C2501A	0.39	(0.05)	40,076	0.40	GROREIT	8.65	(0.05)	138	8.65
SIRI13C2503A	0.23	-	26,910	0.23	BTS41C2504A	0.41	(0.03)	56,000	0.41	GVREIT	6.35	0.05	3,145	6.33
SIRI19C2502A	-	-	-	-	BTS41C2504A	3.18	-	13,173	3.18	HPF	4.98	-	169	4.97
SIRI19C2503A	0.26	-	92,639	0.26	DMT	11.40	(0.10)	5,784	11.49	HYDROGEN	-	-	-	-
SPALI	19.30	0.40	78,487	19.14	ETL	0.61	(0.01)	9,896	0.62	IMPACT	11.00	(0.20)	1,738	11.13
SPALI13C2501A	-	-	-	-	III	5.80	-	7,101	5.72	INETREIT	8.65	(0.10)	3,561	8.69
SPALI13C2501B	0.16	0.02	8,993	0.15	KEX	2.06	0.02	8,566	2.06	KPNPF	-	-	-	-
SPALI19C2412A	-	-	-	-	KIAT	0.33	(0.01)	31,741	0.33	KTBSTMR	6.70	0.10	4,050	6.67
UV	1.60	-	502	1.61	KWC	-	-	-	-	LHHOTEL	12.80	(0.10)	13,006	12.90
WHA	5.60	-	402,952	5.66	MENA	1.25	(0.03)	9,986	1.26	LHPF	5.30	(0.10)	609	5.34
WHA01C2501A	0.12	-	14,402	0.13	NOK	-	-	-	-	LHSC	11.20	-	1,730	11.16
WHA01C2503A	0.12	-	52,848	0.12	NVT	2.98	(0.02)	28,985	2.99	LPF	12.80	0.10	2,951	12.62
WHA11C2412A	0.07	(0.02)	1	0.07	PORT	1.16	0.05	5,936	1.15	LUXF	8.10	0.05	201	8.10
WHA13C2501A	0.08	(0.01)	13,654	0.09	PRM	9.00	-	174,755	9.03	M-II	6.40	-	316	6.38
WHA13C2503A	0.10	(0.02)	22,974	0.10	PSL	7.90	(0.10)	36,754	7.94	M-PAT	-	-	-	-
WHA13C2504A	0.18	(0.82)	11,722	0.18	RCL	27.50	(0.25)	46,						

Main Board Quotation

Issue Date :

Friday November 15, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SRIPRT	-	-	-	-	BABA41C2503A	0.16	(0.01)	3,521	0.18	HSI28C2501D	0.25	-	2,957,615	0.27
SRPRIME	4.16	(0.04)	3,028	4.19	BABA41P2411A	-	-	-	-	HSI28C2501E	0.18	(0.01)	3,089	0.19
SRIPANWA	5.75	(0.05)	600	5.66	BABA41P2502A	0.38	0.02	231	0.37	HSI28C2501F	0.09	-	2,000	0.09
SSPF	4.90	0.06	10	4.74	BABA41P2502B	0.67	0.02	2	0.66	HSI28C2501G	-	-	-	-
SSTRT	4.88	-	50	4.89	BIDU28C2411A	-	-	-	-	HSI28C2501H	0.15	(0.01)	106	0.16
TIF1	7.70	0.05	172	7.62	BIDU41C2502A	0.45	0.04	3,494	0.45	HSI28C2502A	0.46	(0.01)	211,823	0.46
TLHPF	2.92	(0.04)	41	2.92	BIDU41C2502B	0.04	-	7,957	0.04	HSI28C2502B	0.13	(0.02)	13,952	0.15
TNPF	-	-	-	-	BYDCOM28C250	0.52	(0.04)	8	0.55	HSI28C2502C	0.23	(0.01)	14,922	0.24
TPRIME	-	-	-	-	BYDCOM28C250	0.15	-	21	0.15	HSI28C2503A	0.97	0.02	566	0.94
TTLPF	15.60	-	120	15.60	BYDCOM28P250	0.11	0.02	16	0.12	HSI28C2503B	0.21	-	31,033	0.21
TU-PF	-	-	-	-	BYDCOM28P250	0.68	0.08	32	0.66	HSI28C2503D	0.15	(0.01)	7,904	0.16
WHABT	7.25	0.05	255	7.19	BYDCOM41C250	0.49	(0.04)	321	0.51	HSI28C2503E	0.13	(0.02)	2,532	0.14
WHAIR	6.50	(0.05)	26,174	6.55	BYDCOM41P250	0.14	(0.01)	504	0.14	HSI28P2411A	-	-	-	-
WHART	9.60	(0.20)	12,380	9.64	CATHAY41C241:	-	-	-	-	HSI28P2411B	-	-	-	-
Steel and Metal Prod	-	-	-	-	CATHAY41C250:	0.34	0.19	206	0.35	HSI28P2411C	-	-	-	-
ZS	2.92	0.06	77	2.87	CHMOBIB28C241:	-	-	-	-	HSI28P2411D	0.11	(0.02)	31,998	0.10
AMC	2.96	(0.10)	1,789	2.97	DJI28C2412A	-	-	-	-	HSI28P2411E	0.35	(0.02)	496,527	0.35
BSBM	0.71	(0.01)	751	0.72	DJI28C2412B	0.27	(0.10)	151	0.28	HSI28P2411F	0.89	(0.07)	3,411	0.90
CEN	2.00	-	195	2.01	DJI28C2503A	0.67	(0.09)	11	0.67	HSI28P2411G	1.77	0.70	1	1.77
CEN-W5	0.15	0.01	275	0.15	DJI28P2412A	-	-	-	-	HSI28P2412A	0.09	-	62	0.09
CITY	1.95	-	12	1.89	DJI28P2412B	0.16	0.02	601	0.15	HSI28P2412B	0.03	-	2,098	0.03
CSP	0.59	(0.04)	3,533	0.60	DJI28P2503A	0.43	0.02	51	0.43	HSI28P2412C	0.17	(0.01)	3,808	0.16
GJS	0.15	(0.01)	10,333	0.16	DJI41C2412A	0.70	(0.12)	2	0.70	HSI28P2412D	0.30	(0.01)	7,343,282	0.29
GSTEEL	-	-	-	-	DJI41C2503A	0.60	(0.08)	774	0.60	HSI28P2412E	0.60	-	287,352	0.59
INOX	0.53	(0.01)	11,608	0.53	DJI41P2412A	0.03	-	135	0.03	HSI28P2412F	-	-	-	-
LHK	3.84	(0.02)	922	3.84	DJI41P2503A	0.36	0.03	5,192	0.36	HSI28P2412G	-	-	-	-
MCS	7.40	-	1,565	7.36	GEELY28C2411A	-	-	-	-	HSI28P2501A	0.13	-	318	0.12
MILL	-	-	-	-	GEELY41C2411A	-	-	-	-	HSI28P2501B	0.92	(0.01)	417	0.93
MILL-W7	-	-	-	-	GEELY41C2411E	-	-	-	-	HSI28P2501C	-	-	-	-
PAP	1.89	(0.08)	1,354	1.89	GEELY41C2502A	0.64	(0.22)	100	0.64	HSI28P2501D	0.34	-	179,288	0.34
PERM	0.75	0.01	3,457	0.73	HAIDL41C2411:	0.16	(0.03)	500	0.16	HSI28P2501E	0.54	(0.01)	389,508	0.54
SAM	-	-	-	-	HKEX41C2411A	0.67	(0.06)	200	0.67	HSI28P2502A	1.44	(0.03)	8	1.44
SMIT	4.10	-	88	4.07	HKEX41C2502A	1.54	(0.11)	50	1.54	HSI28P2502B	0.61	(0.01)	174,316	0.61
SSSC	2.20	0.06	503	2.21	HKEX41C2502B	0.22	(0.05)	9	0.24	HSI28P2503A	0.26	-	11,377	0.25
TGPRO	0.10	(0.01)	2,260	0.10	HSBC41C2411A	-	-	-	-	HSI28P2503B	0.65	-	165,143	0.64
THE	0.85	(0.02)	1,684	0.81	HSBC41C2502A	0.25	0.17	326	0.26	HSTECH28C2412A	1.10	0.01	3	1.11
TMT	3.50	(0.12)	3,567	3.55	HSIO6C2411A	0.13	(0.03)	3,336,949	0.15	HSTECH28C2503A	-	-	-	-
TSTH	0.66	(0.01)	10,314	0.66	HSIO6C2411B	-	-	-	-	HSTECH28P2412A	-	-	-	-
TWP	1.49	(0.04)	421	1.49	HSIO6C2411C	1.80	(0.13)	409	1.88	HSTECH28P2503A	0.52	(0.02)	2	0.52
TYCN	2.06	(0.02)	500	2.06	HSIO6C2411D	0.21	(0.02)	2,509,332	0.23	JD41C2411A	-	-	-	-
Construction Service	-	-	-	-	HSIO6C2411E	0.02	-	45,271	0.02	JD41C2502A	1.11	(0.09)	352	1.10
APCS	1.99	0.06	477	1.96	HSIO6C2411F	0.01	-	155	0.01	JD41C2502B	0.10	(0.02)	987	0.11
BJCHI	1.21	(0.03)	2,429	1.23	HSIO6C2412A	0.42	(0.02)	62,009	0.44	KUAISH41C2502A	0.62	0.07	2,035	0.62
BKD	1.40	-	130	1.38	HSIO6C2412B	-	-	-	-	LENOVO41C2502A	0.22	(0.03)	2,014	0.22
CIVIL	1.85	(0.03)	912	1.87	HSIO6C2412C	-	-	-	-	MCA5041C2503A	0.37	(0.03)	328	0.39
CK	18.00	-	28,528	17.99	HSIO6C2412D	0.20	(0.01)	2,398,014	0.22	MCA5041P2503A	0.62	0.05	111	0.58
CK01C2503A	0.12	-	3,826	0.12	HSIO6C2412E	0.04	(0.02)	94,208	0.04	MEITUA28C2501A	1.69	(0.05)	10	1.69
CK13C2412A	-	-	-	-	HSIO6C2412F	0.03	-	102	0.01	MEITUA28C2503A	-	-	-	-
CK13C2503A	0.17	(0.01)	44,595	0.18	HSIO6C2412G	0.02	-	5,853	0.01	MEITUA28C2504A	0.13	-	5	0.13
CK19C2412A	-	-	-	-	HSIO6C2412H	0.07	(0.02)	117,516	0.08	MEITUA28P2503A	0.22	(0.01)	36	0.21
CK19C2503A	0.20	(0.02)	16,467	0.21	HSIO6C2501A	0.07	-	111,252	0.07	MEITUA28P2504B	0.45	(0.01)	4	0.44
CNT	1.14	(0.06)	5,213	1.16	HSIO6C2501B	0.05	-	50	0.05	MEITUA41C2411A	-	-	-	-
EMC	0.10	-	370,307	0.09	HSIO6C2501C	0.12	(0.02)	2,914,038	0.14	MEITUA41C2502A	0.42	-	2,407	0.44
EMC-W7	0.07	(0.01)	14,100	0.07	HSIO6C2501D	0.32	(0.01)	3,340,279	0.33	MEITUA41P2411A	-	-	-	-
ITD	-	-	-	-	HSIO6C2502A	0.18	-	675,053	0.19	MEITUA41P2502A	-	-	-	-
JR	3.08	-	1,821	3.06	HSIO6C2502B	0.44	(0.01)	1,214,681	0.46	MEITUA41P2503A	0.61	0.05	26	0.61
NL	1.17	-	691	1.15	HSIO6C2503A	0.94	0.04	10,501	0.94	NDX28C2412A	-	-	-	-
NWR	0.20	(0.01)	14,910	0.19	HSIO6C2503B	0.40	-	448,854	0.41	NDX28C2412B	-	-	-	-
PLE	0.37	(0.01)	9,094	0.37	HSIO6C2503C	0.18	-	460,824	0.19	NDX28C2412C	0.41	(0.15)	153	0.41
PREB	4.26	(0.02)	1,540	4.27	HSIO6C2503D	0.12	-	159,451	0.12	NDX28C2503A	0.39	(0.08)	10,026	0.39
PYLON	1.97	(0.02)	5,167	1.90	HSIO6P2411A	-	-	-	-	NDX28P2412A	0.08	0.01	500	0.08
RT	0.48	-	3,845	0.47	HSIO6P2411B	-	-	-	-	NDX28P2412B	-	-	-	-
SEAFCO	1.84	(0.08)	32,027	1.87	HSIO6P2411C	-	-	-	-	NDX28P2412C	-	-	-	-
SQ	0.91	(0.02)	9,624	0.91	HSIO6P2411D	-	-	-	-	NDX28P2412D	0.20	0.04	2,000	0.20
SRICHA	4.98	(0.02)	2,912	4.92	HSIO6P2411E	0.15	(0.02)	3,256,884	0.14	NDX28P2503A	0.24	0.02	753	0.24
STECOH	7.80	(0.30)	33,183	7.90	HSIO6P2411F	0.72	(0.06)	901	0.70	NDX41C2412A	0.07	(0.05)	9,207	0.08
STI	3.16	(0.02)	387	3.13	HSIO6P2411G	-	-	-	-	NDX41C2412B	-	-	-	-
STPI	3.52	(0.16)	17,303	3.57	HSIO6P2411H	-	-	-	-	NDX41C2412C	0.50	(0.22)	355	0.51
SYNTEC	1.57	-	1,439	1.58	HSIO6P2411I	-	-	-	-	NDX41C2503A	0.58	(0.13)	17,351	0.59
TEAMG	3.76	(0.10)	73,583	3.95	HSIO6P2412B	0.01	-	480	0.01	NDX41P2412A	0.10	0.02	2,100	0.09
TEAMG-W1	0.30	0.01	4,780	0.30	HSIO6P2412C	0.03	(0.01)	1	0.03	NDX41P2412B	-	-	-	-
TEKA	2.22	(0.04)	2,310	2.17	HSIO6P2412D	0.37	(0.01)	5,443,067	0.35	NDX41P2412C	-	-	-	-
TPOLY	0.64	(0.05)	15,761	0.67	HSIO6P2412E	0.75	(0.01)	118,902	0.73	NDX41P2503A	0.42	0.06	4,110	0.41
TRC	0.98	(0.03)	19,277	0.98	HSIO6P2412F	-	-	-	-	NIKKEI41C2412A	1.13	(0.10)	2,731	1.14
TRITN	0.13	-	15,034	0.12	HSIO6P2412G	0.20	(0.01)	4,132,627	0.19	NIKKEI41C2412B	0.03	(0.02)	1,003	0.04
TTCL	2.44	(0.02)	5,792	2.46	HSIO6P2412H	-	-	-	-	NIKKEI41C2412C	0.15	(0.05)	53,094	0.17
UNIQ	2.80	(0.04)	1,390	2.81	HSIO6P2501A	1.13	0.01	24	1.13	NIKKEI41C2412T	0.03	(0.01)	4,131	0.03
WGE	0.63	0.02	7,160	0.62	HSIO6P2501B	0.44	-	3,095,131	0.42	NIKKEI41C2503A	0.26	(0.03)	7,444	0.27
Unit Trust	-	-	-	-	HSIO6P2502A	0.68	(0.02)	7,606	0.67	NIKKEI41C2503B	1.07	(0.07)	870	1.12
SCBSET	-	-	-	-	HSIO6P2502B	1.00	(0.03)	430	1.00	NIKKEI41P2412A	-	-	-	-
VAYU1	10.00	-	15,054	10.00	HSIO6P2503A	0.09	(0.02)	11	0.09	NIKKEI41P2412B	0.36	0.02	3,253	0.33
ETF	-	-	-	-	HSIO6P2503B	0.67	(0.01)	728,649	0.65	NIKKEI41P2412C	-	-	-	-
1DIV	10.63	(0.08)	70	10.63	HSIO6P2503C	-	-	-	-	NIKKEI41P2412T	0.09	0.01	6,313	0.08
ABFTH	-	-	-	-	HSI28C2411A	0.03	0.01	5,385	0.03	NIKKEI41P2503A	0.22	-	178	0.22
BMSCG	9.00	(0.10)	99	9.00	HSI28C2411B	0.20	(0.02)	4,927,728	0.21	NIKKEI41P2503B	-	-	-	-
BMSCITH	10.44	(0.11)	516	10.50	HSI28C2411C	-	-	-	-	NTES41C2502A	0.46	0.21	3,233	0.45
BSET100	9.80	(0.08)	148	9.85	HSI28C2411D	-	-	-	-	PINGAN41C2411A	-	-	-	-
CHINA	6.24	(0.02)	1,125	6.28	HSI28C2411E	0.01	-	10	0.01	PINGAN41C2502A	0.15	(0.02)	2,011	0.15

Main Board Quotation

Issue Date :

Friday November 15, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5001C2503A	0.37	(0.03)	30,911	0.38	SET5041C2412T	0.25	(0.01)	202,862	0.27	0	-	-	-	-
SET5001C2503F	0.42	(0.02)	102,978	0.43	SET5041C2412U	0.21	(0.04)	295,451	0.22	0	-	-	-	-
SET5001P2412A	0.02	-	572	0.01	SET5041C2412V	1.08	(0.23)	4,342	1.09	0	-	-	-	-
SET5001P2412F	0.02	-	31	0.01	SET5041C2412X	-	-	-	-	0	-	-	-	-
SET5001P2412T	0.01	-	206	0.01	SET5041C2503A	0.30	(0.03)	1,047,939	0.32	0	-	-	-	-
SET5001P2412W	-	-	-	-	SET5041C2503B	0.20	(0.01)	14,227	0.19	0	-	-	-	-
SET5001P2501A	-	-	-	-	SET5041C2503C	0.26	(0.02)	640,641	0.28	0	-	-	-	-
SET5001P2501B	0.03	-	101	0.02	SET5041C2503D	0.12	(0.88)	15,523	0.11	0	-	-	-	-
SET5001P2502A	0.45	0.02	23,537	0.42	SET5041P2412A	-	-	-	-	0	-	-	-	-
SET5001P2503F	0.29	0.02	43,915	0.28	SET5041P2412B	0.05	(0.01)	5	0.04	0	-	-	-	-
SET5006C2412A	-	-	-	-	SET5041P2412C	0.10	(0.03)	31	0.10	0	-	-	-	-
SET5006C2412B	-	-	-	-	SET5041P2412D	0.27	0.02	150,296	0.28	0	-	-	-	-
SET5006C2412C	-	-	-	-	SET5041P2412E	0.02	-	101	0.01	0	-	-	-	-
SET5006C2412D	0.33	(0.10)	39,926	0.34	SET5041P2412F	-	-	-	-	0	-	-	-	-
SET5006C2412E	0.14	(0.03)	310,144	0.15	SET5041P2412G	0.02	-	31	0.01	0	-	-	-	-
SET5006C2412F	0.07	(0.04)	123,617	0.08	SET5041P2503A	0.29	0.01	2,704	0.30	0	-	-	-	-
SET5006C2412G	-	-	-	-	SET5041P2503B	0.56	0.01	924,461	0.55	0	-	-	-	-
SET5006C2503A	0.31	(0.02)	402,615	0.33	SET5041P2503C	0.45	0.01	949,922	0.44	0	-	-	-	-
SET5006C2503B	0.23	(0.02)	457,056	0.24	SET5041P2503D	-	-	-	-	0	-	-	-	-
SET5006P2412A	0.03	-	1	0.03	SPX28C2412A	-	-	-	-	0	-	-	-	-
SET5006P2412B	-	-	-	-	SPX28C2412B	-	-	-	-	0	-	-	-	-
SET5006P2412C	-	-	-	-	SPX28C2412C	-	-	-	-	0	-	-	-	-
SET5006P2412D	-	-	-	-	SPX28C2503A	0.38	(0.09)	4,649	0.38	0	-	-	-	-
SET5006P2412E	0.02	-	10	0.02	SPX28P2412A	-	-	-	-	0	-	-	-	-
SET5006P2412F	0.05	(0.01)	635	0.07	SPX28P2412B	-	-	-	-	0	-	-	-	-
SET5006P2412G	0.21	0.01	417,550	0.20	SPX28P2412C	-	-	-	-	0	-	-	-	-
SET5006P2412H	0.48	0.03	26,026	0.50	SPX28P2503A	0.49	0.05	615	0.47	0	-	-	-	-
SET5006P2503A	0.13	0.01	286,736	0.12	SPX41C2412A	-	-	-	-	0	-	-	-	-
SET5006P2503B	0.32	0.01	414,252	0.31	SPX41C2412B	-	-	-	-	0	-	-	-	-
SET5006P2503C	0.63	0.02	1,757	0.63	SPX41C2412C	-	-	-	-	0	-	-	-	-
SET5013C2411A	0.03	(0.01)	30	0.03	SPX41C2503A	0.68	(0.16)	3,687	0.69	0	-	-	-	-
SET5013C2412A	1.27	(0.21)	1,991	1.29	SPX41P2412A	-	-	-	-	0	-	-	-	-
SET5013C2412B	1.72	(0.44)	156	1.62	SPX41P2412B	-	-	-	-	0	-	-	-	-
SET5013C2412C	2.28	(0.34)	350	2.27	SPX41P2412C	0.04	(0.01)	2	0.04	0	-	-	-	-
SET5013C2412D	-	-	-	-	SPX41P2503A	0.42	0.02	13	0.42	0	-	-	-	-
SET5013C2412E	-	-	-	-	SUNNY41C241J	0.15	(0.04)	4	0.17	0	-	-	-	-
SET5013C2412F	0.53	(0.27)	1,927	0.58	SUNNY41C250J	0.67	0.06	31	0.73	0	-	-	-	-
SET5013C2412G	0.46	(0.07)	32,204	0.48	TENCEN28C250I	-	-	-	-	0	-	-	-	-
SET5013C2412H	0.19	(0.05)	3,045,031	0.21	TENCEN28C250J	-	-	-	-	0	-	-	-	-
SET5013C2412I	0.07	(0.02)	506,637	0.09	TENCEN28P250I	-	-	-	-	0	-	-	-	-
SET5013C2412J	0.09	(0.02)	190,953	0.10	TENCEN41C250I	0.54	(0.03)	48	0.55	0	-	-	-	-
SET5013C2412K	0.03	(0.02)	3,843	0.04	TENCEN41C250J	-	-	-	-	0	-	-	-	-
SET5013C2412L	0.19	(0.05)	1,613,046	0.21	TENCEN41P250I	0.19	(0.01)	2	0.20	0	-	-	-	-
SET5013C2412M	0.14	(0.04)	833,745	0.16	TENCEN41P250J	0.45	-	20	0.44	0	-	-	-	-
SET5013C2412T	0.09	(0.02)	22,404	0.09	TRIPDC41C2411	0.71	(0.15)	2,270	0.74	0	-	-	-	-
SET5013C2412U	0.31	(0.06)	820,439	0.34	XIAOMI28C2412	-	-	-	-	0	-	-	-	-
SET5013C2503A	0.29	(0.03)	1,796,343	0.30	XIAOMI28C2504	0.56	0.04	279	0.57	0	-	-	-	-
SET5013C2503B	0.39	(0.05)	969,419	0.41	XIAOMI28P2502	-	-	-	-	0	-	-	-	-
SET5013C2503C	0.60	(0.40)	268,247	0.62	XIAOMI28P2505	0.32	-	315	0.31	0	-	-	-	-
SET5013C2503T	0.15	(0.02)	68,611	0.16	XIAOMI41C2411	-	-	-	-	0	-	-	-	-
SET5013P2412A	-	-	-	-	XIAOMI41C2502	-	-	-	-	0	-	-	-	-
SET5013P2412B	0.01	-	10	0.01	XIAOMI41C2503	0.59	(0.01)	760	0.60	0	-	-	-	-
SET5013P2412C	-	-	-	-	XIAOMI41P2502	0.06	(0.04)	1	0.06	0	-	-	-	-
SET5013P2412D	-	-	-	-	ZJIN41C2502A	0.28	(0.03)	6	0.29	0	-	-	-	-
SET5013P2412E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412H	0.01	(0.01)	8,309	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412I	0.01	(0.02)	4,235	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412J	0.03	-	11,372	0.03	0	-	-	-	-	0	-	-	-	-
SET5013P2412K	0.04	-	24,598	0.04	0	-	-	-	-	0	-	-	-	-
SET5013P2412L	0.05	(0.01)	38,518	0.06	0	-	-	-	-	0	-	-	-	-
SET5013P2412M	0.16	0.01	178,130	0.15	0	-	-	-	-	0	-	-	-	-
SET5013P2412N	0.21	0.01	2,225,431	0.21	0	-	-	-	-	0	-	-	-	-
SET5013P2412O	0.41	0.01	4,520,373	0.41	0	-	-	-	-	0	-	-	-	-
SET5013P2412T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2503A	0.49	0.02	367,271	0.48	0	-	-	-	-	0	-	-	-	-
SET5013P2503B	0.71	0.03	1,066,895	0.70	0	-	-	-	-	0	-	-	-	-
SET5013P2503T	0.10	0.01	45,679	0.11	0	-	-	-	-	0	-	-	-	-
SET5019C2412A	0.30	(0.05)	23,714	0.29	0	-	-	-	-	0	-	-	-	-
SET5019C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412D	1.05	(0.17)	50	1.05	0	-	-	-	-	0	-	-	-	-
SET5019C2412E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412F	0.16	(0.03)	345,455	0.17	0	-	-	-	-	0	-	-	-	-
SET5019C2412G	0.15	(0.03)	276,962	0.16	0	-	-	-	-	0	-	-	-	-
SET5019C2412H	0.06	(0.02)	99,863	0.07	0	-	-	-	-	0	-	-	-	-
SET5019C2412I	0.03	-	200,505	0.02	0	-	-	-	-	0	-	-	-	-
SET5019C2412J	0.13	(0.02)	206,688	0.14	0	-	-	-	-	0	-	-	-	-
SET5019C2503A	0.27	(0.03)	285,333	0.28	0	-	-	-	-	0	-	-	-	-
SET5019C2503B	0.15	(0.01)	27,845	0.15	0	-	-	-	-	0	-	-	-	-
SET5019P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2412C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2412D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2412E	0.03	0.01	1,799	0.03	0	-	-	-	-	0	-	-	-	-
SET5019P2412F	0.07	0.01	2,080	0.06	0	-	-	-	-	0	-	-	-	-
SET5019P2412G	0.18	0.01	273,043	0.18	0	-	-	-	-	0	-	-	-	-
SET5019P2412H	0.38	0.02	118,934	0.36	0	-	-	-	-	0	-	-	-	-
SET5019P2503A	0.30	0.02	338,033	0.30	0	-	-	-	-	0	-	-	-	-
SET5027C2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027C2412T	0.10	(0.01)	28,605	0.10	0	-	-	-	-	0	-	-	-	-
SET5027P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5027P2412T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2412A	0.17	(0.03)	10,606	0.17	0	-	-	-	-	0	-	-	-	-
SET5028C2412B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5028C2412C	0.44	(0.03)	1,000	0.44	0	-	-	-	-	0	-	-	-	-
SET5028C2503A	0.30	(0.01)	266,397	0.30	0	-	-	-	-	0	-	-	-	-
SET5028P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2412B	0.42	(0.52)	342	0.43	0	-	-	-	-	0	-	-	-	-
SET5041C2412C	0.27	(0.03)	277,051	0.28	0	-	-	-	-	0	-	-	-	-

Main Board Quotation

Issue Date :

Friday November 15, 2024

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
Warrant - MAI														
Agro & Food Indust			-		TRT	4.00	0.36	67,433	00 3.8	LDC	0.53	(0.05)	7,621	00 0.5
APO	2.10	(0.08)	7,589	00 2.1	TRV	2.04	(0.04)	21	00 2.0	LEO	3.74	(0.06)	1,524	00 3.7
AU	10.50	(0.40)	42,867	00 10.6	UBIS	1.79	0.02	406	00 1.8	MCA	1.47	(0.05)	9,096	00 1.4
CFARM	1.00	-	23,783	00 1.0	UEC	1.28	(0.01)	3,116	00 1.2	MEB	28.00	(1.00)	9,860	00 28.3
JCHK	0.02	-	625,248	00 0.0	UKEM	0.64	(0.03)	7,351	00 0.6	MORE	0.03	(0.01)	946,332	00 0.0
KASET	0.91	(0.02)	3,475	00 0.9	UREKA	0.47	0.01	50,511	00 0.4	MPJ	3.78	(0.12)	75,570	00 3.7
MAGURO	18.30	(0.90)	34,900	00 18.8	YUASA	11.00	-	26	00 10.9	MVP	0.66	(0.06)	13,057	00 0.6
MUD	1.37	-	3,401	00 1.3	ZIGA	1.89	(0.09)	46,379	00 1.9	NCL	0.37	-	7,913	00 0.3
NTSC	10.50	0.10	399	00 10.4	ZIGA-W2	0.19	(0.02)	17,153	00 0.1	NCP	1.02	(0.03)	10,445	00 1.0
TACC	4.72	(0.04)	16,294	00 4.7	Property	-	-	-	-	NEWS	0.01	-	497,103	00 0.0
TMILL	3.42	(0.04)	739	00 3.4	24CS	3.64	(0.04)	3,855	00 3.6	PEER	0.31	(0.02)	92,421	00 0.3
WINNER	2.06	(0.02)	470	00 2.0	ARIN	0.75	(0.07)	54,417	00 0.7	PEER-W1	-	-	-	00 0.0
XO	20.10	(2.20)	34,391	00 20.6	ARROW	5.75	0.05	910	00 5.8	PICO	-	-	-	00 0.0
Consumer Products			-		BC	1.10	(0.08)	8,581	00 1.1	PLT	0.76	-	19,903	00 0.7
ALPHAX	0.64	0.01	39,790	00 0.6	BC-W2	0.13	(0.01)	5,726	00 0.1	QLT	2.06	0.02	1,109	00 2.0
BGT	0.55	0.01	556	00 0.5	BLESS	0.38	0.01	7,340	00 0.3	RP	1.10	(0.05)	3,183	00 1.0
DOD	2.24	(0.06)	1,555	00 2.2	BSM	1.81	0.02	2	00 1.8	SONIC	1.62	0.02	17,582	00 1.6
ECF	0.41	-	4,038	00 0.4	BTW	0.28	-	1,263	00 0.2	THMUI	0.53	(0.01)	146	00 0.5
ECF-W5	0.05	-	2,266	00 0.0	CAZ	2.40	-	1,143	00 2.3	TNDT	0.26	(0.02)	6,020	00 0.2
EFORL	0.27	0.02	506,717	00 0.2	CHEWA	0.38	(0.02)	7,041	00 0.3	TNDT-W1	-	-	-	00 0.0
EFORL-W6	0.05	(0.01)	8,893	00 0.0	CPANEL	3.98	(0.02)	38	00 3.9	TNH	36.50	-	660	00 36.4
EURO	5.20	0.10	998	00 5.2	CPANEL-W1	0.17	(0.11)	573	00 0.2	TNP	3.50	(0.08)	7,802	00 3.5
HPT	0.46	0.02	26,636	00 0.4	CRD	0.44	-	618	00 0.4	TPL	1.02	(0.02)	1,858	00 1.0
ITTHI	1.99	0.02	1,099	00 1.9	DHOUSE	0.58	(0.01)	415	00 0.5	TRP	9.25	-	1,284	00 9.2
JSP	2.04	-	23,483	00 2.0	DIMET	0.26	-	39,706	00 0.2	TURTLE	-	-	-	00 0.0
JUBILE	11.80	0.10	44	00 12.0	DPAINT	1.59	(0.09)	3,622	00 1.5	TVDH	0.18	-	13,296	00 0.1
LTS	12.50	0.20	17,896	00 12.7	FLOYD	0.71	(0.03)	2,439	00 0.7	TVDH-W3	0.02	(0.01)	36,004	00 0.0
MGI	11.10	(0.50)	11,038	00 11.2	HYDRO	-	-	-	00 0.0	TVDH-W4	-	-	-	00 0.0
MGI-W1	2.42	(0.26)	9,483	00 2.5	HYDRO-W2	-	-	-	00 0.0	TVT	0.43	-	4,793	00 0.4
MOONG	2.12	-	1,136	00 2.1	IND	0.81	(0.02)	6,738	00 0.8	UBA	0.98	0.01	1,481	00 0.9
NPK	13.00	0.50	56	00 12.8	JAK	1.31	0.01	1	00 1.3	VL	1.22	(0.01)	24,484	00 1.2
SEI	4.88	(0.67)	53,831	00 5.2	K	1.27	(0.01)	2,439	00 1.2	VS	0.65	-	1,218	00 0.6
SMD	4.68	0.04	5,228	00 4.6	K-W3	0.14	0.01	20	00 0.1	YGG	0.57	(0.03)	50,179	00 0.5
TM	1.19	(0.01)	1,626	00 1.1	META	0.13	-	26,065	00 0.1	Technology	-	-	-	-
TM-W1	0.07	-	15	00 0.0	META-W7	-	-	-	00 0.0	APP	1.70	(0.07)	5,935	00 1.7
WARRIX	4.28	0.26	246,942	00 4.3	PANEL	1.25	0.01	856	00 1.2	BBIK	42.75	(0.75)	11,024	00 42.3
WINMED	2.00	(0.06)	60	00 1.9	PPS	0.22	-	4,497	00 0.2	BE8	14.40	(0.50)	8,382	00 14.6
Financials			-		PRI	9.10	(0.30)	7,454	00 9.2	BE8-W1	2.58	0.30	61	00 2.5
ACAP	-	-	-	00 0.0	PROS	1.10	(0.02)	2,353	00 1.1	BVG	2.88	-	2,037	00 2.8
AF	0.59	(0.01)	54	00 0.5	PROS-W1	0.14	0.01	13,604	00 0.1	COMAN	0.70	-	2,504	00 0.7
AIRA	1.22	0.03	5	00 1.2	PSG	0.49	(0.01)	62,063	00 0.4	I2	1.60	-	11,800	00 1.5
ASN	1.70	(0.01)	173	00 1.6	QTCG	0.36	(0.06)	160,835	00 0.3	IIG	5.10	(0.30)	4,232	00 5.2
BTC	0.65	(0.02)	1,029,390	00 0.6	SENX	0.36	-	2,727	00 0.3	IIG-W1	0.35	0.03	242	00 0.3
BTC-W7	0.34	(0.02)	30,296	00 0.3	SK	0.59	(0.02)	9,427	00 0.6	IRCP	0.53	-	304	00 0.5
GCAP	0.48	(0.02)	23,556	00 0.4	SMART	0.79	0.01	14,439	00 0.7	ITNS	1.42	(0.01)	2,629	00 1.4
KCC	2.60	-	323	00 2.6	STC	0.57	0.01	144	00 0.5	NAT	4.64	(0.06)	2,295	00 4.6
LIT	0.91	(0.01)	1,735	00 0.9	STX	1.47	0.02	2,348	00 1.4	NETBAY	16.20	0.80	21,492	00 15.8
LIT-W2	0.03	(0.01)	2,505	00 0.0	SVR	1.20	-	1,370	00 1.1	PLANET	1.66	0.03	67,529	00 1.6
MTSIB	0.73	-	1,085	00 0.7	TAPAC	-	-	-	00 0.0	PROEN	3.80	0.12	108,700	00 3.7
SGF	0.25	(0.01)	3,009	00 0.2	THANA	1.23	(0.07)	3,493	00 1.2	PROEN-W2	1.92	0.01	121,367	00 1.9
SGF-P1	-	-	-	00 0.0	TIGER	0.61	-	1,673	00 0.6	READY	5.15	(0.20)	241	00 5.2
SGF-Q1	-	-	-	00 0.0	TITLE	4.24	-	568	00 4.2	SECURE	12.50	0.20	3,601	00 12.9
TQR	6.05	-	137	00 6.0	WELL	-	-	-	00 0.0	SICT	4.46	(0.32)	53,267	00 4.5
Industrials			-		YONG	1.25	(0.03)	2,277	00 1.2	SIMAT	2.34	(0.08)	114,205	00 2.3
ADB	0.86	-	370	00 0.8	Resources	-	-	-	-	SIMAT-W3	0.13	(0.02)	8,604	00 0.1
BM	3.12	0.02	6,641	00 3.1	ABM	1.30	-	64	00 1.2	SPVI	2.26	(0.06)	1,770	00 2.2
BM-W3	1.48	(0.03)	1,945	00 1.4	ABM-W1	-	-	-	00 0.0	SRS	5.25	(0.10)	6,443	00 5.4
BPS	0.52	(0.02)	13,821	00 0.5	GTV	0.13	-	16,189	00 0.1	TBN	5.90	(0.35)	3,074	00 5.9
CHO	0.04	-	55,958	00 0.0	PSTC	0.48	(0.01)	100,927	00 0.4	TERA	1.33	(0.01)	2,031	00 1.3
CHO-W4	0.01	-	1,162	00 0.0	PSTC-W2	0.02	(0.01)	37,181	00 0.0	TPS	2.84	(0.04)	5,145	00 2.8
CHOW	2.28	(0.02)	880	00 2.2	PSTC-W3	0.16	(0.01)	58,818	00 0.1	VCOM	2.48	-	1,014	00 2.4
CIG	0.05	-	66,677	00 0.0	PTC	1.55	(0.04)	1,869	00 1.4	-	-	-	-	-
CIG-W10	-	-	-	00 0.0	SAAM	6.05	(0.50)	1,578	00 6.2	-	-	-	-	-
CIG-W9	0.03	-	10	00 0.0	SR	0.66	0.03	78	00 0.6	-	-	-	-	-
COLOR	1.09	0.02	338	00 1.1	STOWER	0.07	-	18,871	00 0.0	-	-	-	-	-
CPR	4.06	0.60	64,709	00 4.0	TAKUNI	0.70	(0.09)	52,317	00 0.7	-	-	-	-	-
FPI	1.96	(0.01)	2,067	00 1.9	TPCH	5.70	-	6,554	00 5.6	-	-	-	-	-
GTB	0.74	0.01	1,395	00 0.7	UMS	0.88	0.05	2	00 0.8	-	-	-	-	-
HARN	2.12	0.02	2,121	44 2.0	Services	-	-	-	-	-	-	-	-	-
KCM	0.30	(0.01)	2,939	00 0.3	ADD	4.60	-	343	00 4.5	-	-	-	-	-
KJL	6.80	-	593	00 6.8	AKP	0.74	(0.09)	52,932	00 0.7	-	-	-	-	-
KUMWEL	1.63	-	172	00 1.6	AMA	4.14	(0.06)	3,452	00 4.1	-	-	-	-	-
KWM	1.26	0.02	2,688	00 1.2	AMARC	1.41	(0.04)	6,927	00 1.4	-	-	-	-	-
MBAX	2.40	(0.10)	1,315	00 2.4	ARIP	0.58	0.01	2,681	00 0.5	-	-	-	-	-
MGT	2.04	0.04	1,610	00 2.0	ATP30	1.00	0.02	23,076	00 1.0	-	-	-	-	-
MTW	1.15	-	3,303	00 1.1	AUCT	8.65	(0.05)	4,873	00 8.6	-	-	-	-	-
MTW-W1	0.11	0.01	15,499	00 0.1	BIS	3.50	(0.14)	789	00 3.5	-	-	-	-	-
NDR	2.58	(0.02)	5,076	00 2.5	BOL	6.00	(0.05)	1,770	00 5.9	-	-	-	-	-
PACO	1.36	0.01	3,958	00 1.3	CEYE	3.00	(0.12)	3,689	00 2.8	-	-	-	-	-
PACO-W1	0.08	-	1,759	00 0.0	CHIC	0.51	(0.01)	19	00 0.5	-	-	-	-	-
PDG	2.66	(0.02)	20	00 2.6	CMO	0.81	(0.05)	3,350	00 0.8	-	-			