

Main Board Quotation

Issue Date :

Wednesday November 20, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB	114.00	(0.50)	45,775	114.07	IVL13P2502A	0.12	-	12,298	0.12
Agribusiness	-	-	-	-	SCB01C2412A	-	-	-	-	IVL19C2412A	-	-	-	-
EE	0.20	-	7,174	0.20	SCB01C2502A	0.19	(0.01)	2,988	0.19	IVL19C2501A	-	-	-	-
EE-W1	-	-	-	-	SCB01P2501A	-	-	-	-	IVL19C2502A	-	-	-	-
GFPT	10.80	(0.20)	4,765	10.87	SCB11C2501A	-	-	-	-	IVL19C2502B	0.12	(0.02)	51,863	0.13
LEE	2.44	(0.06)	321	2.44	SCB13C2412A	-	-	-	-	IVL19C2502C	0.13	(0.01)	4,907	0.13
NER	4.94	0.02	97,303	4.95	SCB13C2502A	0.19	(0.01)	18,323	0.19	IVL19P2502A	0.13	0.01	5,302	0.13
NER-W2	0.52	(0.04)	20,616	0.51	SCB13P2412A	0.02	-	50	0.02	IVL41C2412A	-	-	-	-
PCE	2.82	0.06	105,548	2.81	SCB13P2502A	0.16	0.01	2,023	0.15	IVL41C2412B	-	-	-	-
PPPM	0.74	0.03	115,818	0.78	SCB19C2412A	-	-	-	-	IVL41C2502A	-	-	-	-
PPPM-W6	0.59	0.01	6,310	0.62	SCB19C2502A	0.16	-	1,414	0.17	IVL41C2502B	0.12	(0.02)	47,502	0.13
STA	18.00	(0.30)	89,006	18.10	SCB19P2412A	-	-	-	-	NFC	1.71	(0.04)	11	1.72
STA01C2412A	-	-	-	-	SCB41C2412A	-	-	-	-	PATO	8.70	0.10	1,590	8.68
STA01C2501A	-	-	-	-	SCB41C2502A	-	-	-	-	PMTA	-	-	-	-
STA01C2502A	-	-	-	-	TCAP	49.25	(0.25)	11,660	49.09	PTTGC	25.25	(0.25)	112,539	25.52
STA01C2503A	0.18	(0.01)	28,466	0.19	TCAP-P	-	-	-	-	PTTGC01C2412A	-	-	-	-
STA01C2504A	0.42	(0.04)	17,103	0.44	TCAP-Q	-	-	-	-	PTTGC01C2501A	0.01	-	250	0.01
STA01P2502A	0.68	0.02	17,104	0.68	TCAP13C2501A	-	-	-	-	PTTGC01C2501B	0.20	(0.01)	5,534	0.21
STA13C2412A	-	-	-	-	TCAP19C2504A	0.19	-	7,742	0.19	PTTGC01C2502A	0.06	-	21,255	0.07
STA13C2502A	-	-	-	-	TISCO	96.50	0.25	7,412	96.27	PTTGC01C2504A	0.55	(0.06)	2,242	0.58
STA13C2502B	0.10	(0.02)	400	0.10	TISCO-P	-	-	-	-	PTTGC01P2412X	-	-	-	-
STA13C2503A	0.26	(0.02)	50,791	0.27	TISCO-Q	-	-	-	-	PTTGC01P2501A	0.10	0.01	14,480	0.10
STA13P2502A	0.62	0.02	32,463	0.61	TISCO11C2501A	-	-	-	-	PTTGC01P2503A	0.38	(0.01)	6,667	0.38
STA19C2412A	0.02	(0.01)	80	0.02	TISCO13C2502A	0.10	-	8,659	0.10	PTTGC11C2411A	-	-	-	-
STA19C2502A	-	-	-	-	TISCO19C2502A	-	-	-	-	PTTGC11C2412A	-	-	-	-
STA19C2502B	-	-	-	-	TTB	1.77	(0.02)	1,679,367	1.78	PTTGC11C2501A	0.15	(0.02)	2,800	0.17
STA19C2503A	0.15	(0.01)	30,224	0.16	TTB-W1	0.84	-	693	0.83	PTTGC11C2502A	0.08	-	125	0.08
STA19C2504A	0.29	(0.03)	59,887	0.29	TTB01C2503A	0.08	-	1,000	0.08	PTTGC13C2412A	-	-	-	-
STA19P2503A	0.58	0.02	40,661	0.58	TTB01C2504A	0.30	(0.01)	23,828	0.30	PTTGC13C2412B	0.01	-	20	0.01
STA41C2503A	0.31	(0.03)	20,007	0.31	TTB13C2501A	0.03	-	3,228	0.03	PTTGC13C2412C	0.02	-	51	0.02
TEGH	3.30	-	30,534	3.30	TTB13C2503A	0.21	(0.02)	1,104	0.22	PTTGC13C2501A	-	-	-	-
TFM	8.20	-	155	8.20	TTB19C2501A	0.11	(0.01)	1	0.11	PTTGC13C2502A	0.08	(0.01)	18,792	0.09
TRUBB	0.96	0.01	19,857	0.97	TTB19C2504A	0.29	(0.71)	10,302	0.29	PTTGC13C2503A	-	-	-	-
UPOIC	6.55	(0.15)	7	6.58	Construction Ma	-	-	-	-	PTTGC13C2504A	0.19	(0.02)	14,210	0.20
UVAN	9.30	(0.05)	2,688	9.27	CCP	0.29	-	1,530	0.29	PTTGC13P2412A	-	-	-	-
VPO	0.66	(0.02)	14,413	0.68	DCC	1.88	(0.01)	14,966	1.88	PTTGC13P2502A	-	-	-	-
Banking	-	-	-	-	DCON	0.31	-	6,817	0.30	PTTGC13P2502B	0.18	0.01	5,398	0.17
BAY	25.25	-	850	25.13	DCON-W3	0.01	-	10,551	0.01	PTTGC19C2412A	-	-	-	-
BBL	149.00	(0.50)	38,708	149.09	DRT	7.70	(0.05)	6,811	7.68	PTTGC19C2412B	-	-	-	-
BBL11C2412A	-	-	-	-	EPG	4.32	(0.54)	178,155	4.43	PTTGC19C2501A	0.24	0.02	1,185	0.22
BBL11C2501A	-	-	-	-	GEL	0.10	-	11,017	0.10	PTTGC19C2501B	-	-	-	-
BBL11C2502A	0.18	(0.02)	2,019	0.18	GEL-W5	-	-	-	-	PTTGC19C2502A	0.04	-	70	0.04
BBL13C2412A	-	-	-	-	PPP	1.70	(0.02)	2	1.71	PTTGC19C2504A	0.17	(0.01)	19,065	0.17
BBL13C2501A	0.07	(0.01)	4,697	0.07	Q-CON	9.35	(0.05)	322	9.35	PTTGC19P2412A	-	-	-	-
BBL13C2503A	0.19	(0.01)	12,638	0.20	SCC	192.00	(4.50)	30,188	193.87	PTTGC19P2503A	0.20	-	5,164	0.19
BBL13P2412A	0.02	0.01	50	0.02	SCC01C2412A	0.02	-	3,050	0.01	PTTGC41C2412A	-	-	-	-
BBL13P2501A	0.21	(0.01)	5,059	0.21	SCC01C2502A	0.08	(0.03)	8,372	0.09	PTTGC41C2412B	-	-	-	-
BBL19C2502A	-	-	-	-	SCC01C2503A	-	-	-	-	PTTGC41C2501A	-	-	-	-
BBL19C2503A	0.20	(0.01)	7,991	0.21	SCC01P2503A	0.89	0.10	82,177	0.85	PTTGC41C2502A	-	-	-	-
BBL19C2503B	0.29	(0.02)	28,637	0.30	SCC13C2501A	0.02	-	532	0.01	PTTGC41C2502B	-	-	-	-
BBL41C2412A	-	-	-	-	SCC13C2501B	-	-	-	-	PTTGC41C2503A	0.14	(0.01)	31,500	0.14
BBL41C2502A	-	-	-	-	SCC13C2502A	0.04	(0.02)	3,200	0.04	PTTGC41P2502A	-	-	-	-
BBL41C2504A	0.33	(0.01)	12,323	0.34	SCC13C2503A	0.09	(0.02)	42,487	0.11	SUTHA	2.96	-	107	2.96
CIMBT	0.54	0.01	1,979	0.53	SCC13C2504A	0.53	(0.10)	248,165	0.60	TPA	-	-	-	-
CREDIT	21.10	(0.60)	1,327	21.11	SCC13P2502A	0.86	0.06	78,460	0.83	UAC	3.70	0.02	8,124	3.68
KBANK	148.50	(1.00)	78,006	148.03	SCC19C2501A	-	-	-	-	UP	18.10	0.90	27	18.11
KBANK01C2412A	0.22	(0.06)	500	0.22	SCC19C2502A	0.03	-	150	0.03	Commerce	-	-	-	-
KBANK01C2501A	0.26	(0.02)	9,670	0.26	SCC19C2503A	0.10	(0.02)	76,248	0.12	ADVICE	5.95	0.10	37,323	5.91
KBANK01C2502A	0.09	(0.01)	160	0.09	SCC19C2504A	0.45	(0.09)	103,402	0.52	BS2	0.34	-	330	0.34
KBANK01C2503A	0.30	(0.02)	15,534	0.30	SCC41C2503A	0.11	(0.03)	9,000	0.12	BEAUTY	0.40	0.01	24,352	0.39
KBANK01P2412X	0.02	0.01	5	0.02	SCCC	162.50	1.00	201	162.50	BIG	0.37	0.01	6,805	0.37
KBANK01P2502A	0.18	-	21,124	0.18	SCGD	6.15	-	1,576	6.15	BJC	22.90	(0.10)	22,344	23.00
KBANK01P2502B	0.43	0.02	9,417	0.44	SCP	6.85	(0.05)	2,999	6.80	BJC01C2412A	-	-	-	-
KBANK13C2412A	-	-	-	-	SKN	5.55	-	381	5.48	BJC01C2503A	0.07	0.01	11,029	0.06
KBANK13C2501A	-	-	-	-	STECH	1.09	(0.01)	311	1.10	BJC13C2412A	-	-	-	-
KBANK13C2501B	-	-	-	-	TASCO	18.60	0.20	57,559	18.35	BJC13C2502A	-	-	-	-
KBANK13C2503A	0.27	(0.03)	40,087	0.27	TASCO01C2501/	0.13	-	39,494	0.12	BJC13C2503A	0.26	(0.02)	26,672	0.27
KBANK13P2412A	-	-	-	-	TASCO13C2501/	0.11	-	34,254	0.10	BJC19C2502A	-	-	-	-
KBANK13P2501A	-	-	-	-	TASCO19C2502/	0.20	0.01	35,180	0.19	BJC19C2503A	0.24	-	12,413	0.24
KBANK13P2501B	0.10	(0.01)	6,060	0.11	TOA	16.50	(0.10)	1,837	16.58	COM7	26.75	-	43,509	26.68
KBANK19C2501A	0.12	(0.04)	5,166	0.12	TPIPL	1.12	-	36,146	1.12	COM701C2412W	-	-	-	-
KBANK19C2502A	0.15	(0.02)	12,126	0.15	UMI	0.76	0.01	9,295	0.77	COM701C2501A	0.09	(0.01)	480	0.09
KBANK19C2502B	0.09	(0.01)	5,000	0.09	VNG	3.40	-	304	3.40	COM701C2503A	0.18	-	24,442	0.18
KBANK19C2504A	0.35	(0.04)	38,193	0.35	WIJK	1.11	(0.01)	1,053	1.09	COM701P2501A	0.12	(0.01)	21,334	0.13
KBANK19P2501A	-	-	-	-	WIJK-W3	0.07	0.01	15,213	0.06	COM713C2412A	0.18	(0.02)	6,000	0.18
KBANK19P2502A	0.07	(0.02)	4	0.07	WINDOW	0.82	-	3,391	0.82	COM713C2501A	0.09	(0.01)	3,256	0.09
KBANK41C2501A	0.21	(0.03)	19,400	0.20	Petrochemicals &	-	-	-	-	COM713C2504A	0.22	(0.01)	3,594	0.22
KBANK41C2502A	-	-	-	-	BCT	68.75	2.25	12	66.42	COM713P2501A	0.10	-	2,145	0.10
KBANK41C2604T	0.73	(0.01)	8,002	0.73	CMAN	2.14	0.02	1,041	2.11	COM719C2501A	-	-	-	-
KBANK41P2502A	0.36	-	4,500	0.36	GC	4.98	-	133	5.00	COM719C2502A	0.17	-	58,814	0.17
KKP	52.50	0.50	16,203	52.42	GGC	4.58	-	21	4.58	COM719P2412A	-	-	-	-
KKP-W6	1.34	(0.01)	389	1.34	GIFT	2.20	-	9,862	2.18	COM719P2502A	0.12	-	6,618	0.12
KKP13C2412A	-	-	-	-	GIFT-W2	0.25	(0.03)	4,125	0.26	COM741C2412A	-	-	-	-
KKP13C2412B	-	-	-	-	IVL	25.25	(0.50)	111,687	25.40	COM741C2501A	-	-	-	-
KKP13C2501A	0.31	0.01	14,620	0.31	IVL01C2412W	0.67	(0.14)	3,935	0.72	COM741C2501B	0.16	(0.01)	21,600	0.16
KKP13C2502A	0.21	0.01	23,644	0.21	IVL01C2501W	1.28	(0.14)	1,293	1.34	CPALL	63.25	(0.50)	110,389	63.34
KKP19C2501A	0.32	0.01	6,124	0.31	IVL01C2502A	0.56	(0.07)	4,320	0.59	CPALL01C2412A	-	-	-	-
KKP19C2503A	0.34	0.01	6,298	0.34	IVL01C2502B	0.32	(0.05)	14,018	0.34	CPALL01C2501A	0.31	(0.04)	1,641	0.31
KTB	20.40	(0.10)	181,624	20.45	IVL01C2503A	0.11	(0.01)	18,796	0.11	CPALL01C2502A	0.10	(0.0		

Main Board Quotation

Issue Date :

Wednesday November 20, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL41C2605T	0.42	(0.02)	6,000	0.43	AMR	1.01	(0.01)	2,496	0.99	DELTA01P2502A	0.05	(0.01)	17,369	0.05
CPALL41P2502A	0.37	0.01	200	0.37	BLISS	-	-	-	-	DELTA01P2503A	0.22	(0.05)	91,409	0.24
CPAXT	34.50	(0.25)	26,351	34.57	DIF	8.90	0.05	43,545	8.89	DELTA01P2504A	0.61	(0.09)	76,783	0.67
CPW	2.20	-	2,442	2.19	DITTO	16.20	(1.40)	59,556	16.73	DELTA06C2412A	-	-	-	-
CRC	33.50	(0.25)	35,670	33.64	DITTO-W1	0.82	(0.06)	1,391	0.81	DELTA06C2502A	-	-	-	-
CRC01C2412A	-	-	-	-	DTCENT	1.13	(0.01)	1,850	1.14	DELTA11C2411A	-	-	-	-
CRC01C2501A	-	-	-	-	FORTH	12.30	(0.10)	1,168	12.31	DELTA11C2501A	1.21	0.12	18,431	1.11
CRC01C2503A	0.15	(0.01)	13,967	0.15	FORTH13C2412	-	-	-	-	DELTA11C2501B	-	-	-	-
CRC11C2501A	0.13	-	1,800	0.13	FORTH19C2501	0.08	(0.01)	1,691	0.08	DELTA13C2412A	2.04	0.25	556	1.87
CRC13C2412A	0.02	-	2	0.02	GABLE	3.48	-	503	3.46	DELTA13C2501A	-	-	-	-
CRC13C2412B	-	-	-	-	HUMAN	9.85	0.20	2,784	9.61	DELTA13C2502A	2.04	0.29	3,619	1.87
CRC13C2502A	0.11	-	6,267	0.11	ICN	2.40	(0.12)	10,358	2.38	DELTA13C2502B	1.47	0.23	5,612	1.31
CRC13C2503A	0.22	(0.01)	19,631	0.22	ILINK	5.95	0.05	10,370	5.97	DELTA13C2503A	1.08	0.18	19,255	1.01
CRC19C2501A	0.26	(0.01)	1	0.26	INET	7.55	-	222,265	7.42	DELTA13C2503B	0.74	0.13	403,674	0.66
CRC19C2502A	0.17	-	13,391	0.17	INET-W3	-	-	-	-	DELTA13C2503C	0.36	0.06	165,803	0.32
CRC41C2503A	0.24	(0.01)	3,600	0.23	INSET	3.50	(0.02)	172,335	3.49	DELTA13P2412A	-	-	-	-
CSS	1.00	(0.04)	86,437	1.01	INTUCH	98.75	-	149,245	99.16	DELTA13P2502A	0.03	-	17,229	0.03
DOHOME	10.00	0.05	19,692	9.98	INTUCH01C241	0.93	0.06	406	0.95	DELTA13P2502B	0.09	(0.02)	55,038	0.10
DOHOME01C2501A	-	-	-	-	INTUCH01C250	0.14	-	62,127	0.13	DELTA13P2503A	0.22	(0.05)	190,446	0.25
DOHOME01C2503A	0.09	-	9,505	0.09	INTUCH13C241	0.32	0.02	208	0.29	DELTA13P2503B	0.57	(0.10)	137,242	0.62
DOHOME19C2412A	-	-	-	-	INTUCH13C2501	0.31	(0.01)	168,772	0.32	DELTA19C2412A	-	-	-	-
DOHOME13C2502A	0.08	-	1,247	0.08	INTUCH13C250	0.17	-	70,606	0.18	DELTA19C2502A	1.84	0.42	40	1.79
DOHOME13C2503A	0.15	-	13,843	0.15	INTUCH13C250	0.09	0.01	20,659	0.09	DELTA19C2503A	1.30	0.19	2,448	1.22
DOHOME19C2501A	0.03	-	30	0.03	INTUCH13C250	0.62	(0.01)	185,274	0.64	DELTA19C2503B	0.90	0.16	68,779	0.80
DOHOME19C2502A	-	-	-	-	INTUCH13P241	-	-	-	-	DELTA19P2412A	0.01	-	1,600	0.01
DOHOME41C2412A	-	-	-	-	INTUCH13P250	0.37	(0.01)	59,222	0.36	DELTA19P2502A	0.04	-	250	0.04
DOHOME41C2501A	-	-	-	-	INTUCH19C241	-	-	-	-	DELTA19P2503A	0.15	(0.03)	13,133	0.17
FN	0.89	(0.05)	1,177	0.90	INTUCH19C250	0.42	-	204,452	0.42	DELTA19P2504A	0.41	(0.06)	23,594	0.44
GLOBAL	15.80	-	43,761	15.81	INTUCH19C250	0.22	-	66,823	0.22	DELTA41C2412A	-	-	-	-
GLOBAL01C2503A	0.21	0.01	24,847	0.21	INTUCH19C250	0.14	-	91,022	0.13	DELTA41C2502A	1.41	0.09	1,508	1.31
GLOBAL11C2501A	-	-	-	-	ITEL	2.24	(0.06)	39,762	2.25	DELTA41C2503A	0.79	0.13	61,501	0.72
GLOBAL13C2501A	0.16	(0.01)	11,561	0.16	JAS	2.28	-	532,538	2.26	DELTA41P2412A	-	-	-	-
GLOBAL19C2412A	-	-	-	-	JAS-W4	0.50	(0.02)	229,753	0.51	DELTA41P2502A	0.10	(0.02)	2,928	0.12
GLOBAL19C2503A	0.26	-	20,240	0.26	JAS13C2412A	-	-	-	-	HANA	29.25	(0.50)	223,680	28.89
HMPRO	9.65	-	213,152	9.65	JAS13C2502A	0.10	(0.01)	6,646	0.10	HANA01C2412W	0.01	-	4,889	0.01
HMPRO01C2501A	0.12	(0.01)	34,502	0.12	JAS13C2503A	0.26	-	4,864	0.25	HANA01C2501W	0.01	-	767	0.01
HMPRO01C2503A	-	-	-	-	JAS19C2412A	0.01	(0.01)	32,190	0.01	HANA01C2502A	0.01	(0.01)	4,880	0.01
HMPRO01C2504A	0.33	-	15,271	0.33	JAS19C2501A	0.06	(0.02)	17,003	0.06	HANA01C2504W	0.07	(0.02)	99,728	0.07
HMPRO11C2412A	0.20	(0.02)	4,800	0.20	JAS19C2503A	0.22	-	103,630	0.21	HANA01P2501W	0.52	0.02	39,789	0.55
HMPRO11C2412B	-	-	-	-	JMART	13.60	-	21,707	13.51	HANA01P2503W	1.04	0.07	31,253	1.03
HMPRO11C2502A	-	-	-	-	JMART-W5	0.57	0.01	54	0.59	HANA06C2412A	0.01	-	1,006	0.01
HMPRO13C2501A	0.20	(0.02)	24,206	0.20	JMART01C2501	-	-	-	-	HANA13C2412A	-	-	-	-
HMPRO13C2501B	0.02	-	47,150	0.02	JMART01C2503	0.23	-	22,341	0.23	HANA13C2412B	-	-	-	-
HMPRO19C2501A	0.34	-	692	0.33	JMART13C2412	-	-	-	-	HANA13C2502A	0.02	0.01	51,607	0.01
HMPRO19C2501B	-	-	-	-	JMART13C2501	0.16	(0.01)	9,604	0.16	HANA13C2503A	0.05	-	5,057	0.05
HMPRO19C2502A	-	-	-	-	JMART13C2501E	0.03	(0.01)	1,200	0.03	HANA13C2504A	0.10	(0.01)	11,779	0.10
HMPRO19C2503A	0.26	-	11,375	0.27	JMART13C2504	0.31	-	27,194	0.30	HANA13C2504B	0.21	(0.02)	97,675	0.20
HMPRO41C2503A	0.24	-	17,970	0.25	JMART19C2412	-	-	-	-	HANA13P2502A	0.93	0.08	1,005	0.90
ICC	32.00	(0.75)	68	31.65	JMART19C2501	0.36	(0.01)	3,186	0.35	HANA13P2503A	0.61	0.02	100,367	0.63
ILM	17.20	(0.20)	1,382	17.13	JMART19C2501E	-	-	-	-	HANA19C2501A	-	-	-	-
IT	5.00	(0.15)	828	5.13	JMART19C2501C	0.04	(0.01)	1	0.04	HANA19C2501B	0.01	(0.01)	1	0.01
KAMART	10.80	0.50	83,589	10.52	JMART19C2503	0.19	(0.01)	15,915	0.19	HANA19C2503A	0.06	(0.01)	1,871	0.05
LOXLEY	1.39	-	2,930	1.38	JMART19C2504	0.32	-	9,468	0.31	HANA19C2504A	0.23	(0.02)	67,848	0.22
MC	11.00	(0.10)	4,536	11.05	JMART41C2412	0.08	(0.01)	1,501	0.08	HANA19P2504A	-	-	-	-
MEGA	35.25	(1.00)	14,170	35.35	JMART41C2501	0.10	-	3,700	0.10	HANA41C2501A	-	-	-	-
MEGA13C2502A	0.07	(0.01)	1,376	0.07	JMART41C2504	0.30	-	3,000	0.30	HANA41C2502A	0.03	(0.01)	1	0.03
MEGA19C2502A	0.10	(0.01)	214	0.10	JTS	68.25	0.75	10,050	68.23	HANA41C2504A	0.17	(0.02)	31,675	0.16
MIDA	0.40	(0.01)	871	0.41	MFEC	6.15	0.05	492	6.08	KCE	27.75	0.25	82,784	27.22
MOSHI	45.75	(1.50)	11,576	46.32	MSC	8.00	-	14	7.93	KCE01C2412W	-	-	-	-
RS	5.85	(0.10)	11,114	5.88	PT	9.60	0.10	2,940	9.58	KCE01C2501W	-	-	-	-
RS-W5	4.74	(0.04)	3,023	4.79	ROCTEC	0.93	-	60,452	0.92	KCE01C2503A	0.02	(0.01)	450	0.02
RSP	1.93	(0.03)	445	1.93	ROCTEC-W3	0.04	0.01	218,675	0.03	KCE01C2504W	0.08	(0.02)	14,905	0.08
SABUY	0.45	(0.03)	457,399	0.48	ROCTEC-W5	0.07	0.01	165,414	0.06	KCE01P2412W	1.06	0.01	4,048	1.11
SCM	3.68	0.02	1,002	3.68	SAMART	7.55	(0.10)	26,017	7.51	KCE01P2501W	0.60	(0.01)	7,630	0.62
SCM-W2	0.89	0.06	1	0.89	SAMTEL	6.80	-	1,328	6.76	KCE01P2503W	0.94	0.01	11,926	0.96
SINGER	9.15	(0.05)	16,533	9.13	SDC	0.06	-	112,846	0.05	KCE01P2504A	0.44	-	70,845	0.46
SPC	60.00	(0.75)	117	60.27	SIS	27.00	(0.75)	2,716	27.03	KCE11C2501A	0.01	-	53	0.01
SPI	-	-	-	-	SKY	22.70	(0.20)	4,862	22.75	KCE11C2502A	-	-	-	-
SVT	1.58	(0.03)	5,791	1.58	SPREME	1.87	(0.03)	32,578	1.88	KCE13C2412A	-	-	-	-
TAN	8.60	(0.25)	9,137	8.62	SVOA	1.32	-	1,120	1.32	KCE13C2412B	-	-	-	-
Information & Comr					SYMC	8.20	(0.10)	2,550	8.20	KCE13C2501A	0.01	-	200	0.01
3BBIF	5.70	(0.05)	65,438	5.67	SYNEX	15.70	0.10	23,271	15.39	KCE13C2503A	0.03	(0.01)	2,891	0.03
ADVANC	282.00	(2.00)	41,585	283.85	THCOM	12.90	(0.30)	73,841	12.97	KCE13C2503B	-	-	-	-
ADVANC01C2412A	0.63	(0.04)	30	0.63	TKC	11.70	(0.20)	28	11.63	KCE13C2504A	0.11	-	43,147	0.11
ADVANC01C2501A	0.35	(0.03)	6,075	0.39	TRUE	11.90	0.10	300,502	11.80	KCE13C2504B	0.20	0.01	59,914	0.19
ADVANC01C2503A	0.32	(0.02)	46,562	0.33	TRUE01C2501A	0.14	(0.01)	4,068	0.14	KCE13P2412A	-	-	-	-
ADVANC01C2503B	0.34	(0.03)	16,100	0.37	TRUE01C2503A	0.16	-	16,160	0.16	KCE13P2501A	0.49	0.03	2	0.52
ADVANC01P2412X	-	-	-	-	TRUE01P2412W	-	-	-	-	KCE13P2503A	0.36	(0.02)	108,291	0.38
ADVANC01P2502X	0.08	0.01	11	0.08	TRUE01P2503A	0.26	-	6,188	0.26	KCE19C2412A	-	-	-	-
ADVANC01P2503X	0.33	0.02	29,376	0.32	TRUE11C2411A	-	-	-	-	KCE19C2501A	0.01	-	1,000	0.01
ADVANC06C2411A	-	-	-	-	TRUE11C2501A	0.19	0.01	600	0.19	KCE19C2503A	0.03	(0.01)	480	0.03
ADVANC06C2501A	0.28	(0.01)	3,388	0.29	TRUE11C2501B	0.12	-	4,000	0.12	KCE19C2503B	-	-	-	-
ADVANC11C2412A	-	-	-	-	TRUE13C2412A	-	-	-	-	KCE19C2504A	0.15	-	85,762	0.15
ADVANC13C2412A	-	-	-	-	TRUE13C2412B	0.05	(0.01)	202	0.05	KCE19P2412A	-	-	-	-
ADVANC13C2412B	-	-	-	-	TRUE13C2503A	-	-	-	-	KCE19P2501A	-	-	-	-
ADVANC13C2501A	0.15	(0.03)	15,960	0.17	TRUE13P2412A	-	-	-	-	KCE19P2504A	0.43	(0.02)	10,088	0.45
ADVANC13C2502A	0.11	(0.01)	17,912	0.12	TRUE13P2503A	0.18	(0.01)	6,000	0.1					

Main Board Quotation

Issue Date :

Wednesday November 20, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANPU01C2501A	0.08	(0.01)	7,627	0.08	EA19C2501A	0.06	(0.01)	40	0.07	PTT11C2501A	-	-	-	-
BANPU01C2501B	0.67	(0.01)	3,142	0.64	EA19C2503A	0.18	(0.01)	132,622	0.18	PTT13C2412A	-	-	-	-
BANPU01C2502A	-	-	-	-	EA19C2503B	0.28	(0.02)	100,842	0.28	PTT13C2503A	-	-	-	-
BANPU01C2503A	0.04	(0.01)	22	0.05	EA19P2412A	0.02	-	2	0.02	PTT13P2501A	-	-	-	-
BANPU01C2504A	0.20	(0.01)	35,287	0.20	EA19P2501A	0.38	0.01	188,561	0.39	PTT19C2502A	-	-	-	-
BANPU01P2501W	-	-	-	-	EA41C2412A	0.01	-	190	0.01	PTT41C2412A	0.01	-	1	0.01
BANPU01P2502A	0.30	0.01	7,503	0.31	EASTW	2.98	-	2,547	2.98	PTT41C2502A	-	-	-	-
BANPU11C2411A	-	-	-	-	EGATIF	6.00	0.10	5,980	5.94	PTTEP	127.50	-	56,036	126.97
BANPU11C2412A	-	-	-	-	EGCO	115.50	-	4,725	115.89	PTTEP01C2412A	0.02	0.01	1	0.02
BANPU11C2501A	-	-	-	-	EGCO13C2412A	-	-	-	-	PTTEP01C2502A	-	-	-	-
BANPU13C2412A	-	-	-	-	EGCO13C2502A	0.14	-	9,214	0.13	PTTEP01C2503A	0.16	-	24,254	0.16
BANPU13C2412B	-	-	-	-	EGCO19C2412A	-	-	-	-	PTTEP01C2504A	0.34	(0.02)	35,834	0.34
BANPU13C2501A	0.03	(0.01)	10,000	0.03	EGCO19C2502A	0.14	-	6,363	0.14	PTTEP01P2412X	-	-	-	-
BANPU13C2502A	0.03	(0.01)	1,249	0.03	EP	1.79	(0.01)	573	1.76	PTTEP01P2503A	0.54	-	5,646	0.55
BANPU13C2503A	0.13	-	30,310	0.13	EP-W4	0.01	(0.01)	1,057	0.01	PTTEP06C2501A	0.04	-	10	0.04
BANPU13P2501A	-	-	-	-	ETC	1.93	(0.03)	5,349	1.94	PTTEP11C2411A	0.01	-	50	0.01
BANPU13P2502A	0.28	(0.01)	1,539	0.29	GPSC	42.50	1.00	87,073	42.66	PTTEP11C2501A	0.03	(0.02)	2	0.03
BANPU19C2501A	-	-	-	-	GPSC01C2412A	-	-	-	-	PTTEP11C2501B	-	-	-	-
BANPU19C2502A	0.08	(0.01)	3,558	0.08	GPSC01C2501A	0.23	0.04	43,341	0.22	PTTEP11C2502A	0.17	(0.01)	2,400	0.17
BANPU19C2502B	0.04	-	59	0.04	GPSC01C2502A	0.09	0.01	13,799	0.08	PTTEP13C2412A	-	-	-	-
BANPU19C2504A	0.18	(0.02)	13,925	0.19	GPSC01C2504W	0.29	0.03	60,150	0.29	PTTEP13C2501A	0.02	-	9,540	0.01
BANPU41C2501A	0.13	-	79,320	0.13	GPSC01P2502A	0.17	(0.04)	17,353	0.17	PTTEP13C2502A	0.06	(0.01)	530	0.06
BANPU41C2502A	-	-	-	-	GPSC11C2411A	-	-	-	-	PTTEP13C2503A	0.17	-	32,232	0.17
BBGI	4.62	(0.10)	13,947	4.63	GPSC11C2501A	-	-	-	-	PTTEP13C2504A	0.33	(0.01)	40,607	0.32
BCP	32.75	0.50	77,066	32.51	GPSC11C2502A	0.28	0.06	9,000	0.25	PTTEP13P2502A	0.40	-	18,049	0.41
BCP01C2412A	-	-	-	-	GPSC13C2412A	0.04	0.02	50	0.04	PTTEP19C2412A	-	-	-	-
BCP01C2501A	-	-	-	-	GPSC13C2501A	0.17	0.03	64,063	0.18	PTTEP19C2502A	-	-	-	-
BCP01C2502A	0.04	-	500	0.04	GPSC13C2501B	0.05	0.01	960	0.05	PTTEP19C2503A	0.19	(0.01)	40,100	0.19
BCP01C2504A	0.21	0.01	40,425	0.21	GPSC13C2503A	0.19	0.03	27,275	0.19	PTTEP19C2504A	0.33	(0.01)	18,566	0.33
BCP01P2502A	0.29	(0.01)	30,518	0.29	GPSC13C2504A	0.31	(0.69)	84,332	0.31	PTTEP41C2412A	-	-	-	-
BCP11C2501A	-	-	-	-	GPSC13P2501A	0.18	(0.04)	9,172	0.17	PTTEP41C2502A	-	-	-	-
BCP11C2502A	-	-	-	-	GPSC19C2501A	0.19	0.04	33,450	0.18	PTTEP41C2503A	0.20	(0.01)	42,000	0.20
BCP13C2412A	-	-	-	-	GPSC19C2502A	0.11	0.02	16,342	0.11	PTTEP41C2604T	0.21	(0.01)	6,401	0.21
BCP13C2501A	-	-	-	-	GPSC19C2503A	0.21	0.03	63,725	0.21	PTTEP41P2412A	-	-	-	-
BCP13C2503A	0.14	0.01	2,317	0.14	GPSC41C2412A	-	-	-	-	PTTEP41P2503A	-	-	-	-
BCP13C2504A	0.34	0.02	93,074	0.33	GPSC41C2502A	0.07	-	1,550	0.07	RATCH	30.00	(0.50)	21,153	30.14
BCP13P2501A	0.18	(0.01)	35,340	0.18	GPSC41C2504A	0.33	0.03	32,710	0.34	RATCH01C2503A	0.10	(0.01)	37,365	0.11
BCP19C2412A	-	-	-	-	GREEN	1.09	0.02	1,769	1.08	RATCH13C2412A	-	-	-	-
BCP19C2501A	-	-	-	-	GULF	63.50	0.75	246,011	63.60	RATCH13C2503A	0.09	(0.01)	10,525	0.09
BCP19C2503A	0.18	-	51,227	0.18	GULF01C2412A	0.80	0.09	10,412	0.79	RATCH19C2412A	-	-	-	-
BCP19C2503B	0.14	0.01	689	0.13	GULF01C2502A	0.43	0.04	6,112	0.43	RATCH19C2502A	-	-	-	-
BCP19C2504A	0.34	(0.66)	8,189	0.33	GULF01C2502B	0.29	0.01	77,447	0.29	RPC	0.46	(0.01)	1,809	0.47
BCP41C2502A	-	-	-	-	GULF01C2503A	0.18	0.02	73,861	0.19	SCG	3.48	-	17	3.42
BCP41C2504A	0.21	0.01	21,000	0.21	GULF01P2501A	-	-	-	-	SCN	0.72	(0.03)	10,368	0.73
BCPG	5.75	0.05	22,353	5.71	GULF06C2503A	0.31	0.03	16,432	0.31	SCN-W2	0.08	-	2,253	0.07
BCPG01C2502A	0.02	(0.01)	100	0.02	GULF13C2412A	1.07	0.10	214	0.99	SCN-W3	-	-	-	-
BCPG13C2501A	0.02	(0.01)	10,000	0.02	GULF13C2412B	-	-	-	-	SEA01L	2.70	-	5,263	2.71
BCPG13C2502A	-	-	-	-	GULF13C2501A	0.29	0.02	172,225	0.30	SGP	7.15	-	198	7.20
BCPG13C2504A	0.20	(0.80)	18,276	0.19	GULF13C2502A	0.22	0.01	140,811	0.23	SKE	0.31	(0.01)	11,140	0.31
BCPG19C2503A	0.07	(0.01)	2,257	0.07	GULF13C2502B	0.13	0.01	119,136	0.14	SKE-W1	0.07	0.01	12,856	0.06
BGRIM	20.70	0.10	81,820	20.66	GULF13P2412A	-	-	-	-	SOLAR	0.49	(0.02)	4,720	0.50
BGRIM01C2501A	0.10	-	15,221	0.10	GULF13P2501A	-	-	-	-	SPCG	8.65	0.30	6,590	8.39
BGRIM01C2502A	0.08	(0.02)	132	0.08	GULF13P2502A	0.06	(0.02)	1,000	0.06	SPRC	6.85	0.10	299,342	6.80
BGRIM01C2503A	0.04	-	70	0.04	GULF13P2502B	0.24	(0.03)	135,994	0.25	SPRC01C2502A	0.13	-	35,700	0.13
BGRIM01C2504A	0.24	(0.01)	72,376	0.25	GULF19C2412A	0.95	0.20	937	0.95	SPRC13C2412A	-	-	-	-
BGRIM11C2412A	-	-	-	-	GULF19C2501A	-	-	-	-	SPRC13C2501A	-	-	-	-
BGRIM11C2501A	-	-	-	-	GULF19C2502A	0.46	0.04	1,440	0.43	SPRC13C2503A	0.17	0.01	35,542	0.16
BGRIM11C2502A	0.19	(0.01)	1,000	0.19	GULF19C2503A	0.32	0.03	59,994	0.33	SPRC13C2504A	0.30	0.01	49,817	0.29
BGRIM13C2412A	-	-	-	-	GULF19C2503B	0.20	0.01	136,755	0.21	SPRC19C2501A	-	-	-	-
BGRIM13C2502A	-	-	-	-	GULF19P2501A	-	-	-	-	SPRC19C2503A	0.21	0.01	26,832	0.20
BGRIM13C2503A	0.19	(0.01)	11,042	0.20	GULF19P2503A	0.32	(0.03)	56,121	0.32	SSP	5.75	(0.05)	1,828	5.76
BGRIM13C2504A	0.36	-	43,438	0.36	GULF41C2502A	0.67	0.04	450	0.65	SSP-W2	0.05	-	12,255	0.05
BGRIM19C2501A	0.13	-	11,166	0.13	GULF41C2502B	0.42	0.03	42,330	0.43	SUPER	0.27	-	65,143	0.27
BGRIM19C2502A	0.11	-	6,206	0.10	GULF41C2605T	0.77	0.02	63,155	0.78	SUPEREIF	6.60	-	1,592	6.63
BGRIM19C2504A	0.39	0.01	76,519	0.38	GUNKUL	2.40	-	87,954	2.40	SUSCO	3.04	(0.04)	4,116	3.06
BGRIM41C2412A	0.01	-	6,361	0.01	GUNKUL13C241	0.06	0.01	640	0.05	TAE	0.85	0.01	722	0.85
BGRIM41C2502A	0.09	(0.01)	1,600	0.09	GUNKUL13C250	0.06	-	8,950	0.06	TCC	0.42	-	2,384	0.43
BGRIM41C2504A	0.31	-	24,200	0.31	GUNKUL13C250	0.24	(0.76)	41,271	0.24	TCC-W5	0.18	-	101	0.17
BIOTEC	0.25	(0.01)	10,941	0.25	GUNKUL19C241	-	-	-	-	TGE	2.38	(0.04)	659	2.38
BIOTEC-P	-	-	-	-	IRPC	1.39	(0.03)	135,623	1.40	TGE-W1	-	-	-	-
BIOTEC-Q	-	-	-	-	IRPC01C2502A	0.05	(0.01)	820	0.05	TOP	40.25	(0.75)	73,839	40.39
BIOTEC-W2	0.06	0.01	182	0.06	IRPC01C2504A	-	-	-	-	TOP01C2412A	-	-	-	-
BPP	12.00	0.40	4,006	11.75	IRPC13C2412A	-	-	-	-	TOP01C2503A	-	-	-	-
BRRGIF	3.84	0.02	2,597	3.83	IRPC13C2501A	0.01	-	2,500	0.01	TOP01C2504A	0.14	(0.03)	19,041	0.15
BSRC	7.75	0.20	26,506	7.68	IRPC13C2502A	-	-	-	-	TOP01P2504A	0.37	0.02	14,306	0.36
CKP	3.38	-	57,211	3.36	IRPC13C2503A	-	-	530	0.18	TOP11C2412A	-	-	-	-
CKP01C2504A	0.18	(0.01)	14,663	0.18	IRPC19C2501A	-	-	-	-	TOP11C2501A	-	-	-	-
CKP13C2412A	-	-	-	-	IRPC19C2502A	-	-	-	-	TOP11C2502A	-	-	-	-
CKP13C2501A	0.03	-	1,808	0.03	IRPC19C2503A	0.14	(0.02)	15,830	0.15	TOP13C2412A	-	-	-	-
CKP19C2502A	0.10	-	2,118	0.10	KBSPIF	8.10	-	1,131	8.05	TOP13C2502A	-	-	-	-
CV	0.21	(0.01)	29,481	0.22	LANNA	16.00	(0.10)	5,820	16.08	TOP13C2503A	0.07	(0.02)	5,248	0.08
CV-W1	0.15	-	224	0.15	MDX	3.46	(0.08)	6,765	3.48	TOP13C2503B	0.11	(0.02)	6,734	0.12
DEMCO	3.38	(0.08)	1,188	3.43	NOVA	9.95	-	1	9.95	TOP13P2503A	0.32	0.02	17,431	0.31
DEMCO-W7	-	-	-	-	OR	14.70	(0.20)	78,874	14.66	TOP19C2412A	-	-	-	-
EA	6.25	(0.15)	1,884,732	6.31	OR01C2412A	0.01	-	4,000	0.01	TOP19C2502A	0.03	(0.01)	35,000	0.03
EA01C2412A	0.01	-	5,072	0.01	OR01C2502A	0.08	(0.01)	13,642	0.09	TOP19C2503A	-	-	-	-
EA01C2412W	0.01	(0.01)	3,540	0.01	OR01C2503A	-	-	-	-	TOP19C2503B	0.14	(0.02)	20,694	0.15
EA06C2412A	0.09													

Main Board Quotation

Issue Date :

Wednesday November 20, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GRAMMY	8.10	(0.10)	529	8.02	KTC01C2503A	0.21	(0.01)	72,496	0.22	CBG41C2412A	0.15	(0.02)	5,751	0.16
JKN	-	-	-	-	KTC11C2502A	-	-	-	-	CBG41C2503A	0.39	(0.03)	17,250	0.39
MAJOR	14.80	-	12,488	14.76	KTC13C2412A	-	-	-	-	CFRESH	1.46	(0.02)	5,386	1.45
MATCH	1.43	0.06	35	1.38	KTC13C2412B	0.09	(0.01)	1,200	0.09	CH	2.00	-	1,107	2.00
MATI	6.65	-	2	6.65	KTC13C2502A	0.10	(0.01)	71,758	0.11	CHAO	7.80	(0.15)	12,100	7.77
MCOT	6.30	(0.35)	59,496	6.42	KTC13C2503A	0.19	(0.02)	63,853	0.20	CHOTI	-	-	-	-
MONO	1.63	(0.04)	42,184	1.64	KTC19C2412A	-	-	-	-	CM	2.08	-	190	2.09
NATION	0.04	(0.01)	11,138	0.04	KTC19C2502A	0.13	-	33,918	0.13	COCOCO	11.00	-	37,200	11.00
NATION-W4	-	-	-	-	KTC19C2504A	0.26	-	103,787	0.27	CPF	24.00	(0.40)	93,684	24.14
ONEE	3.66	-	28,816	3.64	MFC	25.75	0.50	1,216	25.51	CPF01C2412A	-	-	-	-
PLANB	7.20	(0.15)	65,993	7.20	MICRO	1.17	(0.06)	7,387	1.19	CPF01C2501A	-	-	-	-
PLANB-W1	0.03	(0.03)	40,642	0.05	ML	0.63	-	950	0.63	CPF01C2502A	0.26	(0.03)	22	0.26
PLANB13C2412A	-	-	-	-	MST	9.85	(0.05)	20	9.78	CPF01C2503A	0.08	-	20	0.08
PLANB13C2503A	0.17	(0.03)	20,519	0.18	MTC	48.25	1.00	45,245	48.37	CPF13C2412A	0.01	(0.01)	500	0.01
PLANB19C2412A	-	-	-	-	MTC01C2412A	0.16	0.02	38,421	0.17	CPF13C2501A	-	-	-	-
PLANB19C2503A	0.22	(0.03)	22,594	0.22	MTC01C2502A	0.11	0.01	31,494	0.12	CPF13C2502A	0.19	(0.02)	1,061	0.22
PRAKIT	11.20	-	94	11.18	MTC01C2504A	0.34	0.02	33,843	0.35	CPF13C2503A	-	-	-	-
PTECH	1.14	0.14	2	1.14	MTC01P2502A	0.31	(0.03)	52,411	0.31	CPF19C2501A	-	-	-	-
SE-ED	2.04	-	240	2.04	MTC13C2412A	-	-	-	-	CPF19C2502A	0.21	(0.02)	8,748	0.22
TKS	6.75	-	538	6.71	MTC13C2502A	0.14	0.01	7,616	0.14	CPF41C2503A	0.22	(0.03)	4,000	0.23
VGI	2.40	(0.02)	251,059	2.39	MTC13C2503A	0.27	0.01	61,266	0.29	CPI	2.92	(0.12)	7,580	2.92
VGI-W3	0.08	-	6,763	0.08	MTC13P2412A	-	-	-	-	F8D	41.75	(0.50)	3	41.33
VGI01C2501A	0.83	(0.07)	2,762	0.84	MTC13P2502A	0.25	(0.02)	11,410	0.24	FM	4.00	(0.12)	45,099	4.03
VGI01C2501B	0.15	(0.02)	34,929	0.15	MTC19C2412A	0.11	0.01	14,494	0.13	GLOCON	0.19	(0.01)	29,258	0.19
VGI01C2502A	0.08	(0.02)	1,150	0.08	MTC19C2502A	0.16	0.02	28,210	0.17	HTC	16.30	(0.10)	2,155	16.36
VGI01P2412X	-	-	-	-	MTC19C2504A	0.32	0.02	62,032	0.33	ICHI	15.30	(0.10)	44,004	15.26
VGI01P2501X	-	-	-	-	MTC19P2501A	-	-	-	-	ICHI01C2503A	0.17	(0.01)	951	0.17
VGI06C2502A	0.10	(0.01)	4,047	0.10	MTC41C2412A	-	-	-	-	ICHI13C2501A	0.09	(0.01)	3	0.09
VGI13C2412A	-	-	-	-	MTC41C2502A	0.14	0.01	26,000	0.14	ITC	20.90	(0.30)	47,535	20.93
VGI13C2501A	0.19	(0.02)	31,998	0.19	NCAP	1.80	(0.02)	33,553	1.80	ITC01C2412A	0.01	(0.01)	1,680	0.01
VGI13C2501B	0.08	(0.01)	9,361	0.09	PL	1.67	(0.01)	36	1.66	ITC01C2501A	0.10	(0.02)	15,555	0.11
VGI13P2412A	-	-	-	-	S11	2.52	-	213	2.53	ITC01C2503A	-	-	-	-
VGI13P2501A	0.19	0.01	11,746	0.20	SAK	5.50	(0.15)	28,185	5.57	ITC01C2504A	0.29	(0.03)	21,524	0.30
VGI19C2501A	0.14	(0.02)	41,047	0.14	SAWAD	38.75	(0.25)	29,214	39.20	ITC11C2501A	-	-	-	-
VGI19C2502A	0.12	-	5,574	0.11	SAWAD-W2	0.40	-	658	0.40	ITC11C2501B	-	-	-	-
VGI19P2501A	-	-	-	-	SAWAD01C2501	0.54	-	7,902	0.58	ITC13C2501A	-	-	-	-
VGI19P2503A	0.37	-	45,315	0.38	SAWAD01C2502	0.17	(0.03)	24,647	0.19	ITC13C2502A	0.03	-	100	0.03
VGI41C2412A	-	-	-	-	SAWAD01C2503	0.09	(0.01)	24,472	0.10	ITC13C2504A	0.33	(0.03)	27,731	0.34
VGI41C2412B	0.65	(0.39)	10	0.65	SAWAD01C2504	0.25	(0.01)	35,638	0.26	ITC19C2501A	0.11	(0.02)	9,226	0.11
VGI41C2501A	0.21	(0.01)	35,460	0.20	SAWAD01P2501	-	-	-	-	ITC19C2503A	-	-	-	-
VGI41C2502A	0.09	(0.01)	610	0.09	SAWAD01P2502	0.14	(0.01)	5,538	0.14	JDF	2.10	0.02	944	2.10
WORK	8.05	(0.05)	933	8.14	SAWAD13C2412	-	-	-	-	KBS	6.00	0.05	4,519	6.02
ZAA	0.90	0.01	101	0.88	SAWAD13C2412	-	-	-	-	KCG	9.00	-	7,240	9.03
Finance & Securities	-	-	-	-	SAWAD13C2501	0.07	-	30	0.07	KSL	1.95	0.02	2,702	1.94
AEONTS	123.00	(1.50)	3,727	122.50	SAWAD13C2503	0.21	(0.01)	73,935	0.22	KTIS	2.96	-	52	2.96
AEONTS13C2412A	0.02	(0.01)	1,123	0.02	SAWAD13P2501	-	-	-	-	LST	4.98	(0.07)	442	5.00
AMANAH	1.12	(0.01)	5,450	1.11	SAWAD19C2412	0.09	(0.01)	37,892	0.11	M	25.75	(0.25)	5,825	25.91
ASAP	2.16	(0.06)	1,208	2.14	SAWAD19C2501	-	-	-	-	MALEE	8.80	0.10	77,431	8.65
ASK	10.60	-	2,131	10.52	SAWAD19C2502	0.13	(0.01)	26,830	0.14	NRF	1.44	0.08	108,494	1.41
ASP	2.46	-	1,608	2.44	SAWAD19C2504	0.25	-	16,802	0.26	NSL	31.25	(1.25)	7,401	31.65
BAM	6.90	(0.10)	244,137	6.97	SAWAD19P2501	-	-	-	-	OKJ	16.60	1.20	203,889	16.27
BAM01C2501A	-	-	-	-	SAWAD19P2504	0.37	(0.01)	18,035	0.37	OSP	20.70	(0.30)	34,478	20.83
BAM01C2502A	0.03	(0.01)	4,300	0.03	SAWAD41C2501	0.45	0.05	8,000	0.45	OSP01C2412A	-	-	-	-
BAM01C2504A	0.20	(0.02)	69,038	0.21	SAWAD41C2502	0.16	-	141,767	0.17	OSP01C2503A	0.10	-	5,016	0.11
BAM13C2412A	-	-	-	-	SAWAD41C2502	-	-	-	-	OSP01C2504A	0.31	(0.03)	17,587	0.33
BAM13C2501A	-	-	-	-	SCAP	2.06	(0.04)	9,436	2.05	OSP11C2501A	-	-	-	-
BAM13C2503A	-	-	-	-	SGC	1.31	(0.02)	89,470	1.31	OSP11C2502A	-	-	-	-
BAM13C2503B	0.12	(0.01)	350,064	0.13	SGC-W1	0.30	0.01	8,157	0.29	OSP13C2412A	-	-	-	-
BAM13C2504A	0.25	(0.02)	41,983	0.26	SGC-W2	0.39	0.01	3,246	0.39	OSP13C2412B	-	-	-	-
BAM19C2412A	-	-	-	-	SM	1.00	-	1,159	0.99	OSP13C2501A	0.06	(0.02)	70	0.06
BAM19C2502A	-	-	-	-	TH	0.81	(0.03)	24,174	0.81	OSP13C2503A	0.23	(0.02)	13,280	0.24
BAM19C2503A	0.13	(0.01)	31,269	0.14	TH-W3	0.15	-	1,104	0.14	OSP19C2412A	-	-	-	-
BAM19C2504A	0.25	(0.03)	193,399	0.27	THANI	1.73	(0.02)	19,166	1.73	OSP19C2502A	-	-	-	-
BYD	0.83	(0.07)	556,126	0.85	TIDLOR	17.20	(0.70)	196,107	17.49	OSP19C2503A	0.24	(0.03)	5,318	0.26
BYD13C2412A	0.01	-	3,000	0.01	TIDLOR13C2412	-	-	-	-	OSP41C2503A	0.22	(0.03)	15,000	0.22
BYD13C2412B	-	-	-	-	TIDLOR13C2501	0.05	(0.01)	320	0.05	PB	59.75	(0.25)	12	59.60
BYD19C2501A	0.03	-	18	0.03	TIDLOR13C2501	0.20	(0.08)	150,438	0.23	PLUS	5.40	0.10	1,712	5.40
CGH	0.69	-	2,568	0.68	TIDLOR19C2501	0.37	(0.07)	5,368	0.38	PM	9.50	(0.05)	3,935	9.45
CGH-W5	-	-	-	-	TIDLOR19C2501	0.13	(0.05)	84,783	0.16	PQS	2.50	(0.02)	4,334	2.50
CHASE	1.17	(0.03)	11,672	1.17	TIDLOR19C2504	0.29	(0.05)	107,091	0.32	PRG	8.95	(0.05)	2	8.95
CHASE-W1	0.79	(0.01)	1,219	0.79	TK	4.74	0.14	592	4.64	PRG-W2	-	-	-	-
CHAYO	3.10	(0.04)	6,210	3.12	TNITY	4.26	(0.12)	6,305	4.35	PRG-W3	-	-	-	-
CHAYO-W3	0.17	0.01	1,315	0.16	TNL	35.00	-	6	35.00	PRG-W4	-	-	-	-
ECL	0.95	0.01	192	0.94	UOBKH	5.30	0.15	291	5.25	RBF	5.55	(0.15)	23,461	5.55
FNS	2.30	(0.10)	36	2.32	XPG	0.90	0.01	78,644	0.89	RBF01C2501W	-	-	-	-
FSX	2.44	-	318	2.37	Food & Beverage	-	-	-	-	RBF13C2412A	-	-	-	-
GBX	0.68	-	5,700	0.68	AAI	5.65	-	38,425	5.65	RBF13C2501A	0.03	-	1	0.03
GL	-	-	-	-	APURE	4.24	0.08	2,091	4.21	RBF13C2503A	0.19	(0.03)	8,320	0.19
HENG	1.19	(0.03)	17,610	1.21	APURE-W3	0.01	-	30	0.01	RBF19C2501A	-	-	-	-
IFS	2.50	0.02	210	2.50	ASIAN	8.75	(0.05)	5,863	8.76	RBF19C2503A	0.23	(0.02)	9,147	0.23
JMT	18.00	(0.30)	115,555	18.11	BR	1.87	-	4,226	1.86	SAPPE	76.50	(1.50)	19,657	77.29
JMT-W4	0.01	-	42	0.01	BR-W1	0.06	(0.01)	1,859	0.06	SAPPE01C2502A	0.49	(0.07)	52,220	0.52
JMT01C2412A	-	-	-	-	BRR	4.76	(0.06)	4,991	4.77	SAPPE01C2504A	1.06	(0.09)	21,021	1.11
JMT01C2412W	0.48	(0.08)	3	0.50	BRR-W2	0.34	(0.07)	3,777	0.38	SAPPE13C2501A	0.11	(0.01)	21,146	0.11
JMT01C2501A	0.25	(0.03)	74,040	0.26	BTG	19.70	-	6,366	19.61	SAPPE13C2501B	0.25	(0.05)	97,884	0.27
JMT01C2502A	0.22	(0.02)	72,072	0.23	CBG	78.25	(0.75)	17,259	78.41	SAPPE13C2502A	0.67	(0.07)	6,262	0.71
JMT01C2504A	0.50	(0.03)	54,903	0.51	CBG01C2412W	0.09	(0.04)	5,546	0.10	SAPPE19C2501A	0.32	(0.05)	57,338	0.34
JMT13C2412A	-	-	-	-	CBG01C2501W	-	-	-	-	SAPPE19C2502A	0.72	(0.06)	71,171	0.75
JMT13C2412B	-	-	-	-	CBG01C2502W	0.40	(0.04)	13,317	0.41					

Main Board Quotation

Issue Date :

Wednesday November 20, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN	9.15	(0.15)	36,425	9.19	CENTEL13C2501	0.07	0.01	500	0.07	SCGP	24.40	0.10	52,903	24.38
TKN01C2501A	0.03	(0.01)	202	0.03	CENTEL19C2501	0.18	(0.02)	7,657	0.17	SCGP01C2412A	0.02	0.01	1	0.02
TKN13C2412A	-	-	-	-	CENTEL19C2502	0.12	(0.01)	10,676	0.12	SCGP01C2502A	0.26	-	41,728	0.26
TKN13C2412B	-	-	-	-	CENTEL41C2412	-	-	-	-	SCGP01C2502B	-	-	-	-
TU	13.50	(0.30)	95,566	13.61	CENTEL41C2502	0.19	(0.01)	22,000	0.19	SCGP01C2504W	0.11	(0.01)	10,588	0.11
TU01C2501A	-	-	-	-	CENTEL41C2504	0.37	(0.02)	13,376	0.36	SCGP01P2503A	0.59	-	15,552	0.59
TU11C2501A	-	-	-	-	CSR	-	-	-	-	SCGP11C2412A	-	-	-	-
TU13C2412A	-	-	-	-	DUSIT	12.00	0.20	15,771	11.95	SCGP11C2501A	0.15	(0.01)	7,000	0.16
TU13C2502A	0.05	(0.02)	2,110	0.06	ERW	4.12	(0.06)	293,954	4.15	SCGP13C2412A	-	-	-	-
TU13C2504A	0.19	(0.02)	2,700	0.20	ERW01C2501A	0.13	(0.03)	63,337	0.15	SCGP13C2412B	-	-	-	-
TU19C2502A	-	-	-	-	ERW01C2504A	0.45	(0.04)	34,642	0.48	SCGP13C2501A	0.09	-	50	0.09
TU19C2504A	0.15	(0.02)	5,200	0.15	ERW13C2412A	-	-	-	-	SCGP13C2501B	0.03	(0.01)	7	0.03
TVO	23.60	-	1,463	23.66	ERW13C2412B	0.02	(0.01)	1,200	0.02	SCGP13C2503A	0.10	(0.01)	8,320	0.11
TWPC	2.96	(0.06)	3,277	2.98	ERW13C2503A	0.27	(0.03)	57,620	0.30	SCGP13C2503B	0.41	-	37,806	0.41
W	0.69	(0.01)	90,705	0.69	ERW19C2412A	-	-	-	-	SCGP13P2502A	0.36	(0.01)	28,426	0.36
W-W6	0.15	(0.02)	1,000	0.15	ERW19C2412B	-	-	-	-	SCGP19C2412A	-	-	-	-
ZEN	7.15	(0.05)	111	7.15	ERW19C2503A	0.39	(0.03)	43,582	0.40	SCGP19C2412B	-	-	-	-
Health Care Services					GRAND	0.09	-	1,873	0.09	SCGP19C2501A	0.15	-	18,845	0.15
AHC	15.80	(0.10)	124	15.83	LRH	39.50	-	35	38.66	SCGP19C2502A	-	-	-	-
BCH	15.80	(0.20)	62,370	15.80	MANRIN	30.50	-	10	30.50	SCGP19C2503A	0.11	-	650	0.11
BCH01C2412A	-	-	-	-	MINT	27.00	-	260,753	27.22	SCGP19C2504A	0.56	-	37,792	0.56
BCH01C2502A	0.09	-	115	0.10	MINT01C2412A	-	-	-	-	SCGP41C2412A	-	-	-	-
BCH13C2412A	-	-	-	-	MINT01C2501A	0.05	(0.01)	1,037	0.06	SCGP41C2412B	0.01	-	183	0.01
BCH13C2501A	0.07	(0.01)	7,252	0.08	MINT01C2504A	0.19	(0.01)	50,560	0.20	SCGP41C2502A	0.18	-	16,000	0.18
BCH13C2501B	-	-	-	-	MINT11C2412A	0.01	-	1	0.01	SCGP41C2502B	-	-	-	-
BCH19C2501A	0.10	(0.02)	50	0.10	MINT11C2501A	0.08	(0.01)	6,200	0.10	SFLEX	3.10	(0.12)	49,337	3.16
BCH19C2502A	0.08	(0.01)	3,054	0.08	MINT13C2412A	-	-	-	-	SFLEX-W2	0.09	-	4,092	0.10
BDMS	26.50	(0.25)	281,356	26.48	MINT13C2412B	0.02	-	200	0.02	SITHAI	1.45	(0.03)	5,968	1.45
BDMS01C2412A	-	-	-	-	MINT13C2503A	0.13	-	93,689	0.15	SLP	0.51	0.03	12,842	0.50
BDMS01C2503A	0.04	(0.01)	9	0.04	MINT19C2501A	0.09	-	47,580	0.10	SMPC	9.15	(0.05)	93	9.16
BDMS01C2503B	0.10	(0.01)	3,680	0.10	MINT19C2502A	-	-	-	-	SPACK	1.80	-	151	1.80
BDMS11C2411A	-	-	-	-	MINT19C2504A	0.20	(0.01)	14,470	0.21	TCOAT	31.75	6.75	1	31.75
BDMS11C2501A	-	-	-	-	MINT41C2412A	-	-	-	-	TFI	0.07	(0.01)	58	0.08
BDMS11C2502A	0.09	(0.01)	501	0.08	MINT41C2501A	0.07	-	2,000	0.08	TFI-W1	0.03	-	2,411	0.02
BDMS13C2502A	0.03	(0.01)	3,000	0.03	MINT41C2502A	-	-	-	-	THIP	28.75	-	42	28.64
BDMS13C2504A	0.13	(0.02)	2,030	0.13	MINT41C2504A	0.19	-	44,411	0.20	TMD	24.80	(0.10)	67	24.83
BDMS19C2502A	-	-	-	-	MINT41C2604T	0.09	-	4,000	0.11	TOPP	-	-	-	-
BDMS19C2503A	0.09	-	1,296	0.09	OHTL	350.00	-	1	350.00	TPAC	10.80	(0.20)	613	10.80
BDMS19C2504A	0.18	-	299	0.18	ROH	2.02	(0.04)	4	2.05	TPBI	4.14	(0.06)	269	4.14
BDMS41C2412A	-	-	-	-	SHANG	-	-	-	-	TPP	-	-	-	-
BDMS41C2502B	0.09	(0.01)	70	0.09	SHR	2.20	(0.04)	26,848	2.21	Personal Products	-	-	-	-
BH	207.00	(2.00)	51,515	207.84	SPA	7.55	(0.25)	45,115	7.58	APCO	4.98	(0.02)	2,453	4.93
BH-P	-	-	-	-	VRANDA	5.30	0.10	330	5.23	BIZ	3.48	0.02	1,044	3.46
BH-Q	-	-	-	-	Home & Office P	-	-	-	-	BLC	5.30	0.05	19,431	5.24
BH01C2412A	0.01	(0.01)	6,016	0.01	AJA	0.14	(0.01)	29,359	0.14	DDD	8.95	0.05	316	8.82
BH01C2502A	-	-	-	-	AJA-W4	0.01	-	3	0.01	IP	3.58	0.08	3,993	3.63
BH01C2504A	0.30	(0.02)	25,015	0.31	DTCI	35.50	0.50	41	36.32	IP-W2	0.22	-	2,471	0.23
BH01P2412X	-	-	-	-	FANCY	0.37	(0.01)	1,171	0.36	JCT	-	-	-	-
BH01P2502X	1.07	0.03	6,492	1.05	FTI	2.08	(0.02)	1,348	2.09	KISS	4.74	(0.06)	8,143	4.70
BH01P2504A	0.72	0.01	20,919	0.71	KYE	291.00	-	1	291.00	NAM	4.54	(0.04)	348	4.57
BH11C2411A	-	-	-	-	L&E	1.25	(0.01)	778	1.20	NEO	35.50	0.25	4,629	34.99
BH13C2501A	0.02	-	1,331	0.01	MODERN	2.60	(0.06)	31	2.63	NV	0.92	(0.01)	525	0.93
BH13C2503A	0.15	(0.01)	13,371	0.16	OGC	20.40	-	3	20.57	OCC	-	-	-	-
BH13C2504A	0.31	(0.02)	27,887	0.33	ROCK	9.70	(0.50)	14	10.34	S&J	39.00	-	21	38.10
BH13P2412A	-	-	-	-	SIAM	1.12	-	629	1.11	STGT	10.00	(0.30)	30,465	10.08
BH13P2501A	0.83	0.03	200	0.83	TCCM	0.74	0.02	21,477	0.75	STGT01C2412A	-	-	-	-
BH13P2503A	0.69	0.02	19,912	0.68	TSR	0.33	-	13,520	0.31	STGT01C2412B	-	-	-	-
BH19C2501A	-	-	-	-	TSR-W2	0.05	0.01	4,571	0.04	STGT01C2501A	-	-	-	-
BH19C2502A	-	-	-	-	Insurance	-	-	-	-	STGT01C2502A	-	-	-	-
BH19C2504A	0.15	(0.02)	49,876	0.16	AYUD	32.00	-	66	31.72	STGT01C2503A	0.16	(0.03)	16,080	0.17
BH19C2504B	0.33	(0.02)	58,790	0.33	BKIH	297.00	-	60	296.40	STGT01C2504A	0.62	(0.10)	3,894	0.66
BH19P2504A	-	-	-	-	BLA	20.50	-	8,336	20.61	STGT01P2502A	0.39	0.03	12,234	0.38
BH41C2504A	0.20	(0.02)	40,882	0.21	BLA01C2503A	0.17	-	9,152	0.17	STGT13C2412A	-	-	-	-
BH41C2605T	0.25	(0.02)	6,901	0.26	BLA13C2501A	0.14	-	7,064	0.15	STGT13C2412B	-	-	-	-
BKGI	2.16	(0.08)	43,567	2.18	BLA13C2502A	0.10	-	11,870	0.10	STGT13C2501A	0.02	(0.01)	180	0.02
CHG	2.64	-	228,031	2.66	BLA13C2502B	-	-	-	-	STGT13C2502A	0.10	(0.03)	26,760	0.12
CHG01C2501A	0.09	(0.01)	25,401	0.10	BLA19C2502A	0.27	0.01	44,731	0.26	STGT13C2503A	0.62	(0.04)	2	0.62
CHG13C2412A	-	-	-	-	BLA19C2502B	0.11	0.01	2,945	0.11	STGT13C2504A	0.24	(0.02)	28,600	0.24
CHG13C2504A	0.15	0.01	7,628	0.15	BLA19C2502C	0.04	(0.01)	2,654	0.05	STGT13P2502A	0.35	0.01	16,955	0.35
CHG19C2412A	-	-	-	-	BUI	16.20	(0.10)	131	16.23	STGT19C2412A	-	-	-	-
CMR	1.77	-	1,645	1.76	CHARAN	-	-	-	-	STGT19C2502A	-	-	-	-
EKH	6.45	(0.05)	3,305	6.50	INSURE	82.00	2.75	6	81.50	STGT19C2503A	0.14	(0.01)	7,213	0.15
KDH	96.50	(0.75)	20	96.78	KWI	0.34	(0.02)	7,437	0.34	STGT19C2504A	0.60	(0.02)	462	0.60
LPH	4.42	0.02	780	4.38	MTI	106.50	-	30	106.20	STGT19C2504B	0.23	(0.77)	15,405	0.25
M-CHAI	29.00	(0.25)	227	28.99	NKI	24.00	(0.50)	1	24.00	STGT19P2502A	0.41	0.03	2,054	0.39
MASTER	42.00	-	14,291	42.09	TGH	-	-	-	-	STGT41C2503A	0.18	(0.02)	15,500	0.19
MEDEZE	7.90	0.15	68,779	7.90	THRE	0.58	(0.01)	4,299	0.58	STHAI	-	-	-	-
NEW	-	-	-	-	THREL	1.74	(0.04)	1,987	1.73	TMAN	15.50	(0.30)	18,101	15.61
NTV	31.75	(0.50)	127	31.75	TIPH	24.30	(0.20)	1,368	24.28	TNR	9.05	(0.05)	120	8.96
PHG	15.90	(0.10)	4,211	15.88	TIPH13C2502A	-	-	-	-	TOG	9.85	(0.35)	831	9.92
PR9	25.25	-	12,270											

Main Board Quotation

Issue Date :

Wednesday November 20, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AMATA01C2503A	0.22	0.01	11,840	0.22	SIRI	1.80	(0.04)	599,252	1.81	BTS19C2412A	0.09	(0.02)	5,000	0.10
AMATA13C2412A	-	-	-	-	SIRI01C2412A	-	-	-	-	BTS19C2503A	0.43	(0.02)	25,226	0.43
AMATA13C2501A	-	-	-	-	SIRI01C2504A	0.33	(0.03)	21,650	0.34	BTS19C2503B	0.14	(0.02)	22,000	0.15
AMATA13C2501B	-	-	-	-	SIRI13C2412A	-	-	-	-	BTS41C2412A	-	-	-	-
AMATA13C2503A	0.15	0.01	20,327	0.15	SIRI13C2503A	0.28	(0.04)	22,971	0.29	BTS41C2501A	0.34	(0.05)	8,000	0.34
AMATA19C2412A	-	-	-	-	SIRI19C2502A	-	-	-	-	BTS41C2504A	0.37	(0.03)	12,000	0.38
AMATA19C2501A	-	-	-	-	SIRI19C2503A	0.32	(0.02)	15,208	0.32	BTS41C2504A	-	-	-	-
AMATA19C2502A	0.22	0.02	19,024	0.20	SPALI	19.80	0.30	61,918	19.63	BTS41C2504A	3.20	-	15,692	3.18
AMATA19C2503A	0.16	0.01	37,664	0.16	SPALI13C2501A	-	-	-	-	DMT	11.50	(0.10)	2,076	11.58
AMATA41C2502A	0.18	(0.01)	36,400	0.18	SPALI13C2501B	0.18	0.02	8,558	0.17	ETL	0.64	(0.01)	2,196	0.64
AMATAV	4.78	-	163	4.80	SPALI19C2412A	-	-	-	-	III	5.60	(0.10)	2,780	5.65
ANAN	0.65	-	11,043	0.65	UV	1.59	-	1,629	1.60	KEX	2.12	0.02	3,926	2.13
AP	8.75	-	87,590	8.80	WHA	5.60	-	343,673	5.57	KIAT	0.33	-	5,111	0.33
AP01C2503A	-	-	-	-	WHA01C2501A	0.10	(0.01)	11,333	0.10	KWC	-	-	-	-
AP13C2502A	-	-	-	-	WHA01C2503A	0.10	(0.01)	25,429	0.10	MENA	1.25	(0.04)	23,252	1.24
AP13C2503A	0.19	(0.01)	158,958	0.20	WHA11C2412A	-	-	-	-	NOK	-	-	-	-
AP19C2501A	0.12	-	32,534	0.12	WHA13C2501A	0.07	-	3,985	0.07	NYT	3.00	-	5,015	2.99
AP19C2502A	0.05	0.01	60	0.05	WHA13C2503A	0.09	(0.01)	1,430	0.09	PORT	1.32	-	400	1.36
ASW	8.00	0.15	1,382	7.94	WHA13C2504A	0.17	-	12,528	0.16	PRM	8.80	0.05	143,389	8.75
AWC	3.56	(0.04)	466,314	3.61	WHA19C2412A	-	-	-	-	PSL	7.95	(0.05)	31,697	7.93
AWC01C2501A	0.33	(0.04)	1,134	0.33	WHA19C2502A	0.09	(0.02)	1,352	0.09	RCL	26.75	(0.50)	31,735	26.96
AWC01C2501B	0.10	(0.02)	41,797	0.12	WHA19C2504A	0.20	(0.80)	2,474	0.20	RCL01C2412A	-	-	-	-
AWC01C2504A	0.23	(0.02)	52,451	0.25	WHA41C2501A	0.10	(0.01)	56,079	0.09	RCL01C2502A	0.73	(0.04)	2,362	0.73
AWC01P2502A	0.13	-	11,249	0.13	WIN	0.42	(0.01)	2,054	0.42	RCL01C2502B	0.19	(0.01)	20,248	0.19
AWC11C2411A	-	-	-	-	Paper & Printing	-	-	-	-	RCL13C2412A	0.03	-	30,003	0.02
AWC11C2412A	-	-	-	-	UTP	8.90	(0.35)	7,125	9.03	RCL13C2412B	0.09	(0.07)	10,576	0.11
AWC11C2501A	0.34	(0.05)	12,900	0.37	Fashion	-	-	-	-	RCL13C2502A	0.16	(0.02)	42,365	0.17
AWC13C2412A	0.16	(0.02)	51,870	0.18	AFC	4.72	(0.08)	16	4.72	RCL13C2502B	0.65	(0.04)	101	0.65
AWC13C2501A	0.11	(0.01)	55,469	0.12	AURA	13.50	-	5,342	13.39	RCL13P2501A	0.04	0.01	30	0.04
AWC13C2504A	0.34	(0.02)	55,675	0.36	BTNC	16.20	(0.30)	11	16.47	RCL19C2412A	0.05	-	22,669	0.05
AWC13P2501A	-	-	-	-	CPH	10.40	(0.30)	460	10.48	RCL19C2412B	-	-	-	-
AWC19C2501A	0.25	(0.02)	21,703	0.27	CPL	1.32	(0.01)	1,096	1.33	RCL19C2503A	-	-	-	-
AWC19C2501B	0.08	(0.01)	4,747	0.10	NC	2.88	(0.04)	1,564	2.88	RCL19C2503B	0.24	(0.02)	60,896	0.25
AWC19P2501A	-	-	-	-	PAF	1.02	0.02	1,698	1.02	RCL19P2412A	-	-	-	-
AWC41C2502A	0.19	(0.02)	50,504	0.21	PDJ	1.94	-	3,064	1.94	RCL41C2412B	-	-	-	-
BLAND	0.60	(0.01)	15,391	0.61	PG	8.95	-	132	8.95	RCL41C2502A	0.64	(0.05)	10	0.67
BRI	4.20	-	6,672	4.18	SABINA	21.00	(0.10)	3,447	21.04	RCL41C2502B	0.15	(0.02)	8,025	0.15
BROCK	-	-	-	-	SAWANG	-	-	-	-	SAV	22.90	-	5,237	22.76
CGD	0.33	-	12,844	0.33	SUC	31.00	-	31	31.00	SINO	1.04	-	1,976	1.04
CI	0.49	(0.01)	25	0.50	TR	-	-	-	-	SJWD	11.50	(0.20)	19,065	11.60
CMC	1.04	(0.01)	2,114	1.02	TTI	24.70	(0.30)	1	24.70	SJWD13C2504A	0.20	(0.02)	8,454	0.22
CPN	61.75	-	30,083	61.52	TTT	53.50	(1.00)	1	53.50	TFFIF	6.40	-	2,704	6.41
CPN01C2412A	-	-	-	-	UPF	-	-	-	-	THAI	-	-	-	-
CPN01C2503A	0.17	(0.01)	15,163	0.17	WACOAL	28.00	(1.50)	1	28.00	TSTIE	15.60	-	46	15.39
CPN11C2412A	0.09	(0.02)	2,523	0.09	WFX	1.21	(0.03)	634	1.21	TTA	5.55	(0.05)	51,671	5.50
CPN13C2501A	0.22	(0.01)	19,767	0.21	Transportation &	-	-	-	-	WICE	5.10	-	5,034	5.03
CPN13C2501B	-	-	-	-	AAV	2.88	(0.02)	361,394	2.89	Automotive	-	-	-	-
CPN13C2503A	0.21	-	19,323	0.20	AAV01C2501A	-	-	-	-	3K-BAT	-	-	-	-
CPN19C2502A	0.10	(0.01)	7,183	0.10	AAV01C2503A	0.29	-	27,453	0.29	ACG	0.95	0.01	136	0.91
CPN19C2503A	0.24	(0.01)	13,140	0.24	AAV13C2501A	0.12	(0.01)	53,494	0.13	AH	18.60	(1.10)	5,020	18.98
ESTAR	0.23	-	5,164	0.23	AAV19C2412A	-	-	-	-	CWT	1.02	(0.01)	7,405	1.02
EVER	0.12	-	1,816	0.12	AAV19C2502A	0.25	(0.01)	53,594	0.26	EASON	1.12	(0.02)	12,121	1.10
FPT	12.80	0.20	178	12.78	ANI	4.00	(0.06)	3,305	3.99	GYT	170.00	-	115	171.92
GLAND	1.55	-	60	1.58	AOT	60.25	(1.00)	156,578	60.40	HFT	4.32	-	668	4.33
J	1.31	0.02	1,406	1.29	AOT01C2412A	0.01	-	3,069	0.01	IHL	1.88	-	244	1.87
J-W3	0.23	(0.02)	15	0.23	AOT01C2412B	-	-	-	-	INGRS	0.34	-	6,453	0.33
J-W4	0.23	-	15	0.23	AOT01C2502A	0.07	(0.02)	60	0.07	IRC	14.00	(0.10)	43	13.88
JCK	0.25	-	16,614	0.25	AOT01C2504A	0.26	(0.03)	76,903	0.26	MGC	3.96	0.04	1,250	3.94
KC	0.09	-	242	0.08	AOT01P2412X	-	-	-	-	NEX	0.77	(0.03)	227,215	0.77
KUN	1.28	(0.01)	172	1.26	AOT01P2501A	0.18	0.02	20,715	0.18	NEX19C2501A	0.01	(0.01)	13,227	0.01
KUN-W2	0.04	-	2	0.04	AOT11C2501A	-	-	-	-	PCSGH	4.28	(0.06)	538	4.28
LALIN	6.25	-	442	6.25	AOT13C2412A	0.01	-	40	0.01	POLY	8.80	(0.10)	134	8.72
LH	5.45	-	238,907	5.45	AOT13C2502A	-	-	-	-	SAT	11.10	(0.10)	6,315	11.13
LH13C2501A	-	-	-	-	AOT13C2503A	0.15	(0.03)	32,611	0.15	SPG	-	-	-	-
LH19C2501A	-	-	-	-	AOT13P2412A	0.01	-	550	0.01	STANLY	218.00	-	701	218.00
LPN	2.84	-	1,783	2.84	AOT13P2501A	-	-	-	-	TKT	1.61	0.02	254	1.61
MBK	19.30	(0.30)	14,115	19.30	AOT19C2501A	0.11	(0.03)	4,068	0.12	TNPC	0.90	-	1,127	0.91
MBK-W4	-	-	-	-	AOT19C2502A	0.08	(0.02)	130	0.09	TRU	3.20	-	2	3.20
MJD	1.03	(0.01)	477	1.02	AOT19C2504A	0.31	(0.04)	23,353	0.32	TSC	14.10	(0.10)	4	14.10
MK	1.79	-	1,477	1.79	AOT19P2412A	-	-	-	-	Industrial Materials	-	-	-	-
NCH	0.73	-	1,915	0.73	AOT41C2412A	-	-	-	-	AKR	0.96	(0.01)	26,809	0.97
NNCL	1.71	(0.04)	646	1.71	AOT41C2503A	0.16	(0.03)	36,603	0.16	ALLA	1.63	(0.04)	8,917	1.64
NOBLE	2.90	-	6,602	2.89	AOT41C2605T	0.28	(0.03)	19,251	0.29	ASEFA	3.18	(0.02)	560	3.15
NUSA	-	-	-	-	ASIMAR	1.58	-	967	1.57	CPT	0.94	(0.04)	5,843	0.94
NUSA-W5	-	-	-	-	B	0.08	-	41,104	0.08	CRANE	0.62	(0.01)	2,008	0.62
NVD	1.46	0.01	27	1.46	B-W8	0.01	-	27,291	0.01	CTW	3.86	-	80	3.86
ORI	4.24	(0.02)	20,590	4.22	BA	24.10	(0.30)	26,425	24.28	FMT	32.50	(0.50)	15	32.77
ORI13C2412A	-	-	-	-	BA01C2412A	0.12	(0.04)	91,171	0.13	FTE	1.55	-	4,542	1.54
ORI19C2501A	-	-	-	-	BA01C2503A	0.35	(0.03)	66,322	0.36	HTECH	4.32	(0.04)	12,745	4.33
ORN	0.78	(0.02)	8,474	0.78	BA01C2504A	0.15	(0.01)	26,603	0.15	KKC	-	-	-	-
PEACE	2.60	-	300	2.57	BA13C2412A	0.11	(0.01)	1,980	0.11	PCC	2.84	(0.04)	1,069	2.85
PF	0.18	0.01	3,378	0.17	BA13C2502A	-	-	-	-	PK	0.60	0.02	1,545	0.59
PIN	6.25	(0.10)	81,883	6.16	BA13C2503A	0.38	(0.04)	124,344	0.40	PSP	4.38	0.02	612	4.35
PLAT	2.38	(0.02)	3,648	2.34	BA19C2503A	0.12	(0.01)	12,663	0.12	QTC	3.80	-	102	3.77
POLAR	-	-	-	-	BEM	7.50	(0.10)	236,476	7.52	SCI	0.80	(0.02)	597	0.81
PRECHA	1.13	0.01	740	1.12	BEM01C2412A	-	-	-	-	SE	0.61	-	1,416	0.60
PRIN	2.20	(0.18)	69	2.18	BEM11C2411A	-	-	-	-	SNC	5.45	(0.15)	1,388	5.49
PROUD	1.29	(0.01)	954	1.29	BEM11C2502A	-	-	-	-	TCJ	3.12	-	30	3.12
PSH	8.65	0.25	3,936	8.52	BEM13C2412A	-	-	-	-	TPCS	11.60	0.10	19	11.51
QH	1.79	(0.02)	80,078	1.80	BEM19C2412A	-	-	-	-	VARO	4.70	-	59	4.73
RABBIT	0.51	(0.02)	178,216	0.51	BEM19C2503A	0.12	(0.02)	5,687	0.12	Property Fund & REI	-	-	-	-
RABBIT-P	0.53	(0.01)	19,052	0.51										

Main Board Quotation

Issue Date :

Wednesday November 20, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
FTREIT	10.10	(0.10)	2,603	10.10	TRC	1.62	0.38	156,283	1.53	HSI06P2412F	1.47	(0.35)	4	1.47
FUTURET	11.20	-	540	11.10	TRITN	0.12	(0.01)	153,458	0.12	HSI06P2412G	0.14	(0.04)	949,905	0.15
GAHREIT	6.70	0.10	191	6.62	TTCL	2.46	0.02	2,378	2.46	HSI06P2412H	1.91	(0.17)	58	1.91
GRORREIT	8.75	0.05	181	8.81	UNIQ	2.84	-	239	2.84	HSI06P2501A	0.98	(0.15)	10	0.98
GVREIT	6.55	-	6,612	6.42	WGE	0.69	0.01	3,071	0.70	HSI06P2501B	0.36	(0.05)	1,554,167	0.36
HPF	5.05	-	599	5.03	Unit Trust	-	-	-	-	HSI06P2502A	0.59	(0.06)	139,326	0.60
HYDROGEN	-	-	-	-	SCBSET	-	-	-	-	HSI06P2502B	0.98	-	10	0.98
IMPACT	10.90	(0.10)	860	10.96	VAYU1	10.10	0.10	12,027	10.00	HSI06P2503A	0.07	(0.02)	136	0.09
INETREIT	8.50	(0.05)	3,657	8.49	ETF	-	-	-	-	HSI06P2503B	0.59	(0.06)	272,666	0.60
KPNPF	-	-	-	-	1DIV	10.73	(0.03)	44	10.74	HSI06P2503C	1.21	(0.03)	216	1.22
KTBSTMR	6.50	-	653	6.43	ABFTH	-	-	-	-	HSI28C2411A	0.01	-	12,079	0.01
LHHOTEL	13.10	-	5,796	13.09	BMSCG	9.03	(0.08)	2	9.02	HSI28C2411B	0.14	0.02	3,581,872	0.14
LHPF	5.40	(0.15)	166	5.40	BMSCITH	10.51	(0.04)	1,093	10.54	HSI28C2411C	-	-	-	-
LHSC	11.30	-	6,851	11.21	BSET100	9.91	-	256	9.91	HSI28C2411D	0.48	0.01	69,970	0.48
LPF	12.70	-	2,502	12.68	CHINA	6.20	-	107	6.22	HSI28C2411E	-	-	-	-
LUXF	-	-	-	-	ENGY	4.73	-	10	4.72	HSI28C2411F	-	-	-	-
M-II	6.80	0.20	1,279	6.75	GLD	3.62	(0.01)	11,328	3.64	HSI28C2411G	0.01	-	20	0.01
M-PAT	-	-	-	-	TDEX	9.30	0.01	1,224	9.28	HSI28C2412A	0.47	0.04	728,492	0.48
M-STOR	-	-	-	-	UBOT	14.05	0.23	7	13.94	HSI28C2412B	-	-	-	-
MIPF	-	-	-	-	UHERO	8.04	0.13	5	7.98	HSI28C2412C	-	-	-	-
MIT	0.37	-	2,036	0.37	Warrant Foreign	-	-	-	-	HSI28C2412D	0.05	-	61,324	0.05
MJLF	4.16	-	116	4.14	AI28C2411A	0.13	(1.43)	200	0.13	HSI28C2412E	0.03	-	100	0.03
MINIT	2.12	0.08	1	2.12	AI41C2411A	-	-	-	-	HSI28C2412F	0.04	-	30	0.04
MINIT2	-	-	-	-	AI41C2502A	-	-	-	-	HSI28C2412H	0.04	0.01	1,000	0.04
MNRF	2.20	-	115	2.20	AI41P2411A	-	-	-	-	HSI28C2412I	0.19	0.02	7,710	0.19
POPF	6.15	(0.05)	2,654	6.12	ALHFA41C2502	0.78	-	8	0.79	HSI28C2412J	0.28	0.03	95,344	0.29
PROSPECT	8.60	-	216	8.57	BABA28C2412A	0.25	(0.02)	532	0.25	HSI28C2412K	0.09	0.01	21	0.09
QHHRREIT	6.85	-	205	6.85	BABA28C2503A	0.05	(0.01)	569	0.04	HSI28C2501A	0.59	0.02	2,521	0.58
QHOP	3.58	0.12	96	3.46	BABA28P2503A	0.49	-	6	0.50	HSI28C2501B	0.09	0.02	2,864	0.08
QHFP	4.78	-	1,093	4.76	BABA41C2502A	0.03	-	1,963	0.03	HSI28C2501C	0.05	0.01	2,433	0.05
SIRIPRT	8.30	-	10	8.30	BABA41C2503A	0.14	-	2,950	0.13	HSI28C2501D	0.25	0.01	150,604	0.26
SPRIME	4.16	0.02	8,199	4.15	BABA41P2411A	-	-	-	-	HSI28C2501E	0.19	0.03	5,587	0.18
SRIPANWA	5.80	-	156	5.80	BABA41P2502A	-	-	-	-	HSI28C2501F	-	-	-	-
SSPF	4.12	(0.18)	368	4.11	BABA41P2502B	0.75	0.01	4	0.76	HSI28C2501G	-	-	-	-
SSTRT	4.90	-	2	4.90	BIDU28C2411A	-	-	-	-	HSI28C2501H	0.15	(0.01)	50	0.15
TIF1	7.70	0.05	12	7.70	BIDU41C2502A	0.47	0.01	305	0.47	HSI28C2501I	0.40	0.05	1,658	0.40
TLHPF	2.94	(0.02)	299	2.93	BIDU41C2502B	0.04	-	3	0.04	HSI28C2502A	0.48	0.04	27,344	0.47
TNPF	-	-	-	-	BYDCOM28C250	0.50	-	2	0.50	HSI28C2502B	0.15	0.02	7,013	0.14
TPRIME	7.15	(0.05)	51	7.24	BYDCOM28C250	0.14	(0.01)	62	0.14	HSI28C2502C	0.23	0.02	12,023	0.24
TTLPF	15.70	-	692	15.70	BYDCOM28P250	0.10	0.01	10	0.10	HSI28C2503A	1.03	0.06	11	1.03
TU-PF	0.70	-	200	0.70	BYDCOM28P250	0.65	0.02	33	0.65	HSI28C2503B	0.21	0.01	24,071	0.21
WHABT	7.35	0.05	127	7.31	BYDCOM41C250	0.49	(0.05)	431	0.49	HSI28C2503D	0.15	0.01	36,490	0.15
WHAIR	6.60	-	12,136	6.58	BYDCOM41P250	-	-	-	-	HSI28C2503E	0.13	-	24,325	0.14
WHART	10.10	0.15	5,010	10.00	CATHAY41C2411	-	-	-	-	HSI28C2503F	0.49	0.04	120,282	0.49
Steel and Metal Prod	-	-	-	-	CATHAY41C2501	-	-	-	-	HSI28P2411A	-	-	-	-
ZS	2.76	(0.04)	306	2.78	CHMOBI28C241	-	-	-	-	HSI28P2411B	-	-	-	-
AMC	2.94	-	1,084	2.94	DJI28C2412A	0.58	0.01	75	0.58	HSI28P2411C	-	-	-	-
BSBM	0.71	(0.01)	463	0.72	DJI28C2412B	0.20	-	130	0.19	HSI28P2411D	0.04	(0.01)	392	0.04
CEN	2.00	-	149	1.98	DJI28C2503A	0.57	-	12	0.57	HSI28P2411E	0.16	(0.07)	6,804,360	0.17
CEN-W5	0.12	(0.03)	1,950	0.13	DJI28P2412A	-	-	-	-	HSI28P2411F	0.60	(0.17)	1,171	0.60
CITY	-	-	-	-	DJI28P2412B	0.12	(0.03)	1,084	0.12	HSI28P2411G	-	-	-	-
CJP	0.57	(0.01)	3,559	0.57	DJI28P2503A	-	-	-	-	HSI28P2412A	-	-	-	-
GJS	0.15	-	7,382	0.15	DJI41C2412A	0.49	(0.10)	2	0.49	HSI28P2412B	-	-	-	-
GSTEEL	-	-	-	-	DJI41C2503A	0.54	-	562	0.53	HSI28P2412C	0.12	(0.01)	2	0.12
INOX	0.51	(0.01)	4,427	0.52	DJI41P2412A	0.03	0.01	630	0.03	HSI28P2412D	0.22	(0.04)	27,302	0.22
LHK	3.94	0.06	583	3.91	DJI41P2503A	0.35	(0.01)	330	0.35	HSI28P2412E	0.46	(0.06)	427,073	0.47
MCS	7.35	0.10	526	7.30	GEELY28C2411A	-	-	-	-	HSI28P2412F	-	-	-	-
MILL	0.10	-	4,414	0.10	GEELY41C2411A	-	-	-	-	HSI28P2412G	-	-	-	-
MILL-W7	-	-	-	-	GEELY41C2411B	-	-	-	-	HSI28P2501A	0.10	(0.01)	1,678	0.10
PAP	1.87	-	164	1.86	GEELY41C2502A	-	-	-	-	HSI28P2501B	-	-	-	-
PERM	0.73	(0.01)	746	0.73	HAIDIL41C2411	-	-	-	-	HSI28P2501C	-	-	-	-
SAM	-	-	-	-	HKEX41C2411A	0.47	(0.02)	9,383	0.47	HSI28P2501D	0.27	(0.02)	26,294	0.27
SMIT	4.12	(0.04)	135	4.14	HKEX41C2502A	1.39	(0.03)	4,640	1.39	HSI28P2501E	0.42	(0.06)	144,703	0.43
SSSC	2.28	(0.02)	1,046	2.28	HKEX41C2502B	-	-	-	-	HSI28P2502A	-	-	-	-
TGPRO	0.11	-	2,493	0.10	HSBC41C2411A	-	-	-	-	HSI28P2502B	0.52	(0.04)	204,318	0.51
THE	0.84	0.02	876	0.81	HSBC41C2502A	0.32	-	513	0.30	HSI28P2503A	0.22	(0.02)	2,489	0.22
TMT	3.42	(0.06)	5,332	3.41	HSI06C2411A	0.10	0.01	1,037,377	0.11	HSI28P2503B	0.56	(0.05)	117,065	0.56
TSTH	0.66	-	2,862	0.66	HSI06C2411B	-	-	-	-	HSTECH28C2412A	1.16	0.05	6	1.17
TWP	1.50	0.01	65	1.50	HSI06C2411C	-	-	-	-	HSTECH28C2503A	-	-	-	-
TYCN	2.04	(0.02)	189	2.04	HSI06C2411D	0.18	0.01	1,681,674	0.18	HSTECH28P2412A	-	-	-	-
Construction Service	-	-	-	-	HSI06C2411E	0.01	-	419	0.01	HSTECH28P2503A	0.47	(0.03)	1	0.47
APCS	1.96	(0.08)	67	1.95	HSI06C2411F	-	-	-	-	JD41C2411A	-	-	-	-
BJCHI	1.22	-	4,652	1.21	HSI06C2412A	0.41	0.02	2,162,322	0.41	JD41C2502A	1.20	(0.01)	100	1.20
BKD	1.41	0.01	188	1.39	HSI06C2412B	-	-	-	-	JD41C2502B	0.13	-	2	0.13
CIVIL	1.86	0.01	1,464	1.84	HSI06C2412C	1.96	0.02	200	1.98	KUAI5H41C2502A	0.65	0.03	27	0.65
CK	17.90	(0.50)	21,325	18.05	HSI06C2412D	0.20	0.01	3,999,037	0.20	LENOVO41C2502A	0.18	-	2,001	0.18
CK01C2503A	0.10	(0.02)	8,568	0.10	HSI06C2412E	0.05	0.01	10,602	0.04	MCA5041C2503A	-	-	-	-
CK13C2412A	-	-	-	-	HSI06C2412F	0.03	(0.01)	4	0.03	MCA5041P2503A	0.57	(0.02)	1	0.57
CK13C2503A	0.16	(0.02)	33,198	0.17	HSI06C2412G	0.02	-	191	0.02	MEITUA28C2501A	1.83	0.14	10	1.83
CK19C2412A	-	-	-	-	HSI06C2412H	0.07	-	5,996	0.07	MEITUA28C2503A	1.11	0.05	50	1.11
CK19C2503A	0.18	(0.04)	15,554	0.20	HSI06C2501A	0.07	0.01	3,296	0.07	MEITUA28C2504A	0.13	0.01	24	0.13
CNT	1.15	(0.03)	1,169	1.15	HSI06C2501B	0.05	0.01	4,045	0.04	MEITUA28P2503A	0.18	(0.02)	24	0.19
EMC	0.09	-	60,896	0.09	HSI06C2501C	0.13	0.01	423,279	0.13	MEITUA28P2504B	-	-	-	-
EMC-W7	-	-	-	-	HSI06C2501D	0.34	0.03	2,058,468	0.34	MEITUA41C2411A	-	-	-	-
ITD	0.51	0.01	45,549	0.51	HSI06C2502A	0.19	0.02	140,104	0.19	MEITUA41C2502A	0.47	0.04	204	0.44
JR	3.04	(0.10)	3,550	3.05	HSI06C2502B	0.47	-	603,500	0.46	MEITUA41P2411A	-	-	-	-
NL	1.16	-	1,285	1.15	HSI06C2503A	0.99	0.02	14,231	0.96	MEITUA41P2502A	-	-	-	-
NWR	0.19	0.01	4,208	0.18	HSI06C2503B	0.43	0.03	320,111	0.42	MEITUA41P2503A	0.53	(0.10)	4	0.55
PLE	0.37	-	6,233	0.37	HSI06C2503C	0.19	0.01	110,289	0.19	NDX28C2412A	-	-	-	-
PREB	4.42	0.02	633	4.43	HSI06C2503D	0.13	0.02	2,889	0.12	NDX28C2412B	-	-	-	-
PYLON	1.													

Main Board Quotation

Issue Date :

Wednesday November 20, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NDX41P2412C	-	-	-	-	SET5019C2412B	3.58	0.02	80	3.51	0	-	-	-	-
NDX41P2503A	0.40	(0.06)	5,071	0.39	SET5019C2412C	-	-	-	-	0	-	-	-	-
NIKKEI41C2412A	1.06	0.15	934	1.01	SET5019C2412E	1.40	0.35	1	1.40	0	-	-	-	-
NIKKEI41C2412B	0.02	(0.01)	100	0.02	SET5019C2412F	-	-	-	-	0	-	-	-	-
NIKKEI41C2412C	0.11	0.03	17,483	0.10	SET5019C2412G	0.22	(0.02)	265,724	0.21	0	-	-	-	-
NIKKEI41C2412T	-	-	-	-	SET5019C2412H	0.20	(0.03)	275,128	0.19	0	-	-	-	-
NIKKEI41C2503A	0.25	0.04	32,406	0.24	SET5019C2412I	0.09	(0.01)	65,381	0.08	0	-	-	-	-
NIKKEI41C2503B	1.03	0.08	35	1.00	SET5019C2412J	0.04	-	252	0.03	0	-	-	-	-
NIKKEI41P2412A	-	-	-	-	SET5019C2412K	0.18	-	118,660	0.17	0	-	-	-	-
NIKKEI41P2412B	0.29	(0.11)	8,933	0.30	SET5019C2503A	0.33	(0.01)	316,337	0.32	0	-	-	-	-
NIKKEI41P2412C	0.03	-	950	0.03	SET5019C2503B	0.17	(0.02)	44,464	0.17	0	-	-	-	-
NIKKEI41P2412T	0.07	(0.03)	10,000	0.07	SET5019P2412A	-	-	-	-	0	-	-	-	-
NIKKEI41P2503A	0.22	(0.02)	766	0.23	SET5019P2412B	-	-	-	-	0	-	-	-	-
NIKKEI41P2503B	0.12	(0.02)	90	0.12	SET5019P2412C	-	-	-	-	0	-	-	-	-
NTES41C2502A	0.44	(0.02)	8	0.45	SET5019P2412D	-	-	-	-	0	-	-	-	-
PINGAN41C2411A	-	-	-	-	SET5019P2412E	0.01	-	4,660	0.01	0	-	-	-	-
PINGAN41C2502A	0.15	(0.01)	159	0.16	SET5019P2412F	0.03	-	4,111	0.03	0	-	-	-	-
SET01C2412A	1.25	(0.01)	1,314	1.24	SET5019P2412G	0.09	(0.01)	137,165	0.10	0	-	-	-	-
SET01C2501A	0.60	(0.05)	2,891	0.59	SET5019P2412H	0.21	(0.02)	362,965	0.23	0	-	-	-	-
SET01C2501B	0.32	(0.01)	21,517	0.30	SET5019P2503A	0.22	(0.01)	199,388	0.23	0	-	-	-	-
SET01C2503A	0.41	(0.01)	116,494	0.39	SET5027C2412A	-	-	-	-	0	-	-	-	-
SET01P2412A	0.01	-	1,531	0.01	SET5027C2412B	-	-	-	-	0	-	-	-	-
SET01P2501A	0.02	0.01	95	0.02	SET5027C2412T	0.12	(0.02)	37,966	0.12	0	-	-	-	-
SET01P2501B	0.06	-	1,331	0.06	SET5027P2412A	-	-	-	-	0	-	-	-	-
SET01P2502A	0.32	(0.01)	29,980	0.33	SET5027P2412T	-	-	-	-	0	-	-	-	-
SET01P2502B	0.51	(0.02)	83,103	0.54	SET5028C2412A	0.22	(0.01)	50	0.22	0	-	-	-	-
SET01P2503A	0.58	(0.01)	210,035	0.59	SET5028C2412B	-	-	-	-	0	-	-	-	-
SET5001C2412A	1.53	0.05	4,496	1.45	SET5028C2412C	0.59	(0.06)	5,606	0.56	0	-	-	-	-
SET5001C2412F	0.20	(0.02)	176,773	0.20	SET5028C2503A	0.34	-	196,504	0.34	0	-	-	-	-
SET5001C2412T	0.63	0.02	89,763	0.59	SET5028P2412A	-	-	-	-	0	-	-	-	-
SET5001C2412W	0.11	(0.03)	54,090	0.10	SET5041C2412A	-	-	-	-	0	-	-	-	-
SET5001C2501A	0.40	0.01	50,115	0.37	SET5041C2412B	-	-	-	-	0	-	-	-	-
SET5001C2503A	0.43	(0.02)	50,032	0.43	SET5041C2412C	0.35	(0.02)	121,924	0.34	0	-	-	-	-
SET5001C2503F	0.49	(0.01)	61,533	0.48	SET5041C2412T	0.33	(0.02)	85,922	0.31	0	-	-	-	-
SET5001P2412A	0.02	0.01	151	0.01	SET5041C2412U	0.30	(0.02)	289,308	0.27	0	-	-	-	-
SET5001P2412F	0.02	-	1,001	0.01	SET5041C2412V	-	-	-	-	0	-	-	-	-
SET5001P2412T	-	-	-	-	SET5041C2412X	2.24	0.27	8	2.24	0	-	-	-	-
SET5001P2412W	0.02	0.01	4	0.02	SET5041C2503A	0.38	-	765,899	0.36	0	-	-	-	-
SET5001P2501A	0.02	-	23	0.01	SET5041C2503B	0.24	(0.02)	14,669	0.24	0	-	-	-	-
SET5001P2501B	0.01	-	18	0.02	SET5041C2503C	0.33	-	498,388	0.31	0	-	-	-	-
SET5001P2502A	0.32	(0.02)	74,026	0.34	SET5041C2503D	0.15	-	66,039	0.14	0	-	-	-	-
SET5001P2503F	0.20	(0.02)	18,794	0.21	SET5041P2412A	-	-	-	-	0	-	-	-	-
SET5006C2412A	-	-	-	-	SET5041P2412B	0.05	0.01	2	0.05	0	-	-	-	-
SET5006C2412B	-	-	-	-	SET5041P2412C	-	-	-	-	0	-	-	-	-
SET5006C2412C	-	-	-	-	SET5041P2412D	0.13	-	5,805	0.14	0	-	-	-	-
SET5006C2412D	-	-	-	-	SET5041P2412T	0.02	0.01	1	0.02	0	-	-	-	-
SET5006C2412E	0.19	(0.07)	365,714	0.18	SET5041P2412U	0.01	(0.01)	2,950	0.01	0	-	-	-	-
SET5006C2412F	0.09	(0.01)	186,785	0.09	SET5041P2412V	0.02	0.01	1	0.02	0	-	-	-	-
SET5006C2412G	-	-	-	-	SET5041P2503A	0.26	0.04	4,284	0.27	0	-	-	-	-
SET5006C2503A	0.38	(0.02)	266,001	0.36	SET5041P2503B	0.44	(0.01)	781,269	0.46	0	-	-	-	-
SET5006C2503B	0.27	(0.02)	420,578	0.27	SET5041P2503C	0.34	(0.01)	468,634	0.35	0	-	-	-	-
SET5006P2412A	-	-	-	-	SET5041P2503D	0.15	-	23,105	0.15	0	-	-	-	-
SET5006P2412B	-	-	-	-	SPX28C2412A	-	-	-	-	0	-	-	-	-
SET5006P2412C	-	-	-	-	SPX28C2412B	-	-	-	-	0	-	-	-	-
SET5006P2412D	0.01	-	3	0.01	SPX28C2412C	-	-	-	-	0	-	-	-	-
SET5006P2412E	-	-	-	-	SPX28C2503A	0.37	0.04	404	0.36	0	-	-	-	-
SET5006P2412F	0.04	0.02	367	0.02	SPX28P2412A	-	-	-	-	0	-	-	-	-
SET5006P2412G	0.12	(0.01)	251,711	0.13	SPX28P2412B	-	-	-	-	0	-	-	-	-
SET5006P2412H	0.27	(0.04)	16,872	0.31	SPX28P2412C	-	-	-	-	0	-	-	-	-
SET5006P2503A	0.09	(0.01)	4,264	0.09	SPX28P2503A	-	-	-	-	0	-	-	-	-
SET5006P2503B	0.24	-	76,672	0.24	SPX41C2412A	-	-	-	-	0	-	-	-	-
SET5006P2503C	0.48	(0.01)	242,649	0.50	SPX41C2412B	-	-	-	-	0	-	-	-	-
SET5013C2411A	0.01	(0.03)	1,000	0.01	SPX41C2412C	0.63	(0.39)	198	0.63	0	-	-	-	-
SET5013C2412A	1.73	(0.07)	236	1.64	SPX41C2503A	0.67	0.04	2,331	0.66	0	-	-	-	-
SET5013C2412B	2.08	(0.24)	70	2.08	SPX41P2412A	-	-	-	-	0	-	-	-	-
SET5013C2412C	2.96	(0.64)	396	2.91	SPX41P2412B	-	-	-	-	0	-	-	-	-
SET5013C2412D	-	-	-	-	SPX41P2412C	-	-	-	-	0	-	-	-	-
SET5013C2412E	-	-	-	-	SPX41P2503A	0.39	(0.03)	12,000	0.39	0	-	-	-	-
SET5013C2412F	-	-	-	-	SUNNY41C2411	0.17	0.01	2	0.18	0	-	-	-	-
SET5013C2412G	0.63	(0.02)	22,158	0.61	SUNNY41C2502	0.76	-	240	0.78	0	-	-	-	-
SET5013C2412H	0.27	-	3,269,155	0.26	TENCEN28C250	0.56	0.01	5	0.56	0	-	-	-	-
SET5013C2412I	0.11	-	325,374	0.10	TENCEN28C250	0.10	-	233	0.10	0	-	-	-	-
SET5013C2412J	0.13	(0.01)	99,162	0.12	TENCEN28P250	0.51	(0.03)	2	0.51	0	-	-	-	-
SET5013C2412K	0.05	(0.01)	5,030	0.05	TENCEN41C250	0.61	0.04	3,198	0.59	0	-	-	-	-
SET5013C2412L	0.27	-	1,052,025	0.26	TENCEN41C250	0.10	-	388	0.10	0	-	-	-	-
SET5013C2412M	0.20	-	1,112,736	0.19	TENCEN41P250	-	-	-	-	0	-	-	-	-
SET5013C2412T	0.12	(0.01)	67,022	0.12	TENCEN41P250	0.36	(0.05)	2	0.37	0	-	-	-	-
SET5013C2412U	0.42	(0.01)	219,310	0.41	TRIPDC41C2411	1.07	(0.15)	200	1.07	0	-	-	-	-
SET5013C2503A	0.38	0.01	1,930,095	0.37	XIAOMI28C2412	-	-	-	-	0	-	-	-	-
SET5013C2503B	0.50	-	968,400	0.49	XIAOMI28C2504	0.51	(0.04)	4,151	0.50	0	-	-	-	-
SET5013C2503C	0.75	-	141,490	0.73	XIAOMI28P2502	-	-	-	-	0	-	-	-	-
SET5013C2503T	0.20	0.01	76,334	0.19	XIAOMI28P2505	0.31	-	40	0.32	0	-	-	-	-
SET5013P2412A	-	-	-	-	XIAOMI41C2411	-	-	-	-	0	-	-	-	-
SET5013P2412B	-	-	-	-	XIAOMI41C2502	1.16	(0.10)	4,000	1.16	0	-	-	-	-
SET5013P2412C	-	-	-	-	XIAOMI41C2503	0.57	(0.04)	1,649	0.54	0	-	-	-	-
SET5013P2412D	0.01	-	2	0.02	XIAOMI41P2502	-	-	-	-	0	-	-	-	-
SET5013P2412E	-	-	-	-	ZIIN41C2502A	-	-	-	-	0	-	-	-	-
SET5013P2412F	-	-	-	-	-	-	-	-	-	0	-	-	-	-
SET5013P2412G	-	-	-	-	-	-	-	-	-	0	-	-	-	-
SET5013P2412H	-	-	-	-	-	-	-	-	-	0	-	-	-	-
SET5013P2412I	-	-	-	-	-	-	-	-	-	0	-	-	-	-
SET5013P2412J	0.01	(0.01)	20	0.01	-	-	-	-	-	0	-	-	-	-
SET5013P2412K	0.02	-	1,690	0.02	-	-	-	-	-	0	-	-	-	-
SET5013P2412L	0.02	-	4,082	0.02	-	-	-	-	-	0	-	-	-	-
SET5013P2412M	0.09	-	35,804	0.09	-	-	-	-	-	0	-	-	-	-
SET5013P2412N	0.09	(0.02)	716,062	0.10	-	-	-	-	-	0	-	-	-	-
SET5013P2412O	0.22	(0.02)	2,870,957	0.24	-	-	-	-	-	0	-	-	-	-
SET5013P2412T	-	-	-	-	-	-	-	-	-	0	-	-	-	-
SET5013P2503A	0.36	(0.01)	745,138	0.37	-	-	-	-	-	0	-	-	-	-
SET5013P2503B	0.52	(0.02)	4,278,781	0.54										

Main Board Quotation

Issue Date :

Wednesday November 20, 2024

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
Warrant - MAI														
Agro & Food Indust			-		TRT	4.12	(0.12)	17,413	00 4.1	LDC	0.53	0.01	1,244	00 0.5
APO	2.12	(0.08)	14,426	00 2.1	TRV	1.96	0.04	121	00 1.9	LEO	3.68	(0.08)	1,632	00 3.7
AU	10.90	(0.10)	23,260	00 10.9	UBIS	1.70	(0.08)	761	00 1.7	MCA	1.56	(0.02)	9,537	00 1.5
CFARM	1.00	(0.01)	6,037	00 1.0	UEC	1.27	0.01	376	00 1.2	MEB	29.25	-	5,472	00 28.7
JCHK	0.02	-	35,917	00 0.0	UKEM	0.67	0.01	1,421	00 0.6	MORE	0.03	(0.01)	506,186	00 0.0
KASET	0.85	(0.01)	1,034	00 0.8	UREKA	0.48	-	14,058	00 0.4	MPJ	3.92	0.06	21,393	00 3.8
MAGURO	20.40	1.80	173,237	00 20.0	YUASA	10.40	0.10	735	00 10.4	MVP	0.68	-	5,102	00 0.6
MUD	1.37	-	547	00 1.3	ZIGA	1.85	-	16,525	00 1.8	NCL	0.43	0.04	138,884	00 0.4
NTSC	10.10	(0.10)	15	00 10.1	ZIGA-W2	0.18	(0.01)	8,588	00 0.1	NCP	1.04	(0.01)	3,711	00 1.0
TACC	4.70	(0.06)	4,792	00 4.7	Property	-	-	-	-	NEWS	0.01	-	456,046	00 0.0
TMILL	3.10	0.02	203	00 3.0	24CS	3.40	(0.14)	12,166	00 3.4	PEER	0.30	(0.01)	70,956	00 0.3
WINNER	2.06	(0.02)	197	00 2.0	ARIN	0.86	(0.01)	111,223	00 0.8	PEER-W1	-	-	-	00 0.0
XO	20.30	(0.20)	4,529	00 20.3	ARROW	5.80	-	22	00 5.7	PICO	3.58	-	11	00 3.1
Consumer Products			-		BC	1.04	0.01	1,389	00 1.0	PLT	0.78	-	3,731	00 0.7
ALPHAX	0.64	(0.01)	14,418	00 0.6	BC-W2	0.13	-	144	00 0.1	QLT	2.02	-	634	00 2.0
BGT	0.53	0.02	52	00 0.5	BLESS	0.38	-	1,399	00 0.3	RP	1.08	0.01	85	00 1.0
DOD	2.14	(0.06)	606	00 2.1	BSM	1.80	0.02	123	00 1.7	SONIC	1.64	-	6,763	00 1.6
ECF	0.41	(0.02)	12,624	00 0.4	BTW	0.27	(0.01)	1,613	00 0.2	THMUI	0.54	0.01	273	00 0.5
ECF-W5	0.04	-	11,819	00 0.0	CAZ	2.30	(0.06)	2,914	00 2.3	TNDT	0.27	(0.01)	424	00 0.2
EFORL	0.28	0.01	177,208	00 0.2	CHEWA	0.36	(0.03)	15,900	00 0.3	TNDT-W1	-	-	-	00 0.0
EFORL-W6	0.05	-	602	00 0.0	CPANEL	4.00	0.10	513	00 3.8	TNH	36.50	(0.25)	579	00 36.5
EURO	5.00	(0.05)	345	00 5.0	CPANEL-W1	0.21	0.04	379	00 0.2	TNP	3.58	(0.04)	11,693	00 3.6
HPT	0.49	0.02	7,076	00 0.4	CRD	0.44	-	720	00 0.4	TPL	1.00	0.01	3,935	00 0.9
ITTHI	2.00	-	365	00 1.9	DHOUSE	0.60	0.01	702	00 0.5	TRP	9.25	-	693	00 9.2
JSP	2.12	0.06	19,432	00 2.0	DIMET	0.25	-	1	00 0.2	TURTLE	-	-	-	00 0.0
JUBILE	11.90	-	1,584	00 11.8	DPAINTE	1.52	0.01	698	00 1.5	TVDH	0.19	-	7,894	00 0.1
LTS	12.70	(0.40)	19,648	00 12.7	FLOYD	0.70	(0.01)	1,612	00 0.7	TVDH-W3	0.02	-	20	00 0.0
MGI	10.10	(0.10)	2,868	00 10.1	HYDRO	0.14	(0.01)	2,663	00 0.1	TVDH-W4	-	-	-	00 0.0
MGI-W1	2.02	0.04	3,851	00 2.0	HYDRO-W2	0.11	-	1,819	00 0.0	TVT	0.43	0.01	4,717	00 0.4
MOONG	2.18	0.02	758	00 2.1	IND	0.81	-	2,940	00 0.8	UBA	0.96	(0.01)	1,511	00 0.9
NPK	12.90	0.70	1	00 12.9	JAK	-	-	-	00 0.0	VL	1.20	(0.01)	31,217	00 1.2
SEI	4.66	(0.02)	18,384	00 4.6	K	1.16	(0.10)	1,963	00 1.1	VS	0.57	(0.03)	487	00 0.5
SMD	5.65	(0.15)	14,504	00 5.7	K-W3	0.13	-	162	00 0.1	YGG	0.60	0.02	293,338	00 0.6
TM	1.20	(0.01)	1,675	00 1.1	META	0.14	-	13,021	00 0.1	Technology	-	-	-	-
TM-W1	0.06	-	11	00 0.0	META-W7	0.01	-	3,800	00 0.0	APP	1.69	(0.02)	3,036	00 1.6
WARRIX	4.04	(0.08)	34,916	00 3.9	PANEL	1.30	0.01	1,052	00 1.2	BBIK	43.25	0.75	8,916	00 41.6
WINMED	1.96	(0.01)	306	00 1.9	PPS	0.21	(0.01)	1,649	00 0.2	BE8	13.40	(0.50)	10,292	00 13.5
Financials			-		PRI	9.15	0.05	3,300	00 9.1	BE8-W1	1.89	-	87	00 2.1
ACAP	-	-	-	00 0.0	PROS	1.12	0.01	458	00 1.1	BVG	2.90	(0.02)	159	00 2.9
AF	0.60	(0.01)	493	00 0.5	PROS-W1	0.12	-	4,475	00 0.1	COMAN	0.76	0.01	1,305	00 0.7
AIRA	1.17	(0.11)	1	00 1.1	PSG	0.50	-	23,817	00 0.4	I2	1.44	(0.06)	20,658	00 1.4
ASN	1.79	(0.01)	20	00 1.7	QTCG	0.36	0.01	48,042	00 0.3	IIG	5.10	-	527	00 5.1
BTC	0.72	0.03	1,174,643	00 0.7	QTCG	0.36	-	369	00 0.3	IIG-W1	0.47	0.03	1	00 0.4
BTC-W7	0.37	0.02	38,076	00 0.3	SENX	0.64	0.01	630	00 0.6	IRCP	0.52	(0.01)	7,193	00 0.5
GCAP	0.46	(0.04)	53,945	00 0.4	SK	0.77	-	9,160	00 0.7	ITNS	1.48	0.04	990	00 1.4
KCC	2.36	(0.10)	2,243	00 2.3	SMART	0.55	(0.02)	1,671	00 0.5	ITNS	4.40	(0.08)	3,779	00 4.4
LIT	0.88	(0.01)	1,735	00 0.8	STC	1.48	0.02	758	00 1.4	NAT	16.00	0.10	2,751	00 15.8
LIT-W2	0.03	-	546	00 0.0	STX	1.48	0.02	758	00 1.4	NETBAY	1.64	(0.01)	41,844	00 1.6
MITTSIB	0.73	-	1,256	00 0.7	SVR	1.18	(0.02)	2,677	00 1.1	PLANET	4.48	(0.20)	1,075,448	00 4.2
SGF	0.25	-	1,373	00 0.2	TAPAC	-	-	-	00 0.0	PROEN	2.10	(0.42)	225,406	00 2.1
SGF-P1	-	-	-	00 0.0	THANA	1.23	0.01	880	00 1.2	PROEN-W2	5.15	(0.10)	90	00 5.1
SGF-Q1	-	-	-	00 0.0	TIGER	0.62	0.04	1,311	00 0.6	READY	12.50	(0.30)	535	00 12.6
TQR	6.00	-	115	00 5.9	TITLE	4.22	(0.02)	369	00 4.2	SECURE	4.50	(0.04)	6,801	00 4.5
Industrials			-		WELL	-	-	-	00 0.0	SICT	2.32	(0.14)	286,503	00 2.4
ADB	0.83	(0.01)	234	00 0.8	YONG	1.24	-	450	00 1.2	SIMAT	0.06	(0.01)	27,133	00 0.0
BM	3.08	(0.02)	1,830	00 3.0	Resources	-	-	-	-	SIMAT-W3	2.24	(0.06)	2,170	00 2.2
BM-W3	1.54	0.05	12,324	00 1.5	ABM	1.30	0.01	17,169	00 1.2	SPVI	5.00	(0.20)	1,294	00 5.0
BPS	0.54	-	5,538	00 0.5	ABM-W1	0.01	-	400	00 0.0	SRS	6.15	0.05	3,358	00 6.0
CHO	0.05	-	13,426	00 0.0	GTV	0.12	-	68,065	00 0.1	TBN	1.38	0.07	14,950	00 1.4
CHO-W4	0.01	-	1,700	00 0.0	PSTC	0.47	0.01	4,370	00 0.4	TPS	2.88	0.02	2,273	00 2.8
CHOW	2.32	0.12	1,146	00 2.2	PSTC-W2	0.02	-	250	00 0.0	VCOM	2.50	(0.06)	1,445	00 2.5
CIG	0.05	0.01	13,959	00 0.0	PSTC-W3	0.15	(0.01)	10,077	00 0.1		-	-	-	-
CIG-W10	-	-	-	00 0.0	PTC	1.52	-	543	00 1.5		-	-	-	-
CIG-W9	-	-	-	00 0.0	SAAM	6.15	0.05	1,002	00 6.3		-	-	-	-
COLOR	1.06	(0.06)	1,097	00 1.0	SR	0.56	(0.07)	130	00 0.5		-	-	-	-
CPR	4.24	0.06	23,593	00 4.2	STOWER	0.08	0.01	8,734	00 0.0		-	-	-	-
FPI	1.96	-	193	00 1.9	TAKUNI	0.68	(0.06)	79,094	00 0.6		-	-	-	-
GTB	0.73	0.01	2	00 0.7	TPCH	5.45	(0.05)	10,860	00 5.4		-	-	-	-
HARN	2.10	-	157	00 2.1	UMS	0.54	0.05	584	00 0.4		-	-	-	-
KCM	0.31	(0.01)	199	00 0.3	Services	-	-	-	-		-	-	-	-
KJL	6.75	(0.20)	513	00 6.7	ADD	4.64	0.02	168	00 4.5		-	-	-	-
KUMWEL	1.65	(0.02)	7	00 1.6	AKP	0.74	(0.01)	12,405	00 0.7		-	-	-	-
KWM	1.27	(0.01)	2,383	00 1.2	AMA	4.18	-	1,969	00 4.1		-	-	-	-
MBAX	2.40	(0.02)	794	00 2.3	AMARC	1.43	-	5,015	00 1.4		-	-	-	-
MGT	2.02	0.02	269	00 2.0	ARIP	0.58	(0.03)	1,511	00 0.5		-	-	-	-
MTW	1.18	-	609	00 1.1	ATP30	0.99	0.02	5,463	00 0.9		-	-	-	-
MTW-W1	0.10	(0.01)	9,197	00 0.1	AUCT	8.65	0.05	1,597	00 8.6		-	-	-	-
NDR	2.70	(0.04)	5,511	00 2.7	BIS	3.60	0.12	1,944	00 3.5		-	-	-	-
PACO	1.39	0.02	1,229	00 1.3	BOL	6.00	-	2,474	00 6.0		-	-	-	-
PACO-W1	0.08	-	79	00 0.0	CEYE	3.02	0.06	131	00 2.8		-	-	-	-
PDG	2.64	(0.02)	30	00 2.6	CHIC	0.50	0.01	417	00 0.4		-	-	-	-
PHOL	3.02	(0.02)	1,692											