

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	KTB19C2502A	0.13	-	336	0.13	IVL11C2502A	-	-	-	-
Agribusiness			-		LHFG	0.80	-	30,853	0.80	IVL13C2412A	-	-	-	-
EE	0.36	0.09	107,121	0.35	SCB	118.00	-	51,658	118.17	IVL13C2412B	-	-	-	-
EE-W1	0.07	0.06	7,709,776	0.05	SCB01C2412A	-	-	-	-	IVL13C2502A	0.08	0.02	2,340	0.07
GFPT	10.80	0.20	19,378	10.76	SCB01C2502A	0.20	-	5,061	0.20	IVL13C2502B	0.27	0.05	7,850	0.25
LEE	2.44	0.04	46	2.42	SCB01P2501A	-	-	-	-	IVL13C2504A	0.18	0.02	4,618	0.17
NER	4.88	0.02	31,526	4.88	SCB11C2501A	0.13	-	1,000	0.13	IVL13P2501A	-	-	-	-
NER-W2	0.39	-	14,797	0.39	SCB13C2412A	-	-	-	-	IVL13P2502A	-	-	-	-
PCE	2.84	0.04	119,125	2.82	SCB13C2502A	0.19	(0.01)	24,693	0.19	IVL19C2412A	-	-	-	-
PPPM	0.70	-	16,763	0.70	SCB13P2412A	-	-	-	-	IVL19C2501A	-	-	-	-
PPPM-W6	0.56	-	981	0.56	SCB13P2502A	0.08	-	100	0.08	IVL19C2502A	0.25	0.05	35,753	0.23
STA	19.20	0.10	92,824	19.33	SCB19C2412A	-	-	-	-	IVL19C2502B	0.10	0.01	4,512	0.10
STA01C2412A	0.01	(0.02)	5,693	0.01	SCB19C2502A	0.16	(0.01)	1,505	0.17	IVL19C2502C	0.10	0.01	4,000	0.10
STA01C2501A	-	-	-		SCB19C2504A	0.31	(0.01)	10,995	0.31	IVL19P2502A	-	-	-	-
STA01C2502A	0.02	-	1	0.02	SCB19P2412A	-	-	-	-	IVL41C2412A	-	-	-	-
STA01C2503A	0.19	0.01	64,434	0.20	SCB41C2412A	-	-	-	-	IVL41C2412B	-	-	-	-
STA01C2504A	0.49	0.02	26,482	0.50	SCB41C2502A	0.21	(0.01)	21,800	0.21	IVL41C2502A	0.63	0.10	6,000	0.60
STA01P2502A	0.51	(0.02)	26,728	0.50	SCB41P2504A	0.36	(0.02)	3,103	0.37	IVL41C2502B	0.10	0.03	1,500	0.10
STA13C2412A	-	-	-		TCAP	50.00	-	14,320	49.96	PTTGC01C2412A	-	-	-	-
STA13C2502A	0.01	(0.01)	4	0.02	TCAP-P	-	-	-	-	PTTGC01C2501A	0.01	(0.01)	3,751	0.01
STA13C2502B	0.11	-	46,110	0.11	TCAP-Q	-	-	-	-	PTTGC01C2501B	0.09	(0.01)	4,949	0.10
STA13C2503A	0.29	-	65,936	0.30	TCAP13C2501A	-	-	-	-	PTTGC01C2502A	0.04	-	100	0.04
STA13P2502A	0.42	(0.02)	30,392	0.42	TCAP19C2504A	0.18	-	3,156	0.18	PTTGC01C2504A	0.48	(0.01)	2,061	0.48
STA19C2412A	-	-	-		TISCO	96.75	-	13,277	96.79	PTTGC01C2505A	0.15	-	26,432	0.15
STA19C2502A	-	-	-		TISCO-P	-	-	-	-	PTTGC01P2412X	-	-	-	-
STA19C2502B	0.02	-	2,650	0.02	TISCO-Q	-	-	-	-	PTTGC13C2412A	-	-	-	-
STA19C2503A	0.17	-	17,402	0.17	TISCO01C2501A	-	-	-	-	PTTGC13C2412B	-	-	-	-
STA19C2504A	0.34	0.01	113,147	0.35	TISCO01C2502A	-	-	-	-	PTTGC11C2501A	-	-	-	-
STA19P2503A	0.41	(0.02)	28,064	0.40	TISCO019C2502A	-	-	-	-	PTTGC11C2502A	0.06	-	64	0.06
STA41C2503A	0.36	0.01	34,600	0.38	TTB	1.83	0.05	2,867,003	1.82	PTTGC01P2501A	-	-	-	-
TEGH	3.70	-	39,474	3.73	TTB-W1	0.87	0.03	10,958	0.87	PTTGC01P2503A	0.35	(0.01)	2,674	0.35
TFM	8.05	0.05	248	8.07	TTB01C2503A	0.06	-	5,000	0.06	PTTGC11C2412A	-	-	-	-
TRUBB	1.06	0.03	77,322	1.07	TTB01C2504A	0.30	0.03	19,903	0.27	PTTGC11C2501A	-	-	-	-
UPOIC	6.50	-	349	6.52	TTB13C2501A	-	-	-	-	PTTGC11C2502A	0.06	-	64	0.06
UVAN	9.35	(0.05)	5,014	9.32	TTB13C2503A	0.20	0.02	48,908	0.19	PTTGC13C2412B	-	-	-	-
VPO	0.66	-	5,838	0.66	TTB19C2501A	0.08	0.01	400	0.08	PTTGC13C2412C	-	-	-	-
Banking	-	-			TTB19C2504A	0.29	0.03	53,816	0.27	PTTGC19C2412A	-	-	-	-
BAY	25.25	0.25	1,044	25.14	Construction Ma	-	-	-	-	PTTGC13C2501A	0.01	-	4,000	0.01
BBL	152.00	0.50	63,590	152.06	CCP	0.28	(0.01)	471	0.29	PTTGC13C2502A	-	-	-	-
BBL11C2412A	0.01	-	120	0.01	DCC	1.84	(0.01)	15,322	1.85	PTTGC13C2503A	-	-	-	-
BBL11C2501A	-	-	-		DCON	0.32	0.02	145,441	0.32	PTTGC13C2504A	0.16	(0.01)	723	0.17
BBL11C2502A	0.16	0.01	5,510	0.15	DCON-W3	0.01	-	871,242	0.01	PTTGC13P2412A	-	-	-	-
BBL13C2412A	-	-	-		DRT	7.70	0.10	1,591	7.67	PTTGC13P2502A	-	-	-	-
BBL13C2501A	0.04	-	100	0.04	EPG	4.14	(0.02)	35,636	4.12	PTTGC13P2502B	0.13	-	1,031	0.13
BBL13C2503A	0.17	-	15,947	0.17	GEL	0.10	0.01	18,471	0.09	PTTGC19C2412A	-	-	-	-
BBL13P2504A	0.36	0.01	50,558	0.36	GEL-W5	0.01	-	50,367	0.01	PTTGC19C2412B	-	-	-	-
BBL13P2412A	-	-	-		PPP	1.53	(0.10)	23	1.53	PTTGC19C2501A	-	-	-	-
BBL13P2501A	0.09	(0.02)	4,337	0.09	Q-CON	9.35	(0.05)	902	9.33	PTTGC19C2501B	-	-	-	-
BBL19C2502A	-	-	-		SCC	183.50	0.50	24,366	183.09	PTTGC19C2502A	-	-	-	-
BBL19C2503A	0.19	-	9,658	0.19	SCC01C2412A	0.01	(0.01)	872	0.01	PTTGC19C2504A	0.13	-	1,202	0.14
BBL19C2503B	0.27	(0.01)	49,599	0.28	SCC01C2502A	-	-	-	-	PTTGC19P2412A	-	-	-	-
BBL41C2412A	-	-	-		SCC01C2503A	0.01	(0.01)	20	0.01	PTTGC19P2503A	0.17	-	9,070	0.17
BBL41C2502A	-	-	-		SCC01C2505A	0.51	0.01	89,279	0.50	PTTGC41C2412A	-	-	-	-
BBL41C2504A	0.33	-	32,161	0.33	SCC01P2503A	0.98	-	95,771	0.99	PTTGC41C2502A	-	-	-	-
CIMBT	0.49	-	6,837	0.49	SCC13C2501A	-	-	-	-	PTTGC41C2501A	-	-	-	-
CREDIT	19.40	(0.10)	1,218	19.26	SCC13C2501B	-	-	-	-	PTTGC41C2502A	-	-	-	-
KBANK	156.00	1.00	75,444	155.79	SCC13C2502A	-	-	-	-	PTTGC41C2502B	-	-	-	-
KBANK01C2412A	0.22	-	6,826	0.22	SCC13C2503A	0.04	(0.01)	15	0.04	PTTGC41C2503A	0.11	(0.01)	4,000	0.11
KBANK01C2501A	0.32	0.01	7,405	0.32	SCC13C2504A	0.32	-	69,142	0.32	PTTGC41P2502A	-	-	-	-
KBANK01C2502A	0.10	-	8,040	0.10	SCC13P2502A	0.93	(0.02)	36,443	0.94	SUTHA	2.82	0.02	1	2.82
KBANK01C2503A	0.36	0.01	14,989	0.36	SCC19C2501A	-	-	-	-	TPA	3.62	(0.06)	31	3.63
KBANK01P2412X	-	-	-		SCC19C2502A	-	-	-	-	UAC	3.12	0.02	438	3.12
KBANK01P2502A	-	-	-		SCC19C2503A	0.05	-	1,000	0.05	UP	-	-	-	-
KBANK01P2502B	0.22	(0.02)	15,443	0.23	SCC19C2504A	0.27	-	128,441	0.26	Commerce	-	-	-	-
KBANK13C2412A	-	-	-		SCC41C2503A	0.05	(0.01)	250	0.04	ADVICE	5.95	(0.15)	54,626	6.04
KBANK13C2501A	-	-	-		SCC41C2504A	0.35	-	68,421	0.34	B52	0.37	-	6,941	0.36
KBANK13C2502A	-	-	-		SCGD	5.50	(0.05)	11,001	5.52	BIG	0.36	-	6,531	0.36
KBANK13P2412A	-	-	-		SCP	6.80	-	22	6.82	BJC	24.20	0.10	24,931	24.19
KBANK13P2501A	-	-	-		SKN	5.35	(0.10)	83	5.35	BJC01C2412A	-	-	-	-
KBANK13P2501B	-	-	-		STECH	1.12	(0.02)	69	1.14	BJC01C2503A	0.06	(0.01)	1	0.06
KBANK13P2504A	0.32	(0.02)	13,040	0.34	TASCO	19.80	0.10	35,889	19.75	BJC13C2412A	-	-	-	-
KBANK19C2501A	0.13	-	18,333	0.13	TASCO01C2501A	0.14	(0.01)	10,338	0.14	BJC13C2502A	-	-	-	-
KBANK19C2502A	0.19	0.02	6,335	0.19	TASCO13C2501A	0.12	-	20,761	0.12	BJC13C2503A	0.30	-	28,296	0.30
KBANK19C2502B	0.11	-	2,036	0.11	TASCO19C2502J	0.25	-	6,226	0.24	BJC19C2502A	-	-	-	-
KBANK19C2504A	-	-	-		TOA	14.50	(0.10)	8,288	14.47	BJC19C2503A	0.25	(0.01)	24,268	0.26
KBANK19P2501A	-	-	-		TPIPL	1.13	(0.02)	23,911	1.14	COM7	27.25	(0.25)	62,111	27.31
KBANK19P2502A	-	-	-		UMI	0.72	0.01	1,034	0.72	COM701C2412W	-	-	-	-
KBANK41C2501A	0.22	(0.01)	9,600	0.22	VNG	3.18	-	423	3.17	COM701C2501A	0.05	(0.01)	200	0.06
KBANK41C2502A	-	-												

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPALL13C2501A	-	-	-	-	ADVANC19C241	-	-	-	-	TRUE19C2503A	0.13	(0.02)	53,129	0.14
CPALL13C2503A	0.13	(0.03)	8,858	0.13	ADVANC19C250	-	-	-	-	TRUE19C2504A	0.27	(0.03)	51,035	0.28
CPALL13C2504A	0.22	(0.04)	44,974	0.23	ADVANC19C250	0.27	0.05	189,976	0.25	TRUE41C2501A	0.14	(0.01)	36,200	0.14
CPALL13P2501A	0.07	-	2,072	0.07	ADVANC19C250	0.22	0.02	130,792	0.21	TRUE41C2503A	0.13	(0.01)	21,000	0.13
CPALL19C2502A	0.11	(0.02)	11,028	0.11	ADVANC19P241	-	-	-	-	TRUE41C2604T	0.70	(0.01)	17,110	0.70
CPALL19C2502B	-	-	-	-	ADVANC19P250	0.10	(0.02)	14,069	0.10	TRUE41P2504A	-	-	-	-
CPALL19C2504A	0.22	(0.04)	32,924	0.22	ADVANC19P250	0.33	(0.07)	53,297	0.35	TWZ	0.04	0.01	17,303	0.04
CPALL19P2412A	-	-	-	-	ADVANC41C241	-	-	-	-	TWZ-W8	0.01	-	10	0.01
CPALL41C2412A	-	-	-	-	ADVANC41C250	0.37	0.06	28,000	0.34	TWZ-W9	0.01	-	84,323	0.01
CPALL41C2504A	0.25	(0.03)	42,590	0.26	ADVANC41C250	0.37	0.04	71,000	0.35	Electronic Componer	-	-	-	-
CPALL41C2605T	0.41	(0.02)	24,000	0.41	ADVANC41C250	0.25	0.03	89,181	0.24	CCET	8.45	(0.35)	655,627	8.57
CPALL41P2502A	0.29	-	105	0.29	ADVANC41P250	0.42	(0.03)	8,000	0.43	DELTA	150.50	(0.50)	129,431	150.46
CPAXT	35.25	(0.25)	26,815	35.20	AIT	4.40	(0.02)	21,969	4.40	DETA01C2412A	0.32	(0.06)	11,340	0.32
CPW	2.26	(0.04)	1,075	2.29	ALT	1.10	-	616	1.09	DETA01C2501A	1.01	(0.03)	7,594	1.01
CRC	34.00	0.25	91,390	34.10	AMR	1.00	-	344	1.00	DETA01C2502A	0.69	(0.02)	1,421	0.69
CRC01C2412A	0.01	(0.02)	11,567	0.01	BLISS	-	-	-	-	DETA01C2503A	0.36	(0.01)	22,120	0.36
CRC01C2501A	-	-	-	-	DIF	8.90	-	33,418	8.88	DETA01P2412X	0.01	-	20,303	0.01
CRC01C2503A	0.13	-	58,849	0.13	DITTO	17.60	(0.50)	25,834	17.83	DETA01P2502A	0.04	0.01	488	0.03
CRC11C2501A	0.11	-	1,200	0.11	DITTO-W1	0.60	(0.07)	6,251	0.57	DETA01P2503A	0.28	-	21,950	0.28
CRC13C2412A	-	-	-	-	DTCENT	1.12	0.01	790	1.11	DETA01P2504A	0.77	0.01	76,805	0.76
CRC13C2412B	-	-	-	-	FORTH	11.20	0.30	4,520	11.10	DETA06C2412A	-	-	-	-
CRC13C2502A	0.08	-	11,176	0.08	FORTH13C2412	0.01	(0.01)	55	0.01	DETA06C2502A	0.55	(0.04)	23	0.56
CRC13C2503A	0.20	0.01	66,056	0.20	FORTH19C2501	0.02	-	10	0.02	DETA06C2504A	0.38	(0.62)	4,982	0.39
CRC19C2501A	-	-	-	-	GABLE	3.14	(0.04)	5,812	3.13	DETA11C2501A	0.67	(0.03)	1,294	0.68
CRC19C2502A	0.14	-	84,970	0.14	HUMAN	9.10	-	2,137	9.10	DETA11C2501B	0.97	(0.01)	31	0.96
CRC41C2503A	0.21	-	48,200	0.21	ICN	2.24	0.02	4,854	2.23	DETA11C2503A	0.24	(0.01)	7,355	0.24
CSS	0.97	(0.01)	33,238	0.98	ILINK	6.00	-	3,485	6.00	DETA13C2412A	-	-	-	-
DOHOME	9.90	(0.10)	40,032	9.96	INET	6.20	(0.05)	110,975	6.20	DETA13C2501A	-	-	-	-
DOHOME01C2501A	0.02	-	600	0.02	INSET	3.44	0.04	457,755	3.51	DETA13C2502A	1.07	(0.08)	2,028	1.07
DOHOME01C2503A	-	-	-	-	INTUCH	102.50	2.50	188,871	102.02	DETA13C2502B	0.67	(0.02)	2,364	0.68
DOHOME13C2412A	-	-	-	-	INTUCH01C241	0.96	0.20	2,470	0.84	DETA13C2503A	0.51	(0.02)	118,436	0.51
DOHOME13C2502A	0.06	(0.01)	21	0.06	INTUCH01C250	0.12	0.01	58,975	0.12	DETA13C2503B	0.32	(0.01)	39,278	0.33
DOHOME13C2503A	0.12	(0.01)	4,026	0.13	INTUCH13C241	-	-	-	-	DETA13C2503C	0.16	-	44,108	0.16
DOHOME19C2501A	-	-	-	-	INTUCH13C250	-	-	-	-	DETA13P2412A	-	-	-	-
DOHOME19C2502A	-	-	-	-	INTUCH13C250	0.16	0.02	37,773	0.15	DETA13P2502A	0.03	-	949	0.03
DOHOME19C2504A	-	-	-	-	INTUCH13C250	0.07	(0.01)	6,016	0.07	DETA13P2502B	0.10	-	15,496	0.10
DOHOME41C2412A	-	-	-	-	INTUCH13C250	0.64	0.08	5,779	0.62	DETA13P2503A	0.28	-	40,818	0.28
DOHOME41C2501A	-	-	-	-	INTUCH13C250	0.35	0.04	322,007	0.34	DETA13P2503B	0.68	(0.01)	24,368	0.68
FN	0.85	-	4,132	0.87	INTUCH13P2412	-	-	-	-	DETA19C2412A	-	-	-	-
GLOBAL	15.70	(0.30)	142,781	15.56	INTUCH13P250	0.18	(0.05)	16,319	0.19	DETA19C2502A	1.10	(0.04)	16	1.14
GLOBAL01C2503A	0.16	(0.03)	68,294	0.15	INTUCH19C241	-	-	-	-	DETA19C2503A	0.68	(0.02)	65,105	0.68
GLOBAL11C2501A	-	-	-	-	INTUCH19C250	-	-	-	-	DETA19C2503B	0.41	(0.01)	67,496	0.41
GLOBAL13C2501A	0.09	(0.03)	25,235	0.09	INTUCH19C250	0.22	0.02	49,661	0.22	DETA19P2412A	-	-	-	-
GLOBAL19C2412A	-	-	-	-	INTUCH19C250	0.12	-	77,230	0.12	DETA19P2502A	0.03	(0.01)	1,012	0.03
GLOBAL19C2503A	0.21	(0.03)	32,587	0.21	INTUCH19C250	-	-	-	-	DETA19P2503A	0.20	(0.01)	10,381	0.20
HMPRO	9.70	-	135,706	9.73	ITEL	2.22	(0.02)	36,262	2.24	DETA19P2504A	0.52	(0.01)	16,731	0.53
HMPRO01C2501A	-	-	-	-	JAS	2.26	-	158,606	2.25	DETA41C2412A	-	-	-	-
HMPRO01C2503A	0.03	-	200	0.03	JAS-W4	0.50	(0.05)	1,263,363	0.51	DETA41C2502A	0.82	(0.03)	4,509	0.82
HMPRO01C2504A	0.29	(0.02)	27,884	0.30	JAS13C2412A	-	-	-	-	DETA41C2503A	0.42	(0.01)	26,634	0.42
HMPRO11C2412A	-	-	-	-	JAS13C2502A	-	-	-	-	DETA41C2503B	0.49	(0.02)	53,960	0.49
HMPRO11C2412B	-	-	-	-	JAS13C2503A	0.22	-	7,436	0.22	DETA41P2412A	-	-	-	-
HMPRO11C2502A	-	-	-	-	JAS19C2412A	-	-	-	-	DETA41P2502A	0.14	0.01	230	0.14
HMPRO13C2501A	0.12	(0.01)	14,070	0.13	JAS19C2501A	-	-	-	-	DETA41P2504A	0.70	-	1	0.70
HMPRO13C2501B	-	-	-	-	JAS19C2503A	0.18	-	28,420	0.18	HANA	27.00	-	51,207	26.67
HMPRO19C2501A	0.25	(0.01)	4,381	0.25	JMART	14.10	(0.10)	36,874	14.00	HANA01C2412W	0.01	-	7,091	0.01
HMPRO19C2501B	-	-	-	-	JMART-W5	0.38	(0.03)	1,606	0.42	HANA01C2501W	-	-	-	-
HMPRO19C2502A	-	-	-	-	JMART01C2501	-	-	-	-	HANA01C2502A	0.02	-	4	0.01
HMPRO19C2503A	0.22	(0.02)	3,450	0.23	JMART01C2503	0.21	(0.02)	13,728	0.21	HANA01C2504A	0.17	(0.01)	3,717	0.17
HMPRO41C2503A	0.21	(0.01)	10,500	0.21	JMART13C2412	-	-	-	-	HANA01C2504W	0.04	-	11,431	0.03
ICC	32.75	0.75	32	31.60	JMART13C2501	0.13	(0.02)	9,568	0.12	HANA01P2501W	0.55	(0.02)	7,420	0.59
ILM	16.50	(0.20)	2,217	16.60	JMART13C2501F	0.02	-	500	0.02	HANA01P2503W	1.11	(0.01)	7,433	1.12
IT	4.60	(0.12)	1,711	4.63	JMART13C2504	0.31	(0.01)	36,615	0.30	HANA01P2504W	0.36	-	15,684	0.38
KAMART	11.50	0.10	4,610	11.44	JMART19C2412	-	-	-	-	HANA06C2412A	0.01	-	100	0.01
LOXLEY	1.40	-	688	1.39	JMART19C2501	-	-	-	-	HANA06C2504A	0.19	-	5,432	0.17
MC	11.10	0.10	7,874	11.07	JMART19C2501F	-	-	-	-	HANA13C2412A	-	-	-	-
MEGA	34.75	-	11,863	34.89	JMART19C2501C	0.03	(0.01)	150	0.03	HANA13C2502A	-	-	-	-
MEGA13C2502A	0.04	(0.01)	905	0.04	JMART19C2503	0.19	(0.01)	4,943	0.19	HANA13C2502W	-	-	-	-
MEGA19C2502A	-	-	-	-	JMART19C2504	0.32	(0.01)	34,123	0.32	HANA13C2503A	0.02	(0.01)	2,955	0.02
MIDA	0.35	(0.01)	711	0.35	JMART41C2412	-	-	-	-	HANA13C2504A	0.05	(0.01)	6,292	0.05
MOSHI	47.25	-	4,059	47.34	JMART41C2501	0.07	(0.01)	90	0.07	HANA13C2504W	0.13	-	10,139	0.12
RS	5.85	0.05	26,300	5.83	JMART41C2504	0.31	(0.01)	40,286	0.30	HANA13C2504C	0.22	(0.78)	9,545	0.21
RS-W5	4.34	(0.06)	11,304	4.38	JTS	69.00	1.75	12,338	68.85	HANA13P2502A	-	-	-	-
RSP	1.92	-	265	1.93	Mfec	6.10	(0.05)	1,442	6.11	HANA13P2503A	-	-	-	-
SABUY	0.49	0.01	294,780	0.50	MSC	7.85	(0.10)	111	7.82	HANA13P2504A	0.38	(0.01)	28,520	0.39
SCM	3.78	0.02	805	3.77	PT	9.50	0.05	426	9.45	HANA19C				

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE13C2504D	0.15	-	42,912	0.15	BGRIM41C2504F	0.36	0.02	65,384	0.35	GULF19P2504A	0.40	(0.60)	46,686	0.41
KCE13P2412A	-	-	-	-	BIOTEC	0.27	0.02	16,188	0.26	GULF41C2502A	0.71	0.13	930	0.65
KCE13P2501A	0.61	0.02	1	0.61	BIOTEC-P	-	-	-	-	GULF41C2502B	0.42	0.07	56,726	0.39
KCE13P2503A	0.46	0.01	7,354	0.47	BIOTEC-Q	-	-	-	-	GULF41C2504A	0.33	0.05	120,010	0.32
KCE13P2504A	-	-	-	-	BIOTEC-W2	0.06	-	3,008	0.05	GULF41C2605T	0.81	0.04	92,636	0.79
KCE19C2412A	-	-	-	-	BPP	12.60	-	3,979	12.49	GULF41P2504A	0.40	(0.05)	55,200	0.43
KCE19C2501A	0.01	-	299	0.01	BRRGIF	3.82	0.08	517	3.78	GUNKUL	2.30	(0.04)	139,073	2.31
KCE19C2503A	-	-	-	-	BSRC	7.75	(0.15)	7,679	7.79	GUNKUL13C2412A	-	-	-	-
KCE19C2503B	-	-	-	-	CKP	3.36	(0.02)	11,721	3.36	GUNKUL13C2501A	0.02	(0.01)	100	0.02
KCE19C2504A	0.07	(0.01)	4,400	0.07	CKP01C2504A	0.15	(0.01)	3,159	0.15	GUNKUL13C2504A	0.17	(0.03)	4,700	0.18
KCE19C2504B	0.13	(0.01)	1,464	0.12	CKP13C2412A	-	-	-	-	GUNKUL19C2412A	-	-	-	-
KCE19P2412A	-	-	-	-	CKP13C2501A	-	-	-	-	GUNKUL19C2504A	0.21	(0.01)	6,411	0.21
KCE19P2501A	-	-	-	-	CKP19C2502A	-	-	-	-	IRPC	1.40	0.01	144,714	1.40
KCE19P2504A	0.53	-	13,460	0.54	CV	0.28	0.06	587,929	0.27	IRPC01C2502A	-	-	-	-
KCE41C2501A	-	-	-	-	CV-W1	0.20	0.06	153,588	0.18	IRPC01C2504A	0.16	(0.01)	2,376	0.16
KCE41C2502A	-	-	-	-	DEMOCO	3.36	0.04	1,091	3.31	IRPC13C2412A	-	-	-	-
KCE41C2504A	-	-	-	-	EA	5.15	(0.20)	1,107,652	5.21	IRPC13C2501A	-	-	-	-
KCE41C2504B	0.12	(0.01)	52,449	0.12	EA01C2412A	0.01	-	1,538	0.01	IRPC13C2502A	0.05	(0.01)	50	0.05
METCO	174.00	-	48	174.18	EA01C2412W	0.01	-	5,110	0.01	IRPC13C2503A	0.13	-	14,258	0.14
SMT	1.68	(0.01)	2,524	1.69	EA06C2412A	-	-	-	-	IRPC19C2501A	-	-	-	-
SVI	7.30	(0.20)	10,894	7.38	EA13C2412A	-	-	-	-	IRPC19C2502A	-	-	-	-
TEAM	2.78	(0.08)	2,550	2.79	EA13C2412B	-	-	-	-	IRPC19C2503A	0.12	-	7,067	0.12
Energy & Utilities	-	-	-	-	EA13C2412C	-	-	-	-	KBSP1F	8.05	0.05	811	8.00
ACC	0.64	(0.01)	100,989	0.63	EA13C2412D	-	-	-	-	LANNA	16.10	-	881	16.08
ACC-W2	0.46	-	3,580	0.45	EA13C2412E	-	-	-	-	MDX	3.34	(0.02)	2,190	3.32
ACE	1.32	(0.02)	19,724	1.32	EA13C2501A	0.11	(0.02)	303	0.11	NOVA	8.40	(0.40)	340	8.25
AE	0.23	0.01	446,727	0.24	EA13C2501B	0.01	(0.01)	48	0.01	OR	14.10	-	56,121	14.12
AGE	1.28	0.02	6,241	1.27	EA13C2501C	0.01	-	1,000	0.01	OR01C2412A	0.01	-	5	0.01
AI	3.62	(0.02)	1,352	3.56	EA13C2502A	0.02	-	16,148	0.02	OR01C2502A	-	-	-	-
AIE	1.16	0.01	3,768	1.15	EA13C2503A	0.05	-	29,412	0.05	OR01C2503A	-	-	-	-
BAFS	12.90	(0.30)	4,541	13.00	EA13C2503B	0.08	(0.02)	53,594	0.09	OR13C2501A	0.18	(0.01)	20,883	0.19
BANPU	5.80	(0.10)	434,245	5.79	EA13C2503C	0.14	(0.03)	61,880	0.17	OR13C2501B	-	-	-	-
BANPU01C2501A	-	-	-	-	EA13C2504A	0.29	(0.04)	133,454	0.30	OR13C2501B	-	-	-	-
BANPU01C2501B	0.64	(0.15)	4,536	0.68	EA13P2501A	0.39	(0.01)	19,784	0.41	OR13C2503A	0.09	(0.01)	6,740	0.10
BANPU01C2502A	0.05	-	408	0.05	EA19C2412A	-	-	-	-	OR19C2501A	-	-	-	-
BANPU01C2503A	0.05	-	3,629	0.04	EA19C2412B	-	-	-	-	OR19C2502A	-	-	-	-
BANPU01C2504A	0.20	(0.02)	33,095	0.21	EA19C2412C	-	-	-	-	OR19C2503A	-	-	-	-
BANPU01P2501W	-	-	-	-	EA19C2501A	0.01	(0.01)	600	0.01	OR19C2504A	0.15	(0.01)	24,335	0.16
BANPU01P2502A	0.19	0.01	15,550	0.19	EA19C2503A	0.06	(0.03)	6,784	0.07	OR41C2501A	-	-	-	-
BANPU11C2412A	-	-	-	-	EA19C2503B	0.10	(0.02)	15,379	0.11	OR41C2502A	-	-	-	-
BANPU11C2501A	-	-	-	-	EA19C2504A	0.24	(0.04)	16,520	0.26	OR41C2605T	-	-	-	-
BANPU13C2412A	-	-	-	-	EA19C2504B	0.32	(0.68)	96,561	0.33	PRIME	0.23	0.01	424,234	0.24
BANPU13C2412B	-	-	-	-	EA19P2412A	-	-	-	-	PTG	8.55	-	13,318	8.57
BANPU13C2501A	-	-	-	-	EA19P2501A	0.43	0.02	20,808	0.44	PTT	32.25	-	234,437	32.25
BANPU13C2502A	-	-	-	-	EA41C2412A	-	-	-	-	PTT01C2412A	0.01	-	1,000	0.01
BANPU13C2503A	0.13	(0.02)	14,955	0.14	EASTW	2.84	-	4,445	2.84	PTT01C2502A	-	-	-	-
BANPU13C2504A	0.20	(0.02)	29,740	0.20	EGATIF	5.90	(0.05)	7,170	5.94	PTT01C2505A	0.15	-	17,281	0.15
BANPU13P2501A	-	-	-	-	EGCO	124.50	0.50	4,902	124.69	PTT11C2501A	-	-	-	-
BANPU13P2502A	0.17	0.02	7,027	0.17	EGCO13C2412A	-	-	-	-	PTT13C2412A	-	-	-	-
BANPU13P2504A	0.17	0.01	8,546	0.17	EGCO13C2502A	0.17	-	5,090	0.18	PTT13C2503A	0.07	-	40,644	0.07
BANPU19C2501A	-	-	-	-	EGCO19C2412A	-	-	-	-	PTT13P2501A	-	-	-	-
BANPU19C2502A	-	-	-	-	EGCO19C2502A	0.19	(0.01)	14,396	0.19	PTT19C2502A	-	-	-	-
BANPU19C2502B	0.04	-	1,700	0.04	EGCO19C2504A	0.42	-	17,221	0.42	PTT41C2412A	-	-	-	-
BANPU19C2504A	0.19	(0.03)	68,329	0.20	EP	1.87	-	449	1.87	PTT41C2502A	-	-	-	-
BANPU41C2501A	0.12	(0.03)	8,340	0.12	EP-W4	0.02	-	41,382	0.01	PTTTEP01C2412A	128.00	-	23,997	127.95
BANPU41C2502A	-	-	-	-	ETC	2.02	(0.02)	16,219	2.05	PTTTEP01C2502A	0.01	-	3,795	0.01
BBDI	4.30	(0.22)	52,647	4.39	GPSC	44.75	0.25	22,249	44.55	PTTTEP01C2503A	0.13	(0.02)	135	0.04
BCP	31.75	0.25	70,788	31.51	GPSC01C2412A	-	-	-	-	PTTTEP01C2504A	0.31	-	24,332	0.13
BCP01C2412A	-	-	-	-	GPSC01C2501A	0.25	-	8,281	0.24	PTTTEP01C2504A	0.31	-	18,356	0.31
BCP01C2501A	-	-	-	-	GPSC01C2502A	0.08	-	2,100	0.07	PTTTEP01P2412X	-	-	-	-
BCP01C2502A	0.02	0.01	1,000	0.02	GPSC01C2504W	0.33	0.01	12,202	0.32	PTTTEP01P2503A	0.43	(0.02)	12,709	0.44
BCP01C2504A	0.16	-	37,202	0.15	GPSC01P2502A	0.09	(0.01)	120	0.09	PTTTEP06C2501A	0.01	(0.02)	610	0.01
BCP01C2505A	0.26	0.01	24,247	0.25	GPSC11C2501A	0.30	-	1,500	0.29	PTTTEP11C2501A	-	-	-	-
BCP01P1C2502A	0.26	(0.01)	10,256	0.28	GPSC11C2502A	-	-	-	-	PTTTEP11C2502A	-	-	-	-
BCP11C2501A	-	-	-	-	GPSC13C2412A	-	-	-	-	PTTTEP13C2412A	-	-	-	-
BCP11C2502A	-	-	-	-	GPSC13C2501A	0.17	-	19,608	0.17	PTTTEP13C2501A	-	-	-	-
BCP11C2503A	-	-	-	-	GPSC13C2501B	0.03	(0.02)	1,100	0.03	PTTTEP13C2501B	-	-	-	-
BCP13C2412A	-	-	-	-	GPSC13C2503A	0.20	-	8,647	0.20	PTTTEP13C2502A	0.04	(0.01)	1,440	0.04
BCP13C2501A	0.01	(0.01)	2,000	0.01	GPSC13C2504A	0.35	-	30,836	0.34	PTTTEP13C2503A	0.13	(0.02)	15,664	0.13
BCP13C2503A	0.08	(0.01)	2,116	0.08	GPSC13P2501A	0.07	-	1,202	0.07	PTTTEP13C2504A	0.29	-	32,192	0.29
BCP13C2504A	0.26	-	58,906	0.25	GPSC19C2501A	0.20	0.01	7,078	0.19	PTTTEP13P2502A	0.29	(0.02)	10,469	0.30
BCP13P2501A	0.12	(0.02)	19,626	0.13	GPSC19C2502A	0.11	-	7,204	0.11	PTTTEP19C2412A	-	-	-	-
BCP19C2412A	-	-	-	-	GPSC19C2503A	0.23	0.01	54,481	0.22	PTTTEP19C2502A	-	-	-	-
BCP19C2501A	-	-	-	-	GPSC41C2412A	-	-	-	-	PTTTEP19C2503A	0.16	(0.01)	36,978	0.16
BCP19C2503A	0.13	-	17,126	0.12	GPSC41C2502A	-	-	-	-	PTTTEP19C2504A	0.30	(0.02)	14,280	0.30
BCP19C2504A	0.27	0.01	33,285	0.26	GREEN	1.12	0.02	1,494	1.11	PTTTEP41C2502A	-	-	-	-
BCP41C2502A	-	-	-	-	GULF	65.00								

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC13C2504A	0.30	(0.04)	4,121	0.31	BAM	6.75	(0.15)	95,005	6.78	SAWAD19C2501A	-	-	-	-
SPRC19C2501A	-	-	-	-	BAM01C2501A	-	-	-	-	SAWAD19C2502A	0.12	0.01	6,002	0.12
SPRC19C2503A	0.20	(0.03)	14,703	0.21	BAM01C2502A	-	-	-	-	SAWAD19C2504A	0.24	0.01	59,087	0.24
SSP	5.40	(0.10)	25,182	5.28	BAM01C2504A	0.16	(0.01)	298	0.16	SAWAD19P2501A	-	-	-	-
SSP-W2	0.04	-	7,896	0.04	BAM13C2412A	-	-	-	-	SAWAD19P2504A	0.30	(0.01)	21,473	0.31
SUPER	0.27	-	85,477	0.27	BAM13C2501A	-	-	-	-	SAWAD41C2501A	-	-	-	-
SUPEREIF	6.45	(0.05)	1,497	6.49	BAM13C2503A	0.05	-	11	0.05	SAWAD41C2502A	0.14	-	26,044	0.14
SUSCO	3.06	-	5,945	3.04	BAM13C2503B	0.08	(0.01)	570	0.08	SAWAD41C2502B	0.06	-	14	0.06
TAE	0.84	-	201	0.84	BAM13C2504A	0.19	(0.02)	16,671	0.19	SCAP	1.90	(0.07)	26,635	1.91
TCC	0.40	-	9,452	0.40	BAM19C2412A	-	-	-	-	SGC	1.29	(0.01)	113,476	1.29
TCC-W5	-	-	-	-	BAM19C2502A	-	-	-	-	SGC-W1	0.26	-	3,925	0.25
TGE	2.30	(0.04)	1,437	2.30	BAM19C2503A	-	-	-	-	SGC-W2	0.39	(0.01)	5,889	0.39
TGE-W1	1.18	-	50	1.18	BAM19C2504A	0.21	(0.02)	2,720	0.21	SM	1.04	-	1,413	1.05
TOP	38.75	-	77,237	38.64	BAM41C2504A	0.15	(0.01)	7,586	0.15	TH	0.75	-	16,182	0.76
TOP01C2412A	0.01	-	30	0.01	BYD	0.91	0.01	206,279	0.91	TH-W3	0.11	(0.01)	21,130	0.11
TOP01C2503A	0.02	-	1,200	0.02	BYD13C2412A	-	-	-	-	THANI	1.72	0.01	17,979	1.72
TOP01C2504A	0.10	-	26,544	0.09	BYD13C2412B	-	-	-	-	TIDLOR	17.40	(0.10)	61,984	17.46
TOP01C2505A	0.24	(0.01)	28,605	0.24	BYD19C2501A	0.01	-	500	0.01	TIDLOR13C2412A	-	-	-	-
TOP01P2504A	0.38	0.01	20,469	0.39	CGH	0.68	-	59,794	0.68	TIDLOR13C2501A	0.01	(0.01)	1,503	0.02
TOP11C2412A	-	-	-	-	CHASE	1.17	-	3,417	1.16	TIDLOR13C2501B	0.12	(0.02)	41,576	0.12
TOP11C2501A	-	-	-	-	CHASE-W1	0.82	(0.01)	394	0.81	TIDLOR19C2501A	-	-	-	-
TOP11C2502A	-	-	-	-	CHAYO	3.12	0.04	8,540	3.10	TIDLOR19C2501B	0.08	(0.03)	4	0.08
TOP13C2412A	-	-	-	-	CHAYO-W3	0.16	-	891	0.16	TK	4.66	(0.06)	252	4.58
TOP13C2503A	-	-	-	-	ECL	1.17	0.05	57,017	1.15	TNITY	4.66	0.04	2,618	4.66
TOP13C2503B	0.06	(0.01)	267	0.06	FNS	2.06	0.06	917	2.01	TNL	36.25	0.75	14	36.09
TOP13C2504A	0.14	(0.01)	56,854	0.14	FSX	2.24	(0.06)	897	2.23	UOBKH	-	-	-	-
TOP13C2504B	0.22	-	65,888	0.21	GBX	0.69	0.01	355	0.70	XPG	0.93	(0.01)	123,950	0.93
TOP13P2503A	0.30	(0.01)	20,804	0.31	GL	-	-	-	-	Food & Beverage	-	-	-	-
TOP19C2412A	-	-	-	-	HENG	1.23	(0.01)	7,652	1.23	AAI	5.90	0.05	64,191	5.93
TOP19C2502A	-	-	-	-	IFS	2.48	(0.02)	260	2.46	APURE	4.02	(0.14)	474	4.04
TOP19C2503A	-	-	-	-	JMT	19.60	(0.30)	102,272	19.80	APURE-W3	-	-	-	-
TOP19C2503B	-	-	-	-	JMT-W4	-	-	-	-	ASIAN	8.45	(0.05)	9,164	8.48
TOP19C2504A	0.18	(0.02)	32,654	0.17	JMT01C2412A	-	-	-	-	BR	1.88	-	5,158	1.87
TOP41C2412A	-	-	-	-	JMT01C2412W	-	-	-	-	BR-W1	0.06	-	1,000	0.06
TOP41C2502A	0.01	(0.02)	790	0.01	JMT01C2501A	0.26	(0.03)	37,208	0.28	BRR	4.82	-	1,516	4.80
TOP41C2503A	0.12	(0.01)	21,000	0.12	JMT01C2502A	0.24	(0.02)	20,666	0.25	BRR-W2	0.30	(0.02)	4,750	0.31
TPIPP	3.00	(0.02)	21,642	3.00	JMT01C2504A	0.57	(0.04)	26,035	0.59	BTG	19.80	0.20	4,433	19.71
TSE	0.94	-	3,141	0.94	JMT13C2412A	-	-	-	-	CBG	80.00	2.25	54,417	79.47
TTW	9.10	0.05	14,539	9.08	JMT13C2412B	-	-	-	-	CBG01C2412W	0.01	(0.08)	24	0.01
UBE	0.74	(0.01)	31,252	0.75	JMT13C2501A	0.31	(0.05)	329	0.32	CBG01C2501W	-	-	-	-
WHAUP	5.00	0.02	26,355	5.04	JMT13C2501B	0.12	(0.02)	24,354	0.12	CBG01C2502W	0.36	0.07	60,194	0.33
WP	3.50	-	252	3.50	JMT13C2502A	0.13	(0.02)	38,253	0.15	CBG01C2503A	0.31	0.05	67,709	0.29
Media & Publishing	-	-	-	-	JMT13C2504A	0.54	(0.04)	71,240	0.56	CBG01C2504A	0.70	0.08	63,856	0.65
AMARIN	3.42	(0.02)	135	3.40	JMT19C2412A	-	-	-	-	CBG01P2412W	0.01	-	4,100	0.01
AQUA	0.35	-	1,138,186	0.34	JMT19C2501A	0.34	(0.04)	19,418	0.37	CBG01P2502X	0.13	(0.04)	26,630	0.15
AS	4.14	0.14	64,239	4.15	JMT19C2503A	0.25	(0.01)	15,812	0.26	CBG01P2504W	0.59	(0.09)	29,959	0.63
BEC	4.08	0.02	1,850	4.04	JMT19C2504A	0.38	(0.03)	38,505	0.40	CBG13C2412A	-	-	-	-
FE	-	-	-	-	JMT19C2504B	0.55	(0.04)	60,524	0.58	CBG13C2501A	0.14	0.03	38,052	0.13
GPI	1.65	0.02	11,476	1.64	JMT41C2412A	-	-	-	-	CBG13C2503A	0.45	0.06	88,878	0.42
GRAMMY	8.10	(0.05)	195	8.10	JMT41C2501A	0.37	(0.04)	20,801	0.40	CBG13P2412A	-	-	-	-
JKN	-	-	-	-	KCAR	4.72	0.02	582	4.70	CBG13P2502A	0.12	(0.03)	11,372	0.14
MAJOR	14.80	0.30	15,477	14.64	KGI	4.20	(0.02)	5,622	4.21	CBG19C2412A	-	-	-	-
MATCH	1.20	0.02	731	1.18	KTC	48.00	0.25	16,176	47.77	CBG19C2502A	0.33	0.06	48,460	0.30
MATI	6.35	0.20	18	5.90	KTC01C2412W	-	-	-	-	CBG19C2504A	0.55	0.08	121,713	0.49
MCOT	6.70	(0.10)	55,067	6.74	KTC01C2503A	0.21	(0.01)	3,621	0.21	CBG19P2412A	-	-	-	-
MONO	2.46	(0.04)	589,828	2.50	KTC11C2502A	-	-	-	-	CBG19P2502A	0.10	(0.03)	7,923	0.11
NATION	0.04	-	5,918	0.03	KTC13C2412A	-	-	-	-	CBG41C2412A	-	-	-	-
NATION-W4	-	-	-	-	KTC13C2412B	-	-	-	-	CBG41C2503A	0.37	0.05	83,518	0.35
ONEE	3.98	(0.06)	16,993	4.00	KTC13C2502A	-	-	-	-	CFRESH	1.24	0.01	1,306	1.23
PLANB	7.35	(0.10)	97,091	7.33	KTC13C2503A	0.19	(0.01)	2,122	0.19	CH	2.06	0.06	5,415	2.05
PLANB-W1	0.02	0.01	44,428	0.01	KTC13C2504A	-	-	-	-	CHAO	7.50	(0.05)	12,863	7.47
PLANB13C2412A	-	-	-	-	KTC19C2502A	0.11	(0.01)	4,284	0.11	CHOTI	69.00	(4.75)	3	70.50
PLANB13C2503A	0.18	(0.02)	24,138	0.19	KTC19C2504A	0.28	0.01	94,268	0.27	CM	2.00	(0.06)	216	2.02
PLANB19C2412A	-	-	-	-	MFC	27.50	(0.25)	759	27.94	COCOCO	11.90	(0.10)	39,418	11.97
PLANB19C2503A	0.24	(0.02)	36,192	0.24	MICRO	1.13	(0.01)	5,373	1.14	CPF	24.10	-	99,237	24.13
PRAKIT	11.40	(0.10)	5	11.40	ML	0.59	(0.01)	330	0.59	CPF01C2412A	0.01	-	140	0.01
PTECH	0.97	0.05	1	0.97	MST	9.80	-	15	9.74	CPF01C2501A	-	-	-	-
SE-ED	-	-	-	-	MTC	49.75	(0.25)	29,538	50.05	CPF01C2502A	0.20	(0.01)	11,390	0.20
TKS	6.45	(0.10)	1,538	6.49	MTC01C2412A	0.06	(0.04)	1,780	0.06	CPF01C2503A	-	-	-	-
VGI	2.88	-	650,608	2.87	MTC01C2502A	-	-	-	-	CPF01C2504A	0.42	(0.01)	8,414	0.42
VGI-W3	0.09	(0.01)	83,031	0.09	MTC01C2504A	0.36	(0.01)	28,163	0.37	CPF13C2412A	-	-	-	-
VGI01C2501A	1.60	(0.01)	3,099	1.63	MTC01P2502A	0.19	-	28,776	0.19	CPF13C2501A	-	-	-	-
VGI01C2501B	0.33	0.01	23,150	0.32	MTC13C2412A	-	-	-	-	CPF13C2502A	0.13	(0.01)	6,076	0.13
VGI01C2502A	0.17	(0.01)	23,448	0.18	MTC13C2502A	0.12	(0.01)	34,642	0.13	CPF13C2503A	0.08	-	3	0.07
VGI01P2412X	0.01	-	29,681	0.01	MTC13C2503A	0.27	(0.02)	41,358	0.28	CPF19C2502A	0.32	(0.01)	10,100	0.32
VGI01P2501X	-	-	-	-	MTC13P2412A	-	-	-	-	CPF19C2501A	-	-	-	-
VGI06C2502A	0.20	-	4,462	0.20	MTC13P2502A	0.13	(0.01)	5,296	0.13	CPF19C2502A	-	-	-	-
VGI13C2412A	-	-</td												

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCG	8.50	(0.05)	24,192	8.52	BDMS41C2502B	0.05	(0.01)	4,052	0.05	MINT41C2502A	-	-	-	-
JKL	2.00	(0.02)	1,761	2.01	BH	210.00	(1.00)	38,984	210.76	MINT41C2504A	0.20	(0.01)	25,500	0.21
KTIS	2.96	-	639	2.90	BH-P	-	-	-	-	MINT41C2604T	-	-	-	-
LST	5.00	-	514	4.99	BH-Q	-	-	-	-	OHTL	344.00	(2.00)	10	344.60
M	25.75	-	2,533	25.74	BH01C2412A	0.01	(0.01)	4,589	0.01	ROH	2.16	(0.12)	29	2.16
MALEE	8.95	(0.20)	31,310	9.00	BH01C2502A	-	-	-	-	SHANG	48.50	(0.50)	11	48.95
NRF	1.57	-	89,752	1.59	BH01C2504A	0.29	0.01	9,816	0.29	SHR	2.40	0.02	48,155	2.41
NSL	31.00	(0.25)	7,709	30.86	BH01P2412X	0.04	(0.04)	300	0.04	SPA	7.25	(0.10)	11,380	7.30
OKJ	15.70	0.20	35,711	15.69	BH01P2502X	0.89	-	3,590	0.87	VRANDA	5.25	-	396	5.23
OSP	21.60	0.10	42,778	21.54	BH01P2504A	0.60	-	10,633	0.60	Home & Office Prod.	-	-	-	-
OSP01C2412A	-	-	-	-	BH06C2503A	0.29	-	4,488	0.29	AJA	0.16	0.01	10,886	0.15
OSP01C2503A	-	-	-	-	BH11C2503A	0.29	-	2,802	0.30	AJA-W4	0.01	-	427,684	0.01
OSP01C2504A	0.33	(0.01)	52,879	0.33	BH13C2501A	-	-	-	-	DTCI	32.25	-	2	32.25
OSP11C2501A	-	-	-	-	BH13C2503A	0.13	(0.01)	1,082	0.13	FANCY	0.38	(0.01)	6	0.38
OSP11C2502A	-	-	-	-	BH13C2504A	0.29	(0.02)	12,440	0.30	FTI	2.08	(0.02)	634	2.09
OSP13C2412A	-	-	-	-	BH13P2412A	-	-	-	-	KYE	289.00	-	19	288.78
OSP13C2412B	-	-	-	-	BH13P2501A	-	-	-	-	L&E	1.25	-	100	1.25
OSP13C2501A	-	-	-	-	BH13P2503A	0.55	-	11,667	0.54	MODERN	2.46	(0.02)	369	2.47
OSP13C2503A	0.24	(0.01)	13,044	0.24	BH19C2501A	-	-	-	-	OGC	18.70	(0.10)	59	18.70
OSP19C2412A	-	-	-	-	BH19C2502A	-	-	-	-	ROCK	10.60	0.40	327	11.26
OSP19C2502A	-	-	-	-	BH19C2504A	0.14	-	8,837	0.14	SIAM	1.08	-	278	1.06
OSP19C2503A	0.26	-	6,616	0.26	BH19C2504B	0.30	(0.02)	57,417	0.31	TCMC	0.72	-	4,699	0.72
OSP41C2503A	0.23	-	37,000	0.23	BH19P2504A	0.72	-	5,421	0.71	TSR	0.42	0.03	8,105	0.41
PB	59.50	0.25	10	59.20	BH41C2503A	0.35	-	11,600	0.36	TSR-W2	0.06	0.01	580	0.06
PLUS	5.20	(0.10)	5,627	5.20	BH41C2504A	0.18	(0.01)	10,350	0.19	Insurance	-	-	-	-
PM	9.15	-	977	9.14	BH41C2605T	0.25	(0.01)	6,601	0.26	AYUD	31.75	-	62	31.64
PQS	2.56	0.02	1,553	2.55	BH41P2504A	-	-	-	-	BKIH	294.00	-	39	293.85
PRG	9.00	0.15	107	8.83	BKG1	2.42	0.02	27,101	2.44	BLA	21.30	(0.10)	21,133	21.43
PRG-W2	-	-	-	-	CHG	2.74	0.04	191,538	2.72	BLA01C2503A	0.15	(0.01)	15,689	0.16
PRG-W3	-	-	-	-	CHG01C2501A	-	-	-	-	BLA13C2502A	-	-	-	-
PRG-W4	-	-	-	-	CHG13C2412A	-	-	-	-	BLA13C2502B	-	-	-	-
RBF	6.85	(0.10)	138,034	6.89	CHG13C2504A	0.14	-	17,606	0.14	BLA19C2504A	0.33	(0.67)	24,754	0.35
RBF01C2501W	0.17	(0.02)	23,714	0.17	CHG19C2412A	-	-	-	-	BLA19C2502A	0.25	(0.02)	55,395	0.27
RBF13C2412A	-	-	-	-	CHG19C2505A	0.25	0.01	3,277	0.24	BLA19C2502C	0.09	(0.01)	4,663	0.10
RBF13C2501A	0.06	(0.02)	23,662	0.07	CMR	1.75	(0.03)	767	1.76	TIPH	-	-	-	-
RBF13C2503A	0.40	(0.01)	34,872	0.41	EKH	6.40	0.05	30,839	6.28	TIPH13C2502A	-	-	-	-
RBF19C2501A	0.18	(0.03)	27,315	0.19	KDH	96.75	1.75	1	96.75	BUI	16.00	0.10	218	15.91
RBF19C2503A	0.45	(0.03)	10,453	0.46	LPH	4.28	-	471	4.29	CHARAN	22.00	0.20	5	22.00
SAPPE	77.75	1.75	7,829	77.69	M-CHAI	29.25	(0.25)	22	29.25	INSURE	-	-	-	-
SAPPE01C2502A	0.41	0.03	20,336	0.42	MASTER	44.75	0.75	26,437	44.28	KWI	0.35	(0.01)	1,184	0.35
SAPPE01C2504A	1.06	0.06	6,676	1.05	MEDEZE	7.90	(0.05)	54,467	7.96	MTI	106.00	(0.50)	101	106.00
SAPPE13C2501A	-	-	-	-	NEW	-	-	-	-	NKI	24.90	-	1	24.90
SAPPE13C2501B	0.17	0.02	28,719	0.17	NTV	31.00	-	128	31.06	TGH	12.20	0.10	7	12.11
SAPPE13C2502A	0.60	0.06	8,308	0.60	PHG	15.60	0.10	5,849	15.63	THRE	0.56	(0.01)	21,711	0.55
SAPPE19C2501A	0.23	0.03	14,014	0.23	PR9	25.25	-	16,991	25.13	THREL	1.67	(0.01)	3,749	1.66
SAPPE19C2502A	0.68	0.06	20,202	0.66	PRINC	2.98	-	1,211	2.98	TIPH	24.00	(0.20)	3,521	24.03
SAUCE	38.25	(0.50)	249	38.52	RAM	23.30	(0.20)	3,560	23.47	TIPH13C2502A	-	-	-	-
SNNP	12.10	(0.10)	5,748	12.10	RJH	22.60	(0.10)	6,623	22.53	TIPH19C2412A	-	-	-	-
SNNP13C2412A	-	-	-	-	RPH	5.45	-	4,456	5.41	TLI	10.90	(0.30)	53,836	10.95
SNNP19C2501A	0.02	-	1,000	0.02	SAFE	12.30	(0.20)	730	12.23	TLI01C2502A	0.56	(0.15)	1,320	0.57
SNP	10.60	-	1,288	10.49	SKR	9.25	(0.10)	890	9.27	TLI01C2503A	0.16	(0.04)	4,745	0.16
SORKON	4.30	-	670	4.29	THG	18.30	(0.50)	33,576	18.31	TLI06C2503A	0.19	(0.04)	1,692	0.19
SSC	60.25	(2.25)	5	60.25	VIBHA	2.08	0.04	16,951	2.07	TLI13C2502A	-	-	-	-
SSF	6.85	(0.10)	67	6.85	VIBHA-W4	0.04	-	1,180	0.04	TLI13C2502B	0.11	(0.03)	1,200	0.11
SST	4.18	-	2	4.19	VIH	9.10	(0.05)	2,586	9.09	TLI19C2412A	-	-	-	-
SUN	3.98	0.02	3,782	3.99	VIH-W1	-	-	-	-	TLI19C2502A	0.12	(0.04)	2,402	0.13
TC	7.35	0.10	3,126	7.31	WPH	9.10	(0.30)	21,386	9.15	TQM	24.30	(0.10)	4,068	24.27
TFG	3.66	(0.06)	42,369	3.69	Tourism & Leisu	-	-	-	-	TSI	0.10	-	375	0.10
TFG-W4	0.65	0.01	1,198	0.63	ASIA	6.60	(0.10)	39	6.59	TVH	8.50	(0.20)	652	8.53
TFMAMA	200.00	0.50	41	198.62	BEYOND	8.85	-	20	8.85	Packaging	-	-	-	-
TIPCO	10.20	-	518	10.12	CENTEL	37.00	-	13,025	36.98	AJ	4.70	0.02	286	4.66
TKN	8.30	(0.10)	10,099	8.32	CENTEL01C2412	0.01	-	5,002	0.01	ALUCON	174.00	3.50	6	174.00
TKN01C2501A	-	-	-	-	CENTEL01C2501	-	-	-	-	BGC	7.80	0.10	691	7.73
TKN13C2412A	-	-	-	-	CENTEL01C2504	0.25	(0.01)	15,751	0.25	CSC	46.25	-	69	46.01
TKN13C2412B	-	-	-	-	CENTEL11C2501	-	-	-	-	CSC-P	-	-	-	-
TU	13.50	0.10	176,621	13.47	CENTEL13C2412	-	-	-	-	CSC-Q	-	-	-	-
TU01C2501A	-	-	-	-	CENTEL13C2501	0.12	(0.01)	8,768	0.12	NEP	0.21	-	4,702	0.21
TU01C2505A	0.18	-	16,052	0.19	CENTEL13C2501	-	-	-	-	PJW	2.30	(0.06)	4,944	2.30
TU11C2501A	-	-	-	-	CENTEL19C2501	-	-	-	-	PTL	12.70	0.10	3,571	12.62
TU13C2502A	-	-	-	-	CENTEL19C2502	-	-	-	-	SCGP	20.30	(1.00)	254,961	20.67
TU13C2502A	0.04	-	1,000	0.04	CENTEL19C2504	0.25	0.01	14,812	0.24	SCGP01C2412A	-	-	-	-
TU13C2504A	0.15	-	15,422	0.15	CENTEL41C2412	-	-	-	-	SCGP01C2502A	0.04	(0.04)	39,720	0.05
TU19C2502A	-	-	-	-	CENTEL41C2502	0.14	-	11,474	0.14	SCGP01C2502B	-	-	-	-
TU19C2504A	0.12	-	4,100	0.12	CENTEL41C2504	0.32	-	10,900	0.32	SCGP01C2504A	0.25	(0.08)	67,748	0.28
TVO	23.20	0.20	2,778	23.07	CSR	85.50	-	1	85.50	SCGP01C2504W	0.03	(0.02)	11,061	0.03
WPC	3.00	0.02	604	2.98	DUSIT	10.90	(0.10)	10,658	10.98	SCGP01P2503A	0.93	0.12	84,547	0.90
W	0.63	0.01	20,374	0.63	ERW	4.14	-	103,708	4.14	SCGP11C2412A	-	-	-	-
W-W6	-	-	-	-	ERW01C2501A	0.08	-	80	0.08	SCGP11C2501A	-	-	-	-
ZEN	7.05	-	592	7.16	ERW01C2504A	0.42	0.01	46,534	0.42	SCGP13C24				

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TCOAT	25.25	0.95	1	25.25	AWC19C2501B	0.06	(0.01)	650	0.06	UTP	8.15	0.05	1,744	8.15
TFI	0.08	0.01	22,455	0.07	AWC19C2504A	0.30	(0.01)	44,941	0.31	Fashion	-	-	-	-
TFI-W1	0.02	-	6,500	0.02	AWC19P2501A	-	-	-	-	AFC	4.76	(0.06)	1	4.76
THIP	28.75	-	27	28.56	AWC41C2502A	0.20	(0.01)	12,100	0.20	AURA	15.50	0.40	15,386	15.37
TMD	24.60	0.10	4	24.60	BLAND	0.61	(0.01)	33,905	0.62	BTNC	16.10	(0.30)	3	16.13
TOPP	167.00	(2.00)	1	167.00	BRI	4.04	(0.08)	10,176	4.04	CPH	9.90	(0.20)	432	9.93
TPAC	11.00	(0.10)	431	11.05	BROCK	-	-	-	-	CPL	1.26	(0.01)	594	1.27
TPBI	4.16	-	705	4.12	CGD	0.33	0.02	124,606	0.32	NC	2.88	-	46	2.87
TPP	12.40	(0.40)	1	12.40	CI	0.50	-	59	0.50	PAF	1.01	-	401	1.00
Personal Products	-	-	-	-	CMC	1.04	(0.01)	278	1.02	PDJ	1.96	(0.01)	314	1.96
APCO	4.98	0.02	210	4.96	CPN	60.25	(0.25)	42,041	60.41	PG	8.90	0.05	1	8.90
BIZ	3.36	(0.02)	5,052	3.36	CPN01C2412A	-	-	-	-	SABINA	21.00	0.20	1,538	20.91
BLC	5.15	-	35,763	5.07	CPN01C2503A	0.11	(0.01)	13,436	0.12	SAWANG	11.20	(0.10)	4	11.20
DDD	8.75	0.15	272	8.69	CPN01C2505A	0.38	(0.02)	21,862	0.39	SUC	31.25	(0.25)	176	31.28
IP	3.40	0.02	3,657	3.36	CPN11C2412A	-	-	-	-	TR	-	-	-	-
IP-W2	0.20	-	405	0.20	CPN13C2501A	0.08	(0.02)	7,485	0.09	TTI	27.75	1.75	13	29.85
JCT	80.50	-	4	80.50	CPN13C2501B	-	-	-	-	TTT	54.50	-	7	54.50
KISS	4.66	(0.02)	14,813	4.67	CPN13C2503A	0.13	(0.02)	19,965	0.14	UPF	33.50	(1.00)	4	33.56
NAM	4.54	-	1,944	4.53	CPN19C2502A	-	-	-	-	WACOAL	26.00	-	4	26.00
NEO	34.75	(0.25)	3,246	34.73	CPN19C2503A	0.16	(0.02)	11,838	0.17	WFX	1.17	0.01	17,408	1.23
NV	0.86	(0.04)	5,282	0.87	CPN19C2504A	0.24	(0.02)	76,379	0.25	Transportation & Loc	-	-	-	-
OCC	-	-	-	-	CPN41C2504A	0.24	(0.01)	41,900	0.25	AAV	2.84	-	122,615	2.84
S&J	38.00	-	6	37.96	ESTAR	0.23	-	6,934	0.22	AAV01C2501A	0.22	-	1	0.22
SNPS	4.26	0.06	201,400	4.23	EVER	0.12	-	5,758	0.12	AAV01C2503A	0.22	(0.01)	16,278	0.22
STGT	11.30	0.20	45,483	11.28	FPT	11.80	0.60	432	11.62	AAV13C2501A	0.06	-	2,264	0.05
STGT01C2412A	-	-	-	-	GLAND	1.55	-	127	1.55	AAV13C2504A	0.29	-	42,826	0.29
STGT01C2412B	-	-	-	-	J	1.21	(0.01)	1,755	1.21	AAV19C2412A	-	-	-	-
STGT01C2501A	0.06	(0.01)	162	0.06	J-W3	-	-	-	-	AAV19C2502A	0.19	(0.01)	88,763	0.19
STGT01C2502A	-	-	-	-	J-W4	0.20	(0.06)	450	0.21	ANI	3.90	0.06	797	3.82
STGT01C2503A	0.23	0.02	14,660	0.23	JCK	0.24	-	16,167	0.24	AOT	61.00	(0.50)	80,929	61.09
STGT01C2504A	0.86	0.05	4,675	0.85	KC	0.09	-	40,182	0.08	AOT01C2412A	0.01	-	7,652	0.01
STGT01P2502A	0.21	(0.02)	20,276	0.21	KUN	1.25	-	208	1.25	AOT01C2412B	0.01	-	6,080	0.01
STGT13C2412A	-	-	-	-	KUN-W2	0.03	-	1,904	0.03	AOT01C2502A	0.05	(0.01)	300	0.05
STGT13C2412B	-	-	-	-	LALIN	6.15	(0.05)	191	6.15	AOT01C2504A	0.26	(0.03)	20,157	0.27
STGT13C2501A	0.03	0.01	100	0.03	LH	5.45	-	125,548	5.46	AOT01P2412X	-	-	-	-
STGT13C2502A	-	-	-	-	LH13C2501A	-	-	-	-	AOT01P2502A	-	-	-	-
STGT13C2503A	-	-	-	-	LH19C2501A	-	-	-	-	AOT11C2501A	-	-	-	-
STGT13C2504A	0.32	0.01	25,546	0.32	LH19C2504A	0.23	-	7,652	0.23	AOT13C2412A	-	-	-	-
STGT13P2502A	0.18	(0.02)	7,692	0.18	LPN	2.88	-	690	2.87	AOT13C2502A	0.04	(0.01)	270	0.04
STGT19C2412A	-	-	-	-	MBK	19.10	-	5,739	19.09	AOT13C2503A	0.14	(0.02)	13,068	0.15
STGT19C2502A	-	-	-	-	MBK-W4	-	-	-	-	AOT13C2504A	0.26	(0.03)	34,834	0.27
STGT19C2503A	0.19	0.01	6,032	0.19	MJD	-	-	-	-	AOT13P2412A	-	-	-	-
STGT19C2504A	-	-	-	-	MK	1.63	-	3,823	1.63	AOT13P2501A	-	-	-	-
STGT19C2504B	0.33	0.02	19,604	0.33	NCH	0.74	-	762	0.74	AOT19C2501A	-	-	-	-
STGT19P2502A	0.21	(0.03)	20,743	0.21	NNCL	1.75	0.01	283	1.75	AOT19C2502A	-	-	-	-
STGT41C2503A	0.25	0.01	18,024	0.25	NOBLE	2.88	-	4,793	2.87	AOT19C2504A	0.33	(0.01)	62,414	0.33
STHAI	-	-	-	-	NUSA	0.22	(0.03)	464,682	0.23	AOT19P2412A	-	-	-	-
TMAN	16.60	0.10	18,075	16.55	NUSA-W5	0.01	(0.01)	145,394	0.01	AOT41C2412A	-	-	-	-
TNR	9.00	-	109	9.03	NVD	1.41	0.01	57	1.40	AOT41C2503A	0.15	(0.02)	42,111	0.16
TOG	10.20	0.20	386	10.11	ORI	3.96	(0.18)	164,087	3.99	AOT41C2605T	0.31	-	4,300	0.31
Professional Service	-	-	-	-	ORI13C2412A	-	-	-	-	AOT41P2504A	-	-	-	-
BWG	0.44	-	174,505	0.44	ORI19C2501A	-	-	-	-	ASIMAR	1.57	0.05	4,074	1.55
BWG-W6	0.05	-	4,022	0.04	ORN	0.75	-	1,384	0.75	B	0.08	-	42,308	0.08
GENCO	0.48	0.01	402	0.47	PEACE	2.60	0.02	164	2.59	B-W8	0.01	-	31,782	0.01
PRO	-	-	-	-	PF	0.18	0.01	8,910	0.18	BA	24.40	0.50	33,460	24.16
PRTR	4.40	0.04	494	4.39	PIN	6.45	0.20	44,581	6.42	BA01C2412A	-	-	-	-
SISB	31.00	(0.25)	8,894	31.15	PLAT	2.36	0.02	1,738	2.34	BA01C2503A	0.30	0.02	37,595	0.29
SISB13C2412A	-	-	-	-	POLAR	-	-	-	-	BA01C2504A	0.13	0.01	7,417	0.12
SISB13C2502A	0.06	(0.04)	2,000	0.06	PRECHA	1.08	-	28	1.08	BA13C2412A	-	-	-	-
SISB19C2502A	-	-	-	-	PRIN	1.78	(0.02)	970	1.77	BA13C2502A	0.05	(0.03)	20	0.05
SO	4.94	(0.02)	49	4.75	PROUD	1.29	(0.03)	10,460	1.30	BA13C2503A	0.34	0.04	89,606	0.30
WAVE	0.10	-	1,218,836	0.10	PSH	8.80	-	6,858	8.74	BA13C2504A	0.14	0.01	28,210	0.13
WAVE-W3	0.02	-	28,421	0.01	QH	1.86	0.03	70,838	1.85	BA19C2503A	-	-	-	-
WAVE-W4	0.04	-	179,512	0.04	RABBIT	0.50	-	16,932	0.50	BEM	7.45	-	203,538	7.44
Property Developme	-	-	-	-	RABBIT-P	0.60	-	13,983	0.60	BEM01C2412A	-	-	-	-
A	4.90	-	1	4.90	RABBIT-Q	-	-	-	-	BEM11C2502A	-	-	-	-
A5	2.68	(0.04)	15,011	2.64	RICHY	0.46	(0.01)	638	0.46	BEM11C2503A	0.19	-	5,040	0.19
A5-W4	0.11	0.02	29,111	0.10	RML	0.32	-	3,721	0.31	BEM13C2412A	-	-	-	-
AKS	0.01	-	18,148	0.01	ROJNA	6.40	(0.05)	16,493	6.41	BEM19C2412A	-	-	-	-
AMATA	29.75	0.25	41,709	29.76	S	0.95	0.01	17,782	0.95	BEM19C2503A	-	-	-	-
AMATA01C2502A	1.26	0.13	2,468	1.17	SA	7.50	-	525	7.46	BTS	5.75	(0.05)	415,263	5.75
AMATA01C2503A	0.24	0.02	39,574	0.24	SA-W1	0.03	0.01	17,105	0.04	BTS-W8	0.09	(0.01)	134,977	0.09
AMATA13C2412A	-	-	-	-	SAMCO	0.93	-	1,083	0.92	BTS01C2412A	0.01	(0.02)	901	0.01
AMATA19C2501A	-	-	-	-	SIRI01C2504A	0.32	0.01	13,764	0.32	BTS13C2412A	-	-	-	-
AMATA19C2502A	0.22	-	5,543	0.21	SIRI13C2412A	-	-	-	-	BTS13C2412B	-	-	-	-
AMATA19C2503A	0.16	-	45,858	0.16	SIRI13C2503A	0.27	0.02	1	0.27	BTS13C2502A	0.77	(0.05)	500	0.77
AMATA41C2502A	0.19	-	25,980	0.18	SIRI19C2502A	-	-	-	-	BTS13C2503A	0.26	(0.01)	33,908	0.26
AMATAV	4.80	-	225	4.81	SIRI19C2503A	-	-	-	-	BTS13P2503A	0.16	-	28,288	0.16
ANAN	0.68	(0.01)	3,429	0.68	SPALI	19.50	-	14,357	19.47	BTS19C2412A	-	-	-	-
AP	9.05	-	84,936	9.08	SPALI13C2501A	-								

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RCL01C2412A	0.18	-	200	0.18	M-PAT	-	-	-	-	TDEX	9.21	-	1,182	9.22
RCL01C2502A	0.96	0.01	2,951	0.97	M-STOR	-	-	-	-	UBOT	14.45	0.05	20	14.49
RCL01C2502B	0.25	0.01	20,419	0.25	MIPF	-	-	-	-	UHERO	8.64	0.21	507	8.60
RCL13C2412A	-	-	-	-	MIT	0.36	(0.02)	6,997	0.38	Warrant Foreign	-	-	-	-
RCL13C2412B	-	-	-	-	MJLF	4.20	0.04	132	4.16	AI41C2502A	-	-	-	-
RCL13C2502A	0.25	0.01	28,317	0.24	MNIT	-	-	-	-	ALIHE41C2502A	-	-	-	-
RCL13C2502B	-	-	-	-	MNIT2	4.72	(0.10)	1	4.72	BABA28C2412A	-	-	-	-
RCL13P2501A	0.01	(0.04)	489	0.01	MNRF	-	-	-	-	BABA28C2503A	0.03	-	300	0.03
RCL19C2412A	-	-	-	-	POPF	6.30	0.05	1,811	6.26	BABA28C2506A	0.37	(0.63)	875	0.37
RCL19C2412B	-	-	-	-	PROSPECT	8.45	0.05	468	8.44	BABA28P2503A	0.45	(0.01)	6	0.45
RCL19C2503A	-	-	-	-	QHRRREIT	6.80	0.10	1,798	6.74	BABA41C2502A	0.01	(0.02)	500	0.01
RCL19C2503B	0.34	-	4,589	0.35	QHOP	3.60	(0.10)	45	3.56	BABA41C2503A	0.09	(0.01)	2,601	0.10
RCL19C2504A	0.28	-	66,419	0.28	QHPF	-	-	-	-	BABA41P2502A	0.39	(0.01)	60	0.40
RCL19P2412A	-	-	-	-	SIRIPRT	8.30	-	10	8.30	BABA41P2502B	-	-	-	-
RCL41C2412A	-	-	-	-	SPRIME	4.16	0.02	1,579	4.16	BIDU41C2502A	0.43	0.02	3,458	0.43
RCL41C2412B	-	-	-	-	SRIPANWA	5.75	0.05	1	5.75	BIDU41C2502B	0.03	-	149	0.02
RCL41C2502A	-	-	-	-	SSPF	-	-	-	-	BYDCOM28C2501A	0.39	0.02	4	0.39
RCL41C2502B	0.23	0.01	15,200	0.22	SSTRT	4.94	0.04	293	4.91	BYDCOM28C2503A	0.11	-	263	0.11
SAV	21.20	(0.60)	7,875	21.56	TIF1	7.55	-	63	7.54	BYDCOM28P2501A	-	-	-	-
SINO	1.00	(0.03)	1,972	1.01	TLHPF	3.00	0.12	40	2.95	BYDCOM28P2503A	0.61	(0.04)	8	0.61
SJWD	11.30	(0.20)	17,650	11.27	TNPF	1.50	-	583	1.50	BYDCOM41C2502A	0.42	0.03	520	0.42
SJWD13C2504A	0.16	(0.02)	100	0.16	TPRIME	7.60	(0.30)	36	7.65	BYDCOM41P2502A	0.10	(0.02)	114	0.10
TFIF	6.55	-	10,539	6.51	TTLPF	14.60	-	312	14.68	CATHAY41C2502A	0.67	0.07	1	0.67
THAI	-	-	-	-	TP-FF	0.69	0.05	107	0.69	DI28C2412A	0.73	(0.18)	8	0.72
TSTE	13.50	(0.90)	27	13.50	WHABT	7.25	(0.05)	210	7.30	DI28C2412B	0.15	(0.07)	205	0.15
TTA	6.15	0.25	228,496	6.09	WHAIR	6.50	(0.10)	9,183	6.55	DI28C2503A	0.76	(0.06)	701	0.76
WICE	4.58	(0.04)	7,928	4.58	WHART	10.40	0.20	14,988	10.29	DI28P2412A	-	-	-	-
Automotive	-	-	-	-	Steel and Metal	-	-	-	-	DI28P2412B	-	-	-	-
3K-BAT	-	-	-	-	2S	2.72	(0.04)	444	2.73	DI28P2503A	0.23	(0.01)	1	0.23
ACG	0.92	0.01	245	0.90	AMC	2.82	-	149	2.82	DI41C2412A	0.54	(0.13)	48	0.54
AH	17.90	-	2,049	17.82	BSBM	0.72	0.02	1,798	0.71	DI41C2503A	0.68	(0.05)	66	0.68
CWT	1.07	(0.03)	2,311	1.07	CEN	2.00	-	103	1.97	DI41P2412A	-	-	-	-
EASON	1.10	(0.01)	1,024	1.10	CEN-W5	0.12	0.03	699	0.11	DI41P2503A	0.21	-	200	0.21
GYT	-	-	-	-	CITY	1.89	(0.01)	186	1.84	GEELY41C2502A	0.88	0.01	2	0.88
HFT	4.22	0.02	4,602	4.20	CSP	0.56	(0.01)	191	0.57	HKEX41C2502B	1.22	0.09	40	1.22
IHL	1.65	-	188	1.64	GJS	0.17	0.01	37,902	0.16	HKEX41C2502B	0.14	-	6	0.15
INGRS	0.33	-	1,993	0.32	GSTEEL	-	-	-	-	HSBC41C2502A	0.41	0.03	2	0.41
IRC	14.10	-	749	14.10	INOX	0.50	-	3,029	0.50	HSI06C2412A	0.27	0.01	401,497	0.26
MGC	4.06	0.08	919	4.02	LHK	3.80	0.02	398	3.78	HSI06C2412B	0.82	0.07	1	0.82
NEX	0.74	(0.03)	117,363	0.75	MCS	7.05	0.05	2,471	7.01	HSI06C2412C	-	-	-	-
NEX19C2501A	0.01	(0.01)	5,362	0.01	MILL	0.10	-	3,583	0.10	HSI06C2412D	0.08	(0.01)	284,660	0.09
PCSGH	4.34	-	537	4.30	MILL-W7	-	-	-	-	HSI06C2412E	0.01	(0.01)	109	0.01
POLY	8.85	(0.30)	792	8.68	PAP	1.77	(0.01)	498	1.78	HSI06C2412F	0.02	-	2	0.02
SAT	11.20	0.20	21,741	11.22	PERM	0.65	0.01	260	0.65	HSI06C2412G	0.01	-	658	0.01
SPG	-	-	-	-	SAM	-	-	-	-	HSI06C2412H	0.02	-	167	0.02
STANLY	219.00	-	70	218.07	SMIT	4.04	(0.04)	46	4.06	HSI06C2501A	0.05	0.02	13,546	0.04
TKT	1.58	(0.05)	136	1.59	SSSC	2.20	0.02	1,161	2.17	HSI06C2501B	0.02	-	2,974	0.02
TNPC	0.92	-	28	0.91	TGPRO	0.09	-	50,014	0.09	HSI06C2501C	0.08	-	260	0.09
TRU	3.24	-	2	3.22	THE	0.72	-	193	0.73	HSI06C2501D	0.27	0.02	260,950	0.26
TSC	14.90	0.10	267	14.87	TMT	3.26	(0.04)	2,477	3.26	HSI06C2501E	0.52	0.04	255,925	0.51
Industrial Materials	-	-	-	-	TSTH	0.71	-	2,727	0.71	HSI06C2501F	-	-	-	-
AKR	0.96	-	18,649	0.96	TWP	1.50	(0.03)	490	1.49	HSI06C2501G	1.92	0.13	2,500	1.91
ALLA	1.72	0.02	66,723	1.71	TYCN	-	-	-	-	HSI06C2502A	0.15	-	404	0.16
ASEFA	3.14	(0.10)	1,031	3.15	Construction Ser	-	-	-	-	HSI06C2502B	0.37	0.02	76,837	0.37
CPT	0.99	0.01	1,279	1.00	APCS	2.00	(0.16)	438	1.94	HSI06C2502C	0.81	0.05	20	0.81
CRANE	0.59	-	2,940	0.58	BJCHI	1.21	-	1,842	1.22	HSI06C2503A	0.95	0.04	712	0.94
CTW	-	-	-	-	BKD	1.39	-	22	1.41	HSI06C2503B	0.39	0.03	82,952	0.38
FMT	32.50	(1.25)	15	32.68	CIVIL	1.87	(0.01)	1,118	1.86	HSI06C2503C	0.16	-	99,144	0.16
FTE	1.55	0.01	1,078	1.54	CK	19.50	(0.20)	46,887	19.50	HSI06C2503D	0.09	-	6,160	0.09
HTECH	4.16	(0.02)	9,303	4.16	CK01C2503A	0.13	(0.01)	14,346	0.14	HSI06P2412A	0.01	-	118	0.01
KKC	-	-	-	-	CK13C2412A	-	-	-	-	HSI06P2412B	-	-	-	-
PCC	2.80	(0.02)	11,306	2.78	CK13C2503A	0.21	(0.03)	14,910	0.22	HSI06P2412C	-	-	-	-
PK	0.57	-	170	0.57	CK19C2412A	-	-	-	-	HSI06P2412D	0.08	(0.04)	724,802	0.08
PSP	4.38	-	2,354	4.36	CK19C2503A	0.25	(0.02)	18,384	0.26	HSI06P2412E	0.25	(0.10)	737,361	0.26
QTC	3.84	-	10	3.84	CNT	1.14	-	1	1.14	HSI06P2412F	-	-	-	-
SCI	0.89	0.02	6,618	0.89	EMC	0.08	-	133,257	0.07	HSI06P2412G	0.03	(0.02)	12,325	0.03
SE	0.57	(0.01)	1,861	0.57	EMC-W7	0.06	0.01	515	0.05	HSI06P2412H	-	-	-	-
SELIC	3.20	0.02	751	3.18	ITD	0.53	-	25,806	0.52	HSI06P2501A	-	-	-	-
SNC	5.30	(0.05)	834	5.26	JR	2.64	(0.06)	4,332	2.63	HSI06P2501B	0.22	(0.05)	200,569	0.23
TCJ	3.30	0.06	44	3.15	NL	1.14	-	1,168	1.14	HSI06P2501C	0.08	(0.03)	83,169	0.09
TPCS	11.20	-	3	11.20	NWR	0.16	-	11,608	0.16	HSI06P2501D	-	-	-	-
VARO	4.68	(0.04)	167	4.66	PLE	0.37	-	622	0.37	HSI06P2502A	0.44	(0.06)	51,509	0.44
Property Fund & REI	-	-	-	-	PREB	4.32	(0.02)	125	4.31	HSI06P2502B	-	-	-	-
AIMCG	3.10	0.02	314	3.09	PYLON	1.89	0.01	315	1.89	HSI06P2502C	0.18	(0.03)	57,201	0.18
AIMIRT	10.50	-	4,719	10.48	RT	0.39	(0.01)	26,330	0.39	HSI06P2503A	0.06	-	522	0.06
ALLY	5.25	-	8,030	5.26	SEAFCO	2.02	(0.02)	2,361	2.03	HSI06P2503B	0.46	(0.05)	2,371	0.47
AMATAR	6.55	(0.10)	1,600	6.59	SQ	0.86	-	1,574	0.86	HSI06P2503C	-	-	-	-
B-WORK	4.86	0.04	1,473	4.84	SRICHA	4.96	-	729	4.97	HSI06P2503D	0.22	(0.03)	23,175	0.23
BAREIT	9.50	0.10	5,903	9.40	STECON	8.80	0.40	45,203	8.59	HSI28C2412A	0.31	0.03	454,805	0.31
BKKCP	-	-	-											

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

Issue Date :								Friday December 06, 2024						
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28C2503A	0.92	-	125	0.94	SET5001P2503F	0.17	(0.01)	27,527	0.18	SET5041C2503B	0.16	-	122,026	0.16
HSI28C2503B	0.16	0.02	16,752	0.15	SET5006C2412A	-	-	-	-	SET5041C2503C	0.22	-	17,174	0.21
HSI28C2503D	0.11	0.01	6,952	0.11	SET5006C2412B	-	-	-	-	SET5041C2503D	-	-	-	-
HSI28C2503E	0.11	0.01	51	0.10	SET5006C2412C	-	-	-	-	SET5041C2503E	0.40	-	623,386	0.38
HSI28C2503F	0.40	0.03	283,709	0.40	SET5006C2412D	0.17	-	181,694	0.14	SET5041P2506T	0.34	(0.01)	123,722	0.33
HSI28C2504A	0.29	0.02	15,804	0.29	SET5006C2412E	-	-	-	-	SET5041P2412A	0.01	-	20	0.01
HSI28P2412A	-	-	-	-	SET5006C2412F	-	-	-	-	SET5041P2412B	0.01	(0.01)	19	0.01
HSI28P2412B	-	-	-	-	SET5006C2412G	-	-	-	-	SET5041P2412C	0.05	-	1	0.05
HSI28P2412C	0.04	-	100	0.04	SET5006C2503A	0.26	-	124,304	0.24	SET5041P2412D	-	-	-	-
HSI28P2412D	0.06	(0.03)	6,186	0.07	SET5006C2503B	0.19	-	131,504	0.17	SET5041P2412T	-	-	-	-
HSI28P2412E	0.21	(0.07)	1,134,542	0.22	SET5006C2503C	0.45	0.02	104,546	0.41	SET5041P2412U	-	-	-	-
HSI28P2412F	0.63	(0.28)	20	0.63	SET5006P2412A	0.01	-	100	0.01	SET5041P2412V	-	-	-	-
HSI28P2412G	-	-	-	-	SET5006P2412B	-	-	-	-	SET5041P2503A	0.22	(0.01)	4,293	0.23
HSI28P2501A	0.05	(0.01)	182	0.04	SET5006P2412C	0.01	-	10	0.01	SET5041P2503B	0.42	-	241,414	0.42
HSI28P2501B	0.55	(0.06)	547,901	0.57	SET5006P2412D	0.01	-	2	0.01	SET5041P2503C	0.30	(0.02)	579,710	0.32
HSI28P2501C	-	-	-	-	SET5006P2412E	0.02	-	100	0.02	SET5041P2503D	0.13	-	3,401	0.12
HSI28P2501D	0.16	(0.02)	11,282	0.16	SET5006P2412F	-	-	-	-	SET5041P2503E	0.48	-	50,245	0.49
HSI28P2501E	0.26	(0.05)	420,075	0.27	SET5006P2412G	0.04	(0.03)	2,341	0.05	SET5041P2506T	0.28	-	20,780	0.28
HSI28P2502A	1.04	(0.06)	9	1.04	SET5006P2412H	0.18	(0.03)	120,837	0.20	SPX28C2412A	-	-	-	-
HSI28P2502B	0.36	(0.05)	229,231	0.37	SET5006P2503A	0.08	(0.01)	533	0.08	SPX28C2412B	-	-	-	-
HSI28P2502C	0.13	(0.02)	85	0.13	SET5006P2503B	0.21	(0.01)	193,733	0.23	SPX28C2412C	-	-	-	-
HSI28P2503A	0.15	(0.02)	536	0.15	SET5006P2503C	0.45	(0.02)	4,163	0.47	SPX28C2503A	0.41	(0.01)	92	0.41
HSI28P2503B	0.43	(0.06)	43,415	0.44	SET5013C2412A	0.91	(0.06)	118	0.81	SPX28C2503B	-	-	-	-
HSI28P2503C	0.17	(0.02)	401	0.18	SET5013C2412B	1.18	(0.05)	10	1.18	SPX28P2412A	-	-	-	-
HSI28P2504A	0.28	(0.03)	23,148	0.28	SET5013C2412C	1.61	0.01	40	1.62	SPX28P2412B	-	-	-	-
HSTECH28C2412A	-	-	-	-	SET5013C2412D	2.56	0.90	20	2.47	SPX28P2412C	-	-	-	-
HSTECH28C2503A	0.26	0.02	4,121	0.26	SET5013C2412E	-	-	-	-	SPX28P2503A	-	-	-	-
HSTECH28P2412A	-	-	-	-	SET5013C2412F	0.30	(0.02)	1	0.30	SPX41C2412A	-	-	-	-
HSTECH28P2503A	0.37	(0.03)	150	0.37	SET5013C2412G	0.23	(0.01)	29,922	0.23	SPX41C2412B	-	-	-	-
JD41C2502A	-	-	-	-	SET5013C2412H	0.07	0.01	2,730,828	0.07	SPX41C2412C	-	-	-	-
JD41C2502B	0.13	0.01	6	0.13	SET5013C2412I	0.02	-	7,530	0.02	SPX41C2503A	0.82	0.01	2,172	0.81
KUAISH41C2502A	0.37	-	307	0.37	SET5013C2412J	0.02	(0.01)	10,659	0.02	SPX41P2412A	0.01	(0.04)	208	0.01
LENOVO41C2502A	0.19	(0.02)	10	0.19	SET5013C2412K	-	-	-	-	SPX41P2412B	0.01	(0.03)	5	0.01
MCA5041C2503A	0.28	0.03	2,839	0.28	SET5013C2412L	0.03	(0.01)	279,634	0.03	SPX41P2412C	-	-	-	-
MCA5041P2503A	0.55	(0.03)	555	0.55	SET5013C2412M	0.03	-	11,011	0.03	SPX41P2503A	0.26	(0.01)	563	0.26
MEITUA28C2501A	1.41	(0.07)	10	1.41	SET5013C2412T	0.02	-	1,273	0.02	SUNNY41C2502A	0.96	(0.19)	15	0.97
MEITUA28C2503A	0.75	(0.36)	34	0.79	SET5013C2412U	0.12	0.01	58,234	0.11	TENCEN28C2502A	0.51	0.07	100	0.51
MEITUA28C2504A	-	-	-	-	SET5013C2503A	0.23	-	1,208,923	0.23	TENCEN28C2503A	0.08	(0.01)	2	0.08
MEITUA28P2503A	0.21	0.02	268	0.21	SET5013C2503B	0.31	-	762,562	0.31	TENCEN28P2503A	-	-	-	-
MEITUA28P2504B	0.47	0.03	6	0.47	SET5013C2503C	0.50	0.01	2,916,737	0.49	TENCEN41C2502A	0.53	0.08	1,550	0.52
MEITUA41C2502A	0.26	(0.04)	2,416	0.26	SET5013C2503D	0.65	0.01	447,411	0.63	TENCEN41C2502B	0.07	-	519	0.07
MEITUA41P2502A	-	-	-	-	SET5013C2503T	0.12	(0.01)	39,920	0.12	TENCEN41P2502A	0.10	(0.07)	7	0.11
MEITUA41P2503A	0.66	0.05	26	0.66	SET5013P2412A	-	-	-	-	TENCEN41P2502B	0.29	(0.08)	16	0.31
NDX28C2412A	-	-	-	-	SET5013P2412B	-	-	-	-	XIAOMI28C2412A	-	-	-	-
NDX28C2412B	1.88	0.53	70	1.89	SET5013P2412C	-	-	-	-	XIAOMI28P2504A	0.61	0.03	17	0.62
NDX28C2412C	0.31	-	671	0.31	SET5013P2412D	-	-	-	-	XIAOMI28P2502A	-	-	-	-
NDX28C2503A	0.41	0.01	37,394	0.41	SET5013P2412E	-	-	-	-	XIAOMI28P2505A	0.21	(0.03)	18	0.22
NDX28P2412A	-	-	-	-	SET5013P2412F	-	-	-	-	XIAOMI41C2502A	-	-	-	-
NDX28P2412B	-	-	-	-	SET5013P2412G	-	-	-	-	XIAOMI41C2503A	0.69	0.06	69	0.70
NDX28P2412C	-	-	-	-	SET5013P2412H	-	-	-	-	ZIJIN41C2502A	0.27	(0.01)	4	0.26
NDX28P2503A	0.13	(0.04)	1	0.13	SET5013P2412I	-	-	-	-	0	-	-	-	
NDX41C2412A	0.03	(0.01)	4,000	0.03	SET5013P2412K	-	-	-	-	0	-	-	-	
NDX41C2412B	1.58	0.40	70	1.58	SET5013P2412L	-	-	-	-	0	-	-	-	
NDX41C2412C	0.47	0.09	52	0.47	SET5013P2412M	0.02	(0.01)	1,098	0.02	0	-	-	-	
NDX41C2503A	0.71	0.02	30,233	0.70	SET5013P2412N	0.02	(0.01)	17,329	0.02	0	-	-	-	
NDX41P2412A	-	-	-	-	SET5013P2412O	0.07	(0.03)	502,294	0.08	0	-	-	-	
NDX41P2412B	-	-	-	-	SET5013P2412T	-	-	-	-	0	-	-	-	
NDX41P2412C	-	-	-	-	SET5013P2503A	0.31	(0.02)	453,250	0.32	0	-	-	-	
NDX41P2503A	0.25	(0.03)	1	0.25	SET5013P2503B	0.47	(0.03)	3,995,836	0.49	0	-	-	-	
NIKKEI41C2412A	1.16	(0.14)	373	1.11	SET5013P2503C	0.71	(0.04)	356,463	0.73	0	-	-	-	
NIKKEI41C2412B	0.01	-	10,400	0.01	SET5013P2503T	0.06	-	9,548	0.06	0	-	-	-	
NIKKEI41C2412C	-	-	-	-	SET5019C2412A	0.15	-	280,813	0.15	0	-	-	-	
NIKKEI41C2412T	0.01	-	5,762	0.01	SET5019C2412B	-	-	-	-	0	-	-	-	
NIKKEI41C2503A	0.26	(0.04)	26,701	0.26	SET5019C2412C	-	-	-	-	0	-	-	-	
NIKKEI41C2503B	1.15	(0.08)	484	1.13	SET5019C2412C	-	-	-	-	0	-	-	-	
NIKKEI41C2506A	0.63	(0.02)	2,407	0.61	SET5019C2412E	-	-	-	-	0	-	-	-	
NIKKEI41C2506B	0.38	(0.04)	487	0.38	SET5019C2412F	-	-	-	-	0	-	-	-	
NIKKEI41P2412A	0.01	-	2,600	0.01	SET5019C2412G	-	-	-	-	0	-	-	-	
NIKKEI41P2412B	0.01	(0.01)	353	0.01	SET5019C2412H	-	-	-	-	0	-	-	-	
NIKKEI41P2412C	-	-	-	-	SET5019C2412I	-	-	-	-	0	-	-	-	
NIKKEI41P2412T	0.01	-	645	0.01	SET5019C2412J	0.07	-	70	0.07	0	-	-	-	
NIKKEI41P2503A	0.15	0.01	7,615	0.15	SET5019C2503A	0.23	0.01	167,234	0.22	0	-	-	-	
NIKKEI41P2503B	-	-	-	-	SET5019C2503B	0.13	-	2	0.13	0	-	-	-	
NIKKEI41P2506A	0.44	0.02	2,875	0.46	SET5019C2503C	0.41	0.01	234,225	0.40	0	-	-	-	
NIKKEI41P2506B	0.26	0.01	718	0.27	SET5019P2412A	-	-	-	-	0	-	-	-	
NTES41C2502A	0.54	-	560	0.54	SET5019P2412B	-	-	-	-	0	-	-	-	
PINGAN41C2502A	0.12	-	2	0.13	SET5019P2412C	-	-	-	-	0	-	-	-	
POPMAR41C2503A	0.84	0.08	727	0.84	SET5019P2412D	-	-	-	-	0	-	-	-	
SET01C2412A	0.92	0.01	753	0.91	SET5019P2412E	-	-	-	-	0	-	-	-	
SET01C25														

**Asia Plus Securities Company Limited**

## Main Board Quotation

## Daily Quotation

**Issue Date :**

*Friday December 06, 2024*

# Asia Plus Securities Company Limited

## Main Board Quotation

Daily Quotation

										Issue Date :				Friday December 06, 2024				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price				
<strong>Warrant - MAI</strong>																		
Agro & Food Indust	-				TRV	2.38	(0.02)	229	00 2.4	LEO	3.50	-	6,976	00 3.4				
APO	2.18	(0.04)	7,421	00 2.2	UBIS	1.66	0.03	283	00 1.6	MCA	1.55	0.01	2,370	00 1.5				
AU	10.90	(0.30)	22,778	00 10.9	UEC	1.28	-	392	00 1.2	MEB	27.25	0.25	3,753	00 27.2				
CFARM	0.93	-	13,633	00 0.9	UKEM	0.66	(0.01)	4,211	00 0.6	MORE	0.06	0.01	27,010	00 0.0				
JCKH	0.03	-	5,523	00 0.0	UREKA	0.70	0.02	377,355	00 0.6	MPJ	3.86	(0.02)	5,863	00 3.8				
KASET	0.97	0.02	1,907	00 0.9	YUASA	10.30	(0.10)	178	00 10.2	MVP	0.72	0.01	70,334	00 0.7				
MAGURO	22.00	1.00	74,494	00 21.6	ZIGA	1.84	0.03	11,866	00 1.8	NCL	0.51	-	24,970	00 0.5				
MUD	1.34	-	1,476	00 1.3	ZIGA-W2	0.18	-	1,978	00 0.1	NCP	1.05	(0.03)	2,162	00 1.0				
NTSC	9.60	-	57	00 9.5	Property	-		-		NEWS	0.01	-	136,691	00 0.0				
TACC	4.74	0.02	7,860	00 4.7	24CS	3.26	(0.02)	1,132	00 3.2	PEER	0.32	(0.04)	275,911	00 0.3				
TMILL	3.02	(0.04)	245	00 3.0	ARIN	0.73	(0.01)	24,593	00 0.7	PICO	3.60	0.14	7	00 3.4				
WINNER	2.04	-	758	00 2.0	ARROW	5.60	-	51	00 5.5	PLT	0.77	-	4,104	00 0.7				
XO	19.20	(0.50)	16,701	00 19.1	BC	0.97	(0.01)	3,213	00 0.9	QLT	2.08	(0.02)	1,876	00 2.0				
Consumer Products	-				BC-W2	0.08	(0.03)	10,925	00 0.0	RP	1.08	0.03	46	00 1.0				
ALPHAX	0.62	-	28,363	00 0.6	BLESS	0.37	0.01	4,285	00 0.3	SONIC	1.70	(0.01)	8,637	00 1.7				
BGT	0.51	(0.03)	662	00 0.5	BSM	1.70	(0.05)	1,079	00 1.6	THMUI	0.57	0.01	45	00 0.5				
DOD	2.02	(0.02)	5,923	00 2.0	BTW	0.23	(0.02)	7,423	00 0.2	TNDT	0.25	0.01	1,441	00 0.2				
ECF	0.45	0.01	12,378	00 0.4	CAZ	2.26	0.02	150	00 2.2	TNDT-W1	0.03	-	25,570	00 0.0				
ECF-W5	0.05	-	46,992	00 0.0	CHEWA	0.40	-	149	00 0.4	TNH	37.75	0.25	533	00 37.5				
EFORL	0.28	0.01	99,438	00 0.2	CPANEL	3.60	(0.18)	1,560	00 3.5	TNP	3.52	-	1,338	00 3.5				
EFORL-W6	0.04	-	2,938	00 0.0	CPANEL-W1	0.17	(0.03)	1,553	00 0.1	TPL	1.00	0.01	53,006	00 1.0				
EURO	4.90	0.02	330	00 4.8	CRD	0.41	0.01	1,881	00 0.4	TRP	8.75	-	952	00 8.7				
HPT	0.46	-	14,621	00 0.4	DHOUSE	0.60	-	475	00 0.5	TURTLE	-	-	-	00 0.0				
ITTHI	1.79	(0.10)	8,556	00 1.8	DIMET	0.22	-	55,216	00 0.1	TVDH	0.18	(0.01)	6,959	00 0.1				
JSP	2.26	(0.04)	5,867	00 2.2	DPAIN	1.24	(0.03)	6,996	00 1.2	TVDH-W3	0.02	-	69	00 0.0				
JUBILE	11.90	0.10	32	00 12.0	FLOYD	0.79	-	3,231	00 0.7	TVDH-W4	-	-	-	00 0.0				
LTS	15.40	-	61,467	00 15.4	HYDRO	0.15	(0.02)	6,064	00 0.1	TVT	0.41	-	1,935	00 0.4				
MGI	10.60	(0.10)	1,486	00 10.6	HYDRO-W2	0.09	0.01	3,158	00 0.0	UBA	0.91	(0.01)	5,966	00 0.9				
MGI-W1	2.36	(0.06)	3,695	00 2.3	IND	0.84	(0.01)	13,091	00 0.8	VL	1.23	-	10,303	00 1.2				
MOONG	2.12	0.02	34	00 2.1	JAK	1.14	0.02	21	00 1.1	VS	0.58	-	101	00 0.5				
NPK	12.00	0.50	43	00 12.0	K	1.20	0.02	203	00 1.1	YGG	0.68	0.09	911,036	00 0.6				
SEI	4.72	(0.08)	13,346	00 4.7	K-W3	0.12	-	8	00 0.1	Technology	-	-	-	-				
SMD100	4.76	-	438	00 4.7	META	0.13	-	4,735	00 0.1	APP	1.81	-	461	00 1.8				
TM	1.14	(0.03)	2,021	00 1.1	META-W7	-	-	-	00 0.0	BBIK	43.25	(0.75)	2,902	00 43.5				
TM-W1	0.05	-	1,159	00 0.0	PANEL	1.30	-	215	00 1.2	BE8	14.70	(0.40)	22,984	00 14.8				
WARRIX	3.84	0.04	3,876	00 3.8	PPS	0.21	(0.01)	4,939	00 0.2	BE8-W1	2.00	-	9	00 1.8				
WINMED	1.84	(0.01)	334	00 1.8	PRI	8.60	(0.35)	8,042	00 8.6	BVG	2.88	-	1,343	00 2.8				
Financials	-				PROS	1.07	(0.04)	2,665	00 1.0	COMAN	1.20	0.28	63,859	00 1.1				
ACAP	-	-	00 0.0		PROS-W1	0.09	-	43,759	00 0.0	I2	1.57	(0.02)	5,430	00 1.5				
AF	0.63	(0.04)	449	00 0.6	PSG	0.50	(0.01)	84,680	00 0.5	IIIG	5.85	(0.10)	2,430	00 5.9				
AIRA	1.20	0.02	20	00 1.1	QTGG	0.36	(0.01)	9,348	00 0.3	IIIG-W1	0.39	0.02	1,353	00 0.3				
ASN	-	-	00 0.0		SENX	0.35	-	1,228	00 0.3	IRCP	0.51	-	603	00 0.5				
BTC	0.68	-	1,160,952	00 0.6	SK	0.60	(0.01)	1,052	00 0.6	ITNS	1.44	-	607	00 1.4				
BTC-W7	0.35	0.02	25,204	00 0.3	SMART	0.76	(0.02)	9,759	00 0.7	NAT	4.62	0.02	1,345	00 4.6				
GCAP	0.34	-	19,383	00 0.3	STC	0.56	0.01	557	00 0.5	NETBAY	18.50	0.10	15,483	00 18.5				
KCC	2.20	(0.02)	746	00 2.1	STX	1.43	0.01	1,214	00 1.4	PLANET	1.49	(0.09)	49,774	00 1.5				
LIT	0.83	(0.02)	5,933	00 0.8	SVR	1.01	0.01	514	00 1.0	PROEN	4.40	(0.04)	34,958	00 4.3				
LIT-W2	0.03	0.01	54,362	00 0.0	TAPAC	-	-	-	00 0.0	PROEN-W2	1.90	(0.02)	11,838	00 1.9				
MITSIB	0.72	-	1,051	00 0.7	THANA	1.23	(0.02)	131	00 1.2	READY	5.30	0.05	134	00 5.3				
SGF	0.25	-	3,146	00 0.2	TIGER	0.73	0.09	9,629	00 0.7	SECURE	12.60	(0.20)	261	00 12.6				
SGF-P1	-	-	00 0.0		TITLE	4.10	-	21	00 4.0	SICT	4.28	0.08	5,493	00 4.2				
SGF-Q1	-	-	00 0.0		WELL	-	-	-	00 0.0	SIMAT	1.58	(0.01)	52,486	00 1.5				
TQR	5.95	-	336	00 5.9	YONG	1.18	(0.02)	3,494	00 1.1	SIMAT-W3	0.04	0.01	22,410	00 0.0				
Industrials	-				Resources	-		-		SPVI	2.24	(0.02)	711	00 2.2				
ADB	0.79	(0.01)	442	00 0.7	ABM	1.29	-	59	00 1.2	SRS	4.90	-	470	00 4.9				
BM	3.10	-	4,865	00 3.0	ABM-W1	-	-	-	00 0.0	TBN	7.35	0.55	5,746	00 7.1				
BM-W3	1.47	(0.01)	420	00 1.4	GTV	0.13	-	20,177	00 0.1	TERA	1.32	-	2,374	00 1.3				
BPS	0.53	-	3,370	00 0.5	PSTC	0.41	0.01	42,051	00 0.4	TPS	2.94	-	215	00 2.9				
CHO	0.05	0.01	598,018	00 0.0	PSTC-W2	0.01	-	8,623	00 0.0	VCOM	2.50	(0.04)	3,874	00 2.5				
CHO-W4	0.01	-	81,008	00 0.0	PSTC-W3	0.15	0.01	10,143	00 0.1	-	-	-	-	-	-	-	-	
CHOW	2.04	-	191	00 2.0	PTC	1.51	(0.04)	765	00 1.5	-	-	-	-	-	-	-	-	
CIG	0.05	-	2,862	00 0.0	SAAM	5.85	(0.10)	4,102	00 5.9	-	-	-	-	-	-	-	-	
CIG-W10	-	-	00 0.0		SR	0.53	0.01	453	00 0.5	-	-	-	-	-	-	-	-	
CIG-W9	-	-	00 0.0		STOWER	0.07	0.01	9,620	00 0.0	-	-	-	-	-	-	-	-	
COLOR	1.10	0.01	465	00 1.0	TAKUNI	0.70	(0.01)	30,798	00 0.7	-	-	-	-	-	-	-	-	
CPR	3.48	(0.02)	793	00 3.5	TPCH	5.25	-	3,886	00 5.2	-	-	-	-	-	-	-	-	
FPI	1.98	0.03	824	00 1.9	UMS	0.41	(0.04)	166	00 0.3	-	-	-	-	-	-	-	-	
GTB	0.72	-	1,298	00 0.7	Services	-		-		-	-	-	-	-	-	-	-	
HARN	2.12	0.02	806	00 2.1	ADD	4.74	0.12	216	00 4.7	-	-	-	-	-	-	-	-	
KCM	0.29	(0.01)	203	00 0.2	AKP	0.74	(0.01)	29,242	00 0.7	-	-	-	-	-	-	-	-	
KJL	6.90	-	1,906	00 6.9	AMA													