

Asia Plus Securities Company Limited

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-
Agribusiness				
EE	0.59	0.04	118,707	0.58
EE-W1	0.03	(0.01)	39,630	0.04
GFPT	9.55	(0.15)	23,648	9.60
LEE	2.34	(0.02)	701	2.34
NER	4.62	(0.04)	36,644	4.64
NER-W2	0.33	-	1,809	0.33
PCE	3.00	0.06	269,178	2.98
PPPM	0.64	0.04	114,799	0.69
PPPM-W6	0.54	0.08	7,602	0.54
STA	18.10	0.50	47,748	17.90
STA01C2501A	-	-	-	-
STA01C2502A	-	-	-	-
STA01C2503A	-	-	-	-
STA01C2504A	0.30	0.02	4,874	0.28
STA01P2502A	0.55	-	2,810	0.55
STA13C2502A	-	-	-	-
STA13C2502B	-	-	-	-
STA13C2503A	0.14	0.01	6,380	0.13
STA13C2505A	0.38	0.04	9,040	0.36
STA13P2502A	0.35	(0.06)	5,230	0.39
STA19C2502A	-	-	-	-
STA19C2502B	-	-	-	-
STA19C2503A	-	-	-	-
STA19C2504A	0.19	0.02	10,020	0.17
STA19C2505A	0.36	0.02	41,412	0.34
STA19P2503A	0.37	(0.03)	13,184	0.39
STA41C2503A	0.18	-	9,000	0.18
STA41C2505A	-	-	-	-
TEGH	3.58	(0.06)	14,107	3.56
TFM	7.70	(0.10)	23	7.65
TRUBB	1.01	(0.01)	3,523	1.01
UPOIC	6.25	(0.25)	543	6.07
UVAN	9.10	(0.10)	4,087	9.16
VPO	0.57	-	3,257	0.57
Banking				
BAY	24.50	(0.10)	994	24.62
BBL	151.00	0.50	29,471	150.63
BBL11C2501A	-	-	-	-
BBL11C2502A	-	-	-	-
BBL13C2501A	-	-	-	-
BBL13C2503A	0.08	(0.02)	2	0.08
BBL13C2504A	0.25	-	24,054	0.24
BBL13P2501A	-	-	-	-
BBL19C2502A	-	-	-	-
BBL19C2503A	0.10	(0.01)	4,199	0.10
BBL19C2503B	0.16	(0.01)	6,200	0.16
BBL41C2502A	-	-	-	-
BBL41C2504A	0.22	(0.02)	20,388	0.22
CIMBT	0.45	(0.01)	8,289	0.45
CREDIT	18.50	0.10	656	18.22
KBANK	155.50	(0.50)	37,990	155.75
KBANK01C2501A	-	-	-	-
KBANK01C2502A	0.04	-	2,900	0.04
KBANK01C2503A	0.28	(0.01)	5,917	0.29
KBANK01P2502A	-	-	-	-
KBANK01P2502B	0.11	-	4,708	0.11
KBANK13C2501A	-	-	-	-
KBANK13C2501B	-	-	-	-
KBANK13C2503A	0.20	(0.03)	11,616	0.22
KBANK13P2501A	0.01	-	300	0.01
KBANK13P2501B	-	-	-	-
KBANK13P2504A	0.22	-	20,922	0.21
KBANK19C2501A	-	-	-	-
KBANK19C2502A	-	-	-	-
KBANK19C2502B	-	-	-	-
KBANK19C2504A	0.35	(0.03)	18,476	0.37
KBANK19C2505A	0.26	(0.02)	6,210	0.27
KBANK19P2501A	-	-	-	-
KBANK19P2502A	0.01	-	40	0.01
KBANK41C2501A	-	-	-	-
KBANK41C2502A	-	-	-	-
KBANK41C2604T	0.79	(0.02)	13,200	0.80
KBANK41P2502A	-	-	-	-
KKP	52.50	0.25	13,824	52.01
KKP-W6	1.28	-	128	1.28
KKP13C2501A	-	-	-	-
KKP13C2502A	-	-	-	-
KKP13C2504A	0.30	-	41,978	0.28
KKP19C2501A	-	-	-	-
KKP19C2503A	0.21	-	12,478	0.19
KTB	21.00	(0.10)	166,083	21.05
KTB-P	-	-	-	-
KTB-Q	-	-	-	-
KTB01C2501A	-	-	-	-
KTB01C2502A	-	-	-	-
KTB01P2502A	-	-	-	-
KTB11C2501A	-	-	-	-
KTB13C2501A	-	-	-	-
KTB13C2503A	0.12	(0.02)	10,088	0.13
KTB13P2501A	-	-	-	-
KTB19C2501A	-	-	-	-
KTB19C2502A	-	-	-	-
KTB19C2505A	0.30	-	18,000	0.30
LHFG	0.78	-	14,502	0.78
SCB	117.50	0.50	31,516	117.62
SCB01C2502A	0.12	-	12,252	0.12
SCB01C2505A	0.28	(0.01)	6,466	0.28
SCB01P2501A	-	-	-	-
SCB11C2501A	-	-	-	-
SCB13C2502A	0.08	-	12,602	0.08
SCB13P2502A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
SCB19C2502A	-	-	-	-
SCB19C2504A	0.22	(0.02)	34,858	0.23
SCB41C2502A	-	-	-	-
SCB41P2504A	-	-	-	-
TCAP	50.50	0.25	18,481	49.90
TCAP-P	-	-	-	-
TCAP-Q	-	-	-	-
TCAP13C2501A	-	-	-	-
TCAP19C2504A	-	-	-	-
TISCO	98.50	-	11,724	98.41
TISCO-P	-	-	-	-
TISCO-Q	-	-	-	-
TISCO11C2501A	-	-	-	-
TISCO13C2502A	-	-	-	-
TISCO19C2502A	0.11	(0.02)	420	0.11
TTB	1.86	0.02	1,563,953	1.85
TTB-W1	0.86	(0.01)	10,276	0.86
TTB01C2503A	-	-	-	-
TTB01C2504A	0.25	0.01	6,200	0.25
TTB13C2501A	0.01	-	14	0.01
TTB13C2503A	0.13	(0.01)	2,596	0.13
TTB19C2501A	-	-	-	-
TTB19C2504A	0.24	-	6,858	0.24
Construction Ma				
CCP	0.27	-	1,845	0.26
DCC	1.76	(0.01)	22,496	1.75
DCON	0.30	-	11,398	0.29
DCON-W3	0.02	0.01	3,254	0.01
DRT	7.55	-	1,629	7.51
EPG	3.98	0.12	7,338	3.93
GEL	0.08	(0.01)	2,618	0.08
GEL-W5	-	-	-	-
PPP	1.37	(0.09)	113	1.37
Q-CON	9.10	0.10	237	9.03
SCC	168.00	(2.00)	18,994	168.84
SCC01C2502A	-	-	-	-
SCC01C2503A	-	-	-	-
SCC01C2505A	0.23	(0.01)	22,256	0.24
SCC01C2505B	0.45	(0.03)	16,447	0.47
SCC01P2503A	1.25	0.06	878	1.20
SCC13C2501A	-	-	-	-
SCC13C2501B	-	-	-	-
SCC13C2502A	-	-	-	-
SCC13C2503A	-	-	-	-
SCC13C2504A	0.09	(0.02)	24,283	0.11
SCC13C2504B	0.19	(0.03)	9,586	0.22
SCC13C2505A	0.40	(0.03)	65,393	0.43
SCC13P2502A	-	-	-	-
SCC13P2504A	0.73	0.02	29,006	0.70
SCC19C2501A	-	-	-	-
SCC19C2502A	-	-	-	-
SCC19C2503A	-	-	-	-
SCC19C2504A	0.09	-	3	0.09
SCC19C2505A	0.23	(0.03)	18,428	0.25
SCC19C2505B	0.37	(0.05)	79,617	0.43
SCC19P2505A	0.82	0.02	30,259	0.78
SCC41C2503A	-	-	-	-
SCC41C2504A	0.12	(0.02)	37,600	0.13
SCC41C2505A	0.27	(0.02)	77,611	0.28
SCCC	163.50	-	267	163.93
SCGD	4.80	0.12	15,350	4.75
SCP	6.75	0.05	181	6.76
SKN	5.20	(0.10)	35	5.22
STECH	1.10	-	178	1.08
TASCO	18.10	-	36,599	18.03
TASCO001C2501/	-	-	-	-
TASCO13C2501/	-	-	-	-
TASCO19C2502/	0.06	(0.02)	170	0.06
TOA	15.00	0.30	30,516	14.82
TPIPL	1.08	0.01	21,068	1.07
UMI	0.72	0.05	260	0.71
VNG	3.08	(0.02)	2,154	3.01
WIJK	1.12	-	18	1.12
WIJK-W3	0.05	-	995	0.05
WINDOW	0.81	0.01	668	0.81
Petrochemicals &				
BCT	-	-	-	-
CMAN	2.24	0.04	1,140	2.23
GC	5.00	0.02	352	4.99
GGC	4.20	(0.12)	592	4.30
IVL	24.90	(0.60)	149,951	25.09
IVL01C2501W	-	-	-	-
IVL01C2502A	0.33	(0.01)	2,302	0.34
IVL01C2502B	0.11	(0.05)	12,425	0.15
IVL01C2503A	-	-	-	-
IVL01C2504A	0.12	(0.01)	19,554	0.12
IVL01P2501W	-	-	-	-
IVL01P2502A	0.07	-	8,000	0.07
IVL01P2502W	-	-	-	-
IVL01P2504A	0.28	0.01	9,107	0.27
IVL06C2501A	0.02	(0.04)	2	0.02
IVL11C2501A	-	-	-	-
IVL11C2501B	-	-	-	-
IVL11C2502A	-	-	-	-
IVL13C2502A	-	-	-	-
IVL13C2502B	-	-	-	-
IVL13C2504A	0.13	(0.02)	55,534	0.14
IVL13P2501A	-	-	-	-
IVL13P2502A	-	-	-	-
IVL13P2504A	0.29	0.02	11,670	0.28
IVL19C2501A	-	-	-	-
IVL19C2502A	-	-	-	-
IVL19C2502B	-	-	-	-

Daily Quotation				
Issue Date :		Tuesday December 31, 2024		
Securities	Close	Change	Volume (Lot)	Average Price
IVL19C2502C	0.06	(0.03)	1	0.06
IVL19C2505A	0.16	(0.02)	42,069	0.17
IVL19P2502A	-	-	-	-
IVL41C2502A	-	-	-	-
IVL41C2502B	0.05	(0.01)	2,250	0.06
NFC	1.64	-	63	1.60
PATO	8.55	0.20	193	8.38
PMTA	8.80	0.05	2	8.83
PTTGC	24.40	0.10	90,395	24.43
PTTGC01C2501A	-	-	-	-
PTTGC01C2501B	-	-	-	-
PTTGC01C2502A	-	-	-	-
PTTGC01C2504A	0.30	-	16,589	0.32
PTTGC01C2505A	0.10	-	11,380	0.10
PTTGC01P2501A	-	-	-	-
PTTGC01P2503A	0.32	(0.01)	19,290	0.32
PTTGC11C2501A	-	-	-	-
PTTGC11C2502A	-	-	-	-
PTTGC11C2503A	0.23	(0.01)	8,300	0.24
PTTGC13C2501A	-	-	-	-
PTTGC13C2502A	-	-	-	-
PTTGC13C2503A	0.22	(0.01)	22,796	0.23
PTTGC13C2504A	0.11	-	10,348	0.12
PTTGC13C2505A	0.51	(0.01)	50,072	0.52
PTTGC13P2502A	0.22	(0.02)	8,288	0.22
PTTGC13P2502B	0.08	(0.01)	6,183	0.08
PTTGC19C2501A	-	-	-	-
PTTGC19C2501B	-	-	-	-
PTTGC19C2502A	-	-	-	-
PTTGC19C2504A	-	-	-	-
PTTGC19C2505A	0.38	-	138,288	0.39
PTTGC19P2503A	0.14	(0.01)	10,914	0.14
PTTGC41C2501A	-	-	-	-
PTTGC41C2502A	-	-	-	-
PTTGC41C2502B	0.01	(0.09)	1,000	0.01
PTTGC41C2503A	-	-	-	-
PTTGC41C2505A	0.34	(0.01)	61,776	0.35
PTTGC41P2502A	-	-	-	-
RSXYZ	1.55	(0.03)	3,762	1.57
SUTHA	2.70	-	1	2.70
TPA	3.42	(0.44)	20	3.84
UAC	3.08	0.04	210	3.05
UP	17.50	0.40	109	17.12
Commerce				
ADVICE	6.00	(0.20)	18,932	6.04
B52	0.36	(0.02)	983	0.36
BEAUTY	0.31	-	30,539	0.32
BIG	0.31	(0.01)	16,295	0.31
BJC	23.30	(0.10)	34,892	23.46
BJC01C2503A	-	-	-	-
BJC13C2502A	-	-	-	-
BJC13C2503A	0.14	(0.03)	39,091	0.16
BJC13C2505A	0.35	(0.02)	76,648	0.38
BJC19C2502A	-	-	-	-
BJC19C2503A	0.14	(0.01)	12,974	0.15
COM7	26.25	(0.75)	234,760	26.25
COM701C2501A	-	-	-	-
COM701C2503A	0.10	(0.02)	24,302	0.10
COM701P2501A	-	-	-	-
COM713C2501A	-	-	-	-
COM713C2504A	0.14	(0.03)	20,432	0.15
COM713P2501A	-	-	-	-
COM719C2501A	-	-	-	-
COM719C2502A	-	-	-	-
COM719C2505A	0.19	(0.04)	187,448	0.20
COM719P2502A	-	-	-	-
COM741C2501A	-	-	-	-
COM741C2501B	-	-	-	-
COM741C2503A	-	-	-	-
COM741C2505A	0.20	(0.80)	8,020	0.20
CPALL	55.75	(0.50)	218,928	55.91
CPALL01C2501A	-	-	-	-
CPALL01C2502A	-	-	-	-
CPALL01C2504A	0.04	(0.01)	5	0.04
CPALL01C2505A	0.27	(0.02)	16,056	0.27
CPALL01P2501X	-	-	-	-
CPALL01P2502X	0.25	0.01	6,438	0.24
CPALL01P2505A	0.41	0.02	16,750	0.40
CPALL06C2504A	0.17	(0.03)	28,164	0.18
CPALL11C2501A	-	-	-	-
CPALL11C2503A	-	-	-	-
CPALL13C2501A	-	-	-	-
CPALL13C2503A	0.01	(0.02)	16	0.02
CPALL13C2504A	0.05	-	4,522	0.05
CPALL13C2505A	0.13	(0.02)	35,767	0.14
CPALL13C2505B	0.22	(0.02)	15,971	0.22
CPALL13P2501A	-	-	-	-
CPALL13P2504A	0.64	0.01	4	0.64
CPALL13P2505A	0.33	0.01	10,054	0.32
CPALL19C2502A	-	-	-	-
CPALL19C2502B	-	-	-	-
CPALL19C2504A	0.04	-	4,006	0.04
CPALL19C2505A	0.15	(0.02)	14,630	0.16
CPALL19C2505B	0.29	(0.03)	9,745	0.30
CPALL19P2505A	0.38	-	15,361	0.38
CPALL19P2505B	0.21	0.01	2,392	0.21
CPALL41C2504A	0.05	(0.01)	10	0.05
CPALL41C2505A	0.20	(0.02)	29,826	0.21
CPALL41C2605T	0.27	(0.01)	16,000	0.27
CPALL41P2502A	-	-	-	-
CPALL41P2504A	-	-	-	-
CPAXT	27.25	0.50	64,968	27.05
CPW	2.38	0.08	4,485	2.36

Daily Quotation

Tuesday December 31, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC	34.00	(1.00)	74,422	34.29	ICN	2.06	0.04	2,601	2.02	DELTA13P2502B	-	-	-	-
CRC01C2501A	0.11	(0.05)	17,536	0.15	ILINK	5.70	-	517	5.65	DELTA13P2503A	0.14	(0.01)	32,642	0.13
CRC01C2503A	0.10	(0.01)	12,808	0.11	INET	5.50	-	25,041	5.42	DELTA13P2503B	0.42	(0.03)	80,313	0.41
CRC11C2501A	-	-	-	-	INSET	3.14	(0.02)	45,421	3.14	DELTA19C2502A	-	-	-	-
CRC13C2502A	-	-	-	-	INTUCH	97.00	(1.50)	54,891	97.60	DELTA19C2503A	0.60	-	147,655	0.64
CRC13C2503A	0.14	(0.04)	22,576	0.16	INTUCH01C2501	-	-	-	-	DELTA19C2503B	0.32	-	233,200	0.35
CRC19C2501A	-	-	-	-	INTUCH01C2501	0.20	(0.02)	27,761	0.21	DELTA19P2502A	-	-	-	-
CRC19C2502A	0.08	(0.04)	17,764	0.10	INTUCH13C2501	-	-	-	-	DELTA19P2503A	0.11	-	11,624	0.10
CRC41C2503A	0.15	(0.04)	30,810	0.17	INTUCH13C2501	-	-	-	-	DELTA19P2504A	0.39	(0.01)	42,820	0.37
CSS	0.87	(0.01)	3,275	0.87	INTUCH13C2501	-	-	-	-	DELTA41C2502A	0.73	(0.01)	4,516	0.78
DOHOME	8.85	-	25,755	8.84	INTUCH13C2501	0.29	(0.05)	68,897	0.30	DELTA41C2503A	0.35	-	43,443	0.38
DOHOME01C2501A	-	-	-	-	INTUCH13C2501	0.19	(0.04)	20,405	0.21	DELTA41C2503B	0.37	(0.01)	67,140	0.42
DOHOME01C2503A	-	-	-	-	INTUCH13C2501	0.69	(0.08)	50,514	0.71	DELTA41P2502A	-	-	-	-
DOHOME13C2502A	-	-	-	-	INTUCH13P2501	0.10	-	20,280	0.10	DELTA41P2504A	-	-	-	-
DOHOME13C2503A	-	-	-	-	INTUCH19C2501	0.12	(0.04)	8,130	0.13	HANA	24.70	(0.55)	82,600	24.91
DOHOME13C2505A	0.33	(0.01)	25,300	0.33	INTUCH19C2501	0.10	(0.02)	40,516	0.11	HANA01C2501W	-	-	-	-
DOHOME19C2501A	-	-	-	-	INTUCH19C2501	-	-	-	-	HANA01C2502A	0.02	-	1	0.02
DOHOME19C2502A	-	-	-	-	INTUCH19C2501	0.42	(0.06)	41,734	0.45	HANA01C2504A	0.09	(0.01)	8,275	0.10
DOHOME19C2504A	-	-	-	-	INTUCH19C2501	0.24	(0.02)	11,534	0.25	HANA01C2504W	-	-	-	-
DOHOME41C2501A	-	-	-	-	ITEL	1.97	(0.02)	67,686	1.96	HANA01C2505A	0.62	(0.06)	11,370	0.64
FN	0.77	0.01	68	0.77	JAS	2.14	0.02	92,884	2.14	HANA01P2501W	0.57	0.05	2,646	0.55
GLOBAL	13.90	(0.20)	124,173	13.93	JAS-W4	0.41	(0.02)	276,345	0.41	HANA01P2503W	1.17	0.01	1,203	1.16
GLOBAL01C2503A	0.04	(0.01)	1,000	0.04	JAS13C2502A	-	-	-	-	HANA01P2504A	0.36	0.01	22,419	0.35
GLOBAL11C2501A	-	-	-	-	JAS13C2503A	0.12	(0.01)	750	0.13	HANA06C2504A	0.10	(0.01)	15,028	0.11
GLOBAL13C2501A	-	-	-	-	JAS13C2505A	0.24	(0.76)	11,969	0.24	HANA13C2502A	0.01	-	20	0.01
GLOBAL13C2504A	0.11	(0.01)	30,214	0.11	JAS19C2501A	0.01	-	30,000	0.01	HANA13C2503A	0.01	-	50	0.01
GLOBAL19C2503A	0.07	-	2,000	0.07	JAS19C2503A	0.11	-	50	0.11	HANA13C2504A	-	-	-	-
HMPRO	9.40	(0.25)	173,006	9.46	JAS19C2505A	0.26	-	12,478	0.26	HANA13C2504B	0.05	(0.02)	5,075	0.05
HMPRO01C2501A	-	-	-	-	JMART	13.20	(0.10)	12,491	13.23	HANA13C2504C	0.12	(0.01)	11,051	0.12
HMPRO01C2503A	-	-												

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5013C2412H	-	-	-	-	SPX28C2503B	0.58	(0.10)	14	0.59		0	-	-	-
SET5013C2412I	-	-	-	-	SPX28P2503A	0.26	-	1	0.26		0	-	-	-
SET5013C2412J	-	-	-	-	SPX28P2503B	-	-	-	-		0	-	-	-
SET5013C2412K	-	-	-	-	SPX41C2503A	0.43	(0.11)	270	0.44		0	-	-	-
SET5013C2412L	-	-	-	-	SPX41C2503B	-	-	-	-		0	-	-	-
SET5013C2412M	-	-	-	-	SPX41P2503A	0.23	0.02	170	0.23		0	-	-	-
SET5013C2412T	-	-	-	-	SPX41P2503B	-	-	-	-		0	-	-	-
SET5013C2412U	-	-	-	-	SUNNY41C2502	1.38	(0.14)	10	1.38		0	-	-	-
SET5013C2503A	0.06	(0.01)	156,848	0.07	TENCEN28C250	0.44	(0.01)	4	0.44		0	-	-	-
SET5013C2503B	0.07	(0.01)	148,225	0.08	TENCEN28C250	-	-	-	-		0	-	-	-
SET5013C2503C	0.14	(0.01)	419,443	0.16	TENCEN28P250	-	-	-	-		0	-	-	-
SET5013C2503D	0.18	(0.01)	146,027	0.21	TENCEN41C250	0.47	0.01	6	0.47		0	-	-	-
SET5013C2503E	0.23	(0.03)	1,001,683	0.27	TENCEN41C250	0.06	0.02	6	0.05		0	-	-	-
SET5013C2503F	0.36	(0.03)	2,335,622	0.41	TENCEN41P250	-	-	-	-		0	-	-	-
SET5013C2503G	0.48	(0.04)	1,367,114	0.53	TENCEN41P250	-	-	-	-		0	-	-	-
SET5013C2503T	0.04	0.01	36,306	0.04	XIAOMI28C2412	-	-	-	-		0	-	-	-
SET5013P2412A	-	-	-	-	XIAOMI28C2504	1.08	0.07	10,463	1.05		0	-	-	-
SET5013P2412B	-	-	-	-	XIAOMI28P2502	-	-	-	-		0	-	-	-
SET5013P2412C	-	-	-	-	XIAOMI28P2505	0.08	(0.01)	1,323	0.08		0	-	-	-
SET5013P2412D	-	-	-	-	XIAOMI41C2502	2.38	1.27	2	2.45		0	-	-	-
SET5013P2412E	-	-	-	-	XIAOMI41C2503	1.22	0.08	8	1.25		0	-	-	-
SET5013P2412F	-	-	-	-	XIAOMI41C2504	0.35	-	264	0.37		0	-	-	-
SET5013P2412G	-	-	-	-	XIAOMI41P2502	0.01	(0.02)	1	0.01		0	-	-	-
SET5013P2412H	-	-	-	-	ZIJIN41C2502A	-	-	-	-		0	-	-	-
SET5013P2412I	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412J	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412K	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412L	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412M	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412N	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412O	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412T	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2503A	0.33	(0.01)	829,593	0.31		0	-	-	-		0	-	-	-
SET5013P2503B	0.54	(0.01)	2,484,331	0.51		0	-	-	-		0	-	-	-
SET5013P2503C	0.81	(0.02)	185,717	0.76		0	-	-	-		0	-	-	-
SET5013P2503D	0.23	(0.01)	964,598	0.22		0	-	-	-		0	-	-	-
SET5013P2503T	0.06	-	23,702	0.06		0	-	-	-		0	-	-	-
SET5019C2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412B	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412C	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412D	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412E	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412F	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412G	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412H	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412I	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412J	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2503A	0.07	(0.02)	30,280	0.08		0	-	-	-		0	-	-	-
SET5019C2503B	0.05	0.01	1	0.05		0	-	-	-		0	-	-	-
SET5019C2503C	0.12	(0.01)	190,269	0.13		0	-	-	-		0	-	-	-
SET5019C2503D	0.36	(0.03)	189,746	0.41		0	-	-	-		0	-	-	-
SET5019C2506A	0.31	(0.69)	259,567	0.34		0	-	-	-		0	-	-	-
SET5019P2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412B	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412C	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412D	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412E	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412F	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412G	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412H	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2503A	0.30	-	256,787	0.27		0	-	-	-		0	-	-	-
SET5019P2503B	0.66	0.01	58,270	0.60		0	-	-	-		0	-	-	-
SET5019P2503C	0.13	(0.01)	128,725	0.12		0	-	-	-		0	-	-	-
SET5027C2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5027C2412B	-	-	-	-		0	-	-	-		0	-	-	-
SET5027C2412T	-	-	-	-		0	-	-	-		0	-	-	-
SET5027P2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5027P2412T	-	-	-	-		0	-	-	-		0	-	-	-
SET5028C2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5028C2412B	-	-	-	-		0	-	-	-		0	-	-	-
SET5028C2412C	-	-	-	-		0	-	-	-		0	-	-	-
SET5028C2503A	-	-	-	-		0	-	-	-		0	-	-	-
SET5028P2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412B	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412C	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412T	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412U	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412W	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412X	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2503A	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2503B	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2503C	0.08	0.02	51	0.07		0	-	-	-		0	-	-	-
SET5041C2503D	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2503E	0.14	0.01	135	0.15		0	-	-	-		0	-	-	-
SET5041C2503F	0.28	(0.01)	430,204	0.31		0	-	-	-		0	-	-	-
SET5041C2503G	0.39	(0.02)	585,150	0.43		0	-	-	-		0	-	-	-
SET5041C2506T	0.20	-	1,155	0.20		0	-	-	-		0	-	-	-
SET5041P2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412B	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412C	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412D	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412T	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412U	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412V	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2503A	0.27	-	12,412	0.24		0	-	-	-		0	-	-	-
SET5041P2503B	0.52	-	499,289	0.48		0	-	-	-		0	-	-	-
SET5041P2503C	0.41	0.01	4,300	0.40		0	-	-	-		0	-	-	-
SET5041P2503D	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2503E	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2503F	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2506T	0.36	-	3,893	0.35		0	-	-	-		0	-	-	-
SPX28C2503A	0.16	(0.07)	5,010	0.16		0	-	-	-		0	-	-	-

Daily Quotation

Issue Date : _____

[illegible]

