

Main Board Quotation

Issue Date :

Thursday January 16, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	TISCO	99.00	(0.50)	32,858	99.16	PTTGC01P2503A	0.38	0.02	86,358	0.37
Agribusiness	-	-	-	-	TISCO-P	-	-	-	-	PTTGC11C2501A	-	-	-	-
EE	0.50	-	411,772	0.49	TISCO-Q	-	-	-	-	PTTGC11C2502A	-	-	-	-
EE-W1	0.01	-	567,533	0.01	TISCO01C2501A	-	-	-	-	PTTGC11C2503A	0.10	-	1,500	0.10
GFPT	10.40	0.10	18,932	10.25	TISCO13C2502A	-	-	-	-	PTTGC13C2502A	-	-	-	-
LEE	2.30	(0.02)	26	2.31	TISCO19C2502A	-	-	-	-	PTTGC13C2503A	0.08	(0.02)	12,883	0.08
NER	4.90	0.04	126,612	4.90	TTB	1.83	-	2,173,669	1.83	PTTGC13C2504A	-	-	-	-
NER-W2	0.50	0.04	32,170	0.49	TTB-W1	0.85	-	4,748	0.85	PTTGC13C2505A	0.29	(0.04)	141,814	0.31
PCE	2.96	(0.10)	189,860	2.99	TTB01C2503A	0.02	-	396	0.02	PTTGC13P2502A	0.22	0.02	21,608	0.21
PPP	0.48	(0.02)	7,044	0.49	TTB01C2504A	0.18	-	54,568	0.18	PTTGC13P2502B	-	-	-	-
PPPM-W6	0.42	-	37	0.38	TTB13C2503A	-	-	-	-	PTTGC19C2502A	-	-	-	-
STA	16.90	(0.30)	45,904	17.03	TTB19C2504A	-	-	-	-	PTTGC19C2504A	-	-	-	-
STA01C2502A	-	-	-	-	Construction Mat	-	-	-	-	PTTGC19C2505A	0.20	(0.03)	109,542	0.22
STA01C2503A	-	-	-	-	CCP	0.25	(0.01)	3,622	0.25	PTTGC19P2503A	0.16	0.01	33,293	0.16
STA01C2504A	0.19	(0.01)	28,575	0.19	DCC	1.65	0.03	20,932	1.65	PTTGC41C2502A	-	-	-	-
STA01P2502A	0.52	0.01	19,932	0.51	DCON	0.29	-	45,026	0.29	PTTGC41C2502B	-	-	-	-
STA13C2502A	-	-	-	-	DCON-W3	-	-	-	-	PTTGC41C2503A	-	-	-	-
STA13C2502B	-	-	-	-	DRT	7.40	-	1,718	7.43	PTTGC41C2505A	0.20	(0.01)	54,603	0.20
STA13C2503A	0.05	(0.01)	400	0.05	EPG	3.54	(0.02)	8,604	3.57	PTTGC41P2502A	-	-	-	-
STA13C2505A	0.24	(0.02)	11,134	0.24	GEL	0.06	-	188,704	0.06	RSXYZ	0.74	(0.02)	61,754	0.76
STA13P2502A	0.31	0.01	17,212	0.29	GEL-W5	-	-	-	-	SUTHA	2.82	(0.02)	625	2.65
STA19C2502A	-	-	-	-	PPP	-	-	-	-	TPA	3.58	0.08	3	3.58
STA19C2502B	-	-	-	-	Q-CON	8.85	-	144	8.79	UAC	2.98	(0.02)	23	3.01
STA19C2503A	0.03	-	1,820	0.03	SCC	156.00	(2.00)	21,267	156.92	UP	17.10	0.10	6	17.10
STA19C2504A	0.10	(0.01)	6,973	0.11	SCC01C2502A	-	-	-	-	Commerce	-	-	-	-
STA19C2505A	0.23	(0.03)	31,742	0.24	SCC01C2503A	-	-	-	-	ADVICE	5.65	(0.10)	34,357	5.73
STA19P2503A	0.35	0.01	16,996	0.34	SCC01C2505A	0.09	(0.01)	55,270	0.10	B52	0.39	-	24	0.37
STA41C2503A	0.10	(0.01)	9,600	0.10	SCC01C2505B	0.22	(0.03)	65,412	0.24	BEAUTY	0.28	(0.01)	15,195	0.28
STA41C2505A	0.22	(0.01)	17,000	0.22	SCC01P2503A	1.59	0.06	16,772	1.55	BIG	0.31	(0.01)	6,303	0.31
TEGH	3.28	-	10,170	3.28	SCC13C2502A	-	-	-	-	BJC	22.30	0.20	30,157	22.28
TFM	7.00	(0.35)	830	7.04	SCC13C2503A	-	-	-	-	BJC01C2503A	-	-	-	-
TRUBB	0.84	(0.01)	2,411	0.84	SCC13C2504A	-	-	-	-	BJC13C2502A	-	-	-	-
UPOIC	6.60	(0.10)	30	6.62	SCC13C2504B	0.07	-	1	0.07	BJC13C2503A	-	-	-	-
UVAN	9.35	-	1,982	9.35	SCC13C2505A	0.17	(0.03)	63,504	0.19	BJC13C2505A	0.22	0.01	47,336	0.22
VPO	0.52	-	4,053	0.51	SCC13C2505B	0.37	(0.04)	125,106	0.40	BJC19C2502A	-	-	-	-
Banking	-	-	-	-	SCC13P2502A	-	-	-	-	BJC19C2503A	-	-	-	-
BAY	24.50	0.10	1,280	24.45	SCC13P2504A	-	-	-	-	COM7	23.10	(0.10)	132,368	23.17
BBL	151.50	(2.00)	48,498	152.23	SCC13P2505A	0.58	0.03	43,791	0.56	COM701C2503A	-	-	-	-
BBL11C2501A	-	-	-	-	SCC19C2502A	-	-	-	-	COM713C2504A	0.05	(0.01)	101	0.05
BBL11C2502A	-	-	-	-	SCC19C2503A	-	-	-	-	COM713C2505A	0.11	-	20,749	0.11
BBL13C2503A	-	-	-	-	SCC19C2504A	0.03	-	31	0.03	COM713C2506A	0.46	(0.01)	66,765	0.46
BBL13C2504A	0.20	(0.02)	7,527	0.21	SCC19C2505A	-	-	-	-	COM719C2502A	-	-	-	-
BBL19C2502A	0.01	-	135	0.01	SCC19C2505B	0.16	(0.02)	17,166	0.17	COM719C2505A	-	-	-	-
BBL19C2503A	-	-	-	-	SCC19P2505A	-	-	-	-	COM719P2502A	-	-	-	-
BBL19C2503B	0.13	-	947	0.13	SCC41C2503A	-	-	-	-	COM741C2503A	-	-	-	-
BBL19C2506A	0.30	(0.03)	8,050	0.31	SCC41C2504A	-	-	-	-	COM741C2505A	-	-	-	-
BBL41C2502A	0.01	(0.09)	3,200	0.01	SCC41C2505A	0.11	(0.02)	40,000	0.13	COM741C2606T	0.28	(0.72)	20,000	0.28
BBL41C2504A	0.19	(0.02)	12,600	0.20	SCCC	160.50	1.00	329	160.43	CPALL	56.00	0.25	273,637	56.08
CIMBT	-	-	6,021	0.41	SCCGD	4.28	0.10	15,114	4.26	CPALL01C2502A	-	-	-	-
CREDIT	18.70	0.20	458	18.47	SCP	6.85	-	205	6.80	CPALL01C2504A	0.04	0.02	942	0.03
KBANK	161.50	(2.00)	106,889	161.36	SKN	5.45	-	211	5.47	CPALL01C2505A	0.24	0.01	41,854	0.24
KBANK01C2502A	-	-	-	-	STECH	1.04	-	218	1.04	CPALL01P2502X	0.11	(0.03)	33,491	0.12
KBANK01C2503A	0.29	(0.03)	21,377	0.29	TASCO	18.30	0.20	33,926	18.34	CPALL01P2505A	0.34	(0.03)	16,422	0.34
KBANK01C2506A	0.55	(0.03)	25,069	0.55	TASCO01C2502/	-	-	-	-	CPALL06C2504A	0.14	-	54,306	0.14
KBANK01P2502A	-	-	-	-	TOA	12.70	-	22,633	12.58	CPALL11C2501A	-	-	-	-
KBANK01P2502B	-	-	-	-	TPPL	1.00	(0.01)	102,660	1.00	CPALL11C2503A	-	-	-	-
KBANK13C2503A	0.20	(0.04)	42,156	0.20	UMI	0.63	(0.04)	1,853	0.63	CPALL13C2503A	0.01	(0.01)	1,005	0.01
KBANK13C2505A	0.41	(0.05)	92,441	0.40	VNG	2.96	0.02	421	2.94	CPALL13C2504A	0.03	-	14,554	0.03
KBANK13P2504A	0.10	-	9,127	0.11	WIJK	1.10	-	301	1.09	CPALL13C2505A	0.11	0.01	33,752	0.11
KBANK19C2502A	0.06	(0.02)	100	0.06	WIJK-W3	0.05	-	2,608	0.04	CPALL13C2505B	0.17	(0.01)	71,914	0.18
KBANK19C2502B	-	-	-	-	WINDOW	0.69	-	810	0.70	CPALL13P2504A	-	-	-	-
KBANK19C2504A	0.39	(0.03)	4,311	0.38	Petrochemicals &	-	-	-	-	CPALL13P2505A	0.26	(0.02)	10,009	0.26
KBANK19C2505A	0.29	(0.04)	7,374	0.29	BCT	-	-	-	-	CPALL19C2502A	-	-	-	-
KBANK19P2502A	-	-	-	-	CMAN	2.12	(0.04)	9,550	2.10	CPALL19C2502B	-	-	-	-
KBANK41C2502A	-	-	-	-	GC	4.96	0.06	378	4.95	CPALL19C2504A	-	-	-	-
KBANK41C2505A	0.34	(0.03)	47,960	0.33	GCC	4.10	0.12	167	4.07	CPALL19C2505A	0.12	-	30,537	0.12
KBANK41C2604T	0.86	(0.02)	64,000	0.86	IVL	23.20	(0.30)	95,259	23.30	CPALL19C2505B	0.25	0.01	34,625	0.25
KBANK41P2502A	-	-	-	-	IVL01C2502A	-	-	-	-	CPALL19C2506A	0.24	0.01	19,053	0.24
KBANK41P2606T	-	-	-	-	IVL01C2502B	-	-	-	-	CPALL19P2505A	0.30	(0.03)	21,224	0.30
KKP	52.75	0.25	14,182	52.53	IVL01C2503A	-	-	-	-	CPALL19P2505B	0.15	(0.02)	9,493	0.15
KKP-W6	1.27	0.01	330	1.26	IVL01C2504A	0.06	-	1,001	0.06	CPALL41C2504A	-	-	-	-
KKP13C2502A	-	-	-	-	IVL01C2506A	0.42	(0.04)	50,829	0.44	CPALL41C2505A	0.18	0.01	106,792	0.17
KKP13C2504A	0.23	(0.01)	13,663	0.23	IVL01P2502A	0.08	(0.02)	200	0.08	CPALL41C2605T	0.26	-	79,800	0.26
KKP19C2503A	0.16	0.01	6,818	0.15	IVL01P2502W	-	-	-	-	CPALL41P2502A	-	-	-	-
KTB	22.40	0.20	369,695	22.25	IVL01P2504A	0.31	0.01	87,798	0.31	CPALL41P2504A	-	-	-	-
KTB-P	-	-	-	-	IVL06C2501A	-	-	-	-	CPAXT	28.25	1.00	220,359	27.84
KTB-Q	-	-	-	-	IVL11C2501A	-	-	-	-	CPW	2.14	0.02	2,261	2.13
KTB01C2502A	-	-	-	-	IVL11C2501B	-	-	-	-	CRC	35.25	1.25	129,545	35.11
KTB01C2506A	0.39	0.02	18,480	0.37	IVL11C2502A	-	-	-	-	CRC01C2503A	-	-	-	-
KTB01P2502A	-	-	-	-	IVL13C2502A	-	-	-	-	CRC01C2506A	0.29	0.05	35,919	0.28
KTB11C2501A	-	-	-	-	IVL13C2502B	-	-	-	-	CRC11C2501A	-	-	-	-
KTB13C2503A	0.15	0.02												

Main Board Quotation

Issue Date :

Thursday January 16, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HMPRO01C2504A	0.13	0.05	86,522	0.11	MFEC	5.75	(0.05)	1,154	5.75	HANA13P2504A	0.42	-	27,236	0.42
HMPRO11C2502A	-	-	-	-	MSC	7.80	0.05	8	7.79	HANA19C2503A	-	-	-	-
HMPRO13C2504A	0.12	0.03	74,282	0.12	PT	9.45	0.05	459	9.39	HANA19C2504A	-	-	-	-
HMPRO13C2506A	0.35	0.07	196,778	0.33	ROCTEC	1.03	(0.02)	51,145	1.04	HANA19C2505A	-	-	-	-
HMPRO19C2502A	-	-	-	-	ROCTEC-W3	0.04	-	10,170	0.04	HANA19C2505B	0.31	-	39,814	0.32
HMPRO19C2503A	-	-	-	-	ROCTEC-W5	0.08	-	4,516	0.07	HANA19P2504A	1.08	(0.03)	34,918	1.08
HMPRO41C2503A	-	-	-	-	SAMART	6.55	-	30,916	6.39	HANA19P2504B	0.40	-	46,044	0.40
HMPRO41C2606T	0.21	(0.79)	6,000	0.21	SAMTEL	5.95	(0.10)	637	5.92	HANA41C2502A	-	-	-	-
ICC	-	-	-	-	SDC	0.04	-	61,097	0.04	HANA41C2504A	-	-	-	-
ILM	14.70	(0.10)	301	14.82	SIS	25.50	(0.50)	2,635	25.84	HANA41C2504B	0.22	0.01	24,004	0.21
IT	3.94	(0.16)	2,003	3.95	SKY	20.80	(0.10)	9,101	21.07	HANA41C2505A	-	-	-	-
KAMART	10.60	-	16,614	10.53	SPREME	1.43	-	15,838	1.41	HANA41C2606T	0.25	-	7,200	0.26
LOXLEY	1.36	-	1,458	1.36	SVOA	1.13	0.01	3,685	1.16	KCE	22.40	-	52,980	22.46
MC	9.95	(0.25)	29,881	10.01	SYMC	7.25	(0.25)	1,356	7.29	KCE01C2503A	-	-	-	-
MEGA	34.25	0.50	7,794	34.03	SYNEX	13.20	(0.30)	9,193	13.38	KCE01C2504A	-	-	-	-
MEGA13C2502A	-	-	-	-	THCOM	12.30	-	50,829	12.33	KCE01C2504W	0.01	(0.01)	1	0.01
MEGA19C2502A	-	-	-	-	TKC	11.40	0.10	174	11.27	KCE01C2505A	0.32	-	113,701	0.33
MIDA	0.28	-	1,852	0.28	TRUE	12.00	0.20	692,507	12.01	KCE01P2503W	1.24	(0.02)	4,676	1.23
MOSHI	41.25	0.75	10,584	41.35	TRUE01C2503A	-	-	-	-	KCE01P2504A	0.54	(0.02)	43,270	0.55
RS	1.24	(0.12)	1,106,700	1.31	TRUE01C2505A	0.31	0.03	6,566	0.31	KCE11C2501A	-	-	-	-
RS-W5	0.44	(0.03)	18,417	0.47	TRUE01P2503A	0.09	(0.02)	2,000	0.09	KCE11C2502A	-	-	-	-
RSP	1.73	(0.04)	610	1.76	TRUE01P2505A	0.22	(0.02)	13,247	0.22	KCE13C2503A	-	-	-	-
SABUY	0.53	0.01	66,804	0.52	TRUE11C2501A	0.06	0.01	577	0.07	KCE13C2503B	-	-	-	-
SCM	0.48	(0.12)	825,418	0.54	TRUE11C2501B	-	-	-	-	KCE13C2504A	-	-	-	-
SCM-W2	0.05	(0.01)	56,567	0.05	TRUE13C2503A	-	-	-	-	KCE13C2504B	-	-	-	-
SINGER	6.80	(0.25)	31,007	6.88	TRUE13C2504A	0.16	0.03	8,915	0.16	KCE13C2504C	0.13	0.01	11,848	0.12
SPC	57.50	-	15	57.37	TRUE13C2505A	0.26	0.02	8,628	0.26	KCE13C2504D	0.04	(0.03)	4,300	0.04
SPI	60.00	0.50	5	60.00	TRUE13P2503A	0.04	(0.01)	150	0.04	KCE13C2505A	0.39	(0.01)	270,907	0.40
SVT	1.42	-	1,521	1.40	TRUE13P2506A	0.30	(0.01)	5,227	0.30	KCE13C2505B	0.10	-	11,587	0.11
TAN	5.50	0.05	4,606	5.39	TRUE19C2503A	0.07	-	140	0.07	KCE13P2503A	-	-	-	-
Information & Comr	-	-	-	-	TRUE19C2504A	0.22	0.02	4,353	0.22	KCE13P2504A	0.61	(0.05)	11,866	0.62
3BBIF	5.10	-	20,613	5.13	TRUE41C2503A	-	-	-	-	KCE13P2505A	0.40	(0.01)	17,318	0.40
ADVANC	290.00	3.00	62,738	287.71	TRUE41C2505A	0.24	0.02	6,010	0.24	KCE19C2503A	-	-	-	-
ADVANC01C2503A	0.16	0.02	82,484	0.15	TRUE41C2604T	-	-	-	-	KCE19C2503B	-	-	-	-
ADVANC01C2503B	0.17	0.01	62,309	0.16	TRUE41C2612T	0.35	0.01	1,601	0.35	KCE19C2504A	-	-	-	-
ADVANC01C2506A	0.41	0.02	64,201	0.40	TRUE41P2504A	0.17	-	1,273	0.16	KCE19C2504B	-	-	-	-
ADVANC01P2502X	-	-	-	-	TWZ	0.03	-	25,898	0.03	KCE19C2505A	0.24	-	21,544	0.24
ADVANC01P2503X	0.08	(0.01)	5,796	0.08	TWZ-W8	-	-	-	-	KCE19P2504A	0.54	(0.01)	49,057	0.54
ADVANC01P2505A	0.42	(0.03)	44,697	0.43	TWZ-W9	-	-	-	-	KCE19P2505A	0.49	(0.01)	67,821	0.49
ADVANC06C2501A	0.04	0.02	300	0.04	Electronic Comp	-	-	-	-	KCE41C2502A	0.02	-	11	0.02
ADVANC13C2502A	0.01	-	1,300	0.01	CCET	8.25	(0.15)	1,238,533	8.35	KCE41C2504A	-	-	-	-
ADVANC13C2503A	0.16	0.02	58,984	0.15	CCET13C2505A	0.10	(0.01)	99,971	0.11	KCE41C2504B	-	-	-	-
ADVANC13C2503B	0.05	-	5	0.05	CCET13C2505B	0.24	(0.02)	285,754	0.26	KCE41C2505A	0.18	-	4,000	0.19
ADVANC13C2505A	0.42	0.02	97,242	0.41	CCET19C2506A	0.15	(0.01)	40,181	0.16	KCE41C2606T	0.24	0.01	26,400	0.24
ADVANC13P2502A	-	-	-	-	CCET19C2506B	0.13	(0.02)	167,897	0.14	METCO	174.00	-	16	174.31
ADVANC13P2504A	0.21	(0.03)	28,855	0.23	CCT41C2505A	0.14	(0.01)	24,055	0.14	SMT	1.38	0.02	1,127	1.40
ADVANC19C2502A	0.05	0.01	1,300	0.04	DELTA	138.50	(1.50)	200,363	139.98	SVI	7.00	0.10	12,899	6.98
ADVANC19C2503A	0.06	0.01	50	0.06	DELTA01C2502F	0.18	(0.02)	11,763	0.20	TEAM	2.50	-	2,225	2.51
ADVANC19C2505A	0.24	0.02	108,326	0.23	DELTA01C2503F	0.09	(0.01)	70,663	0.10	Energy & Utilities	-	-	-	-
ADVANC19C2506A	0.47	0.03	9,092	0.44	DELTA01C2505F	0.47	(0.01)	93,124	0.49	ACC	0.50	(0.01)	24,692	0.50
ADVANC19P2503A	-	-	-	-	DELTA01P2502F	0.01	-	1,008	0.01	ACC-W2	0.68	-	13,263	0.67
ADVANC19P2504A	0.18	(0.02)	50,983	0.20	DELTA01P2503F	0.13	-	75,902	0.13	ACE	1.30	0.02	12,128	1.28
ADVANC41C2502A	0.15	0.03	45,000	0.13	DELTA01P2504F	0.64	0.01	271,280	0.61	AE	0.20	0.01	61,109	0.20
ADVANC41C2503A	0.11	0.01	48,000	0.10	DELTA06C2502F	0.13	(0.03)	23,938	0.17	AGE	1.16	0.01	2,479	1.15
ADVANC41C2505A	0.26	0.02	88,583	0.24	DELTA06C2504F	0.18	(0.01)	12,851	0.19	AI	3.50	0.02	288	3.49
ADVANC41P2504A	0.26	(0.05)	6,000	0.27	DELTA11C2501F	0.30	(0.02)	20,584	0.33	AIE	0.80	(0.05)	8,968	0.80
AIT	4.00	(0.02)	7,026	4.01	DELTA11C2501E	-	-	-	-	BAFS	9.70	(0.30)	11,253	9.82
ALT	1.00	(0.02)	6,392	0.96	DELTA11C2503F	0.07	-	30	0.07	BANPU	5.20	(0.05)	275,514	5.23
AMR	0.77	-	1,631	0.77	DELTA13C2502F	0.37	(0.04)	827	0.44	BANPU01C2502A	-	-	-	-
BLISS	-	-	-	-	DELTA13C2502E	0.11	(0.03)	69,128	0.14	BANPU01C2503A	-	-	-	-
DIF	8.25	0.05	75,343	8.25	DELTA13C2503F	0.16	(0.01)	142,062	0.17	BANPU01C2504A	0.08	-	1	0.08
DITTO	14.40	(0.20)	68,109	14.38	DELTA13C2503E	0.07	(0.02)	37,004	0.08	BANPU01C2506A	0.16	(0.01)	22,264	0.16
DITTO-W1	0.23	(0.01)	46,081	0.25	DELTA13C2503C	0.04	-	401	0.04	BANPU01P2502A	-	-	-	-
DTCENT	0.98	0.01	4,707	0.98	DELTA13C2505F	0.50	(0.03)	180,894	0.53	BANPU11C2501A	-	-	-	-
FORTH	9.40	-	1,637	9.35	DELTA13P2502F	0.01	-	5	0.01	BANPU13C2502A	-	-	-	-
GABLE	2.60	(0.08)	5,760	2.62	DELTA13P2502E	-	-	-	-	BANPU13C2503A	0.02	(0.02)	623	0.02
HUMAN	6.90	(0.10)	4,080	6.92	DELTA13P2503F	0.12	(0.01)	12,110	0.12	BANPU13C2504A	0.06	-	1,349	0.06
ICN	2.02	(0.02)	2,513	2.01	DELTA13P2503E	0.40	0.01	36,719	0.38	BANPU13C2505A	0.13	(0.01)	17,836	0.14
ILINK	5.35	-	3,638	5.39	DELTA13P2505F	0.92	0.01	236,142	0.90	BANPU13P2502A	-	-	-	-
INET	4.72	0.10	112,282	4.66	DELTA19C2502F	0.50	(0.02)	2	0.50	BANPU13P2504A	0.17	0.01	8,292	0.16
INSET	2.76	(0.08)	79,738	2.80	DELTA19C2503F	0.29	(0.01)	49,208	0.30	BANPU19C2502A	-	-	-	-
INTUCH	102.00	1.00	165,620	101.10	DELTA19C2503E	0.11	(0.02)	32,820	0.13	BANPU19C2502B	-	-	-	-
INTUCH01C2502A	-	-	-	-	DELTA19C2506F	0.34	(0.02)	39,110	0.36	BANPU19C2504A	0.07	(0.02)	5,000	0.07
INTUCH01C2504A	0.22	0.01	100,068	0.22	DELTA19P2502F	-	-	-	-	BANPU19C2506A	0.18	(0.01)	46,401	0.18
INTUCH13C2502A	0.02	-	536	0.02	DELTA19P2503F	0.10	-	6,766	0.10	BANPU41C2502A	-	-	-	-
INTUCH13C2502B	0.01	(0.01)	492	0.01	DELTA19P2504F	0.43	0.01	112,736	0.43	BANPU41C2505A	0.09	-	13,850	0.09
INTUCH13C2503A	0.28	0.01	168,609	0.27	DELTA19P2505F	0.80	0.01	61,226	0.79	BANPU41C2605T	0.20	(0.01)	9,200	0.20
INTUCH13C2504A	0.21	0.01	96,422	0.20	DELTA41C2502F	0.30	(0.02)	44,033	0.35	BBGI	4.32	0.04	20,766	4.30
INTUCH13C2505A	0.78	0.03	2,760	0.76	DELTA41C2503F	0.14	(0.01)	27,791	0.16	BCP	33.25	(0.50)	54,508	33.43
INTUCH13P2502A	-	-	-	-	DELTA41C2503E	0.12	(0.02)	40,169	0.14	BCP01C2502A	-	-	-	-
INTUCH19C2502A	-	-	-	-	DELTA41C2505F	0.36	(0.03)	57,570	0.40	BCP01C2504A	0.13	(0.01)	46,122	0.14
INTUCH19C2503A	0.10	0.01	13,194	0.10	DELTA41C2612T	0.37	(0.63)	8,024	0.38	BCP01C2505A	0.24	(0.02)	29,904	0.26
INTUCH19C2503B	-	-	-	-	DELTA41P2502F	0.03	(0.02)	19	0.03	BCP01P2502A	-	-	-	-
INTUCH19C2504A	0.44	0.01	8	0.44	DELTA41P2504F	0.56	0.03	26,000	0.55	BCP01P2505A	0.39	-	17,929	0.38
INTUCH19C2505A	0.26	0.01	92,676	0.25	DELTA41P2505F	0.51	(0.02)	58,932	0.51	BCP11C2501A	-	-	-	-
ITEL	1.77	0.12	362,407	1.81	HANA	23.00	-	64,319	23.02	BCP11C2502A	-	-	-	-
JAS	1.98	(0.02)	95,069	1.99</										

Main Board Quotation

Issue Date :

Thursday January 16, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BPCG41C2606T	0.29	0.03	62,000	0.28	GULF19C2503B	0.04	(0.02)	100	0.04	SUSCO	2.82	0.02	15,575	2.83
BGRIM	15.10	(0.40)	298,734	15.36	GULF19C2505A	0.27	0.03	50,611	0.25	TAE	0.71	(0.01)	1,425	0.71
BGRIM01C2502A	-	-	-	-	GULF19C2506A	0.51	0.03	14,316	0.50	TCC	0.30	-	1,112	0.30
BGRIM01C2503A	-	-	-	-	GULF19P2503A	0.14	(0.02)	14,674	0.15	TCC-W5	0.14	(0.02)	18	0.14
BGRIM01C2504A	-	-	-	-	GULF19P2504A	0.33	(0.03)	74,476	0.34	TGE	2.06	(0.02)	1,058	2.03
BGRIM01C2505A	0.11	(0.02)	201,092	0.13	GULF41C2502A	0.20	0.01	29,586	0.19	TGE-W1	0.95	(0.01)	288	0.95
BGRIM01P2505A	0.70	0.03	63,454	0.66	GULF41C2502B	-	-	-	-	TOP	27.25	0.50	134,807	26.86
BGRIM11C2501A	-	-	-	-	GULF41C2504A	0.13	0.02	19,000	0.12	TOP01C2503A	-	-	-	-
BGRIM11C2502A	-	-	-	-	GULF41C2505A	0.29	0.01	83,509	0.30	TOP01C2504A	-	-	-	-
BGRIM13C2502A	-	-	-	-	GULF41C2605T	0.67	0.01	83,010	0.67	TOP01C2505A	0.02	(0.01)	1,001	0.02
BGRIM13C2503A	-	-	-	-	GULF41P2504A	0.36	(0.08)	20,384	0.37	TOP01C2506A	0.26	0.01	35,539	0.25
BGRIM13C2504A	0.02	0.01	60	0.02	GUNKUL	2.04	0.04	176,091	2.05	TOP01P2504A	-	-	-	-
BGRIM13C2505A	0.05	(0.01)	58,844	0.05	GUNKUL13C250	0.06	0.01	1	0.06	TOP01P2506A	0.29	(0.02)	21,157	0.30
BGRIM13C2505B	0.08	(0.02)	196,410	0.11	GUNKUL13C250	0.11	(0.02)	7,787	0.11	TOP11C2501A	-	-	-	-
BGRIM13C2506A	0.23	(0.77)	1,083,146	0.26	GUNKUL19C250	0.07	0.01	4,980	0.07	TOP11C2502A	-	-	-	-
BGRIM13P2505A	0.85	0.04	585	0.79	GUNKUL19C250	0.14	0.01	5,527	0.14	TOP13C2502A	-	-	-	-
BGRIM13P2506A	0.38	(0.62)	52,315	0.36	IRPC	1.16	-	263,891	1.18	TOP13C2503A	-	-	-	-
BGRIM19C2502A	-	-	-	-	IRPC01C2502A	-	-	-	-	TOP13C2503B	-	-	-	-
BGRIM19C2504A	0.03	(0.04)	10	0.03	IRPC01C2504A	-	-	-	-	TOP13C2504A	-	-	-	-
BGRIM19C2505A	0.06	(0.01)	5,070	0.06	IRPC13C2502A	-	-	-	-	TOP13C2504B	-	-	-	-
BGRIM41C2502A	0.01	-	100	0.01	IRPC13C2503A	-	-	-	-	TOP13C2505A	0.02	-	111	0.02
BGRIM41C2504A	-	-	-	-	IRPC19C2502A	-	-	-	-	TOP13C2505B	0.10	0.01	35,102	0.09
BGRIM41C2505A	0.04	(0.02)	65,640	0.05	IRPC19C2503A	-	-	-	-	TOP13C2505C	0.20	0.01	44,525	0.19
BIOTEC	0.23	-	22,766	0.22	KBSPIF	8.00	-	1	8.00	TOP13P2503A	-	-	-	-
BIOTEC-P	-	-	-	-	LANNA	15.90	0.10	3,187	15.85	TOP13P2505A	-	-	-	-
BIOTEC-Q	-	-	-	-	MDX	2.94	0.02	890	2.90	TOP13P2505B	0.29	(0.02)	14,713	0.31
BIOTEC-W2	0.04	-	13,962	0.04	NOVA	8.40	-	10	8.31	TOP19C2502A	-	-	-	-
BPP	9.10	(0.10)	8,348	9.07	OR	12.00	(0.20)	97,532	12.00	TOP19C2503A	-	-	-	-
BRRGIF	3.84	-	3,493	3.82	OR01C2502A	0.01	-	3	0.01	TOP19C2503B	-	-	-	-
BSRC	6.75	(0.05)	6,893	6.82	OR01C2503A	0.01	-	99	0.01	TOP19C2504A	-	-	-	-
CKP	3.00	0.04	50,641	3.02	OR01C2505A	0.04	(0.01)	240	0.04	TOP19C2505A	0.02	-	11,000	0.02
CKP01C2504A	0.04	(0.03)	3,000	0.04	OR13C2503A	-	-	-	-	TOP19C2505B	0.19	0.01	25,458	0.18
CKP19C2502A	-	-	-	-	OR13C2504A	-	-	-	-	TOP19P2505A	0.16	(0.01)	7,620	0.16
CV	0.14	-	23,184	0.14	OR13C2506A	0.15	(0.02)	34,858	0.15	TOP41C2502A	-	-	-	-
CV-W1	0.07	(0.01)	900	0.07	OR19C2502A	-	-	-	-	TOP41C2503A	-	-	-	-
EA	3.16	0.16	1,161,041	3.12	OR19C2503A	-	-	-	-	TOP41C2505A	-	-	-	-
EA13C2502A	0.01	-	30	0.01	OR19C2504A	-	-	-	-	TOP41C2506B	0.29	0.02	76,440	0.26
EA13C2503A	0.01	-	241	0.01	OR19C2505A	0.07	(0.02)	6,409	0.09	TOP41P2505A	-	-	-	-
EA13C2503B	0.01	-	3,303	0.01	OR41C2502A	-	-	-	-	TPIPP	2.92	-	2,659	2.92
EA13C2503C	0.01	(0.03)	199	0.01	OR41C2505A	0.06	(0.01)	159	0.07	TSE	0.78	(0.01)	4,084	0.79
EA13C2504A	0.10	0.01	44,844	0.10	OR41C2605T	0.06	-	1,660	0.06	TTW	8.90	0.10	6,301	8.88
EA13C2504B	0.13	0.02	95,713	0.13	PRIME	0.09	-	178,422	0.09	UBE	0.61	-	7,891	0.61
EA13C2505A	0.16	0.03	185,172	0.15	PTG	7.80	-	15,863	7.82	WHAUP	4.04	(0.10)	49,641	4.07
EA13C2505B	0.33	0.06	124,053	0.31	PTT	31.00	(0.25)	475,152	31.03	WP	3.26	0.02	56	3.24
EA13P2504A	0.85	(0.07)	42,684	0.87	PTT01C2502A	-	-	-	-	Media & Publishing	-	-	-	-
EA19C2503A	-	-	-	-	PTT01C2505A	-	-	-	-	AMARIN	2.94	0.02	27	2.91
EA19C2503B	-	-	-	-	PTT11C2501A	-	-	-	-	AQUA	0.29	(0.02)	19,553	0.30
EA19C2504A	0.10	0.02	7,078	0.09	PTT13C2503A	-	-	-	-	AS	3.14	(0.16)	10,611	3.20
EA19C2504B	0.12	0.02	30,943	0.12	PTT19C2502A	-	-	-	-	BEC	3.80	-	8,383	3.77
EA19C2505A	0.39	(0.61)	88,795	0.37	PTT19C2505A	0.11	0.02	1,403	0.11	FE	-	-	-	-
EA19C2506A	0.20	0.03	64,600	0.20	PTT41C2502A	-	-	-	-	GPI	1.57	0.03	4,121	1.54
EA19P2505A	1.03	(0.07)	25,826	1.06	PTT41C2606T	0.25	0.01	17,506	0.25	GRAMMY	8.00	-	98	7.69
EA41C2606T	0.22	0.01	58,503	0.21	PTTEP	130.00	1.00	72,089	129.77	JKN	-	-	-	-
EASTW	2.16	0.02	10,345	2.13	PTTEP01C2502A	0.02	0.01	1	0.02	MAJOR	14.20	-	4,641	14.19
EGATIF	5.95	-	4,705	5.95	PTTEP01C2503A	0.05	-	100	0.05	MATCH	1.01	-	13	1.01
EGCO	111.00	1.00	5,197	110.76	PTTEP01C2504A	0.21	0.01	35,778	0.21	MATI	-	-	-	-
EGCO13C2502A	-	-	-	-	PTTEP01C2505A	0.42	0.01	21,630	0.42	MCOT	4.74	(0.24)	41,072	4.79
EGCO19C2502A	-	-	-	-	PTTEP01P2503A	0.20	(0.02)	36,302	0.21	MONO	1.85	(0.07)	366,342	1.90
EGCO19C2504A	0.10	0.01	1,317	0.10	PTTEP06C2501A	0.01	-	3,416	0.01	NATION	0.03	-	9,118	0.04
EP	1.49	0.01	563	1.47	PTTEP11C2501A	-	-	-	-	NATION-W4	-	-	-	-
EP-W4	-	-	-	-	PTTEP11C2501E	0.01	-	1	0.01	ONEE	3.62	(0.12)	25,870	3.64
ETC	1.50	(0.08)	11,277	1.53	PTTEP11C2502A	-	-	-	-	PLANB	6.80	(0.10)	43,442	6.84
GPSC	31.75	(0.25)	67,672	31.97	PTTEP11C2503A	-	-	-	-	PLANB13C2503A	0.04	(0.01)	6,073	0.05
GPSC01C2502A	-	-	-	-	PTTEP13C2502A	-	-	-	-	PLANB19C2503A	0.07	-	2,631	0.07
GPSC01C2504W	-	-	-	-	PTTEP13C2503A	-	-	-	-	PRAKIT	-	-	-	-
GPSC01C2505A	0.15	(0.01)	190,459	0.16	PTTEP13C2504A	0.18	0.01	192,933	0.18	PTECH	0.73	0.17	193	0.71
GPSC01P2502A	0.41	0.01	12,798	0.38	PTTEP13C2505A	0.37	0.02	119,244	0.36	SE-ED	-	-	-	-
GPSC11C2501A	-	-	-	-	PTTEP13P2502A	0.05	(0.02)	2,008	0.05	TKS	5.60	-	1,523	5.55
GPSC11C2502A	-	-	-	-	PTTEP19C2502A	-	-	-	-	VGI	3.20	(0.04)	759,475	3.20
GPSC13C2503A	-	-	-	-	PTTEP19C2503A	0.07	0.01	500	0.07	VGI-W3	0.09	-	8,502	0.08
GPSC13C2504A	-	-	-	-	PTTEP19C2504A	0.20	0.01	112,391	0.20	VGI-W4	1.47	(0.03)	96,943	1.50
GPSC13C2505A	0.08	-	48,657	0.08	PTTEP19C2505A	0.42	0.01	1,885	0.41	VGI01C2502A	0.12	(0.02)	588	0.13
GPSC13C2505B	0.17	-	103,882	0.18	PTTEP41C2502A	-	-	-	-	VGI01C2505A	0.38	(0.03)	46,070	0.39
GPSC13P2505A	0.53	0.03	23	0.51	PTTEP41C2503A	-	-	-	-	VGI06C2502A	0.18	(0.02)	10,496	0.17
GPSC13P2506A	0.28	(0.72)	71,383	0.27	PTTEP41C2504A	0.19	-	19,368	0.20	VGI13C2504A	0.46	(0.03)	40,563	0.46
GPSC19C2502A	-	-	-	-	PTTEP41C2505A	0.42	0.04	34,000	0.42	VGI13C2505A	0.29	(0.02)	44,056	0.30
GPSC19C2503A	-	-	-	-	PTTEP41C2604T	0.20	-	9,600	0.20	VGI13P2504A	0.13	-	33,454	0.14
GPSC19C2505A	0.05	(0.03)	2,000	0.05	PTTEP41P2503A	-	-	-	-	VGI19C2502A	0.19	(0.02)	39,022	0.18
GPSC19C2506A	0.10	(0.01)	22,404	0.11	RATCH	28.00	-	5,887	27.96	VGI19C2504A	0.39	(0.03)	42,628	0.38
GPSC19P2506A	0.36	-	46,769	0.35	RATCH01C2503	-	-	-	-	VGI19C2505A	0.30	(0.02)	69,242	0.30
GPSC41C2502A	-	-	-	-	RATCH13C2503	-	-	-	-	VGI19P2503A	-	-	-	-
GPSC41C2504A	-	-	-	-	RATCH19C2502	-	-	-	-	VGI41C2502A	0.14	(0.02)	18,575	0.14
GPSC41C2505A	0.04	(0.03)	200	0.04	RPC	0.30	(0.03)	16,346	0.31	VGI41C2505A	0.31	(0.01)	38,403	0.31
GPSC41C2606T	0.20	(0.01)	46,000	0.21	SCG	3.50	0.22	29	3.37	VGI41C2606T	0.32	(0.01)	5,622	0.32
GREEN	0.99	-	1,830	0.97	SCN	0.55	(0.01)	3,690	0.55	WORK	5.70	(0.10)	1,299	5.72
GULF	60.50	0.50	332,289	60.49	SCN-W2	-	-	-	-	ZAA	0.85	(0.02)	554	0.85
GULF01C2502A	0.05	0.01	3	0.05	SEAOIL	2.56	(0.02)	398	2.59	Finance & Securities	-	-	-	-
GULF01C2502B	-	-	-	-	SGP	7.10	(0.05)	572	7.10	AEONTS	119.00	7.00	2,863	117.52
GULF01C2503A	0.02	(0.01)	2,000	0.02	SKE	0.27	-	2,262	0.28	AMANAH	0.87	0.01	5,896	0.86
GULF01C2504A	0.21	0.02	73,738	0.20	SKE-W1	0.05								

Main Board Quotation

Issue Date :

Thursday January 16, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BAM19C2505A	0.13	(0.01)	34,146	0.13	BRR	4.20	-	918	4.19	SAUCE	37.25	0.25	228	37.13
BAM41C2504A	-	-	-	-	BRR-W2	0.23	(0.01)	259	0.24	SNPN	12.10	0.10	7,211	12.00
BAM41C2505A	0.11	-	2,000	0.11	BTG	18.00	0.30	10,957	17.76	SNP	11.10	-	435	11.01
BYD	0.68	(0.02)	65,231	0.69	CBG	77.00	3.50	55,220	76.38	SORKON	4.18	(0.02)	322	4.17
CGH	0.60	(0.01)	15,663	0.60	CBG01C2502W	0.07	0.05	485	0.05	SSF	6.50	(0.25)	453	6.75
CGH-W5	-	-	-	-	CBG01C2503A	0.10	0.03	16,764	0.10	SST	3.56	0.06	1	3.56
CHASE	0.63	0.03	88,484	0.62	CBG01C2504A	0.39	0.09	100,423	0.37	SUN	3.52	(0.02)	3,399	3.54
CHASE-W1	0.26	0.02	24,630	0.26	CBG01P2502X	-	-	-	-	TC	6.40	(0.30)	2,228	6.47
CHAYO	2.36	-	9,259	2.35	CBG01P2504W	0.44	(0.11)	69,595	0.46	TFG	3.32	(0.06)	30,629	3.32
CHAYO-W3	0.09	-	132	0.09	CBG13C2503A	0.16	0.05	56,436	0.14	TFG-W4	0.37	(0.02)	207	0.39
ECL	0.81	(0.02)	3,784	0.82	CBG13C2505A	0.36	0.09	175,044	0.35	TFMAMA	198.50	0.50	1	198.50
FNS	1.77	(0.01)	125	1.78	CBG13P2502A	-	-	-	-	TIPCO	10.00	0.05	3,259	9.98
FSX	2.00	0.01	63	2.00	CBG13P2504A	0.45	(0.12)	70,223	0.47	TKN	8.45	-	61,210	8.49
GBX	0.66	-	1,734	0.66	CBG19C2502A	0.05	0.02	1,305	0.04	TU	12.50	(0.50)	123,155	12.60
GL	-	-	-	-	CBG19C2504A	0.24	0.07	39,748	0.22	TU01C2505A	0.10	-	1,848	0.10
HENG	1.03	(0.01)	12,079	1.04	CBG19P2502A	-	-	-	-	TU01C2506A	0.17	(0.05)	13,435	0.19
IFS	2.38	0.02	186	2.34	CBG41C2503A	0.15	0.06	40,100	0.13	TU11C2501A	-	-	-	-
JMT	14.90	(0.60)	260,138	14.94	CBG41C2505A	0.38	0.09	101,450	0.35	TU13C2502A	-	-	-	-
JMT01C2502A	-	-	-	-	CFRESH	1.11	(0.03)	2,149	1.12	TU13C2504A	-	-	-	-
JMT01C2504A	0.12	(0.03)	30,403	0.12	CH	2.00	-	376	1.99	TU13C2505A	0.13	(0.04)	45,215	0.14
JMT13C2502A	0.01	-	1,010	0.01	CHAO	6.00	-	32,399	5.84	TU19C2502A	-	-	-	-
JMT13C2504A	0.09	(0.03)	161,373	0.10	CHOTI	66.50	(3.00)	1	66.50	TU19C2504A	-	-	-	-
JMT13C2506A	0.26	(0.06)	170,540	0.27	CM	1.80	(0.01)	93	1.80	TU19C2505A	0.12	(0.03)	13,539	0.13
JMT19C2503A	0.03	-	1,000	0.03	COCOCO	11.10	(0.10)	35,027	11.13	TU19C2506A	0.22	(0.05)	20,391	0.25
JMT19C2504A	0.06	(0.02)	346	0.05	COCOCO13C250	0.09	(0.02)	8,493	0.10	TU41C2506A	0.21	(0.01)	8,000	0.22
JMT19C2504B	0.11	(0.02)	31,757	0.11	COCOCO19C250	0.14	(0.01)	15,575	0.14	TVO	21.30	(0.20)	2,222	21.39
JMT19C2506A	0.28	(0.05)	91,085	0.28	CPF	22.30	-	88,065	22.33	TWPC	2.40	0.12	7,239	2.32
JMT41C2505A	0.14	(0.03)	91,936	0.14	CPF01C2502A	-	-	-	-	XBIO	0.37	(0.03)	108,995	0.35
KCAR	4.50	(0.02)	227	4.52	CPF01C2503A	-	-	-	-	XBIO-W6	0.02	-	21	0.02
KGI	4.18	0.02	5,017	4.19	CPF01C2504A	0.17	-	32,154	0.17	XBIO-W7	0.02	0.01	33,891	0.01
KTC	50.50	(0.25)	16,902	50.69	CPF13C2502A	-	-	-	-	ZEN	7.00	(0.05)	144	7.03
KTC01C2503A	0.16	(0.01)	23,553	0.17	CPF13C2503A	-	-	-	-	Health Care Services	-	-	-	-
KTC11C2502A	-	-	-	-	CPF13C2504A	0.09	0.01	4,354	0.09	AHC	14.90	(0.20)	215	14.95
KTC13C2502A	-	-	-	-	CPF13C2505A	0.23	0.01	33,215	0.23	BCH	14.60	(0.20)	36,857	14.56
KTC13C2503A	0.14	-	22,595	0.14	CPF19C2502A	-	-	-	-	BCH01C2502A	-	-	-	-
KTC19C2502A	-	-	-	-	CPF19C2504A	-	-	-	-	BCH13C2504A	0.05	(0.02)	85	0.06
KTC19C2504A	0.27	-	16,398	0.27	CPF19C2505A	0.19	-	20,284	0.19	BCH19C2502A	-	-	-	-
KTC41C2606T	-	-	-	-	CPF41C2503A	-	-	-	-	BCH19C2505A	-	-	-	-
MFC	30.00	1.25	1,660	29.70	CPF41C2505A	0.14	-	10,900	0.14	BCH19C2505B	0.15	(0.02)	4,113	0.15
MICRO	0.96	0.01	5,077	0.97	CPF41C2505B	0.20	0.01	33,388	0.20	BCH41C2506A	0.17	(0.02)	22,000	0.17
ML	0.50	-	4,385	0.50	CPI	2.84	(0.02)	615	2.84	BDMS	23.80	-	266,183	23.87
MST	9.05	-	158	9.05	F&D	35.00	(3.50)	6	33.13	BDMS01C2503A	-	-	-	-
MTC	43.50	(0.25)	47,647	43.75	FM	3.48	(0.08)	15,960	3.49	BDMS01C2503B	-	-	-	-
MTC01C2502A	-	-	-	-	GLOCON	0.17	(0.01)	34,410	0.17	BDMS01C2504A	-	-	-	-
MTC01C2504A	0.09	-	5,470	0.11	HTC	16.20	0.10	364	16.17	BDMS01C2506A	0.36	-	28,704	0.36
MTC01P2502A	0.15	(0.01)	20	0.16	ICHI	13.30	(0.30)	63,010	13.43	BDMS11C2501A	-	-	-	-
MTC13C2502A	-	-	-	-	ICHI01C2503A	-	-	-	-	BDMS11C2502A	-	-	-	-
MTC13C2503A	-	-	-	-	ICHI13C2504A	0.06	(0.04)	195	0.07	BDMS11C2503A	-	-	-	-
MTC13C2505A	0.17	-	89,027	0.18	ITC	17.30	(0.20)	49,828	17.35	BDMS13C2502A	-	-	-	-
MTC13P2502A	-	-	-	-	ITC01C2503A	0.01	(0.01)	1	0.01	BDMS13C2504A	0.02	-	1	0.02
MTC19C2502A	-	-	-	-	ITC01C2504A	0.03	-	1,700	0.03	BDMS13C2505A	0.23	-	27,845	0.23
MTC19C2504A	0.11	0.02	4,004	0.11	ITC11C2501A	-	-	-	-	BDMS19C2502A	-	-	-	-
MTC19C2506A	0.29	(0.01)	58,856	0.29	ITC11C2501B	-	-	-	-	BDMS19C2503A	-	-	-	-
MTC19P2506A	0.45	(0.55)	12,128	0.46	ITC13C2502A	-	-	-	-	BDMS19C2504A	-	-	-	-
MTC41C2502A	-	-	-	-	ITC13C2504A	0.05	-	2,191	0.04	BDMS19C2505A	0.21	-	46,921	0.22
MTC41C2505A	0.11	-	13,000	0.11	ITC13C2506A	0.28	(0.02)	59,211	0.28	BDMS41C2502B	0.01	-	123	0.01
NCAP	1.24	(0.02)	37,787	1.27	ITC19C2503A	-	-	-	-	BDMS41C2505A	0.26	-	59,550	0.26
PL	1.44	0.01	84	1.44	ITC19C2505A	-	-	-	-	BH	193.50	(1.00)	26,263	194.57
S11	2.00	(0.02)	231	2.00	ITC41C2505A	0.15	-	3,000	0.16	BH-P	-	-	-	-
SAK	4.14	(0.02)	8,156	4.19	JDF	1.98	-	1,655	1.99	BH-Q	-	-	-	-
SAWAD	36.75	(0.50)	53,279	37.12	KBS	5.65	(0.05)	564	5.64	BH01C2502A	0.01	-	3,000	0.01
SAWAD-W2	0.36	-	451	0.37	KCG	6.65	(0.05)	43,553	6.67	BH01C2504A	0.10	-	600	0.11
SAWAD01C2502A	0.01	-	112	0.01	KSL	1.79	-	7,923	1.79	BH01C2505A	0.62	(0.03)	42,068	0.65
SAWAD01C2504A	0.09	(0.01)	35,195	0.11	KTIS	2.68	-	26	2.69	BH01C2506A	0.24	(0.02)	46,942	0.26
SAWAD01P2502W	-	-	-	-	LST	4.86	-	251	4.85	BH01P2502X	0.82	(0.21)	382	0.82
SAWAD01P2505A	0.61	0.02	28,527	0.59	M	20.20	0.20	12,968	20.01	BH01P2504A	0.53	(0.01)	27,174	0.53
SAWAD13C2503A	-	-	-	-	MALEE	8.10	(0.25)	19,075	8.13	BH06C2503A	-	-	-	-
SAWAD13C2505A	0.16	(0.01)	182,771	0.17	NRF	0.68	-	4,418	0.67	BH11C2503A	-	-	-	-
SAWAD13P2504A	0.32	(0.03)	15,044	0.31	NSL	28.00	(0.25)	8,474	28.03	BH13C2503A	0.01	(0.01)	1	0.01
SAWAD19C2502A	-	-	-	-	OKJ	15.50	(0.30)	22,136	15.60	BH13C2504A	-	-	-	-
SAWAD19C2504A	0.10	0.01	442	0.11	OSP	21.30	-	82,984	21.24	BH13C2504B	0.44	(0.02)	130,541	0.46
SAWAD19C2505A	0.16	(0.01)	79,598	0.18	OSP01C2503A	-	-	-	-	BH13C2505A	0.23	(0.01)	68,074	0.24
SAWAD19P2504A	0.25	0.01	27,088	0.24	OSP01C2504A	0.19	(0.01)	53,229	0.19	BH13P2503A	0.43	-	23,302	0.42
SAWAD41C2502A	-	-	-	-	OSP11C2501A	-	-	-	-	BH19C2502A	-	-	-	-
SAWAD41C2502B	-	-	-	-	OSP11C2502A	-	-	-	-	BH19C2504A	-	-	-	-
SAWAD41C2505A	0.17	(0.01)	32,960	0.18	OSP13C2503A	0.10	-	24,776	0.10	BH19C2504B	0.11	-	6,900	0.11
SCAP	1.25	(0.04)	4,655	1.27	OSP13C2505A	0.30	-	60,011	0.30	BH19C2505A	0.45	(0.03)	67,260	0.48
SGC	1.02	(0.03)	83,788	1.03	OSP19C2502A	-	-	-	-	BH19C2506A	0.23	(0.02)	4,443	0.24
SGC-W1	0.19	(0.02)	13,128	0.18	OSP19C2503A	0.12	-	25,622	0.11	BH19P2504A	0.66	(0.01)	30,389	0.66
SGC-W2	0.30	-	4,779	0.30	OSP41C2503A	0.10	(0.01)	9,600	0.10	BH41C2503A	0.11	0.01	9,600	0.11
SM	0.99	(0.02)	422	0.98	OSP41C2505A	0.22	(0.01)	52,308	0.21	BH41C2504A	-	-	-	-
TH	0.65	(0.01)	5,923	0.65	PB	59.50	1.00	26	59.02	BH41C2505A	0.51	(0.03)	89,961	0.54
TH-W3	0.04	(0.01)	19,651	0.04	PLUS	4.68	-	1,395	4.71	BH41C2605T	0.18	-	10,505	0.19
THANI	1.32	(0.01)	23,458	1.30	PM	8.65	0.05	685	8.58	BH41P2504A	-	-	-	-
TIDLOR	15.70	0.20	104,873	15.70	PQS	2.22	0.02	214	2.20	BKGI	2.32	(0.24)	120,928	2.43
TIDLOR01C2506A	0.28	0.02	63,662	0.27	PRG	8.40	(0.15)	5	8.40	CHG	2.28	(0.04)	157,762	2.26
TIDLOR13C2504A	0.13	-	45,781	0.14	PRG-W2	-	-	-	-	CHG13C2504A	0.02	(0.03)	1,446	0.02
TIDLOR13C2505A	0.30	-	139,206	0.31	PRG-W3	-	-	-	-	CHG19C2505A	0.08	-	30	0.08
TIDLOR19C2504A	0.09	-	4,704	0.10	PRG-W4	-	-	-	-	CMR	1.67	(0.01)	604	1.69
TIDLOR19C2505A	0.													

Main Board Quotation

Issue Date :

Thursday January 16, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RAM	21.60	(0.30)	2,124	21.70	ALUCON	171.00	-	1	171.00	AMATA13C2503A	-	-	-	-
RJH	19.10	0.10	3,274	19.08	BGC	6.90	-	637	6.88	AMATA13C2505A	0.12	-	25,320	0.12
RPH	5.50	(0.05)	3,769	5.47	CSC	45.50	(0.50)	151	45.32	AMATA19C2502A	-	-	-	-
SAFE	11.50	0.10	71	11.51	CSC-P	-	-	-	-	AMATA19C2503A	-	-	-	-
SKR	9.00	0.15	707	8.90	CSC-Q	-	-	-	-	AMATA19C2505A	0.15	0.01	72,641	0.14
THG	12.60	(0.20)	3,462	12.56	NEP	0.20	0.01	124	0.19	AMATA41C2502A	-	-	-	-
VIBHA	1.86	-	6,580	1.86	PJW	2.30	-	3,154	2.29	AMATA41C2505A	0.17	0.01	30,010	0.16
VIBHA-W4	0.01	-	16,584	0.01	PTL	10.40	-	3,619	10.37	AMATAV	4.56	(0.08)	881	4.60
VIH	7.85	(0.05)	3,212	7.83	SCGP	17.60	0.10	202,818	17.60	ANAN	0.53	0.01	33,262	0.52
VIH-W1	-	-	-	-	SCGP01C2502A	-	-	-	-	AP	7.75	-	50,486	7.74
WPH	8.45	(0.10)	4,048	8.51	SCGP01C2502B	-	-	-	-	AP01C2503A	-	-	-	-
Tourism & Leisure	-	-	-	-	SCGP01C2504A	-	-	-	-	AP13C2502A	-	-	-	-
ASIA	-	-	-	-	SCGP01C2504W	-	-	-	-	AP13C2503A	0.02	(0.01)	174	0.02
BEYOND	7.85	(0.10)	67	7.87	SCGP01C2506A	0.19	-	81,508	0.19	AP19C2502A	-	-	-	-
CENTEL	30.50	-	35,604	30.13	SCGP01P2503A	1.22	(0.03)	3,230	1.23	ASW	7.85	0.05	2,920	7.80
CENTEL01C2504A	-	-	-	-	SCGP11C2501A	-	-	-	-	AWC	3.18	0.02	471,729	3.19
CENTEL11C2501A	-	-	-	-	SCGP13C2503A	-	-	-	-	AWC01C2504A	0.05	-	214	0.05
CENTEL11C2503A	-	-	-	-	SCGP13C2503B	-	-	-	-	AWC01P2502A	-	-	-	-
CENTEL13C2504A	0.04	-	1,801	0.03	SCGP13C2504A	0.04	-	1,100	0.04	AWC11C2501A	-	-	-	-
CENTEL19C2502A	-	-	-	-	SCGP13C2504B	0.08	0.01	726	0.08	AWC13C2504A	0.09	-	7,811	0.09
CENTEL19C2504A	0.04	(0.01)	1,503	0.04	SCGP13C2506A	0.21	-	205,887	0.22	AWC19C2504A	-	-	-	-
CENTEL41C2502A	-	-	-	-	SCGP13P2502A	-	-	-	-	AWC41C2502A	-	-	-	-
CENTEL41C2504A	0.07	0.01	201	0.06	SCGP13P2504A	0.74	0.01	100	0.81	AWC41C2606T	0.20	-	12,000	0.21
CENTEL41C2606T	0.26	(0.74)	28,500	0.25	SCGP13P2504B	0.43	(0.02)	26,011	0.43	BLAND	0.56	(0.01)	13,446	0.56
CSR	-	-	-	-	SCGP19C2502A	-	-	-	-	BRI	3.44	-	1,718	3.45
DUSIT	10.20	-	4,702	10.24	SCGP19C2503A	-	-	-	-	BROCK	1.63	-	3	1.58
ERW	3.20	(0.08)	264,785	3.25	SCGP19C2504A	-	-	-	-	CGD	0.29	-	118,136	0.31
ERW01C2504A	-	-	-	-	SCGP19C2505A	0.10	-	11,760	0.10	CI	0.41	-	785	0.40
ERW13C2503A	0.01	-	10	0.01	SCGP19C2506A	0.30	0.02	157,475	0.29	CMC	1.00	-	176	1.01
ERW13C2505A	0.12	(0.02)	26,764	0.13	SCGP19P2505A	-	-	-	-	CPN	53.50	(0.75)	87,820	53.52
ERW19C2503A	-	-	-	-	SCGP41C2502A	-	-	-	-	CPN01C2503A	-	-	-	-
ERW41C2606T	0.22	(0.01)	24,000	0.23	SCGP41C2502B	-	-	-	-	CPN01C2505A	0.12	(0.01)	55,596	0.12
GRAND	0.05	-	366,627	0.04	SCGP41C2505A	0.10	-	56,950	0.10	CPN13C2503A	-	-	-	-
LRH	39.00	0.25	10	39.00	SFLX	2.54	(0.02)	125,141	2.41	CPN13C2504A	0.07	0.01	500	0.07
MANRIN	-	-	-	-	SFLEX-W2	0.05	(0.01)	3,625	0.05	CPN13C2505A	0.16	(0.03)	84,020	0.17
MINT	23.90	-	112,408	23.94	SITHAI	1.14	0.01	5,155	1.12	CPN19C2502A	-	-	-	-
MINT01C2504A	0.05	-	40	0.05	SLP	0.40	0.01	481	0.39	CPN19C2503A	-	-	-	-
MINT11C2501A	-	-	-	-	SMPC	9.25	0.05	590	9.27	CPN19C2504A	-	-	-	-
MINT13C2503A	0.02	0.01	1	0.02	SPACK	1.69	(0.06)	747	1.70	CPN19C2505A	0.13	(0.02)	60,550	0.13
MINT13C2505A	0.08	-	9,023	0.08	TCOAT	23.30	(0.20)	37	25.16	CPN41C2504A	-	-	-	-
MINT19C2502A	-	-	-	-	TFI	0.06	-	2,847	0.06	CPN41C2505A	0.13	(0.01)	68,420	0.13
MINT19C2504A	-	-	-	-	TFI-W1	0.02	-	178	0.02	ESTAR	0.20	-	2,392	0.20
MINT41C2502A	-	-	-	-	THIP	26.00	(0.25)	192	25.98	EVER	0.10	(0.01)	64,229	0.10
MINT41C2504A	-	-	-	-	TMD	24.30	(0.40)	69	24.41	FPT	9.80	-	90	9.77
MINT41C2604T	-	-	-	-	TOPP	-	-	-	-	GLAND	1.30	-	78	1.30
MINT41C2612T	0.19	-	6,000	0.19	TPAC	8.80	0.10	632	8.78	J	1.17	-	256	1.15
OHTL	318.00	(6.00)	6	317.67	TPBI	3.80	0.04	3,623	3.80	J-W3	0.14	(0.03)	698	0.15
ROH	1.84	(0.07)	126	1.78	TPP	11.90	-	3	11.97	J-W4	-	-	-	-
SHANG	-	-	-	-	Personal Product	-	-	-	-	JCK	0.23	(0.02)	85,953	0.23
SHR	2.02	(0.04)	43,051	2.05	APCO	4.80	(0.02)	679	4.79	KC	0.06	-	1,136	0.06
SPA	6.15	0.05	12,900	6.16	BIZ	3.36	(0.04)	388	3.39	KUN	1.18	0.02	30	1.18
VRANDA	4.86	-	1,244	4.80	BLC	4.26	0.06	8,427	4.20	KUN-W2	0.02	-	10	0.02
Home & Office Prodt.	-	-	-	-	DDD	8.25	(0.10)	321	8.02	LALIN	5.75	(0.05)	85	5.78
AJA	0.13	-	63,841	0.13	IP	3.00	(0.02)	8,999	2.88	LH	4.88	0.10	412,170	4.85
AJA-W4	0.01	-	23	0.01	IP-W2	0.21	-	66	0.20	LH19C2504A	0.08	-	2,332	0.08
DTCI	33.50	(2.50)	1	33.50	JCT	-	-	-	-	LPN	2.26	0.02	2,498	2.24
FANCY	0.36	0.01	1,092	0.34	KISS	3.94	-	1,353	3.95	MBK	19.20	-	8,335	19.15
FTI	1.95	(0.03)	1,478	1.95	NAM	4.26	(0.16)	3,574	4.33	MBK-W4	-	-	-	-
KYE	287.00	2.00	3	287.00	NEO	29.25	(0.50)	1,765	29.42	MBK19C2508A	0.33	-	1,675	0.33
L&E	1.15	-	58	1.15	NV	0.76	(0.01)	474	0.75	MJD	0.91	(0.05)	507	0.91
MODERN	2.16	(0.02)	101	2.17	OCC	-	-	-	-	MK	1.50	-	516	1.46
OGC	15.90	(0.10)	108	15.87	S&J	31.75	2.00	24	31.55	NCH	0.71	0.01	262	0.71
ROCK	10.80	(0.20)	4	10.85	SNPS	5.20	0.05	21,668	5.17	NNCL	1.68	0.02	266	1.66
SIAM	0.98	(0.01)	308	0.98	STGT	8.95	(0.35)	69,529	9.05	NOBLE	2.50	-	3,662	2.51
TCMC	0.53	(0.02)	6,171	0.53	STGT01C2502A	-	-	-	-	NVD	1.30	0.01	566	1.29
TSR	0.29	(0.02)	10,484	0.30	STGT01C2503A	-	-	-	-	ORI	3.42	(0.02)	33,051	3.43
TSR-W2	0.02	-	1,240	0.02	STGT01C2504A	0.23	(0.05)	47,017	0.24	ORN	0.65	-	6,651	0.64
Insurance	-	-	-	-	STGT01P2502A	0.27	0.04	42,639	0.25	PEACE	2.44	-	75	2.45
AYUD	31.25	(0.25)	2	31.13	STGT13C2502A	-	-	-	-	PF	0.13	(0.01)	38,504	0.13
BKIH	284.00	-	84	284.29	STGT13C2503A	0.16	(0.04)	47,392	0.18	PIN	6.00	(0.10)	25,364	6.01
BLA	19.60	0.20	7,079	19.44	STGT13C2504A	0.08	(0.02)	4,521	0.10	PLAT	1.85	0.02	7,076	1.84
BLA01C2503A	-	-	-	-	STGT13P2502A	0.18	0.03	10,537	0.17	POLAR	-	-	-	-
BLA13C2502A	-	-	-	-	STGT19C2502A	-	-	-	-	PRECHA	0.90	(0.02)	41	0.90
BLA13C2502B	0.01	-	10,000	0.01	STGT19C2503A	-	-	-	-	PRIN	-	-	-	-
BLA13C2504A	0.12	0.01	17,793	0.11	STGT19C2504A	0.26	(0.05)	33,771	0.28	PROUD	1.30	0.01	1,322	1.27
BLA19C2502A	-	-	-	-	STGT19C2504B	0.08	(0.02)	3,980	0.09	PSH	6.60	(0.15)	7,802	6.66
BLA19C2502B	-	-	-	-	STGT19P2502A	0.29	0.05	19,868	0.27	QH	1.70	0.01	96,344	1.70
BLA19C2502C	-	-	-	-	STGT41C2503A	-	-	-	-	RABBIT	0.43	-	16,355	0.42
BUI	16.00	(0.10)	28	16.06	TMAN	14.70	(0.40)	14,000	14.72	RABBIT-P	0.58	0.01	38,137	0.57
CHARAN	20.00	-	170	20.00	TNR	7.65	0.05	94	7.67	RABBIT-Q	-	-	-	-
INSURE	77.50	0.25	6	77.25	TOG	9.65	(0.10)	340	9.68	RICHY	0.40	-	408	0.40
KWI	0.32	-	805	0.32	Professional Ser	-	-	-	-	RML	0.25	(0.01)	14,523	0.25
MTI	106.50	1.00	12	106.00	BWG	0.31	(0.01)	204,140	0.32	ROJNA	5.80	0.05	15,750	5.77
NKI	24.90	0.70	1	24.90	BWG-W6	0.03	0.01	87,633	0.02	S	0.69	(0.05)	235,891	0.67
TGH	11.90	(1.10)	53	12.16	GENCO	0.42	-	4,206	0.41	SA	7.40	-	276	7.36
THRE	0.53	-	2,948	0.53	PRTR	3.74	(0.08)	1,576	3.73	SA-W1	0.03	(0.01)	1,555	0.03
THREL	1.31	-	4,183	1.29	SISB	24.60	0.90	145,638	24.28	SAMCO	0.81	-	944	0.79
TIPH	20.30	0.20	1,404	20.25	SISB13C2502A	-	-	-	-	SC	2.52	-	10,703	2.52
TIPH13C2502A	-	-	-	-	SISB13C2504A	0.03	-	6,058	0.03	SENA	2.20	-	860	2.18
TLI	10.90	(0.10)	58,196	10.92	SISB19C2502A	-	-	-	-	SIRI	1.70	-	274,433	1.70
TLI01C2502A	-	-	-	-	SO	4.22	0.02	77	4.20	SIRI01C2504A	0.13	0.01	3,481	0.13
TLI01C2503A	-	-	-	-	WAVE	0.07	(0.01)	5,886	0.08	SIRI13C2503A	-	-	-	-
TLI06C2503A	0.13	(0.01)	10,855	0.13	WAVE-W3	0.01	-	40	0.01	SIRI19C2502A	-	-	-	-
TLI13C2502A	-	-	-	-	WAVE-W4	0.03	-	178	0.03	SIRI19C2503A	-	-	-	-
TLI13C2502B	-	-	-	-	Property Develo	-								

Main Board Quotation

Issue Date :

Thursday January 16, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA11C2503A	-	-	-	-	RCL01C2505A	0.18	(0.01)	44,314	0.18	QHBREIT	4.66	0.02	1,220	4.64
WHA13C2503A	-	-	-	-	RCL13C2502A	0.02	(0.02)	10,100	0.02	QHRREIT	6.85	-	417	6.80
WHA13C2504A	0.05	-	72	0.05	RCL13C2502B	-	-	-	-	QHOP	3.40	(0.08)	36	3.31
WHA13C2505A	0.11	(0.03)	39,060	0.12	RCL13C2506A	0.20	-	67,068	0.21	SIRIPRT	8.30	-	10	8.30
WHA19C2502A	-	-	-	-	RCL19C2503A	-	-	-	-	SPRIME	4.20	-	925	4.18
WHA19C2504A	0.08	-	4,000	0.09	RCL19C2503B	0.11	(0.02)	13,910	0.11	SRIPANWA	5.20	0.10	335	5.17
WHA41C2605T	0.21	-	9,808	0.21	RCL19C2504A	0.10	(0.01)	12,619	0.10	SSPF	3.80	-	804	3.80
WIN	0.41	0.01	14,668	0.43	RCL41C2502A	-	-	-	-	SSTRT	4.92	0.06	2	4.92
Paper & Printing Mat	-	-	-	-	RCL41C2502B	-	-	-	-	TIF1	7.40	(0.05)	269	7.43
UTP	7.70	0.10	2,404	7.69	RCL41C2505A	0.14	(0.01)	66,520	0.14	TLHPF	2.56	0.02	20	2.56
Fashion	-	-	-	-	SAV	18.50	0.20	8,275	18.46	TNPF	1.51	0.04	2	1.51
AFC	3.90	0.02	6	3.91	SINO	0.81	(0.01)	3,105	0.80	TPRIME	-	-	-	-
AURA	14.50	(0.30)	14,692	14.51	SJWD	9.05	(0.15)	6,358	9.16	TTLPF	14.20	(0.10)	187	14.21
BTNC	14.80	(0.40)	22	14.71	SJWD13C2504A	-	-	-	-	TU-PF	0.60	(0.08)	10	0.69
CPH	7.45	(0.10)	121	7.46	TFFIF	6.35	0.05	23,064	6.31	WHABT	7.25	-	1,223	7.23
CPL	0.91	(0.01)	224	0.90	THAI	-	-	-	-	WHAIR	6.45	(0.05)	10,573	6.45
NC	2.12	(0.08)	46	2.14	TSTE	9.25	(0.20)	5	9.25	WHART	10.10	-	7,947	10.05
PAF	0.94	0.01	289	0.92	TTA	4.84	-	29,013	4.83	Steel and Metal Prod	-	-	-	-
PDJ	1.93	0.01	1,328	1.92	WICE	3.58	0.04	1,519	3.57	ZS	2.64	0.02	137	2.66
PG	9.25	0.30	22,250	9.25	Automotive	-	-	-	-	AMC	1.96	0.04	4,824	1.95
SABINA	18.20	(0.10)	10,522	18.17	ACG	0.83	-	10	0.83	BSBM	0.71	-	1,674	0.71
SAWANG	12.40	1.10	20	12.34	AH	15.00	(0.30)	1,370	15.13	CEN	1.92	(0.02)	183	1.92
SUC	30.50	(0.50)	120	30.70	CWT	0.74	0.01	1,105	0.73	CEN-W5	0.13	-	8,147	0.12
TR	38.75	-	2	38.75	EASON	1.07	-	819	1.06	CITY	1.83	0.09	12	1.80
TTI	26.75	-	11	26.34	GYT	-	-	-	-	CSP	0.59	-	88	0.59
TTT	-	-	-	-	HFT	4.30	0.04	1,782	4.29	GJS	0.13	-	26,183	0.12
UPF	-	-	-	-	IHL	1.58	-	204	1.57	GSTEEL	-	-	-	-
WACOAL	-	-	-	-	INGRS	0.26	0.01	11,339	0.25	INOX	0.44	(0.01)	3,089	0.44
WFX	1.01	0.02	1,601	1.01	IRC	14.10	0.10	225	14.12	LHK	3.56	(0.02)	896	3.55
Transportation & Log	-	-	-	-	MGC	3.00	(0.24)	3,542	3.10	MCS	6.35	-	541	6.34
AAV	2.24	(0.08)	455,000	2.25	NEX	0.56	0.01	84,756	0.56	MILL	0.09	(0.01)	32,064	0.09
AAV01C2503A	-	-	-	-	PCSGH	3.36	(0.02)	652	3.35	PAP	1.72	(0.01)	1,742	1.72
AAV13C2504A	0.04	(0.01)	305	0.04	POLY	8.40	(0.10)	2	8.35	PERM	0.38	(0.02)	5,683	0.39
AAV19C2502A	-	-	-	-	SAT	10.50	(0.20)	5,754	10.60	SAM	0.16	(0.01)	2,212	0.16
AAV19C2505A	0.10	(0.03)	558	0.11	SPG	13.30	-	2	13.30	SMIT	3.90	0.02	666	3.89
AAV41C2505A	0.11	(0.02)	17,124	0.12	STANLY	219.00	1.00	39	218.15	SSSC	2.00	(0.08)	3,518	2.01
ANI	3.36	-	249	3.36	TKT	-	-	-	-	TGPRO	0.08	0.01	6,340	0.07
AOT	57.25	(0.25)	121,189	57.22	TNPC	0.85	-	832	0.83	THE	0.73	0.04	12	0.72
AOT01C2502A	-	-	-	-	TRU	3.32	(0.02)	28	3.32	TMT	2.96	-	219	2.98
AOT01C2504A	0.08	(0.01)	1,000	0.08	TSC	15.20	0.20	530	15.10	TSTH	0.51	-	7,265	0.51
AOT01P2502A	-	-	-	-	Industrial Materi	-	-	-	-	TWP	1.43	0.02	510	1.41
AOT11C2501A	-	-	-	-	AKR	0.99	(0.01)	25,600	0.98	TYCN	1.87	0.02	7	1.87
AOT13C2502A	-	-	-	-	ALLA	1.48	0.03	7,690	1.48	Construction Service	-	-	-	-
AOT13C2503A	-	-	-	-	ASEFA	2.94	(0.02)	256	2.92	APCS	1.80	-	1,756	1.79
AOT13C2504A	0.06	(0.01)	710	0.06	CPT	0.99	0.01	551	0.98	BJCHI	1.09	(0.01)	2,788	1.09
AOT13C2506A	0.27	(0.01)	16,859	0.27	CRANE	0.32	(0.03)	10,535	0.33	BKD	1.30	-	5	1.30
AOT19C2502A	-	-	-	-	CTW	3.32	0.02	40	3.34	CIVIL	1.81	0.01	945	1.84
AOT19C2504A	0.10	(0.01)	2,353	0.11	FMT	33.00	1.00	25	33.84	CK	17.00	0.10	20,810	16.90
AOT19C2506A	0.28	(0.01)	7,723	0.28	FTE	1.49	0.01	880	1.49	CK01C2503A	-	-	-	-
AOT41C2503A	-	-	-	-	HTECH	2.90	(0.12)	10,031	2.92	CK13C2503A	0.02	(0.01)	600	0.02
AOT41C2505A	0.11	(0.01)	2,000	0.11	KKC	-	-	-	-	CK19C2503A	-	-	-	-
AOT41C2605T	-	-	-	-	PCC	2.72	0.02	956	2.71	CNT	0.97	(0.01)	918	0.96
AOT41P2504A	0.37	-	5,104	0.37	PK	0.48	(0.02)	586	0.49	DEMCO	3.12	0.12	530	3.07
ASIMAR	1.56	-	82	1.56	PSP	4.04	(0.04)	34,517	3.99	EMC	0.08	0.01	18,299	0.07
B	0.07	-	64,483	0.07	QTC	3.52	(0.16)	34	3.68	EMC-W7	0.05	-	50,990	0.05
B-W8	0.01	-	11	0.01	SCI	0.88	-	5,423	0.86	ITD	0.48	-	14,343	0.47
BA	19.20	(0.30)	56,004	19.08	SE	0.50	-	1,635	0.50	JR	1.90	(0.01)	4,180	1.89
BA01C2503A	0.02	-	88	0.02	SELIC	3.18	(0.02)	1,159	3.19	NL	1.01	-	3,065	1.00
BA01C2504A	-	-	-	-	SNC	5.30	(0.05)	802	5.30	NWR	0.15	-	7,212	0.14
BA13C2502A	-	-	-	-	TCJ	2.96	(0.10)	3	3.00	PLE	0.33	-	9,973	0.33
BA13C2503A	-	-	-	-	TPCS	11.30	-	59	12.18	PREB	4.22	-	62	4.22
BA13C2504A	-	-	-	-	VARO	4.04	0.04	44	4.04	PYLON	1.79	(0.02)	1,076	1.81
BA19C2503A	-	-	-	-	Property Fund &	-	-	-	-	RT	0.35	(0.01)	10,510	0.35
BA41C2606T	0.19	0.01	40,000	0.18	AIMCG	3.00	(0.02)	1,540	3.00	SEAFCO	1.98	-	1,517	1.97
BEM	6.85	(0.05)	95,268	6.85	AIMIRT	10.50	-	1,792	10.52	SQ	0.63	-	2,012	0.63
BEM11C2502A	-	-	-	-	ALLY	5.25	-	1,081	5.25	SRICHA	4.80	(0.02)	760	4.79
BEM11C2503A	-	-	-	-	AMATAR	6.50	0.05	151	6.50	STECON	6.05	(0.15)	8,089	6.10
BEM13C2505A	-	-	-	-	AXTRAR	11.70	-	13,249	11.76	STI	2.96	-	152	2.96
BEM19C2503A	-	-	-	-	B-WORK	4.78	0.02	1,212	4.76	STPI	3.00	(0.04)	3,309	3.02
BEM19C2505A	-	-	-	-	BAREIT	9.10	-	5,726	9.10	SYNTEC	1.53	-	91	1.54
BEM41C2606T	0.25	(0.75)	4,000	0.25	BOFFICE	5.00	-	118	5.00	TEAMG	2.72	-	137,014	2.71
BTS	5.80	(0.05)	342,670	5.81	CPNCG	6.20	-	1,976	6.20	TEAMG-W1	0.23	-	30,268	0.24
BTS-W8	0.08	-	19,893	0.08	CPNREIT	12.10	(0.10)	12,560	12.12	TEKA	2.22	0.02	44	2.19
BTS01C2503A	-	-	-	-	CPTREIT	5.10	-	655	5.04	TPOLY	0.53	-	3,467	0.53
BTS01C2504A	0.20	(0.01)	22,239	0.20	CTARAF	4.36	-	551	4.36	TRC	0.97	(0.04)	17,266	0.98
BTS01P2504A	0.11	0.01	17,032	0.10	DREIT	5.10	0.05	1	5.10	TRITN	0.11	-	1,410,896	0.11
BTS01P2505A	0.28	-	10,239	0.28	FTREIT	10.10	-	7,481	10.14	TTCL	1.84	0.03	2,577	1.81
BTS13C2502A	-	-	-	-	FUTURERT	10.30	(0.10)	593	10.46	UNIQ	2.44	(0.06)	2,216	2.44
BTS13C2503A	0.16	(0.02)	21,410	0.16	GAHREIT	6.80	-	6	6.80	WGE	0.74	0.04	6	0.71
BTS13C2505A	0.14	(0.02)	16,756	0.15	GRORREIT	8.55	-	512	8.54	Unit Trust	-	-	-	-
BTS13P2503A	-	-	-	-	GVREIT	6.65	-	2,353	6.64	SCBSET	-	-	-	-
BTS13P2505A	0.28	0.01	10,040	0.28	HPF	4.84	(0.08)	1,028	4.85	VAYU1	10.00	-	10,274	10.00
BTS19C2503A	-	-	-	-	HYDROGEN	-	-	-	-	ETF	-	-	-	-
BTS19C2503B	0.21	(0.03)	6,388	0.22	IMPACT	10.80	-	9,441	10.78	IDIV	10.70	0.10	250	10.64
BTS19C2505A	0.20	(0.02)	27,624	0.21	INETREIT	8.40	-	2,452	8.39	ABFTH	-	-	-	-
BTS41C2504A	-	-	-	-	ISSARA	-	-	-	-	BMSCG	8.15	0.02	23	8.12
BTS41C2504B	0.23	(0.02)	25,770	0.23	KPNREIT	-	-	-	-	BMSCITH	9.79	0.02	888	9.82
BTSIGIF	2.94	-	26,955	2.94	KBSTMR	6.15	(0.05)	133	6.16	BSET100	9.28	0.05	271	9.29
DMT	10.60	0.10	8,743	10.51	LHHOTEL	13.20	0.10	3,863	13.21	CHINA	5.87	0.01	137	5.86
ETL	0.59	(0.01)	3,752	0.60	LHRREIT	5.25	(0.05)	55	5.29	ENGY	4.38	0.03	32	4.40
III	5.00	0.04	4,324	5.00	LHSC	11.30	(0.10)	4,455	11.35	GLD	3.73	-	2,592	3.73
KEX	1.45	-	8,057	1.44	LUXF	8.00	-	118	8.00	TDEX	8.73	0.04	1,580	8.73
KIAT	0.30	-	10,627	0.31	M-PAT	-	-	-	-	UBOT	13.84	0.44	26	13.79
KWC	-	-	-	-	M-STOR	7.25	(0.20)	2	7.25	UHERO	-	-	-	-
MENA	0.99	-	10,441	0.98	MII	6.10	(0.10)	51	6.10	Warrant Foreign	-	-	-	-
NYT	3.18	-	1											

Main Board Quotation

Issue Date :

Thursday January 16, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BABA41C2504A	0.19	(0.01)	18	0.19	JD41C2502A	-	-	-	-	SET5041P2503B	0.60	(0.04)	588	0.58
BABA41P2502A	0.29	(0.03)	8	0.30	JD41C2502B	-	-	-	-	SET5041P2503C	0.46	(0.08)	208,380	0.45
BABA41P2502B	-	-	-	-	KUA1SH41C2502	-	-	-	-	SET5041P2503D	-	-	-	-
BIDU41C2502A	-	-	-	-	KUA1SH41C250E	-	-	-	-	SET5041P2503E	-	-	-	-
BIDU41C2502B	0.01	-	70	0.01	LENVOV041C250	0.10	-	1,000	0.10	SET5041P2503F	1.12	(0.11)	10	1.12
BYDCOM28C2501A	-	-	-	-	MCA5041C2503J	-	-	-	-	SET5041P2506A	0.49	(0.03)	169,001	0.47
BYDCOM28C2503A	-	-	-	-	MCA5041C2503I	-	-	-	-	SET5041P2506T	0.43	(0.02)	26,827	0.42
BYDCOM28C2508A	0.32	0.02	500	0.32	MCA5041C2506F	0.36	(0.01)	20	0.36	SPX28C2503A	0.09	0.03	1,611	0.09
BYDCOM28P2501A	-	-	-	-	MCA5041P2503J	-	-	-	-	SPX28C2503B	0.40	0.10	14	0.40
BYDCOM28P2503A	-	-	-	-	MCA5041P2506F	0.65	0.01	39	0.65	SPX28P2503A	-	-	-	-
BYDCOM41C2502A	0.19	-	2	0.19	MEITUA28C2501	-	-	-	-	SPX28P2503B	-	-	-	-
BYDCOM41C2506A	-	-	-	-	MEITUA28C250:	0.36	0.03	7	0.35	SPX41C2503A	0.32	0.11	1,717	0.31
BYDCOM41P2502A	-	-	-	-	MEITUA28C250:	-	-	-	-	SPX41C2503B	-	-	-	-
CATHAY41C2502A	-	-	-	-	MEITUA28C250:	0.21	-	2	0.21	SPX41P2503A	0.16	(0.10)	5,100	0.16
DJI28C2503A	0.25	0.07	8,398	0.25	MEITUA28P250:	-	-	-	-	SPX41P2503B	0.36	(0.13)	2,106	0.37
DJI28C2503B	0.10	0.04	4,661	0.10	MEITUA28P250:	0.53	(0.05)	8	0.55	SUNNY41C2502A	-	-	-	-
DJI28P2503A	0.15	(0.04)	760	0.15	MEITUA41C250:	-	-	-	-	TENCEN28C2502A	0.14	-	72	0.14
DJI28P2503B	0.29	(0.08)	300	0.30	MEITUA41C250:	0.16	0.01	250	0.16	TENCEN28C2503A	-	-	-	-
DJI41C2503A	0.20	0.04	7,125	0.20	MEITUA41P250:	-	-	-	-	TENCEN28C2508A	0.36	0.01	218	0.35
DJI41C2503B	0.15	0.05	4,121	0.15	MEITUA41P250:	-	-	-	-	TENCEN28P2503A	0.45	-	1	0.45
DJI41P2503A	-	-	-	-	NDX28C2503A	0.16	0.06	793	0.15	TENCEN41C2502A	0.12	-	4	0.12
DJI41P2503B	0.32	(0.09)	8	0.32	NDX28P2503A	0.08	(0.03)	1,002	0.08	TENCEN41C2502B	-	-	-	-
GEELY41C2502A	0.68	0.01	100	0.68	NDX41C2503A	0.41	0.13	64,082	0.38	TENCEN41C2506A	0.37	-	110	0.36
HKEX41C2502A	0.80	0.08	200	0.80	NDX41C2503B	0.12	0.04	9,503	0.12	TENCEN41P2502A	0.10	(0.01)	63	0.10
HKEX41C2502B	-	-	-	-	NDX41P2503A	0.17	(0.07)	9,311	0.17	TENCEN41P2502B	0.38	0.02	2	0.38
HSBC41C2502A	-	-	-	-	NDX41P2503B	0.39	(0.13)	7,796	0.38	XIAOMI28C2504A	0.93	0.07	62	0.93
HSIO6C2501A	0.01	-	23	0.01	NIKKEI41C2503:	0.10	-	930	0.10	XIAOMI28C2508A	0.38	0.03	28	0.37
HSIO6C2501B	-	-	-	-	NIKKEI41C2503I	0.81	0.06	106	0.78	XIAOMI28P2502A	-	-	-	-
HSIO6C2501C	-	-	-	-	NIKKEI41C2506:	0.44	0.03	4,105	0.44	XIAOMI28P2505A	0.07	(0.01)	180	0.07
HSIO6C2501D	0.02	-	1	0.02	NIKKEI41C2506I	0.25	0.02	1,305	0.25	XIAOMI41C2502A	-	-	-	-
HSIO6C2501E	0.05	(0.02)	3,882	0.04	NIKKEI41P2503:	-	-	-	-	XIAOMI41C2503A	1.14	0.06	141	1.14
HSIO6C2501F	0.30	0.08	84,421	0.27	NIKKEI41P2503I	-	-	-	-	XIAOMI41C2504A	0.31	0.03	166	0.31
HSIO6C2501G	-	-	-	-	NIKKEI41P2506:	0.37	(0.02)	2,368	0.35	XIAOMI41C2506A	0.30	0.03	46	0.29
HSIO6C2502A	0.02	-	1,200	0.02	NIKKEI41P2506I	0.20	(0.01)	10	0.20	XIAOMI41P2502A	-	-	-	-
HSIO6C2502B	0.09	0.01	374	0.09	NTE5A41C2502A	0.76	0.09	100	0.76	ZIJIN41C2502A	0.16	0.02	1,595	0.17
HSIO6C2502C	0.29	0.05	92,123	0.28	PINGAN41C250:	-	-	-	-		0	-	-	-
HSIO6C2502D	0.59	0.06	1,650	0.59	PINGAN41C250:	0.16	0.01	60	0.16		0	-	-	-
HSIO6C2502E	0.17	0.03	37,810	0.16	POP41C2503A	0.45	0.09	506	0.45		0	-	-	-
HSIO6C2503A	0.56	0.06	75,295	0.54	SET01C2503A	0.03	-	16,193	0.03		0	-	-	-
HSIO6C2503B	0.17	0.02	13,435	0.17	SET01C2503B	0.13	-	5,446	0.13		0	-	-	-
HSIO6C2503C	0.04	-	206	0.04	SET01C2505A	0.39	(0.01)	50,843	0.39		0	-	-	-
HSIO6C2503D	0.04	-	90	0.04	SET01P2502A	0.32	(0.05)	2,092	0.30		0	-	-	-
HSIO6C2503E	0.96	(0.04)	150	0.96	SET01P2502B	0.76	(0.25)	1	0.76		0	-	-	-
HSIO6C2504A	0.32	0.03	28,835	0.31	SET01P2503A	0.98	(0.08)	1,128	0.95		0	-	-	-
HSIO6C2504B	-	-	-	-	SET01P2505A	0.80	(0.02)	17,585	0.80		0	-	-	-
HSIO6P2501A	0.22	(0.11)	178,535	0.23	SET5001C2503A	0.03	-	15,804	0.03		0	-	-	-
HSIO6P2501B	0.04	(0.01)	8,334	0.03	SET5001C2503F	0.02	(0.01)	2,247	0.03		0	-	-	-
HSIO6P2501C	0.02	-	18	0.02	SET5001C2505A	0.34	-	125,181	0.34		0	-	-	-
HSIO6P2501D	-	-	-	-	SET5001C2506F	0.42	-	112,764	0.43		0	-	-	-
HSIO6P2502A	0.24	(0.06)	179,431	0.25	SET5001P2502A	0.36	(0.04)	1,197	0.35		0	-	-	-
HSIO6P2502B	0.45	(0.11)	42,365	0.48	SET5001P2503F	0.22	(0.01)	35,788	0.21		0	-	-	-
HSIO6P2502C	0.07	(0.02)	1,011	0.08	SET5001P2505A	0.50	(0.01)	69,651	0.48		0	-	-	-
HSIO6P2502D	-	-	-	-	SET5001P2506F	0.60	(0.02)	96,240	0.59		0	-	-	-
HSIO6P2502E	-	-	-	-	SET5006C2503A	0.03	-	135	0.03		0	-	-	-
HSIO6P2503A	0.02	-	483	0.02	SET5006C2503B	0.02	-	3,935	0.01		0	-	-	-
HSIO6P2503B	0.32	(0.04)	22,032	0.32	SET5006C2503C	0.05	0.01	30	0.05		0	-	-	-
HSIO6P2503C	0.86	(0.11)	28	0.86	SET5006C2503E	0.12	0.01	55,786	0.12		0	-	-	-
HSIO6P2503D	0.12	(0.03)	31,137	0.13	SET5006C2503E	0.22	-	167,533	0.23		0	-	-	-
HSIO6P2504A	0.40	(0.06)	10,222	0.41	SET5006P2503A	0.12	-	177,868	0.11		0	-	-	-
HSIO6P2504B	-	-	-	-	SET5006P2503B	0.35	(0.03)	85,282	0.33		0	-	-	-
HSI28C2501A	0.04	0.01	8,078	0.04	SET5006P2503C	-	-	-	-		0	-	-	-
HSI28C2501B	-	-	-	-	SET5013C2503A	0.02	-	46,860	0.01		0	-	-	-
HSI28C2501C	-	-	-	-	SET5013C2503B	0.02	0.01	11,090	0.01		0	-	-	-
HSI28C2501D	0.01	-	3	0.01	SET5013C2503C	0.03	(0.01)	60,390	0.03		0	-	-	-
HSI28C2501E	0.01	-	1	0.01	SET5013C2503D	0.05	0.01	422,808	0.04		0	-	-	-
HSI28C2501F	-	-	-	-	SET5013C2503E	0.05	-	283,185	0.06		0	-	-	-
HSI28C2501G	-	-	-	-	SET5013C2503F	0.09	-	566,894	0.10		0	-	-	-
HSI28C2501H	-	-	-	-	SET5013C2503G	0.12	(0.01)	1,608,694	0.14		0	-	-	-
HSI28C2501I	0.01	-	10	0.01	SET5013C2503H	0.18	(0.01)	2,511,568	0.20		0	-	-	-
HSI28C2501J	0.44	0.08	587,484	0.42	SET5013C2503I	0.24	(0.01)	5,169,137	0.27		0	-	-	-
HSI28C2501K	0.13	0.03	118,653	0.13	SET5013C2503J	0.37	(0.63)	1,304,814	0.40		0	-	-	-
HSI28C2502A	0.09	0.01	28,045	0.09	SET5013C2503T	0.02	-	678	0.01		0	-	-	-
HSI28C2502B	-	-	-	-	SET5013C2506T	0.12	(0.01)	222,767	0.13		0	-	-	-
HSI28C2502C	-	-	-	-	SET5013P2503A	0.39	(0.01)	1,558,775	0.38		0	-	-	-
HSI28C2502D	0.35	0.05	16,760	0.35	SET5013P2503B	0.67	(0.01)	2,802,029	0.65		0	-	-	-
HSI28C2502E	0.66	0.10	188,782	0.63	SET5013P2503C	1.00	(0.02)	52,680	0.98		0	-	-	-
HSI28C2502F	0.18	0.02	13,550	0.18	SET5013P2503D	0.28	(0.01)	871,478	0.26		0	-	-	-
HSI28C2503A	0.48	0.05	69,682	0.46	SET5013P2503T	0.11	(0.01)	135,543	0.11		0	-	-	-
HSI28C2503B	0.05	-	11,784	0.05	SET5013P2506T	0.49	(0.02)	73,653	0.48		0	-	-	-
HSI28C2503D	0.04	0.01	1,977	0.03	SET5019C2503A	0.01	(0.01)	1,203	0.01		0	-	-	-
HSI28C2503E	-	-	-	-	SET5019C2503B	-	-	-	-		0	-	-	-
HSI28C2503F	0.14	0.02	15,779	0.14	SET5019C2503C	0.03	0.01	14,924	0.03		0	-	-	-
HSI28C2504A	0.16	0.02	73,053	0.15	SET5019C2503E	0.12	-	567,916	0.13		0	-	-	-
HSI28C2504B	0.34	0.04	124,631	0.32	SET5019C2503E	0.25	(0.01)	523,971	0.26		0	-	-	-
HSI28C2505A	0.23	0.02	2,105	0.22	SET5019C2503F	0.37	(0.63)	72,242	0.39		0	-	-	-
HSI28P2501A	-	-	-	-	SET5019C2506A	0.14	(0.01)	165,488	0.15		0	-	-	-
HSI28P2501B	0.13	(0.07)	103,626	0.14	SET5019P2503A	0.43	(0.01)	493,746	0.42		0	-	-	-
HSI28P2501C	-	-	-	-	SET5019P2503B	0.90	(0.08)	12,144	0.88		0	-	-	-
HSI28P2501D	-	-	-	-	SET5019P2503C	0.19	-	226,927	0.18		0	-	-	-
HSI28P2501E	-	-	-	-	SET5019P2506A	0.42	(0.01)	459,516	0.40		0	-	-	-
HSI28P2502A	-	-	-	-	SET5028C2503A	0.04	-	1,509	0.04		0	-	-	-
HSI28P2502B	0.14	(0.04)	25,689	0.15	SET5041C2503A	0.02	(0.01)	501	0.01		0	-	-	-

Main Board Quotation

Issue Date :

Thursday January 16, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust			-		TRV	2.20	0.06	5	00 2.2	MCA	1.24	(0.01)	3,868	00 1.2
APO	1.87	(0.01)	881	00 1.8	UBIS	1.40	(0.02)	999	00 1.3	MEB	21.00	0.60	8,937	00 20.7
AU	9.85	0.05	17,139	00 9.8	UEC	1.02	(0.06)	1,658	00 1.0	MORE	0.02	(0.01)	31,995	00 0.0
CFARM	0.78	(0.02)	1,953	00 0.7	UKEM	0.39	(0.01)	8,459	00 0.3	MPJ	2.84	0.06	33,156	00 2.8
JCKH	0.47	0.11	87,639	00 0.4	UREKA	0.87	(0.03)	273,434	00 0.8	MVP	0.56	(0.01)	4,783	00 0.5
KASET	0.80	(0.02)	620	00 0.8	YUASA	9.80	(0.05)	101	00 9.7	NCL	0.39	0.01	1,530	00 0.3
MAGURO	20.00	(0.40)	14,604	00 20.1	ZIGA	1.46	(0.02)	8,464	00 1.4	NCP	1.03	0.03	13,458	00 1.0
MUD	-	-	0	00 0.0	ZIGA-W2	0.14	-	4,109	00 0.1	NEWS	0.01	-	187,755	00 0.0
NTSC	8.80	(0.05)	11	00 8.8	Property	-	-	-	-	PEER	0.22	(0.01)	35,188	00 0.2
TACC	4.32	0.02	13,159	00 4.3	24CS	2.96	0.02	26,989	00 3.0	PEER-W2	0.03	-	49,878	00 0.0
TMILL	2.90	(0.02)	247	00 2.8	ARIN	0.48	(0.03)	13,090	00 0.4	PICO	3.98	-	5	00 3.9
WINNER	1.98	(0.02)	2,344	00 1.9	ARROW	5.50	0.10	16	00 5.5	PLT	0.69	0.01	4,623	00 0.6
XO	17.90	(0.10)	5,309	00 18.0	BC	0.94	0.04	1,380	00 0.8	QLT	2.58	-	662	00 2.5
Consumer Products					BC-W2	0.10	-	894	00 0.0	RP	0.96	-	36	00 0.9
ALPHAX	0.52	(0.01)	71,638	00 0.4	BLESS	0.28	-	6,485	00 0.2	SONIC	1.61	0.03	2,212	00 1.5
BGT	0.43	-	682	00 0.4	BSM	1.69	0.04	2	00 1.6	THMUI	0.49	0.01	127	00 0.4
DOD	1.45	(0.03)	869	00 1.4	BTW	0.22	0.02	5,400	00 0.2	TNDT	0.19	-	412	00 0.1
ECF	0.36	(0.03)	17,012	00 0.3	CAZ	1.96	(0.01)	1,328	00 1.9	TNDT-W1	-	-	-	00 0.0
ECF-W5	0.03	-	19,735	00 0.0	CHEWA	0.33	(0.01)	1,441	00 0.3	TNH	36.50	-	18	00 36.5
EFORL	0.24	0.01	17,092	00 0.2	CPANEL	3.44	0.08	39	00 3.3	TNP	3.00	-	3,398	00 2.9
EFORL-W6	0.03	-	1	00 0.0	CPANEL-W1	0.17	(0.03)	3	00 0.1	TPL	0.78	-	990	00 0.7
EURO	4.50	(0.02)	202	00 4.4	CRD	0.37	-	502	00 0.3	TRP	8.00	(0.35)	5,292	00 7.9
HPT	0.43	0.01	36,463	00 0.4	DHOUSE	0.64	0.02	8,269	00 0.6	TURTLE	-	-	-	00 0.0
ITTHI	1.63	0.01	2,964	00 1.6	DIMET	0.24	0.01	8,763	00 0.2	TVDH	0.18	-	2,092	00 0.1
JSP	1.92	0.08	6,539	00 1.8	DPAINT	0.74	(0.01)	11,051	00 0.7	TVDH-W3	-	-	-	00 0.0
JSP-W2	0.05	-	23,938	00 0.0	FLOYD	0.72	0.02	1,100	00 0.7	TVT	0.31	(0.01)	243	00 0.3
JUBILE	10.00	(0.50)	1,116	00 10.0	HYDRO	0.14	0.02	4,981	00 0.1	UBA	0.80	(0.01)	1,474	00 0.8
LTS	12.10	(1.40)	97,676	00 12.7	HYDRO-W2	0.12	0.02	1	00 0.1	VL	1.01	-	765	00 1.0
MGI	9.45	(0.30)	7,612	00 9.5	IND	0.74	-	3,384	00 0.7	VS	0.53	(0.03)	285	00 0.5
MGI-W1	1.95	(0.07)	11,681	00 1.9	JAK	1.30	0.01	393	00 1.2	YGG	0.62	(0.01)	63,743	00 0.6
MOONG	1.96	-	529	00 1.9	K	1.17	0.03	1,107	00 1.1	Technology	-	-	-	-
NPK	10.80	(0.80)	16	00 10.7	K-W3	0.25	0.02	17	00 0.2	APP	1.63	0.02	977	00 1.6
SEI	3.82	(0.22)	12,240	00 3.8	META	0.12	-	2,329	00 0.1	BBIK	37.25	(0.25)	6,164	00 37.3
SMD100	4.50	0.02	312	00 4.4	PANEL	1.19	0.01	1,199	00 1.1	BE8	12.10	(0.40)	24,314	00 12.2
TM	0.87	(0.06)	2,295	00 0.8	PPS	0.18	-	4,930	00 0.1	BE8-W1	1.19	(0.01)	7	00 1.1
TM-W1	0.05	0.01	374	00 0.0	PRI	7.95	(0.05)	1,595	00 7.9	BVG	2.28	-	282	00 2.2
WARRIX	3.48	0.04	1,278	00 3.4	PROS	0.75	(0.11)	4,898	00 0.7	COMAN	0.74	(0.03)	428	00 0.7
WINMED	1.53	(0.07)	220	00 1.5	PROS-W1	0.09	-	4,250	00 0.0	I2	1.20	(0.01)	2,173	00 1.2
Financials					PSG	0.30	(0.14)	967,589	00 0.3	IIG	3.66	0.02	1,415	00 3.6
ACAP	-	-	0	00 0.0	QTCG	0.29	(0.02)	72,023	00 0.2	IIG-W1	-	-	-	00 0.0
AF	0.65	(0.01)	2	00 0.6	SENX	0.30	-	1,871	00 0.2	IRCP	0.50	0.01	3,418	00 0.4
AIRA	-	-	0	00 0.0	SK	0.60	-	7,584	00 0.6	ITNS	1.29	(0.01)	697	00 1.2
ASN	1.35	0.05	273	00 1.2	SMART	0.81	0.01	19,084	00 0.7	NAT	4.40	0.02	1,038	00 4.3
BTC	0.53	-	129,313	00 0.5	STC	0.53	-	905	00 0.5	NETBAY	14.90	(0.30)	6,364	00 14.8
BTC-W7	0.27	0.01	1,548	00 0.2	STX	1.21	0.01	1,794	00 1.1	PLANET	1.61	-	75,621	00 1.5
GCAP	0.30	-	1,531	00 0.3	SVR	0.61	(0.02)	2,804	00 0.6	PROEN	1.42	(0.62)	601,192	00 1.5
KCC	1.98	0.01	626	00 1.9	TAPAC	-	-	-	00 0.0	PROEN-W2	0.50	(0.39)	60,542	00 0.5
LIT	0.65	-	650	00 0.6	THANA	1.07	0.03	1,332	00 1.0	READY	5.20	(0.05)	851	00 5.0
LIT-W2	-	-	0	00 0.0	TIGER	0.56	(0.03)	1,235	00 0.5	SECURE	12.30	-	1,570	00 12.6
MTSIB	0.70	-	942	00 0.6	TITLE	3.94	0.04	250	00 3.8	SICT	3.64	(0.08)	5,012	00 3.6
SGF	0.20	-	7,593	00 0.1	WELL	-	-	-	00 0.0	SIMAT	1.36	(0.01)	31,201	00 1.3
SGF-P1	-	-	0	00 0.0	YONG	1.03	0.01	794	00 1.0	SIMAT-W3	0.04	-	757	00 0.0
SGF-Q1	-	-	0	00 0.0	Resources					SPVI	1.69	-	945	00 1.6
TQR	5.40	0.05	603	00 5.4	ABM	1.00	(0.03)	395	00 1.0	SRS	3.54	0.04	934	00 3.5
Industrials					GTV	0.13	-	2,986	00 0.1	TBN	6.85	(0.30)	1,546	00 7.0
ADB	0.85	(0.01)	823	00 0.8	PSTC	0.49	-	19,102	00 0.4	TERA	1.07	0.02	569	00 1.0
BM	2.96	(0.02)	3,615	00 2.9	PSTC-W2	0.02	-	110	00 0.0	TPS	2.82	-	1,926	00 2.8
BM-W3	1.42	0.08	53	00 1.4	PSTC-W3	0.18	-	7,062	00 0.1	VCOM	2.28	(0.02)	1,205	00 2.2
BPS	0.46	(0.01)	9,754	00 0.4	PTC	1.35	(0.01)	768	00 1.3	-	-	-	-	-
CHO	0.04	-	74,973	00 0.0	SAAM	5.85	-	375	00 5.9	-	-	-	-	-
CHO-W4	-	-	0	00 0.0	SR	0.51	(0.04)	3	00 0.5	-	-	-	-	-
CHOW	1.73	(0.04)	1,380	00 1.7	STOWER	0.07	0.01	5,804	00 0.0	-	-	-	-	-
CIG	0.04	-	6,340	00 0.0	TAKUNI	0.51	(0.01)	15,161	00 0.5	-	-	-	-	-
CIG-W10	-	-	0	00 0.0	TPCH	4.38	(0.04)	1,735	00 4.3	-	-	-	-	-
CIG-W9	0.02	-	200	00 0.0	UMS	0.39	0.01	10	00 0.3	-	-	-	-	-
COLOR	1.16	-	131	00 1.1	Services					-	-	-	-	-
CPR	2.98	0.06	2,103	00 2.8	ADD	4.72	(0.02)	434	00 4.6	-	-	-	-	-
FPI	1.89	-	238	00 1.8	AKP	0.60	-	5,009	00 0.5	-	-	-	-	-
GTB	0.73	0.01	201	00 0.7	AMA	4.12	-	508	00 4.1	-	-	-	-	-
HARN	2.10	(0.02)	225	00 2.0	AMARC	1.26	(0.01)	1,090	00 1.2	-	-	-	-	-
KCM	0.22	-	5,641	00 0.2	ARIP	0.37	(0.05)	2,880	00 0.3	-	-	-	-	-
KJL	6.50	0.15	801	00 6.4	ATP30	0.87	(0.01)	7,802	00 0.8	-	-	-	-	-
KUMWEL	1.27	(0.09)	2,110	00 1.2	AUCT	7.95	(0.05)	1,281	00 7.9	-	-	-	-	-
KWM	1.10	(0.03)	3,174	00 1.1	BIS	2.74	(0.16)	1,937	00 2.7	-	-	-	-	-
MBAX	1.80	(0.02)	1,546	00 1.8	BOL	5.20	-	2,499	00 5.1	-	-	-	-	-
MGT	1.94	(0.01)	169	00 1.9	CEYE	2.48	0.10	105	00 2.4	-	-	-	-	-
MTW	1.19	0.01	817	00 1.1	CHIC	0.39	(0.02)	832	00 0.3	-	-	-	-	-
MTW-W1	0.05	-	150	00 0.0	CMO	0.73	0.01	971	00 0.6	-	-	-	-	-
NDR	1.62	(0.07)	421	00 1.5	D	2.80	-	1,345	00 2.7	-	-	-	-	-
PACO	1.39	(0.01)	7,987	00 1.3	DEXON	1.51	(0.02)	863	00 1.5	-	-	-	-	-
PACO-W1	0.04	(0.01)	7,898	00 0.0	DV8	0.47	(0.01)	474	00 0.4	-	-	-	-	-
PDG	2.60	-	55	00 2.5	DV8-W2	0.11	0.02	452	00 0.1	-	-	-	-	-
PHOL	2.96	0.06	3,052	00 2.8	ETE	0.83	-	144	00 0.8	-	-	-	-	-
PIMO	1.20													