

## Main Board Quotation

Issue Date :

Friday February 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	Construction Ma	-	-	-	-	ADVICE	5.20	0.05	31,131	5.17
Agribusiness	-	-	-	-	CCP	0.21	-	6,967	0.21	B52	0.27	(0.01)	165	0.25
EE	0.50	(0.01)	30,223	0.50	DCC	1.23	(0.11)	1,164,332	1.24	B52-W4	0.04	(0.01)	4,589	0.04
EE-W1	-	-	-	-	DCON	0.30	0.01	12,144	0.29	BEAUTY	0.21	-	74,925	0.21
GFPT	8.15	(0.60)	216,964	8.27	DCON-W3	-	-	-	-	BIG	0.31	-	3,563	0.31
LEE	2.30	-	2,231	2.30	DRT	7.35	-	1,070	7.32	BJC	21.90	(0.60)	37,439	22.06
NER	4.96	0.02	118,293	4.92	EPG	3.18	0.04	41,543	3.09	BJC01C2503A	-	-	-	-
NER-W2	0.41	(0.02)	8,711	0.41	GEL	0.05	(0.01)	32,398	0.06	BJC13C2503A	-	-	-	-
PCE	3.22	(0.10)	163,551	3.25	GEL-W5	-	-	-	-	BJC13C2505A	-	-	-	-
PPPM	0.44	(0.02)	8,069	0.45	PPP	1.19	(0.08)	49	1.26	BJC19C2503A	-	-	-	-
PPPM-W6	0.35	-	23	0.32	Q-CON	9.15	0.05	1,551	9.07	BJC41C2606T	0.28	-	24,000	0.28
STA	15.80	-	99,757	15.52	SCC	127.50	-	72,766	126.94	COM7	21.90	0.20	127,546	21.75
STA01C2503A	-	-	-	-	SCC01C2503A	0.01	-	5,100	0.01	COM701C2503A	0.01	-	362	0.01
STA01C2504A	-	-	-	-	SCC01C2505A	-	-	-	-	COM701C2506A	0.27	(0.01)	146,045	0.26
STA01C2506A	0.21	-	150,930	0.19	SCC01C2505B	0.02	(0.01)	100	0.02	COM713C2504A	-	-	-	-
STA13C2503A	0.01	-	419	0.01	SCC01C2507A	0.06	(0.01)	31,864	0.06	COM713C2505A	-	-	-	-
STA13C2505A	0.05	(0.05)	2,000	0.05	SCC01C2508A	0.17	-	107,278	0.17	COM713C2506A	0.23	-	157,979	0.22
STA13C2506A	0.28	-	77,260	0.25	SCC01P2503A	2.86	0.18	11	2.88	COM719C2505A	0.04	(0.01)	100	0.04
STA19C2503A	0.01	-	5,500	0.01	SCC01P2507A	1.18	(0.03)	9,860	1.20	COM719C2507A	0.40	-	242,566	0.39
STA19C2504A	0.02	0.01	1	0.02	SCC13C2503A	0.01	-	1	0.01	COM741C2503A	-	-	-	-
STA19C2505A	-	-	-	-	SCC13C2504A	-	-	-	-	COM741C2505A	-	-	-	-
STA19C2506A	0.25	(0.01)	51,361	0.23	SCC13C2504B	-	-	-	-	COM741C2606T	0.23	-	8,000	0.23
STA19P2503A	0.07	-	69	0.07	SCC13C2505A	0.01	(0.01)	21	0.01	CPALL	54.00	1.75	865,289	53.02
STA41C2503A	-	-	-	-	SCC13C2505B	-	-	-	-	CPALL01C2504A	-	-	-	-
STA41C2505A	-	-	-	-	SCC13C2507A	0.14	(0.01)	144,399	0.14	CPALL01C2505A	0.09	0.02	900	0.07
STA41C2612T	0.41	-	60,000	0.39	SCC13P2504A	-	-	-	-	CPALL01C2507A	0.50	0.06	132,238	0.45
TEGH	3.38	(0.18)	66,485	3.41	SCC13P2505A	0.92	(0.01)	6,015	0.96	CPALL01P2505A	0.25	(0.06)	23,740	0.28
TFM	8.30	(0.10)	4,033	8.26	SCC19C2503A	-	-	-	-	CPALL06C2504A	-	-	-	-
TRUBB	0.69	(0.01)	6,958	0.68	SCC19C2504A	0.02	0.01	36	0.02	CPALL11C2503A	-	-	-	-
UPOIC	6.80	(0.15)	6	6.79	SCC19C2505A	-	-	-	-	CPALL13C2503A	0.01	(0.01)	1,105	0.01
UVAN	9.40	(0.40)	25,191	9.41	SCC19C2505B	-	-	-	-	CPALL13C2504A	-	-	-	-
VPO	0.49	(0.01)	18,905	0.49	SCC19C2506A	0.04	-	134	0.04	CPALL13C2505A	0.02	-	832	0.02
Banking	-	-	-	-	SCC19P2505A	1.56	0.11	1	1.56	CPALL13C2505B	0.05	0.01	1,100	0.04
BAY	22.90	-	917	22.79	SCC41C2503A	0.01	-	65	0.01	CPALL13C2506A	0.24	0.06	150,270	0.19
BBL	151.50	4.50	175,436	148.09	SCC41C2504A	-	-	-	-	CPALL13C2506B	0.44	0.08	120,713	0.38
BBL13C2503A	-	-	-	-	SCC41C2505A	-	-	-	-	CPALL13P2504A	-	-	-	-
BBL13C2504A	0.04	-	311	0.04	SCC41C2608T	0.24	-	70,223	0.24	CPALL13P2505A	0.17	(0.01)	23,946	0.18
BBL13C2507A	0.23	0.04	67,809	0.20	SCCC	162.50	4.50	2,013	160.32	CPALL13P2506A	0.18	(0.02)	18,951	0.20
BBL19C2503A	-	-	-	-	SCGD	4.00	-	10,353	4.00	CPALL19C2504A	-	-	-	-
BBL19C2503B	-	-	-	-	SCP	8.10	0.05	10,991	8.09	CPALL19C2505A	-	-	-	-
BBL19C2506A	0.11	0.01	8,378	0.10	SKN	6.05	0.05	4,194	5.93	CPALL19C2505B	0.07	-	1,500	0.07
BBL41C2504A	-	-	-	-	STECH	1.02	0.02	2,936	1.01	CPALL19C2506A	0.09	0.01	186,264	0.08
BBL41C2506A	0.18	0.04	65,814	0.13	TASCO	16.60	0.10	71,399	16.50	CPALL19C2506B	0.29	0.05	240,011	0.25
CIMBT	0.60	0.02	28,739	0.59	TASCO19C2507	0.24	0.01	16,971	0.23	CPALL19P2505A	0.17	(0.07)	103,498	0.22
CREDIT	17.80	(0.20)	390	17.89	TOA	11.40	(0.30)	28,505	11.45	CPALL19P2505B	0.08	(0.02)	12,009	0.10
KBANK	151.50	-	143,961	150.52	TP IPL	0.90	0.02	95,723	0.89	CPALL41C2504A	-	-	-	-
KBANK01C2503A	-	-	-	-	UMI	0.58	(0.01)	2,067	0.57	CPALL41C2505A	-	-	-	-
KBANK01C2506A	0.22	(0.01)	31,152	0.21	VNG	2.72	(0.02)	524	2.72	CPALL41C2506A	0.20	0.05	236,835	0.16
KBANK01P2507A	0.74	(0.01)	22,403	0.75	WIJK	0.90	0.01	665	0.87	CPALL41C2605T	0.20	0.01	79,280	0.19
KBANK13C2503A	-	-	-	-	WIJK-W3	0.03	-	604	0.03	CPALL41P2504A	0.32	(0.05)	36,368	0.37
KBANK13C2505A	0.09	-	2,723	0.08	WINDOW	0.72	-	1,718	0.71	CPAXT	28.75	0.50	156,326	28.10
KBANK13C2507A	0.39	-	155,945	0.38	Petrochemicals &	-	-	-	-	CPW	2.10	(0.02)	10,685	2.05
KBANK13P2504A	-	-	-	-	BCT	-	-	-	-	CRC	33.50	(0.75)	287,680	31.89
KBANK13P2507A	0.63	(0.01)	2,035	0.64	CMAN	2.24	-	6,760	2.22	CRC01C2503A	-	-	-	-
KBANK19C2504A	-	-	-	-	GC	4.98	-	842	4.96	CRC01C2506A	0.14	(0.03)	120,460	0.10
KBANK19C2505A	-	-	-	-	GGC	3.78	-	17	3.61	CRC13C2503A	-	-	-	-
KBANK19C2507A	0.19	(0.01)	73,969	0.18	IVL	19.10	(0.20)	234,512	19.15	CRC13C2506A	0.14	(0.03)	51,060	0.11
KBANK41C2505A	-	-	-	-	IVL01C2503A	0.01	-	1,454	0.01	CRC19C2506A	0.17	(0.03)	22,161	0.13
KBANK41C2604T	0.66	(0.02)	58,766	0.66	IVL01C2504A	-	-	-	-	CRC41C2503A	-	-	-	-
KBANK41P2606T	0.45	0.01	2,008	0.45	IVL01C2506A	0.09	-	18,185	0.08	CRC41C2608T	0.24	(0.05)	125,930	0.23
KKP	55.00	(1.25)	35,088	55.18	IVL01P2504A	0.47	0.04	999	0.47	CSS	0.83	0.01	7,009	0.82
KKP-W6	1.14	(0.02)	2,093	1.14	IVL01P2506A	0.95	(0.02)	5,887	0.97	DOHOME	7.25	-	76,739	7.19
KKP13C2504A	0.11	(0.04)	115,258	0.12	IVL13C2504A	0.01	(0.01)	10,200	0.01	DOHOME01C2503A	-	-	-	-
KKP19C2503A	-	-	-	-	IVL13C2505A	0.05	-	7,052	0.04	DOHOME01C2507A	0.41	(0.02)	13,538	0.40
KKP19C2507A	0.37	(0.04)	68,612	0.37	IVL13C2507A	0.20	(0.02)	100,643	0.21	DOHOME13C2503A	-	-	-	-
KTB	22.50	(0.40)	1,002,454	22.35	IVL13P2504A	0.43	0.02	3,490	0.43	DOHOME13C2505A	0.04	-	508	0.04
KTB-P	-	-	-	-	IVL19C2505A	-	-	-	-	DOHOME13C2506A	0.21	(0.01)	29,990	0.21
KTB-Q	-	-	-	-	IVL19C2506A	0.05	(0.05)	6,698	0.05	DOHOME19C2504A	-	-	-	-
KTB01C2506A	0.28	(0.05)	27,936	0.27	IVL19C2507A	0.24	(0.02)	106,323	0.25	DOHOME19C2506A	0.13	-	11,697	0.12
KTB13C2503A	-	-	-	-	IVL41C2505A	-	-	-	-	DOHOME19C2506B	0.22	(0.01)	17,432	0.21
KTB13C2505A	0.20	(0.06)	53,730	0.18	IVL41C2605T	0.17	(0.01)	28,000	0.17	FN	0.52	(0.01)	457	0.50
KTB13C2507A	0.20	(0.03)	151,237	0.19	IVL41P2605T	-	-	-	-	GLOBAL	7.90	(0.10)	196,252	7.81
KTB13P2507A	0.48	0.04	18,134	0.50	NFC	1.36	(0.01)	10	1.34	GLOBAL01C2503A	0.01	-	3,000	0.01
KTB19C2505A	0.19	(0.04)	27,604	0.19	PATO	8.20	-	816	8.22	GLOBAL01C2507A	0.31	(0.02)	74,542	0.29
KTB19C2506A	0.15	(0.04)	20,848	0.14	PMTA	8.95	0.70	346	8.92	GLOBAL13C2504A	0.01	-	220	0.01
KTB41C2506A	0.18	(0.03)	77,388	0.17	PTGC	15.90	(0.20)	2,367,267	15.91	GLOBAL13C2506A	0.06	0.01	6,860	0.05
LHFG	0.76	0.01	18,994	0.75	PTTGC01C2504	-	-	-	-	GLOBAL13C2507A	0.38	0.01	53,996	0.32
SCB	122.00	(1.50)	113,488	122.23	PTTGC01C2505	0.02	-	100	0.02	GLOBAL19C2503A	-	-	-	-
SCB01C2505A	0.19	(0.02)	30,714	0.19	PTTGC01C2506	0.06	(0.01)	37,822	0.05	GLOBAL19C2507A	0.38	(0.02)	66,370	0.36
SCB01P2507A	0.60	0.02	16,684	0.60	PTTGC01C2507	0.13	(0.04)	118,987	0.14	GLOBAL41C2606T	0.18	0.01	47,000	0.17
SCB13C2505A	0.15	(0.03)	89,110	0.16	PTTGC01P2503	1.15	0.16	470	1.15	HMPRO	8.45	0.10	594,160	8.26
SCB13P2507A	0.40	0.02	26,174	0.40	PTTGC01P2506	1.16	0.03	8,634	1.15	HMPRO01C2503A	0.01	-	5,000	0.01
SCB19C2504A	0.08	(0.02)	24,011	0.08	PTTGC11C2503	-	-	-	-	HMPRO01C2504A	0.01	(0.01)	805	0.01
SCB19C2507A	0.22	(0.03)	18,180	0.22	PTTGC13C2503	-	-	-	-	HMPRO01C2507A	0.15	0.02	46,109	0.12
SCB41C2505A	0.15	(0.03)	39,960	0.16	PTTGC13C2504	-	-	-	-	HMPRO13C2504A	-	-	-	-
SCB41P2504A	-	-	-	-	PTTGC13C2505	-	-	-	-	HMPRO13C2506A	0.14	0.01	50,959	0.11
TCAP	47.75	-	35,142	47.56	PTTGC13C2506	0.04	(0.01)	1,035	0.04	HMPRO19C2503A	-	-	-	-
TCAP-P	-	-	-	-	PTTGC13C2507	0.12	(0.01)	203,627	0.12	HMPRO				

## Main Board Quotation

Issue Date :

Friday February 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCM	0.51	(0.01)	90,804	0.51	TRUE13C2505A	0.11	(0.03)	58,058	0.13	HANA41C2504B	-	-	-	-
SCM-W2	0.04	0.01	6,550	0.04	TRUE13P2503A	-	-	-	-	HANA41C2505A	-	-	-	-
SINGER	5.40	(0.10)	22,181	5.41	TRUE13P2506A	0.21	0.01	13,830	0.22	HANA41C2606T	0.10	(0.08)	2,115	0.10
SPC	58.50	(0.50)	110	58.65	TRUE19C2503A	-	-	-	-	KCE	18.30	(1.40)	165,870	18.15
SPI	60.50	1.00	1	60.50	TRUE19C2504A	0.09	(0.02)	5,270	0.09	KCE01C2503A	0.01	-	13,285	0.01
SVT	1.38	(0.01)	2,215	1.38	TRUE19C2507A	0.14	(0.02)	96,653	0.15	KCE01C2504A	-	-	-	-
TAN	4.90	(0.10)	25,099	4.97	TRUE19P2506A	0.21	-	9,393	0.21	KCE01C2504W	-	-	-	-
Information & Commr	-	-	-	-	TRUE19P2507A	0.44	0.02	21	0.44	KCE01C2505A	-	-	-	-
3BBIF	5.35	0.05	160,533	5.35	TRUE41C2503A	-	-	-	-	KCE01C2507A	0.24	(0.09)	27,107	0.23
ADVANC	276.00	(5.00)	150,203	275.37	TRUE41C2505A	0.10	(0.03)	22,423	0.11	KCE01P2503W	-	-	-	-
ADVANC01C2503A	0.02	-	5	0.02	TRUE41C2604T	0.60	(0.05)	160	0.60	KCE01P2504A	0.76	0.17	336	0.79
ADVANC01C2503B	-	-	-	-	TRUE41C2612T	0.32	(0.02)	16,001	0.32	KCE13C2503A	-	-	-	-
ADVANC01C2506A	0.20	(0.04)	127,863	0.20	TRUE41P2504A	-	-	-	-	KCE13C2503B	-	-	-	-
ADVANC01P2503X	-	-	-	-	TWZ	0.03	-	58,854	0.03	KCE13C2504A	0.01	-	4,350	0.01
ADVANC01P2505A	0.26	0.03	71,957	0.27	TWZ-W8	-	-	-	-	KCE13C2504B	0.01	-	100	0.01
ADVANC01P2507A	0.74	0.05	6,999	0.74	TWZ-W9	-	-	-	-	KCE13C2504C	-	-	-	-
ADVANC13C2503A	-	-	-	-	Electronic Comp	-	-	-	-	KCE13C2504D	-	-	-	-
ADVANC13C2503B	-	-	-	-	CCET	5.85	(0.75)	2,745,078	5.74	KCE13C2505A	0.05	(0.03)	5,570	0.04
ADVANC13C2505A	0.17	(0.04)	52,831	0.17	CCET13C2505A	0.02	-	1,115	0.01	KCE13C2505B	-	-	-	-
ADVANC13P2504A	0.04	(0.01)	50	0.04	CCET13C2505B	0.02	(0.02)	33,666	0.02	KCE13C2506A	0.16	(0.08)	106,369	0.16
ADVANC13P2507A	0.59	0.05	6,024	0.60	CCET13C2506A	0.05	(0.04)	42,521	0.04	KCE13P2503A	0.72	0.41	100	0.72
ADVANC19C2503A	-	-	-	-	CCET13C2507A	0.11	(0.08)	228,536	0.11	KCE13P2504A	0.82	0.30	200	0.82
ADVANC19C2505A	0.05	(0.04)	800	0.05	CCET19C2506A	-	-	-	-	KCE13P2505A	0.49	0.13	53,807	0.51
ADVANC19C2506A	0.20	(0.05)	241,373	0.20	CCET19C2506B	0.04	-	103	0.03	KCE19C2503A	-	-	-	-
ADVANC19P2503A	-	-	-	-	CCET19C2506C	0.05	(0.05)	6,203	0.04	KCE19C2503B	-	-	-	-
ADVANC19P2504A	0.04	-	6	0.04	CCET19C2507A	0.12	(0.08)	56,117	0.11	KCE19C2504A	-	-	-	-
ADVANC41C2503A	-	-	-	-	CCET41C2505A	0.02	(0.01)	300	0.02	KCE19C2504B	-	-	-	-
ADVANC41C2505A	0.08	(0.02)	13,203	0.08	CCET41C2506A	0.11	(0.07)	31,667	0.11	KCE19C2505A	-	-	-	-
ADVANC41C2606T	0.31	(0.03)	94,401	0.31	DELTA	77.25	(3.50)	352,588	76.77	KCE19C2506A	0.09	(0.06)	12,654	0.10
ADVANC41P2504A	0.13	0.04	9,000	0.13	DELTA01C2503A	0.02	-	21	0.01	KCE19C2507A	0.23	(0.10)	120,506	0.24
ADVANC41P2508A	0.26	0.01	300	0.26	DELTA01C2505A	0.04	(0.01)	13,421	0.05	KCE19P2504A	0.74	0.15	3,279	0.80
AIT	4.48	-	32,416	4.43	DELTA01C2506A	0.10	0.01	6,874	0.08	KCE19P2505A	0.62	0.16	2,795	0.73
ALT	0.84	(0.01)	617	0.81	DELTA01P2503A	0.88	0.28	4,721	0.97	KCE41C2504A	-	-	-	-
AMR	0.61	(0.04)	6,614	0.61	DELTA01P2504A	2.16	0.18	87	2.20	KCE41C2504B	-	-	-	-
BLISS	-	-	-	-	DELTA06C2504A	-	-	-	-	KCE41C2505A	-	-	-	-
DIF	7.85	(0.15)	168,799	7.86	DELTA11C2503A	-	-	-	-	KCE41C2606T	0.13	(0.03)	4,000	0.13
DITTO	10.40	0.20	79,796	10.10	DELTA13C2503A	-	-	-	-	METCO	171.50	-	42	171.50
DITTO-W1	0.11	-	6,413	0.11	DELTA13C2503E	-	-	-	-	SMT	1.20	(0.02)	3,260	1.19
DTCENT	0.99	(0.02)	8,768	0.99	DELTA13C2503C	0.01	-	60	0.01	SVI	6.85	(0.10)	5,396	6.86
FORTH	7.95	(0.05)	2,341	7.91	DELTA13C2505A	0.02	0.01	9,532	0.01	TEAM	2.78	(0.06)	2,935	2.78
GABLE	3.28	0.04	20,855	3.29	DELTA13C2506A	0.04	-	25,446	0.03	Energy & Utilities	-	-	-	-
HUMAN	7.95	0.85	6,331	7.66	DELTA13C2506E	0.05	(0.01)	67,811	0.04	ACC	0.42	-	33,782	0.41
ICN	2.08	(0.02)	4,101	2.10	DELTA13C2507A	0.52	(0.10)	117,387	0.51	ACC-W2	0.59	0.01	342	0.56
ILINK	5.65	(0.10)	8,425	5.54	DELTA13C2507E	0.21	(0.05)	82,193	0.21	ACE	1.31	0.05	48,793	1.25
INET	5.05	(0.35)	164,432	4.98	DELTA13C2507C	0.84	(0.14)	101,180	0.82	AE	0.16	(0.01)	47,462	0.16
INSET	2.20	0.04	46,733	2.17	DELTA13P2503A	0.25	0.29	652	0.95	AGE	1.12	(0.04)	4,729	1.13
INTUCH	79.25	-	144,569	78.58	DELTA13P2503E	1.72	(0.16)	2	1.72	AI	3.70	0.02	2,442	3.68
INTUCH01C2504A	-	-	-	-	DELTA13P2505A	2.64	0.04	5	2.64	AIE	1.60	-	50,642	1.56
INTUCH13C2503A	-	-	-	-	DELTA13P2505E	1.95	0.15	6	1.95	BAFS	8.80	-	1,899	8.66
INTUCH13C2504A	-	-	-	-	DELTA13P2506A	1.20	0.15	141	1.21	BANPU	4.14	-	693,505	4.11
INTUCH13C2505A	0.09	-	77,647	0.08	DELTA13P2507A	0.90	0.08	30,840	0.92	BANPU01C2503A	0.01	-	8,000	0.01
INTUCH19C2503A	-	-	-	-	DELTA13P2507E	0.39	0.03	20,699	0.40	BANPU01C2504A	-	-	-	-
INTUCH19C2503B	-	-	-	-	DELTA19C2503A	0.01	-	1,501	0.01	BANPU01C2506A	-	-	-	-
INTUCH19C2504A	-	-	-	-	DELTA19C2503E	0.01	(0.01)	20,003	0.01	BANPU01C2507A	0.21	-	87,398	0.21
INTUCH19C2505A	0.03	-	794	0.03	DELTA19C2506A	0.02	0.01	782	0.01	BANPU13C2503A	0.01	-	4,500	0.01
INTUCH19C2506A	0.07	-	7,136	0.07	DELTA19C2506E	0.01	(0.01)	1,000	0.01	BANPU13C2504A	0.01	-	2,000	0.01
ITEL	1.60	0.07	78,931	1.54	DELTA19C2506C	0.05	(0.02)	5,296	0.05	BANPU13C2505A	0.02	-	2,244	0.01
JAS	1.64	(0.08)	226,368	1.66	DELTA19C2507A	0.25	(0.06)	44,437	0.24	BANPU13C2506A	-	-	-	-
JAS-W4	0.35	(0.01)	73,119	0.35	DELTA19C2507E	0.50	(0.09)	50,879	0.48	BANPU13C2506B	0.14	-	56,483	0.13
JAS13C2503A	-	-	-	-	DELTA19C2507C	0.92	(0.14)	60,195	0.89	BANPU13P2504A	0.28	-	4,264	0.29
JAS13C2505A	0.03	(0.01)	30	0.03	DELTA19P2503A	0.80	0.18	426	0.84	BANPU19C2504A	-	-	-	-
JAS19C2503A	-	-	-	-	DELTA19P2504A	1.72	0.22	1	1.72	BANPU19C2506A	-	-	-	-
JAS19C2505A	0.04	(0.01)	8,645	0.04	DELTA19P2505A	2.28	0.20	4,826	2.26	BANPU19C2507A	0.20	(0.01)	38,905	0.19
JAS19C2507A	0.33	(0.07)	7,348	0.35	DELTA19P2506A	1.32	0.12	11,476	1.33	BANPU41C2505A	0.01	(0.03)	2,320	0.01
JAS41C2605T	0.16	(0.01)	3,824	0.16	DELTA19P2507A	0.82	0.09	34,669	0.83	BANPU41C2605T	0.09	(0.01)	3,200	0.09
JMART	9.45	(0.20)	78,033	9.38	DELTA41C2503A	0.91	-	1,070	0.91	BBGI	4.04	-	16,620	4.00
JMART-W5	0.23	-	2,707	0.24	DELTA41C2503E	-	-	-	-	BCP	38.50	0.75	196,257	38.16
JMART01C2503A	0.01	-	201	0.01	DELTA41C2505A	-	-	-	-	BCP01C2504A	0.16	0.02	70,463	0.15
JMART13C2504A	-	-	-	-	DELTA41C2506A	-	-	-	-	BCP01C2505A	-	-	-	-
JMART13C2506A	0.07	-	6,176	0.07	DELTA41C2507A	0.26	(0.04)	66,089	0.25	BCP01C2507A	0.34	0.03	23,733	0.33
JMART19C2503A	-	-	-	-	DELTA41C2608T	0.34	(0.03)	73,600	0.34	BCP01P2505A	0.13	(0.01)	23,179	0.14
JMART19C2504A	-	-	-	-	DELTA41C2612T	0.08	(0.01)	1,819	0.08	BCP11C2503A	-	-	-	-
JMART19C2506A	0.09	(0.02)	73	0.09	DELTA41P2504A	1.74	(0.11)	3,500	1.78	BCP13C2503A	-	-	-	-
JMART41C2504A	-	-	-	-	DELTA41P2505A	1.48	0.07	8,760	1.51	BCP13C2504A	0.35	0.05	1,000	0.35
JMART41C2606T	0.18	-	9,061	0.18	DELTA41P2507A	0.28	0.03	4,003	0.28	BCP13C2505A	0.19	0.02	84,385	0.18
JTS	39.00	(4.75)	5,105	40.52	HANA	16.10	(4.00)	519,240	16.29	BCP13C2507A	0.34	0.02	147,837	0.33
MFEC	6.10	0.15	4,674	6.00	HANA01C2504A	-	-	-	-	BCP13P2505A	0.05	(0.01)	601	0.05
MSC	8.20	0.10	769	8.10	HANA01C2504W	0.02	-	5,849	0.01	BCP19C2503A	0.04	-	3,998	0.05
PT	11.10	0.10	15,176	10.92	HANA01C2505A	0.03	(0.05)	30,831	0.02	BCP19C2503B	-	-	-	-
ROCTEC	0.84	(0.04)	56,792	0.84	HANA01C2505B	0.02	(0.01)	4	0.02	BCP19C2504A	-	-	-	-
ROCTEC-W3	0.01	(0.01)	1,106,142	0.01	HANA01P2503W	-	-	-	-	BCP19C2506A	0.36	0.03	14,467	0.34
ROCTEC-W5	0.04	(0.01)	1,026,763	0.04	HANA01P2504A	0.77	0.46	301	0.76	BCP19C2507A	0.26	0.02	90,945	0.25
SAMART	6.65	-	31,563	6.63	HANA01P2505A	1.27	0.54	57,349	1.15	BCP41C2504A	0.18	0.02	5,900	0.16
SAMTEL	5.65	-	614	5.52	HANA06C2504A	-	-	-	-	BCP41C2505A	0.38	0.04	37,433	0.35
SAMTEL-W2	1.09	(0.03)	1,663	1.08	HANA13C2503A	0.01	-	3,100	0.01	BCPG	5.65	-	179,179	5.73
SDC	0.04	(0.01)	91,339	0.04	HANA13C2504A	0.02	0.01	3,000	0.01	BCPG01C2506A	0.09	(0.03)	56,879	0.11
SIS	25.25	(0.50)	3,271	25.18	HANA13C2504B	0.01	-	1,000	0.01	BCPG0				

## Main Board Quotation

Issue Date :

Friday February 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BGRIM13C2505A	-	-	-	-	GUNKUL19C250	-	-	-	-	TOP13P2503A	-	-	-	-
BGRIM13C2505B	-	-	-	-	GUNKUL19C250	0.03	-	4	0.03	TOP13P2505A	0.79	0.04	2,001	0.79
BGRIM13C2506A	0.02	-	17	0.02	IRPC	0.85	(0.04)	805,983	0.86	TOP13P2505B	0.33	0.04	39,682	0.31
BGRIM13C2507A	0.06	(0.02)	12,118	0.07	IRPC01C2504A	-	-	-	-	TOP19C2503A	-	-	-	-
BGRIM13C2507B	0.17	(0.83)	100,914	0.17	IRPC13C2503A	0.01	(0.01)	230	0.01	TOP19C2503B	-	-	-	-
BGRIM13P2505A	-	-	-	-	IRPC19C2503A	-	-	-	-	TOP19C2504A	-	-	-	-
BGRIM13P2506A	0.69	0.04	10,700	0.70	KBSPIF	7.05	(0.10)	826	7.13	TOP19C2505A	-	-	-	-
BGRIM19C2504A	-	-	-	-	LANNA	16.50	(0.10)	2,757	16.50	TOP19C2505B	0.06	(0.01)	200	0.06
BGRIM19C2505A	-	-	-	-	MDX	2.80	(0.06)	1,420	2.77	TOP19P2505A	0.16	0.02	31,653	0.15
BGRIM19C2506A	-	-	-	-	NOVA	8.00	(0.35)	15	8.11	TOP41C2503A	0.01	-	2,100	0.01
BGRIM19C2507A	0.07	(0.01)	322	0.06	OR	11.00	(0.20)	329,528	11.02	TOP41C2505A	-	-	-	-
BGRIM19C2507B	0.18	(0.03)	109,995	0.18	OR01C2503A	0.01	-	3,020	0.01	TOP41C2506B	0.09	(0.02)	9	0.07
BGRIM19P2506A	-	-	-	-	OR01C2505A	-	-	-	-	TOP41P2505A	0.26	0.01	31,501	0.27
BGRIM41C2504A	-	-	-	-	OR01C2507A	0.12	-	23,913	0.12	TPIPP	2.70	(0.10)	50,362	2.74
BGRIM41C2505A	-	-	-	-	OR13C2503A	-	-	-	-	TSE	0.42	(0.03)	61,002	0.41
BGRIM41C2506A	-	-	-	-	OR13C2504A	-	-	-	-	TTW	9.05	-	26,707	9.04
BGRIM41C2608T	0.21	(0.03)	17,969	0.22	OR13C2506A	0.06	0.01	103	0.04	UBE	0.52	0.02	43,014	0.52
BIOTEC	0.19	-	30,511	0.18	OR13C2507A	0.12	(0.02)	29,641	0.13	WHAUP	3.62	(0.02)	41,507	3.56
BIOTEC-P	-	-	-	-	OR19C2503A	-	-	-	-	WP	3.22	0.04	1,534	3.20
BIOTEC-Q	-	-	-	-	OR19C2504A	-	-	-	-	Media & Publishing	-	-	-	-
BIOTEC-W2	0.03	-	7,386	0.02	OR19C2505A	-	-	-	-	AMARIN	2.62	(0.08)	101	2.57
BPP	7.05	(0.25)	43,760	7.07	OR19C2506A	0.10	-	15,452	0.10	AQUA	0.28	0.01	10,996	0.27
BRRGIF	3.90	0.02	1,515	3.89	OR41C2505A	-	-	-	-	AS	2.74	(0.12)	14,025	2.76
BSRC	5.45	(0.05)	124,678	5.44	OR41C2605T	0.04	-	500	0.04	BEC	3.84	(0.04)	2,033	3.84
BSRC13C2506A	0.21	(0.01)	45,051	0.20	OR41C2608T	0.25	(0.01)	40,500	0.25	FE	-	-	-	-
CKP	2.64	(0.16)	67,782	2.67	PRIME	0.08	(0.01)	176,437	0.08	GPI	1.72	-	4,648	1.71
CKP01C2504A	-	-	-	-	PTG	7.20	(0.15)	28,027	7.15	GRAMMY	5.15	(0.05)	303	5.06
CV	0.10	(0.01)	188,928	0.10	PTT	31.50	(0.25)	792,454	31.50	JKN	-	-	-	-
CV-W1	0.05	(0.02)	870	0.06	PTT01C2505A	-	-	-	-	MAJOR	11.60	(1.00)	26,240	11.81
EA	2.46	(0.08)	583,522	2.49	PTT01C2508A	0.20	(0.02)	22,314	0.21	MATCH	1.06	0.01	10	1.06
EA-W1	0.37	(0.04)	403,234	0.38	PTT13C2503A	-	-	-	-	MATI	4.82	(0.18)	24	4.68
EA13C2503A	-	-	-	-	PTT13C2508A	0.18	(0.03)	37,468	0.19	MCOT	3.22	(0.04)	7,760	3.15
EA13C2503B	-	-	-	-	PTT19C2505A	-	-	-	-	MONO	1.02	(0.01)	97,984	1.03
EA13C2503C	0.01	-	44	0.01	PTT41C2606T	0.25	(0.01)	8,000	0.24	NATION	0.03	-	32,068	0.02
EA13C2504A	0.01	-	215	0.01	PTTEP	109.00	(1.00)	116,356	108.80	NATION-W4	-	-	-	-
EA13C2504B	0.01	-	1,300	0.01	PTTEP01C2503A	0.01	-	3,000	0.01	ONEE	2.78	-	31,234	2.77
EA13C2505A	0.01	(0.01)	11,927	0.01	PTTEP01C2504A	-	-	-	-	PLANB	6.60	(0.15)	114,528	6.60
EA13C2505B	0.04	-	1,852	0.04	PTTEP01C2505A	0.09	0.01	17,849	0.08	PLANB13C2503A	-	-	-	-
EA13C2506A	0.08	(0.01)	44,658	0.08	PTTEP01P2503A	-	-	-	-	PLANB19C2503A	-	-	-	-
EA13C2506B	0.14	(0.02)	322,170	0.15	PTTEP01P2506A	0.44	-	14,672	0.46	PLANB41C2606T	0.27	(0.01)	4,150	0.27
EA13P2504A	0.73	0.03	27,333	0.71	PTTEP11C2503A	-	-	-	-	PRAKIT	11.30	(0.10)	41	11.24
EA19C2503A	-	-	-	-	PTTEP13C2503A	-	-	-	-	PTECH	-	-	-	-
EA19C2503B	-	-	-	-	PTTEP13C2504A	-	-	-	-	SE-ED	2.00	0.12	10	2.00
EA19C2504A	-	-	-	-	PTTEP13C2505A	0.04	-	2,201	0.04	TKS	5.70	-	3,253	5.71
EA19C2504B	-	-	-	-	PTTEP13C2507A	0.21	(0.01)	78,244	0.21	VGI	3.10	0.12	1,345,476	3.00
EA19C2505A	0.07	(0.02)	2,550	0.08	PTTEP13P2506A	0.51	0.02	12,248	0.52	VGI-W3	0.07	-	4,226	0.06
EA19C2506A	0.05	-	1,985	0.04	PTTEP19C2503A	-	-	-	-	VGI-W4	1.26	0.02	21,145	1.23
EA19C2506B	0.15	(0.03)	101,392	0.16	PTTEP19C2504A	-	-	-	-	VGI01C2505A	0.19	0.03	61,612	0.15
EA19P2505A	1.12	0.07	4,301	1.12	PTTEP19C2505A	0.06	-	28	0.05	VGI01C2507A	0.47	0.05	87,941	0.39
EA41C2606T	-	-	-	-	PTTEP41C2503A	-	-	-	-	VGI13C2504A	0.24	0.04	73,727	0.19
EASTW	2.02	(0.02)	9,804	2.02	PTTEP41C2504A	-	-	-	-	VGI13C2505A	0.14	0.02	40,590	0.11
EGATIF	5.95	-	4,891	5.95	PTTEP41C2505A	0.06	-	70	0.06	VGI13C2507A	0.32	0.05	74,028	0.27
EGCO	96.25	(1.00)	10,264	96.73	PTTEP41C2604T	0.10	-	10	0.10	VGI13P2504A	0.04	-	520	0.04
EGCO19C2504A	-	-	-	-	PTTEP41P2503A	-	-	-	-	VGI19C2504A	0.16	0.03	16,471	0.12
EP	1.41	(0.04)	4,360	1.35	PTTEP41P2506A	0.38	0.01	6,022	0.41	VGI19C2505A	0.14	0.02	21,910	0.11
EP-W4	-	-	-	-	RATCH	26.00	(0.50)	42,764	26.27	VGI19C2507A	0.32	0.04	65,406	0.27
ETC	1.16	(0.06)	6,260	1.18	RATCH01C2503	-	-	-	-	VGI19P2503A	-	-	-	-
GPSC	28.25	(1.25)	272,424	28.15	RATCH13C2503	-	-	-	-	VGI41C2505A	0.11	(0.01)	20,080	0.11
GPSC01C2504W	0.01	-	40	0.01	RATCH19C2506	0.11	(0.01)	434	0.11	VGI41C2606T	0.26	-	10,201	0.25
GPSC01C2505A	-	-	-	-	RPC	0.27	0.01	28,566	0.27	WORK	5.85	-	2,128	5.76
GPSC01C2507A	0.24	(0.04)	89,306	0.23	SCG	3.06	(0.02)	304	3.06	ZAA	0.73	(0.02)	2,504	0.74
GPSC01P2506A	0.31	0.02	1,270	0.32	SCN	0.47	0.02	6,883	0.44	Finance & Securities	-	-	-	-
GPSC13C2503A	-	-	-	-	SCN-W2	0.04	(0.01)	342	0.03	AEONTS	108.50	1.50	2,984	107.16
GPSC13C2504A	-	-	-	-	SEA0IL	2.64	0.06	500	2.59	AMANAHA	0.80	-	6,931	0.79
GPSC13C2505A	0.02	-	1	0.02	SGP	6.90	(0.15)	3,242	6.81	ASAP	1.38	-	950	1.29
GPSC13C2505B	-	-	-	-	SKE	0.21	(0.01)	10,210	0.22	ASK	7.00	(0.35)	17,131	6.93
GPSC13C2506A	0.11	(0.03)	84,328	0.11	SKE-W1	0.04	-	39	0.04	ASP	2.24	(0.02)	3,084	2.25
GPSC13C2507A	0.26	(0.05)	193,297	0.25	SOLAR	0.25	(0.04)	15,140	0.26	BAM	6.35	(0.05)	198,320	6.32
GPSC13P2505A	-	-	-	-	SPCG	8.10	(0.25)	7,780	8.27	BAM01C2504A	-	-	-	-
GPSC13P2506A	0.28	0.05	33,257	0.28	SPRC	5.40	(0.15)	133,742	5.42	BAM01C2506A	0.23	(0.02)	51,227	0.23
GPSC19C2503A	-	-	-	-	SPRC13C2503A	-	-	-	-	BAM13C2503A	-	-	-	-
GPSC19C2505A	-	-	-	-	SPRC13C2504A	-	-	-	-	BAM13C2503B	-	-	-	-
GPSC19C2506A	0.03	(0.01)	50	0.03	SPRC13C2506A	0.12	(0.02)	20,770	0.13	BAM13C2504A	-	-	-	-
GPSC19C2506B	0.09	(0.03)	70,000	0.10	SPRC19C2503A	-	-	-	-	BAM13C2505A	0.11	(0.01)	132,285	0.11
GPSC19C2507A	0.23	(0.03)	169,384	0.22	SPRC19C2505A	-	-	-	-	BAM13C2506A	0.25	(0.01)	154,329	0.24
GPSC19P2506A	0.37	0.05	18,546	0.37	SPRC41C2606T	0.20	(0.01)	4,000	0.20	BAM19C2503A	-	-	-	-
GPSC41C2504A	-	-	-	-	SSP	5.40	(0.15)	22,306	5.46	BAM19C2504A	-	-	-	-
GPSC41C2505A	-	-	-	-	SSP-W2	0.02	0.01	887	0.01	BAM19C2505A	0.13	-	54,545	0.12
GPSC41C2606T	0.13	(0.02)	14,340	0.14	SUPER	0.18	(0.01)	188,075	0.18	BAM19C2506A	0.28	(0.02)	33,235	0.27
GREEN	0.89	(0.01)	1,023	0.89	SUPEREIF	6.25	-	2,446	6.20	BAM41C2504A	-	-	-	-
GULF	49.00	0.25	502,049	48.45	SUSCO	2.70	0.08	29,285	2.62	BAM41C2505A	0.11	(0.01)	34,686	0.11
GULF01C2503A	-	-	-	-	TAE	0.57	-	616	0.56	BAM41C2612T	0.35	-	57,000	0.34
GULF01C2504A	0.02	0.01	5	0.02	TCC	0.28	(0.01)	3,498	0.28	BYD	0.62	0.01	27,852	0.61
GULF01P2504A	0.92	0.01	102	1.00	TCC-W5	0.15	-	8,511	0.13	CGH	0.51	-	8,107	0.51
GULF06C2503A	-	-	-	-	TGE	1.76	0.12	1,105	1.75	CGH-W5	-	-	-	-
GULF13C2504A	-	-	-	-	TGE-W2	0.13	-	6,699	0.13	CHASE	0.62	0.01	16,922	0.60
GULF13C2505A	0.02	-	1,360	0.02	TOP	22.80	(0.80)	1,406,979	22.85	CHASE-W1	0.24	(0.01)	12,877	0.22
GULF13C2505B	0.04	-	42,275	0.04	TOP01C2503A	0.01	-	2,460	0.01	CHAYO	2.22	(0.08)	27,209	2.20
GULF13P2504A	-	-	-	-	TOP01C2504A	-	-	-	-	CHAYO-W3	0.08	0.01	1,809	0.07
GULF13P2505A	0.43	(0.09)	1,313	0.51	TOP01C2505A	0.02	-	501	0.01	ECL	0.82	(0.03)	20,642	0.82
GULF19C2503A	-	-	-	-	TOP01C2506									

## Main Board Quotation

Issue Date :

Friday February 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
JMT19C2504B	-	-	-	-	CPF	24.40	0.40	302,743	24.18	TVO	22.40	(0.40)	9,066	22.51
JMT19C2506A	-	-	-	-	CPF01C2503A	-	-	-	-	TWPC	2.20	(0.02)	1,215	2.21
JMT19C2507A	0.19	(0.02)	37,335	0.19	CPF01C2504A	-	-	-	-	XBIO	0.20	(0.08)	74,661	0.24
JMT41C2505A	-	-	-	-	CPF01C2508A	0.74	0.03	18,167	0.71	XBIO-W6	0.02	(0.01)	22,558	0.02
JMT41C2608T	0.22	-	62,321	0.21	CPF13C2503A	-	-	-	-	XBIO-W7	0.02	-	4,939	0.01
KCAR	4.10	(0.02)	433	4.09	CPF13C2504A	-	-	-	-	ZEN	6.45	(0.05)	195	6.36
KGI	4.26	(0.02)	8,840	4.26	CPF13C2505A	0.24	0.03	63,616	0.21	Health Care Services	-	-	-	-
KTC	49.50	(1.00)	102,027	49.50	CPF13C2506A	0.60	0.05	1	0.60	AHC	14.00	-	107	14.19
KTC01C2503A	-	-	-	-	CPF19C2504A	-	-	-	-	BCH	16.20	0.50	257,548	15.67
KTC13C2503A	-	-	-	-	CPF19C2505A	0.17	0.01	79,994	0.15	BCH13C2504A	-	-	-	-
KTC13C2506A	0.21	(0.04)	48,957	0.21	CPF41C2503A	-	-	-	-	BCH19C2505A	-	-	-	-
KTC19C2504A	0.10	(0.01)	4,990	0.09	CPF41C2505A	0.11	-	22,400	0.11	BCH19C2505B	0.16	0.03	150,325	0.14
KTC19C2507A	0.27	(0.01)	99,344	0.25	CPF41C2505B	0.20	0.02	92,532	0.17	BCH41C2506A	0.23	0.04	94,545	0.18
KTC41C2606T	0.31	(0.01)	45,036	0.30	CPF41C2612T	0.62	0.03	57,150	0.60	BDMS	24.20	(0.30)	1,123,183	24.26
MFC	25.00	(1.25)	456	25.25	CPI	2.90	(0.02)	3,183	2.93	BDMS01C2503A	0.01	-	3,700	0.01
MICRO	0.91	(0.01)	3,546	0.91	F&D	39.50	1.00	125	39.39	BDMS01C2503B	0.01	-	1,486	0.01
ML	0.41	(0.01)	945	0.40	FM	3.72	0.18	115,943	3.70	BDMS01C2504A	0.01	-	6,334	0.01
MST	8.40	(0.30)	509	8.45	GLOCON	0.17	0.01	176,838	0.16	BDMS01C2506A	0.25	(0.02)	178,292	0.25
MTC	47.00	(1.00)	81,822	47.20	HTC	16.80	0.20	2,700	16.68	BDMS11C2503A	-	-	-	-
MTC01C2504A	-	-	-	-	ICHI	12.50	-	61,785	12.50	BDMS13C2504A	0.01	-	1	0.01
MTC01C2506A	0.35	(0.05)	48,188	0.35	ICHI01C2503A	-	-	-	-	BDMS13C2505A	0.10	(0.01)	27,093	0.10
MTC01P2506A	0.27	0.01	23,006	0.29	ICHI13C2504A	-	-	-	-	BDMS19C2503A	-	-	-	-
MTC13C2503A	-	-	-	-	ITC	16.40	(0.50)	83,184	16.50	BDMS19C2504A	-	-	-	-
MTC13C2505A	0.13	(0.02)	44,677	0.13	ITC01C2503A	0.01	-	1	0.01	BDMS19C2505A	0.10	(0.01)	32,788	0.10
MTC13C2506A	0.34	(0.04)	42,376	0.35	ITC01C2504A	-	-	-	-	BDMS41C2505A	0.15	(0.02)	137,635	0.16
MTC13P2506A	0.20	-	7,492	0.21	ITC01C2506A	0.21	(0.04)	43,443	0.22	BH	195.50	2.50	105,002	195.43
MTC19C2504A	-	-	-	-	ITC13C2504A	0.01	-	395	0.01	BH-P	-	-	-	-
MTC19C2506A	0.31	(0.01)	96,186	0.29	ITC13C2506A	0.17	(0.03)	27,990	0.17	BH-Q	-	-	-	-
MTC19P2506A	0.21	0.01	19,702	0.21	ITC19C2503A	0.01	-	30	0.01	BH01C2504A	0.02	-	10	0.02
MTC41C2505A	-	-	-	-	ITC19C2505A	-	-	-	-	BH01C2505A	0.37	0.03	48,682	0.36
MTC41C2606T	0.37	0.01	113,960	0.36	ITC19C2506A	0.24	(0.04)	54,176	0.25	BH01C2506A	0.16	0.01	87,242	0.16
NCAP	1.62	-	55,829	1.59	ITC41C2505A	-	-	-	-	BH01C2507A	1.09	0.13	17,730	0.98
PL	1.16	(0.30)	7,899	1.22	ITC41C2612T	0.44	(0.02)	62,000	0.44	BH01P2504A	0.20	(0.03)	64,581	0.21
S11	2.86	(0.02)	1,046	2.84	JDF	2.02	0.02	237	2.02	BH01P2507A	0.43	(0.03)	40,146	0.45
SAK	4.24	(0.06)	8,746	4.22	KBS	6.05	-	5,871	6.02	BH06C2503A	-	-	-	-
SAWAD	34.50	0.75	178,330	34.01	KCG	7.60	0.10	24,691	7.60	BH11C2503A	-	-	-	-
SAWAD-W2	0.27	0.03	11,140	0.27	KSL	1.51	(0.08)	11,002	1.52	BH13C2503A	0.01	-	405	0.01
SAWAD01C2504A	-	-	-	-	KTIS	2.16	0.06	1,208	2.09	BH13C2504A	-	-	-	-
SAWAD01C2506A	0.13	0.02	28,682	0.12	LST	4.90	0.02	402	4.87	BH13C2504B	0.13	0.01	103,280	0.13
SAWAD01P2505A	0.48	(0.05)	3,628	0.57	M	19.30	-	26,771	19.29	BH13C2505A	0.12	0.01	41,540	0.12
SAWAD13C2503A	-	-	-	-	MALEE	6.65	(0.10)	13,756	6.62	BH13C2506A	0.72	0.04	684,087	0.72
SAWAD13C2505A	0.04	-	4,325	0.04	NRF	0.57	(0.05)	15,093	0.58	BH13P2503A	0.01	(0.04)	1,805	0.01
SAWAD13C2506A	0.11	0.01	332,828	0.11	NSL	27.00	-	8,584	26.76	BH19C2504A	-	-	-	-
SAWAD13P2504A	0.15	(0.04)	27,191	0.19	OKJ	8.40	(0.25)	51,597	8.45	BH19C2504B	-	-	-	-
SAWAD19C2504A	-	-	-	-	OSP	14.90	0.60	266,475	14.66	BH19C2505A	0.23	0.02	90,654	0.23
SAWAD19C2505A	0.04	-	20,536	0.04	OSP01C2503A	0.01	(0.01)	225	0.01	BH19C2506A	0.15	0.01	24,502	0.15
SAWAD19C2506A	0.12	0.02	111,486	0.11	OSP01C2504A	-	-	-	-	BH19C2506B	0.66	0.05	215,201	0.65
SAWAD19P2504A	0.12	(0.03)	209,726	0.14	OSP01C2507A	0.13	0.02	83,077	0.12	BH19P2504A	0.29	(0.04)	56,244	0.30
SAWAD41C2505A	0.05	0.01	255	0.04	OSP01C2507B	0.22	0.04	124,415	0.20	BH41C2503A	-	-	-	-
SCAP	1.29	-	6,429	1.28	OSP01P2507A	0.31	(0.05)	74,589	0.33	BH41C2504A	-	-	-	-
SGC	0.81	(0.03)	81,497	0.81	OSP13C2503A	-	-	-	-	BH41C2505A	0.27	0.02	175,920	0.27
SGC-W1	0.12	0.01	11,348	0.10	OSP13C2505A	0.01	(0.01)	100	0.01	BH41C2605T	0.17	-	69,950	0.17
SGC-W2	0.25	-	1,358	0.24	OSP13C2506A	0.06	0.02	2,692	0.06	BH41P2504A	0.19	(0.05)	4,000	0.22
SM	0.99	-	287	0.97	OSP13C2506B	0.15	0.04	66,249	0.13	BH41P2508A	0.30	(0.03)	39,920	0.32
TH	0.66	(0.04)	76,728	0.66	OSP13C2507A	0.26	0.05	84,854	0.24	BKGI	2.10	(0.02)	29,301	2.07
TH-W3	0.04	(0.01)	30,923	0.05	OSP19C2503A	-	-	-	-	CHG	2.16	(0.10)	2,036,035	1.93
THANI	1.65	-	38,515	1.63	OSP19C2506A	0.03	0.02	17,616	0.02	CHG13C2504A	0.01	-	300	0.01
TIDLOR	17.30	(0.10)	165,655	17.23	OSP19C2506B	-	-	-	-	CHG19C2505A	-	-	-	-
TIDLOR01C2506A	0.27	(0.02)	68,796	0.27	OSP19C2506C	0.17	0.04	149,765	0.16	CMR	1.58	-	1,160	1.57
TIDLOR13C2504A	0.08	(0.02)	13,287	0.08	OSP41C2503A	-	-	-	-	EKH	6.05	-	21,562	5.97
TIDLOR13C2505A	0.32	(0.01)	29,688	0.32	OSP41C2505A	-	-	-	-	KDH	89.50	-	256	89.52
TIDLOR19C2504A	-	-	-	-	OSP41C2606T	0.16	0.03	8,007	0.15	LPH	4.02	(0.04)	626	4.03
TIDLOR19C2505A	0.19	(0.02)	68,142	0.19	PB	55.25	0.25	8	55.22	M-CHAI	22.40	-	254	22.23
TIDLOR19C2505B	0.32	(0.02)	182,254	0.31	PLUS	4.30	(0.16)	1,437	4.32	MASTER	29.75	0.25	27,390	29.14
TIDLOR41C2605T	0.45	(0.01)	97,004	0.44	PM	9.65	-	14,401	9.65	MEDEZE	8.10	0.05	50,389	8.02
TK	3.78	0.06	472	3.73	PQS	2.30	-	1,869	2.25	NEW	107.00	(10.00)	1	107.00
TNITY	2.90	0.02	1,948	2.88	PRG	8.10	(0.30)	25	8.02	NKT	4.40	0.04	10,247	4.36
TNL	32.75	0.50	37	33.53	PRG-W2	-	-	-	-	NTV	29.25	0.25	252	29.22
UOBKH	4.58	0.08	187	4.52	PRG-W3	3.10	0.08	10	3.10	PHG	13.90	-	1,366	13.90
XPG	0.86	(0.01)	116,388	0.86	PRG-W4	-	-	-	-	PR9	22.90	0.20	36,153	22.56
Food & Beverage	-	-	-	-	PRG-W5	2.96	-	3	2.96	PR901C2507A	0.36	-	36,040	0.33
AAI	5.45	0.10	19,883	5.42	RBF	4.86	-	26,165	4.76	PR913C2505A	-	-	-	-
APURE	3.60	0.12	1,042	3.48	RBF01C2504A	-	-	-	-	PR913C2506A	0.21	-	17,118	0.19
ASIAN	7.50	(0.20)	11,826	7.51	RBF13C2503A	-	-	-	-	PR919C2506A	-	-	-	-
BR	1.68	(0.02)	11,330	1.67	RBF13C2504A	-	-	-	-	PRINC	2.64	-	4,927	2.64
BR-W1	0.03	-	263	0.03	RBF13C2507A	0.04	(0.01)	6,660	0.04	RAM	20.00	(0.20)	487	19.96
BRR	4.56	-	4,680	4.50	RBF19C2503A	-	-	-	-	RJH	15.50	0.10	11,004	15.37
BRR-W2	0.22	-	125	0.21	RBF19C2505A	-	-	-	-	RPH	5.35	-	1,850	5.34
BTG	19.50	(0.10)	58,839	19.65	RBF19C2508A	-	-	-	-	SAFE	9.35	-	1,650	9.33
CBG	67.75	(1.50)	20,703	67.94	SAPPE	45.25	(2.75)	52,895	45.52	SKR	8.10	0.10	1,634	7.95
CBG01C2503A	-	-	-	-	SAPPE01C2504A	0.01	(0.01)	609	0.01	THG	11.00	(1.70)	72,801	11.32
CBG01C2504A	-	-	-	-	SAUCE	37.00	(0.25)	241	36.66	VIBHA	1.81	(0.07)	28,402	1.83
CBG01C2506A	0.13	(0.03)	64,985	0.14	SNPN	12.30	0.10	16,153	12.19	VIBHA-W4	0.01	-	7,000	0.01
CBG01C2507A	0.38	(0.07)	44,403	0.40	SNP	11.10	-	1,058	11.02	VIH	6.85	(0.35)	10,875	6.82
CBG01P2504W	0.32	0.06	18,851	0.31	SORKON	4.36	0.04	1,087	4.37	VIH-W1	-	-	-	-
CBG01P2506A	1.00	0.05	4,931	1.00	SSF	6.00	-	146	5.97	WPH	8.80	0.15	9,020	8.62
CBG13C2503A	-	-	-	-	SST	2.68	0.02	1	2.68	Tourism & Leisure	-	-	-	-
CBG13C2505A	0.05	(0.04)	868	0.05	SUN	3.12	-	5,633	3.09	ASIA	5.25	-	43	5.20
CBG13C2506A	0.													

## Main Board Quotation

Issue Date :

Friday February 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ERW13C2503A	-	-	-	-	SCGP19C2506B	0.05	(0.01)	1,000	0.05	CPN13C2503A	-	-	-	-
ERW13C2505A	-	-	-	-	SCGP19P2505A	-	-	-	-	CPN13C2504A	-	-	-	-
ERW13C2507A	0.17	(0.03)	45,363	0.18	SCGP41C2505A	0.02	(0.08)	968	0.01	CPN13C2505A	-	-	-	-
ERW19C2503A	-	-	-	-	SCGP41C2606T	0.15	(0.01)	8,000	0.15	CPN13C2507A	0.19	(0.03)	129,635	0.18
ERW19C2506A	0.12	(0.03)	31,155	0.13	SFLEX	2.66	(0.14)	73,404	2.72	CPN19C2503A	-	-	-	-
ERW41C2606T	0.18	(0.02)	4,000	0.18	SFLEX-W2	0.04	(0.01)	515	0.04	CPN19C2504A	-	-	-	-
GRAND	0.05	(0.01)	11,465	0.05	SITHAI	1.07	(0.01)	6,293	1.07	CPN19C2505A	0.03	(0.02)	11	0.02
LRH	37.00	(0.25)	20	37.13	SLP	0.40	0.03	11,023	0.38	CPN41C2504A	-	-	-	-
MANRIN	-	-	-	-	SMPC	9.00	(0.15)	738	9.09	CPN41C2505A	-	-	-	-
MINT	29.00	(0.25)	344,074	28.65	SPACK	1.61	(0.05)	224	1.54	CPN41C2608T	0.30	(0.02)	100,869	0.28
MINT01C2504A	0.09	(0.01)	2,000	0.09	TCOAT	-	-	-	-	ESTAR	0.17	(0.01)	182,012	0.17
MINT01C2506A	0.83	(0.09)	2,050	0.86	TFI	0.05	-	10,493	0.05	EVER	0.09	-	5,135	0.09
MINT01C2507A	0.24	-	30,423	0.22	TFI-W1	-	-	-	-	FPT	6.90	-	240	6.83
MINT13C2503A	0.01	-	379	0.01	THIP	27.75	(0.25)	231	27.75	GLAND	-	-	-	-
MINT13C2505A	0.16	(0.01)	70,423	0.14	TMD	25.25	-	26	25.14	J	1.02	(0.01)	5,566	1.00
MINT13C2506A	-	-	-	-	TOPP	-	-	-	-	J-W3	-	-	-	-
MINT13C2506B	-	-	-	-	TPAC	8.70	(0.10)	1,460	8.64	J-W4	-	-	-	-
MINT19C2504A	0.11	(0.02)	12,995	0.10	TPBI	3.82	(0.04)	3,202	3.82	JCK	0.19	-	9,449	0.19
MINT19C2506A	-	-	-	-	TPP	11.60	(0.10)	3	11.60	KC	0.07	0.01	74,480	0.06
MINT41C2504A	-	-	-	-	Personal Product	-	-	-	-	KUN	1.18	(0.01)	125	1.14
MINT41C2604T	-	-	-	-	APCO	3.14	(0.26)	11,584	3.17	KUN-W2	0.01	-	1	0.01
MINT41C2612T	0.30	(0.01)	56,050	0.29	BIZ	3.66	(0.06)	4,565	3.66	LALIN	5.40	0.05	317	5.39
OHTL	303.00	(9.00)	4	307.50	BLC	4.22	-	20,732	4.18	LH	4.42	0.04	362,313	4.37
ROH	1.95	(0.01)	1	1.95	DDD	6.70	-	136	6.78	LH19C2504A	-	-	-	-
SHANG	-	-	-	-	IP	2.42	(0.06)	23,684	2.49	LPN	2.18	-	7,497	2.17
SHR	1.95	(0.04)	51,582	1.96	IP-W2	0.10	(0.02)	58,668	0.12	MBK	16.80	(0.70)	59,476	16.78
SPA	5.15	0.21	38,116	4.98	JCT	-	-	-	-	MBK-W4	14.80	(0.50)	3	14.80
VRANDA	4.60	0.02	383	4.56	KISS	4.02	(0.02)	7,607	3.96	MBK19C2508A	0.13	(0.03)	2,752	0.13
Home & Office Prodt	-	-	-	-	NAM	4.28	0.02	490	4.24	MJD	0.74	0.02	5	0.74
AJA	0.12	-	155,631	0.12	NEO	30.00	-	4,050	29.81	MK	1.38	(0.10)	254	1.39
AJA-W4	0.01	-	1	0.01	NV	0.63	0.02	5,134	0.65	NCH	0.67	(0.01)	1,589	0.66
DTCI	-	-	-	-	OCC	-	-	-	-	NNCL	1.59	0.01	394	1.58
FANCY	0.31	-	764	0.30	S8J	34.25	0.50	2	34.25	NOBLE	2.10	(0.02)	5,460	2.09
FTI	1.80	(0.10)	225	1.80	SNPS	5.85	(0.05)	26,824	5.81	NVD	1.29	-	32	1.27
KYE	297.00	1.00	14	296.29	STGT	7.45	0.15	61,920	7.32	ORI	2.96	(0.08)	76,393	2.93
L&E	1.22	0.03	214	1.20	STGT01C2503A	-	-	-	-	ORN	0.70	-	2,149	0.70
MODERN	1.96	0.13	3,820	1.93	STGT01C2504A	-	-	-	-	PEACE	2.40	(0.02)	9	2.40
OGC	9.85	(3.65)	1,057	9.58	STGT13C2503A	-	-	-	-	PF	0.12	-	31,955	0.12
ROCK	11.10	(0.40)	3	11.10	STGT13C2504A	-	-	-	-	PIN	6.35	(0.15)	54,727	6.34
SIAM	0.84	-	104	0.84	STGT13C2506A	0.13	0.01	21,140	0.12	PLAT	1.77	(0.05)	11,306	1.78
TCMC	0.51	-	216	0.49	STGT19C2503A	-	-	-	-	PRECHA	0.79	0.01	332	0.75
TSR	0.27	(0.01)	4,726	0.27	STGT19C2504A	-	-	-	-	PRIN	-	-	-	-
TSR-W2	0.01	-	5,848	0.01	STGT19C2504B	-	-	-	-	PROUD	1.25	(0.01)	3,663	1.26
Insurance	-	-	-	-	STGT41C2503A	0.01	-	2	0.01	PSH	4.80	(0.80)	180,155	4.95
AYUD	31.50	-	169	31.47	STGT41C2606T	0.17	(0.01)	8,000	0.18	QH	1.59	-	290,188	1.59
BKIH	290.00	(1.00)	180	289.51	TMAN	12.40	-	4,882	12.38	RABBIT	0.36	-	54,244	0.36
BLA	20.10	(0.30)	13,049	20.18	TNR	8.00	0.25	1,626	7.99	RABBIT-P	0.51	(0.01)	414	0.50
BLA01C2503A	-	-	-	-	TOG	9.55	-	696	9.38	RABBIT-Q	-	-	-	-
BLA13C2504A	0.03	(0.04)	821	0.03	Professional Sen	-	-	-	-	RICHY	0.35	(0.02)	1,833	0.35
BLA13C2507A	0.26	(0.02)	8,205	0.27	BWG	0.24	(0.01)	394,686	0.24	RML	0.21	(0.01)	25,844	0.21
BLA19C2506A	0.28	(0.03)	17,446	0.29	BWG-W6	0.01	(0.01)	14,051	0.01	ROJNA	5.65	(0.15)	59,930	5.67
BLA41C2606T	0.39	(0.01)	42,000	0.40	GENCO	0.32	-	2,564	0.31	S	0.71	-	16,595	0.70
BUI	17.20	-	883	17.16	PRTR	3.76	-	305	3.74	SA	7.30	-	473	7.25
CHARAN	20.40	-	1	20.40	SISB	21.30	(0.30)	30,703	21.06	SA-W1	0.01	-	10	0.01
INSURE	90.00	-	3	90.00	SISB13C2504A	-	-	-	-	SAMCO	0.74	-	569	0.73
KWI	0.30	-	2,645	0.29	SISB13C2506A	0.14	(0.02)	37,850	0.14	SC	2.54	-	21,663	2.51
MTI	110.00	-	59	111.23	SISB13C2506B	-	-	-	-	SENA	2.20	-	2,287	2.18
NKI	-	-	-	-	SISB19C2507A	0.10	(0.01)	2,290	0.10	SIRI	1.67	(0.01)	486,136	1.67
TGH	11.40	-	19	11.40	SO	4.26	0.06	318	4.16	SIRI01C2504A	-	-	-	-
THRE	0.47	(0.02)	14,343	0.48	WAVE	0.07	-	23,246	0.07	SIRI13C2503A	-	-	-	-
THREL	1.19	0.02	1,788	1.17	WAVE-W3	0.01	-	1	0.01	SIRI19C2503A	-	-	-	-
TIPI	20.20	(1.30)	49,173	20.31	WAVE-W4	0.03	-	85	0.02	SIRI41C2606T	0.28	(0.01)	8,002	0.28
TLI	11.20	(0.40)	181,390	11.24	Property Develop	-	-	-	-	SPALI	17.20	0.30	84,769	17.08
TLI01C2503A	-	-	-	-	A	-	-	-	-	SPALI13C2507A	0.31	0.02	20,489	0.30
TLI01C2507A	0.22	(0.04)	59,037	0.22	A5	2.44	(0.02)	1,048	2.46	SPALI19C2504A	-	-	-	-
TLI06C2503A	0.05	(0.01)	304	0.05	A5-W4	0.03	(0.02)	4,591	0.04	STELLA	0.14	(0.01)	14,603	0.15
TLI13C2505A	0.13	(0.03)	55,221	0.14	AKS	0.01	-	6,952	0.01	STELLA-W5	-	-	-	-
TLI19C2506A	0.19	(0.04)	295,751	0.20	AMATA	23.50	(0.40)	66,006	23.27	STELLA-W6	0.04	-	102,239	0.04
TLI41C2606T	0.28	(0.02)	78,000	0.28	AMATA01C2503	-	-	-	-	UV	1.15	-	2,461	1.15
TQM	15.30	(1.20)	16,807	15.56	AMATA01C2507	-	-	-	-	WHA	3.44	(0.04)	1,437,143	3.46
TSI	0.08	(0.01)	1	0.08	AMATA13C2503	-	-	-	-	WHA01C2503A	0.01	-	510	0.01
TVH	8.55	(0.05)	1,404	8.52	AMATA13C2505	-	-	-	-	WHA01C2504A	-	-	-	-
Packaging	-	-	-	-	AMATA13C2506	-	-	-	-	WHA01C2506A	-	-	-	-
AJ	2.18	(0.08)	2,389	2.19	AMATA13C2506I	0.35	(0.04)	59,929	0.33	WHA01C2507A	0.06	-	9,131	0.06
ALUCON	178.50	2.50	5	178.70	AMATA19C2503	-	-	-	-	WHA11C2503A	-	-	-	-
BGC	6.05	(0.35)	3,119	6.13	AMATA19C2505	-	-	-	-	WHA13C2503A	-	-	-	-
CSC	45.75	-	28	45.75	AMATA41C2505	-	-	-	-	WHA13C2504A	-	-	-	-
CSC-P	-	-	-	-	AMATAV	4.06	(0.14)	561	4.05	WHA13C2505A	-	-	-	-
CSC-Q	-	-	-	-	ANAN	0.43	-	24,812	0.42	WHA13C2506A	0.02	-	23,917	0.02
NEP	0.23	(0.01)	1,313	0.23	AP	8.95	0.25	258,585	8.77	WHA13C2506B	0.01	(0.01)	2,501	0.01
PJW	2.24	-	10,098	2.22	AP01C2503A	0.01	-	999	0.01	WHA13C2507A	0.20	(0.02)	147,268	0.20
PTL	10.00	(0.20)	7,279	10.01	AP01C2507A	0.45	0.04	18,854	0.40	WHA19C2504A	-	-	-	-
SCGP	13.50	0.10	392,627	13.44	AP13C2503A	-	-	-	-	WHA19C2506A	0.02	-	500	0.02
SCGP01C2504A	-	-	-	-	ASW	6.80	(0.10)	4,496	6.77	WHA19C2507A	0.24	(0.02)	71,655	0.25
SCGP01C2504W	-	-	-	-	AWC	2.92	(0.18)	1,291,816	2.93	WHA41C2605T	0.05	(0.01)	1,000	0.05
SCGP01C2506A	-	-	-	-	AWC01C2504A	-	-	-	-	WHA41C2608T	0.19	(0.01)	11,212	0.19
SCGP01C2507A	0.09	-	98,055	0.08	AWC01C2506A	0.11	(0.06)	63,955	0.12	WIN	0.38	-	2,008	0.39
SCGP01P2503A	2.06	0.06	110	2.10	AWC13C2504A	-	-	-	-	Paper & Printing Mat	-	-	-	-
SCGP01P2507A	0.78	0.04	6,002	0.78	AWC13C2506A	0.12	(0.05)	50,272	0.13	UTP	8.00	(0.05)	1,607	8.06
SCGP13C2503A	-	-	-	-	AWC19C2504A	-	-	-	-	Fashion	-	-	-	-
SCGP13C2503B	-	-	-	-	AWC19C2506A	0.11	(0.06)	24,574	0.12	AFC	-	-	-	-
SCGP13C2504A	-	-	-	-	AWC41C2606T	0.16	(0.02)	1	0.16	AURA	14.10	0.10	11,546	13.96
SCGP13C2504B	-	-	-	-	BLAND	0.46	(0.01)	36,128	0.47	BTNC	-	-	-	-
SCGP13C2506A	-	-	-	-	BRI	3.00	(0.10)	13,897	2.96	CPH	8.20	(0.05)	525	8.23
SCGP13C2506B	0.04	(0												

## Main Board Quotation

Issue Date :

Friday February 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TTI	-	-	-	-	SJWD13C2504A	-	-	-	-	TU-PF	-	-	-	-
TTT	51.75	(0.25)	29	51.75	TFHF	6.30	0.05	38,385	6.24	WHABT	7.10	0.05	14	7.05
UPF	-	-	-	-	THAI	-	-	-	-	WHAIR	5.65	(0.05)	11,601	5.62
WACOAL	24.90	0.90	27	24.91	TSTE	-	-	-	-	WHART	10.20	-	12,910	10.12
WFX	0.90	-	3,122	0.90	TTA	4.50	0.08	120,202	4.49	Steel and Metal Prod	-	-	-	-
Transportation & Log	-	-	-	-	WICE	2.80	(0.10)	6,860	2.81	2S	2.34	-	235	2.30
AAV	2.04	-	383,091	2.04	Automotive	-	-	-	-	AMC	1.90	(0.01)	1,213	1.89
AAV01C2503A	-	-	-	-	ACG	0.76	(0.05)	1,015	0.73	BSBM	0.70	-	7,444	0.70
AAV13C2504A	0.02	0.01	28	0.02	AH	13.50	(0.10)	5,069	13.71	CEN	-	-	-	-
AAV13C2506A	0.12	-	71,793	0.12	CWT	0.66	(0.03)	6,734	0.64	CEN-W5	0.09	-	31	0.09
AAV19C2505A	0.03	-	2,150	0.03	EASON	1.06	0.01	7,938	1.06	CITY	1.63	(0.02)	477	1.58
AAV19C2507A	0.22	(0.78)	63,820	0.22	GVT	-	-	-	-	CSP	0.52	0.01	435	0.51
AAV41C2505A	-	-	-	-	HFT	4.12	0.02	2,389	4.09	GJS	0.13	0.01	14,562	0.12
AAV41C2608T	0.25	-	32,000	0.25	IHL	1.51	(0.09)	2,157	1.49	GSTEEL	-	-	-	-
ANI	2.64	(0.02)	288	2.62	INGRS	0.23	(0.02)	5,925	0.23	INOX	0.42	-	24,443	0.41
AOT	43.25	(0.25)	470,016	42.63	IRC	12.00	0.10	278	11.87	LHK	3.34	-	858	3.30
AOT01C2504A	-	-	-	-	MGC	2.94	0.12	2,183	2.89	MCS	7.10	(0.05)	3,370	7.09
AOT01C2506A	0.03	0.01	1,965	0.02	NEX	0.71	(0.02)	62,436	0.71	MILL	0.09	(0.01)	2,641	0.09
AOT01C2507A	0.26	-	28,776	0.24	PCSGH	3.60	-	457	3.59	PAP	1.54	(0.02)	946	1.50
AOT01P2507A	1.11	0.03	2,136	1.17	POLY	6.90	0.15	1,099	6.92	PERM	0.38	-	3,550	0.37
AOT01P2507B	0.40	0.03	9,615	0.41	SAT	12.20	-	16,017	12.21	SAM	0.16	-	6,144	0.15
AOT13C2503A	-	-	-	-	SPG	12.30	-	3	12.30	SMIT	3.86	0.06	375	3.83
AOT13C2504A	0.01	-	50	0.01	STANLY	218.00	(1.00)	178	218.01	SSSC	2.02	-	1,281	1.99
AOT13C2506A	0.01	(0.01)	9,064	0.01	TKT	1.06	(0.05)	376	1.08	TGPRO	0.07	-	260,601	0.07
AOT13C2507A	0.04	-	108,190	0.03	TNPC	0.80	-	379	0.79	THE	0.75	-	210	0.75
AOT13C2507B	0.24	(0.02)	30,620	0.22	TRU	3.28	0.06	1,792	3.29	TMT	2.68	(0.08)	1,928	2.65
AOT13C2507C	0.11	(0.01)	21,379	0.10	TSC	12.70	(0.10)	36	12.69	TSTH	0.50	0.01	20,594	0.49
AOT13P2507A	-	-	-	-	Industrial Materi	-	-	-	-	TWP	1.03	0.01	72	1.03
AOT13P2507B	0.35	0.04	14,445	0.35	AKR	1.02	0.01	73,187	1.00	TYCN	1.72	(0.11)	2,244	1.76
AOT19C2504A	-	-	-	-	ALLA	1.37	(0.01)	19,848	1.36	Construction Service	-	-	-	-
AOT19C2506A	0.01	-	1,100	0.01	ASEFA	2.86	-	853	2.80	APCS	1.42	(0.05)	15	1.42
AOT19C2507A	0.04	-	6,855	0.03	CPT	1.00	0.01	1,894	1.00	BJCHI	0.87	(0.03)	5,153	0.87
AOT19C2507B	0.17	(0.01)	77,034	0.15	CRANE	0.40	-	3,499	0.40	BKD	1.35	(0.01)	3,297	1.32
AOT19P2507A	0.31	0.03	32,436	0.31	CTW	2.90	(0.08)	90	2.89	CIVIL	1.66	0.01	4,761	1.64
AOT41C2503A	0.01	-	100	0.01	FMT	32.00	0.50	9	31.28	CK	13.80	(0.20)	311,553	12.73
AOT41C2505A	-	-	-	-	FTE	1.58	-	2,074	1.57	CK01C2503A	-	-	-	-
AOT41C2507A	0.24	(0.01)	25,543	0.23	HTECH	3.24	0.06	7,691	3.19	CK13C2503A	-	-	-	-
AOT41C2605T	0.06	-	1,769	0.05	KCC	0.05	-	-	-	CK19C2503A	0.01	(0.01)	1,503	0.01
AOT41P2504A	1.20	0.08	1	1.20	KKC	2.64	-	2,695	2.61	CNT	0.90	-	341	0.89
AOT41P2606T	-	-	-	-	PK	0.41	-	1,147	0.40	DEMCO	2.36	(0.08)	495	2.39
ASIMAR	1.65	0.02	3,365	1.66	PSP	4.04	(0.14)	351	4.10	EMC	0.06	-	74,302	0.06
B	0.06	-	119,157	0.06	QTC	3.92	(0.02)	463	3.89	EMC-W7	0.04	-	10	0.04
B-W8	0.01	-	2	0.01	SCI	0.74	0.02	2,560	0.73	ITD	0.30	-	33,536	0.29
BA	20.20	-	82,360	20.24	SE	0.44	(0.01)	3,043	0.43	JR	1.51	-	2,118	1.50
BA01C2503A	-	-	-	-	SELIC	3.00	(0.08)	552	3.00	NL	0.91	-	847	0.90
BA01C2504A	-	-	-	-	SNC	5.80	0.10	3,688	5.67	NWR	-	-	-	-
BA13C2503A	-	-	-	-	TCJ	2.80	-	2	2.80	PLE	0.29	-	13,249	0.28
BA13C2504A	-	-	-	-	TPCS	12.50	0.30	4	12.05	PREB	3.92	(0.06)	1,239	3.91
BA13C2506A	0.29	-	81,490	0.30	VARO	4.96	(0.04)	135	4.93	PYLON	1.73	(0.05)	6,358	1.72
BA19C2503A	-	-	-	-	Property Fund &	-	-	-	-	RT	0.29	-	31,516	0.29
BA19C2507A	0.34	(0.66)	49,884	0.35	AIMCG	2.30	(0.02)	1,150	2.32	SEAFCO	1.80	(0.14)	14,617	1.84
BA41C2606T	0.21	0.01	64,030	0.21	AIMIRT	10.60	-	2,579	10.60	SQ	0.67	(0.01)	4,265	0.66
BEM	6.40	-	591,789	6.33	ALLY	4.90	(0.20)	3,021	4.92	SRICHA	3.22	(0.26)	2,200	3.33
BEM11C2503A	-	-	-	-	AMATAR	6.10	(0.15)	1,179	6.13	STECON	3.44	(0.14)	469,971	3.46
BEM13C2505A	-	-	-	-	AXTRART	11.90	0.20	6,928	11.71	STI	2.78	(0.04)	503	2.77
BEM13C2506A	0.07	(0.01)	14,899	0.07	B-WORK	4.64	0.04	2,985	4.61	STPI	2.40	(0.24)	19,715	2.38
BEM19C2503A	-	-	-	-	BARBIT	9.50	(0.10)	1,616	9.51	SYNTEC	1.59	0.02	6,939	1.58
BEM19C2505A	-	-	-	-	BOFFICE	4.88	-	4,240	4.88	TEAMG	2.78	0.04	40,565	2.75
BEM41C2606T	0.18	0.01	4,002	0.19	CPNGC	6.00	-	10,145	6.00	TEAMG-W1	0.18	-	7,448	0.17
BTS	5.80	(0.20)	848,470	5.82	CPNREIT	11.70	(0.20)	24,746	11.70	TEKA	2.24	0.02	576	2.21
BTS-W8	0.06	0.01	6,907	0.05	CPTREIT	4.22	0.08	5,392	4.15	TPOLY	0.43	-	1,615	0.43
BTS01C2503A	-	-	-	-	CTARAF	4.38	(0.02)	540	4.37	TRC	0.72	0.02	2,668	0.69
BTS01C2504A	0.08	(0.03)	13,454	0.09	DREIT	5.15	-	1,110	5.15	TRITN	0.10	-	210,666	0.10
BTS01C2507A	0.14	(0.02)	21,392	0.15	FTREIT	10.10	-	20,391	10.05	TTCL	1.51	(0.04)	4,606	1.49
BTS01P2504A	-	-	-	-	FUTURET	10.30	-	345	10.24	UNIQ	1.70	(0.01)	6,088	1.67
BTS01P2505A	0.18	0.02	20,133	0.18	GAHREIT	6.85	0.15	407	6.78	WGE	0.73	-	528	0.70
BTS13C2503A	-	-	-	-	GROREIT	8.50	-	121	8.52	Unit Trust	-	-	-	-
BTS13C2505A	0.08	(0.01)	11,873	0.08	GVREIT	6.55	(0.05)	1,205	6.48	SCBSET	-	-	-	-
BTS13C2507A	0.18	(0.04)	23,240	0.19	HPF	4.68	0.02	761	4.65	VAYU1	10.00	-	9,769	10.02
BTS13P2503A	-	-	-	-	HYDROGEN	8.95	(0.05)	11	9.00	ETF	-	-	-	-
BTS13P2505A	0.14	0.02	11,543	0.14	IMPACT	10.30	0.10	566	10.19	IDIV	9.94	(0.07)	726	9.88
BTS19C2503A	-	-	-	-	INREIT	8.55	0.05	3,408	8.49	ABFTH	-	-	-	-
BTS19C2503B	-	-	-	-	ISSARA	8.20	(0.05)	32	8.17	BMSCG	7.50	(0.30)	72	7.50
BTS19C2505A	0.11	(0.03)	96,478	0.12	KPNREIT	-	-	-	-	BMSCITH	8.80	(0.11)	1,258	8.75
BTS41C2504A	-	-	-	-	KTBTMR	6.15	-	497	6.16	BSET100	8.11	(0.13)	808	8.09
BTS41C2504B	0.11	(0.04)	9,100	0.13	LHHOTEL	13.50	-	5,907	13.43	CHINA	5.97	(0.04)	1,637	5.97
BTS41C2608T	0.23	(0.01)	2	0.23	LHRREIT	5.10	-	153	5.10	ENGY	4.01	(0.05)	77	4.02
BTS5GIF	2.80	(0.04)	19,731	2.82	LHSC	11.40	(0.10)	5,452	11.35	GLD	3.88	(0.03)	20,462	3.88
DMT	10.30	-	6,483	10.32	LUXF	7.85	(0.10)	208	7.86	TDEX	7.36	(0.08)	18,798	7.32
ETL	0.38	-	34,378	0.38	M-PAT	3.38	-	10	3.38	UBOT	13.09	(0.81)	8	13.10
III	4.82	(0.04)	4,538	4.84	M-STOR	-	-	-	-	UHERO	8.39	(0.06)	18	8.30
KEX	0.96	0.08	22,829	1.00	MII	5.65	(0.10)	49	5.60	Warrant Foreign	-	-	-	-
KIAT	0.28	(0.01)	14,756	0.28	MIPF	11.60	2.50	48	11.61	AIA41C2502A	-	-	-	-
KWC	-	-	-	-	MIT	0.27	(0.01)	33	0.28	AIA41C2504A	0.21	(0.06)	11,029	0.20
MENA	1.00	-	3,256	1.00	MJLF	4.28	(0.02)	69	4.24	ALIHEA41C2502A	-	-	-	-
NYT	3.30	0.02	32,152	3.28	MNIT	-	-	-	-	BABA28C2503A	0.18	(0.09)	101,005	0.17
PORT	1.01	(0.07)	262	1.04	MNIT2	5.00	0.02	1	5.00	BABA28C2506A	2.00	(0.60)	4,197	2.08
PRM	7.55	(0.05)	57,493	7.53	MNRF	2.16	-	180	2.17	BABA28C2509A	0.41	(0.12)	145,579	0.44
PSL	6.35	(0.05)	102,300	6.37	POPF	5.55	(0.20)	8,773	5.61	BABA28P2503A	-	-	-	-
RCL	24.40	(0.60)	44,835	24.58	PROSPECT	8.40	-	3,871	8.40	BABA28P2509A	0.16	0.03	208,941	0.16
RCL01C2505A	-	-	-	-	QHBREIT	4.16	(0.02)	6,017	4.14	BABA41C2502A	-	-	-	-
RCL13C2506A	0.10	(0.02)	10,632	0.11	QHRRREIT	6.80	-	686	6.73	BABA41C2503A	0.73	(0.36)	79	0.79
RCL13C2507A	0.58	(0.08)	37	0.59	QHOP	3.38	0.08	1	3.38	BABA41C2504A	2.44	(0.54)	183	2.43
RCL19C2503A	0.03	(0.02)	4,480											

## Main Board Quotation

Issue Date :

Friday February 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BYDCOM28C2508A	1.31	(0.39)	114	1.36	HSI28P2503C	-	-	-	-	SET5006C2506C	0.17	(0.06)	293,388	0.14
BYDCOM28P2503A	-	-	-	-	HSI28P2503D	0.04	0.03	17,068	0.03	SET5006P2503A	1.52	0.34	28	1.61
BYDCOM41C2502A	-	-	-	-	HSI28P2503E	-	-	-	-	SET5006P2503B	-	-	-	-
BYDCOM41C2506A	1.26	(0.35)	9	1.32	HSI28P2503F	0.08	0.05	74,956	0.07	SET5006P2503C	-	-	-	-
BYDCOM41C2506B	0.26	(0.15)	38,020	0.27	HSI28P2504A	0.04	-	20	0.04	SET5006P2503D	-	-	-	-
BYDCOM41P2502A	-	-	-	-	HSI28P2504B	-	-	-	-	SET5006P2504A	1.42	0.30	26	1.42
CATHAY41C2502A	-	-	-	-	HSI28P2504C	0.10	0.03	3,632	0.10	SET5006P2506B	0.96	0.17	1,778	0.97
DJI28C2503A	-	-	-	-	HSI28P2504D	0.15	0.05	70,863	0.15	SET5006P2506C	0.57	0.08	489,685	0.63
DJI28C2503B	-	-	-	-	HSI28P2504E	0.27	0.11	28,892	0.24	SET5013C2503A	-	-	-	-
DJI28C2506A	0.22	(0.02)	127	0.20	HSI28P2504F	0.39	0.13	999,406	0.39	SET5013C2503B	-	-	-	-
DJI28P2503A	-	-	-	-	HSI28P2504G	0.65	0.22	1,822,377	0.64	SET5013C2503C	-	-	-	-
DJI28P2503B	-	-	-	-	HSI28P2504H	1.07	0.28	20,281	0.99	SET5013C2503D	0.01	-	290	0.01
DJI28P2506A	0.71	0.01	7,344	0.74	HSI28P2505A	0.06	0.01	11,047	0.06	SET5013C2503E	-	-	-	-
DJI41C2503A	-	-	-	-	HSI28P2505B	0.12	0.03	20,100	0.11	SET5013C2503F	-	-	-	-
DJI41C2503B	-	-	-	-	HSI28P2505C	0.41	0.12	365,353	0.43	SET5013C2503G	0.01	-	25	0.01
DJI41C2506A	0.24	(0.05)	100	0.24	HSI28P2506A	0.11	0.03	50,320	0.10	SET5013C2503H	0.01	-	1	0.01
DJI41P2503A	0.01	(0.02)	1	0.01	HSI28P2506B	0.16	0.04	95,029	0.15	SET5013C2503I	-	-	-	-
DJI41P2503B	-	-	-	-	HSI28P2506C	0.25	0.07	41,461	0.23	SET5013C2503J	0.01	-	8,310	0.01
DJI41P2506A	0.54	0.01	4,348	0.55	HSTECH28C250:	0.39	(0.29)	11,915	0.40	SET5013C2503K	0.01	-	16	0.01
GEELY41C2502A	-	-	-	-	HSTECH28C250:	1.34	(0.37)	379	1.37	SET5013C2503L	-	-	-	-
GEELY41C2506A	0.31	(0.12)	24,949	0.33	HSTECH28C250:	0.44	(0.16)	1,073	0.47	SET5013C2503M	-	-	-	-
HKEX41C2502A	-	-	-	-	HSTECH28P250:	-	-	-	-	SET5013C2503T	-	-	-	-
HKEX41C2502B	-	-	-	-	HSTECH28P250:	0.14	0.03	4	0.14	SET5013C2506A	0.01	-	387,720	0.01
HSBC41C2502A	-	-	-	-	HSTECH28P250:	0.39	0.10	650	0.37	SET5013C2506B	0.03	(0.02)	689,090	0.03
HSI06C2502A	-	-	-	-	JD41C2502A	-	-	-	-	SET5013C2506C	0.06	(0.01)	179,899	0.05
HSI06C2502B	-	-	-	-	JD41C2502B	-	-	-	-	SET5013C2506D	0.07	(0.03)	280,229	0.07
HSI06C2502C	-	-	-	-	JD41C2506A	0.46	(0.12)	14,505	0.48	SET5013C2506E	0.08	(0.02)	607,491	0.06
HSI06C2502D	-	-	-	-	KUAIISH41C2502	-	-	-	-	SET5013C2506F	0.10	(0.04)	510,910	0.09
HSI06C2502E	-	-	-	-	KUAIISH41C2506	0.76	(0.15)	2,339	0.78	SET5013C2506G	0.14	(0.05)	3,150,479	0.13
HSI06C2503A	2.68	(0.20)	3	2.73	LENOVO41C250:	-	-	-	-	SET5013C2506H	0.21	(0.08)	3,185,912	0.20
HSI06C2503B	0.70	(0.38)	190	0.77	MCA5041C2503:	-	-	-	-	SET5013C2506I	0.33	(0.11)	4,746,432	0.30
HSI06C2503C	0.13	(0.10)	417,754	0.13	MCA5041C2503:	0.14	(0.11)	1,000	0.14	SET5013C2506T	0.01	(0.01)	28,393	0.01
HSI06C2503D	0.03	(0.04)	50,070	0.03	MCA5041C2506:	0.31	(0.06)	867	0.31	SET5013P2503A	3.50	0.54	4,849	3.96
HSI06C2503E	-	-	-	-	MCA5041P2503:	0.08	(0.17)	1,750	0.08	SET5013P2503B	5.40	0.70	364	5.84
HSI06C2503F	1.42	0.04	100	1.48	MCA5041P2506:	0.39	0.03	276	0.39	SET5013P2503C	8.05	0.90	1	8.05
HSI06C2503G	-	-	-	-	MEITUA28C250:	0.34	(0.23)	212,740	0.37	SET5013P2503D	2.86	0.38	705	3.20
HSI06C2504A	1.07	(0.40)	36	1.09	MEITUA28C250:	-	-	-	-	SET5013P2503E	5.35	0.99	117	5.58
HSI06C2504B	-	-	-	-	MEITUA28C250:	0.22	(0.10)	8,383	0.22	SET5013P2503F	3.64	0.80	563	4.37
HSI06C2504C	0.69	(0.31)	236	0.72	MEITUA28P250:	-	-	-	-	SET5013P2503T	1.12	0.27	21,602	1.26
HSI06C2504D	0.46	(0.24)	242,194	0.49	MEITUA28P250:	0.29	0.10	112,120	0.27	SET5013P2506A	1.33	0.17	94,160	1.47
HSI06C2504E	0.29	(0.14)	169,860	0.30	MEITUA41C250:	-	-	-	-	SET5013P2506B	1.03	0.16	588,606	1.13
HSI06C2505A	0.93	(0.37)	228	0.98	MEITUA41C250:	0.17	(0.10)	19,150	0.19	SET5013P2506C	2.00	0.24	234	2.22
HSI06C2505B	0.55	(0.20)	269,559	0.58	MEITUA41P250:	-	-	-	-	SET5013P2506D	0.96	0.16	295,973	1.07
HSI06C2506A	1.08	(0.39)	383	1.16	MEITUA41P250:	0.36	0.13	46,166	0.33	SET5013P2506E	0.63	0.10	2,317,661	0.72
HSI06C2506B	1.94	(0.48)	2	1.96	NDX28C2503A	0.02	(0.07)	10	0.02	SET5013P2506F	0.50	0.07	1,948,451	0.56
HSI06C2506C	0.63	(0.19)	37,134	0.63	NDX28C2506A	0.33	(0.15)	1,755	0.31	SET5013P2506T	2.34	0.24	4,030	2.40
HSI06C2507A	0.46	(0.14)	39,849	0.47	NDX28P2503A	0.02	0.01	50	0.02	SET5019C2503A	-	-	-	-
HSI06P2502A	-	-	-	-	NDX28P2506A	0.43	0.09	137	0.43	SET5019C2503B	-	-	-	-
HSI06P2502B	-	-	-	-	NDX41C2503A	0.03	(0.04)	1,170	0.03	SET5019C2503C	-	-	-	-
HSI06P2502C	-	-	-	-	NDX41C2503B	-	-	-	-	SET5019C2503D	-	-	-	-
HSI06P2502D	-	-	-	-	NDX41C2506A	0.20	(0.11)	1,874	0.18	SET5019C2503E	-	-	-	-
HSI06P2502E	-	-	-	-	NDX41C2509T	2.70	(0.42)	5,406	2.64	SET5019C2503F	-	-	-	-
HSI06P2503A	0.04	0.02	25	0.04	NDX41P2503A	0.06	0.03	510	0.07	SET5019C2503G	0.01	(0.01)	5,824	0.01
HSI06P2503B	0.04	0.03	265	0.04	NDX41P2503B	0.18	0.08	1,045	0.20	SET5019C2503H	-	-	-	-
HSI06P2503C	0.07	0.03	1,035	0.07	NDX41P2506A	0.53	0.11	55,760	0.54	SET5019C2506A	0.01	-	4,003	0.01
HSI06P2503D	0.01	(0.01)	15,631	0.02	NIKKIE28C250:	0.37	(0.09)	3,364	0.35	SET5019C2506B	0.01	(0.01)	1,980	0.02
HSI06P2503E	0.04	-	500	0.04	NIKKIE28C250:	0.18	(0.05)	1,200	0.16	SET5019C2506C	0.06	(0.02)	5,782	0.05
HSI06P2503F	0.11	0.04	97,338	0.10	NIKKIE28C250:	-	-	-	-	SET5019C2506D	0.03	(0.01)	2,046	0.02
HSI06P2503G	0.15	0.07	210,247	0.15	NIKKIE28P250:	0.20	0.03	5	0.20	SET5019C2506E	0.02	-	1	0.02
HSI06P2504A	0.06	0.03	447	0.05	NIKKIE28P250:	-	-	-	-	SET5019C2506F	0.11	(0.04)	7,882	0.11
HSI06P2504B	0.02	(0.01)	807	0.03	NIKKIE28P250:	0.52	0.10	321	0.52	SET5019C2506G	0.12	(0.04)	34,552	0.10
HSI06P2504C	0.10	0.02	300	0.10	NIKKIE41C250:	0.01	(0.03)	20,000	0.01	SET5019C2506H	0.18	(0.05)	105,302	0.15
HSI06P2504D	0.09	0.03	510	0.09	NIKKIE41C250:	0.21	(0.19)	400	0.21	SET5019C2506I	0.23	(0.08)	249,790	0.21
HSI06P2504E	0.18	0.06	93,028	0.18	NIKKIE41C250:	0.20	(0.08)	6,843	0.18	SET5019C2506J	0.33	(0.09)	372,460	0.30
HSI06P2504F	0.38	0.11	215,904	0.36	NIKKIE41C250:	0.09	(0.06)	960	0.08	SET5019P2503A	2.88	0.30	40	2.96
HSI06P2504G	0.58	0.17	305,261	0.57	NIKKIE41P250:	-	-	-	-	SET5019P2503B	-	-	-	-
HSI06P2505A	0.16	0.05	35,357	0.15	NIKKIE41P250:	-	-	-	-	SET5019P2503C	2.20	0.40	24,584	2.46
HSI06P2505B	0.34	0.08	43,341	0.34	NIKKIE41P250:	0.33	0.06	1,926	0.35	SET5019P2506A	1.91	0.19	908	2.01
HSI06P2506A	0.09	0.01	634	0.09	NIKKIE41P250:	-	-	-	-	SET5019P2506B	1.82	0.15	859	1.89
HSI06P2506B	0.16	0.06	30,827	0.16	NTES41C2502A	-	-	-	-	SET5019P2506C	2.08	0.32	10,753	2.39
HSI06P2506C	0.39	0.09	52,312	0.39	NTES41C2506A	0.27	(0.03)	4,000	0.28	SET5019P2506D	1.36	0.14	2,160	1.42
HSI06P2507A	0.62	0.11	32,918	0.62	PINGAN41C250:	-	-	-	-	SET5019P2506E	1.05	0.15	365,552	1.12
HSI28C2502A	-	-	-	-	PINGAN41C250:	0.19	(0.09)	22,266	0.21	SET5019P2506F	0.84	0.13	428,974	0.92
HSI28C2502B	-	-	-	-	POPMAR41C250	0.66	(0.17)	151	0.73	SET5019P2506G	0.66	0.11	720,083	0.73
HSI28C2502C	-	-	-	-	POPMAR41C250	0.30	(0.04)	10,000	0.32	SET5028C2503A	-	-	-	-
HSI28C2502D	-	-	-	-	SET01C2503A	0.02	0.01	24,322	0.01	SET5041C2503A	-	-	-	-
HSI28C2502E	-	-	-	-	SET01C2503B	0.02	-	984	0.01	SET5041C2503B	-	-	-	-
HSI28C2502F	-	-	-	-	SET01C2505A	0.02	-	12,690	0.02	SET5041C2503C	-	-	-	-
HSI28C2503A	-	-	-	-	SET01C2506A	0.05	(0.03)	160,167	0.05	SET5041C2503D	-	-	-	-
HSI28C2503B	0.07	(0.07)	248,055	0.08	SET01C2506B	0.17	(0.06)	326,277	0.16	SET5041C2503E	-	-	-	-
HSI28C2503D	0.02	(0.02)	3,098	0.02	SET01P2503A	4.10	0.68	77	4.07	SET5041C2503F	0.01	(0.03)	5,000	0.01
HSI28C2503E	0.01	(0.03)	6	0.01	SET01P2505A	2.42	0.24	1,615	2.60	SET5041C2503G	0.04	-	1,001	0.01
HSI28C2503F	0.45	(0.31)	865,401	0.47	SET01P2506A	0.94	0.11	130,450	0.98	SET5041C2503H	0.02	-	3	0.02
HSI28C2503G	-	-	-	-	SET5001C2503A	0.02	-	8,903	0.01	SET5041C2503I	-	-	-	-





## Main Board Quotation

Issue Date :

Friday February 28, 2025

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
<b>Warrant - MAI</b>														
Agro & Food Indust			-		UBIS	1.19	(0.02)	132	00 1.1	LEO	2.12	(0.04)	1,722	00 2.1
APO	1.66	0.03	13,161	00 1.6	UEC	0.88	(0.02)	692	00 0.8	MCA	1.09	(0.03)	4,740	00 1.0
AU	9.20	0.05	17,200	00 9.1	UKEM	0.49	-	13,200	00 0.4	MEB	21.10	0.50	1,574	00 20.9
CFARM	0.65	(0.01)	3,590	00 0.6	UREKA	0.97	0.01	158,685	00 0.9	MORE	0.02	-	1,119,608	00 0.0
JCHK	0.42	0.02	6,047	00 0.4	YUASA	10.70	(0.10)	20	00 10.6	MOTHER	0.92	(0.07)	60,662	00 0.9
KASET	0.58	0.01	938	00 0.5	ZIGA	0.99	(0.02)	20,008	00 0.9	MPJ	3.22	(0.12)	11,228	00 3.2
MAGURO	19.30	0.20	7,805	00 19.1	ZIGA-W2	0.11	-	7,628	00 0.1	MVP	0.51	-	3,700	00 0.5
MUD	-	-	-	00 0.0	Property					NCL	0.34	-	8,122	00 0.3
NTSC	8.70	(0.05)	827	00 8.6	24CS	2.14	(0.16)	8,523	00 2.0	NCP	1.05	-	70	00 1.0
TACC	4.22	-	19,530	00 4.1	24CS-W1	0.15	(0.02)	35,308	00 0.1	NEWS	0.01	-	204,511	00 0.0
TMILL	2.70	0.10	50	00 2.6	24CS-W2	0.21	0.01	5,738	00 0.1	PEER	0.19	(0.01)	23,801	00 0.1
WINNER	1.99	0.02	401	00 1.9	ARIN	0.45	(0.01)	5,593	00 0.4	PEER-W2	0.04	-	11,476	00 0.0
XO	17.90	0.20	4,063	00 17.6	ARROW	5.15	-	358	00 5.1	PICO	4.32	(0.04)	4	00 4.1
Consumer Products			-		BC	1.16	(0.01)	818	00 1.1	PLT	0.62	0.01	12,733	00 0.6
ALPHAX	0.48	-	12,269	00 0.4	BC-W2	0.05	-	3,629	00 0.0	QLT	2.96	0.12	279	00 2.9
BGT	0.43	(0.07)	1,764	00 0.4	BLESS	0.25	-	1,041	00 0.2	RP	0.89	(0.01)	453	00 0.7
DOD	1.28	(0.02)	559	00 1.2	BSM	1.52	0.01	140	00 1.4	SONIC	1.61	0.03	11,112	00 1.6
ECF	0.20	-	20,207	00 0.1	BTW	0.21	0.01	3,541	00 0.1	THMUI	0.39	-	120	00 0.3
ECF-W5	0.01	-	5,309	00 0.0	CAZ	1.74	(0.09)	7,575	00 1.6	TNDT	0.21	0.01	3,392	00 0.1
EFORL	0.23	(0.01)	46,182	00 0.2	CHEWA	0.28	-	1,231	00 0.2	TNDT-W1	0.01	-	4	00 0.0
EFORL-W6	0.02	-	4,001	00 0.0	CPANEL	3.44	(0.12)	54	00 3.4	TNH	32.75	(2.25)	1	00 32.7
EURO	4.40	0.08	592	00 4.3	CPANEL-W1	0.05	-	106	00 0.0	TNP	2.78	-	3,004	00 2.7
HPT	0.39	(0.01)	69,162	00 0.3	CRD	0.34	(0.01)	3,104	00 0.3	TPL	0.55	(0.03)	385	00 0.5
ITTHI	1.56	0.03	2,759	00 1.5	DHOUSE	0.58	(0.02)	2,156	00 0.5	TRP	6.70	0.05	1,586	00 6.6
JSP	1.85	(0.01)	4,072	00 1.8	DIMET	0.15	-	1,331	00 0.1	TURTLE	-	-	-	00 0.0
JSP-W2	0.06	-	2,992	00 0.0	DPAINT	0.78	(0.02)	1,290	00 0.7	TVDH	0.17	-	5,349	00 0.1
JUBILE	8.70	(0.10)	408	00 8.7	FLOYD	0.75	0.01	4,563	00 0.7	TVDH-W3	-	-	-	00 0.0
LTS	7.95	0.10	23,709	00 7.7	HYDRO	0.25	0.02	14,529	00 0.2	TVT	0.28	-	4,452	00 0.2
MGI	13.00	0.70	44,670	00 13.0	HYDRO-W2	0.25	0.05	4	00 0.1	UBA	0.91	0.01	3,785	00 0.8
MGI-W1	3.04	0.18	113,671	00 3.0	IND	0.83	0.02	10,008	00 0.8	VL	0.91	0.01	2,330	00 0.8
MOONG	1.90	(0.03)	1,473	00 1.9	JAK	1.26	0.01	105	00 1.2	VS	0.31	0.02	6,725	00 0.2
NPK	-	-	-	00 0.0	K	1.34	0.09	8,140	00 1.3	YGG	0.62	-	47,833	00 0.6
SEI	3.20	(0.02)	12,224	00 3.1	K-W3	0.25	-	4,340	00 0.2	Technology				
SMD100	4.00	0.02	766	00 4.0	META	0.10	0.02	7,048	00 0.0	APP	1.86	(0.04)	2,195	00 1.8
TM	0.62	(0.01)	640	00 0.6	PANEL	1.17	0.03	1,100	00 1.1	BBIK	33.75	(0.25)	4,948	00 33.7
TM-W1	-	-	-	00 0.0	PPS	0.18	-	3,481	00 0.1	BE8	11.20	(0.10)	10,023	00 11.1
WARRIX	3.50	(0.08)	12,360	00 3.5	PRI	5.00	(2.20)	48,364	00 5.3	BE8-W1	-	-	-	00 0.0
WINMED	1.29	-	596	00 1.2	PROS	0.44	0.01	567	00 0.4	BVG	1.92	0.05	210	00 1.9
Financials			-		PROS-W1	0.06	-	35,624	00 0.0	COMAN	0.55	-	100	00 0.5
ACAP	-	-	-	00 0.0	PSG	0.21	(0.08)	2,978,557	00 0.2	I2	1.17	(0.02)	1,679	00 1.1
AF	0.52	(0.04)	69	00 0.5	QTCG	0.26	0.02	22,031	00 0.2	IIG	3.50	(0.04)	709	00 3.5
AIRA	1.10	0.09	104	00 1.0	SENX	0.25	-	5,320	00 0.2	IRCP	0.42	(0.02)	5,704	00 0.4
ASN	1.25	(0.05)	2	00 1.1	SK	0.59	(0.01)	24,580	00 0.5	ITNS	1.64	0.08	7,779	00 1.5
BTC	0.41	(0.01)	123,261	00 0.4	SMART	0.67	(0.11)	152,881	00 0.6	NAT	3.78	0.02	2,122	00 3.7
BTC-W7	0.10	(0.01)	37,308	00 0.1	STC	0.51	-	1,622	00 0.5	NETBAY	16.40	(0.10)	16,359	00 16.2
GCAP	0.29	-	13,271	00 0.2	STX	1.21	(0.02)	404	00 1.2	PIS	5.60	-	3,757	00 5.4
KCC	1.82	(0.05)	428	00 1.8	SVR	0.63	-	1,805	00 0.6	PLANET	2.02	0.04	247,899	00 1.9
LIT	0.56	(0.01)	2,370	00 0.5	TAPAC	-	-	-	00 0.0	PROEN	1.32	(0.03)	187,268	00 1.3
MTSIB	0.63	(0.01)	180	00 0.6	THANA	1.01	(0.04)	268	00 1.0	PROEN-W2	0.37	(0.02)	97,551	00 0.3
SGF	0.17	-	6,825	00 0.1	TIGER	0.44	(0.07)	1,264	00 0.4	READY	4.00	(0.30)	2,993	00 4.1
SGF-P1	-	-	-	00 0.0	TITLE	4.10	-	401	00 4.0	SECURE	12.00	1.00	11,266	00 11.7
SGF-Q1	-	-	-	00 0.0	WELL	-	-	-	00 0.0	SICT	3.24	(0.04)	3,355	00 3.2
TQR	5.05	-	793	00 5.0	YONG	1.02	-	2,082	00 1.0	SIMAT	1.43	(0.01)	6,227	00 1.4
Industrials			-		Resources					SIMAT-W3	0.01	-	13	00 0.0
ADB	0.74	-	1,839	00 0.7	ABM	0.82	(0.01)	41	00 0.8	SPVI	1.57	(0.01)	2,008	00 1.5
BM	2.78	(0.02)	1,086	00 2.7	GTV	0.10	(0.01)	134,245	00 0.1	SRS	3.28	0.02	397	00 3.1
BM-W3	1.19	-	563	00 1.1	PSTC	0.47	0.01	233,679	00 0.4	TBN	5.75	0.05	3,071	00 5.8
BPS	0.52	-	4,281	00 0.5	PSTC-W2	0.01	-	3,543	00 0.0	TERA	1.20	0.01	742	00 1.1
CHO	-	-	-	00 0.0	PSTC-W3	0.10	0.01	4,767	00 0.0	TPS	3.66	(0.22)	18,420	00 3.6
CHO-W4	-	-	-	00 0.0	PTC	1.02	0.01	1,120	00 0.9	VCOM	2.58	0.04	2,102	00 2.5
CHOW	1.37	0.02	1,303	00 1.3	SAAM	6.05	-	28	00 6.0		-	-	-	-
CIG	0.05	0.01	55,223	00 0.0	SR	0.54	-	2	00 0.5		-	-	-	-
CIG-W10	0.04	(0.01)	2	00 0.0	STOWER	0.06	(0.01)	6,512	00 0.0		-	-	-	-
CIG-W9	0.02	-	1	00 0.0	TAKUNI	0.44	(0.02)	15,111	00 0.4		-	-	-	-
COLOR	1.07	-	405	00 1.0	TPCH	3.18	-	939	00 3.1		-	-	-	-
CPR	2.64	(0.04)	400	00 2.6	UMS	0.41	-	401	00 0.4		-	-	-	-
FPI	1.68	(0.02)	536	00 1.6	Services						-	-	-	-
GTB	0.73	0.01	233	00 0.7	ADD	4.02	(0.04)	169	00 4.0		-	-	-	-
HARN	2.10	(0.04)	1,063	00 2.1	AKP	0.66	0.01	26,172	00 0.6		-	-	-	-
KCM	0.20	0.01	1,423	00 0.1	AMA	4.30	0.02	2,091	00 4.2		-	-	-	-
KJL	6.90	(0.10)	841	00 6.9	AMARC	1.16	0.02	1,634	00 1.1		-	-	-	-
KUMWEL	1.02	0.02	1,065	00 0.9	ARIP	0.41	0.01	769	00 0.4		-	-	-	-
KWM	0.97	(0.09)	13,084	00 0.9	ATP30	0.88	0.01	1,938	00 0.8		-	-	-	-
MBAX	1.70	(0.01)	447	00 1.7	AUCT	7.60	0.05	3,545	00 7.5		-	-	-	-
MGT	1.75	0.02	2,169	00 1.7	BIS	2.68	(0.12)	339	00 2.7		-	-	-	-
MTW	1.03	(0.01)	5,280	00 0.9	BOL	5.10	(0.05)	1,303	00 5.1		-	-	-	-
MTW-W1	0.01	(0.01)	10,901	00 0.0	CEYE	2.34	-	17	00 2.3		-	-	-	-
NDR	1.57	(0.03)	1	00 1.5	CHIC	0.36	(0.01)	858	00 0.3		-	-	-	-
PACO	1.43	(0.01)	2,005	00 1.4	CMO	0.69	0.05	2,075	00 0.6		-	-	-	-
PACO-W1	0.03	-	735	00 0.0	D	2.22	0.02	2,298	00 2.2		-	-	-	-
PDG	2.54	(0.08)	1,069	00 2.5	DEXON	1.54	-	1,983	00 1.5		-	-	-	-
PHOL	3.00	0.04	7,100	00 2.9	DV8	0.42	0.01	3,3						