Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Tuesday March 04, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-
Agribusiness			-	
EE	0.49	-	47,784	0.50
EE-W1	-	-	-	-
GFPT	8.20	0.05	73,016	8.30
LEE	2.32	0.04	4,151	2.30
NER	4.84	(0.04)	43,949	4.85
NER-W2	0.35	(0.03)	6,889	0.36
PCE	3.24	-	91,227	3.22
PPPM	0.41	(0.02)	5,086	0.42
PPPM-W6	0.32	(0.03)	119	0.33
STA	15.00	(0.30)	41,287	15.24
STA01C2503A	-	-	-	-
STA01C2504A	-	-	-	-
STA01C2506A	0.15	(0.02)	16,099	0.17
STA13C2503A	-	-	-	-
STA13C2505A	-	-	-	-
STA13C2506A	0.21	(0.02)	36,183	0.23
STA19C2503A	0.01	-	100	0.01
STA19C2504A	0.02	-	1	0.02
STA19C2505A	-	-	-	-
STA19C2506A	0.20	(0.01)	24,748	0.21
STA19P2503A	-	-	-	-
STA41C2503A	-	-	-	-
STA41C2505A	-	-	-	-
STA41C2612T	0.37	(0.02)	36,001	0.38
TEGH	3.26	(0.08)	10,390	3.29
TFM	8.45	0.15	2,152	8.55
TRUBB	0.64	(0.01)	31,144	0.63
UPOIC	6.80	-	132	6.78
UVAN	9.65	-	2,454	9.64
VPO	0.47	-	10,355	0.47
Banking			-	
BAY	22.70	0.10	1,682	22.62
BBL	147.50	(1.00)	45,674	147.88
BBL13C2503A	-	-	-	-
BBL13C2504A	-	-	-	-
BBL13C2507A	0.17	(0.02)	25,463	0.19
BBL19C2503A	0.01	-	10	0.01
BBL19C2503B	-	-	-	-
BBL19C2506A	0.10	(0.01)	3,883	0.10
BBL41C2504A	-	-	-	-
BBL41C2506A	0.13	(0.01)	20,027	0.13
CIMBT	0.62	-	29,393	0.62
CREDIT	17.80	-	401	17.75
KBANK	152.50	-	82,340	151.83
KBANK01C2503A	-	-	-	-
KBANK01C2506A	0.23	-	48,250	0.22
KBANK01P2507A	0.72	(0.01)	15,397	0.73
KBANK13C2503A	-	-	-	-
KBANK13C2505A	0.08	(0.01)	9,685	0.09
KBANK13C2507A	0.39	-	107,962	0.39
KBANK13P2504A	-	-	-	-
KBANK13P2507A	0.59	(0.01)	26,099	0.60
KBANK19C2504A	0.04	(0.02)	1,802	0.04
KBANK19C2505A	-	-	-	-
KBANK19C2507A	0.19	-	48,828	0.19
KBANK41C2505A	-	-	-	-
KBANK41C2604T	0.65	(0.03)	36,000	0.67
KBANK41P2606T	-	-	-	-
KKP	56.50	0.25	22,561	56.24
KKP-W6	1.16	-	2,953	1.15
KKP13C2504A	0.13	-	29,075	0.12
KKP19C2503A	-	-	-	-
KKP19C2507A	0.40	-	12,037	0.40
KTB	22.50	(0.50)	440,420	22.68
KTB-P	-	-	-	-
KTB-Q	-	-	-	-
KTB01C2506A	0.28	(0.04)	18,267	0.30
KTB13C2503A	-	-	-	-
KTB13C2505A	0.19	(0.04)	20,407	0.21
KTB13C2507A	0.19	(0.04)	37,383	0.21
KTB13P2507A	0.47	0.04	10,234	0.44
KTB19C2505A	0.18	(0.04)	16,159	0.19
KTB19C2506A	0.14	(0.03)	1,206	0.16
KTB41C2506A	0.17	(0.04)	20,103	0.19
LHFG	0.79	0.01	57,273	0.79
SCB	121.50	(1.50)	81,018	122.32
SCB01C2505A	0.17	(0.03)	64,665	0.19
SCB01C2507A	0.30	(0.04)	22,820	0.32
SCB01P2507A	0.60	0.02	17,619	0.58
SCB13C2505A	0.13	(0.03)	42,860	0.15
SCB13P2507A	0.40	0.02	11,141	0.37
SCB19C2504A	0.07	(0.01)	39	0.07
SCB19C2507A	0.21	(0.02)	13,572	0.23
SCB41C2505A	0.14	(0.02)	79,620	0.15
SCB41P2504A	0.05	(0.02)	252	0.05
TCAP	48.75	(0.25)	12,818	48.74
TCAP-P	-	-	-	-
TCAP-Q	-	-	-	-
TCAP19C2504A	-	-	-	-
TISCO	97.75	(0.75)	61,204	97.88
TISCO-P	-	-	-	-
TISCO-Q	-	-	-	-
TISCO41C2606T	0.32	(0.02)	4,000	0.32
TTB	1.92	-	2,436,708	1.93
TTB-W1	0.95	0.01	4,651	0.95
TTB01C2503A	0.01	(0.01)	100	0.01
TTB01C2504A	-	-	-	-
TTB01C2507A	-	-	-	-
TTB13C2503A	-	-	-	-
TTB13C2506A	0.25	(0.01)	36,584	0.26
TTB13C2507A	0.11	(0.01)	12,428	0.11
TTB19C2504A	-	-	-	-
Construction Mat			-	
CCP	0.20	(0.01)	3,711	0.21
DCC	1.22	(0.01)	61,718	1.22
DCON	0.29	-	17,212	0.29
DCON-W3	-	-	-	-
DRT	7.10	-	1,888	7.07
EPG	3.12	0.02	17,743	3.15
GEL	0.05	-	52,641	0.05
GEL-W5	-	-	-	-
PPP	-	-	-	-
Q-CON	9.00	(0.05)	2,275	9.03
SCC	133.50	(0.50)	35,382	134.99
SCC01C2503A	-	-	-	-
SCC01C2505A	-	-	-	-
SCC01C2505B	-	-	-	-
SCC01C2507A	0.08	(0.02)	46,539	0.10
SCC01C2508A	0.22	(0.02)	83,752	0.25
SCC01P2503A	-	-	-	-
SCC01P2507A	1.01	0.04	1,584	0.93
SCC13C2503A	-	-	-	-
SCC13C2504A	-	-	-	-
SCC13C2504B	-	-	-	-
SCC13C2505A	0.02	-	1,000	0.02
SCC13C2505B	-	-	-	-
SCC13C2507A	0.19	(0.01)	50,982	0.21
SCC13P2504A	-	-	-	-
SCC13P2505A	0.71	-	19,802	0.68
SCC19C2503A	-	-	-	-
SCC19C2504A	0.02	-	1	0.02
SCC19C2505A	-	-	-	-
SCC19C2505B	-	-	-	-
SCC19C2506A	0.06	0.01	100	0.06
SCC19P2505A	-	-	-	-
SCC41C2503A	-	-	-	-
SCC41C2504A	-	-	-	-
SCC41C2505A	-	-	-	-
SCC41C2608T	0.28	(0.01)	84,301	0.29
SCCC	162.00	(0.50)	230	162.07
SCGD	3.92	-	24,423	3.98
SCP	8.25	0.10	6,184	8.21
SKN	5.95	-	3,690	5.97
STECH	1.02	(0.01)	439	1.02
TASCO	15.30	0.20	48,111	15.20
TASCO19C2507A	0.20	0.01	5,698	0.20
TOA	11.20	0.10	35,678	11.21
TPIPL	0.94	0.01	74,738	0.93
UMI	0.58	-	180	0.57
VNG	2.68	(0.04)	437	2.65
WIIK	0.84	(0.04)	1,358	0.82
WIIK-W3	0.03	-	112	0.03
WINDOW	0.71	0.01	1,229	0.70
Petrochemicals &			-	
BCT	-	-	-	-
CMAN	2.30	0.02	1,060	2.28
GC	5.00	-	666	5.00
GGC	3.50	(0.20)	34	3.56
IVL	18.80	0.30	179,898	18.94
IVL01C2503A	-	-	-	-
IVL01C2504A	-	-	-	-
IVL01C2506A	0.07	0.02	1,303	0.07
IVL01C2507A	0.31	0.02	112,921	0.32
IVL01P2504A	0.48	(0.05)	14,442	0.46
IVL01P2506A	1.01	(0.06)	4,051	1.03
IVL13C2504A	-	-	-	-
IVL13C2505A	0.04	0.01	2,600	0.04
IVL13C2507A	0.18	0.01	92,438	0.19
IVL13P2504A	-	-	-	-
IVL19C2505A	-	-	-	-
IVL19C2506A	-	-	-	-
IVL19C2507A	0.21	0.01	118,410	0.22
IVL41C2505A	-	-	-	-
IVL41C2605T	0.15	-	30,018	0.16
IVL41P2605T	-	-	-	-
NFC	-	-	-	-
PATO	8.25	(0.05)	1,213	8.19
PMTA	8.95	0.20	107	8.85
PTTGC	15.60	0.20	548,371	15.74
PTTGC01C2504A	-	-	-	-
PTTGC01C2505A	-	-	-	-
PTTGC01C2506A	0.05	-	10	0.05
PTTGC01C2507A	0.14	0.01	90,163	0.15
PTTGC01P2503A	1.09	(0.09)	14,706	1.07
PTTGC01P2506A	1.12	(0.01)	15,294	1.07
PTTGC11C2503A	-	-	-	-
PTTGC13C2503A	-	-	-	-
PTTGC13C2504A	-	-	-	-
PTTGC13C2505A	-	-	-	-
PTTGC13C2506A	0.04	-	2,700	0.04
PTTGC13C2507A	0.12	0.01	138,967	0.13
PTTGC13C2507B	0.26	-	178,148	0.28
PTTGC13P2506A	0.90	(0.03)	135	0.91
PTTGC19C2504A	-	-	-	-
PTTGC19C2505A	0.01	(0.01)	10	0.01
PTTGC19C2506A	0.04	-	3	0.04
PTTGC19P2503A	-	-	-	-
PTTGC41C2503A	-	-	-	-
PTTGC41C2505A	0.01	(0.02)	547	0.01
PTTGC41C2506A	-	-	-	-
PTTGC41C2608T	0.29	0.01	99,953	0.29
PTTGC41P2506A	0.65	(0.04)	17,000	0.65
RSXYZ	0.55	(0.02)	37,171	0.57
SUTHA	2.58	-	10	2.58
TPA	-	-	-	-
UAC	2.88	(0.08)	6,119	2.88
UP	17.40	(0.10)	40	17.40
Commerce			-	
ADVICE	5.25	0.05	24,845	5.25
B52	0.26	-	277	0.26
B52-W4	0.04	-	835	0.03
BEAUTY	0.21	-	96,229	0.22
BIG	0.32	0.01	20,891	0.32
BJC	21.60	-	41,542	21.45
BJC01C2503A	-	-	-	-
BJC13C2503A	-	-	-	-
BJC13C2505A	-	-	-	-
BJC19C2503A	-	-	-	-
BJC41C2606T	0.25	(0.01)	12,400	0.25
COM7	21.70	(0.20)	89,147	21.79
COM701C2503A	-	-	-	-
COM701C2506A	0.25	(0.02)	152,408	0.26
COM713C2504A	-	-	-	-
COM713C2505A	-	-	-	-
COM713C2506A	0.21	(0.01)	42,459	0.22
COM719C2505A	-	-	-	-
COM719C2507A	0.38	(0.02)	48,362	0.38
COM741C2503A	-	-	-	-
COM741C2505A	-	-	-	-
COM741C2606T	0.22	(0.01)	41,000	0.23
CPALL	52.50	-	259,721	52.98
CPALL01C2504A	0.01	-	9,409	0.01
CPALL01C2505A	-	-	-	-
CPALL01C2507A	0.44	-	61,427	0.46
CPALL01P2505A	0.28	-	30,059	0.27
CPALL06C2504A	-	-	-	-
CPALL11C2503A	-	-	-	-
CPALL13C2503A	-	-	-	-
CPALL13C2504A	-	-	-	-
CPALL13C2505A	-	-	-	-
CPALL13C2505B	-	-	-	-
CPALL13C2506A	0.18	-	73,875	0.20
CPALL13C2506B	0.35	(0.01)	49,202	0.37
CPALL13P2504A	0.42	0.01	1	0.42
CPALL13P2505A	0.16	(0.01)	6,853	0.16
CPALL13P2506A	0.18	(0.01)	17,570	0.17
CPALL19C2504A	-	-	-	-
CPALL19C2505A	0.03	0.01	155	0.02
CPALL19C2505B	0.08	0.03	64	0.08
CPALL19C2506A	0.06	(0.01)	4,170	0.07
CPALL19C2506B	0.23	-	154,958	0.25
CPALL19P2505A	0.20	-	25,072	0.19
CPALL19P2505B	0.08	-	507	0.08
CPALL41C2504A	-	-	-	-
CPALL41C2505A	-	-	-	-
CPALL41C2506A	0.15	-	124,002	0.17
CPALL41C2605T	0.19	-	55,002	0.19
CPALL41P2504A	0.35	0.01	5,001	0.32
CPAXT	27.75	-	60,062	27.88
CPW	2.10	(0.04)	6,668	2.08
CRC	30.00	(1.25)	169,761	30.23
CRC01C2503A	-	-	-	-
CRC01C2506A	0.06	(0.04)	5,620	0.07
CRC13C2503A	-	-	-	-
CRC13C2506A	0.07	(0.02)	6,936	0.08
CRC19C2506A	0.08	(0.03)	17,764	0.09
CRC41C2503A	-	-	-	-
CRC41C2608T	0.20	(0.03)	20,604	0.21
CSS	0.82	(0.01)	4,198	0.82
DOHOME	6.35	(0.40)	117,243	6.42
DOHOME01C2503A	-	-	-	-
DOHOME01C2507A	0.30	(0.02)	51,539	0.31
DOHOME13C2503A	-	-	-	-
DOHOME13C2505A	-	-	-	-
DOHOME13C2506A	0.13	(0.02)	38,774	0.15
DOHOME19C2504A	-	-	-	-
DOHOME19C2506A	-	-	-	-
DOHOME19C2506B	0.14	(0.01)	141,110	0.15
FN	0.52	-	327	0.50
GLOBAL	6.85	(0.50)	324,903	7.00
GLOBAL01C2503A	-	-	-	-
GLOBAL01C2507A	0.16	(0.07)	93,344	0.18
GLOBAL13C2504A	-	-	-	-
GLOBAL13C2506A	0.02	(0.01)	507	0.02
GLOBAL13C2507A	0.16	(0.08)	31,975	0.19
GLOBAL19C2503A	-	-	-	-
GLOBAL19C2507A	0.20	(0.08)	46,268	0.22
GLOBAL41C2606T	0.13	(0.03)	32,360	0.13
HMPRO	8.10	-	231,818	8.11
HMPRO01C2503A	-	-	-	-
HMPRO01C2504A	-	-	-	-
HMPRO01C2507A	0.10	(0.01)	14,254	0.11
HMPRO13C2504A	-	-	-	-
HMPRO13C2506A	0.09	(0.01)	20,584	0.10
HMPRO19C2503A	-	-	-	-
HMPRO19C2506A	0.10	(0.01)	11,865	0.11
HMPRO41C2503A	-	-	-	-
HMPRO41C2606T	-	-	-	-
ICC	-	-	-	-
ILM	13.90	(0.10)	697	13.99
IT	3.80	(0.06)	1,755	3.87
KAMART	8.30	(0.40)	63,195	8.49
LOXLEY	1.23	0.01	3,153	1.23
MC	9.95	-	20,764	10.01
MEGA	33.50	0.50	14,557	33.32
MIDA	0.21	-	3,052	0.21
MOSHI	40.50	(0.50)	5,630	40.35

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Tuesday March 04, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
RS	0.64	0.03	282,763	0.65
RS-W5	0.21	0.01	20,970	0.22
RSP	1.75	(0.01)	9,898	1.74
SABUY	0.39	(0.01)	51,619	0.39
SCM	0.49	(0.02)	76,021	0.50
SCM-W2	0.04	0.01	2,764	0.03
SINGER	6.30	0.70	156,154	6.22
SPC	59.00	-	7	58.93
SPI	61.25	(3.25)	73	61.70
SVT	1.39	0.02	2,522	1.38
TAN	4.62	0.04	20,821	4.61
Information & Comm			-	
3BBIF	5.40	0.05	93,833	5.39
ADVANC	268.00	(3.00)	97,588	268.26
ADVANC01C2503A	-	-	-	-
ADVANC01C2503B	0.01	-	1,000	0.01
ADVANC01C2506A	0.14	(0.03)	67,031	0.15
ADVANC01P2503X	-	-	-	-
ADVANC01P2505A	0.31	0.02	59,739	0.31
ADVANC01P2507A	0.82	0.04	11,630	0.81
ADVANC13C2503A	0.01	(0.01)	5	0.01
ADVANC13C2503B	0.01	-	60	0.01
ADVANC13C2505A	0.11	(0.02)	61,813	0.12
ADVANC13P2504A	0.06	0.01	18,906	0.06
ADVANC13P2507A	0.67	0.04	63,404	0.66
ADVANC19C2503A	-	-	-	-
ADVANC19C2505A	-	-	-	-
ADVANC19C2506A	0.14	(0.02)	178,738	0.15
ADVANC19P2503A	-	-	-	-
ADVANC19P2504A	0.05	-	100	0.05
ADVANC41C2503A	-	-	-	-
ADVANC41C2505A	-	-	-	-
ADVANC41C2606T	0.27	(0.02)	30,000	0.28
ADVANC41P2504A	-	-	-	-
ADVANC41P2508A	0.30	0.03	5,192	0.29
AIT	4.48	(0.02)	25,762	4.50
ALT	0.84	-	363	0.84
AMR	0.59	-	1,567	0.58
BLISS	-	-	-	-
DIF	7.85	-	98,926	7.85
DITTO	10.10	0.20	30,561	10.17
DITTO-W1	0.11	-	3,956	0.11
DTCENT	1.00	0.01	6,236	1.00
FORTH	7.45	(0.20)	4,099	7.56
GABLE	3.18	(0.06)	15,108	3.23
HUMAN	8.20	-	1,290	8.17
ICN	2.06	(0.02)	10,400	2.07
ILINK	5.45	(0.10)	5,694	5.52
INET	4.82	(0.08)	58,893	4.89
INSET	2.20	0.06	29,778	2.18
INTUCH	77.50	(0.50)	62,633	77.95
INTUCH01C2504A	0.02	0.01	2	0.02
INTUCH13C2503A	-	-	-	-
INTUCH13C2504A	0.01	-	210	0.01
INTUCH13C2505A	0.06	(0.01)	642	0.07
INTUCH19C2503A	-	-	-	-
INTUCH19C2503B	-	-	-	-
INTUCH19C2504A	-	-	-	-
INTUCH19C2505A	-	-	-	-
INTUCH19C2506A	0.07	-	47	0.06
ITEL	1.52	0.01	33,988	1.53
JAS	1.59	0.04	235,888	1.59
JAS-W4	0.35	0.01	131,336	0.36
JAS13C2503A	-	-	-	-
JAS13C2505A	-	-	-	-
JAS13C2507A	0.36	(0.64)	52,878	0.36
JAS19C2503A	0.01	-	500	0.01
JAS19C2505A	0.03	-	22	0.03
JAS19C2507A	0.29	0.02	26,284	0.28
JAS41C2605T	0.14	-	15,466	0.15
JMART	9.65	0.15	250,428	9.81
JMART-W5	0.24	0.01	5,991	0.25
JMART01C2503A	-	-	-	-
JMART13C2504A	-	-	-	-
JMART13C2506A	0.07	-	7,837	0.08
JMART19C2503A	-	-	-	-
JMART19C2504A	-	-	-	-
JMART19C2506A	0.10	-	13,185	0.11
JMART41C2504A	-	-	-	-
JMART41C2606T	0.20	0.02	8,006	0.20
JTS	39.50	(0.50)	3,538	39.73
MFEC	5.95	(0.10)	729	5.98
MSC	8.20	0.05	22	8.19
PT	10.30	-	1,083	10.24
ROCTEC	0.76	-	53,333	0.78
ROCTEC-W3	0.01	-	22,385	0.01
ROCTEC-W5	0.04	-	33,339	0.04
SAMART	6.75	0.05	46,559	6.78
SAMTEL	5.95	0.05	1,106	5.90
SAMTEL-W2	1.14	-	759	1.13
SDC	0.04	-	64,038	0.04
SIS	23.80	(1.20)	4,646	23.83
SKY	17.90	(0.40)	21,188	18.14
SPREME	1.46	(0.01)	1,164	1.48
SVOA	1.04	(0.01)	3,275	1.05
SYMC	5.50	0.05	958	5.45
SYNEX	10.50	0.20	8,400	10.40
THCOM	10.80	(0.10)	20,944	10.88
TKC	8.95	(0.10)	321	9.02
TRUE	11.10	(0.30)	1,271,543	11.12
TRUE01C2503A	-	-	-	-
TRUE01C2505A	0.12	(0.03)	46,515	0.13
TRUE01C2507A	0.09	(0.01)	37,047	0.10
TRUE01P2503A	-	-	-	-
TRUE01P2505A	0.17	0.02	38,783	0.17
TRUE01P2507A	0.45	0.03	43,369	0.44
TRUE13C2503A	-	-	-	-
TRUE13C2504A	0.02	(0.01)	970	0.02
TRUE13C2505A	0.07	(0.03)	45,929	0.08
TRUE13P2503A	-	-	-	-
TRUE13P2506A	0.24	0.02	13,554	0.24
TRUE19C2503A	-	-	-	-
TRUE19C2504A	0.05	(0.02)	2,274	0.06
TRUE19C2507A	0.10	(0.02)	43,006	0.11
TRUE19P2506A	0.25	0.02	24,781	0.25
TRUE19P2507A	0.49	0.03	7,925	0.48
TRUE41C2503A	-	-	-	-
TRUE41C2505A	0.05	(0.06)	1,233	0.06
TRUE41C2604T	0.55	(0.06)	6,010	0.56
TRUE41C2612T	0.28	(0.03)	18,000	0.29
TRUE41P2504A	0.07	0.01	10	0.07
TWZ	0.03	-	45,670	0.03
TWZ-W8	-	-	-	-
TWZ-W9	-	-	-	-
Electronic Comp			-	
CCET	6.10	(0.15)	879,812	6.16
CCET13C2505A	0.02	-	206	0.02
CCET13C2505B	-	-	-	-
CCET13C2506A	0.05	(0.01)	8,980	0.05
CCET13C2507A	0.13	(0.01)	62,777	0.14
CCET13C2507B	0.35	(0.03)	76,539	0.36
CCET19C2506A	-	-	-	-
CCET19C2506B	0.03	(0.01)	80	0.03
CCET19C2506C	-	-	-	-
CCET19C2507A	0.14	(0.01)	6,804	0.15
CCET19C2507B	0.34	(0.04)	112,386	0.36
CCET41C2505A	-	-	-	-
CCET41C2506A	0.13	(0.01)	6,000	0.14
DELTA	70.25	(1.00)	213,521	71.65
DELTA01C2503A	0.01	-	321	0.01
DELTA01C2505A	0.04	0.01	221	0.03
DELTA01C2506A	0.06	-	3,783	0.06
DELTA01C2507A	1.09	(0.05)	72,994	1.15
DELTA01P2503A	1.55	(0.12)	1,613	1.49
DELTA01P2504A	2.54	0.06	205	2.55
DELTA06C2504A	-	-	-	-
DELTA11C2503A	-	-	-	-
DELTA13C2503A	-	-	-	-
DELTA13C2503E	-	-	-	-
DELTA13C2503C	-	-	-	-
DELTA13C2505A	-	-	-	-
DELTA13C2506A	0.02	(0.01)	12,850	0.02
DELTA13C2506E	0.04	0.01	17,937	0.04
DELTA13C2507A	0.35	(0.01)	149,578	0.37
DELTA13C2507E	0.14	(0.02)	102,904	0.16
DELTA13C2507C	0.58	(0.04)	131,881	0.64
DELTA13P2503A	-	-	-	-
DELTA13P2503E	-	-	-	-
DELTA13P2505A	-	-	-	-
DELTA13P2505E	-	-	-	-
DELTA13P2506A	1.42	0.22	89	1.35
DELTA13P2507A	1.10	0.05	7,490	1.07
DELTA13P2507E	0.47	0.01	10,282	0.46
DELTA19C2503A	-	-	-	-
DELTA19C2503E	0.02	0.01	2	0.02
DELTA19C2506A	-	-	-	-
DELTA19C2506E	-	-	-	-
DELTA19C2506C	0.04	-	23	0.03
DELTA19C2507A	0.16	(0.01)	53,132	0.17
DELTA19C2507E	0.31	(0.03)	23,470	0.36
DELTA19C2507C	0.66	(0.03)	175,181	0.71
DELTA19P2503A	1.06	(0.13)	109	1.07
DELTA19P2504A	2.00	-	921	1.91
DELTA19P2505A	2.64	-	2,632	2.54
DELTA19P2506A	1.56	0.02	10	1.56
DELTA19P2507A	0.98	0.02	89,131	0.95
DELTA41C2503A	-	-	-	-
DELTA41C2503E	-	-	-	-
DELTA41C2505A	0.01	(0.01)	7,217	0.01
DELTA41C2506A	0.02	-	731	0.02
DELTA41C2507A	0.17	(0.01)	52,149	0.19
DELTA41C2608T	0.30	-	110,002	0.31
DELTA41C2612T	0.07	(0.01)	3	0.07
DELTA41P2504A	-	-	-	-
DELTA41P2505A	1.68	0.03	9,512	1.63
DELTA41P2507A	0.32	0.01	24,792	0.30
HANA	15.90	(0.30)	174,608	16.07
HANA01C2504A	-	-	-	-
HANA01C2504W	-	-	-	-
HANA01C2505A	0.02	-	610	0.02
HANA01C2505B	0.03	-	100	0.03
HANA01P2503W	-	-	-	-
HANA01P2504A	0.77	0.10	28	0.77
HANA01P2505A	1.30	0.03	4,540	1.29
HANA06C2504A	-	-	-	-
HANA13C2503A	0.01	-	1	0.01
HANA13C2504A	0.01	(0.01)	1	0.01
HANA13C2504B	-	-	-	-
HANA13C2504C	-	-	-	-
HANA13C2505A	-	-	-	-
HANA13C2505B	-	-	-	-
HANA13C2506A	0.04	(0.01)	2,330	0.04
HANA13C2507A	0.09	(0.01)	45,792	0.10
HANA13P2503A	-	-	-	-
HANA13P2504A	-	-	-	-
HANA13P2505A	1.28	(0.06)	11	1.28
HANA19C2503A	-	-	-	-
HANA19C2504A	-	-	-	-
HANA19C2505A	-	-	-	-
HANA19C2505B	-	-	-	-
HANA19C2507A	0.06	(0.01)	6,572	0.07
HANA19P2504A	-	-	-	-
HANA19P2504B	0.78	0.01	912	0.76
HANA41C2504A	-	-	-	-
HANA41C2504B	-	-	-	-
HANA41C2505A	-	-	-	-
HANA41C2606T	0.09	(0.01)	115,241	0.10
KCE	17.60	(0.40)	77,582	17.86
KCE01C2503A	0.01	-	4,000	0.01
KCE01C2504A	-	-	-	-
KCE01C2504W	-	-	-	-
KCE01C2505A	-	-	-	-
KCE01C2507A	0.19	(0.03)	97,901	0.21
KCE01P2503W	-	-	-	-
KCE01P2504A	0.83	0.05	310	0.80
KCE13C2503A	-	-	-	-
KCE13C2503B	-	-	-	-
KCE13C2504A	-	-	-	-
KCE13C2504B	-	-	-	-
KCE13C2504C	-	-	-	-
KCE13C2504D	-	-	-	-
KCE13C2505A	0.03	(0.01)	400	0.03
KCE13C2505B	-	-	-	-
KCE13C2506A	0.12	(0.02)	69,013	0.13
KCE13C2507A	0.24	(0.04)	553,318	0.28
KCE13P2503A	-	-	-	-
KCE13P2504A	-	-	-	-
KCE13P2505A	0.54	0.04	83,328	0.51
KCE19C2503A	-	-	-	-
KCE19C2503B	-	-	-	-
KCE19C2504A	-	-	-	-
KCE19C2504B	-	-	-	-
KCE19C2505A	-	-	-	-
KCE19C2506A	0.07	(0.01)	6,001	0.08
KCE19C2507A	0.18	(0.03)	24,155	0.20
KCE19P2504A	-	-	-	-
KCE19P2505A	-	-	-	-
KCE41C2504A	-	-	-	-
KCE41C2504B	-	-	-	-
KCE41C2505A	-	-	-	-
KCE41C2606T	0.12	(0.02)	410	0.13
METCO	171.50	-	14	171.50
SMT	1.18	(0.02)	2,845	1.19
SVI	7.50	0.35	39,523	7.44
TEAM	2.68	(0.04)	3,197	2.71
Energy & Utilities			-	
ACC	0.39	(0.01)	11,635	0.40
ACC-W2	0.59	-	55	0.59
ACE	1.27	-	23,792	1.26
AE	0.09	(0.02)	528,770	0.09
AGE	1.03	0.01	5,662	1.02
AI	3.74	0.02	3,248	3.74
AIE	1.59	-	58,627	1.60
BAFS	8.50	(0.10)	1,908	8.59
BANPU	4.16	0.04	429,262	4.18
BANPU01C2503A	-	-	-	-
BANPU01C2504A	-	-	-	-
BANPU01C2506A	0.02	-	115	0.02
BANPU01C2507A	0.21	-	66,114	0.22
BANPU13C2503A	-	-	-	-
BANPU13C2504A	-	-	-	-
BANPU13C2505A	-	-	-	-
BANPU13C2506A	-	-	-	-
BANPU13C2506B	0.14	0.01	67,189	0.14
BANPU13P2504A	0.25	(0.02)	8,712	0.25
BANPU19C2504A	-	-	-	-
BANPU19C2506A	-	-	-	-
BANPU19C2507A	0.20	-	13,143	0.21
BANPU41C2505A	-	-	-	-
BANPU41C2605T	0.09	-	200	0.09
BBGI	3.88	(0.08)	15,506	3.92
BCP	38.00	-	71,121	37.96
BCP01C2504A	0.13	(0.01)	73,522	0.13
BCP01C2505A	0.34	0.02	43,456	0.34
BCP01C2507A	0.30	(0.01)	10,061	0.31
BCP01P2505A	0.13	-	20,199	0.13
BCP11C2503A	-	-	-	-
BCP13C2503A	0.01	-	4,000	0.01
BCP13C2504A	-	-	-	-
BCP13C2505A	0.16	(0.01)	24,551	0.16
BCP13C2507A	0.31	(0.01)	23,134	0.31
BCP13P2505A	0.05	-	100	0.05
BCP19C2503A	0.02	(0.02)	2,000	0.02
BCP19C2503B	-	-	-	-
BCP19C2504A	-	-	-	-
BCP19C2506A	0.33	-	6,093	0.33
BCP19C2507A	0.24	-	44,128	0.23
BCP41C2504A	0.15	(0.03)	2,400	0.15
BCP41C2505A	0.34	-	10,600	0.34
BCPG	5.65	-	117,040	5.77
BCPG01C2506A	0.09	-	59,528	0.10
BCPG01P2506A	0.36	(0.04)	3,119	0.35
BCPG13C2504A	0.03	0.01	903	0.03
BCPG13C2507A	0.08	0.01	4,493	0.08
BCPG13C2507B	0.20	-	14,652	0.21
BCPG19C2503A	-	-	-	-
BCPG19C2505A	0.10	0.01	4,626	0.10
BCPG41C2606T	0.22	-	20,005	0.22
BGRIM	11.90	0.70	279,899	11.87

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Tuesday March 04, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
BGRIM01C2503A	-	-	-	-
BGRIM01C2504A	-	-	-	-
BGRIM01C2505A	0.02	-	351	0.01
BGRIM01C2506A	0.03	0.01	18,250	0.03
BGRIM01C2507A	0.13	0.03	114,400	0.14
BGRIM01P2505A	-	-	-	-
BGRIM01P2507A	0.39	(0.09)	25,163	0.38
BGRIM13C2503A	-	-	-	-
BGRIM13C2504A	-	-	-	-
BGRIM13C2505A	0.01	-	650	0.01
BGRIM13C2505B	-	-	-	-
BGRIM13C2506A	0.02	-	10	0.02
BGRIM13C2507A	0.09	0.03	155,300	0.09
BGRIM13C2507B	0.22	0.05	135,947	0.23
BGRIM13P2505A	-	-	-	-
BGRIM13P2506A	0.55	(0.12)	10,779	0.55
BGRIM19C2504A	-	-	-	-
BGRIM19C2505A	-	-	-	-
BGRIM19C2506A	-	-	-	-
BGRIM19C2507A	0.10	0.04	9,028	0.09
BGRIM19C2507B	0.23	0.06	120,664	0.21
BGRIM19P2506A	-	-	-	-
BGRIM41C2504A	-	-	-	-
BGRIM41C2505A	-	-	-	-
BGRIM41C2506A	0.05	-	130	0.03
BGRIM41C2608T	0.26	0.03	120,439	0.24
BIOTEC	0.18	-	10,446	0.19
BIOTEC-P	-	-	-	-
BIOTEC-Q	-	-	-	-
BIOTEC-W2	0.02	-	15,448	0.02
BPP	6.75	-	25,763	6.77
BRRGIF	3.88	(0.02)	1,417	3.89
BSRC	5.55	(0.10)	60,067	5.61
BSRC13C2506A	0.22	(0.02)	47,941	0.23
CKP	2.68	0.04	29,553	2.66
CKP01C2504A	-	-	-	-
CV	-	-	-	-
CV-W1	-	-	-	-
EA	2.32	(0.10)	704,528	2.37
EA-W1	0.37	-	191,713	0.38
EA13C2503A	-	-	-	-
EA13C2503B	-	-	-	-
EA13C2503C	-	-	-	-
EA13C2504A	0.01	-	50	0.01
EA13C2504B	0.01	-	640	0.01
EA13C2505A	0.01	-	2,500	0.01
EA13C2505B	0.02	-	19,185	0.02
EA13C2506A	0.05	(0.01)	45,214	0.06
EA13C2506B	0.10	(0.02)	65,322	0.11
EA13P2504A	0.78	0.05	2,777	0.76
EA19C2503A	-	-	-	-
EA19C2503B	-	-	-	-
EA19C2504A	0.01	(0.01)	1,500	0.01
EA19C2504B	-	-	-	-
EA19C2505A	0.05	(0.01)	2,242	0.05
EA19C2506A	0.02	(0.02)	6,615	0.03
EA19C2506B	0.10	(0.03)	84,478	0.12
EA19P2505A	1.20	0.08	2,001	1.18
EA41C2606T	0.12	(0.01)	8,191	0.12
EASTW	2.00	-	5,521	2.01
EGATIF	5.95	-	2,572	5.95
EGCO	97.50	1.25	11,785	97.24
EGCO19C2504A	-	-	-	-
EP	1.46	0.03	845	1.43
EP-W4	0.01	-	11	0.01
ETC	1.15	(0.01)	1,919	1.16
GPSC	27.50	0.50	76,556	27.58
GPSC01C2504W	-	-	-	-
GPSC01C2505A	-	-	-	-
GPSC01C2507A	0.21	0.01	61,287	0.23
GPSC01P2506A	0.32	(0.02)	439	0.31
GPSC13C2503A	-	-	-	-
GPSC13C2504A	0.01	-	1,200	0.01
GPSC13C2505A	-	-	-	-
GPSC13C2505B	-	-	-	-
GPSC13C2506A	0.10	0.01	81,354	0.10
GPSC13C2507A	0.24	0.02	126,711	0.25
GPSC13P2505A	-	-	-	-
GPSC13P2506A	0.28	(0.02)	20,222	0.27
GPSC19C2503A	-	-	-	-
GPSC19C2505A	-	-	-	-
GPSC19C2506A	0.03	0.01	1,000	0.03
GPSC19C2506B	-	-	-	-
GPSC19C2507A	0.21	0.01	182,281	0.22
GPSC19P2506A	0.36	(0.04)	35,942	0.35
GPSC41C2504A	-	-	-	-
GPSC41C2505A	-	-	-	-
GPSC41C2606T	0.13	0.01	18,768	0.13
GREEN	0.87	-	1,300	0.87
GULF	47.50	(0.75)	192,032	47.98
GULF01C2503A	0.01	-	3	0.01
GULF01C2504A	0.01	-	70	0.01
GULF01P2504A	0.99	0.03	1	0.99
GULF06C2503A	-	-	-	-
GULF13C2504A	-	-	-	-
GULF13C2505A	-	-	-	-
GULF13C2505B	0.03	-	17,116	0.03
GULF13P2504A	0.82	0.13	2,001	0.70
GULF13P2505A	0.49	0.03	150	0.46
GULF19C2503A	-	-	-	-
GULF19C2503B	-	-	-	-
GULF19C2505A	-	-	-	-
GULF19C2506A	0.06	(0.01)	161	0.06
GULF19P2503A	0.07	(0.04)	3,279	0.07
GULF19P2504A	-	-	-	-
GULF41C2504A	-	-	-	-
GULF41C2505A	-	-	-	-
GULF41C2605T	0.36	(0.02)	800	0.37
GULF41P2504A	-	-	-	-
GUNKUL	1.69	-	214,866	1.71
GUNKUL13C250	-	-	-	-
GUNKUL13C250	-	-	-	-
GUNKUL19C250	-	-	-	-
GUNKUL19C250	-	-	-	-
IRPC	0.88	(0.02)	262,564	0.89
IRPC01C2504A	0.01	(0.01)	6,400	0.01
IRPC13C2503A	-	-	-	-
IRPC19C2503A	-	-	-	-
KBSPIF	7.05	-	816	7.07
LANNA	16.80	0.20	13,365	16.82
MDX	2.80	0.02	872	2.77
NOVA	7.75	(0.05)	14	7.79
OR	10.80	(0.70)	143,242	11.04
OR01C2503A	0.01	-	270	0.01
OR01C2505A	0.01	(0.01)	6,500	0.01
OR01C2507A	0.11	(0.04)	4,578	0.12
OR13C2503A	-	-	-	-
OR13C2504A	-	-	-	-
OR13C2506A	0.04	-	1,500	0.04
OR13C2507A	0.11	(0.05)	29,785	0.13
OR19C2503A	-	-	-	-
OR19C2504A	-	-	-	-
OR19C2505A	-	-	-	-
OR19C2506A	0.09	(0.02)	2,402	0.10
OR41C2505A	-	-	-	-
OR41C2605T	-	-	-	-
OR41C2608T	0.26	(0.02)	4,000	0.26
PRIME	0.08	0.01	3,649	0.08
PTG	7.10	-	37,284	7.05
PTT	30.75	(0.25)	402,627	30.93
PTT01C2505A	-	-	-	-
PTT01C2508A	0.16	(0.03)	9,165	0.18
PTT13C2503A	-	-	-	-
PTT13C2508A	0.15	(0.02)	15,157	0.16
PTT19C2505A	-	-	-	-
PTT41C2606T	0.23	(0.02)	4,444	0.23
PTTEP	109.00	(1.00)	66,450	109.42
PTTEP01C2503A	0.01	-	122	0.01
PTTEP01C2504A	-	-	-	-
PTTEP01C2505A	0.07	(0.02)	9,600	0.08
PTTEP01C2507A	0.28	(0.03)	73,850	0.30
PTTEP01P2503A	-	-	-	-
PTTEP01P2506A	0.44	0.03	17,807	0.42
PTTEP11C2503A	-	-	-	-
PTTEP13C2503A	-	-	-	-
PTTEP13C2504A	-	-	-	-
PTTEP13C2505A	0.04	-	70	0.04
PTTEP13C2507A	0.20	(0.01)	42,206	0.21
PTTEP13P2506A	0.49	0.01	18,100	0.48
PTTEP19C2503A	-	-	-	-
PTTEP19C2504A	-	-	-	-
PTTEP19C2505A	0.06	0.01	1,752	0.05
PTTEP19C2507A	0.28	(0.04)	132,766	0.29
PTTEP41C2503A	-	-	-	-
PTTEP41C2504A	-	-	-	-
PTTEP41C2505A	-	-	-	-
PTTEP41C2604T	-	-	-	-
PTTEP41P2503A	-	-	-	-
PTTEP41P2506A	0.35	(0.03)	19,981	0.36
RATCH	26.00	-	21,284	26.16
RATCH01C2503A	-	-	-	-
RATCH13C2503A	-	-	-	-
RATCH19C2506A	0.10	(0.01)	500	0.10
RPC	0.24	(0.01)	14,343	0.25
SCG	2.96	(0.02)	88	2.98
SCN	0.44	(0.02)	11,495	0.44
SCN-W2	0.03	-	315	0.03
SEAOIL	2.60	(0.02)	1,808	2.60
SGP	6.70	(0.15)	2,435	6.79
SKE	0.19	0.02	6,288	0.18
SKE-W1	-	-	-	-
SOLAR	0.25	(0.02)	6,433	0.25
SPCG	8.15	(0.05)	15,263	8.16
SPRC	5.45	0.05	130,967	5.52
SPRC13C2503A	-	-	-	-
SPRC13C2504A	-	-	-	-
SPRC13C2506A	0.12	-	13,534	0.13
SPRC19C2503A	-	-	-	-
SPRC19C2505A	-	-	-	-
SPRC41C2606T	0.20	-	9,714	0.20
SSP	5.50	(0.05)	13,735	5.50
SSP-W2	0.01	-	7,901	0.01
SUPER	0.17	(0.01)	240,451	0.18
SUPEREIF	6.00	(0.05)	935	6.01
SUSCO	2.82	0.06	29,227	2.83
TAE	0.52	(0.02)	1,611	0.54
TCC	0.27	(0.01)	2,098	0.28
TCC-W5	0.15	-	53	0.14
TGE	1.72	0.02	444	1.70
TGE-W2	0.13	0.01	17,700	0.13
TOP	22.60	(1.00)	610,046	23.15
TOP01C2503A	-	-	-	-
TOP01C2504A	-	-	-	-
TOP01C2505A	0.02	-	630	0.01
TOP01C2506A	0.08	(0.02)	37,124	0.09
TOP01C2507A	0.44	(0.12)	94,861	0.50
TOP01P2504A	1.27	0.17	8,221	1.19
TOP01P2506A	0.29	0.03	30,816	0.27
TOP13C2503A	-	-	-	-
TOP13C2503B	-	-	-	-
TOP13C2504A	-	-	-	-
TOP13C2504B	-	-	-	-
TOP13C2505A	-	-	-	-
TOP13C2505B	-	-	-	-
TOP13C2505C	0.04	(0.01)	1,249	0.04
TOP13C2506A	0.35	(0.09)	231,490	0.41
TOP13C2507A	0.11	(0.03)	150,554	0.13
TOP13P2503A	1.02	(0.43)	12	1.02
TOP13P2505A	-	-	-	-
TOP13P2505B	0.32	0.05	21,781	0.30
TOP19C2503A	-	-	-	-
TOP19C2503B	-	-	-	-
TOP19C2504A	-	-	-	-
TOP19C2505A	-	-	-	-
TOP19C2505B	0.05	(0.02)	500	0.05
TOP19P2505A	0.15	0.02	97,298	0.13
TOP41C2503A	-	-	-	-
TOP41C2505A	-	-	-	-
TOP41C2506B	0.08	(0.02)	6,388	0.09
TOP41P2505A	0.25	0.02	48,000	0.24
TPIPP	2.34	(0.26)	138,609	2.44
TSE	0.39	-	41,801	0.39
TTW	9.05	0.05	43,998	9.04
UBE	0.52	0.01	20,792	0.53
WHAUP	3.58	0.04	24,081	3.56
WP	3.20	-	311	3.17
Media & Publishing			-	
AMARIN	2.48	0.02	271	2.40
AQUA	0.25	(0.01)	118,944	0.25
AS	2.60	(0.08)	6,710	2.62
BEC	3.82	-	559	3.82
FE	181.00	1.00	26	181.00
GPI	1.67	-	2,988	1.67
GRAMMY	4.96	(0.04)	517	4.97
JKN	-	-	-	-
MAJOR	11.70	(0.10)	12,982	11.63
MATCH	1.12	0.06	1,036	1.10
MATI	4.98	0.08	33	5.25
MCOT	3.10	0.04	73,052	3.19
MONO	1.07	(0.03)	376,777	1.09
NATION	0.03	-	2,898	0.02
NATION-W4	-	-	-	-
ONEE	2.68	(0.06)	22,219	2.70
PLANB	5.90	(0.05)	154,083	6.03
PLANB13C2503A	-	-	-	-
PLANB19C2503A	-	-	-	-
PLANB41C2606T	0.21	(0.01)	36,001	0.22
PRAKIT	11.30	(0.10)	450	11.21
PTECH	-	-	-	-
SE-ED	-	-	-	-
TKS	5.65	-	2,761	5.48
VGI	3.26	0.12	1,979,609	3.25
VGI-W3	0.07	0.01	231,172	0.06
VGI-W4	1.27	-	99,350	1.30
VGI01C2505A	0.22	0.03	130,207	0.22
VGI01C2507A	0.54	0.07	53,662	0.53
VGI13C2504A	0.31	0.06	19,619	0.28
VGI13C2505A	0.18	0.04	77,762	0.18
VGI13C2507A	0.37	0.04	105,735	0.38
VGI13P2504A	0.01	(0.04)	49	0.01
VGI19C2504A	0.19	0.03	56,293	0.20
VGI19C2505A	0.17	0.03	64,046	0.18
VGI19C2507A	0.38	0.05	144,105	0.37
VGI19P2503A	-	-	-	-
VGI41C2505A	0.17	0.02	86,980	0.18
VGI41C2606T	0.31	0.02	59,668	0.31
WORK	5.55	0.05	2,364	5.47
ZAA	0.72	-	229	0.68
Finance & Securities			-	
AEONTS	104.00	(2.00)	2,841	104.79
AMANAH	0.76	(0.04)	9,690	0.79
ASAP	1.40	0.09	84	1.40
ASK	6.85	0.05	8,295	6.81
ASP	2.16	(0.04)	10,889	2.17
BAM	6.40	0.05	223,860	6.39
BAM01C2504A	-	-	-	-
BAM01C2506A	0.23	-	44,350	0.23
BAM13C2503A	-	-	-	-
BAM13C2503B	-	-	-	-
BAM13C2504A	-	-	-	-
BAM13C2505A	0.11	-	65,205	0.11
BAM13C2506A	0.25	0.01	195,178	0.24
BAM19C2503A	-	-	-	-
BAM19C2504A	-	-	-	-
BAM19C2505A	0.12	-	26,246	0.12
BAM19C2506A	0.28	0.01	192,669	0.28
BAM41C2504A	-	-	-	-
BAM41C2505A	0.11	-	14,000	0.11
BAM41C2612T	0.34	(0.01)	51,200	0.35
BYD	0.57	(0.03)	83,273	0.59
CGH	0.53	0.01	5,579	0.52
CGH-W5	-	-	-	-
CHASE	0.59	(0.01)	12,449	0.60
CHASE-W1	0.23	-	1,037	0.23
CHAYO	2.16	-	19,417	2.17
CHAYO-W3	0.07	-	385	0.07
EAST	0.83	0.04	11,311	0.82
FNS	1.25	(0.05)	1,885	1.26
FSX	1.53	(0.03)	375	1.52

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Tuesday March 04, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
GBX	0.57	-	1,102	0.57
GL	-	-	-	-
HENG	1.07	(0.05)	18,087	1.08
IFS	2.44	(0.02)	3,598	2.40
JMT	13.20	1.00	379,019	13.11
JMT01C2504A	0.02	0.01	1	0.02
JMT13C2504A	0.01	-	5,800	0.01
JMT13C2506A	0.10	0.04	75,520	0.09
JMT13C2507A	0.23	0.06	175,088	0.24
JMT19C2503A	-	-	-	-
JMT19C2504A	-	-	-	-
JMT19C2504B	-	-	-	-
JMT19C2506A	0.11	0.04	20,015	0.11
JMT19C2507A	0.28	0.08	241,048	0.27
JMT41C2505A	0.05	-	11	0.04
JMT41C2608T	0.27	0.04	83,807	0.26
KCAR	4.08	0.04	776	4.04
KGI	4.20	(0.02)	19,826	4.20
KTC	49.50	(0.25)	29,081	49.89
KTC01C2503A	-	-	-	-
KTC01C2507A	0.31	(0.01)	40,054	0.32
KTC13C2503A	-	-	-	-
KTC13C2506A	0.20	(0.02)	19,174	0.21
KTC19C2504A	0.09	(0.01)	2,299	0.09
KTC19C2507A	0.24	(0.02)	115,033	0.25
KTC41C2606T	0.31	-	4,000	0.31
MFC	25.00	-	555	24.89
MICRO	0.88	-	3,796	0.88
ML	0.37	-	416	0.37
MST	8.45	(0.10)	123	8.42
MTC	47.00	(1.00)	64,594	47.04
MTC01C2504A	-	-	-	-
MTC01C2506A	0.34	(0.05)	34,028	0.35
MTC01P2506A	0.29	0.03	38,892	0.27
MTC13C2503A	-	-	-	-
MTC13C2505A	0.12	(0.02)	33,529	0.13
MTC13C2506A	0.33	(0.04)	45,353	0.34
MTC13P2506A	0.19	0.01	8,950	0.19
MTC19C2504A	-	-	-	-
MTC19C2506A	0.26	(0.05)	106,626	0.28
MTC19P2506A	0.20	0.01	14,577	0.21
MTC41C2505A	-	-	-	-
MTC41C2606T	0.35	(0.02)	57,400	0.35
NCAP	1.63	-	64,952	1.64
PL	1.01	(0.08)	2,203	1.02
S11	2.68	(0.04)	396	2.68
SAK	4.10	(0.06)	19,545	4.12
SAWAD	33.50	(0.75)	46,974	33.84
SAWAD-W2	0.23	(0.01)	647	0.24
SAWAD01C2504A	-	-	-	-
SAWAD01C2506A	0.12	-	4,005	0.12
SAWAD01P2505A	0.52	0.03	2,635	0.50
SAWAD13C2503A	-	-	-	-
SAWAD13C2505A	0.04	-	786	0.03
SAWAD13C2506A	0.09	(0.01)	34,034	0.10
SAWAD13C2507A	0.24	(0.03)	41,956	0.25
SAWAD13P2504A	0.16	0.01	25,399	0.15
SAWAD19C2504A	-	-	-	-
SAWAD19C2505A	-	-	-	-
SAWAD19C2506A	0.10	(0.01)	1	0.10
SAWAD19C2507A	0.28	(0.03)	94,992	0.30
SAWAD19P2504A	0.13	0.01	9,404	0.13
SAWAD41C2505A	0.03	(0.02)	5	0.03
SAWAD41C2609T	0.37	(0.02)	16,200	0.38
SCAP	1.17	(0.03)	7,129	1.20
SGC	0.86	0.05	397,427	0.85
SGC-W1	0.11	(0.01)	53,183	0.11
SGC-W2	0.27	0.02	11,012	0.26
SM	0.97	-	299	0.96
TH	0.66	0.02	21,784	0.66
TH-W3	0.03	-	49,956	0.03
THANI	1.55	(0.08)	38,825	1.56
TIDLOR	17.00	(0.10)	78,023	17.05
TIDLOR01C2506A	0.23	(0.02)	51,902	0.25
TIDLOR13C2504A	-	-	-	-
TIDLOR13C2505A	0.27	(0.02)	28,856	0.28
TIDLOR19C2504A	-	-	-	-
TIDLOR19C2505A	0.16	(0.01)	21,059	0.16
TIDLOR19C2505B	0.27	(0.02)	116,175	0.28
TIDLOR41C2605T	0.42	(0.02)	14,000	0.42
TK	3.64	(0.10)	493	3.68
TNITY	2.94	0.04	1,850	2.92
TNL	32.50	(1.00)	108	32.78
UOBKH	4.80	0.10	271	4.73
XPG	0.83	(0.02)	131,874	0.84
Food & Beverage			-	
AAI	5.25	-	21,243	5.27
APURE	3.56	(0.04)	216	3.53
ASIAN	7.60	-	3,860	7.61
BR	1.66	-	2,375	1.66
BR-W1	0.03	-	1	0.03
BRR	4.44	(0.06)	1,888	4.46
BRR-W2	0.21	-	14	0.21
BTG	19.60	(0.10)	10,645	19.65
CBG	65.25	(0.75)	30,670	65.44
CBG01C2503A	-	-	-	-
CBG01C2504A	0.02	(0.07)	4	0.02
CBG01C2506A	0.09	(0.01)	35,655	0.10
CBG01C2507A	0.30	(0.02)	85,684	0.31
CBG01P2504W	0.46	0.04	5,149	0.41
CBG01P2506A	1.12	0.03	1,481	1.12
CBG13C2503A	-	-	-	-
CBG13C2505A	-	-	-	-
CBG13C2506A	0.12	(0.02)	25,255	0.13
CBG13C2507A	0.39	(0.61)	69,740	0.40
CBG13P2504A	0.37	-	46,647	0.36
CBG19C2504A	-	-	-	-
CBG19C2506A	0.08	(0.02)	2,264	0.09
CBG19C2506B	0.19	(0.02)	26,378	0.20
CBG19P2507A	0.71	(0.29)	33,327	0.68
CBG41C2503A	-	-	-	-
CBG41C2505A	-	-	-	-
CFRESH	1.08	(0.01)	17,822	1.12
CH	1.90	(0.02)	3,077	1.91
CHAO	5.15	0.10	3,382	5.13
CHOTI	-	-	-	-
CM	1.68	0.02	213	1.69
COCOCO	7.30	-	56,362	7.34
COCOCO13C250	-	-	-	-
COCOCO19C250	0.02	-	800	0.02
CPF	23.60	(0.40)	240,837	23.51
CPF01C2503A	-	-	-	-
CPF01C2504A	0.09	(0.04)	4,960	0.11
CPF01C2508A	0.64	(0.07)	13,718	0.63
CPF13C2503A	-	-	-	-
CPF13C2504A	-	-	-	-
CPF13C2505A	0.16	(0.04)	51,705	0.16
CPF13C2506A	0.46	(0.10)	1,638	0.44
CPF19C2504A	-	-	-	-
CPF19C2505A	0.11	(0.03)	10,960	0.11
CPF41C2503A	-	-	-	-
CPF41C2505A	-	-	-	-
CPF41C2505B	0.13	(0.04)	67,918	0.13
CPF41C2612T	0.56	(0.04)	55,200	0.56
CPI	2.92	(0.04)	1,265	2.92
F&D	41.25	1.75	80	40.63
FM	3.58	(0.10)	62,748	3.62
GLOCON	0.16	-	134,475	0.15
HTC	16.70	(0.10)	4,257	16.78
ICHI	12.70	0.40	47,477	12.58
ICHI01C2503A	-	-	-	-
ICHI13C2504A	-	-	-	-
ITC	16.00	(0.20)	47,079	16.16
ITC01C2503A	0.01	-	850	0.01
ITC01C2504A	0.01	-	98	0.01
ITC01C2506A	0.17	(0.02)	14,628	0.18
ITC13C2504A	-	-	-	-
ITC13C2506A	0.14	(0.01)	16,762	0.15
ITC19C2503A	-	-	-	-
ITC19C2505A	-	-	-	-
ITC19C2506A	0.20	(0.01)	23,830	0.22
ITC41C2505A	-	-	-	-
ITC41C2612T	0.41	(0.01)	44,000	0.43
JDF	2.02	0.02	2,614	2.01
KBS	6.00	(0.05)	7,494	5.98
KCG	7.80	0.15	14,420	7.73
KSL	1.44	(0.05)	8,226	1.46
KTIS	2.00	(0.06)	1,144	1.99
LST	4.90	(0.02)	886	4.91
M	19.00	0.20	18,099	19.12
MALEE	6.40	(0.05)	16,398	6.46
NRF	0.54	-	3,778	0.56
NSL	26.50	-	4,981	26.64
OKJ	8.40	-	46,329	8.51
OSP	14.70	(0.20)	127,900	14.77
OSP01C2503A	-	-	-	-
OSP01C2504A	0.01	-	5,350	0.01
OSP01C2507A	0.12	(0.01)	15,826	0.12
OSP01C2507B	0.20	(0.02)	47,464	0.21
OSP01P2507A	0.33	0.02	34,518	0.31
OSP13C2503A	-	-	-	-
OSP13C2505A	-	-	-	-
OSP13C2506A	0.05	-	1,926	0.05
OSP13C2506B	0.12	(0.02)	43,246	0.13
OSP13C2507A	0.23	(0.03)	48,232	0.24
OSP19C2503A	0.01	-	70	0.01
OSP19C2506A	-	-	-	-
OSP19C2506B	-	-	-	-
OSP19C2506C	0.15	(0.02)	69,022	0.16
OSP41C2503A	-	-	-	-
OSP41C2505A	-	-	-	-
OSP41C2606T	0.15	(0.01)	42,000	0.16
PB	54.75	(0.25)	13	54.98
PLUS	4.02	(0.28)	5,299	4.08
PM	9.55	0.30	25,515	9.43
PQS	2.22	-	10,109	2.30
PRG	8.15	0.15	12	8.15
PRG-W2	-	-	-	-
PRG-W3	3.20	0.10	1	3.20
PRG-W4	3.00	(0.20)	1	3.00
PRG-W5	2.94	(0.02)	1	2.94
RBF	4.72	(0.04)	30,528	4.79
RBF01C2504A	-	-	-	-
RBF13C2503A	0.01	-	49	0.01
RBF13C2504A	-	-	-	-
RBF13C2507A	-	-	-	-
RBF19C2503A	-	-	-	-
RBF19C2505A	-	-	-	-
RBF19C2508A	-	-	-	-
SAPPE	43.00	(1.25)	18,530	44.04
SAPPE01C2504A	-	-	-	-
SAUCE	36.75	0.25	77	36.45
SNNP	12.40	-	7,750	12.36
SNP	11.10	(0.10)	351	11.12
SORKON	4.44	0.04	583	4.44
SSF	5.95	-	61	5.90
SST	2.08	(0.08)	54	2.06
SUN	3.10	(0.04)	3,122	3.12
TC	6.40	-	457	6.42
TFG	4.12	0.26	227,812	4.01
TFG-W4	0.50	0.03	19,321	0.51
TFMAMA	199.00	-	57	199.20
TIPCO	9.90	(0.05)	1,772	9.94
TKN	8.15	(0.10)	13,423	8.23
TU	11.40	-	56,179	11.40
TU01C2505A	-	-	-	-
TU01C2506A	0.07	0.01	125	0.07
TU01C2508A	0.18	-	60,160	0.19
TU13C2504A	-	-	-	-
TU13C2505A	-	-	-	-
TU19C2504A	-	-	-	-
TU19C2505A	-	-	-	-
TU19C2506A	0.10	-	5,975	0.10
TU41C2506A	0.09	0.01	1	0.09
TVO	23.30	0.30	15,567	23.26
TWPC	2.22	0.02	1,200	2.22
XBIO	0.19	0.02	24,006	0.18
XBIO-W6	0.02	-	3,440	0.02
XBIO-W7	0.01	-	4,198	0.01
ZEN	6.70	0.25	28	6.41
Health Care Services			-	
AHC	14.00	0.10	205	14.05
BCH	16.00	(0.10)	53,769	15.90
BCH13C2504A	-	-	-	-
BCH19C2505A	-	-	-	-
BCH19C2505B	0.14	(0.01)	65,340	0.13
BCH41C2506A	0.19	(0.02)	14,030	0.19
BDMS	23.80	(0.20)	437,206	23.84
BDMS01C2503A	-	-	-	-
BDMS01C2503B	0.01	-	1,000	0.01
BDMS01C2504A	-	-	-	-
BDMS01C2506A	0.21	(0.03)	73,465	0.21
BDMS11C2503A	-	-	-	-
BDMS13C2504A	-	-	-	-
BDMS13C2505A	0.07	(0.03)	3,105	0.08
BDMS19C2503A	-	-	-	-
BDMS19C2504A	-	-	-	-
BDMS19C2505A	-	-	-	-
BDMS41C2505A	0.12	(0.02)	18,400	0.12
BH	195.50	0.50	27,708	196.39
BH-P	-	-	-	-
BH-Q	-	-	-	-
BH01C2504A	-	-	-	-
BH01C2505A	0.34	(0.01)	32,852	0.36
BH01C2506A	0.15	-	23,176	0.16
BH01C2507A	0.99	0.01	636	1.00
BH01P2504A	0.18	(0.01)	32,248	0.18
BH01P2507A	0.42	(0.01)	19,788	0.42
BH06C2503A	-	-	-	-
BH11C2503A	-	-	-	-
BH13C2503A	0.01	-	232	0.01
BH13C2504A	0.02	-	810	0.02
BH13C2504B	0.11	(0.01)	58,786	0.12
BH13C2505A	0.11	(0.01)	34,552	0.12
BH13C2506A	0.69	-	91,386	0.71
BH13P2503A	0.01	-	10	0.01
BH19C2504A	-	-	-	-
BH19C2504B	-	-	-	-
BH19C2505A	0.20	(0.01)	16,818	0.22
BH19C2506A	0.13	-	17,544	0.14
BH19C2506B	0.62	(0.01)	57,745	0.65
BH19P2504A	0.26	(0.01)	30,238	0.26
BH41C2503A	-	-	-	-
BH41C2504A	-	-	-	-
BH41C2505A	0.25	(0.01)	75,000	0.26
BH41C2605T	0.17	-	8,000	0.17
BH41P2504A	-	-	-	-
BH41P2508A	-	-	-	-
BKGI	1.94	(0.01)	23,434	1.97
CHG	2.04	(0.08)	114,605	2.06
CHG13C2504A	-	-	-	-
CHG19C2505A	-	-	-	-
CMR	1.56	-	519	1.56
EKH	6.30	0.10	6,934	6.26
KDH	92.25	2.25	7	90.82
LPH	4.00	(0.02)	400	4.01
M-CHAI	21.00	(0.50)	128	21.16
MASTER	27.75	(0.25)	11,585	28.22
MEDEZE	8.15	(0.20)	51,183	8.29
NEW	-	-	-	-
NKT	4.54	0.06	7,058	4.54
NTV	28.75	-	207	28.87
PHG	13.90	-	206	13.90
PR9	22.90	0.30	20,798	22.82
PR901C2507A	0.35	0.02	8,490	0.34
PR913C2505A	-	-	-	-
PR913C2506A	0.20	0.01	3,918	0.20
PR919C2506A	-	-	-	-
PRINC	2.54	(0.06)	8,483	2.55
RAM	19.80	(0.20)	893	19.67
RJH	15.50	(0.30)	6,658	15.62
RPH	5.35	-	1,398	5.33
SAFE	9.25	(0.05)	862	9.28
SKR	8.00	-	3,142	7.94
THG	9.60	(0.80)	36,518	9.80
VIBHA	1.84	-	7,828	1.83
VIBHA-W4	0.01	-	5,000	0.01
VIH	7.25	0.10	3,388	7.20
VIH-W1	1.00	-	10	1.00

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date : *Tuesday March 04, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
WPH	8.85	0.40	6,403	8.78
Tourism & Leisure			-	
ASIA	5.30	0.05	2	5.25
BEYOND	7.15	(0.20)	898	7.15
CENTEL	32.75	-	60,277	32.98
CENTEL01C2504A	-	-	-	-
CENTEL01C2508A	0.27	-	46,958	0.28
CENTEL11C2503A	-	-	-	-
CENTEL13C2504A	-	-	-	-
CENTEL13C2506A	0.21	(0.01)	57,034	0.22
CENTEL19C2504A	-	-	-	-
CENTEL19C2506A	0.30	(0.01)	2,838	0.30
CENTEL41C2504A	-	-	-	-
CENTEL41C2606T	0.30	0.01	58,000	0.31
CSR	87.00	-	1	87.00
DUSIT	8.90	0.10	123	8.96
ERW	3.22	0.02	309,903	3.24
ERW01C2504A	0.01	(0.01)	4,642	0.01
ERW01C2507A	0.26	0.01	35,004	0.27
ERW13C2503A	-	-	-	-
ERW13C2505A	0.04	-	200	0.04
ERW13C2507A	0.22	0.01	28,589	0.23
ERW19C2503A	-	-	-	-
ERW19C2506A	0.15	-	50,640	0.16
ERW41C2606T	0.21	0.01	38,800	0.21
GRAND	0.05	-	26,904	0.05
LRH	-	-	-	-
MANRIN	-	-	-	-
MINT	28.50	(0.25)	177,995	28.61
MINT01C2504A	-	-	-	-
MINT01C2506A	0.82	(0.09)	4,040	0.86
MINT01C2507A	0.21	(0.01)	18,395	0.22
MINT13C2503A	-	-	-	-
MINT13C2505A	0.13	(0.01)	41,973	0.14
MINT13C2506A	-	-	-	-
MINT13C2506B	-	-	-	-
MINT19C2504A	0.08	(0.03)	4,101	0.10
MINT19C2506A	0.72	(0.20)	10	0.72
MINT41C2504A	-	-	-	-
MINT41C2604T	-	-	-	-
MINT41C2612T	0.29	(0.01)	28,386	0.29
OHTL	318.00	-	10	317.80
ROH	1.90	(0.04)	10	1.90
SHANG	44.50	2.25	1	44.50
SHR	1.91	-	31,964	1.93
SPA	5.15	-	31,629	5.08
VRANDA	4.66	0.04	1,125	4.65
Home & Office Produ			-	
AJA	0.11	(0.01)	48,018	0.11
AJA-W4	0.01	-	166	0.01
DTCI	26.50	(3.50)	166	26.51
FANCY	0.31	-	1,063	0.31
FTI	1.86	(0.04)	711	1.87
KYE	299.00	(1.00)	8	299.38
L&E	1.20	(0.02)	57	1.20
MODERN	2.10	0.04	824	2.08
OGC	10.60	0.65	14	11.33
ROCK	12.20	1.10	4	12.00
SIAM	0.82	-	162	0.80
TCMC	0.49	-	3,451	0.49
TSR	0.25	(0.02)	26,860	0.25
TSR-W2	0.01	-	18,045	0.01
Insurance			-	
AYUD	31.50	(0.25)	279	31.57
BKIH	292.00	1.00	255	290.87
BLA	20.40	0.50	13,866	20.18
BLA01C2503A	0.01	(0.01)	60	0.01
BLA01C2508A	0.43	0.03	46,213	0.42
BLA13C2504A	-	-	-	-
BLA13C2507A	0.27	0.03	15,930	0.26
BLA19C2506A	0.29	0.03	29,996	0.27
BLA41C2606T	0.39	0.02	47,784	0.39
BUI	17.20	(0.10)	463	17.20
CHARAN	20.90	(0.50)	4	20.85
INSURE	91.00	(1.50)	2	91.88
KWI	-	-	-	-
MTI	111.50	(1.00)	32	110.98
NKI	21.10	(1.40)	5	21.06
TGH	12.50	(0.30)	6	12.50
THRE	0.47	-	10,581	0.47
THREL	1.23	0.02	2,599	1.23
TIPH	20.20	0.20	9,113	20.19
TLI	11.90	0.70	261,609	11.77
TLI01C2503A	-	-	-	-
TLI01C2507A	0.28	0.06	66,529	0.26
TLI06C2503A	0.08	0.03	4,206	0.08
TLI13C2505A	0.18	0.05	52,431	0.17
TLI19C2506A	0.24	0.04	63,257	0.23
TLI41C2606T	0.31	0.03	48,550	0.30
TQM	13.90	(0.20)	13,631	14.04
TSI	0.07	(0.01)	37,235	0.07
TVH	8.55	0.15	100	8.50
Packaging			-	
AJ	2.16	0.10	3,027	2.14
ALUCON	179.50	1.00	16	179.13
BGC	5.90	(0.10)	1,764	5.87
CSC	45.75	-	15	45.75
CSC-P	-	-	-	-
CSC-Q	-	-	-	-
NEP	0.23	0.01	5,160	0.22
PJW	2.24	-	3,568	2.23
PTL	9.90	0.05	1,312	9.85
SCGP	13.10	-	127,006	13.26
SCGP01C2504A	-	-	-	-
SCGP01C2504W	-	-	-	-
SCGP01C2506A	0.03	0.01	20	0.03
SCGP01C2507A	0.07	-	33,082	0.08
SCGP01P2503A	-	-	-	-
SCGP01P2507A	0.81	0.02	14,800	0.78
SCGP13C2503A	-	-	-	-
SCGP13C2503B	-	-	-	-
SCGP13C2504A	-	-	-	-
SCGP13C2504B	-	-	-	-
SCGP13C2506A	-	-	-	-
SCGP13C2506B	0.04	0.01	1,680	0.04
SCGP13C2507A	0.15	-	72,975	0.16
SCGP13P2504A	-	-	-	-
SCGP13P2504B	-	-	-	-
SCGP13P2506A	0.61	(0.02)	1,412	0.62
SCGP19C2503A	-	-	-	-
SCGP19C2504A	-	-	-	-
SCGP19C2505A	-	-	-	-
SCGP19C2506A	-	-	-	-
SCGP19C2506B	-	-	-	-
SCGP19C2507A	0.23	(0.77)	211,408	0.25
SCGP19P2505A	-	-	-	-
SCGP41C2505A	-	-	-	-
SCGP41C2606T	0.15	0.01	12,371	0.15
SFLEX	2.74	-	19,872	2.75
SFLEX-W2	0.05	0.01	16	0.04
SITHAI	1.07	-	1,088	1.07
SLP	0.38	-	1,897	0.37
SMPC	9.05	0.05	1,011	9.01
SPACK	1.49	(0.16)	209	1.50
TCOAT	-	-	-	-
TFI	0.05	-	1,814	0.04
TFI-W1	-	-	-	-
THIP	27.75	-	47	27.86
TMD	25.25	-	20	25.25
TOPP	-	-	-	-
TPAC	8.40	0.05	613	8.24
TPBI	3.84	0.02	1,465	3.82
TPP	11.60	-	11	11.65
Personal Product			-	
APCO	2.64	-	1,132	2.66
BIZ	3.62	(0.08)	9,517	3.65
BLC	4.16	0.02	44,495	4.17
DDD	6.35	(0.50)	2,368	6.37
IP	2.44	(0.04)	9,136	2.46
IP-W2	0.09	(0.01)	11,544	0.10
JCT	-	-	-	-
KISS	3.98	(0.02)	9,526	3.99
NAM	4.32	(0.02)	687	4.32
NEO	31.25	2.00	15,596	30.91
NV	0.64	-	1,032	0.65
OCC	-	-	-	-
S&J	39.00	4.75	29	39.00
SNPS	6.05	0.15	68,685	6.02
STGT	7.10	(0.05)	36,351	7.16
STGT01C2503A	-	-	-	-
STGT01C2504A	-	-	-	-
STGT13C2503A	-	-	-	-
STGT13C2504A	-	-	-	-
STGT13C2506A	0.10	-	5,198	0.10
STGT19C2503A	-	-	-	-
STGT19C2504A	-	-	-	-
STGT19C2504B	-	-	-	-
STGT41C2503A	-	-	-	-
STGT41C2606T	-	-	-	-
TMAN	12.20	0.10	4,045	12.15
TNR	8.05	0.10	930	8.02
TOG	9.25	(0.10)	1,030	9.31
Professional Ser			-	
BWG	0.24	(0.01)	290,251	0.25
BWG-W6	0.01	-	49,811	0.01
GENCO	0.30	(0.01)	2,144	0.30
PRTR	3.64	(0.14)	2,960	3.67
SISB	20.30	(0.10)	22,578	20.62
SISB13C2504A	-	-	-	-
SISB13C2506A	0.11	0.01	3,960	0.11
SISB13C2506B	0.04	(0.02)	10,034	0.04
SISB19C2507A	0.09	0.01	1	0.09
SO	4.20	(0.02)	153	4.20
WAVE	-	-	-	-
WAVE-W3	-	-	-	-
WAVE-W4	-	-	-	-
Property Develo			-	
A	4.92	-	2	4.92
A5	2.46	0.04	297	2.45
A5-W4	0.03	-	9,422	0.03
AKS	0.01	-	3,673	0.01
AMATA	21.90	0.10	96,365	21.91
AMATA01C2503	-	-	-	-
AMATA01C2507	0.04	(0.04)	1	0.04
AMATA01C2508	0.33	0.01	84,871	0.34
AMATA13C2503	-	-	-	-
AMATA13C2505	0.01	(0.03)	10	0.01
AMATA13C2506	0.05	0.01	1,052	0.05
AMATA13C2506I	0.22	-	63,091	0.23
AMATA19C2503	-	-	-	-
AMATA19C2505	-	-	-	-
AMATA41C2505	-	-	-	-
AMATAV	4.00	(0.04)	142	4.03
ANAN	0.43	0.01	11,231	0.43
AP	8.80	(0.10)	93,009	8.85
AP01C2503A	-	-	-	-
AP01C2503A	-	-	-	-
AP01C2507A	0.42	(0.02)	8,641	0.42
AP13C2503A	-	-	-	-
ASW	6.90	(0.05)	922	6.90
AWC	2.86	(0.02)	298,534	2.88
AWC01C2504A	-	-	-	-
AWC01C2506A	0.10	-	14,718	0.10
AWC13C2504A	-	-	-	-
AWC13C2506A	0.09	(0.01)	38,575	0.10
AWC19C2504A	-	-	-	-
AWC19C2506A	0.09	(0.01)	2,485	0.09
AWC41C2606T	-	-	-	-
BLAND	0.47	-	181,050	0.47
BRI	1.98	(0.18)	55,910	2.02
BROCK	1.42	(0.06)	54	1.44
CGD	0.26	-	82,173	0.26
CI	0.40	0.01	547	0.39
CMC	0.93	-	91	0.92
CPN	50.00	(0.75)	92,301	50.47
CPN01C2503A	-	-	-	-
CPN01C2505A	-	-	-	-
CPN01C2506A	0.17	(0.02)	117,126	0.18
CPN13C2503A	-	-	-	-
CPN13C2504A	-	-	-	-
CPN13C2505A	-	-	-	-
CPN13C2507A	0.20	(0.02)	90,208	0.22
CPN19C2503A	-	-	-	-
CPN19C2504A	-	-	-	-
CPN19C2505A	-	-	-	-
CPN41C2504A	-	-	-	-
CPN41C2505A	-	-	-	-
CPN41C2608T	0.31	(0.02)	52,160	0.32
ESTAR	0.18	-	6,626	0.18
EVER	0.09	(0.01)	103,327	0.09
FPT	6.80	0.10	1	6.80
GLAND	1.00	(0.10)	415	1.01
J	1.04	0.03	1,579	1.03
J-W3	0.17	(0.01)	51	0.17
J-W4	-	-	-	-
JCK	0.19	-	46,135	0.19
KC	0.06	-	56,556	0.06
KUN	1.17	-	48	1.15
KUN-W2	0.01	-	1	0.01
LALIN	5.30	-	281	5.31
LH	4.34	(0.02)	353,013	4.33
LH19C2504A	-	-	-	-
LPN	2.18	-	12,635	2.16
MBK	17.20	0.10	9,555	17.26
MBK-W4	14.80	-	25	14.80
MBK19C2508A	0.14	0.01	3,192	0.14
MJD	0.72	0.02	834	0.70
MK	1.42	0.04	490	1.40
NCH	0.67	0.01	3,009	0.66
NNCL	1.56	(0.03)	1,941	1.55
NOBLE	2.08	0.02	2,936	2.09
NVD	1.29	0.02	13	1.29
ORI	2.46	(0.16)	106,922	2.54
ORN	0.66	(0.02)	19,745	0.66
PEACE	2.40	-	192	2.29
PF	0.11	(0.01)	109,387	0.11
PIN	6.05	(0.05)	39,951	6.10
PLAT	1.74	0.01	2,394	1.73
PRECHA	0.55	(0.09)	1,262	0.59
PRIN	-	-	-	-
PROUD	1.25	-	1,214	1.25
PSH	4.40	(0.08)	20,352	4.44
QH	1.57	-	218,613	1.56
RABBIT	0.34	(0.01)	42,983	0.34
RABBIT-P	0.51	(0.01)	1,443	0.51
RABBIT-Q	-	-	-	-
RICHY	0.38	-	1,351	0.38
RML	0.16	(0.03)	34,162	0.17
ROJNA	5.60	-	65,593	5.56
S	0.68	(0.01)	9,305	0.68
SA	7.25	(0.05)	1,522	7.19
SA-W1	0.01	-	10	0.01
SAMCO	0.73	0.01	488	0.72
SC	2.50	-	19,734	2.49
SENA	2.08	(0.06)	4,608	2.09
SIRI	1.69	0.02	453,517	1.68
SIRI01C2504A	-	-	-	-
SIRI13C2503A	-	-	-	-
SIRI19C2503A	-	-	-	-
SIRI41C2606T	0.28	-	8,400	0.28
SPALI	17.00	0.10	52,411	17.05
SPALI13C2507A	0.28	-	3,388	0.29
SPALI19C2504A	-	-	-	-
STELLA	0.13	(0.01)	110,867	0.13
STELLA-W5	-	-	-	-
STELLA-W6	0.04	0.01	700	0.04
UV	1.14	-	852	1.15
WHA	3.36	0.06	3,011,404	3.44
WHA01C2503A	-	-	-	-
WHA01C2504A	-	-	-	-
WHA01C2506A	-	-	-	-
WHA01C2507A	0.05	0.01	3,515	0.06
WHA01C2508A	0.32	0.01	128,782	0.37
WHA11C2503A	-	-	-	-
WHA13C2503A	-	-	-	-
WHA13C2504A	-	-	-	-
WHA13C2505A	-	-	-	-
WHA13C2506A	0.01	(0.01)	8,561	0.02
WHA13C2506B	-	-	-	-

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Tuesday March 04, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
WHA13C2507A	0.17	0.02	420,184	0.20
WHA13C2507B	0.30	(0.70)	122,771	0.34
WHA19C2504A	-	-	-	-
WHA19C2506A	0.02	0.01	1,050	0.01
WHA19C2507A	0.20	0.01	283,427	0.24
WHA41C2605T	0.06	0.01	3,195	0.05
WHA41C2608T	0.17	-	73,350	0.19
WIN	0.38	-	1,145	0.38
Paper & Printing Mat			-	
UTP	8.05	(0.05)	3,247	8.11
Fashion			-	
AFC	4.00	0.20	50	3.99
AURA	15.00	(0.30)	28,673	15.16
BTNC	14.10	1.80	6	14.05
CPH	8.10	(0.15)	654	8.14
CPL	0.81	-	178	0.80
NC	2.20	(0.04)	188	2.21
PAF	0.76	(0.01)	748	0.73
PDJ	1.77	0.02	537	1.71
PG	7.80	0.10	1	7.80
SABINA	19.10	-	7,617	19.21
SAWANG	9.15	0.70	5	9.41
SUC	31.75	0.25	163	31.52
TR	38.25	-	21	38.01
TTI	25.00	-	1	25.00
TTT	-	-	-	-
UPF	-	-	-	-
WACOAL	24.20	(0.70)	10	24.15
WFX	0.86	0.03	1,345	0.85
Transportation & Log			-	
AAV	1.92	(0.08)	694,917	1.98
AAV01C2503A	-	-	-	-
AAV13C2504A	0.01	(0.01)	8	0.01
AAV13C2506A	0.08	(0.03)	2,201	0.10
AAV19C2505A	0.02	(0.01)	54,100	0.02
AAV19C2507A	0.17	(0.03)	7,662	0.19
AAV41C2505A	-	-	-	-
AAV41C2608T	0.24	-	2,000	0.24
ANI	2.64	0.04	524	2.63
AOT	39.75	(2.50)	744,861	41.13
AOT01C2504A	0.01	(0.03)	300	0.01
AOT01C2506A	0.02	-	1,701	0.02
AOT01C2507A	0.16	(0.06)	26,156	0.20
AOT01P2507A	1.38	0.21	14,946	1.21
AOT01P2507B	0.48	0.08	106,125	0.46
AOT13C2503A	-	-	-	-
AOT13C2504A	-	-	-	-
AOT13C2506A	0.01	-	3,840	0.01
AOT13C2507A	0.02	(0.01)	17,152	0.02
AOT13C2507B	0.15	(0.06)	123,252	0.19
AOT13C2507C	0.07	(0.03)	38,129	0.07
AOT13P2507A	1.20	0.08	1	1.20
AOT13P2507B	0.41	0.07	148,048	0.39
AOT19C2504A	-	-	-	-
AOT19C2506A	0.01	-	1,000	0.01
AOT19C2507A	0.02	(0.01)	5,612	0.02
AOT19C2507B	0.09	(0.04)	30,448	0.11
AOT19P2507A	0.41	0.10	77,384	0.34
AOT41C2503A	-	-	-	-
AOT41C2505A	-	-	-	-
AOT41C2507A	0.14	(0.07)	97,786	0.20
AOT41C2605T	0.04	(0.01)	4,301	0.04
AOT41P2504A	-	-	-	-
AOT41P2606T	0.54	0.04	90,001	0.53
ASIMAR	1.57	(0.01)	936	1.57
B	0.06	-	56,419	0.06
B-W8	0.01	-	54	0.01
BA	20.00	-	35,268	20.06
BA01C2503A	-	-	-	-
BA01C2504A	0.01	(0.01)	500	0.01
BA13C2503A	-	-	-	-
BA13C2504A	-	-	-	-
BA13C2506A	0.26	(0.01)	48,443	0.27
BA19C2503A	-	-	-	-
BA19C2507A	0.31	-	40,979	0.32
BA41C2606T	0.20	(0.01)	4,000	0.20
BEM	6.15	(0.05)	397,522	6.20
BEM11C2503A	-	-	-	-
BEM13C2505A	-	-	-	-
BEM13C2506A	0.06	-	12,873	0.06
BEM19C2503A	-	-	-	-
BEM19C2505A	-	-	-	-
BEM41C2606T	0.16	(0.02)	10,822	0.16
BTS	5.95	-	356,028	5.93
BTS-W8	0.06	-	7,964	0.06
BTS01C2503A	0.33	0.01	2,124	0.32
BTS01C2504A	0.09	-	400	0.09
BTS01C2507A	0.15	(0.01)	5,173	0.15
BTS01P2504A	-	-	-	-
BTS01P2505A	-	-	-	-
BTS13C2503A	0.01	(0.08)	767	0.01
BTS13C2505A	0.07	(0.01)	6,660	0.08
BTS13C2507A	0.19	(0.01)	9,286	0.20
BTS13P2503A	-	-	-	-
BTS13P2505A	0.12	-	4,857	0.12
BTS19C2503A	-	-	-	-
BTS19C2503B	0.04	(0.03)	1	0.04
BTS19C2505A	0.12	(0.01)	17,749	0.12
BTS41C2504A	-	-	-	-
BTS41C2504B	0.13	(0.01)	6,000	0.13
BTS41C2608T	0.22	-	4,000	0.22
BTSGIF	2.78	(0.04)	27,204	2.80
DMT	10.30	-	7,157	10.30
DMT	10.30	-	7,157	10.30
ETL	0.36	-	11,519	0.36
III	4.90	0.02	16,670	4.84
KEX	0.93	(0.01)	2,731	0.94
KIAT	0.29	0.01	6,609	0.28
KWC	310.00	(28.00)	55	310.98
MENA	1.00	0.01	2,124	1.00
NYT	3.28	0.02	11,140	3.27
PORT	1.03	(0.01)	91	1.01
PRM	7.45	(0.05)	47,672	7.48
PSL	6.05	(0.05)	55,888	6.10
RCL	23.80	(0.40)	33,341	24.13
RCL01C2505A	-	-	-	-
RCL01C2507A	0.16	(0.02)	13,785	0.17
RCL13C2506A	0.09	-	2,590	0.09
RCL13C2507A	0.50	(0.08)	7,566	0.53
RCL19C2503A	-	-	-	-
RCL19C2503B	-	-	-	-
RCL19C2504A	0.02	(0.02)	1,500	0.02
RCL19C2507A	0.17	(0.03)	14,578	0.18
RCL41C2505A	-	-	-	-
RCL41C2608T	0.40	(0.01)	14,000	0.40
SAV	16.70	0.10	4,767	16.56
SINO	0.93	(0.01)	103,887	0.93
SJWD	6.75	-	20,264	6.80
SJWD13C2504A	-	-	-	-
TFFIF	6.25	-	17,711	6.25
THAI	-	-	-	-
TSTE	10.30	0.30	10	10.86
TTA	4.44	(0.02)	38,264	4.50
WICE	2.76	(0.02)	5,995	2.78
Automotive			-	
ACG	0.74	0.01	341	0.73
AH	12.40	(0.30)	4,801	12.39
CWT	0.61	(0.02)	2,568	0.61
EASON	1.05	(0.02)	325	1.05
GYT	-	-	-	-
HFT	4.06	-	1,389	4.05
IHL	1.56	-	376	1.55
INGRS	0.23	-	1,568	0.23
IRC	11.70	(0.10)	285	11.63
MGC	2.96	(0.04)	427	2.98
NEX	0.71	(0.01)	84,435	0.72
PCSGH	3.76	0.02	111	3.60
POLY	7.10	0.10	224	7.01
SAT	12.20	(0.20)	31,539	12.21
SPG	12.40	0.10	1	12.40
STANLY	220.00	1.00	132	219.05
TKT	1.01	-	300	1.02
TNPC	0.80	-	165	0.79
TRU	3.30	0.02	1,072	3.27
TSC	12.70	-	47	12.63
Industrial Materi			-	
AKR	1.02	-	18,553	1.02
ALLA	1.35	-	7,291	1.35
ASEFA	2.86	-	1,319	2.80
CPT	1.00	-	1,946	1.00
CRANE	0.39	(0.01)	2,475	0.39
CTW	3.00	-	710	2.96
FMT	30.00	(1.25)	41	30.62
FTE	1.61	-	1,858	1.61
HTECH	3.10	(0.04)	8,088	3.12
KKC	-	-	-	-
PCC	2.62	-	6,571	2.59
PK	0.38	0.02	1,865	0.39
PSP	4.10	0.06	6,297	4.10
QTC	3.88	(0.02)	167	3.80
SCI	0.76	0.02	1,076	0.73
SE	0.45	0.01	900	0.45
SELIC	2.96	-	1,271	2.96
SNC	5.80	-	2,627	5.78
TCJ	-	-	-	-
TPCS	11.90	(0.60)	8	12.03
VARO	4.62	(0.08)	24	4.64
Property Fund &			-	
AIMCG	2.30	(0.02)	358	2.30
AIMIRT	10.60	(0.10)	843	10.64
ALLY	4.90	(0.02)	766	4.90
AMATAR	6.20	0.05	149	6.15
AXTRART	11.80	-	6,763	11.73
B-WORK	4.68	-	947	4.70
BAREIT	9.35	(0.05)	1,645	9.38
BOFFICE	4.88	-	1,596	4.90
CPNCG	6.05	0.05	7,078	6.01
CPNREIT	12.00	0.10	5,610	11.93
CPTREIT	4.20	-	3,085	4.19
CTARAF	4.44	0.04	3,740	4.41
DREIT	5.15	-	117	5.17
FTREIT	10.20	0.10	16,010	10.10
FUTURERT	9.95	-	2,785	9.92
GAHREIT	6.80	(0.05)	2,008	6.81
GROREIT	8.60	0.10	105	8.55
GVREIT	6.45	(0.05)	2,568	6.49
HPF	4.70	-	986	4.66
HYDROGEN	-	-	-	-
IMPACT	10.10	-	1,606	10.02
INETREIT	8.60	0.10	4,725	8.58
ISSARA	8.25	0.05	209	8.09
KPNREIT	2.24	-	275	2.24
KTBSTMR	6.15	-	733	6.15
LHHOTEL	13.80	0.10	6,585	13.77
LHRREIT	5.00	(0.05)	331	4.96
LHSC	11.70	0.20	12,753	11.59
LUXF	7.90	0.05	3	7.87
M-PAT	3.58	-	7	3.43
M-STOR	7.45	-	3	7.32
MII	5.35	(0.25)	7	5.35
MIPF	-	-	-	-
MIT	0.27	(0.01)	389	0.28
MJLF	4.42	0.04	820	4.39
MNIT	2.00	(0.06)	32	2.02
MNIT2	5.00	-	1	5.00
MNRF	2.18	0.02	4	2.18
POPF	5.50	-	5,252	5.50
PROSPECT	8.30	(0.10)	1,981	8.26
QHBREIT	3.78	(0.30)	17,206	3.78
QHHRREIT	6.85	(0.05)	1,040	6.82
QHOP	3.30	-	2	3.25
SIRIPRT	7.15	-	7	7.15
SPRIME	4.18	-	5,293	4.16
SRIPANWA	5.10	0.14	271	5.04
SSPF	-	-	-	-
SSTRT	4.78	0.04	64	4.80
TIF1	7.10	(0.10)	199	7.08
TLHPF	2.60	0.02	30	2.59
TNPF	-	-	-	-
TPRIME	6.70	(0.25)	8	6.74
TTLPF	12.30	(0.10)	154	12.33
TU-PF	-	-	-	-
WHABT	7.10	(0.10)	76	7.10
WHAIR	5.35	(0.05)	7,960	5.35
WHART	10.10	-	10,758	10.11
Steel and Metal Prod			-	
2S	2.36	-	139	2.28
AMC	1.89	0.02	471	1.87
BSBM	0.71	0.01	1,951	0.70
CEN	1.88	-	32	1.87
CEN-W5	0.09	-	533	0.08
CITY	1.65	(0.04)	197	1.57
CSP	0.50	-	178	0.50
GJS	0.10	(0.01)	60,560	0.10
GSTEEL	-	-	-	-
INOX	0.40	(0.01)	3,440	0.41
LHK	3.28	(0.02)	826	3.27
MCS	7.15	-	2,357	7.19
MILL	-	-	-	-
PAP	1.47	0.01	964	1.46
PERM	0.35	-	3,049	0.34
SAM	-	-	-	-
SMIT	3.82	(0.02)	186	3.82
SSSC	2.08	-	148	2.08
TGPRO	0.06	(0.01)	548,044	0.06
THE	0.72	-	9	0.72
TMT	2.62	-	556	2.63
TSTH	0.49	-	7,524	0.48
TWP	1.01	-	56	1.02
TYCN	1.81	0.04	1	1.81
Construction Service			-	
APCS	1.36	(0.13)	256	1.37
BJCHI	0.72	(0.07)	17,106	0.72
BKD	1.31	0.01	3,254	1.30
CIVIL	1.58	(0.03)	2,979	1.60
CK	14.50	0.50	64,111	14.44
CK01C2503A	-	-	-	-
CK13C2503A	-	-	-	-
CK19C2503A	0.01	-	1,300	0.01
CNT	1.03	0.12	35,373	1.03
DEMCO	2.20	(0.08)	867	2.24
EMC	0.06	-	57,819	0.06
EMC-W7	0.04	-	5,511	0.04
ITD	0.28	(0.02)	66,325	0.29
JR	1.47	(0.03)	4,010	1.47
NL	0.91	-	1,203	0.90
NWR	-	-	-	-
PLE	0.28	(0.01)	5,478	0.27
PREB	3.80	(0.12)	703	3.83
PYLON	1.72	(0.01)	515	1.73
RT	0.29	0.01	18,712	0.29
SEAFCO	1.85	(0.01)	2,170	1.84
SQ	0.64	(0.02)	4,753	0.65
SRICHA	3.40	0.30	4,950	3.31
STECON	4.94	0.68	763,005	4.80
STI	2.78	(0.02)	203	2.76
STPI	2.84	0.34	117,888	2.91
SYNTEC	1.56	(0.01)	8,858	1.59
TEAMG	2.76	0.02	28,843	2.78
TEAMG-W1	0.16	(0.01)	8,098	0.16
TEKA	2.00	(0.16)	3,561	1.96
TPOLY	0.43	-	5,296	0.45
TRC	0.68	(0.02)	2,429	0.69
TRITN	0.09	-	106,659	0.09
TTCL	1.28	(0.01)	5,467	1.27
UNIQ	1.74	(0.01)	13,051	1.73
WGE	0.79	0.07	2,987	0.79
Unit Trust			-	
SCBSET	-	-	-	-
VAYU1	10.00	-	7,376	10.00
ETF			-	
1DIV	9.82	(0.11)	900	9.87
ABFTH	-	-	-	-
BMSCG	7.52	(0.08)	20	7.52
BMSCITH	8.61	(0.11)	14,560	8.67
BSET100	7.95	(0.11)	1,601	8.01
CHINA	5.90	(0.06)	321	5.90
ENGY	3.97	(0.03)	9	3.99
GLD	3.92	-	6,445	3.93

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date : *Tuesday March 04, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
TDEX	7.15	(0.16)	16,569	7.22
UBOT	12.71	(0.48)	30	12.94
UHERO	8.09	(0.08)	141	8.13
Warrant Foreign			-	
AIA41C2504A	0.22	0.02	8	0.22
BABA28C2503A	0.14	(0.02)	240,437	0.14
BABA28C2506A	2.00	(0.12)	6	1.98
BABA28C2509A	0.42	0.02	113,234	0.41
BABA28P2503A	-	-	-	-
BABA28P2509A	0.16	0.02	320,520	0.16
BABA41C2503A	0.70	(0.16)	101	0.70
BABA41C2504A	2.32	(0.22)	11	2.32
BABA41C2504B	0.31	(0.02)	30,745	0.30
BABA41C2505A	0.28	(0.03)	167	0.27
BABA41P2504A	-	-	-	-
BABA41P2506A	0.25	0.01	913	0.26
BIDU41C2504A	0.19	0.01	6,229	0.20
BIDU41C2506A	0.50	(0.50)	714	0.50
BYDCOM28C2503A	0.10	(0.12)	48,562	0.10
BYDCOM28C2508A	0.86	(0.32)	66	0.90
BYDCOM28P2503A	-	-	-	-
BYDCOM41C2506A	0.92	(0.30)	668	0.92
BYDCOM41C2506B	0.17	(0.07)	65	0.17
DJI28C2503A	0.02	(0.02)	56	0.02
DJI28C2503B	0.01	(0.03)	56	0.01
DJI28C2506A	0.22	(0.06)	42	0.22
DJI28P2503A	-	-	-	-
DJI28P2503B	-	-	-	-
DJI28P2506A	0.70	0.06	45	0.70
DJI41C2503A	-	-	-	-
DJI41C2503B	-	-	-	-
DJI41C2506A	0.25	(0.04)	4,000	0.25
DJI41P2503A	-	-	-	-
DJI41P2503B	0.04	(0.02)	25	0.04
DJI41P2506A	0.55	0.07	214	0.54
GEELY41C2506A	0.26	(0.08)	12	0.25
HSI06C2503A	2.36	(0.32)	2	2.35
HSI06C2503B	0.64	(0.06)	113,421	0.66
HSI06C2503C	0.10	(0.01)	90,575	0.10
HSI06C2503D	0.03	-	18,470	0.02
HSI06C2503E	-	-	-	-
HSI06C2503F	-	-	-	-
HSI06C2503G	-	-	-	-
HSI06C2504A	1.00	(0.03)	114	0.99
HSI06C2504B	-	-	-	-
HSI06C2504C	0.68	(0.02)	211	0.64
HSI06C2504D	0.41	(0.02)	257,587	0.42
HSI06C2504E	0.25	(0.02)	97,469	0.25
HSI06C2505A	-	-	-	-
HSI06C2505B	0.51	(0.03)	67,524	0.51
HSI06C2506A	1.05	(0.10)	1	1.05
HSI06C2506B	1.88	(0.04)	1	1.88
HSI06C2506C	0.59	(0.02)	76,708	0.59
HSI06C2507A	0.44	(0.02)	26,197	0.44
HSI06P2503A	0.04	-	50	0.04
HSI06P2503B	0.03	-	2,375	0.01
HSI06P2503C	0.07	-	27	0.07
HSI06P2503D	0.03	0.02	5	0.03
HSI06P2503E	-	-	-	-
HSI06P2503F	0.10	(0.01)	75,665	0.10
HSI06P2503G	0.14	(0.02)	213,052	0.15
HSI06P2504A	-	-	-	-
HSI06P2504B	0.02	-	8,090	0.02
HSI06P2504C	-	-	-	-
HSI06P2504D	0.09	-	1,556	0.09
HSI06P2504E	0.18	(0.01)	119,821	0.19
HSI06P2504F	0.38	-	170,948	0.38
HSI06P2504G	0.61	0.01	78,100	0.60
HSI06P2505A	0.16	(0.01)	18,746	0.16
HSI06P2505B	0.35	-	55,032	0.35
HSI06P2506A	0.10	-	65	0.10
HSI06P2506B	0.16	-	20,303	0.17
HSI06P2506C	0.41	0.01	44,994	0.40
HSI06P2507A	0.63	-	32,404	0.64
HSI28C2503A	-	-	-	-
HSI28C2503B	0.04	(0.01)	34,498	0.04
HSI28C2503D	0.01	-	768	0.01
HSI28C2503E	-	-	-	-
HSI28C2503F	0.34	(0.03)	716,475	0.36
HSI28C2503G	-	-	-	-
HSI28C2503H	1.02	(0.13)	477	1.02
HSI28C2503I	3.50	(0.20)	33	3.50
HSI28C2504A	0.35	(0.02)	84,658	0.36
HSI28C2504B	0.89	(0.04)	13	0.88
HSI28C2504C	1.72	(0.02)	392	1.76
HSI28C2504D	0.25	(0.03)	123,288	0.27
HSI28C2504E	0.17	(0.02)	3,348	0.18
HSI28C2504F	0.13	(0.01)	12,728	0.13
HSI28C2505A	0.53	-	118	0.53
HSI28C2505B	0.22	(0.01)	604,199	0.22
HSI28C2505C	0.11	-	12,722	0.11
HSI28C2506A	0.57	(0.03)	11,003	0.58
HSI28C2506B	0.24	(0.01)	13,193	0.24
HSI28P2503A	0.01	-	352	0.01
HSI28P2503B	-	-	-	-
HSI28P2503C	-	-	-	-
HSI28P2503D	-	-	-	-
HSI28P2503E	-	-	-	-
HSI28P2503F	0.05	(0.02)	4,439	0.06
HSI28P2504A	0.02	0.01	231	0.02
HSI28P2504B	-	-	-	-
HSI28P2504C	0.09	(0.01)	14,183	0.09
HSI28P2504D	0.15	-	11,133	0.16
HSI28P2504E	0.25	(0.01)	262,300	0.26
HSI28P2504F	0.39	-	885,937	0.39
HSI28P2504G	0.65	-	1,130,712	0.65
HSI28P2504H	-	-	-	-
HSI28P2505A	0.06	-	2,969	0.06
HSI28P2505B	0.13	0.03	482	0.12
HSI28P2505C	0.39	-	854,703	0.40
HSI28P2506A	0.11	(0.01)	18,951	0.12
HSI28P2506B	0.16	(0.01)	6,750	0.17
HSI28P2506C	0.23	-	12,732	0.23
HSTECH28C250	0.33	(0.01)	7,780	0.33
HSTECH28C250	1.28	(0.02)	31	1.31
HSTECH28C250	0.40	(0.01)	90,036	0.41
HSTECH28P250	-	-	-	-
HSTECH28P250	-	-	-	-
HSTECH28P250	0.39	(0.01)	333	0.40
JD41C2506A	0.46	0.02	2,021	0.46
KUAISH41C256	0.75	(0.01)	287	0.75
MCA5041C2503	-	-	-	-
MCA5041C2503	-	-	-	-
MCA5041C2506	-	-	-	-
MCA5041P2503	-	-	-	-
MCA5041P2506	0.45	0.03	152	0.44
MEITUA28C250	0.29	(0.03)	384,000	0.30
MEITUA28C250	-	-	-	-
MEITUA28C250	0.20	(0.01)	32,000	0.20
MEITUA28P250	-	-	-	-
MEITUA28P250	0.26	-	80,000	0.27
MEITUA41C250	0.16	(0.03)	380	0.17
MEITUA41P250	0.34	-	42	0.34
NDX28C2503A	0.02	(0.02)	101	0.02
NDX28C2506A	0.29	(0.09)	1,977	0.28
NDX28P2503A	-	-	-	-
NDX28P2506A	0.43	0.06	1,390	0.43
NDX41C2503A	-	-	-	-
NDX41C2503B	0.02	(0.01)	1	0.02
NDX41C2506A	0.17	(0.07)	789	0.17
NDX41C2506B	0.49	(0.51)	1,591	0.49
NDX41C2509T	2.62	(0.30)	176	2.64
NDX41P2503A	-	-	-	-
NDX41P2503B	0.17	0.04	200	0.17
NDX41P2506A	0.54	0.07	21,500	0.54
NDX41P2509T	2.92	0.28	807	2.92
NIKKEI28C2506	0.34	(0.06)	2,005	0.34
NIKKEI28C2506	0.16	(0.04)	207	0.17
NIKKEI28C2506	-	-	-	-
NIKKEI28P2506	-	-	-	-
NIKKEI28P2506	0.31	0.05	424	0.31
NIKKEI28P2506	0.50	0.04	238	0.50
NIKKEI41C2503	0.01	-	1,000	0.01
NIKKEI41C2503	-	-	-	-
NIKKEI41C2506	0.20	(0.04)	1,334	0.21
NIKKEI41C2506	0.10	(0.02)	1,100	0.10
NIKKEI41P2503	-	-	-	-
NIKKEI41P2503	-	-	-	-
NIKKEI41P2506	0.34	0.04	492	0.34
NIKKEI41P2506	0.19	0.03	132	0.19
NTES41C2506A	0.29	0.04	22	0.29
PINGAN41C250	0.17	(0.01)	4	0.16
POPMAR41C250	-	-	-	-
POPMAR41C250	0.35	(0.02)	9	0.35
SET01C2503A	0.02	0.01	3,671	0.01
SET01C2503B	0.02	0.01	1,425	0.01
SET01C2505A	0.01	(0.01)	1,645	0.02
SET01C2506A	0.04	-	55,310	0.03
SET01C2506B	0.12	(0.02)	157,775	0.12
SET01C2507A	0.47	(0.07)	323,697	0.54
SET01P2503A	4.62	0.40	81	4.32
SET01P2505A	2.90	0.20	1,007	2.84
SET01P2506A	1.21	0.12	62,844	1.11
SET5001C2503A	0.02	-	4	0.02
SET5001C2503F	0.02	-	924	0.01
SET5001C2505A	0.01	-	9,896	0.02
SET5001C2506A	0.04	(0.01)	40,599	0.05
SET5001C2506F	0.02	-	9,105	0.02
SET5001C2506G	0.08	(0.03)	25,184	0.10
SET5001C2507A	0.31	(0.07)	114,884	0.38
SET5001P2503F	2.36	0.55	1,125	1.93
SET5001P2505A	2.68	0.34	1,250	2.42
SET5001P2506A	1.24	0.16	16,234	1.12
SET5001P2506F	3.38	0.56	14,216	2.90
SET5001P2506G	1.75	0.24	20,890	1.60
SET5001P2507A	0.46	0.08	164,462	0.39
SET5006C2503A	0.01	-	1,001	0.01
SET5006C2503B	0.01	-	1,000	0.01
SET5006C2503C	0.02	(0.01)	635	0.02
SET5006C2503D	0.04	(0.01)	1	0.04
SET5006C2503E	-	-	-	-
SET5006C2503F	0.02	(0.01)	500	0.02
SET5006C2503G	0.01	-	1,000	0.01
SET5006C2506A	0.03	(0.01)	505	0.03
SET5006C2506B	0.05	(0.01)	446	0.05
SET5006C2506C	0.12	(0.02)	1,000	0.12
SET5006P2503A	2.12	0.33	187	1.89
SET5006P2503B	4.28	0.64	13	4.00
SET5006P2503C	-	-	-	-
SET5006P2503D	-	-	-	-
SET5006P2506A	-	-	-	-
SET5006P2506B	1.40	0.26	3	1.24
SET5006P2506C	0.85	0.18	1,613	0.73
SET5013C2503A	-	-	-	-
SET5013C2503B	-	-	-	-
SET5013C2503C	0.01	-	6	0.01
SET5013C2503D	0.01	-	2	0.01
SET5013C2503E	-	-	-	-
SET5013C2503F	-	-	-	-
SET5013C2503G	-	-	-	-
SET5013C2503H	-	-	-	-
SET5013C2503I	0.01	-	1,000	0.01
SET5013C2503J	0.01	-	50	0.01
SET5013C2503K	0.01	-	801	0.01
SET5013C2503L	-	-	-	-
SET5013C2503M	-	-	-	-
SET5013C2503T	-	-	-	-
SET5013C2506A	0.01	-	34,098	0.01
SET5013C2506B	0.02	-	280,663	0.02
SET5013C2506C	0.03	(0.02)	64,091	0.03
SET5013C2506D	0.04	(0.01)	195,831	0.05
SET5013C2506E	0.04	(0.01)	294,558	0.05
SET5013C2506F	0.05	(0.02)	173,176	0.06
SET5013C2506G	0.07	(0.03)	983,642	0.09
SET5013C2506H	0.11	(0.05)	1,916,455	0.15
SET5013C2506I	0.17	(0.08)	3,292,926	0.22
SET5013C2506J	0.28	(0.10)	2,832,972	0.35
SET5013C2506T	0.01	(0.01)	15,063	0.01
SET5013P2503A	4.68	0.64	3,989	4.22
SET5013P2503B	6.90	1.00	93	6.49
SET5013P2503C	10.40	2.85	2	9.55
SET5013P2503D	4.20	0.90	607	3.46
SET5013P2503E	6.90	1.40	42	6.37
SET5013P2503F	5.60	1.06	1,979	5.09
SET5013P2503T	1.78	0.48	5,298	1.59
SET5013P2506A	1.81	0.31	74,873	1.61
SET5013P2506B	1.39	0.26	418,169	1.22
SET5013P2506C	2.60	0.48	328	2.42
SET5013P2506D	1.29	0.21	123,151	1.15
SET5013P2506E	0.92	0.21	2,398,880	0.78
SET5013P2506F	0.73	0.16	3,021,659	0.61
SET5013P2506G	0.49	0.13	2,908,875	0.39
SET5013P2506T	2.86	0.32	5,902	2.68
SET5019C2503A	-	-	-	-
SET5019C2503B	-	-	-	-
SET5019C2503C	-	-	-	-
SET5019C2503D	-	-	-	-
SET5019C2503E	-	-	-	-
SET5019C2503F	-	-	-	-
SET5019C2503G	0.01	-	11,370	0.01
SET5019C2503H	-	-	-	-
SET5019C2506A	0.01	-	195	0.01
SET5019C2506B	0.01	-	3,000	0.01
SET5019C2506C	0.04	-	12,040	0.04
SET5019C2506D	0.02	(0.01)	5,803	0.02
SET5019C2506E	0.01	(0.01)	8,135	0.01
SET5019C2506F	0.07	(0.03)	3,280	0.08
SET5019C2506G	0.06	(0.03)	19,275	0.08
SET5019C2506H	0.09	(0.05)	86,939	0.12
SET5019C2506I	0.13	(0.05)	281,326	0.17
SET5019C2506J	0.19	(0.07)	229,438	0.24
SET5019C2506K	0.32	(0.11)	393,370	0.40
SET5019P2503A	3.50	0.40	41	3.19
SET5019P2503B	-	-	-	-
SET5019P2503C	3.20	0.46	30,733	2.83
SET5019P2506A	2.40	0.32	184	2.22
SET5019P2506B	2.12	0.16	330	1.97
SET5019P2506C	2.90	0.60	5,365	2.47
SET5019P2506D	1.67	0.19	849	1.59
SET5019P2506E	1.37	0.23	2,764	1.23
SET5019P2506F	1.02	0.08	1,149	0.98
SET5019P2506G	0.97	0.24	68,892	0.79
SET5019P2506H	0.66	0.10	423,347	0.58
SET5028C2503A	0.01	-	22	0.01
SET5041C2503A	-	-	-	-
SET5041C2503B	-	-	-	-
SET5041C2503C	-	-	-	-
SET5041C2503D	-	-	-	-
SET5041C2503E	-	-	-	-
SET5041C2503F	0.01	-	1	0.01
SET5041C2503G	-	-	-	-
SET5041C2503H	0.02	-	7	0.02
SET5041C2503I	-	-	-	-
SET5041C2503J	-	-	-	-
SET5041C2506A	0.01	(0.01)	18	0.01
SET5041C2506B	0.03	0.01	2	0.03
SET5041C2506C	0.04	(0.03)	13,156	0.05
SET5041C2506D	0.15	(0.07)	40,980	0.19
SET5041C2506E	0.16	(0.08)	1,171,415	0.22
SET5041C2506F	0.26	(0.11)	677,179	0.33
SET5041C2506T	0.02	-	137	0.02
SET5041C2509T	0.09	(0.02)	14,240	0.11
SET5041P2503A	3.04	0.58	667	2.37
SET5041P2503B	-	-	-	-
SET5041P2503C	-	-	-	-
SET5041P2503D	1.30	0.26	2,669	1.01
SET5041P2503E	-	-	-	-
SET5041P2503F	5.00	3.17	5	5.00
SET5041P2506A	3.02	0.40	721	2.77
SET5041P2506B	1.11	0.17	7,117	0.98
SET5041P2506C	0.65	0.10	1,117,887	0.56
SET5041P2506T	1.69	0.15	186,076	1.57
SPX28C2503A	0.02	(0.02)	360	0.02
SPX28C2503B	-	-	-	-
SPX28C2506A	0.16	(0.05)	35	0.16
SPX28P2503A	-	-	-	-
SPX28P2503B	0.04	(0.05)	50,700	0.04
SPX28P2506A	-	-	-	-
SPX41C2503A	-	-	-	-

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Tuesday March 04, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
SPX41C2503B	-	-	-	-
SPX41C2506A	0.17	(0.06)	441	0.17
SPX41C2506B	0.55	(0.45)	40	0.54
SPX41C2509T	2.84	(0.02)	10	2.84
SPX41P2503A	-	-	-	-
SPX41P2503B	-	-	-	-
SPX41P2506A	0.46	0.06	10,846	0.45
SPX41P2509T	2.54	0.18	505	2.56
TENCEN28C2503A	0.05	-	3	0.05
TENCEN28C2508A	0.97	0.05	210	0.94
TENCEN28C2509A	0.39	0.02	179,393	0.39
TENCEN28P2503A	-	-	-	-
TENCEN28P2509A	0.39	(0.05)	178,047	0.40
TENCEN41C2504A	0.95	0.61	373	0.87
TENCEN41C2504B	0.20	0.02	1,118	0.19
TENCEN41C2506A	1.00	0.08	236	0.96
TRIPDC41C2506A	-	-	-	-
XIAOMI28C2504A	3.58	0.04	58	3.59
XIAOMI28C2508A	1.40	(0.16)	112	1.40
XIAOMI28C2509A	0.61	(0.02)	258,116	0.62
XIAOMI28P2505A	0.04	-	10	0.04
XIAOMI28P2509A	0.13	-	9,344	0.12
XIAOMI41C2503A	-	-	-	-
XIAOMI41C2504A	1.74	(0.22)	17	1.73
XIAOMI41C2506A	1.10	(0.15)	17	1.09
XIAOMI41C2506B	0.32	(0.05)	614	0.32
XIAOMI41P2506A	0.44	(0.03)	36	0.44

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Tuesday March 04, 2025*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date : *Tuesday March 04, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI				
Agro & Food Indust			-	
APO	1.65	-	5,218	00 1.6
AU	9.25	0.05	20,620	00 9.2
CFARM	0.52	(0.11)	20,532	00 0.5
JCKH	0.40	(0.01)	3,214	00 0.3
KASET	0.56	-	673	00 0.5
MAGURO	18.30	(0.40)	6,410	00 18.5
MUD	-	-	-	00 0.0
NTSC	8.50	(0.05)	336	00 8.5
TACC	4.20	0.04	7,058	00 4.1
TMILL	2.54	(0.08)	682	00 2.5
WINNER	1.99	0.01	103	00 1.9
XO	15.00	0.10	8,013	00 14.9
Consumer Products			-	
ALPHAX	0.49	(0.01)	18,174	00 0.4
BGT	0.42	-	1	00 0.4
DOD	1.29	0.01	2,058	00 1.2
ECF	0.19	-	3,569	00 0.1
ECF-W5	0.01	-	21	00 0.0
EFORL	0.23	0.01	31,198	00 0.2
EFORL-W6	0.02	-	1	00 0.0
EURO	4.40	-	1	00 4.4
HPT	0.41	0.02	26,456	00 0.4
ITTHI	1.65	0.02	3,062	00 1.6
JSP	1.78	(0.05)	7,931	00 1.7
JSP-W2	0.05	(0.01)	108,998	00 0.0
JUBILE	8.60	(0.05)	514	00 8.5
LTS	7.55	(0.30)	18,407	00 7.7
MGI	12.10	(0.10)	11,295	00 12.3
MGI-W1	2.70	(0.08)	13,615	00 2.8
MOONG	1.91	(0.01)	299	00 1.9
NPK	10.40	0.10	12	00 10.3
SEI	3.20	0.08	1,793	00 3.2
SMD100	3.98	-	2,375	00 4.0
TM	0.61	0.01	851	00 0.6
TM-W1	-	-	-	00 0.0
WARRIX	3.52	0.02	5,519	00 3.5
WINMED	1.29	-	950	00 1.2
Financials			-	
ACAP	-	-	-	00 0.0
AF	0.52	(0.01)	7	00 0.5
AIRA	1.09	0.01	23	00 0.9
ASN	1.13	(0.03)	23	00 1.1
BTC	0.40	(0.03)	65,200	00 0.4
BTC-W7	0.12	(0.02)	30,664	00 0.1
GCAP	0.27	(0.01)	4,338	00 0.2
KCC	1.84	0.01	223	00 1.8
LIT	0.55	-	392	00 0.5
MITSIB	0.60	(0.02)	720	00 0.6
SGF	0.17	-	7,473	00 0.1
SGF-P1	-	-	-	00 0.0
SGF-Q1	-	-	-	00 0.0
TQR	5.10	0.05	521	00 5.0
Industrials			-	
ADB	0.69	0.01	689	00 0.6
BM	2.80	0.06	2,879	00 2.7
BM-W3	1.18	-	95	00 1.1
BPS	0.52	0.03	7,617	00 0.5
CHO	0.03	-	169,868	00 0.0
CHO-W4	0.01	-	8	00 0.0
CHOW	1.42	(0.01)	272	00 1.4
CIG	0.04	-	90,784	00 0.0
CIG-W10	-	-	-	00 0.0
CIG-W9	0.01	(0.01)	699	00 0.0
COLOR	1.07	-	137	00 1.0
CPR	2.50	(0.10)	624	00 2.5
FPI	1.67	(0.04)	4,998	00 1.6
GTB	0.73	0.02	1,372	00 0.7
HARN	2.10	(0.02)	352	00 2.1
KCM	0.20	-	612	00 0.1
KJL	7.00	0.05	1,231	00 6.9
KUMWEL	1.03	(0.02)	99	00 1.0
KWM	0.99	0.03	1,277	00 0.9
MBAX	1.70	0.01	29	00 1.7
MGT	1.71	(0.02)	1,078	00 1.7
MTW	1.02	-	1,271	00 1.0
MTW-W1	0.02	-	887	00 0.0
NDR	1.47	(0.02)	149	00 1.4
PACO	1.42	(0.01)	320	00 1.4
PACO-W1	0.03	-	1,065	00 0.0
PDG	2.54	-	500	00 2.5
PHOL	2.92	(0.06)	1,904	00 2.8
PIMO	1.24	-	3,008	00 1.2
PMC	0.78	-	5,953	00 0.7
PPM	1.87	0.06	202	00 1.8
PRAPAT	1.16	0.01	3,836	00 1.1
RWI	0.35	(0.02)	2,522	00 0.3
SAF	0.49	0.02	590	00 0.4
SALEE	0.31	(0.01)	4,133	00 0.2
SANKO	1.01	-	2,802	00 0.9
SCL	1.13	0.01	1,278	00 1.1
SFT	2.02	(0.02)	11	00 2.0
STP	10.90	0.10	251	00 10.8
SWC	2.56	0.06	11	00 2.5
TATG	1.01	-	1,096	00 1.0
TMC	0.70	-	690	00 0.7
TMC-W2	0.01	-	610	00 0.0
TMI	0.59	-	8,548	00 0.5
TMW	56.00	0.50	18	00 55.3
TPLAS	0.97	(0.01)	263	00 0.9
TRT	3.34	0.02	2,072	00 3.3
TRV	-	-	-	00 0.0
UBIS	1.17	-	560	00 1.1
UEC	0.88	(0.02)	2,802	00 0.8
UKEM	0.44	(0.03)	14,687	00 0.4
UREKA	0.95	-	18,317	00 0.9
YUASA	10.50	-	98	00 10.4
ZIGA	0.99	(0.01)	8,252	00 1.0
ZIGA-W2	0.11	-	5,028	00 0.1
Property			-	
24CS	1.91	(0.13)	5,231	00 1.9
24CS-W1	0.14	(0.01)	3,340	00 0.1
24CS-W2	0.18	(0.01)	3,583	00 0.1
ARIN	0.45	0.02	4,035	00 0.4
ARROW	5.10	(0.10)	470	00 5.1
BC	1.05	(0.10)	239	00 1.1
BC-W2	0.03	(0.01)	5,300	00 0.0
BLESS	0.26	-	1,326	00 0.2
BSM	1.50	0.01	20	00 1.5
BTW	0.20	(0.01)	1,161	00 0.1
CAZ	1.72	0.02	1,244	00 1.7
CHEWA	0.28	-	59	00 0.2
CPANEL	3.26	0.06	387	00 3.3
CPANEL-W1	0.05	0.01	2,302	00 0.0
CRD	0.34	-	1,156	00 0.3
DHOUSE	0.58	(0.02)	1,995	00 0.5
DIMET	0.15	-	2,482	00 0.1
DPAINT	0.75	(0.01)	930	00 0.7
FLOYD	0.79	-	1,986	00 0.7
HYDRO	1.53	(0.47)	2,926	00 1.6
HYDRO-W2	0.14	0.03	3,316	00 0.1
IND	0.83	0.01	1,426	00 0.8
JAK	1.25	(0.02)	7	00 1.2
K	1.36	0.01	2,435	00 1.3
K-W3	0.23	0.03	111	00 0.2
META	0.09	-	14,577	00 0.0
PANEL	1.18	0.01	345	00 1.1
PPS	0.18	(0.01)	4,041	00 0.1
PRI	4.96	0.14	9,848	00 4.8
PROS	0.41	(0.03)	1,519	00 0.4
PROS-W1	0.06	-	2,646	00 0.0
PSG	0.21	(0.01)	289,655	00 0.2
QTCG	0.22	(0.02)	39,453	00 0.2
SENX	0.23	-	5,587	00 0.2
SK	0.59	-	9,794	00 0.5
SMART	0.65	-	9,482	00 0.6
STC	0.52	0.01	641	00 0.5
STX	1.22	-	1,001	00 1.2
SVR	0.61	(0.01)	1,764	00 0.6
TAPAC	-	-	-	00 0.0
THANA	1.01	(0.01)	387	00 1.0
TIGER	0.45	0.03	77	00 0.4
TITLE	4.12	0.02	756	00 4.1
WELL	-	-	-	00 0.0
YONG	0.96	(0.06)	3,948	00 0.9
Resources			-	
ABM	0.84	0.02	109	00 0.8
GTV	-	-	-	00 0.0
PSTC	0.47	-	11,894	00 0.4
PSTC-W2	0.01	-	1,998	00 0.0
PSTC-W3	0.09	(0.01)	413	00 0.0
PTC	1.03	0.05	1,008	00 0.9
SAAM	6.00	(0.20)	344	00 5.9
SR	0.50	(0.02)	32	00 0.4
STOWER	0.05	-	16,594	00 0.0
TAKUNI	0.42	-	14,876	00 0.4
TPCH	3.10	-	1,109	00 3.1
UMS	0.40	-	2	00 0.4
Services			-	
ADD	3.94	(0.08)	550	00 3.9
AKP	0.66	0.01	13,819	00 0.6
AMA	4.28	(0.02)	5,271	00 4.3
AMARC	1.14	-	2,088	00 1.1
ARIP	0.41	0.01	152	00 0.4
ATP30	0.88	(0.01)	2,770	00 0.8
AUCT	7.45	-	5,016	00 7.4
BIS	2.70	-	132	00 2.6
BOL	5.20	0.05	524	00 5.1
CEYE	2.34	-	27	00 2.3
CHIC	0.35	0.01	520	00 0.3
CMO	0.67	(0.05)	566	00 0.6
D	2.20	0.02	2,245	00 2.2
DEXON	1.47	0.03	1,302	00 1.4
DV8	0.37	(0.02)	4,988	00 0.3
DV8-W2	0.05	-	310	00 0.0
ETE	0.74	-	154	00 0.7
FSMART	6.10	(0.35)	35,311	00 6.1
FVC	0.40	(0.03)	12,225	00 0.4
GFC	4.96	0.02	341	00 4.9
GLORY	0.83	0.01	117	00 0.8
GLORY-W1	0.12	(0.01)	1,144	00 0.1
HEALTH	0.33	(0.03)	12,940	00 0.3
HL	7.30	0.30	1,114	00 7.3
IMH	4.28	(0.02)	273	00 4.2
IROYAL	3.40	0.02	495	00 3.4
IVF	1.10	(0.02)	6,837	00 1.1
JPARK	5.35	0.15	3,503	00 5.2
KGEN	0.84	0.01	174,102	00 0.8
KGEN-W2	0.19	(0.01)	335	00 0.1
KK	0.94	(0.02)	293	00 0.9
KLINIQ	29.00	0.50	15,028	00 29.1
KOOL	0.24	0.01	15,245	00 0.2
KTMS	1.39	0.04	3,233	00 1.3
LDC	0.40	(0.02)	1,017	00 0.4
LEO	2.30	0.08	2,848	00 2.2
MCA	1.01	(0.04)	4,480	00 1.0
MEB	21.00	-	819	00 20.9
MORE	0.02	-	177,504	00 0.0
MOTHER	0.93	-	46,812	00 0.9
MPJ	3.28	0.06	10,268	00 3.2
MVP	0.53	0.03	5,363	00 0.5
NCL	0.25	(0.01)	13,830	00 0.2
NCP	1.03	(0.06)	19	00 1.0
NEWS	0.01	-	190,069	00 0.0
PEER	0.13	(0.06)	213,577	00 0.1
PEER-W2	0.03	(0.01)	62,678	00 0.0
PICO	-	-	-	00 0.0
PLT	0.60	(0.01)	6,271	00 0.6
QLT	2.86	(0.04)	201	00 2.8
RP	0.86	(0.02)	134	00 0.8
SONIC	1.62	-	5,904	00 1.6
THMUI	0.37	0.02	19	00 0.3
TNDT	0.17	-	4,843	00 0.1
TNDT-W1	-	-	-	00 0.0
TNH	33.25	1.00	103	00 32.5
TNP	2.74	(0.02)	540	00 2.7
TPL	0.57	0.01	299	00 0.5
TRP	6.65	-	1,163	00 6.5
TURTLE	-	-	-	00 0.0
TVDH	0.16	(0.01)	843	00 0.1
TVDH-W3	-	-	-	00 0.0
TVT	0.28	-	140	00 0.2
UBA	0.89	0.01	2,583	00 0.8
VL	0.91	0.01	6,059	00 0.8
VS	0.34	0.02	113	00 0.3
YGG	0.60	0.01	18,646	00 0.6
Technology			-	
APP	1.87	(0.02)	4,818	00 1.8
BBIK	31.75	-	3,941	00 31.9
BE8	10.90	-	6,702	00 11.0
BE8-W1	1.03	(0.06)	167	00 0.6
BVG	2.00	-	1,675	00 1.9
COMAN	0.53	(0.02)	760	00 0.5
I2	1.14	(0.02)	2,055	00 1.1
IIG	3.50	0.02	1,122	00 3.5
IRCP	0.41	(0.01)	895	00 0.4
ITNS	1.54	(0.14)	11,527	00 1.4
NAT	3.76	-	1,560	00 3.7
NETBAY	15.90	(0.30)	5,058	00 16.0
PIS	5.35	(0.15)	4,163	00 5.4
PLANET	1.99	(0.01)	75,770	00 1.9
PROEN	1.50	0.20	545,859	00 1.4
PROEN-W2	0.46	0.11	456,490	00 0.4
READY	4.18	0.26	490	00 4.1
SECURE	11.80	(0.40)	3,582	00 11.9
SICT	3.30	0.02	6,460	56 3.3
SIMAT	1.32	(0.04)	11,550	00 1.3
SIMAT-W3	0.01	-	1,200	00 0.0
SPVI	1.56	(0.02)	4,033	00 1.5
SRS	3.28	(0.02)	148	00 3.3
TBN	5.90	0.25	139	00 5.7
TERA	1.20	-	274	00 1.2
TPS	3.60	-	1,170	00 3.6
VCOM	2.54	-	2,162	00 2.5