

Main Board Quotation

Issue Date :

Wednesday March 05, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	TTB13C2507A	0.11	-	5,204	0.11	TPA	3.38	(0.22)	161	3.06
Agribusiness	-	-	-	-	TTB19C2504A	-	-	-	-	UAC	2.98	0.10	777	2.97
EE	-	-	49,878	0.50	Construction Ma	-	-	-	-	UP	18.00	0.60	158	17.71
EE-W1	-	-	-	-	CCP	0.21	0.01	14,756	0.20	Commerce	-	-	-	-
GFPT	8.45	0.25	39,225	8.40	DCC	1.30	0.08	122,838	1.25	ADVICE	5.30	0.05	45,957	5.33
LEE	2.32	-	1,649	2.30	DCON	0.28	(0.01)	10,039	0.28	B52	0.26	-	432	0.25
NER	4.94	0.10	98,168	4.90	DCON-W3	-	-	-	-	B52-W4	0.03	(0.01)	2,204	0.03
NER-W2	0.38	0.03	15,789	0.38	DRT	7.15	0.05	5,560	7.10	BEAUTY	0.21	-	52,604	0.22
PCE	3.28	0.04	108,628	3.25	EPG	3.36	0.24	14,201	3.27	BIG	0.32	-	11,044	0.32
PPPM	0.42	0.01	16,788	0.40	GEL	0.04	(0.01)	84,528	0.05	BJC	22.10	0.50	27,885	21.92
PPPM-W6	0.33	0.01	134	0.28	GEL-W5	-	-	-	-	BJC01C2503A	-	-	-	-
STA	15.80	0.80	55,749	15.53	PPP	1.27	0.08	14	1.24	BJC13C2503A	-	-	-	-
STA01C2503A	0.01	-	4	0.01	Q-CON	9.10	0.10	986	9.07	BJC13C2505A	0.07	(0.04)	50	0.07
STA01C2504A	-	-	-	-	SCC	150.00	16.50	88,884	144.52	BJC19C2503A	-	-	-	-
STA01C2506A	0.19	0.04	41,499	0.18	SCC01C2503A	0.01	-	2,999	0.01	BJC41C2606T	0.27	0.02	15,258	0.27
STA13C2503A	-	-	-	-	SCC01C2505A	0.02	-	100	0.02	COM7	22.40	0.70	117,598	22.07
STA13C2505A	0.06	0.01	500	0.06	SCC01C2505B	0.05	0.03	100	0.05	COM701C2503A	0.01	-	976	0.01
STA13C2506A	0.26	0.05	19,570	0.25	SCC01C2507A	0.20	0.12	87,387	0.14	COM701C2506A	0.28	0.03	158,785	0.27
STA19C2503A	-	-	-	-	SCC01C2508A	0.48	0.26	160,422	0.38	COM713C2504A	-	-	-	-
STA19C2504A	0.02	-	1	0.02	SCC01P2503A	2.48	(0.38)	5	2.48	COM713C2505A	-	-	-	-
STA19C2505A	-	-	-	-	SCC01P2507A	0.60	(0.41)	59,784	0.72	COM713C2506A	0.24	0.03	154,826	0.23
STA19C2506A	0.24	0.04	20,459	0.21	SCC13C2503A	-	-	-	-	COM719C2505A	-	-	-	-
STA19P2503A	0.01	(0.06)	1	0.01	SCC13C2504A	0.02	0.01	4,119	0.01	COM719C2507A	0.43	0.05	79,062	0.39
STA41C2503A	-	-	-	-	SCC13C2504B	-	-	-	-	COM741C2503A	-	-	-	-
STA41C2505A	-	-	-	-	SCC13C2505A	0.03	0.01	2,391	0.03	COM741C2505A	-	-	-	-
STA41C2612T	0.40	0.03	45,588	0.39	SCC13C2505B	0.10	0.06	9,667	0.07	COM741C2606T	0.23	0.01	13,564	0.23
TEGH	3.36	0.10	12,804	3.32	SCC13C2507A	0.42	0.23	243,686	0.32	CPALL	52.50	-	358,010	52.40
TFM	8.60	0.15	904	8.61	SCC13P2504A	0.77	(0.47)	508	0.79	CPALL01C2504A	-	-	-	-
TRUBB	0.68	0.04	17,377	0.67	SCC13P2505A	0.39	(0.32)	25,551	0.49	CPALL01C2505A	0.07	-	10	0.07
UPOIC	6.70	(0.10)	177	6.74	SCC19C2503A	-	-	-	-	CPALL01C2507A	0.43	(0.01)	147,289	0.43
UVAN	9.75	0.10	2,659	9.69	SCC19C2504A	0.02	-	89	0.02	CPALL01P2505A	0.28	-	45,716	0.29
VPO	0.49	0.02	5,858	0.49	SCC19C2505A	-	-	-	-	CPALL06C2504A	-	-	-	-
Banking	-	-	-	-	SCC19C2505B	-	-	-	-	CPALL11C2503A	-	-	-	-
BAY	23.00	0.30	1,487	22.83	SCC19C2506A	0.14	0.08	28,346	0.11	CPALL13C2503A	0.02	0.01	1	0.02
BBL	148.50	1.00	44,478	147.87	SCC19P2505A	0.64	(0.92)	3,991	0.78	CPALL13C2504A	0.01	-	100	0.01
BBL13C2503A	0.01	(0.01)	13	0.01	SCC41C2503A	-	-	-	-	CPALL13C2505A	-	-	-	-
BBL13C2504A	-	-	-	-	SCC41C2504A	-	-	-	-	CPALL13C2505B	0.03	(0.02)	7,900	0.03
BBL13C2507A	0.19	0.02	43,788	0.18	SCC41C2505A	-	-	-	-	CPALL13C2506A	0.17	(0.01)	92,975	0.17
BBL19C2503A	-	-	-	-	SCC41C2608T	0.41	0.13	275,877	0.35	CPALL13C2506B	0.35	-	37,935	0.35
BBL19C2503B	-	-	-	-	SCCC	161.50	(0.50)	305	161.73	CPALL13P2504A	-	-	-	-
BBL19C2506A	0.10	-	7,820	0.10	SCGD	4.06	0.14	21,146	4.03	CPALL13P2505A	0.16	-	17,472	0.17
BBL41C2504A	-	-	-	-	SCP	8.25	-	7,994	8.24	CPALL13P2506A	0.18	-	8,011	0.19
BBL41C2506A	0.12	(0.01)	19,962	0.12	SKN	6.05	0.10	2,204	5.99	CPALL19C2504A	-	-	-	-
CIMBT	0.64	0.02	38,988	0.63	STECH	1.03	0.01	1,902	1.02	CPALL19C2505A	0.02	(0.01)	100	0.02
CREDIT	18.20	0.40	335	18.07	TASCO	15.30	-	51,512	15.18	CPALL19C2505B	-	-	-	-
KBANK	151.50	(1.00)	80,163	151.27	TASCO19C2507A	0.20	-	10,654	0.19	CPALL19C2506A	0.06	-	350	0.06
KBANK01C2503A	-	-	-	-	TOA	12.30	1.10	47,174	12.10	CPALL19C2506B	0.23	-	85,165	0.23
KBANK01C2506A	0.20	(0.03)	11,308	0.21	TPIPL	0.98	0.04	125,219	0.95	CPALL19P2505A	0.19	(0.01)	42,305	0.20
KBANK01P2507A	0.72	-	48,152	0.72	UMI	0.58	-	1,411	0.59	CPALL19P2505B	0.08	-	800	0.08
KBANK13C2503A	-	-	-	-	VNG	2.70	0.02	1,730	2.69	CPALL41C2504A	-	-	-	-
KBANK13C2505A	0.07	(0.01)	13	0.07	WIJK	0.85	0.01	869	0.85	CPALL41C2505A	-	-	-	-
KBANK13C2507A	0.37	(0.02)	189,876	0.36	WIJK-W3	0.03	-	9,881	0.03	CPALL41C2506A	0.15	-	75,812	0.15
KBANK13P2504A	-	-	-	-	WINDOW	0.71	-	1,701	0.71	CPALL41C2605T	0.18	(0.01)	23,118	0.18
KBANK13P2507A	0.60	0.01	35,673	0.61	Petrochemicals &	-	-	-	-	CPALL41P2504A	0.36	0.01	2,000	0.36
KBANK19C2504A	-	-	-	-	BCT	-	-	-	-	CPAXT	28.25	0.50	35,974	28.22
KBANK19C2505A	-	-	-	-	CMAN	2.22	(0.08)	1,685	2.25	CPW	2.10	-	1,416	2.05
KBANK19C2507A	0.18	(0.01)	9,487	0.18	GC	5.05	0.05	385	5.00	CRC	31.50	1.50	196,459	31.01
KBANK19C2507B	0.29	(0.71)	83,442	0.29	GGC	3.52	0.02	226	3.42	CRC01C2503A	0.01	-	2,901	0.01
KBANK41C2505A	-	-	-	-	IVL	20.50	1.70	307,157	19.90	CRC01C2506A	0.09	0.03	11,420	0.08
KBANK41C2604T	0.66	0.01	42,000	0.66	IVL01C2503A	0.01	-	598	0.01	CRC13C2503A	-	-	-	-
KBANK41P2606T	-	-	-	-	IVL01C2504A	-	-	-	-	CRC13C2506A	0.09	0.02	30,505	0.08
KKP	57.50	1.00	52,663	56.82	IVL01C2506A	0.10	0.03	48,674	0.10	CRC19C2506A	0.11	0.03	41,729	0.10
KKP-W6	1.17	0.01	999	1.17	IVL01C2507A	0.47	0.16	131,193	0.38	CRC41C2503A	-	-	-	-
KKP13C2504A	0.15	0.02	67,873	0.13	IVL01P2504A	-	-	-	-	CRC41C2608T	0.24	0.04	23,029	0.22
KKP19C2503A	-	-	-	-	IVL01P2506A	0.79	(0.22)	2,314	0.90	CSS	0.83	0.01	14,935	0.82
KKP19C2507A	0.43	0.03	20,919	0.41	IVL13C2504A	0.01	-	500	0.01	DOHOME	6.90	0.55	66,295	6.73
KTB	22.70	0.20	337,286	22.74	IVL13C2505A	0.06	0.02	6,438	0.05	DOHOME01C2503A	0.01	-	5	0.01
KTB-P	-	-	-	-	IVL13C2507A	0.28	0.10	158,413	0.24	DOHOME01C2507A	0.40	0.10	31,212	0.34
KTB-Q	-	-	-	-	IVL13P2504A	-	-	-	-	DOHOME13C2503A	-	-	-	-
KTB01C2506A	0.29	0.01	2,339	0.29	IVL19C2505A	-	-	-	-	DOHOME13C2505A	-	-	-	-
KTB13C2503A	-	-	-	-	IVL19C2506A	0.08	0.03	3,185	0.07	DOHOME19C2506A	0.19	0.06	31,329	0.17
KTB13C2505A	0.20	0.01	52,281	0.20	IVL19C2507A	0.34	0.13	144,633	0.27	DOHOME19C2504A	-	-	-	-
KTB13C2507A	0.21	0.02	18,143	0.21	IVL41C2505A	-	-	-	-	DOHOME19C2506A	0.12	0.03	8,572	0.10
KTB13P2507A	0.44	(0.03)	18,804	0.44	IVL41C2605T	0.20	0.05	62,868	0.18	DOHOME19C2506B	0.20	0.06	37,033	0.19
KTB19C2505A	0.19	0.01	3,702	0.19	IVL41P2605T	-	-	-	-	FN	0.53	0.01	421	0.51
KTB19C2506A	0.16	0.02	24,183	0.15	NFC	1.36	-	6	1.34	GLOBAL	7.35	0.50	307,446	7.15
KTB41C2506A	0.19	0.02	12,000	0.19	PATO	8.20	(0.05)	535	8.20	GLOBAL01C2503A	-	-	-	-
LHFG	0.82	0.03	174,972	0.81	PMTA	8.90	(0.05)	57	8.91	GLOBAL01C2507A	0.21	0.05	91,970	0.18
SCB	122.00	0.50	56,275	122.10	PTTGC	17.10	1.50	871,921	16.65	GLOBAL13C2504A	-	-	-	-
SCB01C2505A	0.18	0.01	15,227	0.18	PTTGC01C2504A	0.01	(0.01)	15	0.01	GLOBAL13C2506A	-	-	-	-
SCB01C2507A	0.31	0.01	19,758	0.30	PTTGC01C2505A	-	-	-	-	GLOBAL13C2507A	0.23	0.07	30,000	0.21
SCB01P2507A	0.59	(0.01)	12,621	0.59	PTTGC01C2506A	0.10	0.05	28,439	0.07	GLOBAL19C2503A	-	-	-	-
SCB13C2505A	0.14	0.01	35,572	0.14	PTTGC01C2507A	0.22	0.08	174,582	0.18	GLOBAL19C2507A	0.27	0.07	60,720	0.22
SCB13P2507A	0.38	(0.02)	6,320	0.38	PTTGC01P2503A	0.81	(0.28)	1,498	1.02	GLOBAL41C2606T	0.14	0.01	4,000	0.14
SCB19C2504A	0.07	-	210	0.07	PTTGC01P2506A	0.81	(0.31)	16,782	0.93	HMPRO	8.35	0.25	258,592	8.28
SCB19C2507A	0.21	-	14,813	0.21	PTTGC11C2503A	-	-	-	-	HMPRO01C2503A	0.01	-	3,053	0.01
SCB41C2505A	0.14	-	21,220	0.14	PTTGC13C2503A	-	-	-	-	HMPRO01C2504A	-	-	-	-
SCB41P2504A	-	-	-	-	PTTGC13C2504A	-	-	-	-	HMPRO01C2507A	0.13	0.03	16,773	0.12
TCAP	49.00													

Main Board Quotation

Issue Date :

Wednesday March 05, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RS	0.70	0.06	299,695	0.70	TRUE01C2507A	0.09	-	46,244	0.09	HANA13P2504A	-	-	-	-
RS-W5	0.22	0.01	65,712	0.23	TRUE01P2503A	-	-	-	-	HANA13P2505A	-	-	-	-
RSP	1.78	0.03	1,441	1.77	TRUE01P2505A	0.15	(0.02)	19,674	0.16	HANA19C2503A	-	-	-	-
SABUY	0.41	0.02	28,467	0.40	TRUE01P2507A	0.43	(0.02)	20,518	0.44	HANA19C2504A	-	-	-	-
SCM	0.51	0.02	141,005	0.51	TRUE13C2503A	-	-	-	-	HANA19C2505A	-	-	-	-
SCM-W2	0.04	-	10,141	0.04	TRUE13C2504A	-	-	-	-	HANA19C2505B	0.01	-	15	0.01
SINGER	6.50	0.20	93,899	6.44	TRUE13C2505A	0.08	0.01	31,639	0.08	HANA19C2507A	0.07	0.01	16,184	0.07
SPC	59.25	0.25	30	58.83	TRUE13P2503A	-	-	-	-	HANA19P2504A	-	-	-	-
SPI	63.00	1.75	3	62.83	TRUE13P2506A	0.23	(0.01)	30,151	0.23	HANA19P2504B	0.71	(0.07)	4,043	0.72
SVT	1.41	0.02	1,328	1.40	TRUE19C2503A	-	-	-	-	HANA41C2504A	-	-	-	-
TAN	5.00	0.38	12,420	4.94	TRUE19C2504A	0.06	0.01	52	0.06	HANA41C2504B	-	-	-	-
Information & Commr	-	-	-	-	TRUE19C2507A	0.11	0.01	23,792	0.12	HANA41C2505A	-	-	-	-
3BBIF	5.45	0.05	198,446	5.43	TRUE19C2507B	0.22	(0.78)	41,739	0.21	HANA41C2606T	0.10	0.01	18,800	0.10
ADVANC	272.00	4.00	88,779	272.62	TRUE19P2506A	0.24	(0.01)	29,123	0.24	KCE	18.70	1.10	102,600	18.29
ADVANC01C2503A	-	-	-	-	TRUE19P2507A	0.47	(0.02)	4,154	0.46	KCE01C2503A	0.01	-	1,306	0.01
ADVANC01C2503B	-	-	-	-	TRUE41C2503A	-	-	-	-	KCE01C2504A	-	-	-	-
ADVANC01C2506A	0.17	0.03	101,776	0.17	TRUE41C2505A	0.08	0.03	25	0.07	KCE01C2504W	-	-	-	-
ADVANC01P2503X	-	-	-	-	TRUE41C2604T	0.55	-	13,000	0.56	KCE01C2505A	-	-	-	-
ADVANC01P2505A	0.26	(0.05)	51,327	0.27	TRUE41C2612T	0.30	0.02	52,424	0.29	KCE01C2507A	0.25	0.06	66,645	0.22
ADVANC01P2507A	0.74	(0.08)	8,904	0.76	TRUE41P2504A	0.07	-	1,500	0.07	KCE01P2503W	-	-	-	-
ADVANC13C2503A	0.01	-	2,999	0.01	TWZ	0.03	-	327,464	0.03	KCE01P2504A	0.69	(0.14)	400	0.71
ADVANC13C2503B	-	-	-	-	TWZ-W8	-	-	-	-	KCE13C2503A	-	-	-	-
ADVANC13C2505A	0.13	0.02	84,730	0.13	TWZ-W9	-	-	-	-	KCE13C2503B	-	-	-	-
ADVANC13C2507A	0.33	(0.67)	114,408	0.34	Electronic Comp	-	-	-	-	KCE13C2504A	0.01	-	397	0.01
ADVANC13P2504A	0.04	(0.02)	6,974	0.05	CCET	6.55	0.45	842,487	6.47	KCE13C2504B	0.01	-	100	0.01
ADVANC13P2507A	0.61	(0.06)	72,597	0.61	CCET13C2505A	0.02	-	486	0.02	KCE13C2504C	-	-	-	-
ADVANC19C2503A	0.01	(0.01)	6	0.01	CCET13C2505B	0.03	0.01	9,948	0.02	KCE13C2504D	-	-	-	-
ADVANC19C2505A	-	-	-	-	CCET13C2506A	0.08	0.03	17,047	0.07	KCE13C2505A	0.05	0.02	552	0.04
ADVANC19C2506A	0.16	0.02	146,733	0.17	CCET13C2507A	0.17	0.04	68,218	0.16	KCE13C2505B	-	-	-	-
ADVANC19P2503A	-	-	-	-	CCET13C2507B	0.44	0.09	69,605	0.42	KCE13C2506A	0.16	0.04	62,465	0.15
ADVANC19P2504A	-	-	-	-	CCET19C2506A	-	-	-	-	KCE13C2507A	0.32	0.08	77,586	0.29
ADVANC41C2503A	-	-	-	-	CCET19C2506B	0.05	0.02	543	0.03	KCE13P2503A	-	-	-	-
ADVANC41C2505A	-	-	-	-	CCET19C2506C	-	-	-	-	KCE13P2504A	-	-	-	-
ADVANC41C2606T	0.30	0.03	177,960	0.28	CCET19C2507A	0.19	0.05	32,052	0.17	KCE13P2505A	0.41	(0.13)	72,177	0.47
ADVANC41P2504A	0.12	(0.01)	1	0.12	CCET19C2507B	0.44	0.10	170,495	0.41	KCE19C2503A	-	-	-	-
ADVANC41P2508A	0.26	(0.04)	6,116	0.27	CCET41C2505A	0.02	-	200	0.02	KCE19C2503B	-	-	-	-
AIT	4.68	0.20	65,496	4.62	CCET41C2506A	0.17	0.04	49,400	0.15	KCE19C2504A	-	-	-	-
ALT	0.82	(0.02)	1,464	0.81	DELTA	75.50	5.25	257,501	73.63	KCE19C2504B	-	-	-	-
AMR	0.60	0.01	12,086	0.59	DELTA01C2503A	0.01	-	4,500	0.01	KCE19C2505A	0.02	(0.04)	2,000	0.03
BLISS	-	-	-	-	DELTA01C2505A	0.03	(0.01)	1,955	0.03	KCE19C2506A	0.09	0.02	3,655	0.10
DIF	8.05	0.20	101,490	7.92	DELTA01C2506A	0.05	(0.01)	3,460	0.05	KCE19C2507A	0.24	0.06	33,101	0.22
DITTO	10.60	0.50	42,859	10.41	DELTA01C2507A	1.26	0.17	72,432	1.19	KCE19P2504A	-	-	-	-
DITTO-W1	0.11	-	6,252	0.11	DELTA01P2503A	1.03	(0.52)	233	1.35	KCE19P2505A	0.54	(0.09)	890	0.53
DTCENT	1.01	0.01	5,256	1.01	DELTA01P2504A	2.22	(0.32)	68	2.46	KCE41C2504A	-	-	-	-
FORTH	7.65	0.20	4,600	7.54	DELTA06C2504A	-	-	-	-	KCE41C2504B	-	-	-	-
GABLE	3.12	(0.06)	43,033	3.12	DELTA11C2503A	-	-	-	-	KCE41C2505A	-	-	-	-
HUMAN	8.15	(0.05)	2,892	8.05	DELTA13C2503A	-	-	-	-	KCE41C2606T	0.14	0.02	7,794	0.14
ICN	1.95	(0.11)	10,634	1.94	DELTA13C2503E	-	-	-	-	METCO	172.00	0.50	17	171.50
ILINK	5.60	0.15	4,864	5.58	DELTA13C2503C	-	-	-	-	SMT	1.20	0.02	1,837	1.19
INET	5.00	0.18	62,791	4.92	DELTA13C2505A	0.01	-	4,433	0.01	SVI	7.85	0.35	29,810	7.77
INSET	2.26	0.06	36,648	2.24	DELTA13C2506A	0.03	0.01	8,045	0.03	TEAM	2.68	-	2,885	2.62
INTUCH	80.75	3.25	98,215	79.86	DELTA13C2506E	0.03	(0.01)	27,809	0.03	Energy & Utilities	-	-	-	-
INTUCH01C2504A	-	-	-	-	DELTA13C2507A	0.44	0.09	182,210	0.40	ACC	0.38	(0.01)	23,586	0.39
INTUCH13C2503A	-	-	-	-	DELTA13C2507E	0.18	0.04	136,049	0.17	ACC-W2	0.58	(0.01)	930	0.57
INTUCH13C2504A	-	-	-	-	DELTA13C2507C	0.75	0.17	214,915	0.68	ACE	1.28	0.01	9,550	1.27
INTUCH13C2505A	0.10	0.04	9,371	0.08	DELTA13P2503A	-	-	-	-	AE	0.10	0.01	521,069	0.09
INTUCH19C2503A	-	-	-	-	DELTA13P2503E	-	-	-	-	AGE	1.03	-	10,840	1.02
INTUCH19C2503B	-	-	-	-	DELTA13P2505A	-	-	-	-	AI	3.72	(0.02)	5,833	3.71
INTUCH19C2504A	-	-	-	-	DELTA13P2505E	1.94	(0.28)	120	1.98	AIE	1.64	0.05	125,014	1.62
INTUCH19C2505A	-	-	-	-	DELTA13P2506A	1.32	(0.10)	3	1.32	BAFS	8.55	0.05	4,718	8.60
INTUCH19C2506A	0.08	0.01	2,155	0.08	DELTA13P2507A	0.90	(0.20)	10,629	0.98	BANPU	4.44	0.28	799,762	4.34
ITEL	1.60	0.08	67,168	1.57	DELTA13P2507E	0.39	(0.08)	40,524	0.42	BANPU01C2503A	0.01	-	4,441	0.01
JAS	1.67	0.08	272,460	1.63	DELTA19C2503A	0.01	-	2,320	0.01	BANPU01C2504A	-	-	-	-
JAS-W4	0.37	0.02	116,726	0.36	DELTA19C2503E	-	-	-	-	BANPU01C2506A	0.03	0.01	10,060	0.03
JAS13C2503A	-	-	-	-	DELTA19C2506A	-	-	-	-	BANPU01C2507A	0.29	0.08	102,475	0.26
JAS13C2505A	0.02	(0.01)	70	0.02	DELTA19C2506E	-	-	-	-	BANPU13C2503A	-	-	-	-
JAS13C2507A	0.43	0.07	43,217	0.39	DELTA19C2506C	0.04	-	4,380	0.03	BANPU13C2504A	-	-	-	-
JAS19C2503A	-	-	-	-	DELTA19C2507A	0.20	0.04	91,393	0.19	BANPU13C2505A	0.02	-	1,611	0.02
JAS19C2505A	0.03	-	1,062	0.03	DELTA19C2507E	0.41	0.10	59,468	0.38	BANPU13C2506A	-	-	-	-
JAS19C2507A	0.34	0.05	22,323	0.31	DELTA19C2507C	0.82	0.16	221,975	0.73	BANPU13C2506B	0.20	0.06	50,617	0.17
JAS41C2605T	0.15	0.01	12,731	0.15	DELTA19P2503A	0.96	(0.10)	97	1.08	BANPU13P2504A	0.16	(0.09)	16,102	0.19
JMART	10.10	0.45	201,644	9.88	DELTA19P2504A	1.88	(0.12)	2,604	1.89	BANPU19C2504A	-	-	-	-
JMART-W5	0.25	0.01	2,398	0.25	DELTA19P2505A	-	-	-	-	BANPU19C2506A	0.04	-	1,000	0.04
JMART01C2503A	0.01	-	50	0.01	DELTA19P2506A	1.45	(0.11)	2,392	1.48	BANPU19C2507A	0.28	0.08	74,120	0.25
JMART13C2504A	-	-	-	-	DELTA19P2507A	0.82	(0.16)	206,734	0.89	BANPU41C2505A	-	-	-	-
JMART13C2506A	0.08	0.01	4,738	0.08	DELTA41C2503A	-	-	-	-	BANPU41C2605T	0.11	0.02	1	0.11
JMART19C2503A	-	-	-	-	DELTA41C2503E	-	-	-	-	BBGI	4.00	0.12	7,847	3.95
JMART19C2504A	-	-	-	-	DELTA41C2505A	0.01	-	5,000	0.01	BCP	38.50	0.50	21,720	38.25
JMART19C2506A	0.12	0.02	9,323	0.11	DELTA41C2506A	0.02	-	1,550	0.02	BCP01C2504A	0.14	0.01	42,166	0.13
JMART41C2504A	-	-	-	-	DELTA41C2507A	0.22	0.05	117,359	0.20	BCP01C2505A	0.37	0.03	1,520	0.34
JMART41C2606T	0.19	(0.01)	4,800	0.19	DELTA41C2608T	0.33	0.03	20,404	0.33	BCP01C2507A	0.32	0.02	536	0.31
JTS	40.50	1.00	2,604	40.45	DELTA41C2612T	0.08	0.01	99	0.08	BCP01P2505A	-	-	-	-
MFEF	5.95	-	849	5.98	DELTA41P2504A	1.88	(0.20)	19,500	1.95	BCP11C2503A	-	-	-	-
MSC	8.15	(0.05)	97	8.13	DELTA41P2505A	1.54	(0.14)	6,135	1.60	BCP13C2503A	0.01	-	1,000	0.01
PT	10.50	0.20	2,366	10.42	DELTA41P2507A	0.28	(0.04)	8,068	0.29	BCP13C2504A	0.34	(0.01)	850	0.34
ROCTEC	0.80	0.04	38,606	0.78	HANA	16.50	0.60	197,337	16.41	BCP13C2505A	0.18	0.02	16,608	0.17
ROCTEC-W3	0.01	-	950,988	0.01	HANA01C2504A	-	-	-	-	BCP13C2507A	0.33	0.02	12,158	0.31
ROCTEC-W5	0.05	0.01	52,493	0.05	HANA01C2504W	-	-	-	-	BCP13P2505A	-	-	-	-
SAMART	6.95	0.20												

Main Board Quotation

Issue Date :

Wednesday March 05, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BCPG41C2606T	0.23	0.01	12,000	0.22	GULF19C2505A	-	-	-	-	TOP01C2506A	0.12	0.04	23,317	0.12
BGRIM	12.70	0.80	223,030	12.49	GULF19C2506A	0.08	0.02	4,270	0.07	TOP01C2507A	0.70	0.26	59,295	0.56
BGRIM01C2503A	-	-	-	-	GULF19P2503A	0.02	(0.05)	660	0.04	TOP01P2504A	0.91	(0.36)	2,736	1.15
BGRIM01C2504A	-	-	-	-	GULF19P2504A	-	-	-	-	TOP01P2506A	0.20	(0.09)	36,741	0.23
BGRIM01C2505A	0.02	-	1,000	0.02	GULF41C2504A	-	-	-	-	TOP13C2503A	-	-	-	-
BGRIM01C2506A	0.04	0.01	12,250	0.04	GULF41C2505A	-	-	-	-	TOP13C2503B	-	-	-	-
BGRIM01C2507A	0.18	0.05	111,866	0.17	GULF41C2605T	0.40	0.04	5,176	0.38	TOP13C2504A	-	-	-	-
BGRIM01P2505A	-	-	-	-	GULF41P2504A	-	-	-	-	TOP13C2504B	0.02	0.01	2	0.02
BGRIM01P2507A	0.31	(0.08)	49,131	0.34	GUNKUL	1.78	0.09	304,937	1.74	TOP13C2505A	0.02	0.01	2,510	0.01
BGRIM13C2503A	-	-	-	-	GUNKUL13C2505	-	-	-	-	TOP13C2505B	0.02	-	20	0.02
BGRIM13C2504A	-	-	-	-	GUNKUL13C2505	0.02	-	10,000	0.02	TOP13C2505C	0.06	0.02	3,800	0.05
BGRIM13C2505A	-	-	-	-	GUNKUL19C2505	-	-	-	-	TOP13C2506A	0.57	0.22	277,544	0.47
BGRIM13C2505B	-	-	-	-	GUNKUL19C2505	0.03	-	2,000	0.03	TOP13C2507A	0.17	0.06	125,809	0.15
BGRIM13C2506A	0.03	0.01	190	0.03	IRPC	0.95	0.07	526,734	0.92	TOP13P2503A	-	-	-	-
BGRIM13C2507A	0.13	0.04	52,414	0.12	IRPC01C2504A	-	-	-	-	TOP13P2505A	-	-	-	-
BGRIM13C2507B	0.30	0.08	65,871	0.28	IRPC13C2503A	-	-	-	-	TOP13P2505B	0.20	(0.12)	19,446	0.24
BGRIM13P2505A	-	-	-	-	IRPC19C2503A	-	-	-	-	TOP19C2503A	-	-	-	-
BGRIM13P2506A	0.44	(0.11)	1,359	0.46	KBSPIF	7.15	0.10	272	7.11	TOP19C2503B	-	-	-	-
BGRIM19C2504A	-	-	-	-	LANNA	16.90	0.10	6,377	16.84	TOP19C2504A	-	-	-	-
BGRIM19C2505A	-	-	-	-	MDX	2.78	(0.02)	1,763	2.77	TOP19C2505A	0.01	-	5,500	0.01
BGRIM19C2506A	0.05	0.02	2,000	0.05	NOVA	8.10	0.35	18	8.35	TOP19C2505B	0.08	0.03	700	0.07
BGRIM19C2507A	0.13	0.03	40,293	0.12	OR	11.40	0.60	177,689	11.18	TOP19P2505A	0.09	(0.06)	77,101	0.12
BGRIM19C2507B	0.31	0.08	91,630	0.27	OR01C2503A	-	-	-	-	TOP41C2503A	-	-	-	-
BGRIM19P2506A	-	-	-	-	OR01C2505A	-	-	-	-	TOP41C2505A	-	-	-	-
BGRIM41C2504A	-	-	-	-	OR01C2507A	0.14	0.03	25,856	0.13	TOP41C2506B	0.13	0.05	44,000	0.12
BGRIM41C2505A	-	-	-	-	OR13C2503A	-	-	-	-	TOP41P2505A	0.17	(0.08)	4,000	0.18
BGRIM41C2506A	0.04	(0.01)	1,270	0.04	OR13C2504A	-	-	-	-	TPIPP	2.44	0.10	67,413	2.40
BGRIM41C2608T	0.29	0.03	96,673	0.28	OR13C2506A	0.05	0.01	1,501	0.05	TSE	0.38	(0.01)	36,650	0.38
BIOTEC	0.19	0.01	1,999	0.18	OR13C2507A	0.14	0.03	41,312	0.13	TTW	9.10	0.05	25,997	9.06
BIOTEC-P	-	-	-	-	OR19C2503A	-	-	-	-	UBE	0.56	0.04	40,145	0.54
BIOTEC-Q	-	-	-	-	OR19C2504A	-	-	-	-	WHAUP	3.64	0.06	26,619	3.60
BIOTEC-W2	0.03	0.01	44	0.03	OR19C2505A	-	-	-	-	WP	3.20	-	126	3.22
BPP	7.15	0.40	39,696	7.06	OR19C2506A	0.10	0.01	2,356	0.10	Media & Publishing	-	-	-	-
BRRGIF	3.74	(0.14)	1,111	3.73	OR41C2505A	-	-	-	-	AMARIN	2.50	0.02	77	2.43
BSRC	5.60	0.05	48,455	5.60	OR41C2605T	0.04	-	3,000	0.04	AQUA	0.25	-	19,614	0.25
BSRC13C2506A	0.22	-	23,612	0.22	OR41C2608T	0.27	0.01	18,002	0.26	AS	8.27	0.10	8,276	2.65
CKP	2.76	0.08	24,917	2.72	PRIME	0.07	(0.01)	24,161	0.07	BEC	3.82	-	433	3.82
CKP01C2504A	-	-	-	-	PTG	7.45	0.35	59,672	7.29	FE	181.00	-	27	183.11
CV	-	-	-	-	PTT	31.00	0.25	430,183	31.00	GPI	1.69	0.02	4,193	1.67
CV-W1	-	-	-	-	PTT01C2505A	-	-	-	-	GRAMMY	5.00	0.04	71	4.99
EA	2.48	0.16	945,022	2.40	PTT01C2508A	0.18	0.02	503	0.17	JKN	-	-	-	-
EA-W1	0.39	0.02	250,904	0.39	PTT13C2503A	-	-	-	-	MAJOR	11.70	-	9,407	11.69
EA13C2503A	-	-	-	-	PTT13C2508A	0.16	0.01	30,195	0.16	MATCH	1.13	0.01	199	1.11
EA13C2503B	-	-	-	-	PTT19C2505A	-	-	-	-	MATI	-	-	-	-
EA13C2503C	0.01	-	201	0.01	PTT41C2606T	0.23	-	11,446	0.23	MCOT	3.40	0.30	48,805	3.29
EA13C2504A	-	-	-	-	PTT4P	109.00	-	81,200	108.70	MONO	1.14	0.07	766,789	1.15
EA13C2504B	0.01	-	472	0.01	PTTEP01C2503A	0.01	-	352	0.01	NATION	0.03	-	444	0.03
EA13C2505A	0.01	-	5,000	0.01	PTTEP01C2504A	-	-	-	-	NATION-W4	-	-	-	-
EA13C2505B	0.03	0.01	1,001	0.02	PTTEP01C2505A	0.07	-	4,299	0.07	ONEE	2.70	0.02	24,958	2.72
EA13C2506A	0.06	0.01	7,625	0.06	PTTEP01C2507A	0.28	-	16,333	0.28	PLANB	6.30	0.40	103,534	6.24
EA13C2506B	0.13	0.03	142,499	0.11	PTTEP01P2503A	0.05	-	222	0.05	PLANB13C2503A	-	-	-	-
EA13P2504A	0.71	(0.07)	407	0.71	PTTEP01P2506A	0.42	(0.02)	29,302	0.43	PLANB19C2503A	-	-	-	-
EA19C2503A	-	-	-	-	PTTEP11C2503A	-	-	-	-	PLANB41C2606T	0.25	0.04	32,001	0.24
EA19C2503B	-	-	-	-	PTTEP13C2503A	-	-	-	-	PRAKIT	11.30	-	20	11.21
EA19C2504A	0.01	-	3,441	0.01	PTTEP13C2504A	-	-	-	-	PTECH	-	-	-	-
EA19C2504B	-	-	-	-	PTTEP13C2505A	0.04	-	997	0.03	SE-ED	-	-	-	-
EA19C2505A	0.06	0.01	1,355	0.05	PTTEP13C2507A	0.19	(0.01)	63,672	0.19	TKS	5.65	-	2,324	5.64
EA19C2506A	0.03	0.01	4,259	0.03	PTTEP13P2506A	0.49	-	19,423	0.50	VGI	3.28	0.02	1,067,828	3.31
EA19C2506B	0.14	0.04	49,885	0.12	PTTEP19C2503A	-	-	-	-	VGI-W3	0.06	(0.01)	94,814	0.06
EA19P2505A	1.13	(0.07)	380	1.14	PTTEP19C2504A	-	-	-	-	VGI-W4	1.31	0.04	32,016	1.31
EA41C2606T	0.13	0.01	140	0.13	PTTEP19C2505A	0.05	(0.01)	2,026	0.04	VGI01C2505A	0.22	-	88,821	0.23
EASTW	2.04	0.04	1,050	2.04	PTTEP19C2507A	0.28	-	69,520	0.27	VGI01C2507A	0.53	(0.01)	31,347	0.55
EGATIF	5.95	-	3,537	5.95	PTTEP41C2503A	-	-	-	-	VGI13C2504A	0.32	0.01	507	0.32
EGCO	100.00	2.50	6,078	99.12	PTTEP41C2504A	-	-	-	-	VGI13C2505A	0.18	-	65,836	0.19
EGCO19C2504A	-	-	-	-	PTTEP41C2505A	-	-	-	-	VGI13C2507A	0.38	0.01	41,170	0.39
EP	1.43	(0.03)	431	1.41	PTTEP41C2604T	-	-	-	-	VGI13P2504A	-	-	-	-
EP-W4	0.01	-	5	0.01	PTTEP41P2503A	0.02	(0.03)	248	0.02	VGI19C2504A	0.20	0.01	79,873	0.21
ETC	1.21	0.06	6,587	1.20	PTTEP41P2506A	0.37	0.02	3	0.37	VGI19C2505A	0.18	0.01	105,941	0.18
GPSC	30.00	2.50	104,576	28.98	RATCH	26.75	0.75	29,928	26.74	VGI19C2507A	0.39	0.01	173,634	0.40
GPSC01C2504W	-	-	-	-	RATCH01C2503	-	-	-	-	VGI19P2503A	-	-	-	-
GPSC01C2505A	-	-	-	-	RATCH13C2503	-	-	-	-	VGI41C2505A	0.19	0.02	41,410	0.19
GPSC01C2507A	0.31	0.10	61,944	0.26	RATCH19C2506	0.13	0.03	8,163	0.12	VGI41C2606T	0.32	0.01	24,000	0.32
GPSC01P2506A	0.22	(0.10)	3,795	0.26	RPC	0.25	0.01	55,675	0.25	WORK	5.75	0.20	3,753	5.71
GPSC13C2503A	-	-	-	-	SCG	3.00	0.04	89	3.02	ZAA	0.64	(0.08)	295	0.71
GPSC13C2504A	-	-	-	-	SCN	0.45	0.01	7,406	0.44	Finance & Securities	-	-	-	-
GPSC13C2505A	0.02	-	1	0.02	SCN-W2	0.03	-	334	0.03	AEONTS	108.00	4.00	4,143	107.14
GPSC13C2505B	-	-	-	-	SEAOIL	2.60	-	1,278	2.60	AMANAH	0.79	0.03	11,330	0.80
GPSC13C2506A	0.16	0.06	39,215	0.13	SGP	6.70	-	2,189	6.71	ASAP	1.40	-	134	1.36
GPSC13C2507A	0.34	0.10	87,604	0.30	SKE	0.17	(0.02)	3,363	0.18	ASK	7.20	0.35	11,729	7.04
GPSC13P2505A	-	-	-	-	SKE-W1	0.03	-	89	0.03	ASP	2.24	0.08	8,855	2.20
GPSC13P2506A	0.20	(0.08)	12,025	0.23	SOLAR	0.26	0.01	13,907	0.24	BAM	6.60	0.20	225,326	6.48
GPSC19C2503A	-	-	-	-	SPCG	8.40	0.25	6,747	8.31	BAM01C2504A	-	-	-	-
GPSC19C2505A	-	-	-	-	SPRC	5.65	0.20	182,301	5.63	BAM01C2506A	0.27	0.04	86,829	0.24
GPSC19C2506A	0.04	0.01	31,086	0.03	SPRC13C2503A	-	-	-	-	BAM13C2503A	-	-	-	-
GPSC19C2506B	0.14	0.05	18,970	0.12	SPRC13C2504A	-	-	-	-	BAM13C2503B	-	-	-	-
GPSC19C2507A	0.30	0.09	120,878	0.24	SPRC13C2506A	0.15	0.03	33,746	0.15	BAM13C2504A	-	-	-	-
GPSC19P2506A	0.27	(0.09)	6,341	0.31	SPRC19C2503A	-	-	-	-	BAM13C2505A	0.13	0.02	52,627	0.12
GPSC41C2504A	-	-	-	-	SPRC19C2505A	-	-	-	-	BAM13C2506A	0.29	0.04	129,256	0.26
GPSC41C2505A	-	-	-	-	SPRC41C2606T	0.23	0.03	13,922	0.22	BAM19C2503A	-	-	-	-
GPSC41C2606T	0.16	0.03	15,000	0.15	SSP	5.50	-	13,776	5.50	BAM19C2504A	-	-	-	-
GREEN	0.83	(0.04)	3,303	0.83	SSP-W2	0.01	-	3,7						

Main Board Quotation

Issue Date :

Wednesday March 05, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
FNS	1.35	0.10	1,741	1.30	CBG13C2503A	-	-	-	-	SNP	11.20	0.10	498	11.11
FSX	1.54	0.01	525	1.54	CBG13C2505A	-	-	-	-	SORKON	4.40	(0.04)	1,887	4.40
GBX	0.57	-	3,034	0.56	CBG13C2506A	0.13	0.01	60,602	0.13	SSF	5.90	(0.05)	36	5.94
GL	-	-	-	-	CBG13C2507A	0.42	0.03	124,338	0.40	SST	2.14	0.06	8	2.16
HENG	1.09	0.02	11,573	1.09	CBG13P2504A	0.32	(0.05)	26,063	0.35	SUN	3.12	0.02	3,915	3.14
IFS	2.38	(0.06)	3,094	2.26	CBG19C2504A	-	-	-	-	TC	6.40	-	465	6.37
JMT	13.80	0.60	291,432	13.50	CBG19C2506A	0.09	0.01	11,375	0.08	TFG	4.10	(0.02)	106,326	4.12
JMT01C2504A	0.01	(0.01)	1	0.01	CBG19C2506B	0.20	0.01	46,758	0.19	TFG-W4	0.51	0.01	7,282	0.53
JMT13C2504A	0.01	-	4,050	0.01	CBG19P2507A	0.66	(0.05)	19,735	0.68	TFMAMA	199.50	0.50	134	199.04
JMT13C2506A	0.11	0.01	26,417	0.10	CBG41C2503A	-	-	-	-	TIPCO	9.75	(0.15)	894	9.77
JMT13C2507A	0.28	0.05	90,536	0.25	CBG41C2505A	-	-	-	-	TKN	8.35	0.20	27,943	8.25
JMT19C2503A	-	-	-	-	CBG41C2608T	0.31	(0.69)	36,000	0.31	TU	11.50	0.10	73,734	11.49
JMT19C2504A	-	-	-	-	CFRESH	1.12	0.04	20,324	1.11	TU01C2505A	-	-	-	-
JMT19C2504B	0.01	(0.01)	5	0.01	CH	1.95	0.05	1,844	1.94	TU01C2506A	0.07	-	500	0.07
JMT19C2506A	0.13	0.02	14,494	0.11	CHAO	5.25	0.10	7,650	5.22	TU01C2508A	0.20	0.02	24,809	0.20
JMT19C2507A	0.31	0.03	170,103	0.29	CHOTI	-	-	-	-	TU13C2504A	0.01	-	1,250	0.01
JMT41C2505A	0.05	-	201	0.04	CM	1.67	(0.01)	114	1.63	TU13C2505A	-	-	-	-
JMT41C2608T	0.29	0.02	83,000	0.28	COCOCO	7.55	0.25	59,217	7.48	TU19C2504A	-	-	-	-
KCAR	4.08	-	381	4.05	COCOCO13C250	-	-	-	-	TU19C2505A	-	-	-	-
KGI	4.26	0.06	11,293	4.24	COCOCO19C250	-	-	-	-	TU19C2506A	0.11	0.01	42,052	0.11
KTC	50.50	1.00	54,652	50.16	CPF	24.40	0.80	249,686	24.17	TU41C2506A	0.09	-	501	0.09
KTC01C2503A	0.01	-	8	0.01	CPF01C2503A	-	-	-	-	TVO	23.50	0.20	11,905	23.40
KTC01C2507A	0.33	0.02	44,779	0.32	CPF01C2504A	0.12	0.03	37,548	0.12	TWPC	2.24	0.02	648	2.24
KTC13C2503A	-	-	-	-	CPF01C2508A	0.72	0.08	13,748	0.68	XBIO	0.20	0.01	9,983	0.20
KTC13C2506A	0.23	0.03	19,543	0.22	CPF13C2503A	-	-	-	-	XBIO-W6	0.03	0.01	455	0.02
KTC19C2504A	0.09	-	3,766	0.09	CPF13C2504A	-	-	-	-	XBIO-W7	0.01	-	674	0.01
KTC19C2507A	0.26	0.02	117,650	0.25	CPF13C2505A	0.22	0.06	44,614	0.20	ZEN	6.40	(0.30)	9	6.37
KTC41C2606T	0.32	0.01	67,750	0.31	CPF13C2506A	0.55	0.09	1	0.55	Health Care Services	-	-	-	-
MFC	25.00	-	240	24.95	CPF19C2504A	-	-	-	-	AHC	14.10	0.10	231	14.01
MICRO	0.90	0.02	3,823	0.89	CPF19C2505A	0.15	0.04	184,298	0.14	BCH	15.70	(0.30)	127,254	15.62
ML	0.36	(0.01)	2,660	0.37	CPF41C2503A	-	-	-	-	BCH13C2504A	-	-	-	-
MST	8.55	0.10	734	8.44	CPF41C2505A	0.10	-	1,600	0.10	BCH19C2505A	-	-	-	-
MTC	47.75	0.75	77,217	47.73	CPF41C2505B	0.18	0.05	60,760	0.16	BCH19C2505B	0.11	(0.03)	36,615	0.12
MTC01C2504A	-	-	-	-	CPF41C2612T	0.61	0.05	29,600	0.60	BCH41C2506A	0.18	(0.01)	30,662	0.17
MTC01C2506A	0.37	0.03	19,384	0.37	CPI	2.96	0.04	1,569	2.94	BDMS	23.80	-	282,579	23.85
MTC01P2506A	0.24	(0.05)	31,476	0.24	F&D	41.00	(0.25)	18	40.44	BDMS01C2503A	-	-	-	-
MTC13C2503A	-	-	-	-	FM	3.74	0.16	49,855	3.68	BDMS01C2503B	-	-	-	-
MTC13C2505A	0.13	0.01	23,260	0.13	GLOCON	0.17	0.01	134,950	0.16	BDMS01C2504A	-	-	-	-
MTC13C2506A	0.35	0.02	32,858	0.35	HTC	16.70	-	2,812	16.56	BDMS01C2506A	0.21	-	62,878	0.21
MTC13P2506A	0.17	(0.02)	10,755	0.19	ICHI	13.10	0.40	101,742	12.98	BDMS11C2503A	-	-	-	-
MTC19C2504A	-	-	-	-	ICHI01C2503A	-	-	-	-	BDMS13C2504A	-	-	-	-
MTC19C2506A	0.30	0.04	90,475	0.29	ICHI13C2504A	0.01	(0.01)	100	0.01	BDMS13C2505A	0.07	-	35	0.07
MTC19P2506A	0.18	(0.02)	20,338	0.19	ITC	16.70	0.70	69,693	16.62	BDMS19C2503A	-	-	-	-
MTC41C2505A	-	-	-	-	ITC01C2503A	-	-	-	-	BDMS19C2504A	-	-	-	-
MTC41C2606T	0.37	0.02	37,363	0.36	ITC01C2504A	-	-	-	-	BDMS19C2505A	-	-	-	-
NCAP	1.68	0.05	105,983	1.68	ITC01C2506A	0.22	0.05	49,694	0.21	BDMS41C2505A	0.12	-	12,145	0.12
PL	1.04	0.03	1,070	1.01	ITC13C2504A	-	-	-	-	BH	190.00	(5.50)	66,446	189.32
S11	2.74	0.06	159	2.73	ITC13C2506A	0.17	0.03	45,671	0.17	BH-P	-	-	-	-
SAK	4.18	0.08	35,141	4.14	ITC19C2503A	-	-	-	-	BH-Q	-	-	-	-
SAWAD	34.50	1.00	74,904	34.17	ITC19C2505A	-	-	-	-	BH01C2504A	-	-	-	-
SAWAD-W2	0.24	0.01	1,973	0.23	ITC19C2506A	0.24	0.04	77,196	0.23	BH01C2505A	0.26	(0.08)	71,142	0.28
SAWAD01C2504A	-	-	-	-	ITC41C2505A	-	-	-	-	BH01C2506A	0.12	(0.03)	59,020	0.12
SAWAD01C2506A	0.12	-	53,388	0.11	ITC41C2612T	0.45	0.04	52,000	0.44	BH01C2507A	0.85	(0.14)	4,865	0.83
SAWAD01P2505A	0.45	(0.07)	16,855	0.49	JDF	2.02	-	5,769	2.01	BH01P2504A	0.21	0.03	61,894	0.20
SAWAD13C2503A	-	-	-	-	KBS	6.15	0.15	7,769	6.08	BH01P2507A	0.46	0.04	48,825	0.46
SAWAD13C2505A	0.04	-	1,405	0.03	KCG	8.05	0.25	19,008	7.96	BH06C2503A	-	-	-	-
SAWAD13C2506A	0.10	0.01	26,389	0.10	KSL	1.43	(0.01)	25,098	1.44	BH11C2503A	-	-	-	-
SAWAD13C2507A	0.27	0.03	116,954	0.25	KTIS	2.02	0.02	931	1.98	BH13C2503A	-	-	-	-
SAWAD13P2504A	0.12	(0.04)	10,115	0.13	LST	4.72	(0.18)	1,176	4.70	BH13C2504A	-	-	-	-
SAWAD19C2504A	-	-	-	-	M	19.70	0.70	31,251	19.58	BH13C2504B	0.07	(0.04)	59,051	0.09
SAWAD19C2505A	-	-	-	-	MALEE	6.70	0.30	21,700	6.56	BH13C2505A	0.08	(0.03)	45,015	0.09
SAWAD19C2506A	0.11	0.01	11,944	0.10	NRF	0.56	0.02	12,203	0.55	BH13C2506A	0.58	(0.11)	250,907	0.58
SAWAD19C2507A	0.33	0.05	212,017	0.30	NSL	27.75	1.25	9,393	27.25	BH13P2503A	-	-	-	-
SAWAD19P2504A	0.10	(0.03)	30,242	0.12	OKJ	8.80	0.40	55,072	8.65	BH19C2504A	-	-	-	-
SAWAD41C2505A	-	-	-	-	OSP	15.20	0.50	127,622	15.06	BH19C2504B	-	-	-	-
SAWAD41C2609T	0.40	0.03	23,800	0.38	OSP01C2503A	-	-	-	-	BH19C2505A	0.15	(0.05)	37,797	0.16
SCAP	1.22	0.05	20,180	1.19	OSP01C2504A	-	-	-	-	BH19C2506A	0.10	(0.03)	61,153	0.12
SGC	0.95	0.09	241,626	0.91	OSP01C2507A	0.14	0.02	35,116	0.13	BH19C2506B	0.52	(0.10)	75,231	0.52
SGC-W1	0.12	0.01	22,005	0.11	OSP01C2507B	0.25	0.05	31,656	0.22	BH19P2504A	0.31	0.05	95,837	0.31
SGC-W2	0.26	(0.01)	35,242	0.20	OSP01P2507A	0.27	(0.06)	26,824	0.29	BH41C2503A	-	-	-	-
SM	0.97	-	39	0.97	OSP13C2503A	-	-	-	-	BH41C2504A	-	-	-	-
TH	0.68	0.02	23,421	0.67	OSP13C2505A	0.02	0.01	3,440	0.01	BH41C2505A	0.19	(0.06)	170,621	0.20
TH-W3	0.04	0.00	40,890	0.04	OSP13C2506A	0.07	0.02	2,210	0.05	BH41C2605T	0.14	(0.03)	48,000	0.16
THANI	1.61	0.06	38,081	1.60	OSP13C2506B	0.15	0.03	37,014	0.14	BH41P2504A	-	-	-	-
TIDLOR	17.40	0.40	69,724	17.25	OSP13C2507A	0.28	0.05	36,201	0.26	BH41P2508A	0.35	0.04	72,296	0.32
TIDLOR01C2506A	0.27	0.04	42,383	0.26	OSP19C2503A	-	-	-	-	BKGI	2.04	0.10	30,229	2.02
TIDLOR13C2504A	0.07	(0.01)	502	0.07	OSP19C2506A	-	-	-	-	CHG	2.14	0.10	198,487	2.10
TIDLOR13C2505A	0.31	0.04	44,639	0.29	OSP19C2506B	-	-	-	-	CHG13C2504A	0.01	-	5,766	0.01
TIDLOR19C2504A	-	-	-	-	OSP19C2506C	0.18	0.03	53,403	0.17	CHG19C2505A	-	-	-	-
TIDLOR19C2505A	0.18	0.02	20,464	0.17	OSP41C2503A	-	-	-	-	CMR	1.54	(0.02)	1,332	1.54
TIDLOR19C2505B	0.31	0.04	85,250	0.29	OSP41C2505A	-	-	-	-	EKH	6.40	0.10	5,636	6.37
TIDLOR41C2605T	0.44	0.02	42,000	0.43	OSP41C2606T	0.17	0.02	8,000	0.16	KDH	-	-	-	-
TK	3.68	0.04	1,295	3.67	PB	54.75	-	16	54.95	LPH	4.00	-	3,441	3.89
TNITY	2.98	0.04	344	2.97	PLUS	4.12	0.10	2,459	4.09	M-CHAI	21.30	0.30	319	21.04
TNL	31.25	(1.25)	16	31.36	PM	9.55	-	14,708	9.52	MASTER	31.00	3.25	26,793	29.75
UOBKH	4.82	0.02	160	4.88	PQS	2.26	0.04	2,944	2.29	MEDEZE	8.35	0.20	84,703	8.28
XPG	0.84	0.01	319,210	0.85	PRG	8.15	-	12	8.43	NEW	-	-	-	-
Food & Beverage	-	-	-	-	PRG-W2	-	-	-	-	NKT	4.58	0.04	5,009	4.59
AAI	5.30	0.05	17,907	5.32	PRG-W3	3.30	0.10	17	3.30					

Main Board Quotation

Issue Date :

Wednesday March 05, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VIBHA-W4	-	-	-	-	PJW	2.24	-	3,447	2.23	AMATA41C2608T	0.25	(0.75)	16,000	0.25
VIH	7.40	0.15	3,257	7.37	PTL	10.10	0.20	2,804	9.97	AMATAV	4.00	-	416	3.99
VIH-W1	1.00	-	10	1.00	SCGP	14.40	1.30	232,136	13.99	ANAN	0.45	0.02	29,600	0.45
WPH	8.95	0.10	7,075	8.94	SCGP01C2504A	0.02	-	113	0.01	AP	8.75	(0.05)	124,933	8.80
Tourism & Leisure					SCGP01C2504W	-	-	-	-	AP01C2503A	-	-	-	-
ASIA	5.40	0.10	26	5.33	SCGP01C2506A	-	-	-	-	AP01C2507A	0.41	(0.01)	14,331	0.41
BEYOND	7.15	-	1,190	7.09	SCGP01C2507A	0.12	0.05	108,071	0.10	AP13C2503A	-	-	-	-
CENTEL	33.75	1.00	69,782	33.69	SCGP01P2503A	-	-	-	-	ASW	6.85	(0.05)	2,401	6.81
CENTEL01C2504A	-	-	-	-	SCGP01P2507A	0.67	(0.14)	6,280	0.73	AWC	2.98	0.12	853,776	2.96
CENTEL01C2508A	0.30	0.03	24,150	0.30	SCGP13C2503A	-	-	-	-	AWC01C2504A	-	-	-	-
CENTEL11C2503A	-	-	-	-	SCGP13C2503B	-	-	-	-	AWC01C2506A	0.13	0.03	32,799	0.13
CENTEL13C2504A	-	-	-	-	SCGP13C2504A	-	-	-	-	AWC13C2504A	-	-	-	-
CENTEL13C2506A	0.25	0.04	86,143	0.25	SCGP13C2504B	-	-	-	-	AWC13C2506A	0.13	0.04	38,914	0.12
CENTEL19C2504A	-	-	-	-	SCGP13C2506A	0.02	-	1,000	0.02	AWC19C2504A	-	-	-	-
CENTEL19C2506A	0.35	0.05	622	0.32	SCGP13C2506B	0.06	0.02	26,046	0.05	AWC19C2506A	0.12	0.03	8,333	0.12
CENTEL41C2504A	0.03	0.01	100	0.03	SCGP13C2507A	0.24	0.09	161,414	0.21	AWC41C2606T	0.15	-	4,000	0.15
CENTEL41C2606T	0.33	0.03	46,490	0.32	SCGP13P2504A	-	-	-	-	BLAND	0.47	-	85,907	0.47
CSR	87.00	-	1	87.00	SCGP13P2504B	-	-	-	-	BRI	2.16	0.18	33,046	2.08
DUSIT	9.05	0.15	423	8.98	SCGP13P2506A	0.42	(0.19)	1,501	0.43	BROCK	1.46	0.04	306	1.44
ERW	3.32	0.10	518,777	3.28	SCGP19C2503A	-	-	-	-	CGD	0.29	0.03	76,555	0.27
ERW01C2504A	-	-	-	-	SCGP19C2504A	-	-	-	-	CI	0.39	(0.01)	2,081	0.40
ERW01C2507A	0.30	0.04	40,896	0.28	SCGP19C2505A	-	-	-	-	CMC	0.92	(0.01)	931	0.91
ERW13C2503A	-	-	-	-	SCGP19C2506A	-	-	-	-	CPN	52.00	2.00	116,416	51.43
ERW13C2505A	0.05	0.01	300	0.05	SCGP19C2506B	0.05	-	10,371	0.05	CPN01C2503A	-	-	-	-
ERW13C2507A	0.25	0.03	40,905	0.24	SCGP19C2507A	0.36	0.13	137,984	0.30	CPN01C2505A	-	-	-	-
ERW19C2503A	-	-	-	-	SCGP19P2505A	-	-	-	-	CPN01C2506A	0.20	0.03	75,708	0.20
ERW19C2506A	0.18	0.03	20,196	0.16	SCGP41C2505A	-	-	-	-	CPN13C2503A	-	-	-	-
ERW41C2606T	0.22	0.01	54,990	0.21	SCGP41C2606T	0.18	0.03	46,504	0.17	CPN13C2504A	-	-	-	-
GRAND	0.05	-	1,502	0.04	SFLEX	2.82	0.08	32,471	2.78	CPN13C2505A	-	-	-	-
LRH	38.25	0.25	23	37.73	SFLEX-W2	0.05	-	997	0.05	CPN13C2507A	0.25	0.05	42,870	0.23
MANRIN	-	-	-	-	SITHAI	1.08	0.01	1,076	1.07	CPN19C2503A	-	-	-	-
MINT	29.00	0.50	187,831	29.14	SLP	0.38	-	855	0.37	CPN19C2504A	-	-	-	-
MINT01C2504A	0.09	-	1,000	0.09	SMPC	9.05	-	547	9.05	CPN19C2505A	-	-	-	-
MINT01C2506A	0.93	0.11	1,856	0.89	SPACK	1.44	(0.05)	2,512	1.43	CPN41C2504A	-	-	-	-
MINT01C2507A	0.24	0.03	9,378	0.23	TCOAT	-	-	-	-	CPN41C2505A	-	-	-	-
MINT13C2503A	-	-	-	-	TFI	0.05	-	7,775	0.05	CPN41C2608T	0.33	0.02	88,109	0.33
MINT13C2505A	0.15	0.02	35,716	0.15	TFI-W1	-	-	-	-	ESTAR	0.18	-	21,257	0.18
MINT13C2506A	-	-	-	-	THIP	28.00	0.25	44	27.94	EVER	0.07	(0.02)	340,133	0.07
MINT13C2506B	0.27	-	170	0.27	TMD	25.50	0.25	3	25.03	FPT	6.65	(0.15)	833	6.64
MINT19C2504A	0.11	0.03	1,050	0.11	TOPP	-	-	-	-	GLAND	1.07	0.07	1	1.07
MINT19C2506A	-	-	-	-	TPAC	8.40	-	732	8.44	J	1.06	0.02	747	1.04
MINT41C2504A	-	-	-	-	TPBI	3.84	-	2,688	3.84	J-W3	0.18	0.01	1	0.18
MINT41C2604T	-	-	-	-	TPP	11.10	(0.50)	502	11.19	J-W4	-	-	-	-
MINT41C2612T	0.31	0.02	52,350	0.31	Personal Product	-	-	-	-	JCK	0.20	0.01	39,942	0.19
OHTL	309.00	(9.00)	28	316.64	APCO	2.92	0.28	4,566	2.79	KC	0.05	(0.01)	6,346	0.05
ROH	1.91	0.01	10	1.91	BIZ	3.74	0.12	10,278	3.72	KUN	-	-	-	-
SHANG	-	-	-	-	BLC	4.20	0.04	11,560	4.17	KUN-W2	0.01	-	10	0.01
SHR	1.98	0.07	42,118	1.97	DDD	6.85	0.50	453	6.63	LALIN	5.35	0.05	414	5.31
SPA	5.20	0.05	31,279	5.18	IP	2.42	(0.02)	9,298	2.42	LH	4.50	0.16	375,273	4.43
VRANDA	4.68	0.02	474	4.62	IP-W2	0.09	-	7,175	0.10	LH19C2504A	-	-	-	-
Home & Office Prodt					JCT	-	-	-	-	LPN	2.20	0.02	11,091	2.20
AJA	0.11	-	95,541	0.11	KISS	4.02	0.04	10,461	4.03	MBK	17.50	0.30	7,509	17.40
AJA-W4	0.01	-	14,655	0.01	NAM	4.32	-	161	4.31	MBK-W4	15.50	0.70	160	14.99
DTCI	31.75	5.25	170	31.71	NEO	32.50	1.25	21,183	31.74	MBK19C2508A	0.15	0.01	4,426	0.14
FANCY	0.33	0.02	1	0.33	NV	0.68	0.04	1,334	0.68	MJD	0.72	-	1,244	0.70
FTI	1.78	(0.08)	2,167	1.80	OCC	8.55	(0.40)	5	8.55	MK	1.46	0.04	77	1.40
KYE	297.00	(2.00)	13	298.46	S&J	-	-	-	-	NCH	0.67	-	2,605	0.66
L&E	1.20	-	178	1.20	SNPS	6.05	-	15,579	6.04	NNCL	1.58	0.02	1,044	1.57
MODERN	2.14	0.04	229	2.12	STGT	7.30	0.20	58,951	7.23	NOBLE	2.12	0.04	8,582	2.07
OGC	10.80	0.20	21	11.18	STGT01C2503A	0.01	-	554	0.01	NVD	1.29	-	53	1.28
ROCK	11.60	(0.60)	3	11.67	STGT01C2504A	-	-	-	-	ORI	2.68	0.22	99,444	2.59
SIAM	0.81	(0.01)	869	0.80	STGT13C2503A	-	-	-	-	ORN	0.68	0.02	23,764	0.66
TCMC	0.48	(0.01)	2,563	0.48	STGT13C2504A	-	-	-	-	PEACE	-	-	-	-
TSR	0.27	0.02	11,898	0.25	STGT13C2506A	0.11	0.01	5,178	0.10	PF	0.11	-	59,507	0.11
TSR-W2	0.02	0.01	2,446	0.01	STGT19C2503A	-	-	-	-	PIN	6.20	0.15	45,014	6.18
Insurance					STGT19C2504A	-	-	-	-	PLAT	1.73	(0.01)	5,704	1.73
AYUD	31.50	-	67	31.43	STGT19C2504B	-	-	-	-	PRECHA	0.42	(0.13)	12,354	0.41
BKIH	292.00	-	367	290.80	STGT41C2503A	-	-	-	-	PRIN	1.60	-	28	1.56
BLA	20.30	(0.10)	22,703	20.32	STGT41C2606T	-	-	-	-	PROUD	1.26	0.01	865	1.24
BLA01C2503A	0.01	-	1	0.01	TMAN	12.80	0.60	14,837	12.77	PSH	4.64	0.24	38,613	4.55
BLA01C2508A	0.43	-	57,726	0.43	TNR	8.10	0.05	605	8.10	QH	1.58	0.01	143,214	1.57
BLA13C2504A	-	-	-	-	TOG	9.15	(0.10)	1,682	9.20	RABBIT	0.36	0.02	44,536	0.35
BLA13C2507A	0.26	(0.01)	99,642	0.26	Professional Sen	-	-	-	-	RABBIT-P	0.51	-	7,451	0.51
BLA19C2506A	0.28	(0.01)	113,475	0.28	BWG	0.25	0.01	410,105	0.25	RABBIT-Q	-	-	-	-
BLA41C2606T	0.40	0.01	78,000	0.40	BWG-W6	0.02	0.01	18,825	0.01	RICHY	0.37	(0.01)	3,731	0.37
BUI	17.30	0.10	579	17.20	GENCO	0.30	-	6,217	0.29	RML	0.15	(0.01)	28,471	0.15
CHARAN	20.00	(0.90)	5	20.02	PRTR	3.74	0.10	2,135	3.69	ROJNA	5.70	0.10	24,521	5.65
INSURE	99.25	8.25	240	91.14	SISB	21.10	0.80	19,769	20.82	S	0.70	0.02	7,661	0.68
KWI	-	-	-	-	SISB13C2504A	-	-	-	-	SA	7.25	-	1,429	7.19
MTI	113.50	2.00	17	113.35	SISB13C2506A	0.12	0.01	11,043	0.11	SA-W1	0.01	-	68	0.01
NKI	22.80	1.70	2	21.80	SISB13C2506B	0.04	-	10,000	0.04	SAMCO	0.71	(0.02)	395	0.72
TGH	12.60	0.10	415	12.65	SISB19C2507A	0.10	0.01	331	0.09	SC	2.54	0.04	15,693	2.52
THRE	0.47	-	15,511	0.46	SO	4.20	-	319	4.13	SENA	2.14	0.06	5,794	2.09
THREL	1.26	0.03	3,698	1.24	WAVE	-	-	-	-	SIRI	1.70	0.01	434,279	1.69
TIPH	20.60	0.40	8,201	20.51	WAVE-W3	-	-	-	-	SIRI01C2504A	-	-	-	-
TLI	11.80	(0.10)	94,847	11.89	WAVE-W4	-	-	-	-	SIRI13C2503A	-	-	-	-
TLI01C2503A	-	-	-	-	Property Develoq	-	-	-	-	SIRI19C2503A	-	-	-	-
TLI01C2507A	0.28	-	2,343	0.28	A	4.92	-	2	4.92	SIRI41C2606T	-	-	-	-
TLI06C2503A	0.07	(0.01)	700	0.07	A5	2.48	0.02	2,575	2.48	SPALI	16.90	(0.10)	79,054	17.03
TLI13C2505A	0.18	-	9,290	0.18	A5-W4	0.03	-	2,272	0.03	SPALI13C2507A	0.27	(0.01)	28,214	0.29
TLI19C2506A	0.25	0.01	2,364	0.25	AKS	0.01	-	513	0.01	SPALI19C2504A	-	-	-	-
TLI41C2606T	0.30	(0.01)	12,002	0.31	AMATA	22.50	0.60	136,476	22.47	STELLA	0.13	-	22,726	0.13
TQM	15.00	1.10	22,471	14.45	AMATA01C2503A	0.01	-	21	0.01	STELLA-W5	0.01	-	138	0.01
TST	0.06	(0												

Main Board Quotation

Issue Date :

Wednesday March 05, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA13C2504A	-	-	-	-	BTS41C2504A	-	-	-	-	KTBSTMR	6.20	0.05	1,208	6.18
WHA13C2505A	-	-	-	-	BTS41C2504B	0.15	0.02	5,700	0.15	LHHOTEL	13.80	-	12,861	13.88
WHA13C2506A	0.02	0.01	12,133	0.02	BTS41C2608T	0.24	0.02	4,004	0.24	LHRREIT	4.94	(0.06)	200	4.94
WHA13C2506B	0.01	-	1,166	0.02	BTS41C2608T	2.82	0.04	10,218	2.80	LHSC	11.50	(0.20)	5,610	11.62
WHA13C2507A	0.21	0.04	61,411	0.19	DMT	10.40	0.10	6,118	10.38	LUXF	7.90	-	55	7.90
WHA13C2507B	0.37	0.07	93,023	0.34	ETL	0.39	0.03	4,901	0.37	M-PAT	3.46	(0.12)	1	3.46
WHA19C2504A	-	-	-	-	III	4.94	0.04	7,435	4.94	M-STOR	-	-	-	-
WHA19C2506A	0.02	-	711	0.01	KEX	0.98	0.05	2,525	0.97	MII	5.60	0.25	559	5.64
WHA19C2507A	0.26	0.06	163,377	0.24	KIAT	0.29	-	3,659	0.29	MIPF	10.70	(0.90)	8	10.69
WHA41C2605T	0.06	-	4	0.06	KWC	345.00	35.00	66	344.47	MIT	0.27	-	221	0.27
WHA41C2608T	0.20	0.03	4,221	0.20	MENA	1.02	0.02	2,787	1.01	MJLF	4.44	0.02	574	4.41
WIN	0.35	(0.03)	12,323	0.35	NVT	3.38	0.10	32,819	3.36	MNIT	2.06	0.06	40	2.03
Paper & Printing Mat	-	-	-	-	PORT	1.05	0.02	217	1.05	MNIT2	-	-	-	-
UTP	8.15	0.10	1,282	8.17	PRM	7.15	(0.30)	141,584	7.25	MNRF	2.18	-	110	2.18
Fashion	-	-	-	-	PSL	6.30	0.25	102,501	6.09	POPF	5.50	-	6,707	5.52
AFC	4.00	-	14	3.99	RCL	24.60	0.80	36,468	24.40	PROSPECT	8.25	(0.05)	155	8.28
AURA	15.10	0.10	18,359	15.00	RCL01C2505A	-	-	-	-	QHBREIT	3.88	0.10	2,846	3.84
BTNC	-	-	-	-	RCL01C2507A	0.18	0.02	35,664	0.18	QHHREIT	6.90	0.05	1,829	6.85
CPH	8.30	0.20	229	8.26	RCL13C2506A	0.09	-	2,746	0.09	QHOP	-	-	-	-
CPL	0.83	0.02	297	0.83	RCL13C2507A	0.56	0.06	553	0.56	SIRIPRT	7.50	0.35	10	7.50
NC	2.22	0.02	166	2.25	RCL19C2503A	0.01	(0.02)	2	0.01	SPRIME	4.20	0.02	3,339	4.19
PAF	0.76	-	343	0.76	RCL19C2503B	-	-	-	-	SRIPANWA	5.05	(0.05)	1,260	4.97
PDJ	1.72	(0.05)	516	1.69	RCL19C2504A	-	-	-	-	SSPF	3.80	0.10	17	3.63
PG	-	-	-	-	RCL19C2507A	0.19	0.02	19,233	0.19	SSTRT	4.78	-	25	4.80
SABINA	19.50	0.40	5,026	19.29	RCL41C2505A	-	-	-	-	TIF1	7.10	-	38	7.13
SAWANG	9.30	0.15	9	10.12	RCL41C2608T	0.41	0.01	18,150	0.41	TLHPF	2.58	(0.02)	283	2.59
SUC	31.50	(0.25)	176	31.72	SAV	17.00	0.30	9,849	16.92	TNPF	1.48	-	10	1.48
TR	38.25	-	11	38.23	SINO	0.91	(0.02)	2,505	0.92	TPRIME	6.80	0.10	14	6.70
TTI	26.00	1.00	9	26.64	SJWD	7.20	0.45	45,246	7.11	TTLPF	12.30	-	557	12.25
TTT	-	-	-	-	SJWD13C2504A	-	-	-	-	TU-PF	-	-	-	-
UPF	29.00	(1.00)	4	29.00	TFIF	6.25	-	20,637	6.24	WHABT	7.20	0.10	72	7.17
WACOAL	24.40	0.20	9	24.81	THAI	-	-	-	-	WHAIR	5.65	0.30	9,203	5.43
WFX	0.87	0.01	16,573	0.87	TSTE	10.80	0.50	17	10.42	WHART	10.00	(0.10)	21,639	10.07
Transportation & Log	-	-	-	-	TTA	4.54	0.10	68,294	4.48	Steel and Metal Prod	-	-	-	-
AAV	2.04	0.12	515,012	1.99	WICE	2.82	0.06	8,298	2.80	2S	2.28	(0.08)	653	2.30
AAV01C2503A	0.01	-	300	0.01	Automotive	-	-	-	-	AMC	1.89	-	374	1.89
AAV13C2504A	0.02	0.01	6	0.02	ACG	0.75	0.01	35	0.75	BSBM	0.69	(0.02)	3,176	0.70
AAV13C2506A	0.10	0.02	529	0.10	AH	12.90	0.50	4,535	12.58	CEN	1.86	(0.02)	220	1.86
AAV19C2505A	0.02	-	50	0.02	CWT	0.63	0.02	2,412	0.62	CEN-W5	0.09	-	1,825	0.08
AAV19C2507A	0.21	0.04	41,327	0.19	EASON	1.11	0.06	8,758	1.07	CITY	1.64	(0.01)	576	1.55
AAV41C2505A	-	-	-	-	GYT	173.00	(1.00)	16	173.78	CSP	0.50	-	71	0.51
AAV41C2608T	0.24	-	18,788	0.23	HFT	4.08	0.02	2,949	4.09	GJS	0.12	0.02	96,404	0.11
ANI	2.70	0.06	586	2.67	IHL	1.55	(0.01)	800	1.54	GSTEEL	-	-	-	-
AOT	41.75	2.00	677,671	41.18	INGRS	0.24	0.01	3,441	0.23	INOX	0.42	0.02	4,446	0.41
AOT01C2504A	0.02	0.01	201	0.02	IRC	11.50	(0.20)	336	11.54	LHK	3.28	-	1,331	3.28
AOT01C2506A	0.03	0.01	966	0.02	MGC	3.02	0.06	71	2.95	MCS	7.30	0.15	5,470	7.24
AOT01C2507A	0.19	0.03	53,591	0.18	NEX	0.78	0.07	160,412	0.76	MILL	-	-	-	-
AOT01P2507A	1.24	(0.14)	984	1.30	PCSGH	3.76	-	159	3.75	PAP	1.53	0.06	326	1.51
AOT01P2507B	0.42	(0.06)	20,009	0.44	POLY	7.10	-	254	7.11	PERM	0.33	(0.02)	4,399	0.33
AOT13C2503A	-	-	-	-	SAT	10.90	(1.30)	33,497	10.69	SAM	-	-	-	-
AOT13C2504A	-	-	-	-	SPG	-	-	-	-	SMIT	3.88	0.06	189	3.83
AOT13C2506A	0.01	-	13,426	0.01	STANLY	221.00	1.00	61	219.89	SSSC	2.14	0.06	1,198	2.10
AOT13C2507A	0.02	-	34,871	0.02	TKT	1.06	0.05	280	1.02	TGPRO	0.06	-	96,386	0.06
AOT13C2507B	0.19	0.04	131,398	0.17	TNPC	0.81	0.01	441	0.81	THE	0.71	(0.01)	147	0.69
AOT13C2507C	0.09	0.02	34,103	0.08	TRU	3.30	-	1,243	3.28	TMT	2.76	0.14	913	2.70
AOT13P2507A	1.22	0.02	15	1.22	TSC	12.60	(0.10)	46	12.63	TSTH	0.50	0.01	9,761	0.49
AOT13P2507B	0.34	(0.07)	84,467	0.37	Industrial Materi	-	-	-	-	TWP	1.00	(0.01)	237	1.00
AOT19C2504A	-	-	-	-	AKR	1.02	-	60,721	1.03	TYCN	1.88	0.07	35	1.87
AOT19C2506A	-	-	-	-	ALLA	1.36	0.01	7,461	1.36	Construction Service	-	-	-	-
AOT19C2507A	0.03	0.01	1,201	0.03	ASEFA	2.86	-	625	2.83	APCS	1.42	0.06	300	1.43
AOT19C2507B	0.12	0.03	34,233	0.11	CPT	1.00	-	4,808	0.99	BJCHI	0.76	0.04	2,427	0.74
AOT19P2507A	0.35	(0.06)	6,482	0.37	CRANE	0.42	0.03	5,648	0.41	BKD	1.33	0.02	5,426	1.32
AOT41C2503A	-	-	-	-	CTW	3.00	-	773	3.00	CIVIL	1.62	0.04	363	1.60
AOT41C2505A	-	-	-	-	FMT	30.25	0.25	20	30.06	CK	15.00	0.50	48,798	14.86
AOT41C2507A	0.19	0.05	131,331	0.18	FTE	1.62	0.01	196	1.61	CK01C2503A	-	-	-	-
AOT41C2605T	0.05	0.01	3,003	0.04	HTECH	3.16	0.06	4,646	3.19	CK13C2503A	-	-	-	-
AOT41P2504A	-	-	-	-	KKC	-	-	-	-	CK19C2503A	-	-	-	-
AOT41P2606T	0.52	(0.02)	12	0.52	PCC	2.64	0.02	4,048	2.61	CNT	1.01	(0.02)	7,234	1.04
ASIMAR	1.62	0.05	938	1.60	PK	0.40	0.02	1,241	0.39	DEMCO	2.20	-	2,575	2.22
B	0.06	-	10,306	0.06	PSP	4.12	0.02	5,674	4.08	EMC	0.06	-	8,904	0.06
B-W8	0.01	-	7	0.01	QTC	3.92	0.04	12	3.90	EMC-W7	0.05	0.01	51	0.05
BA	20.60	0.60	41,065	20.42	SCI	0.76	-	1,002	0.75	ITD	0.29	0.01	27,400	0.28
BA01C2503A	0.01	(0.01)	5,057	0.01	SE	0.45	-	1,100	0.44	JR	1.49	0.02	186	1.49
BA01C2504A	-	-	-	-	SELIC	2.96	-	40	2.90	NL	0.91	-	1,669	0.90
BA13C2503A	-	-	-	-	SNC	5.80	-	3,418	5.74	NWR	-	-	-	-
BA13C2504A	-	-	-	-	TCJ	2.80	(0.10)	2	2.80	PLE	0.28	-	7,446	0.28
BA13C2506A	0.31	0.05	44,245	0.29	TPCS	11.40	(0.50)	8	11.58	PREB	3.88	0.08	393	3.83
BA19C2503A	-	-	-	-	VARO	4.62	-	57	4.58	PYLON	1.73	0.01	3,316	1.71
BA19C2507A	0.36	0.05	22,432	0.32	Property Fund &	-	-	-	-	RT	0.32	0.03	23,339	0.30
BA41C2606T	0.21	0.01	36,000	0.21	AIMCG	2.24	(0.06)	1,461	2.23	SEAFCO	1.89	0.04	1,864	1.86
BEM	6.25	0.10	450,387	6.21	AIMIRT	10.40	(0.20)	1,285	10.42	SQ	0.65	0.01	1,461	0.63
BEM11C2503A	-	-	-	-	ALLY	4.90	-	1,354	4.89	SRICHA	3.36	(0.04)	368	3.39
BEM13C2505A	-	-	-	-	AMATAR	6.35	0.15	11	6.29	STECON	5.40	0.46	205,743	5.19
BEM13C2506A	0.06	-	4,174	0.05	AXTRART	12.00	0.20	8,538	12.02	STI	2.78	-	222	2.73
BEM19C2503A	0.01	-	1,000	0.01	B-WORK	4.74	0.06	4,334	4.73	STPI	2.88	0.04	23,338	2.90
BEM19C2505A	-	-	-	-	BAREIT	9.15	(0.20)	6,735	9.12	SYNTEC	1.59	0.03	3,015	1.58
BEM41C2606T	-	-	-	-	BOFFICE	4.94	0.06	4,567	4.90	TEAMG	2.90	0.14	56,026	2.87
BTS	6.15	0.20	682,504	6.04	CPNCG	6.05	-	11,827	6.00	TEAMG-W1	0.17	0.01	4,869	0.17
BTS-W8	0.06	-	6,133	0.06	CPNREIT	11.90	(0.10)	12,588	11.86	TEKA	2.00	-	1,842	1.98
BTS01C2503A	0.38	0.05	1,744	0.37	CPTREIT	4.34	0.14	163	4.29	TPOLY	0.45	0.02	3,886	0.45
BTS01C2504A	0.11	0.02	9,524	0.11	CTARAF	4.44	-	95	4.42	TRC	0.63	(0.05)	9,015	0.62
BTS01C2507A	0.17	0.02	9,977	0.17	DREIT	5.20	0.05	340	5.23	TRITN	0.10	0.01	29,565	0.09
BTS01P2504A	-	-	-	-	FTREIT	10.00	(0							

Main Board Quotation

Issue Date :

Wednesday March 05, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BSET100	8.17	0.22	378	8.11	HSI28P2503F	0.04	(0.01)	4,755	0.05	SET5006P2506A	1.65	0.23	14	1.65
CHINA	5.94	0.04	289	5.94	HSI28P2504A	-	-	-	-	SET5006P2506B	1.03	(0.37)	307	1.11
ENGY	4.04	0.07	184	4.02	HSI28P2504B	-	-	-	-	SET5006P2506C	0.63	(0.22)	28,092	0.70
GLD	3.91	(0.01)	7,597	3.92	HSI28P2504C	0.06	(0.03)	4,000	0.07	SET5013C2503A	0.01	-	13	0.01
TDEX	7.32	0.17	6,998	7.28	HSI28P2504D	0.10	(0.05)	4,640	0.11	SET5013C2503B	-	-	-	-
UBOT	13.15	0.44	19	13.14	HSI28P2504E	0.16	(0.09)	23,285	0.19	SET5013C2503C	-	-	-	-
UHERO	7.99	(0.10)	97	8.08	HSI28P2504F	0.26	(0.13)	560,408	0.29	SET5013C2503D	0.01	-	886	0.01
Warrant Foreign	-	-	-	-	HSI28P2504G	0.44	(0.21)	761,131	0.49	SET5013C2503E	0.01	-	1	0.01
AIA41C2504A	0.25	0.03	8	0.24	HSI28P2504H	0.79	(0.29)	812	0.93	SET5013C2503F	0.01	-	1	0.01
BABA28C2503A	0.15	0.01	80,810	0.14	HSI28P2505A	0.05	(0.01)	739	0.05	SET5013C2503G	0.01	-	1	0.01
BABA28C2506A	2.14	0.14	10	2.08	HSI28P2505B	0.08	(0.05)	6	0.08	SET5013C2503H	0.01	-	2	0.01
BABA28C2509A	0.46	0.04	94,010	0.43	HSI28P2505C	0.27	(0.12)	647,010	0.30	SET5013C2503I	0.01	-	3	0.01
BABA28P2503A	-	-	-	-	HSI28P2506A	0.09	(0.02)	15,567	0.09	SET5013C2503J	0.01	-	100	0.01
BABA28P2509A	0.15	(0.01)	100,270	0.15	HSI28P2506B	0.13	(0.03)	7,345	0.13	SET5013C2503K	0.01	-	40	0.01
BABA41C2503A	0.76	0.06	106	0.79	HSI28P2506C	0.18	(0.05)	33,495	0.19	SET5013C2503L	0.01	-	54	0.01
BABA41C2504A	2.42	0.10	20	2.42	HSI28P2507A	0.44	(0.56)	200,964	0.50	SET5013C2503M	0.01	-	3	0.01
BABA41C2504B	0.31	-	18,388	0.30	HSTECH28C2503	0.49	0.16	173,946	0.44	SET5013C2503T	0.01	-	10	0.01
BABA41C2505A	0.29	0.01	10,959	0.31	HSTECH28C2504	1.46	0.18	106	1.40	SET5013C2506A	0.01	-	7,677	0.01
BABA41P2504A	0.04	0.01	2	0.05	HSTECH28C2505	0.52	0.12	120,357	0.46	SET5013C2506B	0.03	0.01	432,730	0.03
BABA41P2506A	0.22	(0.03)	496	0.22	HSTECH28P2503	-	-	-	-	SET5013C2506C	0.05	0.02	144,323	0.04
BIDU41C2504A	0.24	0.05	8,470	0.21	HSTECH28P2504	0.10	(0.05)	700	0.10	SET5013C2506D	0.06	0.02	238,835	0.06
BIDU41C2506A	0.57	0.07	502	0.54	HSTECH28P2505	0.30	(0.09)	265	0.35	SET5013C2506E	0.07	0.03	240,969	0.05
BYDCOM28C2503A	0.13	0.03	51,781	0.12	JD41C2506A	0.53	0.07	70	0.51	SET5013C2506F	0.08	0.03	383,944	0.08
BYDCOM28C2508A	1.00	0.14	5	0.97	KUAI5H41C2506	0.84	0.09	252	0.70	SET5013C2506G	0.13	0.06	630,882	0.10
BYDCOM28P2503A	-	-	-	-	MCA5041C2503A	-	-	-	-	SET5013C2506H	0.21	0.10	1,249,208	0.16
BYDCOM41C2506A	1.01	0.09	679	0.92	MCA5041C2503B	-	-	-	-	SET5013C2506I	0.30	0.13	2,045,629	0.25
BYDCOM41C2506B	0.19	0.02	24	0.19	MCA5041C2506A	0.27	(0.01)	111	0.26	SET5013C2506J	0.44	0.16	4,019,954	0.38
DJI28C2503A	0.01	(0.01)	1	0.01	MCA5041P2503A	-	-	-	-	SET5013C2506K	0.02	0.01	1,698	0.02
DJI28C2503B	-	-	-	-	MCA5041P2506A	0.41	(0.04)	14	0.41	SET5013P2503A	3.20	(1.48)	3,108	3.81
DJI28C2506A	0.18	(0.04)	5,523	0.18	MEITUA28C2503	0.49	0.20	110,236	0.42	SET5013P2503B	5.10	(1.80)	87	5.91
DJI28P2503A	-	-	-	-	MEITUA28C2504	-	-	-	-	SET5013P2503C	9.15	(1.25)	2	9.08
DJI28P2503B	-	-	-	-	MEITUA28C2505	0.28	0.08	52,008	0.26	SET5013P2503D	2.62	(1.58)	433	3.15
DJI28P2506A	0.74	0.04	21	0.75	MEITUA28P2503	-	-	-	-	SET5013P2503E	4.50	(2.40)	85	5.22
DJI41C2503A	-	-	-	-	MEITUA28P2504	0.18	(0.08)	20,000	0.18	SET5013P2503F	3.88	(1.72)	211	4.39
DJI41C2503B	-	-	-	-	MEITUA41C2504	0.24	0.08	13,990	0.21	SET5013P2503T	1.08	(0.70)	5,339	1.44
DJI41C2506A	0.22	(0.03)	17,407	0.21	MEITUA41P2503	0.18	(0.16)	40	0.22	SET5013P2506A	1.26	(0.55)	79,986	1.45
DJI41P2503A	-	-	-	-	NDX28C2503A	0.02	-	10	0.02	SET5013P2506B	0.96	(0.43)	266,496	1.11
DJI41P2503B	0.04	-	1,027	0.04	NDX28C2506A	0.29	-	2,427	0.28	SET5013P2506C	1.90	(0.70)	169	1.98
DJI41P2506A	0.57	0.02	193	0.58	NDX28P2503A	-	-	-	-	SET5013P2506D	0.93	(0.36)	52,581	1.10
GEELY41C2506A	0.29	0.03	37	0.28	NDX28P2506A	0.41	(0.02)	1,492	0.41	SET5013P2506E	0.59	(0.33)	1,348,051	0.70
HSI06C2503A	2.82	0.46	5	2.82	NDX41C2503A	-	-	-	-	SET5013P2506F	0.46	(0.27)	3,636,535	0.54
HSI06C2503B	0.94	0.30	28,042	0.81	NDX41C2503B	-	-	-	-	SET5013P2506G	0.28	(0.21)	5,193,691	0.34
HSI06C2503C	0.17	0.07	343,985	0.13	NDX41C2506A	0.17	-	8,019	0.17	SET5013P2506T	2.28	(0.58)	8,459	2.44
HSI06C2503D	0.04	0.01	16,558	0.02	NDX41C2506B	0.51	0.02	19,950	0.49	SET5019C2503A	-	-	-	-
HSI06C2503E	-	-	-	-	NDX41C2509T	2.60	(0.02)	8,929	2.58	SET5019C2503B	0.01	-	100	0.01
HSI06C2503F	1.71	0.29	145	1.46	NDX41P2503A	-	-	-	-	SET5019C2503C	-	-	-	-
HSI06C2503G	-	-	-	-	NDX41P2503B	0.15	(0.02)	20	0.15	SET5019C2503D	-	-	-	-
HSI06C2504A	1.33	0.33	302	1.25	NDX41P2506A	0.52	(0.02)	33,502	0.52	SET5019C2503E	-	-	-	-
HSI06C2504B	-	-	-	-	NDX41P2509T	2.88	(0.04)	774	2.89	SET5019C2503F	-	-	-	-
HSI06C2504C	0.90	0.22	237	0.80	NIKKEI28C2506	0.37	0.03	614	0.37	SET5019C2503G	-	-	-	-
HSI06C2504D	0.60	0.19	232,021	0.52	NIKKEI28C2506I	0.17	0.01	200	0.17	SET5019C2503H	-	-	-	-
HSI06C2504E	0.37	0.12	98,925	0.32	NIKKEI28C2506J	0.10	(0.02)	322	0.10	SET5019C2506A	0.01	-	1,697	0.01
HSI06C2505A	1.05	0.12	4	1.04	NIKKEI28P2506	-	-	-	-	SET5019C2506B	-	-	-	-
HSI06C2505B	0.68	0.17	51,871	0.61	NIKKEI28P2506I	-	-	-	-	SET5019C2506C	0.07	0.03	3,861	0.05
HSI06C2506A	1.39	0.34	104	1.33	NIKKEI28P2506J	0.47	(0.03)	104	0.47	SET5019C2506D	0.03	0.01	126	0.02
HSI06C2506B	2.10	0.22	4	2.10	NIKKEI41C2503	-	-	-	-	SET5019C2506E	0.01	-	32,812	0.01
HSI06C2506C	0.75	0.16	48,239	0.69	NIKKEI41C2503I	-	-	-	-	SET5019C2506F	0.10	0.03	4,198	0.10
HSI06C2507A	0.56	0.12	26,856	0.51	NIKKEI41C2506	0.22	0.02	1,377	0.22	SET5019C2506G	0.11	0.05	26,981	0.08
HSI06P2503A	0.01	(0.03)	376	0.02	NIKKEI41C2506I	0.10	-	1,000	0.10	SET5019C2506H	0.16	0.07	43,553	0.13
HSI06P2503B	0.01	(0.02)	314	0.01	NIKKEI41P2503	-	-	-	-	SET5019C2506I	0.23	0.10	258,873	0.19
HSI06P2503C	-	-	-	-	NIKKEI41P2503I	-	-	-	-	SET5019C2506J	0.32	0.13	358,650	0.28
HSI06P2503D	-	-	-	-	NIKKEI41P2506	0.31	(0.03)	720	0.31	SET5019C2506K	0.49	0.17	398,742	0.43
HSI06P2503E	0.04	-	250	0.04	NIKKEI41P2506I	-	-	-	-	SET5019P2503A	2.88	(0.62)	12,013	2.88
HSI06P2503F	0.05	(0.05)	849	0.05	NTES41C2506A	0.31	0.02	16	0.29	SET5019P2503B	4.26	-	2	4.26
HSI06P2503G	0.07	(0.07)	132,953	0.08	PINGAN41C2504	0.19	0.02	102	0.19	SET5019P2503C	2.10	(1.10)	259	2.58
HSI06P2504A	-	-	-	-	POPMA41C250	1.17	0.51	255	1.12	SET5019P2506A	1.98	(0.42)	193	1.98
HSI06P2504B	0.02	-	1	0.02	POPMA41C250	0.43	0.08	101	0.43	SET5019P2506B	1.79	(0.33)	139	1.97
HSI06P2504C	-	-	-	-	SET01C2503A	0.02	-	230	0.01	SET5019P2506C	2.00	(0.90)	1,771	2.70
HSI06P2504D	0.06	(0.03)	1,281	0.06	SET01C2503B	0.01	(0.01)	1,601	0.01	SET5019P2506D	1.38	(0.29)	246	1.55
HSI06P2504E	0.12	(0.06)	66,120	0.14	SET01C2505A	0.02	0.01	7,735	0.02	SET5019P2506E	1.01	(0.36)	3,514	1.14
HSI06P2504F	0.26	(0.12)	160,187	0.29	SET01C2506A	0.05	0.01	89,487	0.04	SET5019P2506F	0.88	(0.14)	132	1.00
HSI06P2504G	0.41	(0.20)	114,005	0.46	SET01C2506B	0.17	0.05	209,702	0.15	SET5019P2506G	0.62	(0.35)	1,284	0.71
HSI06P2505A	0.12	(0.04)	18,173	0.13	SET01C2507A	0.64	0.17	212,129	0.57	SET5019P2506H	0.48	(0.18)	367,789	0.54
HSI06P2505B	0.24	(0.11)	34,979	0.28	SET01P2503A	3.62	(1.00)	469	4.04	SET5028C2503A	-	-	-	-
HSI06P2506A	0.08	(0.02)	1,986	0.08	SET01P2505A	2.26	(0.64)	1,862	2.53	SET5041C2503A	-	-	-	-
HSI06P2506B	0.13	(0.03)	15,943	0.14	SET01P2506A	0.87	(0.34)	52,758	0.96	SET5041C2503B	0.02	-	6,851	0.01
HSI06P2506C	0.29	(0.12)	26,721	0.32	SET5001C2503A	0.02	-	400	0.02	SET5041C2503C	-	-	-	-
HSI06P2507A	0.51	(0.12)	22,181	0.54	SET5001C2503F	0.02	-	5	0.01	SET5041C2503D	-	-	-	-
HSI28C2503A	-	-	-	-	SET5001C2505A	0.03	0.02	6,113	0.02	SET5041C2503E	-	-	-	-
HSI28C2503B	0.08	0.04	55,676	0.07	SET5001C2506A	0.07	0.03	55,643	0.06	SET5041C2503F	-	-	-	-
HSI28C2503D	0.03	0.02	786	0.02	SET5001C2506F	0.02	-	3,954	0.02	SET5041C2503G	-	-	-	-
HSI28C2503E	0.02	0.01	6	0.02	SET5001C2506G	0.13	0.05	34,721	0.11	SET5041C2503				

Main Board Quotation

Issue Date :

Wednesday March 05, 2025

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
Warrant - MAI														
Agro & Food Indust			-		UBIS	1.17	-	47	00 1.1	LEO	2.36	0.06	2,586	00 2.3
APO	1.64	(0.01)	6,152	00 1.6	UEC	0.82	(0.06)	5,237	00 0.8	MCA	1.03	0.02	9,099	00 1.0
AU	9.50	0.25	17,582	00 9.4	UKEM	0.57	0.13	115,617	00 0.5	MEB	21.90	0.90	2,101	00 21.4
CFARM	0.60	0.08	34,648	00 0.5	UREKA	0.95	-	23,616	00 0.9	MORE	0.02	-	65,972	00 0.0
JCHK	0.40	-	2,938	00 0.3	YUASA	10.40	(0.10)	104	00 10.4	MOTHER	0.96	0.03	22,537	00 0.9
KASET	0.56	-	1,468	00 0.5	ZIGA	1.01	0.02	7,340	00 1.0	MPJ	3.34	0.06	8,208	00 3.3
MAGURO	18.80	0.50	7,793	00 18.5	ZIGA-W2	0.11	-	2,539	00 0.1	MVP	0.52	(0.01)	5,701	00 0.5
MUD	-	-	-	00 0.0	Property					NCL	0.25	-	19,097	00 0.2
NTSC	8.50	-	645	00 8.4	24CS	1.97	0.06	775	00 1.9	NCP	1.08	0.05	22	00 1.0
TACC	4.30	0.10	12,623	00 4.2	24CS-W1	0.14	-	4,004	00 0.1	NEWS	0.01	-	155,136	00 0.0
TMILL	2.52	(0.02)	344	00 2.5	24CS-W2	0.19	0.01	2,096	00 0.1	PEER	0.13	-	65,252	00 0.1
WINNER	1.99	-	1,064	00 1.9	ARIN	0.45	-	3,668	00 0.4	PEER-W2	0.03	-	21,300	00 0.0
XO	15.80	0.80	9,578	00 15.6	ARROW	5.20	0.10	340	00 5.1	PICO	-	-	-	00 0.0
Consumer Products					BC	1.09	0.04	1,769	00 1.0	PLT	0.60	-	10,016	00 0.5
ALPHAX	0.50	0.01	16,191	00 0.4	BC-W2	0.04	0.01	2,849	00 0.0	QLT	2.88	0.02	91	00 2.9
BGT	0.45	0.03	467	00 0.4	BLESS	0.26	-	447	00 0.2	RP	0.85	(0.01)	63	00 0.8
DOD	1.29	-	1,343	00 1.2	BSM	1.56	0.06	3	00 1.5	SONIC	1.64	0.02	5,664	00 1.6
ECF	0.19	-	4,214	00 0.1	BTW	0.20	-	878	00 0.1	THMUI	0.40	0.03	139	00 0.3
ECF-W5	0.01	-	11,005	00 0.0	CAZ	1.74	0.02	2,552	00 1.7	TNDT	0.17	-	248	00 0.1
EFORL	0.23	-	21,410	00 0.2	CHEWA	0.28	-	3,603	06 0.2	TNDT-W1	-	-	-	00 0.0
EFORL-W6	0.02	-	1	00 0.0	CPANEL	3.22	(0.04)	292	00 3.1	TNH	32.50	(0.75)	43	00 32.5
EURO	4.52	0.12	1,256	00 4.5	CPANEL-W1	0.04	(0.01)	71	00 0.0	TNP	2.86	0.12	1,894	00 2.8
HPT	0.41	-	62,687	00 0.4	CRD	0.34	-	833	00 0.3	TPL	0.59	0.02	632	00 0.5
ITTHI	1.68	0.03	1,314	00 1.6	DHOUSE	0.60	0.02	1,123	00 0.5	TRP	6.65	-	3,118	00 6.6
JSP	1.79	0.01	2,570	00 1.7	DIMET	0.13	(0.02)	7,005	00 0.1	TURTLE	5.85	(0.95)	11	00 5.8
JSP-W2	0.05	-	30,690	00 0.0	DPAINT	0.83	0.08	4,753	00 0.8	TVDH	0.17	0.01	21,265	00 0.1
JUBILE	8.50	(0.10)	959	00 8.4	FLOYD	0.80	0.01	2,585	00 0.7	TVDH-W3	0.01	-	20	00 0.0
LTS	7.95	0.40	22,983	00 7.8	HYDRO	1.62	0.09	812	00 1.5	TVT	0.28	-	1,441	00 0.2
MGI	12.80	0.70	23,926	00 12.6	HYDRO-W2	0.14	-	185	00 0.1	UBA	0.91	0.02	2,189	00 0.9
MGI-W1	2.92	0.22	34,101	00 2.8	IND	0.85	0.02	18,489	00 0.8	VL	0.91	-	8,578	00 0.9
MOONG	1.92	0.01	512	00 1.9	JAK	1.18	(0.07)	127	00 1.1	VS	0.35	0.01	1	00 0.3
NPK	11.30	0.90	14	00 10.8	K	1.45	0.09	23,997	00 1.4	YGG	0.61	0.01	15,128	00 0.6
SEI	3.24	0.04	1,813	00 3.2	K-W3	0.22	(0.01)	1,455	00 0.2	Technology	-	-	-	-
SMD100	4.02	0.04	3,019	00 4.0	META	0.09	-	20,340	00 0.0	APP	1.90	0.03	1,619	00 1.8
TM	0.63	0.02	465	00 0.6	PANEL	1.18	-	187	00 1.1	BBIK	33.25	1.50	4,925	00 32.7
TM-W1	-	-	-	00 0.0	PPS	0.18	-	1,388	00 0.1	BE8	11.50	0.60	15,127	00 11.3
WARRIX	3.60	0.08	10,243	00 3.5	PRI	5.40	0.44	8,939	00 5.1	BE8-W1	0.89	(0.14)	21	00 0.8
WINMED	1.28	(0.01)	637	00 1.2	PROS	0.42	0.01	1,746	00 0.4	BVG	2.00	-	1,055	00 1.9
Financials					PROS-W1	0.06	-	9,519	00 0.0	COMAN	0.55	0.02	768	00 0.5
ACAP	-	-	-	00 0.0	PSG	0.20	(0.01)	225,496	00 0.2	I2	1.16	0.02	1,382	00 1.1
AF	0.51	(0.01)	63	00 0.5	QTGC	0.16	(0.06)	136,489	00 0.1	IIG	3.60	0.10	732	00 3.5
AIRA	0.85	(0.24)	11	00 0.9	SENX	0.23	-	7,920	00 0.2	IRCP	0.42	0.01	6,072	00 0.4
ASN	1.22	0.09	11	00 1.1	SK	0.59	-	2,799	00 0.5	ITNS	1.49	(0.05)	657	00 1.5
BTC	0.41	0.01	48,582	00 0.4	SMART	0.67	0.02	12,571	00 0.6	NAT	3.78	0.02	3,182	00 3.7
BTC-W7	0.14	0.02	12,997	00 0.1	STC	0.54	0.02	695	00 0.5	NETBAY	16.70	0.80	6,629	00 16.4
GCAP	0.27	-	10,624	00 0.2	STX	1.28	0.06	3,104	00 1.2	PIS	5.70	0.35	9,187	00 5.5
KCC	1.84	-	179	00 1.8	SVR	0.61	-	585	00 0.6	PLANET	1.95	(0.04)	62,387	00 1.9
LIT	0.55	-	1,199	00 0.5	TAPAC	-	-	-	00 0.0	PROEN	1.85	0.35	784,598	00 1.7
MITTSIB	0.64	0.04	1,129	00 0.6	THANA	1.01	-	2,146	00 1.0	PROEN-W2	0.68	0.22	580,728	00 0.6
SGF	0.17	-	3,615	00 0.1	TIGER	0.45	-	265	00 0.4	READY	4.20	0.02	219	00 4.2
SGF-P1	-	-	-	00 0.0	TITLE	4.12	-	1,572	00 4.1	SECURE	12.00	0.20	1,826	00 12.0
SGF-Q1	-	-	-	00 0.0	WELL	-	-	-	00 0.0	SICT	3.36	0.06	1,091	00 3.3
TQR	5.05	(0.05)	565	00 5.0	YONG	0.96	-	2,891	00 0.9	SIMAT	1.42	0.10	42,611	00 1.3
Industrials					Resources					SIMAT-W3	0.01	-	17	00 0.0
ADB	0.69	-	397	00 0.6	ABM	0.92	0.08	393	00 0.8	SPVI	1.43	(0.13)	9,665	00 1.3
BM	3.10	0.30	5,724	00 2.8	GTV	0.09	(0.01)	365,223	00 0.0	SRS	3.38	0.10	164	00 3.3
BM-W3	1.28	0.10	524	00 1.2	PSTC	0.47	-	7,355	00 0.4	TBN	5.85	(0.05)	235	00 5.7
BPS	0.52	-	9,188	00 0.5	PSTC-W2	0.01	-	500	00 0.0	TERA	1.20	-	750	00 1.2
CHO	0.03	-	41,542	00 0.0	PSTC-W3	0.09	-	695	00 0.0	TPS	3.86	0.26	10,926	00 3.7
CHO-W4	0.01	-	12	00 0.0	PTC	1.02	(0.01)	188	00 1.0	VCOM	2.58	0.04	4,022	00 2.5
CHOW	1.44	0.02	249	00 1.4	SAAM	6.00	-	1,097	00 5.8		-	-	-	-
CIG	0.04	-	48,677	00 0.0	SR	0.54	0.04	51	00 0.5		-	-	-	-
CIG-W10	-	-	-	00 0.0	STOWER	0.05	-	27,735	00 0.0		-	-	-	-
CIG-W9	0.01	-	366	00 0.0	TAKUNI	0.47	0.05	46,585	00 0.4		-	-	-	-
COLOR	1.07	-	702	00 1.0	TPCH	3.24	0.14	1,686	00 3.1		-	-	-	-
CPR	2.58	0.08	878	00 2.5	UMS	0.40	-	94	00 0.3		-	-	-	-
FPI	1.67	-	1,737	00 1.6	Services						-	-	-	-
GTB	0.75	0.02	3,720	00 0.7	ADD	3.94	-	137	00 3.9		-	-	-	-
HARN	2.12	0.02	462	00 2.1	AKP	0.66	-	7,732	00 0.6		-	-	-	-
KCM	0.20	-	1,107	00 0.1	AMA	4.32	0.04	5,596	00 4.3		-	-	-	-
KJL	7.05	0.05	1,207	00 7.0	AMARC	1.17	0.03	1,859	00 1.1		-	-	-	-
KUMWEL	1.08	0.05	1,265	00 1.0	ARIP	0.41	-	2,306	00 0.4		-	-	-	-
KWM	0.99	-	1,280	00 0.9	ATP30	0.91	0.03	4,234	00 0.8		-	-	-	-
MBAX	1.65	(0.05)	100	00 1.6	AUCT	7.50	0.05	3,573	00 7.4		-	-	-	-
MGT	1.75	0.04	1,015	00 1.7	BIS	2.64	(0.06)	522	00 2.6		-	-	-	-
MTW	0.98	(0.04)	1,176	00 0.9	BOL	5.00	(0.20)	1,995	00 5.1		-	-	-	-
MTW-W1	0.01	(0.01)	69,032	00 0.0	CEYE	2.28	(0.06)	202	00 2.3		-	-	-	-
NDR	1.47	-	14	00 1.4	CHIC	0.35	-	1,399	00 0.3		-	-	-	-
PACO	1.43	0.01	629	00 1.4	CMO	0.66	(0.01)	3,291	00 0.6		-	-	-	-
PACO-W1	0.02	(0.01)	1,017	00 0.0	D	2.24	0.04	2,464	00 2.2		-	-	-	-
PDG	2.56	0.02	139	00 2.5	DEXON	1.46	(0.01)	115	00 1.4		-	-	-	-
PHOL	2.92	-	1,312	00 2.9	DV8	0.36	(0.01)	1,016	00 0.3		-	-	-	-
P														