

Main Board Quotation

Issue Date :

Wednesday March 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCC	156.00	2.50	84,047	154.57	COM741C2505A	-	-	-	-
Agribusiness	-	-	-	-	SCC01C2505A	0.02	(0.05)	200	0.02	COM741C2606T	0.19	(0.02)	42,004	0.20
EE	0.52	0.02	336,427	0.52	SCC01C2505B	0.05	-	5	0.05	CPALL	50.75	(0.75)	276,908	50.59
GFPT	8.20	(0.20)	17,438	8.28	SCC01C2507A	0.25	(0.04)	2,955	0.26	CPALL01C2504A	0.01	-	3	0.01
LEE	2.32	-	76	2.32	SCC01C2508A	0.57	0.06	816	0.57	CPALL01C2505A	-	-	-	-
NER	4.84	(0.08)	102,487	4.86	SCC01P2507A	0.46	(0.05)	129,335	0.50	CPALL01C2507A	0.33	(0.04)	45,854	0.34
NER-W2	0.33	(0.01)	8,333	0.33	SCC13C2504A	-	-	-	-	CPALL01P2505A	0.33	0.03	1,008	0.33
PCE	3.26	(0.02)	87,695	3.25	SCC13C2504B	-	-	-	-	CPALL06C2504A	-	-	-	-
PPPM	0.42	0.04	21,941	0.40	SCC13C2505A	0.04	0.02	1,748	0.03	CPALL11C2503A	-	-	-	-
PPPM-W6	0.33	0.07	577	0.27	SCC13C2505B	0.13	0.02	73,916	0.11	CPALL13C2504A	-	-	-	-
STA	14.70	(0.40)	56,369	14.80	SCC13C2507A	0.50	0.04	136,591	0.47	CPALL13C2505A	-	-	-	-
STA01C2504A	-	-	-	-	SCC13P2504A	0.19	(0.19)	1,518	0.22	CPALL13C2505B	-	-	-	-
STA01C2506A	0.11	(0.02)	44,669	0.12	SCC13P2505A	0.24	(0.03)	39,808	0.28	CPALL13C2506A	0.11	(0.02)	31,146	0.11
STA13C2505A	-	-	-	-	SCC19C2504A	-	-	-	-	CPALL13C2506B	0.25	(0.03)	46,508	0.25
STA13C2506A	0.17	(0.03)	27,565	0.17	SCC19C2505A	-	-	-	-	CPALL13P2504A	0.48	-	50	0.48
STA19C2504A	0.01	(0.01)	3,000	0.01	SCC19C2505B	-	-	-	-	CPALL13P2505A	0.20	0.04	848	0.18
STA19C2505A	-	-	-	-	SCC19C2506A	0.18	0.02	66,944	0.16	CPALL13P2506A	0.20	0.02	6,347	0.20
STA19C2506A	0.14	(0.03)	31,541	0.15	SCC19C2507A	0.63	0.05	29,172	0.57	CPALL19C2504A	-	-	-	-
STA41C2505A	-	-	-	-	SCC19P2505A	0.43	(0.07)	34,675	0.47	CPALL19C2505A	-	-	-	-
STA41C2612T	0.35	(0.02)	17,000	0.36	SCC41C2504A	-	-	-	-	CPALL19C2505B	0.02	(0.06)	63	0.02
TEGH	3.34	(0.08)	29,117	3.32	SCC41C2505A	-	-	-	-	CPALL19C2506A	-	-	-	-
TFM	8.45	(0.05)	1,550	8.55	SCC41C2608T	0.47	0.03	226,038	0.44	CPALL19C2506B	0.15	(0.03)	44,870	0.15
TRUBB	0.69	(0.04)	9,943	0.70	SCCC	157.50	(8.50)	966	157.78	CPALL19C2508A	0.33	(0.67)	43,645	0.32
UPOIC	6.30	(0.05)	64	6.31	SCGD	4.12	(0.08)	5,607	4.16	CPALL19P2505A	0.22	(0.02)	47,406	0.23
UVAN	9.75	(0.15)	11,149	9.85	SCP	6.05	(0.15)	3,328	6.12	CPALL19P2505B	-	-	-	-
VPO	0.48	(0.01)	9,210	0.49	SKN	5.55	(0.35)	1,046	5.61	CPALL41C2504A	-	-	-	-
Banking	-	-	-	-	STECH	1.04	-	3,996	1.03	CPALL41C2505A	-	-	-	-
BAY	22.40	(0.40)	3,377	22.51	TASCO	14.50	(0.40)	32,637	14.61	CPALL41C2506A	0.08	(0.03)	711	0.08
BBL	146.50	(1.00)	62,837	146.87	TASCO19C2507A	0.14	(0.02)	2,337	0.14	CPALL41C2605T	0.15	(0.02)	27,204	0.15
BBL13C2504A	-	-	-	-	TOA	11.30	-	60,468	11.40	CPALL41P2504A	0.41	(0.01)	5,000	0.40
BBL13C2507A	0.15	(0.01)	48,927	0.16	TPIPL	0.98	(0.04)	60,881	0.98	CPAXT	26.75	(1.75)	70,764	27.38
BBL19C2506A	-	-	-	-	UMI	0.63	0.02	41,076	0.64	CPW	2.04	(0.04)	612	2.04
BBL19C2508A	0.28	-	84,228	0.29	VNG	2.58	(0.04)	1,547	2.59	CRC	27.75	(2.25)	235,705	28.07
BBL41C2504A	-	-	-	-	WIJK	0.85	(0.01)	961	0.86	CRC01C2506A	-	-	-	-
BBL41C2506A	0.09	(0.01)	1,000	0.09	WIJK-W3	0.03	-	1,498	0.02	CRC13C2506A	0.03	(0.02)	7,890	0.04
CIMBT	0.70	-	39,812	0.69	WINDOW	0.71	-	1,217	0.70	CRC19C2506A	0.05	(0.02)	10,090	0.05
CREDIT	18.70	0.10	186	18.69	Petrochemicals &	-	-	-	-	CRC41C2608T	0.16	(0.04)	57,568	0.16
KBANK	151.00	0.50	113,768	150.49	BCT	-	-	-	-	CSS	0.82	(0.02)	2,773	0.83
KBANK01C2506A	0.18	0.01	40,899	0.17	CMAN	2.28	-	1,583	2.28	DOHOME	6.50	(0.30)	68,182	6.63
KBANK01C2508A	0.69	0.03	32,721	0.67	GC	5.00	-	927	4.98	DOHOME01C2507A	0.31	(0.06)	22,581	0.33
KBANK01P2507A	0.70	(0.02)	56,377	0.71	GGC	3.80	0.20	298	3.80	DOHOME13C2505A	-	-	-	-
KBANK13C2505A	0.06	0.01	40	0.05	IVL	20.80	(0.70)	210,605	21.14	DOHOME13C2506A	0.13	(0.04)	16,550	0.15
KBANK13C2507A	0.32	-	161,261	0.32	IVL01C2504A	-	-	-	-	DOHOME19C2504A	-	-	-	-
KBANK13P2504A	-	-	-	-	IVL01C2506A	0.12	(0.02)	40,017	0.13	DOHOME19C2506A	-	-	-	-
KBANK13P2507A	0.56	(0.02)	36,688	0.57	IVL01C2507A	0.49	(0.06)	29,469	0.56	DOHOME19C2506B	0.14	(0.04)	37,055	0.15
KBANK19C2504A	-	-	-	-	IVL01P2504A	-	-	-	-	FN	0.51	(0.01)	746	0.50
KBANK19C2505A	-	-	-	-	IVL01P2506A	0.67	0.05	12,820	0.66	GLOBAL	6.95	(0.15)	163,855	6.95
KBANK19C2507A	0.15	-	43,922	0.15	IVL13C2504A	0.01	-	50	0.01	GLOBAL01C2507A	0.15	(0.02)	95,981	0.15
KBANK19C2507B	0.25	0.01	59,055	0.24	IVL13C2505A	0.06	(0.03)	17,026	0.08	GLOBAL13C2504A	-	-	-	-
KBANK41C2505A	0.05	(0.01)	10	0.05	IVL13C2507A	0.29	(0.05)	89,607	0.31	GLOBAL13C2506A	-	-	-	-
KBANK41C2604T	0.65	0.02	76,599	0.64	IVL13P2504A	0.16	0.02	13,845	0.15	GLOBAL13C2507A	0.16	(0.02)	21,913	0.16
KBANK41P2606T	0.44	-	4,031	0.44	IVL19C2505A	-	-	-	-	GLOBAL19C2507A	0.19	(0.03)	88,955	0.19
KKP	56.50	1.00	35,320	56.17	IVL19C2506A	-	-	-	-	GLOBAL41C2606T	0.12	(0.02)	47,109	0.13
KKP-W6	1.17	-	660	1.17	IVL19C2507A	0.34	(0.06)	142,355	0.36	HMPRO	7.75	(0.30)	344,672	7.80
KKP13C2504A	0.09	0.01	8,809	0.08	IVL19P2508A	0.52	0.04	81,702	0.51	HMPRO01C2504A	-	-	-	-
KKP19C2507A	0.37	0.01	45,502	0.36	IVL41C2505A	-	-	-	-	HMPRO01C2507A	-	-	-	-
KTB	23.00	0.20	535,895	23.01	IVL41C2605T	0.21	(0.02)	59,120	0.22	HMPRO13C2504A	-	-	-	-
KTB-P	-	-	-	-	IVL41P2605T	-	-	-	-	HMPRO13C2506A	0.06	(0.02)	2,500	0.06
KTB-Q	-	-	-	-	NFC	1.31	-	2	1.31	HMPRO19C2506A	0.07	(0.03)	230	0.08
KTB01C2506A	0.30	0.03	40,221	0.29	PATO	8.25	0.05	732	8.24	HMPRO41C2606T	-	-	-	-
KTB13C2505A	0.19	0.01	66,375	0.20	PMTA	9.00	-	1,317	9.00	ICC	32.75	3.50	3	32.33
KTB13C2507A	0.20	0.01	69,144	0.21	PTTGC	17.90	(0.30)	436,357	18.03	ILM	14.20	0.10	1,435	14.08
KTB13P2507A	0.38	(0.03)	5,376	0.40	PTTGC01C2504A	-	-	-	-	IT	3.86	0.02	1,200	3.83
KTB19C2505A	0.18	0.01	7,503	0.18	PTTGC01C2505A	-	-	-	-	KAMART	8.20	(0.35)	52,809	8.37
KTB19C2506A	0.15	0.01	23,156	0.15	PTTGC01C2506A	0.11	(0.01)	89,410	0.12	LOXLEY	1.16	(0.01)	540	1.17
KTB41C2506A	0.19	0.01	97,000	0.18	PTTGC01C2507A	0.25	(0.03)	196,748	0.29	MC	10.10	-	18,820	10.00
LHFG	0.78	(0.01)	35,500	0.77	PTTGC01P2506A	0.67	0.04	1,990	0.65	MEGA	32.00	(0.50)	3,176	32.26
SCB	124.50	-	63,754	124.18	PTTGC11C2503A	-	-	-	-	MIDA	0.25	0.01	415	0.25
SCB01C2505A	0.18	-	34,538	0.18	PTTGC13C2504A	-	-	-	-	MOSHI	42.25	0.75	3,462	41.58
SCB01C2507A	0.33	0.01	31,280	0.32	PTTGC13C2505A	-	-	-	-	RS	0.72	(0.02)	162,518	0.74
SCB01P2507A	0.51	(0.02)	49,962	0.52	PTTGC13C2506A	0.08	(0.02)	46,664	0.10	RS-W5	0.28	0.01	31,683	0.29
SCB13C2505A	0.15	-	62,740	0.14	PTTGC13C2507A	0.23	(0.03)	37,987	0.26	RSP	1.80	(0.01)	726	1.80
SCB13P2507A	0.31	(0.01)	6,561	0.32	PTTGC13C2507E	0.46	(0.04)	142,267	0.48	SABUY	0.40	(0.02)	17,261	0.40
SCB19C2504A	-	-	-	-	PTTGC13P2506A	0.48	0.03	38,915	0.47	SCM	0.51	(0.04)	237,012	0.53
SCB19C2507A	0.23	-	78,194	0.23	PTTGC19C2504A	-	-	-	-	SCM-W2	0.03	(0.01)	45,282	0.03
SCB41C2505A	0.15	-	10,800	0.15	PTTGC19C2505A	-	-	-	-	SINGER	6.60	(0.15)	49,137	6.59
SCB41P2504A	-	-	-	-	PTTGC19C2506A	0.06	(0.01)	1,100	0.06	SPC	57.75	-	71	57.94
TCAP	48.25	(0.50)	10,773	48.33	PTTGC41C2505A	-	-	-	-	SPI	-	-	-	-
TCAP-P	-	-	-	-	PTTGC41C2506A	-	-	-	-	SVT	1.34	(0.02)	1,719	1.35
TCAP-Q	-	-	-	-	PTTGC41C2608T	0.39	(0.01)	119,974	0.40	TAN	4.90	(0.04)	21,010	4.93
TCAP19C2504A	-	-	-	-	PTTGC41P2506A	0.41	0.02	64,077	0.41	Information & Commr	-	-	-	-
TISCO	97.75	0.50	47,798	97.74	SUTHA	2.60	0.02	347	2.58	3BBIF	5.55	-	198,304	5.51
TISCO-P	-	-	-	-	TPA	3.00	(0.22)	29	3.00	ADVANC	265.00	(5.00)	73,196	268.14
TISCO-Q	-	-	-	-	UAC	2.98	(0.04)	7,893	2.96	ADVANC01C2506A	0.11	(0.03)	37,238	0.13
TISCO41C2606T	0.32	0.01	12,001	0.32	UP	17.70	(0.70)	105	17.71	ADVANC01C2508A	0.33	(0.05)	55,146	0.36
TTB	1.91	-	2,560,448	1.90	XYZ	0.58	(0.03)	74,979	0.59	ADVANC01P2505A	0.27	0.02	60,392	0.25
TTB-W1	0.94	-	2,160	0.94	Commerce	-	-	-	-	ADVANC01P2507A	0.79	0.04	678	0.78
TTB01C2504A	-	-	-	-	ADVICE	5.25	(0.05)	2						

Main Board Quotation

Issue Date :

Wednesday March 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
DIF	7.80	(0.05)	96,544	7.81	DELTA13C2507C	0.50	(0.16)	122,883	0.57	BANPU19C2506A	-	-	-	-
DITTO	10.00	(0.60)	107,305	10.01	DELTA13P2505A	3.00	0.32	4	2.90	BANPU19C2507A	0.21	(0.04)	38,093	0.23
DITTO-W1	0.13	(0.02)	21,797	0.12	DELTA13P2505E	-	-	-	-	BANPU41C2505A	-	-	-	-
DTCENT	0.92	(0.02)	4,716	0.93	DELTA13P2506A	1.32	0.14	2	1.33	BANPU41C2605T	0.11	-	4,000	0.11
FORTH	7.20	(0.15)	1,562	7.28	DELTA13P2507A	1.10	0.20	2,465	0.99	BBGI	3.74	(0.10)	15,401	3.75
GABLE	3.12	(0.02)	3,818	3.12	DELTA13P2507E	0.44	0.06	70,057	0.42	BCP	36.00	(0.75)	103,678	35.50
HUMAN	8.50	(0.30)	5,309	8.49	DELTA19C2506A	0.01	(0.01)	700	0.01	BCP01C2504A	-	-	-	-
ICN	1.93	-	2,415	1.94	DELTA19C2506E	-	-	-	-	BCP01C2505A	0.22	(0.04)	18,386	0.21
ILINK	5.90	0.10	11,210	5.89	DELTA19C2506C	0.03	(0.01)	137	0.03	BCP01C2507A	0.20	(0.04)	18,949	0.20
INET	4.86	(0.14)	34,198	4.90	DELTA19C2507A	0.12	(0.05)	47,023	0.14	BCP01P2505A	0.17	0.04	84,948	0.16
INSET	2.02	(0.10)	45,779	2.05	DELTA19C2507E	0.25	(0.10)	41,246	0.29	BCP11C2503A	-	-	-	-
INTUCH	76.25	(4.50)	159,031	78.06	DELTA19C2507C	0.58	(0.16)	73,828	0.64	BCP13C2504A	-	-	-	-
INTUCH01C2504A	-	-	-	-	DELTA19P2504A	2.02	0.29	51	1.94	BCP13C2505A	0.09	(0.02)	6,972	0.08
INTUCH13C2504A	-	-	-	-	DELTA19P2505A	-	-	-	-	BCP13C2507A	0.22	(0.03)	35,720	0.21
INTUCH13C2505A	0.04	(0.03)	5,200	0.04	DELTA19P2506A	-	-	-	-	BCP13P2505A	0.06	0.02	2,594	0.06
INTUCH19C2504A	-	-	-	-	DELTA19P2507A	0.95	0.14	287,156	0.89	BCP19C2504A	-	-	-	-
INTUCH19C2505A	0.02	-	5,000	0.02	DELTA41C2505A	0.02	-	2,002	0.01	BCP19C2506A	0.20	(0.05)	14,228	0.20
INTUCH19C2506A	0.05	(0.02)	398	0.05	DELTA41C2506A	-	-	-	-	BCP19C2507A	0.16	(0.02)	8,745	0.15
ITEL	1.46	(0.07)	61,266	1.48	DELTA41C2507A	0.15	(0.04)	43,509	0.16	BCP41C2504A	0.05	(0.03)	1,750	0.05
JAS	1.64	(0.08)	301,999	1.69	DELTA41C2608T	0.29	(0.03)	100,761	0.30	BCP41C2505A	0.20	(0.05)	2,209	0.20
JAS-W4	0.36	-	124,993	0.36	DELTA41C2612T	0.07	(0.02)	200	0.08	BCPG	5.75	(0.10)	38,822	5.81
JAS13C2505A	-	-	-	-	DELTA41P2504A	-	-	-	-	BCPG01C2506A	0.11	(0.01)	40,085	0.11
JAS13C2507A	0.39	(0.06)	77,404	0.42	DELTA41P2505A	1.69	0.13	5,500	1.68	BCPG01C2508A	0.24	(0.02)	25,752	0.25
JAS19C2505A	0.03	(0.01)	4,955	0.03	DELTA41P2507A	0.30	0.02	7,989	0.29	BCPG01P2506A	0.28	0.01	12,250	0.28
JAS19C2507A	0.31	(0.05)	76,701	0.35	HANA	17.00	(0.70)	136,547	17.28	BCPG13C2504A	-	-	-	-
JAS41C2605T	0.16	(0.01)	15,500	0.17	HANA01C2504A	-	-	-	-	BCPG13C2507A	-	-	-	-
JMART	9.75	(0.35)	125,028	9.84	HANA01C2504W	0.02	-	77	0.01	BCPG13C2507B	0.24	(0.02)	13,832	0.25
JMART-W5	0.21	(0.03)	3,716	0.23	HANA01C2505A	0.02	-	1,010	0.01	BCPG19C2505A	0.10	(0.01)	10,177	0.11
JMART13C2504A	-	-	-	-	HANA01C2505B	-	-	-	-	BCPG41C2606T	0.23	(0.01)	17,500	0.24
JMART13C2506A	0.07	(0.01)	21,083	0.06	HANA01P2504A	0.44	(0.07)	300	0.44	BGRIM	11.90	(0.30)	208,050	11.97
JMART13C2507A	0.20	(0.04)	37,825	0.21	HANA01P2505A	1.02	(0.01)	9,796	0.97	BGRIM01C2504A	-	-	-	-
JMART19C2504A	-	-	-	-	HANA06C2504A	-	-	-	-	BGRIM01C2505A	-	-	-	-
JMART19C2506A	0.10	(0.01)	11,147	0.10	HANA13C2504A	0.01	-	1,000	0.01	BGRIM01C2506A	-	-	-	-
JMART19C2508A	0.24	(0.03)	37,241	0.25	HANA13C2504B	-	-	-	-	BGRIM01C2507A	0.12	(0.03)	86,508	0.13
JMART41C2504A	-	-	-	-	HANA13C2504C	-	-	-	-	BGRIM01P2505A	-	-	-	-
JMART41C2606T	0.19	(0.01)	29,000	0.20	HANA13C2505A	-	-	-	-	BGRIM01P2507A	0.37	0.04	1,570	0.37
JTS	29.50	(0.75)	6,456	30.05	HANA13C2505B	-	-	-	-	BGRIM13C2504A	-	-	-	-
MFEC	5.90	-	1,785	5.92	HANA13C2506A	0.05	(0.02)	320	0.05	BGRIM13C2505A	-	-	-	-
MSC	7.65	-	118	7.67	HANA13C2507A	0.11	(0.03)	31,442	0.12	BGRIM13C2505B	-	-	-	-
PT	10.90	0.30	3,325	10.81	HANA13C2508A	0.36	(0.64)	99,588	0.39	BGRIM13C2506A	-	-	-	-
ROCTEC	0.73	(0.05)	49,144	0.74	HANA13P2504A	-	-	-	-	BGRIM13C2507A	-	-	-	-
ROCTEC-W3	-	-	-	-	HANA13P2505A	-	-	-	-	BGRIM13C2507B	0.21	(0.02)	173,578	0.21
ROCTEC-W5	0.05	-	38,368	0.04	HANA19C2504A	-	-	-	-	BGRIM13P2505A	-	-	-	-
SAMART	6.70	(0.05)	20,850	6.72	HANA19C2505A	-	-	-	-	BGRIM13P2506A	0.51	0.01	8,673	0.48
SAMTEL	5.70	-	28	5.72	HANA19C2505B	0.01	-	1,019	0.01	BGRIM19C2504A	-	-	-	-
SAMTEL-W2	1.05	-	3,245	1.00	HANA19C2507A	0.08	(0.02)	12,000	0.10	BGRIM19C2505A	-	-	-	-
SDC	0.04	-	19,117	0.04	HANA19P2504A	-	-	-	-	BGRIM19C2506A	-	-	-	-
SIS	23.40	(0.90)	4,481	23.67	HANA19P2504B	0.62	0.07	2,000	0.63	BGRIM19C2507A	0.07	(0.01)	66	0.07
SKY	18.90	(0.20)	7,956	18.94	HANA41C2504A	-	-	-	-	BGRIM19C2507B	0.21	(0.03)	188,168	0.22
SPREME	1.47	-	3,646	1.47	HANA41C2504B	-	-	-	-	BGRIM19P2506A	-	-	-	-
SVOA	1.03	-	475	1.03	HANA41C2505A	-	-	-	-	BGRIM41C2504A	-	-	-	-
SYMC	5.45	(0.15)	1,121	5.51	HANA41C2606T	0.11	(0.01)	31,000	0.11	BGRIM41C2505A	-	-	-	-
SYNEX	11.50	(0.30)	6,095	11.50	KCE	18.50	(1.10)	92,437	18.94	BGRIM41C2506A	0.03	(0.01)	500	0.03
THCOM	10.70	(0.30)	26,502	10.82	KCE01C2504A	-	-	-	-	BGRIM41C2608T	0.24	(0.03)	113,380	0.25
TKC	8.90	(0.10)	35	8.93	KCE01C2504W	-	-	-	-	BIOTEC	0.18	-	9,209	0.18
TRUE	10.60	(0.40)	2,456,762	10.40	KCE01C2505A	-	-	-	-	BIOTEC-P	-	-	-	-
TRUE01C2505A	0.06	(0.04)	20,774	0.07	KCE01C2507A	0.23	(0.07)	50,944	0.25	BIOTEC-Q	-	-	-	-
TRUE01C2507A	0.05	(0.03)	8,208	0.05	KCE01P2504A	-	-	-	-	BIOTEC-W2	0.03	0.01	377	0.03
TRUE01C2508A	0.19	(0.04)	337,067	0.18	KCE13C2504A	-	-	-	-	BPP	6.90	(0.20)	19,248	6.97
TRUE01P2505A	0.20	0.05	55,874	0.20	KCE13C2504B	-	-	-	-	BRRGIF	3.78	0.04	377	3.76
TRUE01P2507A	0.49	0.06	2,965	0.51	KCE13C2504C	-	-	-	-	BSRC	5.15	(0.25)	23,992	5.17
TRUE13C2504A	0.01	-	400	0.01	KCE13C2504D	-	-	-	-	BSRC13C2506A	0.14	(0.03)	9,064	0.14
TRUE13C2505A	0.04	(0.02)	39,544	0.04	KCE13C2505A	-	-	-	-	CKP	2.62	(0.08)	47,906	2.63
TRUE13C2507A	0.13	(0.03)	192,865	0.14	KCE13C2505B	-	-	-	-	CKP01C2504A	-	-	-	-
TRUE13P2506A	0.26	0.03	32,183	0.28	KCE13C2506A	0.15	(0.06)	71,335	0.17	CV	-	-	-	-
TRUE19C2504A	-	-	-	-	KCE13C2507A	0.28	(0.09)	101,020	0.31	CV-W1	-	-	-	-
TRUE19C2507A	0.07	(0.02)	7,119	0.07	KCE13P2504A	-	-	-	-	EA	2.50	(0.12)	1,030,792	2.54
TRUE19C2507B	0.16	(0.03)	182,433	0.15	KCE13P2505A	0.38	0.07	5,281	0.36	EA-W1	0.34	(0.03)	452,195	0.35
TRUE19P2506A	0.27	0.04	106,733	0.30	KCE19C2504A	-	-	-	-	EA13C2504A	-	-	-	-
TRUE19P2507A	0.56	0.10	1,538	0.56	KCE19C2504B	-	-	-	-	EA13C2504B	-	-	-	-
TRUE41C2505A	-	-	-	-	KCE19C2505A	-	-	-	-	EA13C2505A	-	-	-	-
TRUE41C2604T	0.46	(0.07)	55,164	0.45	KCE19C2506A	0.09	(0.03)	7,245	0.10	EA13C2505B	0.02	-	2,960	0.02
TRUE41C2612T	0.24	(0.04)	90,617	0.25	KCE19C2507A	0.22	(0.08)	23,774	0.25	EA13C2506A	0.06	(0.01)	51,870	0.07
TRUE41P2504A	0.09	0.01	1,100	0.10	KCE19P2504A	-	-	-	-	EA13C2506B	0.11	(0.04)	135,791	0.13
TWZ	0.03	-	46,639	0.03	KCE19P2505A	0.50	0.11	17,851	0.43	EA13C2507A	0.25	(0.06)	101,688	0.27
TWZ-W8	-	-	-	-	KCE41C2504A	-	-	-	-	EA13P2504A	0.58	0.08	6	0.54
TWZ-W9	-	-	-	-	KCE41C2504B	-	-	-	-	EA19C2504A	-	-	-	-
Electronic Componer	-	-	-	-	KCE41C2505A	-	-	-	-	EA19C2504B	-	-	-	-
CCET	5.95	(0.45)	1,098,784	6.07	KCE41C2606T	0.14	(0.03)	34,960	0.16	EA19C2505A	0.05	(0.02)	21	0.05
CCET13C2505A	0.02	-	510	0.01	METCO	170.50	(0.50)	66	170.55	EA19C2506A	0.03	-	3,110	0.03
CCET13C2505B	0.01	(0.01)	30,581	0.01	SMT	1.14	(0.04)	4,781	1.16	EA19C2506B	0.12	(0.04)	35,958	0.15
CCET13C2506A	0.04	(0.02)	37,630	0.03	SVI	7.65	(0.05)	4,358	7.55	EA19C2508A	0.37	(0.06)	33,639	0.39
CCET13C2507A	0.10	(0.04)	51,319	0.11	TEAM	2.66	(0.02)	1,027	2.64	EA19P2505A	0.98	0.05	809	0.95
CCET13C2507B	0.30	(0.09)	67,731	0.33	Energy & Utilitie	-	-	-	-	EA41C2606T	0.13	(0.01)	8,027	0.14
CCET19C2506A	0.02	(0.02)	100	0.02	ACC	0.37	(0.02)	54,534	0.37	EASTW	2.02	(0.02)	7,775	2.00
CCET19C2506B	0.05	-	1,377	0.02	ACC-W2	0.32	(0.04)	978	0.35	EGATIF	6.00	0.05	3,088	5.97
CCET19C2506C	-	-	-	-	ACE	1.28	(0.03)	6,614	1.28	EGCO	98.50	(1.25)	12,153	99.10
CCET19C2507A	0.11	(0.05)	37,175	0.13	AE	0.10	-	73,475	0.10	EGCO19C2504A	-	-	-	-
CCET19C2507B	0.31	(0.09)	83,700	0										

Main Board Quotation

Issue Date :

Wednesday March 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GPSC19C2505A	-	-	-	-	TOP	25.00	(0.75)	163,887	25.33	JMT13C2504A	-	-	-	-
GPSC19C2506A	0.04	-	70	0.04	TOP01C2504A	-	-	-	-	JMT13C2506A	0.10	(0.02)	19,413	0.11
GPSC19C2506B	0.14	(0.01)	56,017	0.14	TOP01C2505A	0.02	-	21,884	0.01	JMT13C2507A	0.26	(0.04)	81,059	0.27
GPSC19C2507A	0.29	(0.02)	116,830	0.30	TOP01C2506A	0.12	(0.02)	26,529	0.12	JMT19C2504A	-	-	-	-
GPSC19P2506A	0.24	0.02	32,606	0.23	TOP01C2507A	0.63	(0.12)	11,768	0.69	JMT19C2504B	-	-	-	-
GPSC41C2504A	-	-	-	-	TOP01P2504A	0.86	0.11	3,336	0.81	JMT19C2506A	0.11	(0.02)	24,376	0.12
GPSC41C2505A	-	-	-	-	TOP01P2506A	0.17	0.01	20,953	0.17	JMT19C2507A	0.31	(0.03)	185,256	0.31
GPSC41C2606T	0.17	(0.01)	22,568	0.17	TOP13C2504A	-	-	-	-	JMT41C2505A	-	-	-	-
GREEN	0.77	(0.03)	4,614	0.78	TOP13C2504B	-	-	-	-	JMT41C2608T	0.29	(0.01)	22,503	0.29
GULF	46.50	(2.75)	387,395	47.40	TOP13C2505A	-	-	-	-	KCAR	4.10	0.02	222	4.09
GULF01C2504A	-	-	-	-	TOP13C2505B	-	-	-	-	KGI	4.22	(0.04)	11,651	4.24
GULF01P2504A	1.05	0.12	5,191	0.94	TOP13C2505C	0.06	-	100	0.06	KTC	46.50	(1.00)	72,217	46.87
GULF06C2503A	-	-	-	-	TOP13C2506A	0.54	(0.09)	7,266	0.61	KTC01C2507A	0.20	(0.03)	111,767	0.21
GULF13C2504A	0.01	-	100	0.01	TOP13C2507A	0.17	(0.02)	35,232	0.18	KTC13C2506A	0.11	(0.02)	15,369	0.12
GULF13C2505A	0.01	-	660	0.01	TOP13P2505A	0.54	(0.04)	10	0.54	KTC19C2504A	-	-	-	-
GULF13C2505B	0.02	(0.01)	1,499	0.02	TOP13P2505B	0.17	0.02	3,379	0.17	KTC19C2507A	0.14	(0.03)	39,108	0.15
GULF13P2504A	-	-	-	-	TOP19C2504A	-	-	-	-	KTC41C2606T	0.25	(0.01)	5,400	0.26
GULF13P2505A	0.49	0.14	599	0.48	TOP19C2505A	-	-	-	-	MFC	25.25	0.25	120	25.47
GULF19C2505A	-	-	-	-	TOP19C2505B	-	-	-	-	MICRO	0.83	(0.05)	12,454	0.85
GULF19C2506A	0.05	(0.01)	31,497	0.06	TOP19P2505A	-	-	-	-	ML	0.37	(0.01)	2,452	0.37
GULF19P2504A	-	-	-	-	TOP41C2505A	0.01	-	250	0.01	MST	8.20	(0.05)	39	8.23
GULF41C2504A	-	-	-	-	TOP41C2506B	0.11	(0.03)	13,207	0.12	MTC	44.00	(1.50)	58,732	44.69
GULF41C2505A	-	-	-	-	TOP41P2505A	-	-	-	-	MTC01C2504A	-	-	-	-
GULF41C2605T	-	-	-	-	TPIPP	2.30	(0.10)	35,244	2.33	MTC01C2506A	0.23	(0.04)	58,180	0.24
GULF41P2504A	0.68	0.08	360	0.53	TSE	0.36	(0.02)	24,076	0.37	MTC01P2506A	0.30	0.02	44,641	0.29
GUNKUL	1.64	(0.04)	190,615	1.66	TTW	8.80	0.05	11,826	8.78	MTC13C2505A	0.06	(0.01)	505	0.06
GUNKUL13C2504A	-	-	-	-	UBE	0.53	(0.02)	12,751	0.53	MTC13C2506A	0.20	(0.05)	19,680	0.23
GUNKUL13C2505A	-	-	-	-	WHAUP	3.58	(0.08)	16,564	3.59	MTC13P2506A	0.22	0.02	20,031	0.21
GUNKUL19C2504A	-	-	-	-	WP	3.24	(0.06)	585	3.26	MTC19C2504A	-	-	-	-
GUNKUL19C2505A	-	-	-	-	Media & Publishi	-	-	-	-	MTC19C2506A	0.17	(0.03)	79,815	0.18
IRPC	0.92	(0.03)	190,277	0.93	AMARIN	2.40	(0.06)	124	2.36	MTC19P2506A	0.23	0.02	20,159	0.22
IRPC01C2504A	-	-	-	-	AQUA	0.23	(0.01)	185,701	0.23	MTC41C2505A	-	-	-	-
IRPC19C2508A	0.23	(0.03)	14,101	0.24	AS	2.62	(0.08)	4,342	2.63	MTC41C2606T	0.30	(0.03)	89,975	0.31
KBSPIF	7.15	0.05	444	7.10	BEC	3.80	(0.02)	1,182	3.80	NCAP	1.63	(0.07)	67,851	1.64
LANNA	17.00	-	8,554	16.98	FE	189.00	(30.00)	31	189.19	PL	1.03	(0.02)	735	1.03
MDX	2.58	(0.04)	353	2.59	GPI	1.62	(0.01)	2,221	1.61	S11	2.70	(0.04)	287	2.72
NOVA	7.70	0.15	22	7.70	GRAMMY	4.98	(0.02)	17	5.02	SAK	4.00	(0.16)	34,559	4.02
OR	10.50	(0.40)	169,142	10.63	JKN	-	-	-	-	SAWAD	30.75	(2.00)	72,947	31.29
OR01C2505A	-	-	-	-	MAJOR	11.20	(0.30)	6,899	11.29	SAWAD-W2	0.20	(0.01)	2,225	0.20
OR01C2507A	0.08	(0.02)	3,686	0.09	MATCH	1.20	0.03	165	1.17	SAWAD01C2504A	-	-	-	-
OR13C2504A	-	-	-	-	MATI	4.78	(0.08)	5	4.80	SAWAD01C2506A	0.05	(0.03)	7,531	0.06
OR13C2506A	0.02	(0.02)	1	0.02	MCOT	3.32	(0.18)	16,594	3.45	SAWAD01C2508A	0.16	(0.05)	97,737	0.17
OR13C2507A	0.07	(0.03)	18,282	0.08	MONO	1.38	(0.03)	1,536,901	1.43	SAWAD01P2505A	0.65	0.13	9,638	0.61
OR19C2504A	-	-	-	-	NATION	0.02	(0.01)	299	0.03	SAWAD13C2505A	0.01	(0.01)	1,465	0.01
OR19C2505A	-	-	-	-	NATION-W4	-	-	-	-	SAWAD13C2506A	0.04	(0.03)	2,854	0.04
OR19C2506A	0.06	(0.01)	1	0.06	ONEE	2.56	(0.10)	9,573	2.61	SAWAD13C2507A	0.14	(0.05)	109,488	0.16
OR41C2505A	-	-	-	-	PLANB	5.70	(0.30)	277,360	5.59	SAWAD13P2504A	0.20	0.07	31,630	0.18
OR41C2605T	0.03	-	70	0.03	PLANB19C2508A	0.22	(0.05)	30,644	0.20	SAWAD19C2504A	-	-	-	-
OR41C2608T	0.22	(0.01)	27,634	0.22	PLANB41C2606T	0.19	(0.03)	20,000	0.19	SAWAD19C2505A	-	-	-	-
PRIME	0.07	(0.01)	24,703	0.07	PRAKIT	11.20	-	112	11.11	SAWAD19C2506A	0.05	(0.02)	12,100	0.06
PTG	6.85	(0.25)	32,796	6.91	PTECH	0.85	(0.23)	281	0.93	SAWAD19C2507A	0.17	(0.07)	71,935	0.21
PTT	27.25	(0.75)	838,942	27.55	SE-ED	1.90	-	4	1.90	SAWAD19P2504A	0.17	0.05	34,376	0.14
PTT01C2505A	-	-	-	-	TGS	5.60	(0.10)	1,840	5.59	SAWAD41C2505A	0.01	(0.03)	2	0.01
PTT01C2508A	0.09	(0.02)	29,663	0.10	VGI	3.06	(0.16)	851,383	3.11	SAWAD41C2609T	0.30	(0.05)	74,900	0.32
PTT13C2508A	0.09	(0.01)	7,155	0.09	VGI-W3	0.05	(0.01)	13,800	0.06	SCAP	1.17	-	12,081	1.18
PTT19C2505A	-	-	-	-	VGI-W4	1.24	(0.06)	17,706	1.26	SGC	0.97	(0.04)	101,946	0.98
PTT41C2606T	0.18	(0.01)	8,060	0.18	VGI01C2505A	0.14	(0.04)	64,989	0.15	SGC-W1	0.12	(0.01)	26,191	0.12
PTTEP	107.50	(2.00)	60,175	108.17	VGI01C2507A	0.41	(0.07)	38,348	0.44	SGC-W2	0.33	-	1,759	0.32
PTTEP01C2504A	-	-	-	-	VGI13C2504A	-	-	-	-	SM	0.93	-	248	0.92
PTTEP01C2505A	0.05	(0.01)	1	0.05	VGI13C2505A	0.10	(0.04)	74,538	0.11	TH	0.61	(0.02)	41,646	0.61
PTTEP01C2507A	0.24	(0.03)	16,344	0.25	VGI13C2507A	0.28	(0.05)	113,436	0.29	TH-W3	0.04	-	4,914	0.04
PTTEP01P2506A	0.40	0.02	200	0.40	VGI13P2504A	-	-	-	-	THANI	1.57	(0.03)	33,776	1.58
PTTEP11C2503A	-	-	-	-	VGI19C2504A	0.10	(0.04)	20,555	0.11	TIDLOR	14.60	(0.70)	191,245	14.64
PTTEP13C2504A	-	-	-	-	VGI19C2505A	0.10	(0.04)	46,645	0.11	TIDLOR01C2506A	0.11	(0.01)	20	0.11
PTTEP13C2505A	-	-	-	-	VGI19C2507A	0.27	(0.06)	107,883	0.30	TIDLOR13C2504A	-	-	-	-
PTTEP13C2507A	0.16	(0.02)	53,848	0.16	VGI41C2505A	0.12	(0.03)	22,010	0.13	TIDLOR13C2505A	0.08	(0.04)	50,183	0.09
PTTEP13C2507B	0.29	(0.04)	33,855	0.31	VGI41C2606T	0.28	(0.02)	80,196	0.28	TIDLOR19C2504A	-	-	-	-
PTTEP13P2506A	0.49	0.04	564	0.48	WORK	5.30	(0.10)	1,113	5.34	TIDLOR19C2505A	0.04	(0.03)	18,401	0.04
PTTEP19C2504A	-	-	-	-	ZAA	0.69	(0.05)	555	0.69	TIDLOR19C2505B	0.08	(0.05)	62,814	0.08
PTTEP19C2505A	0.04	0.01	1	0.04	Finance & Secur	-	-	-	-	TIDLOR41C2605T	-	-	-	-
PTTEP19C2507A	0.23	(0.04)	37,826	0.25	AEONTS	103.50	(2.00)	5,351	103.14	TK	3.56	0.02	285	3.55
PTTEP41C2504A	-	-	-	-	AMANAHA	0.82	0.01	4,533	0.81	TNITY	2.98	(0.04)	345	2.99
PTTEP41C2505A	-	-	-	-	ASAP	1.37	-	211	1.36	TNL	-	-	-	-
PTTEP41C2507A	0.20	(0.80)	10,488	0.21	ASK	7.05	(0.30)	3,719	7.14	UOBKH	5.00	-	930	5.00
PTTEP41C2604T	-	-	-	-	ASP	2.18	(0.04)	30,241	2.17	XPG	0.81	(0.01)	124,552	0.80
PTTEP41P2506A	0.36	0.03	22,000	0.36	BAM	6.30	(0.20)	195,947	6.34	Food & Beverage	-	-	-	-
RATCH	26.75	(0.25)	23,135	26.88	BAM01C2504A	-	-	-	-	AAI	5.30	(0.05)	26,909	5.32
RATCH19C2506A	0.11	-	4,938	0.11	BAM01C2506A	0.20	(0.04)	33,284	0.21	APURE	3.60	-	725	3.59
RPC	0.26	(0.01)	3,474	0.26	BAM13C2504A	-	-	-	-	ASIAN	8.00	(0.10)	9,710	8.01
SCG	2.80	-	89	2.85	BAM13C2505A	0.08	(0.03)	23,068	0.09	BR	1.64	(0.01)	1,026	1.64
SCN	0.45	-	4,165	0.44	BAM13C2506A	0.21	(0.04)	68,435	0.22	BR-W1	0.04	-	504	0.04
SCN-W2	-	-	-	-	BAM19C2504A	-	-	-	-	BRR	4.48	-	1,953	4.49
SEAOIL	2.48	(0.06)	544	2.50	BAM19C2505A	0.10	(0.02)	14,681	0.10	BRR-W2	-	-	-	-
SGP	6.80	-	1,044	6.79	BAM19C2506A	0.24	(0.04)	32,992	0.25	BTG	19.80	(0.10)	27,917	19.94
SKE	0.18	-	4,218	0.17	BAM41C2504A	-	-	-	-	CBG	59.25	(3.75)	66,774	60.53
SKE-W1	0.02	(0.01)	1,876	0.02	BAM41C2505A	0.08	(0.03)	4,000	0.08	CBG01C2504A	-	-	-	-
SOLAR	0.24	(0.01)	4,624	0.24	BAM41C2612T	0.34	(0.02)	46,600	0.34	CBG01C2506A	0.06	-	10,010	0.06
SPCG	7.75	(0.05)	1,925	7.78	BYD	0.48	(0.02)	26,887	0.48	CBG01C2507A	0.16	(0.08)	103,023	0.1

Main Board Quotation

Issue Date :

Wednesday March 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CHAO	5.30	-	2,366	5.25	XBIO-W7	0.02	0.01	7,327	0.01	MANRIN	-	-	-	-
CHOTI	65.00	(2.00)	7	65.29	ZEN	6.30	(0.05)	15	6.37	MINT	27.50	(0.75)	130,899	27.59
CM	1.69	0.01	605	1.68	Health Care Sen	-	-	-	-	MINT01C2504A	0.05	-	1	0.05
COCOCO	6.95	(0.45)	108,876	7.08	AHC	13.80	(0.20)	70	13.74	MINT01C2506A	0.67	(0.08)	376	0.67
COCOCO13C2505A	-	-	-	-	BCH	15.90	0.10	46,343	15.92	MINT01C2507A	0.16	(0.03)	15,758	0.17
COCOCO19C2506A	-	-	-	-	BCH01C2508A	0.27	(0.01)	23,245	0.27	MINT13C2505A	0.08	(0.03)	4,911	0.10
CPF	24.20	0.20	144,746	24.08	BCH13C2504A	-	-	-	-	MINT13C2506A	-	-	-	-
CPF01C2504A	-	-	-	-	BCH13C2507A	0.23	(0.01)	17,983	0.24	MINT13C2506B	0.19	(0.10)	6,669	0.19
CPF01C2508A	0.69	0.01	7,640	0.66	BCH19C2505A	-	-	-	-	MINT19C2504A	0.04	(0.03)	660	0.04
CPF13C2504A	-	-	-	-	BCH19C2505B	0.11	-	43,695	0.10	MINT19C2506A	-	-	-	-
CPF13C2505A	0.17	-	13,569	0.17	BCH41C2506A	0.18	-	14,600	0.17	MINT41C2504A	-	-	-	-
CPF13C2506A	-	-	-	-	BDMS	23.70	0.30	717,622	23.61	MINT41C2604T	-	-	-	-
CPF19C2504A	-	-	-	-	BDMS01C2504A	-	-	-	-	MINT41C2612T	0.27	(0.02)	10	0.27
CPF19C2505A	0.11	0.01	20,806	0.11	BDMS01C2506A	0.20	0.04	79,566	0.19	OHTL	313.00	8.00	10	312.50
CPF41C2505A	-	-	-	-	BDMS11C2503A	-	-	-	-	ROH	1.93	0.03	2	1.93
CPF41C2505B	0.14	(0.01)	26,201	0.13	BDMS13C2504A	-	-	-	-	SHANG	-	-	-	-
CPF41C2612T	0.60	-	9,200	0.59	BDMS13C2505A	0.06	0.02	2,101	0.06	SHR	2.20	-	95,171	2.17
CPI	2.96	-	7,163	2.95	BDMS13C2508A	0.44	0.06	88,183	0.42	SPA	4.80	(0.35)	64,015	4.90
F&D	40.00	0.50	1	40.00	BDMS19C2504A	-	-	-	-	VRANDA	4.74	(0.08)	940	4.68
FM	3.90	(0.06)	73,164	3.94	BDMS19C2505A	0.06	-	3,021	0.05	Home & Office Prodn	-	-	-	-
GLOCON	0.16	(0.01)	88,072	0.16	BDMS41C2505A	0.11	0.03	43,537	0.11	AJA	0.11	(0.01)	17,499	0.11
HTC	16.40	(0.30)	3,745	16.54	BH	174.50	(4.00)	57,445	174.58	AJA-W4	-	-	-	-
ICHI	12.40	(0.20)	21,689	12.51	BH-P	-	-	-	-	DTCI	32.75	5.25	197	32.59
ICHI13C2504A	0.02	0.01	3	0.02	BH-Q	-	-	-	-	FANCY	0.33	(0.02)	3,077	0.33
ITC	16.10	(0.70)	56,015	16.30	BH01C2504A	-	-	-	-	FTI	1.70	(0.12)	8,080	1.72
ITC01C2504A	-	-	-	-	BH01C2505A	0.09	(0.03)	68,481	0.10	KYE	296.00	(4.00)	6	296.83
ITC01C2506A	0.17	(0.04)	8,938	0.18	BH01C2506A	0.05	(0.01)	360	0.05	L&E	1.20	0.01	9	1.20
ITC13C2504A	-	-	-	-	BH01C2507A	0.51	(0.07)	43,681	0.52	MODERN	2.20	-	144	2.15
ITC13C2506A	0.13	(0.03)	12,802	0.14	BH01P2504A	0.29	0.03	36,734	0.28	OGC	9.25	(0.15)	16	9.25
ITC19C2505A	-	-	-	-	BH01P2507A	0.58	0.04	24,056	0.57	ROCK	-	-	-	-
ITC19C2506A	0.19	(0.04)	5,628	0.20	BH06C2503A	-	-	-	-	SIAM	0.75	(0.02)	1,813	0.74
ITC41C2505A	-	-	-	-	BH11C2503A	-	-	-	-	TCMC	0.41	(0.01)	1,401	0.42
ITC41C2612T	0.42	(0.03)	34,004	0.43	BH13C2504A	-	-	-	-	TSR	0.26	-	1,743	0.25
JDF	1.99	(0.03)	1,009	1.99	BH13C2504B	-	-	-	-	TSR-W2	0.01	-	1,267	0.01
KBS	5.30	(0.90)	15,028	5.38	BH13C2505A	-	-	-	-	Insurance	-	-	-	-
KCG	7.80	(0.25)	6,176	7.88	BH13C2506A	0.30	(0.06)	67,056	0.31	AYUD	32.00	-	151	31.80
KSL	1.42	(0.02)	5,720	1.44	BH19C2504A	-	-	-	-	BKIH	287.00	(1.00)	38	286.34
KTIS	2.20	0.08	231	2.12	BH19C2504B	-	-	-	-	BLA	19.70	-	8,236	19.75
LST	4.74	-	356	4.71	BH19C2505A	0.05	(0.01)	481	0.05	BLA01C2508A	0.36	(0.01)	22,721	0.36
M	19.70	(0.30)	13,546	19.75	BH19C2506A	-	-	-	-	BLA13C2504A	-	-	-	-
MALEE	5.90	(0.45)	11,663	6.04	BH19C2506B	0.25	(0.05)	52,279	0.26	BLA13C2507A	0.20	(0.01)	945	0.21
NRF	0.52	(0.01)	11,552	0.52	BH19P2504A	0.45	0.06	48,857	0.44	BLA19C2506A	0.21	(0.01)	34,130	0.21
NSL	28.50	(0.50)	17,082	28.54	BH41C2504A	-	-	-	-	BLA41C2606T	0.37	0.01	10,108	0.37
OKJ	8.45	(0.45)	47,280	8.59	BH41C2505A	-	-	-	-	BUI	18.20	0.10	435	18.09
OSP	15.20	(0.50)	69,069	15.37	BH41C2605T	0.11	(0.01)	18,100	0.11	CHARAN	20.10	(0.10)	2	20.10
OSP01C2504A	0.01	-	475	0.01	BH41P2504A	0.32	0.13	1,000	0.32	INSURE	92.25	(0.75)	5	93.00
OSP01C2507A	0.13	(0.02)	66,122	0.14	BH41P2508A	0.40	0.01	6,001	0.40	KWI	-	-	-	-
OSP01C2507B	0.23	(0.03)	46,912	0.24	BKGI	1.96	(0.12)	50,281	1.98	MTI	108.00	1.00	43	107.14
OSP01P2507A	0.25	0.01	57,735	0.25	CHG	1.88	(0.11)	653,075	1.88	NKI	-	-	-	-
OSP13C2505A	-	-	-	-	CHG13C2504A	-	-	-	-	TGH	-	-	-	-
OSP13C2506A	-	-	-	-	CHG19C2505A	-	-	-	-	THRE	0.44	(0.03)	11,895	0.45
OSP13C2506B	0.14	(0.01)	63,108	0.14	CMR	1.38	(0.01)	1,519	1.40	THREL	1.32	0.03	7,487	1.32
OSP13C2507A	0.25	(0.05)	32,532	0.27	EKH	6.45	0.05	10,922	6.40	TIPH	20.20	(0.40)	3,928	20.41
OSP19C2506A	-	-	-	-	KDH	-	-	-	-	TLI	11.50	(0.10)	137,141	11.41
OSP19C2506B	-	-	-	-	LPH	3.98	-	653	3.97	TLI01C2507A	0.22	(0.03)	8,851	0.22
OSP19C2506C	0.16	(0.05)	119,930	0.18	M-CHAI	21.20	(0.20)	132	21.25	TLI06C2503A	-	-	-	-
OSP41C2505A	-	-	-	-	MASTER	27.50	(1.00)	9,199	27.96	TLI13C2505A	0.12	(0.01)	16,842	0.12
OSP41C2606T	0.18	-	17,960	0.18	MEDEZE	8.15	(0.25)	61,012	8.23	TLI19C2506A	0.20	(0.02)	54,042	0.19
PB	54.75	(1.25)	36	55.72	NEW	118.00	17.00	9	115.11	TLI41C2606T	0.28	(0.01)	18,400	0.28
PLUS	3.96	(0.08)	1,180	4.00	NKT	4.48	(0.06)	7,612	4.50	TQM	14.50	(0.50)	9,126	14.63
PM	9.80	-	8,670	9.78	NTV	29.00	(0.25)	218	28.95	TSI	0.06	-	278	0.06
PQS	2.42	0.02	2,458	2.41	PHG	13.90	0.20	176	13.89	TVH	8.40	-	1,068	8.38
PRG	8.45	(0.05)	3	8.45	PR9	20.90	(0.60)	55,880	21.04	Packaging	-	-	-	-
PRG-W2	-	-	-	-	PR901C2507A	0.20	(0.03)	50,869	0.20	AJ	-2.18	(0.02)	5,800	2.19
PRG-W3	-	-	-	-	PR913C2505A	-	-	-	-	ALUCON	178.50	(1.50)	4	179.13
PRG-W4	-	-	-	-	PR913C2506A	0.09	(0.02)	7,333	0.10	BGC	5.70	0.05	472	5.66
PRG-W5	3.00	-	3	3.00	PR919C2506A	-	-	-	-	CSC	46.25	0.50	231	45.92
RBF	4.88	(0.17)	49,042	4.93	PRINC	2.54	(0.02)	3,532	2.51	CSC-P	-	-	-	-
RBF01C2504A	-	-	-	-	RAM	17.70	(0.60)	1,304	17.90	CSC-Q	-	-	-	-
RBF13C2504A	-	-	-	-	RJH	15.30	(0.20)	2,912	15.29	NEP	0.24	0.02	6	0.24
RBF13C2507A	0.04	-	586	0.04	RPH	5.45	0.05	3,928	5.43	PJW	2.26	-	11,422	2.24
RBF19C2505A	-	-	-	-	SAFE	9.35	-	168	9.29	PTL	10.30	(0.20)	1,670	10.26
RBF19C2508A	0.07	(0.01)	290	0.07	SKR	7.95	0.05	372	7.95	SCGP	15.20	-	265,506	15.23
SAPPE	34.75	(2.00)	30,024	35.26	THG	9.45	(0.35)	12,095	9.57	SCGP01C2504A	-	-	-	-
SAPPE01C2504A	-	-	-	-	VIBHA	1.62	(0.04)	20,300	1.63	SCGP01C2504W	-	-	-	-
SAPPE13C2507A	0.11	(0.03)	60,843	0.12	VIBHA-W4	-	-	-	-	SCGP01C2506A	0.03	-	74	0.03
SAUCE	37.25	(0.25)	103	37.45	VIH	7.40	-	2,680	7.34	SCGP01C2507A	0.15	-	107,961	0.15
SNNP	12.30	(0.30)	32,877	12.38	VIH-W1	1.07	0.07	51	0.84	SCGP01C2508A	0.35	(0.01)	67,264	0.36
SNP	11.40	0.10	2,295	11.42	WPH	8.30	(0.10)	5,003	8.34	SCGP01P2507A	-	-	-	-
SORKON	4.34	(0.08)	1,109	4.35	Tourism & Leisu	-	-	-	-	SCGP13C2504A	-	-	-	-
SSF	5.65	(0.05)	71	5.64	ASIA	5.05	(0.10)	196	5.06	SCGP13C2504B	-	-	-	-
SST	1.94	(0.06)	11	1.94	BEYOND	6.95	(0.05)	499	6.96	SCGP13C2506A	-	-	-	-
SUN	3.14	-	3,479	3.12	CENTEL	32.75	-	34,505	32.82	SCGP13C2506B	0.09	0.03	10	0.09
TC	6.20	(0.15)	243	6.27	CENTEL01C2504	-	-	-	-	SCGP13C2507A	0.29	-	176,250	0.29
TFG	4.34	0.10	101,233	4.30	CENTEL01C250E	0.25	(0.02)	41,002	0.26	SCGP13P2504A	-	-	-	-
TFG-W4	0.65	0.03	9,878	0.64	CENTEL11C2503	-	-	-	-	SCGP13P2504B	-	-	-	-
TFMAMA	201.00	-	8	200.25	CENTEL13C2504	-	-	-	-	SCGP13P2506A	0.29	(0.01)	44,597	0.29
TIPCO	9.55	(0.15)	967	9.58	CENTEL13C250E	0.19	-	46,250	0.20	SCGP19C2504A	-	-	-	-
TKN	8.25	(0.30)	33,422	8.30	CENTEL19C2504	-	-	-	-	SCGP19C2505A	-	-	-	-
TU	11.50	0.10	116,811	11.47	CENTEL19C250E	0.28	(0.02)	10,401	0.28	SCGP19C2506A	-	-	-	-
TU01C2505A	-	-	-	-	CENTEL41C2504	-	-	-	-	SCGP19C2506B	-	-	-	-
TU01C2506A	0.06	-	10	0.06	CENTEL41C260E	0.29	(0.01)	42,005	0.30	SCGP19C2507A	0.44	(0.01)	8,095	0.

Main Board Quotation

Issue Date :

Wednesday March 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TFI-W1	-	-	-	-	LALIN	5.40	-	1,027	5.41	AOT13C2506A	-	-	-	-
THIP	28.00	0.25	106	27.93	LH	4.28	(0.08)	301,265	4.27	AOT13C2507A	0.02	(0.01)	14,707	0.02
TMD	24.80	(0.70)	509	25.12	LH19C2504A	-	-	-	-	AOT13C2507B	0.13	(0.02)	58,836	0.13
TOPP	-	-	-	-	LPN	2.12	(0.06)	15,004	2.10	AOT13C2507C	0.05	(0.02)	2,080	0.06
TPAC	8.50	-	313	8.46	MBK	17.40	(0.30)	8,578	17.45	AOT13C2508A	0.27	(0.04)	70,893	0.27
TPBI	3.92	-	1,513	3.93	MBK-W4	-	-	-	-	AOT13P2507A	-	-	-	-
TPP	10.80	0.10	316	10.71	MBK19C2508A	0.13	(0.01)	2,294	0.14	AOT13P2507B	0.38	0.03	68,991	0.39
Personal Products	-	-	-	-	MJD	0.73	-	2,034	0.74	AOT19C2504A	-	-	-	-
APCO	3.40	0.06	909	3.33	MK	1.42	(0.01)	1,284	1.41	AOT19C2506A	-	-	-	-
BIZ	3.26	-	2,392	3.25	NCH	0.66	-	1,171	0.66	AOT19C2507A	0.02	(0.01)	2,562	0.02
BLC	4.16	(0.04)	7,031	4.17	NNCL	1.58	-	1,551	1.58	AOT19C2507B	0.08	(0.02)	3,224	0.08
DDD	6.60	(0.10)	625	6.44	NOBLE	2.14	0.08	21,567	2.15	AOT19C2508A	0.27	(0.04)	28,243	0.28
IP	3.72	0.86	164,231	3.39	NVD	-	-	-	-	AOT19P2507A	0.39	0.04	200	0.39
IP-W2	0.36	0.24	693,679	0.24	ORI	2.52	(0.12)	86,317	2.52	AOT41C2505A	-	-	-	-
JCT	78.00	(4.00)	7	78.11	ORN	0.69	0.02	18,443	0.67	AOT41C2507A	0.13	(0.03)	13,411	0.13
KISS	4.00	(0.04)	7,758	4.02	PEACE	2.40	-	74	2.31	AOT41C2605T	0.04	(0.01)	171	0.04
NAM	4.26	(0.04)	430	4.23	PF	0.11	-	40,191	0.11	AOT41P2504A	-	-	-	-
NEO	30.25	(1.50)	6,247	30.34	PIN	6.15	(0.10)	18,451	6.18	AOT41P2606T	-	-	-	-
NV	0.70	0.02	208	0.69	PLAT	1.70	(0.01)	3,074	1.72	ASIMAR	1.56	(0.04)	6,729	1.57
OCC	-	-	-	-	PRECHA	0.40	-	562	0.39	B	0.06	-	46,810	0.05
S&J	36.50	3.50	4	36.13	PRIN	-	-	-	-	B-W8	0.01	-	1	0.01
SNPS	6.25	-	59,344	6.27	PROUD	1.26	0.01	469	1.24	BA	20.60	(0.80)	39,507	20.68
STGT	7.00	(0.20)	36,444	7.07	PSH	4.94	(0.04)	23,232	4.95	BA01C2504A	-	-	-	-
STGT01C2504A	0.02	-	501	0.01	QH	1.53	(0.03)	131,327	1.54	BA13C2504A	-	-	-	-
STGT13C2504A	-	-	-	-	RABBIT	0.34	(0.01)	11,583	0.35	BA13C2506A	0.35	-	42,696	0.35
STGT13C2506A	0.07	(0.02)	3,116	0.08	RABBIT-P	0.48	-	11,810	0.49	BA19C2507A	0.40	-	31,498	0.41
STGT19C2504A	-	-	-	-	RABBIT-Q	-	-	-	-	BA41C2606T	0.23	-	81,014	0.23
STGT19C2504B	-	-	-	-	RICHY	0.37	(0.01)	545	0.36	BEM	5.50	(0.40)	861,561	5.60
STGT41C2606T	0.15	(0.01)	4,000	0.16	RML	0.16	0.01	9,748	0.16	BEM11C2503A	-	-	-	-
TMAN	11.60	(0.30)	3,971	11.69	ROJNA	5.65	(0.05)	24,011	5.66	BEM13C2505A	-	-	-	-
TNR	8.25	(0.10)	1,859	8.33	S	0.69	(0.01)	78,774	0.68	BEM13C2506A	0.02	(0.02)	915	0.02
TOG	9.20	(0.05)	272	9.18	SA	7.25	-	888	7.19	BEM19C2505A	-	-	-	-
Professional Service	-	-	-	-	SA-W1	0.01	-	20	0.01	BEM41C2606T	0.12	(0.02)	6,262	0.12
BWG	0.28	-	332,898	0.27	SAMCO	0.74	-	87	0.74	BTS	5.65	(0.25)	559,420	5.69
BWG-W6	0.01	-	1,918	0.02	SC	2.52	(0.02)	10,214	2.51	BTS-W8	0.05	-	12,391	0.05
GENCO	0.27	(0.03)	1,551	0.27	SENA	2.10	(0.04)	2,529	2.11	BTS01C2504A	-	-	-	-
PRTR	4.02	0.12	16,317	3.94	SIRI	1.69	(0.02)	378,366	1.70	BTS01C2507A	0.11	(0.03)	13,203	0.12
SISB	18.30	(2.40)	180,292	18.49	SIRI01C2504A	-	-	-	-	BTS01P2504A	-	-	-	-
SISB13C2504A	-	-	-	-	SIRI19C2508A	0.30	-	19,017	0.30	BTS01P2505A	0.17	0.02	1	0.17
SISB13C2506A	0.04	(0.07)	4,129	0.05	SIRI41C2606T	-	-	-	-	BTS13C2505A	0.04	(0.02)	15,110	0.04
SISB13C2506B	0.02	(0.03)	894	0.02	SPALI	16.70	(0.30)	62,907	16.74	BTS13C2507A	0.14	(0.04)	23,686	0.15
SISB19C2507A	0.04	(0.06)	20	0.05	SPALI13C2507A	0.24	(0.03)	6,312	0.24	BTS13P2505A	0.12	0.02	5,128	0.11
SO	4.14	(0.08)	83	4.15	SPALI19C2504A	-	-	-	-	BTS19C2505A	0.08	(0.02)	309	0.08
WAVE	-	-	-	-	STELLA	0.13	(0.01)	23,672	0.13	BTS19C2508A	0.21	(0.05)	25,995	0.22
WAVE-W3	-	-	-	-	STELLA-W5	0.01	-	4	0.01	BTS41C2504A	-	-	-	-
WAVE-W4	-	-	-	-	STELLA-W6	0.05	0.01	1	0.05	BTS41C2504B	0.07	(0.03)	1,500	0.07
Property Developmei	-	-	-	-	UV	1.10	(0.03)	5,915	1.11	BTS41C2608T	0.21	-	4,000	0.21
A	4.90	(0.02)	2	4.90	WHA	3.48	(0.18)	1,221,798	3.55	BTSGIF	2.84	0.02	63,220	2.83
A5	2.46	(0.06)	1,465	2.49	WHA01C2504A	-	-	-	-	DMT	10.20	-	4,446	10.15
A5-W4	0.02	-	1,809	0.03	WHA01C2506A	0.02	-	250	0.02	ETL	0.39	(0.03)	9,074	0.40
AKS	0.01	-	514	0.01	WHA01C2507A	0.03	(0.01)	1,286	0.04	III	4.80	(0.04)	2,013	4.82
AMATA	22.00	(0.40)	60,793	21.97	WHA01C2508A	0.37	(0.08)	42,182	0.41	KEX	0.96	0.01	1,372	0.95
AMATA01C2507A	-	-	-	-	WHA11C2503A	-	-	-	-	KIAT	0.28	(0.01)	1,482	0.28
AMATA01C2508A	0.31	(0.04)	42,251	0.31	WHA13C2504A	-	-	-	-	KWC	329.00	18.00	75	333.15
AMATA13C2505A	-	-	-	-	WHA13C2505A	-	-	-	-	MENA	0.99	(0.02)	5,696	0.99
AMATA13C2506A	-	-	-	-	WHA13C2506A	0.02	(0.01)	15,686	0.02	NYT	3.30	(0.06)	22,441	3.31
AMATA13C2506B	0.20	(0.03)	42,327	0.20	WHA13C2506B	-	-	-	-	PORT	0.97	(0.04)	211	0.98
AMATA19C2505A	-	-	-	-	WHA13C2507A	0.18	(0.06)	54,018	0.22	PRM	6.60	(0.20)	120,824	6.65
AMATA19C2508A	0.36	(0.05)	26,279	0.37	WHA13C2507B	0.33	(0.08)	66,334	0.39	PSL	6.30	(0.15)	65,506	6.31
AMATA41C2505A	-	-	-	-	WHA19C2504A	-	-	-	-	RCL	23.10	(1.90)	51,957	23.42
AMATA41C2608T	0.23	(0.01)	89,004	0.23	WHA19C2506A	-	-	-	-	RCL01C2505A	0.07	-	207	0.08
AMATAV	3.80	(0.12)	603	3.80	WHA19C2507A	0.23	(0.08)	45,725	0.28	RCL01C2507A	0.17	(0.02)	44,291	0.18
ANAN	0.61	(0.06)	155,820	0.62	WHA41C2605T	-	-	-	-	RCL13C2506A	0.09	(0.01)	14,136	0.09
AP	8.80	(0.10)	70,353	8.80	WHA41C2608T	0.20	(0.02)	18,904	0.21	RCL13C2507A	-	-	-	-
AP01C2507A	0.39	(0.01)	5,005	0.39	WIN	0.34	0.01	2,107	0.33	RCL19C2504A	-	-	-	-
ASW	6.70	-	455	6.66	Paper & Printing	-	-	-	-	RCL19C2507A	0.18	(0.02)	11,112	0.19
AWC	2.92	(0.02)	457,189	2.92	UTP	7.85	(0.05)	596	7.86	RCL41C2505A	-	-	-	-
AWC01C2504A	-	-	-	-	Fashion	-	-	-	-	RCL41C2608T	0.41	(0.02)	37,260	0.42
AWC01C2506A	0.09	(0.01)	7,547	0.10	AFC	3.88	(0.02)	12	3.87	SAV	16.30	(0.30)	14,574	16.33
AWC01C2508A	0.27	(0.02)	33,919	0.28	AURA	16.40	(0.40)	26,821	16.47	SINO	0.96	-	1,488	0.94
AWC13C2504A	-	-	-	-	BTNC	-	-	-	-	SJWD	7.10	(0.10)	21,464	7.13
AWC13C2506A	0.09	(0.01)	6,132	0.10	CPH	7.75	(0.70)	2,043	7.75	SJWD13C2504A	-	-	-	-
AWC19C2504A	-	-	-	-	CPL	0.81	-	178	0.80	TFIF	6.15	(0.05)	16,902	6.19
AWC19C2506A	0.10	-	34,748	0.10	NC	2.32	(0.02)	1,255	2.42	THAI	-	-	-	-
AWC41C2606T	0.15	-	16,266	0.16	PAF	0.73	(0.01)	346	0.72	TSTE	11.00	-	26	11.04
BLAND	0.46	(0.01)	45,004	0.46	PDJ	1.74	-	321	1.74	TTA	4.44	(0.14)	47,666	4.48
BRI	1.99	(0.07)	13,966	1.98	PG	7.40	-	1	7.40	WICE	2.74	-	3,534	2.72
BROCK	1.53	-	3	1.52	SABINA	19.50	(0.20)	6,126	19.40	Automotive	-	-	-	-
CGD	0.26	0.01	864	0.26	SAWANG	9.75	0.05	21	10.57	ACG	0.80	-	8	0.80
CI	0.46	0.02	10,306	0.46	SUC	31.50	(0.25)	127	31.45	AH	12.50	-	2,233	12.58
CMC	0.90	-	25	0.90	TR	37.00	-	21	37.00	CWT	0.56	-	4,610	0.55
CPN	50.75	(1.00)	71,630	50.87	TTI	-	-	-	-	EASON	1.04	(0.01)	861	1.04
CPN01C2505A	-	-	-	-	TTT	-	-	-	-	GYT	-	-	-	-
CPN01C2506A	0.17	(0.02)	24,111	0.17	UPF	30.00	0.50	4	30.00	HFT	4.02	(0.02)	1,980	4.02
CPN13C2504A	-	-	-	-	WACOAL	24.10	0.10	1	24.10	IHL	1.53	(0.01)	267	1.53
CPN13C2505A	-	-	-	-	WFX	0.95	-	7,788	0.98	INGRS	0.24	0.01	487	0.23
CPN13C2507A	0.20	(0.03)	58,252	0.21	Transportation 8	-	-	-	-	IRC	11.50	0.10	119	11.52
CPN19C2504A	-	-	-	-	AAV	1.95	(0.07)	429,262	1.97	MGC	3.16	0.14	22	3.18
CPN19C2505A	-	-	-	-	AAV13C2504A	0.02	-	15	0.02	NEX	0.77	(0.05)	164,478	0.78
CPN41C2504A	-	-	-	-	AAV13C2506A	0.08	(0.02)	16,460	0.08	PCSGH	3.52	(0.04)	84	3.51
CPN41C2505A	-	-	-	-	AAV19C2505A	-	-	-	-	POLY	-	-	-	-
CPN41C2608T	0.32	(0.02)	61,409	0.32	AAV19C2507A	0.17	(0.02)	12,603	0.19	SAT	11.00	(0.20)	6,535	11.05
ESTAR	0.18	-	6,665	0.18	AAV41C2505A	-	-	-						

Main Board Quotation

Issue Date :

Wednesday March 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRANE	0.39	-	5,471	0.40	BJCHI	0.72	(0.02)	1,368	0.73	HSIO6P2503B	0.03	0.01	86	0.01
CTW	2.86	(0.02)	89	2.86	BKD	1.24	(0.02)	352	1.23	HSIO6P2503C	-	-	-	-
FMT	28.75	(0.25)	17	28.93	CIVIL	1.59	(0.01)	497	1.60	HSIO6P2503D	0.02	0.01	400	0.02
FTE	1.58	(0.01)	412	1.58	CK	15.00	(0.30)	60,322	14.63	HSIO6P2503E	0.02	0.01	100	0.02
HTECH	2.98	(0.14)	6,913	3.03	CNT	0.97	(0.03)	1,325	0.99	HSIO6P2503F	0.05	-	903	0.05
KKC	-	-	-	-	DEMCO	2.00	(0.04)	1,778	2.00	HSIO6P2503G	0.05	0.01	3,638	0.04
PCC	2.62	-	1,533	2.61	EMC	0.07	-	70,366	0.06	HSIO6P2504A	-	-	-	-
PK	0.39	(0.03)	954	0.40	EMC-W7	0.05	-	587	0.04	HSIO6P2504B	0.02	-	11	0.02
PSP	4.14	-	743	4.11	ITD	0.28	-	27,756	0.27	HSIO6P2504C	-	-	-	-
QTC	3.88	-	13	3.88	JR	1.51	0.01	2,368	1.48	HSIO6P2504D	0.09	0.03	50	0.09
SCI	0.72	(0.06)	1,316	0.73	NL	0.92	-	1,591	0.91	HSIO6P2504E	0.11	-	44,761	0.12
SE	0.48	-	2,933	0.47	NWR	-	-	-	-	HSIO6P2504F	0.20	0.02	152,091	0.20
SELIC	2.86	-	39	2.90	PLE	0.27	0.01	10,316	0.26	HSIO6P2504G	0.36	0.04	172,512	0.37
SNC	6.20	-	4,884	6.14	PREB	3.78	(0.02)	256	3.76	HSIO6P2504H	0.70	0.02	3,927	0.70
TCJ	2.90	-	22	2.78	PYLON	1.86	0.01	2,137	1.87	HSIO6P2505A	0.15	0.01	2,602	0.15
TPCS	12.90	0.20	49	12.87	RT	0.30	(0.01)	18,775	0.30	HSIO6P2505B	0.23	0.01	43,449	0.25
VARO	4.50	(0.10)	60	4.50	SEAFCO	1.86	0.02	434	1.86	HSIO6P2505C	0.43	0.03	40,814	0.43
Property Fund & REI	-	-	-	-	SQ	0.64	(0.02)	4,673	0.64	HSIO6P2506A	0.07	-	440	0.07
AIMCG	2.18	(0.04)	1,693	2.19	SRICHA	3.80	(0.02)	1,925	3.74	HSIO6P2506B	0.12	0.01	4,995	0.13
AIMIRT	10.50	0.10	803	10.42	STECOM	5.50	(0.10)	111,771	5.47	HSIO6P2506C	0.27	0.02	49,695	0.27
ALLY	4.62	(0.02)	1,567	4.62	STI	2.72	(0.02)	30	2.70	HSIO6P2507A	0.47	0.03	29,871	0.46
AMATAR	6.25	0.10	55	6.28	STPI	2.72	(0.10)	5,638	2.72	HSI28C2503A	-	-	-	-
AXTRART	11.70	-	6,586	11.74	SYNTEC	1.66	-	3,796	1.64	HSI28C2503B	0.04	(0.03)	12,045	0.05
B-WORK	4.54	-	1,696	4.52	TEAMG	2.82	(0.12)	70,892	2.85	HSI28C2503D	-	-	-	-
BAREIT	9.35	(0.05)	9,519	9.40	TEAMG-W1	0.16	0.01	3,287	0.16	HSI28C2503E	-	-	-	-
BOFFICE	4.86	(0.08)	13,091	4.84	TEKA	2.00	0.01	390	1.97	HSI28C2503F	0.43	(0.12)	347,403	0.41
CPNCG	6.00	-	2,694	6.05	TPOLY	0.43	(0.01)	3,971	0.42	HSI28C2503G	-	-	-	-
CPNREIT	11.70	(0.20)	7,559	11.80	TRC	0.55	(0.02)	1,954	0.55	HSI28C2503H	1.36	(0.17)	696	1.35
CPTREIT	4.32	-	933	4.29	TRITIN	0.10	(0.01)	39,142	0.10	HSI28C2503I	-	-	-	-
CTARAF	4.44	(0.08)	385	4.45	TRITN-W7	0.01	-	1,088	0.01	HSI28C2504A	0.42	(0.09)	1,437,490	0.42
DREIT	5.00	-	2,442	5.00	TTCL	1.22	(0.02)	2,983	1.22	HSI28C2504B	-	-	-	-
FTREIT	10.00	-	4,715	10.00	UNIQ	1.76	(0.04)	7,811	1.77	HSI28C2504C	2.16	0.02	4	2.12
FUTURERT	9.70	-	1,570	9.65	WGE	0.74	(0.01)	157	0.74	HSI28C2504D	0.30	(0.06)	269,445	0.31
GAHREIT	6.40	(0.10)	416	6.43	Unit Trust	-	-	-	-	HSI28C2504E	0.20	(0.05)	110,063	0.21
GROREIT	8.45	(0.05)	244	8.45	SCBSET	-	-	-	-	HSI28C2504F	0.15	(0.02)	141,550	0.14
GVREIT	6.50	(0.10)	7,277	6.61	VAYU1	10.10	-	12,545	10.05	HSI28C2505A	0.59	(0.10)	89,338	0.57
HPF	4.72	-	156	4.72	ETF	-	-	-	-	HSI28C2505B	0.26	(0.04)	18,359	0.26
HYDROGEN	9.05	0.05	18	9.05	IDIV	9.76	(0.13)	1,818	9.76	HSI28C2505C	0.12	(0.02)	6,638	0.12
IMPACT	9.90	0.15	14,441	9.96	ABFTH	-	-	-	-	HSI28C2505D	0.34	(0.05)	303,355	0.33
INETREIT	8.55	-	4,125	8.53	BMSCG	7.53	(0.01)	9	7.54	HSI28C2506A	0.66	(0.09)	84,928	0.66
ISSARA	8.40	0.05	24	8.38	BMSCITH	8.44	(0.15)	1,081	8.48	HSI28C2506B	0.28	(0.04)	11,488	0.28
KPNREIT	-	-	-	-	BSET100	7.87	(0.18)	1,152	7.89	HSI28C2507A	0.37	(0.03)	77,401	0.34
KTBSTMR	5.95	(0.05)	2,694	5.86	CHINA	5.99	-	832	5.98	HSI28P2503A	-	-	-	-
LHHOTEL	13.80	(0.20)	11,475	13.71	ENGY	3.86	(0.10)	62	3.88	HSI28P2503B	-	-	-	-
LHRRREIT	4.88	(0.04)	72	4.89	GLD	3.92	(0.01)	1,422	3.93	HSI28P2503C	-	-	-	-
LHSC	11.70	0.10	3,955	11.63	TDEX	7.09	(0.15)	17,515	7.11	HSI28P2503D	0.01	(0.01)	679	0.01
LUXF	8.00	-	158	7.95	UBOT	12.45	0.25	11	12.40	HSI28P2503E	-	-	-	-
M-PAT	3.44	(0.02)	19	3.23	UHERO	7.99	-	20	7.99	HSI28P2503F	0.01	-	381	0.01
M-STOR	7.45	-	269	7.40	Warrant Foreign	-	-	-	-	HSI28P2504A	-	-	-	-
MII	5.40	(0.10)	72	5.47	ATA41C2504A	0.38	0.05	56	0.33	HSI28P2504B	-	-	-	-
MIPF	-	-	-	-	BABA28C2503A	0.12	(0.05)	123,838	0.14	HSI28P2504C	0.06	0.01	6,603	0.06
MIT	0.25	(0.01)	91	0.25	BABA28C2506A	2.32	-	37	2.28	HSI28P2504D	0.10	0.01	1,329	0.10
MJLF	4.22	(0.24)	947	4.22	BABA28C2509A	0.49	(0.01)	71,321	0.49	HSI28P2504E	0.13	0.01	6,054	0.14
MNIT	2.00	-	100	2.00	BABA28P2503A	-	-	-	-	HSI28P2504F	0.20	0.02	724,814	0.22
MNIT2	-	-	-	-	BABA28P2509A	-	-	-	-	HSI28P2504G	0.36	0.04	1,387,636	0.39
MNRF	2.38	-	90	2.38	BABA41C2503A	0.82	(0.15)	5	0.91	HSI28P2504H	0.66	0.07	1,522,758	0.67
POPF	5.55	-	4,873	5.60	BABA41C2504A	2.88	0.22	1	2.88	HSI28P2505A	0.05	-	3,156	0.05
PROSPECT	8.15	-	1,203	8.16	BABA41C2504B	0.33	(0.06)	407	0.34	HSI28P2505B	0.09	-	1,000	0.09
QHBREIT	3.80	(0.12)	1,232	3.80	BABA41C2505A	0.33	-	39,114	0.33	HSI28P2505C	0.25	0.02	426,650	0.27
QHHRREIT	6.85	-	2,427	6.89	BABA41P2504A	0.01	(0.03)	3	0.01	HSI28P2505D	0.24	0.03	1,403	0.22
QHOP	-	-	-	-	BABA41P2506A	0.20	0.02	551	0.17	HSI28P2506A	0.08	0.01	47,634	0.08
SIRIPRT	-	-	-	-	BABA41P2507A	0.60	0.02	60	0.58	HSI28P2506B	0.11	(0.01)	5,103	0.12
SPRIME	4.06	(0.02)	517	4.06	BIDU41C2504A	0.23	(0.07)	10,227	0.27	HSI28P2506C	0.15	0.01	24,992	0.16
SRIPANWA	5.00	(0.05)	338	5.00	BIDU41C2506A	0.63	(0.09)	261	0.68	HSI28P2507A	0.41	0.04	513,729	0.43
SSPF	3.70	0.20	7	3.70	BYDCOM28C250	0.09	(0.01)	51,139	0.12	HSTECH28C2503A	0.41	(0.24)	8	0.49
SSTRT	4.78	0.02	354	4.76	BYDCOM28C250	1.15	0.20	11	1.15	HSTECH28C2506A	1.60	(0.23)	470	1.61
TIFI	7.05	-	146	7.04	BYDCOM28P250	-	-	-	-	HSTECH28C2506B	0.55	(0.08)	235,249	0.55
TLHPF	2.84	0.14	321	2.89	BYDCOM28P251	0.30	(0.01)	25,000	0.29	HSTECH28P2503A	-	-	-	-
TNPF	1.47	-	527	1.46	BYDCOM41C250	1.10	0.09	86	1.10	HSTECH28P2506A	-	-	-	-
TPRIME	6.95	-	1,195	6.95	BYDCOM41C250	0.19	-	1,612	0.22	HSTECH28P2506B	0.29	0.04	4,180	0.27
TLPPF	12.00	(0.20)	1,015	12.05	DJI28C2503A	0.01	(0.20)	500	0.01	JD41C2506A	0.36	(0.07)	6,873	0.38
TU-PF	-	-	-	-	DJI28C2503B	-	-	-	-	KUAI5H41C2506A	1.56	(0.12)	53	1.68
WHABT	7.10	0.05	39	7.10	DJI28C2506A	0.11	(0.02)	9,111	0.10	KUAI5H41C2506B	0.41	(0.59)	80	0.41
WHAIR	5.50	-	6,184	5.50	DJI28P2503A	-	-	-	-	MCA5041C2503A	-	-	-	-
WHART	9.95	-	6,051	9.99	DJI28P2503B	-	-	-	-	MCA5041C2503B	-	-	-	-
Steel and Metal Prod	-	-	-	-	DJI28P2506A	0.88	0.06	71	0.90	MCA5041C2506A	0.27	0.01	55	0.27
ZS	2.20	-	352	2.18	DJI41C2503A	-	-	-	-	MCA5041P2503A	-	-	-	-
AMC	1.95	-	2,483	1.95	DJI41C2503B	-	-	-	-	MCA5041P2506A	0.34	(0.02)	9	0.34
BSBM	0.70	(0.01)	2,200	0.70	DJI41C2506A	0.12	(0.03)	17,668	0.11	MEITUA28C2503A	0.33	(0.10)	60,112	0.33
CEN	1.84	-	20	1.84	DJI41P2503A	-	-	-	-	MEITUA28C2504A	-	-	-	-
CEN-W5	0.09	-	809	0.09	DJI41P2503B	-	-	-	-	MEITUA28C2507A	0.23	(0.14)	8,696	0.24
CITY	1.64	(0.04)	3	1.69	DJI41P2506A	0.72	0.06	692	0.73	MEITUA28P2503A	-	-	-	-
CSP	0.50	(0.02)	88	0.51	GEELY41C2506A	0.29	0.02	127	0.29	MEITUA28P2504B	0.18	0.03	10,120	0.19
GJS	0.14	0.01	52,958	0.14	HSIO6C2503A	-	-	-	-	MEITUA41C2504A	0.17	(0.05)	15,417	0.17
GSTEEL	-	-	-	-	HSIO6C2503B	0.98	(0.02)	494	0.98	MEITUA41P2503A	0.21	0.02	2	0.20
INOX	0.42	-	11,556	0.42	HSIO6C2503C	0.10	(0.05)	140,917	0.10	NDX28C2503A	-	-	-	-
LHK	3.26	-	540	3.24	HSIO6C2503D	0.02	(0.02)	7,867	0.02	NDX28C2506A	0.11	(0.01)	8,999	0.11
MCS	7.25	(0.05)	1,842	7.26	HSIO6C2503E	-	-	-	-	NDX28P2503A	-	-	-	-
MILL	-	-	-	-	HSIO6C2503F	-	-	-	-	NDX28P2506A	0.55	-	1,190	0.56
PAP	1.57	(0.01)	153	1.57	HSIO6C2503G	3.80	(0.28)	402	3.					

Main Board Quotation

Issue Date :

Wednesday March 12, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NIKKEI28P2506C	0.53	-	5	0.53	SET5019C2503G	0.02	0.01	1	0.02	0	-	-	-	-
NIKKEI41C2503A	-	-	-	-	SET5019C2503H	-	-	-	-	0	-	-	-	-
NIKKEI41C2503B	-	-	-	-	SET5019C2506A	-	-	-	-	0	-	-	-	-
NIKKEI41C2506A	0.15	(0.02)	837	0.15	SET5019C2506B	0.01	-	1,560	0.01	0	-	-	-	-
NIKKEI41C2506B	0.08	-	30	0.08	SET5019C2506C	-	-	-	-	0	-	-	-	-
NIKKEI41P2503A	-	-	-	-	SET5019C2506D	0.02	-	1	0.02	0	-	-	-	-
NIKKEI41P2503B	-	-	-	-	SET5019C2506E	0.01	-	110	0.01	0	-	-	-	-
NIKKEI41P2506A	0.33	(0.01)	3,120	0.33	SET5019C2506F	0.05	(0.02)	1,880	0.05	0	-	-	-	-
NIKKEI41P2506B	0.20	0.01	3,000	0.20	SET5019C2506G	0.05	(0.01)	1,010	0.04	0	-	-	-	-
NTES41C2506A	0.34	(0.03)	4	0.35	SET5019C2506H	0.06	(0.05)	84	0.07	0	-	-	-	-
PINGAN41C2504A	0.20	(0.02)	4,026	0.21	SET5019C2506I	0.10	(0.03)	2,405	0.12	0	-	-	-	-
POPMA41C2503A	1.05	0.16	3,624	1.11	SET5019C2506J	0.15	(0.05)	4,621	0.17	0	-	-	-	-
POPMA41C2506A	0.40	(0.05)	933	0.42	SET5019C2506K	0.21	(0.13)	135,360	0.25	0	-	-	-	-
SET01C2505A	0.02	-	2,206	0.02	SET5019C2506L	0.24	(0.13)	384,847	0.27	0	-	-	-	-
SET01C2506A	0.03	(0.01)	3,527	0.02	SET5019C2506M	0.40	(0.60)	146,275	0.43	0	-	-	-	-
SET01C2506B	0.07	(0.04)	49,937	0.08	SET5019P2503A	-	-	-	-	0	-	-	-	-
SET01C2507A	0.34	(0.15)	540,577	0.37	SET5019P2503B	-	-	-	-	0	-	-	-	-
SET01P2505A	3.38	0.72	374	3.03	SET5019P2503C	3.60	0.88	206	3.50	0	-	-	-	-
SET01P2506A	1.33	0.31	24,778	1.20	SET5019P2506A	2.66	0.48	27	2.51	0	-	-	-	-
SET01P2507A	0.85	0.20	64,309	0.78	SET5019P2506B	2.22	0.04	3	2.22	0	-	-	-	-
SET5001C2503F	0.02	-	1,017	0.01	SET5019P2506C	3.38	0.38	10,045	3.38	0	-	-	-	-
SET5001C2505A	0.02	-	2,015	0.02	SET5019P2506D	1.85	(0.04)	4	1.84	0	-	-	-	-
SET5001C2506A	0.03	(0.01)	26,740	0.03	SET5019P2506E	1.53	0.33	11	1.47	0	-	-	-	-
SET5001C2506F	0.02	-	501	0.01	SET5019P2506F	-	-	-	-	0	-	-	-	-
SET5001C2506G	0.04	(0.04)	23,445	0.05	SET5019P2506G	1.06	0.26	5,312	1.06	0	-	-	-	-
SET5001C2507A	0.22	(0.10)	97,955	0.24	SET5019P2506H	0.73	0.17	259,972	0.70	0	-	-	-	-
SET5001C2509F	0.41	(0.13)	96,782	0.43	SET5019P2506I	0.96	0.20	527,084	0.92	0	-	-	-	-
SET5001P2503F	3.04	1.21	1,002	2.34	SET5019P2506J	0.57	(0.43)	296,989	0.55	0	-	-	-	-
SET5001P2505A	2.98	0.60	121	2.85	SET5028C2503A	-	-	-	-	0	-	-	-	-
SET5001P2506A	1.46	0.36	6,843	1.45	SET5041C2503A	0.02	-	1,299	0.01	0	-	-	-	-
SET5001P2506F	3.76	0.84	7,957	3.56	SET5041C2503B	-	-	-	-	0	-	-	-	-
SET5001P2506G	1.98	0.45	8,896	1.82	SET5041C2503C	0.02	-	1,510	0.01	0	-	-	-	-
SET5001P2507A	0.52	0.14	78,585	0.49	SET5041C2503D	-	-	-	-	0	-	-	-	-
SET5001P2509F	1.18	0.21	171,471	1.12	SET5041C2503E	-	-	-	-	0	-	-	-	-
SET5006C2503A	-	-	-	-	SET5041C2503F	-	-	-	-	0	-	-	-	-
SET5006C2503B	-	-	-	-	SET5041C2503G	-	-	-	-	0	-	-	-	-
SET5006C2503C	-	-	-	-	SET5041C2503H	-	-	-	-	0	-	-	-	-
SET5006C2503D	-	-	-	-	SET5041C2503I	-	-	-	-	0	-	-	-	-
SET5006C2503E	-	-	-	-	SET5041C2503J	-	-	-	-	0	-	-	-	-
SET5006C2503F	-	-	-	-	SET5041C2506A	0.01	-	3,001	0.01	0	-	-	-	-
SET5006C2503G	-	-	-	-	SET5041C2506B	0.02	0.01	1	0.02	0	-	-	-	-
SET5006C2506A	0.02	-	166	0.02	SET5041C2506C	0.03	(0.02)	11,073	0.04	0	-	-	-	-
SET5006C2506B	-	-	-	-	SET5041C2506D	0.09	(0.06)	11,940	0.09	0	-	-	-	-
SET5006C2506C	0.08	(0.03)	9	0.08	SET5041C2506E	0.10	(0.06)	14,299	0.12	0	-	-	-	-
SET5006C2506D	0.18	(0.09)	281,583	0.20	SET5041C2506F	0.14	(0.11)	690,250	0.20	0	-	-	-	-
SET5006P2503A	2.46	0.69	443	2.24	SET5041C2506G	0.28	(0.19)	1,733,608	0.35	0	-	-	-	-
SET5006P2503B	4.82	0.06	51	4.75	SET5041C2506T	-	-	-	-	0	-	-	-	-
SET5006P2503C	6.20	5.07	11	6.20	SET5041C2509T	0.07	(0.03)	128,444	0.07	0	-	-	-	-
SET5006P2503D	-	-	-	-	SET5041P2503A	2.74	0.62	215	2.73	0	-	-	-	-
SET5006P2506A	2.30	0.30	71	2.22	SET5041P2503B	-	-	-	-	0	-	-	-	-
SET5006P2506B	-	-	-	-	SET5041P2503C	-	-	-	-	0	-	-	-	-
SET5006P2506C	1.00	0.20	80	1.00	SET5041P2503D	1.27	0.47	1,556	1.15	0	-	-	-	-
SET5006P2506D	0.72	0.16	253,591	0.65	SET5041P2503E	-	-	-	-	0	-	-	-	-
SET5013C2503A	-	-	-	-	SET5041P2503F	-	-	-	-	0	-	-	-	-
SET5013C2503B	-	-	-	-	SET5041P2506A	3.30	0.28	1,358	3.28	0	-	-	-	-
SET5013C2503C	-	-	-	-	SET5041P2506B	1.27	0.31	124,205	1.07	0	-	-	-	-
SET5013C2503D	-	-	-	-	SET5041P2506C	0.72	0.17	1,046,224	0.65	0	-	-	-	-
SET5013C2503E	-	-	-	-	SET5041P2506D	0.50	0.13	871,093	0.45	0	-	-	-	-
SET5013C2503F	-	-	-	-	SET5041P2506T	1.83	0.21	4,142	1.79	0	-	-	-	-
SET5013C2503G	-	-	-	-	SPX28C2503A	-	-	-	-	0	-	-	-	-
SET5013C2503H	-	-	-	-	SPX28C2503B	-	-	-	-	0	-	-	-	-
SET5013C2503I	-	-	-	-	SPX28C2506A	-	-	-	-	0	-	-	-	-
SET5013C2503J	-	-	-	-	SPX28C2506B	0.17	(0.02)	5,131	0.17	0	-	-	-	-
SET5013C2503K	0.01	-	4	0.01	SPX28P2503A	-	-	-	-	0	-	-	-	-
SET5013C2503L	-	-	-	-	SPX28P2503B	-	-	-	-	0	-	-	-	-
SET5013C2503M	0.01	-	30	0.01	SPX28P2506A	0.56	0.01	104	0.57	0	-	-	-	-
SET5013C2503T	-	-	-	-	SPX28P2506B	0.37	(0.63)	50	0.37	0	-	-	-	-
SET5013C2506A	0.01	-	900	0.01	SPX41C2503A	-	-	-	-	0	-	-	-	-
SET5013C2506B	0.01	(0.01)	7,060	0.01	SPX41C2503B	-	-	-	-	0	-	-	-	-
SET5013C2506C	0.03	-	61,797	0.02	SPX41C2506A	0.09	(0.01)	1,514	0.08	0	-	-	-	-
SET5013C2506D	0.02	(0.02)	179,459	0.02	SPX41C2506B	0.24	(0.02)	67,817	0.22	0	-	-	-	-
SET5013C2506E	0.03	-	62,796	0.02	SPX41C2509T	2.14	(0.12)	1,061	2.16	0	-	-	-	-
SET5013C2506F	0.02	(0.02)	209,264	0.03	SPX41P2503A	-	-	-	-	0	-	-	-	-
SET5013C2506G	0.04	(0.03)	202,161	0.04	SPX41P2503B	0.36	0.05	30	0.36	0	-	-	-	-
SET5013C2506H	0.06	(0.06)	1,275,491	0.07	SPX41P2506A	0.60	0.01	5,265	0.63	0	-	-	-	-
SET5013C2506I	0.09	(0.08)	2,288,100	0.12	SPX41P2509T	3.16	0.10	30	3.16	0	-	-	-	-
SET5013C2506J	0.17	(0.12)	3,320,251	0.20	TENCEN28C250I	0.04	(0.02)	800	0.05	0	-	-	-	-
SET5013C2506K	0.25	(0.18)	4,998,596	0.30	TENCEN28C250J	1.14	(0.03)	100	1.14	0	-	-	-	-
SET5013C2506L	0.44	(0.56)	481,907	0.49	TENCEN28C250K	0.45	(0.05)	40,378	0.47	0	-	-	-	-
SET5013C2506T	0.01	(0.01)	8,089	0.01	TENCEN28P250I	-	-	-	-	0	-	-	-	-
SET5013P2503A	5.40	1.56	289	5.00	TENCEN28P250J	0.33	0.01	15,124	0.32	0	-	-	-	-
SET5013P2503B	8.40	0.35	24	7.35	TENCEN41C250I	1.10	(0.07)	2	1.10	0	-	-	-	-
SET5013P2503C	11.50	0.50	1	11.50	TENCEN41C250J	0.22	(0.05)	654	0.23	0	-	-	-	-
SET5013P2503D	4.36	0.98	776	4.04	TENCEN41C250K	1.18	(0.08)	1	1.18	0	-	-	-	-
SET5013P2503E	7.70	1.80	31	7.47	TRIPDC41C2506	0.53	(0.12)	411	0.55	0	-	-	-	-
SET5013P2503F	6.10	1.44	1,306	5.61	XIAOMI28C250A	3.86	-	5	3.89	0	-	-	-	-
SET5013P2503T	1.95	0.61	4,809	1.70	XIAOMI28C250B	1.53	(0.11)	2,042	1.65	0	-	-	-	-
SET5013P2506A	1.97	0.47	15,589	1.85	XIAOMI28C2509	0.72	(0.08)	23,285	0.70	0	-	-	-	-
SET5013P2506B	1.57	0.42	42,273	1.46	XIAOMI28P2505	0.04	0.03	400	0.04	0	-	-	-	-
SET5013P2506C	3.30	0.70	149	3.11	XIAOMI28P2509	0.10	(0.01)	478	0.10	0	-	-	-	-
SET5013P2506D	1.58	0.30	3,300	1.56	XIAOMI41C2503	-	-	-	-	0	-	-	-	-
SET5013P2506E	1.02	0.26	97,394	0.95	XIAOMI41C2504	1.98	0.18	100	1.96	0	-	-	-	-
SET5013P2506F	0.78	0.23	2,819,826	0.70	XIAOMI41C2506	1.15	(0.16)	71	1.17	0	-	-	-	-
SET5013P2506G	0.50	0.16	3,733,095	0.46	XIAOMI41C2506	0.38	(0.02)	1,034	0.36	0	-	-	-	-
SET5013P2506H	1.11	0.33	94,273	1.00	XIAOMI41P2506	0.38	0.05	218	0.35	0	-	-	-	-
SET5013P2506I	0.37	(0.63)	258,273	0.34	0	-	-	-	-	0	-	-	-	-
SET5013P2506T	3.22	0.56	4,939											

Main Board Quotation

Issue Date :

Wednesday March 12, 2025

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
Warrant - MAI														
Agro & Food Indust			-		UBIS	1.15	(0.04)	204	00 1.1	LEO	2.42	0.02	4,660	00 2.3
APO	1.62	(0.02)	7,270	00 1.6	UEC	0.80	-	319	00 0.7	MCA	1.05	(0.05)	9,819	00 1.0
AU	9.10	(0.50)	22,850	00 9.2	UKEM	0.53	(0.02)	21,046	00 0.5	MEB	21.60	(0.10)	2,021	00 21.2
CFARM	0.59	0.01	5,908	00 0.5	UREKA	0.84	(0.05)	60,670	00 0.8	MORE	0.02	(0.01)	6,879	00 0.0
JCHK	0.34	(0.01)	2,543	00 0.3	YUASA	10.40	(0.10)	16	00 10.4	MOTHER	0.91	(0.06)	9,549	00 0.9
KASET	0.56	-	803	00 0.5	ZIGA	1.01	(0.03)	4,839	00 1.0	MPJ	3.24	(0.06)	6,000	00 3.2
MAGURO	18.90	(0.50)	8,080	00 18.9	ZIGA-W2	0.11	-	4,603	00 0.1	MVP	0.50	(0.03)	4,131	00 0.5
MUD	-	-	0	00 0.0	Property					NCL	0.23	(0.02)	3,261	00 0.2
NTSC	8.40	-	1,935	00 8.3	24CS	1.94	(0.14)	5,242	00 1.9	NCP	1.09	-	12	00 1.0
TACC	4.24	(0.02)	4,185	00 4.2	24CS-W1	0.15	-	17,977	00 0.1	NEWS	0.01	-	234,439	00 0.0
TMILL	2.30	-	350	00 2.3	24CS-W2	0.18	0.01	2,071	00 0.1	PEER	0.14	-	13,744	00 0.1
WINNER	1.97	(0.01)	4,237	00 1.9	ARIN	0.53	(0.05)	245,977	00 0.6	PEER-W2	0.03	-	1,775	00 0.0
XO	16.30	0.60	23,855	00 16.2	ARROW	5.25	-	187	00 5.2	PICO	4.38	-	6	00 4.2
Consumer Products					BC	1.05	0.05	1,136	00 1.0	PLT	0.60	(0.01)	10,911	00 0.6
ALPHAX	0.44	(0.03)	93,168	00 0.4	BC-W2	0.02	0.01	31	00 0.0	QLT	3.00	(0.02)	215	00 2.9
BGT	0.45	(0.01)	15	00 0.4	BLESS	0.23	(0.01)	6,626	00 0.2	RP	0.84	-	20	00 0.8
DOD	1.25	0.01	685	00 1.2	BSM	1.41	(0.03)	21	00 1.4	SONIC	1.63	(0.01)	4,164	00 1.6
ECF	0.19	(0.02)	20,319	00 0.1	BTW	0.20	(0.01)	4,656	00 0.1	THMUI	0.38	0.01	57	00 0.3
ECF-W5	0.01	-	9,657	00 0.0	CAZ	1.68	(0.09)	182	00 1.6	TNDT	0.19	0.01	2,173	00 0.1
EFORL	0.24	-	21,198	00 0.2	CHEWA	0.28	-	2,953	00 0.2	TNDT-W1	-	-	-	00 0.0
EFORL-W6	0.01	-	3,390	00 0.0	CPANEL	3.18	(0.06)	264	00 3.1	TNH	32.00	(0.25)	2	00 31.8
EURO	4.32	(0.02)	260	00 4.3	CPANEL-W1	0.07	0.01	6,703	00 0.0	TNP	2.76	(0.08)	1,168	00 2.7
HPT	0.39	(0.01)	11,770	00 0.3	CRD	0.35	-	1,203	00 0.3	TPL	0.55	(0.05)	1,308	00 0.5
ITTHI	1.73	-	467	00 1.6	DHOUSE	0.58	(0.01)	93	00 0.5	TRP	6.50	-	1,918	00 6.4
JSP	1.66	(0.04)	3,722	00 1.6	DIMET	0.12	-	5,745	00 0.1	TURTLE	-	-	-	00 0.0
JSP-W2	0.05	-	31,221	00 0.0	DPAINT	0.75	(0.05)	3,616	00 0.7	TVDH	0.16	(0.01)	12,273	00 0.1
JUBILE	8.30	(0.05)	561	00 8.3	FLOYD	0.80	(0.01)	5,547	00 0.8	TVDH-W3	0.01	-	2	00 0.0
LTS	7.20	(0.45)	10,635	00 7.3	HYDRO	1.49	(0.13)	478	00 1.5	TVT	0.27	(0.01)	127	00 0.2
MGI	12.40	(0.30)	8,096	00 12.5	HYDRO-W2	0.13	(0.10)	1,375	00 0.1	UBA	0.94	(0.01)	18,250	00 0.9
MGI-W1	2.86	(0.08)	13,298	00 2.9	IND	0.86	(0.04)	93,804	00 0.9	VL	0.90	(0.01)	226	00 0.9
MOONG	1.90	-	385	00 1.8	JAK	1.16	(0.07)	246	00 1.1	VS	0.43	0.06	1,032	00 0.3
NPK	10.90	(0.10)	9	00 10.7	K	1.49	-	2,927	00 1.4	YGG	0.62	(0.03)	31,670	00 0.6
SEI	3.14	(0.08)	4,898	00 3.1	K-W3	0.22	(0.01)	267	00 0.2	Technology				
SMD100	4.00	(0.06)	1,624	00 4.0	META	0.08	-	21,193	00 0.0	APP	1.83	(0.07)	12,746	00 1.7
TM	0.57	(0.01)	5,858	00 0.5	PANEL	1.17	(0.01)	2,590	00 1.1	BBIK	31.25	(1.50)	5,129	00 31.5
TM-W1	-	-	0	00 0.0	PPS	0.18	0.01	929	00 0.1	BE8	11.70	(0.50)	7,519	00 11.8
WARRIX	3.66	(0.06)	7,460	00 3.6	PRI	5.30	(0.25)	1,730	00 5.4	BE8-W1	0.92	0.15	2	00 0.9
WINMED	1.28	(0.02)	23	00 1.2	PROS	0.91	0.14	197,748	00 0.8	BVG	1.83	(0.06)	1,895	00 1.8
Financials					PROS-W1	0.08	0.02	265,917	00 0.0	COMAN	0.63	0.08	3,485	00 0.6
ACAP	-	-	0	00 0.0	PSG	0.18	(0.02)	269,247	00 0.1	I2	1.05	(0.03)	1,998	00 1.0
AF	0.42	(0.05)	628	00 0.4	QTGC	0.16	0.01	22,418	00 0.1	IIG	3.36	0.02	392	00 3.3
AIRA	1.00	(0.09)	5	00 1.0	SENX	0.22	(0.01)	6,447	00 0.2	IRCP	0.40	(0.01)	1,681	00 0.4
ASN	1.15	(0.02)	521	00 1.1	SK	0.61	-	3,344	00 0.6	ITNS	1.46	(0.02)	282	00 1.4
BTC	0.39	(0.01)	77,645	00 0.3	SMART	0.64	(0.01)	9,669	00 0.6	NAT	3.78	-	1,283	00 3.7
BTC-W7	0.10	(0.01)	3,713	00 0.1	STC	0.50	(0.01)	280	00 0.5	NETBAY	17.80	(0.20)	5,398	00 17.7
GCAP	0.24	(0.01)	6,618	00 0.2	STX	1.30	(0.02)	2,523	00 1.3	PIS	5.35	(0.20)	20,738	00 5.4
KCC	1.88	(0.01)	42	00 1.8	SVR	0.59	0.01	92	00 0.5	PLANET	1.77	(0.10)	54,383	00 1.7
LIT	0.50	(0.02)	6,182	00 0.5	TAPAC	-	-	-	00 0.0	PROEN	1.72	(0.06)	401,372	00 1.7
MTSIB	0.60	(0.02)	805	00 0.6	THANA	1.06	(0.02)	106	00 1.0	PROEN-W2	0.56	(0.02)	163,193	00 0.5
SGF	0.17	-	53	00 0.1	TIGER	0.45	0.01	718	00 0.4	READY	4.62	0.02	486	00 4.5
SGF-P1	-	-	0	00 0.0	TITLE	4.16	(0.02)	2,700	00 4.1	SECURE	12.00	(0.50)	2,388	00 12.1
SGF-Q1	-	-	0	00 0.0	WELL	-	-	0	00 0.0	SICT	3.32	(0.08)	460	00 3.3
TQR	5.10	(0.20)	384	00 5.1	YONG	0.93	(0.04)	3,442	00 0.9	SIMAT	1.31	(0.06)	11,492	00 1.3
Industrials					Resources					SIMAT-W3	-	-	-	00 0.0
ADB	0.64	-	241	00 0.6	ABM	0.92	0.02	18	00 0.8	SPVI	1.42	(0.01)	606	00 1.4
BM	2.98	(0.04)	1,350	00 2.9	GTV	0.08	-	75,795	00 0.0	SRS	3.36	-	173	00 3.3
BM-W3	1.24	(0.04)	945	00 1.2	PSTC	0.47	-	5,740	00 0.4	TBN	6.05	-	4,035	00 6.4
BPS	0.50	(0.01)	5,396	00 0.5	PSTC-W2	-	-	-	00 0.0	TERA	1.21	0.02	1,378	00 1.1
CHO	0.03	(0.01)	4,439	00 0.0	PSTC-W3	0.10	0.01	315	00 0.0	TPS	3.88	(0.10)	4,064	00 3.9
CHO-W4	0.01	-	12	00 0.0	PTC	1.06	0.02	893	00 1.0	VCOM	2.40	(0.18)	7,561	00 2.3
CHOW	1.30	(0.03)	191	00 1.3	SAAM	6.40	(0.25)	4,730	00 6.4		-	-	-	-
CIG	0.04	0.01	52,433	00 0.0	SR	0.51	-	14	00 0.5		-	-	-	-
CIG-W10	0.06	0.01	1	00 0.0	STOWER	0.04	-	3,516	00 0.0		-	-	-	-
CIG-W9	-	-	0	00 0.0	TAKUNI	0.47	(0.03)	13,312	00 0.4		-	-	-	-
COLOR	1.06	(0.01)	355	00 1.0	TPCH	2.90	-	904	00 2.9		-	-	-	-
CPR	2.60	(0.08)	438	00 2.6	UMS	0.38	(0.02)	10	00 0.3		-	-	-	-
FPI	1.64	(0.02)	1,337	00 1.6	Services						-	-	-	-
GTB	0.75	-	2,140	00 0.7	ADD	3.76	(0.02)	95	00 3.7		-	-	-	-
HARN	2.10	-	370	00 2.0	AKP	0.70	-	847	00 0.7		-	-	-	-
KCM	0.20	(0.01)	3,576	00 0.2	AMA	4.02	(0.04)	2,351	00 4.0		-	-	-	-
KJL	7.15	0.05	893	00 7.0	AMARC	1.15	(0.02)	588	00 1.1		-	-	-	-
KUMWEL	1.06	0.04	557	00 1.0	ARIP	0.42	(0.01)	14,132	00 0.4		-	-	-	-
KWM	0.99	(0.01)	2,959	00 0.9	ATP30	0.89	(0.02)	5,739	00 0.9		-	-	-	-
MBAX	1.73	(0.03)	23	00 1.7	AUCT	7.50	(0.10)	5,813	00 7.4		-	-	-	-
MGT	1.75	0.03	27	00 1.7	BIS	2.58	(0.02)	310	00 2.6		-	-	-	-
MTW	0.89	(0.01)	1,447	00 0.8	BOL	5.10	0.05	308	00 5.0		-	-	-	-
MTW-W1	0.01	-	940	00 0.0	CEYE	2.24	(0.08)	334	25 2.2		-	-	-	-
NDR	1.43	(0.05)	171	00 1.4	CHIC	0.35	-	137	00 0.3		-	-	-	-
PACO	1.44	-	132	00 1.4	CMO	0.66	(0.02)	122	00 0.6		-	-	-	-
PACO-W1	0.03	-	11	00 0.0	D	2.22	-	1,543	00 2.2		-	-	-	-
PDG	2.60	0.02	562	00 2.5	DEXON	1.43	(0.01)	448	00 1.4		-	-	-	-
PHOL	2.90	(0.02)	976	00 2.8	DV8	0.37	(0.03)	3,187	00 0.3					